

# PRIAMUS

## Serial Publication of the Centre for Entomological Studies Ankara

Supplement

Number 35

03 04 2015

ISSN 1015-8243

<http://zoobank.org/urn:lsid:zoobank.org:pub:E3DC8785-2E1D-420C-8886-1690F7FoB605>

Initial results of the Entomofauna of SW Asia,  
based upon the info-system of the Cesa  
(excl. Lepidoptera)

Ahmet Ömer Koçak Muhabbet Kemal



**Fig.1** – *Oedipoda coerulescens* (Acrididae), a singing female, with clearly visible tympanal organ. Turkey, Van Prov., Artos Mt. 1950m 20 8 2012, M. Kemal (Cesa©). See for map 13.

**Abstract:** Initial results of the Entomofauna of SW Asia, based upon the info-system of the Cesa (excl. Lepidoptera). *Priamus* (Suppl.) 35: 1-1185, 185 maps.


This is the first temporary report of the Entomofauna of South West Asia. Totally 26111 species of the 332 families in 19 pterygot orders (excluding Lepidoptera) are recorded in the following countries with the number of the species: Turkey (18846), Caucasian countries (5429), Cyprus (1490), Syria (2204), Lebanon (1023), Jordan (1015), Israel (3782), Sinai (240), Saudi Arabia (808), Yemen (485), Arab Emirates (166), Oman (226), Bahrain (14), Qatar (46), Kuwait (24), Iraq (1161), Iran (4956), Turkmenistan (2083), Afghanistan (1671), and Pakistan (774). The families listed here are: Acanthosomidae, Achilidae, Acrididae, Acroceridae, Aeshnidae, Agaonidae, Agromyzidae, Aleyrodidae, Alydidae, Amorphoscelidae, Andrenidae, Anthicidae, Anthoridae, Anthomyiidae, Anthribidae, Aphalaridae, Aphelinidae, Aphelocheiridae, Aphididae, Apidae, Apionidae, Aradidae, Argidae, Ascalaphidae, Asilidae, Asterolecaniidae, Athericidae, Attelabidae, Aulacidae, Baetidae, Belostomatidae, Beraeidae, Berothidae, Berytidae, Bethyidae, Bibionidae, Bittacidae, Blaberidae, Blattidae, Blephariceridae, Bombyliidae, Bostrichidae, Brachycentridae, Brachyceridae, Braconidae, Braulidae, Brentidae, Bruchidae, Buprestidae, Byturidae, Caenidae, Calamoceratidae, Caliscelidae, Calliphoridae, Calophyidae, Calopterygidae, Camillidae, Cantharidae, Capniidae, Carabidae, Carnidae, Cebionidae, Cecidomyiidae, Cephalidae, Cerambycidae, Ceratopogonidae, Cercopidae, Cerococcidae, Chalcididae, Chamaemyiidae, Chaoboridae, Chironomidae, Chloroperlidae, Chloropidae, Chrysididae, Chrysomelidae, Chrysopidae, Cicadellidae, Cicadidae, Cimicidae, Cimicidae, Cixiidae, Cleridae, Coccidae, Coccinellidae, Coenagrionidae, Colletidae, Coniopterygidae, Cordulegasteridae, Corduliidae, Coreidae, Corixidae, Corydiidae, Crabronidae, Culicidae, Curculionidae, Cydnidae, Cyndrotomidae, Cynipidae, Dactylopiidae, Delphacidae, Derbidae, Dericorythidae, Dermestidae, Diapheromeridae, Diaspididae, Diastatidae, Dictyopharidae, Dilaridae, Dinidoridae, Diopsidae, Ditomyiidae, Dolichopodidae, Drosophilidae, Dytiscidae, Ecnomidae, Elateridae, Empidae, Empusidae, Encyrtidae, Ephyridae, Eriococcidae, Eucharidae, Eulophidae, Eumastacidae, Eupelmidae, Eurybrachidae, Eurytomidae, Evaniidae, Fanniidae, Figitidae, Flatidae, Forficulidae, Formicidae, Gasteruptiidae, Georissidae, Geotrupidae, Gerridae, Glaphyridae, Glossosomatidae, Goeridae, Gomphidae, Gryllidae, Gryllotalpidae, Gyrinidae, Halictidae, Halipidae, Heleomyzidae, Helophoridae, Hemerobiidae, Hippoboscidae, Histeridae, Homotomidae, Hybotidae, Hydraenidae, Hydrochidae, Hydrometridae, Hydrophilidae, Hydroptilidae, Hymenopodidae, Ibalidae, Ichneumonidae, Irididae, Iridopterygidae, Issidae, Kermesidae, Keroplatidae, Korynetidae, Labiduridae, Lampyridae, Lauxaniidae, Lecanodiaspididae, Leioididae, Lepidostomatidae, Leptoceridae, Lestidae, Leucospidae, Leuctridae, Libellulidae, Limnephilidae, Limoniidae, Liviidae, Lonchopteridae, Lophopidae, Lucanidae, Lygaeidae, Mantidae, Mantispidae, Margarodidae, Meenopidae, Megachilidae, Megalodontesidae, Melittidae, Meloidae, Melyridae, Membracidae, Micrococcidae, Micropezidae, Milichiidae, Miridae, Mogoplistidae, Mordellidae, Muscidae, Mutillidae, Mycetophilidae, Mydidae, Mymaridae, Myrmecophilidae, Myrmeleonidae, Mythicomyiidae, Nabidae, Naucoridae, Nemestrinidae, Nemopteridae, Nemouridae, Nepidae, Nitidulidae, Nogodinidae, Noteridae, Notonectidae, Nycteribiidae, Ochteridae, Oedemeridae, Opomyzidae, Ormyridae, Ortheziidae, Orussidae, Osmylidae, Pamphagidae, Pamphiliidae, Panorpidae, Pediciidae, Pentatomidae, Perilampidae, Perlidae, Perlodidae, Phengodidae, Philopotamidae, Phoridae, Phryganeidae, Piesmatidae, Piophilidae, Pipunculidae, Plataspidae, Platynemidae, Platystomidae, Pleidae, Polycentropodidae, Pompilidae, Pseudococcidae, Psilidae, Psychodidae, Psychomyiidae, Psyllidae, Pteromalidae, Pyrgomorphidae, Pyrochroidae, Pyrrhocoridae, Raphidiidae, Raphidophoridae, Reduviidae, Rhagionidae, Rhinophoridae, Rhopalidae, Rhyacophilidae, Ricaniidae, Ripiphoridae, Saldidae, Sapygidae, Sarcophagidae, Scarabaeidae, Scaphophagidae, Scelionidae, Scenopinidae, Schizodactylidae, Sciariidae, Sciomyzidae, Scirtidae, Scoliidae, Scutelleridae, Sepsidae, Sericostomatidae, Sialidae, Signiphoridae, Silphidae, Simuliidae, Spermidae, Sphaeroceridae, Sphecidae, Spongiphoridae, Staphylinidae, Stenocephalidae, Stratiomyidae, Streblidae, Syrphidae, Tabanidae, Tachinidae, Taeniopterygidae, Tenebrionidae, Tenthredinidae, Tephritidae, Tethinidae, Tetracampidae, Tetrigidae, Tettigometridae, Tettigoniidae, Thanerocleridae, Thaumaleidae, Therevidae, Thripidae, Tingidae, Tiphiidae, Tipulidae, Tormidae, Toxoderidae, Trichoceridae, Trichogrammatidae, Tridactylidae, Triozidae, Trioxsclidae, Trogidae, Tropiduchidae, Uenoidae, Ulidiidae, Veliidae, Vermileonidae, Vespidae, Xyelidae, Xylomyidae, and Xylophagidae. Separately 185 distributional maps are prepared.

**Key words:** Ephemeroptera, Odonata, Plecoptera, Dermaptera, Phasmida, Blattodea, Mantodea, Orthoptera, Hemiptera, Homoptera, Thysanoptera, Planipennia, Raphidioptera, Megaloptera, Trichoptera, Mecoptera, Diptera, Hymenoptera, Coleoptera, fauna, Asia, Turkey, Caucasus, Cyprus, Syria, Lebanon, Jordan, Israel, Sinai, Saudi Arabia, Yemen, Arab Emirates, Oman, Bahrain, Qatar, Kuwait, Iraq, Iran, Turkmenistan, Afghanistan, Pakistan

Entomofauna of Old World (EOW) was first announced by Koçak and Kemal on 23 October, 2008.<sup>1</sup> Since then, the contribution to the Project was unfortunately realized by these two authors only. The present list is composed of the collated records from the publications from the Cesa library, numerous new provincial and state records based upon the Cesa collection, and 185 originally prepared distributional maps. The presentation format of the list is as follows:

Valid name together with the author and the date of publication are given first, together with the indication of the family name. Synonyms are mentioned chronologically. Range of the species are indicated with codes. The same codes are also used for preparing the maps. Totally 2641 selected publications are arranged as author index.


<sup>1</sup> Cesa News 31: 8.



Entomofauna of Turkey (ET) has been investigated by the authors since 2008.<sup>2</sup> The present numbers of the Lepidoptera, and the rest of the pterygot orders in the country raised to 5406, and 18846, respectively (see the graph on the left). Thence, the current number of the species is 24252 for Turkey (TR).

In the info-system of the Cesa, the entomofaunistic information of secondarily interested neighbour countries are still lower than the expected level. For example, the top five countries (or region) are represented by the following species numbers: The Caucasus (Cc) [incl. Armenia, Georgia, Azerbaidjan, and Russia [in part]] is represented by 8590 pterygots for the time being.

Similarly, Iran (IR) by 8900 species, Israel (IL) by 5263 species, Afghanistan (AF) by 3551 species, Turkmenistan (TM) by 3307 species, etc.<sup>3</sup> (see graph). The present number of the species of the Pterygota orders of South-West Asia (SWA) is 37235. Among them, 26111 species (excl. Lepidoptera) are given in the present paper.



This is the first temporary report of the Entomofauna of South West Asia [SWA]. Totally 26111 species of the 332 families in 19 pterygot orders (excluding Lepidoptera) are recorded in the following countries, with the number of the species: Turkey [TR] (18846), Caucasian countries [Cc] (5429), Cyprus [CY] (1490), Syria [SY] (2204), Lebanon [LB] (1023), Jordan [JO] (1015), Israel [IL] (3782), Sinai [Sn] (240), Saudi Arabia [SA] (808), Yemen [YE] (485), Arab Emirates [AE] (166), Oman [OM] (226), Bahrain [BH] (14), Qatar [QA] (46), Kuwait [KW] (24), Iraq [IQ] (1161), Iran [IR] (4956), Turkmenistan [TM] (2083), Afghanistan [AF] (1671), and Pakistan [PK] (774). Separately 185 distributional maps are prepared specially.

The families evaluated here are given below alphabetically: Acanthosomidae, Achilidae, Acrididae, Acroceridae, Aeshnidae, Agaonidae, Agromyzidae, Aleyrodidae, Alydidae, Amorphoscelidae, Andrenidae, Anthicidae, Anthocoridae, Anthomyiidae, Anthribidae, Aphalaridae, Aphelinidae, Aphelocheiridae, Aphididae, Apidae, Apionidae, Aradidae, Argidae, Ascalaphidae, Asilidae, Asterolecaniidae, Athericidae, Attelabidae, Aulacidae, Baetidae, Belostomatidae, Beraeidae, Berothidae, Berytidae, Bethylidae, Bibionidae, Bittacidae, Blaberidae, Blattidae, Blephariceridae, Bombyliidae, Bostrichidae, Brachycentridae, Brachyceridae, Braconidae, Braulidae, Brentidae, Bruchidae, Buprestidae, Byturidae, Caenidae, Calamoceratidae, Caliscelidae, Calliphoridae, Calophyidae, Calopterygidae, Camillidae, Cantharidae, Capniidae, Carabidae, Carnidae, Cebrionidae, Cecidomyiidae, Cephidae, Cerambycidae, Ceratopogonidae, Cercopidae, Cerococcidae, Chalcididae, Chamaemyiidae, Chaoboridae, Chironomidae, Chloroperlidae, Chloropidae, Chrysidae, Chrysomelidae, Chrysopidae, Cicadellidae, Cicadidae, Cimicidae, Cixiidae, Cleridae, Coccidae, Coccinellidae, Coenagrionidae, Colletidae, Coniopterygidae, Cordulegasteridae, Corduliidae, Coreidae, Corixidae, Corydiidae, Crabronidae, Culicidae, Curculionidae, Cydnidae, Cylindrotomidae, Cynipidae, Dactylopiidae, Delphacidae, Derbidae, Dericorythidae, Dermestidae, Diapheromeridae, Diaspididae, Diastatidae,

<sup>2</sup> Cesa News 31: 7.

<sup>3</sup> See also some previous reports: **Koçak, A.Ö. & M.Kemal, 2010**, Results of the Entomofauna of the World based upon info-system of the Cesa. *Cent. ent. Stud., Priamus Suppl.* 18: 1-3186, 2 figs, 1 map. <https://archive.org/details/CentreForEntomologicalStudiesAnkaraPriamusSupplement18>  
**Koçak, A.Ö. & M.Kemal, 2010**, Pterygot insects of Afghanistan. A tentative synonymic list of the species known in Afghanistan (Results of the Entomofauna of the World, based upon infosystem of the Cesa). *Priamus (suppl.)* 19: 1- 98. <https://archive.org/details/CentreForEntomologicalStudiesAnkaraPriamusSupplement19>

Dictyopharidae, Dilaridae, Dinidoridae, Diopsidae, Ditomyiidae, Dolichopodidae, Drosophilidae, Dytiscidae, Ecnomidae, Elateridae, Empidae, Empusidae, Encyrtidae, Ephydriidae, Eriococcidae, Eucharidae, Eulophidae, Eumastacidae, Eupelmidae, Eurybrachidae, Eurytomidae, Evaniidae, Fanniidae, Figitidae, Flatidae, Forficulidae, Formicidae, Gasteruptiidae, Georissidae, Geotrupidae, Gerridae, Glaphyridae, Glossosomatidae, Goeridae, Gomphidae, Gryllidae, Gryllotalpidae, Gyrinidae, Halictidae, Haliplidae, Heleomyzidae, Helophoridae, Hemerobiidae, Hippoboscidae, Histeridae, Homotomidae, Hybotidae, Hydraenidae, Hydrochidae, Hydrometridae, Hydrophilidae, Hydropsychidae, Hydroptilidae, Hymenopodidae, Ibalidae, Ichneumonidae, Irididae, Iridopterygidae, Issidae, Kermesidae, Keroplatidae, Korynetidae, Labiduridae, Lampyridae, Lauxaniidae, Lecanodiaspididae, Leioidae, Lepidostomatidae, Leptoceridae, Lestidae, Leucospidae, Leuctridae, Libellulidae, Limnephilidae, Limoniidae, Liviidae, Lonchopteridae, Lophopidae, Lucanidae, Lygaeidae, Mantidae, Mantispidae, Margarodidae, Meenoplidae, Megachilidae, Megalodontesidae, Melittidae, Meloidae, Melyridae, Membracidae, Micrococcidae, Micropezidae, Milichiidae, Miridae, Mogoplistidae, Mordellidae, Muscidae, Mutillidae, Mycetophilidae, Mydidae, Mymaridae, Myrmecophilidae, Myrmeleonidae, Mythicomyiidae, Nabidae, Naucoridae, Nemestrinidae, Nemopteridae, Nemouridae, Nepidae, Nitidulidae, Nogodinidae, Noteridae, Notonectidae, Nycteribiidae, Ochteridae, Oedemeridae, Opomyzidae, Ormyridae, Ortheziidae, Orussidae, Osmylidae, Pamphagidae, Pamphiliidae, Panorpidae, Pediciidae, Pentatomidae, Perilampidae, Perlidae, Perlodidae, Phengodidae, Philopotamidae, Phoridae, Phryganeidae, Piesmatidae, Piophilidae, Pipunculidae, Plataspidae, Platynemidae, Platystomidae, Pleidae, Polycentropodidae, Pompilidae, Pseudococcidae, Psilidae, Psychodidae, Psychomyiidae, Psyllidae, Pteromalidae, Pyrgomorphidae, Pyrgotidae, Pyrochroidae, Pyrrhocoridae, Raphidiidae, Raphidophoridae, Reduviidae, Rhagionidae, Rhinophoridae, Rhopalidae, Rhyacophilidae, Ricianidae, Ripiphoridae, Saldidae, Sapygidae, Sarcophagidae, Scarabaeidae, Scathophagidae, Scelionidae, Scenopinidae, Schizodactylidae, Sciaridae, Sciomyzidae, Scirtidae, Scoliidae, Scutelleridae, Sepsidae, Sericostomatidae, Sialidae, Signiphoridae, Silphidae, Simuliidae, Spercheidae, Sphaeroceridae, Sphecidae, Spongiphoridae, Staphylinidae, Stenocephalidae, Stratiomyidae, Streblidae, Syrphidae, Tabanidae, Tachinidae, Taeniopterygidae, Tenebrionidae, Tenthredinidae, Tephritidae, Tethinidae, Tetracampidae, Tetrigidae, Tettigometridae, Tettigoniidae, Thanerocleridae, Thaumaleidae, Therevidae, Thripidae, Tingidae, Tiphiidae, Tipulidae, Torymidae, Toxoderidae, Trichoceridae, Trichogrammatidae, Tridactylidae, Triozidae, Trixoscelidae, Trogidae, Tropiduchidae, Uenoidae, Ulidiidae, Veliidae, Vermileonidae, Vespidae, Xyelidae, Xylomyidae, and Xylophagidae.

Since an inventory study on the Entomofauna of South West Asia was a scientific requirement, we started this enormous work with our own decision. Nobody forced us, or supported financially on this issue.

## List of the Maps used in this publication

Totally 185 maps are prepared for 185 species of 59 families in 9 orders. Three families, Acrididae (Orthoptera), Pentatomidae (Hemiptera), and Tephritidae (Diptera) are represented here by the higher specific numbers as 14, 27, and 21, respectively.

**Map 1 - *Aiolopus simulatrix* (Walker, 1870) (Acrididae)**  
**Map 2 - *Aiolopus thalassinus* (Fabricius, 1781) (Acrididae)**  
**Map 3 - *Calliptamus barbarus* (Costa, 1836) (Acrididae)**  
**Map 4 - *Calliptamus italicus* (Linnaeus, 1758) (Acrididae)**  
**Map 5 - *Chorthippus (Glyptothorax) brunneus* (Thunberg, 1815) (Acrididae)**  
**Map 6 - *Dociostaurus (Kazakia) brevicollis* (Eversmann, 1848) (Acrididae)**  
**Map 7 - *Dociostaurus (Notostaurus) anatolicus* Krauss, 1896 (Acrididae)**  
**Map 8 - *Dociostaurus* (s.str.) *maroccanus* (Thunberg, 1815) (Acrididae)**  
**Map 9 - *Dociostaurus (Staurotulus) hauensteini* (Bolivar, 1893) (Acrididae)**  
**Map 10 - *Eyprepocnemis plorans* (Charpentier, 1825) (Acrididae)**

**Map 11 - *Heteracris pterosticha* (Fischer von Waldheim, 1833) (Acrididae)**  
**Map 12 - *Oedaleus decorus* (Germar, 1825) (Acrididae)**  
**Map 13 - *Oedipoda caerulescens* (Linnaeus, 1758) (Acrididae), see also Fig. 1.**  
**Map 14 - *Ramburiella (Palaeocesa) turcomana* (Fischer von Waldheim, 1833) (Acrididae)**  
**Map 15 - *Camptopus lateralis* (Germar, 1817) (Alydidae)**  
**Map 16 - *Anthocoris minki* (Dohrn, 1860) (Anthocoridae)**  
**Map 17 - *Anthocoris nemorum* (Linnaeus, 1761) (Anthocoridae)**  
**Map 18 - *Epallage fatime* (Charpentier, 1840) (Calopterygidae)**  
**Map 19 - *Philaenus* (s.str.) *spumarius* (Linnaeus, 1758) (Cercopidae)**  
**Map 20 - *Aconurella prolixa* (Lethierry, 1885) (Cicadellidae)**  
**Map 21 - *Alebra albostrigata* (Fallén, 1826) (Cicadellidae)**



- Map 22 - *Aphrodes bicinctus* (Schränk, 1776)** (Cicadellidae)  
**Map 23 - *Austroagallia sinuata* (Mulsant & Rey, 1855)** (Cicadellidae)  
**Map 24 - *Circulifer haematocephalus* (Mulsant & Rey, 1855)** (Cicadellidae)  
**Map 25 - *Euscelis incisus* (Kirschbaum, 1858)** (Cicadellidae)  
**Map 26 - *Macrosteles sexnotatus* (Fallén, 1806)** (Cicadellidae)  
**Map 27 - *Enoplops scapha* (Fabricius, 1794)** (Coreidae)  
**Map 28 - *Syromastus rhombeus* (Linnaeus, 1767)** (Coreidae)  
**Map 29 - *Cydnus aterrimus* (Forster, 1771)** (Cydnidae)  
**Map 30 - *Macroscytus brunneus* (Fabricius, 1803)** (Cydnidae)  
**Map 31 - *Asiraca clavicornis* (Fabricius, 1794)** (Delphacidae)  
**Map 32 - *Javesella pellucida* (Fabricius, 1794)** (Delphacidae)  
**Map 33 - *Laodelphax striatellus* (Fallén, 1826)** (Delphacidae)  
**Map 34 - *Toya propinqua* (Fieber, 1866)** (Delphacidae)  
**Map 35 - *Dictyophara* (s.str.) *europaea* (Linnaeus, 1767)** (Dictyopharidae)  
**Map 36 - *Pteronemobius* (s.str.) *heydenii* (Fischer, 1853)** (Gryllidae)  
**Map 37 - *Shaerqia turkestanica* (F. Loew, 1881)** (Liviidae)  
**Map 38 - *Spilostethus pandurus* (Scopoli, 1763)** (Lygaeidae)  
**Map 39 - *Spilostethus saxatilis* (Scopoli, 1763)** (Lygaeidae)  
**Map 40 - *Bolivaria brachyptera* (Pallas, 1773)** (Mantidae)  
**Map 41 - *Orthotylus flavosparsus* (Sahlberg, 1841)** (Miridae)  
**Map 42 - *Prostemma sanguineum* (Rossi, 1790)** (Nabidae)  
**Map 43 - *Nemoura cinerea* (Retzius, 1783)** (Nemouridae)  
**Map 44 - *Aelia acuminata* (Linnaeus, 1758)** (Pentatomidae)  
**Map 45 - *Ancyrosoma leucogrammes* (Gmelin, 1790)** (Pentatomidae)  
**Map 46 - *Apodiphus amygdali* (Germar, 1817)** (Pentatomidae)  
**Map 47 - *Arma custos* (Fabricius, 1794)** (Pentatomidae)  
**Map 48 - *Bagrada stolida* (Herrich-Schäffer, 1839)** (Pentatomidae)  
**Map 49 - *Brachynema germarii* (Kolenati, 1846)** (Pentatomidae)  
**Map 50 - *Carpocoris* (s.str.) *coreanus* Distant, 1899** (Pentatomidae)  
**Map 51 - *Carpocoris* (s.str.) *fuscispinus* (Boheman, 1851)** (Pentatomidae)  
**Map 52 - *Carpocoris* (s.str.) *mediterraneus* Tamanini, 1958** (Pentatomidae)  
**Map 53 - *Carpocoris* (s.str.) *pudicus* (Poda, 1761)** (Pentatomidae)  
**Map 54 - *Carpocoris* (s.str.) *purpureipennis* (De Geer, 1773)** (Pentatomidae)  
**Map 55 - *Cnephosa flavomarginata* Jakovlev, 1880** (Pentatomidae)  
**Map 56 - *Codophila* (s.str.) *varia* (Fabricius, 1787)** (Pentatomidae)  
**Map 57 - *Dolycoris baccarum* (Linnaeus, 1758)** (Pentatomidae)  
**Map 58 - *Eurydema* (Horvath) *eurydema* fieberi Fieber, 1837** (Pentatomidae)  
**Map 59 - *Eurydema* (s.str.) *oleraceum* (Linnaeus, 1758)** (Pentatomidae)  
**Map 60 - *Graphosoma* (Graphosomella) *inexpectatum* Carapezza & Jindra, 2008** (Pentatomidae)  
**Map 61 - *Nezara viridula* (Linnaeus, 1758)** (Pentatomidae)  
**Map 62 - *Pausias lepieuri* (Signoret, 1880)** (Pentatomidae)  
**Map 63 - *Picromerus griseus* (Dallas, 1851)** (Pentatomidae)  
**Map 64 - *Putonia asiatica* Jakovlev, 1885** (Pentatomidae)  
**Map 65 - *Rhacognathus punctatus* (Linnaeus, 1758)** (Pentatomidae)  
**Map 66 - *Rhombocoris regularis* (Herrich-Schäffer, 1851)** (Pentatomidae)  
**Map 67 - *Sciocoris* (s.str.) *cursitans* (Fabricius, 1794)** (Pentatomidae)  
**Map 68 - *Staria lunata* (Hahn, 1835)** (Pentatomidae)  
**Map 69 - *Tholagus flavolineatus* (Fabricius, 1798)** (Pentatomidae)  
**Map 70 - *Zicrona caerulea* (Linnaeus, 1758)** (Pentatomidae)  
**Map 71 - *Pisma* (Parapiesma) *quadratum* (Fieber, 1844)** (Piesmatidae)  
**Map 72 - *Pisma* (s.str.) *maculatum* (Laporte, 1833)** (Piesmatidae)  
**Map 73 - *Coptosoma scutellatum* (Geoffroy, 1785)** (Plataspidae)  
**Map 74 - *Rhynocoris iracundus* (Poda, 1761)** (Reduviidae)  
**Map 75 - *Brachycarenum tigrinus* (Schilling, 1829)** (Rhopalidae)  
**Map 76 - *Corizus hyoscyami* (Linnaeus, 1758)** (Rhopalidae)  
**Map 77 - *Rhopalus* (s.str.) *parumpunctatus* Schilling, 1829** (Rhopalidae)  
**Map 78 - *Rhopalus* (s.str.) *subrufus* (Gmelin, 1790)** (Rhopalidae)  
**Map 79 - *Saldula opacula* (Zetterstedt, 1838)** (Saldidae)  
**Map 80 - *Psacasta* (s.str.) *exanthematica* (Scopoli, 1763)** (Scutelleridae)  
**Map 81 - *Phaneroptera* (Erdemia) *erdemi* Koçak & Kemal, 2009** (Tettigoniidae)  
**Map 82 - *Platycleis* (Squamiana) *irritans* Ramme, 1951** (Tettigoniidae)  
**Map 83 - *Platycleis* (Tessellana) *veyseli* Koçak, 1984** (Tettigoniidae)  
**Map 84 - *Saga ephippigera* Fischer von Waldheim, 1846** (Tettigoniidae)  
**Map 85 - *Trigonocorypha sirvani* Koçak, Kemal & Seven, 2010** (Tettigoniidae)  
**Map 86 - *Laphria dizonia* Loew, 1847** (Asilidae)  
**Map 87 - *Bibio hortulanus* (Linnaeus, 1758)** (Bibionidae)  
**Map 88 - *Dilophus tridentatus* Walker, 1848** (Bibionidae)  
**Map 89 - *Anthrax aethiops* (Fabricius, 1781)** (Bombyliidae)  
**Map 90 - *Bombomyia discoidea* (Fabricius, 1794)** (Bombyliidae)  
**Map 91 - *Bombylius* (s.str.) *minor* Linnaeus, 1758** (Bombyliidae)  
**Map 92 - *Caecanthrax arabicus* (Macquart, 1840)** (Bombyliidae)  
**Map 93 - *Chalcochiton pallasii* (Loew, 1856)** (Bombyliidae)  
**Map 94 - *Exoprosopa rivularis* (Meigen, 1820)** (Bombyliidae)  
**Map 95 - *Hemipenthes morio* (Linnaeus, 1758)** (Bombyliidae)  
**Map 96 - *Hemipenthes velutina* (Meigen, 1820)** (Bombyliidae)  
**Map 97 - *Heteralonia* (Homolonia) *megerlei* (Meigen, 1820)** (Bombyliidae)  
**Map 98 - *Satyrus hebraeus* (Fabricius, 1794)** (Bombyliidae)  
**Map 99 - *Thyridanthrax perspicillaris* (Loew, 1869)** (Bombyliidae)  
**Map 100 - *Aphanotrigonum cinctellum* (Zetterstedt, 1848)** (Chloropidae)  
**Map 101 - *Chlorops pumilionis* (Bjerkander, 1778)** (Chloropidae)  
**Map 102 - *Thaumatomyia notata* (Meigen, 1830)** (Chloropidae)  
**Map 103 - *Myopa dorsalis* Fabricius, 1794** (Conopidae)  
**Map 104 - *Thecophora pusilla* (Meigen, 1824)** (Conopidae)  
**Map 105 - *Aedes* (Stegomyia) *aegypti* (Linnaeus, 1762)** (Culicidae)  
**Map 106 - *Mosillus subsultans* (Fabricius, 1794)** (Ephydriidae)  
**Map 107 - *Hydrotaea aenescens* (Wiedemann, 1830)** (Muscidae)  
**Map 108 - *Hydrotaea ignava* (Harris, 1780)** (Muscidae)  
**Map 109 - *Lispe pygmaea* Fallén, 1825** (Muscidae)  
**Map 110 - *Lispe serripalpis* Stein, 1904** (Muscidae)  
**Map 111 - *Lispe tentaculata* (De Geer, 1776)** (Muscidae)  
**Map 112 - *Musca tempestiva* Fallén, 1817** (Muscidae)  
**Map 113 - *Hirmoneura kunchuy* Koçak & Kemal, 2012** (Nemestrinidae)  
**Map 114 - *Nemestrinus caucasicus* (Fischer, 1806)** (Nemestrinidae)  
**Map 115 - *Neorhynchocephalus tauscheri* (Fischer, 1812)** (Nemestrinidae)  
**Map 116 - *Platystoma seminationis* (Fabricius, 1775)** (Platystomatidae)  
**Map 117 - *Eupyrgota vagae* (Bigot, 1880)** (Pyrgotidae)  
**Map 118 - *Scathophaga stercoraria* (Linnaeus, 1758)** (Scathophagidae)  
**Map 119 - *Zophomyia temula* (Scopoli, 1763)** (Tachinidae)  
**Map 120 - *Acanthophilus helianthi* (Rossi, 1790)** (Tephritidae)

- Map 121 - Campiglossa producta (Loew,1844)** (Tephritidae)  
**Map 122 - Ceratitidis (s.str.) capitata (Wiedemann,1824)** (Tephritidae)  
**Map 123 - Chaetorellia succinea (O.Costa,1844)** (Tephritidae)  
**Map 124 - Dioxyna bidentis (R-D.,1830)** (Tephritidae)  
**Map 125 - Ensina sonchi (Linnaeus,1767)** (Tephritidae)  
**Map 126 - Goniurellia longicauda Freidberg,1980** (Tephritidae)  
**Map 127 - Heringina guttata (Fallén,1814)** (Tephritidae)  
**Map 128 - Hypenidium roborowskii (Becker,1908)** (Tephritidae)  
**Map 129 - Orellia falcata (Scopoli,1763)** (Tephritidae)  
**Map 130 - Rhagoletis cerasi (Linnaeus,1758)** (Tephritidae)  
**Map 131 - Sphenella marginata (Fallén,1814)** (Tephritidae)  
**Map 132 - Tephritis postica (Loew,1844)** (Tephritidae)  
**Map 133 - Terellia (s.str.) serrataulae (Linnaeus,1758)** (Tephritidae)  
**Map 134 - Trupanea amoena (Frauenfeld,1857)** (Tephritidae)  
**Map 135 - Trupanea stellata (Fuesslin,1775)** (Tephritidae)  
**Map 136 - Urophora affinis (Frauenfeld,1857)** (Tephritidae)  
**Map 137 - Urophora pauperata (Zaitzev,1945)** (Tephritidae)  
**Map 138 - Urophora quadrifasciata (Meigen,1826)** (Tephritidae)  
**Map 139 - Urophora solstitialis (Linnaeus,1758)** (Tephritidae)  
**Map 140 - Xyphosia miliaria (Schrank,1781)** (Tephritidae)  
**Map 141 - Thereva valida (Loew,1847)** (Therevidae)  
**Map 142 - Dictenidia bimaculata (Linnaeus,1760)** (Tipulidae)  
**Map 143 - Nephrotoma cornicina (Linnaeus,1758)** (Tipulidae)  
**Map 144 - Nephrotoma nox (Riedel,1910)** (Tipulidae)  
**Map 145 - Tipula (s.str.) orientalis Lackschewitz,1930** (Tipulidae)  
**Map 146 - Tipula (Yamatotipula) lateralis Meigen,1804** (Tipulidae)  
**Map 147 - Myennis octopunctata (Coquebert,1798)** (Ulidiidae)  
**Map 148 - Andrena (Brachyandrena) colletiformis Morawitz,1874** (Andrenidae)  
**Map 149 - Andrena (Holandrena) variabilis Smith,1853** (Andrenidae)  
**Map 150 - Andrena (Melandrena) thoracica (Fabricius,1775)** (Andrenidae)  
**Map 151 - Melitturga clavicornis (Latreille,1806)** (Andrenidae)  
**Map 152 - Coccophagus ceroplastae (Howard,1895)** (Aphelinidae)  
**Map 153 - Coccophagus lycimnia (Walker,1839)** (Aphelinidae)  
**Map 154 - Ammobatoides (s.str.) abdominalis (Eversmann,1852)** (Apidae)  
**Map 155 - Melecta albifrons (Förster,1771)** (Apidae)  
**Map 156 - Thyreus histrionicus (Illiger,1806)** (Apidae)  
**Map 157 - Xylocopa (Proxycopa) olivieri Lepeletier,1841** (Apidae)  
**Map 158 - Arge cyanocrocea (Forster,1771)** (Argidae)  
**Map 159 - Agathis anglica Marshall,1885** (Braconidae)  
**Map 160 - Agathis malvacearum Latreille,1805** (Braconidae)  
**Map 161 - Orgilus pimpinellae Niezabitowski,1910** (Braconidae)  
**Map 162 - Pseudovipio castrator (Fabricius,1798)** (Braconidae)  
**Map 163 - Vipio cuniculator (Rossi,1792)** (Braconidae)  
**Map 164 - Bembecinus tridens (Fabricius,1781)** (Crabronidae)  
**Map 165 - Bembix olivacea Fabricius,1787** (Crabronidae)  
**Map 166 - Oxybelus quatuordecimnotatus Jurine,1807** (Crabronidae)  
**Map 167 - Stizoides tridentatus (Fabricius,1775)** (Crabronidae)  
**Map 168 - Andricus kollari (Hartig,1843)** (Cynipidae)  
**Map 169 - Closterocerus formosus Westwood,1833** (Eulophidae)  
**Map 170 - Diglyphus isaea (Walker,1838)** (Eulophidae)  
**Map 171 - Lasioglossum (Evylaeus) mesosclerum (Pérez,1903)** (Halictidae)  
**Map 172 - Lasioglossum (Evylaeus) setulellum (Strand,1909)** (Halictidae)  
**Map 173 - Lasioglossum (Evylaeus) subaenescens (Pérez,1896)** (Halictidae)  
**Map 174 - Coelichneumon comitator (Linnaeus,1758)** (Ichneumonidae)  
**Map 175 - Anthidium (Rhodanthidium) superbum Radoszkowski,1876** (Megachilidae)  
**Map 176 - Tropidotilla litoralis (Petagna,1787)** (Mutillidae)  
**Map 177 - Sceliphron (s.str.) destillatorium (Illiger,1807)** (Sphecidae)  
**Map 178 - Cantharis (Cyrtomoptila) lateralis Linnaeus,1758** (Cantharidae)  
**Map 179 - Cantharis (s.str.) annularis Ménétrés,1836** (Cantharidae)  
**Map 180 - Cantharis (s.str.) livida Linnaeus,1758** (Cantharidae)  
**Map 181 - Cantharis rufa Linnaeus,1758** (Cantharidae)  
**Map 182 - Rhagonycha fulva (Scopoli,1763)** (Cantharidae)  
**Map 183 - Purpuricenus wachanrui Levrat,1858** (Cerambycidae)  
**Map 184 - Tilloidea unifasciata (Fabricius,1787)** (Cleridae)  
**Map 185 - Mycetochara (Ernocharis) quadrimaculata (Latreille,1804)** (Tenebrionidae)

## Part 1

### Ephemeroptera, Plecoptera, Odonata, Blattodea, Mantodea, Dermaptera, Phasmida, Orthoptera, Hemiptera, Homoptera, Thysanoptera

From the technical reasons, 26111 species of the 332 families in 19 orders are listed in this publications in five parts.

In Part 1, the species of 11 hemimetabol orders are given alphabetically according to their families. Additionally, synonyms and distributional information (as range codes) are also mentioned. Totally 5171 species of 119 families are given in this part. These families are as follows alphabetically: Acanthosomidae, Achilidae, Acrididae, Aeshnidae, Aleyrodidae, Alydidae, Amorphoscelidae, Anthocoridae, Aphalaridae, Aphelocheiridae, Aphididae, Aradidae, Asterolecaniidae, Baetidae, Belostomatidae, Berytidae, Blaberidae, Blattidae, Caenidae, Caliscelidae, Calophyidae, Calopterygidae, Capniidae, Cercopidae, Cerococcidae, Chloroperlidae, Cicadellidae, Cicadidae, Cimicidae, Cixiidae, Coccidae, Coenagrionidae, Cordulegasteridae,

Corduliidae, Coreidae, Corixidae, Corydiidae, Cydnidae, Dactylopiidae, Delphacidae, Derbidae, Dericorythidae, Diapheromeridae, Diaspididae, Dictyopharidae, Dinidoridae, Empusidae, Eriococcidae, Eumastacidae, Eurybrachidae, Flatidae, Forficulidae, Gerridae, Gomphidae, Gryllidae, Gryllotalpidae, Homotomidae, Hydrometridae, Hymenopodidae, Irididae, Iridopterygidae, Issidae, Kermesidae, Labiduridae, Lecanodiaspididae, Lestidae, Leuctridae, Libellulidae, Liviidae, Lophopidae, Lygaeidae, Mantidae, Margarodidae, Meenoplidae, Membracidae, Micrococcidae, Miridae, Mogoplistidae, Myrmecophilidae, Nabidae, Naucoridae, Nemouridae, Nepidae, Nogodinidae, Notonectidae, Ochteridae, Ortheziidae, Pamphagidae, Pentatomidae, Perlidae, Perlodidae, Piesmatidae, Plataspidae, Platynemidae, Pleidae, Pseudococcidae, Psyllidae, Pyrgomorphidae, Pyrrhocoridae, Raphidophoridae, Reduviidae, Rhopalidae, Ricaniidae, Saldidae, Schizodactylidae, Scutelleridae, Spongiphoridae, Stenocephalidae, Taeniopterygidae, Tetrigidae, Tettigometridae, Tettigoniidae, Thripidae, Tingidae, Toxoderidae, Tridactylidae, Triozidae, Tropiduchidae, and Veliidae.

1. **Elasmucha punctata (Dallas,1851)** (Acanthosomidae) Synonym(s): punctata Dallas,1851 Range (in code): AF CN
2. **Elasmucha grisea (Linnaeus,1758)** (Acanthosomidae) Synonym(s): grisea Linnaeus,1758; betulae De Geer,1773 nec Linn.,1758; alni Ström,1783; agathinus Fabricius,1794; antennatus Reuter,1885; cypria Josifov,1971 [ssp.]; eckerleini Josifov,1971 [ssp.] Range (in code): AL AT BE B-H BG BY HV CZ DK FI FR GB DE GR HU IT LT NL NO PL PT RO RU SK SS ES CH UA Cm YU AZ AM GG Cc TR CY MN IR
3. **Elasmotethus interstinctus (Linnaeus,1758)** (Acanthosomidae) Synonym(s): interstinctus Linnaeus,1758; dentatus De Geer,1773; haemagaster Schrank,1781; bidens Gmelin,1790 nec Linn.,1758; arboreus Gmelin,1790; collaris Fabricius,1803; bidentatus O'Reilly,1813 nec Gz.,1778; stollii Lepeletier & Audinet-Serville,1825 Range (in code): AL AT BE B-H BG BY HV CZ DK FI FR GB DE GR HU IT LT MK MD NL NO PL PT RU SK SS ES SE CH UA AZ Cc AM GG KG CN MN
4. **Elasmotethus minor Horvath,1899** (Acanthosomidae) Synonym(s): minor Horvath,1899 Range (in code): AL AT BE B-H BG BY HV CZ EE FR DE HU LT NL PL PT RU SK SS ES SE CH YU Cc GG
5. **Cyphostethus tristriatus (Fabricius,1787)** (Acanthosomidae) Synonym(s): tristriatus Fabricius,1787; picta Samouelle,1832; clypeata Burmeister,1835; picta Curtis,1840; pictipenne Curtis,1852; minitristriatus Ahmad & Önder,1993; pallidus Ahmad & Önder,1993 Range (in code): AL AT BE B-H BG BY HV CZ DE EE FI FR GB DE GR HU IT LT MK NL NO PL PT RU SK SS ES SE CH UA YU DZ MA TN AZ Cc AF AM GG TJ UZ IR Gh Mz Elb TR
6. **Akotropis quercicola Linnavuori,1962** (Achilidae) Synonym(s): quercicola Linnavuori,1962 Range (in code): IL Pa TR BG GR 31 43
7. **Cixidia marginicollis (Spinola,1839)** (Achilidae) Synonym(s): marginicollis Spinola,1839 Range (in code): AL AT CZ FR DE HU IT RO ES SW SY TR MD UA YU 01
8. **Cixidia mersinica (Dlabola,1987)** (Achilidae) Synonym(s): mersinica Dlabola,1987 Range (in code): TR 01 27 33 42 48
9. **Cixidia parnassia (Stal,1859)** (Achilidae) Synonym(s): parnassia Stal,1859 Range (in code): AF BG TR CZ FR GR HU RO YU 18 19 27 35 48
10. **Cixidia pilatoi D'Urso & Guglielmino,1995** (Achilidae) Synonym(s): pilatoi D'Urso & Guglielmino,1995 Range (in code): AT B-H BG CZ DE IT RO UA YU TR 01 07
11. **Deferunda lineola (Matsumura,1914)** (Achilidae) Synonym(s): lineola Matsumura,1914 Range (in code): RU Cc
12. **Acrida anatolica Dirsh,1949** (Acrididae) Synonym(s): anatolica Dirsh,1949; caucasica Dirsh,1949; #anatolcia Weidner,1969 Range (in code): TR Cc 01 03 04 06 07 08 10 16 20 31 32 33 34 36 38 41 42 45 63 76
13. **Acrida bicolor (Thunberg,1815)** (Acrididae) Synonym(s): bicolor Thunberg,1815; pellucida Klug,1830; stalii Bolivar,1893; orientalis Bolivar,1919; deminula Bolivar,1922; tessellata Sjöstedt,1931; leopoldi Sjöstedt,1934; algeriana Dirsh,1949; bosporica Dirsh,1949; lombardica Dirsh,1949 Range (in code): SL BF ZA ZR ET DZ EG FR SE TR Cc GG BF IT 01 03 04 05 06 07 08 10 15 16 18 19 20 22 23 24 25 26 27 31 32 33 34 35 36 38 39 41 42 44 45 46 47 49 50 51 55 57 59 60 62 63 67 71
14. **Acrida oxycephala (Pallas,1771)** (Acrididae) Synonym(s): oxycephala Pallas,1771; deserti Uvarov,1916; caspica Dirsh,1949; persa Dirsh,1949; turca Dirsh,1949 Range (in code): RU IR TR 36 47 75
15. **Acrida palaestina Dirsh,1949** (Acrididae) Synonym(s): palaestina Dirsh,1949 Range (in code): IL Pa
16. **Acrida ungarica (Herbst,1786)** (Acrididae) Synonym(s): ungarica Herbst,1786; cypria Dirsh,1949 Range (in code): ES FR HU CZ CY
17. **Acrotylus insubricus (Scopoli,1786)** (Acrididae) Synonym(s): insubricus Scopoli,1786; maculatum Olivier,1791; fasciatus Fabricius,1793; maderae Audinet-Serville,1838; infictus Walker,1870; variegata Walker,1870; versicolor Burr,1898; biskrensis Maran,1958 Range (in code): DZ MA TN ES FR IT HU GR Cr RO UA SA EG TR Cc GG AM IQ Bgd Er Shq CY IR AF PK Bl SO 01 06 08 11 13 12 16 23 31 33 34 35 36 38 41 42 43 45 46 54 55 56 61 63 65 76

- 18. *Acrotylus longipes* (Charpentier,1845)** (Acrididae) Synonym(s): longipes Charpentier,1845; aurifera Walker,1870; collecta Walker,1870 Range (in code): DZ MA GR TR IR Ss PK RU 07 09 16
- 19. *Acrotylus patruelis* (Herrich-Schäffer,1838)** (Acrididae) Synonym(s): patruelis Herrich-Schäffer,1838 Range (in code): DZ ZA DE TR Cc GG 01 07 08 12 13 16 31 34 35 41 45 46 48 63 65 76 80
- 20. *Aeropedellus turcicus* Karabağ,1959** (Acrididae) Synonym(s): turcicus Karabağ,1959 Range (in code): TR
- 21. *Aiolopus simulatrix* (Walker,1870)** (Acrididae) Synonym(s): simulatrix Walker,1870; savignyi Krauss,1890; affinis Bolivar,1902; laticosta Bolivar,1912; deserticola Uvarov,1922 Range (in code): LY Cy EG TR IN IR ZW ZM ZA AF AL AT BD CM CY CZ ET FR GR IQ IL Pa IT Sa JO KE LB ML MM NG PK PT SA SN SC SO ES Cn SD CH SY TJ YE TM YU 04 31 36 63 76
- 22. *Aiolopus strepens* (Latreille,[1802])** (Acrididae) Synonym(s): strepens Latreille,1804; prasinus Thunberg,1815; vittatum Brullé,1840; chloroptera Ramme,1913; cyanoptera Ramme,1913 Range (in code): LY Cy Cn FR AT TR RU AL DZ Cc GG AZ BG CY EG GR HU IR IQ IL IT Sa Si JO LB MT MA PK PT RO SA ES SD CH SY TN YU 01 04 05 06 07 08 09 12 16 27 31 32 34 35 41 45 56 63 76
- 23. *Aiolopus thalassinus* (Fabricius,1781)** (Acrididae) Synonym(s): thalassinus Fabricius,1781; grossuni Costa,1836; laetum Brullé,1840; flavovirens Fischer von Waldheim,1846; angustifemur Ghiliani,1869; rufipes Ivanov,1888; kivuensis Sjöstedt,1923; acutus Uvarov,1953 Range (in code): LY Cy Cn CH GR Rd DE IT AT TR CY Cc GG RU ZR AF Cn Ui AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW 04 07 08 09 16 26 31 34 35 39 45 46 48 76
- 24. *Anacridium aegyptium* (Linnaeus,1764)** (Acrididae) Synonym(s): aegyptium Linnaeus,1764; lineola Fabricius,1781; nubecula Thunberg,1815; campanum Costa,1836; tataricum Burmeister,1838; albidiferum Walker,1870; indecisum Walker,1870; stuardoi Liebermann,1943 Range (in code): ES FR DE IT Sa LY EG Sn YE TR Cc GG IR AF PK BG UA KG RU ZA CL 01 02 06 07 08 09 10 16 17 20 21 23 27 31 32 33 34 35 42 44 45 46 47 48 55 56 57 63 67 71
- 25. *Arcyptera (Pararcyptera) labiata* (Brullé,1832)** (Acrididae) Synonym(s): labiata Brullé,1832; tibialis Brullé,1832; stenoptera Uvarov,1942 Range (in code): GR TR 01 07 09 10 15 16 17 18 28 32 33 35 38 42 46 48 51 64 80
- 26. *Arcyptera (Pararcyptera) microptera* (Fischer de Waldheim,1833)** (Acrididae) Synonym(s): microptera Fischer de Waldheim,1833 Range (in code): TR Cc GG Cn Ui 04 30 36 65
- 27. *Arcyptera (s.str.) fusca* (Pallas,1773)** (Acrididae) Synonym(s): fusca Pallas,1773 Range (in code): TR Cc GG Cn Ui 08 36 53 75
- 28. *Asphingoderus elazigi* Demirsoy,1977** (Acrididae) Synonym(s): elazigi Demirsoy,1977 Range (in code): TR 23 63
- 29. *Asphingoderus uvarovites* (Mishtshenko,1936)** (Acrididae) Synonym(s): uvarovites Mishtshenko,1936 Range (in code): IR Ha TR 06 31 33 42
- 30. *Bienkonkia pusilla* (Bey-Bienko,1957)** (Acrididae) Synonym(s): pusilla Bey-Bienko,1957 Range (in code): IR Fa
- 31. *Brunnerella mirabilis* Saussure,1888** (Acrididae) Synonym(s): mirabilis Saussure,1888 Range (in code): TR Cc AM IR Kh 06 26 42 46 51
- 32. *Calliptamus barbarus* (Costa,1836)** (Acrididae) Synonym(s): barbarus Costa,1836; ictericus Audinet-Serville,1838; sculus Burmeister,1838; cephalotes Fischer von Waldheim,1846; discoidalis Walker,1870; minimus Ivanov,1888; deserticola Vosseler,1902; punctata Kirby,1914; montanus Chopard,1937; pallidipes Chopard,1943; monspelliensis Grassé & Hollande,1945; nanus Mishchenko,1951; parvus Maran,1952; salina Maran,1954 Range (in code): MA DZ TN LY EG PT ES FR IT Sa CZ SK HU RO BG TR JO IL Pa Cc GG IR AF PK RU Sb KG MN 01 03 04 05 06 07 08 09 10 13 14 15 16 17 19 20 21 22 23 25 26 27 31 32 33 34 35 36 37 38 39 41 42 44 45 48 49 50 51 53 55 58 59 60 62 63 64 65 71 78
- 33. *Calliptamus coelesyriensis* (Giglio-Tos,1893)** (Acrididae) Synonym(s): coelesyriensis Giglio-Tos,1893; carbonaria Uvarov,1914; angustus Uvarov,1934; anatolicus Maran,1951; hissaricus Mishtchenko,1951; intricatus Mishtchenko,1951; #nigra Bei-Bienko & Richter,1960 Range (in code): DZ TR Cc LB SY IL Pa Jer GR BG TM KG IR Ss 01 03 06 07 19 20 23 25 27 30 32 33 36 44 46 48 49 51 62 63 65 71
- 34. *Calliptamus italicus* (Linnaeus,1758)** (Acrididae) Synonym(s): italicus Linnaeus,1758; germanicus Fabricius,1775; affinis Thunberg,1815; fasciatum Hahn,1836; marginellus Serville,1838; cerisanus Serville,1838; marmoratus Fischer von Waldheim,1846; blandus Ivanov,1888; bilineata Puschnig,1910; anachoretus Baranov,1925; gilvonicans Voroncovsky,1927; grandis Ramme,1927; reductus Ramme,1927; afghanus Ramme,1952 Range (in code): ES FR BE NL DE Co Sa Si IT GR BG RO TR CY Cc AZ AM GG KG RU AF 01 03 04 06 07 08 09 13 14 16 18 25 26 31 33 34 35 36 39 43 46 49 52 55 56 59 60 61 63 65 76 77 80
- 35. *Calliptamus tenuicercis* Tarbinsky,1930** (Acrididae) Synonym(s): tenuicercis Tarbinsky,1930; aurantiacus Ramme,1930; iranicus Ramme,1930; persa Uvarov,1938; aurantipes Ramme,1951; syriacus Ramme,1951; #tenuicercis Salman,1978 Range (in code): TR Arr IL Pa IR Cc GG Tbl IQ RU LB SY 01 03 04 05 06 07 08 12 13 15 16 17 18 19 20 21 23 26 27 31 32 33 34 35 36 38 43 44 45 47 49 50 51 56 60 62 63 65 66 71 76
- 36. *Calliptamus turanicus* Tarbinsky,1930** (Acrididae) Synonym(s): turanicus Tarbinsky,1930 Range (in code): IR TM AF UZ KG Cn Ui
- 37. *Caucasippus rufipes* (Fischer von Waldheim,1846)** (Acrididae) Synonym(s): rufipes Fischer von Waldheim,1846; pedestris Uvarov,1927 Range (in code): Cc GG Kzb



- 38. Celes variabilis (Pallas,1771)** (Acrididae) **Synonym(s):** variabilis Pallas,1771; rhodoptilus Charpentier,1825; subcoerulipennis Charpentier,1825; #arbonarius Uvarov,1917 Range (in code): **TR Cc GG Bjo Tbl ES FR RO BG Cc AZ AM GG RU KG 01 04 06 07 16 19 25 26 33 34 35 36 38 46 64 65 75**
- 39. Charora crassivenosa Saussure,1888** (Acrididae) **Synonym(s):** crassivenosa Saussure,1888 Range (in code): **Cc RU**
- 40. Charora kurda Uvarov,1933** (Acrididae) **Synonym(s):** kurda Uvarov,1933 Range (in code): **IR IQ AF**
- 41. Charora pentagrammica Bolivar,1899** (Acrididae) **Synonym(s):** pentagrammica Bolivar,1899 Range (in code): **TR 06 24 42 46**
- 42. Charora persa Uvarov,1933** (Acrididae) **Synonym(s):** persa Uvarov,1933; rugosa Bei-Bienko,1951 Range (in code): **IR Elb Th Kdj Qm**
- 43. Charora similis Bei-Bienko,1951** (Acrididae) **Synonym(s):** similis Bei-Bienko,1951 Range (in code): **IR Elb Th**
- 44. Chorthippus (Glyptobothrus) aktaci Ünal,2010** (Acrididae) **Synonym(s):** aktaci Ünal,2010 Range (in code): **TR 14**
- 45. Chorthippus (Glyptobothrus) antecessor Şirin & Çıplak,2010** (Acrididae) **Synonym(s):** antecessor Şirin & Çıplak,2010 Range (in code): **TR 01**
- 46. Chorthippus (Glyptobothrus) apricarius (Linnaeus,1758)** (Acrididae) **Synonym(s):** apricarius Linnaeus,1758 Range (in code): **TR Cc GG**
- 47. Chorthippus (Glyptobothrus) biguttulus (Linnaeus,1758)** (Acrididae) **Synonym(s):** biguttulus Linnaeus,1758 Range (in code): **GR TR Cc GG 06 13 27 36 58 63**
- 48. Chorthippus (Glyptobothrus) binotatus (Charpentier,1825)** (Acrididae) **Synonym(s):** binotatus Charpentier,1825 Range (in code): **DZ ES FR TR**
- 49. Chorthippus (Glyptobothrus) bozdaghi Uvarov,1934** (Acrididae) **Synonym(s):** bozdaghi Uvarov,1934 Range (in code): **TR 35**
- 50. Chorthippus (Glyptobothrus) brunneus (Thunberg,1815)** (Acrididae) **Synonym(s):** brunneus Thunberg,1815; bicolor Charpentier,1825; biguttula Stephens,1835; rhomboida Stephens,1835; varipes Stephens,1835; venusa Stephens,1835; vittata Stephens,1835; brunneri Werner,1902 Range (in code): **GB ES FR NO SE FI RU DK DE CH AT IT PL EE LT KG Sb Us CN Ui TM IR RO Sa IQ AF TR Cc GG 01 05 06 08 13 16 21 27 31 35 42 44 46 48 51 55 57 63 65 80**
- 51. Chorthippus (Glyptobothrus) helverseni Mol, Çıplak & Şirin,2003** (Acrididae) **Synonym(s):** helverseni Mol, Çıplak & Şirin,2003 Range (in code): **TR 31**
- 52. Chorthippus (Glyptobothrus) ilkazi Uvarov,1934** (Acrididae) **Synonym(s):** ilkazi Uvarov,1934 Range (in code): **TR 06 18 37**
- 53. Chorthippus (Glyptobothrus) kazdagensis Mol & Çıplak,2005** (Acrididae) **Synonym(s):** kazdagensis Mol & Çıplak,2005 Range (in code): **TR**
- 54. Chorthippus (Glyptobothrus) labaumei Ramme,1926** (Acrididae) **Synonym(s):** labaumei Ramme,1926 Range (in code): **TR 26**
- 55. Chorthippus (Glyptobothrus) longicornis (Latreille,1804)** (Acrididae) **Synonym(s):** longicornis Latreille,1804 Range (in code): **TR Cc GG 06 16 26 34 35 46 65**
- 56. Chorthippus (Glyptobothrus) macrocerus (Fischer von Waldheim,1846)** (Acrididae) **Synonym(s):** macrocerus Fischer von Waldheim,1846 Range (in code): **TR Cc GG 31 53 60 65**
- 57. Chorthippus (Glyptobothrus) mollis (Charpentier,1825)** (Acrididae) **Synonym(s):** mollis Charpentier,1825 Range (in code): **TR Cc GG 12 18 31 37**
- 58. Chorthippus (Glyptobothrus) relicticus Şirin, Helversen & Çıplak,2010** (Acrididae) **Synonym(s):** relicticus Şirin, Helversen & Çıplak,2010 Range (in code): **TR 70**
- 59. Chorthippus (Glyptobothrus) satunini Mistshenko,1951** (Acrididae) **Synonym(s):** satunini Mistshenko,1951 Range (in code): **TR 25 30 69**
- 60. Chorthippus (Glyptobothrus) taurensis Şirin & Çıplak,2005** (Acrididae) **Synonym(s):** taurensis Şirin & Çıplak,2005 Range (in code): **TR 42**
- 61. Chorthippus (Glyptobothrus) vagans (Eversmann,1848)** (Acrididae) **Synonym(s):** vagans Eversmann,1848 Range (in code): **TR Cc GG Tbl CY RU Or NL BE ES FR DE IT SK AT MA DZ TN 06 07 15 35 45 63 65**
- 62. Chorthippus (s.str.) abchasicus Ramme,1939** (Acrididae) **Synonym(s):** abchasicus Ramme,1939 Range (in code): **Cc GG Abk Sok**
- 63. Chorthippus (s.str.) albomarginatus (De Geer,1773)** (Acrididae) **Synonym(s):** albomarginatus De Geer,1773; elegans Charpentier,1825; tricarinata Stephens,1835; blandus Fischer von Waldheim,1846; hyalosuperficies Voroncovsky,1928; nigrofasciatus Voroncovsky,1928; porphyricus Voroncovsky,1928 Range (in code): **TR ES FR DE GB NO EE LY RO HV B-H YU CH AT CZ SK HU TM UZ AF CN KP KR JP RU Ur Cc GG IR KG PG 12 16 30 31 35**
- 64. Chorthippus (s.str.) dichrous (Eversmann,1859)** (Acrididae) **Synonym(s):** dichrous Eversmann,1859; australia Predtechenskii,1928 Range (in code): **AT HU RO IT GR TR Cc GG RO IR RU KG Sb 03 04 06 08 09 10 12 13 14 15 16 18 20 23 24 25 26 32 35 36 38 39 41 42 43 44 46 49 50 51 57 58 59 62 63 65 66 71**



- 65. Chorthippus (s.str.) dorsatus (Zetterstedt,1821)** (Acrididae) Synonym(s): dorsatus Zetterstedt,1821; ochropa Stephens,1835; uchropa Stephens,1835 Range (in code): **TR ES FR DE CH AT HU CZ SK IT HV YU B-H RO PL SE IL Pa JO SY RU Sb KG 25 46 71**
- 66. Chorthippus (s.str.) loratus (Fischer von Waldheim,1846)** (Acrididae) Synonym(s): loratus Fischer von Waldheim,1846; dorsatus Giglio-Tos,1894; brauneri Znojko,1928; dessyi Jannone,1936 Range (in code): **TR RU Cc GG RO IR KG Sb CN KP KR JP 01 02 03 05 06 10 12 13 14 15 16 18 19 21 22 23 26 27 34 35 37 38 39 41 45 46 49 50 51 53 55 56 57 59 62 63 65 71 80**
- 67. Chorthippus (s.str.) parallelus (Zetterstedt,1821)** (Acrididae) Synonym(s): parallelus Zetterstedt,1821; pratorum Fieber,1852; explicatus Selys-Longchamps,1862; nigrolineatus Ivanov,1888; sylvestris Puschnig,1910; montana Chopard,1922; caffra Ramme,1923; fuliginosus Voroncovsky,1928; prasinolateralis Voroncovsky,1928; prasinoparvulus Voroncovsky,1928; prasinus Voroncovsky,1928; viridis Voroncovsky,1928; aemulus Mishchenko,1951; geriberti Harz,1962; caffer Harz,1975 Range (in code): **ES FR GB NO SE DE DK EE LT RO YU HV B-H BG CH AT CZ SK TR Cc UA RU KG Sb 04 06 08 10 14 16 17 18 22 23 25 26 31 32 33 34 35 36 39 41 42 43 44 45 46 49 50 51 54 62 65 71**
- 68. Chorthippus badachshani Bei-Bienko,1963** (Acrididae) Synonym(s): badachshani Bei-Bienko,1963 Range (in code): **AF Bd**
- 69. Chorthippus shumakovi Bei-Bienko,1963** (Acrididae) Synonym(s): shumakovi Bei-Bienko,1963 Range (in code): **AF**
- 70. Chrysocraon dispar (Germar,1834)** (Acrididae) Synonym(s): platypterus Ocskay,1832; dispar Germar,1834; decurtatum Herrich-Schäffer,1840; smilacea Fischer von Waldheim,1846; macroptera Chopard,1922 Range (in code): **ES FR DE PL EE LT LV HV YU AL RO BG CH AT CZ SK HU IT Cc GG KG RU Sb CN MN UZ**
- 71. Cyrtacanthacris tatarica (Linnaeus,1758)** (Acrididae) Synonym(s): tatarica Linnaeus,1758; ranacea Stoll,1813; ruficorne Audinet-Serville,1838; aeruginosum Burmeister,1839; compta Walker,1870; concisa Walker,1870; internexa Walker,1870; sublitturata Walker,1870 Range (in code): **IN LK TH YE SD ET ML SN GM CM NG NE ZR ZA NA AO MZ TZ KE**
- 72. Dasyhippus escalerae (Bolivar,1899)** (Acrididae) Synonym(s): escalerae Bolivar,1899 Range (in code): **TR Cc 06 31 63**
- 73. Dasyhippus uvarovi Karabağ,1953** (Acrididae) Synonym(s): uvarovi Karabağ,1953 Range (in code): **TR 48**
- 74. Demirsoyus salmani Şirin & Çıplak,2004** (Acrididae) Synonym(s): salmani Şirin & Çıplak,2004; #demirsoyi auct. Range (in code): **TR 07**
- 75. Diexis gussakovskiy Miram,1949** (Acrididae) Synonym(s): gussakovskiy Miram,1949 Range (in code): **TJ AF**
- 76. Diexis varentzovi Zubovski,1899** (Acrididae) Synonym(s): varentzovi Zubovski,1899 Range (in code): **TM Rpt I-B Krn UZ IR Kh**
- 77. Dociostaurus (Kazakia) brevicollis (Eversmann,1848)** (Acrididae) Synonym(s): brevicollis Eversmann,1848; annulipes Türk,1862; #brevicollis Salman,1978 Range (in code): **CZ YU HU RO TR Cc GG IR RU Sb KG MN 01 03 04 05 06 07 08 10 14 15 16 18 19 23 25 26 31 35 36 38 39 42 44 46 49 50 51 59 60 62 66 67 71 78**
- 78. Dociostaurus (Kazakia) genei (Ocskay,1832)** (Acrididae) Synonym(s): genei Ocskay,1832; crucigerus Rambur,1838; pygmaeum Fischer,1853 Range (in code): **ES FR Sa IT TR IL Pa JO 08 27 31 63 76 80**
- 79. Dociostaurus (Kazakia) jagoi Soltani,1978** (Acrididae) Synonym(s): jagoi Soltani,1978 Range (in code): **DZ ES PT FR IT Sa Co CY SY IL Pa LB JO TR IR 01 27 63 65**
- 80. Dociostaurus (Notostaurus) albicornis (Eversmann,1848)** (Acrididae) Synonym(s): albicornis Eversmann,1848 Range (in code): **RU KG Cc GG IR TM AF PK**
- 81. Dociostaurus (Notostaurus) anatolicus Krauss,1896** (Acrididae) Synonym(s): anatolicus Krauss,1896; castaneopicta Krauss,1896; castaneopictus Jacobson,1905 Range (in code): **YU GR BG TR Cc GG AZ SY JO IL Pa IR Elb Th 01 02 03 04 05 06 07 08 10 12 13 16 17 18 21 23 25 26 31 32 33 34 35 36 37 38 39 41 42 43 44 45 46 47 49 50 51 56 60 62 63 65 66 71 73 76 80**
- 82. Dociostaurus (Notostaurus) cephalotes Uvarov,1924** (Acrididae) Synonym(s): cephalotes Uvarov,1924 Range (in code): **IL Pa SY LB**
- 83. Dociostaurus (Notostaurus) diamesus Bei-Bienko,1948** (Acrididae) Synonym(s): diamesus Bei-Bienko,1948 Range (in code): **IR Elb Th Ke**
- 84. Dociostaurus (Notostaurus) larensis Soltani,1978** (Acrididae) Synonym(s): larensis Soltani,1978 Range (in code): **IR IQ**
- 85. Dociostaurus (Notostaurus) plotnikovi Uvarov,1921** (Acrididae) Synonym(s): plotnikovi Uvarov,1921 Range (in code): **IR AF TJ KG**
- 86. Dociostaurus (s.str.) maroccanus (Thunberg,1815)** (Acrididae) Synonym(s): maroccanus Thunberg,1815; cruciatus Charpentier,1825; vastator Fischer von Waldheim,1833; oceanica Walker,1870; degeneratus Baranov,1925; xanthocnema Tarbinsky,1932; pendulus Steinmann,1965 Range (in code): **DZ MA PT ES FR Co LY GR BG RO Cc AZ AM GG TR IR AF KG RU 01 03 05 06 07 09 10 11 15 16 17 20 26 31 32 33 35 39 41 42 43 45 46 47 48 59 63 64 70 80**
- 87. Dociostaurus (s.str.) salmani Demirsoy,1977** (Acrididae) Synonym(s): salmani Demirsoy,1977; salmani Demirsoy,1979 Range (in code): **TR 04 25 31 42 44 50 63**

- 88. Dociostaurus (s.str.) tartarus Stshelkanovtzev,1921** (Acrididae) Synonym(s): tartarus Stshelkanovtzev,1921 Range (in code): BG RU Ao Cc GG KG IQ IR AF PK
- 89. Dociostaurus (Staurotulus) cappadocicus (Azam,1913)** (Acrididae) Synonym(s): cappadocicus Azam,1913; iranicus Ramme,1951 Range (in code): TR IR 07 33 51
- 90. Dociostaurus (Staurotulus) crassiusculus (Pantel,1886)** (Acrididae) Synonym(s): crassiusculus Pantel,1886 Range (in code): CN Ui RU AF PK IR ES
- 91. Dociostaurus (Staurotulus) hauensteini (Bolivar,1893)** (Acrididae) Synonym(s): hauensteini Bolivar,1893; #hauesteini Bolivar,1899; caspicus Ramme,1951 Range (in code): TR SY LB IQ Cc IR Elb Fa SA IL Pa YE TM KG KK CN KP KR RU JP 01 04 06 08 21 23 25 26 31 33 36 38 42 44 46 49 50 51 58 63 66 71
- 92. Dociostaurus (Staurotulus) kurdus Uvarov,1921** (Acrididae) Synonym(s): kurdus Uvarov,1921 Range (in code): IQ Su
- 93. Duroniella acuta Uvarov,1952** (Acrididae) Synonym(s): acuta Uvarov,1952 Range (in code): SA
- 94. Duroniella afghana Shumakov,1956** (Acrididae) Synonym(s): afghana Shumakov,1956 Range (in code): AF
- 95. Duroniella carinata Mishchenko,1951** (Acrididae) Synonym(s): carinata Mishchenko,1951 Range (in code): Cc RU St
- 96. Duroniella fracta (Krauss,1890)** (Acrididae) Synonym(s): #fractus Bolivar,1878; fracta Krauss,1890 Range (in code): GR TR Cc SY EG TM Kp 06 09 16 20 31 33 35 45 63
- 97. Duroniella iranica Bei-Bienko,1948** (Acrididae) Synonym(s): iranica Bei-Bienko,1948 Range (in code): IR
- 98. Duroniella kalmyka (Adelung,1906)** (Acrididae) Synonym(s): kalmyka Adelung,1906 Range (in code): AF IR TM UZ KG
- 99. Duroniella kostylevi Bei-Bienko,1948** (Acrididae) Synonym(s): kostylevi Bei-Bienko,1948 Range (in code): IR Ss
- 100. Duroniella laeviceps Uvarov,1938** (Acrididae) Synonym(s): laeviceps Uvarov,1938 Range (in code): IR IQ
- 101. Duroniella laticornis (Krauss,1909)** (Acrididae) Synonym(s): laticornis Krauss,1909 Range (in code): IL Pa JO TR BG 01 06 16 18 27 31 46 54 80
- 102. Duroniella parallella Uvarov,1950** (Acrididae) Synonym(s): parallella Uvarov,1950 Range (in code): OM
- 103. Duroniella turcomana Mishchenko,1951** (Acrididae) Synonym(s): turcomana Mishchenko,1951 Range (in code): TM
- 104. Duroniella volucris Uvarov,1938** (Acrididae) Synonym(s): volucris Uvarov,1938 Range (in code): IR IQ
- 105. Egnatioides farsistanicus Uvarov,1933** (Acrididae) Synonym(s): farsistanicus Uvarov,1933 Range (in code): IR Fa
- 106. Egnatioides kiritshenkoi Uvarov,1933** (Acrididae) Synonym(s): kiritshenkoi Uvarov,1933 Range (in code): IR
- 107. Egnatioides lizae Pfadt,1970** (Acrididae) Synonym(s): lizae Pfadt,1970 Range (in code): AF
- 108. Egnatioides mendelssohni Fishelson,1993** (Acrididae) Synonym(s): mendelssohni Fishelson,1993 Range (in code): IL Pa
- 109. Egnatioides pasquieri Morales-Agacino,1950** (Acrididae) Synonym(s): pasquieri Morales-Agacino,1950 Range (in code): LB SY
- 110. Egnatioides sphaerifer Bei-Bienko,1951** (Acrididae) Synonym(s): sphaerifer Bei-Bienko,1951 Range (in code): IR Kh
- 111. Egnatius apicalis Stal,1876** (Acrididae) Synonym(s): apicalis Stal,1876 Range (in code): CN Ui KG RU Sr IR
- 112. Eremippus angulatus Uvarov,1934** (Acrididae) Synonym(s): angulatus Uvarov,1934 Range (in code): TR 06
- 113. Eremippus aserbeidshanicus Ramme,1951** (Acrididae) Synonym(s): aserbeidshanicus Ramme,1951 Range (in code): Cc AZ
- 114. Eremippus costatus Tarbinsky,1927** (Acrididae) Synonym(s): costatus Tarbinsky,1927 Range (in code): RU Cc GG
- 115. Eremippus gracilis Uvarov,1934** (Acrididae) Synonym(s): gracilis Uvarov,1934 Range (in code): TR 06 18
- 116. Eremippus haghghii Descamps,1967** (Acrididae) Synonym(s): haghghii Descamps,1967 Range (in code): IR Ss
- 117. Eremippus kermanicus Mishtchenko,1976** (Acrididae) Synonym(s): kermanicus Mishtchenko,1976 Range (in code): IR Ke
- 118. Eremippus mirami Tarbinsky,1927** (Acrididae) Synonym(s): mirami Tarbinsky,1927; miramae Bei-Bienko & Mishtchenko,1951 Range (in code): Cc RU CN Ui

- 119. Eremippus opacus** Mishchenko,1951 (Acrididae) Synonym(s): opacus Mishchenko,1951 Range (in code): Cc RU Kr
- 120. Eremippus persicus** Uvarov,1929 (Acrididae) Synonym(s): #uvarovi Moritz,1928; persicus Uvarov,1929 Range (in code): IR Kh AF
- 121. Eremippus simplex** (Eversmann,1859) (Acrididae) Synonym(s): simplex Eversmann,1859 Range (in code): TR KK KG CN Ui 31 46
- 122. Eremippus tenellus** Mishchenko,1951 (Acrididae) Synonym(s): tenellus Mishchenko,1951 Range (in code): Cc AM
- 123. Eremippus turcicus** Ramme,1951 (Acrididae) Synonym(s): turcicus Ramme,1951 Range (in code): TR o6
- 124. Eremippus weidneri** Demirsoy,1977 (Acrididae) Synonym(s): weidneri Demirsoy,1977; weidneri Demirsoy,1979 Range (in code): TR 52
- 125. Euchorthippus declivus** (Brisout de Barneville,1849) (Acrididae) Synonym(s): declivus Brisout de Barneville,1849 Range (in code): TR
- 126. Euchorthippus pulvinatus** (Fischer von Waldheim,1846) (Acrididae) Synonym(s): pulvinatus Fischer von Waldheim,1846 Range (in code): TR o6 34 42
- 127. Euchorthippus transcausicus** Tarbinski,1930 (Acrididae) Synonym(s): transcausicus Tarbinski,1930 Range (in code): TR Cc GG Cc
- 128. Euthystira brachyptera** (Ocskay,1826) (Acrididae) Synonym(s): brachyptera Ocskay,1826; abbreviatum Herrich-Schäffer,1840; smaragdulum Herrich-Schäffer,1840; longicrus Fischer von Waldheim,1846; ocskayi Fischer von Waldheim,1846; leucoptera Fischer von Waldheim,1846; homoptera Eversmann,1848; subcaerulea Puschnig,1910; chrysoberyllus Fruhstorfer,1921 Range (in code): ES FR DE PL RU KG Sb TR CH AT IT CZ SK HU YU HV B-H GR BG RO
- 129. Eyprepocnemis alacris** (Audinet-Serville,1838) (Acrididae) Synonym(s): alacris Audinet-Serville,1838; deponens Walker,1859; reductus Walker,1870; rudis Walker,1870; scitulum Walker,1871; intermedia Bolivar,1902 Range (in code): YE IQ IR PK AF IN LK
- 130. Eyprepocnemis deserticola** Uvarov,1933 (Acrididae) Synonym(s): deserticola Uvarov,1933 Range (in code): SA
- 131. Eyprepocnemis plorans** (Charpentier,1825) (Acrididae) Synonym(s): plorans Charpentier,1825; reticulatus Fischer von Waldheim,1839; tarsius Fischer von Waldheim,1846; consobrina Walker,1870; senegalensis Bolivar,1914; pallida Uvarov,1921; #polarans Salman,1978 Range (in code): SN ES Sa GR Cc GG TM IQ IR LY SD TD NG TR SD UG KE TZ MZ ML TG CI ZA o1 o7 o8 15 16 21 31 34 46 48 63 76
- 132. Gastrimargus africanus** (Saussure,1888) (Acrididae) Synonym(s): africanus Saussure,1888; orientalis Sjöstedt,1928; zebrata Sjöstedt,1928 Range (in code): RW ZA TZ CM NG GH TG BJ CI TD YE IN MM LK
- 133. Gomphocerippus rufus** (Linnaeus,1758) (Acrididae) Synonym(s): rufus Linnaeus,1758; clavicorne DeGeer,1773 Range (in code): GB FR NO SE FI EE LT DK DE PL CH AT HU SS HV YU RO IT BG GR Cc UA RU KG CN Ui MN Sb
- 134. Gomphocerus armeniacus** (Uvarov,1931) (Acrididae) Synonym(s): armeniacus Uvarov,1931 Range (in code): AM Cc Alg
- 135. Gomphocerus dispar** Fischer von Waldheim,1846 (Acrididae) Synonym(s): dispar Fischer von Waldheim,1846 Range (in code): RU Cc
- 136. Gomphocerus sibiricus** (Linnaeus,1767) (Acrididae) Synonym(s): sibiricus Linnaeus,1767; clavimanus Pallas,1772; graecus Uvarov,1931; helveticus Uvarov,1931; hispanicus Uvarov,1931; pyrenaicus Uvarov,1931; turcicus Mistshenko,1951 Range (in code): ES FR DE AT CH CZ SK IT GR BG TR Cc GG RU BY UA KG Aa TrA Us Kmt PK CN Ti Ui 25 28 33 46 52 53 55
- 137. Heliopteryx humeralis** (Kuthy,1907) (Acrididae) Synonym(s): humeralis Kuthy,1907; satunini Uvarov,1914 Range (in code): TR Cc AZ AM IR Es AF o1 o4 o6 o8 12 23 24 31 33 36 44 63
- 138. Helioscirtus moseri** Saussure,1884 (Acrididae) Synonym(s): moseri Saussure,1884; pietschmanni Ikonnikov,1913 Range (in code): CN Ui PK KG IR
- 139. Heteracris adspersus** (Redtenbacher,1889) (Acrididae) Synonym(s): adspersus Redtenbacher,1889; massai Galvagni,1978 Range (in code): DZ Co Sa IT SN LY TR Cc GG AZ IL Pa IQ CY TM AF PK KG 76
- 140. Heteracris annulosa** Walker,1870 (Acrididae) Synonym(s): annulosa Walker,1870; continuum Walker,1871; charpentieri Stal,1873; littoralis Bonnet & Finot,1884; brevipes Bolivar,1936 Range (in code): DZ MA LY EG Sn YE TD ML SN NG
- 141. Heteracris festae** (Giglio-Tos,1893) (Acrididae) Synonym(s): festae Giglio-Tos,1893 Range (in code): IL Pa Js JO
- 142. Heteracris hemiptera** (Uvarov,1935) (Acrididae) Synonym(s): hemiptera Uvarov,1935 Range (in code): SA
- 143. Heteracris iranica** (Bei-Bienko,1960) (Acrididae) Synonym(s): iranica Bei-Bienko,1960 Range (in code): IR Ss



- 144. *Heteracris littoralis* (Rambur,1838)** (Acrididae) Synonym(s): littoralis Rambur,1838; similis Brunner von Wattenwyl,1861; notata Walker,1870; aethiopica Carl,1916; asiaticus Uvarov,1933; bituberculatus Bei-Bienko,1948 Range (in code): Cn CV SN ES GR IQ CY SY TR IL Pa IR AF PK KG EG LY TD 35 76 79 80
- 145. *Heteracris persa* (Uvarov,1933)** (Acrididae) Synonym(s): persa Uvarov,1933; charpentieri Uvarov,1933 nec St.,1873 Range (in code): IR Kh AF PK
- 146. *Heteracris popovi* (Uvarov,1952)** (Acrididae) Synonym(s): popovi Uvarov,1952 Range (in code): SA As
- 147. *Heteracris pterosticha* (Fischer von Waldheim,1833)** (Acrididae) Synonym(s): pterosticha Fischer von Waldheim,1833; dorsatus Fischer von Waldheim,1839; fischeri Fieber,1853 Range (in code): TR Cc AM Eri GG IL Pa IQ IR AF RU KG 01 06 08 26 36 46 63 65 76 80
- 148. *Heteracris punctata* (Uvarov,1936)** (Acrididae) Synonym(s): punctata Uvarov,1936 Range (in code): YE Sna
- 149. *Heteracris syriaca* (Brunner von Wattenwyl,1893)** (Acrididae) Synonym(s): syriaca Brunner von Wattenwyl,1893 Range (in code): SY LB Bei
- 150. *Heteracris theodori* (Uvarov,1929)** (Acrididae) Synonym(s): theodori Uvarov,1929; delicatus Mishchenko,1951 Range (in code): EG Sn IR TM KG
- 151. *Hieroglyphus perpolita* (Uvarov,1933)** (Acrididae) Synonym(s): perpolita Uvarov,1933 Range (in code): PK IR Ke
- 152. *Hilethera aeolopoides* (Uvarov,1922)** (Acrididae) Synonym(s): aeolopoides Uvarov,1922 Range (in code): SN ML TD OM
- 153. *Hilethera arabica* Uvarov,1952** (Acrididae) Synonym(s): arabica Uvarov,1952 Range (in code): YE
- 154. *Hilethera hierichonica* Uvarov,1923** (Acrididae) Synonym(s): hierichonica Uvarov,1923 Range (in code): IL Pa Jer
- 155. *Hilethera maculata* (Karny,1907)** (Acrididae) Synonym(s): maculata Karny,1907; buxtoni Uvarov,1922 Range (in code): IQ Amr
- 156. *Hilethera turanica* Uvarov,1925** (Acrididae) Synonym(s): turanica Uvarov,1925 Range (in code): KG UZ TM AF IR NP CN Ui
- 157. *Kabulia afghana* Ramme,1928** (Acrididae) Synonym(s): afghana Ramme,1928 Range (in code): AF Kab Pag
- 158. *Kabulia balucha* Uvarov,1931** (Acrididae) Synonym(s): balucha Uvarov,1931 Range (in code): PK BI
- 159. *Kabulia evansi* Uvarov,1931** (Acrididae) Synonym(s): evansi Uvarov,1931 Range (in code): PK BI
- 160. *Kabulia kostylevi* Bei-Bienko,1949** (Acrididae) Synonym(s): kostylevi Bei-Bienko,1949 Range (in code): AF PK BI
- 161. *Kabulia nuristana* Ramme,1952** (Acrididae) Synonym(s): nuristana Ramme,1952 Range (in code): AF Nu
- 162. *Khayyamia mirzayani* (Popov,1951)** (Acrididae) Synonym(s): mirzayani Popov,1951 Range (in code): IR Km
- 163. *Khayyamia subaptera* (Bei-Bienko,1960)** (Acrididae) Synonym(s): subaptera Bei-Bienko,1960 Range (in code): IR Ss
- 164. *Leptopternis gracilis* (Eversmann,1848)** (Acrididae) Synonym(s): gracilis Eversmann,1848; angustipennis Saussure,1884; grobbeni Werner,1905; maculipennis Chopard,1949 Range (in code): DZ LY EG TR Cc IR AF RU KG MN 76
- 165. *Locusta migratoria* (Linnaeus,1758)** (Acrididae) Synonym(s): migratoria Linnaeus,1758; danica Linnaeus,1767; australis Saussure,1884; rossica Uvarov & Zolotarevsky,1929; gallica Remaudiere,1947; solitaria Carthy,1955 Range (in code): ES FR DE NO EE LT CZ SK HU CH AT IT Sa RO BG TR Cm Cc GG IR AF PK IN MM TH KP KR JP Hn RU Us KG TM KK CN Ui Ti MG LY CV SN GA MR ML NE NG TG CI TD ET 01 06 07 08 13 16 21 31 34 35 42 46 48 63 76 80
- 166. *Mecostethus parapleurus* (Hagenbach,1822)** (Acrididae) Synonym(s): parapleurus Hagenbach,1822; alliaceus Germar,1825; typus Fischer,1853; fastigiatus Rehn,1902 Range (in code): ES FR DE CZ SK CH AT IT RO YU BG GR Cc GG TR KG RU Sb Us KP KR CN JP 08 53 61 76
- 167. *Micropodisma koenigi* (Burr,1913)** (Acrididae) Synonym(s): koenigi Burr,1913 Range (in code): Cc GG Bku TR RU Kr Kis 08 75
- 168. *Micropodisma svanetica* Dovnar-Zapolski,1932** (Acrididae) Synonym(s): svanetica Dovnar-Zapolski,1932 Range (in code): Cc GG Sva
- 169. *Mioscirtus wagneri* (Kittary,1849)** (Acrididae) Synonym(s): wagneri Kittary,1849; varentzowi Zubovski,1896; nigrifibialis Zheng & Zhang,2006 Range (in code): ES MA DZ TN LY EG TR Cc GG AM AZ IQ IR TM TJ UZ KG CN Ui RU FI EE LT BY UA 31 76
- 170. *Morphacris fasciata* (Thunberg,1915)** (Acrididae) Synonym(s): fasciata Thunberg,1915 Range (in code): ES IL Pa SY TR 31
- 171. *Myrmeleotettix antennatus* (Fieber,1853)** (Acrididae) Synonym(s): antennatus Fieber,1853; deserticola Eversmann,1859 Range (in code): CZ SK HU Cc RU KG Sb

- 172. Myrmeleotettix ethicus Şirin & Çıplak,2011** (Acrididae) Synonym(s): ethicus Şirin & Çıplak,2011 Range (in code): TR 07
- 173. Myrmeleotettix maculatus (Thunberg,1815)** (Acrididae) Synonym(s): maculatus Thunberg,1815 Range (in code): TR Cc GG Tbl 16 18 20
- 174. Ochridia acuta (Bolivar,1905)** (Acrididae) Synonym(s): acuta Bolivar,1905 Range (in code): TR IQ IL Pa IR 01 31 63
- 175. Ochridia ahmadi Wagan & Baloch,2001** (Acrididae) Synonym(s): ahmadi Wagan & Baloch,2001 Range (in code): PK Pj Rw
- 176. Ochridia filicornis (Krauss,1902)** (Acrididae) Synonym(s): filicornis Krauss,1902 Range (in code): DZ IL Pa
- 177. Ochridia gracilis (Krauss,1902)** (Acrididae) Synonym(s): gracilis Krauss,1902; acuta Bolivar,1908; curvifrons Bolivar,1908; aegyptia Uvarov,1924; aethiopica Salfi,1931; obtusa Salfi,1931; uvarovi Salfi,1931; #gracillis Abashidze,2002 Range (in code): DZ LY SN GA ML MR NG ET KE TZ EG YE Cc GG IR
- 178. Ochridia obsoleta (Uvarov,1936)** (Acrididae) Synonym(s): obsoleta Uvarov,1936 Range (in code): SA
- 179. Ochridia obtusa (Salfi,1931)** (Acrididae) Synonym(s): obtusa Salfi,1931 Range (in code): TR Cc AM IR 33
- 180. Ochridia orientalis Salfi,1931** (Acrididae) Synonym(s): orientalis Salfi,1931 Range (in code): IR
- 181. Ochridia persica (Salfi,1931)** (Acrididae) Synonym(s): persica Salfi,1931 Range (in code): IR Elb
- 182. Ochridia popovi Jago,1977** (Acrididae) Synonym(s): popovi Jago,1977 Range (in code): SA
- 183. Ochridia pruinosa Brunner von Wattenwyl,1882** (Acrididae) Synonym(s): pruinosa Brunner von Wattenwyl,1882 Range (in code): TR Cr Rd GR IL Pa CY 31
- 184. Ochridia richteri Bei-Bienko,1960** (Acrididae) Synonym(s): richteri Bei-Bienko,1960 Range (in code): IR Ss
- 185. Ochridia tibialis (Fieber,1853)** (Acrididae) Synonym(s): tibialis Fieber,1853 Range (in code): TR Cr GR ES SY EG 46
- 186. Ochridia turanica (Bei-Bienko,1936)** (Acrididae) Synonym(s): turanica Bei-Bienko,1936 Range (in code): TM
- 187. Oedaleus decorus (Germar,1825)** (Acrididae) Synonym(s): decorus Germar,1825 Range (in code): DZ LY ES FR IT Co GR BG RO UA TR RU Us Cc Da GG TM TJ KK KG CN Ui 01 04 06 08 13 20 26 30 31 34 35 36 42 43 44 45 46 48 63 65 76 78 80
- 188. Oedaleus obtusangulus Uvarov,1936** (Acrididae) Synonym(s): obtusangulus Uvarov,1936 Range (in code): TD SA
- 189. Oedaleus roscens Uvarov,1942** (Acrididae) Synonym(s): roscens Uvarov,1942 Range (in code): IN PK LK
- 190. Oedaleus senegalensis (Krauss,1877)** (Acrididae) Synonym(s): senegalensis Krauss,1877; arenivolans Butler,1881; mlokoziewitzcki Bolivar,1884; mlokoewitchi Bolivar,1887; dimidiatus Bolivar,1899 Range (in code): Cc GG AM AZ IR AF TM IN PK YE LY TD CM NG ML SN GM CV
- 191. Oedipoda aurea Uvarov,1923** (Acrididae) Synonym(s): aurea Uvarov,1923 Range (in code): TR JO Amm IL Pa SY LB GR Ae Le Sms 01 03 04 06 07 10 12 16 20 21 27 31 33 35 42 43 45 63
- 192. Oedipoda caerulescens (Linnaeus,1758)** (Acrididae) Synonym(s): caerulescens Linnaeus,1758; coeruleipenne De Geer,1773; fasciata Stal,1873 Range (in code): MA LY IT Sa ES PT FR DE CZ CH AT EE BY RO BG TR IR RU HU UA Cm Cc GG Tbl KK KG CN Ui 04 05 06 07 08 12 13 15 16 18 20 30 31 34 35 36 38 43 46 48 51 56 58 60 61 65 67 80
- 193. Oedipoda discessa Steinmann,1965** (Acrididae) Synonym(s): discessa Steinmann,1965 Range (in code): TR 22
- 194. Oedipoda germanica (Latreille,1804)** (Acrididae) Synonym(s): germanica Latreille,1804; intermedia Ramme,1913 Range (in code): ES FR DE AT TR YU HV 06 08 14 16
- 195. Oedipoda himalayana Uvarov,1925** (Acrididae) Synonym(s): himalayana Uvarov,1925 Range (in code): IN PK AF?
- 196. Oedipoda infumata Bei-Bienko,1949** (Acrididae) Synonym(s): infumata Bei-Bienko,1949 Range (in code): AF
- 197. Oedipoda kurda Deschamps,1967** (Acrididae) Synonym(s): kurda Deschamps,1967 Range (in code): IR Km Krd
- 198. Oedipoda miniata (Pallas,1771)** (Acrididae) Synonym(s): miniata Pallas,1771; salinus Gmelin,1790; gratiosa Audinet-Serville,1838; perurbana Steinmann,1965 Range (in code): MA DZ TN TR Cc GG TJ KG Aa RU 04 06 08 09 12 13 15 16 20 23 27 31 33 34 35 36 42 43 45 46 55 56 57 60 62 63 65 77 78 80
- 199. Oedipoda schochi Saussure,1884** (Acrididae) Synonym(s): schochi Saussure,1884; caucasica Saussure,1884 Range (in code): TR Cc GG Sn IL Pa JO SY Hal LB IQ IR AF 04 06 18 21 26 30 36 38 42 43 44 46 51 63 65
- 200. Omocestus (s.str.) demokidovi Ramme,1930** (Acrididae) Synonym(s): demokidovi Ramme,1930 Range (in code): Cc AZ AM TR 04 08 12 25 36 76



- 201. *Omocestus* (s.str.) *haemorrhoidalis* (Charpentier,1825)** (Acrididae) **Synonym(s):** *haemorrhoidalis* Charpentier,1825; *nebulosa* Brunner von Wattenwyl,1882; *montivagus* Azam,1908; *obscurus* Schirmer,1913; *viridis* Schirmer,1913; *robustior* Zacher,1917; *hyalosuperficies* Voroncovsky,1928 **Range (in code):** **ES FR CH DE DK PL EE LT RO IT AT HU CZ SK RU Cc GG TR KG CN Gn KP KR Sb 06 14**
- 202. *Omocestus* (s.str.) *heymonsi* (Ramme,1926)** (Acrididae) **Synonym(s):** *heymonsi* Ramme,1926; *tarbinskii* Uvarov,1926 **Range (in code):** **TM UZ**
- 203. *Omocestus* (s.str.) *minutus* (Brullé,1832)** (Acrididae) **Synonym(s):** *minutus* Brullé,1832; *moreanus* Ramme,1926; *chersonensis* Pustovojt,1927 **Range (in code):** **TR GR RU**
- 204. *Omocestus* (s.str.) *nanus* Uvarov,1934** (Acrididae) **Synonym(s):** *nanus* Uvarov,1934 **Range (in code):** **TR 03 04 06 12 25 26 36 43 51 71**
- 205. *Omocestus* (s.str.) *petraeus* (Brisout,1855)** (Acrididae) **Synonym(s):** *petraeus* Brisout,1855; *tesquorum* Tarbinsky,1930; *psamophilus* Maran,1954; *toscanus* Schmidt,1967 **Range (in code):** **FR ES IT CZ RO Cc GG TR RU KG Sb 03 06 12 14 16 18 24 25 26 34 35 36 42 44 45 51 55 60 71**
- 206. *Omocestus* (s.str.) *rufipes* (Zetterstedt,1821)** (Acrididae) **Synonym(s):** *rufipes* Zetterstedt,1821; *ventralis* Zetterstedt,1821; *cruentata* Brullé,1832; *geniculata* Brullé,1832; *miniata* Stephens,1835; *viridulum* Wesmael,1838; *zetterstedti* Fieber,1852 **Range (in code):** **SE NO GB ES FR DE NL BE DK AT HU CZ SK IT PL Sa TR YU B-H HV YU RO BG RU Sb KG 01 09 14 16 34 35 39 41 54 55 57 59 71**
- 207. *Omocestus* (s.str.) *ventralis* (Zetterstedt,1821)** (Acrididae) **Synonym(s):** *ventralis* Zetterstedt,1821 **Range (in code):** **TR 01 09 11 14 16 34 35 41 55**
- 208. *Omocestus* (s.str.) *viridulus* (Linnaeus,1758)** (Acrididae) **Synonym(s):** *viridulus* Linnaeus,1758 **Range (in code):** **TR Cc GG 16**
- 209. *Omocestus* (s.str.) *znojko* Mistchenko,1951** (Acrididae) **Synonym(s):** *znojko* Mistchenko,1951 **Range (in code):** **Cc AZ**
- 210. *Oxya fuscovittata* (Marschall,1836)** (Acrididae) **Synonym(s):** *fuscovittata* Marschall,1836; *turanica* Uvarov,1912; *oryzivora* Willemse,1925; *uvarovi* Willemse,1925 **Range (in code):** **AF PK IN IR KG TM CN RU IN JP**
- 211. *Oxya nitidula* (Walker,1870)** (Acrididae) **Synonym(s):** *nitidula* Walker,1870 **Range (in code):** **IN LK IR Ss**
- 212. *Pachypodisma crassa* Mishchenko,1950** (Acrididae) **Synonym(s):** *crassa* Mishchenko,1950 **Range (in code):** **RU Da Cc AZ**
- 213. *Pachypodisma lezgina* (Uvarov,1917)** (Acrididae) **Synonym(s):** *lezgina* Uvarov,1917 **Range (in code):** **RU Da GG Cc Lag**
- 214. *Paracaloptenus caloptenoides* (Brunner von Wattenwyl,1861)** (Acrididae) **Synonym(s):** *caloptenoides* Brunner von Wattenwyl,1861; *brunneri* Stal,1876; *typus* Bolivar,1878 **Range (in code):** **TR GR YU MD SK BG HU AT 16 34 41 45 54 77**
- 215. *Paracharora popovi* Fishelson,1993** (Acrididae) **Synonym(s):** *popovi* Fishelson,1993 **Range (in code):** **IR**
- 216. *Paracinema tricolor* (Thunberg,1815)** (Acrididae) **Synonym(s):** *tricolor* Thunberg,1815; *sylvestris* Thunberg,1815; *superba* Bolivar,1905; *terminale* Bolivar,1908; *madecassa* Key,1936; *montana* Key,1936; *sudanensis* Key,1936 **Range (in code):** **DZ PT ES SA As TR MG SD ET TZ ZR 01 06 16 26 51**
- 217. *Paraconophyma minuta* Bei-Bienko,1949** (Acrididae) **Synonym(s):** *minuta* Bei-Bienko,1949 **Range (in code):** **AF**
- 218. *Paraconophyma nana* Popov,1951** (Acrididae) **Synonym(s):** *nana* Popov,1951 **Range (in code):** **IR Fa**
- 219. *Paraconophyma pusilla* Bei-Bienko,1958** (Acrididae) **Synonym(s):** *pusilla* Bei-Bienko,1958 **Range (in code):** **IR**
- 220. *Paregnatius kermanicus* Descamps,1967** (Acrididae) **Synonym(s):** *kermanicus* Descamps,1967 **Range (in code):** **IR Ke**
- 221. *Paregnatius moritzi* Uvarov,1933** (Acrididae) **Synonym(s):** *moritzi* Uvarov,1933 **Range (in code):** **IR Fa**
- 222. *Paregnatius salavatiani* Popov,1951** (Acrididae) **Synonym(s):** *salavatiani* Popov,1951 **Range (in code):** **IR Fa**
- 223. *Paregnatius saltator* Popov,1951** (Acrididae) **Synonym(s):** *saltator* Popov,1951 **Range (in code):** **IR Kh**
- 224. *Pezotettix anatolica* Uvarov,1934** (Acrididae) **Synonym(s):** *platycerca* sensu Werner,1901; *anatolica* Uvarov,1934 **Range (in code):** **TR 06 09 10 16 31 35 41 48 67**
- 225. *Pezotettix cottoi* Dirsh,1949** (Acrididae) **Synonym(s):** *cottoi* Dirsh,1949 **Range (in code):** **LB Bsa**
- 226. *Pezotettix curvicerca* Uvarov,1934** (Acrididae) **Synonym(s):** *curvicerca* Uvarov,1934 **Range (in code):** **IL Pa Js**
- 227. *Pezotettix cypria* Dirsh,1949** (Acrididae) **Synonym(s):** *cypria* Dirsh,1949 **Range (in code):** **CY**
- 228. *Pezotettix giorna* (Rossi,1794)** (Acrididae) **Synonym(s):** *giorna* Rossi,1794; *communis* Costa,1836; *rufipes* Brunner von Wattenwyl,1882; *rufitarsis* Navas,1909 **Range (in code):** **TR 16 34 41 51 54 74 77**
- 229. *Pezotettix judaica* Uvarov,1934** (Acrididae) **Synonym(s):** *judaica* Uvarov,1934 **Range (in code):** **IL Pa Js**

- 230. *Pezotettix platycerca* Stal,1876** (Acrididae) Synonym(s): *platycerca* Stal,1876 Range (in code): SY TR 31
- 231. *Pezotettix sorbini* Massa & Fontana,1999** (Acrididae) Synonym(s): *sorbini* Massa & Fontana,1999 Range (in code): JO Amm
- 232. *Phlocerus menetriesi* Fischer von Waldheim,1833** (Acrididae) Synonym(s): *menetriesi* Fischer von Waldheim,1833 Range (in code): AZ Cc
- 233. *Phlocerus savenkoe* Mishchenko,1941** (Acrididae) Synonym(s): *savenkoe* Mishchenko,1941 Range (in code): Cc GG Lag
- 234. *Phlocerus svaneticus* Savenko,1941** (Acrididae) Synonym(s): *svaneticus* Savenko,1941 Range (in code): Cc GG Sva
- 235. *Phlocerus zaitzevi* Mishchenko,1941** (Acrididae) Synonym(s): *zaitzevi* Mishchenko,1941 Range (in code): RU Da Cc GG Mng
- 236. *Podisma miramae* Savenko,1941** (Acrididae) Synonym(s): *miramae* Savenko,1941 Range (in code): Cc GG Aj Sva
- 237. *Podisma pedestris* (Linnaeus,1758)** (Acrididae) Synonym(s): *pedestris* Linnaeus,1758; *apterum* Degeer,1773; *mesoptera* Ramme; *semifasciata* Werner,1933 Range (in code): AT DE GR TR BG RU IT FR Cc 39
- 238. *Podisma satunini* Uvarov,1916** (Acrididae) Synonym(s): *satunini* Uvarov,1916 Range (in code): Cc GG Abk Sok RU
- 239. *Podisma syriaca* (Brunner von Wattenwyl,1861)** (Acrididae) Synonym(s): *syriaca* Brunner von Wattenwyl,1861; *syriaca* Stal,1876; *syriaca* Jacobson,1905 Range (in code): LB Bei
- 240. *Podisma teberdina* Ramme,1951** (Acrididae) Synonym(s): *teberdina* Ramme,1951 Range (in code): Cc GG RU
- 241. *Podisma uvarovi* Ramme,1926** (Acrididae) Synonym(s): *uvarovi* Ramme,1926 Range (in code): Cc Kr RU
- 242. *Pseudocoles armeniacus* Dirsh,1949** (Acrididae) Synonym(s): *armeniaceus* Dirsh,1949 Range (in code): Cc AM
- 243. *Pseudocoles dirshi* Popov,1951** (Acrididae) Synonym(s): *dirshi* Popov,1951 Range (in code): IR Fa
- 244. *Pseudocoles ebneri* Dirsh,1949** (Acrididae) Synonym(s): *ebneri* Dirsh,1949 Range (in code): LB Baa Bsa
- 245. *Pseudocoles inornatus* Bei-Bienko,1951** (Acrididae) Synonym(s): *inornatus* Bei-Bienko,1951 Range (in code): IR Elb Th
- 246. *Pseudocoles karadagi* Demirsoy,1977** (Acrididae) Synonym(s): *karadagi* Demirsoy,1977 Range (in code): TR 30
- 247. *Pseudocoles ledereri* (Brunner von Wattenwyl,1884)** (Acrididae) Synonym(s): *ledereri* Brunner von Wattenwyl,1884; *coeruleipennis* Uvarov,1914; *turcicus* Dirsh,1949; *#lactea* Ramme,1951 Range (in code): LB SY TR 33 48 51
- 248. *Pseudocoles obscurus* (Uvarov,1927)** (Acrididae) Synonym(s): *obscurus* Uvarov,1927 Range (in code): TR Cc GG 12
- 249. *Pseudocoles oedipodioides* Bolivar,1899** (Acrididae) Synonym(s): *oedipodioides* Bolivar,1899; *arpatchai* Dirsh,1949; *uvarovi* Dirsh,1949; *lateritius* Karabağ,1957; *#oedipoides* Demirsoy,1977; *krahmeri* Harz,1978 Range (in code): TR Cc GG Tbl AM 02 04 08 12 25 30 36 46 65
- 250. *Pseudocoles palaestinus* Dirsh,1949** (Acrididae) Synonym(s): *palaestinus* Dirsh,1949 Range (in code): IL Pa
- 251. *Pseudocoles persa* (Saussure,1884)** (Acrididae) Synonym(s): *persa* Saussure,1884; *violaceus* Moritz,1928; *demavendi* Dirsh,1949; *elbursi* Dirsh,1949; *popovi* Dirsh,1949; *tari* Dirsh,1949 Range (in code): IR Elb Th Dam
- 252. *Pseudocoles zangezuri* Dirsh,1949** (Acrididae) Synonym(s): *zangezuri* Dirsh,1949 Range (in code): IR
- 253. *Psophus stridulus* (Linnaeus,1758)** (Acrididae) Synonym(s): *stridulus* Linnaeus,1758; *samniticus* Baccetti,1958 Range (in code): TR Cc GG RU BY UA KG 08 53 61 75
- 254. *Ptetica cristulata* Saussure,1884** (Acrididae) Synonym(s): *cristulata* Saussure,1884 Range (in code): TM KG UZ KK
- 255. *Ptygippus brachypterus* Mistshenko,1951** (Acrididae) Synonym(s): *brachypterus* Mistshenko,1951 Range (in code): TR Cc GG Aj Im 08
- 256. *Pyrgodera armata* (Fischer von Waldheim,1820)** (Acrididae) Synonym(s): *armata* Fischer von Waldheim,1820 Range (in code): TR Cc GG RU KG AF TM IR IQ IL Pa KK 01 02 04 05 06 07 08 12 13 16 19 21 23 25 26 27 30 32 33 36 38 42 44 46 47 49 50 51 56 58 62 63 65 71 76
- 257. *Ramburiella* (Palaeocesa) *bolivari* (Kuthy,1907)** (Acrididae) Synonym(s): *bolivari* Kuthy,1907; *elegans* Uvarov,1910 Range (in code): TR Cc GG IR RU KG 06 08 18 26 42 44 50 51 71
- 258. *Ramburiella* (Palaeocesa) *foveolata* Tarbinsky,1931** (Acrididae) Synonym(s): *foveolata* Tarbinsky,1931 Range (in code): AF IR Ab Oru KG Cc AM GG
- 259. *Ramburiella* (Palaeocesa) *turcomana* (Fischer von Waldheim,1833)** (Acrididae) Synonym(s): *turcomana* Fischer von Waldheim,1833; *formosus* Becker,1864 Range (in code): BG GR Cc RU KG

UA Cm TR IL Pa SY 01 02 05 06 07 16 17 18 21 23 24 25 26 27 30 31 33 34 36 42 44 46 47 49 50 60 63 65 71 80

**260. Rammeihippus turcicus (Ramme,1939)** (Acrididae) Synonym(s): turcicus Ramme,1939 Range (in code): TR 06 37

**261. Rammepodisma natoliae (Ramme,1939)** (Acrididae) Synonym(s): natoliae Ramme,1939; turcica Ramme,1939 Range (in code): TR 29 53

**262. Schistocerca gregaria (Forskal,1775)** (Acrididae) Synonym(s): gregaria Forskal,1775; tartaricum Latreille,1804; peregrina Olivier,1804; rufescens Thunberg,1815 Range (in code): MR SN GM MA DZ TN LY EG TR CY IL Pa LB JO SY IQ IR SA YE OM SO ET SD TD CM NG NE CI TG NA ZA AF PK 21 27 30 31 46 47 49 56 57 58 63 65

**263. Scintharista notabilis (Walker,1870)** (Acrididae) Synonym(s): miniatum Brullé,1840 (preocc.); notabilis Walker,1870; brullei Saussure,,1884 Range (in code): MA Cn MR NE TD LY TZ SO SA YE OM AM AZ Cc IR PK IN LK Ass Meg 31

**264. Sphenophyma rugulosa (Stal,1876)** (Acrididae) Synonym(s): rugulosa Stal,1876 Range (in code): LB SY TR 01 15 31 33 46

**265. Sphingonotus (s.str.) aserbeidshanicus Ramme,1951** (Acrididae) Synonym(s): aserbeidshanicus Ramme,1951 Range (in code): Cc AZ Nv Ord

**266. Sphingonotus (s.str.) coerulans (Linnaeus,1767)** (Acrididae) Synonym(s): coerulans Linnaeus,1767; exornatus Nedelkov,1907 Range (in code): TR 06 16 34 35 48

**267. Sphingonotus (s.str.) coerulipes Uvarov,1922** (Acrididae) Synonym(s): coerulipes Uvarov,1922; djakonovi Mishtshenko,1936; kurmanus Ramme,1951 Range (in code): TR Cc GG 01 04 08 21 23 24 25 29 36 44 62 63 65 76

**268. Sphingonotus (s.str.) nebulosus (Fischer von Waldheim,1846)** (Acrididae) Synonym(s): nebulosus Fischer von Waldheim,1846 Range (in code): TR AZ Cc Nv Ord IR Elb Srd RU PK BI UZ Fe KG MN CN Ui 04 05 06 07 18 24 26 30 36 42 46 48 51 65

**269. Sphingonotus (s.str.) octofasciatus Audinet-Serville,1839** (Acrididae) Synonym(s): octofasciatus Audinet-Serville,1839; kittaryi Saussure,1884; #octapfasciatus Abashidze,2002 Range (in code): SN MR LY EG JO IL Pa ES KG TR Cc GG Bjo CN Ui 76

**270. Sphingonotus (s.str.) pilosus Saussure,1884** (Acrididae) Synonym(s): pilosus Saussure,1884 Range (in code): TR Cc IR 06 23 24 25 26 29 36 45 48 62 63

**271. Sphingonotus (s.str.) rubescens (Walker,1870)** (Acrididae) Synonym(s): rubescens Walker,1870 Range (in code): Cc GG TR 31 36 45 48 63 76

**272. Sphingonotus (s.str.) satrapes Saussure,1884** (Acrididae) Synonym(s): satrapes Saussure,1884 Range (in code): Cc GG Bjo IR KG

**273. Sphingonotus (s.str.) savignyi Saussure,1884** (Acrididae) Synonym(s): savignyi Saussure,1884 Range (in code): CV MR SN GA ML TD SD LY EG IR AF PK KG Cc GG Bjo

**274. Sphingonotus (s.str.) theodori Uvarov,1923** (Acrididae) Synonym(s): theodori Uvarov,1923 Range (in code): TR IR IQ IL Pa 06 18 26 27 42 44 45 51 63 64

**275. Sphingonotus (s.str.) turcicus Uvarov,1930** (Acrididae) Synonym(s): turcicus Uvarov,1930; kocaki Demirsoy,1977; #trucicus Demirsoy,1979 Range (in code): TR 03 04 06 08 18 21 23 24 26 37 44 51 63 71

**276. Sphingonotus (Sphingoderus) carinatus (Saussure,1888)** (Acrididae) Synonym(s): carinatus Saussure,1888; eshrewi Ramme,1951 Range (in code): TR CN Ui 04 06 31 33 35 36 42 45

**277. Sphingonotus pilosus Saussure,1884** (Acrididae) Synonym(s): pilosus Saussure,1884 Range (in code): TR 06 26 27 36 45 48 51 63 76

**278. Sphodromerus kaltenbachii Harz,1987** (Acrididae) Synonym(s): kaltenbachii Harz,1987 Range (in code): SY Pmy

**279. Sphodromerus luteipes Uvarov,1933** (Acrididae) Synonym(s): luteipes Uvarov,1933 Range (in code): PK BI IQ IR Es

**280. Sphodromerus pantherinus Krauss,1902** (Acrididae) Synonym(s): pantherinus Krauss,1902 Range (in code): SA

**281. Sphodromerus sacer (Giglio-Tos,1893)** (Acrididae) Synonym(s): sacer Giglio-Tos,1893 Range (in code): IL Pa Jer

**282. Sphodromerus serapis (Audinet-Serville,1838)** (Acrididae) Synonym(s): serapis Audinet-Serville,1838 Range (in code): EG Sn

**283. Sphodromerus starcki Harz,1985** (Acrididae) Synonym(s): starcki Harz,1985 Range (in code): IL Pa JO

**284. Sphodromerus undulatus (Kirby,1914)** (Acrididae) Synonym(s): undulatus Kirby,1914 Range (in code): AF Kab Jla IN PK Mre Cp Pj

**285. Stauroderus scalaris (Fischer von Waldheim,1846)** (Acrididae) Synonym(s): scalaris Fischer von Waldheim,1846; discoidalis Eversmann,1848; melanopterus Borck,1848; pyrenaicus Saulcy,1887 Range (in code): ES FR DE CZ SK CH AT IT GR BG RO UA TR Cc GG AZ AM KG CN Ui RU IR Elb Dam 18 53 55 65

**286. Stauroderus syriacus Bolivar,1912** (Acrididae) Synonym(s): syriacus Bolivar,1912 Range (in code): LB SY



- 287. Stenobothrus bozcuki Çıplak,1994** (Acrididae) Synonym(s): bozcuki Çıplak,1994 Range (in code): TR 44
- 288. Stenobothrus burri Karabağ,1953** (Acrididae) Synonym(s): burri Karabağ,1953 Range (in code): TR 16
- 289. Stenobothrus derrai Harz,1988** (Acrididae) Synonym(s): derrai Harz,1988 Range (in code): TR 58
- 290. Stenobothrus fischeri (Eversmann,1848)** (Acrididae) Synonym(s): fischeri Eversmann,1848; nigrogeniculatus Krauss,1879; prasina Voroncovsky,1927 Range (in code): ES TR YU B-H HV BG Cc GG UA RU Sb KG MN 01 04 05 06 07 14 18 19 21 25 34 36 42 43 44 46 47 60 64 66 71
- 291. Stenobothrus graecus Ramme,1926** (Acrididae) Synonym(s): graecus Ramme,1926 Range (in code): GR TR 44
- 292. Stenobothrus lineatus (Panzer,1796)** (Acrididae) Synonym(s): lineatus Panzer,1796 Range (in code): TR Cc GG 14 18 41
- 293. Stenobothrus miramae Dirsh,1931** (Acrididae) Synonym(s): miramae Dirsh,1931 Range (in code): UA Cm KG TR 01 06 44 71
- 294. Stenobothrus nigromaculatus (Herrich-Schäffer,1840)** (Acrididae) Synonym(s): nigromaculatus Herrich-Schäffer,1840 Range (in code): TR Cc GG 05 16 18 65
- 295. Stenobothrus selmae Ünal,1999** (Acrididae) Synonym(s): selmae Ünal,1999 Range (in code): TR 18
- 296. Stenobothrus stigmaticus (Rambur,1839)** (Acrididae) Synonym(s): stigmaticus Rambur,1839 Range (in code): TR RU 46
- 297. Stenobothrus sviridenkoi Ramme,1930** (Acrididae) Synonym(s): sviridenkoi Ramme,1930 Range (in code): TR Cc GG Jv 25
- 298. Stenobothrus wernerii Adelung,1907** (Acrididae) Synonym(s): wernerii Adelung,1907 Range (in code): Cc GG TR IR 12 53
- 299. Stenobothrus zubowskyi Bolivar,1899** (Acrididae) Synonym(s): zubowskyi Bolivar,1899 Range (in code): Cc TR 04 06 12 16 18 19 25 36 38 42 44 46 49 50 51 58 60 71
- 300. Stethophyma grossum (Linnaeus,1758)** (Acrididae) Synonym(s): grossum Linnaeus,1758; rubripes DeGeer,1773; flavipes Gmelin,1788; germanicus Stoll,1813 Range (in code): GB ES FR NO SE FI RU KG MN Sh Kmt RO DE PL CZ SK HU CH AT IT TR
- 301. Tropidopola cylindrica (Marschall,1836)** (Acrididae) Synonym(s): cylindrica Marschall,1836; sicula Audinet-Serville,1838; fasciculata Charpentier,1841; algeriana Uvarov,1922; virescens Uvarov,1922 Range (in code): DZ IT Si IQ Amr IR Lo Ss
- 302. Tropidopola graeca Uvarov,1926** (Acrididae) Synonym(s): graeca Uvarov,1926 Range (in code): IT MK CY GR TR SY Dms 01 07 21 27 31 35 38 46 48 63
- 303. Tropidopola longicornis (Fieber,1853)** (Acrididae) Synonym(s): longicornis Fieber,1853; syrica Walker,1871; cylindrica Giglio-Tos,1893; indica Uvarov,1937 Range (in code): TR GR Cr CY IN LY EG SY LB Bei 33
- 304. Tropidopola syriaca Walker,1871** (Acrididae) Synonym(s): syriaca Walker,1871 Range (in code): IL Pa LB
- 305. Tropidopola turanica Uvarov,1926** (Acrididae) Synonym(s): turanica Uvarov,1926; caspica Uvarov,1933; iliensis Bei-Bienko,1948 Range (in code): TM KG Tk IR Gor Cc AF
- 306. Truxalis afghana Bei-Bienko,1963** (Acrididae) Synonym(s): afghana Bei-Bienko,1963 Range (in code): AF
- 307. Truxalis arabica Uvarov,1933** (Acrididae) Synonym(s): arabica Uvarov,1933 Range (in code): SA
- 308. Truxalis conspurcata Klug,1840** (Acrididae) Synonym(s): conspurcata Klug,1840 Range (in code): SA OM SO
- 309. Truxalis eximia Eichwald,1830** (Acrididae) Synonym(s): eximia Eichwald,1830; cypria Dirsh,[1951]; #examia Weidner,1969 Range (in code): TR Cc IR KG CY SA 05 06 33 44 46 71
- 310. Truxalis fitzgeraldi Dirsh,1950** (Acrididae) Synonym(s): fitzgeraldi Dirsh,1950 Range (in code): IR
- 311. Truxalis longicornis (Krauss,1902)** (Acrididae) Synonym(s): longicornis Krauss,1902 Range (in code): SA
- 312. Truxalis mesopotamica Dirsh,1950** (Acrididae) Synonym(s): mesopotamica Dirsh,1950 Range (in code): IQ IR PK
- 313. Truxalis nasuta (Linnaeus,1758)** (Acrididae) Synonym(s): nasuta Linnaeus,1758; annulatus Thunberg,1815; bilineatus Thunberg,1815; nebulosus Thunberg,1815; miniata Klug,1830; obsoleta Klug,1830; scalaris Klug,1830; variabilis Klug,1830; unguiculata Rambur,1839; isabellina Fischer-Waldheim,1846; klugii Fieber,1853 Range (in code): Cn MA DZ TN TR Cc GG 05 06 31 33 44 46
- 314. Truxalis obesa Bei-Bienko,1960** (Acrididae) Synonym(s): obesa Bei-Bienko,1960 Range (in code): IR
- 315. Truxalis philbyi Dirsh,1951** (Acrididae) Synonym(s): philbyi Dirsh,1951 Range (in code): YE
- 316. Truxalis procera Klug,1830** (Acrididae) Synonym(s): procera Klug,1830 Range (in code): SA YE

- 317. Truxalis robusta (Uvarov,1916)** (Acrididae) Synonym(s): robusta Uvarov,1916 Range (in code): TR Cc SY GG AZ Kir IR IQ 05 07 27 31 33 44 46 63 65
- 318. Uvarovium desertum Dirsh,1927** (Acrididae) Synonym(s): desertum Dirsh,1927 Range (in code): TM
- 319. Uvarovium dirshi Uvarov,1933** (Acrididae) Synonym(s): dirshi Uvarov,1933 Range (in code): IR
- 320. Uvarovium femorale Mishchenko,1945** (Acrididae) Synonym(s): femorale Mishchenko,1945 Range (in code): IR Kh
- 321. Xerohippus alkani Karabağ,1953** (Acrididae) Synonym(s): alkani Karabağ,1953 Range (in code): TR 07
- 322. Xerohippus anatolicus Ramme,1951** (Acrididae) Synonym(s): anatolicus Ramme,1951 Range (in code): TR 33
- 323. Xerohippus azami (Bolivar,1901)** (Acrididae) Synonym(s): azami Bolivar,1901 Range (in code): TR CY
- 324. Xerohippus palaestinus Uvarov,1942** (Acrididae) Synonym(s): palaestinus Uvarov,1942 Range (in code): IL Pa
- 325. Xerohippus sinuosus Uvarov,1942** (Acrididae) Synonym(s): sinuosus Uvarov,1942 Range (in code): CY
- 326. Xerohippus syriacus (Bolivar,1911)** (Acrididae) Synonym(s): syriacus Bolivar,1911 Range (in code): SY Hms
- 327. Zagrosia davatchii Descamps,1967** (Acrididae) Synonym(s): davatchii Descamps,1967 Range (in code): IR Km
- 328. Zagrosia nigrofasciata Descamps,1967** (Acrididae) Synonym(s): nigrofasciata Descamps,1967 Range (in code): IR Fa Shr Kaz
- 329. Aeshna affinis Van Der Linden,1820** (Aeshnidae) Synonym(s): affinis Van Der Linden,1820 Range (in code): TR Cc AM RU KG Sb Ur KK CY IL Pa IR SY Ltk 07 42 45 65
- 330. Aeshna cyanea (O.F.Müller,1764)** (Aeshnidae) Synonym(s): cyanea O.F.Müller,1764 Range (in code): TR Cc GG Aj Btm AM RU Ur KG 08 14 16 54 81
- 331. Aeshna isosceles (O.F.Müller,1764)** (Aeshnidae) Synonym(s): isosceles O.F.Müller,1764 Range (in code): TR Cc GG AM IR Elb Th SY KK 07 08 31 42 48
- 332. Aeshna juncea (Linnaeus,1758)** (Aeshnidae) Synonym(s): juncea Linnaeus,1758 Range (in code): TR GG Lag KP KR CN RU Cc KG MN Us Sb Ur 04 08 25
- 333. Aeshna mixta Latreille,1805** (Aeshnidae) Synonym(s): mixta Latreille,1805 Range (in code): TR Cc AM IR RU IN KG MN Us Sb Ur CN GG KP KR KK 05 06 24 25 31 34 40 65
- 334. Aeshna serrata (Hagen,1856)** (Aeshnidae) Synonym(s): serrata Hagen,1856 Range (in code): TR Cc AM RU KG MN Sb Ur 65
- 335. Anax ephippiger (Burmeister,1839)** (Aeshnidae) Synonym(s): ephippiger Burmeister,1839 Range (in code): CY LB Bei IL Pa IQ JO SA SY TR EG MA NA SN TZ TN 05 76
- 336. Anax immaculifrons Rambur,1842** (Aeshnidae) Synonym(s): immaculifrons Rambur,1842 Range (in code): SY TR LB Bei IL Pa CN Hn IN LK TH VN KH NP 01 02 07 31 33 48 73
- 337. Anax imperator Leach,1815** (Aeshnidae) Synonym(s): imperator Leach,1815 Range (in code): TR GR Cc RU KG Ur SY Ltk DZ PT ET IR Fa ZA Kzu Nta Mpu Tva ZM 06 07 08 15 34 42 45 65 67
- 338. Anax parthenope (Selys,1839)** (Aeshnidae) Synonym(s): parthenope Selys,1839; #partenope Demirsoy,1982 Range (in code): TR IT Cc AZ Len CY CN IN KG RU Us Sb Ur QA 07 31 32 34 42 67
- 339. Brachytron pratense (O.F.Müller,1764)** (Aeshnidae) Synonym(s): pratense O.F.Müller,1764; #partense Demirsoy,1982 Range (in code): DE GR TR Cc GG RU Ur 16? 34
- 340. Caliaeschna microstigma (Schneider,1845)** (Aeshnidae) Synonym(s): microstigma Schneider,1845 Range (in code): GR TR Cc GG LB IR CY IQ Dk RU SY 05 07 15 24 31 33 34 39 48 51
- 341. Aleurochiton acerinus Haupt,1934** (Aleyrodidae) Synonym(s): acerinus Haupt,1934 Range (in code): IR Gh DE AT CZ HU PL RU YU GB
- 342. Aleurochiton pseudoplatani Visnya,1936** (Aleyrodidae) Synonym(s): pseudoplatani Visnya,1936 Range (in code): AT CZ DE HU LB IR Gh NL RU
- 343. Aleuroviggianus adanaensis Bink-Moenen,1992** (Aleyrodidae) Synonym(s): adanaensis Bink-Moenen,1992 Range (in code): TR 01
- 344. Aleuroviggianus halperini Bink-Moenen,1992** (Aleyrodidae) Synonym(s): halperini Bink-Moenen,1992 Range (in code): IL Pa
- 345. Aleyrodes Ionicerae Walker,1852** (Aleyrodidae) Synonym(s): Ionicerae Walker,1852; rubi Signoret,1868; xylostei Westhoff,1887; spiraeae Douglas,1894; menthae Haupt,1934; borchsenii Danzig,1966; lacombiensis Goux,1988 Range (in code): AT GB FI FR DE HU IR Gh IL Pa IT PL PT RU SE CH TR YU KP KR
- 346. Aleyrodes prolella (Linnaeus,1758)** (Aleyrodidae) Synonym(s): prolella Linnaeus,1758; culiciformis Geoffroy,1785; prenanthis Schrank,1801; chelidonii Latreille,1807; brassicae Walker,1852; euphorbiae Löw,1867; youngi Hempel,1901 Range (in code): IR Gh DE AT BR GB
- 347. Aleyrodes zygia Danzig,1966** (Aleyrodidae) Synonym(s): zygia Danzig,1966 Range (in code): RU Us ?IR ?Gh



- 348. *Asterobemisia carpini* (Koch,1857)** (Aleyrodidae) Synonym(s): *carpini* Koch,1857; *avellanae* Signoret,1868; *vaccinii* Künnow,1880; *ribium* Douglas,1888; *rubicola* Douglas,1891 Range (in code): **RU GB DE FR IR Gh**
- 349. *Asterobemisia dentata* Danzig,1969** (Aleyrodidae) Synonym(s): *dentata* Danzig,1969 Range (in code): **TJ IR Gh FR NL**
- 350. *Asterobemisia takahashii* Danzig,1966** (Aleyrodidae) Synonym(s): *takahashii* Danzig,1966 Range (in code): **IR Gh RU Us KP KR**
- 351. *Bemisia afer* (Priesner & Hosny,1934)** (Aleyrodidae) Synonym(s): *afer* Priesner & Hosny,1934; *hancocki* Corbett,1936; *citricola* Gomez-Menor,1945 Range (in code): **EG ES UG IR Gh BR FR IL Pa IT Si CM TD CG GN CI KE MG MW NE NG SL ZA SD ZR CN KP KR IN PK AU PG**
- 352. *Bemisia shinanoensis* Kuwana,1922** (Aleyrodidae) Synonym(s): *shinanoensis* Kuwana,1922; *eo* Danzig,1966; *iola* Danzig,1966 Range (in code): **JP RU IR Gh**
- 353. *Bemisia tabaci* (Gennadius,1889)** (Aleyrodidae) Synonym(s): *tabaci* Gennadius,1889 Range (in code): **IR Gh BR TW Co EG US Cf FI GR GG Cc IN JP MG NG LK**
- 354. *Bulgarialeurodes cotesii* (Maskell,1896)** (Aleyrodidae) Synonym(s): *cotesii* Maskell,1896; *rosae* Corbett,1936 Range (in code): **BG IR Gh PK AF RO TM YU**
- 355. *Dialeurodes abbotabadiensis* Qureshi,1980** (Aleyrodidae) Synonym(s): *abbotabadiensis* Qureshi,1980 Range (in code): **PK Abb Haz**
- 356. *Dialeurodes anjumi* Qureshi,1980** (Aleyrodidae) Synonym(s): *anjumi* Qureshi,1980 Range (in code): **PK**
- 357. *Dialeurodes citri* (Ashmead,1885)** (Aleyrodidae) Synonym(s): *citri* Ashmead,1885; *kuchinasii* Sasaki,1908; *tuberculatus* Takahashi,1932 Range (in code): **TW US FI JP IR Gh CU MX PA PR AF FR GR IT PT Si TR CN KP KR JP IN PK PH TH Hw**
- 358. *Pealius rubi* Takahashi,1936** (Aleyrodidae) Synonym(s): *rubi* Takahashi,1936 Range (in code): **JP TW KP KR IR Gh**
- 359. *Trialeurodes packardi* (Morrill,1903)** (Aleyrodidae) Synonym(s): *packardi* Morrill,1903; *coryli* Britton,1907; *waldeni* Britton,1907; *morrilli* Britton,1907 Range (in code): **CA US HU IR Gh KP KR**
- 360. *Trialeurodes vaporariorum* (Westwood,1856)** (Aleyrodidae) Synonym(s): *vaporariorum* Westwood,1856; *lecanioides* Maskell,1879; *papillifer* Maskell,1890; *nicotianae* Maskell,1896; *sonchi* Kotinsky,1907; *mossopi* Corbett,1935; *natalensis* Corbett,1936; *sesbaniae* Corbett,1936 Range (in code): **IR Gh ZA Nta Kzu ZW NZ MX GB AU Hw**
- 361. *Alydus calcaratus* (Linnaeus,1758)** (Alydidae) Synonym(s): *calcaratus* Linnaeus,1758; *tibialis* Fabricius,1798; *hirsutus* Kolenati,1845; *atratus* Motschulsky,1860; *pluto* Uhler,1872; *ater* Jakovlev,1876 Range (in code): **MA PT ES FR Co IT Si GB IE NO SE FI EE LT DK DE PL CZ SK HU CH AT YU SS B-H RO BG GR UA US DZ RU Kmt Sb Cc TR Elb Th IR MN CN Ui 01 06 08 35 38**
- 362. *Camptopus bifasciatus* Fieber,1864** (Alydidae) Synonym(s): *bifasciatus* Fieber,1864 Range (in code): **Cc AZ Nv TR IR Fa Ke Se Th AM RU 05 06 23 28 44 56 60 65 76**
- 363. *Camptopus eberti* Seidenstücker,1968** (Alydidae) Synonym(s): *eberti* Seidenstücker,1968 Range (in code): **AF Pkt Kot**
- 364. *Camptopus illustris* Horvath,1899** (Alydidae) Synonym(s): *illustris* Horvath,1899 Range (in code): **IR Fa Ak Ab IQ Cc AZ Nv AM Eri TR RU 04 23 30 50**
- 365. *Camptopus lateralis* (Germar,1817)** (Alydidae) Synonym(s): *lateralis* Germar,1817; *annulatus* Brullé,1832; *geranii* Dufour,1833; *marginalis* Herrich-Schäffer,1835; *occipes* Herrich-Schäffer,1835; *brevipes* Herrich-Schäffer,1840; *undulatus* Westwood,1842; *obscurus* Reuter,1890 Range (in code): **PT TR AF Cc IL Pa IQ IR Ar Ab Fa Go Ke Kh Mz Se Th Ak PK IN TJ SY CN Ui 13 28 31 34 50 54 56 58 60 65 73**
- 366. *Camptopus tragacanthae* (Kolenati,1845)** (Alydidae) Synonym(s): *tragacanthae* Kolenati,1845 Range (in code): **IR Go Th Ke Kh Ss Ab Ar Cc AZ TR UZ TJ RU AF CN Ui 16 17 23 35 36 50 58 60 65 76**
- 367. *Euthetus humilis* Horvath,1907** (Alydidae) Synonym(s): *humilis* Horvath,1907 Range (in code): **Cn LY TN IL Pa IR Hz**
- 368. *Euthetus pallescens* Distant,1902** (Alydidae) Synonym(s): *pallescens* Distant,1902 Range (in code): **IR Hz**
- 369. *Euthetus pulchellus* Dallas,1852** (Alydidae) Synonym(s): *pulchellus* Dallas,1852 Range (in code): **IR Hz Ss**
- 370. *Heegeria tangirica* (Saunders,1877)** (Alydidae) Synonym(s): *tangirica* Saunders,1877; *adspersa* Rueter,1881; *ferrugineus* Carlini,1895; *robustus* Distant,1904; *venosus* Bergroth,1908; *sjostedti* Schouteden,1912 Range (in code): **Cr IT GR ES EG MA IL Pa OM YE IR Hz Ss Ke PK ZA Tva Lpo Spb AO TZ**
- 371. *Leptocoris oratoria* (Fabricius,1794)** (Alydidae) Synonym(s): *oratoria* Fabricius,1794 Range (in code): **IR Es CN JP AU**
- 372. *Megalotomus obtusus* Ghauri,1972** (Alydidae) Synonym(s): *obtusus* Ghauri,1972 Range (in code): **IR Ss PK Sgl**
- 373. *Megalotomus ornaticeps* (Stal,1858)** (Alydidae) Synonym(s): *ornaticeps* Stal,1858 Range (in code): **IR Ak UA Cc CN RU Sb**
- 374. *Mirperus demetrii* (Kiritshenko,1966)** (Alydidae) Synonym(s): *demetrii* Kiritshenko,1966 Range (in code): **IR Hz Ss KE SD**

- 375. *Mirperus torridus* (Westwood,1842)** (Alydidae) Synonym(s): *torridus* Westwood,1842 Range (in code): IR Hz EG Sn YE SA PK
- 376. *Mirperus xerophilus* Linnavuori,1978** (Alydidae) Synonym(s): *xerophilus* Linnavuori,1978 Range (in code): SA SA63
- 377. *Nariscus cinctiventris* (Germar,1837)** (Alydidae) Synonym(s): *cinctiventris* Germar,1837; *validipes* Stal,1858 Range (in code): ZA Gau Tva Pre CY IN PK Sd Krc
- 378. *Nariscus conspurcatus* Mancini,1946** (Alydidae) Synonym(s): *conspurcatus* Mancini,1946 Range (in code): ET YE OM SA IR Hz AF
- 379. *Nariscus longirostris* Linnavuori,1974** (Alydidae) Synonym(s): *longirostris* Linnavuori,1974 Range (in code): IL Pa Jer
- 380. *Nariscus spinosus* (Burmeister,1839)** (Alydidae) Synonym(s): *spinosus* Burmeister,1839 Range (in code): SD IR Hz Ke Ss DZ EG CY SA YE OM PK
- 381. *Nemausus sordidatus* (Stal,1858)** (Alydidae) Synonym(s): *sordidatus* Stal,1858; *simplex* Horvath,1911 Range (in code): IR Hz Cn ES YE OM SA IL Pa JO
- 382. *Riptortus aegyptiacus* Lindberg,1939** (Alydidae) Synonym(s): *aegyptiacus* Lindberg,1939 Range (in code): EG SA IR Ss
- 383. *Riptortus linearis* (Fabricius,1775)** (Alydidae) Synonym(s): *linearis* Fabricius,1775 Range (in code): IR Hz Ke Kh Ss IQ CN TW JP AU
- 384. *Amorphoscelis asymmetrica* Ingrish,1999** (Amorphoscelidae) Synonym(s): *asymmetrica* Ingrish,1999 Range (in code): YE
- 385. *Amorphoscelis pantherina* Roy,1966** (Amorphoscelidae) Synonym(s): *pantherina* Roy,1966 Range (in code): IQ Er IR Fa TR 56 73
- 386. *Amorphoscelis naumanni* Kaltenbach,1983** (Amorphoscelidae) Synonym(s): *naumanni* Kaltenbach,1983 Range (in code): AF PK
- 387. *Acomporis pygmaeus* (Fallén,1807)** (Anthocoridae) Synonym(s): *pygmaeus* Fallén,1807 Range (in code): TR 35 38
- 388. *Anthocoris angularis* Reuter,1884** (Anthocoridae) Synonym(s): *angularis* Reuter,1884 Range (in code): KK KG TJ MN UZ IR Th Elb
- 389. *Anthocoris butleri* Le Quense,1954** (Anthocoridae) Synonym(s): *butleri* Le Quense,1954 Range (in code): ES FR GB SE BE NL DE CZ AT IR Elb Mz
- 390. *Anthocoris confusus* Reuter,1884** (Anthocoridae) Synonym(s): *confusus* Reuter,1884 Range (in code): TR IR Ha Mz Elb Gh Gor
- 391. *Anthocoris flavipes* Reuter,1884** (Anthocoridae) Synonym(s): *flavipes* Reuter,1884 Range (in code): IR Gor Ke Mz Elb AM? KG CN Ui Ti KK TJ
- 392. *Anthocoris gallarumulmi* (DeGeer,1773)** (Anthocoridae) Synonym(s): *gallarumulmi* DeGeer,1773 Range (in code): TR IR Se Kh Gor
- 393. *Anthocoris guentheri* Péricart,2007** (Anthocoridae) Synonym(s): *guentheri* Péricart,2007 Range (in code): IR Kh
- 394. *Anthocoris limbatus* Fieber,1836** (Anthocoridae) Synonym(s): *limbatus* Fieber,1836 Range (in code): FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT SS B-H YU RO BG IR Es
- 395. *Anthocoris minki* (Dohrn,1860)** (Anthocoridae) Synonym(s): *minki* Dohrn,1860; *rubicundulus* Garbiglietti,1869; *pistaciae* E.Wagner,1957 Range (in code): ES PT FR GB BE NL DE PL BY UA CZ SK HU AT CH IT Si RU B-H YU BG GR CY DZ MA TN TR IL Pa IR Mz Elb Fa Ke Kh Ss Ar Ak 56
- 396. *Anthocoris nemoralis* (Fabricius,1794)** (Anthocoridae) Synonym(s): *nemoralis* Fabricius,1794 Range (in code): MA DZ TN LY EG US ES PT FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT Sa Si SS B-H YU HV AL MK BG GR TR IL Pa IR Ar Ak Fa Gor Gh Es Kh Mz Elb Th Zj Ma
- 397. *Anthocoris nemorum* (Linnaeus,1761)** (Anthocoridae) Synonym(s): *nemorum* Linnaeus,1761 Range (in code): ES PT FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT Sa Si SS B-H YU HV AL MK BG TR IR Ak Fa Gor Gh Ha Es Ma Km Kd Mz Elb Th Ab Zj Yz CN 08 14 25 61
- 398. *Anthocoris persicus* E.Wagner,1957** (Anthocoridae) Synonym(s): *persicus* E.Wagner,1957 Range (in code): IR Elb Th Ke
- 399. *Anthocoris pilosus* (Jakovlev,1877)** (Anthocoridae) Synonym(s): *pilosus* Jakovlev,1877 Range (in code): ES FR GB IE BE NL DE NO SE FI BY RU UA PL CZ SK HU CH AT IT B-H RO MD MK Cr BG IR Ar Ak Fa Gh Kh Mz Elb Se Shh Eh
- 400. *Anthocoris poissoni* Kiritshenko,1952** (Anthocoridae) Synonym(s): *poissoni* Kiritshenko,1952 Range (in code): KK TJ IR Ab
- 401. *Anthocoris sibiricus* Reuter,1875** (Anthocoridae) Synonym(s): *sibiricus* Reuter,1875 Range (in code): TR 65
- 402. *Anthocoris simillimus* Poppius,1909** (Anthocoridae) Synonym(s): *simillimus* Poppius,1909 Range (in code): KK TJ IR Gh
- 403. *Anthocoris visci* Douglas,1889** (Anthocoridae) Synonym(s): *visci* Douglas,1889 Range (in code): ES FR GB BE NL DE CZ YU MK TR IR Kd

- 404. *Cardiastethus fasciiventris* (Garbiglietti,1869)** (Anthocoridae) Synonym(s): fasciiventris Garbiglietti,1869 Range (in code): IR
- 405. *Cardiastethus nazarens* Reuter,1884** (Anthocoridae) Synonym(s): nazarens Reuter,1884 Range (in code): TR 35
- 406. *Cardiastethus pseudococci* (E.Wagner,1951)** (Anthocoridae) Synonym(s): pseudococci E.Wagner,1951 Range (in code): IR
- 407. *Dufouriellus ater* (Dufour,1883)** (Anthocoridae) Synonym(s): ater Dufour,1883 Range (in code): TR 07 27 35
- 408. *Dysepicritus rufescens* (Costa,1847)** (Anthocoridae) Synonym(s): rufescens Costa,1847 Range (in code): TR 06
- 409. *Elatophilus nigricornis* (Zetterstedt,1838)** (Anthocoridae) Synonym(s): nigricornis Zetterstedt,1838 Range (in code): TR
- 410. *Elatophilus pachynemus* Horvath,1907** (Anthocoridae) Synonym(s): pachynemus Horvath,1907 Range (in code): TR 34
- 411. *Lytocoris campestris* (Fabricius,1794)** (Anthocoridae) Synonym(s): campestris Fabricius,1794 Range (in code): TR 01 06 11 33 35
- 412. *Lytocoris dimidiatus* (Spinola,1837)** (Anthocoridae) Synonym(s): dimidiatus Spinola,1837 Range (in code): TR 14 16 17 27 41 42 54
- 413. *Orius horvathi* (Reuter,1884)** (Anthocoridae) Synonym(s): horvathi Reuter,1884 Range (in code): TR
- 414. *Orius laevigatus* (Fieber,1860)** (Anthocoridae) Synonym(s): laevigatus Fieber,1860 Range (in code): TR
- 415. *Orius minutus* (Linnaeus,1758)** (Anthocoridae) Synonym(s): minutus Linnaeus,1758 Range (in code): TR 65
- 416. *Orius niger* (Wolff,1811)** (Anthocoridae) Synonym(s): niger Wolff,1811 Range (in code): TR IR Ak Koa 65
- 417. *Orius pallidicornis* (Reuter,1884)** (Anthocoridae) Synonym(s): pallidicornis Reuter,1884 Range (in code): TR 35
- 418. *Orius vicinus* (Ribaut,1923)** (Anthocoridae) Synonym(s): vicinus Ribaut,1923 Range (in code): TR
- 419. *Temnostethus dacicus* (Puton,1888)** (Anthocoridae) Synonym(s): dacicus Puton,1888 Range (in code): TR
- 420. *Temnostethus longirostris* (Horvath,1907)** (Anthocoridae) Synonym(s): longirostris Horvath,1907 Range (in code): TR 36 38
- 421. *Temnostethus pusillus* (Herrich-Schäffer,1835)** (Anthocoridae) Synonym(s): pusillus Herrich-Schäffer,1835 Range (in code): TR 14
- 422. *Temnostethus reduvinus* (Herrich-Schäffer,1835)** (Anthocoridae) Synonym(s): reduvinus Herrich-Schäffer,1835 Range (in code): TR
- 423. *Temnostethus tibialis* Reuter,1888** (Anthocoridae) Synonym(s): tibialis Reuter,1888 Range (in code): TR 34
- 424. *Temnostethus wichmanni* E.Wagner,1961** (Anthocoridae) Synonym(s): wichmanni E.Wagner,1961 Range (in code): TR
- 425. *Xylocoris cursitans* (Fallén,1807)** (Anthocoridae) Synonym(s): cursitans Fallén,1807 Range (in code): TR 06 14 34 47 54
- 426. *Xylocoris flavipes* (Reuter,1875)** (Anthocoridae) Synonym(s): flavipes Reuter,1875 Range (in code): TR 35
- 427. *Xylocoris galactinus* (Fieber,1836)** (Anthocoridae) Synonym(s): galactinus Fieber,1836 Range (in code): TR 01 35
- 428. *Xylocoris maculipennis* Baerensprung,1858** (Anthocoridae) Synonym(s): maculipennis Baerensprung,1858 Range (in code): TR
- 429. *Xylocoris obliquus* Costa,1852** (Anthocoridae) Synonym(s): obliquus Costa,1852 Range (in code): TR 01 06 35 48 51
- 430. *Aphalara maculipennis* F.Loew,1886** (Aphalaridae) Synonym(s): maculipennis F.Loew,1886 Range (in code): TR Cc RU Sb Am IN 25
- 431. *Aphalara grandicula* (Gegechkori,1981)** (Aphalaridae) Synonym(s): grandicula Gegechkori,1981 Range (in code): TR 21 29 36 42 50
- 432. *Colposcenia aliena* (F.Loew,1881)** (Aphalaridae) Synonym(s): aliena F.Loew,1881 Range (in code): TR 36 42 46
- 433. *Colposcenia bidentata* Burckhardt,1988** (Aphalaridae) Synonym(s): bidentata Burckhardt,1988 Range (in code): TR 08 42
- 434. *Colposcenia osmanica* Vondracek,1953** (Aphalaridae) Synonym(s): osmanica Vondracek,1953 Range (in code): TR 06 07 08 18 36 71



- 435. Craspedolepta armazhi Gegechkori,1973** (Aphalaridae) Synonym(s): armazhi Gegechkori,1973 Range (in code): TR 36
- 436. Craspedolepta bulgarica Klimaszewski,1961** (Aphalaridae) Synonym(s): bulgarica Klimaszewski,1961 Range (in code): TR BG 06 08 24 42 71
- 437. Craspedolepta innoxia (Förster,1848)** (Aphalaridae) Synonym(s): innoxia Förster,1848 Range (in code): TR 35
- 438. Craspedolepta malachitica (Dahlbom,1851)** (Aphalaridae) Synonym(s): malachitica Dahlbom,1851 Range (in code): TR 25 36
- 439. Craspedolepta nebulosa (Zetterstedt,1828)** (Aphalaridae) Synonym(s): nebulosa Zetterstedt,1828 Range (in code): TR 25
- 440. Craspedolepta omissa Wagner,1944** (Aphalaridae) Synonym(s): omissa Wagner,1944 Range (in code): TR 30
- 441. Craspedolepta pontica Dobreanu & Manolache,1962** (Aphalaridae) Synonym(s): pontica Dobreanu & Manolache,1962 Range (in code): TR 08 25 36
- 442. Craspedolepta setosa (Wagner,1947)** (Aphalaridae) Synonym(s): setosa Wagner,1947 Range (in code): TR 06
- 443. Crastina myricariae Loginova,1964** (Aphalaridae) Synonym(s): myricariae Loginova,1964; #myricaria Klimaszewski & Lodos,1979 Range (in code): TR 25 65
- 444. Crastina sp.** (Aphalaridae) Synonym(s): Range (in code): TR 29
- 445. Rhodochlanis bicolor (Scott,1880)** (Aphalaridae) Synonym(s): bicolor Scott,1880 Range (in code): TR 03
- 446. Agonoscena cisti (Puton,1882)** (Aphalaridae) Synonym(s): cisti Puton,1882 Range (in code): TR 35
- 447. Agonoscena pistaciae Burckhardt & Lauterer,1989** (Aphalaridae) Synonym(s): pistaciae Burckhardt & Lauterer,1989 Range (in code): TR 01 27 33 35 56 63
- 448. Agonoscena targionii (Lichtenstein,1874)** (Aphalaridae) Synonym(s): targionii Lichtenstein,1874 Range (in code): TR 09 27 35
- 449. Lisronia varicicosta (Hodkinson & Hollis,1981)** (Aphalaridae) Synonym(s): varicicosta Hodkinson & Hollis,1981 Range (in code): TR DZ GR IL Pa IT PT ES 09 35
- 450. Megagonoscena viridis (Baeva,1963)** (Aphalaridae) Synonym(s): viridis Baeva,1963 Range (in code): TR AZ Cc BG GG IL Pa IR JO TJ 01 02 07 21 33 46 47 56 63
- 451. Megagonoscena gallicola Burckhardt & Lauterer,1989** (Aphalaridae) Synonym(s): gallicola Burckhardt & Lauterer,1989 Range (in code): BG HV GR IL Pa IT JO LB YU SS
- 452. Rhinocola aceris (Linnaeus,1758)** (Aphalaridae) Synonym(s): aceris Linnaeus,1758; abietis Hartig,1841 Range (in code): TR AM Cc AT BG CZ DK FI FR GG DE GB GR HU IT PL NO RO SK SS SE CH TN 06 18 62
- 453. Blastopsylla occidentalis Taylor,1985** (Aphalaridae) Synonym(s): occidentalis Taylor,1985 Range (in code): TR AR AU BR CM CL CN IT KE MX NZ PY US Cf FI Hw 33
- 454. Aphelocheirus aestivalis (Fabricius,1794)** (Aphelocheiridae) Synonym(s): aestivalis Fabricius,1794 Range (in code): FR GB BE NL DK DE NO SE FI EE PL SK CZ HU IT SS BY UA MD RO BG TR 65
- 455. Aphelocheirus kolenati Kiritshenko,1925** (Aphelocheiridae) Synonym(s): kolenati Kiritshenko,1925 Range (in code): AZ AM Cc TR
- 456. Acaudinum (Protacaudinum) beheni Remaudière & Davatchi,1959** (Aphididae) Synonym(s): beheni Remaudière & Davatchi,1959 Range (in code): IR Ab Khy TR 36
- 457. Acyrthosiphon (Xanthomyzus) lambersi Leclant & Remaudière,1974** (Aphididae) Synonym(s): lambersi Leclant & Remaudière,1974 Range (in code): FR GR DZ LB IR TR 51
- 458. Acyrthosiphon caraganae (Cholodkovsky,1908)** (Aphididae) Synonym(s): caraganae Cholodkovsky,1908 Range (in code): TR
- 459. Acyrthosiphon cyparissiae (Koch,1855)** (Aphididae) Synonym(s): cyparissiae Koch,1855 Range (in code): TR 13 46
- 460. Acyrthosiphon daphnidis Ilharco,1996** (Aphididae) Synonym(s): daphnidis Ilharco,1996 Range (in code): TR Cn PT FR 15 42
- 461. Acyrthosiphon euphorbiae Börner,1949** (Aphididae) Synonym(s): euphorbiae Börner,1949 Range (in code): TR
- 462. Acyrthosiphon gossypii Mordvilko,1914** (Aphididae) Synonym(s): gossypii Mordvilko,1914 Range (in code): TR
- 463. Acyrthosiphon ilka Mordvilko,1914** (Aphididae) Synonym(s): ilka Mordvilko,1914 Range (in code): TR 20 46
- 464. Acyrthosiphon kondoi Shinji,1938** (Aphididae) Synonym(s): kondoi Shinji,1938 TR
- 465. Acyrthosiphon loti (Thobald,1913)** (Aphididae) Synonym(s): loti Thobald,1913 Range (in code): TR

- 466. Acyrthosiphon malvae (Mosley,1841)** (Aphididae) Synonym(s): malvae Mosley,1841 [Range \(in code\): TR](#)
- 467. Acyrthosiphon pisum (Harris,1776)** (Aphididae) Synonym(s): pisum Harris,1776 [Range \(in code\): TR](#)
- 468. Acyrthosiphon scariolae Nevsky,1929** (Aphididae) Synonym(s): scariolae Nevsky,1929 [Range \(in code\): TR](#)
- 469. Ammiaphis sii (Koch,1855)** (Aphididae) Synonym(s): sii Koch,1855 [Range \(in code\): TR](#)
- 470. Amphorophora rubi (Kaltenbach,1843)** (Aphididae) Synonym(s): rubi Kaltenbach,1843 [Range \(in code\): TR 13 46](#)
- 471. Anoecia corni (Fabricius,1775)** (Aphididae) Synonym(s): corni Fabricius,1775 [Range \(in code\): TR 06 13 21 33 34 59](#)
- 472. Anuraphis cacyros Barbagallo & Stroyan,1982** (Aphididae) Synonym(s): cacyros Barbagallo & Stroyan,1982 [Range \(in code\): TR](#)
- 473. Anuraphis farfarae (Koch,1854)** (Aphididae) Synonym(s): farfarae Koch,1854 [Range \(in code\): TR](#)
- 474. Anuraphis subterranea (Walker,1852)** (Aphididae) Synonym(s): subterranea Walker,1852 [Range \(in code\): TR 06](#)
- 475. Aphidura picta Hille Ris Lambers,1956** (Aphididae) Synonym(s): picta Hille Ris Lambers,1956 [Range \(in code\): TR](#)
- 476. Aphis (Bursaphis) epilobiaria Theobald,1927** (Aphididae) Synonym(s): epilobiaria Theobald,1927 [Range \(in code\): TR IR PK 06](#)
- 477. Aphis (Bursaphis) grossulariae Kaltenbach,1843** (Aphididae) Synonym(s): grossulariae Kaltenbach,1843 [Range \(in code\): TR](#)
- 478. Aphis (Bursaphis) schneideri (Börner,1940)** (Aphididae) Synonym(s): schneideri Börner,1940 [Range \(in code\): TR](#)
- 479. Aphis (Protaphis) pseudocardui Theobald,1915** (Aphididae) Synonym(s): pseudocardui Theobald,1915 [Range \(in code\): TR](#)
- 480. Aphis (Protaphis) terricola Rondani,1847** (Aphididae) Synonym(s): terricola Rondani,1847 [Range \(in code\): TR](#)
- 481. Aphis acanthoidis (Börner,1940)** (Aphididae) Synonym(s): acanthoidis Börner,1940 [TR](#)
- 482. Aphis acetosellae Linnaeus,1761** (Aphididae) Synonym(s): acetosellae Linnaeus,1761 [Range \(in code\): TR 46](#)
- 483. Aphis affinis Del Guercio,1911** (Aphididae) Synonym(s): affinis Del Guercio,1911 [Range \(in code\): TR 01 06 13 21 33 46 50](#)
- 484. Aphis arbuti Ferrari,1872** (Aphididae) Synonym(s): arbuti Ferrari,1872 [TR](#)
- 485. Aphis armata Hausmann,1802** (Aphididae) Synonym(s): armata Hausmann,1802 [Range \(in code\): TR](#)
- 486. Aphis avicularis (Hille Ris Lambers,1931)** (Aphididae) Synonym(s): avicularis Hille Ris Lambers,1931 [Range \(in code\): TR 06 21 65](#)
- 487. Aphis ballotae Passerini,1860** (Aphididae) Synonym(s): ballotae Passerini,1860; balloticola Szelegiewicz,1968 [Range \(in code\): TR](#)
- 488. Aphis brotericola Mier Durante,1978** (Aphididae) Synonym(s): brotericola Mier Durante,1978 [Range \(in code\): TR](#)
- 489. Aphis brunellae Schouteden,1903** (Aphididae) Synonym(s): brunellae Schouteden,1903 [TR](#)
- 490. Aphis callunae Theobald,1915** (Aphididae) Synonym(s): callunae Theobald,1915 [Range \(in code\): TR 06 21](#)
- 491. Aphis catalpae Mamontova,1953** (Aphididae) Synonym(s): catalpae Mamontova,1953 [Range \(in code\): TR](#)
- 492. Aphis chloris Koch,1854** (Aphididae) Synonym(s): chloris Koch,1854 [Range \(in code\): TR 21 65](#)
- 493. Aphis confusa Walker,1849** (Aphididae) Synonym(s): confusa Walker,1849 [Range \(in code\): TR IR RU MN 13](#)
- 494. Aphis craccae Linnaeus,1758** (Aphididae) Synonym(s): craccae Linnaeus,1758 [Range \(in code\): TR](#)
- 495. Aphis craccivora Koch,1854** (Aphididae) Synonym(s): craccivora Koch,1854 [Range \(in code\): TR 01 06 07 09 10 14 15 16 21 28 34 45 46 47 63 65](#)
- 496. Aphis cytisorum Hartig,1841** (Aphididae) Synonym(s): cytisorum Hartig,1841 [Range \(in code\): TR 37 46](#)
- 497. Aphis davletshinae Hille Ris Lambers,1966** (Aphididae) Synonym(s): davletshinae Hille Ris Lambers,1966 [Range \(in code\): TR 06 21 44](#)
- 498. Aphis euphorbiae Kaltenbach,1843** (Aphididae) Synonym(s): euphorbiae Kaltenbach,1843 [Range \(in code\): TR 23 46 51](#)
- 499. Aphis fabae Scopoli,1763** (Aphididae) Synonym(s): fabae Scopoli,1763; cirsiacanthoidis Scopoli,1763; solanella Theobald,1914; mordvilkoii Börner & Janich,1922 [Range \(in code\): TR 01 06 07 21 22 31 33 34 35 39 42 46 51 59 63 65 80](#)



- 500.** *Aphis farinosa* Gmelin,1790 (Aphididae) Synonym(s): farinosa Gmelin,1790 Range (in code): **TR**
- 501.** *Aphis forbesi* Weed,1889 (Aphididae) Synonym(s): forbesi Weed,1889 Range (in code): **TR**
- 502.** *Aphis frangulae* Kaltenbach,1845 (Aphididae) Synonym(s): frangulae Kaltenbach,1845 Range (in code): **TR 01 21 46**
- 503.** *Aphis galliscabri* Schrank,1801 (Aphididae) Synonym(s): galliscabri Schrank,1801 Range (in code): **TR**
- 504.** *Aphis genistae* Scopoli,1763 (Aphididae) Synonym(s): genistae Scopoli,1763 TR
- 505.** *Aphis gossypii* Glover,1877 (Aphididae) Synonym(s): gossypii Glover,1877 Range (in code): **TR 46**
- 506.** *Aphis hederæ* Kaltenbach,1843 (Aphididae) Synonym(s): hederæ Kaltenbach,1843 Range (in code): **TR**
- 507.** *Aphis helianthii* Riley & Monell,1879 (Aphididae) Synonym(s): helianthii Riley & Monell,1879 TR
- 508.** *Aphis hillerislambersi* Nieto Nafria & Mier,1976 (Aphididae) Synonym(s): hillerislambersi Nieto Nafria & Mier,1976 TR
- 509.** *Aphis hispanica* Hille Ris Lambers,1959 (Aphididae) Synonym(s): hispanica Hille Ris Lambers,1959 Range (in code): **ES TR**
- 510.** *Aphis ilicis* Kaltenbach,1843 (Aphididae) Synonym(s): ilicis Kaltenbach,1843 Range (in code): **TR**
- 511.** *Aphis illinoisensis* Shimer,1866 (Aphididae) Synonym(s): illinoisensis Shimer,1866 Range (in code): **US TR GR Cr 31 51**
- 512.** *Aphis impatientis* Thomas,1878 (Aphididae) Synonym(s): impatientis Thomas,1878 TR
- 513.** *Aphis intybi* Koch,1855 (Aphididae) Synonym(s): intybi Koch,1855 Range (in code): **TR 01 46**
- 514.** *Aphis kachkoulii* Remaudière,1989 (Aphididae) Synonym(s): kachkoulii Remaudière,1989 TR
- 515.** *Aphis lambersi* (Börner,1940) (Aphididae) Synonym(s): lambersi Börner,1940 Range (in code): **TR**
- 516.** *Aphis lamiorum* (Börner,1950) (Aphididae) Synonym(s): lamiorum Börner,1950 Range (in code): **TR**
- 517.** *Aphis longituba* Hille Ris Lambers,1966 (Aphididae) Synonym(s): longituba Hille Ris Lambers,1966 TR
- 518.** *Aphis maculatae* Oestlund,1887 (Aphididae) Synonym(s): maculatae Oestlund,1887 TR
- 519.** *Aphis mamonthovae* Davletshina,1964 (Aphididae) Synonym(s): mamonthovae Davletshina,1964 TR
- 520.** *Aphis molluginis* (Börner,1950) (Aphididae) Synonym(s): molluginis (Börner,1950) TR
- 521.** *Aphis nasturtii* Kaltenbach,1843 (Aphididae) Synonym(s): nasturtii Kaltenbach,1843 Range (in code): **TR**
- 522.** *Aphis nerii* Boyer de Fonscolombe,1841 (Aphididae) Synonym(s): nerii Boyer de Fonscolombe,1841 Range (in code): **TR 01 06 07 21 33 35 46**
- 523.** *Aphis plantaginis* Goeze,1778 (Aphididae) Synonym(s): plantaginis Goeze,1778 Range (in code): **TR**
- 524.** *Aphis polygonata* (Nevksy,1929) (Aphididae) Synonym(s): polygonata Nevksy,1929 Range (in code): **TR**
- 525.** *Aphis pomi* De Geer,1773 (Aphididae) Synonym(s): pomi De Geer,1773 Range (in code): **TR 21 46**
- 526.** *Aphis pseudocomosa* Stroyan,1972 (Aphididae) Synonym(s): pseudocomosa Stroyan,1972 TR
- 527.** *Aphis punicae* Passerini,1863 (Aphididae) Synonym(s): punicae Passerini,1863 Range (in code): **TR 21 46**
- 528.** *Aphis ruborum* (Börner,1932) (Aphididae) Synonym(s): ruborum Börner,1932 Range (in code): **TR 01 13 46**
- 529.** *Aphis rumicis* (Linnaeus,1758) (Aphididae) Synonym(s): rumicis Linnaeus,1758 Range (in code): **TR**
- 530.** *Aphis salsolae* (Börner,1940) (Aphididae) Synonym(s): salsolae Börner,1940 Range (in code): **TR**
- 531.** *Aphis salviae* Walker,1852 (Aphididae) Synonym(s): salviae Walker,1852 Range (in code): **TR 01 21 44 46**
- 532.** *Aphis sambuci* Linnaeus,1758 (Aphididae) Synonym(s): sambuci Linnaeus,1758 Range (in code): **TR 06 14 28 34 35 37 46 54 61**
- 533.** *Aphis sanguisorbae* Schrank,1801 (Aphididae) Synonym(s): sanguisorbae Schrank,1801 Range (in code): **TR**
- 534.** *Aphis serpylli* Koch,1854 (Aphididae) Synonym(s): serpylli Koch,1854 TR
- 535.** *Aphis solanella* Theobald,1914 (Aphididae) Synonym(s): solanella Theobald,1914 TR
- 536.** *Aphis spiraeicola* Patch,1914 (Aphididae) Synonym(s): spiraeicola Patch,1914 Range (in code): **TR 01 06 21 31 33 46**
- 537.** *Aphis spiraeophaga* F.P.Müller,1961 (Aphididae) Synonym(s): spiraeophaga F.P.Müller,1961 Range (in code): **TR**

- 538. Aphis thomasi (Börner,1950)** (Aphididae) Synonym(s): thomasi Börner,1950 [TR](#)
- 539. Aphis tirucallis Hille Ris Lambers,1954** (Aphididae) Synonym(s): tirucallis Hille Ris Lambers,1954 [Range \(in code\): TR 06 21](#)
- 540. Aphis umbrella (Börner,1950)** (Aphididae) Synonym(s): umbrella Börner,1950 [Range \(in code\): TR](#)
- 541. Aphis urticata Gmelin,1790** (Aphididae) Synonym(s): urticata Gmelin,1790 [Range \(in code\): TR 06 21](#)
- 542. Aphis vallei Hille Ris Lambers,1959** (Aphididae) Synonym(s): vallei Hille Ris Lambers,1959 [Range \(in code\): TR](#)
- 543. Aphis verbasci Schrank,1801** (Aphididae) Synonym(s): verbasci Schrank,1801 [Range \(in code\): TR](#)
- 544. Aphis verbenae Nevsky,1929** (Aphididae) Synonym(s): verbenae Nevsky,1929 nec Macchiati,1884 [Range \(in code\): TR](#)
- 545. Aphis viburni Scopoli,1763** (Aphididae) Synonym(s): viburni Scopoli,1763 [Range \(in code\): TR](#)
- 546. Aphis viticis Ferrari,1872** (Aphididae) Synonym(s): viticis Ferrari,1872 [Range \(in code\): TR](#)
- 547. Aploneura lentisci (Passerini,1856)** (Aphididae) Synonym(s): lentisci Passerini,1856 [Range \(in code\): TR](#)
- 548. Aspidaphis adjuvans (Walker,1848)** (Aphididae) Synonym(s): adjuvans Walker,1848 [Range \(in code\): TR](#)
- 549. Atheroides persianus Wieczorek,2009** (Aphididae) Synonym(s): persianus Wieczorek,2009 [Range \(in code\): IR Qz TR 42](#)
- 550. Atheroides serrulatus Haliday,1839** (Aphididae) Synonym(s): serrulatus Haliday,1839; aculeata Dahl,1912; paradoxa Theobald,1918; festucae Mordvilko,1934; suwonensis Paik,1971 [Range \(in code\): GB AT BE CA CN CZ DK FI FR DE GR HU IE IR IT KG KP KR Md NO PL PT RO RU YU SK SS ES SE CH TR UA 12 13](#)
- 551. Baizongia pistaciae (Linnaeus,1767)** (Aphididae) Synonym(s): pistaciae Linnaeus,1767 [Range \(in code\): TR 01 31 32 34 46 56](#)
- 552. Brachycaudus (Acaudus) cardui (Linnaeus,1758)** (Aphididae) Synonym(s): cardui Linnaeus,1758 [Range \(in code\): TR 46](#)
- 553. Brachycaudus (Acaudus) divaricatae Shaposhnikov,1956** (Aphididae) Synonym(s): divaricatae Shaposhnikov,1956 [Range \(in code\): TR 13 46](#)
- 554. Brachycaudus (Acaudus) iranica Davatchi & Remaudière,1953** (Aphididae) Synonym(s): iranica Davatchi & Remaudière,1953 [Range \(in code\): TR IR](#)
- 555. Brachycaudus (Acaudus) lateralis (Walker,1848)** (Aphididae) Synonym(s): lateralis Walker,1848 [Range \(in code\): TR 06 46](#)
- 556. Brachycaudus (Acaudus) lucifugus F.P.Müller,1952** (Aphididae) Synonym(s): lucifugus F.P.Müller,1952 [Range \(in code\): TR](#)
- 557. Brachycaudus (Acaudus) lychnidis (Linnaeus,1758)** (Aphididae) Synonym(s): lychnidis Linnaeus,1758 [Range \(in code\): TR](#)
- 558. Brachycaudus (Acaudus) persicae (Passerini,1860)** (Aphididae) Synonym(s): persicae Passerini,1860 [Range \(in code\): TR](#)
- 559. Brachycaudus (Appelia) prunicola (Kaltenbach,1843)** (Aphididae) Synonym(s): prunicola Kaltenbach,1843 [Range \(in code\): TR](#)
- 560. Brachycaudus (Appelia) schwartzi (Börner,1931)** (Aphididae) Synonym(s): schwartzi Börner,1931 [Range \(in code\): TR 33 34 46 80](#)
- 561. Brachycaudus (Appelia) tragopogonis (Kaltenbach,1843)** (Aphididae) Synonym(s): tragopogonis Kaltenbach,1843; setosus Hille Ris Lambers,1948 [Range \(in code\): TR IL Pa PK IR LB GR 01 06 21 26 40 44 46 51 64](#)
- 562. Brachycaudus (Thuleaphis) amygdalinus (Schouteden,1905)** (Aphididae) Synonym(s): amygdalinus Schouteden,1905 [Range \(in code\): TR](#)
- 563. Brachycaudus (Thuleaphis) rumexicolens (Patch,1917)** (Aphididae) Synonym(s): rumexicolens Patch,1917 [Range \(in code\): TR](#)
- 564. Brachycaudus helichrysi (Kaltenbach,1843)** (Aphididae) Synonym(s): helichrysi Kaltenbach,1843 [Range \(in code\): TR 46](#)
- 565. Brachyunguis harmalae Das,1918** (Aphididae) Synonym(s): harmalae Das,1918 [Range \(in code\): TR](#)
- 566. Brachyunguis skafi Remaudière & Talhouk,2001** (Aphididae) Synonym(s): skafi Remaudière & Talhouk,2001 [Range \(in code\): TR LB IR 13 21 38](#)
- 567. Brachyunguis tamaricis (Lichtenstein,1885)** (Aphididae) Synonym(s): tamaricis Lichtenstein,1885 [Range \(in code\): TR](#)
- 568. Brachyunguis zygophylli (Nevsky,1928)** (Aphididae) Synonym(s): zygophylli Nevsky,1928 [Range \(in code\): UZ KG TJ AZ Cc IR TR 06](#)
- 569. Brevicoryne brassicae (Linnaeus,1758)** (Aphididae) Synonym(s): brassicae Linnaeus,1758 [Range \(in code\): TR](#)

- 570. Brevicoryne crambinistataricae Bozhko,1953** (Aphididae) Synonym(s): crambinistataricae Bozhko,1953 Range (in code): UA AM Cc IR TR
- 571. Calaphis flava Mordvilko,1928** (Aphididae) Synonym(s): flava Mordvilko,1928; granovskyi Palmer,1952; basalis Stroyan,1957 Range (in code): RU Sb TR ZA AU NZ US
- 572. Callipterinella calliptera (Hartig,1841)** (Aphididae) Synonym(s): calliptera Hartig,1841 Range (in code): RU Sb KP KR TR CN JP US Cf
- 573. Capitophorus elaeagni (Del Guercio,1894)** (Aphididae) Synonym(s): elaeagni Del Guercio,1894 Range (in code): TR
- 574. Capitophorus hippophaes (Walker,1852)** (Aphididae) Synonym(s): hippophaes Walker,1852 Range (in code): TR
- 575. Capitophorus horni (Börner,1931)** (Aphididae) Synonym(s): horni Börner,1931 Range (in code): TR 07
- 576. Capitophorus pakansus Hottes & Frison,1931** (Aphididae) Synonym(s): pakansus Hottes & Frison,1931 Range (in code): TR
- 577. Capitophorus similis Van der Gott,1915** (Aphididae) Synonym(s): similis Van der Gott,1915 Range (in code): TR
- 578. Cavariella (Cavaraiellia) aquatica (Gillette & Bragg,1916)** (Aphididae) Synonym(s): aquatica Gillette & Bragg,1916 Range (in code): TR IR AF PK IN RU Sb Kmt Sh Us US Col CA
- 579. Cavariella (s.str.) aegopodii (Scopoli,1763)** (Aphididae) Synonym(s): aegopodii Scopoli,1763 Range (in code): TR
- 580. Cavariella (s.str.) aspidaphoides Hille Ris Lambers,1969** (Aphididae) Synonym(s): aspidaphoides Hille Ris Lambers,1969 Range (in code): TR IL Pa IR
- 581. Cavariella (s.str.) theobaldi (Gillette & Bragg,1918)** (Aphididae) Synonym(s): theobaldi Gillette & Bragg,1918 Range (in code): TR RU Sb
- 582. Ceruraphis eriophori (Walker,1849)** (Aphididae) Synonym(s): eriophori Walker,1849 Range (in code): TR
- 583. Ceruraphis viburnicola (Gillette,1909)** (Aphididae) Synonym(s): viburnicola Gillette,1909 Range (in code): CA US TR 74
- 584. Chaitophorus leucomelas Koch,1854** (Aphididae) Synonym(s): leucomelas Koch,1854 Range (in code): TR 46
- 585. Chromaphis juglandicola (Kaltenbach,1843)** (Aphididae) Synonym(s): juglandicola Kaltenbach,1843 Range (in code): TR 46
- 586. Cinara (Cedrobium) laportei (Remaudière,1954)** (Aphididae) Synonym(s): laportei Remaudière,1954 Range (in code): TR 07
- 587. Cinara (Cupressobium) cupressi (Buckton,1881)** (Aphididae) Synonym(s): cupressi Buckton,1881 Range (in code): TR 46
- 588. Cinara (Cupressobium) fresai E.E.Blanchard,1939** (Aphididae) Synonym(s): fresai E.E.Blanchard,1939 Range (in code): TR
- 589. Cinara (Cupressobium) juniperi (DeGeer,1773)** (Aphididae) Synonym(s): juniperi DeGeer,1773 Range (in code): TR
- 590. Cinara (Cupressobium) tujafilina (Del Guercio,1909)** (Aphididae) Synonym(s): tujafilina Del Guercio,1909 Range (in code): TR
- 591. Cinara acutirostris Hille Ris Lambers,1956** (Aphididae) Synonym(s): acutirostris Hille Ris Lambers,1956 Range (in code): ES GB TR BG 07
- 592. Cinara brauni (Börner,1940)** (Aphididae) Synonym(s): brauni Börner,1940 Range (in code): TR
- 593. Cinara cedri Mimeur,1936** (Aphididae) Synonym(s): cedri Mimeur,1936 Range (in code): TR 06 27 31 42 46
- 594. Cinara confinis (Koch,1856)** (Aphididae) Synonym(s): confinis Koch,1856 Range (in code): TR
- 595. Cinara maghrebica Mimeur,1934** (Aphididae) Synonym(s): maghrebica Mimeur,1934 TR
- 596. Cinara maritimae (Dufour,1833)** (Aphididae) Synonym(s): maritimae Dufour,1833 Range (in code): TR
- 597. Cinara matsumurana Hille Ris Lambers,1966** (Aphididae) Synonym(s): matsumurana Hille Ris Lambers,1966 TR
- 598. Cinara palaestinensis Hille Ris Lambers,1948** (Aphididae) Synonym(s): palaestinensis Hille Ris Lambers,1948 Range (in code): IL Pa TR
- 599. Cinara pectinatae (Nördlinger,1880)** (Aphididae) Synonym(s): pectinatae Nördlinger,1880 Range (in code): TR
- 600. Cinara piceicola (Cholodkovsky,1896)** (Aphididae) Synonym(s): piceicola Cholodkovsky,1896 Range (in code): TR
- 601. Cinara pilicornis (Hartig,1841)** (Aphididae) Synonym(s): pilicornis Hartig,1841 Range (in code): TR
- 602. Cinara pinea (Mordvilko,1895)** (Aphididae) Synonym(s): pinea Mordvilko,1895 Range (in code): TR



- 603. *Cinara pini* (Linnaeus,1758) (Aphididae) Synonym(s): pini Linnaeus,1758 Range (in code): TR 14 46**
- 604. *Cinara pinihabitans* (Mordvilko,1895) (Aphididae) Synonym(s): pinihabitans Mordvilko,1895 Range (in code): TR**
- 605. *Cinara pinimaritimae* (Dufour,1833) (Aphididae) Synonym(s): pinimaritimae Dufour,1833 TR**
- 606. *Cinara pinivora* (Wilson,1919) (Aphididae) Synonym(s): pinivora Wilson,1919 TR**
- 607. *Cinara pruinosa* (Hartig,1841) (Aphididae) Synonym(s): pruinosa Hartig,1841 Range (in code): TR**
- 608. *Cinara schimitscheki* Börner,1940 (Aphididae) Synonym(s): schimitscheki Börner,1940 Range (in code): TR**
- 609. *Colopha compressa* (Koch,1856) (Aphididae) Synonym(s): compressa Koch,1856 TR**
- 610. *Coloradoa achilleae* Hille Ris Lambers,1939 (Aphididae) Synonym(s): achilleae Hille Ris Lambers,1939 Range (in code): TR**
- 611. *Coloradoa heinzei* (Börner,1952) (Aphididae) Synonym(s): heinzei Börner,1952 Range (in code): TR**
- 612. *Coloradoa inodorella* Ossiannilsson,1959 (Aphididae) Synonym(s): inodorella Ossiannilsson,1959 Range (in code): TR**
- 613. *Coloradoa submissa* Doncaster,1961 (Aphididae) Synonym(s): submissa Doncaster,1961 Range (in code): GB FR DK TR PK 06 42**
- 614. *Coloradoa tanacetina* (Walker,1850) (Aphididae) Synonym(s): tanacetina Walker,1850 Range (in code): TR 06**
- 615. *Coloradoa viridis* (Nevsky,1929) (Aphididae) Synonym(s): viridis Nevsky,1929 Range (in code): TR**
- 616. *Corylobium avellanae* (Schrank,1801) (Aphididae) Synonym(s): avellanae Schrank,1801 TR**
- 617. *Cryptomyzus behboudii* Remaudière & Davatchi,1961 (Aphididae) Synonym(s): behboudii Remaudière & Davatchi,1961 TR**
- 618. *Cryptomyzus galeopsidis* (Kaltenbach,1843) (Aphididae) Synonym(s): galeopsidis Kaltenbach,1843 TR**
- 619. *Cryptomyzus korschelti* Börner,1938 (Aphididae) Synonym(s): korschelti Börner,1938 TR**
- 620. *Cryptomyzus ribis* (Linnaeus,1758) (Aphididae) Synonym(s): ribis Linnaeus,1758 TR**
- 621. *Diphyllaphis mordvilko* (Aizenberg,1932) (Aphididae) Synonym(s): mordvilko Aizenberg,1932 TR**
- 622. *Diuraphis* (Holcaphis) *frequens* (Walker,1848) (Aphididae) Synonym(s): frequens Walker,1848 TR**
- 623. *Diuraphis noxia* (Kurdjumov,1913) (Aphididae) Synonym(s): noxia Kurdjumov,1913 TR**
- 624. *Drepanosiphonella aceris* Davatchi, Lambersi & Remaudière,1957 (Aphididae) Synonym(s): aceris Davatchi, Lambersi & Remaudière,1957 TR**
- 625. *Drepanosiphum caucasicum* Dzhibladze,1962 (Aphididae) Synonym(s): caucasicum Dzhibladze,1962 Cc TR**
- 626. *Drepanosiphum oregonensis* Granovsky,1939 (Aphididae) Synonym(s): oregonensis Granovsky,1939 TR**
- 627. *Drepanosiphum platanoidis* (Schrank,1801) (Aphididae) Synonym(s): platanoidis Schrank,1801 TR**
- 628. *Dysaphis* (Cotoneaseria) *microsiphon* (Nevsky,1929) (Aphididae) Synonym(s): microsiphon Nevsky,1929 Range (in code): TR UZ IR GR MA IN PK 42**
- 629. *Dysaphis* (Pomaphis) *aucupariae* (Buckton,1879) (Aphididae) Synonym(s): aucupariae Buckton,1879 Range (in code): TR**
- 630. *Dysaphis* (Pomaphis) *pavlovskyana* Narzikulov,1957 (Aphididae) Synonym(s): pavlovskyana Narzikulov,1957 Range (in code): TR**
- 631. *Dysaphis* (Pomaphis) *plantaginea* (Passerini,1860) (Aphididae) Synonym(s): plantaginea Passerini,1860 Range (in code): TR 46**
- 632. *Dysaphis* (Pomaphis) *plantaginea* (Passerini,1860) (Aphididae) Synonym(s): plantaginea Passerini,1860 Range (in code): TR**
- 633. *Dysaphis* (Pomaphis) *pyri* (Boyer de Fonscolombe,1841) (Aphididae) Synonym(s): pyri Boyer de Fonscolombe,1841 Range (in code): TR 01 06 21 32 35 42 46 51 65**
- 634. *Dysaphis* (Pomaphis) *pyri* (Boyer de Fonscolombe,1841) (Aphididae) Synonym(s): pyri Boyer de Fonscolombe,1841 Range (in code): TR**
- 635. *Dysaphis* (Pomaphis) *reaumuri* (Mordvilko,1928) (Aphididae) Synonym(s): reaumuri Mordvilko,1928 Range (in code): TR**
- 636. *Dysaphis* (Pomaphis) *sorbi* (Kaltenbach,1843) (Aphididae) Synonym(s): sorbi Kaltenbach,1843 Range (in code): TR 06 08 46**
- 637. *Dysaphis* (Pomaphis) *sorbi* (Kaltenbach,1843) (Aphididae) Synonym(s): sorbi Kaltenbach,1843 Range (in code): TR**



- 638. *Dysaphis affinis* (Mordvilko,1928)** (Aphididae) Synonym(s): *affinis* Mordvilko,1928 Range (in code): [TR](#)
- 639. *Dysaphis apiifolia* (Theobald,1923)** (Aphididae) Synonym(s): *apiifolia* Theobald,1923; *ferrugineastriata* Essig,1938 Range (in code): [TR AU 74](#)
- 640. *Dysaphis crataegi* (Kaltenbach,1843)** (Aphididae) Synonym(s): *crataegi* Kaltenbach,1843 Range (in code): [TR](#)
- 641. *Dysaphis devector* (Walker,1849)** (Aphididae) Synonym(s): *devector* Walker,1849 Range (in code): [TR 01 06 21 31 33 44 46 65](#)
- 642. *Dysaphis emicis* (Mimeur,1935)** (Aphididae) Synonym(s): *emicis* Mimeur,1935 Range (in code): [TR](#)
- 643. *Dysaphis foeniculus* (Theobald,1923)** (Aphididae) Synonym(s): *foeniculus* Theobald,1923 Range (in code): [TR](#)
- 644. *Dysaphis inulae* Rezwani,2008** (Aphididae) Synonym(s): *inulae* Rezwani,2008 Range (in code): [IR](#)
- 645. *Dysaphis lappae* (Koch,1854)** (Aphididae) Synonym(s): *lappae* Koch,1854 Range (in code): [ZA IR ES](#)
- 646. *Dysaphis lauberti* (Börner,1940)** (Aphididae) Synonym(s): *lauberti* Börner,1940 Range (in code): [TR](#)
- 647. *Dysaphis tulipae* (Boyer de Fonscolombe,1841)** (Aphididae) Synonym(s): *tulipae* Boyer de Fonscolombe,1841 Range (in code): [TR](#)
- 648. *Elatobium momii* (Shinji,1922)** (Aphididae) Synonym(s): *momii* Shinji,1922 [TR](#)
- 649. *Ephedraphis ephedrae* (Nevsky,1929)** (Aphididae) Synonym(s): *ephedrae* (Nevsky,1929 [TR](#)
- 650. *Eriosoma grossulariae* (Schüle,1887)** (Aphididae) Synonym(s): *grossulariae* Schüle,1887 [TR](#)
- 651. *Eriosoma lanigerum* (Hausmann,1802)** (Aphididae) Synonym(s): *lanigerum* Hausmann,1802 Range (in code): [TR 46](#)
- 652. *Eriosoma lanuginosum* (Hartig,1839)** (Aphididae) Synonym(s): *lanuginosum* Hartig,1839 [TR](#)
- 653. *Eriosoma ulmi* (Linnaeus,1758)** (Aphididae) Synonym(s): *ulmi* Linnaeus,1758 [TR](#)
- 654. *Eulachnus agilis* (Kaltenbach,1843)** (Aphididae) Synonym(s): *agilis* Kaltenbach,1843 [TR](#)
- 655. *Eulachnus nigricola* (Pasek,1953)** (Aphididae) Synonym(s): *nigricola* Pasek,1953 [TR](#)
- 656. *Eulachnus pumilae* (Linnaeus,1758)** (Aphididae) Synonym(s): *pumilae* Linnaeus,1758 [TR](#)
- 657. *Eulachnus rileyi* (Williams,1911)** (Aphididae) Synonym(s): *rileyi* Williams,1911 [TR](#)
- 658. *Eulachnus tuberculostemmatus* (Theobald,1915)** (Aphididae) Synonym(s): *tuberculostemmatus* Theobald,1915 [TR](#)
- 659. *Forda formicaria* Von Heyden,1837** (Aphididae) Synonym(s): *formicaria* Von Heyden,1837 [TR](#)
- 660. *Forda hirsuta* Mordvilko,1928** (Aphididae) Synonym(s): *hirsuta* Mordvilko,1928 Range (in code): [TR 27 34 46](#)
- 661. *Forda hirsutissima* Remaudière,1999** (Aphididae) Synonym(s): *hirsutissima* Remaudière,1999 [TR](#)
- 662. *Forda marginata* Koch,1857** (Aphididae) Synonym(s): *marginata* Koch,1857 [TR](#)
- 663. *Forda riccobonii* (Stefani,1899)** (Aphididae) Synonym(s): *riccobonii* Stefani,1899 [TR](#)
- 664. *Forda rotunda* Theobald,1914** (Aphididae) Synonym(s): *rotunda* Theobald,1914 [TR](#)
- 665. *Hyadaphis tataricae* (Aizenberg,1935)** (Aphididae) Synonym(s): *tataricae* Aizenberg,1935 Range (in code): [TR 06 21 46](#)
- 666. *Hyalopterus amygdali* (E.Blanchard,1840)** (Aphididae) Synonym(s): *amygdali* E.Blanchard,1840 Range (in code): [TR 06 21 56 46 63](#)
- 667. *Hyalopterus pruni* (Geoffroy,1762)** (Aphididae) Synonym(s): *pruni* Geoffroy,1762 Range (in code): [CY TR EG JO IL Pa LB IQ 46 65](#)
- 668. *Hyperomyzus (Neonasonovia) picridis* (Börner & Blunck,1916)** (Aphididae) Synonym(s): *picridis* Börner & Blunck,1916 [TR](#)
- 669. *Hyperomyzus lactucae* (Linnaeus,1758)** (Aphididae) Synonym(s): *lactucae* Linnaeus,1758 Range (in code): [TR 01 21 26 31 33 34 46](#)
- 670. *Hyperomyzus lampsanae* (Börner,1932)** (Aphididae) Synonym(s): *lampsanae* Börner,1932 [TR](#)
- 671. *Hyperomyzus pallidus* Hille Ris Lambers,1935** (Aphididae) Synonym(s): *pallidus* Hille Ris Lambers,1935 [TR](#)
- 672. *Lachnus roboris* (Linnaeus,1758)** (Aphididae) Synonym(s): *roboris* Linnaeus,1758 Range (in code): [TR 06 08 21 34 46 47](#)
- 673. *Macrosiphoniella (Papillomyzus) papillata* Holman,1962** (Aphididae) Synonym(s): *papillata* Holman,1962 Range (in code): [UA Cm IR TR GR SY 42 44 62](#)
- 674. *Macrosiphoniella (Papillomyzus) tuberculata* (Nevsky,1928)** (Aphididae) Synonym(s): *tuberculata* Nevsky,1928 Range (in code): [TR](#)
- 675. *Macrosiphoniella (Phalangomyzus) oblonga* (Mordvilko,1901)** (Aphididae) Synonym(s): *oblonga* Mordvilko,1901 Range (in code): [TR](#)

- 676. Macrosiphoniella abrotani (Walker,1852)** (Aphididae) Synonym(s): abrotani Walker,1852  
Range (in code): TR
- 677. Macrosiphoniella absinthii (Linnaeus,1758)** (Aphididae) Synonym(s): absinthii Linnaeus,1758  
Range (in code): TR
- 678. Macrosiphoniella aktashica (Nevsky,1928)** (Aphididae) Synonym(s): aktashica Nevsky,1928  
Range (in code): TR UZ KG IR Elb Th Kh 06 13 42 51
- 679. Macrosiphoniella artemisiae (Boyer de Fonscolombe,1841)** (Aphididae) Synonym(s): artemisiae Boyer de Fonscolombe,1841 Range (in code): TR 06 13 15 21 28 32 46
- 680. Macrosiphoniella dimidiata Börner,1942** (Aphididae) Synonym(s): dimidiata Börner,1942  
Range (in code): TR
- 681. Macrosiphoniella helichrysi Remaudière,1952** (Aphididae) Synonym(s): helichrysi Remaudière,1952 Range (in code): TR
- 682. Macrosiphoniella miestingeri (Börner,1950)** (Aphididae) Synonym(s): miestingeri Börner,1950  
Range (in code): TR
- 683. Macrosiphoniella pulvera (Walker,1848)** (Aphididae) Synonym(s): pulvera Walker,1848 Range (in code): TR
- 684. Macrosiphoniella sanborni (Gillette,1908)** (Aphididae) Synonym(s): sanborni Gillette,1908  
Range (in code): TR
- 685. Macrosiphoniella staegeri Hille Ris Lambers,1947** (Aphididae) Synonym(s): staegeri Hille Ris Lambers,1947 Range (in code): TR
- 686. Macrosiphoniella subaequalis Börner,1942** (Aphididae) Synonym(s): subaequalis Börner,1942  
Range (in code): TR
- 687. Macrosiphoniella tanacetaria (Kaltenbach,1843)** (Aphididae) Synonym(s): tanacetaria Kaltenbach,1843 Range (in code): TR
- 688. Macrosiphoniella tapuskae (Hottes & Frison,1931)** (Aphididae) Synonym(s): tapuskae Hottes & Frison,1931 Range (in code): TR
- 689. Macrosiphum amygdaloides Theobald,1925** (Aphididae) Synonym(s): amygdaloides Theobald,1925 Range (in code): TR 14 18
- 690. Macrosiphum cerinthiacus Börner,1950** (Aphididae) Synonym(s): cerinthiacus Börner,1950  
Range (in code): AT TR 42
- 691. Macrosiphum cholodkovskyi (Mordvilko,1909)** (Aphididae) Synonym(s): cholodkovskyi Mordvilko,1909 Range (in code): TR
- 692. Macrosiphum dzhibladzeae Barjadze,2010** (Aphididae) Synonym(s): dzhibladzeae Barjadze,2010 Range (in code): GG Cc
- 693. Macrosiphum euphorbiae (Thomas,1878)** (Aphididae) Synonym(s): euphorbiae Thomas,1878  
Range (in code): TR
- 694. Macrosiphum funestum (Macchiati,1855)** (Aphididae) Synonym(s): funestum Macchiati,1855  
Range (in code): TR
- 695. Macrosiphum impatientis Williams,1911** (Aphididae) Synonym(s): impatientis Williams,1911  
TR
- 696. Macrosiphum mordvilkoii Miyazaki,1968** (Aphididae) Synonym(s): mordvilkoii Miyazaki,1968  
Range (in code): JP RU KP KR TR 74
- 697. Macrosiphum pallidum Oestlund,1887** (Aphididae) Synonym(s): pallidum Oestlund,1887 TR
- 698. Macrosiphum rosae (Linnaeus,1758)** (Aphididae) Synonym(s): rosae Linnaeus,1758 Range (in code): TR 46
- 699. Metopolophium dirhodum (Walker,1849)** (Aphididae) Synonym(s): dirhodum Walker,1849  
Range (in code): TR 01 06 16 33 46 51
- 700. Myzocallis (Pasekia) komareki (Pasek,1953)** (Aphididae) Synonym(s): komareki Pasek,1953  
TR
- 701. Myzocallis (Pasekia) persicus Quednau & Remaudière,1994** (Aphididae) Synonym(s): persicus Quednau & Remaudière,1994 TR IR
- 702. Myzocallis (Pasekia) tauricus Quednau & Remaudière,1994** (Aphididae) Synonym(s): tauricus Quednau & Remaudière,1994 TR
- 703. Myzocallis boernerii Stroyan,1957** (Aphididae) Synonym(s): boernerii Stroyan,1957 TR
- 704. Myzocallis carpini (Koch,1855)** (Aphididae) Synonym(s): carpini Koch,1855 TR
- 705. Myzocallis castanicola Baker,1917** (Aphididae) Synonym(s): castanicola Baker,1917 Range (in code): GR BE AT CZ IT CG ZA AU TR 01 46 64
- 706. Myzocallis coryli (Goeze,1778)** (Aphididae) Synonym(s): coryli Goeze,1778 TR
- 707. Myzocallis glandulosus Hille Ris Lambers,1948** (Aphididae) Synonym(s): glandulosus Hille Ris Lambers,1948 TR
- 708. Myzocallis walshii (Monell,1879)** (Aphididae) Synonym(s): walshii Monell,1879; occultus Richards,1965 DE AD BE BG CZ FR ES CH IT PT YU TR 01

- 709. Myzus (Nectarosiphon) persicae (Sulzer,1776)** (Aphididae) **Synonym(s):** persicae Sulzer,1776 **Range (in code):** [TR 46](#)
- 710. Myzus cerasi (Fabricius,1775)** (Aphididae) **Synonym(s):** cerasi Fabricius,1775 **Range (in code):** [TR 46](#)
- 711. Nurudea meitanensis (Tsai & Tang,1946)** (Aphididae) **Synonym(s):** meitanensis Tsai & Tang,1946 **Range (in code):** [TR 46](#)
- 712. Ovatus mentharius Van der Goot,1913** (Aphididae) **Synonym(s):** mentharius Van der Goot,1913 **Range (in code):** [TR 13 33 46](#)
- 713. Panaphis juglandis (Goeze,1778)** (Aphididae) **Synonym(s):** juglandis Goeze,1778 **Range (in code):** [TR 46](#)
- 714. Pemphigus bursarius (Linnaeus,1758)** (Aphididae) **Synonym(s):** bursarius Linnaeus,1758 **Range (in code):** [TR 46](#)
- 715. Pemphigus immunis Buckton,1896** (Aphididae) **Synonym(s):** immunis Buckton,1896 **Range (in code):** [TR 46](#)
- 716. Pemphigus populi Courcey,1879** (Aphididae) **Synonym(s):** populi Courcey,1879 **Range (in code):** [TR](#)
- 717. Pemphigus populigranae (Schränk,1801)** (Aphididae) **Synonym(s):** populigranae Schränk,1801 **Range (in code):** [TR](#)
- 718. Pemphigus protospirae Lichtenstein,1884** (Aphididae) **Synonym(s):** protospirae Lichtenstein,1884 **Range (in code):** [TR](#)
- 719. Pemphigus spirothecae Passerini,1856** (Aphididae) **Synonym(s):** spirothecae Passerini,1856 **Range (in code):** [TR](#)
- 720. Pemphigus vesicarius Passerini,1861** (Aphididae) **Synonym(s):** vesicarius Passerini,1861 **Range (in code):** [TR](#)
- 721. Phorodon humuli (Schränk,1801)** (Aphididae) **Synonym(s):** humuli Schränk,1801 **Range (in code):** [TR 34 46](#)
- 722. Pterochloroides persicae (Cholodkovsky,1899)** (Aphididae) **Synonym(s):** persicae Cholodkovsky,1899 **Range (in code):** [TR 01 06 31 33 46](#)
- 723. Pterocomma pilosum Buckton,1879** (Aphididae) **Synonym(s):** pilosum Buckton,1879 **Range (in code):** [TR 06 32 46](#)
- 724. Rhopalosiphum maidis (Fitch,1856)** (Aphididae) **Synonym(s):** maidis Fitch,1856 **Range (in code):** [TR 46](#)
- 725. Rhopalosiphum padi (Linnaeus,1758)** (Aphididae) **Synonym(s):** padi Linnaeus,1758 **Range (in code):** [TR 46](#)
- 726. Schizaphis graminum (Rondani,1847)** (Aphididae) **Synonym(s):** graminum Rondani,1847 **Range (in code):** [TR 46](#)
- 727. Sitobion avenae (Fabricius,1775)** (Aphididae) **Synonym(s):** avenae Fabricius,1775 **Range (in code):** [TR 46](#)
- 728. Slavum esfandiarii Davatchi & Remaudiere,1957** (Aphididae) **Synonym(s):** esfandiarii Davatchi & Remaudiere,1957 **Range (in code):** [IR](#)
- 729. Slavum lentiscoides Mordvilko,1927** (Aphididae) **Synonym(s):** lentiscoides Mordvilko,1927 **Range (in code):** [UA Cm IR TJ TM PK](#)
- 730. Slavum mordvilkoii Kreutzberg,1953** (Aphididae) **Synonym(s):** mordvilkoii Kreutzberg,1953 **Range (in code):** [TM AF IR TR? 56?](#)
- 731. Slavum wertheimae Hille Ris Lambers,1957** (Aphididae) **Synonym(s):** wertheimae Hille Ris Lambers,1957 **Range (in code):** [IL Pa SY IR](#)
- 732. Tuberculatus (s.str.) quercus (Kaltenbach,1843)** (Aphididae) **Synonym(s):** quercus Kaltenbach,1843 **Range (in code):** [TR](#)
- 733. Tuberculatus (Tuberculoides) annulatus (Hartig,1841)** (Aphididae) **Synonym(s):** annulatus Hartig,1841 **Range (in code):** [TR](#)
- 734. Tuberculatus (Tuberculoides) eggleri Börner,1950** (Aphididae) **Synonym(s):** eggleri Börner,1950 **Range (in code):** [TR](#)
- 735. Tuberculatus (Tuberculoides) maximus Hille Ris Lambers,1974** (Aphididae) **Synonym(s):** maximus Hille Ris Lambers,1974 **Range (in code):** [TR IR 06 13 18](#)
- 736. Tuberculatus (Tuberculoides) moerickei Hille Ris Lambers,1974** (Aphididae) **Synonym(s):** moerickei Hille Ris Lambers,1974; galatensis Hille Ris Lambers,1974 **Range (in code):** [TR LB IQ 06 62](#)
- 737. Tuberculatus (Tuberculoides) pallescens Hille Ris Lambers,1974** (Aphididae) **Synonym(s):** pallescens Hille Ris Lambers,1974 **Range (in code):** [LB TR 27 33 62](#)
- 738. Tuberculoides pallescens (Hille Ris Lambers,1972)** (Aphididae) **Synonym(s):** pallescens Hille Ris Lambers,1972 **Range (in code):** [TR 21 46](#)
- 739. Tuberolachnus salignus (Gmelin,1790)** (Aphididae) **Synonym(s):** salignus Gmelin,1790 **Range (in code):** [TR 46](#)



- 740. Uroleucon (s.str.) cichorii (Koch,1855)** (Aphididae) Synonym(s): cichorii Koch,1855 Range (in code): **TR 01 13 31 33 46 51**
- 741. Uroleucon (Uromelan) jaceae (Linnaeus,1758)** (Aphididae) Synonym(s): jaceae Linnaeus,1758 Range (in code): **TR 06 13 15 27 35 39 42 45 46 65 71**
- 742. Aneurus (s.str.) laevis (Fabricius,1775)** (Aradidae) Synonym(s): laevis Fabricius,1775; tuberculatus Mjöberg,1902; intermedius E.Wagner,1971 Range (in code): **IT Sa HU B-H MK UA Cc GG AZ Len TR IR Elb Mz Th Gh TM UZ 14 16 36 67**
- 743. Aneurus avenius (Dufour,1833)** (Aradidae) Synonym(s): avenius Dufour,1833 Range (in code): **IT TR 14 16 36 81**
- 744. Aradus betulae (Linnaeus,1758)** (Aradidae) Synonym(s): betulae Linnaeus,1758 Range (in code): **IT Sa Si TR Cc AZ AM GG IR KK UZ RU Sb Us 07 27 35 42**
- 745. Aradus brenskei Reuter,1884** (Aradidae) Synonym(s): brenskei Reuter,1884 Range (in code): **IT Sa Si TR IR AZ Cc 27**
- 746. Aradus caucasicus Kolenati,1857** (Aradidae) Synonym(s): caucasicus Kolenati,1857; turkestanicus Jakovlev,1894; margianus Kiritshenko,1931; persicus Vassarhelyi,1977; persicus Kanyukova,1984 Range (in code): **Cc TR IR AZ GG AM Cc TM UZ UA 14**
- 747. Aradus cilicicum Heiss,1990** (Aradidae) Synonym(s): cilicicum Heiss,1990 Range (in code): **TR 31**
- 748. Aradus cinnamomeus Panzer,1806** (Aradidae) Synonym(s): cinnamomeus Panzer,1806; leptopterus Germar,1834; perrisi Dufour,1845; albopunctatus Scholtz,1846; antennalis Parshley,1922 Range (in code): **IT TR US Tx CA BCo 06 07 11 35 36 42 43 45 57 64**
- 749. Aradus conspicuus Herrich-Schäffer,1835** (Aradidae) Synonym(s): crenatus sensu auct.; conspicuus Herrich-Schäffer,1835 Range (in code): **IT Si TR 14 16**
- 750. Aradus corticalis (Linnaeus,1758)** (Aradidae) Synonym(s): corticalis Linnaeus,1758; annulicornis Fabricius,1803 Range (in code): **IT TR 16**
- 751. Aradus depressus (Fabricius,1794)** (Aradidae) Synonym(s): depressus Fabricius,1794; leptocerus Horvath,1892 [ssp.] Range (in code): **IT Si TR IR Elb Mz Se AM AZ GG Cc RU Sb 35**
- 752. Aradus flavicornis Dalman,1823** (Aradidae) Synonym(s): flavicornis Dalman,1823 Range (in code): **IT Sa Si TR BI SU IR Fa Kz 01 07 22**
- 753. Aradus inopinus Kiritshenko,1955** (Aradidae) Synonym(s): inopinus Kiritshenko,1955 Range (in code): **TR IR Gn Elb Mz AM AZ GG Cc BY UA RU TM 01**
- 754. Aradus krueperi Reitter,1884** (Aradidae) Synonym(s): krueperi Reitter,1884 Range (in code): **IT TR 27 31**
- 755. Aradus muricatus Hummel,1827** (Aradidae) Synonym(s): muricatus Hummel,1827 Range (in code): **TR**
- 756. Aradus safavii Hoberlandt,1974** (Aradidae) Synonym(s): safavii Hoberlandt,1974 Range (in code): **IR Elb Mz**
- 757. Aradus seidenstueckeri Heiss,1989** (Aradidae) Synonym(s): #seidenstueckeri Heiss,1989; seidenstueckeri Heiss,1989 Range (in code): **TR 01**
- 758. Aradus versicolor Herrich-Schäffer,1835** (Aradidae) Synonym(s): versicolor Herrich-Schäffer,1835; diversicornis Horvath,1878 Range (in code): **IT TR IR Gn Mz Elb Th AZ Cc TM 14 27 31**
- 759. Calisius salicis Horvath,1913** (Aradidae) Synonym(s): salicis Horvath,1913 Range (in code): **AT GR IL Pa TR YU 35**
- 760. Quilnus parvicollis Stal,1873** (Aradidae) Synonym(s): parvicollis Stal,1873; anatolicus Heiss,1974 Range (in code): **TR**
- 761. Asterodiaspis ilicicola (Targioni Tozzetti)** (Asterolecaniidae) Synonym(s): ilicicola (Targioni Tozzetti) Range (in code): **TR**
- 762. Asterodiaspis quercicola (Bouche)** (Asterolecaniidae) Synonym(s): quercicola (Bouche) Range (in code): **TR**
- 763. Asterodiaspis variolasa (Ratzeburg)** (Asterolecaniidae) Synonym(s): variolasa (Ratzeburg) Range (in code): **TR**
- 764. Planchonia arabidis Signoret** (Asterolecaniidae) Synonym(s): arabidis Signoret Range (in code): **TR**
- 765. Planchonia zanthenes (Russel)** (Asterolecaniidae) Synonym(s): zanthenes (Russel) Range (in code): **TR**
- 766. Pollinia pollini (A.Costa)** (Asterolecaniidae) Synonym(s): pollini (A.Costa) Range (in code): **TR**
- 767. Cheleocloeon dimorphicum (Soldan & Thomas,1985)** (Baetidae) Synonym(s): dimorphicum Soldan & Thomas,1985 SA
- 768. Cheleocloeon soldani Gattolliat & Sartori,2008** (Baetidae) Synonym(s): soldani Gattolliat & Sartori,2008 AE
- 769. Cloeon arenorum Gattolliat & Sartori,2008** (Baetidae) Synonym(s): arenorum Gattolliat & Sartori,2008 AE
- 770. Cloeon saharense Soldan & Thomas,1983** (Baetidae) Synonym(s): saharense Soldan & Thomas,1983 SA OM



- 771. Cloeon smaeleni Lestage,1924** (Baetidae) Synonym(s): smaeleni Lestage,1924 [\\_YE](#)
- 772. Cloeon vanharteni Gattolliat & Sartori,2008** (Baetidae) Synonym(s): vanharteni Gattolliat & Sartori,2008 [\\_AE](#)
- 773. Labiobaetis balcanicus (Müller-Liebenau & Soldan,1981)** (Baetidae) Synonym(s): balcanicus Müller-Liebenau & Soldan,1981 [\\_SA](#)
- 774. Nigrobaetis arabiensis Gattolliat & Sartori,2008** (Baetidae) Synonym(s): arabiensis Gattolliat & Sartori,2008 [\\_AE](#)
- 775. Bacillus sp.** (Basillidae) Synonym(s): [Range \(in code\): TR 30 34](#)
- 776. Belostoma cordofanum Mayr,1853** (Belostomatidae) Synonym(s): cordofanum Mayr,1853 [Range \(in code\): AF BG IQ IR HU EG RP SD SY SA TR](#)
- 777. Lethocerus patruelis (Stal,1854)** (Belostomatidae) Synonym(s): patruelis Stal,1854 [Range \(in code\): TR 01 33](#)
- 778. Berytinus minor (Herrich-Schäffer,1835)** (Berytidae) Synonym(s): minor Herrich-Schäffer,1835 [Range \(in code\): TR 50](#)
- 779. Berytinus consimilis (Horvath,1885)** (Berytidae) Synonym(s): consimilis Horvath,1885 [Range \(in code\): TR 06 11](#)
- 780. Berytinus distinguendus (Ferrari,1874)** (Berytidae) Synonym(s): distinguendus Ferrari,1874 [Range \(in code\): FR IT TR YU](#)
- 781. Berytinus geniculatus (Horvath,1885)** (Berytidae) Synonym(s): geniculatus Horvath,1885 [Range \(in code\): TR 35](#)
- 782. Berytinus montivagus (Meyer-Dür,1841)** (Berytidae) Synonym(s): montivagus Meyer-Dür,1841 [Range \(in code\): CY TR 06 09 35](#)
- 783. Berytinus nigrolineatus (Jakovlev,1904)** (Berytidae) Synonym(s): nigrolineatus Jakovlev,1904 [Range \(in code\): RU TR](#)
- 784. Berytinus signoreti (Fieber,1859)** (Berytidae) Synonym(s): signoreti Fieber,1859 [Range \(in code\): TR 06 16](#)
- 785. Apoplymus pectoralis Fieber,1859** (Berytidae) Synonym(s): pectoralis Fieber,1859 [Range \(in code\): TR 35](#)
- 786. Cardopostethus annulosus Fieber,1859** (Berytidae) Synonym(s): annulosus Fieber,1859 [Range \(in code\): TR DE RU CY FR Co](#)
- 787. Gampsocoris culicinus Seidenstücker,1948** (Berytidae) Synonym(s): culicinus Seidenstücker,1948 [Range \(in code\): DE CZ UA Cm SK TR 22](#)
- 788. Gampsocoris enslini Seidenstücker,1953** (Berytidae) Synonym(s): enslini Seidenstücker,1953 [Range \(in code\): TR 01 33](#)
- 789. Gampsocoris punctipes (Germar,1822)** (Berytidae) Synonym(s): punctipes Germar,1822 [Range \(in code\): TR IQ GB TM 01 06](#)
- 790. Megalomerium meridionale (Costa,1838)** (Berytidae) Synonym(s): meridionale Costa,1838 [Range \(in code\): TR 16](#)
- 791. Neides aduncus Fieber,1859** (Berytidae) Synonym(s): aduncus Fieber,1859 [Range \(in code\): Co AL B-H BG HV FR GR IT MK PT ES UA YU DZ Cn TN TR CY IL Pa 35](#)
- 792. Neides afghanus Seidenstücker,1968** (Berytidae) Synonym(s): afghanus Seidenstücker,1968 [\\_AF KG TR IR TJ TM UZ YE](#)
- 793. Neides brevipennis Puton,1895** (Berytidae) Synonym(s): brevipennis Puton,1895 [Range \(in code\): TR AZ Cc AM IR IQ IL Pa LB SY TM YE 65](#)
- 794. Neides tipularius (Linnaeus,1758)** (Berytidae) Synonym(s): tipularius Linnaeus,1758; araneoides Goeze,1778; favosus Fieber,1859; parallelus Fieber,1864; depressus Douglas & Scott,1865; immaculatus Westhoff,1884; marginata E.Wagner,1950 [Range \(in code\): TR AL AT BY BE B-H GB BG HV CZ DK EE FI FR DE GR HU IT LT MK MD NO PL PT RO RU SK SS ES SE CH UA YU Cc AZ AM GG IQ IR UZ 06 12 22 36 38](#)
- 795. Diploptera punctata (Eschscholz,1822)** (Blaberidae) Synonym(s): punctata Eschscholz,1822; dytiscoides Audinet-Serville,1839; silpha Saussure,1864 [Range \(in code\): TR IN LK CN VN TH MY ID PG NBr Hw FJ AU 31 46](#)
- 796. Pycnoscelus surinamensis (Linnaeus,1758)** (Blaberidae) Synonym(s): surinamensis Linnaeus,1758 [\\_SR SA YE AE ID Clb](#)
- 797. Arbiblatta larrinuae (Bolivar,1881)** (Blattidae) Synonym(s): larrinuae Bolivar,1881; moghrebica Bolivar,1887 [Range \(in code\): TR MA DZ TN 46](#)
- 798. Blatta orientalis Linnaeus,1758** (Blattidae) Synonym(s): orientalis Linnaeus,1758; lucifuga Poda,1761; secunda Schaeffer,1769; teria Schaeffer,1769; culinaris De Geer,1773; ferruginea Thunberg,1810; castanea Blanchard,1851; hemialata Gistel,1856; imperator Westwood,1858; pallipes Philippi,1863; badia Saussure,1863; platystetho Philippi,1863; gracilis Adelung,1903; spontanea Semenov,1909 [Range \(in code\): TR AE 06 16 31 34 42 65 80](#)
- 799. Blattella biligata (Walker,1868)** (Blattidae) Synonym(s): biligata Walker,1868; cercalis Walker,1868; fasciceps Walker,1871; unicolor Brunner von Wattenwyl,1893; mellea Krauss,1902; modestiformis Karny,1915; evansi Chopard,1921; fulvastra Chopard,1924; persica Bei-Bienko,1935; mossambica Princis,1965 [\\_IL Pa IQ Amr IR YE AE SA KE ZR ZW MZ ZA Tva AF CN LK IN PK TW MM](#)

- 800. *Blattella germanica* (Linnaeus,1767)** (Blattidae) Synonym(s): *germanica* Linnaeus,1767; *lapponica* Houttuyn,1768; *daurica* Laxmann,1769; *flavescens* Buc'hoz,1771; *asiatica* Pallas,1773; *obliqua* Daldorf,1793; *bivittata* Serville,1839; *parallela* Tepper,1893; *magna* Tepper,1895; *niitakura* Shiraki,1931; *stylifera* Chopard,1938 Range (in code): RU Sb US FI TR AE 06 16 34 35
- 801. *Ectobius balcani* Rammer,1923** (Blattidae) Synonym(s): *balcani* Rammer,1923 Range (in code): TR AT CZ SK HU YU RO BG AL GR 16
- 802. *Ectobius lodosi* Harz,1983** (Blattidae) Synonym(s): *lodosi* Harz,1983 TR
- 803. *Ectobius vittiventris* Costa,1847** (Blattidae) Synonym(s): *vittiventris* Costa,1847 Range (in code): TR CH IT Si DE YU RO BG Cc 16 55 61
- 804. *Loboptera decipiens* (Germar,1817)** (Blattidae) Synonym(s): *decipiens* Germar,1817; *kusnezovi* Adelung,1907; *limbata* Charpentier,1825; *marginata* Risso,1926 Range (in code): PT Md ES Cn FR Co IT Sa Si YU AL GR Cr BG RO Cm Cc MA DZ TN LY IL Pa LB TR 06 16 31 34 35 45
- 805. *Periplaneta americana* (Linnaeus,1758)** (Blattidae) Synonym(s): *americana* Linnaeus,1758; *ferrugineofusca* Gronovius,1764; *kakkerlac* DeGeer,1773; *aurelianus* Fourcroy,1785; *siccifolia* Stoll,1813; *heros* Eschscholtz,1822; *stolida* Walker,1868; *colorata* Rehn,1901 Range (in code): US FI TR AE 01 34 35
- 806. *Phyllodromica asiatica* Bei Bienko,1950** (Blattidae) Synonym(s): *asiatica* Bei Bienko,1950 Range (in code): TR SY 01 05 33 46 80
- 807. *Phyllodromica beybienkoi* Maran,1957** (Blattidae) Synonym(s): *beybienkoi* Maran,1957 Range (in code): TR 42
- 808. *Phyllodromica brevipennis* (Fischer,1853)** (Blattidae) Synonym(s): *brevipennis* Fischer,1853 Range (in code): AT IT YU HU AL BG SY TR 46
- 809. *Phyllodromica graeca* (Brunner von Wattenwyl,1882)** (Blattidae) Synonym(s): *graeca* Brunner von Wattenwyl,1882 Range (in code): YU GR Cc GG TR 05 16 46
- 810. *Phyllodromica larrinuai* (Bolivar,1881)** (Blattidae) Synonym(s): *larrinuai* Bolivar,1881 Range (in code): TR 46
- 811. *Phyllodromica marginata* (Schreber,1781)** (Blattidae) Synonym(s): *marginata* Schreber,1781 Range (in code): TR Sa Si IT AT YU AL GR BG HU RO UA Cm 11 16 34 35 41
- 812. *Phyllodromica pallida* (Brunner von Wattenwyl,1882)** (Blattidae) Synonym(s): *pallida* Brunner von Wattenwyl,1882 Range (in code): TR 05
- 813. *Phyllodromica polita* (Krauss,1888)** (Blattidae) Synonym(s): *polita* Krauss,1888 Range (in code): TR Cc IR 05
- 814. *Phyllodromica znojko* Bei-Bienko,1938** (Blattidae) Synonym(s): *znojko* Bei-Bienko,1938 Range (in code): TR AZ Cc 38
- 815. *Shelfordella arabica* Bei-Bienko,1938** (Blattidae) Synonym(s): *arabica* Bei-Bienko,1938 SA YE AE
- 816. *Shelfordella lateralis* (Walker,1868)** (Blattidae) Synonym(s): *lateralis* Walker,1868; *tartara* Saussure,1874; *ahngeri* Adelung,1910; *zarudnyi* Adelung,1910; *sillemi* Hanitsch,1935 TR SA AE Cc AZ AF IR Ch IQ EG IL Pa SD LY 21
- 817. *Shelfordella monochroma* (Walker,1871)** (Blattidae) Synonym(s): *monochroma* Walker,1871; *tertia* Bei-Bienko,1938; *gussakovskii* Bei-Bienko,1950 Range (in code): IN Ch AF TJ
- 818. *Supella longipalpa* (Fabricius,1798)** (Blattidae) Synonym(s): *longipalpa* Fabricius,1798; *supellectilium* Serville,1838; *cubensis* Saussure,1862; *phalerata* Saussure,1863; *extenuata* Walker,1868; *quadriplaga* Walker,1868; *vacillans* Walker,1868; *subfasciata* Walker,1871; *transversalis* Walker,1871 CU AE
- 819. *Supellina biquandi* (Grandcolas,1994)** (Blattidae) Synonym(s): *biquandi* Grandcolas,1994 SA YE
- 820. *Supellina buxtoni* Chopard,1921** (Blattidae) Synonym(s): *buxtoni* Chopard,1921 IQ IR AF AE EG
- 821. *Supellina duplovittata* (Bohn,2006)** (Blattidae) Synonym(s): *duplovittata* Bohn,2006 IL Pa
- 822. *Caenis corana* Thomas & Sartori,1989** (Caenidae) Synonym(s): *corana* Thomas & Sartori,1989 SA
- 823. *Caenis malzacheri* Sartori & Gattolliat,2008** (Caenidae) Synonym(s): *malzacheri* Sartori & Gattolliat,2008 AE
- 824. *Caenis luctuosa* (Burmeister,1835)** (Caenidae) Synonym(s): *luctuosa* Burmeister,1835 AE?
- 825. *Adenissus zahedanicus* Dlabola,1980** (Caliscelidae) Synonym(s): *zahedanicus* Dlabola,1980 Range (in code): IR
- 826. *Aphelonema melichari* (Horvath,1897)** (Caliscelidae) Synonym(s): *melichari* Horvath,1897 Range (in code): IT TR YU 06
- 827. *Brucoscelis peculiaris* (Horvath,1904)** (Caliscelidae) Synonym(s): *peculiaris* Horvath,1904 Range (in code): TR BG? 06 07 38 66
- 828. *Caliscelis affinis* (Fieber,1876)** (Caliscelidae) Synonym(s): *affinis* Fieber,1876 Range (in code): Cc BG RO AM GG MD UA
- 829. *Caliscelis eximia* Stal,1859** (Caliscelidae) Synonym(s): *eximia* Stal,1859 Range (in code): Cc AZ
- 830. *Caliscelis wallengreni* (Stål,1863)** (Caliscelidae) Synonym(s): *wallengreni* Stål,1863 Range (in code): CN FR GR TR HU IT RO RU

- 831. Ommatidiotus dissimilis (Fallén,1806)** (Caliscelidae) Synonym(s): dissimilis Fallén,1806 Range (in code): AT BE CZ DK FR DE HU IT MN NL PL RO SE CH RU TR 06
- 832. Ommatidiotus inconspicuus Stål,1863** (Caliscelidae) Synonym(s): inconspicuus Stål,1863 Range (in code): CZ HU RU TR 06
- 833. Ommatidiotus iranica Horvath,1905** (Caliscelidae) Synonym(s): iranica Horvath,1905 Range (in code): IR TR 33
- 834. Ommatidiotus longiceps Puton,1896** (Caliscelidae) Synonym(s): falleni Bolivar & Chicote,1879; longiceps Puton,1896; alternans Horvath,1916; longicipiti Horvath,1916 Range (in code): AL GR CY IQ IL IT PT ES TR 07 21 47 63
- 835. Ommatidiotus viduus Horvath,1905** (Caliscelidae) Synonym(s): viduus Horvath,1905 Range (in code): SY UZ
- 836. Peltonotellus punctifrons Horvath,1895** (Caliscelidae) Synonym(s): punctifrons Horvath,1895 Range (in code): KG UA RU YU TR 06 10 40 66
- 837. Calophya rhois (F.Loew,1877)** (Calophyidae) Synonym(s): rhois F.Loew,1877 Range (in code): TR 08
- 838. Calopteryx ancilla Hagen,1983** (Calopterygidae) Synonym(s): ancilla Hagen,1983 Range (in code): DE PL FI BY UA RU Cc TM RO AT HU CZ YU AL GR
- 839. Calopteryx hyalina Martin,1909** (Calopterygidae) Synonym(s): hyalina Martin,1909 Range (in code): SY TR 30 31 47
- 840. Calopteryx intermedia Selys,1887** (Calopterygidae) Synonym(s): intermedia Selys,1887 Range (in code): SY TR IR Cc Fa 01 02 07 11 31 33 35 38 45 46 47 48 49 65 80
- 841. Calopteryx mingrelia Selys,1869** (Calopterygidae) Synonym(s): mingrelia Selys,1869 Range (in code): Cc GG TR Rd CY 01 07 15 16 20 26 27 31 32 33 34 35 39 41 42 44 45 48 54 63
- 842. Calopteryx orientalis Selys,1887** (Calopterygidae) Synonym(s): orientalis Selys,1887 Range (in code): IR Gor Elb Th AZ Cc Len
- 843. Calopteryx splendens (Harris,1776)** (Calopterygidae) Synonym(s): splendens Harris,1776 Range (in code): TR DZ 06 15 24 35 44 58 69 75
- 844. Calopteryx syriaca GénÉ,1842** (Calopterygidae) Synonym(s): syriaca GénÉ,1842; pseudosyriaca Buchholtz,1955 Range (in code): TR LB IL Pa JO SY 31
- 845. Calopteryx taurica Selys-Longchamps,1853** (Calopterygidae) Synonym(s): taurica Selys-Longchamps,1853 Range (in code): UA Cm Cc AM AZ RU Da TR
- 846. Calopteryx transcaspica Bartenev,1912** (Calopterygidae) Synonym(s): transcaspica Bartenev,1912 Range (in code): TM Kp
- 847. Calopteryx virgo (Linnaeus,1758)** (Calopterygidae) Synonym(s): virgo Linnaeus,1758; colchicus Eichwald,1837 Range (in code): BE DK IT GB KG SE CH ES FR DE AT PL HU YU BG AL GR TR UA RU 07 09 10 11 16 24 32 33 34 39 48
- 848. Calopteryx waterstoni Schneider,1984** (Calopterygidae) Synonym(s): waterstoni Schneider,1984 Range (in code): GG Cc TR 08 53 61
- 849. Epallage fatime (Charpentier,1840)** (Calopterygidae) Synonym(s): fatime Charpentier,1840 Range (in code): TR IR IQ CY SY LB IL Pa JO AM Cc GR Rd BG UA Cm RU KG 01 03 04 05 07 08 11 12 16 17 20 25 26 30 31 32 33 34 35 39 43 45 46 48 56 61 63 65 72 73 75 77 80
- 850. Capnia nigra (Pictet,1833)** (Capniidae) Synonym(s): nigra Pictet,1833; conic Klapalek,1909; maynari Navas,1917 Range (in code): TR Cc RU Kmt
- 851. Capnia sevanica Zhiltzova,1964** (Capniidae) Synonym(s): sevanica Zhiltzova,1964 Range (in code): AM Cc TR 06
- 852. Capnia arensi Zhiltzova,1964** (Capniidae) Synonym(s): arensi Zhiltzova,1964 Range (in code): TR 06 48
- 853. Capnia tuberculata Zhiltzova,1964** (Capniidae) Synonym(s): tuberculata Zhiltzova,1964 Range (in code): TR 06 48
- 854. Aphrophora alni (Fallén,1805)** (Cercopidae) Synonym(s): alni Fallén,1805; fuscata Haupt,1925; umbrina Linnavuori,1950 Range (in code): Cc AL DZ AT BE BG CN CS DK FI DE GB GR Cr HU IE IT JP MN MA NL NO PL PT RO ES SE SW TR AM AZ EE GG KG LV MD RU Sb TM UA YU 03 06 08 09 10 13 14 17 19 21 24 25 28 34 35 38 39 42 43 45 47 48 52 53 55 57 59 61 66
- 855. Aphrophora corticea Germar,1821** (Cercopidae) Synonym(s): corticea Germar,1821 Range (in code): AL AT BE CZ DK DE FR IT NO PL PT ES SE CH UA YU TR 03 06 07 09 11 17 32 43 48 60
- 856. Aphrophora exoleta Horvath,1901** (Cercopidae) Synonym(s): exoleta Horvath,1901 Range (in code): TR SY
- 857. Aphrophora salicina (Goeze,1778)** (Cercopidae) Synonym(s): salicina Goeze,1778 Range (in code): AL AT BE BG CS DK FR DE GB HU IE IT MA NL NO PL PT RO ES SE SW AM AZ Cc TR EE KG KK LV MD RU Sb UA UZ YU 06 10 17 28 29 39 43
- 858. Cercopis distincta (Melichar,1896)** (Cercopidae) Synonym(s): distincta Melichar,1896 Range (in code): TR



- 859. *Cercopis intermedia* Kirschbaum,1868** (Cercopidae) Synonym(s): *intermedia* Kirschbaum,1868; *obliterata* Kirschbaum,1868; *nigra* Royer,1906; *simulans* Peneau,1912; *turkestanica* Lindberg,1923 Range (in code): Cc DZ BG FR DE? GR IR IL Pa IT LB MA PT ES SW SY TR AM GG RU Da TM UA UZ 02 05 06 08 10 13 17 21 23 26 27 28 30 31 32 35 38 39 42 43 46 47 51 53 55 56 61 63 64 65 71 76
- 860. *Cercopis sanguinolenta* (Scopoli,1763)** (Cercopidae) Synonym(s): *sanguinolenta* Scopoli,1763; *mactata* Germar,1821; *panzeri* Peletier & Serville,1825; *distinguenda* Kirschbaum,1868; *basalis* Dominique,1892; *basalis* Melichar,1896 (praeocc.); *quadripunctata* Sabransky,1912; *reducta* Melichar,1913; *egestosa* Haupt,1917 Range (in code): Cc AL AT BG CS FR DE GR HU IT PL PT RO ES SW TR AZ GG MD RU UA YU 16 17 26 27 28 30 31 34 35 41 45 46 47 60 63 72 79
- 861. *Cercopis septemmaculata* (Melichar,1903)** (Cercopidae) Synonym(s): *septemmaculata* Melichar,1903 Range (in code): TR IL JO LB SY 01 35 37 47 56
- 862. *Cercopis vulnerata* Rossi,1807** (Cercopidae) Synonym(s): *vulnerata* Rossi,1807; *helvetica* Melichar,1896; *nicolausi* Wagner,1947 Range (in code): AL AT CS FR DE GB GR HU IT NL NO PL RO ES SW MD RU YU TR 10 16 41 54
- 863. *Haematoloma dorsatum* (Ahrens,1812)** (Cercopidae) Synonym(s): *dorsatum* Ahrens,1812; *quinquemaculata* Germar,1821; *lugens* Horvath,1882 Range (in code): DZ BE FR DE GR IT NL PT ES SW TR YU 10 16 41 43 54 77
- 864. *Lepyronia coleoptrata* (Linnaeus,1758)** (Cercopidae) Synonym(s): *coleoptrata* Linnaeus,1758; *unifasciata* Fabricius,1781; *angulata* Fabricius,1794; *grossa* Uhler,1896 Range (in code): Cc AF AL DZ AT BE BG CS DK FI FR DE GR HU IQ IT MN NL NO PL PT RO AM AZ EE TR GG KG KK LV MD RU Sb TJ UA UZ YU 01 03 06 07 08 09 11 16 17 18 19 21 22 24 29 35 36 43 45 46 47 48 49 54 55 56 60
- 865. *Mesoptylus impictifrons* (Horvath,1911)** (Cercopidae) Synonym(s): *impictifrons* Horvath,1911; *arcifer* Horvath,1911; *seminiger* Horvath,1911; *quinquemaculatus* Horvath,1911; *vestitus* Horvath,1911; *obscurus* Lindberg,1923 Range (in code): EG IL Pa JO LB SY TR 07 31 33 38 46
- 866. *Mesoptylus petrovi* (Grigoriev,1910)** (Cercopidae) Synonym(s): *petrovi* Grigoriev,1910 Range (in code): TR AM AZ GG RU Cc Da 08 61
- 867. *Neophilaenus albipennis* (Fabricius,1798)** (Cercopidae) Synonym(s): *albipennis* Fabricius,1798 Range (in code): DZ AT BG CS FR DE HU IT PL RO TN RU Sb UA TR 06 39
- 868. *Neophilaenus campestris* (Fallén,1805)** (Cercopidae) Synonym(s): *campestris* Fallén,1805; *parvula* Vismara,1877; *fasciatus* Ferrari,1882; *obsoletus* Ferrari,1882; *bimaculata* Rey,1894; *brunnifrons* Rey,1894 Range (in code): Cc AL DZ AT BE CY CS DK FR DE GB GR HU IE IL IT JO MA NL NO PL PT RO ES SE TN TR AZ EE GG LV RU UA YU 01 02 06 07 08 10 13 16 17 26 28 31 35 39 43 45 48 50 55 57 56 61 65
- 869. *Neophilaenus lineatus* (Linnaeus,1758)** (Cercopidae) Synonym(s): *lineatus* Linnaeus,1758; *abbreviata* Fabricius,1787; *capitata* Fabricius,1794; *aterrimus* Sahlberg,1871; *pulchellus* Sahlberg,1871; *fusca* Haupt,1912; *pallida* Haupt,1917; *danicus* Wagner,1935; *fulva* Gyllensvard,1965 Range (in code): AL DZ AT BE BG CS DK FI FR DE GB HU IT IE MN NL NO PL PT RO ES SE TN TR Cc EE KG KK LV MD RU Sb UA UZ 03 06 16 24 34 35 50 65
- 870. *Neophilaenus minor* (Kirschbaum,1868)** (Cercopidae) Synonym(s): *minor* Kirschbaum,1868 Range (in code): AL AT BE BG CS FI FR DE HU IT NL PL PT KG KK UA YU TR 01 06 07 10 42 58
- 871. *Neophilaenus inversus* Dlabola,1958** (Cercopidae) Synonym(s): *inversus* Dlabola,1958 Range (in code): RU Cc
- 872. *Paraphilaenus notatus* (Mulsant & Rey,1855)** (Cercopidae) Synonym(s): *notatus* Mulsant & Rey,1855; *centroasiaticus* Dlabola,1961 Range (in code): TR Cc GG RU At KG KK TJ UA UZ FR 65
- 873. *Philaenus* (Gyrurus) *iranicus* Tishechkin,2012** (Cercopidae) Synonym(s): *iranicus* Tishechkin,2012 Range (in code): IR Yz Fa Ke Es
- 874. *Philaenus* (s.str.) *elbursianus* Tishechkin,2012** (Cercopidae) Synonym(s): *elbursianus* Tishechkin,2012 Range (in code): IR Elb Dam
- 875. *Philaenus* (s.str.) *signatus* Melichar,1896** (Cercopidae) Synonym(s): *signatus* Melichar,1896 Range (in code): AF AL CY GR IQ IT MA ES TR YU 01 07 35 48 80
- 876. *Philaenus* (s.str.) *arslani* Abdul-Nour & Lahoud,1995** (Cercopidae) Synonym(s): *arslani* Abdul-Nour & Lahoud,1995 Range (in code): LB
- 877. *Philaenus* (s.str.) *spumarius* (Linnaeus,1758)** (Cercopidae) Synonym(s): *spumarius* Linnaeus,1758; *leucophthalma* Linnaeus,1758; *lateralis* Linnaeus,1758; *leucocephala* Linnaeus,1758 Range (in code): AF AL DZ AT Az BE BG CN CY CS DK FI FR DE GB GR Cr HU IQ IE IT JP MN MA NL NO PL PT RO ES SE SW SY? TN TR AM AZ Cc EE GG KG KK MD RU UA UZ YU 01 04 05 06 07 08 09 10 11 13 14 16 17 23 24 25 26 28 29 30 34 35 36 39 41 43 44 45 47 48 52 53 55 56 57 59 60 61 65 76
- 878. *Poophilus costalis* (Walker,1851)** (Cercopidae) Synonym(s): *costalis* Walker,1851 Range (in code): AF CN IR Cc AZ
- 879. *Poophilus nebulosus* (Lethierry,1876)** (Cercopidae) Synonym(s): *nebulosus* Lethierry,1876 Range (in code): Cc TR AF IR AM GG KG TM 72 73
- 880. *Triecephorella geniculata* (Horvath,1881)** (Cercopidae) Synonym(s): *geniculata* Horvath,1881; *fasciata* Kirschbaum,1868 Range (in code): IL Pa LB SY TR YU HV 01 07 10 42 46 55
- 881. *Cerococcus perowskiae* Archangelskaya** (Cerococcidae) Synonym(s): *perowskiae* Archangelskaya Range (in code): TR



- 882. Chloroperla zhiltzovae Zwick,1967** (Chloroperlidae) Synonym(s): zhiltzovae Zwick,1967 Range (in code): Cc TR 01 09
- 883. Pontoperla teberdinica (Balinsky,1950)** (Chloroperlidae) Synonym(s): teberdinica Balinsky,1950 Range (in code): TR Cc RU GG 01 06 54
- 884. Siphonoperla burmeisteri (Pictet,1841)** (Chloroperlidae) Synonym(s): burmeisteri Pictet,1841; rufeola Rambur,1842 Range (in code): DE TR 01
- 885. Siphonoperla hajastanica (Zhiltzova,1961)** (Chloroperlidae) Synonym(s): hajastanica Zhiltzova,1961 Range (in code): TR
- 886. Siphonoperla taurica (Pictet,1841)** (Chloroperlidae) Synonym(s): taurica Pictet,1841; acuminata Zhiltzova,1964 Range (in code): TR
- 887. Siphonoperla libanica Alouf,1992** (Chloroperlidae) Synonym(s): libanica Alouf,1992 Range (in code): LB
- 888. Acericerus rotundifrons (Kirschbaum,1868)** (Cicadellidae) Synonym(s): rotundifrons Kirschbaum,1868 Range (in code): AT FR DE IT RO GG Cc TR UA YU 08 20
- 889. Achrus flavovirens Lindberg,1924** (Cicadellidae) Synonym(s): flavovirens Lindberg,1924 Range (in code): Cc GG TM UZ
- 890. Achrus marmoratus (Horvath,1894)** (Cicadellidae) Synonym(s): marmoratus Horvath,1894 Range (in code): Cc AM
- 891. Aconura amitina (Melichar,1902)** (Cicadellidae) Synonym(s): amitina Melichar,1902; inustus Haupt,1927 Range (in code): EG IR IL AZ Cc TM UZ
- 892. Aconura impicta (Linnavuori,1962)** (Cicadellidae) Synonym(s): impicta Linnavuori,1962 Range (in code): IL Pa TR 42 51
- 893. Aconura jakowlefi Lethierry,1876** (Cicadellidae) Synonym(s): jakowlefi Lethierry,1876 Range (in code): RU IR TR 35
- 894. Aconura oculata (Lindberg,1948)** (Cicadellidae) Synonym(s): oculata Lindberg,1948 Range (in code): CY TR 18 68
- 895. Aconura volgensis Lethierry,1876** (Cicadellidae) Synonym(s): volgensis Lethierry,1876 Range (in code): AF IR IQ? MN TR GG KG RU TJ TM UZ
- 896. Aconurella nuristana Dlabola,1957** (Cicadellidae) Synonym(s): nuristana Dlabola,1957 Range (in code): AF
- 897. Aconurella prolixa (Lethierry,1885)** (Cicadellidae) Synonym(s): prolixa Lethierry,1885; minutus Haupt,1917; simplex Haupt,1917 (praeocc.); sanguisuga Lindberg,1927; obtusus Metcalf,1955 Range (in code): AF ES Cn CY FR Co IR IQ IL IT JO LY Md MA PT RO ES EH TR Cc AZ GG KG KK RU TJ TM UZ YU 01 06 07 08 24 25 27 30 33 46 50 51 53 68
- 898. Adarrus multinotatus (Boheman,1847)** (Cicadellidae) Synonym(s): multinotatus Boheman,1847; micantulus Kirschbaum,1868; thoracicus Fieber,1869; mayri Fieber,1869 Range (in code): DZ AT BE CS FR DE GB HU IT KP NL PL RO SE SW TN TR KG RU Sb UA YU 16
- 899. Adarrus niphanticus Logvinenko,1966** (Cicadellidae) Synonym(s): niphanticus Logvinenko,1966 Range (in code): RU Cc TR 36
- 900. Adarrus ocellaris (Fallén,1806)** (Cicadellidae) Synonym(s): ocellata Scopoli,1763 (praeocc.); ocellaris Fallén,1806; notatifrons Kirschbaum,1868; sachaninensis Matsumura,1915 Range (in code): DZ AT BE CN CS DK FI FR DE GB HU IE IT KP MN NL NO PL RO SE SW TN EE GG Cc Kmt KG LV MD RU Sb Sh UA CA
- 901. Adelungia elegans Melichar,1902** (Cicadellidae) Synonym(s): elegans Melichar,1902 Range (in code): IR
- 902. Agallia aciculata Horvath,1894** (Cicadellidae) Synonym(s): aciculata Horvath,1894; vorobjevi Dlabola,1960 Range (in code): RO AM AZ GG KG KK RU TM UZ PK Sd
- 903. Agallia bispinata (Dlabola,1957)** (Cicadellidae) Synonym(s): bispinata Dlabola,1957 Range (in code): TR Gk 06 17 28 29 62 65
- 904. Agallia consobrina Curtis,1833** (Cicadellidae) Synonym(s): consobrina Curtis,1833 Range (in code): AT BE BG CS FR DE GB GR HU IT NL PL PT ES SE AZ RU YU TR 35
- 905. Agallia cuspidata (Dlabola,1957)** (Cicadellidae) Synonym(s): cuspidata Dlabola,1957 Range (in code): AF PK Sd
- 906. Agallia harrarensis Melichar,1911** (Cicadellidae) Synonym(s): harrarensis Melichar,1911 Range (in code): ES Cn EG IR IQ IT MA Cc AM TR 10
- 907. Agallia hispanica Horvath,1900** (Cicadellidae) Synonym(s): hispanica Horvath,1900 Range (in code): IL MA PT ES
- 908. Agallia minuta Melichar,1896** (Cicadellidae) Synonym(s): minuta Melichar,1896 Range (in code): CY GR IL Pa TR JO RO Cc GG YU 27
- 909. Agallia mutilata Dlabola,1957** (Cicadellidae) Synonym(s): mutilata Dlabola,1957 Range (in code): AF
- 910. Agallia robusta Pruthi,1930** (Cicadellidae) Synonym(s): robusta Pruthi,1930 Range (in code): IN Sd PK

- 911. Agallia sabulicola Lindberg,1948** (Cicadellidae) Synonym(s): sabulicola Lindberg,1948 Range (in code): **CY JO**
- 912. Agallia venosa (Fourcroy,1785)** (Cicadellidae) Synonym(s): venosa Fourcroy,1785; elongatus Vismara,1878; aspera Ribaut,1935 Range (in code): **AL? DZ? AT BE ES? Cn CY? CS DK EG? FI FR DE GB GR? HU? IR? IE? IT MN? MA? NL NO PL PT? RO ES? SE SW TN? AM? AZ EE? GG? KG? KK LV RU? Cc TM UA UZ**
- 913. Aglena ornata (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): ornata Herrich-Schäffer,1838; pallida Walker,1851 (praeocc.); ornatula Kirkaldy,1906 Range (in code): **AL BG FR GR IR IL Pa IT Sa Si MA RO ES TR MD RU UA 21**
- 914. Aguriahana germari (Zetterstedt,1840)** (Cicadellidae) Synonym(s): germari Zetterstedt,1840 Range (in code): **DZ AT BE BG TR CS DK FI FR DE GB IT MN NL NO PL SE SW Cc GG KG LV RU Sb UA 05 08 18 19 36**
- 915. Alebra albostriella (Fallén,1826)** (Cicadellidae) Synonym(s): albostriella Fallén,1826; elegantula Zetterstedt,1828; discicollis Herrich-Schäffer,1834; fasciata Curtis,1837; fulveola Herrich-Schäffer,1838; eximia Hardy,1850; fastuosa Graff, Six & Snellen,1862; viridis Rey,1894; flavocephala Kupka,1899; diluta Ribaut,1936; dufouri Ribaut,1936 Range (in code): **DZ AT Az BE BG CS DK FR DE GB HU IE IL IT JO Md NL NO PL PT RO ES SE SW SY TR EE Cc AZ Nv GG LV MD RU UA YU 01 06 07 08 10 13 14 19 31 35 38 41 43 44 46 52 71**
- 916. Alebra wahlbergi (Boheman,1845)** (Cicadellidae) Synonym(s): wahlbergi Boheman,1845; insignita McAtee,1926; pallescens Ribaut,1936; brunnea Ribaut,1936 Range (in code): **DZ AT BE CS DK FR DE GB HU IT NL NO PL SE SW TR LV MD RU UA YU 01 34 47**
- 917. Allygidius atomarius (Fabricius,1794)** (Cicadellidae) Synonym(s): reticulata Thunberg,1784 (praeocc.); atomarius Fabricius,1794; conspicillaris Schrank,1801; heydeni Kirschbaum,1868 Range (in code): **AL AT BG GR Cr CS DK FR DE HU IT NL PL RO ES TN AM AZ Cc TR Gk LV MD UA YU RU 16 17 34 35 48 54 57 59**
- 918. Allygidius commutatus Fieber,1872** (Cicadellidae) Synonym(s): commutatus Fieber,1872 Range (in code): **AL DZ AT BE BG CS DK FI FR DE GB HU IT Si NL NO PL RO SE TN GG Cc TR KG LV MD RU Sb At UA YU 36 40**
- 919. Allygidius ectabanicus Logvinenko,1979** (Cicadellidae) Synonym(s): ectabanicus Logvinenko,1979 Range (in code): **IR TR 06 42 70**
- 920. Allygidius furcatus (Ferrari,1882)** (Cicadellidae) Synonym(s): furcatus Ferrari,1882 Range (in code): **DZ AT CS FR HU IR IT IL PL RO Cc AM MD UA YU**
- 921. Allygidius nihati Kartal & Zeybekoğlu,1994** (Cicadellidae) Synonym(s): nihati Kartal & Zeybekoğlu,1994 Range (in code): **TR 57**
- 922. Allygus caucasicus Melichar,1914** (Cicadellidae) Synonym(s): caucasicus Melichar,1914 Range (in code): **Cc AZ GG**
- 923. Allygus mayri (Kirschbaum,1868)** (Cicadellidae) Synonym(s): mayri Kirschbaum,1868; horvathi Csiki,1940 Range (in code): **AL BG CS HU IT RO Cc GG MD UA YU**
- 924. Allygus mixtus (Fabricius,1794)** (Cicadellidae) Synonym(s): mixtus Fabricius,1794; marmorata Hardy,1850; communis Ferrari,1882; corisipennis Ferrari,1882; juvenis Ferrari,1882; margaritinus Ferrari,1882; gracilis Rey,1894; immunis Rey,1894 Range (in code): **AL DZ AT BE BG CS DK FI FR DE GB HU IE IT NL NO PL PT RO ES SE SW TN KG LV MD UA YU TR IR CA 01 06 42**
- 925. Allygus modestus Scott,1876** (Cicadellidae) Synonym(s): modestus Scott,1876 Range (in code): **AT CZ GB FR DE GR IT Sa MA NL PL RO ES TN RU UA YU TR 48**
- 926. Alnetoidia alneti (Dahlbom,1850)** (Cicadellidae) Synonym(s): alneti Dahlbom,1850; coryli Tollin,1851; mali Edwards,1851 Range (in code): **AT BE BG CS DK FI FR DE GB IE IT JP NL NO PL PT RO ES SE SW EE Cc GG LV RU UA YU**
- 927. Amritodus atkinsoni (Lethierry,1889)** (Cicadellidae) Synonym(s): atkinsoni Lethierry,1889 Range (in code): **IN LK PK Pj Lh**
- 928. Amritodus saedii S.S.Ahmed, Naheed & M.Ahmed,1980** (Cicadellidae) Synonym(s): saedii S.S.Ahmed, Naheed & M.Ahmed,1980 Range (in code): **PK Krc Sd**
- 929. Anaceratagallia laevis (Ribaut,1935)** (Cicadellidae) Synonym(s): laevis Ribaut,1935; acuteangulata Zachvatkin,1946 Range (in code): **AF DE BG ES Cn CY EG FR GB GR HU IQ IL IT JO MA PT RO ES TR KG KK MD TJ UZ YU 01 04 06 07 11 13 17 21 23 25 26 31 33 34 35 39 44 45 47 48 50 51 52 55 56 63 66 67**
- 930. Anaceratagallia ribauti (Ossiannilsson,1938)** (Cicadellidae) Synonym(s): ribauti Ossiannilsson,1938 Range (in code): **AL AT BE BG CS FI FR DE GB GR IT NL PL PT RO SE SW TR AM Cc EE MD RU UA YU 01 06 07 10 11 18 32 35 41 44 47 50 55 59 61**
- 931. Anaceratagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): sinuata Mulsant & Rey,1855; quadrisignata Flor,1861; fieberi Vismara,1878; laevis Berg.,1934 (praeocc.); zachvatkini Vilbaste,1961; nasti Dlabola,1964; deserticola Dlabola,1964 Range (in code): **DZ AT BE BG Cn CY CZ EG GB FR GR Cr ES Md CH SY TN RU TR YU AF IR 01 06 21 24 27 35 40 47 48 50 55 56 73 76**
- 932. Anaceratagallia tianshanica (Dubovsky,1970)** (Cicadellidae) Synonym(s): tianshanica Dubovsky,1970 Range (in code): **KK IR TR 44**
- 933. Anoplotettix bitaeniatus Ribaut,1948** (Cicadellidae) Synonym(s): bitaeniatus Ribaut,1948 Range (in code): **CY**

- 934. Anoplotettix eckerleini Dlabola,1965** (Cicadellidae) Synonym(s): eckerleini Dlabola,1965 Range (in code): LB TR 07
- 935. Anoplotettix fuscovenosus (Ferrari,1882)** (Cicadellidae) Synonym(s): fuscovenosus Ferrari,1882; bipunctata Ferrari,1882 Range (in code): AL AT BG TR CS FR GR HU IT Sa PT RO ES TN UA YU 06 10 16 19 22 35 39 45 53 54 55 57 60
- 936. Anoplotettix kalkandeleni Dlabola,1971** (Cicadellidae) Synonym(s): kalkandeleni Dlabola,1971 Range (in code): TR 07
- 937. Anoplotettix kurdicus Remane,1966** (Cicadellidae) Synonym(s): kurdicus Remane,1966 Range (in code): IQ
- 938. Anoplotettix lodosianus Dlabola,1987** (Cicadellidae) Synonym(s): lodosianus Dlabola,1987 Range (in code): TR
- 939. Anoplotettix loewi (Horvath,1884)** (Cicadellidae) Synonym(s): loewi Horvath,1884 Range (in code): UA Cm TR
- 940. Anoplotettix magnificus Emeljanov,1962** (Cicadellidae) Synonym(s): magnificus Emeljanov,1962 Range (in code): Cc AZ GG
- 941. Anoplotettix novaki Wagner,1959** (Cicadellidae) Synonym(s): novaki Wagner,1959 Range (in code): TR 01
- 942. Anoplotettix rodosicus Dlabola,1974** (Cicadellidae) Synonym(s): rodosicus Dlabola,1974 Range (in code): GR Rd TR 07 48
- 943. Anoplotettix sahtyiancii Dlabola,1970** (Cicadellidae) Synonym(s): sahtyiancii Dlabola,1970 Range (in code): TR 16 34 43 54 67
- 944. Anoscopus albifrons (Linnaeus,1758)** (Cicadellidae) Synonym(s): albifrons Linnaeus,1758; costata Panzer,1799; affinis Fallén,1806; subrustica Fallén,1806; dispar Zetterstedt,1828; testudo Curtis,1833; costata Curtis,1837; concinna Curtis,1837; arcuatus Kirschbaum,1868; confusus Kirschbaum,1868; interruptus Scott,1873; polystolus Scott,1873; apicalis Signoret,1879; pelas Signoret,1879; fuliginosus Ferrari,1882; argus Rey,1891; bifasciatus Melichar,1896; limicola Edwards,1908; maculata Edwards,1908; irritans Wagner,1937; germari Wagner,1937; dimidiata Ribaut,1952; blotei Metcalf,1963 Range (in code): AL AT Az BE BG CS DK FI FR DE GB HU IE IL IT Md MA NL NO PL PT RO ES SE SW TN TR AM Cc LV RU UA YU 07 35
- 945. Anoterostemma ivanoffi (Lethierry,1876)** (Cicadellidae) Synonym(s): ivanoffi Lethierry,1876; fusca Ivanoff,1885; henschi Loew,1885 Range (in code): IT RO TR KG MD RU UA YU 06
- 946. Aphrodes albifrons (Linnaeus,1758)** (Cicadellidae) Synonym(s): albifrons Linnaeus,1758 Range (in code): TR 35
- 947. Aphrodes albiger (Germar,1821)** (Cicadellidae) Synonym(s): albiger Germar,1821; kirschbaumi Edwards,1920; nudus Wagner,1937; salinus Wagner,1937; deleta Ribaut,1952 Range (in code): AT CZ GB FR DE NL PL RU TR 06
- 948. Aphrodes angulaticeps Emeljanov,1964** (Cicadellidae) Synonym(s): angulaticeps Emeljanov,1964 Range (in code): RU TR 06 23 43
- 949. Aphrodes araxicus Logvinenko,1971** (Cicadellidae) Synonym(s): araxicus Logvinenko,1971 Range (in code): Cc AZ
- 950. Aphrodes bicinctus (Schränk,1776)** (Cicadellidae) Synonym(s): striata Linnaeus,1761 (praeocc.); rustica Fabricius,1775 (praeocc.); bicinctus Schränk,1776; ochromelas Gmelin,1790; variegata Fabricius,1794; striatella Fabricius,1794; transversa Fabricius,1798; strigata Turton,1802; pallidus Curtis,1836; cardui Curtis,1836; fasciatus Curtis,1836; obscurus Curtis,1836; rugosus Curtis,1836; sparsus Curtis,1836; unicolor Curtis,1836; pulverulenta Curtis,1837; adustus Hardy,1850; obtusifrons Kirschbaum,1868; signifrons Rey,1894; aestuarinus Edwards,1908; brevior Melichar,1914; alpinus Prohaska,1923; diminutus Ribaut,1952; centrossicus Zachvatkin,1952; ferganensis Dubovsky,1966 Range (in code): AF AL DZ AT BG CY CS DK FI FR DE GB GR Cr HU IE IT Sa Si Md MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ Cc EE GG KG KK LV MD RU Sb UA UZ YU 01 03 06 07 11 16 17 21 22 23 24 25 27 28 29 34 35 36 39 42 43 45 48 51 52 53 54 55 57 59 60 61 64 65 67 73
- 951. Aphrodes bifasciatus (Linnaeus,1758)** (Cicadellidae) Synonym(s): bifasciatus Linnaeus,1758; trifasciata De Geer,1773; tristriata Gmelin,1790; spuria Fallén,1806; obliquus Germar,1821; tricinctus Curtis,1836; simulans Ribaut,1952; major Duffield,1963 Range (in code): AL AT BE BG CS DK FI FR DE GB GR HU IT IE IL NL NO PL PT RO ES SE SW AM AZ Cc EE KG KK LV MD RU Sb UA YU TR 03 06
- 952. Aphrodes elongatus (Lethierry,1876)** (Cicadellidae) Synonym(s): elongatus Lethierry,1876 Range (in code): CS HU IT RO SY Cc TR AM AZ GG KK RU Sb YU 38 65
- 953. Aphrodes flavostriatus (Donovan,1799)** (Cicadellidae) Synonym(s): flavostriatus Donovan,1799; rivularis Germar,1821 Range (in code): AT BE BG CS DK FI FR DE GB IE IT NL NO PL RO SE EE GG AM TR Cc LV MD RU Sb UA UZ YU 66
- 954. Aphrodes histrionicus (Fabricius,1794)** (Cicadellidae) Synonym(s): histrionicus Fabricius,1794; arenicola Marshall,1866 Range (in code): AL AT BE CY CS DK FI FR DE GB GR HU IE IT NL NO PL RO ES SE AM AZ GG Cc TR KG LV MD UA RU 14
- 955. Aphrodes makarovi Zachvatkin,1948** (Cicadellidae) Synonym(s): makarovi Zachvatkin,1948 Range (in code): TR 01 06 10
- 956. Aphrodes montanus Vilbaste,1965** (Cicadellidae) Synonym(s): montanus Vilbaste,1965; caucasicus Vilbaste,1965 Range (in code): Cc AZ RU AT



- 957. Aphrodes nigratus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): nigratus Kirschbaum,1868; integer Wagner,1937 Range (in code): **DZ AT BE BG CS FR DE IT PL PT RO SE SW TR AZ Cc KG KK LV UA YU 36**
- 958. Aphrodes paralongus Dlabola,1960** (Cicadellidae) Synonym(s): paralongus Dlabola,1960 Range (in code): **IL JO SY**
- 959. Aphrodes serratulae (Fabricius,1775)** (Cicadellidae) Synonym(s): serratulae Fabricius,1775; fuscofasciata Goeze,1778; transversalis Fourcroy,1785; bistrigata Gmelin,1790; brunneobifasciatus Signoret,1879; vicarius Horvath,1897 Range (in code): **AT BE BG CS FR DE GB GR HU IT NL PL RO ES SE TN Cc GG UA YU**
- 960. Aphrodes trifasciatus (Hovarth,1897)** (Cicadellidae) Synonym(s): trifasciatus Hovarth,1897 Range (in code): **TR 46**
- 961. Aphrodes vallicola Logvinenko,1967** (Cicadellidae) Synonym(s): vallicola Logvinenko,1967 Range (in code): **Cc GG**
- 962. Arboridia adanae (Dlabola,1957)** (Cicadellidae) Synonym(s): adanae Dlabola,1957 Range (in code): **IL Pa TR 01 02 06 07 18 20 21 26 27 38 40 42 47 50 51 56 58 63 66 70 71**
- 963. Arboridia cantoreanica Dworakowska,1970** (Cicadellidae) Synonym(s): cantoreanica Dworakowska,1970 Range (in code): **BG TR 43**
- 964. Arboridia defecta (Dlabola,1957)** (Cicadellidae) Synonym(s): defecta Dlabola,1957 Range (in code): **AF**
- 965. Arboridia expansa (Zachvatkin,1946)** (Cicadellidae) Synonym(s): expansa Zachvatkin,1946 Range (in code): **BG TR 06 28**
- 966. Arboridia hussaini (Ghauri,1963)** (Cicadellidae) Synonym(s): hussaini Ghauri,1963 Range (in code): **IQ**
- 967. Arboridia ithaburensis (Linnavuori,1962)** (Cicadellidae) Synonym(s): ithaburensis Linnavuori,1962 Range (in code): **IL**
- 968. Arboridia kermanshah (Dlabola,1963)** (Cicadellidae) Synonym(s): kermanshah Dlabola,1963 Range (in code): **IR**
- 969. Arboridia parvula (Boheman,1845)** (Cicadellidae) Synonym(s): parvula Boheman,1845; disjuncta Ribaut,1931 (praeocc.) Range (in code): **AL AT BE BG CS DK FI FR DE GB HU IE IT NL PL PT RO ES SE SW TN TR Cc AZ GG KG LV MD RU Sb TJ UA YU 06**
- 970. Arboridia ribauti (Ossiannilsson,1937)** (Cicadellidae) Synonym(s): ribauti Ossiannilsson,1937 Range (in code): **AT BG CS FR DE GB HU IT PL RO SE SW Cc GG MD YU**
- 971. Arboridia simillima (Wagner,1939)** (Cicadellidae) Synonym(s): simillima Wagner,1939 Range (in code): **AT DE Cc GG**
- 972. Arboridia versuta (Melichar,1897)** (Cicadellidae) Synonym(s): versuta Melichar,1897; spatulata Ribaut,1931 Range (in code): **FR DE IT CH RU Sb UA YU TR 36 56**
- 973. Arocephalus languidus (Flor,1861)** (Cicadellidae) Synonym(s): languidus Flor,1861; pallipes Kirschbaum,1868; pusillus Kirschbaum,1868; productus Thomson,1869; haupti Lindberg,1924; ocellatus Cerutti,1939 Range (in code): **AT BE BG CS DK FI FR DE HU IT NO PL RO SW TN TR GG Cc KG LV MD RU Sb UA 06 07 36**
- 974. Arocephalus longiceps (Kirschbaum,1868)** (Cicadellidae) Synonym(s): longiceps Kirschbaum,1868; longivalvis Kirschbaum,1868; linnei Fieber,1869 Range (in code): **AT BE BG CS DK FR DE GR HU IT MN NL PL RO ES SW GG Cc TR MD 05 06 10 14 24 25 30 35 42 50 55 57**
- 975. Artianus interstitialis (Germar,1821)** (Cicadellidae) Synonym(s): interstitialis Germar,1821; diminutus Kirschbaum,1858 Range (in code): **AT CS FR DE HU IT PL RO Cc AZ TR KG KK MD RU TJ UA UZ YU 25**
- 976. Artianus manderstjernii (Kirschbaum,1868)** (Cicadellidae) Synonym(s): manderstjernii Kirschbaum,1868 Range (in code): **BG CS HU IT RO TR Cc AM GG MD UA YU 04 06 07 10 18 21 22 27 35 39 63 65 67**
- 977. Asymmetrasca decedens (Paoli,1932)** (Cicadellidae) Synonym(s): decedens Paoli,1932 Range (in code): **TR CY CS EG IQ IL IT Sa Si JO LY Cc GG PK IR 01 07 33 42**
- 978. Austroagallia avicula (Ribaut,1935)** (Cicadellidae) Synonym(s): avicula Ribaut,1935 Range (in code): **AF FR IR IT MA TN**
- 979. Austroagallia Evans,1935** (Cicadellidae) Synonym(s): Austroagallia Evans,1935; Peragallia Ribaut,1948 Range (in code): **TR**
- 980. Austroagallia nitobei (Matsumura,1912)** (Cicadellidae) Synonym(s): nitobei Matsumura,1912 Range (in code): **PK IN TW**
- 981. Austroagallia quadricornis Linnavuori,1962** (Cicadellidae) Synonym(s): quadricornis Linnavuori,1962 Range (in code): **EG IL Pa**
- 982. Austroagallia robusta Sawai, Singh Gill,1973** (Cicadellidae) Synonym(s): robusta Sawai, Singh Gill,1973 Range (in code): **IN PK**
- 983. Austroagallia sarobica (Dlabola,1964)** (Cicadellidae) Synonym(s): sarobica Dlabola,1964 Range (in code): **AF Bm Srb PK Sd IN**
- 984. Austroagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): sinuata Mulsant & Rey,1855; quadrisignata Flor,1861; homeyeri Kirschbaum,1868; fieberi Vismara,1878; laevis Bergevin,1934; zachvatkini



Vilbaste,1961; nasti Dlabola,1964; deserticola Dlabola,1964; afghanistanensis Kameswara Rao, Ramakrishnan & Ghai,1979 Range (in code): **DZ AT BE BG ES Cn CY CS EG FR GB GR Cr HU IQ IL IT LY MA PT RO ES SW SY TN TR AM AZ GG Cc KG KK MD RU TJ UZ YU AF PK Sd 01 06 07 21 24 30 33 35 40 46 47 48 50 55 73 76**

**985. Austroasca (Jacobiasca) lybica (Bergevin & Zanon,1922)** (Cicadellidae) Synonym(s): lybica Bergevin & Zanon,1922; citrea Haupt,1930; bodenheimeri Haupt,1930; benedetto Paoli,1932 Range (in code): **AL? DZ EG IL IT Sa JO LY ES TN**

**986. Austroasca (s.str.) vittata (Lethierry,1884)** (Cicadellidae) Synonym(s): vittata Lethierry,1884; artemisiae Haupt,1924 Range (in code): **AT CN Mc CZ GB FR DE IT Si JP KP K MN PL RO CH RU TR YU 06**

**987. Balcanocerus alkani (Wagner,1958)** (Cicadellidae) Synonym(s): alkani Wagner,1958 Range (in code): **TR TJ IR 02 27 56**

**988. Balcanocerus balcanicus (Horvath,1903)** (Cicadellidae) Synonym(s): balcanicus Horvath,1903 Range (in code): **BG RO YU TR 01 12 33 50 70 80**

**989. Balcanocerus brusinae (Horvath,1891)** (Cicadellidae) Synonym(s): brusinae Horvath,1891 Range (in code): **CY IT JO YU UA RU TR IR 01 21 27 29 48**

**990. Balcanocerus larvatus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): exaltata Fabricius,1803 (praeocc.); notata Fabricius,1803 (praeocc.); larvatus Herrich-Schäffer,1835 Range (in code): **AT BE CS DK FR DE GR HU IL IT Si NO? PL RO MD UA Cm YU TR 19**

**991. Balcanocerus ramallahicus (Dlabola,1965)** (Cicadellidae) Synonym(s): ramallahicus Dlabola,1965 Range (in code): **JO TR 06 27**

**992. Balclutha chloris (Horvath,1894)** (Cicadellidae) Synonym(s): chloris Horvath,1894 Range (in code): **Cc AM GG KG TJ UZ**

**993. Balclutha flavella Linnavuori,1962** (Cicadellidae) Synonym(s): flavella Linnavuori,1962 Range (in code): **IL Pa IR TR 04 25 62**

**994. Balclutha hebe (Kirkaldy,1906)** (Cicadellidae) Synonym(s): hebe Kirkaldy,1906; hortensis Lindberg,1948; virescens Haupt,1927 Range (in code): **ES Cn EG IQ JO TR CY LB GR Cr 01 02 06 07 13 15 21 23 27 33 42 44 47 48 50 63 70**

**995. Balclutha nicolasi (Lethierry,1876)** (Cicadellidae) Synonym(s): nicolasi Lethierry,1876; eos Haupt,1927 Range (in code): **FR IL UZ**

**996. Balclutha pellucens Horvath,1909** (Cicadellidae) Synonym(s): pellucens Horvath,1909; viridella Lindberg,1941 Range (in code): **Az Cn Md TR 02 04 05 06 08 13 14 15 18 21 24 25 30 36 47 55 65 76**

**997. Balclutha punctata (Fabricius,1775)** (Cicadellidae) Synonym(s): punctata Fabricius,1775; tricolor Gmelin,1790; clypeata Curtis,1837; spreta Zetterstedt,1840; confluens Rey,1894; impunctatus Rey,1894; lineolatus Horvath,1904; thalassicus Sidorski,1937; taunica Wagner,1939; langi Dlabola,1944; sagittaria Ribaut,1952 Range (in code): **AF AL DZ BG CN CY CS DK FI FR DE GR GB HU IE IT KP MN NL NO PL SE SW TN TR Cc AM AZ EE GG KG KK LV MD RU Sb UA UZ 02 05 06 08 13 14 21 24 25 28 30 32 52 53 55 57 61 76**

**998. Balclutha rhenana Wagner,1939** (Cicadellidae) Synonym(s): rhenana Wagner,1939 Range (in code): **AF AT BG CS FI DE IT NL KG KK UZ YU TR 07 10 25 33 44 65**

**999. Balclutha rosea (Scott,1876)** (Cicadellidae) Synonym(s): rosea Scott,1876; frontalis Ferrari,1882; flava Haupt,1927; pulchella Lindberg,1948; haupti Metcalf,1955 Range (in code): **AL DZ ES Cn Md CY FR DE? IT IL JO MA ES TR GG Cc KK TJ UA UZ 01 07 21 31 33 35 42 50 70 80**

**1000. Balclutha rufofasciata (Merino,1936)** (Cicadellidae) Synonym(s): rufofasciata Merino,1936 Range (in code): **EG IL**

**1001. Balclutha saltuella (Kirschbaum,1868)** (Cicadellidae) Synonym(s): saltuella Kirschbaum,1868; angustus Then,1886; incisus Matsumura,1902; quadriguttatus Matsumura,1908 Range (in code): **CN BG CS EG FR DE HU IL IT JP RO SW YU RU TR 13 27 33**

**1002. Balocha pallida Maldonado Capriles,1961** (Cicadellidae) Synonym(s): pallida Maldonado Capriles,1961 Range (in code): **PK Pj Lh**

**1003. Batracomorphus avulsus Dlabola,1964** (Cicadellidae) Synonym(s): avulsus Dlabola,1964 Range (in code): **AF**

**1004. Batracomorphus consignatus Dlabola,1964** (Cicadellidae) Synonym(s): consignatus Dlabola,1964 Range (in code): **AF**

**1005. Batracomorphus glaber Haupt,1927** (Cicadellidae) Synonym(s): glaber Haupt,1927; flavovirens Lindberg,1948 Range (in code): **CY IL TR 01 33**

**1006. Batracomorphus irroratus Lewis,1834** (Cicadellidae) Synonym(s): irroratus Lewis,1834; microcephalus Herrich-Schäffer,1838; punctulatus Forel,1858; punctuosus Kirschbaum,1868; verrucosa Haupt,1917 Range (in code): **AF AL AT BE BG CN Ui CS DK FR MN SW TR AM AZ GG Cc KG KK MD RU TJ UA UZ YU 01 02 06 14 15 21 25 38 50 58 59 65**

**1007. Batracomorphus signatus Lindberg,1923** (Cicadellidae) Synonym(s): signatus Lindberg,1923; nigrum Lindberg,1923 Range (in code): **EG IL Pa LY TR IR 01 07 23 47 76**

**1008. Bobacella corvina (Horvath,1903)** (Cicadellidae) Synonym(s): corvina Horvath,1903; teratocera Kusnezov,1929; turanica Hovarth,1936; ornata Emeljanov,1962 Range (in code): **AT SE HU RU At Sb KG TM UA MN TR 06**

- 1009. Brachylope brachypterus (Sidorski,1938)** (Cicadellidae) Synonym(s): brachypterus Sidorski,1938 Range (in code): Cc AZ
- 1010. Brachylope evidens Logvinenko,1969** (Cicadellidae) Synonym(s): evidens Logvinenko,1969 Range (in code): Cc AZ
- 1011. Bugraia ocularis (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): ocularis Mulsant & Rey,1855; taeniops Fieber,1868 Range (in code): AL DZ CY FR Co IT Sa Si LY MA NL? PT ES B-I TN UA YU TR GR 13 30 33 45 68
- 1012. Burakia eminens (Dlabola,1977)** (Cicadellidae) Synonym(s): eminens Dlabola,1977 Range (in code): IR
- 1013. Burakia imitata (Dlabola,1977)** (Cicadellidae) Synonym(s): imitata Dlabola,1977 Range (in code): IR
- 1014. Chiasmus conspurcatus (Perris,1857)** (Cicadellidae) Synonym(s): conspurcatus Perris,1857; laboulbenii Perris,1857; gautschii Then,1886 Range (in code): AF AL AT BG ES Cn EG FR IQ IL Pa IR IT Sa JO PT RO ES TR AZ GG Cc TJ UZ YU 01 05 06 07 08 18 21 42 53 57 60 63
- 1015. Chlorita akdzhusani (Zachvatkin,1953)** (Cicadellidae) Synonym(s): akdzhusani Zachvatkin,1953; afghanistanica Dlabola,1957 Range (in code): AF Cc AZ KG RU
- 1016. Chlorita alticola Logvinenko,1966** (Cicadellidae) Synonym(s): alticola Logvinenko,1966 Range (in code): RU Cc
- 1017. Chlorita augustinica Dlabola,1958** (Cicadellidae) Synonym(s): augustinica Dlabola,1958 Range (in code): Cc GG
- 1018. Chlorita brevispina Linnavuori,1965** (Cicadellidae) Synonym(s): brevispina Linnavuori,1965 Range (in code): TR 31
- 1019. Chlorita caspica Dlabola,1961** (Cicadellidae) Synonym(s): caspica Dlabola,1961 Range (in code): RU Cc Da
- 1020. Chlorita eremophila Linnavuori,1962** (Cicadellidae) Synonym(s): eremophila Linnavuori,1962 Range (in code): EG IL
- 1021. Chlorita moganica (Dlabola,1957)** (Cicadellidae) Synonym(s): moganica Dlabola,1957 Range (in code): TR 06 19 50
- 1022. Chlorita orientalis (Dlabola,1961)** (Cicadellidae) Synonym(s): orientalis Dlabola,1961 Range (in code): BG TJ RU Da Cc UZ
- 1023. Chlorita osmanica Dlabola,1971** (Cicadellidae) Synonym(s): osmanica Dlabola,1971 Range (in code): TR 06 71
- 1024. Chlorita paolii (Ossiannilsson,1939)** (Cicadellidae) Synonym(s): paolii Ossiannilsson,1939 Range (in code): AT BG CS FI FR DE HU IT NL PL SE EE KG LV MD UA YU TR RU At 01
- 1025. Chlorita popovi Zachvatkin,1953** (Cicadellidae) Synonym(s): popovi Zachvatkin,1953 Range (in code): GG KG Cc ER
- 1026. Chlorita tessellata Lethierry,1884** (Cicadellidae) Synonym(s): tessellata Lethierry,1884 Range (in code): BG CS GR IT RO TN TR AZ GG Cc KG KK RU UA 06 24 35 37 42 50
- 1027. Chlorita uvaroviana Zachvatkin,1946** (Cicadellidae) Synonym(s): uvaroviana Zachvatkin,1946; azerbeidzhana Zachvatkin,1946 Range (in code): TR Cc AZ 45
- 1028. Chlorita vana Dlabola,1971** (Cicadellidae) Synonym(s): vana Dlabola,1971 Range (in code): IR TR 58 65
- 1029. Chroocacus psittaceus Emeljanov,1962** (Cicadellidae) Synonym(s): psittaceus Emeljanov,1962 Range (in code): RU Cc
- 1030. Chunrocerus balcanicus (Horvath,1903)** (Cicadellidae) Synonym(s): balcanicus Horvath,1903 Range (in code): BG RO TR YU
- 1031. Chunrocerus pruni (Ribaut,1952)** (Cicadellidae) Synonym(s): pruni Ribaut,1952 Range (in code): BG FR IT RU Cc Da
- 1032. Cicadella spectra (Distant,1908)** (Cicadellidae) Synonym(s): spectra Distant,1908 Range (in code): AF AT IR JP
- 1033. Cicadella viridis (Linnaeus,1758)** (Cicadellidae) Synonym(s): viridis Linnaeus,1758; arundinis Germar,1821; flavicatella Graaf,1854; concolor Haupt,1912 Range (in code): AL AT BE BG CN CS DK FI FR DE GB GR HU IE JP KP MN NL NO PL RO ES SE SW TR Cc AM AZ BY EE GG KG KK LV MD RU Sb UZ YU 16 34 17 21 22 24 35 36 39 45 47 48 55 56 59 76
- 1034. Cicadula divaricata Ribaut,1952** (Cicadellidae) Synonym(s): divaricata Ribaut,1952; Ribaut,1952 Range (in code): AF DZ BG FR IL Pa IT Sa MA SY TN TR RU Cc AZ IR UZ 01 06 09 14 16 18 21 24 35 44 47 54 57 63 73
- 1035. Cicadula flori (Sahlberg,1871)** (Cicadellidae) Synonym(s): flori Sahlberg,1871; danensis Linnavuori,1962 Range (in code): CZ DK EE FI FR DE HU IL Pa KG LT MN NO PL RU Us Sb SK SE CH UA TR 30
- 1036. Cicadula lineatopunctata (Matsumura,1908)** (Cicadellidae) Synonym(s): lineatopunctata Matsumura,1908; siciliensis Matsumura,1908; divaricata Ribaut,1952 Range (in code): AF DZ BG PT FR IL IT Si MA SY TN TR Cc AZ UZ 01 06 07 09 10 14 16 18 21 44 47 54 57 63 81

- 1037. *Cicadula mesasiatica* (Dubovsky,1966)** (Cicadellidae) Synonym(s): *mesasiatica* Dubovsky,1966  
Range (in code): IR TR 44
- 1038. *Cicadula placida* (Horvath,1897)** (Cicadellidae) Synonym(s): *placida* Horvath,1897 Range (in code): BG CS FR HU IT RO MD RU YU TR 05 16 19 34 41 42 54
- 1039. *Cicadula quadrinotata* (Fabricius,1794)** (Cicadellidae) Synonym(s): *quadrinotata* Fabricius,1794; *strigipes* Zetterstedt,1828; *spilotocephala* Hardy,1850 Range (in code): AL DZ AT BG TR ES Cn CN Mc CS FI FR DE GB HU IS IE IT Sa JP KP MN NL NO PL PT RO SE SW EE GG Cc KG KK LV MD RU Sb UA 06 14 18 54
- 1040. *Cicadulella pallida* (Haupt,1927)** (Cicadellidae) Synonym(s): *pallida* Haupt,1927 Range (in code): EG IL
- 1041. *Cicadulina bipunctata* (Melichar,1904)** (Cicadellidae) Synonym(s): *bipunctata* Melichar,1904; *bipunctella* Matsumura,1908; *zeae* China,1926 Range (in code): DZ ES Cn Md GR Cr CY EG IQ IL Pa JP JO LY TN TR PK 01 07 33 35
- 1042. *Cicadulina zeae* China,1926** (Cicadellidae) Synonym(s): *zeae* China,1926 Range (in code): Cn Md CY TR AU 01 33
- 1043. *Circulifer haematoceps* (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *haematoceps* Mulsant & Rey,1855; *haagi* Kirschbaum,1868; *opacus* Kirschbaum,1868; *rubrotinctus* Kirschbaum,1868; *opacipennis* Lethierry,1876; *vittiventris* Lethierry,1876; *diluta* Ferrari,1882; *picta* Ferrari,1882; *minor* Ferrari,1884; *futilis* Horvath,1909; *unicolor* Haupt,1927; *haupti* Zachvatkin,1935; *viridiflavus* Lindberg,1948; *interibilis* Lindberg,1948  
Range (in code): AF DZ AT ES Cn CY CS EG FR DE GR HU IR IT JO LB LY Md MN MA PL RO ES SY TN TR AM AZ GG Cc KG KK MD RU TM UA UZ YU 01 04 06 07 13 25 30 33 38 41 42 48 50 58 62 65 68
- 1044. *Colladonus torneellus* (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *torneellus* Zetterstedt,1828; *oxalidis* Fieber,1875 Range (in code): AT BE CN Mc DK GB FI FR DE HU IT KP KR MN NO PL RO SE CH TN RU TR 14
- 1045. *Coloborrhis damaspina* (Dlabola,1957)** (Cicadellidae) Synonym(s): *damaspina* Dlabola,1957  
Range (in code): AF
- 1046. *Concavifer bolkarensis* Kartal,1981** (Cicadellidae) Synonym(s): *bolkarensis* Kartal,1981 Range (in code): TR 70
- 1047. *Concavifer marmoratus* Dlabola,1960** (Cicadellidae) Synonym(s): *marmoratus* Dlabola,1960  
Range (in code): IR IL KG TJ
- 1048. *Conosanus obsoletus* (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *obsoletus* Kirschbaum,1858; *sejungendus* Kirschbaum,1868; *covexus* Kirschbaum,1868; *sempunctatus* Sahlberg,1871; *piceus* Scott,1875 Range (in code): AL DZ AT Az BE BG CY CS DK FR DE GB GR HU IE IT Si NL PL PT RO ES SE SW TR LV MD UA YU IR 01 06 09 10 14 35 40 51 81
- 1049. *Coryphalus gyllenhalii* (Fallén,1826)** (Cicadellidae) Synonym(s): *gyllenhalii* Fallén,1826 Range (in code): AT FI DE NO PL SE Cc AZ EE KG LV RU UA
- 1050. *Deltocephalus pulicaris* (Fallén,1806)** (Cicadellidae) Synonym(s): *pulicaris* Fallén,1806; *convexus* Rey,1894; *fumigatus* Rey,1894 Range (in code): DZ AD AT BE BG CZ DK GB FI FR DE HU IT Si MN NL NO PL RO SE CH RU YU CA TR 25
- 1051. *Dikraneura variata* Hardy,1850** (Cicadellidae) Synonym(s): *variata* Hardy,1850; *agnatus* Lethierry,1850; *lenensis* Linnavuori,1953 Range (in code): AT BE CS DK FI DE GB GR HU IT NL PL RO SW TR KG LV RU Sb UA CA 26
- 1052. *Diplocolenus abdominalis* (Fabricius,1803)** (Cicadellidae) Synonym(s): *abdominalis* Fabricius,1803 Range (in code): DZ AT BE BG CS DK FI DE GB HU IT KP MN MA NO PL RO ES SW Cc AM TR AZ EE Kmt KG KK LV MD RU Sb UA YU
- 1053. *Diplocolenus frauenfeldi* (Fieber,1869)** (Cicadellidae) Synonym(s): *frauenfeldi* Fieber,1869; *altaicus* Vilbaste,1965 Range (in code): AT BG CS FR DE HU IT MN RO ES TR KG KK MD RU Sb At Krl UA UZ 06 25 36
- 1054. *Diplocolenus parcanicus* Dlabola,1948** (Cicadellidae) Synonym(s): *parcanicus* Dlabola,1948  
Range (in code): CS BG HU Cc GG RU YU
- 1055. *Diplocolenus rustavelicus* Logvinenko,1971** (Cicadellidae) Synonym(s): *rustavelicus* Logvinenko,1971 Range (in code): Cc GG
- 1056. *Dlabolaracus klapperichi* (Dlabola,1957)** (Cicadellidae) Synonym(s): *klapperichi* Dlabola,1957  
Range (in code): AF
- 1057. *Docotettix cornutus* Ribaut,1948** (Cicadellidae) Synonym(s): *cornutus* Ribaut,1948 Range (in code): CY GR TR 07 09 35
- 1058. *Doratulina acuticeps* (Ribaut,1948)** (Cicadellidae) Synonym(s): *acuticeps* Ribaut,1948 Range (in code): CY IL Pa TR GR YU IR 31
- 1059. *Doratulina curtipennis* (Dlabola,1957)** (Cicadellidae) Synonym(s): *curtipennis* Dlabola,1957  
Range (in code): AF
- 1060. *Doratulina instabilis* (Ribaut,1948)** (Cicadellidae) Synonym(s): *instabilis* Ribaut,1948 Range (in code): AF CY EG GR IL Pa IT LY TR 06 31 42 56
- 1061. *Doratulina longipennis* (Dlabola,1957)** (Cicadellidae) Synonym(s): *longipennis* Dlabola,1957  
Range (in code): AF



- 1062. *Doratulina luxoriensis* (Linnavuori,1952)** (Cicadellidae) Synonym(s): luxoriensis Linnavuori,1952 Range (in code): EG IL
- 1063. *Doratulina pallifrons* (Horvath,1897)** (Cicadellidae) Synonym(s): pallifrons Horvath,1897; margaritacea Horvath,1897 Range (in code): CY HU IQ JO RO YU TR 33
- 1064. *Doratura caucasica* Melichar,1913** (Cicadellidae) Synonym(s): caucasica Melichar,1913 Range (in code): Cc AM GG
- 1065. *Doratura concors* Horvath,1903** (Cicadellidae) Synonym(s): concors Horvath,1903; semenovi Kusnezov,1952; dzungarica Mitjaev,1971 Range (in code): CZ HU IT PL RU YU TR 06 35 56
- 1066. *Doratura exilis* Horvath,1903** (Cicadellidae) Synonym(s): exilis Horvath,1903 Range (in code): AL AD AT BG TR CS FR DE HU IT MN PL PT RO SE Cc AM KG MD RU Sb UA YU 06
- 1067. *Doratura heterophyla* Horvath,1903** (Cicadellidae) Synonym(s): heterophyla Horvath,1903 Range (in code): AT BG GR IT RO TR MD UA UZ YU 01 22
- 1068. *Doratura homophyla* (Flor,1861)** (Cicadellidae) Synonym(s): homophyla Flor,1861 Range (in code): AL AT BE BG CS DK FI FR DE HU IQ IT IL MN NL PL RO SE TR AM AZ Cc EE KG KK LV MD RU Sb UA UZ YU 01 05 06 07 14 21 26 27 31 57 65 71
- 1069. *Doratura impudica* Horvath,1897** (Cicadellidae) Synonym(s): impudica Horvath,1897 Range (in code): AL AT BG CS DK FR DE GB HU IT NL PL RO SE TR KG KK MD UA UZ YU 06 25 27 50 65
- 1070. *Doratura salina* Horvath,1903** (Cicadellidae) Synonym(s): salina Horvath,1903 Range (in code): TR 06 35 56
- 1071. *Doratura stylata* (Boheman,1847)** (Cicadellidae) Synonym(s): stylata Boheman,1847; macroptera Kusnezov,1928 Range (in code): AL DZ AT BE BG CS DK FI FR DE GB HU IT NL NO PL PT ES SE SW TN EE Cc GG TR KG KK LV MD RU Sb UA YU 05 06 29 36 52 55 57 60 65 69
- 1072. *Doratura veneta* Dlabola,1969** (Cicadellidae) Synonym(s): veneta Dlabola,1969 Range (in code): IT TR 36 71 76
- 1073. *Doraturopsis heros* (Melichar,1902)** (Cicadellidae) Synonym(s): heros Melichar,1902 Range (in code): CN Ui IR Cc AM GG TR KG RU TM UA UZ 19
- 1074. *Dorycephalus baeri* Kuschakewisch,1866** (Cicadellidae) Synonym(s): baeri Kuschakewisch,1866 Range (in code): AT CZ HU RU TR 06
- 1075. *Dryodurgades anaticus* Dlabola,1957** (Cicadellidae) Synonym(s): anaticus Dlabola,1957 Range (in code): BG GR TR 01 06 07
- 1076. *Dryodurgades dlabolai* Wagner,1963** (Cicadellidae) Synonym(s): dlabolai Wagner,1963 Range (in code): HU IT RU MD UA YU BG FR TR 06 33 35 66
- 1077. *Dryodurgades reticulatus* (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): reticulatus Herrich-Schäffer,1834 Range (in code): AF? AL? AT BE? BG CS FR? DE GR HU IR? IT PT? RO SW AM AZ Cc MD? YU TR 03 06 15 18 21 32 42 43 51 52 64 66
- 1078. *Durgades idiocera* Pruthi,1930** (Cicadellidae) Synonym(s): idiocera Pruthi,1930 Range (in code): PK
- 1079. *Durgades sympatrica* Viraktamath,2004** (Cicadellidae) Synonym(s): sympatrica Viraktamath,2004 Range (in code): PK
- 1080. *Durgula lycii* Emeljanov,1964** (Cicadellidae) Synonym(s): lycii Emeljanov,1964 Range (in code): IR KG
- 1081. *Ebarrius cognatus* (Fieber,1869)** (Cicadellidae) Synonym(s): cognatus Fieber,1869 Range (in code): AL AT BG S FI FR GB HU IT NO PL RO SE TR Cc AM GG YU 05 06 07 14 18 24 25 36 38 51 57 65
- 1082. *Ebarrius intertinctus* (Fieber,1869)** (Cicadellidae) Synonym(s): intertinctus Fieber,1869 Range (in code): AT FR HU IT MN PL SW Cc GG YU
- 1083. *Edwardsiana avellanae* (Edwards,1888)** (Cicadellidae) Synonym(s): avellanae Edwards,1888; bidentata Edwards,1914; #avellana Lodos & Kalkandelen,1984 Range (in code): AT BG CS FI FR DE GB HU NL PL SE SW MD RU UA TR 28
- 1084. *Edwardsiana flavescens* (Fabricius,1794)** (Cicadellidae) Synonym(s): flavescens Fabricius,1794; fratercula Edwards,1908; sororcula Ossiannilsson,1936 Range (in code): AT BG CS FR DE GB HU NL PL RO SE Cc GG TR MD RU UA 06 65
- 1085. *Edwardsiana frustrator* (Edwards,1908)** (Cicadellidae) Synonym(s): frustrator Edwards,1908; solearis Ribaut,1931 Range (in code): CS DK FI FR DE GB NL PL SE SW Cc GG UA CA
- 1086. *Edwardsiana iranica* Zachvatkin,1947** (Cicadellidae) Synonym(s): iranica Zachvatkin,1947 Range (in code): IR
- 1087. *Edwardsiana kemneri* (Ossiannilsson,1942)** (Cicadellidae) Synonym(s): kemneri Ossiannilsson,1942 Range (in code): CY CS MN RO SE
- 1088. *Edwardsiana lethierryi* (Edwards,1881)** (Cicadellidae) Synonym(s): lethierryi Edwards,1881; chromata Rey,1894; plurispinosa Wagner,1935 Range (in code): DZ AT BG CS DK FR DE GB HU IE IT MA NL PL RO SE SW TR Cc GG MD UA YU 34
- 1089. *Edwardsiana pseudoplatani* Logvinenko,1966** (Cicadellidae) Synonym(s): pseudoplatani Logvinenko,1966 Range (in code): RU Cc

- 1090. *Edwardsiana rosae* (Linnaeus,1758)** (Cicadellidae) Synonym(s): *rosae* Linnaeus,1758; *laetifica* Rey,1894; *subcarnea* Rey,1894; *manca* Ribaut,1936 Range (in code): AT BE BG CY CS DK FI FR DE GB HU IE IT Si JP NL NO PL RO ES SE SW AZ Cc KG KK LV MD RU TJ UA TR UZ YU 01 06 30 38 42 46 50 51 70
- 1091. *Edwardsiana salicicola* (Edwards,1885)** (Cicadellidae) Synonym(s): *salicicola* Edwards,1885 Range (in code): AT CS DK FI FR DE GB HU IR TR MN NL PL RO SE SW KG RU At 06 16
- 1092. *Edwardsiana sociabilis* (Ossiannilsson,1936)** (Cicadellidae) Synonym(s): *sociabilis* Ossiannilsson,1936 Range (in code): CS FI DE PL SE Cc GG
- 1093. *Edwardsiana spinigera* (Edwards,1924)** (Cicadellidae) Synonym(s): *spinigera* Edwards,1924 Range (in code): AT BG CS FR DE GB NL PL TR GG Cc YU 28
- 1094. *Edwardsiana tersa* (Edwards,1914)** (Cicadellidae) Synonym(s): *tersa* Edwards,1914 Range (in code): CS DK FR DE GB NL PL SE TR RU At
- 1095. *Edwardsiana trigonometrica* Logvinenko,1966** (Cicadellidae) Synonym(s): *trigonometrica* Logvinenko,1966 Range (in code): RU Cc
- 1096. *Edwardsiana tshinari* Zachvatkin,1947** (Cicadellidae) Synonym(s): *tshinari* Zachvatkin,1947 Range (in code): IL Pa Cc CY TR GG MD UZ 07 34 41 81
- 1097. *Elymana sulphurella* (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *virescens* Fabricius,1794 (*praeocc.*); *sulphurella* Zetterstedt,1828; *combibus* Matsumura,1906; *excisus* Haupt,1917 Range (in code): DZ AT BE BG CN CY CS DK FI FR DE GB HU IE JP KP IT MA NL NO PL PT RO ES SE SW TR EE KG KK LV RU At Sb UA YU
- 1098. *Emelyanoviana mollicula* (Boheman,1845)** (Cicadellidae) Synonym(s): *mollicula* Boheman,1845; *fascialis* Flor,1861; *florii* Kirschbaum,1868; *albicans* Lethierry,1876 Range (in code): AL AT BE BG CS DK FI FR DE GB HU IT NL TN TR EE GG Cc KG LV MD RU UA YU 06 35 81
- 1099. *Empoasca decipiens* Paoli,1930** (Cicadellidae) Synonym(s): *decipiens* Paoli,1930; *bifurcata* Cerutti,1939; *meridiana* Zachvatkin,1946; *minutissima* Vilbaste,1961 Range (in code): AF AT BG CS EG FR DE GB IR IQ IL Pa IT JO LB LY MA NL PL RO ES SW TN TR CY GG Cc KK RU TJ TM UZ PK 01 07 33
- 1100. *Empoasca solani* (Curtis,1846)** (Cicadellidae) Synonym(s): *solani* Curtis,1846; *pteridis* Dahlbom,1850; *solanituberosi* Kollar,1852; *roseiventris* Rey,1894; *tullgreni* Ribaut,1933; *dlabolae* Lindberg,1960 Range (in code): AL DZ AT BE BG CS DK FI FR DE GB IT MN MA NL PL PT RO ES SE SW TN TR GG Cc KG MD RU UA YU 01 06 11 15 18 24 27 34 36 37 42 50 55 57 63 65 76
- 1101. *Empoasca vitis* (Göthe,1875)** (Cicadellidae) Synonym(s): *vitis* Göthe,1875; *aurantiaca* Lethierry,1880; *viticola* Targioni-Tozzetti,1888; *subvaria* Rey,1894; *vitium* Paoli,1931; *punctata* Kato,1933; *petiolata* Cerutti,1939 Range (in code): DZ AT BE CN Mc CS DK EG FI FR DE GB HU IE IT Sa JP KP NL NO IL PL PT RO ES SE SW TN TR AM AZ Cc EE GG LV MD RU Sb Us TJ UA UZ YU
- 1102. *Eohardya fraudulentus* (Horvath,1903)** (Cicadellidae) Synonym(s): *fraudulentus* Horvath,1903; *imitatus* Haupt,1924; *byzantina* Zachvatkin,1946; *mira* Zachvatkin,1946; *insularis* Lindberg,1948 Range (in code): AL CY GR CS FR HU IR IL Pa IR IT Sa Si RO TR Cc AM GG KG UA YU 06 07 34
- 1103. *Erythria* (s.str.) *aureola* (Fallén,1806)** (Cicadellidae) Synonym(s): *aureola* Fallén,1806; *chlorophana* Herrich-Schäffer,1843; *luteipes* Prohaska,1923 Range (in code): AT BE CZ DK GB FI FR DE IT NL NO PL RO SE ES CH RU YU IR TR 06 56
- 1104. *Erythria* (s.str.) *manderstjernii* (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *manderstjernii* Kirschbaum,1868; *dilatatus* Fieber,1872 Range (in code): AT BE CS FR DE IT PL RO SW AZ Cc UA
- 1105. *Erythria* (s.str.) *seclusa* Horvath,1803** (Cicadellidae) Synonym(s): *Horvath*,1803 Range (in code): BG CY IT Sa YU
- 1106. *Eupelix cuspidata* (Fabricius,1775)** (Cicadellidae) Synonym(s): *cuspidata* Fabricius,1775; *porrecta* Fourcroy,1785; *depressa* Fabricius,1803; *fuliginosa* Peletier & Serville,1825; *spatulata* Germar,1838; *producta* Germar,1838; *zelleri* Kirschbaum,1868; *marginata* Signoret,1879; *sinuata* Lindberg,1948 Range (in code): AL DZ AT BE ES Cn CY CS DK EG FI FR DE GB HU IQ IE IL IT MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ EE GG Cc KG KK LV MD RU Sb TJ UA UZ YU IR 01 02 03 06 07 08 10 17 21 25 42 44 46 47 50 51 63
- 1107. *Eupterycyba jucunda* (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): *jucunda* Herrich-Schäffer,1837; *zetterstedti* Boheman,1845 Range (in code): AT BE BG TR CS DK FR DE GB HU IT NL PL RO ES SE EE LV UA YU 35 48
- 1108. *Eupteryx adspersa* (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *adspersa* Herrich-Schäffer,1838; *gallica* Wagner,1939 Range (in code): AT BG TR CS DK FR DE GB HU IT NL PL AM Cc KG MD RU UA
- 1109. *Eupteryx alticola* Ribaut,1936** (Cicadellidae) Synonym(s): *alticola* Ribaut,1936; *bilobata* Cerutti,1939; *unita* Cerutti,1939 Range (in code): AF AT CS FI FR DE IT IQ RO SW TR RU MD
- 1110. *Eupteryx assectator* Logvinenko,1966** (Cicadellidae) Synonym(s): *assectator* Logvinenko,1966 Range (in code): RU Cc
- 1111. *Eupteryx atropunctata* (Goeze,1778)** (Cicadellidae) Synonym(s): *atropunctata* Goeze,1778; *nigropunctata* Schrank,1781; *carpini* Fourcroy,1785; *tripunctata* Gmelin,1790; *melanostica* Gmelin,1790; *pieta* Fabricius,1794; *aureola* Boheman,1845; *petasitidis* Ferrari,1882; *impunctata* Cerutti,1939; *marginata* Cerutti,1939 Range (in code): AL DZ AT BE BG CS DK FI DE GB HU IT NL PL RO ES SE SW TR AM GG Cc LV RU MD YU 06 24 25 34 36 55 61

- 1112. Eupteryx aurata (Linnaeus,1758)** (Cicadellidae) Synonym(s): aurata Linnaeus,1758; festiva Fabricius,1794; fulva Herrich-Schäffer,1836; interpuncta Cerutti,1939; nigerrima Cerutti,1939 Range (in code): AT BE BG CS DK FR DE GB HU IE IT NL NO PL RO ES SE SW GG Cc TR IR LV MD RU UA YU 29 35 37 52 61 67
- 1113. Eupteryx collina (Flor,1861)** (Cicadellidae) Synonym(s): collina Flor,1861; florida Ribaut,1936 Range (in code): AT BG CS FR DE GB GR IT MA NL PL RO ES SW GG Cc TR LV MD RU TJ UA UZ YU CA 53
- 1114. Eupteryx cypria (Ribaut,1948)** (Cicadellidae) Synonym(s): cypria Ribaut,1948 Range (in code): CY EG IL Pa GR Cr IR JO TR KG 01 07
- 1115. Eupteryx fahringeri Melichar,1911** (Cicadellidae) Synonym(s): fahringeri Melichar,1911 Range (in code): TR 07 16 35
- 1116. Eupteryx falculata Ribaut,1936** (Cicadellidae) Synonym(s): falculata Ribaut,1936 Range (in code): TR 14
- 1117. Eupteryx filicum (Newman,1853)** (Cicadellidae) Synonym(s): filicum Newman,1853; laureti Lindberg,1936 Range (in code): Az BE ES Cn CS FR GB GR IT Md NL PL PT SW TR TM 35
- 1118. Eupteryx formaster Logvinenko,1966** (Cicadellidae) Synonym(s): formaster Logvinenko,1966 Range (in code): RU Cc
- 1119. Eupteryx gyaurdagicus Dlabola,1957** (Cicadellidae) Synonym(s): gyaurdagicus Dlabola,1957 Range (in code): GR Cr TR 01 03 06 07 10 14 31 32 35 45 50 56 57
- 1120. Eupteryx insulana (Ribaut,1948)** (Cicadellidae) Synonym(s): insulana Ribaut,1948 Range (in code): CY IL TR 07
- 1121. Eupteryx iranica Linnavuori,1953** (Cicadellidae) Synonym(s): iranica Linnavuori,1953 Range (in code): IR
- 1122. Eupteryx melissae Curtis,1837** (Cicadellidae) Synonym(s): melissae Curtis,1837 Range (in code): DZ TN AT BE BG TR CS DK FR DE GB GR Cr HU IT Sa Si MA NL PT RO ES SY Cc UA UZ? CA 06 10 37 57 73
- 1123. Eupteryx nemoricola Linnavuori,1962** (Cicadellidae) Synonym(s): nemoricola Linnavuori,1962 Range (in code): IL
- 1124. Eupteryx notata Curtis,1837** (Cicadellidae) Synonym(s): notata Curtis,1837; wallengreni Stal,1853; dimiunta Kirschbaum,1868 Range (in code): AT BE BG TR CS DK FI FR DE GB HU IE MN NL NO PL RO SE SW EE KG LV RU Sb UA YU 13
- 1125. Eupteryx orientalis Linnavuori,1953** (Cicadellidae) Synonym(s): orientalis Linnavuori,1953 Range (in code): AF KG KK TM UZ
- 1126. Eupteryx pavlovskii Zachvatkin,1947** (Cicadellidae) Synonym(s): pavlovskii Zachvatkin,1947; tochalica Dlabola,1974 Range (in code): IR TR 24
- 1127. Eupteryx praestabilis Logvinenko,1966** (Cicadellidae) Synonym(s): praestabilis Logvinenko,1966 Range (in code): RU Cc
- 1128. Eupteryx stachydearum (Hardy,1850)** (Cicadellidae) Synonym(s): stachydearum Hardy,1850; curtisii Flor,1861; catenata Rey,1894; confluens Rey,1894; continua Cerutti,1939 Range (in code): DZ AT BE BG CS CY DK DE GB HU IE IT NL NO IL PL PT RO ES SE SW TR AM AZ GG Cc KG LV MD RU UA YU 06 41 52 53 61 65
- 1129. Eupteryx taborskyi Dlabola,1957** (Cicadellidae) Synonym(s): taborskyi Dlabola,1957 Range (in code): AF IR TR 06 24 42 50 57 65 66
- 1130. Eupteryx tenella (Fallén,1806)** (Cicadellidae) Synonym(s): tenella Fallén,1806; pulchella Herrich-Schäffer,1834 Range (in code): AT CS FI DE GB HU IT NL NO PL RO SW TR RU LV MD UA 16
- 1131. Eupteryx thoulessi Edwards,1926** (Cicadellidae) Synonym(s): thoulessi Edwards,1926 Range (in code): AT CS FR DE GB HU IT RO SE SW Cc TR GG UA YU 42
- 1132. Eupteryx urticae (Fabricius,1803)** (Cicadellidae) Synonym(s): urticae Fabricius,1803; tarsalis Curtis,1837; jucunda Hardy,1850 (praeocc.); octonotata Hardy,1850; basalis Rey,1894; conjuncta Rey,1894; haupti Wagner,1935; deficiens Ribaut,1936; glomerata Ribaut,1936 Range (in code): AL AT BE BG CS DK FR DE GB HU IE IT NL NO PL PT RO ES SE SW AM GG TR KG LV MD RU Sb UA YU 08 38 50 53 61 67
- 1133. Eupteryx zelleri (Kirschbaum,1868)** (Cicadellidae) Synonym(s): zelleri Kirschbaum,1868; putoni Lethierry,1876; hipposideros Horvath,1892; decussata Ribaut,1936 Range (in code): AL BE? BG FR GR IR IT MA PT ES SW Cc AM GG TR YU 52
- 1134. Eurhadina angulata Linnavuori,1962** (Cicadellidae) Synonym(s): angulata Linnavuori,1962 Range (in code): IL
- 1135. Eurhadina ribauti Wagner,1935** (Cicadellidae) Synonym(s): ribauti Wagner,1935; umbrata Ribaut,1936 Range (in code): CY TR FI FR DE NL SE 01 35
- 1136. Eurhadina saageri Wagner,1937** (Cicadellidae) Synonym(s): saageri Wagner,1937 Range (in code): AT CS DE PL Cc GG
- 1137. Eurhadina untica Dlabola,1967** (Cicadellidae) Synonym(s): untica Dlabola,1967 Range (in code): TR 35
- 1138. Euscelidius mundus (Haupt,1927)** (Cicadellidae) Synonym(s): mundus Haupt,1927; orientalis Dlabola,1957 Range (in code): AF IR IL Pa JO GR Cr TR KG KK 01 06 07 21 25 27 31 32 33 35 47 63 65



- 1139. Euscelidius obenbergeri Dlabola,1957** (Cicadellidae) Synonym(s): obenbergeri Dlabola,1957 Range (in code): TR 06
- 1140. Euscelidius schenkii (Kirschbaum,1868)** (Cicadellidae) Synonym(s): schenkii Kirschbaum,1868; zetterstedti Melichar,1896 Range (in code): AT BG ES Cn CY CS DK FI FR DE GR HU IQ IT NO PL RO SE TN AM AZ Cc KG RU Sb UA UZ YU 01 06 07 16 21 33 35 72
- 1141. Euscelidius variegatus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): variegatus Kirschbaum,1858; irroratus Scott,1875; doderi Ferrari,1888; maculosus Rey,1891; duplex Rey,1894 Range (in code): DZ AT Az BE BG ES Cn CS FR DE GB IT Sa Si MA NL PL PT ES TN AM AZ Cc MD RU Sb TJ UA YU 07 16 34
- 1142. Euscelis alsoides Remane,1967** (Cicadellidae) Synonym(s): alsoides Remane,1967 Range (in code): IQ IR TR 07
- 1143. Euscelis alsius Ribaut,1952** (Cicadellidae) Synonym(s): alsius Ribaut,1952 Range (in code): BG FR IL Pa IT MN MA PT ES EG GR TR KG KK UZ IR 01 06 07 14 33 50 51 65
- 1144. Euscelis caucasicus Emeljanov,1962** (Cicadellidae) Synonym(s): caucasicus Emeljanov,1962 Range (in code): GG Cc
- 1145. Euscelis distinguendus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): distinguendus Kirschbaum,1858 Range (in code): AL AT BG CS FI FR DE GR IQ IT Si NL NO PL PT RO SE TN TR EE RU UA YU 22
- 1146. Euscelis incisus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): plebeja Fallén,1806; incisus Kirschbaum,1858; obscurellus Kirschbaum,1858; pallidior Kirschbaum,1868; communis Edwards,1868; tessellatus Rey,1891; fusciventris Rey,1894; paradoxus Rey,1894; ochreata Haupt,1927; albingensis Wagner,1939; galiberti Ribaut,1952; subplebejus H.Müller,1954; superplebejus H.Müller,1954; aestivalis H.Müller,1954; vernalis H.Müller,1954 Range (in code): AF AL DZ AT BE BG TR CY CS DK FR DE GB HU IR IE IL IT JO Md NL NO PL PT RO ES SE SW TN AM AZ KG GG Cc KK LV MD RU Sb UA UZ YU 01 06 07 10 15 22 26 32 33 34 38 41
- 1147. Euscelis lineolatus Brullé,1832** (Cicadellidae) Synonym(s): lineolatus Brullé,1832; nitidus Curtis,1833; stictopterus Flor,1861; ochrosomus Kirschbaum,1868; bilunaris Rey,1891; bilobatus Wagner,1952 Range (in code): AL DZ BG TR ES Cn FR DE GB GR HU IE IT JO MA NL PT ES SW TN AZ Cc UZ YU 06 07 08 10 35 39 40 42 44 45 51 55 61 64 71
- 1148. Evacanthus acuminatus (Fabricius,1794)** (Cicadellidae) Synonym(s): acuminatus Fabricius,1794; acuminatus Turton,1802; interstincta Fallén,1806; germari Curtis,1833 Range (in code): AF AT BE BG CS DK FI FR DE HU IE IT JP KP MN NL NO PL RO GG Cc TR KG LV MD RU Sb UA YU 08 28 29 35 53 55 58 60
- 1149. Evacanthus interruptus (Linnaeus,1758)** (Cicadellidae) Synonym(s): interruptus Linnaeus,1758; bicordata Scopoli,1763; hemiptera Piller & Mitterpacher,1783; moesta Zetterstedt,1828; nigroflavus Stal,1858; nigricans Matsumura,1911; miyakei Matsumura,1911; xanthus Oshanin,1912; pallidus Matsumura,1912; svaneticus Melichar,1913; rubescens Haupt,1925; striatus Kusnezov,1929 Range (in code): AL AT BE BG Cn Mc CS DK FI FR DE GB HU IE IT Si JP Hkk KP MN NO PL RO ES SE SW EE GG Cc TR KG KK LV MD RU Sb UA YU 06 08 29 35 53 58 60
- 1150. Exitianus capicola (Stal,1855)** (Cicadellidae) Synonym(s): capicola Stal,1855; taeniaticeps Kirschbaum,1868; ragusai Haupt,1924; albipennis Haupt,1927 Range (in code): AL DZ ES Cn CY EG FR GR HU IR IQ IL Pa IT JO Md TR MA TN PT ES TJ ZA 01 07 33 35 48
- 1151. Exitianus fasciolatus (Melichar,1911)** (Cicadellidae) Synonym(s): fasciolatus Melichar,1911; vulneratus Bergevin,1925; unifasciatus Haupt,1930 Range (in code): AF DZ ES Cn EG IR IT JO LY IL Pa Md TN TR TM UZ 01 07 13 21 27 35 42 46 50 51 54 63 70 73
- 1152. Exitianus nanus (Distant,1908)** (Cicadellidae) Synonym(s): nanus Distant,1908 Range (in code): IQ
- 1153. Fagocyba cruenta (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): cruenta Herrich-Schäffer,1838; opaca Edwards,1888; inquinata Ribaut,1936 Range (in code): AT BG CS DK FI FR DE GB HU NL NO PL RO SE SW GG Cc MD UA YU
- 1154. Ficocyba ficaria (Horvath,1897)** (Cicadellidae) Synonym(s): ficaria Horvath,1897 Range (in code): BG TR FR IL Pa IT Sa MA ES YU 53 57 61
- 1155. Fieberiella aschei Meyer-Arndt,1988** (Cicadellidae) Synonym(s): aschei Meyer-Arndt,1988 Range (in code): TR 07
- 1156. Fieberiella chioscola Meyer-Arndt,1988** (Cicadellidae) Synonym(s): chioscola Meyer-Arndt,1988 Range (in code): GR TR 07
- 1157. Fieberiella florii (Stal,1864)** (Cicadellidae) Synonym(s): florii Stal,1864 Range (in code): AL AT BG CY CS FR DE GR HU IR IQ IT NL PL RO TR Cc AM AZ GG MD UA YU CA 06 41
- 1158. Fieberiella gemelina Dlabola,1965** (Cicadellidae) Synonym(s): gemelina Dlabola,1965 Range (in code): IQ TR 01 35
- 1159. Fieberiella lindbergi Wagner,1963** (Cicadellidae) Synonym(s): lindbergi Wagner,1963 Range (in code): TR CY 01
- 1160. Fieberiella lugubris Emeljanov,1964** (Cicadellidae) Synonym(s): lugubris Emeljanov,1964 Range (in code): Cc RU
- 1161. Fieberiella macchiae Linnavuori,1962** (Cicadellidae) Synonym(s): macchiae Linnavuori,1962 Range (in code): IL Pa TR Cc GG Cn Mc DE PL RO RU 01 07 20 43 48 50 78 80
- 1162. Fieberiella oenderi Dlabola,1985** (Cicadellidae) Synonym(s): oenderi Dlabola,1985 Range (in code): TR 07 32

- 1163. Fieberiella pallida Melichar,1896** (Cicadellidae) Synonym(s): pallida Melichar,1896 Range (in code): TR
- 1164. Fieberiella septentrionalis Wagner,1963** (Cicadellidae) Synonym(s): septentrionalis Wagner,1963 Range (in code): BG CN Mc CS DE IL PL RO TR Cc GG KG KK LV RU UA UZ 06 07 08 16 43 44 54
- 1165. Frutioidia (s.str.) bisignata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): bisignata Mulsant & Rey,1855; bactriana Zachvatkin,1947 Range (in code): AT BG CY FR GR IR IL IT JO PT ES SW TN TR Cc GG UA YU 01 18 28 32 35 50 52 61 78 80
- 1166. Frutioidia (s.str.) sanguinosa (Rey,1891)** (Cicadellidae) Synonym(s): sanguinosa Rey,1891; picta Melichar,1896 Range (in code): FR IT LY TR Cc GG YU IR 01 07
- 1167. Glossocratus lefroyi (Distant,1908)** (Cicadellidae) Synonym(s): lefroyi Distant,1908 Range (in code): AF
- 1168. Glossocratus syriacus (Horvath,1911)** (Cicadellidae) Synonym(s): syriacus Horvath,1911 Range (in code): SY
- 1169. Goniagnathus bolivari (Melichar,1907)** (Cicadellidae) Synonym(s): bolivari Melichar,1907; hoberlandti Dlabola,1957 Range (in code): IL Pa ES TR IR BG 01 06 50 63
- 1170. Goniagnathus brevis (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): brevis Herrich-Schäffer,1835; annulipes Lucas,1849 Range (in code): AL DZ AT BE BG CY CS FR DE HU IR IL Pa LB IT MA NL PL PT RO ES SW TN TR Cc AM AZ GG KG KK MD RU TJ UA UZ YU 01 05 06 07 15 21 22 45 47 51 55 57 60
- 1171. Goniagnathus guttulinervis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): guttulinervis Kirschbaum,1868; putoni Lethierry,1874; laminatus Ivanoff,1885; ferganensis Kusnezov,1929 Range (in code): AF DZ ES Cn CN EG FR HU IR IQ TR IL JO IT MA PT ES TN Cc AM KG RU UA UZ 07
- 1172. Goniagnathus maculatus Emeljanov,1962** (Cicadellidae) Synonym(s): maculatus Emeljanov,1962 Range (in code): IR Cc AZ GG
- 1173. Goniagnathus palliatus (Lethierry,1887)** (Cicadellidae) Synonym(s): palliatus Lethierry,1887 Range (in code): DZ EG IL Pa TR LY MA AZ Cc RU Da 12
- 1174. Grammacephalus pugio (Noualhier,1895)** (Cicadellidae) Synonym(s): pugio Noualhier,1895; turneri Evans,1947; djirofticus Dlabola,1960 Range (in code): EG IR IL SY TR 01 31
- 1175. Graphocraerus ventralis (Fallén,1806)** (Cicadellidae) Synonym(s): ventralis Fallén,1806; punctifrons Germar,1821 Range (in code): AL AT BE BG TR CS DK FI FR DE HU IT NL NO PL RO ES SE SW TN EE KG LV MD RU Sb UA YU 36 44
- 1176. Grypotes puncticollis (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): puncticollis Herrich-Schäffer,1834; pinetellus Zetterstedt,1840; fallax Kirschbaum,1868 Range (in code): DZ AT BE CS DK FI FR DE GB IT NL NO PL PT ES TN TR EE LV UA YU 05 06 10 18 52 55 57
- 1177. Grypotes staurus Ivanoff,1885** (Cicadellidae) Synonym(s): staurus Ivanoff,1885; australis Haupt,1927 Range (in code): DZ ES Cn CY FR GR IL IT Sa Si LB MA PT TR YU 01 07 31 35 42 48 55 57
- 1178. Handianus bejbienkoi Dlabola,1959** (Cicadellidae) Synonym(s): bejbienkoi Dlabola,1959 Range (in code): Cc GG KG RU UA
- 1179. Handianus caucasicus Logvinenko,1967** (Cicadellidae) Synonym(s): caucasicus Logvinenko,1967 Range (in code): Cc GG
- 1180. Handianus ignoscus (Melichar,1896)** (Cicadellidae) Synonym(s): ignoscus Melichar,1896 Range (in code): AL AT BG CS DE HU IT PL RO TR KG MD TJ UA RU Us 06
- 1181. Handianus modestus (Melichar,1896)** (Cicadellidae) Synonym(s): modestus Melichar,1896 Range (in code): RO YU RU Sb TR UA 25 36
- 1182. Handianus procerus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): procerus Herrich-Schäffer,1835; palaestinus Linnavuori,1962 Range (in code): AT BG CS FR HU IL Pa JO PL PT RO TR Cc AZ GG KG MD RU TJ UA UZ YU IR 03 04 06 07 10 13 14 22 25 32 35 42 44 50 51 63 65 67 71
- 1183. Handianus sarekandinus Dlabola,1959** (Cicadellidae) Synonym(s): sarekandinus Dlabola,1959 Range (in code): AF TJ UZ
- 1184. Hardya alpina Wagner,1955** (Cicadellidae) Synonym(s): alpina Wagner,1955 Range (in code): AF RO TR Cc AM GG
- 1185. Hardya anatolica Zachvatkin,1946** (Cicadellidae) Synonym(s): anatolica Zachvatkin,1946 Range (in code): AF BG RO TR Cc AM GG YU IR 02 06 07 10 14 23 24 32 35 38 40 44 46 50 52 70
- 1186. Hardya iranica Zachvatkin,1946** (Cicadellidae) Synonym(s): iranica Zachvatkin,1946 Range (in code): IR TR 30
- 1187. Hardya ribauti Linnavuori,1953** (Cicadellidae) Synonym(s): ribauti Linnavuori,1953 Range (in code): RU Cc TM
- 1188. Hardya sevanensis Zachvatkin,1946** (Cicadellidae) Synonym(s): sevanensis Zachvatkin,1946 Range (in code): MN Cc AM GG
- 1189. Hardya tenuis (Germar,1821)** (Cicadellidae) Synonym(s): tenuis Germar,1821; badiellus Kirschbaum,1868; fulvopicta Sahlberg,1871; confusa Rey,1894 Range (in code): AL? DZ AT BE ES Cn CS FI FR DE HU IT MA NL PL PT RO ES SE SW TN AZ GG Cc KG LV? RU UA YU

- 1190. *Hardya turanica* Zachvatkin,1946** (Cicadellidae) Synonym(s): *turanica* Zachvatkin,1946 Range (in code): Cc AZ KG KK UZ
- 1191. *Hauptidia (Melicharidia) aridula* (Linnavuori,1956)** (Cicadellidae) Synonym(s): *aridula* Linnavuori,1956 Range (in code): IL
- 1192. *Hauptidia (s.str.) armata* (Ribaut,1948)** (Cicadellidae) Synonym(s): *armata* Ribaut,1948 Range (in code): CY
- 1193. *Hauptidia (s.str.) cretacea* (Moravskaja,1948)** (Cicadellidae) Synonym(s): *cretacea* Moravskaja,1948; *furcata* Dlabola,1957 Range (in code): TR Cc AM KG RU UA IR 01 06 24
- 1194. *Hauptidia (s.str.) distinguenda* (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *distinguenda* Kirschbaum,1868; *fasciaticollis* Rey,1891; *ecbalii* Linnavuori,1962 Range (in code): AT BG CY CS FR DE IL IT PL RO SE ES SW Cc AM TR 06
- 1195. *Hauptidia (s.str.) rivularis* (Linnavuori,1962)** (Cicadellidae) Synonym(s): *rivularis* Linnavuori,1962 Range (in code): TR IL Pa 07
- 1196. *Hauptidia (s.str.) stellata* (Ribaut,1948)** (Cicadellidae) Synonym(s): *stellata* Ribaut,1948 Range (in code): CY TR 44 78
- 1197. *Hecalus eximius* (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *eximius* Kirschbaum,1868; *reticulatus* Linnavuori,1962 Range (in code): AF EG IR IL IT
- 1198. *Hecalus glaucescens* (Fieber,1866)** (Cicadellidae) Synonym(s): *glaucescens* Fieber,1866; *sulcatus* Fieber,1866; *aegyptiacus* Signoret,1879; *arenarius* Horvath,1897 Range (in code): AF BG CY CS EG HU IR IQ IL IT Si JO MA TR AM AZ GG Cc KG KK RU TJ TM UZ YU 01 02 06 44 45 48 56
- 1199. *Helionidia biplagiata* (Haupt,1927)** (Cicadellidae) Synonym(s): *biplagiata* Haupt,1927 Range (in code): IL JO
- 1200. *Helionidia himyarita* Zachvatkin,1946** (Cicadellidae) Synonym(s): *himyarita* Zachvatkin,1946; *acutistyla* Dlabola,1952; *desmanthi* Lindberg,1958 Range (in code): IR IQ IL Pa TR 01 33
- 1201. *Helionidia longifalx* (Linnavuori,1953)** (Cicadellidae) Synonym(s): *ongifalx* Linnavuori,1953 Range (in code): EG IL
- 1202. *Hephathus freyi* (Fieber,1868)** (Cicadellidae) Synonym(s): *freyi* Fieber,1868 Range (in code): DZ BG CZ FR IT MA ES TR YU AF IR 01 06 30 33 57 63
- 1203. *Hephathus nanus* (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *nanus* Herrich-Schäffer,1835; *cretacea* Fieber,1868 Range (in code): AL AT BE BG CZ FI FR DE GB HU IT JO MA NL IL PL PT RO ES SY AM AZ GG Cc TR KG KK LV MD RU Sb UA UZ YU 06 18 19 39 43
- 1204. *Hephathus orientalis* Linnavuori,1953** (Cicadellidae) Synonym(s): *orientalis* Linnavuori,1953 Range (in code): IL Pa
- 1205. *Hephathus tshakaranus* Dlabola,1957** (Cicadellidae) Synonym(s): *tshakaranus* Dlabola,1957 Range (in code): AF
- 1206. *Hephathus unicolor* (Lindberg,1926)** (Cicadellidae) Synonym(s): *unicolor* Lindberg,1926; *canus* Dlabola,1961 Range (in code): RO TR Cc AM KG KK RU Da TM UA UZ 01
- 1207. *Hesium domino* (Reuter,1880)** (Cicadellidae) Synonym(s): *biguttata* Fallén,1806 (praeocc.); *domino* Reuter,1880; *hyomelas* Csiki,1940; *falleni* Metcalf,1955 Range (in code): AL AT BE BG TR CS DK FI FR DE HU IT NO PL RO SE Cc AM GG LV MD RU UA 35
- 1208. *Hishimonus sellatus* (Uhler,1896)** (Cicadellidae) Synonym(s): *sellatus* Uhler,1896 Range (in code): AF CN JP KP Cc GG
- 1209. *Iassus lanio* (Linnaeus,1761)** (Cicadellidae) Synonym(s): *lanio* Linnaeus,1761; *brunnea* Fabricius,1794 Range (in code): AL AT BE CZ DK GB FI FR DE HU IT NL NO PL RO ES SE CH RU YU TR 13 16 18 38 39 64
- 1210. *Iassus mirabilis* Orosz,1979** (Cicadellidae) Synonym(s): *mirabilis* Orosz,1979 Range (in code): TR 10
- 1211. *Iassus pseudocerris* Abdul-Nour,1998** (Cicadellidae) Synonym(s): *pseudocerris* Abdul-Nour,1998 Range (in code): LB TR 07
- 1212. *Iassus scutellaris* (Fieber,1868)** (Cicadellidae) Synonym(s): *scutellaris* Fieber,1868 Range (in code): AT BG CS FR DE GR HU IT NL PL RO ES TR MD UA YU 02 06 09 18 35 37 38 41 48 58 59 60 66
- 1213. *Idiocerus herrichii* Kirschbaum,1868** (Cicadellidae) Synonym(s): *herrichii* Kirschbaum,1868 Range (in code): AF AT BG CS FI FR DE GB HU IT NL? NO PL RO SE SW AM GG TR IR KG KK MD RU TJ UA UZ YU 06 19 24 25 38 40 50 58 60 65
- 1214. *Idiocerus lituratus* (Fallén,1806)** (Cicadellidae) Synonym(s): *lituratus* Fallén,1806; *dorsiger* Lepeletier & Audinet-Serville,1825; *lineolatus* Lepeletier & Audinet-Serville,1825; *maculipennis* Curtis,1839; *rubrifrons* Rey,1894 Range (in code): AL AT BE BG CS DK FI FR DE GB HU IE IT MN MA NL NO PL PT RO ES SE SW TR Cc AM AZ EE KG LV MD RU Sb UA YU 06
- 1215. *Idiocerus poecilus* (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *poecilus* Herrich-Schäffer,1835 Range (in code): AT BE BG CS DK FI FR DE GB HU IQ IT MA NO PL SE SW TN KG LV RU Sb TJ UA YU
- 1216. *Idiocerus prolixus* Horvath,1894** (Cicadellidae) Synonym(s): *prolixus* Horvath,1894 Range (in code): Cc AM



- 1217. *Idiocerus proximoriens* Dlabola,1965** (Cicadellidae) **Synonym(s):** proximoriens Dlabola,1965 **Range (in code):** **AF JO**
- 1218. *Idiocerus stigmatalis* Lewis,1834** (Cicadellidae) **Synonym(s):** stigmatalis Lewis,1834; adustus Herrich-Schäffer,1837 **Range (in code):** **DZ AT BE BG TR CS DK FI FR DE GB HU IT NL NO PL ES SE LV UA YU 04 06 61**
- 1219. *Idiocerus vicinus* Melichar,1898** (Cicadellidae) **Synonym(s):** vicinus Melichar,1898 **Range (in code):** **AF AT FR DE GR Cr IT RU Da Cc ES TR IL Pa IR 01 06 11 22 26 38 43 45 51**
- 1220. *Idiocerus vittifrons* Kirschbaum,1868** (Cicadellidae) **Synonym(s):** vittifrons Kirschbaum,1868 **Range (in code):** **AT BE BG CS CY FR DE GB GR HU IT PL RO GG MD RU TJ UA YU**
- 1221. *Idioscopus clypealis* (Lethierry,1889)** (Cicadellidae) **Synonym(s):** clypealis Lethierry,1889 **Range (in code):** **PK IN TH PH LK MY PG NBr AU**
- 1222. *Idioscopus nagpurensis* (Pruthi,1930)** (Cicadellidae) **Synonym(s):** nagpurensis Pruthi,1930 **Range (in code):** **PK Pj Lh NP IN BD TH LA**
- 1223. *Idioscopus nitidulus* (Walker,1870)** (Cicadellidae) **Synonym(s):** nitidulus Walker,1870; niveosparsus Lethierry,1889; freytagi S.S.Ahmed, Naheed & M.Ahmed,1980; karachiensis S.S.Ahmed, Naheed & M.Ahmed,1980 **Range (in code):** **PK Mre Krc Sd**
- 1224. *Imbecilla imbecilla* (Linnavuori,1962)** (Cicadellidae) **Synonym(s):** imbecilla Linnavuori,1962; libanotica Dlabola,1965 **Range (in code):** **IL Pa LB TR 21 47**
- 1225. *Jassargus bucerus* Dlabola,1958** (Cicadellidae) **Synonym(s):** bucerus Dlabola,1958 **Range (in code):** **Cc GG**
- 1226. *Jassargus caucasicus* Logvinenko,1966** (Cicadellidae) **Synonym(s):** caucasicus Logvinenko,1966 **Range (in code):** **RU Cc**
- 1227. *Jassargus distinguendus* (Flor,1861)** (Cicadellidae) **Synonym(s):** distinguendus Flor,1861; pseudocellaris Flor,1861; mattiacellus Kirschbaum,1868; parallelus Fieber,1869; falleni Fieber,1869; paleaceus Sahlberg,1871; longiceps Rey,1894; confinis Rey,1894; kemneri Ossiannilsson,1935; gallicus Metcalf,1955; reyi Metcalf,1955 **Range (in code):** **AT BE CS DK FI FR DE GB IS IE IT NL NO PL RO SE SW EE Cc AM LV RU Sb UA YU**
- 1228. *Jassargus firmus* Logvinenko,1966** (Cicadellidae) **Synonym(s):** firmus Logvinenko,1966 **Range (in code):** **Cc AZ**
- 1229. *Jassargus japheticus* Emeljanov,1966** (Cicadellidae) **Synonym(s):** japheticus Emeljanov,1966 **Range (in code):** **Cc GG**
- 1230. *Jassargus kurdicus* Remane & Schultz,1976** (Cicadellidae) **Synonym(s):** kurdicus Remane & Schultz,1976 **Range (in code):** **IQ Mos TR 07 71**
- 1231. *Jassargus obtusivalvis* (Kirschbaum,1868)** (Cicadellidae) **Synonym(s):** obtusivalvis Kirschbaum,1868; picturatus Fieber,1869 **Range (in code):** **AL DZ AT CS DK FR DE GR HU IT NL PL RO SW TR Cc AZ GG MD RU Sb UA YU 36 39 55**
- 1232. *Jassargus repletus* (Fieber,1869)** (Cicadellidae) **Synonym(s):** repletus Fieber,1869 **Range (in code):** **TR 05 10 52 55 57 60**
- 1233. *Jubrinia distincta* Linnavuori,1962** (Cicadellidae) **Synonym(s):** distincta Linnavuori,1962 **Range (in code):** **EG Pa IL**
- 1234. *Kropka unipunctata* (Dlabola,1957)** (Cicadellidae) **Synonym(s):** unipunctata Dlabola,1957; vidanoi Dworakowska,1970 **Range (in code):** **BG TR GR PK YU IR 06 13 19 30 29 38 58**
- 1235. *Kyboasca bipunctata* (Oshanin,1871)** (Cicadellidae) **Synonym(s):** bipunctata Oshanin,1871; frontalis Lethierry,1884; punctum Haupt,1912 (praeocc.); haupti Ribaut,1933; ulmicola Zachvatkin,1953 **Range (in code):** **AT CN Mc CS DK? FI DE HU IT MN NL? PL RO AZ GG Cc TR KG KK MD RU Us UA UZ YU 04 05 06 08 11 21 24 32 36 44 49 50 54 56 72 73 76**
- 1236. *Kyboasca kiritshenkoi* (Zachvatkin,1953)** (Cicadellidae) **Synonym(s):** kiritshenkoi Zachvatkin,1953 **Range (in code):** **IR**
- 1237. *Kybos candelabricus* Dlabola,1958** (Cicadellidae) **Synonym(s):** candelabricus Dlabola,1958 **Range (in code):** **TR Cc GG BG GR 06 24 40 44 50 65 66**
- 1238. *Kybos populi* (Edwards,1908)** (Cicadellidae) **Synonym(s):** populi Edwards,1908; tremulae Zachvatkin,1953; zaizanensis Mitjaev,1963 **Range (in code):** **BE BG TR CS DK FI FR DE GB HU IT? MA? NL NO PL SE SW EE KG MD RU Sb UA 35**
- 1239. *Kybos smaragdulus* (Fallén,1806)** (Cicadellidae) **Synonym(s):** smaragdulus Fallén,1806; viridipes Curtis,1837 **Range (in code):** **AT BE BG CS DK FI FR DE GB HU? IE IT NL NO PL PT RO ES SE SW AM Cc KG LV RU Sb At Sh TJ UA UZ YU 34**
- 1240. *Kybos virgator* (Ribaut,1933)** (Cicadellidae) **Synonym(s):** virgator Ribaut,1933; saageri Wagner,1935 **Range (in code):** **AT BE BG CS DK FI FR DE GB GR HU IT MN NL PL RO SE SW KG MD RU TR 06 07 11 26 35 40 42 65**
- 1241. *Laburris abrotani* Emelyanov,1962** (Cicadellidae) **Synonym(s):** abrotani Emelyanov,1962 **Range (in code):** **MN RU TR UA KG 04 65**
- 1242. *Laburris handlirschi* (Matsumura,1908)** (Cicadellidae) **Synonym(s):** artemisiae Matsumura,1900 (praeocc.); handlirschi Matsumura,1908; maculosus Vilbaste,1965 **Range (in code):** **AF CS HU MN TR Cc AM AZ GG KG KK MD RU UA UZ 06 40 42 50 65**

- 1243. Laburrus impictifrons (Boheman,1852)** (Cicadellidae) Synonym(s): impictifrons Boheman,1852; sulphureus Kirschbaum,1858; thiogaster Kirschbaum,1858; anomalus Uhler,1896; vittatipes Uhler,1896 Range (in code): AT BG CN CS DK FR DE HU IT JP KP PL SE Cc GG TR KG LV MD RU Sb Us UA YU 46
- 1244. Laburrus quadratus (Forel,1864)** (Cicadellidae) Synonym(s): quadratus Forel,1864; limbatus Ferrari,1882; atrata Ribaut,1942; deleta Ribaut,1942 Range (in code): FR IT LY MA ES SW TN AM Cc
- 1245. Laminacutus libanensis Abdul-Nour,2001** (Cicadellidae) Synonym(s): libanensis Abdul-Nour,2001 Range (in code): LB TR 07
- 1246. Ledra aurita (Linnaeus,1758)** (Cicadellidae) Synonym(s): aurita Linnaeus,1758; cristata Schreber,1759; secunda Schaeffer,1767 Range (in code): AL AT BE BG CN CS DK FI FR DE GB HU IT NL NO PL PT RO SE SW AZ GG Cc MD RU UA YU TR 08 16 29 52 53 55 59 64
- 1247. Liguropia juniperi (Lethierry,1876)** (Cicadellidae) Synonym(s): juniperi Lethierry,1876; menozii Haupt,1930 Range (in code): DZ CY FR IT Sa Si TN TR YU 01 35
- 1248. Limassolla pistaciae (Linnavuori,1962)** (Cicadellidae) Synonym(s): pistaciae Linnavuori,1962 Range (in code): CY IL
- 1249. Limotettix aviger Emeljanov,1964** (Cicadellidae) Synonym(s): aviger Emeljanov,1964 Range (in code): Cc AZ RU
- 1250. Limotettix striola (Fallén,1806)** (Cicadellidae) Synonym(s): striola Fallén,1806; frenatus Germar,1821; ferganensis Dubovsky,1966 Range (in code): AL DZ AT BE Az BG CN Gn Mc CY CS DK FI FR DE GB IT IE JP KP MN NL NO PL PT RO ES SE SW TR AZ Cc IR EE GG KG LV MD RU Sb UA YU CA 04 06 07 08 14 16 18 21 24 25 34 44 46 50 51 54 63 65 67 76 81
- 1251. Lindbergina pandellei (Lethierry,1878)** (Cicadellidae) Synonym(s): pandellei Lethierry,1878; spoliata Horvath,1907 Range (in code): BG TR FR GB IT ES YU 41
- 1252. Lindbergina tarsalis (Linnavuori,1962)** (Cicadellidae) Synonym(s): tarsalis Linnavuori,1962 Range (in code): TR IL Pa 31
- 1253. Linnavuoriana sexmaculata (Hardy,1850)** (Cicadellidae) Synonym(s): sexpunctata Fallén,1828 (praeocc.); sexmaculata Hardy,1850; agathina Snellen van Vollenhoven,1862; bipunctata Cerutti,1939; quadripunctata Mitjaev,1963 Range (in code): AT BE BG CS DK FI FR DE GB HU IE IT JP NL NO PL RO ES SE SW TR KG RU Sb Us Krl UA YU CA 06 24 42
- 1254. Lublinia gediensis (Linnavuori,1962)** (Cicadellidae) Synonym(s): gediensis Linnavuori,1962 Range (in code): IL Pa
- 1255. Macropsidius araxes Dlabola,1961** (Cicadellidae) Synonym(s): araxes Dlabola,1961 Range (in code): Cc AM
- 1256. Macropsidius dispar (Fieber,1868)** (Cicadellidae) Synonym(s): dispar Fieber,1868 Range (in code): FR HU IT ES TN Cc GG KG KK RU Sb AF UA YU
- 1257. Macropsidius ioculator Dlabola,1963** (Cicadellidae) Synonym(s): ioculator Dlabola,1963 Range (in code): TR 03 06 58
- 1258. Macropsidius sahlbergi (Flor,1861)** (Cicadellidae) Synonym(s): sahlbergi Flor,1861 Range (in code): TR 38
- 1259. Macropsidius valiturus Dlabola,1963** (Cicadellidae) Synonym(s): valiturus Dlabola,1963 Range (in code): Cc GG
- 1260. Macropsis acrotrica Dlabola,1967** (Cicadellidae) Synonym(s): acrotrica Dlabola,1967 Range (in code): CY RU Cc Da
- 1261. Macropsis albae Wagner,1950** (Cicadellidae) Synonym(s): albae Wagner,1950 Range (in code): TR BG CS FR DE GB IT NL PL PT KG MD YU 07
- 1262. Macropsis castanicolor Dlabola,1958** (Cicadellidae) Synonym(s): castanicolor Dlabola,1958 Range (in code): Cc AM GG
- 1263. Macropsis cerea (Germar,1837)** (Cicadellidae) Synonym(s): cerea Germar,1837; planicollis Thomson,1870 Range (in code): AT BE CZ FI FR DE GB IE IT Sa NL NO PL RO SE RU At Sb UA TR MN 06 25 29
- 1264. Macropsis fuscula (Zetterstedt,1828)** (Cicadellidae) Synonym(s): fuscula Zetterstedt,1828 Range (in code): AL AT BE BG CS DK FI FR DE GB HU IQ IE IT JP NL NO PL RO ES SE SW AM LV KG RU Sb UA YU
- 1265. Macropsis glandacea (Fieber,1868)** (Cicadellidae) Synonym(s): glandacea Fieber,1868; viridiceps Wagner,1941 Range (in code): AT BE CS FR DE GB HU MA PL RO ES TR GG Cc RU Sb UA YU 50
- 1266. Macropsis graminea (Fabricius,1798)** (Cicadellidae) Synonym(s): graminea Fabricius,1798; populi Edwards,1919 Range (in code): AT BG CS FR DE GB HU IT Sa MN NL PL TR Cc AM MD UA YU RU At IR 02 04 06 07 13 17 21 22 23 26 29 39 42 43 45 60 61 62 65
- 1267. Macropsis marginata (Herrich-Schäffer,1836)** (Cicadellidae) Synonym(s): marginata Herrich-Schäffer,1836; notatifrons Rey,1891; latestiata Strobl,1900; lucifer Wagner,1941; injucunda Wagner,1950; ossiannilssoni Wagner,1950 Range (in code): AT CZ GB FR DE HU IT JP MN PL RO SE CH RU YU TR 25 40
- 1268. Macropsis megerlei (Fieber,1868)** (Cicadellidae) Synonym(s): megerlei Fieber,1868; bipunctata Lethierry,1876; limbopunctata Reter,1885; ornata Lindberg,1926 Range (in code): DZ AT BG CS DK FR DE GR HU NL PL RO ES TN TR Cc GG KG RU Sb YU 06 14 18

- 1269. *Macropsis mendax* (Fieber,1868)** (Cicadellidae) Synonym(s): mendax Fieber,1868; ulmi Scott,1873  
Range (in code): AT CZ GB FR DE IT RO RU TR 27 45
- 1270. *Macropsis multiguttata* Dlabola,1957** (Cicadellidae) Synonym(s): multiguttata Dlabola,1957  
Range (in code): AF JO
- 1271. *Macropsis prasina* (Boheman,1852)** (Cicadellidae) Synonym(s): prasina Boheman,1852 Range (in code): DZ? AT? BE? CN? CS DK FR? DE GB GR? HU? IT? JP? KP? NL NO? IL? PL PT? RO ES? SE SW? AM? AZ KG? MD? RU Sb TJ? UA? UZ? YU?
- 1272. *Macropsis scutellata* (Boheman,1845)** (Cicadellidae) Synonym(s): scutellata Boheman,1845; tibialis Scott,1874 Range (in code): AF AT BE BG CN CY CS DK FR DE GB HU IR IE IT JP KP MA NL NO IL PL PT RO ES SW SY TR AZ GG LV RU Sb UA UZ YU 24 25 34 38 65
- 1273. *Macropsis vicina* (Horvath,1897)** (Cicadellidae) Synonym(s): vicina Horvath,1897 Range (in code): AT FR HU PL RU YU CZ SK TR 17 64
- 1274. *Macropsis viridinervis* Wagner,1950** (Cicadellidae) Synonym(s): viridinervis Wagner,1950  
Range (in code): CS DE IT Cc GG UA
- 1275. *Macrosteles alpinus* (Zetterstedt,1828)** (Cicadellidae) Synonym(s): alpinus Zetterstedt,1828  
Range (in code): AT CZ GB FI FR DE IT MN NO SE CH RU TR 06 08 19 21 25 58 61
- 1276. *Macrosteles chobauti* Ribaut,1952** (Cicadellidae) Synonym(s): chobauti Ribaut,1952 Range (in code): FR IL
- 1277. *Macrosteles fieberi* (Edwards,1889)** (Cicadellidae) Synonym(s): frontalis Fieber,1885 nec Scett.,1875; fieberi Edwards,1889 Range (in code): AT BG CS FI FR DE GB IE MN NL NO PL RO SE TR Cc AM KG KK MD UA YU 01 04 06 07 13 14 30 42 50 65 70
- 1278. *Macrosteles forficula* (Ribaut,1927)** (Cicadellidae) Synonym(s): forficula Ribaut,1927 Range (in code): AF BG GR FR IT PT ES TR 01 05 06 07 14 24 25 42 55 57 65
- 1279. *Macrosteles frontalis* (Scott,1875)** (Cicadellidae) Synonym(s): frontalis Scott,1875; tetrasticta Horvath,1897; hamata Ossiannilsson,1936 Range (in code): AT BE CZ GB FI FR DE HU IT NL NO PL RO SE CH RU LT UA YU TR 08
- 1280. *Macrosteles laevis* (Ribaut,1927)** (Cicadellidae) Synonym(s): laevis Ribaut,1927; mannerheimi Kontkanen,1935; nubila Ossiannilsson,1936 Range (in code): AF AL AT BG CN CS DK FI FR DE GB HU IS IT MN NL NO PL RO SE SW TR EE Cc GG KG KK LV MD UZ UA RU 05 06 08 15 28 30 42 50 52 53 55 57 60 61 65
- 1281. *Macrosteles lividus* (Edwards,1894)** (Cicadellidae) Synonym(s): lividus Edwards,1894 Range (in code): DK GB FI DE MN NL PL SE RU TR 04 06 50
- 1282. *Macrosteles oculatus* Dlabola,1952** (Cicadellidae) Synonym(s): oculatus Dlabola,1952; angorensis Dubovsky,1970 Range (in code): IR IQ TM UZ
- 1283. *Macrosteles ossiannilssoni* Lindberg,1954** (Cicadellidae) Synonym(s): ossiannilssoni Lindberg,1954; ossiannilssoni Le Quense,1968 Range (in code): Cn CZ DK GB FI DE Md SE IR EG GR Cc TR 02 04 06 13 25 54
- 1284. *Macrosteles quadripunctulatus* (Kirschbaum,1868)** (Cicadellidae) Synonym(s): quadripunctulatus Kirschbaum,1868; ramigera Zachvatkin,1933 Range (in code): AF BG CS DK FI DE GB GR HU IQ IL Pa IR IT NL PL RO SE TR Cc AZ KG KK TJ UA UZ YU 01 02 04 05 06 07 12 13 21 24 31 32 33 35 42 44 45 50 52 55 64 65 67 80
- 1285. *Macrosteles sexnotatus* (Fallén,1806)** (Cicadellidae) Synonym(s): sexnotatus Fallén,1806; devastans Guérin-Ménéville,1852; didymus Mulsant & Rey,1855; diminuta Lethierry,1876; binotata Rey,1894; submaculata Rey,1894 Range (in code): DZ AT Az BE BG ES Cn CN CY CS DK EG FI FR DE GB HU IS IR IE IL IT JP JO KP Md MN MA NL PL RO ES SE TN TR AM AZ EE GG Cc Kmt KG KK LV MD RU Sb UA UZ YU 02 04 05 06 08 14 18 21 25 28 30 35 42 50 52 53 55 57 60 61 65 81
- 1286. *Macrosteles sordidipennis* (Stal,1858)** (Cicadellidae) Synonym(s): sordidipennis Stal,1858; salina Reitter,1886 Range (in code): AT CZ DK GB FI HU MN NL NO PL SE RU TR 06
- 1287. *Macrosteles viridigriseus* (Edwards,1922)** (Cicadellidae) Synonym(s): viridigriseus Edwards,1922 Range (in code): AT BG TR CS DK FI FR DE GB HU IT NL NO PL RO SW EE GG LV MD RU UA CA 06
- 1288. *Megophthalmus scabripennis* Edwards,1915** (Cicadellidae) Synonym(s): scabripennis Edwards,1915 Range (in code): AL BG FR GB GR IL IT TR GG Cc YU IR 01 06 07 16 33 35 45 48
- 1289. *Megophthalmus scanicus* (Fallén,1806)** (Cicadellidae) Synonym(s): scanicus Fallén,1806; ? scutata Germar,1821; bipunctatus Curtis,1833; pallidipennis Hardy,1850; vilis Snellen van Vollenhoven,1862; innotata Rey,1894 Range (in code): DZ AT BE BG CY CS DK FI DE GB HU IT NL NO PL PT RO ES SE SW SY TN AZ EE GG LV RU UA YU
- 1290. *Megulopa sahlbergorum* Lindberg,1924** (Cicadellidae) Synonym(s): sahlbergorum Lindberg,1924  
Range (in code): EG IL MA
- 1291. *Melicharella proxima* Dlabola,1960** (Cicadellidae) Synonym(s): proxima Dlabola,1960 Range (in code): IR
- 1292. *Mesagallia georgii* Zachvatkin,1946** (Cicadellidae) Synonym(s): georgii Zachvatkin,1946 Range (in code): TR 06



- 1293. Metalimnus formosus (Boheman,1845)** (Cicadellidae) Synonym(s): formosus Boheman,1845  
Range (in code): AT BE BG CN CS FI FR DE GB HU IT MN NL PL RO SE SW AZ Cc EE LV MD RU Sb UA YU
- 1294. Metalimnus steini (Fieber,1869)** (Cicadellidae) Synonym(s): steini Fieber,1869 Range (in code): DE HU JP Cc AZ UA
- 1295. Micantulina (Anufrievola) acuticeps (Linnavuori,1962)** (Cicadellidae) Synonym(s): acuticeps Linnavuori,1962 Range (in code): CY IL Pa TR IR 19 30 65
- 1296. Micantulina (Anufrievola) stigmatipennis (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): stigmatipennis Mulsant & Rey,1855; quadripunctata Kirschbaum,1868; pulcherrimus Hovarth,1884  
Range (in code): AT BG CY CS FR DE GR IT Sa Si ES TR Cc AM GG KG RU UA YU 06 07 10 15 32 34 35 38 45 65
- 1297. Micantulina (Anufrievola) teucarii (Cerutti,1938)** (Cicadellidae) Synonym(s): teucarii Cerutti,1938; impunctata Cerutti,1938; incompleta Cerutti,1938 Range (in code): AT BG GR TR IT SW UA YU 06
- 1298. Micantulina (s.str.) micantula (Zetterstedt,1840)** (Cicadellidae) Synonym(s): micantula Zetterstedt,1840; quinquepunctata Melichar,1900; fieberi Metcalf,1968 Range (in code): DZ AT CS DK FI MN NO PL SE SW GG Cc TR KG KK RU Sb At 24 37
- 1299. Mitjaevia amseli (Dlabola,1961)** (Cicadellidae) Synonym(s): amseli Dlabola,1961 Range (in code): AF KG KK TJ UZ
- 1300. Mocuellus collinus (Boheman,1850)** (Cicadellidae) Synonym(s): collinus Boheman,1850; aridellus Boheman,1850; lateralis Sahlberg,1871 Range (in code): AT BE BG CS DK FI FR DE GB HU IT Md MN NL NO PL RO ES SE SW Cc GG KG KK LV MD RU At Sb UA YU
- 1301. Mocuellus deminutus Dlabola,1981** (Cicadellidae) Synonym(s): deminutus Dlabola,1981 Range (in code): TR 65
- 1302. Mocuellus dlabolai Kalkandelen,1972** (Cicadellidae) Synonym(s): dlabolai Kalkandelen,1972 Range (in code): TR 06 20 23 32 46
- 1303. Mocuellus dzhavacheticus Logvinenko,1971** (Cicadellidae) Synonym(s): dzhavacheticus Logvinenko,1971 Range (in code): Cc GG
- 1304. Mocuellus foxi Kalkandelen,1972** (Cicadellidae) Synonym(s): foxi Kalkandelen,1972 Range (in code): TR 06 66
- 1305. Mocuellus gruzinicus Dlabola,1958** (Cicadellidae) Synonym(s): gruzinicus Dlabola,1958 Range (in code): Cc GG
- 1306. Mocuellus quadricornis Dlabola,1949** (Cicadellidae) Synonym(s): quadricornis Dlabola,1949 Range (in code): AT CS HU PL RO TR MD UA 06 25 50
- 1307. Mocuellus zelihae Kalkandelen,1972** (Cicadellidae) Synonym(s): zelihae Kalkandelen,1972 Range (in code): TR 06
- 1308. Mocydia aegae Abdul-Nour,1988** (Cicadellidae) Synonym(s): aegae Abdul-Nour,1988 Range (in code): TR 06 57
- 1309. Mocydia crocea (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): nervosus Curtis,1835 (praeocc.); crocea Herrich-Schäffer,1837; oxypterus Kirschbaum,1868 Range (in code): AL DZ AT BE BG CY CS FR DE GB HU IE IT JO PL PT RO SW AM TR MD RU Da Cc UA YU IR 06 14 16 45 50 54 55
- 1310. Mocydiopsis attenuata (Germar,1821)** (Cicadellidae) Synonym(s): attenuata Germar,1821; rupicapra Marshall,1861; ambigua Fieber,1885 Range (in code): AL DZ AT BG CS DK FR DE GB HU IT LU NL PL RO SW TN Cc GG MD UA YU
- 1311. Mocydiopsis monticola Remane,1961** (Cicadellidae) Synonym(s): monticola Remane,1961 Range (in code): IQ AT FR GR HU RU TR 01 07 21 32 33 50 55 64
- 1312. Mocydiopsis parvicauda Ribaut,1939** (Cicadellidae) Synonym(s): parvicauda Ribaut,1939 Range (in code): AT BE BG TR CS FR DE GB IT NL SE 06 32 50 55
- 1313. Mogangella secundaria Dlabola,1958** (Cicadellidae) Synonym(s): secundaria Dlabola,1958 Range (in code): Cc GG TR IR RU UA 25 65
- 1314. Mogangella straminea Dlabola,1957** (Cicadellidae) Synonym(s): straminea Dlabola,1957 Range (in code): TR KG MD UA 06 65
- 1315. Mukaria splendida Distant,1908** (Cicadellidae) Synonym(s): splendida Distant,1908 Range (in code): IN PK Sd
- 1316. Neoaliturus alboflavovittatus (Lindberg,1954)** (Cicadellidae) Synonym(s): alboflavovittatus Lindberg,1954 Range (in code): ES Cn IR KG
- 1317. Neoaliturus dubiosus (Matsumura,1908)** (Cicadellidae) Synonym(s): dubiosus Matsumura,1908; ruscinonensis Ribaut,1952; infirmus Young & Frazier,1954 Range (in code): IT FR LY MA RO ES EH TN TR RU KG TJ 06
- 1318. Neoaliturus fenestratus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): fenestratus Herrich-Schäffer,1834 Range (in code): AL AT BE BG CY CZ DK TR FR DE GR HU MD EE LT PL PT RO RU SA IT Si ES NL UA YU IL Pa 01 04 05 06 07 13 14 19 21 22 24 25 28 33 35 38 47 50 52 55 56 57 58 60 63 65 68 70 76
- 1319. Neoaliturus guttulatus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): guttulatus Kirschbaum,1868 Range (in code): CZ FR DE GR HU IT UA TR 01 06 07 21 35 42 50 60 63 70 76

- 1320. *Neoaliturus inscriptis* (Haupt,1927)** (Cicadellidae) Synonym(s): *inscriptis* Haupt,1927 Range (in code): **CY IL MA**
- 1321. *Neoaliturus macchiae* Lindberg,1948** (Cicadellidae) Synonym(s): *macchiae* Lindberg,1948 Range (in code): **CY IL**
- 1322. *Neoaliturus pulcher* (Haupt,1927)** (Cicadellidae) Synonym(s): *pulcher* Haupt,1927 Range (in code): **IR IL Pa Cc TR GG KG TJ 07 21 48**
- 1323. *Neoaliturus tenellus* (Baker,1896)** (Cicadellidae) Synonym(s): *tenellus* Baker,1896; *ignavus* Matsumura,1908; *egyptiacus* Matsumura,1908; *indivisus* Haupt,1927; *ambiguosus* Young & Frazier,1954; *zygophylli* Lindberg,1954 Range (in code): **DZ ES Cn EG FR IR IL IT Si LY ES TN KG**
- 1324. *Neoaliturus transversalis* (Puton,1881)** (Cicadellidae) Synonym(s): *transversalis* Puton,1881; *fasciata* Ferrari,1885 Range (in code): **IL Pa IT SY TR Cc AZ 56**
- 1325. *Neobufonaria hermelensis* Abdul-Nour,2000** (Cicadellidae) Synonym(s): *hermelensis* Abdul-Nour,2000 Range (in code): **LB**
- 1326. *Neolimnus eberti* Dlabola,1964** (Cicadellidae) Synonym(s): *eberti* Dlabola,1964 Range (in code): **AF IR**
- 1327. *Neolimnus egyptiacus* (Matsumura,1908)** (Cicadellidae) Synonym(s): *egyptiacus* Matsumura,1908 Range (in code): **EG IR IQ IL JO**
- 1328. *Nephotettix modulatus* Melichar,1912** (Cicadellidae) Synonym(s): *modulatus* Melichar,1912 Range (in code): **EG IL MA TN**
- 1329. *Nesoclutha erythrocephala* (Ferrari,1882)** (Cicadellidae) Synonym(s): *erythrocephala* Ferrari,1882; *flaveolus* Matsumura,1908; *wagneri* Lindberg,1954 Range (in code): **ES Cn Md FR IR IT JP TR GR Cr YU IR 01 05 07 60**
- 1330. *Notus flavipennis* (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *flavipennis* Zetterstedt,1828; *orichalcea* Dahlbom,1850; *marginatus* Sahlberg,1871; *armata* Buckton,1891; *armata* Haupt,1912 (praeocc.); *haupti* Oshanin,1912 Range (in code): **DZ? AT BE BG CS DK FI FR DE GB HU IE IT? MN EE KG PL RO ES SW EE KG KK LV RU At Sb UA UZ TR 16**
- 1331. *Oncopsis alni* (Schränk,1801)** (Cicadellidae) Synonym(s): *fenestrata* Schränk,1776 (praeocc.); *ferrugineus* Curtis,1837; *heydenii* Kirschbaum,1868 Range (in code): **AT BE CS DK FI FR DE GB HU IE IT JP NL NO PL RO ES SE SW AZ GG Cc TR LV RU Sb UA YU 35**
- 1332. *Oncopsis flavicollis* (Linnaeus,1761)** (Cicadellidae) Synonym(s): *flavicollis* Linnaeus,1761; *diadema* Fabricius,1794; *triangularis* Fabricius,1794; *fruticola* Fallén,1806; *fuscata* Gravenhorst,1807; *nigritulus* Zetterstedt,1828; *obscurus* Zetterstedt,1828; *pallens* Zetterstedt,1828; *personatus* Curtis,1837; *pulchellus* Curtis,1837; *reticulatus* Curtis,1837; *frontalis* Curtis,1837; *capucinus* Zetterstedt,1840; *dubius* Fieber,1868; *ochraceus* Rey,1894; *transitus* Rey,1894; *hyalina* Wagner,1944; *luteomarginata* Wagner,1944 Range (in code): **DZ AT BE BG CS DK FI FR DE GB HU IT IE MN NL NO PL PT RO ES SE SW SY TN TR AM IR EE GG KG KK LV MD RO RU Sb UA UZ YU 08 54 55 58 81**
- 1333. *Oncopsis tristis* (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *tristis* Zetterstedt,1840; *frontalis* Flor,1861; *rufusculus* Fieber,1868; *brevicauda* Thomson,1870 Range (in code): **AT BE BG CS DK FI FR DE GB GR HU IE IT JP MN NL NO PL RO SE SW EE KG LV RU Sb UA TR 33**
- 1334. *Opsius cypriacus* Lindberg,1958** (Cicadellidae) Synonym(s): *cypriacus* Lindberg,1958 Range (in code): **CY TR IR UA Cm 01 05 06 07 08 09 21 22 24 35 43 44 45 50 55 56 65 66 71**
- 1335. *Opsius dagestanicus* Dlabola,1960** (Cicadellidae) Synonym(s): *dagestanicus* Dlabola,1960 Range (in code): **IR RU Da Cc TR 44 54**
- 1336. *Opsius discessus* (Horvath,1911)** (Cicadellidae) Synonym(s): *discessus* Horvath,1911 Range (in code): **AF IR Cc AZ KG KK RU TJ UZ**
- 1337. *Opsius jucundus* (Lethierry,1871)** (Cicadellidae) Synonym(s): *jucundus* Lethierry,1871 Range (in code): **AF DZ EG IR IQ TR Cc AZ KG RU TJ**
- 1338. *Opsius lethierryi* Wagner,1942** (Cicadellidae) Synonym(s): *heydeni* Lethierry,1876 (praeocc.); *lethierryi* Wagner,1942 Range (in code): **AF DZ BG ES Cn EG FR IQ IL IT Md MA TN TR YU 06 42 45**
- 1339. *Opsius pallasi* (Lethierry,1874)** (Cicadellidae) Synonym(s): *pallasi* Lethierry,1874 Range (in code): **DZ EG GR IL TN Cc AZ KG KK RU TJ UZ**
- 1340. *Opsius richteri* Dlabola,1960** (Cicadellidae) Synonym(s): *richteri* Dlabola,1960 Range (in code): **IR**
- 1341. *Opsius scutellaris* (Lethierry,1874)** (Cicadellidae) Synonym(s): *scutellaris* Lethierry,1874 Range (in code): **AF DZ ES Cn CN EG IL LY MA TN**
- 1342. *Opsius smaragdinus* Emeljanov,1964** (Cicadellidae) Synonym(s): *smaragdinus* Emeljanov,1964 Range (in code): **UA Cm TR 07 50**
- 1343. *Opsius stactogalus* Fieber,1866** (Cicadellidae) Synonym(s): *stactogalus* Fieber,1866; *tamaricis* Kirschbaum,1868; *heydeni* Fieber,1872; *spinulosus* Della Guistina,1981 Range (in code): **DZ AT Az AT BE ES Cn CY CS EG FR DE GB GR HU IT LY MA NL PL PT RO ES SE SW TN TR AM GG Cc MD RU TJ UA UZ YU 06 07 35 44 50 55 57 71**
- 1344. *Opsius tigris* (Lethierry,1876)** (Cicadellidae) Synonym(s): *tigris* Lethierry,1876 Range (in code): **IR KG KK RU TJ UZ**

- 1345. Orosius orientalis (Matsumura,1914)** (Cicadellidae) Synonym(s): orientalis Matsumura,1914; albicinctus Distant,1918; filigranus Haupt,1927 Range (in code): **PT ES EG IQ IL Pa IR Md MA TR PK JP TW 01 07 33 35 48 50 63**
- 1346. Osbornellus macchiae (Lindberg,1948)** (Cicadellidae) Synonym(s): macchiae Lindberg,1948; consanguineus Dlabola,1967 Range (in code): **CY TR GR 05 33**
- 1347. Paluda agropyri Emelyanov,1962** (Cicadellidae) Synonym(s): agropyri Emelyanov,1962 Range (in code): **KG TR 36**
- 1348. Paluda vitripennis (Flor,1861)** (Cicadellidae) Synonym(s): vitripennis Flor,1861; andropoginis Haupt,1924; graminis Haupt,1935; monticola Ribaut,1939; parvispinus Wagner,1947; hibernica Le Quesne,1964; orientalis Vilbaste,1965; lalahani Kalkandelen,1972 Range (in code): **DZ AT BG CS DK FI FR DE HU IE IT Sa MN NL NO PL PT RO ES SE TN TR Cc AZ EE GG KG LV MD RU Sb UA YU 06 42**
- 1349. Paradorydium breviceps (Melichar,1902)** (Cicadellidae) Synonym(s): breviceps Melichar,1902 Range (in code): **AF IR**
- 1350. Paradorydium dimorphum Linnavuori,1962** (Cicadellidae) Synonym(s): dimorphum Linnavuori,1962 Range (in code): **IL TN**
- 1351. Paradorydium mustafai Demir,2005** (Cicadellidae) Synonym(s): mustafai Demir,2005 Range (in code): **TR 07**
- 1352. Paradorydium occidentale Lindberg,1954** (Cicadellidae) Synonym(s): occidentale Lindberg,1954 Range (in code): **TR Cn 07**
- 1353. Paradorydium paradoxum (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): paradoxum Herrich-Schäffer,1837; lanceolatum Burmeister,1839 Range (in code): **DZ CS FR DE IT MA PT ES TR AM AZ GG Cc KG KK TM UZ YU 06 07 21**
- 1354. Paralimnells cingulatus (Dlabola,1960)** (Cicadellidae) Synonym(s): cingulatus Dlabola,1960 Range (in code): **IQ TR IR TJ UZ 07**
- 1355. Paralimnus inexpectatus Dlabola,1961** (Cicadellidae) Synonym(s): inexpectatus Dlabola,1961 Range (in code): **IL Pa TR MN RO RU TJ UZ 42**
- 1356. Paralimnus phragmitis (Boheman,1847)** (Cicadellidae) Synonym(s): phragmitis Boheman,1847; lugens Horvath,1897 Range (in code): **AT CS FI FR DE GB HU IR IL IT NL NO PL RO SE TR AM AZ Cc EE GG LV MD RU Sb UA YU 07**
- 1357. Paralimnus picturatus Haupt,1930** (Cicadellidae) Synonym(s): picturatus Haupt,1930; lindneri Fahringer,1942; subtilis Linnavuori,1964 Range (in code): **EG JO MN TR KG MD RU 42 45**
- 1358. Paralimnus pulchellus (Rey,1891)** (Cicadellidae) Synonym(s): pulchellus Rey,1891 Range (in code): **BE FR Cc AZ RU UA UZ**
- 1359. Paralimnus rotundiceps (Lethierry,1885)** (Cicadellidae) Synonym(s): rotundiceps Lethierry,1885 Range (in code): **AT BE FI FR HU IT NO RO SE SW Cc GG RU? YU**
- 1360. Paramacroceps maculipennis Linnavuori,1962** (Cicadellidae) Synonym(s): maculipennis Linnavuori,1962 Range (in code): **IL**
- 1361. Paramesodes lineaticollis (Distant,1908)** (Cicadellidae) Synonym(s): lineaticollis Distant,1908; lucaniae Dlabola,1959 Range (in code): **IT IL Pa UZ RU TR IR 21 33**
- 1362. Paramesus major Haupt,1927** (Cicadellidae) Synonym(s): major Haupt,1927 Range (in code): **CS IL Pa TR KG UZ 06 18 21 46 56**
- 1363. Paramesus obtusifrons (Stal,1853)** (Cicadellidae) Synonym(s): nervosa Fallén,1806 (praeocc.); obtusifrons Stal,1853; verrallii Scott,1875; caucasicus Melichar,1913 Range (in code): **AF AL BG CS CY DK FI FR DE GB HU IT MN NL NO PL RO SE TN TR Cc AZ GG LV MD RU UA 06**
- 1364. Parapotes reticulatus (Hovarth,1897)** (Cicadellidae) Synonym(s): reticulatus Hovarth,1897 Range (in code): **CZ DE HU PL RO RU TR 54**
- 1365. Penthimia laetifica Dlabola,1958** (Cicadellidae) Synonym(s): laetifica Dlabola,1958 Range (in code): **Cc GG**
- 1366. Penthimia lenkoreana Dlabola,1961** (Cicadellidae) Synonym(s): lenkoreana Dlabola,1961 Range (in code): **Cc AZ Len**
- 1367. Penthimia nigra (Goeze,1778)** (Cicadellidae) Synonym(s): nigra Goeze,1778; aethyops Schrank,1781; haemorrhoea Schrank,1781; castanea Gmelin,1790; biguttata Gmelin,1790 (praeocc.); atra Fabricius,1794; ruficollis Fabricius,1794; thoracica Panzer,1799; sanguinicollis Fabricius,1803; maculata Melichar,1896; caucasica Kusnezov,1931; clavalis Ribaut,1952; fulva Ribaut,1952; maculipennis Ribaut,1952 Range (in code): **AL AT BE BG CS FR DE GR HU IT JP NL PL PT RO ES SW SY TN TR AZ Cc LV MD UA YU 06 07 11 32 35 41 50 54 59 61**
- 1368. Penthimia scutellata Melichar,1902** (Cicadellidae) Synonym(s): Range (in code): **AF IR**
- 1369. Petalocephala bazarakana Dlabola,1957** (Cicadellidae) Synonym(s): bazarakana Dlabola,1957 Range (in code): **AF**
- 1370. Petalocephala grandiosa Dlabola,1957** (Cicadellidae) Synonym(s): grandiosa Dlabola,1957 Range (in code): **AF**
- 1371. Phlepsius intricatus (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): intricatus Herrich-Schäffer,1838; octopunctatus Burmeister,1838 Range (in code): **AF AL DZ AT BG CS FR DE HU IR IR IT JO MA IL PT RO ES TR AM AZ Cc KG KK MD RU TJ UA UZ 05 06 07 17 21 32 35 36 40 44 47 48 50 55 61 73 74 81**



- 1372. Phlepsius ornatus (Perris,1857)** (Cicadellidae) Synonym(s): ornatus Perris,1857; maculatus Fieber,1866; asiaticus Zachvatkin,1945; angorensis Zachvatkin,1945 Range (in code): AF DZ FR DE IR IL Pa LY RO ES TR KG KK TM UA 01 05 06 21 33 42 50 52 55 57 60 61 65
- 1373. Phlepsius spinulosus Wagner,1963** (Cicadellidae) Synonym(s): spinulosus Wagner,1963 Range (in code): FR IT Sa Si MA TN TR IR 25
- 1374. Phlogotettix cyclops (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): cyclops Mulsant & Rey,1855 Range (in code): CN Mc CS FR HU IL IT JP KP RO Cc AZ TR IR MD UA YU 35 41 54 55
- 1375. Placidus vicinus Dlabola,1957** (Cicadellidae) Synonym(s): vicinus Dlabola,1957 Range (in code): AF
- 1376. Planaphrodes trifasciatus (Fourcroy,1785)** (Cicadellidae) Synonym(s): trifasciatus Fourcroy,1785; laevus Rey,1891; niger Kuznezov,1929 Range (in code): AT BE CN CS DK FI FR DE GB GR HU IT MN NL NO PL RO SE SW MD RU Sb At UA TR 46
- 1377. Platymetopius (Quernus) curvatus Dlabola,1974** (Cicadellidae) Synonym(s): curvatus Dlabola,1974 Range (in code): FR YU TR 06 80
- 1378. Platymetopius (Quernus) quercinus Dlabola,1974** (Cicadellidae) Synonym(s): quercinus Dlabola,1974 Range (in code): IR TR 02 07 40 47
- 1379. Platymetopius (Quernus) signoreti Wagner,1959** (Cicadellidae) Synonym(s): viridinervis Signoret,1880 nec Kbm.,1868; signoreti Wagner,1959 Range (in code): RU Cc BG CZ HU TR YU
- 1380. Platymetopius (s.str.) enatus Dlabola,1974 (?)** (Cicadellidae) Synonym(s): enatus Dlabola,1974 Range (in code): TR 07
- 1381. Platymetopius (s.str.) filigranus (Scott,1876)** (Cicadellidae) Synonym(s): filigranus Scott,1876 Range (in code): AT CS FR HU IT ES BG TR YU 01 06 22
- 1382. Platymetopius (s.str.) guttatus Fieber,1869** (Cicadellidae) Synonym(s): guttatus Fieber,1869 Range (in code): AL AT BG CY CS FR DE HU IT NO PL PT SE SW TR BG GR MD TJ UA YU 01 05 07 16 35 43 52 55 57 60 61
- 1383. Platymetopius (s.str.) henribauti Dlabola,1961** (Cicadellidae) Synonym(s): henribauti Dlabola,1961 Range (in code): BG TR CS DE IT MN Cc GG KG RU YU 06 07 10 25 42 43 58
- 1384. Platymetopius (s.str.) obsoletus (Signoret,1880)** (Cicadellidae) Synonym(s): obsoletus Signoret,1880 Range (in code): EG FR IR IT MN IL TR Cc AM AZ GG KG RU UA YU 07
- 1385. Platymetopius (s.str.) undatus (De Geer,1773)** (Cicadellidae) Synonym(s): undatus De Geer,1773; flammigera Villers,1789; chosensis Matsumura,1915; parvulus Linnavuori,1962 Range (in code): AT BE BG CS DK FI FR DE GB HU IL IT Si KP NL NO PL PT RO ES SE SW TN TR Cc AZ EE GG KG LV MD RU Sb At UA YU 06 41 80
- 1386. Platymetopius centralasiae Dlabola,1960** (Cicadellidae) Synonym(s): centralasiae Dlabola,1960 Range (in code): AF IR UZ
- 1387. Platymetopius chloroticus Puton,1877** (Cicadellidae) Synonym(s): chloroticus Puton,1877; turkistanicus Kusnezov,1927 Range (in code): AF MN Cc AM AZ TR KG KK RU TJ TM UA UZ 30
- 1388. Platymetopius complicatus Nast,1972** (Cicadellidae) Synonym(s): signoreti Metcalf,1967 (praeocc.); complicatus Nast,1972 Range (in code): AT GR TR YU
- 1389. Platymetopius cruentatus Haupt,1927** (Cicadellidae) Synonym(s): cruentatus Haupt,1927 Range (in code): IR IQ IL Pa JO TR 01 06 48 50
- 1390. Platymetopius dagestanicus Dlabola,1967** (Cicadellidae) Synonym(s): dagestanicus Dlabola,1967 Range (in code): RU Da Cc
- 1391. Platymetopius distinctus Melichar,1902** (Cicadellidae) Synonym(s): distinctus Melichar,1902 Range (in code): AF IR UZ
- 1392. Platymetopius exhereditus Dlabola & Heller,1962** (Cicadellidae) Synonym(s): exhereditus Dlabola & Heller,1962 Range (in code): AF IR
- 1393. Platymetopius kabulensis Dlabola,1957** (Cicadellidae) Synonym(s): kabulensis Dlabola,1957 Range (in code): AF KG UZ Fe
- 1394. Platymetopius major (Kirschbaum,1868)** (Cicadellidae) Synonym(s): major Kirschbaum,1868; opalinus Fieber,1876; interjectus Linnavuori,1957; atratus Dlabola,1958 Range (in code): AL DZ AT BG CS DK FR DE IT JO NL PL RO SE TR SY LB MD RU Sb UA YU IR 06 14 16 18 21 28 32 35 45 51 54 55 59 60 63 65 73
- 1395. Platymetopius quadricornis Lindberg,1960** (Cicadellidae) Synonym(s): quadricornis Lindberg,1960 Range (in code): Cc AM
- 1396. Platymetopius quercicola Linnavuori,1962** (Cicadellidae) Synonym(s): quercicola Linnavuori,1962 Range (in code): IL Pa
- 1397. Platymetopius retamae Linnavuori,1962** (Cicadellidae) Synonym(s): retamae Linnavuori,1962 Range (in code): IL Pa
- 1398. Platymetopius rostratus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): rostratus Herrich-Schäffer,1834; decipiens Horvath,1894 Range (in code): AT BG CS FR HU IT RO ES SW Cc AM GG KG KK MD UA UZ YU TR IR 06 21 23 24 25 29 36 49 57 50 76
- 1399. Platymetopius safavii Dlabola,1971** (Cicadellidae) Synonym(s): safavii Dlabola,1971 Range (in code): IR TR 27

- 1400. Platymetopius shirazicus Dlabola,1974** (Cicadellidae) Synonym(s): shirazicus Dlabola,1974  
Range (in code): IR TR 65
- 1401. Platymetopius singularis Logvinenko,1969** (Cicadellidae) Synonym(s): singularis Logvinenko,1969 Range (in code): Cc AZ
- 1402. Platypsectus agraphopteron Bergevin,1932** (Cicadellidae) Synonym(s): agraphopteron Bergevin,1932 Range (in code): DZ IL
- 1403. Platypsectus roseovittatus Dlabola,1960** (Cicadellidae) Synonym(s): roseovittatus Dlabola,1960  
Range (in code): IR TJ
- 1404. Platypsectus schaeuffelei Dlabola,1960** (Cicadellidae) Synonym(s): schaeuffelei Dlabola,1960  
Range (in code): Cc AM KG RU TM
- 1405. Platypsectus tessellatus Lindberg,1924** (Cicadellidae) Synonym(s): tessellatus Lindberg,1924  
Range (in code): Cc AM KG RU TM
- 1406. Populicerus albicans (Kirschbaum,1868)** (Cicadellidae) Synonym(s): albicans Kirschbaum,1868; fuscocoerulea Edwards,1914 Range (in code): AT CZ DK GB FR DE HU IT NL PL ES SE RU YU TR 03
- 1407. Populicerus populi (Linnaeus,1761)** (Cicadellidae) Synonym(s): populi Linnaeus,1761; coryli Linnaeus,1761; biguttata Fabricius,1794 (praeocc.); stigma Germar,1821, marginata Lepeletier & Audinet-Serville,1825; aeneus Curtis,1839; effulgens Curtis,1839; sulphureus Curtis,1839 Range (in code): DZ AT BE CN Mc CS DK FI FR DE GB HU IT JP NL NO IL PL Pa PT RO ES TR Cc AZ EE KG LV RU Sb UA YU 06 53
- 1408. Populicerus sharifi Dlabola,1977** (Cicadellidae) Synonym(s): sharifi Dlabola,1977 Range (in code): IR TR 06 18 22 38 50 65 66
- 1409. Proceps acicularis Mulsant & Rey,1855** (Cicadellidae) Synonym(s): acicularis Mulsant & Rey,1855; albolimbatus Kirschbaum,1868 Range (in code): FR IT Sa Si RO YU RU BG CY GR TR IR Cc GG JO 06 07
- 1410. Psammettix adriaticus Wagner,1959** (Cicadellidae) Synonym(s): adriaticus Wagner,1959; linnavuorii Wagner,1959 Range (in code): EG FR IL IT TN
- 1411. Psammettix alienus (Dahlbom,1850)** (Cicadellidae) Synonym(s): alienus Dahlbom,1850; breviceps Kirschbaum,1868; flavidus Fieber,1869; karafutonis Matsumura,1914 Range (in code): AL DZ AT BE BG ES Cn DK EG FI FR DE HU IT LY Md MN NO PL PT RO ES SE TR Cc AZ IR EE KK MD RU Sb UA UZ YU 01 05 06 07 10 14 16 19 21 24 25 30 33 37 41 42 44 47 49 50 54 55 56 57 64 65 66 76 80
- 1412. Psammettix cephalotes (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): cephalotes Herrich-Schäffer,1834; citrinellus Kirschbaum,1868; sulphurellus Kirschbaum,1868; tristis Kirschbaum,1868; normani Scott,1881 Range (in code): AL DZ AT BE BG CS DK FI FR DE GB HU IE IT NL NO PL RO ES SE SW TR EE LV MD RU Sb UA YU 06 24 32 42 65
- 1413. Psammettix cerinus (Lindberg,1948)** (Cicadellidae) Synonym(s): cerinus Lindberg,1948  
Range (in code): CY TR 01 07 31 33
- 1414. Psammettix comitans Emelyanov,1964** (Cicadellidae) Synonym(s): comitans Emelyanov,1964  
Range (in code): KK KG UZ UA TR RU 06 51 54 65
- 1415. Psammettix confinis (Dahlbom,1850)** (Cicadellidae) Synonym(s): confinis Dahlbom,1850; eurylobus Kirschbaum,1868; heydeni Fieber,1872; thenii Edwards,1915; spathifer Ribaut,1925 Range (in code): AL AT BG GR Cr CS DK FI FR DE GB HU IE IT MN NL NO PL RO SE SW TR EE GG Cc KG KK LV MD RU UA UZ YU 01 04 06 07 10 13 24 25 28 30 32 36 42 52 55 56 58 65 76
- 1416. Psammettix dubovskii Vilbaste,1960** (Cicadellidae) Synonym(s): dubovskii Vilbaste,1960  
Range (in code): AF KG KK UZ
- 1417. Psammettix gracilis Logvinenko,1971** (Cicadellidae) Synonym(s): gracilis Logvinenko,1971  
Range (in code): Cc AZ
- 1418. Psammettix helvolus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): helvolus Kirschbaum,1868; obtusiceps Kirschbaum,1868; rhombifer Fieber,1869; substriatus Then,1902 Range (in code): AL AT BE CZ DK EG FR DE IT Sa NL PL RO CH TN RU At Sb YU GR BG TR 06 32
- 1419. Psammettix kaszabi Dlabola,1961** (Cicadellidae) Synonym(s): kaszabi Dlabola,1961 Range (in code): Cc GG KG
- 1420. Psammettix kolosvarensis (Matsumura,1908)** (Cicadellidae) Synonym(s): kolosvarensis Matsumura,1908; claudiopolitanus Matsumura,1910; similis Wagner,1947 Range (in code): AF AT CS FR DE HU MN RO Cc GG KG MD RU Sb TJ UA
- 1421. Psammettix majusculus Linnavuori,1951** (Cicadellidae) Synonym(s): majusculus Linnavuori,1951 Range (in code): CY EG IL Pa TR Cc GG 01
- 1422. Psammettix nodosus (Ribaut,1925)** (Cicadellidae) Synonym(s): nodosus Ribaut,1925 Range (in code): AL AD AT BG TR CS DK FI FR DE GB IE IT MO NL NO PL PT SE EE MD UA 07
- 1423. Psammettix notatus (Melichar,1896)** (Cicadellidae) Synonym(s): notatus Melichar,1896; diluta Ribaut,1952 Range (in code): AF AT BG CS FR DE HU IT NL PL PT
- 1424. Psammettix orientalis Zachvatkin,1945** (Cicadellidae) Synonym(s): orientalis Zachvatkin,1945; badghyzicus Zachvatkin,1945 Range (in code): Cc AZ TM UA
- 1425. Psammettix ornaticeps (Horvath,1897)** (Cicadellidae) Synonym(s): ornaticeps Horvath,1897  
Range (in code): AT BG TR CS DE HU RO LV MD RU TJ UA 06 25 51 65

- 1426. Psammotettix pictipennis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): pictipennis Kirschbaum,1868; fasciatus Fieber,1869 Range (in code): AF AT BG CS HU IL RO ES TR AM Cc AZ GG KG MD RU UA UZ 01 06 07 14 18 19 24 30 38 44 46 51 63 65 68 70 74 76 81
- 1427. Psammotettix prolongatus Dlabola,1979** (Cicadellidae) Synonym(s): prolongatus Dlabola,1979 Range (in code): TR 17
- 1428. Psammotettix provincialis (Ribaut,1925)** (Cicadellidae) Synonym(s): provincialis Ribaut,1925 Range (in code): AF BG CN Gn CY CS FR GR HU IR IT Sa Si MN PT RO TR Cc AM KG KK MD RU Sb UA UZ YU 01 06 07 14 18 21 22 25 34 35 38 42 50 54 55 65
- 1429. Psammotettix salsuginosus Logvinenko,1961** (Cicadellidae) Synonym(s): salsuginosus Logvinenko,1961 Range (in code): MD UA TR 35
- 1430. Psammotettix striatus (Linnaeus,1758)** (Cicadellidae) Synonym(s): striatus Linnaeus,1758; striata Fabricius,1794 (praeocc.); strigatus Germar,1821; varipennis Herrich-Schäffer,1838; pallidus Flor,1861; flavipennis Scott,1876; amyoti Vismara,1878; divergens Rey,1894; capitatus Matsumura,1908; immundus Matsumura,1908 Range (in code): BE BG DK FI FR DE GB IE IT NL NO PL SE TN KG RU TR Cc GG AM AZ IR CA US 01 05 06 07 14 19 38 42 50 54 70
- 1431. Psammotettix transcaucasicus Dlabola,1961** (Cicadellidae) Synonym(s): transcaucasicus Dlabola,1961 Range (in code): Cc GG TR KG 35 58
- 1432. Psegmatius lethierryi Signoret,1880** (Cicadellidae) Synonym(s): lethierryi Signoret,1880 Range (in code): Cc GG
- 1433. Pseudophlepsius binotatus (Signoret,1880)** (Cicadellidae) Synonym(s): binotatus Signoret,1880 Range (in code): AF IQ MN AM AZ KG KK MD RU UA TJ UZ
- 1434. Pteropyx hyalinus Haupt,1927** (Cicadellidae) Synonym(s): hyalinus Haupt,1927 Range (in code): EG IL Pa
- 1435. Recilia angustisectus (Linnavuori,1962)** (Cicadellidae) Synonym(s): angustisectus Linnavuori,1962 Range (in code): IL
- 1436. Recilia coronifera (Marshall,1866)** (Cicadellidae) Synonym(s): coronifera Marshall,1866; coroniceps Kirschbaum,1868; i-album Scott,1881 Range (in code): AT CS FR DE GB HU IQ IT JP MN MA NL RO ES TR Cc AZ YU 52 53
- 1437. Recilia horvathi (Then,1896)** (Cicadellidae) Synonym(s): horvathi Then,1896 Range (in code): AT BG CS DE IT MN RO TN GG Cc KG UA YU
- 1438. Recilia jordanica Dlabola,1965** (Cicadellidae) Synonym(s): jordanica Dlabola,1965 Range (in code): JO
- 1439. Recilia schmidtgeni (Wagner,1939)** (Cicadellidae) Synonym(s): schmidtgeni Wagner,1939 Range (in code): AL AT BG GR Cr CN Mc CS FR DE HU IR IT JO Hkk MA RO TR Cc AZ GG KG RU TJ TM UA YU 01 06 07 21 24 33 35 50 55 57 60 63 71
- 1440. Rhoananus hypochlorus (Fieber,1869)** (Cicadellidae) Synonym(s): hypochlorus Fieber,1869 Range (in code): AL AT CS IT Cc TR GG KG KK MD RU TJ UA UZ YU 06 13 14 25 26 36 65 76
- 1441. Rhytidodus boluicus Dlabola,1970** (Cicadellidae) Synonym(s): boluicus Dlabola,1970 Range (in code): TR 01 06 07 18 21 25 35 38 45 81
- 1442. Rhytidodus decimusquartus (Schränk,1776)** (Cicadellidae) Synonym(s): decimusquartus Schränk,1776; crenatus Germar,1827; scurra Germar,1837; germari Fieber,1868; fulvus Rey,1894 Range (in code): AT BE BG CN Mc CS DK FR DE GB HU IT NL PL PT RO ES SW TN AM AZ GG Cc TR KG MD RU UA UZ YU 41 54 63
- 1443. Rhytidodus mecheticus Dlabola,1970** (Cicadellidae) Synonym(s): mecheticus Dlabola,1970 Range (in code): Cc GG
- 1444. Rhytidodus nobilis (Fieber,1868)** (Cicadellidae) Synonym(s): nobilis Fieber,1868; trifasciatus Kirschbaum,1868 Range (in code): CN MN RU Cc KG KK TJ UA TR 65
- 1445. Rhytidodus wagneri Dlabola,1965** (Cicadellidae) Synonym(s): wagneri Dlabola,1965 Range (in code): AT CZ SK IT MN KG TM RU UA TR 01 42 45 50 51
- 1446. Ribautiana alces (Ribaut,1931)** (Cicadellidae) Synonym(s): alces Ribaut,1931 Range (in code): AT BG CS FR DE GR IT Sa SW Cc TR GG RU 06 43
- 1447. Ribautiana cruciata (Ribaut,1931)** (Cicadellidae) Synonym(s): cruciata Ribaut,1931 Range (in code): TR BG FR GB IT PT SE AZ Cc 07
- 1448. Ribautiana ognevi (Zachvatkin,1948)** (Cicadellidae) Synonym(s): ognevi Zachvatkin,1948; horvathiana Dlabola,1954 Range (in code): AT BG CS HU RO TR RU 06
- 1449. Ribautiana scalaris (Ribaut,1931)** (Cicadellidae) Synonym(s): scalaris Ribaut,1931 Range (in code): AT BG CS FR DE GB HU RO SW AZ Cc UA Cm
- 1450. Ribautiana tenerrima (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): tenerrima Herrich-Schäffer,1834; rubi Hardy,1850; misella Boheman,1842; disjuncta Zachvatkin,1947 Range (in code): AT BE CS DK FR DE GB HU IR IE IL IT Sa Si NL NO PL PT SE SW TR AZ GG Cc RU YU AU CA 34 41 52 55 61 81
- 1451. Ribautiana ulmi (Linnaeus,1758)** (Cicadellidae) Synonym(s): ulmi Linnaeus,1758; musciformis De Geer,1773; ocellata Curtis,1837; thecla Ferrari,1882 Range (in code): AT BG CS DK FI FR DE GB IE IT NL NO PL RO SE SW EE GG Cc LV RU UA YU CA



- 1452. *Sagatus punctifrons* (Fallén,1826)** (Cicadellidae) Synonym(s): punctifrons Fallén,1826; repleta Fieber,1855; addita Rey,1894 Range (in code): **AL AT BE CS DK FI FR DE GB HU IT NL NO PL RO SE SW Cc AZ TR EE KG LV MD RU Sb At UA CA 04**
- 1453. *Scaphytoceps melleus* Dlabola,1957** (Cicadellidae) Synonym(s): melleus Dlabola,1957 Range (in code): **AF**
- 1454. *Scenergates viridis* (Vilbaste,1961)** (Cicadellidae) Synonym(s): viridis Vilbaste,1961 Range (in code): **TM UZ KG**
- 1455. *Scleroracrus decumanus* (Kontkanen,1949)** (Cicadellidae) Synonym(s): striatula Fallén,1806 (praeocc.); decumanus Kontkanen,1949 Range (in code): **BG TR CS FI FR DE GB IT NL PL RO EE KG LV MD RU At 36**
- 1456. *Scleroracrus transversus* (Fallén,1826)** (Cicadellidae) Synonym(s): transversus Fallén,1826; lineigera Zetterstedt,1840; sibiricus Vilbaste,1965 Range (in code): **AT BG DK FI FR DE MN NO PL SE Cc AZ KG LV RU At Sb UA**
- 1457. *Selenocephalus amasycus* Dlabola,1977** (Cicadellidae) Synonym(s): amasycus Dlabola,1977 Range (in code): **TR 05**
- 1458. *Selenocephalus anatolicus* Dlabola,1957** (Cicadellidae) Synonym(s): anatolicus Dlabola,1957 Range (in code): **TR IR 06 14 19 50**
- 1459. *Selenocephalus ankarae* Dlabola,1957** (Cicadellidae) Synonym(s): ankarae Dlabola,1957 Range (in code): **TR 05 06 07 48 60**
- 1460. *Selenocephalus armeniacus* Lindberg,1960** (Cicadellidae) Synonym(s): armeniacus Lindberg,1960 Range (in code): **Cc AM TR 02 04 13 21 23 24 29 44 47 49 50 63 65**
- 1461. *Selenocephalus bytinskii* Lindberg,1953** (Cicadellidae) Synonym(s): bytinskii Lindberg,1953 Range (in code): **IL Pa**
- 1462. *Selenocephalus deserticola* Linnavuori,1962** (Cicadellidae) Synonym(s): deserticola Linnavuori,1962 Range (in code): **IL Pa**
- 1463. *Selenocephalus flavicosta* Linnavuori,1962** (Cicadellidae) Synonym(s): flavicosta Linnavuori,1962 Range (in code): **IL Pa**
- 1464. *Selenocephalus kalalae* Dlabola,1952** (Cicadellidae) Synonym(s): kalalae Dlabola,1952 Range (in code): **IQ**
- 1465. *Selenocephalus nervosus* Lindberg,1948** (Cicadellidae) Synonym(s): nervosus Lindberg,1948 Range (in code): **CY JO**
- 1466. *Selenocephalus obsoletus* (Germar,1817)** (Cicadellidae) Synonym(s): grisea Fabricius,1794 (praeocc.); obsoletus Germar,1817; punctatonervosus Stal,1854 Range (in code): **AL AT BG CS FR HU IR IT Sa Si MA RO ES TN TR AZ Cc MD UA YU 01 05 06 10 11 14 16 17 18 22 26 28 34 39 41 44 52 53 55 57 58 59 60 61 67**
- 1467. *Selenocephalus pallens* Lindberg,1948** (Cicadellidae) Synonym(s): pallens Lindberg,1948; obscurus Lindberg,1953 Range (in code): **CY IL Pa MA TN TR 03 17 32 34 35 42 43 45 48 64**
- 1468. *Selenocephalus pallidus* Kirschbaum,1868** (Cicadellidae) Synonym(s): pallidus Kirschbaum,1868; simavensis Zachvatkin,1946; tauricus Zachvatkin,1946; #pellidus Lodos & Kalkandelen,1986 Range (in code): **AL AT GR HU IL Pa IR IT TR RU UA YU 01 06 07 09 10 14 15 16 17 18 19 20 32 35 38 40 42 43 45 55 57 60 66**
- 1469. *Selenocephalus planus* (Turton,1802)** (Cicadellidae) Synonym(s): planus Turton,1802 Range (in code): **TR**
- 1470. *Selenocephalus sirvadi* Dlabola,1965** (Cicadellidae) Synonym(s): sirvadi Dlabola,1965 Range (in code): **JO TR 01 04 13 27 63 65**
- 1471. *Selenocephalus stenopterus* Signoret,1880** (Cicadellidae) Synonym(s): stenopterus Signoret,1880 Range (in code): **TR 01 06 07 09 14 15 16 17 18 19 20 32 35 38 40 42 45 55 57 60 66**
- 1472. *Selenocephalus striatus* (Lindberg,1953)** (Cicadellidae) Synonym(s): striatus Lindberg,1953 Range (in code): **IL Pa**
- 1473. *Selenocephalus tapan* Dlabola,1981** (Cicadellidae) Synonym(s): tapan Dlabola,1981 Range (in code): **TR 01**
- 1474. *Selenocephalus uvarovi* Zachvatkin,1946** (Cicadellidae) Synonym(s): uvarovi Zachvatkin,1946 Range (in code): **TR 35**
- 1475. *Speudotettix subfuscus* (Fallén,1806)** (Cicadellidae) Synonym(s): subfuscus Fallén,1806; pectoralis Germar,1821; craticula Curtis,1837 Range (in code): **DZ AT BE BG TR CS DK FI FR DE GB HU IE IT JP Hkk PL PT RO SE SW TN KG LV MD RU Kmt Krl At UA YU 14 67**
- 1476. *Stegelytra albofasciata* Linnavuori,1962** (Cicadellidae) Synonym(s): albofasciata Linnavuori,1962 Range (in code): **IL Pa**
- 1477. *Stegelytra putoni* Mulsant & Rey,1855** (Cicadellidae) Synonym(s): putoni Mulsant & Rey,1855 Range (in code): **PT FR ES YU TR 46**
- 1478. *Stegelytra sororcula* Dlabola,1974** (Cicadellidae) Synonym(s): sororcula Dlabola,1974 Range (in code): **IR TR 47**

- 1479. Stenometopiellus angorensis Zachvatkin,1946** (Cicadellidae) Synonym(s): angorensis Zachvatkin,1946; tesquorum Emeljanov,1964 Range (in code): **TR KG 04 06 13 21 24 25 30 36 42 44 50 63 65 73 76**
- 1480. Stenometopiellus araxis Zachvatkin,1946** (Cicadellidae) Synonym(s): araxis Zachvatkin,1946 Range (in code): **Cc AM AZ**
- 1481. Stenometopiellus macilentus (Horvath,1904)** (Cicadellidae) Synonym(s): macilentus Horvath,1904; turkestanica Linnavuori,1953 Range (in code): **KG KK TM UZ TR 04 50 58 62**
- 1482. Stenometopiellus sigillatus Haupt,1917** (Cicadellidae) Synonym(s): sigillatus Haupt,1917 Range (in code): **AF KG KK TJ UZ**
- 1483. Stictocoris picturatus (Sahlberg,1842)** (Cicadellidae) Synonym(s): lineata Fabricius,1787 (praeocc.); picturatus Sahlberg,1842 Range (in code): **AL AT CN Ui CS FI FR DE HU IT PL RO SE TR KG KK LV MD RU Sb UA UZ YU 06 19**
- 1484. Streptanus albanicus (Horvath,1916)** (Cicadellidae) Synonym(s): albanicus Horvath,1916; josifovi Dlabola,1957 Range (in code): **CY AL BG BG IT TR 01 06 26 33 35 38 42 43 45**
- 1485. Stroggylocephalus agrestis (Fallén,1806)** (Cicadellidae) Synonym(s): agrestis Fallén,1806; maculipes Curtis,1835; irroratus Curtis,1835; orientalis Vilbaste,1968 Range (in code): **AT BE BG CN Mc CS DK FI FR DE GB HU IE IT Si JP KP NL PL RO SE AZ Cc EE KG KK LV RU Sb At UA UZ YU**
- 1486. Symphalus rubrolineatus (Stal,1855)** (Cicadellidae) Synonym(s): rubrolineatus Stal,1855; rubrostriatus Horvath,1907; rubrovittatus Matsumura,1914 Range (in code): **AL BG CY IL Pa IR IT JP KP AZ Cc TR 01 07 21 33 34 47**
- 1487. Sulamicerus ancorarius (Dlabola,1964)** (Cicadellidae) Synonym(s): ancorarius Dlabola,1964 Range (in code): **AF TR IR YU 07 21 42 56**
- 1488. Sulamicerus stali (Fieber,1868)** (Cicadellidae) Synonym(s): stali Fieber,1868; bicolor Melichar,1896; toktogulensis Dubovsky,1970 Range (in code): **CY BG GR Rd TR KK TJ UZ 01 02 27 35 44 45 46 48 56 63**
- 1489. Symphypya impressa (Melichar,1902)** (Cicadellidae) Synonym(s): impressa Melichar,1902 Range (in code): **IR**
- 1490. Symphypya melichari Kusnezov,1929** (Cicadellidae) Synonym(s): melichari Kusnezov,1929 Range (in code): **IR TM**
- 1491. Symphypya prodigiosa (Melichar,1902)** (Cicadellidae) Synonym(s): prodigiosa Melichar,1902 Range (in code): **IR**
- 1492. Synophyropsis lauri (Horvath,1897)** (Cicadellidae) Synonym(s): lauri Horvath,1897; wagneri Haupt,1926 Range (in code): **GR IL Pa IT JO TR AZ UA Cm Cc CY Cr HU LB RU 05 06 07 31 33 34 53 55 57 60 61 77**
- 1493. Tamaricella adspersa (Haupt,1927)** (Cicadellidae) Synonym(s): adspersa Haupt,1927 Range (in code): **EG IL JO**
- 1494. Tamaricella anbarabada (Dlabola,1960)** (Cicadellidae) Synonym(s): anbarabada Dlabola,1960 Range (in code): **IR**
- 1495. Tamaricella complicata Dworakowska,1972** (Cicadellidae) Synonym(s): complicata Dworakowska,1972 Range (in code): **EG IL**
- 1496. Tamaricella cypria (Ribaut,1948)** (Cicadellidae) Synonym(s): cypria Ribaut,1948 Range (in code): **CY EG IL Pa TR 06 07 44 71**
- 1497. Tamaricella jaxartensis (Oshanin,1871)** (Cicadellidae) Synonym(s): jaxartensis Oshanin,1871; astrachanica Zachvatkin,1953 Range (in code): **MN Cc AZ KG KK TJ UZ**
- 1498. Tamaricella remanei Dworakowska,1971** (Cicadellidae) Synonym(s): remanei Dworakowska,1971 Range (in code): **GR TR YU 06 35**
- 1499. Tamaricella ribauti (Zachvatkin,1947)** (Cicadellidae) Synonym(s): ribauti Zachvatkin,1947 Range (in code): **GR Cr TR IR KG RU UA YU AF PK 25 58 65**
- 1500. Tamaricella tamaricis (Puton,1872)** (Cicadellidae) Synonym(s): tamaricis Puton,1872; subpunctata Vilbaste,1961 Range (in code): **BG CY EG FR GR IL IT LY RO ES TN TR AM KG RU UA 01 06 21 25 65**
- 1501. Tamaricella tangigharuha (Dlabola,1957)** (Cicadellidae) Synonym(s): tangigharuha Dlabola,1957 Range (in code): **AF EG IL**
- 1502. Tasnimocerus sindhensis Kathri & Webb,2014** (Cicadellidae) Synonym(s): sindhensis Kathri & Webb,2014 Range (in code): **PK Sd**
- 1503. Tbilisica anatolica Kartal,1983** (Cicadellidae) Synonym(s): anatolica Kartal,1983 Range (in code): **TR 51**
- 1504. Tbilisica denticulata Dlabola,1958** (Cicadellidae) Synonym(s): denticulata Dlabola,1958 Range (in code): **Cc GG**
- 1505. Tetartostylus illyricus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): illyricus Kirschbaum,1868; pellucidus Wagner,1951 nec Melichar,1896 Range (in code): **AL AT CZ HU IT RO RU YU GR TR 06 07 22 34**

- 1506. *Thamnotettix (Loepotettix) exemtus* Melichar,1896** (Cicadellidae) Synonym(s): *exemtus* Melichar,1896 Range (in code): **AL AT BG CS HU IT Si RO GG Cc TR MD YU 05 31 37 52 55 57 60 80**
- 1507. *Thamnotettix (Loepotettix) lutfi* Demir,2006** (Cicadellidae) Synonym(s): *lutfi* Demir,2006 Range (in code): **TR 06**
- 1508. *Thamnotettix (s.str.) confinis* Zetterstedt,1828** (Cicadellidae) Synonym(s): *confinis* Zetterstedt,1828; *simplex* Herrich-Schäfer,1834; *sulphurea* Curtis,1837; *stupidula* Zetterstedt,1840; *tincta* Zetterstedt,1840; *prominulus* Reuter,1880; *rufescentipes* Strand,1913; *hoashii* Matsumura,1915; *schlueteri* Haupt,1917 Range (in code): **AT BE CY CS FI FR DE GB HU IE IT KP NL NO PL RO SE SW TN TR AM EE KG LV MD RU Sb UA YU 35 36**
- 1509. *Thamnotettix (s.str.) creticus* Dlabola,1974** (Cicadellidae) Synonym(s): *creticus* Dlabola,1974 Range (in code): **GR Cr TR 01 05 07 31 33 55 57 60 80**
- 1510. *Thamnotettix (s.str.) dilutior* (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *dilutior* Kirschbaum,1868; *erythrostictus* Lethierry,1880 Range (in code): **AL DZ AT BE CZ DK GB FR DE HU IT Sa Si MA NL PL PT RO TN RU YU TR 05 19 52 55 57 60 67**
- 1511. *Thamnotettix (s.str.) klapperichi* Dlabola,1965** (Cicadellidae) Synonym(s): *klapperichi* Dlabola,1965 Range (in code): **TR JO SY 07 31**
- 1512. *Thamnotettix (s.str.) wittmeri* Dlabola,1971** (Cicadellidae) Synonym(s): *wittmeri* Dlabola,1971 Range (in code): **TR 35 48**
- 1513. *Thamnotettix (s.str.) zelleri* (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *zelleri* Kirschbaum,1868 Range (in code): **CY FR IL Pa IT Si SY GR TR YU 01 07 09 15 16 17 19 22 31 33 35 39 45 48 59 71**
- 1514. *Thamnotettix affinis* Fieber,1885** (Cicadellidae) Synonym(s): *affinis* Fieber,1885 Range (in code): **SY**
- 1515. *Thamnotettix allygidioides* Linnavuori,1953** (Cicadellidae) Synonym(s): *allygidioides* Linnavuori,1953 Range (in code): **IL Pa**
- 1516. *Thamnotettix gazella* Emeljanov,1962** (Cicadellidae) Synonym(s): *gazella* Emeljanov,1962 Range (in code): **IR**
- 1517. *Thamnotettix lacteus* Melichar,1902** (Cicadellidae) Synonym(s): *lacteus* Melichar,1902 Range (in code): **IR**
- 1518. *Thamnotettix loratus* Horvath,1911** (Cicadellidae) Synonym(s): *loratus* Horvath,1911 Range (in code): **SY**
- 1519. *Thamnotettix minoidis* Dlabola,1974** (Cicadellidae) Synonym(s): *minoidis* Dlabola,1974 Range (in code): **TR 09 35 48**
- 1520. *Thamnotettix seclusus* Linnavuori,1958** (Cicadellidae) Synonym(s): *seclusus* Linnavuori,1958 Range (in code): **IL Pa JO LB TR 59**
- 1521. *Thamnotettix thrax* Dlabola,1965** (Cicadellidae) Synonym(s): *thrax* Dlabola,1965 Range (in code): **BG SY GR TR YU 05 16 35 52 55 57 60**
- 1522. *Thamnotettix wittmeri* Dlabola,1971** (Cicadellidae) Synonym(s): *wittmeri* Dlabola,1971 Range (in code): **TR 07 35 48**
- 1523. *Transcaucasica kobachidzeina* (Schengellia & Dlabola,1964)** (Cicadellidae) Synonym(s): *kobachidzeina* Schengellia & Dlabola,1964 Range (in code): **Cc GG**
- 1524. *Tremulicerus mesopyrrhus* (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *mesopyrrhus* Kirschbaum,1868; *socialis* Fieber,1868; *variegata* Ribaut,1952 Range (in code): **AF FR GR Cr IT MA PT ES CH UA YU TR 01 06 07 13 18 25 29 35 42 45 65**
- 1525. *Tremulicerus poecilus* (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *poecilus* Herrich-Schäffer,1835; *falciger* Boheman,1845; *discolor* Flor,1861; *venustus* Scott,1874 Range (in code): **AT BE BG CZ DK GB FI FR DE HU IQ IT MA NO PL SE CH TN RU YU GR IR TR 13 29 37 65**
- 1526. *Tremulicerus vitreus* (Fabricius,1803)** (Cicadellidae) Synonym(s): *vitreus* Fabricius,1803; *auronitens* Kirschbaum,1868; *halbum* Fieber,1868 Range (in code): **AT BE CZ DK GB FR DE IT NL RU CY IR TR 06 29 42 50**
- 1527. *Turrutus socialis* (Flor,1861)** (Cicadellidae) Synonym(s): *socialis* Flor,1861; *quadrivittatus* Marshall,1866; *inclusivalvis* Kirschbaum,1868; *quinquevittatus* Kirschbaum,1868; *flavinervis* Kirschbaum,1868; *onustus* Fieber,1869; *fugax* Horvath,1897; *sinuatus* Matsumura,1908 Range (in code): **DZ BE BG CN CS DK FI FR DE GB HU IE IT MN NL PL RO SE SW Cc AM EE KG LV MD RU Sb At**
- 1528. *Typhlocyba quercus* (Fabricius,1777)** (Cicadellidae) Synonym(s): *quercus* Fabricius,1777; *fasciata* Tollin,1851 Range (in code): **AT Az BE BG TR CS DK FR DE GB HU IE IT NL MN NO PL PT RO ES SE SW RU EE KG LV MD RU UA YU CA 67**
- 1529. *Utecha trivialis* (Germar,1821)** (Cicadellidae) Synonym(s): *trivialis* Germar,1821; *decussata* Germar,1821; *lugens* Germar,1821; *germari* Fieber,1872 Range (in code): **AL AT BE BG CY CS DK FR DE GB GR HU IT IL PL PT RO ES TR AZ AM GG Cc MD RU UA YU 04 06 07 11 17 19 20 22 23 29 35 37 44 45 47 48 50 53 56 58 63**
- 1530. *Verdanus artvinensis* Güçlü,2009** (Cicadellidae) Synonym(s): *artvinensis* Güçlü,2009 Range (in code): **TR 08**
- 1531. *Verdanus bekiri* (Kalkandelen,1972)** (Cicadellidae) Synonym(s): *bekiri* Kalkandelen,1972 Range (in code): **TR 06 25 55 58**



- 1532. *Verdanus caucasicus* (Emeljanov,1962)** (Cicadellidae) Synonym(s): caucasicus Emeljanov,1962 Range (in code): Cc RU
- 1533. *Verdanus ciscaucasicus* (Emeljanov,1964)** (Cicadellidae) Synonym(s): ciscaucasicus Emeljanov,1964 Range (in code): RU Cc
- 1534. *Verdanus daghestanicus* (Emeljanov,1964)** (Cicadellidae) Synonym(s): daghestanicus Emeljanov,1964 Range (in code): Cc RU Da
- 1535. *Verdanus gazelicornis* (Dlabola,1980)** (Cicadellidae) Synonym(s): gazelicornis Dlabola,1980 Range (in code): TR 08 36 61 65
- 1536. *Verdanus hardei* (Dlabola,1980)** (Cicadellidae) Synonym(s): hardei Dlabola,1980 Range (in code): AT FR TR 20 32
- 1537. *Verdanus intermedius* (Emeljanov,1964)** (Cicadellidae) Synonym(s): intermedius Emeljanov,1964 Range (in code): RU Cc
- 1538. *Verdanus melichari* (Dlabola,1951)** (Cicadellidae) Synonym(s): melichari Dlabola,1951 Range (in code): AZ Cc GG TR 25 36
- 1539. *Verdanus oseticus* (Emeljanov,1964)** (Cicadellidae) Synonym(s): oseticus Emeljanov,1964 Range (in code): RU Cc
- 1540. *Verdanus pazoukii* (Dlabola,1980)** (Cicadellidae) Synonym(s): pazoukii Dlabola,1980 Range (in code): IR TR 08 25 30 65
- 1541. *Viridicerus ustulatus* (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): viridis Schrank,1801; ustulatus Mulsant & Rey,1855; salicetorum Mulsant & Rey,1855; prasinus Kirschbaum,1868 Range (in code): DZ AT BE BG CS FR DE GR HU IT JO LB MA PL RO ES SW TN KG KK MD RU UA TR UZ YU 11 15 42
- 1542. *Xestocephalus guttulus* (Motschulsky,1859)** (Cicadellidae) Synonym(s): guttulus Motschulsky,1859 Range (in code): TR 01 33
- 1543. *Zercanus rubroocellatus* Dlabola,1965** (Cicadellidae) Synonym(s): rubroocellatus Dlabola,1965 Range (in code): TR JO 01 07 80
- 1544. *Zygina* (Hypericiella) *digitata* (Ribaut,1948)** (Cicadellidae) Synonym(s): digitata Ribaut,1948 Range (in code): CY
- 1545. *Zygina* (Hypericiella) *nebulosa* (Ribaut,1948)** (Cicadellidae) Synonym(s): nebulosa Ribaut,1948 Range (in code): CY IL Pa TR
- 1546. *Zygina* (s.str.) *angusta* Lethierry,1874** (Cicadellidae) Synonym(s): angusta Lethierry,1874 Range (in code): AT BE BG FR DE HU IT NL PL RO SW Cc AZ GG RU Sb UA YU
- 1547. *Zygina* (s.str.) *discolor* Horvath,1897** (Cicadellidae) Synonym(s): discolor Horvath,1897; #discolar Lodos & Kalkandelen,1984 Range (in code): BG CS FR IL Pa TR IR IT MA SW Cc GG KG MD UZ YU 06 07 30 35 44
- 1548. *Zygina* (s.str.) *flammigera* (Fourcroy,1785)** (Cicadellidae) Synonym(s): flammigera Fourcroy,1785 Range (in code): AT BE BG CY CS DK FI FR DE GB HU IE IT NL NO PL RO SE SW KG KK LV MD RU UA UZ YU
- 1549. *Zygina* (s.str.) *karatasa* (Dlabola,1957)** (Cicadellidae) Synonym(s): karatasa Dlabola,1957 Range (in code): AF JO TR 01
- 1550. *Zygina* (s.str.) *krueperi* Fieber,1884** (Cicadellidae) Synonym(s): krueperi Fieber,1884 Range (in code): GR HU IL YU
- 1551. *Zygina* (s.str.) *nivea* (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): nivea Mulsant & Rey,1855; punctulum Mulsant & Rey,1855; cruoris Rey,1891; dorsuaria Ribaut,1936; nycthemera Ribaut,1936 Range (in code): DZ BE CS FR DE GR TR IR HU IL IT MA PT ES TN MD UA YU 35
- 1552. *Zygina* (s.str.) *ordinaria* (Ribaut,1936)** (Cicadellidae) Synonym(s): ordinaria Ribaut,1936; pandellei Ribaut,1936; variegata Ribaut,1936 Range (in code): AT CY CS DK FI FR DE GB MN NL NO PL PT RO SE SW KG YU TR 01 19 54
- 1553. *Zygina* (s.str.) *rhamni* Ferrari,1882** (Cicadellidae) Synonym(s): rhamni Ferrari,1882; simplex Ferrari,1882; detrita Rey,1894; difficilis Ribaut,1936; manca Ribaut,1936 Range (in code): AT BG CY CS FR DE IL IT SW TR UZ 35
- 1554. *Zygina* (s.str.) *rorida* (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): rorida Mulsant & Rey,1855; costalis Ferrari,1882; deleta Ribaut,1936 Range (in code): AT BG FR IT PT RO Cc TR GG UA YU 18
- 1555. *Zygina* (s.str.) *suavis* Rey,1891** (Cicadellidae) Synonym(s): suavis Rey,1891; rhamnicola Horvath,1903; fulguralis Matsumura,1908; concinna Edwards,1924; inconstans Ribaut,1936 Range (in code): AT BG TR CS DK FI FR DE GB HU IT NL PL RO SE SW Cc GG UA YU 35
- 1556. *Zygina* (s.str.) *tiliae* (Fallén,1806)** (Cicadellidae) Synonym(s): tiliae Fallén,1806 Range (in code): AT BE BG CS DK FI FR DE GB HU IT NL NO PL ES SE SW Cc GG RU UA YU
- 1557. *Zygina* (s.str.) *tithide* Ferrari,1882** (Cicadellidae) Synonym(s): tithide Ferrari,1882; nudale Ribaut,1936 (praeocc.); nudior Cerr.,1937; decolorata Cerr.,1939; unipunctata Cerr.,1939; nudista Knull,1944 Range (in code): BG HU IT LB PL SW UA? YU TR 15
- 1558. *Zyginella pulchra* Loew,1885** (Cicadellidae) Synonym(s): pulchra Loew,1885; quercus Kusnezov,1930 Range (in code): AT BG CY CS FR DE GR IL IT PL TR UA Cm YU 07 21 31 35 42 55 68

- 1559. Zyginidia (Anatolidia) obesa Zachvatkin,1937** (Cicadellidae) Synonym(s): obesa Zachvatkin,1937 Range (in code): TR 06
- 1560. Zyginidia (Anatolidia) rostrata Zachvatkin,1937** (Cicadellidae) Synonym(s): rostrata Zachvatkin,1937 Range (in code): TR 06
- 1561. Zyginidia (s.str.) artvinicus Kalkandelen,1985** (Cicadellidae) Synonym(s): artvinicus Kalkandelen,1985 Range (in code): TR 08 53
- 1562. Zyginidia (s.str.) bafranicus Kalkandelen,1985** (Cicadellidae) Synonym(s): bafranicus Kalkandelen,1985; #bafræ Lodos & Kalkandelen,1988 Range (in code): TR 55 57
- 1563. Zyginidia (s.str.) emrea Kalkandelen,1985** (Cicadellidae) Synonym(s): emrea Kalkandelen,1985 Range (in code): TR 18
- 1564. Zyginidia (s.str.) eremita Zachvatkin,1953** (Cicadellidae) Synonym(s): eremita Zachvatkin,1953; caucasica Zachvatkin,1953 Range (in code): Cc TR GG RU UZ 55 57
- 1565. Zyginidia (s.str.) karadenizicus Kalkandelen,1985** (Cicadellidae) Synonym(s): karadenizicus Kalkandelen,1985 Range (in code): TR 08 28 55 57 61
- 1566. Zyginidia (s.str.) pullula (Boheman,1845)** (Cicadellidae) Synonym(s): pullula Boheman,1845 Range (in code): AL BG CS FI DE HU IT Sa MN RO ES SE TR KG UA YU 05 06 14 18 19 38 50 57 81
- 1567. Zyginidia (s.str.) scutellaris (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): scutellaris Herrich-Schäffer,1838 Range (in code): AL DZ AT BE CS DK FR DE GB GR HU IT MA NL PT RO ES SW AM AZ Cc MD RU Sb UZ YU
- 1568. Zyginidia (s.str.) sohrab Zachvatkin,1947** (Cicadellidae) Synonym(s): sohrab Zachvatkin,1947; coacta Ribaut,1948 Range (in code): AF CY IR IL JO LB SY TR RU Cc GG Da UZ 01 02 07 12 13 21 23 27 30 36 44 56 63 65 76
- 1569. Zyziphoides virens (Haupt,1927)** (Cicadellidae) Synonym(s): virens Haupt,1927 Range (in code): AF IR IL
- 1570. Adeniana longiceps (Puton,1887)** (Cicadidae) Synonym(s): longiceps Puton,1887; tabida Horvath,1911; planiceps Horvath,1917 Range (in code): IL Pa DZ TN EG Cc AZ IR
- 1571. Adeniana obokensis Distant,1914** (Cicadidae) Synonym(s): obokensis Distant,1914 Range (in code): YE
- 1572. Adeniana yerburyi (Distant,1905)** (Cicadidae) Synonym(s): yerburyi Distant,1905; #yerburgi Schedl,1999 Range (in code): YE
- 1573. Adeniana yotvataensis Schedl,1999** (Cicadidae) Synonym(s): yotvataensis Schedl,1999 Range (in code): IL Pa
- 1574. Chloropsalta viridiflava (Distant,1914)** (Cicadidae) Synonym(s): viridiflava Distant,1914 Range (in code): TM
- 1575. Cicada lodosi Boulard,1979** (Cicadidae) Synonym(s): lodosi Boulard,1979 Range (in code): TR 07 35 45
- 1576. Cicada mordoganensis Boulard,1979** (Cicadidae) Synonym(s): mordoganensis Boulard,1979 Range (in code): GR Rd TR 07 35 48
- 1577. Cicada orni Linnaeus,1758** (Cicadidae) Synonym(s): orni Linnaeus,1758; punctata Fabricius,1798; oleae A.Costa,1877 Range (in code): Cc AL AT CY CS EG FR GR HU IL Pa Js IT JO LB RO SW ES TN AM AZ GG IR TR RU TM UA SS HV YU 01 08 09 10 21 26 34 35 46 56
- 1578. Cicada permagna (Haupt,1917)** (Cicadidae) Synonym(s): permagna Haupt,1917 Range (in code): TR 07 33
- 1579. Cicadatra abdominalis Schumacher,1923** (Cicadidae) Synonym(s): abdominalis Schumacher,1923 Range (in code): SY
- 1580. Cicadatra acberi (Distant,1888)** (Cicadidae) Synonym(s): acberi Distant,1888 Range (in code): Ch PK IN
- 1581. Cicadatra adanai Kartal,1980** (Cicadidae) Synonym(s): adanai Kartal,1980 Range (in code): TR 01 07
- 1582. Cicadatra atra (Oliver,1790)** (Cicadidae) Synonym(s): atra Oliver,1790; concinna Germar,1821; transversa Germar,1830 (praeocc.); vitreus Brullé,1832; hyalinatus Brullé,1832; helianthemii Rambur,1840; aquila Fieber,1876; pallipes Fieber,1876; tau Fieber,1876; appendiculata Linnavuori,1954 Range (in code): AL BG CY CS FR GR IR IT LB IL GR Rd RO ES SW SY TR AZ UA YU 01 05 06 07 09 13 19 22 24 27 34 35 38 46 48 56 58 63 72
- 1583. Cicadatra bistunensis Mozaffarian & Sanborn,2010** (Cicadidae) Synonym(s): bistunensis Mozaffarian & Sanborn,2010 Range (in code): IR
- 1584. Cicadatra flava (Dlabola,1970)** (Cicadidae) Synonym(s): flava Dlabola,1970 Range (in code): IR
- 1585. Cicadatra flavicollis Horvath,1911** (Cicadidae) Synonym(s): flavicollis Horvath,1911 Range (in code): EG Sn IL Pa SA
- 1586. Cicadatra gingat China,1926** (Cicadidae) Synonym(s): gingat China,1926 Range (in code): PK Nwf BI IN
- 1587. Cicadatra hagenica Dlabola,1987** (Cicadidae) Synonym(s): virens Hagen,1856; hagenica Dlabola,1987 Range (in code): TR

- 1588. Cicadatra hyalina (Fabricius,1798)** (Cicadidae) Synonym(s): hyalina Fabricius,1798; geodesma Kolenati,1857; taurica Fieber,1876; virens Fieber,1876; burriana Horvath,1912; viridis Haupt,1917; discrepans Schumacher,1923; rossica Schumacher,1923 Range (in code): Cc BG IR IL Pa JO SY TR AM AZ GG RO RU Sb TM UA 02 04 06 07 23 24 29 30 32 35 42 46 49 50 51 56 57 63 65 72
- 1589. Cicadatra karachiensis Ahmed, Sanborn & Hill,2010** (Cicadidae) Synonym(s): karachiensis Ahmed, Sanborn & Hill,2010 Range (in code): PK Krc Sd
- 1590. Cicadatra kermanica Dlabola,1970** (Cicadidae) Synonym(s): kermanica Dlabola,1970 Range (in code): IR Ke
- 1591. Cicadatra longipennis Schumacher,1923** (Cicadidae) Synonym(s): longipennis Schumacher,1923 Range (in code): EG Sn IL Pa Js JO
- 1592. Cicadatra lorestanica Mozaffarian, Sanborn & Phillips,2010** (Cicadidae) Synonym(s): lorestanica Mozaffarian, Sanborn & Phillips,2010 Range (in code): IR Lo
- 1593. Cicadatra persica Kirkaldy,1909** (Cicadidae) Synonym(s): lineola Hagen,1856 (praeocc.); persica Kirkaldy,1909 Range (in code): MK Cc IR IL Pa IT SY TR AM AZ GG PK 01 04 06 13 15 29 46 49 65
- 1594. Cicadatra plagifera Schumacher,1923** (Cicadidae) Synonym(s): plagifera Schumacher,1923 Range (in code): TN IL Pa EG Sn IR
- 1595. Cicadatra platyptera Fieber,1876** (Cicadidae) Synonym(s): platyptera Fieber,1876 Range (in code): IL Pa JO LB SY TR MK IR 28 29 35 42 46 48 58 63
- 1596. Cicadatra querula (Pallas,1773)** (Cicadidae) Synonym(s): querula Pallas,1773; steveni Stal,1854 (praeocc.) Range (in code): Cc AF DZ FR IR IL Pa TR MN TN AM AZ GG KG KK RU TJ TM UA UZ Ch PK BI Qu EG Sn MN 24 56 76
- 1597. Cicadatra raja Distant,1906** (Cicadidae) Synonym(s): raja Distant,1906 Range (in code): IN PK Nwf
- 1598. Cicadatra ramanensis Linnavuori,1962** (Cicadidae) Synonym(s): ramanensis Linnavuori,1962 Range (in code): IR Ss IL Pa
- 1599. Cicadatra sankara (Distant,1904)** (Cicadidae) Synonym(s): sankara Distant,1904 Range (in code): PK BI IN
- 1600. Cicadatra tenebrosa Fieber,1876** (Cicadidae) Synonym(s): tenebrosa Fieber,1876 Range (in code): TR
- 1601. Cicadatra vulcania Dlabola & Heller,1962** (Cicadidae) Synonym(s): vulcania Dlabola & Heller,1962 Range (in code): IR
- 1602. Cicadatra walkeri Metcalf,1963** (Cicadidae) Synonym(s): striata Walker,1850 (praeocc.); walkeri Metcalf,1963 Range (in code): PK BI Qu IN
- 1603. Cicadatra xanthes (Walker,1850)** (Cicadidae) Synonym(s): xanthes Walker,1850 Range (in code): IN PK
- 1604. Cicadatra zahedanica Dlabola,1970** (Cicadidae) Synonym(s): zahedanica Dlabola,1970 Range (in code): IR
- 1605. Cicadatra ziaratica Ahmed, Sanborn & Akhter,2012** (Cicadidae) Synonym(s): ziaratica Ahmed, Sanborn & Akhter,2012 Range (in code): PK BI
- 1606. Cicadetta afghanistica Dlabola,1964** (Cicadidae) Synonym(s): afghanistica Dlabola,1964 Range (in code): AF
- 1607. Cicadetta caucasica (Kolenati,1857)** (Cicadidae) Synonym(s): caucasica Kolenati,1857; imbecillis Eversmann,1859; sareptana Fieber,1876 Range (in code): AZ Cc RU
- 1608. Cicadetta dlabolai (Mozaffarian & Sanborn,2010)** (Cicadidae) Synonym(s): dlabolai Mozaffarian & Sanborn,2010 Range (in code): IR
- 1609. Cicadetta flaveola (Brullé,1832)** (Cicadidae) Synonym(s): flaveola Brullé,1832 Range (in code): TR Cc DZ GR IT MA PT ES GG KG TJ TM 38 42
- 1610. Cicadetta fraseri (China,1938)** (Cicadidae) Synonym(s): fraseri China,1938 Range (in code): IQ
- 1611. Cicadetta haematophleps Fieber,1876** (Cicadidae) Synonym(s): haematophleps Fieber,1876 Range (in code): Cc GG
- 1612. Cicadetta hageni Fieber,1872** (Cicadidae) Synonym(s): hageni Fieber,1872 Range (in code): CY GR SY
- 1613. Cicadetta kollari Fieber,1876** (Cicadidae) Synonym(s): kollari Fieber,1876 Range (in code): Cc AZ
- 1614. Cicadetta literata Distant,1888** (Cicadidae) Synonym(s): literata Distant,1888 Range (in code): Ch PK IN
- 1615. Cicadetta mediterranea Fieber,1876** (Cicadidae) Synonym(s): mediterranea Fieber,1876 Range (in code): BG IT JO TN YU
- 1616. Cicadetta montana (Scopoli,1772)** (Cicadidae) Synonym(s): montana Scopoli,1772; flavofenestrata Goeze,1778; schafferi Gmelin,1780; pygmaea Olivier,1790; dimidiata Fabricius,1803; anglica Samouelle,1819; parvula Walker,1850 (praeocc.); saxonica Hartwig,1857; megerlei Fieber,1876; longipennis Fieber,1876 Range (in code): Cc AT BE BG CN DK FI FR DE GB GR HU IT NO IL PL RO ES SE SW TR AZ GG KG MD RU Sb TJ UA YU 01 34



- 1617. Cicadetta musiva (Germar,1830)** (Cicadidae) Synonym(s): musiva Germar,1830; caspica Kolenati,1857; tamarisci Walker,1870; suoedicola Bergevin,1913 Range (in code): AF DZ CY EG Sn IR IQ IL Pa Js JO MA TN TR Cc AZ KG RU TM UZ PK Ch 05 56
- 1618. Cicadetta parvula Fieber,1876** (Cicadidae) Synonym(s): parvula Fieber,1876; fieberi Oshanin,1908; libanotica Horvath,1911 Range (in code): MA TR LB IL Pa 05
- 1619. Cicadetta pilosa Horvath,1901** (Cicadidae) Synonym(s): pilosa Horvath,1901 Range (in code): TR
- 1620. Cicadetta prasina (Pallas,1773)** (Cicadidae) Synonym(s): prasina Pallas,1773 Range (in code): CN MN MA? PT? Cc AM KG RU Sb
- 1621. Cicadetta sibilatrix Horvath,1901** (Cicadidae) Synonym(s): sibilatrix Horvath,1901 Range (in code): IL Pa SY TR 33 35 46
- 1622. Cicadetta sinuatipennis Oshanin,1906** (Cicadidae) Synonym(s): sinuatipennis Oshanin,1906 Range (in code): KG TM
- 1623. Cicadetta tumidifrons Horvath,1911** (Cicadidae) Synonym(s): tumidifrons Horvath,1911 Range (in code): SY
- 1624. Cicadetta turcica (Schedl,2001)** (Cicadidae) Synonym(s): turcica Schedl,2001 Range (in code): TR 27 46
- 1625. Cicadetta yemenensis (Schedl,2004)** (Cicadidae) Synonym(s): yemenensis Schedl,2004 Range (in code): YE
- 1626. Cicadivetta tibialis (Panzer,1798)** (Cicadidae) Synonym(s): tibialis Panzer,1798; libanotica Horvath,1911; cissilvanica Haupt,1935; acuta Dlabola,1961 Range (in code): MK AL AT BG CS FR DE GR HU IT MA PT RO ES TN KK MD RU Cc TR UA UZ 06 08 19
- 1627. Dimissalna dimissa (Hagen,1856)** (Cicadidae) Synonym(s): dimissa Hagen,1856 Range (in code): FR MK AL SS HV B-H RO CN Uj Ku GR IT TR Cc AZ KG RU Sb Da YU 07 09 29 32 33 34 35 59
- 1628. Haphsa nicomache (Walker,1850)** (Cicadidae) Synonym(s): nicomache Walker,1850 Range (in code): IN PK
- 1629. Klapperichicen acoloratus Dlabola,1960** (Cicadidae) Synonym(s): acoloratus Dlabola,1960 Range (in code): IR Ss
- 1630. Klapperichicen dubius (Jacobi,1927)** (Cicadidae) Synonym(s): dubius Jacobi,1927 Range (in code): AF Kab
- 1631. Klapperichicen turbatus (Melichar,1902)** (Cicadidae) Synonym(s): turbatus Melichar,1902 Range (in code): IR Ss
- 1632. Klapperichicen viridissimus (Walker,1858)** (Cicadidae) Synonym(s): viridissima Walker,1858; alhageos Kolenati,1857; glycyrrhizae Kolenati,1857; ochreate Melichar,1902; olivacea Melichar,1913; stenoptera Haupt,1917; smaragdula Haupt,1920 Range (in code): AF GR IR IQ Bgd IL Pa IT JO TR RU 03 21 27 42 46 47 56 63
- 1633. Linguacicada continuata (Distant,1888)** (Cicadidae) Synonym(s): continuata Distant,1888 Range (in code): PK Bl Qu IN CN
- 1634. Lyristes esfandiarii Dlabola,1970** (Cicadidae) Synonym(s): esfandiarii Dlabola,1970 Range (in code): IR
- 1635. Lyristes gemellus Boulard,1988** (Cicadidae) Synonym(s): gemellus Boulard,1988 Range (in code): TR 35
- 1636. Lyristes isodol Boulard,1988** (Cicadidae) Synonym(s): isodol Boulard,1988 Range (in code): TR
- 1637. Lyristes plebejus (Scopoli,1763)** (Cicadidae) Synonym(s): plebejus Scopoli,1763; fraxini Fabricius,1803; obscura Fabricius,1803; armeniaca Kolenati,1857; africana Metcalf,1955 Range (in code): Cc AL AT CY CS FR DE GR HU IR IT PL PT RO ES SY SW TR AM AZ GG Cc IL Pa RU UA YU 01 06 07 08 09 10 16 20 24 27 34 35 39 43 45 46 47 48
- 1638. Meimuna velitaris (Distant,1897)** (Cicadidae) Synonym(s): velitaris Distant,1897 Range (in code): MM PK
- 1639. Pagiphora annulata (Brullé,1832)** (Cicadidae) Synonym(s): annulata Brullé,1832 Range (in code): AL DZ BG CS GR TN TR YU 17 31 33 35 59 67
- 1640. Pagiphora aschei Kartal,1978** (Cicadidae) Synonym(s): aschei Kartal,1978 Range (in code): TR GR Cr 07
- 1641. Pagiphora yanni Boulard,1993** (Cicadidae) Synonym(s): yanni Boulard,1993 Range (in code): TR 01
- 1642. Paharia lacteipennis (Walker,1850)** (Cicadidae) Synonym(s): lacteipennis Walker,1850 Range (in code): IN PK Bl Nwf Ci AF KG
- 1643. Paharia putoni (Distant,1892)** (Cicadidae) Synonym(s): lacteipennis Puton,1883 nec Wlk.,1850; putoni Distant,1892 Range (in code): IR TM Kp PK Nwf Ci AF RU KG TJ
- 1644. Paharia zeyara (Kusnezov,1931)** (Cicadidae) Synonym(s): zeyara Kusnezov,1931 Range (in code): TJ AF UZ Br
- 1645. Platylomia saturata (Walker,1858)** (Cicadidae) Synonym(s): saturata Walker,1858 Range (in code): TH MY Prk IN NP BT PK
- 1646. Platyleura basialba (Walker,1850)** (Cicadidae) Synonym(s): basialba Walker,1850 Range (in code): IN Up Ddu Ben Mhw PK

- 1647. *Platyleura mackinnoni* Distant,1904** (Cicadidae) Synonym(s): mackinnoni Distant,1904 Range (in code): PK IN Mus Up Ddu
- 1648. *Platyleura octoguttata* (Fabricius,1798)** (Cicadidae) Synonym(s): octoguttata Fabricius,1798; sanguiflua Walker,1850 Range (in code): IN Pj Mus Mhw Bba NI LK Krc Sd PK
- 1649. *Platyleura testacea* (Walker,1858)** (Cicadidae) Synonym(s): testacea Walker,1858 Range (in code): IR
- 1650. *Psalmocharias balochii* Ahmed & Sanborn,2010** (Cicadidae) Synonym(s): balochii Ahmed & Sanborn,2010 Range (in code): PK BI
- 1651. *Psalmocharias chitralensis* Ahmed & Sanborn,2010** (Cicadidae) Synonym(s): chitralensis Ahmed & Sanborn,2010 Range (in code): PK Nwf Ci
- 1652. *Psalmocharias gizarensis* Ahmed & Sanborn,2010** (Cicadidae) Synonym(s): gizarensis Ahmed & Sanborn,2010 Range (in code): PK Ch Gg
- 1653. *Psalmocharias japokensis* Ahmed & Sanborn,2010** (Cicadidae) Synonym(s): japokensis Ahmed & Sanborn,2010 Range (in code): PK Gg Ch
- 1654. *Psalmocharias rugipennis* (Walker,1858)** (Cicadidae) Synonym(s): rugipennis Walker,1858 Range (in code): IN AF Kab PK BI Qu
- 1655. *Pycna repanda* (Linnaeus,1767)** (Cicadidae) Synonym(s): repanda Linnaeus,1767; phalaenoides Walker,1850; interna Walker,1852 Range (in code): PK IN SI Djl Ch Ass Meg Khs Nag MM Syl BD LK JP CN TW ID NP BT
- 1656. *Shaoshia zhangii* Wei, Zubair & Rizvi,2010** (Cicadidae) Synonym(s): zhangii Wei, Zubair & Rizvi,2010 Range (in code): PK Dik
- 1657. *Sonata obnubila* (Distant,1888)** (Cicadidae) Synonym(s): obnubila Distant,1888 Range (in code): IN Pj PK Nwf Mre BT NP
- 1658. *Tibicina casyapae* (Distant,1888)** (Cicadidae) Synonym(s): casyapae Distant,1888 Range (in code): Ch PK Pag Kab AF IN
- 1659. *Tibicina fieberi* Puissant & Sueur,2002** (Cicadidae) Synonym(s): fieberi Puissant & Sueur,2002 Range (in code): TR 33
- 1660. *Tibicina haematodes* (Scopoli,1763)** (Cicadidae) Synonym(s): haematodes Scopoli,1763; sanguinea Fabricius,1803; helveola Germar,1821; viridinervis Fieber,1876 Range (in code): Cc AL AT BG CS FR DE GR HU IT IL PT RO ES SW TR AM AZ GG MD RU UA MK YU 07 34 46
- 1661. *Tibicina intermedia* Fieber,1876** (Cicadidae) Synonym(s): intermedia Fieber,1876 Range (in code): Cc AM AZ
- 1662. *Tibicina nigronevosa* Fieber,1876** (Cicadidae) Synonym(s): nigronevosa Fieber,1876 Range (in code): FR Co PT ES CH Cc TR
- 1663. *Tibicina quadrisignata* (Hagen,1855)** (Cicadidae) Synonym(s): quadrisignata Hagen,1855 Range (in code): DZ ES Py ?Cc
- 1664. *Tibicina reticulata* (Distant,1888)** (Cicadidae) Synonym(s): reticulata Distant,1888 Range (in code): Ch PK Pj Gg IN
- 1665. *Tibicina serhadensis* Koçak & Kemal,2010** (Cicadidae) Synonym(s): serhadensis Koçak & Kemal,2010 Range (in code): TR 65
- 1666. *Tibicina steveni* (Krynicky,1837)** (Cicadidae) Synonym(s): steveni Krynicky,1837 Range (in code): CH FR PT BG MK TR Cc GG UA Cm 33
- 1667. *Triglena virescens* Fieber,1876** (Cicadidae) Synonym(s): virescens Fieber,1876 Range (in code): SY TR 35
- 1668. *Cimex lectularius* Linnaeus,1758** (Cimicidae) Synonym(s): lectularius Linnaeus,1758 Range (in code): TR
- 1669. *Cacodmus vicinus* Horvath,1934** (Cimicidae) Synonym(s): vicinus Horvath,1934 Range (in code): TN EG IL Pa LB JO TR 01 07
- 1670. *Bashgultala clara* Dlabola,1957** (Cixiidae) Synonym(s): clara Dlabola,1957 Range (in code): AF
- 1671. *Cixius cambricus* China,1935** (Cixiidae) Synonym(s): cambricus China,1935; borussicus Wagner,1939; austriacus Wagner,1939 Range (in code): Cc AL AT CZ FR DE GB IT PL AZ GG YU
- 1672. *Cixius cunicularius* (Linnaeus,1767)** (Cixiidae) Synonym(s): cunicularius Linnaeus,1767; nervosopunctata De Geer,1773; cynosbatis Fabricius,1775; dionysii Panzer,1796; dorsalis Hardy,1850; eurypterus Kirschbaum,1868; vulgaris Fieber,1876; fusca Fieber,1876 Range (in code): AL DZ AT BE CH CZ DK FI FR DE GB IE HU IT NO PL RO ES SE RU BY EE KG LV UA YU GG Sb TR 45
- 1673. *Cixius distinguendus* Kirschbaum,1868** (Cixiidae) Synonym(s): distinguendus Kirschbaum,1868; intermedius Scott,1870; brachycranus Scott,1870; #distinguendus Lodos & Kalkandelen,1980 Range (in code): AT BG CZ FI FR DE GB IE IT NL NO PL SE RU KG LV EE UA YU TR 06
- 1674. *Cixius granulatus* Horvath,1897** (Cixiidae) Synonym(s): granulatus Horvath,1897 Range (in code): CY RO
- 1675. *Cixius haupti* Dlabola,1949** (Cixiidae) Synonym(s): montanus Haupt,1949 (praeocc.); haupti Dlabola,1949 Range (in code): Cc AT CZ FR DE IT PL GG SW

- 1676. *Cixius hispidus* Logvinenko,1967** (Cixiidae) Synonym(s): hispidus Logvinenko,1967 Range (in code): **AZ Cc UA RU**
- 1677. *Cixius hylaeus* Logvinenko,1969** (Cixiidae) Synonym(s): hylaeus Logvinenko,1969 Range (in code): **Cc AZ**
- 1678. *Cixius nervosus* (Linnaeus,1758)** (Cixiidae) Synonym(s): nervosus Linnaeus,1758; hemerobioides Schrank,1776; fasciata Fieber,1876; minor Ferrari,1885 (praeocc.); atavus Schumacher,1912; longispinus Wagner,1955 Range (in code): **Cc AL DZ TN AT BL GB CZ DK FI FR DE HU IT JP MA NL NO PL RO ES SE SW RU AZ BY EE GG KG LV UA UZ YU MD Krl Sh Sb**
- 1679. *Cixius pallipes* Fieber,1876** (Cixiidae) Synonym(s): pallipes Fieber,1876; notaticollis Rey,1894; fumipennis Horvath,1897 Range (in code): **Cc AF BG CY CZ FR HU IQ IL RO TR AM AZ GG MD TJ YU 01 02 03 06 07 08 09 10 14 17 18 21 24 25 26 27 28 29 30 35 40 42 43 44 46 47 48 52 55 60 63 66 70 74 76 81**
- 1680. *Cixius persicus* Distant,1907** (Cixiidae) Synonym(s): longipennis Melichar,1902 (praeocc.); persicus Distant,1907 Range (in code): **IR**
- 1681. *Cixius remotus* Edwards,1888** (Cixiidae) Synonym(s): remotus Edwards,1888 Range (in code): **BG FR GB YU GR TR 01 06 07 25 42**
- 1682. *Cixius similis* Kirschbaum,1868** (Cixiidae) Synonym(s): similis Kirschbaum,1868; albipennis Reuter,1880 (praeocc.); reuteri Metcalf,1936 Range (in code): **Cc AT CZ DK FI FR DE GB HU IE IT NL NO PL SE EE GG KG LV RU**
- 1683. *Cixius simplex* (Herrich-Schäffer,1835)** (Cixiidae) Synonym(s): bifasciata Schrank,1776 (praeocc.); simplex Herrich-Schäffer,1835; minor Kirschbaum,1868; vitripennis Kirschbaum,1868; scotti Edwards,1888 Range (in code): **Cc DZ AT BL BG TR CZ DK FR DE GB HU IT NL PL RO ES AM AZ GG TJ YU 36**
- 1684. *Duilius bagdada* (Dlabola,1952)** (Cixiidae) Synonym(s): bagdada Dlabola,1952 Range (in code): **IQ Bgd**
- 1685. *Duilius fasciata* Howarth,1894** (Cixiidae) Synonym(s): fasciata Howarth,1894 Range (in code): **AF Cc AM AZ KG RU Da TJ**
- 1686. *Duilius modesta* Horwarth,1894** (Cixiidae) Synonym(s): modesta Horwarth,1894 Range (in code): **Cc AM**
- 1687. *Duilius seticulosa* (Lethierry,1874)** (Cixiidae) Synonym(s): seticulosa Lethierry,1874; irrorata A.Costa,1882; punctata Lallemand,1929 Range (in code): **AF DZ CY EG TR IQ IL IT MA ES TN AZ TJ 07 24 46 50**
- 1688. *Duilius tamaricis* (Puton & Lethierry,1887)** (Cixiidae) Synonym(s): tamaricis Puton & Lethierry,1887 Range (in code): **RU KG UZ TR 07 09 17 19 24 35 44 48 50 55**
- 1689. *Duilius verticilineata* Dlabola,1965** (Cixiidae) Synonym(s): verticilineata Dlabola,1965 Range (in code): **JO**
- 1690. *Duilius viridissima* Dlabola,1960** (Cixiidae) Synonym(s): viridissima Dlabola,1960 Range (in code): **Cc AZ**
- 1691. *Eumecurus bourouensis* (Linnavuori,1965)** (Cixiidae) Synonym(s): bourouensis Linnavuori,1965 Range (in code): **GR BG TR 07 45**
- 1692. *Eumecurus gyaurus* (Dlabola,1957)** (Cixiidae) Synonym(s): gyaurus Dlabola,1957 Range (in code): **TR 01 07**
- 1693. *Hemitropis seticlosa* (Lethierry,1874)** (Cixiidae) Synonym(s): seticlosa Lethierry,1874 Range (in code): **TR 24 46 50**
- 1694. *Hyalesthes askalensis* Hoch,1985** (Cixiidae) Synonym(s): askalensis Hoch,1985; erzurumica Dlabola,1986 Range (in code): **TR 25**
- 1695. *Hyalesthes hani* Hoch,1985** (Cixiidae) Synonym(s): hani Hoch,1985 Range (in code): **IL LB TR 07**
- 1696. *Hyalesthes luteipes* Fieber,1876** (Cixiidae) Synonym(s): luteipes Fieber,1876 Range (in code): **Cc AT BG FR Co Sa Si GR HU IS IT YU PT RO ES TN TR AZ GG MD UA UZ TM 06 07 09 19 21 33 34 38 40 42 46 50 66 67 70**
- 1697. *Hyalesthes mavromoustakisi* Dlabola,1959** (Cixiidae) Synonym(s): mavromoustakisi Dlabola,1959 Range (in code): **CY TR GR Rd JO 07 21**
- 1698. *Hyalesthes mlokosiewiczzi* Signoret,1879** (Cixiidae) Synonym(s): mlokosiewiczzi Signoret,1879 Range (in code): **Cc CY IR TR AM AZ GG RU TM UZ IQ 01 02 03 06 07 09 11 15 18 21 27 32 33 35 44 46 47 48 56 60 63 73 79**
- 1699. *Hyalesthes obsoletus* Signoret,1865** (Cixiidae) Synonym(s): obsoletus Signoret,1865; albolimbatus Kirschbaum,1868; flavovarius Kusnezov,1935 Range (in code): **Cc AF AL DZ AT BG CY CZ FR DE HU IQ IL IT JO PT RO ES SW SY TN TR RU AZ GG KG KK MD TJ UA UZ YU 01 02 03 04 06 07 09 10 14 15 16 17 18 19 21 22 23 24 25 26 27 28 30 32 33 34 42 44 45 46 47 48 50 53 54 57 58 60 61 63 65 76 81**
- 1700. *Hyalesthes philesakis* Hoch & Remane,1985** (Cixiidae) Synonym(s): philesakis Hoch & Remane,1985 Range (in code): **TR 06 40**
- 1701. *Hyalesthes ponticorum* Hoch & Remane,1985** (Cixiidae) Synonym(s): ponticorum Hoch & Remane,1985 Range (in code): **TR 06 18 19 24 42 65**
- 1702. *Hyalesthes scotti* Ferrari,1882** (Cixiidae) Synonym(s): scotti Ferrari,1882 Range (in code): **AL AT BG TR CZ FR HU IL IT RO ES YU 09 18 23 32 47 62**



- 1703.** *Hyalesthes thracicus* Hoch,1985 (Cixiidae) Synonym(s): thracicus Hoch,1985 Range (in code):  
**TR GR 01 22**
- 1704.** *Hyalesthes venustus* Logvinenko,1969 (Cixiidae) Synonym(s): venustus Logvinenko,1969 Range (in code): **Cc AZ**
- 1705.** *Hyalesthes veysseli* Hoch,1985 (Cixiidae) Synonym(s): veysseli Hoch,1985 Range (in code): **TR 07 14 42 51 65**
- 1706.** *Hyalesthes yozgaticus* Hoch & Remane,1985 (Cixiidae) Synonym(s): yozgatica Hoch & Remane,1985 Range (in code): **TR 06 66**
- 1707.** *Latoliarus aither* Linnavuori,1971 (Cixiidae) Synonym(s): aither Linnavuori,1971 Range (in code): **IL Pa**
- 1708.** *Latoliarus brunneus* Dlabola,1957 (Cixiidae) Synonym(s): brunneus Dlabola,1957 Range (in code): **AF**
- 1709.** *Myndus musivus* (Germar,1825) (Cixiidae) Synonym(s): musivus Germar,1825 Range (in code):  
**AF BL BG CZ FR DE HU IT NL PL RO SW TR RU AZ KG UA UZ YU 06 14 18 22 23 32 35 46 47 48 62 65**
- 1710.** *Oliarus afghanus* Dlabola,1957 (Cixiidae) Synonym(s): afghanus Dlabola,1957 Range (in code):  
**AF**
- 1711.** *Oliarus angustiformis* Linnavuori,1953 (Cixiidae) Synonym(s): angustiformis Linnavuori,1953 Range (in code): **IL Pa TR 45 63**
- 1712.** *Oliarus apiculatus* Fieber,1876 (Cixiidae) Synonym(s): apiculatus Fieber,1876 Range (in code):  
**FR HU RO Cc AZ YU**
- 1713.** *Oliarus badakshanus* Dlabola,1957 (Cixiidae) Synonym(s): badakshanus Dlabola,1957 Range (in code): **AF**
- 1714.** *Oliarus concolor* Fieber,1876 (Cixiidae) Synonym(s): concolor Fieber,1876 Range (in code): **DZ GR TN Cc AZ KG KK RU Da TJ UA UZ**
- 1715.** *Oliarus convergens* Melichar,1902 (Cixiidae) Synonym(s): convergens Melichar,1902 Range (in code): **IR**
- 1716.** *Oliarus cuspidatus* Fieber,1876 (Cixiidae) Synonym(s): cuspidatus Fieber,1876 Range (in code):  
**AL CZ FR HU IT PT RO ES TR KK TM UA UZ 02 47**
- 1717.** *Oliarus dagestanicus* Kusnezov,1937 (Cixiidae) Synonym(s): dagestanicus Kusnezov,1937 Range (in code): **RU Cc Da**
- 1718.** *Oliarus kabulus* Dlabola,1957 (Cixiidae) Synonym(s): kabulus Dlabola,1957 Range (in code): **AF Kab**
- 1719.** *Pentastira rorida* (Fieber,1876) (Cixiidae) Synonym(s): rorida Fieber,1876; maculatus Fieber,1876 Range (in code): **TR AF BG CZ GR RO SY RU 10 22 24 35 45 47 60**
- 1720.** *Oliarus minusculus* Melichar,1913 (Cixiidae) Synonym(s): minusculus Melichar,1913 Range (in code): **AM GG Cc**
- 1721.** *Oliarus nigrofurcatus* Signoret,1884 (Cixiidae) Synonym(s): nigrofurcatus Signoret,1884; fumatus Melichar,1902 Range (in code): **AF IR IQ Cc AZ CN Ui UZ TM**
- 1722.** *Oliarus obscurus* (Signoret,1865) (Cixiidae) Synonym(s): obscurus Signoret,1865; signatus Fieber,1876 Range (in code): **EG FR IT Sa Cc AM AZ RU UA**
- 1723.** *Oliarus pallens* (Germar,1821) (Cixiidae) Synonym(s): pallens Germar,1821; stenocephalus Haupt,1917; suezensis Matsumura,1910; modestus Haupt,1927 Range (in code): **Cc AF DZ CZ EG IR IL IT JO LY PT RO ES TR AM AZ GG KG KK MD RU TJ TM UA UZ YU 42**
- 1724.** *Oliarus panzeri* (Loew,1883) (Cixiidae) Synonym(s): panzeri Loew,1883 Range (in code): **DZ AT BE BG TR CZ GB FR DE IT PL RO ES TN RU YU 06**
- 1725.** *Oliarus roridus* Fieber,1876 (Cixiidae) Synonym(s): roridus Fieber,1876; maculatus Fieber,1876 Range (in code): **AF BG CZ GR RO SY TR RU Cc AZ**
- 1726.** *Pentastira major* (Kirschbaum,1868) (Cixiidae) Synonym(s): major Kirschbaum,1868; opalinus Fieber,1876; interjectus Linnavuori,1957; atratus Dlabola,1958 Range (in code): **Cc AL CY HU IQ IL JO RO SY TR AM GG UA 01 06 07 14 18 19 21 27 28 31 32 35 42 45 46 47 49 51 55 59 60 63 65 66 70**
- 1727.** *Pentastira megista* Emeljanov,1978 (Cixiidae) Synonym(s): megista Emeljanov,1978 Range (in code): **AF AZ BG Cc GR HU RO RU SL SY TR UA YU 01 06 07 18 21 25 42 49 51 66 70**
- 1728.** *Pentastira torossica* (Dlabola,1957) (Cixiidae) Synonym(s): torossicus Dlabola,1957 Range (in code): **TR 01**
- 1729.** *Pentastiridius leporinus* (Linnaeus,1761) (Cixiidae) Synonym(s): leporinus Linnaeus,1761; pallidus Herrich-Schäffer,1835 Range (in code): **AF AL DZ AT BL CN CY CZ DK FI FR DE GB GR HU IE IT MN NL PL RO ES SE SW TN TR AM AZ Cc EE KG KK RU TM UA UZ YU 01 04 06 07 09 13 18 21 25 31 33 36 42 46 47 50 51**
- 1730.** *Pentastiridius nanus* (Ivanoff,1885) (Cixiidae) Synonym(s): nanus Ivanoff,1885 Range (in code): **UA TR 06**
- 1731.** *Pseudoliarus fuscofasciatus* (Melichar,1902) (Cixiidae) Synonym(s): fuscofasciatus Melichar,1902; oblitteratus Kusnezov,1937; aegyptiacus Wagner,1954 Range (in code): **EG IR LY TN Cc AM TR RU TJ TM YE 47 73**

- 1732. Pseudoliarus palaestinensis Linnavuori,1962** (Cixiidae) Synonym(s): palaestinensis Linnavuori,1962 Range (in code): IL Pa TR 21 47 63 79
- 1733. Reptalus (Trepalus) rufocarinatus (Kusnezov,1937)** (Cixiidae) Synonym(s): rufocarinatus Kusnezov,1937; bitinctus Dlabola,1961 Range (in code): TR RU UA 01 06 25 46 65 76
- 1734. Reptalus (s.str.) horridus (Linnavuori,1962)** (Cixiidae) Synonym(s): horridus Linnavuori,1962; zercanus Dlabola,1965 Range (in code): GR TR JO LB IL 01 06 07 35
- 1735. Reptalus (s.str.) melanochaetus (Fieber,1876)** (Cixiidae) Synonym(s): melanochaetus Fieber,1876; fasciatus Kusnezov,1928 Range (in code): Cc BG CZ FR HU IT RO TR AZ GG KG MD RU UA YU 06 08 09 11 21 22 25 28 31 32 34 35 39 40 41 48 59 71
- 1736. Reptalus (s.str.) oleae Dlabola,1987** (Cixiidae) Synonym(s): oleae Dlabola,1987 Range (in code): TR 07 33 48
- 1737. Reptalus (s.str.) panzeri (Loew,1883)** (Cixiidae) Synonym(s): panzeri Loew,1883 Range (in code): Cc DZ AT BL BG CZ FR DE GB HU IT PL RO ES TN TR RU AM AZ GG KG UA YU 06 18
- 1738. Reptalus (s.str.) quinquecostatus (Dufour,1833)** (Cixiidae) Synonym(s): quinquecostatus Dufour,1833; pallidus Kusnezov,1937; flavidus Kusnezov,1937; rufocarinatus Kusnezov,1937 Range (in code): Cc AT BE BG CN CZ FR GR HU IT RO ES TR AM GG KG MD RU TJ UA YU 04 05 06 08 11 17 22 23 25 32 34 35 39 44 49 50 55 56 59 60 61 63 65 74 76 81
- 1739. Reptalus dagestanica (Kusnezov,1937)** (Cixiidae) Synonym(s): dagestanica Kusnezov,1937 Range (in code): Cc RU Da
- 1740. Setapius apiculatus (Fieber,1876)** (Cixiidae) Synonym(s): apiculatus Fieber,1876 Range (in code): CZ FR HU RO RU SK YU TR 02 35 47
- 1741. Setapius barajus (Dlabola,1957)** (Cixiidae) Synonym(s): barajus Dlabola,1957 Range (in code): Cc AF TR AM GG 01 04 06 16 20 21 23 24 25 29 33 35 44 49 50 55 56 57 58 64 76
- 1742. Setapius brinki Dlabola,1988** (Cixiidae) Synonym(s): brinki Dlabola,1988 Range (in code): TR 27
- 1743. Setapius bitinctus (Dlabola,1961)** (Cixiidae) Synonym(s): bitinctus Dlabola,1961 Range (in code): DZ IR RU TN TR GR 01 06 25 36 46 65
- 1744. Setapius klapperichianus Dlabola,1988** (Cixiidae) Synonym(s): klapperichianus Dlabola,1988 Range (in code): TR JO 07
- 1745. Setapius lindbergi (Dlabola,1957)** (Cixiidae) Synonym(s): lindbergi Dlabola,1957 Range (in code): AF CY IR IQ IL TR RU Da Cc AZ UZ 01 07 27 33 63
- 1746. Setapius niyazicus (Dlabola,1985)** (Cixiidae) Synonym(s): niyazicus Dlabola,1985 Range (in code): TR 06
- 1747. Setapius suleiman Dlabola,1988** (Cixiidae) Synonym(s): suleiman Dlabola,1988 Range (in code): IQ Su
- 1748. Tachycixius bidentifer Dlabola,1971** (Cixiidae) Synonym(s): bidentifer Dlabola,1971 Range (in code): TR 01 07 27 30 33 46 47
- 1749. Tachycixius bifurcatus Logvinenko,1971** (Cixiidae) Synonym(s): bifurcatus Logvinenko,1971 Range (in code): Cc AZ
- 1750. Tachycixius creticus Dlabola,1974** (Cixiidae) Synonym(s): creticus Dlabola,1974 Range (in code): GR Cr TR 31
- 1751. Tachycixius desertorum (Fieber,1876)** (Cixiidae) Synonym(s): desertorum Fieber,1876 Range (in code): Cc AL BG CY CZ GR IL IT RO TR AM AZ GG KG RU YU 02 06 07 08 21 22 26 27 30 33 35 37 42 45 47 48 50 57 64 77
- 1752. Tachycixius logvinenkovae Dlabola,1974** (Cixiidae) Synonym(s): logvinenkovae Dlabola,1974 Range (in code): TR 06 65
- 1753. Tachycixius perarmatus (Linnavuori,1962)** (Cixiidae) Synonym(s): perarmatus Linnavuori,1962 Range (in code): IL Pa
- 1754. Tachycixius pilosus (Olivier,1791)** (Cixiidae) Synonym(s): pilosus Olivier,1791; contaminata Germar,1818; albicincta Germar,1818; infumata Fieber,1876; discicollis Rey,1894; nigrita Haupt,1931 Range (in code): AT BL CY CZ DK FR GE GB GR HU IE IT NL NO PL PT RO ES SE TN UA AZ TR YU 01 06 07 10 21 35 45 59 63
- 1755. Tachycixius tigrinus Logvinenko,1971** (Cixiidae) Synonym(s): tigrinus Logvinenko,1971 Range (in code): Cc AZ GG RU UA TM
- 1756. Trirhacus globuliferus (Wagner,1939)** (Cixiidae) Synonym(s): globuliferus Wagner,1939 Range (in code): AF AL
- 1757. Acanthopulvinaria orientalis (Nasonov)** (Coccidae) Synonym(s): orientalis (Nasonov) Range (in code): TR
- 1758. Anapulvinaria pistaciae (Bodenheimer)** (Coccidae) Synonym(s): pistaciae Bodenheimer Range (in code): TR
- 1759. Bodenheimeria rachelae (Bodenheimer,1924)** (Coccidae) Synonym(s): rachelae Bodenheimer,1924 Range (in code): TR CY IR IQ IL Pa
- 1760. Ceroplastes floridensis Comstock** (Coccidae) Synonym(s): floridensis Comstock Range (in code): TR

- 1761. Ceroplastes rusci (Linnaeus)** (Coccidae) Synonym(s): rusci Linnaeus Range (in code): TR
- 1762. Ceroplastes sinensis Del Guercio** (Coccidae) Synonym(s): sinensis Del Guercio Range (in code): TR
- 1763. Coccus hesperidum Linnaeus** (Coccidae) Synonym(s): hesperidum Linnaeus Range (in code): TR
- 1764. Coccus pseudomagnoliarum (Kuwana)** (Coccidae) Synonym(s): pseudomagnoliarum Kuwana Range (in code): TR
- 1765. Eriopeltis festucae (Boyer de Fonscolombe)** (Coccidae) Synonym(s): festucae Boyer de Fonscolombe Range (in code): TR
- 1766. Eucalymnatus tessellatus (Signoret)** (Coccidae) Synonym(s): tessellatus Signoret Range (in code): TR
- 1767. Eulecanium ciliatum (Douglas)** (Coccidae) Synonym(s): ciliatum Douglas Range (in code): TR
- 1768. Eulecanium pistaciae Borchsenius** (Coccidae) Synonym(s): pistaciae Borchsenius Range (in code): TR
- 1769. Eulecanium rugulosum (Archangelskaya)** (Coccidae) Synonym(s): rugulosum Archangelskaya Range (in code): TR
- 1770. Eulecanium takachihoi (Kuwana)** (Coccidae) Synonym(s): takachihoi Kuwana Range (in code): TR
- 1771. Eulecanium tiliae (Linnaeus)** (Coccidae) Synonym(s): tiliae Linnaeus Range (in code): TR
- 1772. Eulecanium transvittatum (Green)** (Coccidae) Synonym(s): transvittatum Green Range (in code): TR
- 1773. Exaeretopus agropyri (Hadzibejli)** (Coccidae) Synonym(s): agropyri Hadzibejli Range (in code): TR
- 1774. Exaeretopus formiceticola Newstead** (Coccidae) Synonym(s): formiceticola Newstead Range (in code): TR
- 1775. Exaeretopus tritici Williams** (Coccidae) Synonym(s): tritici Williams Range (in code): TR
- 1776. Philippia follicularis (Targioni Tozzetti)** (Coccidae) Synonym(s): follicularis Targioni Tozzetti Range (in code): TR
- 1777. Lecanopsis turcica (Bodenheimer)** (Coccidae) Synonym(s): turcica Bodenheimer Range (in code): TR
- 1778. Lichtensia viburni Signoret** (Coccidae) Synonym(s): viburni Signoret Range (in code): TR
- 1779. Nemolecanium aptii (Bodenheimer)** (Coccidae) Synonym(s): aptii Bodenheimer Range (in code): TR
- 1780. Palaeolecanium bituberculatum (Signoret)** (Coccidae) Synonym(s): bituberculatum Signoret Range (in code): TR
- 1781. Palaeolecanium kosswigi Bodenheimer** (Coccidae) Synonym(s): kosswigi Bodenheimer Range (in code): TR
- 1782. Parasaissetia nigra (Nietner)** (Coccidae) Synonym(s): nigra Nietner Range (in code): TR
- 1783. Parthenolecanium corni (Bouche)** (Coccidae) Synonym(s): corni Bouche Range (in code): TR
- 1784. Parthenolecanium persicae (Fabricius)** (Coccidae) Synonym(s): persicae Fabricius Range (in code): TR
- 1785. Parthenolecanium pomeranicum (Kawecki)** (Coccidae) Synonym(s): pomeranicum Kawecki Range (in code): TR
- 1786. Parthenolecanium pruinosum (Coquillett)** (Coccidae) Synonym(s): pruinosum Coquillett Range (in code): TR
- 1787. Parthenolecanium rufulum (Cockerell)** (Coccidae) Synonym(s): rufulum Cockerell Range (in code): TR
- 1788. Parthenolecanium tamaricis (Bodenheimer)** (Coccidae) Synonym(s): tamaricis Bodenheimer Range (in code): TR
- 1789. Physokermes piceae (Schrank)** (Coccidae) Synonym(s): piceae Schrank Range (in code): TR
- 1790. Pulvinaria floccifera (Westwood)** (Coccidae) Synonym(s): floccifera Westwood Range (in code): TR
- 1791. Pulvinaria terrestris Borchsenius** (Coccidae) Synonym(s): terrestris Borchsenius Range (in code): TR
- 1792. Pulvinariella mesembryanthemi (Vallot)** (Coccidae) Synonym(s): mesembryanthemi Vallot Range (in code): TR
- 1793. Rhizopulvinaria artemisiae (Signoret)** (Coccidae) Synonym(s): artemisiae Signoret Range (in code): TR
- 1794. Rhizopulvinaria halli Borchsenius** (Coccidae) Synonym(s): halli Borchsenius Range (in code): TR
- 1795. Rhizopulvinaria pyrethri Borchsenius** (Coccidae) Synonym(s): pyrethri Borchsenius Range (in code): TR
- 1796. Rhizopulvinaria spinifera Borchsenius** (Coccidae) Synonym(s): spinifera Borchsenius Range (in code): TR



- 1797. Rhizopulvinaria turkestanica (Archangelskaya)** (Coccidae) Synonym(s): turkestanica Archangelskaya Range (in code): TR
- 1798. Rhizopulvinaria viridis Borchsenius** (Coccidae) Synonym(s): viridis Borchsenius Range (in code): TR
- 1799. Rhodococcus perornatus (Cockerell & Parrott)** (Coccidae) Synonym(s): perornatus Cockerell & Parrott Range (in code): TR
- 1800. Saissetia coffeae (Walker)** (Coccidae) Synonym(s): coffeae Walker Range (in code): TR
- 1801. Saissetia oleae (Olivier)** (Coccidae) Synonym(s): oleae Olivier Range (in code): TR
- 1802. Scythia craniumequinum Kiritchenko** (Coccidae) Synonym(s): craniumequinum Kiritchenko Range (in code): TR
- 1803. Sphaerolecanium prunastri (Boyer de Fonscolombe)** (Coccidae) Synonym(s): prunastri Boyer de Fonscolombe Range (in code): TR
- 1804. Agriocnemis sania Nielsen,1959** (Coenagrionidae) Synonym(s): sania Nielsen,1959 Range (in code): TR EG Sn
- 1805. Cercion lindenii (Selys,1840)** (Coenagrionidae) Synonym(s): lindenii Selys,1840; zernyi Schmidt,1938 Range (in code): TR Cc AM LB SY IL Pa NL SE 01 07 22 32 34 39 42 45
- 1806. Ceriagrion georgifreyi (Schmidt,1953)** (Coenagrionidae) Synonym(s): georgifreyi Schmidt,1953 Range (in code): TR JO SY Hms 07 31 33 48
- 1807. Coenagrion hastulatum (Charpentier,1825)** (Coenagrionidae) Synonym(s): hastulatum Charpentier,1825 Range (in code): TR 33
- 1808. Coenagrion lunulatum (Charpentier,1840)** (Coenagrionidae) Synonym(s): lunulatum Charpentier,1840 Range (in code): TR RU Sb Cc AM 25 65 75
- 1809. Coenagrion ornatum (Selys,1850)** (Coenagrionidae) Synonym(s): ornatum Selys,1850 Range (in code): TR Cc RU 01 03 44 48 50 65
- 1810. Coenagrion persicum Lohmann,1993** (Coenagrionidae) Synonym(s): persicum Lohmann,1993 Range (in code): TR IR
- 1811. Coenagrion ponticum (Bartenev,1929)** (Coenagrionidae) Synonym(s): ponticum Bartenev,1929 Range (in code): GG AZ AM Cc TR 08 28 61
- 1812. Coenagrion puellum (Linnaeus,1758)** (Coenagrionidae) Synonym(s): puellum Linnaeus,1758 Range (in code): SE TR DZ IR 24 36 52 53 75
- 1813. Coenagrion pulchellum (Van Der Linden,1825)** (Coenagrionidae) Synonym(s): pulchellum Van Der Linden,1825 Range (in code): TR GR 08 14 25 33 48 69 75
- 1814. Coenagrion scitulum (Rambur,1842)** (Coenagrionidae) Synonym(s): scitulum Rambur,1842 Range (in code): TR LB Bei 01 07 12 22 32 34 43 65
- 1815. Coenagrion syriacum (Morton,1924)** (Coenagrionidae) Synonym(s): syriacum Morton,1924 Range (in code): IL Pa SY TR BG Cc GG 07 16 31 34 41 65
- 1816. Coenagrion vanbrinkae Lohmann,1993** (Coenagrionidae) Synonym(s): vanbrinkae Lohmann,1993 Range (in code): TR Cc AM IR 65 80
- 1817. Enallagma cyathigerum (Charpentier,1840)** (Coenagrionidae) Synonym(s): cyathigerum Charpentier,1840 Range (in code): TR 06 07 13 14 15 25 26 32 42 45 46 65 69 75
- 1818. Erythromma najas (Hansemann,1823)** (Coenagrionidae) Synonym(s): najas Hansemann,1823 Range (in code): TR
- 1819. Erythromma viridulum (Charpentier,1840)** (Coenagrionidae) Synonym(s): viridulum Charpentier,1840 Range (in code): TR IR JO 07 09 12 24 25 28 33 36 38 42 75
- 1820. Ischnura elegans (Van Der Linden,1820)** (Coenagrionidae) Synonym(s): elegans Van Der Linden,1820 Range (in code): AT HU Cc GG TR CY Cr GR Rd IL Pa SY IR 01 06 07 09 16 19 24 25 30 31 33 34 35 38 40 42 45 46 48 55 63 65 69 80
- 1821. Ischnura evansi Morton,1919** (Coenagrionidae) Synonym(s): evansi Morton,1919 Range (in code): TR IQ Dk Ama
- 1822. Ischnura fontainei (Morton,1905)** (Coenagrionidae) Synonym(s): fontainei Morton,1905 Range (in code): TR EG Sn IQ Cc AZ 27
- 1823. Ischnura intermedia Dumont,1974** (Coenagrionidae) Synonym(s): intermedia Dumont,1974 Range (in code): TR 02
- 1824. Ischnura pumilio (Charpentier,1825)** (Coenagrionidae) Synonym(s): pumilio Charpentier,1825 Range (in code): TR? CY Cc AM IR AF 01 02 06 07 16 19 22 25 26 32 34 35 40 41 44 45 55 63 65 69
- 1825. Ischnura senegalensis (Rambur,1842)** (Coenagrionidae) Synonym(s): senegalensis Rambur,1842 Range (in code): TR? IQ Cc AZ Kir TH UZ Tas
- 1826. Pseudagrion syriacum (Selys,1887)** (Coenagrionidae) Synonym(s): syriacum Selys,1887 Range (in code): TR 31
- 1827. Pyrrhosoma nymphula (Sulzer,1776)** (Coenagrionidae) Synonym(s): nymphula Sulzer,1776 Range (in code): TR 14 31 34 54 81

- 1828. Cordulegaster insignis Schneider,1845** (Cordulegasteridae) Synonym(s): insignis Schneider,1845; amasina Morton,1916 Range (in code): BG RO GR TR Cc GG Lag AM LB IQ Mos Dk Ama IR Fa 05 10 16 24 33 44 51 47 65
- 1829. Cordulegaster picta Selys,1854** (Cordulegasteridae) Synonym(s): picta Selys,1854 Range (in code): YU TR Cc AZ Kir Lag GG 16 34 39 61 65
- 1830. Cordulegaster bidentata Selys,1843** (Cordulegasteridae) Synonym(s): bidentata Selys,1843 Range (in code): TR 16 34
- 1831. Cordulia aenea (Linnaeus,1758)** (Corduliidae) Synonym(s): aenea Linnaeus,1758 Range (in code): TR 08 14
- 1832. Somatochlora borisi Marinov,2001** (Corduliidae) Synonym(s): borisi Marinov,2001 Range (in code): GR BG TR 39
- 1833. Somatochlora flavomaculata (Van Der Linden,1825)** (Corduliidae) Synonym(s): flavomaculata Van Der Linden,1825 Range (in code): TR 14 34 42
- 1834. Somatochlora meridionalis Nielsen,1935** (Corduliidae) Synonym(s): meridionalis Nielsen,1935 Range (in code): TR 22 34 39 48
- 1835. Anoplocerus elevatus (Fieber,1861)** (Coreidae) Synonym(s): elevatus Fieber,1861; rufulus Jakovlev,1903; brevicornis Kormilev,1939 Range (in code): PT ES FR IT SS YU HU UA Cc TR GR MK BG RO KG TM DZ 06
- 1836. Anoplocerus luteus (Fieber,1861)** (Coreidae) Synonym(s): luteus Fieber,1861; subinermis Puton,1888 Range (in code): GR TR 35
- 1837. Anoplocnemis curvipes (Fabricius,1781)** (Coreidae) Synonym(s): curvipes Fabricius,1781; apicalis Westwood,1842; fuliginosus Klug,1842; gracilis Dallas,1852; libyssa Dallas,1852; bohemani Stal,1855; heteropus Latreille,1827; survipes Linnavuori,1973 Range (in code): GA CG MG SN MZ SL NG LR AO ZR ZA SA SD ET YE SA ZW MW TG TZ
- 1838. Arenocoris falleni (Schilling,1829)** (Coreidae) Synonym(s): falleni Schilling,1829; literatus Curtis,1834; egenus Horvath,1917; clericus Wagner,1937 Range (in code): MA DZ TN LY GB DE PL UA Cm Cc TR AZ GG IL Pa 06 10 22
- 1839. Arenocoris intermedius (Jakovlev,1883)** (Coreidae) Synonym(s): intermedius Jakovlev,1883; angustus Reuter,1891; gestroi Bergevin,1930 Range (in code): ES PT TD ET Sn IQ TR IR TM EG LY Cy SD DZ TN IL Pa IR Fa Shr IQ Bgd TJ UZ
- 1840. Arenocoris latissimus Seidenstücker,1960** (Coreidae) Synonym(s): latissimus Seidenstücker,1960 Range (in code): TR AM Cc GG IR AF 10 51
- 1841. Arenocoris waltlii (Herrich-Schäffer,1835)** (Coreidae) Synonym(s): waltlii Herrich-Schäffer,1835; hispanus Rambur,1839; auriculatus Fieber,1861 Range (in code): Cn DZ MA MR TN LY ES IT Cc IL Pa TR CY SY CN Ui AZ AM GG IQ IR CY JO IL Pa SY KK KG TM UZ TJ AF 10 16 31 35 45 48
- 1842. Bathysolen nubilus (Fallén,1807)** (Coreidae) Synonym(s): nubilus Fallén,1807 Range (in code): GB SE Cc TR CN Ui 03 22 35 43
- 1843. Centrocoris degener (Puton,1874)** (Coreidae) Synonym(s): degener Puton,1874 Range (in code): DZ SD ER TR IR SA SY JO IQ YE
- 1844. Centrocoris desertorum Linnavuori,1960** (Coreidae) Synonym(s): desertorum Linnavuori,1960 Range (in code): IL Pa
- 1845. Centrocoris inflaticeps Kiritshenko,1916** (Coreidae) Synonym(s): inflaticeps Kiritshenko,1916 Range (in code): TM
- 1846. Centrocoris marmottani Puton,1887** (Coreidae) Synonym(s): marmottani Puton,1887 Range (in code): DZ AF
- 1847. Centrocoris orientalis Ahmad & Shadab,1975** (Coreidae) Synonym(s): orientalis Ahmad & Shadab,1975 Range (in code): PK
- 1848. Centrocoris spiniger (Fabricius,1781)** (Coreidae) Synonym(s): branderi Linnaeus,1767; spiniger Fabricius,1781; pallescens Kolenati,1845; subinermis Rey,1887; bampurensis Linnavuori,1968 Range (in code): MA DZ TN LY EG PT ES FR CH AT IT YU RO UA RU BG GR Cc GG SY IR IQ TM JO TR CY 01 06 08 10 16 17 22 31 32 35 36 38 42 48 50 56 65
- 1849. Centrocoris variegatus Kolenati,1845** (Coreidae) Synonym(s): variegatus Kolenati,1845; nigricans Fieber,1861; convergens Sienkiewicz,1959 Range (in code): Cc AZ Kir Cn MA DZ TN LY EG JO Cc GG IR ES FR IT Si YU RO BG GR CY TR 06 09 10 16 20 35 45 48 76
- 1850. Centrocoris volxemi (Puton,1878)** (Coreidae) Synonym(s): volxemi Puton,1878; coroniceps Jakovlev,1879; balassogloi Jakovlev,1883; ruficeps Jakovev,1908; scutellaris Linnavuori,1968 Range (in code): GG Lag Cc TR Arr IR SA UZ KG CN Ui 04 36 65
- 1851. Ceraleptus gracilicornis (Herrich-Schäffer,1835)** (Coreidae) Synonym(s): gracilicornis Herrich-Schäffer,1835 Range (in code): TR Cc IR Ak 09 16 20 22 31 34
- 1852. Ceraleptus lividus (Stein,1858)** (Coreidae) Synonym(s): lividus Stein,1858; difficilis Vollenhoven,1869 Range (in code): RU TR 06
- 1853. Ceraleptus obtusus (Brullé,1839)** (Coreidae) Synonym(s): obtusus Brullé,1839; aegyptius Westwood,1842; squalidus Costa,1847; distinguendus Stein,1858; leptocerus Fieber,1861; bellieri Signoret,1862; armeniacus Horvath,1898 Range (in code): Cc AM CY TR EG SY TJ 31 35

- 1854. *Cercinthus griseus* (Fieber,1861)** (Coreidae) Synonym(s): griseus Fieber,1861 Range (in code): BG TR
- 1855. *Cercinthus lehmanni* (Klt)** (Coreidae) Synonym(s): Range (in code): Cn DZ IL Pa TR IR
- 1856. *Clavigralla griseola* (Linnavuori,1978)** (Coreidae) Synonym(s): griseola Linnavuori,1978 Range (in code): ER YE
- 1857. *Clavigralla leontjevi* (Bergroth,1908)** (Coreidae) Synonym(s): leontjevi Bergroth,1908 Range (in code): SN CM ZR ET SD YE
- 1858. *Clavigralla scutellaris* (Westwood,1842)** (Coreidae) Synonym(s): scutellaris Westwood,1842; brevirostris Stal,1873 Range (in code): ER SO SD YE OM IR AF IN
- 1859. *Cletus callosus* Linnavuori,1978** (Coreidae) Synonym(s): callosus Linnavuori,1978 Range (in code): YE
- 1860. *Cletus ochraceus* (Herrich-Schäffer)** (Coreidae) Synonym(s): Range (in code): ZA SD ET ER YE ZR LR
- 1861. *Corduba (Acanthocorduba) echinops* Linnavuori,1978** (Coreidae) Synonym(s): echinops Linnavuori,1978 Range (in code): SD SO YE TD
- 1862. *Coreus marginatus* (Linnaeus,1758)** (Coreidae) Synonym(s): marginatus Linnaeus,1758; auriculatus De Geer,1773; rostratus Goeze,1778; serratum Thunberg,1825; fundator Herrich-Schäffer,1833; longicornis A.Costa,1842; inermis Kolenati,1845; syriacus Blöte,1935 Range (in code): AL AD AT BE B-H BG BY HV CZ DK EE FI FR GB DE GR HU IE IT LT LV MK MD NL NO PL PT RO SK SS ES CH UA YU DZ AZ Cc AM KG GG IL Pa LB SY TR IR Ak Koa IQ TJ RU CN Ui Nra Kun TJ TM UZ KP KR Us JP 01 04 06 08 09 10 11 12 17 20 22 23 25 31 34 35 36 41 48 49 56 65 76
- 1863. *Coriomeris affinis* (Herrich-Schäffer,1839)** (Coreidae) Synonym(s): affinis Herrich-Schäffer,1839 Range (in code): TR GB SE Cc EG SY 31 49 50
- 1864. *Coriomeris alpinus* (Horvath,1895)** (Coreidae) Synonym(s): alpinus Horvath,1895; alticola Jakovlev,1904 Range (in code): TR 06
- 1865. *Coriomeris armeniacus* Tshernova,1978** (Coreidae) Synonym(s): armeniacus Tshernova,1978 Range (in code): AM Cc Eri AZ TR IR
- 1866. *Coriomeris denticulatus* (Scopoli,1763)** (Coreidae) Synonym(s): denticulatus Scopoli,1763 Range (in code): IL Pa TR SY Cc CN Ui 04 06 09 10 16 17 23 30 31 35 36 42 65 76
- 1867. *Coriomeris hirticornis* (Fabricius,1794)** (Coreidae) Synonym(s): hirticornis Fabricius,1794 Range (in code): IL Pa Cc CY LB SY CN Ui 01 06 09 10 16 17 23 31 35 42 65
- 1868. *Coriomeris pallidus* (Reuter,1900)** (Coreidae) Synonym(s): pallidus Reuter,1900 Range (in code): IR CN Ui TR LB SY IR AF 06
- 1869. *Coriomeris scabricornis* (Panzer,1809)** (Coreidae) Synonym(s): scabricornis Panzer,1809 Range (in code): Cc SY TR 06 38 65
- 1870. *Coriomeris spinolai* (Costa,1847)** (Coreidae) Synonym(s): spinolai Costa,1847 Range (in code): Cc TR GR 01 09 16 23 33 35 48
- 1871. *Coriomeris subglaber* Horvath,1917** (Coreidae) Synonym(s): subglaber Horvath,1917 Range (in code): TR GR 10 23 32
- 1872. *Coriomeris validicornis* Jakovlev,1904** (Coreidae) Synonym(s): validicornis Jakovlev,1904 Range (in code): AM Cc AZ GG TR IR
- 1873. *Coriomeris vitticornis* Reuter,1900** (Coreidae) Synonym(s): vitticornis Reuter,1900 Range (in code): IQ Cc TR SY CY CN Ui 24 35 49
- 1874. *Craspedum phyllomorphum* (Latreille)** (Coreidae) Synonym(s): Range (in code): SD YE
- 1875. *Enoplops bos* Dohrn,1860** (Coreidae) Synonym(s): bos Dohrn,1860; erecticornis Reitter,1900 Range (in code): MA DZ MR TN EG FR PT ES IL Pa
- 1876. *Enoplops disciger* (Kolenati,1845)** (Coreidae) Synonym(s): disciger Kolenati,1845 Range (in code): Cc TR IR BG FR MK RO AZ AM GG IQ IL Pa JO SY 01 04 06 15 31 35 36 45 48 49 65 76
- 1877. *Enoplops eversmanni* Jakovlev,1881** (Coreidae) Synonym(s): eversmanni Jakovlev,1881 Range (in code): AF KG KK TJ UZ DsA
- 1878. *Enoplops hashemii* Hoberlandt,1989** (Coreidae) Synonym(s): hashemii Hoberlandt,1989 Range (in code): IR Hz
- 1879. *Enoplops heintzii* (Oshanin,1871)** (Coreidae) Synonym(s): heintzii Oshanin,1871; heinsi Oshanin,1906 Range (in code): AF TJ UZ
- 1880. *Enoplops scapha* (Fabricius,1794)** (Coreidae) Synonym(s): scapha Fabricius,1794; cornutus Herrich-Schäffer,1833; ventralis Dohrn,1860; curvidens Puton,1886; illyricus Horvath,1887; inermis Péneau,1921; bullidens Priesner,1926 Range (in code): AL AT BE B-H BG HV CZ FR GB DE GR HU IT MK MD NL PL PT RO RU SK SS ES CH UA YU MA DZ IL Pa Cc AZ KG AM GG TR SY 16 22
- 1881. *Gonocerus acuteangulatus* (Goeze,1778)** (Coreidae) Synonym(s): acuteangulatus Goeze,1778 Range (in code): Cc TR IR CY 01 09 10 16 17 20 31 32 35 45 48 76
- 1882. *Gonocerus imitator* Reuter,1891** (Coreidae) Synonym(s): imitator Reuter,1891; carreti Puton,1895 Range (in code): MA DZ TN ES PT Cn LY Md CY IL Pa IT GR Cr TR 33 48
- 1883. *Gonocerus juniperi* (Herrich-Schäffer,1839)** (Coreidae) Synonym(s): juniperi Herrich-Schäffer,1839 Range (in code): TR Cc CY 01 06 15 16 25 31 32 34 48



- 1884. *Gonocerus patellatus* Kiritshenko, 1916** (Coreidae) Synonym(s): *patellatus* Kiritshenko, 1916  
Range (in code): **TR**
- 1885. *Haploprocta horniana* Kiritshenko, 1938** (Coreidae) Synonym(s): *horniana* Kiritshenko, 1938  
Range (in code): **IR AF**
- 1886. *Haploprocta pustulifera* (Stal, 1860)** (Coreidae) Synonym(s): *pustulifera* Stal, 1860; *christophi* Jakovlev, 1875; *semenovi* Jakovlev, 1890 Range (in code): **RU CN KG KK IR MG TJ TM UZ PK**
- 1887. *Haploprocta sulcicornis* (Fabricius, 1794)** (Coreidae) Synonym(s): *sulcicornis* Fabricius, 1794  
Range (in code): **TR 06 09 10 16 23**
- 1888. *Haploprocta umbrina* Jakovlev, 1883** (Coreidae) Synonym(s): *umbrina* Jakovlev, 1883 Range (in code): **AZ Cc Nv Ord BG GR AM TR 38**
- 1889. *Loxocnemis dentator* (Fabricius, 1794)** (Coreidae) Synonym(s): *dentator* Fabricius, 1794; *alternans* Herrich-Schäffer, 1835; *brevicornis* Rambur, 1839; *dufourii* Lucas, 1849; *perlatus* Cerutti, 1937 Range (in code): **TR IL Pa CY IT DZ ES 16 35**
- 1890. *Phyllomorpha lacerata* (Herrich-Schäffer, 1835)** (Coreidae) Synonym(s): *lacerata* Herrich-Schäffer, 1835; *persica* Westwood, 1841; *echinus* Ahmad & Shadab, 1974 Range (in code): **DZ AZ Cc AF KG TR YU IT Si AL GR AM IR Elb Th IQ IL Pa JO KK LB SY TJ TM UZ PK BI OM CN Ui 06 23 34 35 65**
- 1891. *Phyllomorpha laciniata* (Villers, 1789)** (Coreidae) Synonym(s): *laciniata* Villers, 1789; *hystrix* Latreille, 1817; *gallicus* Germar, 1822; *muricatus* Hummel, 1827; *algorica* Guérin-Méneville, 1839; *erinaceus* Herrich-Schäffer, 1842; *brevispina* Wagner, 1955; *montandon* Zange, 2005 Range (in code): **DZ EG LY MA TN PT ES FR IT Si Sa TR IL Pa Cc AZ AM GG SY GR IR JO OM SA Sn SY 01 03 05 06 13 22 23 33 35 36 42 65 76**
- 1892. *Prismatocerus productus* (Stal, 1865)** (Coreidae) Synonym(s): *productus* Stal, 1865; *yerburyi* Distant, 1901; *tchadensis* Villiers, 1950 Range (in code): **TD SD YE Ad ET SN**
- 1893. *Risbecocoris quadrocephalus* Ahmad & Shadab, 1969** (Coreidae) Synonym(s): *quadrocephalus* Ahmad & Shadab, 1969 Range (in code): **PK Sd**
- 1894. *Spathocera dalmanii* (Schilling, 1829)** (Coreidae) Synonym(s): *dalmanii* Schilling, 1829 Range (in code): **GB TR AT BE BG BY HV CZ DK FI FR DE GR IT MK NL NO PL RO RU SK CH UA YU MA Cc AZ 06 35**
- 1895. *Spathocera laticornis* (Schilling, 1829)** (Coreidae) Synonym(s): *laticornis* Schilling, 1829; *cinereus* Laporte, 1833 Range (in code): **AT B-H BG BY HV CZ ES FR DE HU IT LT LV MK MD PL RO RU SK SS UA YU AZ Cc KG TR**
- 1896. *Spathocera lobata* (Herrich-Schäffer, 1840)** (Coreidae) Synonym(s): *lobata* Herrich-Schäffer, 1840 Range (in code): **AL AT B-H BG HV CZ FR GR HU IT Si MK MD PT RO RU SK SS ES CH UA YU DZ EG AZ AM GG Cc TR IR IQ IL Pa KK TJ TM UZ 16 36 65**
- 1897. *Spathocera obscura* (Germar, 1847)** (Coreidae) Synonym(s): *obscura* Germar, 1847 Range (in code): **BG GR HU MK RO RU SK UA YU AZ Cc KG KK CN MN**
- 1898. *Spathocera tenuicornis* Jakovlev, 1883** (Coreidae) Synonym(s): *tenuicornis* Jakovlev, 1883  
Range (in code): **AZ AM Cc TR IR CY IL Pa AF TJ TM UZ CN Ui KG 06 23**
- 1899. *Spathocera tuberculata* Horvath, 1882** (Coreidae) Synonym(s): *tuberculata* Horvath, 1882 Range (in code): **HU B-H BG HV RO SK UA TR**
- 1900. *Strobilotoma typhaecornis* (Fabricius, 1803)** (Coreidae) Synonym(s): *typhaecornis* Fabricius, 1803; *clavicornis* Fabricius, 1803; *genei* Spinola, 1837; *obscurus* Herrich-Schäffer, 1840; *divergens* Reuter, 1900  
Range (in code): **DZ Co Si GR IQ TR IL Pa SY CY 16 31**
- 1901. *Syromastus rhombeus* (Linnaeus, 1767)** (Coreidae) Synonym(s): *rhombeus* Linnaeus, 1767; *quadratus* Fabricius, 1775; *sinuata* Fieber, 1861; *fusca* Vidal, 1936 Range (in code): **Cn MA DZ TN Md PT ES FR GB SE DK DE BY UA PL CZ SK HU MD RO SS B-H HV AL MK BG GR CY CH AT IT Sa Si TR Cc AZ AM GG IR AF CN KG IQ IL Pa LB SY TJ TM UZ 01 06 08 09 10 13 16 22 23 30 31 32 34 35 36 45 50 56 65 73 76**
- 1902. *Urartucoris ermolenkoi* Putshkov, 1979** (Coreidae) Synonym(s): *ermolenkoi* Putshkov, 1979  
Range (in code): **AZ Cc Nv TR 32**
- 1903. *Urartucoris ermolenkoi* Putshkov, 1979** (Coreidae) Synonym(s): *ermolenkoi* Putshkov, 1979  
Range (in code): **AZ Cc Nv**
- 1904. *Callicorixa raddei* (Kiritshenko & Jaczewski, 1960)** (Corixidae) Synonym(s): *raddei* Kiritshenko & Jaczewski, 1960 Range (in code): **GG AM Cc TR 36 75**
- 1905. *Corixa affinis* Leach, 1818** (Corixidae) Synonym(s): *affinis* Leach, 1818 Range (in code): **Cn Az Md IN IR CY TR PK 01 03 06 07 09 15 17 19 26 32 33 35 41 42 67**
- 1906. *Corixa dentipes* Thomson, 1869** (Corixidae) Synonym(s): *dentipes* Thomson, 1869 Range (in code): **RU Cc IR TR 42**
- 1907. *Corixa jakowleffi* Horvath, 1879** (Corixidae) Synonym(s): *jakowleffi* Horvath, 1879 Range (in code): **RU Cc IQ IL Pa KK UZ TJ CN Ui TM IR TR 01 38 42**
- 1908. *Corixa panzeri* (Fieber, 1848)** (Corixidae) Synonym(s): *panzeri* Fieber, 1848 Range (in code): **TR 06 32 42**
- 1909. *Corixa punctata* (Illiger, 1807)** (Corixidae) Synonym(s): *punctata* Illiger, 1807 Range (in code): **Cn TR IR Ak Qrg 01 03 04 06 15 18 35 37 38 41 42**
- 1910. *Cymatia coleoptrata* (Fabricius, 1777)** (Corixidae) Synonym(s): *coleoptrata* Fabricius, 1777 Range (in code): **TR Cc 09**

- 1911. Cymatia rogenhoferi (Fieber,1864)** (Corixidae) Synonym(s): rogenhoferi Fieber,1864 Range (in code): TR Cc 06 42 65
- 1912. Heliocorisa vermiculata (Puton,1874)** (Corixidae) Synonym(s): vermiculata Puton,1874 Range (in code): DZ RU ES LY TN Cc IR TR 16 41
- 1913. Hesperocorixa castanea (Thomson,1869)** (Corixidae) Synonym(s): castanea Thomson,1869 Range (in code): TR 07
- 1914. Hesperocorixa linnaei (Fieber,1848)** (Corixidae) Synonym(s): linnaei Fieber,1848 Range (in code): TR 01 04 06 09 14 16 20 38 54 58
- 1915. Hesperocorixa occulta (Lundblad,1929)** (Corixidae) Synonym(s): occulta Lundblad,1929 Range (in code): TR AF IN 37
- 1916. Hesperocorixa parallela (Fieber,1860)** (Corixidae) Synonym(s): parallela Fieber,1860 Range (in code): AT BG CZ RU IQ IL Pa ES IT HU EG PL RO YU TR GR 01 04 19 42 51 54
- 1917. Micronecta anatolica Lindberg,1922** (Corixidae) Synonym(s): anatolica Lindberg,1922 Range (in code): TR IR CN IL Pa IQ Cc UZ SY SA TJ YE VN 35
- 1918. Micronecta griseola (Linnaeus,1758)** (Corixidae) Synonym(s): griseola Linnaeus,1758 Range (in code): RU TR 01 06 22 27
- 1919. Micronecta minutissima (Linnaeus,1758)** (Corixidae) Synonym(s): minutissima Linnaeus,1758 Range (in code): TR
- 1920. Micronecta perplexa Horvath,1899** (Corixidae) Synonym(s): perplexa Horvath,1899 Range (in code): HU RU RO TR 01
- 1921. Micronecta pusilla (Horvath,1895)** (Corixidae) Synonym(s): pusilla Horvath,1895 Range (in code): HU RO RU TR 01 38 42 60
- 1922. Micronecta vitticeps (Horvath,1895)** (Corixidae) Synonym(s): vitticeps Horvath,1895 Range (in code): BG TR YU GR 22 54
- 1923. Micronecta wui Lundblad,1933** (Corixidae) Synonym(s): wui Lundblad,1933; alkani Hoberlandt,1948 Range (in code): IR PK TR IL Pa 27
- 1924. Monticorixa armeniaca (Stys,1975)** (Corixidae) Synonym(s): armeniaca Stys,1975 Range (in code): AM Cc TR DZ 33
- 1925. Paracorixa concinna (Fieber,1848)** (Corixidae) Synonym(s): concinna Fieber,1848 Range (in code): TR Cc RU Sb MN CN Ui 03 04 06 07 13 15 22 35 36 42 65
- 1926. Sigara albiventris (Horvath,1911)** (Corixidae) Synonym(s): albiventris Horvath,1911 Range (in code): TR IQ IL Pa Cc SY 01 03 31 38 46
- 1927. Sigara assimilis (Fieber,1848)** (Corixidae) Synonym(s): assimilis Fieber,1848 Range (in code): AF AT CN HV IQ IR IT Cc HU MN MD UZ RO RU SA TR YU 13 35 42 65
- 1928. Sigara daghestanica Jansson,1983** (Corixidae) Synonym(s): daghestanica Jansson,1983; #daghestanica Önder et al.,2006 Range (in code): Cc RU Da AZ AM TR GB 42
- 1929. Sigara falleni (Fieber,1848)** (Corixidae) Synonym(s): falleni Fieber,1848 Range (in code): TR 22
- 1930. Sigara iactans Jansson,1983** (Corixidae) Synonym(s): iactans Jansson,1983 Range (in code): NL TR 22
- 1931. Sigara kervillei (Poisson,1927)** (Corixidae) Synonym(s): kervillei Poisson,1927 Range (in code): TR 01 06 07 43
- 1932. Sigara lateralis Leach,1818** (Corixidae) Synonym(s): lateralis Leach,1818 Range (in code): TR 01 03 04 06 07 08 09 13 16 17 21 22 26 27 33 35 36 38 39 41 42 53 59 65 67
- 1933. Sigara limitata (Fieber,1848)** (Corixidae) Synonym(s): limitata Fieber,1848 Range (in code): TR 04 25 37
- 1934. Sigara mayri (Fieber,1860)** (Corixidae) Synonym(s): mayri Fieber,1860 Range (in code): AL AT BG IT CY EG RO GR TR 01 03 09 33 35 39
- 1935. Sigara nigrolineata (Fieber,1848)** (Corixidae) Synonym(s): nigrolineata Fieber,1848 Range (in code): TR IR Ak Qrg 01 04 06 07 08 14 16 17 21 22 26 27 34 35 36 41 42 53 54 61 63 65
- 1936. Sigara samani Hoberlandt,1948** (Corixidae) Synonym(s): samani Hoberlandt,1948; tigranes Jansson,1986 Range (in code): TR 01 21 33 47
- 1937. Sigara scripta (Rambur,1840)** (Corixidae) Synonym(s): scripta Rambur,1840 Range (in code): AL BG DZ MA HV IQ IT ES TN TR 58
- 1938. Sigara striata (Linnaeus,1758)** (Corixidae) Synonym(s): striata Linnaeus,1758 Range (in code): TR 03 04 06 17 22 25 35 38 42 75
- 1939. Anisogamia tamerlana Saussure,1893** (Corydiidae) Synonym(s): tamerlana Saussure,1893 Range (in code): TM
- 1940. Hemelythroblatta afghana (Bei-Bienko,1967)** (Corydiidae) Synonym(s): afghana Bei-Bienko,1967 AF
- 1941. Hemelythroblatta afghana (Bei-Bienko,1967)** (Corydiidae) Synonym(s): afghana Bei-Bienko,1967 Range (in code): AF
- 1942. Hemelythroblatta africana (Linnaeus,1758)** (Corydiidae) Synonym(s): africana Linnaeus,1758; minor Seba,1765; ursina Burmeister,1838; syriaca Saussure,1864; conspersa Brunner von Wattenwyl,1865; unicolor Buxton & Uvarov,1924 Range (in code): SY IL Pa EG Sn

- 1943. Hemelythroblatta cerverae (Bolivar,1886)** (Corydiidae) Synonym(s): cerverae Bolivar,1886; cerverai Chopard,1929; orientalis Ebner,1933 Range (in code): TN DZ LY EG IL Pa SD TR 16 33
- 1944. Hemelythroblatta cypria Chopard,1929** (Corydiidae) Synonym(s): cypria Chopard,1929 Range (in code): CY
- 1945. Hemelythroblatta dumonti (Chopard,1929)** (Corydiidae) Synonym(s): dumonti Chopard,1929 Range (in code): MA DZ TN IL Pa EG
- 1946. Hemelythroblatta ebneri (Chopard,1929)** (Corydiidae) Synonym(s): ebneri Chopard,1929 Range (in code): TR GR Rd SY 33 48
- 1947. Hemelythroblatta latifrons (Chopard,1929)** (Corydiidae) Synonym(s): latifrons Chopard,1929 Range (in code): IQ IR PK
- 1948. Hemelythroblatta livida (Brunner von Wattenwyl,1865)** (Corydiidae) Synonym(s): livida Brunner von Wattenwyl,1865 Range (in code): TR IR IQ SY CY GR 31 33 46 48 80
- 1949. Hemelythroblatta longipes (Chopard,1929)** (Corydiidae) Synonym(s): longipes Chopard,1929 Range (in code): IR
- 1950. Hemelythroblatta marismortui (Janson,1891)** (Corydiidae) Synonym(s): marismortui Janson,1891 Range (in code): IQ SY IL Pa EG Sn
- 1951. Hemelythroblatta minuta (Bei-Bienko,1935)** (Corydiidae) Synonym(s): minuta Bei-Bienko,1935 Range (in code): TM
- 1952. Hemelythroblatta oblonga (Chopard,1929)** (Corydiidae) Synonym(s): oblonga Chopard,1929 Range (in code): IL Pa
- 1953. Hemelythroblatta polyphagella (Bei-Bienko,1963)** (Corydiidae) Synonym(s): polyphagella Bei-Bienko,1963 AF
- 1954. Hemelythroblatta polyphagella (Bei-Bienko,1963)** (Corydiidae) Synonym(s): polyphagella Bei-Bienko,1963 Range (in code): AF
- 1955. Hemelythroblatta roseni (Brancsik,1898)** (Corydiidae) Synonym(s): roseni Brancsik,1898 Range (in code): RU AF IR
- 1956. Hemelythroblatta subhyalina (Chopard,1921)** (Corydiidae) Synonym(s): subhyalina Chopard,1921 Range (in code): IR
- 1957. Heterogamisca persica (Chopard,1921)** (Corydiidae) Synonym(s): persica Chopard,1921 Range (in code): IR IQ AF
- 1958. Heterogamisca simillima (Chopard,1929)** (Corydiidae) Synonym(s): simillima Chopard,1929 Range (in code): JO IL Pa
- 1959. Polyphaga aegyptiaca (Linnaeus,1758)** (Corydiidae) Synonym(s): aegyptiaca Linnaeus,1758 Range (in code): TR 01 06 16 21 31 33 34 35 65
- 1960. Tivia appropinquata Bohn,2006** (Corydiidae) Synonym(s): appropinquata Bohn,2006 YE
- 1961. Tivia distans Bohn,2006** (Corydiidae) Synonym(s): distans Bohn,2006 YE
- 1962. Tivia fusca Bohn,2008** (Corydiidae) Synonym(s): fusca Bohn,2008 AE
- 1963. Tivia inconspicua Bei-Bienko,1950** (Corydiidae) Synonym(s): inconspicua Bei-Bienko,1950 IR
- 1964. Canthophorus coeruleus (Reuter,1902)** (Cydnidae) Synonym(s): coeruleus Reuter,1902 Range (in code): TM Kp KK IR UZ
- 1965. Canthophorus dubius (Scopoli,1763)** (Cydnidae) Synonym(s): dubius Scopoli,1763; albomarginatus Schrank,1776; histriolus Goeze,1778; viennensis Gmelin,1790; albomarginellus Fabricius,1794 Range (in code): AL AT B-H BG CZ SK TR FI FR DE GR HU IT LT MK MD PL RO RU Cc SS ES UA YU IR IL Pa LB SY? 04 06 16 22 39
- 1966. Canthophorus maculipes (Mulsant & Rey,1852)** (Cydnidae) Synonym(s): maculipes Mulsant & Rey,1852 Range (in code): HV FR GR IT PT ES DZ MA TR 42 65
- 1967. Canthophorus melanopterus (Herrich-Schäffer,1835)** (Cydnidae) Synonym(s): melanopterus Herrich-Schäffer,1835 Range (in code): MA DZ TN LY EG AZ AM GG IR CY IL Pa JO SY IQ TJ AL AT B-H BG CZ SK GR HU IT MT MD PT RO RU SS ES UA YU TR 65 76
- 1968. Canthophorus mixtus Asanova,1964** (Cydnidae) Synonym(s): mixtus Asanova,1964 Range (in code): KG AT HU RU SK UA AZ Cc AM KK UZ
- 1969. Canthophorus wagneri Asanova,1964** (Cydnidae) Synonym(s): wagneri Asanova,1964 Range (in code): TR AM Cc AZ GG RU TM 08 37
- 1970. Cydnus aterrimus (Forster,1771)** (Cydnidae) Synonym(s): aterrimus Forster,1771; spinipes De Geer,1773; tristis Fabricius,1775; spinipes Schrank,1781; carbonarius Geoffroy,1785; sanguinicollis Fabricius,1803; brunnipennis Fabricius,1803; elevata Uhler,1860; sareptana Jakovlev,1875; infernalis Kiritshenko,1966; sobrius Fuente,1972 Range (in code): AL AT BE B-H BG Cr CZ FR DE GR HU IT LT MK MD NL PL RO RU SK SS ES CH UA YU DZ Cn LY MA MR TN AZ AF TR IR Cc Ak Koa CN CY GG IQ IL Pa JO LB SY TJ TM UZ ZA US 56 65
- 1971. Exosehirus marginatus (Signoret,1884)** (Cydnidae) Synonym(s): marginatus Signoret,1884 Range (in code): IQ SY TR 01 17 21 27 33 43 45
- 1972. Exosehirus sargon Linnavuori,1964** (Cydnidae) Synonym(s): sargon Linnavuori,1964 Range (in code): IQ SIh



- 1973. *Exosehirus validus* (Jakovlev,1877)** (Cydnidae) Synonym(s): *validus* Jakovlev,1877 Range (in code): **AF KG IR IQ KK TJ TM UZ**
- 1974. *Macroscytus brunneus* (Fabricius,1803)** (Cydnidae) Synonym(s): *brunneus* Fabricius,1803; *proximus* Rambur,1839; *opacus* Stal,1854; *scutellaris* Horvath,1919; *exiguus* Horvath,1919 Range (in code): **AF AL DZ AZ Cc TR BW CM Cn CN HV CY EG ET FR GM GH GR GN IR IQ IL Pa IT CI KG KE LB LY MK ML MT MA MZ NG PK PT CG SA SN Sk CH SY TZ TZ Zz TM TN UG UZ YE YU ZR 01 31**
- 1975. *Ochetostethus balcanicus* E.Wagner,1940** (Cydnidae) Synonym(s): *balcanicus* E.Wagner,1940 Range (in code): **AL BG HV FR GR IT MK YU RO TR**
- 1976. *Ochetostethus sahlbergi* E.Wagner,1952** (Cydnidae) Synonym(s): *sahlbergi* E.Wagner,1952 Range (in code): **EG TR IR IL Pa JO LB SY**
- 1977. *Sehirus congener* Jakovlev,1879** (Cydnidae) Synonym(s): *congener* Jakovlev,1879 Range (in code): **Cc TR 25**
- 1978. *Sehirus cypriacus* Dohrn,1860** (Cydnidae) Synonym(s): *cypriacus* Dohrn,1860 Range (in code): **CY TR IL Pa SY 01 16 21 27 36**
- 1979. *Sehirus delangrangei* Puton,1888** (Cydnidae) Synonym(s): *delangrangei* Puton,1888 Range (in code): **IL Pa SY TR 21 27 31 35 43 47 51 59**
- 1980. *Sehirus dissimilis* Horvath,1919** (Cydnidae) Synonym(s): *dissimilis* Horvath,1919 Range (in code): **TR 31 46**
- 1981. *Sehirus luctuosus* Mulsant & Rey,1866** (Cydnidae) Synonym(s): *luctuosus* Mulsant & Rey,1866 Range (in code): **TR 16 36 38**
- 1982. *Sehirus morio* (Linnaeus,1761)** (Cydnidae) Synonym(s): *morio* Linnaeus,1761 Range (in code): **TR 03 06 14 33 37**
- 1983. *Sehirus ovatus* (Herrich-Schäffer,1839)** (Cydnidae) Synonym(s): *ovatus* Herrich-Schäffer,1839 Range (in code): **AT AZ Cc BG CZ AM Eri HV IL Pa KG HU RO MD SK RU SY TR UA GR**
- 1984. *Sehirus robustus* Horvath,1895** (Cydnidae) Synonym(s): *robustus* Horvath,1895 Range (in code): **RU Cc TR AZ AM GG IR IQ 36 38**
- 1985. *Tritomegas bicolor* (Linnaeus,1758)** (Cydnidae) Synonym(s): *bicolor* Linnaeus,1758; *nubilosa* Harris,1780; *immaculatus* Royer,1922; *kormilevi* Halaszfy,1954 Range (in code): **AT BE B-H BG BY HV CZ DK FI FR GB DE GR HU IT LV MK MD NL NO PL PT RU SK SS ES CH UA YU TR SY Cc AZ AM GG IL Pa KK RU MN CN UZ 06 07**
- 1986. *Tritomegas delagrangei* (Puton,1888)** (Cydnidae) Synonym(s): *delagrangei* Puton,1888 Range (in code): **TR AZ Cc IL Pa LB SY 35**
- 1987. *Tritomegas sexmaculatus* (Rambur,1842)** (Cydnidae) Synonym(s): *sexmaculatus* Rambur,1842 Range (in code): **ES An AL AT B-H BG HV CZ FR DE GR HU IT MK MD NL PL PT RO RU SK SS ES CH UA YU Cc TR AM AZ GG IR 13 65 76**
- 1988. *Dactylopius coccus* Costa** (Dactylopiidae) Synonym(s): *coccus* Costa Range (in code): **TR**
- 1989. *Flastena fumata* (Lindberg,1948)** (Delphacidae) Synonym(s): *fumata* Lindberg,1948 Range (in code): **BG CY GR TR 81**
- 1990. "*Calligypona*" *obtusangula* Linnavuori,1957** (Delphacidae) Synonym(s): *obtusangula* Linnavuori,1957 Range (in code): **CY IL IT**
- 1991. "*Megamelus*" *ornatipennis* Haupt,1927** (Delphacidae) Synonym(s): *ornatipennis* Haupt,1927 Range (in code): **AF IR IL JO**
- 1992. *Acanthodelphax spinosa* (Fieber,1866)** (Delphacidae) Synonym(s): *spinosa* Fieber,1866; *ferruginea* Kirschbaum,1868 Range (in code): **AT BE BG TR CZ DK DE FR IT NL PL RO RU 25**
- 1993. *Alatades trilineatus* Dlabola,1957** (Delphacidae) Synonym(s): *trilineatus* Dlabola,1957 Range (in code): **IL Pa TR 33**
- 1994. *Asiraca clavicornis* (Fabricius,1794)** (Delphacidae) Synonym(s): *clavicornis* Fabricius,1794; *divisa* Rey,1891 Range (in code): **Cc AF AL AT BL BG CN Ui CY CZ FR DE GB HU IE IL IT MA NL PL PT RO ES SW TN AM AZ GG KG Cc TR KK LV MD RU TJ TM UA UZ YU 05 06 07 09 19 20 25 34 35 42 43 48 55 57 66**
- 1995. *Calligypona reyi* (Fieber,1866)** (Delphacidae) Synonym(s): *reyi* Fieber,1866; *longipes* Kirschbaum,1868; *Sahlberg*,1871; *sahlbergiana* Ishihara,1949 Range (in code): **AT BE CZ DK FI FR DE GB HU IT MN NL PL SE RU EE TJ UZ YU TR 46**
- 1996. *Chloriona canariensis* Lindberg,1954** (Delphacidae) Synonym(s): *canariensis* Lindberg,1954 Range (in code): **Cn TR RU 06**
- 1997. *Chloriona clavata* Dlabola,1960** (Delphacidae) Synonym(s): *clavata* Dlabola,1960 Range (in code): **MD RU Da Cc TR UZ KG 06 09 21 45 56**
- 1998. *Chloriona flaveola* Lindberg,1948** (Delphacidae) Synonym(s): *flaveola* Lindberg,1948 Range (in code): **CY EG IL Pa MA TR RU 01**
- 1999. *Chloriona glaucescens* Fieber,1866** (Delphacidae) Synonym(s): *glaucescens* Fieber,1866; *alba* Metcalf,1943; *dorsalis* Metcalf,1943; *flava* Metcalf,1943; *nigrofasciata* Metcalf,1943; *nigromaculata* Metcalf,1943 Range (in code): **Cc CZ DK FI FR DE GB HU IT NL NO PL RO SE EE TR GG KG UZ 35**
- 2000. *Chloriona oriens* (Dlabola,1961)** (Delphacidae) Synonym(s): *oriens* Dlabola,1961 Range (in code): **BG MN RO RU Cc Da**

- 2001. Chloriona ponticana Asche,1982** (Delphacidae) Synonym(s): ponticana Asche,1982 Range (in code): Cr GR LB MA ES TR 07
- 2002. Chloriona sicula Matsumura,1910** (Delphacidae) Synonym(s): sicula Matsumura,1910; flaveola Lindberg,1948 Range (in code): ES FR DE IT Si AT BG CY TR EG IL MA TR KG 01 06 07 09 33 35
- 2003. Chloriona unicolor (Herrich-Schäffer,1835)** (Delphacidae) Synonym(s): unicolor Herrich-Schäffer,1835; canariensis Lindberg,1954; edwardsi Le Quesne,1960 Range (in code): Cc ES Cn AT FR DE GB HU IR IE IT TN GG TR KG KK RU UA UZ YU MD AZ 06
- 2004. Conomelus anceps (Germar,1821)** (Delphacidae) Synonym(s): anceps Germar,1821; pictipennis Curtis,1837; signifera Boheman,1845; palliata Boheman,1849 Range (in code): Cc DZ AT BL BG CZ DK FI FR DE GB HU IE IT NL NO PL RO ES SE TR EE GG LV MD RU UA YU 06 14 16
- 2005. Conomelus odryssius Dlabola,1965** (Delphacidae) Synonym(s): odryssius Dlabola,1965; clavifer Remane & Asche,1979 Range (in code): BG TR 10 42
- 2006. Delphacodes audrasi Ribaut,1954** (Delphacidae) Synonym(s): audrasi Ribaut,1954; linnavuorii LeQuesne,1960 Range (in code): AL BG CZ FR IL RO TR YU 06 21 35
- 2007. Delphacodes nastasi Asche & Remane,1983** (Delphacidae) Synonym(s): nastasi Asche & Remane,1983 Range (in code): TR
- 2008. Delphacodoides anaxarchi (Muir,1926)** (Delphacidae) Synonym(s): anaxarchi Muir,1926; ornata Muir,1929; trilineus Dlabola,1957; #trilineatus Nast,1972 Range (in code): IL TR 07 33
- 2009. Delphax armeniacus Anufriev,1970** (Delphacidae) Synonym(s): armeniacus Anufriev,1970 Range (in code): AM Cc
- 2010. Delphax inermis Ribaut,1934** (Delphacidae) Synonym(s): inermis Ribaut,1934 Range (in code): AF DZ CY TR FR IL IT MA ES TN
- 2011. Dicranotropis beckeri Fieber,1866** (Delphacidae) Synonym(s): beckeri Fieber,1866 Range (in code): Cc AM TR KG RU TJ UA UZ
- 2012. Dicranotropis divergens Kirschbaum,1868** (Delphacidae) Synonym(s): divergens Kirschbaum,1868; carpathica Horvath,1884 Range (in code): AL AT BL BG CZ FR DE GB IT PL RO SW RU Cc KG UA
- 2013. Dicranotropis hamata (Boheman,1847)** (Delphacidae) Synonym(s): hamata Boheman,1847 Range (in code): Cc TR DZ AT BL BG CZ FI FR DE GB HU IT IE NL NO PL RO ES SE TN RU At EE GG KG LV MD UA YU
- 2014. Dicranotropis zenata Logvinenko,1969** (Delphacidae) Synonym(s): zenata Logvinenko,1969 Range (in code): Cc GG
- 2015. Ditropis pontica Logvinenko,1972** (Delphacidae) Synonym(s): pontica Logvinenko,1972 Range (in code): AZ Cc
- 2016. Ditropis pteridis (Spinola,1839)** (Delphacidae) Synonym(s): pteridis Spinola,1839 Range (in code): Cc TR AL AT BL CY CZ DK FR GE GB IE IT NL NO PL PT ES SE SW GG YU
- 2017. Ditropsis flavipes (Signoret,1865)** (Delphacidae) Synonym(s): flavipes Signoret,1865; nitida Haupt,1866; dlabolai Vilbaste,1980 Range (in code): AT CH BE CZ DK FR DE HU MN PL ES SW TR KG RU UA 06
- 2018. Euconomelus lepidus (Boheman,1847)** (Delphacidae) Synonym(s): limbata Fabricius,1794 (praeocc.); lepidus Boheman,1847; tristis Boheman,1847 Range (in code): Cc AT BL BG CZ DK FI FR DE GB HU IE IT MN NL NO PL RO SW SE RU Sb AZ EE GG KG KK LV UA UZ YU
- 2019. Euides caspiana (Dlabola,1961)** (Delphacidae) Synonym(s): caspiana Dlabola,1961 Range (in code): RU Da Cc TR 33
- 2020. Euides speciosa (Boheman,1845)** (Delphacidae) Synonym(s): speciosa Boheman,1845; asiracoides Forel,1858; obscura Metcalf,1943 Range (in code): AT BL CZ DK FI FR DE GB HU IT NL PL RO SE AZ Cc EE KG RU UA YU
- 2021. Euidopsis truncata Ribaut,1948** (Delphacidae) Synonym(s): truncata Ribaut,1948 Range (in code): CY GR IT TR 48
- 2022. Eurybregma dlabolai Kalkandelen,1980** (Delphacidae) Synonym(s): dlabolai Kalkandelen,1980 Range (in code): TR
- 2023. Eurybregma nigrolineata Scott,1875** (Delphacidae) Synonym(s): nigrolineata Scott,1875 Range (in code): AT CZ SL FR DE GB HU IT PL KG MD RU UA MN UZ TR 06 33 42
- 2024. Eurybregma sparsa Logvinenko,1970** (Delphacidae) Synonym(s): sparsa Logvinenko,1970 Range (in code): AZ Cc
- 2025. Eurysa lineata (Perris,1857)** (Delphacidae) Synonym(s): lineata Perris,1857; vittata Fieber,1866; quadrivittata Kirschbaum,1868; livens Rey,1894; syriaca Dlabola,1965 Range (in code): Cc TR AT BL BG CZ FR DE GB HU IE IT JO MN NL PL PT RO ES SE SW SY GG MD UA UZ YU 36
- 2026. Falcotoya minuscula (Horvath,1897)** (Delphacidae) Synonym(s): minuscula Horvath,1897 Range (in code): AF CZ FR IT ES EG HU SL IR RO BG IQ TR Cc AM KG TJ YU RU UA TJ 01 06 09 24 25 33 76
- 2027. Flastena fumipennis (Fieber,1866)** (Delphacidae) Synonym(s): fumipennis Fieber,1866 Range (in code): TR 09 35 45 81

- 2028. Florodelphax leptosoma (Flor,1861)** (Delphacidae) Synonym(s): leptosoma Flor,1861; albofimbriata Fieber,1866; albolimbata Kirschbaum,1868 Range (in code): AT BL CZ DK FI FR DE GB HU IE IT NL PL PT RO ES SE SW TR RU EE LV UA YU o6
- 2029. Gravesteiniella boldi (Scott,1870)** (Delphacidae) Synonym(s): boldi Scott,1870; consanguinea Scott,1873; tschikoica Kusnezov,1929; bicolor Lindberg,1948; rubricarina Mitjaev,1967 Range (in code): CY CZ DK DE GB HU IE MN NL PL SE EE KG LV RU At Sb UA
- 2030. Horvathianella palliceps (Horvath,1897)** (Delphacidae) Synonym(s): palliceps Horvath,1897 Range (in code): AT BG GR HU RO IT YU TR HV CZ o1
- 2031. Iubsoda stigmatica (Melichar,1897)** (Delphacidae) Synonym(s): stigmatica Melichar,1897; strigosa Matsumura,1910; duffelsi Dlabola,1974 Range (in code): IT Si HV YU CY FR GR ES TR 31
- 2032. Javesella dubia (Kirschbaum,1868)** (Delphacidae) Synonym(s): dubia Kirschbaum,1868; nitidipennis Kirschbaum,1868; pargasensis Reuter,1880; difficilis Edwards,1888 Range (in code): AT Az BE BG CY TR CZ DK FI FR DE GB IE IT Md MA NL NO PL RO SE RU At EE KG LT MD UA UZ o6 25
- 2033. Javesella obscurella (Boheman,1847)** (Delphacidae) Synonym(s): obscurella Boheman,1847; discreta Edwards,1888; fuscotestacea Metcalf,1943 Range (in code): Cc AT BL BG CZ DK FI FR DE GB HU IT IE MN NL NO PL RO SE SW TR EE GG LV MD RU UA YU o6 28 42 61 65
- 2034. Javesella pellucida (Fabricius,1794)** (Delphacidae) Synonym(s): pellucida Fabricius,1794; striata Fabricius,1794; marginata Fabricius,1794; dispar Fallén,1806; suturalis Curtis,1837; ochroleuca Kirschbaum,1868; flavipennis Sahlberg,1871; obscura Fieber,1879; fuscicollis Rey,1891; variicollis Rey,1894 Range (in code): Az Cc DZ AT BE CZ DK FI FR DE GB HU IE IT LY MN MA NL NO PL RO ES SE SW TR RU Sb Us Sh EE GG KG KK LV MD UA UZ YU o6 13 21 25 42 46 57 65
- 2035. Javesella salina (Haupt,1924)** (Delphacidae) Synonym(s): salina Haupt,1924; juncea Haupt,1935 Range (in code): CZ DE MN PL SE TR RU At EE BG HU o1 o6
- 2036. Kelisia brucki Fieber,1878** (Delphacidae) Synonym(s): brucki Fieber,1878 Range (in code): AL CY CZ FR GR TR HU IL IT Sa RU YU
- 2037. Kelisia melanops Fieber,1878** (Delphacidae) Synonym(s): melanops Fieber,1878 Range (in code): SK FR HU IT RO TR YU o6 o9
- 2038. Kelisia monoceros Ribaut,1934** (Delphacidae) Synonym(s): monoceros Ribaut,1934 Range (in code): TR AT CZ SK FI FR DE IT RO PL SE RU EE LT o6
- 2039. Kelisia perrieri Ribaut,1934** (Delphacidae) Synonym(s): perrieri Ribaut,1934 Range (in code): CY FR IT
- 2040. Kelisia praecox Haupt,1935** (Delphacidae) Synonym(s): praecox Haupt,1935 Range (in code): Cc BG CZ DE MN PL EE GG KG RU
- 2041. Kelisia ribauti Wagner,1938** (Delphacidae) Synonym(s): guttula Ribaut,1934 nec Germ.,1818; ribauti Wagner,1938 Range (in code): Cc AF AT CY CZ DK FI FR DE GB IQ MA PL PT RO SE TR RU EE GG KG KK LV RU TJ UZ o6 07 09 10 13 20 21 25 42 44 56 65 73
- 2042. Kelisia yarkonensis Linnavuori,1962** (Delphacidae) Synonym(s): yarkonensis Linnavuori,1962 Range (in code): IL AT BG CY GR YU TR o7 42
- 2043. Laodelphax striatellus (Fallén,1826)** (Delphacidae) Synonym(s): striatellus Fallén,1826; lateralis Fieber,1879; fimbriata Rey,1894; dorsalis Rey,1894 (praeocc.); devastans Matsumura,1900; nipponica Matsumura,1900; minoensis Matsumura,1900; giffuensis Matsumura,1900; akashiensis Matsumura,1900; maikoensis Matsumura,1900; niveopicta Haupt,1927; reyna Metcalf,1943 Range (in code): Cc AF AL DZ AT BG ES Cn CN She Mc CZ FI FR DE GB HU IR IQ IL IT JP Hkk KP LB MN NL PL PT RO ES Md SE TN TR RU AM AZ EE GG KG KK LV MD TJ UA UZ YU JP o1 o2 o6 07 09 13 21 24 25 33 35 36 44 46 48 50 51 52 53 56 73 76
- 2044. Leptodelphax cyclops Haupt,1927** (Delphacidae) Synonym(s): cyclops Haupt,1927 Range (in code): CY IT Si TR EG IL 33
- 2045. Megadelphax sordidula (Stål,1853)** (Delphacidae) Synonym(s): sordidula Stål,1853; sahlbergi Metcalf,1943 Range (in code): DZ AT BE CZ FI FR DE HU IT MN NL PL RO SE CH TN RU TR YU o6 35
- 2046. Megamelus notula (Germar,1830)** (Delphacidae) Synonym(s): notula Germar,1830; truncatipennis Boheman,1847; brevifrons Reuter,1880; fuscus Metcalf,1943; pallidus Metcalf,1943 Range (in code): AT BL CZ DK FI FR DE GB HU IE IT JP MN NL NO PL RO SE RU Sb Cc At AZ EE KG LV UA YU
- 2047. Metropis incisus Logvinenko,1970** (Delphacidae) Synonym(s): incisus Logvinenko,1970 Range (in code): Cc GG
- 2048. Metropis tridentatus Logvinenko,1970** (Delphacidae) Synonym(s): tridentatus Logvinenko,1970 Range (in code): Cc AZ
- 2049. Muellerianella fairmairei (Perris,1857)** (Delphacidae) Synonym(s): fairmairei Perris,1857 Range (in code): TR o9 35 45
- 2050. Muirodelphax aubei (Perris,1857)** (Delphacidae) Synonym(s): aubei Perris,1857; cognata Fieber,1866; protrusa Fieber,1866; obsoleta Kirschbaum,1868; obscurinervis Kirschbaum,1868; altaicus Vilbaste,1965 Range (in code): Cc AF AT BL BG CZ DK FR DE GB IE IT HU MN NL PL PT SE TN TR RU At EE GG KG KK MD TJ UA UZ YU o6 07 20 25 35 65
- 2051. Perkinsiella dorsata Melichar,1905** (Delphacidae) Synonym(s): dorsata Melichar,1905; insignis Distant,1912; picta Ribaut,1948 Range (in code): AF CY IQ IL Pa TR o1 o7 33



- 2052. Perkinsiella rivularis Linnavuori,1964** (Delphacidae) Synonym(s): rivularis Linnavuori,1964  
Range (in code): EG IL Pa
- 2053. Pseudaraeopus bolivari (Melichar,1901)** (Delphacidae) Synonym(s): bolivari Melichar,1901  
Range (in code): ES Cn EG IR IL PT ES
- 2054. Pseudaraeopus curtulus Dlabola,1960** (Delphacidae) Synonym(s): curtulus Dlabola,1960 Range (in code): IR
- 2055. Pseudaraeopus frontalis (Lindberg,1958)** (Delphacidae) Synonym(s): frontalis Lindberg,1958  
Range (in code): IL Pa
- 2056. Pseudaraeopus iranicus Dlabola,1960** (Delphacidae) Synonym(s): iranicus Dlabola,1960 Range (in code): IR
- 2057. Pseudaraeopus lethierryi (Mulsant & Rey,1879)** (Delphacidae) Synonym(s): lethierryi Mulsant & Rey,1879; ribauti Lallemand,1921 Range (in code): ES Cn CY FR IL YU GR Cr IT Si TR 07 09
- 2058. Ribautodelphax affinis Logvinenko,1970** (Delphacidae) Synonym(s): affinis Logvinenko,1970  
Range (in code): Cc GG UA Cm
- 2059. Ribautodelphax albostratus (Fieber,1866)** (Delphacidae) Synonym(s): albostratus Fieber,1866; distinguenda Kirschbaum,1868 Range (in code): AT BL CY CZ DK FI FR DE HU IT MN NL NO PL PT RO Cc ES SE SW TN RU KG KK MD UA YU TR 06 24
- 2060. Ribautodelphax collinus (Boheman,1847)** (Delphacidae) Synonym(s): collinus Boheman,1847  
Range (in code): TR
- 2061. Ribautodelphax libanonensis Den Bieman,1987** (Delphacidae) Synonym(s): libanonensis Den Bieman,1987 Range (in code): LB
- 2062. Ribautodelphax pallens (Stål,1854)** (Delphacidae) Synonym(s): pallens Stål,1854 Range (in code): TR 24 25 36 65
- 2063. Ribautodelphax pungens (Ribaut,1953)** (Delphacidae) Synonym(s): pungens Ribaut,1953  
Range (in code): TR 08
- 2064. Sogatella vibix (Haupt,1927)** (Delphacidae) Synonym(s): furcata Matsumura,1910; vibix Haupt,1927; matsumurana Metcalf,1943; longifurcifera Esaki & Ishihara,1947; panicola Ishihara,1949; dogensis Ishihara,1952; catoptron Fennah,1963; parakolophon Linnavuori,1973; diachenhea Kuoh,1977 Range (in code): ES Az Cn CY EG IR TR IQ IL JO LB MA UA Cm YU 02 05 06 07 09 13 21 23 27 31 33 35 42 47 50 56 63 65 73
- 2065. Stenocranus fuscovittatus (Stål,1858)** (Delphacidae) Synonym(s): fuscovittatus Stål,1858; colorata Kirschbaum,1868 Range (in code): Cc AT BL BG CN CZ DK FR DE GB HU IT NL PL PT RO SW EE GG KG RU Sb
- 2066. Stenocranus minutus (Fabricius,1787)** (Delphacidae) Synonym(s): minutus Fabricius,1787; lineola Germar,1818; longifrons Boheman,1847; farinosa Buckton,1890; illabatus Rey,1894 Range (in code): DZ AT BL BG CZ DK FI FR DE GB HU IE IT NL NO PL PT RO SW SE TN RU AM AZ Cc TR EE KG KK LV MD RU UA UZ YU 06 13
- 2067. Stenocranus pallidus Linnavuori,1962** (Delphacidae) Synonym(s): pallidus Linnavuori,1962  
Range (in code): IL Pa
- 2068. Stiroma bicarinata (Herrich-Schäffer,1835)** (Delphacidae) Synonym(s): bicarinata Herrich-Schäffer,1835; mutabilis Boheman,1847; nasalis Boheman,1847; nigra Metcalf,1943; alpha Metcalf,1943; vittata Metcalf,1943 Range (in code): Cc AT BL BG CZ DK FI FR DE GB IT MN NO PL RO SE SW TN RU Sb GG KG UA
- 2069. Toya ibiturca Asche,1980** (Delphacidae) Synonym(s): ibiturca Asche,1980 Range (in code): ES GR TR 33
- 2070. Toya obtusangula (Linnavuori,1957)** (Delphacidae) Synonym(s): obtusangula Linnavuori,1957  
Range (in code): Co FR CY IT ES TR 07
- 2071. Toya propinqua (Fieber,1866)** (Delphacidae) Synonym(s): propinqua Fieber,1866; hamulata Kirschbaum,1868 Range (in code): Cc AF AL DZ AT BG ES Cn CY CZ EG FR DE HU IR IQ IL IT JP JO LY MA PL PT RO ES TN TR RU GG KG KK MD TJ UZ 01 03 05 06 07 09 17 20 21 25 27 31 32 33 37 48 52 55 56 57 73
- 2072. Toya simulans (Dlabola,1958)** (Delphacidae) Synonym(s): simulans Dlabola,1958 Range (in code): Cc GG KG TJ UA
- 2073. Tropidocephala andropogonis Horvath,1895** (Delphacidae) Synonym(s): andropogonis Horvath,1895 Range (in code): BG CZ GR HU SL YU TR 33
- 2074. Tropidocephala prasina Melichar,1902** (Delphacidae) Synonym(s): prasina Melichar,1902  
Range (in code): IR
- 2075. Tropidocephala tuberipennis (Mulsant & Rey,1855)** (Delphacidae) Synonym(s): tuberipennis Mulsant & Rey,1855; elegans O.Costa,1834 Range (in code): AL DZ CY EG FR GR IL IT MA ES TN TR YU 01 07 09 33
- 2076. Unkanodes latespinosa (Dlabola,1957)** (Delphacidae) Synonym(s): latespinosa Dlabola,1957  
Range (in code): AF MN TR 06 13
- 2077. Malenia bosnica (Horvath,1907)** (Derbidae) Synonym(s): bosnica Horvath,1907; turanica Anufriev,1966 Range (in code): AF? CY TR IT RO Cc AZ? UA YU TJ UZ 06 07 47 48

- 2078. Malenia kilisica Dlabola,1986** (Derbidae) **Synonym(s):** kilisica Dlabola,1986 **Range (in code):** **TR 79**
- 2079. Malenia licea Dlabola,1979** (Derbidae) **Synonym(s):** licea Dlabola,1979 **Range (in code):** **TR 21**
- 2080. Malenia mesasiatica Dubowsky,1965** (Derbidae) **Synonym(s):** mesasiatica Dubowsky,1965 **Range (in code):** **TR 37**
- 2081. Malenia sarmatica Anufriev,1966** (Derbidae) **Synonym(s):** sarmatica Anufriev,1966 **Range (in code):** **Cc AZ GG UA Cm RU**
- 2082. Conophyma baludzhianum Mishchenko,1946** (Dericorythidae) **Synonym(s):** baludzhianum Mishchenko,1946 **Range (in code):** **PK BI**
- 2083. Conophyma beybienkoi Mishchenko,1937** (Dericorythidae) **Synonym(s):** beybienkoi Mishchenko,1937 **Range (in code):** **AF**
- 2084. Conophyma cercatum (Ramme,1939)** (Dericorythidae) **Synonym(s):** cercatum Ramme,1939 **Range (in code):** **AF**
- 2085. Conophyma corallipes (Ramme,1939)** (Dericorythidae) **Synonym(s):** corallipes Ramme,1939 **Range (in code):** **AF Pag Kab**
- 2086. Conophyma pazukii Mirzayans,1991** (Dericorythidae) **Synonym(s):** pazukii Mirzayans,1991 **Range (in code):** **IR Gor**
- 2087. Conophyma pravdini Stolyarov,1968** (Dericorythidae) **Synonym(s):** pravdini Stolyarov,1968 **Range (in code):** **AF**
- 2088. Conophyma predtetschenskyi Mishchenko,1937** (Dericorythidae) **Synonym(s):** predtetschenskyi Mishchenko,1937 **Range (in code):** **AF**
- 2089. Conophyma remaudieri Descamps & Donskoff,1965** (Dericorythidae) **Synonym(s):** remaudieri Descamps & Donskoff,1965 **Range (in code):** **AF**
- 2090. Conophyma roberti Pfadt,1987** (Dericorythidae) **Synonym(s):** roberti Pfadt,1987 **Range (in code):** **AF**
- 2091. Conophyma shamonini Shumakov,1963** (Dericorythidae) **Synonym(s):** shamonini Shumakov,1963 **Range (in code):** **AF**
- 2092. Conophyma sharafii Pfadt,1987** (Dericorythidae) **Synonym(s):** sharafii Pfadt,1987 **Range (in code):** **AF**
- 2093. Conophyma uvarovi Semenov Tian-Shanski,1915** (Dericorythidae) **Synonym(s):** uvarovi Semenov Tian-Shanski,1915 **Range (in code):** **TM Kp**
- 2094. Conophyma vavilovi Bei-Bienko,1963** (Dericorythidae) **Synonym(s):** vavilovi Bei-Bienko,1963 **Range (in code):** **AF**
- 2095. Dericorys albidula Audinet-Serville,[1838]** (Dericorythidae) **Synonym(s):** albidula Audinet-Serville,[1838]; tibialis Fieber,1853 nec Pall.,1773; acutispina Stal,1875; curvipes Redtenbacher,1889 **Range (in code):** **LB SY IL Pa EG SA IQ IR TR Cc KG TM AF RU CN Ui KP KR JP**
- 2096. Dericorys annulata (Fieber,1853)** (Dericorythidae) **Synonym(s):** annulata Fieber,1853; roseipennis Redtenbacher,1889; lazurescens Uvarov,1914 **Range (in code):** **IR Es TM Kp AF KG RU MN CN Ui Cc TR SA**
- 2097. Dericorys cyrtosterna Uvarov,1933** (Dericorythidae) **Synonym(s):** cyrtosterna Uvarov,1933 **Range (in code):** **OM IR Ss Ke Kh**
- 2098. Dericorys philbyi Uvarov,1933** (Dericorythidae) **Synonym(s):** philbyi Uvarov,1933 **Range (in code):** **SA**
- 2099. Dericorys ramachandrai Uvarov,1933** (Dericorythidae) **Synonym(s):** ramachandrai Uvarov,1933 **Range (in code):** **PK BI**
- 2100. Dericorys tibialis (Pallas,1773)** (Dericorythidae) **Synonym(s):** tibialis Pallas,1773; gibbosa Fischer von Waldheim,1839; maculata Fischer von Waldheim,1846; fumipennis Adelung,1906 **Range (in code):** **TR Cc KG TM UZ RU IQ IR AF 01 06 44 63**
- 2101. Dericorys uvarovi Ramme,1930** (Dericorythidae) **Synonym(s):** uvarovi Ramme,1930 **Range (in code):** **TR Cc GG AM IR Fa Yz 76**
- 2102. Dericorys vitrea Bei-Bienko,1958** (Dericorythidae) **Synonym(s):** vitrea Bei-Bienko,1958 **Range (in code):** **IR Ss**
- 2103. Dericorys xenosterna Uvarov,1933** (Dericorythidae) **Synonym(s):** xenosterna Uvarov,1933 **Range (in code):** **IR Ss Ke Kh**
- 2104. Dericorys yemenita Ingrisch,1999** (Dericorythidae) **Synonym(s):** yemenita Ingrisch,1999 **Range (in code):** **YE**
- 2105. Farsinella predtetschskyi Bei-Bienko,1948** (Dericorythidae) **Synonym(s):** predtetschskyi Bei-Bienko,1948 **Range (in code):** **IR Ke**
- 2106. Farsinella uvarovi Bei-Bienko,1948** (Dericorythidae) **Synonym(s):** uvarovi Bei-Bienko,1948 **Range (in code):** **IR Ss Ke?**
- 2107. Iranella eremiaphila Uvarov,1922** (Dericorythidae) **Synonym(s):** eremiaphila Uvarov,1922 **Range (in code):** **IQ IR AF**
- 2108. Iranella rogosa Shumakov,1956** (Dericorythidae) **Synonym(s):** rogosa Shumakov,1956 **Range (in code):** **IR Ke**

- 2109. Iranella simonettai La Greca,2004** (Dericorythidae) Synonym(s): simonettai La Greca,2004 Range (in code): AF
- 2110. Iranella turemena Bei-Bienko,1948** (Dericorythidae) Synonym(s): turemena Bei-Bienko,1948 Range (in code): TM
- 2111. Iraniobia mesopsera Bei-Bienko,1954** (Dericorythidae) Synonym(s): mesopsera Bei-Bienko,1954 Range (in code): IR Ss
- 2112. Iraniobia mirzayani Descamps,1967** (Dericorythidae) Synonym(s): mirzayani Descamps,1967 Range (in code): IR Ss
- 2113. Iraniobia pavlovskii Bei-Bienko,1954** (Dericorythidae) Synonym(s): pavlovskii Bei-Bienko,1954 Range (in code): IR
- 2114. Iraniobia salavatiani Bei-Bienko,1957** (Dericorythidae) Synonym(s): salavatiani Bei-Bienko,1957 Range (in code): IR
- 2115. Iraniobia zarudnyi (Uvarov,1933)** (Dericorythidae) Synonym(s): zarudnyi Uvarov,1933 Range (in code): IR
- 2116. Iraniola elbursiana (Ramme,1929)** (Dericorythidae) Synonym(s): elbursiana Ramme,1929 Range (in code): IR Elb Th
- 2117. Tarbinskia afghana Bei-Bienko,1963** (Dericorythidae) Synonym(s): afghana Bei-Bienko,1963 Range (in code): AF
- 2118. Tarbinskia cognata Mishchenko,1950** (Dericorythidae) Synonym(s): cognata Mishchenko,1950 Range (in code): AF
- 2119. Tarbinskia sugonjaevi Stolyarov,1968** (Dericorythidae) Synonym(s): sugonjaevi Stolyarov,1968 Range (in code): AF
- 2120. Clonaria kurda (Uvarov,1944)** (Diapheromeridae) Synonym(s): kurda Uvarov,1944 Range (in code): TR IQ Mos 12 56
- 2121. Clonaria libanica (Uvarov,1924)** (Diapheromeridae) Synonym(s): aegyptiacus Pantel,1890 nec Gray,1835; libanica Uvarov,1924; hebraica Uvarov,1939; turca Karabağ,1955 Range (in code): TR LB IL Pa 31
- 2122. Abgrallaspis cyanophylli (Signoret)** (Diaspididae) Synonym(s): cyanophylli Signoret Range (in code): TR
- 2123. Acanthomytilus cedricola Balachowsky & Alkan** (Diaspididae) Synonym(s): cedricola Balachowsky & Alkan Range (in code): TR
- 2124. Aonidia lauri (Bouche)** (Diaspididae) Synonym(s): lauri Bouche Range (in code): TR
- 2125. Aonidiella aurantii (Maskell)** (Diaspididae) Synonym(s): aurantii Maskell Range (in code): TR
- 2126. Aonidiella citrina (Coquillett)** (Diaspididae) Synonym(s): citrina Coquillett Range (in code): TR
- 2127. Aspidiotus hedericola Leonardi** (Diaspididae) Synonym(s): hedericola Leonardi Range (in code): TR
- 2128. Aspidiotus nerii Bouche** (Diaspididae) Synonym(s): nerii Bouche Range (in code): TR
- 2129. Aulacaspis rosae (Bouche)** (Diaspididae) Synonym(s): rosae Bouche Range (in code): TR
- 2130. Carulaspis juniperi (Bouche)** (Diaspididae) Synonym(s): juniperi Bouche Range (in code): TR
- 2131. Carulaspis minima (Signoret)** (Diaspididae) Synonym(s): minima Signoret Range (in code): TR
- 2132. Chlidaspis asiatica (Archangelskaya)** (Diaspididae) Synonym(s): asiatica Archangelskaya Range (in code): TR
- 2133. Chionaspis etrusca Leonardi** (Diaspididae) Synonym(s): etrusca Leonardi Range (in code): TR
- 2134. Chionaspis salicis (Linnaeus)** (Diaspididae) Synonym(s): salicis Linnaeus Range (in code): TR
- 2135. Chrysomphalus aonidum (Linnaeus)** (Diaspididae) Synonym(s): aonidum Linnaeus Range (in code): TR
- 2136. Chrysomphalus dictyospermi (Morgan)** (Diaspididae) Synonym(s): dictyospermi Morgan Range (in code): TR
- 2137. Chrysomphalus pinnulifer (Maskell)** (Diaspididae) Synonym(s): pinnulifer Maskell Range (in code): TR
- 2138. Contigaspis zillae (Hall)** (Diaspididae) Synonym(s): zillae Hall Range (in code): TR
- 2139. Chortinaspis subterranea (Lindinger)** (Diaspididae) Synonym(s): subterranea Lindinger Range (in code): TR
- 2140. Diaspidiotus anatolicus (Bodenheimer)** (Diaspididae) Synonym(s): anatolicus Bodenheimer Range (in code): TR
- 2141. Diaspidiotus armenicus (Borchsenius)** (Diaspididae) Synonym(s): armenicus Borchsenius Range (in code): TR
- 2142. Diaspidiotus caucasicus (Borchsenius)** (Diaspididae) Synonym(s): caucasicus Borchsenius Range (in code): TR
- 2143. Diaspidiotus distinctus (Leonardi)** (Diaspididae) Synonym(s): distinctus Leonardi Range (in code): TR
- 2144. Diaspidiotus elaeagni (Borchsenius)** (Diaspididae) Synonym(s): elaeagni Borchsenius Range (in code): TR



- 2145. Diaspidiotus gigas (Thiem & Gerneck)** (Diaspididae) Synonym(s): gigas Thiem & Gerneck Range (in code): TR
- 2146. Diaspidiotus kaussarii Balachowsy** (Diaspididae) Synonym(s): kaussarii Balachowsy Range (in code): TR
- 2147. Diaspidiotus lenticularis (Lindinger)** (Diaspididae) Synonym(s): lenticularis Lindinger Range (in code): TR
- 2148. Diaspidiotus marani (Zahradnik)** (Diaspididae) Synonym(s): marani Zahradnik Range (in code): TR
- 2149. Diaspidiotus osborni (Newell & Cockerell)** (Diaspididae) Synonym(s): osborni Newell & Cockerell Range (in code): TR
- 2150. Diaspidiotus ostreaeformis (Curtis)** (Diaspididae) Synonym(s): ostreaeformis Curtis Range (in code): TR
- 2151. Diaspidiotus perniciosus (Comstock)** (Diaspididae) Synonym(s): perniciosus Comstock Range (in code): TR
- 2152. Diaspidiotus prunorum (Laing)** (Diaspididae) Synonym(s): prunorum Laing Range (in code): TR
- 2153. Diaspidiotus pyri (Lichtenstein)** (Diaspididae) Synonym(s): pyri Lichtenstein Range (in code): TR
- 2154. Diaspidiotus sulci (Balachowsky)** (Diaspididae) Synonym(s): sulci Balachowsky Range (in code): TR
- 2155. Diaspidiotus wuenni (Lindinger)** (Diaspididae) Synonym(s): wuenni Lindinger Range (in code): TR
- 2156. Diaspidiotus zonatus (Frauenfeld)** (Diaspididae) Synonym(s): zonatus Frauenfeld Range (in code): TR
- 2157. Diaspis boisduvalii Signoret** (Diaspididae) Synonym(s): boisduvalii Signoret Range (in code): TR
- 2158. Diaspis bromeliae (Kerner)** (Diaspididae) Synonym(s): bromeliae Kerner Range (in code): TR
- 2159. Diaspis echinocacti (Bouche)** (Diaspididae) Synonym(s): echinocacti Bouche Range (in code): TR
- 2160. Diaspis syriaca Lindinger** (Diaspididae) Synonym(s): syriaca Lindinger Range (in code): TR
- 2161. Duplachionaspis berlesii (Leonardi)** (Diaspididae) Synonym(s): berlesii Leonardi Range (in code): TR
- 2162. Duplachionaspis natalensis (Maskell)** (Diaspididae) Synonym(s): natalensis Maskell Range (in code): TR
- 2163. Duplachionaspis noaeae (Hall)** (Diaspididae) Synonym(s): noaeae Hall Range (in code): TR
- 2164. Dynaspidiotus abieticola (Koroneos)** (Diaspididae) Synonym(s): abieticola Koroneos Range (in code): TR
- 2165. Dynaspidiotus abietis (Schrank)** (Diaspididae) Synonym(s): abietis Schrank Range (in code): TR
- 2166. Dynaspidiotus atlanticus (Balachowsky)** (Diaspididae) Synonym(s): atlanticus Balachowsky Range (in code): TR
- 2167. Dynaspidiotus britannicus (Newstead)** (Diaspididae) Synonym(s): britannicus Newstead Range (in code): TR
- 2168. Epidiaspis gennadii (Leonardi)** (Diaspididae) Synonym(s): gennadii Leonardi Range (in code): TR
- 2169. Epidiaspis leperii (Signoret)** (Diaspididae) Synonym(s): leperii Signoret Range (in code): TR
- 2170. Fiorinia fiorinae (Targioni Tozzetti)** (Diaspididae) Synonym(s): fiorinae Targioni Tozzetti Range (in code): TR
- 2171. Furchadaspis zamiae (Morgan)** (Diaspididae) Synonym(s): zamiae Morgan Range (in code): TR
- 2172. Genistaspis zelihae Bodenheimer** (Diaspididae) Synonym(s): zelihae Bodenheimer Range (in code): TR
- 2173. Gonaspidiotus seurati (Marchal)** (Diaspididae) Synonym(s): seurati Marchal Range (in code): TR
- 2174. Hemiberlesia lataniae (Signoret)** (Diaspididae) Synonym(s): lataniae Signoret Range (in code): TR
- 2175. Hemiberlesia rapax (Comstock)** (Diaspididae) Synonym(s): rapax Comstock Range (in code): TR
- 2176. Kuwanaspis pseudoleucaspis (Kuwana)** (Diaspididae) Synonym(s): pseudoleucaspis Kuwana Range (in code): TR
- 2177. Lepidosaphes beckii (Newman)** (Diaspididae) Synonym(s): beckii Newman Range (in code): TR
- 2178. Lepidosaphes conchiformis (Gmelin)** (Diaspididae) Synonym(s): conchiformis Gmelin Range (in code): TR
- 2179. Lepidosaphes gloverii (Packard)** (Diaspididae) Synonym(s): gloverii Packard Range (in code): TR

- 2180. *Lepidosaphes granati* Koroneos (Diaspididae) Synonym(s): granati Koroneos Range (in code): TR**
- 2181. *Lepidosaphes juniperi* Lindinger (Diaspididae) Synonym(s): juniperi Lindinger Range (in code): TR**
- 2182. *Lepidosaphes malicola* Borchsenius (Diaspididae) Synonym(s): malicola Borchsenius Range (in code): TR**
- 2183. *Lepidosaphes newsteadi* (Sulc) (Diaspididae) Synonym(s): newsteadi Sulc Range (in code): TR**
- 2184. *Lepidosaphes pinnaeformis* (Bouche) (Diaspididae) Synonym(s): pinnaeformis Bouche Range (in code): TR**
- 2185. *Lepidosaphes pistaciae* Archangelskaya (Diaspididae) Synonym(s): pistaciae Archangelskaya Range (in code): TR**
- 2186. *Lepidosaphes serrifrons* (Leonardi) (Diaspididae) Synonym(s): serrifrons Leonardi Range (in code): TR**
- 2187. *Lepidosaphes ulmi* (Linnaeus) (Diaspididae) Synonym(s): ulmi Linnaeus Range (in code): TR**
- 2188. *Leucaspis knemion* Hoke (Diaspididae) Synonym(s): knemion Hoke Range (in code): TR**
- 2189. *Leucaspis lowi* Colvee (Diaspididae) Synonym(s): lowi Colvee Range (in code): TR**
- 2190. *Leucaspis pini* (Hartig) (Diaspididae) Synonym(s): pini Hartig Range (in code): TR**
- 2191. *Leucaspis pusilla* Löw (Diaspididae) Synonym(s): pusilla Löw Range (in code): TR**
- 2192. *Leucaspis riccae* Targioni Tozzetti (Diaspididae) Synonym(s): riccae Targioni Tozzetti Range (in code): TR**
- 2193. *Lineaspis striata* (Newstead) (Diaspididae) Synonym(s): striata Newstead Range (in code): TR**
- 2194. *Lopholeucaspis japonica* (Cockerell) (Diaspididae) Synonym(s): japonica Cockerell Range (in code): TR**
- 2195. *Melanaspis inopinata* (Leonardi) (Diaspididae) Synonym(s): inopinata (Leonardi) Range (in code): TR**
- 2196. *Mercetaspis halli* (Green) (Diaspididae) Synonym(s): halli Green Range (in code): TR**
- 2197. *Mercetaspis sureyanus* (Bodenheimer) (Diaspididae) Synonym(s): sureyanus Bodenheimer Range (in code): TR**
- 2198. *Mohelnaspis massilliensis* (Goux) (Diaspididae) Synonym(s): massilliensis Goux Range (in code): TR**
- 2199. *Oceanaspidotus spinosus* (Comstock) (Diaspididae) Synonym(s): spinosus Comstock Range (in code): TR**
- 2200. *Parlatoria crotonis* Douglas (Diaspididae) Synonym(s): crotonis Douglas Range (in code): TR**
- 2201. *Parlatoria oleae* (Colvee) (Diaspididae) Synonym(s): oleae Colvee Range (in code): TR**
- 2202. *Parlatoria parlitoriae* (Sulc) (Diaspididae) Synonym(s): parlitoriae Sulc Range (in code): TR**
- 2203. *Parlatoria pergandii* Comstock (Diaspididae) Synonym(s): pergandii Comstock Range (in code): TR**
- 2204. *Parlatoria ziziphi* (Lucas) (Diaspididae) Synonym(s): ziziphi Lucas Range (in code): TR**
- 2205. *Parlatoreopsis longispina* (Newstead) (Diaspididae) Synonym(s): longispina Newstead Range (in code): TR**
- 2206. *Pinnaspis pentagona* (Targioni-Tozzetti) (Diaspididae) Synonym(s): pentagona Targioni-Tozzetti Range (in code): TR**
- 2207. *Prodiaspis tamaricicola* (Malenotti) (Diaspididae) Synonym(s): tamaricicola Malenotti Range (in code): TR**
- 2208. *Rhizaspidotus canariensis* (Lindinger) (Diaspididae) Synonym(s): canariensis Lindinger Range (in code): TR**
- 2209. *Rhizaspidotus donacis* (Leonardi) (Diaspididae) Synonym(s): donacis Leonardi Range (in code): TR**
- 2210. *Salicicola archangelskyae* (Lindinger) (Diaspididae) Synonym(s): archangelskyae Lindinger Range (in code): TR**
- 2211. *Salicicola kermanensis* (Lindinger) (Diaspididae) Synonym(s): kermanensis Lindinger Range (in code): TR**
- 2212. *Salicicola pistaciae* (Lindinger) (Diaspididae) Synonym(s): pistaciae Lindinger Range (in code): TR**
- 2213. *Targionia nigra* Signoret (Diaspididae) Synonym(s): nigra Signoret Range (in code): TR**
- 2214. *Targionia vitis* (Signoret) (Diaspididae) Synonym(s): vitis Signoret Range (in code): TR**
- 2215. *Unaspis euonymi* (Comstock) (Diaspididae) Synonym(s): euonymi Comstock Range (in code): TR**
- 2216. *Callodictya krueperi* (Fieber,1876) (Dictyopharidae) Synonym(s): krueperi Fieber,1876 Range (in code): GR TR YU BG 07 31 35 62**
- 2217. *Coppa huldaensis* (Linnavuori,1962) (Dictyopharidae) Synonym(s): huldaensis Linnavuori,1962 Range (in code): IL Pa**

- 2218. Dictyophara (Ancylocrius) albata Dlabola & Heller,1962** (Dictyopharidae) Synonym(s): albata Dlabola & Heller,1962 Range (in code): IR
- 2219. Dictyophara (Ancylocrius) exoptata Dlabola & Heller,1962** (Dictyopharidae) Synonym(s): exoptata Dlabola & Heller,1962 Range (in code): TR IR 21
- 2220. Dictyophara (Ancylocrius) nizipa Dlabola,1986** (Dictyopharidae) Synonym(s): nizipa Dlabola,1986 Range (in code): TR 27
- 2221. Dictyophara (Ancylocrius) tangigharuha Dlabola,1957** (Dictyopharidae) Synonym(s): tangigharuha Dlabola,1957 Range (in code): AF IQ
- 2222. Dictyophara (Chanithus) avocetta Oshanin,1879** (Dictyopharidae) Synonym(s): avocetta Oshanin,1879 Range (in code): IR Cc AZ Nv Ord TJ
- 2223. Dictyophara (Chanithus) kazeruna Dlabola,1986** (Dictyopharidae) Synonym(s): kazeruna Dlabola,1986 Range (in code): IR
- 2224. Dictyophara (Chanithus) longirostris Walker,1851** (Dictyopharidae) Synonym(s): longirostris Walker,1851; iberica Fieber,1876 Range (in code): Cc PT ES GG KG KK TM UZ
- 2225. Dictyophara (Chanithus) pales Linnavuori,1970** (Dictyopharidae) Synonym(s): pales Linnavuori,1970 Range (in code): IL Pa
- 2226. Dictyophara (Chanithus) pannonica (Germar,1830)** (Dictyopharidae) Synonym(s): pannonica Germar,1830 Range (in code): Cc BG CN Ui CZ HU RO TR AZ GG KG RU UZ 06 40 50
- 2227. Dictyophara (Chanithus) xiphias Puton,1884** (Dictyopharidae) Synonym(s): xiphias Puton,1884; compacta Linnavuori,1962 Range (in code): IL Pa JO TR 07 35 56
- 2228. Dictyophara (Conopenchus) lodosi (Dlabola,1979)** (Dictyopharidae) Synonym(s): lodosi Dlabola,1979 Range (in code): TR 21 73
- 2229. Dictyophara (Conopenchus) pazukii (Dlabola,1984)** (Dictyopharidae) Synonym(s): pazukii Dlabola,1984 Range (in code): IR
- 2230. Dictyophara (Euthremma) multireticulata Mulsant & Rey,1855** (Dictyopharidae) Synonym(s): multireticulata Mulsant & Rey,1855; heydenii Kirschbaum,1868; curvata Matsumura,1910; nemourensis Matsumura,1910; oertzeni Matsumura,1910 Range (in code): AL AT BG CZ FR GR TR HU IL IT PT RO ES AM AZ MD UA YU 06 07 20 65
- 2231. Dictyophara (s.str.) asiatica Melichar,1912** (Dictyopharidae) Synonym(s): asiatica Melichar,1912 Range (in code): CY IL Pa TR 01 05 06 07 09 10 11 14 15 20 21 23 24 26 32 35 39 43 45 48 54 59 63 65 71
- 2232. Dictyophara (s.str.) europaea (Linnaeus,1767)** (Dictyopharidae) Synonym(s): europaea Linnaeus,1767; #aeuropaea Petagna,1787; europe Aucher-Elroy,1826; italica Kirschbaum,1868; lutea Lang,1942 Range (in code): Cc AF AL AT BL BG CN Ui CZ FR DE GR HU IT IQ PL PT RO ES SW TN RU TR AM AZ GG KG KK MD UA UZ YU 06 20 21 26 32 35 37 45 48 49 52 55 56 65 76
- 2233. Dictyophara (s.str.) lindbergi Metcalf,1955** (Dictyopharidae) Synonym(s): acuminata Lindberg,1948; lindbergi Metcalf,1955 Range (in code): BG CY IT ES TR 01 07 33 35 43 48 59
- 2234. Dictyophara acuminata (Lindberg,1954)** (Dictyopharidae) Synonym(s): acuminata Lindberg,1954; hispana Linnavuori,1965 Range (in code): ES CY TR
- 2235. Dictyophara afghana Dlabola,1986** (Dictyopharidae) Synonym(s): afghana Dlabola,1986 Range (in code): AF
- 2236. Dictyophara eremica Linnavuori,1962** (Dictyopharidae) Synonym(s): eremica Linnavuori,1962 Range (in code): IL Pa
- 2237. Dictyophara pakistana Dlabola,1986** (Dictyopharidae) Synonym(s): pakistana Dlabola,1986 Range (in code): PK
- 2238. Dictyophara patruelis (Stal,1859)** (Dictyopharidae) Synonym(s): patruelis Stal,1859 Range (in code): CN JP RU AZ Cc
- 2239. Dictyophara seladonica Melichar,1912** (Dictyopharidae) Synonym(s): seladonica Melichar,1912 Range (in code): PT Cc RU
- 2240. Dictyophara striata Oshanin,1879** (Dictyopharidae) Synonym(s): striata Oshanin,1879 Range (in code): DZ CN EG IQ IL Pa TR JO MA Cc AZ KG RU TJ TM UZ 18
- 2241. Dictyophara subsimilis Linnavuori,1953** (Dictyopharidae) Synonym(s): subsimilis Linnavuori,1953 Range (in code): IL Pa JO
- 2242. Dorysarthrus simonyi Melichar,1912** (Dictyopharidae) Synonym(s): simonyi Melichar,1912 Range (in code): YE Ad
- 2243. Dorysarthrus mobilicornis Puton,1895** (Dictyopharidae) Synonym(s): mobilicornis Puton,1895 Range (in code): IL Pa Js
- 2244. Dorysarthrus sumakovi Oshanin,1908** (Dictyopharidae) Synonym(s): sumakovi Oshanin,1908 Range (in code): IR TM
- 2245. Nymphorgerius armeniaca Emeljanov,1998** (Dictyopharidae) Synonym(s): armeniaca Emeljanov,1998 Range (in code): AM Cc
- 2246. Nymphorgerius curticeps (Linnavuori,1965)** (Dictyopharidae) Synonym(s): curticeps Linnavuori,1965 Range (in code): TR 06 47 63



- 2247. Nymphorgerius cyprius (Lindberg,1948)** (Dictyopharidae) Synonym(s): cyprius Lindberg,1948 Range (in code): **CY**
- 2248. Nymphorgerius gemmatus Horvath,1929** (Dictyopharidae) Synonym(s): gemmatus Horvath,1929 Range (in code): **LB**
- 2249. Nymphorgerius transecaucasicus Sidorski,1938** (Dictyopharidae) Synonym(s): transecaucasicus Sidorski,1938 Range (in code): **Cc AZ**
- 2250. Raivuna iranica (Linnavuori,1962)** (Dictyopharidae) Synonym(s): iranica Linnavuori,1962 Range (in code): **IR TR 07 56**
- 2251. Ranissus leptopus Fieber,1866** (Dictyopharidae) Synonym(s): leptopus Fieber,1866; edirneus Dlabola,1957 Range (in code): **BG GR TR 22**
- 2252. Ranissus punctiger (Horvath,1905)** (Dictyopharidae) Synonym(s): punctiger Horvath,1905; anatolica Kartal,1987 Range (in code): **TR 03 06 38 48**
- 2253. Scirtophaca tianshanskyi (Oshanin,1913)** (Dictyopharidae) Synonym(s): tianshanskyi Oshanin,1913 Range (in code): **Cc AZ KG KK**
- 2254. Tachorga recurviceps (Linnavuori,1956)** (Dictyopharidae) Synonym(s): recurviceps Linnavuori,1956 Range (in code): **IL Pa**
- 2255. Aspongopus viduatus (Fabricius,1794)** (Dinidoridae) Synonym(s): viduatus Fabricius,1794 Range (in code): **NA SD ET SA EG IL Pa IR TR SY 16 27**
- 2256. Coridius viduatus (Fabricius,1794)** (Dinidoridae) Synonym(s): viduatus Fabricius,1794 Range (in code): **IL Pa EG SA TR IR**
- 2257. Blepharopsis mendica (Fabricius,1775)** (Empusidae) Synonym(s): mendica Fabricius,1775 Range (in code): **AF EG DZ ET IN IR IL JO Cn LY LB MA MR NE OM PK SO TD TN TR CY YE SA**
- 2258. Empusa fasciata Brullé,1836** (Empusidae) Synonym(s): fasciata Brullé,1836 Range (in code): **RO YU CY TR IQ Mos EG DZ GR HV B-H Cr IL Pa IR JO 05 06 07 08 16 21 23 24 25 30 31 34 35 42 44 45 46 51 56 57 65 73**
- 2259. Empusa hedenborgii Stal,1877** (Empusidae) Synonym(s): hedenborgii Stal,1877 Range (in code): **EG ET IR YE SO SA SD AE**
- 2260. Empusa pauperata (Fabricius,1781)** (Empusidae) Synonym(s): pauperata Fabricius,1781; humbertiana Saussure,1869; servillei Saussure,1871 Range (in code): **IN LK IR**
- 2261. Empusa pennicornis (Pallas,1773)** (Empusidae) Synonym(s): unicornis Linnaeus,1763; pennicornis Pallas,1773; pallasiana Olivier,1792; marginatus Thunberg,1815; orientalis Burmeister,1838; stollia Saussure,1871; attenuata Ramme,1951; mujuncumica Lindt,1976; hodshamuminica Lindt,1976; brevidorsa Lindt,1977; buharica Lindt,1977; condarinica Lindt,1977; copetdagica Lindt,1977; iliense Lindt,1977; longidorsa Lindt,1977; angulata Lindt,1978; baysunica Lindt,1978; similis Lindt,1978; longoapicale Lindt,1979; luppovae Lindt,1979; orientalis Lindt,1979 nec Burm., 1838; lindti Otte,2004 Range (in code): **TR IQ SY IR TM Kp UZ AF TJ KG Aa Tk IN LK CN MY 08 16 33 42 44 51**
- 2262. Empusa uvarovi Chopard,1921** (Empusidae) Synonym(s): uvarovi Chopard,1921 Range (in code): **IL Pa IQ IN**
- 2263. Empusa simonyi Krauss,1902** (Empusidae) Synonym(s): simonyi Krauss,1902 Range (in code): **Sk YE**
- 2264. Empusa spinosa Krauss,1902** (Empusidae) Synonym(s): spinosa Krauss,1902 Range (in code): **OM SA**
- 2265. Hypsicorypha gracilis (Burmeister,1838)** (Empusidae) Synonym(s): gracilis Burmeister,1838; longifrons Saussure,1870; juliae Krauss,1892; guichardi La Greca,1952 Range (in code): **Cn TN EG DZ LY SA SO NE OM**
- 2266. Cryptococcus fagisuga Lindinger** (Eriococcidae) Synonym(s): fagisuga Lindinger Range (in code): **TR**
- 2267. Eriococcus agropyri (Borchsenius)** (Eriococcidae) Synonym(s): agropyri Borchsenius Range (in code): **TR**
- 2268. Eriococcus araucariae Maskell** (Eriococcidae) Synonym(s): araucariae Maskell Range (in code): **TR**
- 2269. Eriococcus buxi (Boyer de Fonscolombe)** (Eriococcidae) Synonym(s): buxi Boyer de Fonscolombe Range (in code): **TR**
- 2270. Eriococcus cingulatus Kiritchenko** (Eriococcidae) Synonym(s): cingulatus Kiritchenko Range (in code): **TR**
- 2271. Eriococcus cynodontis Kiritchenko** (Eriococcidae) Synonym(s): cynodontis Kiritchenko Range (in code): **TR**
- 2272. Eriococcus devoniensis (Green)** (Eriococcidae) Synonym(s): devoniensis Green Range (in code): **TR**
- 2273. Eriococcus greeni Newstead** (Eriococcidae) Synonym(s): greeni Newstead Range (in code): **TR**
- 2274. Eriococcus herbaceus (Danzig)** (Eriococcidae) Synonym(s): herbaceus Danzig Range (in code): **TR**
- 2275. Eriococcus laingi (Bodenheimer)** (Eriococcidae) Synonym(s): laingi Bodenheimer Range (in code): **TR**

- 2276. Eriococcus micracanthus (Danzig)** (Eriococcidae) Synonym(s): micracanthus Danzig Range (in code): TR
- 2277. Eriococcus munroi (Boratynski)** (Eriococcidae) Synonym(s): munroi Boratynski Range (in code): TR
- 2278. Eriococcus pseudinsignis Green** (Eriococcidae) Synonym(s): pseudinsignis Green Range (in code): TR
- 2279. Eriococcus roboris Goux** (Eriococcidae) Synonym(s): roboris Goux Range (in code): TR
- 2280. Eriococcus spurius (Modeer)** (Eriococcidae) Synonym(s): spurius Modeer Range (in code): TR
- 2281. Eriococcus tavnani Goux** (Eriococcidae) Synonym(s): tavnani Goux Range (in code): TR
- 2282. Eriococcus thymi (Schrank)** (Eriococcidae) Synonym(s): thymi Schrank Range (in code): TR
- 2283. Eriococcus variabilis Goux** (Eriococcidae) Synonym(s): variabilis Goux Range (in code): TR
- 2284. Eriococcus zernae (Tereznikova)** (Eriococcidae) Synonym(s): zernae Tereznikova Range (in code): TR
- 2285. Pseudochermes fraxini (Kaltenbach)** (Eriococcidae) Synonym(s): fraxini Kaltenbach Range (in code): TR
- 2286. Afghanomastax kalatakiae Descamps,1974** (Eumastacidae) Synonym(s): kalatakiae Descamps,1974 Range (in code): AF
- 2287. Brachymastax afghanus Ramme,1939** (Eumastacidae) Synonym(s): afghanus Ramme,1939 Range (in code): AF
- 2288. Neoplatybrachys orientalis Lallemand,1950** (Eurybrachidae) Synonym(s): orientalis Lallemand,1950 Range (in code): ER DJ YE Ad SO SA As
- 2289. Derisa atratula Melichar,1902** (Flatidae) Synonym(s): atratula Melichar,1902 Range (in code): IR
- 2290. Derisa pallida Fennah,1964** (Flatidae) Synonym(s): pallida Fennah,1964 Range (in code): EG IL
- 2291. Eurima astuta Melichar,1902** (Flatidae) Synonym(s): astuta Melichar,1902 Range (in code): IR IL
- 2292. Mesophantia pallens Melichar,1902** (Flatidae) Synonym(s): pallens Melichar,1902 Range (in code): IR
- 2293. Mesophantia sabzevaranica Dlabola,1983** (Flatidae) Synonym(s): sabzevaranica Dlabola,1983 Range (in code): IR
- 2294. Metcalfa pruinosa (Say,1830)** (Flatidae) Synonym(s): pruinosa Say,1830 Range (in code): US IT FR Co CH AT SL HV B-H CZ TR 34 35
- 2295. Phaiophantia jordanensis Linnavuori,1962** (Flatidae) Synonym(s): jordanensis Linnavuori,1962 Range (in code): IL
- 2296. Phantia christophii Rusiecka,1902** (Flatidae) Synonym(s): christophii Rusiecka,1902 Range (in code): AF IR TM
- 2297. Phantia cylindricornis Melichar,1902** (Flatidae) Synonym(s): cylindricornis Melichar,1902 Range (in code): AF IR TM
- 2298. Phantia ferganensis Dubovskii,1966** (Flatidae) Synonym(s): ferganensis Dubovskii,1966 Range (in code): UZ TR 47
- 2299. Phantia ferganensis Dubowsky,1966** (Flatidae) Synonym(s): ferganensis Dubowsky,1966 Range (in code): UZ Fe TR 47
- 2300. Phantia flavida Rusiecka,1902** (Flatidae) Synonym(s): flavida Rusiecka,1902 Range (in code): IR AZ Cc
- 2301. Phantia helleri Linnavuori,1962** (Flatidae) Synonym(s): helleri Linnavuori,1962 Range (in code): IR
- 2302. Phantia lactea Rusiecka,1902** (Flatidae) Synonym(s): lactea Rusiecka,1902 Range (in code): IR
- 2303. Phantia putoni Rusiecka,1902** (Flatidae) Synonym(s): putoni Rusiecka,1902 Range (in code): IR
- 2304. Phantia ramana Dlabola,1965** (Flatidae) Synonym(s): ramana Dlabola,1965 Range (in code): JO LB
- 2305. Phantia rubromarginata Rusiecka,1902** (Flatidae) Synonym(s): rubromarginata Rusiecka,1902 Range (in code): AF IR
- 2306. Phantia subquadrata (Herrich-Schäffer,1838)** (Flatidae) Synonym(s): subquadrata Herrich-Schäffer,1838 Range (in code): BG CY GR IQ IL Pa IT Si LB RO TR YU DE HU AT 01 06 07 09 10 11 20 21 22 27 31 32 33 35 42 45 47 48 73
- 2307. Phantia viridula Puton,1890** (Flatidae) Synonym(s): viridula Puton,1890 Range (in code): IR Cc AM
- 2308. Phantia zaitzevi Melichar,1914** (Flatidae) Synonym(s): zaitzevi Melichar,1914 Range (in code): Cc GG
- 2309. Zarudnya fusca Melichar,1902** (Flatidae) Synonym(s): fusca Melichar,1902 Range (in code): IR TM
- 2310. Zarudnya interstitialis Melichar,1902** (Flatidae) Synonym(s): interstitialis Melichar,1902 Range (in code): EG IR LY TN

- 2311. *Anechura bipunctata* (Fabricius,1781)** (Forficulidae) Synonym(s): *bipunctata* Fabricius,1781; *asiatica* Semenov,1903; *fabricii* Fieber,1854 Range (in code): ES TR RU FR SK AM KG UZ AM Cc AF IR Elb Kdv Th TM 04 05 06 07 13 16 25 30 31 35 36 38 46 51 62 65 69
- 2312. *Anechura zubovskii* (Semenov,1901)** (Forficulidae) Synonym(s): *zubovskii* Semenov,1901 Range (in code): TR CN IN IR TM 46 65 76
- 2313. *Burriola* sp.?** (Forficulidae) Synonym(s): Range (in code): TR 14
- 2314. *Forficula abbottabadiensis* Bharadwaj & Kapoor,1967** (Forficulidae) Synonym(s): *abbottabadiensis* Bharadwaj & Kapoor,1967 Range (in code): PK Abb
- 2315. *Forficula aetolica* Brunner von Wattenwyl,1882** (Forficulidae) Synonym(s): *aetolica* Brunner von Wattenwyl,1882 Range (in code): CY TR UA Cm Cc LB GR 15 16 27 33 35 45 56 63 65 80
- 2316. *Forficula auricularia* Linnaeus,1758** (Forficulidae) Synonym(s): *auricularia* Linnaeus,1758; *major* Degeer,1773; *dentata* Fabricius,1775; *parallela* Fabricius,1775; *media* Marsham,1802; *neglecta* Marsham,1802; *infumata* Megerle,1825; *forcipata* Stephens,1835; *borealis* Leach,1835; *silanoides* Karny,1911; *caucasica* Bei-Bienko,1926 Range (in code): ES FR SK HU BG UA BY RU KG CY TR TM CA US 02 03 05 06 07 08 09 13 14 15 16 17 18 19 21 23 27 28 30 31 33 34 35 37 38 40 42 44 45 46 47 48 49 50 53 55 56 60 61 62 65 67 73
- 2317. *Forficula decipiens* Gén  ,1832** (Forficulidae) Synonym(s): *decipiens* Gén  ,1832; *pallidicollis* Brull  ,1832; *laminigera* Costa,1881; *brevis* Rambur,1838 Range (in code): ES TR IR 02 34 35 37 46
- 2318. *Forficula lucasi* Dohrn,1865** (Forficulidae) Synonym(s): *lucasi* Dohrn,1865; *barroisi* Bolivar,1893 Range (in code): TR VN 10 73
- 2319. *Forficula lurida* Fischer,1853** (Forficulidae) Synonym(s): *lurida* Fischer,1853; *orientalis* Burr,1900 Range (in code): ES CY TR IT Si Sa B-H YU GR Cr Rd SY JO LB IL Pa IQ IR SA 01 02 03 07 09 10 11 15 16 17 20 21 23 26 27 30 31 32 33 34 35 38 41 45 46 47 48 53 63 67 73 77 79 80
- 2320. *Forficula senegalensis* Audinet-Serville,1839** (Forficulidae) Synonym(s): *senegalensis* Audinet-Serville,1839 Range (in code): TR SN
- 2321. *Forficula smyrnensis* Audinet-Serville,1839** (Forficulidae) Synonym(s): *smyrnensis* Audinet-Serville,1839 Range (in code): TR IL Pa Cc CY AZ AL BG GR Cr Rd IR LB SY YU 01 04 05 16 20 26 31 34 35 43 45 48 61 77
- 2322. *Forficula tomis* (Kolenati,1846)** (Forficulidae) Synonym(s): *tomis* Kolenati,1846; *hellmanni* Kittary,1849; *elongata* Eversmann,1859; *pomerantzevi* Semenov,1903; *mesmini* Azam,1906 Range (in code): RU Sb KG TR IR AM Cc AF TM KP KR JP 07 25 65
- 2323. *Guanchia brignolii* Vigna Taglianti,1974** (Forficulidae) Synonym(s): *brignolii* Vigna Taglianti,1974 Range (in code): LB SY IL Pa TR 27 31
- 2324. *Guanchia hincksi* (Burr,1947)** (Forficulidae) Synonym(s): *hincksi* Burr,1947 Range (in code): CY TR 01 06 09 16 20 26 33 35 45 51
- 2325. *Aquarius paludum* (Fabricius,1794)** (Gerridae) Synonym(s): *paludum* Fabricius,1794 Range (in code): TR 01 22 33 51
- 2326. *Aquarius ventralis* (Fieber,1860)** (Gerridae) Synonym(s): *ventralis* Fieber,1860 Range (in code): BG IL Pa CY LB GR TR 01 14
- 2327. *Gerris* (*Gerriselloides*) *asper* (Fieber,1860)** (Gerridae) Synonym(s): *asper* Fieber,1860 Range (in code): DZ MA IL Pa SY TR 01 04 19
- 2328. *Gerris* (*s.str.*) *argentatus* Schummel,1832** (Gerridae) Synonym(s): *argentatus* Schummel,1832 Range (in code): TR 01 07 09 15 19 20 32 33 38 46 48 51 57 59
- 2329. *Gerris* (*s.str.*) *costae* (Herrich-Sch  ffer,1850)** (Gerridae) Synonym(s): *costae* Herrich-Sch  ffer,1850; *fieberi* Stichel,1938 Range (in code): IL Pa SY TR 03 06 07 08 09 16 18 28 35 40 41 48 51 58 59 62 65 68 75
- 2330. *Gerris* (*s.str.*) *gibbifer* Schummel,1832** (Gerridae) Synonym(s): *gibbifer* Schummel,1832 Range (in code): TR 06 22 35 46
- 2331. *Gerris* (*s.str.*) *lacustris* (Linnaeus,1758)** (Gerridae) Synonym(s): *lacustris* Linnaeus,1758 Range (in code): TR 03 04 07 09 14 15 20 22 24 27 28 31 32 34 54 55 57 58 59 60 61 65 75 76 78 79
- 2332. *Gerris* (*s.str.*) *thoracicus* Schummel,1832** (Gerridae) Synonym(s): *thoracicus* Schummel,1832 Range (in code): PT ES FR GB NO SE FI DK EE LT LV BY RU UA MD RO PL CZ SK AT CH DE BE NL IT SS HV YU MK BG GR HU CY TR 01 04 05 06 07 08 09 15 16 18 19 20 22 24 28 29 31 32 33 35 38 40 42 46 51 55 57 58 59 60 61 65 75 76 78
- 2333. *Gerris caucasicus* Kanyukova,1982** (Gerridae) Synonym(s): *caucasicus* Kanyukova,1982 Range (in code): AM GG Cc IQ IR TR RU AZ 19 58 60 65
- 2334. *Gerris maculatus* Tamanini,1946** (Gerridae) Synonym(s): *maculatus* Tamanini,1946 Range (in code): AZ AM Cc GG IR TR IL Pa SY 01 04 07 22 24 31 38 57 58 59 62 65 75
- 2335. *Gerris palludum* Fabricius,1794** (Gerridae) Synonym(s): *palludum* Fabricius,1794 Range (in code): TR 22 33 58
- 2336. *Gerris ventralis* Fieber,1860** (Gerridae) Synonym(s): *ventralis* Fieber,1860 Range (in code): TR GR
- 2337. *Anormogomphus kiritshenkoi* Bartenev,1913** (Gomphidae) Synonym(s): *kiritshenkoi* Bartenev,1913 Range (in code): SY TR IQ Dk Ama IN 63



- 2338. *Gomphus davidi* Selys,1887** (Gomphidae) Synonym(s): *davidi* Selys,1887 Range (in code): TR IL Pa IQ SY Dms LB Bei 01 21 31 33 35 46
- 2339. *Gomphus flavipes* (Charpentier,1825)** (Gomphidae) Synonym(s): *flavipes* Charpentier,1825 Range (in code): TR SY Hms Dms Cc IR RU Sb 01 20 31 46 63
- 2340. *Gomphus kinzelbachi* Schneider,1984** (Gomphidae) Synonym(s): *kinzelbachi* Schneider,1984 Range (in code): IQ IR
- 2341. *Gomphus schneideri* Selys,1850** (Gomphidae) Synonym(s): *schneideri* Selys,1850 Range (in code): TR Cc GG RU 01 05 06 13 16 31 35 36 37 42 45 44 48 61
- 2342. *Gomphus vulgatissimus* (Linnaeus,1758)** (Gomphidae) Synonym(s): *vulgatissimus* Linnaeus,1758 TR 22
- 2343. *Lindenia tetraphylla* (Van Der Linden,1825)** (Gomphidae) Synonym(s): *tetraphylla* Van Der Linden,1825; *inkitii* Bartenev,1929 Range (in code): TR Gk DZ EG Cc AM GR YU IQ IL Pa 02 17 48 63 79
- 2344. *Onychogomphus assimilis* (Schneider,1845)** (Gomphidae) Synonym(s): *assimilis* Schneider,1845; *fulvipennis* Bartenev,1912 Range (in code): TR Cc AM 01 08 25 32 33 44 48 62 70
- 2345. *Onychogomphus flexuosus* (Schneider,1845)** (Gomphidae) Synonym(s): *flexuosus* Schneider,1845 Range (in code): TR Cc GG Tbl AZ Kir IQ IR AM IL Pa KG RU 01 05 06 20 31 33 44 48 72
- 2346. *Onychogomphus forcipatus* (Linnaeus,1758)** (Gomphidae) Synonym(s): *forcipatus* Linnaeus,1758 Range (in code): TR CY GG Tbl RU Cc AM YU 05 07 14 16 32 33 34 35 39 40 42 46 48
- 2347. *Onychogomphus lefebvrei* (Rambur,1842)** (Gomphidae) Synonym(s): *lefebvrei* Rambur,1842 Range (in code): TR SY LB Bei IQ Dk Ama 01 02 31 33 46 47 56 79 80
- 2348. *Onychogomphus macrodon* (Selys,1887)** (Gomphidae) Synonym(s): *macrodon* Selys,1887 Range (in code): SY TR LB Bei IL Pa 01 31 46
- 2349. *Ophiogomphus cecilia* (Fourcroy,1785)** (Gomphidae) Synonym(s): *cecilia* Fourcroy,1785; *serpentinus* Charpentier,1825 Range (in code): TR GR UZ Tas 44
- 2350. *Paragomphus genei* (Selys,1841)** (Gomphidae) Synonym(s): *genei* Selys,1841; *hageni* Selys,1870; *excelsus* Costa,1884; *atratus* Selys,1885; *rusticatus* Fraser,1928 Range (in code): TR IT Si Sa ZR EG ET ER SY IL Pa Hf DZ TN ZA Kzu Nta UG ES PT Co MT Sk
- 2351. *Paragomphus lineatus* (Selys & Hagen,1850)** (Gomphidae) Synonym(s): *lineatus* Selys & Hagen,1850 Range (in code): TR IR IN NP MM BD SY 01 02 31 63 72
- 2352. *Acheta angustiusculus* Gorochov,1993** (Gryllidae) Synonym(s): *angustiuscula* Gorochov,1993 Range (in code): SA
- 2353. *Acheta arabicus* Gorochov,1993** (Gryllidae) Synonym(s): *arabica* Gorochov,1993 Range (in code): SA SA52
- 2354. *Acheta brevipennis* Chopard,1963** (Gryllidae) Synonym(s): *brevipennis* Chopard,1963 Range (in code): IL Pa
- 2355. *Acheta confalonierii* (Capra,1929)** (Gryllidae) Synonym(s): *confalonierii* Capra,1929 Range (in code): YE LY Cy
- 2356. *Acheta domesticus* (Linnaeus,1758)** (Gryllidae) Synonym(s): *domestica* Linnaeus,1758; *aegyptiacus* Haan,1842; *transversalis* Walker,1871; *melanocephalus* Zacher,1917 Range (in code): US FR DE CZ SK RO NO EE CH AT IT Sa DZ LY IN TR 01 06 08 25 27 31 35 42 44 51 63 71
- 2357. *Acheta latiusculus* Gorochov,1993** (Gryllidae) Synonym(s): *latiusculus* Gorochov,1993 Range (in code): SA As
- 2358. *Acheta turcomanoides* Gorochov,1993** (Gryllidae) Synonym(s): *turcomanoides* Gorochov,1993 Range (in code): SA SA50
- 2359. *Acheta turcomanus* Gorochov,1978** (Gryllidae) Synonym(s): *turcomanus* Gorochov,1978 Range (in code): TM
- 2360. *Conoblemmus araxianus* Gorochov,1996** (Gryllidae) Synonym(s): *araxianus* Gorochov,1996 Range (in code): AZ Cc Nv
- 2361. *Glandulosa harzi* Gorochov,1996** (Gryllidae) Synonym(s): *harzi* Gorochov,1996 Range (in code): TR 07
- 2362. *Glandulosa kinzelbachi* Harz,1979** (Gryllidae) Synonym(s): *kinzelbachi* Harz,1979 Range (in code): TR 31
- 2363. *Glandulosa willemsei* Harz,1979** (Gryllidae) Synonym(s): *willemsei* Harz,1979 Range (in code): TR 33
- 2364. *Gryllodes supplicans* (Walker,1859)** (Gryllidae) Synonym(s): *supplicans* Walker,1859 Range (in code): GY US CU ET PK IN RU Us KP KR JP AU
- 2365. *Gryllodinus abditus* Gorochov,1979** (Gryllidae) Synonym(s): *abditus* Gorochov,1979 Range (in code): TM
- 2366. *Gryllodinus kerkennensis* (Finot,1893)** (Gryllidae) Synonym(s): *kerkennensis* Finot,1893; *macropterus* Fuente,1894; *finoti* Krauss,1902; *dulcisonans* Semenov,1915 Range (in code): TN LY DZ ES Cc IQ IR AF KG
- 2367. *Gryllomorpha* (*Gryllomorphella*) *antalya* Gorochov,2009** (Gryllidae) Synonym(s): *antalya* Gorochov,2009 Range (in code): TR 07

- 2368. Gryllomorpha (Gryllomorphella) mira Gorochoy,1993** (Gryllidae) Synonym(s): mira Gorochoy,1993 Range (in code): IL Pa
- 2369. Gryllomorpha (Gryllomorphella) sternlichti Chopard,1963** (Gryllidae) Synonym(s): sternlichti Chopard,1963 Range (in code): IL Pa
- 2370. Gryllomorpha (s.str.) dalmatina (Ocskay,1832)** (Gryllidae) Synonym(s): dalmatina Ocskay,1832; aptera Herrich-Schäffer,1838; fasciata Fieber,1853; longicauda Finot,1897; pieperi Harz,1979; strumae Andreeva,1982 Range (in code): DZ ES FR CH IT HV B-H BG Sa TR GR Kos 34 55
- 2371. Gryllomorpha (s.str.) gestroana Bolivar,1914** (Gryllidae) Synonym(s): gestroana Bolivar,1914 Range (in code): DZ LY Cc IR KG
- 2372. Gryllomorpha (s.str.) syriaca Harz,1979** (Gryllidae) Synonym(s): syriaca Harz,1979 Range (in code): SY
- 2373. Gryllomorpha (s.str.) willemsei Uvarov,1934** (Gryllidae) Synonym(s): willemsei Uvarov,1934 Range (in code): TR 26 42
- 2374. Gryllus (s.str.) bimaculatus (De Geer,1773)** (Gryllidae) Synonym(s): bimaculatus De Geer,1773; capensis Fabricius,1775; rubricollis Stoll,1813; lugubris Stal,1855; interruptus Walker,1869; marginalis Walker,1869; ater Saussure,1877 Range (in code): ML DZ LY SD YE NA ZA TR FR DE UA Cc GG Kta Im IR PK IN LK KG CN 07 08 16 31 33 56 65
- 2375. Gryllus (s.str.) campestris Linnaeus,1758** (Gryllidae) Synonym(s): campestris Linnaeus,1758; hybrida Rambur,1838; caudata Krauss,1886; cephalotes Ramme,1921 Range (in code): DZ LY SY TR IR PT ES FR GB DE PL EE RO CZ SK HU BG IT 01 04 05 06 08 11 18 23 24 25 26 35 38 39 40 42 43 44 46 50 51 62 63 65 70 71 78 80
- 2376. Gryllus (s.str.) urfaensis Gümüşsuyu,1978** (Gryllidae) Synonym(s): urfaensis Gümüşsuyu,1978 Range (in code): TR 63
- 2377. Melanogryllus afghan Chopard,1968** (Gryllidae) Synonym(s): afghan Chopard,1968 Range (in code): AF Hr
- 2378. Melanogryllus desertus (Pallas,1771)** (Gryllidae) Synonym(s): desertus Pallas,1771; melas Charpentier,1825; tristis Audinet-Serville,1838; agricola Rambur,1838; alata Ramme,1921 Range (in code): DZ TR Cc RU ES FR AT PL RO IR KG MN 01 02 03 04 05 06 07 08 10 11 12 14 16 18 19 21 22 23 24 25 31 32 34 35 36 37 38 39 40 41 42 43 44 45 46 49 50 51 54 55 57 59 62 63 68 70 71 74 78 80
- 2379. Modicogryllus (Amodicogryllus) pseudocyprius Gorochoy,1996** (Gryllidae) Synonym(s): pseudocyprius Gorochoy,1996 Range (in code): CY
- 2380. Modicogryllus (Eumodicogryllus) burdigalensis (Latreille,1804)** (Gryllidae) Synonym(s): chinensis Weber,1801; burdigalensis Latreille,1804; #bordigalensis Charpentier,1825; cerisyi Audinet-Serville,1838; geminus Audinet-Serville,1838; arvensis Rambur,1838; cinereus Costa,1852; marginatus Eversmann,1859; minusculus Walker,1869; pygmaeus Walker,1869; eversmanni Jakovlev,1871; ferdinandi Bolivar,1899; hygrophilus Krauss,1902; intermedia Bolivar,1927 Range (in code): TR MA DZ TN LY EG SA YE FR DE IT Sa GR RO BG SY LB IL Pa IQ Cc PL BY FI RU UA Cm IR AF TM UZ KK KG CN MN KP KR JP 01 06 07 08 11 14 16 18 19 21 22 23 26 31 34 35 39 42 50 56 59 60 63 66 71 77
- 2381. Modicogryllus (Promodicogryllus) bucharicus (Bei-Bienko,1933)** (Gryllidae) Synonym(s): bucharicus Bei-Bienko,1933 Range (in code): UZ TR
- 2382. Modicogryllus (s.str.) algirius (Saussure,1877)** (Gryllidae) Synonym(s): algirius Saussure,1877; algericus Brunner von Wattenwyl,1882 Range (in code): FR DZ TR 05 31 34 46
- 2383. Modicogryllus (s.str.) frontalis (Fieber,1844)** (Gryllidae) Synonym(s): frontalis Fieber,1844; hemsdorfensis Zeller,1856; pubescens Eversmann,1859; caudatus Singer,1869; fasciatus Walker,1871; alata Jacobson,1904; turanicus Bei-Bienko,1933 Range (in code): FR DE HU PL EE LT RO Cc IR EG AF RU KG MN TR 01 04 06 07 08 28 31 36 50 71
- 2384. Modicogryllus (s.str.) truncatus (Tarbinski,1940)** (Gryllidae) Synonym(s): truncatus Tarbinski,1940 Range (in code): YU RO Cc TR 04 06 08 10 16 22 23 24 25 26 28 40 45 47 52 55 59 62 63 66 67 71 78
- 2385. Oecanthus pellucens (Scopoli,1763)** (Gryllidae) Synonym(s): pellucens Scopoli,1763; italicus Fabricius,1781; lutaria Petagna,1792; aquea Fabricius,1798; varia Fischer von Waldheim,1846; angustipennis Fitch,1856 Range (in code): DZ PT FR DE AT CZ HU IT Sa HV B-H YU RO RU Sb FI UA Cm TR Cc SY LB IL Pa SA JO KG MN UG Rz 01 03 04 06 07 08 09 16 18 19 22 23 24 25 26 30 31 33 34 35 37 39 41 44 45 47 51 54 56 58 59 65 67 71 80
- 2386. Ovaliptila beroni (Popov,1974)** (Gryllidae) Synonym(s): beroni Popov,1974; uvarovi Us,1975 Range (in code): TR 07 33
- 2387. Pteronemobius (s.str.) heydenii (Fischer,1853)** (Gryllidae) Synonym(s): heydenii Fischer,1853; lateralis Costa,1855 Range (in code): TZ MG DZ MA TN LY SA IN LK TH KK KG TM UZ Cc TR UA Cm RO YU HV B-H HU CZ AT IY DE FR 01 06 08 18 19 21 22 23 26 31 34 40 42 45 47 50 51 52 53 55 70 71 72 77
- 2388. Sharovella caucasica (Sharov,1968)** (Gryllidae) Synonym(s): caucasica Sharov,1968 Range (in code): RU Cc
- 2389. Stenonemobius (s.str.) gracilis (Jakovleff,1871)** (Gryllidae) Synonym(s): gracilis Jakovleff,1871 Range (in code): TR Cc IR IQ AF UA RO RU IT EG LY TN DZ 27 31
- 2390. Tartarogryllus bordigalensis (Latreille,1804)** (Gryllidae) Synonym(s): bordigalensis Latreille,1804 Range (in code): CZ HU RO BG RU IR Cn AF TR 63

- 2391. *Tartarogryllus tartarus* (Saussure,1874)** (Gryllidae) Synonym(s): *tartarus* Saussure,1874; *intermedius* Chopard,1940; *intercalatus* Chopard,1943 Range (in code): ES IQ Cc GG IR KG UZ TM PK TR 06 09 18 22 23 36 44 47 63 71
- 2392. *Trigonidium* (s.str.) *cicindeloides* Rambur,1839** (Gryllidae) Synonym(s): *cicindeloides* Rambur,1839 Range (in code): TR 31
- 2393. *Turanogryllus aelleni* (Chopard,1954)** (Gryllidae) Synonym(s): *aelleni* Chopard,1954 Range (in code): TR IR 63
- 2394. *Turanogryllus lateralis* (Fieber,1853)** (Gryllidae) Synonym(s): *lateralis* Fieber,1853; *terrestris* Saussure,1877 Range (in code): GR TR IQ Cc TM KG UZ TJ 36 76
- 2395. *Turanogryllus pakistanus* Ghouri & Ahmad,1959** (Gryllidae) Synonym(s): *pakistanus* Ghouri & Ahmad,1959 Range (in code): PK
- 2396. *Turanogryllus stolyarovi* Gorochov,1986** (Gryllidae) Synonym(s): *stolyarovi* Gorochov,1986 Range (in code): AF
- 2397. *Turanogryllus wahrmani* (Chopard,1963)** (Gryllidae) Synonym(s): *wahrmani* Chopard,1963 Range (in code): IL Pa Js
- 2398. *Gryllotalpa africana* Beauvois,1805** (Gryllotalpidae) Synonym(s): *africana* Beauvois,1805; *oryctes* Scudder,1869; *fossor* Scudder,1869; *colini* Rochebrune,1884; *formosana* Chopard,1931 *nec* Shiraki,1930; *microptalma* Chopard,1936; *confusa* Chopard,1939 Range (in code): ES DZ ZA Kzu Nta Tva Lpo Spb Mdk SN ZR NG IR Ss CN TW AU MG
- 2399. *Gryllotalpa gryllotalpa* (Linnaeus,1758)** (Gryllotalpidae) Synonym(s): *gryllotalpa* Linnaeus,1758; *talpa* Olivier,1791; *vulgaris* Latreille,1804 Range (in code): DZ TN PT ES FR GB NL DE DK FI NO SE CH AT HU YU IT BG GR RO RU UA TR IQ Bgd IR Ke SA SY LB IL Pa RE 01 02 03 04 06 07 08 09 13 16 17 21 23 24 25 31 33 34 35 39 42 44 45 47 50 51 54 56 63 65 76
- 2400. *Gryllotalpa isfahan* Ingrich, Nikouei & Hatami,2006** (Gryllotalpidae) Synonym(s): *isfahan* Ingrich, Nikouei & Hatami,2006 Range (in code): IR Es
- 2401. *Gryllotalpa stepposa* Zhantiev,1991** (Gryllotalpidae) Synonym(s): *stepposa* Zhantiev,1991 Range (in code): SA
- 2402. *Gryllotalpa unispina* Saussure,1884** (Gryllotalpidae) Synonym(s): *unispina* Saussure,1884; *manshurei* Shiraki,1930 Range (in code): RO UA RU Cc TM UZ KG CN Mc IR Ss AF MN
- 2403. *Homotoma ficus* (Linnaeus,1758)** (Homotomidae) Synonym(s): *ficus* Linnaeus,1758 Range (in code): ES FR GB CH IT Sa Si HV AT BG RO UA CY YU TR 01 08 16 21 33 35 46
- 2404. *Hydrometra gracilenta* Horvath,1899** (Hydrometridae) Synonym(s): *gracilenta* Horvath,1899 Range (in code): FR GB BE NL DK DE EE PL NO SE FI BY UA CZ SK CH AT IT HU RO BG GR AZ Cc Len EG EG11 SD
- 2405. *Hydrometra stagnorum* (Linnaeus,1758)** (Hydrometridae) Synonym(s): *stagnorum* Linnaeus,1758 Range (in code): PT ES FR BE NL GB IE NO SE FI UA DK DE PL CZ SK HU RO CH IT AT HV YU AL MK GR BG Sa Si Cr CY TR 01 03 06 13 14 16 31 35 40
- 2406. *Galinthias philbyi* (Uvarov,1936)** (Hymenopodidae) Synonym(s): *philbyi* Uvarov,1936 Range (in code): SA YE
- 2407. *Iris coeca* Uvarov,1931** (Irididae) Synonym(s): *coeca* Uvarov,1931 Range (in code): EG YE SA SD
- 2408. *Iris nana* Uvarov,1930** (Irididae) Synonym(s): *nana* Uvarov,1930; *radians* Uvarov,1931 Range (in code): AF IQ Bgd PK BI IN IR
- 2409. *Iris oratoria* (Linnaeus,1758)** (Irididae) Synonym(s): *oratoria* Linnaeus,1758; *dentata* Goeze,1778; *bella* Germar,1817; *minima* Charpentier,1825; *fenestrata* Brullé,1832 Range (in code): ES MA EG DZ TN CY FR GR Cr IT TR JO IL Pa IR IN TD CA 06 10 12 13 16 23 24 25 31 33 34 35 44 45 48 56 65 73
- 2410. *Iris orientalis* Wood-Mason,1882** (Irididae) Synonym(s): *orientalis* Wood-Mason,1882 Range (in code): IN Clc NP AF PK ID Ja
- 2411. *Iris persa* Uvarov,1922** (Irididae) Synonym(s): *persa* Uvarov,1922 Range (in code): IR Ss
- 2412. *Iris persiminima* Otte,2005** (Irididae) Synonym(s): *minima* Ramme,1951 *nec* Charp.,1825; *persiminima* Otte,2005 Range (in code): IR Ke Elb Th
- 2413. *Iris pitcheri* Kaltenbach,1982** (Irididae) Synonym(s): *pitcheri* Kaltenbach,1982 Range (in code): SA
- 2414. *Iris polystictica* Fischer v. Waldheim,1846** (Irididae) Synonym(s): *polystictica* Fischer v. Waldheim,1846; *tiflisina* Giglio-Tos,1915; *caucasica* Lindt,1983 Range (in code): RU AZ Cc Tbl GG TR TJ MN AF IR CN TM Ui Ku Bc 33
- 2415. *Iris splendida* Uvarov,1922** (Irididae) Synonym(s): *splendida* Uvarov,1922 Range (in code): AF PK
- 2416. *Tarachodes* (Chiropacha) *arabicus* Uvarov,1923** (Irididae) Synonym(s): *arabicus* Uvarov,1923 Range (in code): YE OM SA
- 2417. *Tarachodes* (Chiropacha) *gilvus* Charpentier,1841** (Irididae) Synonym(s): *gilvus* Charpentier,1841 Range (in code): SD CM ZR UG TD SA
- 2418. *Nilomantis floweri* Werner,1907** (Iridopterygidae) Synonym(s): *floweri* Werner,1907; *tenella* Giglio-Tos,1915; *arabica* Beier,1930 Range (in code): ET IR YE MR NE OM SA SD TD



- 2419. Aconosimus goricus (Dlabola,1958)** (Issidae) Synonym(s): goricus Dlabola,1958 Range (in code): Cc AM AZ GG TR
- 2420. Agalmatum bilobum (Fieber,1877)** (Issidae) Synonym(s): bilobum Fieber,1877 Range (in code): FR GR IL IT Sa ES SY TN TR UA Cm 01 02 03 06 09 10 11 15 16 17 19 20 26 27 29 31 35 39 40 43 44 45 48 55 58 59 60 64 66
- 2421. Agalmatum flavescens (Olivier,1791)** (Issidae) Synonym(s): flavescens Olivier,1791; grylloides Fabricius,1794; liliimacula O.Costa,1834; bifasciatus O.Costa,1834; smyrnensis Spinola,1839; dufouri Spinola,1839; sricula O.Costa,1840; zelleri Kirschbaum,1868 Range (in code): AL AT DZ BG Cn CY CZ FR GR HU IT JO MA PT ES RO CH SY TN TR YU RU 19 22 37 59 65 67
- 2422. Anatolodus ignavus (Dlabola,1981)** (Issidae) Synonym(s): ignavus Dlabola,1981 Range (in code): TR
- 2423. Anatolodus musivus Dlabola,1982** (Issidae) Synonym(s): musivus Dlabola,1982 Range (in code): TR
- 2424. Bootheca taurus (Oshanin,1870)** (Issidae) Synonym(s): taurus Oshanin,1870 Range (in code): Cc AZ MD UA
- 2425. Bubastia (Acrestia) ephialtes (Linnavuori,1971)** (Issidae) Synonym(s): ephialtes Linnavuori,1971 Range (in code): CY TR 31 33
- 2426. Bubastia (s.str.) amasica Kartal & Karavin,2010** (Issidae) Synonym(s): amasica Kartal & Karavin,2010 Range (in code): TR 05
- 2427. Bubastia (s.str.) kelkitica Kartal & Karavin,2010** (Issidae) Synonym(s): kelkitica Kartal & Karavin,2010 Range (in code): TR
- 2428. Bubastia (s.str.) ludviki Dlabola,1979** (Issidae) Synonym(s): ludviki Dlabola,1979 Range (in code): TR 10
- 2429. Bubastia (s.str.) suturale (Fieber,1877)** (Issidae) Synonym(s): suturale Fieber,1877 Range (in code): CY GR LB TR PT? 01 07 15 31 35 48
- 2430. Bubastia (s.str.) transcaucasica (Melichar,1914)** (Issidae) Synonym(s): transcaucasica Melichar,1914 Range (in code): RU Cc TR
- 2431. Bubastia jatagana Dlabola,1982** (Issidae) Synonym(s): jatagana Dlabola,1982 Range (in code): TR
- 2432. Conosimus caucasicus Melichar,1914** (Issidae) Synonym(s): caucasicus Melichar,1914 Range (in code): Cc AZ GG
- 2433. Conosimus kobachidzei Dlabola,1958** (Issidae) Synonym(s): kobachidzei Dlabola,1958 Range (in code): GG RU Da Cc
- 2434. Conosimus nuchensis Logvinenko,1968** (Issidae) Synonym(s): nuchensis Logvinenko,1968 Range (in code): AZ Cc
- 2435. Conosimus oshanini Puton,1890** (Issidae) Synonym(s): oshanini Puton,1890 Range (in code): IR KK
- 2436. Falcidiopsis meridionalis Dlabola,1983** (Issidae) Synonym(s): meridionalis Dlabola,1983 Range (in code): TR
- 2437. Falcidius anaticus Dlabola,1979** (Issidae) Synonym(s): anaticus Dlabola,1979 Range (in code): TR 03
- 2438. Falcidius apterus (Fabricius,1794)** (Issidae) Synonym(s): apterus Fabricius,1794; barbarica Turton,1802; limbatum A.Costa,1864; heydenii Kirschbaum,1868; striolatum Fieber,1877; areolatus A.Costa,1883 Range (in code): DZ ES Cn FR GR IT MA IL ES SW TN RU
- 2439. Hysteropterum asiaticum Lethierry,1878** (Issidae) Synonym(s): asiaticum Lethierry,1878 Range (in code): AF SY AZ Cc KG KK TM UZ
- 2440. Hysteropterum despectum Linnavuori,1965** (Issidae) Synonym(s): despectum Linnavuori,1965 Range (in code): TR
- 2441. Hysteropterum grylloides (Fabricius,1794)** (Issidae) Synonym(s): grylloides Fabricius,1794 Range (in code): AL DZ AT BG ES Cn CY CS FR GR HU IT JO MA PT RO ES SW SY TN TR YU
- 2442. Hysteropterum laminatum Horvath,1911** (Issidae) Synonym(s): laminatum Horvath,1911 Range (in code): SY
- 2443. Hysteropterum lesbicum Dlabola,1980** (Issidae) Synonym(s): lesbicum Dlabola,1980 Range (in code): GR TR 16
- 2444. Hysteropterum nervosum Fieber,1877** (Issidae) Synonym(s): nervosum Fieber,1877 Range (in code): DZ GR IT IL ES YU
- 2445. Hysteropterum orientale Kusnezov,1926** (Issidae) Synonym(s): orientale Kusnezov,1926 Range (in code): Cc AM GG
- 2446. Hysteropterum parvissimum Dlabola,1957** (Issidae) Synonym(s): parvissimum Dlabola,1957 Range (in code): TR 06
- 2447. Hysteropterum pictifrons Horvath,1899** (Issidae) Synonym(s): pictifrons Horvath,1899 Range (in code): AM TJ TM

- 2448. *Hysteropterum syriacum* Melichar,1906** (Issidae) Synonym(s): syriacum Melichar,1906 Range (in code): IL SY
- 2449. *Hysteropterum transcaasicum* Melichar,1914** (Issidae) Synonym(s): transcaasicum Melichar,1914 Range (in code): Cc TR AZ AM
- 2450. *Hysteropterum trifasciatum* Linnavuori,1965** (Issidae) Synonym(s): trifasciatum Linnavuori,1965 Range (in code): TR
- 2451. *Issus bellardi* Melichar,1906** (Issidae) Synonym(s): bellardi Melichar,1906 Range (in code): CY
- 2452. *Issus canariensis* Melichar,1906** (Issidae) Synonym(s): canariensis Melichar,1906 Range (in code): Cc AM AZ GG
- 2453. *Issus coleoptratus* (Fabricius,1781)** (Issidae) Synonym(s): gibbosa Goeze,1778 (praeocc.); coleoptratus Fabricius,1781; pedestris Fabricius,1794; maurus Walker,1851; cribrellus Rey,1894 Range (in code): DZ AT BE BG CS DK FR DE GB GR HU IE IT NL PL PT RO ES SE AZ Cc TR MD UA YU 28 29 52 53 57 61
- 2454. *Issus dilatatus* (Fourcroy,1785)** (Issidae) Synonym(s): dilatatus Fourcroy,1785; luteus Fieber,1876 Range (in code): AL FR GR IT ES TR YU
- 2455. *Issus fieberi* Melichar,1906** (Issidae) Synonym(s): fieberi Melichar,1906 Range (in code): CY
- 2456. *Issus lauri* Ahrens,1814** (Issidae) Synonym(s): lauri Ahrens,1814; climacus Fieber,1876 Range (in code): TR AL FR GR IT PT ES YU 31 33
- 2457. *Issus muscaeformis* (Schrank,1781)** (Issidae) Synonym(s): muscaeformis Schrank,1781 Range (in code): Cc AT BG CS DK FR DE GR HU IT NL NO PL RO SE AM GG UA YU
- 2458. *Kervillea ancyrana* Bergevin,1918** (Issidae) Synonym(s): ancyrana Bergevin,1918; parvissimum Dlabola,1957 Range (in code): TR 02 06 19 21 66
- 2459. *Kervillea gaziantepica* Dlabola,1984** (Issidae) Synonym(s): gaziantepica Dlabola,1984 Range (in code): TR 27
- 2460. *Kervillea parvissima* (Dlabola,1957)** (Issidae) Synonym(s): parvissima Dlabola,1957 Range (in code): TR
- 2461. *Kervillea placophora* (Horvath,1905)** (Issidae) Synonym(s): placophora Horvath,1905 Range (in code): IL Pa TR TJ 26 42 66
- 2462. *Kervillea syriaca* (Melichar,1906)** (Issidae) Synonym(s): syriaca Melichar,1906 Range (in code): SY GR
- 2463. *Latematium cingulatum* Dlabola,1983** (Issidae) Synonym(s): cingulatum Dlabola,1983 Range (in code): TR 07 43
- 2464. *Latilica antalyica* (Dlabola,1986)** (Issidae) Synonym(s): antalyica Dlabola,1986 Range (in code): TR 07
- 2465. *Latilica maculipes* (Melichar,1906)** (Issidae) Synonym(s): maroccanum Lethierry,1877; maculipes Melichar,1906; oertzeni Matsumura,1910 Range (in code): MA FR IT ES CY GR IL IT TR YU 07 31 45 48
- 2466. *Latilica pictifrons* (Melichar,1906)** (Issidae) Synonym(s): pictifrons Melichar,1906 Range (in code): TR
- 2467. *Latilica quercus* (Lindberg,1948)** (Issidae) Synonym(s): quercus Lindberg,1948 Range (in code): TR CY 07
- 2468. *Latilica retamae* (Linnavuori,1962)** (Issidae) Synonym(s): retamae Linnavuori,1962 Range (in code): TR IL Pa 07
- 2469. *Libanisum talhouki* (Dlabola,1974)** (Issidae) Synonym(s): talhouki Dlabola,1974 Range (in code): CY TR LB GR 33
- 2470. *Mycterodus* (Aconosimus) marki Gnezdilov,2008** (Issidae) Synonym(s): marki Gnezdilov,2008 Range (in code): TR 12
- 2471. *Mycterodus* (Aegaeum) capitatus Dlabola,1982** (Issidae) Synonym(s): capitatus Dlabola,1982 Range (in code): TR 07
- 2472. *Mycterodus* (Aegaeum) phoenicicus Gnezdilov,2008** (Issidae) Synonym(s): phoenicicus Gnezdilov,2008 Range (in code): LB
- 2473. *Mycterodus* (Aegaeum) syriacus Gnezdilov,2008** (Issidae) Synonym(s): syriacus Gnezdilov,2008 Range (in code): SY Ltk
- 2474. *Mycterodus* (Comporodus) caucasicus (Melichar,1906)** (Issidae) Synonym(s): caucasicus Melichar,1906 Range (in code): Cc TR AZ AM GG 08
- 2475. *Mycterodus* (Comporodus) mutuus Logvinenko,1968** (Issidae) Synonym(s): mutuus Logvinenko,1968 Range (in code): TR RU Cc Kr 53
- 2476. *Mycterodus* (Comporodus) spinicordatus Dlabola,1983** (Issidae) Synonym(s): spinicordatus Dlabola,1983 Range (in code): TR 07
- 2477. *Mycterodus* (Comporodus) tekneticus (Dlabola,1982)** (Issidae) Synonym(s): tekneticus Dlabola,1982 Range (in code): TR 07
- 2478. *Mycterodus* (s.str.) alatus Logvinenko,1968** (Issidae) Synonym(s): alatus Logvinenko,1968 Range (in code): Cc GG TR
- 2479. *Mycterodus* (s.str.) anaticeps Puton,1895** (Issidae) Synonym(s): anaticeps Puton,1895 Range (in code): TR 31

- 2480. Mycterodus (s.str.) batumus Dlabola,1958** (Issidae) Synonym(s): batumus Dlabola,1958 Range (in code): Cc GG
- 2481. Mycterodus (s.str.) bicornutus Dlabola,1986** (Issidae) Synonym(s): bicornutus Dlabola,1986 Range (in code): TR 01 31
- 2482. Mycterodus (s.str.) confusus Stal,1861** (Issidae) Synonym(s): confusus Stal,1861 Range (in code): Cc CS HU RO TR AZ GG UA YU 34
- 2483. Mycterodus (s.str.) denticulatus Lindberg,1948** (Issidae) Synonym(s): denticulatus Lindberg,1948 Range (in code): CY TR 06 70
- 2484. Mycterodus (s.str.) drosopouloسی Dlabola,1982** (Issidae) Synonym(s): drosopouloسی Dlabola,1982 Range (in code): GR TR
- 2485. Mycterodus (s.str.) efesicus Dlabola,1971** (Issidae) Synonym(s): efesicus Dlabola,1971 Range (in code): TR GR 35
- 2486. Mycterodus (s.str.) immaculatus (Fabricius,1794)** (Issidae) Synonym(s): immaculatus Fabricius,1794 Range (in code): Cc AT BG CS FR GR HU IT RO SW TR AM AZ GG UA YU
- 2487. Mycterodus (s.str.) intricatus Stal,1861** (Issidae) Synonym(s): intricatus Stal,1861; jaltaicus Dlabola,1958 Range (in code): Cc CY TR AZ GG UA 31
- 2488. Mycterodus (s.str.) lobatus Logvinenko,1968** (Issidae) Synonym(s): lobatus Logvinenko,1968 Range (in code): Cc GG
- 2489. Mycterodus (s.str.) lodosicus Dlabola,1980** (Issidae) Synonym(s): lodosicus Dlabola,1980 Range (in code): TR 07
- 2490. Mycterodus (s.str.) muticus Dlabola,1986** (Issidae) Synonym(s): muticus Dlabola,1986 Range (in code): TR 07
- 2491. Mycterodus (s.str.) osmanicus Dlabola,1971** (Issidae) Synonym(s): osmanicus Dlabola,1971 Range (in code): TR 80
- 2492. Mycterodus (s.str.) pozanticus Kartal,1983** (Issidae) Synonym(s): pozanticus Kartal,1983 Range (in code): TR 01
- 2493. Mycterodus (s.str.) rostratulus Emeljanov,1964** (Issidae) Synonym(s): rostratulus Emeljanov,1964 Range (in code): Cc RU TR 06 66
- 2494. Mycterodus (Semirodus) ionus Gnezdilov & Drosopoulos,2004** (Issidae) Synonym(s): ionus Gnezdilov & Drosopoulos,2004 Range (in code): GR TR 35
- 2495. Mycterodus (Semirodus) johannesі Gnezdilov & Drosopoulos,2004** (Issidae) Synonym(s): johannesі Gnezdilov & Drosopoulos,2004 Range (in code): TR GR 17
- 2496. Mycterodus (Semirodus) pallens Stal,1861** (Issidae) Synonym(s): pallens Stal,1861 Range (in code): GR TR Gk YU 09 17 35 48
- 2497. Mycterodus anatolicus Dlabola,1981** (Issidae) Synonym(s): anatolicus Dlabola,1981 Range (in code): TR
- 2498. Mycterodus anatoloriens Dlabola,1979** (Issidae) Synonym(s): anatoloriens Dlabola,1979 Range (in code): TR 47
- 2499. Mycterodus arpadi Dlabola,1977** (Issidae) Synonym(s): arpadi Dlabola,1977 Range (in code): TR 34
- 2500. Mycterodus balikesiricus Dlabola,1979** (Issidae) Synonym(s): balikesiricus Dlabola,1979 Range (in code): TR 03 10 43 45 64
- 2501. Mycterodus carpathicus Logvinenko,1974** (Issidae) Synonym(s): carpathicus Logvinenko,1974 Range (in code): TR RO 11 16 43
- 2502. Mycterodus goricus (Dlabola,1958)** (Issidae) Synonym(s): goricus Dlabola,1958 Range (in code): TR AM AZ GG Cc RU 13 29 65
- 2503. Mycterodus hakkaricus Dlabola,1980** (Issidae) Synonym(s): hakkaricus Dlabola,1980 Range (in code): TR 30
- 2504. Mycterodus hamatus Dlabola,1971** (Issidae) Synonym(s): hamatus Dlabola,1971 Range (in code): TR 35
- 2505. Mycterodus izmiticus Dlabola,1979** (Issidae) Synonym(s): izmiticus Dlabola,1979 Range (in code): TR 16 34 35 48 54 64 77
- 2506. Mycterodus nasutus (Herrich-Schäffer,1835)** (Issidae) Synonym(s): nasutus Herrich-Schäffer,1835 Range (in code): FR Sa IT AT RO GR SK HU PL TR DE HV RU Cc BG AM 35
- 2507. Mycterodus osellai Dlabola,1977** (Issidae) Synonym(s): osellai Dlabola,1977 Range (in code): TR 14
- 2508. Mycterodus ovifrons (Puton,1890)** (Issidae) Synonym(s): ovifrons Puton,1890 Range (in code): RU Cc TR 53
- 2509. Mycterodus serbicus Dlabola,1980** (Issidae) Synonym(s): serbicus Dlabola,1980 Range (in code): YU TR 54
- 2510. Mycterodus spinicordatus Dlabola,1982** (Issidae) Synonym(s): spinicordatus Dlabola,1982 Range (in code): TR



- 2511. Mycterodus tekneticus Dlabola,1982** (Issidae) Synonym(s): tekneticus Dlabola,1982 [Range \(in code\): TR](#)
- 2512. Mycterodus torosicus Dlabola,1980** (Issidae) Synonym(s): torosicus Dlabola,1980 [Range \(in code\): TR](#)
- 2513. Mycterodus ulukislanus Dlabola,1983** (Issidae) Synonym(s): ulukislanus Dlabola,1983 [Range \(in code\): TR 51](#)
- 2514. Perissana circularis (Linnavuori,1952)** (Issidae) Synonym(s): circularis Linnavuori,1952 [Range \(in code\): EG IL Pa](#)
- 2515. Perissana jakowleffi (Puton,1890)** (Issidae) Synonym(s): jakowleffi Puton,1890 [Range \(in code\): IR AZ Cc](#)
- 2516. Phasmena nasuta Melichar,1902** (Issidae) Synonym(s): nasuta Melichar,1902 [Range \(in code\): IR](#)
- 2517. Phasmena nigrodorsalis Sidorski,1938** (Issidae) Synonym(s): nigrodorsalis Sidorski,1938 [Range \(in code\): Cc AZ](#)
- 2518. Phasmena telifera Melichar,1902** (Issidae) Synonym(s): telifera Melichar,1902 [Range \(in code\): IR](#)
- 2519. Quadrastylum aylae Dlabola,1987** (Issidae) Synonym(s): aylae Dlabola,1987 [Range \(in code\): TR](#)
- 2520. Quadrastylum basiniger Dlabola,1987** (Issidae) Synonym(s): basiniger Dlabola,1987 [Range \(in code\): TR](#)
- 2521. Quadrastylum beysehiricum Dlabola,1983** (Issidae) Synonym(s): beysehiricum Dlabola,1983 [Range \(in code\): TR 42](#)
- 2522. Quadrastylum campanuliforme Dlabola,1979** (Issidae) Synonym(s): campanuliforme Dlabola,1979 [Range \(in code\): TR 03](#)
- 2523. Quadrastylum coronatum (Loginenkova,1977)** (Issidae) Synonym(s): coronatum Loginenkova,1977 [Range \(in code\): TR](#)
- 2524. Quadrastylum insulanum Dlabola,1983** (Issidae) Synonym(s): insulanum Dlabola,1983 [Range \(in code\): TR](#)
- 2525. Quadrastylum jahjai Dlabola,1983** (Issidae) Synonym(s): jahjai Dlabola,1983 [Range \(in code\): TR 07](#)
- 2526. Quadrastylum kulaicum Dlabola,1983** (Issidae) Synonym(s): kulaicum Dlabola,1983 [Range \(in code\): TR](#)
- 2527. Quadrastylum lodosicum Dlabola,1983** (Issidae) Synonym(s): lodosicum Dlabola,1983 [Range \(in code\): TR](#)
- 2528. Quadrastylum scoleogramma (Fieber,1877)** (Issidae) Synonym(s): scoleogramma Fieber,1877 [Range \(in code\): GR TR 17 35](#)
- 2529. Quadrastylum tarsusanum Dlabola,1989** (Issidae) Synonym(s): tarsusanum Dlabola,1989 [Range \(in code\): TR 33](#)
- 2530. Quadrastylum tekirdagicum Dlabola,1982** (Issidae) Synonym(s): tekirdagicum Dlabola,1982 [Range \(in code\): TR 59](#)
- 2531. Rhissolepus aspinosus Dlabola,1982** (Issidae) Synonym(s): aspinosus Dlabola,1982 [Range \(in code\): TR](#)
- 2532. Scorlupella amica Dlabola,1984** (Issidae) Synonym(s): amica Dlabola,1984 [Range \(in code\): TR](#)
- 2533. Scorlupella assimile (Horvath,1905)** (Issidae) Synonym(s): assimile Horvath,1905 [Range \(in code\): TR](#)
- 2534. Scorlupella bouldardi Dlabola,1984** (Issidae) Synonym(s): bouldardi Dlabola,1984 [Range \(in code\): TR](#)
- 2535. Scorlupella corumica Dlabola,1982** (Issidae) Synonym(s): corumica Dlabola,1982 [Range \(in code\): TR](#)
- 2536. Scorlupella discolor (Germar,1821)** (Issidae) Synonym(s): discolor Germar,1821 [Range \(in code\): Cc BG IT RO TR GG UA 06 66](#)
- 2537. Scorlupella montana (Becker,1865)** (Issidae) Synonym(s): montanum Becker,1865; arundidis Becker,1865 [Range \(in code\): Cc GR RO ES TR AM AZ GG KG KK RU TJ TM UA UZ 06 24 36 66](#)
- 2538. Scorlupella pontica Dlabola,1982** (Issidae) Synonym(s): pontica Dlabola,1982 [Range \(in code\): TR](#)
- 2539. Tshurtshurnella acuta (Linnavuori,1965)** (Issidae) Synonym(s): acuta Linnavuori,1965 [Range \(in code\): TR 31](#)
- 2540. Tshurtshurnella adana Dlabola,1986** (Issidae) Synonym(s): adana Dlabola,1986 [Range \(in code\): TR 01](#)
- 2541. Tshurtshurnella alanyana Dlabola,1982** (Issidae) Synonym(s): alanyana Dlabola,1982 [Range \(in code\): TR 07](#)
- 2542. Tshurtshurnella aschei Kartal,1985** (Issidae) Synonym(s): aschei Kartal,1985 [Range \(in code\): TR 01](#)

- 2543. Tshurtshurnella bicornuta Dlabola,1983** (Issidae) Synonym(s): bicornuta Dlabola,1983 Range (in code): TR 07
- 2544. Tshurtshurnella bozarmutica Kartal,1985** (Issidae) Synonym(s): bozarmutica Kartal,1985 Range (in code): TR 01
- 2545. Tshurtshurnella campestre (Lindberg,1948)** (Issidae) Synonym(s): campestre Lindberg,1948; bidens Linnavuori,1965 Range (in code): CY TR IL Pa 01 51
- 2546. Tshurtshurnella cappodocica (Dlabola,1981)** (Issidae) Synonym(s): cappodocica Dlabola,1981; acigoelica Dlabola,1983 Range (in code): TR
- 2547. Tshurtshurnella carica Gnezdilov,2002** (Issidae) Synonym(s): carica Gnezdilov,2002 Range (in code): TR 43
- 2548. Tshurtshurnella despecta (Linnavuori,1965)** (Issidae) Synonym(s): despecta Linnavuori,1965 Range (in code): IT TR 06 18 19 38 40 50 51
- 2549. Tshurtshurnella diyarbakira Dlabola,1980** (Issidae) Synonym(s): diyarbakira Dlabola,1980 Range (in code): TR 21
- 2550. Tshurtshurnella edremitica Dlabola,1982** (Issidae) Synonym(s): edremitica Dlabola,1982 Range (in code): TR
- 2551. Tshurtshurnella elmalica Kartal,1985** (Issidae) Synonym(s): elmalica Kartal,1985 Range (in code): TR
- 2552. Tshurtshurnella extrema Dlabola,1980** (Issidae) Synonym(s): extrema Dlabola,1980 Range (in code): TR
- 2553. Tshurtshurnella hani Gnezdilov,2002** (Issidae) Synonym(s): hani Gnezdilov,2002 Range (in code): LB
- 2554. Tshurtshurnella kalkandelenica Dlabola,1982** (Issidae) Synonym(s): kalkandelenica Dlabola,1982 Range (in code): TR
- 2555. Tshurtshurnella linnavuorii Dlabola,1982** (Issidae) Synonym(s): linnavuorii Dlabola,1982 Range (in code): TR
- 2556. Tshurtshurnella lodosi Dlabola,1979** (Issidae) Synonym(s): lodosi Dlabola,1979 Range (in code): TR 21 63 73
- 2557. Tshurtshurnella longispinosa (Linnavuori,1962)** (Issidae) Synonym(s): longispinosa Linnavuori,1962 Range (in code): CY IL TR 01 80
- 2558. Tshurtshurnella mysica Gnezdilov,2002** (Issidae) Synonym(s): mysica Gnezdilov,2002 Range (in code): TR 43
- 2559. Tshurtshurnella peloponica Dlabola,1979** (Issidae) Synonym(s): peloponica Dlabola,1979 Range (in code): GR TR 06
- 2560. Tshurtshurnella ramosa Dlabola,1982** (Issidae) Synonym(s): ramosa Dlabola,1982 Range (in code): TR
- 2561. Tshurtshurnella rhombica Dlabola,1982** (Issidae) Synonym(s): rhombica Dlabola,1982 Range (in code): TR 06 38 51
- 2562. Tshurtshurnella serapae Kartal,1985** (Issidae) Synonym(s): serapae Kartal,1985 Range (in code): TR
- 2563. Tshurtshurnella trifasciata (Linnavuori,1965)** (Issidae) Synonym(s): trifasciata Linnavuori,1965 Range (in code): TR 02 21 31 33 65
- 2564. Tshurtshurnella uvarovi Gnezdilov,2002** (Issidae) Synonym(s): uvarovi Gnezdilov,2002 Range (in code): TR 45
- 2565. Tshurtshurnella ventricornis Dlabola,1986** (Issidae) Synonym(s): ventricornis Dlabola,1986 Range (in code): TR 46
- 2566. Tshurtshurnella verbasci Dlabola,1983** (Issidae) Synonym(s): verbasci Dlabola,1983 Range (in code): TR
- 2567. Tshurtshurnella yozgatica Kartal,1985** (Issidae) Synonym(s): yozgatica Kartal,1985 Range (in code): TR 66
- 2568. Tshurtshurnella zebrina Dlabola,1985** (Issidae) Synonym(s): zebrina Dlabola,1985 Range (in code): TR
- 2569. Webbsianus ochreicolor Dlabola,1983** (Issidae) Synonym(s): ochreicolor Dlabola,1983 Range (in code): TR 33
- 2570. Kermes bekiri Bodenheimer,1953** (Kermesidae) Synonym(s): bekiri Bodenheimer,1953 Range (in code): TR
- 2571. Kermes palestiniensis Balachowsky,1953** (Kermesidae) Synonym(s): palestiniensis Balachowsky,1953 Range (in code): IL Pa TR 07 32
- 2572. Kermes muhlisi Bodenheimer,1941** (Kermesidae) Synonym(s): muhlisi Bodenheimer,1941 Range (in code): TR
- 2573. Kermes roboris (Fourcroy,1785)** (Kermesidae) Synonym(s): roboris Fourcroy,1785 Range (in code): PT ES FR GB NL DE PL UA MD AT CZ SK HU B-H IT Si TR

- 2574. Kermes sadrii Bodenheimer,1953** (Kermesidae) Synonym(s): sadrii Bodenheimer,1953 Range (in code): TR
- 2575. Kermes safinazae Özkök,1941** (Kermesidae) Synonym(s): safinazae Özkök,1941 Range (in code): TR
- 2576. Kermes vermilio Planchon,1864** (Kermesidae) Synonym(s): vermilio Planchon,1864 Range (in code): TR
- 2577. Nidularia balachowskii Bodenheimer** (Kermesidae) Synonym(s): balachowskii Bodenheimer Range (in code): TR
- 2578. Nidularia pulvinata (Planchon)** (Kermesidae) Synonym(s): pulvinata Planchon Range (in code): TR
- 2579. Anisolabis maritima (Géné,1832)** (Labiduridae) Synonym(s): maritima Géné,1832; singularis Shiraki,1905; addita Burr,1913; quadrata Liu,1946 Range (in code): ES RU TR 08 10 27 31 35 45 48 77
- 2580. Chelidura specifica Steinmann,1989** (Labiduridae) Synonym(s): specifica Steinmann,1989 Range (in code): TR
- 2581. Euborellia annulipes (Lucas,1837)** (Labiduridae) Synonym(s): annulipes Lucas,1837 Range (in code): ES TJ TR 01 07 14 16 31 34 35 77
- 2582. Euborellia moesta (Géné,1839)** (Labiduridae) Synonym(s): moesta Géné,1839 Range (in code): TR CY 01
- 2583. Labidura riparia (Pallas,1773)** (Labiduridae) Synonym(s): riparia Pallas,1773; mongolica Rehn,1905 Range (in code): ES TR RU Sb IQ Cc AZ TM TJ UZ KG Tks MN 01 02 03 06 09 10 15 16 21 22 23 26 27 31 33 34 38 39 42 45 46 47 48 50 62 63 64 65 77 79
- 2584. Nala lividipes (Dufour,1828)** (Labiduridae) Synonym(s): lividipes Dufour,1828 Range (in code): TR SA IR IN CN JP PH AU AF 01 28 43 53
- 2585. Lecanodiaspis sardoa Targioni Tozzetti** (Lecanodiaspididae) Synonym(s): sardoa Targioni Tozzetti Range (in code): TR
- 2586. Choroterpes (s.str.) pacis Sartori,1991** (Leptophlebidae) Synonym(s): pacis Sartori,1991 AE OM
- 2587. Choroterpes (s.str.) arabica Sartori & Gillies,1990** (Leptophlebidae) Synonym(s): arabica Sartori & Gillies,1990 SA YE
- 2588. Lestes barbarus (Fabricius,1798)** (Lestidae) Synonym(s): barbarus Fabricius,1798 Range (in code): SY TR IN RU Sb Ur Cc KG MN SE CN Ui UZ Smk 03 06 09 16 26 30 33 34 35 36 38 45 48 54 63 65 70
- 2589. Lestes dryas Kirby,1890** (Lestidae) Synonym(s): dryas Kirby,1890 Range (in code): TR 03 06 25 34 65 75
- 2590. Lestes macrostigma (Eversmann,1836)** (Lestidae) Synonym(s): macrostigma Eversmann,1836 Range (in code): TR RU CY Cc AM 01 06 09 33 38 42
- 2591. Lestes sponsa (Hansemann,1823)** (Lestidae) Synonym(s): sponsa Hansemann,1823 Range (in code): TR Cc JP 06 25 36 75
- 2592. Lestes virens (Charpentier,1825)** (Lestidae) Synonym(s): virens Charpentier,1825 Range (in code): TR SY Cc UZ Tas 06 16 25 30 48 63 77
- 2593. Lestes viridis (Van Der Linden,1825)** (Lestidae) Synonym(s): viridis Van Der Linden,1825 Range (in code): TR
- 2594. Lestes parvidens Artobolevski,1929** (Lestidae) Synonym(s): parvidens Artobolevski,1929 Range (in code): ES SY DZ DK TR Rd CY 06 07 16 34 45 48 55
- 2595. Sympecma fusca (Van Der Linden,1820)** (Lestidae) Synonym(s): fusca Van Der Linden,1820 Range (in code): TR Rd CY GR 01 05 06 15 16 25 32 33 34 38 46 75 76 80
- 2596. Sympecma annulata (Selys,1887)** (Lestidae) Synonym(s): paedisca Brauer,1882 nec Eversm.,1836; annulata Selys,1887; braueri Jacobson & Bianchi,1905 Range (in code): TR SY NL JP 31 44
- 2597. Leuctra aculeata Zwick,1982** (Leuctridae) Synonym(s): aculeata Zwick,1982 Range (in code): TR
- 2598. Leuctra anatolica Kazancı,1986** (Leuctridae) Synonym(s): anatolica Kazancı,1986 Range (in code): TR 14 18
- 2599. Leuctra antalyana Vincon & Sivec,2001** (Leuctridae) Synonym(s): antalyana Vincon & Sivec,2001 Range (in code): TR 07
- 2600. Leuctra artvinensis Vincon & Sivec,2001** (Leuctridae) Synonym(s): artvinensis Vincon & Sivec,2001 Range (in code): TR 08
- 2601. Leuctra aspoeckorum Theischinger,1976** (Leuctridae) Synonym(s): aspoeckorum Theischinger,1976 Range (in code): TR 53
- 2602. Leuctra boluensis Kazancı,1999** (Leuctridae) Synonym(s): boluensis Kazancı,1999 Range (in code): TR 14
- 2603. Leuctra bozi Vincon & Sivec,2001** (Leuctridae) Synonym(s): bozi Vincon & Sivec,2001 Range (in code): TR
- 2604. Leuctra brachyptera Kazancı,1985** (Leuctridae) Synonym(s): brachyptera Kazancı,1985 Range (in code): TR



- 2605. *Leuctra collaris* Martynov,1928** (Leuctridae) Synonym(s): *collaris* Martynov,1928 Range (in code): TR 14
- 2606. *Leuctra cypria* Zwick,1978** (Leuctridae) Synonym(s): *cypria* Zwick,1978 Range (in code): CY
- 2607. *Leuctra delamellata* Zhiltzova,1960** (Leuctridae) Synonym(s): *delamellata* Zhiltzova,1960 Range (in code): TR
- 2608. *Leuctra furcatella* Martynov,1928** (Leuctridae) Synonym(s): *furcatella* Martynov,1928 Range (in code): TR 08 14 25 37 69
- 2609. *Leuctra fusca* (Linnaeus,1758)** (Leuctridae) Synonym(s): *fusca* Linnaeus,1758; *cylindrica* DeGeer,1775; *abdominalis* Stephens,1836; *fusciventris* Stephens,1836; *klapaleki* Kempny,1898; *carpenteri* Despax,1945 Range (in code): TR 14 16
- 2610. *Leuctra hippopus* Kempny,1899** (Leuctridae) Synonym(s): *hippopus* Kempny,1899 Range (in code): TR LB 06 14 25 28 36 37 60 62
- 2611. *Leuctra karcali* Vincon & Sivec,2001** (Leuctridae) Synonym(s): *karcali* Vincon & Sivec,2001 Range (in code): TR 08
- 2612. *Leuctra klapperichi* Muranyi,2005** (Leuctridae) Synonym(s): *klapperichi* Muranyi,2005 Range (in code): IR
- 2613. *Leuctra kurui* Kazanci,1983** (Leuctridae) Synonym(s): *kurui* Kazanci,1983 Range (in code): TR 14 16
- 2614. *Leuctra marilouae* Vincon & Sivec,2001** (Leuctridae) Synonym(s): *marilouae* Vincon & Sivec,2001 Range (in code): TR
- 2615. *Leuctra martynovi* Zhiltzova,1960** (Leuctridae) Synonym(s): *martynovi* Zhiltzova,1960 Range (in code): TR
- 2616. *Leuctra minuta* Zhiltzova,1960** (Leuctridae) Synonym(s): *minuta* Zhiltzova,1960; *bursaensis* Vincon & Sivec,2001; *kastamonui* Vincon & Sivec,2001 Range (in code): Cc TR 16 18 37
- 2617. *Leuctra sanainica* Zhiltzova,1960** (Leuctridae) Synonym(s): *sanainica* Zhiltzova,1960 Range (in code): TR
- 2618. *Leuctra schistocerca* Zwick,1971** (Leuctridae) Synonym(s): *schistocerca* Zwick,1971 Range (in code): TR 01
- 2619. *Leuctra sipahilerae* Vincon & Sivec,2001** (Leuctridae) Synonym(s): *sipahilerae* Vincon & Sivec,2001 Range (in code): TR 61
- 2620. *Leuctra theischingeri* Vincon & Sivec,2001** (Leuctridae) Synonym(s): *theischingeri* Vincon & Sivec,2001 Range (in code): TR
- 2621. *Leuctra zangezurica* Zhiltzova,1960** (Leuctridae) Synonym(s): *zangezurica* Zhiltzova,1960 Range (in code): AZ Cc TR
- 2622. *Leuctra zhiltzovae* Theischinger,1976** (Leuctridae) Synonym(s): *zhiltzovae* Theischinger,1976 Range (in code): TR
- 2623. *Brachythemis fuscopalliata* (Selys,1887)** (Libellulidae) Synonym(s): *fuscopalliata* Selys,1887 Range (in code): IQ SY Rqq TR 01
- 2624. *Brachythemis impartita* (Karsch,1890)** (Libellulidae) Synonym(s): *impartita* Karsch,1890 UG BF ET GA GM IL Pa MA SN SY TR CY JO SA
- 2625. *Brachythemis leucosticta* (Burmeister,1839)** (Libellulidae) Synonym(s): *leucosticta* Burmeister,1839; *#leocosticta* Demirsoy,1982 Range (in code): TR 48
- 2626. *Crocothemis erythraea* (Brullé,1832)** (Libellulidae) Synonym(s): *victoria* Fourcroy,1785; *erythraea* Brullé,1832; *coccinea* Charpentier,1840; *lorti* Kirby,1896 Range (in code): PT ES FR BE NL DE PL CZ SK UA RU RO CH AT IT SS HV YU AL MK GR BG Co Sa Si Cr Rd CY TR Cc IN UZ Tas JO SY BJ BW BF Cn EG ET GA GM GH IR KG MG MA MZ NE NG OM QA SN Sk YE ZA TZ TN ZM 07 09 31 33 35 44 48 65
- 2627. *Crocothemis servilia* (Drury,1773)** (Libellulidae) Synonym(s): *servilia* Drury,1773; *ferruginata* Fabricius,1781 Range (in code): TR AU CN BD Hn ID IN JP LK MM MY PH MY SY TH TW AF KH IR KP KR KK LA QA SG LK UZ VN 33
- 2628. *Diplacodes lefebvrei* (Rambur,1842)** (Libellulidae) Synonym(s): *lefebvrei* Rambur,1842 Range (in code): TR SY IN AF BF ET GA GM IR MG MR NA NG OM QA SN Sk TZ TN AE 07 31 33
- 2629. *Leucorrhinia caudalis* (Charpentier,1840)** (Libellulidae) Synonym(s): *caudalis* Charpentier,1840 Range (in code): TR
- 2630. *Leucorrhinia pectoralis* (Charpentier,1825)** (Libellulidae) Synonym(s): *pectoralis* Charpentier,1825 Range (in code): TR 08 14 32 42 75
- 2631. *Libellula depressa* Linnaeus,1758** (Libellulidae) Synonym(s): *depressa* Linnaeus,1758 Range (in code): GB SE FI Co Sa Si TR Cc RU Ur KG SY KG 01 05 06 07 08 13 14 22 23 24 25 31 34 40 46 47 59 65 70
- 2632. *Libellula fulva* O.F.Müller,1764** (Libellulidae) Synonym(s): *fulva* O.F.Müller,1764 Range (in code): TR RU 07 22 39 42 44 48 55 66
- 2633. *Libellula pontica* Selys,1887** (Libellulidae) Synonym(s): *pontica* Selys,1887 Range (in code): TR AM Cc GG IL Pa IQ IR JO SY Ltk 01 31 33 42 44 46 51 54
- 2634. *Libellula quadrimaculata* Linnaeus,1758** (Libellulidae) Synonym(s): *quadrimaculata* Linnaeus,1758 Range (in code): TR Cc AM UZ Tas 04 06 07 08 13 14 25 42 65 75 81

- 2635. Orthetrum albistylum (Selys,1848)** (Libellulidae) Synonym(s): albistylum Selys,1848 Range (in code): TR 16 65
- 2636. Orthetrum anceps (Schneider,1845)** (Libellulidae) Synonym(s): anceps Schneider,1845 Range (in code): TR 65
- 2637. Orthetrum brunneum (Fonscolombe,1837)** (Libellulidae) Synonym(s): brunneum Fonscolombe,1837 Range (in code): TR UZ Smk Tas CN Ui Ku 02 08 13 16 19 21 24 33 44 45 46 48 65 66
- 2638. Orthetrum cancellatum (Linnaeus,1758)** (Libellulidae) Synonym(s): cancellatum Linnaeus,1758; #cancenlatun Demirsoy,1982 Range (in code): TR 13 15 25 33 42 48
- 2639. Orthetrum chrysostigmum (Burmeister,1839)** (Libellulidae) Synonym(s): chrysostigmum Burmeister,1839 Range (in code): TR 06 33
- 2640. Orthetrum coerulescens (Fabricius,1798)** (Libellulidae) Synonym(s): coerulescens Fabricius,1798 Range (in code): TR SY Cc KG RU IN 01 24 48
- 2641. Orthetrum ransonneti (Brauer,1865)** (Libellulidae) Synonym(s): ransonneti Brauer,1865 Range (in code): TR EG DZ
- 2642. Orthetrum sabinum (Drury,1770)** (Libellulidae) Synonym(s): sabina Drury,1770 Range (in code): TR SY Cc CN Hn ID IN JP KG LA LK MM MY PH TH TW VN RU Bor Sbh 09 31 33 35 38 45 48
- 2643. Orthetrum taeniolatum (Schneider,1845)** (Libellulidae) Synonym(s): taeniolatum Schneider,1845 Range (in code): TR CY SY NP IN 01 48 80
- 2644. Orthetrum trinacrium (Selys,1841)** (Libellulidae) Synonym(s): trinacria Selys,1841 Range (in code): SY TR ET GA GM IL Pa MG MA NA SN ZA TZ TN 07 25 33 48 80
- 2645. Pantala flavescens (Fabricius,1798)** (Libellulidae) Synonym(s): flavescens Fabricius,1798 Range (in code): GR Rd TR AF BD CN ID IN IR JP KH LA MM MY SG TH TW VN AR BO BR BZ CL CO CR CU EC GT GY JM MX PA PE PR PY UY VE GA GM GH KP KR MM NA NP NL NG PH QA ZA TZ 48
- 2646. Selysiothemis nigra (Van Der Linden,1825)** (Libellulidae) Synonym(s): nigra Van Der Linden,1825 Range (in code): TR IQ EG TN Cc RU IN KG SY Ur 01 33 48 63 79
- 2647. Sympetrum arenicolor Jödicke,1994** (Libellulidae) Synonym(s): arenicolor Jödicke,1994; deserti Jödicke,1994 Range (in code): TR AF AZ AM Cc AZ GG Tbl IR IN IQ IL Pa KG KK SY Rqq TJ TM PK 44
- 2648. Sympetrum danae (Sulzer,1776)** (Libellulidae) Synonym(s): danae Sulzer,1776 Range (in code): FR GB NO SE FI EE LT LV PL DK DE CZ SK HU CH AT SS HV IT RO TR
- 2649. Sympetrum depressiusculum (Selys,1841)** (Libellulidae) Synonym(s): depressiusculum Selys,1841 Range (in code): FR BE NL DE PL RU UA CZ SK HU CH AT SS HV IT Co MD RO BG MK GR CY TR KK 55 57 81
- 2650. Sympetrum flaveolum (Linnaeus,1758)** (Libellulidae) Synonym(s): flaveolum Linnaeus,1758 Range (in code): PT ES FR GB BE NL NO SE FI EE LT LV BY RU UA PL DK DE CZ SK HU CH AT SS HV IT YU MK AL GR BG TR 09 25 33 35 40 45 65
- 2651. Sympetrum fonscolombii (Selys,1840)** (Libellulidae) Synonym(s): fonscolombii Selys,1840 Range (in code): PT ES FR GB BE NL DE PL UA RU MD RO CZ SK CH AT IT Co Sa Si SS HV YU AL MK GR BG Cr CY Rd TR Ch UZ Tas 15 16 24 25 31 33 35 46 47 58 65
- 2652. Sympetrum haritonovi Borisov,1983** (Libellulidae) Synonym(s): haritonovi Borisov,1983 Range (in code): TR AF IN IR KK TJ UZ PK 07
- 2653. Sympetrum meridionale (Selys,1841)** (Libellulidae) Synonym(s): meridionale Selys,1841 Range (in code): PT ES FR BE NL DE PL CZ SK UA RU MD RO CH AT IT Sa Co Si HV SS YU AL MK GR BG Cr CY TR SY Sb Ur KG IL Pa GG KK TN 05 06 16 25 31 33 44 45 47 48 65 80
- 2654. Sympetrum pedemontanum (Allioni,1766)** (Libellulidae) Synonym(s): pedemontanum Allioni,1766 Range (in code): PT ES FR BE NL GB DK DE EE LT LV PL UA RU MD RO CH AT SS YU MK CZ SK HU BG IT TR KK 08 16 25 36 39 44 58 65
- 2655. Sympetrum sanguineum (O.F.Müller,1764)** (Libellulidae) Synonym(s): sanguineum O.F.Müller,1764 Range (in code): PT ES FR BE NL DK DE GB DK NO SE FI EE LT LV BY RU UA MD RO CZ SK PL HU CH AT SS HV YU MK BG GR AL IT Co Sa Si TR Cc AM 25 30 34 40 48 63 69
- 2656. Sympetrum striolatum (Charpentier,1840)** (Libellulidae) Synonym(s): striolatum Charpentier,1840 Range (in code): PT ES FR GB NO SE FI DK DE EE LT LV RU UA PL CZ SK HU CH AT IT Co Sa Si AL GR MK MD RO BG YU SS Cr Rd CY TR MN Cc GG Im Kta Tbl 05 10 16 24 33 35 47 48 65
- 2657. Sympetrum vulgatum (Linnaeus,1758)** (Libellulidae) Synonym(s): vulgatum Linnaeus,1758 Range (in code): PT ES FR IT CH AT SS CZ SK DE BE NL GB NO SE FI DK EE LT LV PL BY RU UA MD RO B-H AL BG HU TR 05 07 25 33 69
- 2658. Trithemis annulata (Palisot de Beauvois,1807)** (Libellulidae) Synonym(s): annulata Palisot de Beauvois,1807 Range (in code): FR MT GR TR LB Bei BF TD CM ZR CI EG KE MU ML SO SD BW TG UG ZM ZW ZA ET IL Pa JO MG NA MW MA MZ NE OM QA SN SG SY TN DZ 07 31 33 35 44 48
- 2659. Trithemis arteriosa (Burmeister,1839)** (Libellulidae) Synonym(s): arteriosa Burmeister,1839 Range (in code): TR SY LB Bei DZ BF EG GA JO OM MA Sk ZA 01 31 33
- 2660. Trithemis festiva (Rambur,1842)** (Libellulidae) Synonym(s): festiva Rambur,1842; infernalis Brauer,1865; proserpina Selys,1878 Range (in code): CN Hn ID IN LA LK MM MY PH SG SY TH TW VN KH IR NP TR CY 07 33

- 2661. *Zygonyx torridus* (Kirby,1889)** (Libellulidae) Synonym(s): torridus Kirby,1889 Range (in code): TR
- 2662. *Aphorma lichenoides* (Puton,1898)** (Liviidae) Synonym(s): lichenoides Puton,1898; bagnalli Laing,1929; renova Klimaszewski & Lodos,1980 Range (in code): DZ GB GR IT Sa Si ES CH TR 35
- 2663. *Camarotoscena fulgidipennis* Loginova,1975** (Liviidae) Synonym(s): fulgidipennis Loginova,1975 Range (in code): TR 46
- 2664. *Camarotoscena hoberlandti* Vondracek,1952** (Liviidae) Synonym(s): hoberlandti Vondracek,1952; #hoberlansti Klimaszewski & Lodos,1979 Range (in code): TR 01 65
- 2665. *Camarotoscena lauta* Loginova,1975** (Liviidae) Synonym(s): lauta Loginova,1975 Range (in code): TR 06
- 2666. *Camarotoscena speciosa* (Flor,1861)** (Liviidae) Synonym(s): speciosa Flor,1861 Range (in code): TR 06 35 42
- 2667. *Camarotoscena subrubescens* (Flor,1861)** (Liviidae) Synonym(s): subrubescens Flor,1861 Range (in code): TR 35 70
- 2668. *Diaphorina putonii* (F.Loew,1878)** (Liviidae) Synonym(s): putonii F.Loew,1878 Range (in code): TR 06 63
- 2669. *Euphyllura pakistanica* Loginova,1973** (Liviidae) Synonym(s): pakistanica Loginova,1973 Range (in code): TR PK 07
- 2670. *Euphyllura phillyreae* Förster,1848** (Liviidae) Synonym(s): phillyreae Förster,1848 Range (in code): TR 10 25 35
- 2671. *Euphyllura straminea* Loginova,1973** (Liviidae) Synonym(s): straminea Loginova,1973 Range (in code): TR 01 02 33 35
- 2672. *Livia crefeldensis* Mink,1855** (Liviidae) Synonym(s): crefeldensis Mink,1855 Range (in code): TR 06
- 2673. *Livia junci* (Schränk,1798)** (Liviidae) Synonym(s): junci Schränk,1798 Range (in code): TR 06 25
- 2674. *Livia mediterranea* Loginova,1974** (Liviidae) Synonym(s): mediterranea Loginova,1974 Range (in code): Cc UA Cm TR BG IL Pa DZ 06 25
- 2675. *Psyllopsis fraxinicola* (Förster,1848)** (Liviidae) Synonym(s): fraxinicola Förster,1848 Range (in code): TR 25 26 30
- 2676. *Psyllopsis machinosus* Loginova,1963** (Liviidae) Synonym(s): machinosus Loginova,1963 Range (in code): TR 62
- 2677. *Psyllopsis securicola* Loginova,1963** (Liviidae) Synonym(s): securicola Loginova,1963 Range (in code): TR 06 36
- 2678. *Shaerqia loginovae* (Burckhardt & Halperin,1992)** (Liviidae) Synonym(s): loginovae Burckhardt & Halperin,1992 Range (in code): IL Pa
- 2679. *Shaerqia luridus* (Loginova,1970)** (Liviidae) Synonym(s): luridus Loginova,1970 Range (in code): KG TM UZ
- 2680. *Shaerqia memoratus* (Loginova,1970)** (Liviidae) Synonym(s): memoratus Loginova,1970 Range (in code): TM
- 2681. *Shaerqia negevensis* (Burckhardt & Halperin,1992)** (Liviidae) Synonym(s): negevensis Burckhardt & Halperin,1992 Range (in code): IL Pa AE
- 2682. *Shaerqia tumidulus* (Loginova,1970)** (Liviidae) Synonym(s): tumidulus Loginova,1970 Range (in code): TM
- 2683. *Shaerqia turkestanica* (F.Loew,1881)** (Liviidae) Synonym(s): turkestanica F.Loew,1881 Range (in code): KG Cc RU Da
- 2684. *Syntomoza unicolor* (Loginova & Panfentiev,1958)** (Liviidae) Synonym(s): unicolor Loginova & Panfentiev,1958 Range (in code): TR 33
- 2685. *Lophops pallida* Melichar,1902** (Lophopidae) Synonym(s): pallida Melichar,1902 Range (in code): IR
- 2686. *Pyrilla protuberans* Stal,1859** (Lophopidae) Synonym(s): protuberans Stal,1859 Range (in code): AF
- 2687. *Acompus pallipes* (Herrich-Schäffer,1834)** (Lygaeidae) Synonym(s): pallipes Herrich-Schäffer,1834; orientalis Horvath,1929 Range (in code): PT ES FR GB BE DE CZ SK UA HU RO CH AT IT HV B-H YU MK BG GR TR 09 33
- 2688. *Acompus rufipes* (Wolff,1804)** (Lygaeidae) Synonym(s): rufipes Wolff,1804 Range (in code): PT ES FR GB IE NO SE FI DK DE EE BY UA PL CZ SK HU CH AT SS HV B-H MD RO MK BG GR TR 09 31 41
- 2689. *Aellopus atratus* (Goeze,1778)** (Lygaeidae) Synonym(s): atratus Goeze,1778; atramentarius Geoffroy,1785; carbonarius Rossi,1790; aterrimus Fabricius,1798; echii Panzer,1799; ater Thunberg,1822; nitidus Kolenati,1857; opacipennis Reutter,1885 Range (in code): US MA DZ TN LY EG PT ES FR BE NL DE PL UA CZ SK HU CH AT IT Sa Si SS HV B-H YU MK GR BG CY Cc TJ TR 03 06 09 31
- 2690. *Aellopus sumulailu* Linnavuori,1984** (Lygaeidae) Synonym(s): sumulailu Linnavuori,1984 Range (in code): IQ Slh IR
- 2691. *Aellopus syriacus* (Reuter,1885)** (Lygaeidae) Synonym(s): syriacus Reuter,1885 Range (in code): Cn DZ TN IL Pa Hf Sn SY CY IR



- 2692. Aoploscelis bivirgatus (Costa,1852)** (Lygaeidae) Synonym(s): bivirgatus Costa,1852 Range (in code): TR 31
- 2693. Aphanus alboacuminatus (Goeze,1778)** (Lygaeidae) Synonym(s): alboacuminatus Goeze,1778; bicolor Horvath,1911 Range (in code): DE SY Dms
- 2694. Aphanus rolandri (Linnaeus,1758)** (Lygaeidae) Synonym(s): rolandri Linnaeus,1758; aethiops Douglas & Scott,1868 Range (in code): NO FI SE EE LT RU UA PL DE CZ SK BE NL CH AT FR PT IT GB ES SS HV YU MK GR BG HU RO MD Cc TR TJ IR Ak 01 06 07 14 19 23 36 40 46 67 76
- 2695. Apterola (s.str.) kuenckeli Mulsant & Rey,1866** (Lygaeidae) Synonym(s): kuenckeli Mulsant & Rey,1866; pedestris Stal,1866 Range (in code): ES FR IT MK GR BG TR CY IL Pa 01 27 31 33
- 2696. Apterola (s.str.) lownii (Saunders,1876)** (Lygaeidae) Synonym(s): lownii Saunders,1876 Range (in code): MK GR BG TR Cc IL Pa CY SY TJ TM YU 06 22 38 47
- 2697. Arocatus longiceps Stal,1872** (Lygaeidae) Synonym(s): longiceps Stal,1872; grassii Picco,1920; fuscipes Picco,1920; nigrirostris Picco,1920; sanguineus Picco,1920; thoracicus Picco,1920 Range (in code): PT ES GB BE NL DE CZ SK HU CH AT IT SS HV YU AL MK BG GR CY UA TR RU IR IL Pa Cc AZ AM 01 06 07 09 16 17 20 22 31 32 33 48 59 64 67
- 2698. Arocatus melanocephalus (Fabricius,1798)** (Lygaeidae) Synonym(s): melanocephalus Fabricius,1798; melandiscus Garbiglietti,1869 Range (in code): PT ES FR DE CH AT PL CZ SK HU SS HV B-H IT MK BG RO RU UA GR TR IR Gh CN Ui Um Ku Tar2 Qoq 06 46 70
- 2699. Arocatus roeselii (Schilling,1829)** (Lygaeidae) Synonym(s): roeselii Schilling,1829; #collaris Puton,1875; intermedius Puton,1878; barrosii Seabra,1930; royeri Seabra,1930; seabrai Stichel,1957 Range (in code): PT ES FR DE CH AT PL CZ SK HU SS HV B-H IT MK BG RO RU UA TR 06 16
- 2700. Arocatus suboeneus Montandon,1893** (Lygaeidae) Synonym(s): suboeneus Montandon,1893 Range (in code): YE MZ
- 2701. Artheneis alutacea Fieber,1861** (Lygaeidae) Synonym(s): alutacea Fieber,1861 Range (in code): IL Pa Cc CY SY TR 01 06 07 26 27 33 46 50 51 68 70 71 80
- 2702. Artheneis balcanica (Kormilev,1938)** (Lygaeidae) Synonym(s): balcanica Kormilev,1938 Range (in code): TR YU 03 06 14 16 27 35 42 50 51 67 70 78
- 2703. Artheneis foveolata Spinola,1837** (Lygaeidae) Synonym(s): foveolata Spinola,1837 Range (in code): TR 01 06 07 33 42 50 51 67 70 78 80
- 2704. Artheneis hircanica (Kolenati,1845)** (Lygaeidae) Synonym(s): hircanica Kolenati,1845 Range (in code): TR AZ Cc TM 06 09 20 32 33 35
- 2705. Auchenodes capito Horvath,1891** (Lygaeidae) Synonym(s): capito Horvath,1891 Range (in code): TR AM Cc 27 76?
- 2706. Beosus maritimus (Scopoli,1763)** (Lygaeidae) Synonym(s): maritimus Scopoli,1763; luscus Fabricius,1794; sphragadimium Fieber,1861; luscinus Walker,1872; buyssoni Montandon,1889 Range (in code): Cn DZ MA MR TN AL AT BE B-H BG HV CZ FR GB DE GR HU IT MT MK MD NL PL PT RO RU SK SS ES SE CH UA YU TR ES GB Cc AZ AM GG IL Pa TM IR IQ CY 01 06 16 23 27 31 32 33 38 46 67
- 2707. Beosus quadripunctatus (Müller,1766)** (Lygaeidae) Synonym(s): quadripunctatus Müller,1766; erythropterus Brullé,1832; pulcher Herrich-Schäffer,1835; ibericus Kolenati,1845; #nigripes Tamanini,1946; ochraceus E.Wagner,1949 Range (in code): Cn TN AL B-H BG HV FR DE GR HU IT MK MD RO RU SS ES CH UA YU TR IR IL Pa Cc GG Tbl AZ AM CY IQ SY IR JO TM UZ KK TJ 17 56
- 2708. Bledionotus systellonotoides Reuter,1878** (Lygaeidae) Synonym(s): systellonotoides Reuter,1878 Range (in code): TR SY CY
- 2709. Brachyplax tenuis (Mulsant & Rey,1852)** (Lygaeidae) Synonym(s): tenuis Mulsant & Rey,1852; palliata A.Costa,1853 Range (in code): SS TR CY Cc 06 22 27 31 33 35 38 51
- 2710. Caenocoris nerii (Germar,1847)** (Lygaeidae) Synonym(s): nerii Germar,1817; semiruber Walker,1872 Range (in code): TR IR IL Pa CY SY Cc IN GR IT Si AL BG MT ES DZ Cn LY MA TN CN GG JO SA YE PK 01 07 09 31 33 35 48
- 2711. Callistonotus nigroruber (Stal,1858)** (Lygaeidae) Synonym(s): nigroruber Stal,1858 Range (in code): TR IT IL Pa CY Cc 06 38
- 2712. Camptocera glaberrima (Walker,1872)** (Lygaeidae) Synonym(s): glaberrima Walker,1872 Range (in code): TR IN IL Pa Cc CY 01 06 26 27 33 46 50
- 2713. Camptotelus lineolatus (Schilling,1829)** (Lygaeidae) Synonym(s): lineolatus Schilling,1829 Range (in code): TR Cc 38 42
- 2714. Camptotelus parallelus Horvath,1894** (Lygaeidae) Synonym(s): parallelus Horvath,1894 Range (in code): RU TR
- 2715. Cosmopleurus fulvipes (Dallas,1852)** (Lygaeidae) Synonym(s): fulvipes Dallas,1852; obscura Bergevin,1936 Range (in code): HV MT ES DZ EG LY MA TN IR IL Pa JO SA SY YE PK CV MR SD TD
- 2716. Cymophyes ochroleuca Fieber,1870** (Lygaeidae) Synonym(s): ochroleuca Fieber,1870; #ochrolenca Önder et al.,2006 Range (in code): TR CY Cc SY EG 01 27 31 42 46 50
- 2717. Cymus claviculus (Fallén,1807)** (Lygaeidae) Synonym(s): claviculus Fallén,1807 Range (in code): TR IL Pa Cc 01 06 07 31 33 35 42 48 67
- 2718. Cymus glandicolor Hahn,1832** (Lygaeidae) Synonym(s): glandicolor Hahn,1832 Range (in code): RU SS TR Cc 01 03 06 16 31 34 36 40 41 43 46 66 67

- 2719. Cymus melanocephalus Fieber,1861** (Lygaeidae) Synonym(s): melanocephalus Fieber,1861 Range (in code): GB Cc CY TR TJ 01 06 16 17 22 31 34 35 40 41 42 48 50 58 66 67
- 2720. Dieuches osellai Carapezza,2006** (Lygaeidae) Synonym(s): osellai Carapezza,2006 Range (in code): YE
- 2721. Dieuches syriacus F.A.Dohrn,1860** (Lygaeidae) Synonym(s): syriacus F.A.Dohrn,1860 Range (in code): TR LB Bei IL Pa CY SY 34 35
- 2722. Dimorphopterus blissoides (Bärensprung,1859)** (Lygaeidae) Synonym(s): blissoides Bärensprung,1859 Range (in code): IT RU UA MD RO SS HV B-H YU GR MK BG TR
- 2723. Dimorphopterus doriae (Ferrari,1874)** (Lygaeidae) Synonym(s): doriae Ferrari,1874 Range (in code): FR IT RU UA SK HU RO MD B-H YU AL MK GR BG TR 51 60 68
- 2724. Dimorphopterus spinolae (Signoret,1857)** (Lygaeidae) Synonym(s): spinolae Signoret,1857 Range (in code): DR DK DE SE RU CZ SK PL UA MD RO HU CH AT SS B-H YU IT BG TR 42 57 58
- 2725. Drymus brunneus (Sahlberg,1848)** (Lygaeidae) Synonym(s): brunneus Sahlberg,1848 Range (in code): TR Cc 31 46
- 2726. Drymus major Lindberg,1948** (Lygaeidae) Synonym(s): major Lindberg,1948 Range (in code): CY TR 01
- 2727. Drymus silvaticus (Fabricius,1775)** (Lygaeidae) Synonym(s): silvaticus Fabricius,1775 Range (in code): TR Cc 16 22 35
- 2728. Emblethis angustus Montandon,1890** (Lygaeidae) Synonym(s): angustus Montandon,1890 Range (in code): TR 01 07 17 32 33 35 45 48 51
- 2729. Emblethis brachynotus Horvath,1907** (Lygaeidae) Synonym(s): brachynotus Horvath,1907 Range (in code): HU TR 06 07 18 19 23 26 33 38 40 42 50 51 58 66 67
- 2730. Emblethis bullatus Fieber,1861** (Lygaeidae) Synonym(s): bullatus Fieber,1861 Range (in code): TR Cc 22 36
- 2731. Emblethis ciliatus Horvath,1875** (Lygaeidae) Synonym(s): ciliatus Horvath,1875 Range (in code): TR
- 2732. Emblethis denticollis Hovarth,1878** (Lygaeidae) Synonym(s): denticollis Hovarth,1878 Range (in code): TR Cc TJ 06 15 17 24 26 27 31 33 38 40 42 46 50 51
- 2733. Emblethis duplicatus Seidenstücker,1963** (Lygaeidae) Synonym(s): duplicatus Seidenstücker,1963 Range (in code): TR 01 16
- 2734. Emblethis griseus (Wolff,1802)** (Lygaeidae) Synonym(s): griseus Wolff,1802 Range (in code): IL Pa TR Cc SY 01 03 06 07 16 20 22 23 31 33 35 36 38 40 46 66 67
- 2735. Emblethis karamanus Seidenstücker,1963** (Lygaeidae) Synonym(s): karamanus Seidenstücker,1963 Range (in code): TR 01 06 27 42 51
- 2736. Emblethis kareli Hoberlandt,1955** (Lygaeidae) Synonym(s): kareli Hoberlandt,1955 Range (in code): TR 06 19 50 51
- 2737. Emblethis major Montandon,1890** (Lygaeidae) Synonym(s): major Montandon,1890 Range (in code): TR 35
- 2738. Emblethis osmanus Seidenstücker,1962** (Lygaeidae) Synonym(s): osmanus Seidenstücker,1962 Range (in code): TR 33 46
- 2739. Emblethis sabulosus Seidenstücker,1963** (Lygaeidae) Synonym(s): sabulosus Seidenstücker,1963 Range (in code): TR 33 34 42
- 2740. Emblethis setifer Seidenstücker,1966** (Lygaeidae) Synonym(s): setifer Seidenstücker,1966 Range (in code): TR 01
- 2741. Emblethis verbasci (Fabricius,1803)** (Lygaeidae) Synonym(s): verbasci Fabricius,1803 Range (in code): GB IL Pa Cc C TR LB CN Ti Ui 03 06 14 18 19 22 38 42 46 50 51
- 2742. Engistus boops (Dufour,1857)** (Lygaeidae) Synonym(s): boops Dufour,1857; genei A.Costa,1864; brucki Fieber,1864; gracilicornis Linnavuori,1960 [ssp.] Range (in code): Sa FR GR IT PT ES DZ Cn EG LY MA TN CY IL Pa
- 2743. Engistus exsanguis Stal,1872** (Lygaeidae) Synonym(s): exsanguis Stal,1872; unicolor Jakovlev,1877; conspurcatus Horvath,1911; fasciatus Horvath,1911; #crocea Priesner & Alfieri,1953; #viridis Priesner & Alfieri,1953; punctulatus Linnavuori,1953 [ssp.] Range (in code): GR RU ES UA DZ Cn EG LY MA TN AF KG AM Cc IR IL Pa IQ JO KK SA Sn SY TJ TM UZ YE CV MR PK SD Ao
- 2744. Engistus salinus Jakovlev,1874** (Lygaeidae) Synonym(s): salinus Jakovlev,1874; marmoratus Jakovlev,1902 Range (in code): TR RU IR UA Cm Ao GR AZ Cc KG AM CN MN TJ TM UZ 19
- 2745. Eremocoris fenestratus (Herrich-Schäffer,1839)** (Lygaeidae) Synonym(s): fenestratus Herrich-Schäffer,1839 Range (in code): ES FR GB BE DE CZ SK HU UA RO SS HV B-H YU MK GR BG Si IT Sa Cc CY TR 01 07 35 46
- 2746. Eremocoris pellitus Seidenstücker,1965** (Lygaeidae) Synonym(s): pellitus Seidenstücker,1965 Range (in code): MK GR BG RU Cc Kr TR 01 51
- 2747. Eremocoris plebejus (Fallén,1807)** (Lygaeidae) Synonym(s): plebejus Fallén,1807; caucasica Horvath,1883 Range (in code): ES GB FR BE NL DK DE NO SE FI EE LT PL CZ SK HU UA BY RU SS HV B-H YU RO CH AT IT Si GR BG TR Cc 16

- 2748. Eremocoris praenotatus Seidenstücker,1965** (Lygaeidae) Synonym(s): praenotatus Seidenstücker,1965 Range (in code): TR 06 51
- 2749. Gastroles grossipes (De Geer,1773)** (Lygaeidae) Synonym(s): grossipes De Geer,1773 Range (in code): PT ES BE NL FR IE GB NO SE FI DK DE EE LT LV BY RU UA MD RO CZ SK PL CH AT IT SS HV B-H YU MK GR BG TR 06 07 11 17 19 32 33 38 42 43 48
- 2750. Geocoris (Piocoris) erythrocephalus (Lepeletier & Serville,1825)** (Lygaeidae) Synonym(s): grylloides Linnaeus,1767 nec Linn.,1761; erythrocephalus Lepeletier & Serville,1825; frontalis Herrich-Schäffer,1837; orsiniana A.Costa,1839; litoreus Horvath,1895; marginellus Horvath,1907 Range (in code): AL AT B-H BG HV FR GR HU IT MK MD PL RO RU SS ES UA YU DZ MA TN AZ Cc TR AM CY GG IQ IR IL Pa LB 01 05 06 07 16 21 22 23 31 32 34 46 47 48 50 56
- 2751. Geocoris (Piocoris) linnavuorii Péricart,1994** (Lygaeidae) Synonym(s): linnavuorii Péricart,1994 Range (in code): IL Pa
- 2752. Geocoris (Piocoris) luridus (Fieber,1844)** (Lygaeidae) Synonym(s): luridus Fieber,1844; erythrops Fieber,1861; obesus Stal,1887; marulla Linnavuori,1972 Range (in code): DZ EG LY MA TN TR AZ AM GG Cc IR IL Pa JO SA Sn TJ TM UZ YE ET SD 02 06 23 27 31 35 47 63
- 2753. Geocoris (Piocoris) nebulosus (Montandon,1907)** (Lygaeidae) Synonym(s): nebulosus Montandon,1907; aurantiacus Bergevin,1932 Range (in code): DZ MA TN EG TR IL Pa SA Sn SY YE DJ SD
- 2754. Geocoris (Piocoris) putonianus Bergroth,1892** (Lygaeidae) Synonym(s): piceus Puton,1892 nec Say,1832; putonianus Bergroth,1892; scutellatus Montandon,1908 Range (in code): TR KG AM Cc IR KK TJ TM UZ 21 23 47 65
- 2755. Geocoris (Piocoris) quercicola Linnavuori,1962** (Lygaeidae) Synonym(s): quercicola Linnavuori,1962 Range (in code): IR IQ IL Pa JO
- 2756. Geocoris arenarius (Jakovlev,1867)** (Lygaeidae) Synonym(s): arenarius Jakovlev,1867 Range (in code): TR 07 21 33 42 46
- 2757. Geocoris atra (Fabricius,1787)** (Lygaeidae) Synonym(s): atra Fabricius,1787; nigra Walckenaer,1802; unistria Latreille,1804 Range (in code): TR 03 35 46 48
- 2758. Geocoris chloroticus Puton,1888** (Lygaeidae) Synonym(s): chloroticus Puton,1888 Range (in code): TR 31 33 46 79
- 2759. Geocoris ernstheissi Carapezza,2006** (Lygaeidae) Synonym(s): ernstheissi Carapezza,2006 Range (in code): LB
- 2760. Geocoris grylloides (Linnaeus,1761)** (Lygaeidae) Synonym(s): grylloides Linnaeus,1761 Range (in code): TR 47 49 73
- 2761. Geocoris lineolus (Rambur,1839)** (Lygaeidae) Synonym(s): lineolus Rambur,1839 Range (in code): TR 06 07 09 15 19 33 35 48
- 2762. Geocoris marduk Linnavuori,1984** (Lygaeidae) Synonym(s): marduk Linnavuori,1984 Range (in code): IQ
- 2763. Geocoris megacephalus (Rossi,1790)** (Lygaeidae) Synonym(s): megacephalus Rossi,1790 Range (in code): DE ET CA TR 01 06 21 31 33 35
- 2764. Geocoris pallidipennis (Costa,1843)** (Lygaeidae) Synonym(s): pallidipennis Costa,1843; angularis Fieber,1844; colon Fieber,1844 Range (in code): TR ET PH 01 21 33 35 45 46 47 65 72
- 2765. Geocoris phaeopterus (Germar,1838)** (Lygaeidae) Synonym(s): phaeopterus Germar,1838 TR ES FR 01 31 47 63
- 2766. Gonianotus barbarus Montandon,1890** (Lygaeidae) Synonym(s): barbarus Montandon,1890 Range (in code): Cn DZ TN EG SY TR 01 07 46
- 2767. Gonianotus marginepunctatus (Wolff,1804)** (Lygaeidae) Synonym(s): marginepunctatus Wolff,1804 Range (in code): IL Pa Cc TR IR 51 58
- 2768. Graptostethus servus (Fabricius,1787)** (Lygaeidae) Synonym(s): servus Fabricius,1787; maculicollis Germar,1847; rubricosus Stal,1854; manillensis Stal,1860; ornatus Uhler,1860; #conjuncta Srtichel,1957 Range (in code): AL HV FR GR IT PT ES YU DZ EG MA TR CN CY IL Pa SA SY YE CV MG IN ID Ja Sum PG PH AU Hw FJ MU GU 16
- 2769. Henestaris halophilus (Burmeister,1835)** (Lygaeidae) Synonym(s): halophilus Burmeister,1835; geocoripes D'Antessanty,1885; cremeus Kiritchenko,1924 Range (in code): AL AT B-H BG HV CZ EE FR GB DE HU IT MD RO RU SK SS ES UA MA AZ Cc AM GG KG CN IR KK MN SY TJ TM UZ 01 07 25 33
- 2770. Henestaris kareli Hoberlandt,1956** (Lygaeidae) Synonym(s): kareli Hoberlandt,1956 Range (in code): TR 06 19 66
- 2771. Henestaris laticeps (Curtis,1836)** (Lygaeidae) Synonym(s): laticeps Curtis,1836; genei Spinola,1837; spinolae A.Costa,1839; hispanus Rambur,1839; oculatus Motschulsky,1863; curtulus Horvath,1911; cypriacus E.Wagner,1949; oboussierae E.Wagner,1954 Range (in code): Cn AL B-H BG HV FR GB GR IT MT PT ES DZ EG LY MA TN TR CY IQ SY DJ 07
- 2772. Heterogaster affinis Herrich-Schäffer,1835** (Lygaeidae) Synonym(s): affinis Herrich-Schäffer,1835 Range (in code): TR 06 16 18 38 50 67
- 2773. Heterogaster artemisiae Schilling,1829** (Lygaeidae) Synonym(s): artemisiae Schilling,1829 Range (in code): Cc TR TJ 01 07 22 31 33 37 46



- 2774. *Heterogaster cathariae* (Geoffroy,1785)** (Lygaeidae) Synonym(s): *cathariae* Geoffroy,1785 Range (in code): TR Cc CY TJ 01 31 33 36
- 2775. *Heterogaster urticae* (Fabricius,1775)** (Lygaeidae) Synonym(s): *urticae* Fabricius,1775 Range (in code): TR
- 2776. *Horvathiolus kiritshenkoi* Josifov,1965** (Lygaeidae) Synonym(s): *kiritshenkoi* Josifov,1965; *mesopotamicus* Péricart,1998 [ssp.] Range (in code): AM Cc TR IR IQ Bgd
- 2777. *Horvathiolus superbus* (Pollach,1781)** (Lygaeidae) Synonym(s): *superbus* Pollach,1781; *punctatoguttatus* Fabricius,1781; *discolor* Gmelin,1790; *schummelii* Schilling,1829; *melanogaster* Horvath,1899; *confluens* Horvath,1916; *sanctus* Horvath,1916; *kolenatii* Horvath,1916; *erythropus* Horvath,1916; *conjunctus* Mancini,1952; *beieri* E.Wagner,1956; *romana* Stichel,1957 Range (in code): AL AT BE B-H BG HV CZ FR GB DE HU IT MT MK PT RO RU ES TR Cc IR IL Pa JO Cr TJ TM SK UA YU AZ AF AM GG KG CN CY IR KK MN UZ 03 04 06 07 09 14 27 31 33 35 38 42 51 56 64 65
- 2778. *Horvathiolus syriacus* (Reuter,1885)** (Lygaeidae) Synonym(s): *syriacus* Reuter,1885 Range (in code): ES BG GR IT RO IL Pa Hf RU SY Cc EG DZ LY MA TN TR AZ AM GG CY IR IQ JO KK TM UZ 03 33 34 42 51
- 2779. *Ischnodemus caspius* Jakovlev,1871** (Lygaeidae) Synonym(s): *caspius* Jakovlev,1871 Range (in code): TR RU DE SY EG YU 46
- 2780. *Ischnodemus genei* (Spinola,1837)** (Lygaeidae) Synonym(s): *genei* Spinola,1837 Range (in code): TR
- 2781. *Ischnodemus quadratus* Fieber,1837** (Lygaeidae) Synonym(s): *quadratus* Fieber,1837 Range (in code): TR
- 2782. *Ischnodemus sabuleti* (Fallén,1826)** (Lygaeidae) Synonym(s): *sabuleti* Fallén,1826 Range (in code): PT ES FR BE NL IE GB SE FI RU EE LT LV BY UA PL MD RO CZ SK CH AT IT SS HV B-H YU AL MK GR BG TR 16 31 33 34
- 2783. *Ischnodemus suturalis* Horvath,1883** (Lygaeidae) Synonym(s): *suturalis* Horvath,1883 Range (in code): TR IL Pa 16 27 35
- 2784. *Ischnopeza hirticornis* (Herrich-Schäffer,1853)** (Lygaeidae) Synonym(s): *hirticornis* Herrich-Schäffer,1853 Range (in code): TR Cc IL Pa CY SY 76
- 2785. *Ischnopeza pallipes* Puton,1892** (Lygaeidae) Synonym(s): *pallipes* Puton,1892 Range (in code): CY IL Pa SY TR LB 01 31 33
- 2786. *Ischnopeza taborskyi* Hoberlandt,1955** (Lygaeidae) Synonym(s): *taborskyi* Hoberlandt,1955 Range (in code): TR 01
- 2787. *Lamprodema maura* (Fabricius,1803)** (Lygaeidae) Synonym(s): *maura* Fabricius,1803; *nitidulus* Herrich-Schäffer,1839; *brevicollis* Fieber,1861; *weyersi* Puton,1887 Range (in code): AL AT B-H BG HV CZ FR GR HU IT MT MK MD PL RO RU SK SS ES UA YU DZ Cn MA TN EG AZ Cc AM AF CN GG IR IQ TR IL Pa JO KK MN SA TJ TM UZ YE 46
- 2788. *Lasiocoris anomalus* (Kolenati,1845)** (Lygaeidae) Synonym(s): *anomalus* Kolenati,1845; *villosus* Mulsant & Rey,1852; *aeneiceps* Baerensprung,1859; *stabianus* A.Costa,1862; *flori* Douglas & Scott,1868 Range (in code): PT ES FR IT SS HV B-H MK GR BG UA CY TR Arr IL Pa SY 01 04 23 65 76
- 2789. *Lasiocoris crassicornis* (Lucas,1849)** (Lygaeidae) Synonym(s): *crassicornis* Lucas,1849; *antennatus* Montandon,1889 Range (in code): DZ ES FR IT B-H AL GR MK BG RO TR SY 01 07 16 23 31 34 35 44 46
- 2790. *Lethaeus cribratissimus* (Stal,1858)** (Lygaeidae) Synonym(s): *cribratissimus* Stal,1858 Range (in code): IL Pa CY TR SY 01 07 17 27 31 33 34 35 48 58
- 2791. *Lethaeus lethierryi* (Puton,1869)** (Lygaeidae) Synonym(s): *lethierryi* Puton,1869 Range (in code): TR Cn IR SA 21
- 2792. *Lethaeus nitidus* (Douglas & Scott,1868)** (Lygaeidae) Synonym(s): *nitidus* Douglas & Scott,1868 Range (in code): TR LB IL Pa 31
- 2793. *Lethaeus picipes* (Herrich-Schäffer,1853)** (Lygaeidae) Synonym(s): *picipes* Herrich-Schäffer,1853 Range (in code): TR IL Pa IR TJ 31 47
- 2794. *Lethaeus syriacus* Horvath,1883** (Lygaeidae) Synonym(s): *syriacus* Horvath,1883 Range (in code): IL Pa CY SY TR 01 09 16
- 2795. *Lygaeosoma anatolicum* Seidenstücker,1960** (Lygaeidae) Synonym(s): *anatolicum* Seidenstücker,1960 Range (in code): ES FR HU RU UA RO BG GR TR 31 42 71 76
- 2796. *Lygaeosoma angulare* Reuter,1885** (Lygaeidae) Synonym(s): *angulare* Reuter,1885 Range (in code): MK GR BG CY LB TR
- 2797. *Lygaeosoma sardeum* Spinola,1837** (Lygaeidae) Synonym(s): *sardeum* Spinola,1837; *reticulatum* Herrich-Schäffer,1838; *variabilis* Rambur,1839; *numidicum* Puton,1887; *hungarica* Stichel,1957 Range (in code): Cn PT ES FR DE CH AT IT CZ SK SS HV B-H YU AL MK GR BG RO UA RU HU CY TR IR Gh Ar Zj Th Kdv 01 06 07 16 18 19 27 31 33 35 38 41 42 50 51 54 60 66
- 2798. *Lygaeosoma sardeum* Spinola,1837** (Lygaeidae) Synonym(s): *sardeum* Spinola,1837; *reticulatus* Herrich-Schäffer,1838; *variabilis* Rambur,1839; *erythropterum* Puton,1876 [ssp.]; *numidicum* Puton,1887; *hungarica* Stichel,1957 Range (in code): DZ Cn EG MA TN AL AT B-H BG HV CZ FR GB DE HU IT MT MK PT RO RU SK SS CH UA YU ES MK GR TR AZ Cc AF KG AM CY GG IR IQ IL Pa JO KK MN SY TJ TM UZ 07 33 35 54

- 2799. Lygaeosoma sibiricum Seidenstücker, 1962** (Lygaeidae) Synonym(s): sibiricum Seidenstücker, 1962; rufa Seidenstücker, 1962 Range (in code): RU Sb CZ UA BG TR IR KG MN TM CN
- 2800. Lygaeus creticus (Lucas, 1854)** (Lygaeidae) Synonym(s): creticus Lucas, 1854; bishipunctatus A. Costa, 1864; sexmaculatus Garbiglietti, 1869 Range (in code): B-H HV YU CY JO AF IR IL Pa IT SY TR GR Cr 01 07 09 13 27 31 32 33 35 42 45 48 73
- 2801. Lygaeus equestris (Linnaeus, 1758)** (Lygaeidae) Synonym(s): equestris Linnaeus, 1758; speciosus Poda, 1761; punctumalbum Pollich, 1781; lactans Horvath, 1899; sicilianus Wagner, 1954 Range (in code): AL AT BE B-H BG HV CZ DK DE EE FI FR GB GR HU IT LT MK MD NL? PL PT RO RU SK SS ES SE CH UA YU DZ MA TN LY EG IQ TR AZ Cc AM GG AF PK KG CN CY IR IL Pa JO KK MN Sb Us SY TJ TM UZ 09 13 38 40 44 49 50 56 58 65 73 76
- 2802. Lygaeus melanostolus (Kiritshenko, 1931)** (Lygaeidae) Synonym(s): melanostolus Kiritshenko, 1931; alaicus Kiritshenko, 1931 Range (in code): KK IR MN TJ CN
- 2803. Lygaeus murinus (Kiritshenko, 1914)** (Lygaeidae) Synonym(s): murinus Kiritshenko, 1914 Range (in code): RU MG CN MN TJ TM UZ
- 2804. Lygaeus simulans Deckert, 1985** (Lygaeidae) Synonym(s): simulans Deckert, 1985 Range (in code): AT BG CZ FR GB DE HU IT MK MD PL RO RU ES CH UA YU AZ Cc AM GG AF KG CN CY IR KK MN TU TJ TM UZ
- 2805. Megalonotus brevicornis (Puton, 1883)** (Lygaeidae) Synonym(s): brevicornis Puton, 1883 Range (in code): TR GR MK CY IL Pa SY LB 31 33 46
- 2806. Megalonotus chiragra (Fabricius, 1794)** (Lygaeidae) Synonym(s): chiragra Fabricius, 1794; tibialis Hahn, 1831; nigricornis Douglas, 1875; tenebrosa Kiritshenko, 1912 Range (in code): TR 03 09 16 22 35 39 43 45
- 2807. Megalonotus colon Puton, 1874** (Lygaeidae) Synonym(s): colon Puton, 1874 Range (in code): TR B-H HV GR MK RU UA YU AZ Cc AM CY IR IQ IL Pa KK SY TJ TM UZ 06 27 31 46
- 2808. Megalonotus concors (Horvath, 1878)** (Lygaeidae) Synonym(s): concors Horvath, 1878 Range (in code): TR 50
- 2809. Megalonotus dilatatus (Herrich-Schäffer, 1840)** (Lygaeidae) Synonym(s): dilatatus Herrich-Schäffer, 1840; obscurus Mulsant & Rey, 1852 Range (in code): AL AT BE B-H BG HV CZ DK FR GB DE GR HU IT MK NL PL RO RU SK SS ES CH UA TR GG Cc
- 2810. Megalonotus emarginatus (Rey, 1888)** (Lygaeidae) Synonym(s): emarginatus Rey, 1888; cyprius Linnavuori, 1953 Range (in code): CY TR 01 07 33
- 2811. Megalonotus hirsutus Fieber, 1861** (Lygaeidae) Synonym(s): hirsutus Fieber, 1861; villosus Jakovlev, 1874 Range (in code): TR 07 33 46
- 2812. Megalonotus lederi (Horvath, 1880)** (Lygaeidae) Synonym(s): lederi Horvath, 1880 Range (in code): RU Cc AZ AM
- 2813. Megalonotus longipilis (Puton, 1884)** (Lygaeidae) Synonym(s): longipilis Puton, 1884 Range (in code): DZ TR 06 31
- 2814. Megalonotus lynceus (Fabricius, 1775)** (Lygaeidae) Synonym(s): lynceus Fabricius, 1775 Range (in code): TR 50
- 2815. Megalonotus maximus (Puton, 1895)** (Lygaeidae) Synonym(s): maximus Puton, 1895 Range (in code): TR AZ Cc CY IQ IL Pa JO SY 06 31 42
- 2816. Megalonotus praetextatus (Herrich-Schäffer, 1835)** (Lygaeidae) Synonym(s): praetextatus Herrich-Schäffer, 1835; maculipennis Curtis, 1835; femoralis Boheman, 1851; obscuratus Noualhier, 1893 Range (in code): TR 01 07 10 16 22 27 31 34 35 38 42 46
- 2817. Megalonotus sabulicola (Thomson, 1870)** (Lygaeidae) Synonym(s): sabulicola Thomson, 1870; incertus Rey, 1888; californicus Van Duzee, 1928 Range (in code): AL AT BE B-H DE BG HV CZ SK FR GB GG Cc GR HU IT MK MD NL PL PT RO RU SS ES CH UA YU DZ Cn MA TN AZ KG AM TR IR IL Pa KK KP KR JP MN TJ TM UZ US Cf CA Als 30 33 38 67
- 2818. Megalonotus scaurus Seidenstücker, 1973** (Lygaeidae) Synonym(s): scaurus Seidenstücker, 1973 Range (in code): TR 23
- 2819. Megalonotus seidenstueckeri Péricart, 1995** (Lygaeidae) Synonym(s): seidenstueckeri Péricart, 1995 Range (in code): TR IQ
- 2820. Megalonotus setosus Puton, 1874** (Lygaeidae) Synonym(s): setosus Puton, 1874 Range (in code): TR GR PT ES DZ TN CY JO 31 42
- 2821. Megalonotus sophenus Seidenstücker, 1973** (Lygaeidae) Synonym(s): sophenus Seidenstücker, 1973 Range (in code): TR 44
- 2822. Megalonotus tricolor (Horvath, 1895)** (Lygaeidae) Synonym(s): tricolor Horvath, 1895 Range (in code): IT TR SY 60
- 2823. Melanocoryphus albomaculatus (Goeze, 1778)** (Lygaeidae) Synonym(s): albomaculatus Goeze, 1778; ventralis Kolenati, 1845 Range (in code): Cc TR TJ TM DE 06 07 08 19 23 24 26 36 44 65 67
- 2824. Melanocoryphus sefrensis (Reuter, 1900)** (Lygaeidae) Synonym(s): sefrensis Reuter, 1900 Range (in code): DZ TN TR 27
- 2825. Melanocoryphus tristrami (Douglas & Scott, 1858)** (Lygaeidae) Synonym(s): tristrami Douglas & Scott, 1858 Range (in code): CY TR 01 06 16 31 33 37 42 51 54 67

- 2826. Neurocladus brachiidens (Dufour,1851)** (Lygaeidae) Synonym(s): brachiidens Dufour,1851 Range (in code): **CY SY TR IL Pa TR Cc IR 01 06 31 42**
- 2827. Nysius cymoides (Spinola,1834)** (Lygaeidae) Synonym(s): cymoides Spinola,1834; albidus Dallas,1852; exilis A.Costa,1853; fuliginosus Fieber,1861; thoracicus Horvath,1882 Range (in code): **MR SL SD BG HV GB FR DE GR HU IT MT MK MD NL PL PT RO RU SS ES CH UA YU DZ Cn EG LY MA TN AZ AM Cc GG CY IR IQ IL Pa JO KK SA Sn TJ TM UZ YE CV TR 06 76**
- 2828. Nysius ericae (Schilling,1829)** (Lygaeidae) Synonym(s): ericae Schilling,1829; thymi Fallén,1829; maculatus Fieber,1861; albidus Jakovlev,1867; gracilis Scott,1870; obscuratus Horvath,1890; natalensis Evans,1929 ribesi E.Wagner,1965 Range (in code): **AT BE B-H BG HV CZ DK ES FI FR GB DE GR HU IT MT MK MD NL PL PT RO CH UA YU TR ZA Nta Kzu Dbn IN DZ Az Cn EG MR MA LY TN KG AM Cc CN GG IR IQ KK MG RU TJ TM UZ YE 50**
- 2829. Nysius senecionis (Shilling,1829)** (Lygaeidae) Synonym(s): senecionis Shilling,1829 Range (in code): **IR Ak**
- 2830. Oxycarenus (Euoxycarenus) pallens (Herrich-Schäffer,1850)** (Lygaeidae) Synonym(s): pallens Herrich-Schäffer,1850 Range (in code): **PT ES FR IT Sa Si AT CZ SK HU RO MD UA SS HV B-H YU MK GR BG CY TR IL Pa EG SY SD IR Elb Th Gh Zj IN 01 06 07 19 21 22 23 27 31 32 33 35 38 40 42 46 48 50 51 58 63 65 67 71**
- 2831. Oxycarenus (s.str.) hyalinipennis (A.Costa,1843)** (Lygaeidae) Synonym(s): hyalinipennis A.Costa,1843 Range (in code): **US BS Cmn TC PT ES FR IT Sa Si AT SK HV B-H YU BG GR IL Pa CY TR SY EG**
- 2832. Oxycarenus (s.str.) modestus (Fallén,1829)** (Lygaeidae) Synonym(s): modestus Fallén,1829 Range (in code): **ES FR BE NL DE NO SE FI EE RU BY UA PL MD RO CZ SK HU CH AT SS IT B-H YU MK BG TR 34 46**
- 2833. Oxycarenus longiceps E.Wagner,1955** (Lygaeidae) Synonym(s): longiceps E.Wagner,1955 Range (in code): **IT Si TR 50**
- 2834. Pezocoris apicimacula (Costa,1852)** (Lygaeidae) Synonym(s): apicimacula Costa,1852; villosus Jakovlev,1875 Range (in code): **IL Pa Cc TR B-H BG GR IT MK RO RU ES UA DZ MA AZ Cc AM GG IR KK TJ UZ SY 31**
- 2835. Pionosomus engizekicus Kiyak,1995** (Lygaeidae) Synonym(s): engizekicus Kiyak,1995 Range (in code): **TR 46**
- 2836. Pionosomus engizekicus Kiyak,1995** (Lygaeidae) Synonym(s): engizekicus Kiyak,1995 Range (in code): **TR 46**
- 2837. Pionosomus persimilis Horvath,1895** (Lygaeidae) Synonym(s): persimilis Horvath,1895 Range (in code): **TR IR 06**
- 2838. Pionosomus varius (Wolff,1804)** (Lygaeidae) Synonym(s): varius Wolff,1804 Range (in code): **ES FR BE NL GB SE FI DK DE PL BY RU CH IT B-H YU MK HU RO Cc TR 01 09 45**
- 2839. Platylax inermis (Rambur,1839)** (Lygaeidae) Synonym(s): inermis Rambur,1839; meridionalis Pic,1910 Range (in code): **AL B-H HV FR GR IT MK PT ES YU Cn DZ LY MA TN ET IL Pa YE CY TR 01 16 17 33 35 37**
- 2840. Platylax salviae (Schilling,1829)** (Lygaeidae) Synonym(s): salviae Schilling,1829; waltlii Kolenati,1845 Range (in code): **AL AT B-H BG HV CZ FR DE GR HU IT MD PL RO PT RU SK SS ES CH UA YU TR DZ MA AZ Cc AF KG GG IL Pa KK TJ UZ 01 07 16 33 38 42 73**
- 2841. Pterotmetus parnassius Horvath,1882** (Lygaeidae) Synonym(s): parnassius Horvath,1882 Range (in code): **GR CY**
- 2842. Pterotmetus staphyliniformis (Schilling,1829)** (Lygaeidae) Synonym(s): staphyliniformis Schilling,1829 Range (in code): **ES FR BE NL GB NO SE FI DK DE CZ SK AT CH IT SS YU MK AL GR BG HU PL BY EE LT RU UA RO MD TR 06**
- 2843. Pterotmetus staphylinoides (Burmeister,1835)** (Lygaeidae) Synonym(s): staphylinoides Burmeister,1835 Range (in code): **IL Pa Cc TR 06 22**
- 2844. Raglius alboacuminatus (Goeze,1778)** (Lygaeidae) Synonym(s): alboacuminatus Goeze,1778; caffer Thunberg,1784; apicaris Geoffroy,1785; cinereus Gmelin,1790; bardanae Preyssler,1791; pedestris Panzer,1797; insignis Boheman,1852; mundulus Dohrn,1860; concinnulus Walker,1872; funerea Puton,1878; flavatus Horvath,1882; bicolor Horvath,1911 Range (in code): **Cn MA DZ TN MR AL AT BE B-H BG BY HV CZ DK DE EE FR HU IT MK MD NL PL PT ES RO SK SS CH SE UA YU GB SE Cc RU TR AZ AM GG CY IL Pa SY IR CN Ui TJ TM UZ 06 22 24 26 31 34 36 38 46 76**
- 2845. Raglius confusus (Reuter,1886)** (Lygaeidae) Synonym(s): confusus Reuter,1886; nigripes Puton,1886 Range (in code): **MA DZ TN AT AL HV BG FR DE GR HU IT MK PL ES SK SS UA YU Cc IQ AZ AM GG IR IL Pa TR 16 23 31 36**
- 2846. Raglius pineti (Herrich-Schäffer,1839)** (Lygaeidae) Synonym(s): pineti Herrich-Schäffer,1839; putoni Saunders,1876 Range (in code): **MA DZ TN B-H BG FR IT PT RO ES YU TR 16 42 51**
- 2847. Raglius tristis Fieber,1861** (Lygaeidae) Synonym(s): tristis Fieber,1861; inarimensis A.Costa,1862 Range (in code): **MA DZ TN IT B-H BG HV GR FR PT ES MK YU TR 39**
- 2848. Raglius zarudnyi (Jakovlev,1905)** (Lygaeidae) Synonym(s): zarudnyi Jakovlev,1905 Range (in code): **AZ AM Cc IL Pa TM TR IR**



- 2849. Rhyparochromus consors (Horvath,1878)** (Lygaeidae) Synonym(s): consors Horvath,1878  
Range (in code): TR Cc IR 03 06 09 14 16 18 31 38 42 51 66 67
- 2850. Rhyparochromus immaculatus (Rey,1920)** (Lygaeidae) Synonym(s): immaculatus Rey,1920  
Range (in code): TR 18 23 38
- 2851. Rhyparochromus inarimensis (Costa,1860)** (Lygaeidae) Synonym(s): inarimensis Costa,1860  
Range (in code): TR 14 33 34 38 41 58 67
- 2852. Rhyparochromus lynceus (Fabricius,1775)** (Lygaeidae) Synonym(s): lynceus Fabricius,1775  
Range (in code): DK GB SE NO Cc TR 01 46 49
- 2853. Rhyparochromus phoeniceus (Rossi,1794)** (Lygaeidae) Synonym(s): phoeniceus Rossi,1794; autrani Horvath,1897 Range (in code): MA TN AT BE BG B-H HV CZ DK DE FI FR GR MK NL NO PL PT ES RO SK SS CH YU IL Pa Cc TR SY CY 01 06 14 19 22 25 31 32 33 38 45 46 49 51 56 65 67 73
- 2854. Rhyparochromus pini (Linnaeus,1758)** (Lygaeidae) Synonym(s): pini Linnaeus,1758; collinus Scopoli,1763; circuluspunctatus Goeze,1778; crucifer Geoffroy,1785; circulus Gmelin,1790 Range (in code): Cn MA Cc AZ AM AF GG TR IR CN Ui Ti MN RU KG TJ TM UZ 06 16 33 36 46
- 2855. Rhyparochromus reuteri (Horvath,1885)** (Lygaeidae) Synonym(s): reuteri Horvath,1885  
Range (in code): TR 01 06 07 09 11 17 20 22 27 33 35 38 46 48 64
- 2856. Rhyparochromus validus (Horvath,1875)** (Lygaeidae) Synonym(s): validus Horvath,1875  
Range (in code): Cc TR 06
- 2857. Rhyparochromus vulgaris (Schilling,1829)** (Lygaeidae) Synonym(s): vulgaris Schilling,1829; homoeopus Horvath,1899 Range (in code): AL AT BE B-H BG BY HV CZ FR DE GR HU IT MK MD NL PL RO RU SK SS ES UA YU Cc AM Eri AZ GG IR TM TR CY 01 06 09 10 16 17 22 31 33 35 43 45 48 64 65
- 2858. Spilostethus furcula (Herrich-Schäffer,1850)** (Lygaeidae) Synonym(s): festivus Thunberg,1822 nec Fabr.,1803; furcula Herrich-Schäffer,1850; spinipes Signoret,1861; saundersi Mulsant & Rey,1872 Range (in code): ES DZ MA IL Pa SA YE MG ZA Tva
- 2859. Spilostethus hospes (Fabricius,1794)** (Lygaeidae) Synonym(s): hospes Fabricius,1794; affinis Wolff,1802; pacificus Boisdual,1835; lanio Herrich-Schäffer,1843; squalidus Montrouzier,1861 Range (in code): CN IR PK AU NZ ID Ja Clb NC
- 2860. Spilostethus longulus (Dallas,1852)** (Lygaeidae) Synonym(s): longulus Dallas,1852; marmottani Puton,1869 Range (in code): DZ EG LY MA TN AF IR IL Pa JO SA Sn YE
- 2861. Spilostethus mimus (Stal,1865)** (Lygaeidae) Synonym(s): mimus Stal,1865 Range (in code): SN SD YE
- 2862. Spilostethus pandurus (Scopoli,1763)** (Lygaeidae) Synonym(s): pandurus Scopoli,1763; militaris Fabricius,1775; civilis Fabricius,1787; surinamensis Wolff,1802; elegans Wolff,1802; lagenifer Dufour,1833; asiaticus Kolenati,1845; tetricus Horvath,1909 Range (in code): Cn AL AT B-H BG HV CZ SK FR HU IT MK MD PT RO RU ES UA YU DZ LY EG MA TN SS Cc TR IR CY IQ TM GR AZ AF Cc AM GG IL Pa JO SA Sn SY CN IQ UZ YE IN PH AU 01 03 06 07 09 11 15 16 17 18 20 22 23 26 27 31 33 34 35 38 39 42 43 44 45 48 51 46 64 65 67
- 2863. Spilostethus rivularis (Germar,1838)** (Lygaeidae) Synonym(s): rivularis Germar,1838 S Range (in code): SD SA ET YE ZA Nta Kzu
- 2864. Spilostethus rubriceps (Horvath,1899)** (Lygaeidae) Synonym(s): rubriceps Horvath,1899 Range (in code): CN Ui RU AF KG IQ IR KK TM UZ TJ
- 2865. Spilostethus saxatilis (Scopoli,1763)** (Lygaeidae) Synonym(s): saxatilis Scopoli,1763; tessellatus Goeze,1778; lusitanicus Herrich-Schäffer,1850; montivagus Horvath,1899 Range (in code): AL AT BE B-H BG HV CZ SK FR DE GR HU IT MK PL RO PT ES SE UA YU CY TR DZ Cn MA LY TN EG AZ AM Cc GG AF IQ IR IL Pa JO SY TM UZ Ch 12 44 46 50 56 58 65
- 2866. Trapezonotus arenarius (Linnaeus,1758)** (Lygaeidae) Synonym(s): arenarius Linnaeus,1758  
Range (in code): TR 38
- 2867. Trapezonotus dispar (Stal,1872)** (Lygaeidae) Synonym(s): dispar Stal,1872; breviceps Jakovlev,1882; seductor Horvath,1883 Range (in code): MA DZ GB Cc AZ AM GG Aj Btm RU TR SY UA Cm YU CN Ui 16 22 31
- 2868. Trapezonotus ullrichi (Fieber,1836)** (Lygaeidae) Synonym(s): ullrichi Fieber,1836 Range (in code): DE TR CN Ui 35 50 66
- 2869. Tropistethus fasciatus Ferrari,1874** (Lygaeidae) Synonym(s): fasciatus Ferrari,1874 Range (in code): TR 06
- 2870. Tropistethus majusculus Horvath,1881** (Lygaeidae) Synonym(s): majusculus Horvath,1881  
Range (in code): TR 06
- 2871. Xanthochilus minusculus (Reuter,1885)** (Lygaeidae) Synonym(s): minusculus Reuter,1885; reuteri Horvath,1885; creticus Josifov,1963; #minusculatus Önder et al.,2006 Range (in code): MA DZ TN AL B-H BG MK GR Cr PT ES FR IT Co Si TR YU AZ AM Cc CY IR IQ IL Pa SY TM UZ 06
- 2872. Xanthochilus omissus (Horvath,1911)** (Lygaeidae) Synonym(s): omissus Horvath,1911 Range (in code): TR? Cc AZ Len 76?
- 2873. Xanthochilus omissus (Horvath,1911)** (Lygaeidae) Synonym(s): omissus Horvath,1911 Range (in code): AZ AM GG Cc IR
- 2874. Xanthochilus persicellus (Kirkaldy,1909)** (Lygaeidae) Synonym(s): luridus Jakovlev,1877 nec Hahn,1826; persicellus Kirkaldy,1909 Range (in code): IR Srd

- 2875. Xanthochilus quadratus (Fabricius,1798)** (Lygaeidae) Synonym(s): quadratus Fabricius,1798; immaculatus Royer,1919; brevirostris Ribaut,1921; interruptus E.Wagner,1954 Range (in code): GB SE Cc CN Ui TR AF TJ UZ TM IR AZ AM GG 06 16 76
- 2876. Xanthochilus saturnius (Rossi,1790)** (Lygaeidae) Synonym(s): saturnius Rossi,1790; rhombeus Fieber,1837; rhombimacula A.Costa,1843 Range (in code): Cn MA DZ TN LY EG B-H HV FR GR IT MK PT ES UA YU TR Cc CY IL Pa Cc AZ AM GG IQ RU 01 07 23 27 31 33 35 46 56
- 2877. Ameles arabica Uvarov,1939** (Mantidae) Synonym(s): arabica Uvarov,1939 Range (in code): SA
- 2878. Ameles crassinervis Dirsch,1927** (Mantidae) Synonym(s): crassinervis Dirsch,1927 Range (in code): AF IR Cc TM
- 2879. Ameles cyprica Uvarov,1936** (Mantidae) Synonym(s): cyprica Uvarov,1936 Range (in code): CY
- 2880. Ameles heldreichi Brunner von Wattenwyl,1882** (Mantidae) Synonym(s): heldreichi Brunner von Wattenwyl,1882 Range (in code): TR GR Rd IL Pa LY CY 01 06 07 09 16 33 34 35 45 48 56 80
- 2881. Ameles kervillei Bolivar,1911** (Mantidae) Synonym(s): kervillei Bolivar,1911 Range (in code): LB Baa JO
- 2882. Ameles massai Battiston & Fontana,2005** (Mantidae) Synonym(s): massai Battiston & Fontana,2005 Range (in code): JO
- 2883. Ameles persa Bolivar,1911** (Mantidae) Synonym(s): persa Bolivar,1911 Range (in code): AF IR
- 2884. Ameles syriensis Giglio-Tos,1915** (Mantidae) Synonym(s): syriensis Giglio-Tos,1915 Range (in code): SY JO TR 16 31 48 65
- 2885. Ameles wadisirhani Kaltenbach,1982** (Mantidae) Synonym(s): wadisirhani Kaltenbach,1982 Range (in code): SA
- 2886. Armene pusilla (Eversmann,1859)** (Mantidae) Synonym(s): pusilla Eversmann,1859 Range (in code): AF MN TJ TM CN Ui
- 2887. Armene robusta Mistshenko,1956** (Mantidae) Synonym(s): robusta Mistshenko,1956 Range (in code): AF TJ
- 2888. Bolivaria brachyptera (Pallas,1773)** (Mantidae) Synonym(s): brachyptera Pallas,1773; kurda Ramme,1951 Range (in code): TR Cr AM Cc Cm IR Elb Kdj AF IL Pa MN UZ RU TJ TM KG 05 06 08 18 21 24 26 27 33 35 42 44 46 56 65 73 78
- 2889. Elaea gestroi Capra,1929** (Mantidae) Synonym(s): gestroi Capra,1929; pallida Chopard,1941 Range (in code): EG ET LY SO MA YE SA
- 2890. Elaea richteri Beier,1956** (Mantidae) Synonym(s): richteri Beier,1956 Range (in code): IR
- 2891. Elaea wittmeri Kaltenbach,1982** (Mantidae) Synonym(s): wittmeri Kaltenbach,1982 Range (in code): YE SA
- 2892. Eremiaphila burmeisteri Saussure,1838** (Mantidae) Synonym(s): burmeisteri Saussure,1838; hauensteini Werner,1905 Range (in code): TR 63
- 2893. Eremiaphila dagi Doğanlar,2007** (Mantidae) Synonym(s): dagi Doğanlar,2007 Range (in code): TR 31
- 2894. Eremiaphila genei Lefebvre,1835** (Mantidae) Synonym(s): genei Lefebvre,1835 Range (in code): TR 27 63
- 2895. Eremoplana infelix Uvarov,1924** (Mantidae) Synonym(s): ocellata Thunberg,1815 nec Oliv.,1792; infelix Uvarov,1924 Range (in code): EG IL Pa JO LB SA SD
- 2896. Geomantis larvoides Pantel,1896** (Mantidae) Synonym(s): larvoides Pantel,1896 Range (in code): TR DZ 16 34
- 2897. Heterochaeta pantherina (Saussure,1872)** (Mantidae) Synonym(s): pantherina Saussure,1872 Range (in code): EG AO GN YE MR NE SO SA SD TD
- 2898. Hierodula coarctata Saussure,1869** (Mantidae) Synonym(s): coarctata Saussure,1869 Range (in code): IN ID Ja PK NP
- 2899. Hierodula macrosticta Deelmann & Reinhold,1957** (Mantidae) Synonym(s): macrosticta Deelmann & Reinhold,1957 Range (in code): IR
- 2900. Hierodula tenuidentata Saussure,1869** (Mantidae) Synonym(s): tenuidentata Saussure,1869; heterodera Westwood,1889; westwoodi Kirby,1904 Range (in code): IN NP MY Bor Sda TM Ui CN
- 2901. Hierodula transcaucasica Brunner von Wattenwyl,1878** (Mantidae) Synonym(s): transcaucasica Brunner von Wattenwyl,1878 Range (in code): TR IQ Cc IR AF Ui
- 2902. Holaptilon pusillum Beier,1964** (Mantidae) Synonym(s): pusillum Beier,1964 Range (in code): IL Pa JO
- 2903. Lobothespis vignai La Greca & Lombardo,1987** (Mantidae) Synonym(s): vignai La Greca & Lombardo,1987 Range (in code): IR
- 2904. Mantis religiosa (Linnaeus,1758)** (Mantidae) Synonym(s): religiosa Linnaeus,1758 Range (in code): PL MK TR CY JO IQ Bgd TJ KG RU Sb MN Cc ET BF GH CM KE ZR MR NE SN SO SD TZ TG ZM ZW IR PK IN UZ TJ TM UA Cm HU RU Am Ur TH TW MY ID Ja Clb KP KR CN VN 06 16 30 31 33 34 35 44 45 56 74
- 2905. Microthespis dmitriewi Werner,1908** (Mantidae) Synonym(s): dmitriewi Werner,1908 Range (in code): ET YE IR IL Pa OM PK SO AE

- 2906. *Microthespis evansi* Uvarov,1931** (Mantidae) Synonym(s): evansi Uvarov,1931 Range (in code): PK
- 2907. *Miomantis arabica* Kaltenbach,1982** (Mantidae) Synonym(s): arabica Kaltenbach,1982 Range (in code): YE SA
- 2908. *Miomantis paykulii* Stal,1871** (Mantidae) Synonym(s): paykulii Stal,1871; savignyi Saussure,1872; pharaonica Saussure,1898; senegalensis Schulthess-Schindler,1899 Range (in code): IL Pa EG BF CI GH CM KE MR MZ NE SN TG TD UG ZW
- 2909. *Oxythespis apostata* Kaltenbach,1984** (Mantidae) Synonym(s): apostata Kaltenbach,1984 Range (in code): SA
- 2910. *Oxythespis bifurcata* Kaltenbach,1982** (Mantidae) Synonym(s): bifurcata Kaltenbach,1982 Range (in code): SA
- 2911. *Oxythespis nilotica* Giglio-Tos,1916** (Mantidae) Synonym(s): nilotica Giglio-Tos,1916 Range (in code): DZ MA SD TD YE SA
- 2912. *Oxythespis persica* (Bolivar,1913)** (Mantidae) Synonym(s): persica Bolivar,1913 Range (in code): IR Ss
- 2913. *Oxythespis philbyi* Kaltenbach,1982** (Mantidae) Synonym(s): philbyi Kaltenbach,1982 Range (in code): YE SA
- 2914. *Oxythespis wagneri* (Kittary,1849)** (Mantidae) Synonym(s): wagneri Kittary,1849; tadjicus Lindt,1967 Range (in code): TJ AF IR
- 2915. *Rivetina asiatica* Mistchenko,1967** (Mantidae) Synonym(s): asiatica Mistchenko,1967; kinzelbachi Harz,1988 Range (in code): TR 27 56 80
- 2916. *Rivetina baetica* (Rambur,1838)** (Mantidae) Synonym(s): fasciata Thunberg,1815 nec Olivier,1792; baetica Rambur,1838; maculipennis Gistel,1856; pallasii Fieber,1853 Range (in code): MA MR SN TD TN DZ ES EG DZ IT LY MT GR TR CY AF IL Pa 01 21 27 35 44 45 51
- 2917. *Rivetina balcanica* La Greca & Lombardo,1982** (Mantidae) Synonym(s): #balcanica Kaltenbach,1963; balcanica La Greca & Lombardo,1982 Range (in code): TR GR Rd Cr 20 35 43
- 2918. *Rivetina buettikeri* Kaltenbach,1982** (Mantidae) Synonym(s): buettikeri Kaltenbach,1982 Range (in code): SA
- 2919. *Rivetina byblica* La Greca & Lombardo,1982** (Mantidae) Synonym(s): byblica La Greca & Lombardo,1982 Range (in code): JO IL Pa SY Hal TR
- 2920. *Rivetina caucasica* (Saussure,1871)** (Mantidae) Synonym(s): caucasica Saussure,1871; ragnari Harz,1988 Range (in code): TR Cc IR SY 33 35 45 46 80
- 2921. *Rivetina dentata* Mishtshenko,1967** (Mantidae) Synonym(s): dentata Mishtshenko,1967 Range (in code): TM
- 2922. *Rivetina deserta* Mishtshenko,1967** (Mantidae) Synonym(s): deserta Mishtshenko,1967 Range (in code): TM
- 2923. *Rivetina dolichoptera* (Schulthess-Rechberg,1894)** (Mantidae) Synonym(s): dolichoptera Schulthess-Rechberg,1894 Range (in code): IR Ss PK BI SA YE AE
- 2924. *Rivetina elegans* Mishtshenko,1967** (Mantidae) Synonym(s): elegans Mishtshenko,1967 Range (in code): TM
- 2925. *Rivetina excellens* Beier,1956** (Mantidae) Synonym(s): excellens Beier,1956 Range (in code): IR IQ YE AE
- 2926. *Rivetina gigantea* Kaltenbach,1991** (Mantidae) Synonym(s): gigantea Kaltenbach,1991 Range (in code): SA
- 2927. *Rivetina inermis* (Uvarov,1923)** (Mantidae) Synonym(s): inermis Uvarov,1923 Range (in code): YE SA IR BH
- 2928. *Rivetina laticollis* La Greca & Lombardo,1982** (Mantidae) Synonym(s): laticollis La Greca & Lombardo,1982 Range (in code): IQ
- 2929. *Rivetina pallida* Kaltenbach,1984** (Mantidae) Synonym(s): pallida Kaltenbach,1984 Range (in code): SA
- 2930. *Rivetina rhombicollis* La Greca & Lombardo,1982** (Mantidae) Synonym(s): rhombicollis La Greca & Lombardo,1982 Range (in code): IR AF PK
- 2931. *Rivetina syriaca* (Saussure,1869)** (Mantidae) Synonym(s): syriaca Saussure,1869; festae Giglio-Tos,1916 Range (in code): TR IQ Bgd LB SY Hal CY TJ TM 07 20 31
- 2932. *Rivetinula fraterna* (Saussure,1871)** (Mantidae) Synonym(s): trifasciata De Haan,1842; fraterna Saussure,1871 Range (in code): IN SA
- 2933. *Severinia mistshenkoi* Lindt,1953** (Mantidae) Synonym(s): mistshenkoi Lindt,1953 Range (in code): TM TJ
- 2934. *Severinia nigrofasciata* Kaltenbach,1982** (Mantidae) Synonym(s): nigrofasciata Kaltenbach,1982 Range (in code): SA
- 2935. *Severinia popovi* Kaltenbach,1982** (Mantidae) Synonym(s): popovi Kaltenbach,1982 Range (in code): YE SA



- 2936. *Sinaiaella nebulosa* Uvarov,1924** (Mantidae) Synonym(s): *nebulosa* Uvarov,1924 Range (in code): EG OM SA
- 2937. *Sinaiaella raggei* Kaltenbach,1991** (Mantidae) Synonym(s): *raggei* Kaltenbach,1991 Range (in code): SA
- 2938. *Sinaiaella sabulosa* Uvarov,1939** (Mantidae) Synonym(s): *sabulosa* Uvarov,1939 Range (in code): SA
- 2939. *Sphodromantis trimacula* (Saussure,1870)** (Mantidae) Synonym(s): *trimacula* Saussure,1870; *arabica* Wood-Mason,1882; *dhufarica* Uvarov,1933 Range (in code): IQ IR SA OM YE
- 2940. *Sphodromantis viridis* (Forsk.,1775)** (Mantidae) Synonym(s): *viridis* Forsk.,1775; *guttata* Thunberg,1815; *bimaculata* Burmeister,1838; *bioculata* Burmeister,1838; *vischeri* Werner,1933 Range (in code): DZ MA MR NE NG BF CM SN NA ES EG JO SA IL Pa YE ET LY MA TN MR SD SO SY CY TR UG TD 31
- 2941. *Statilia ocellata* Uvarov,1923** (Mantidae) Synonym(s): *ocellata* Uvarov,1923 Range (in code): AF PK SA
- 2942. *Teddia dioscoris* Burr,1899** (Mantidae) Synonym(s): *dioscoris* Burr,1899 Range (in code): Sk YE
- 2943. *Gueriniella serratulae* (Fabricius)** (Margarodidae) Synonym(s): *serratulae* Fabricius Range (in code): TR
- 2944. *Icerya purchasi* Hempel** (Margarodidae) Synonym(s): Range (in code): TR
- 2945. *Neomargarodes festucae* Archangelskaya** (Margarodidae) Synonym(s): *festucae* Archangelskaya Range (in code): TR
- 2946. *Marchalina hellenica* (Gennadius)** (Margarodidae) Synonym(s): *hellenica* Gennadius Range (in code): TR
- 2947. *Matsucoccus josephi* Bodenheimer & Harpaz** (Margarodidae) Synonym(s): *josephi* Bodenheimer & Harpaz Range (in code): TR
- 2948. *Matsucoccus pini* Green** (Margarodidae) Synonym(s): *pini* Green Range (in code): TR
- 2949. *Palaeococcus fuscipennis* (Burmeister)** (Margarodidae) Synonym(s): *fuscipennis* Burmeister Range (in code): TR
- 2950. *Porphyrophora hamelii* Brandt & Ratzeburg,1833** (Margarodidae) Synonym(s): *hamelii* Brandt Range (in code): Cc AM AZ IR TR
- 2951. *Porphyrophora minuta* Borchsenius** (Margarodidae) Synonym(s): *minuta* Borchsenius Range (in code): TR
- 2952. *Porphyrophora tritici* (Bodenheimer)** (Margarodidae) Synonym(s): *tritici* Bodenheimer Range (in code): TR
- 2953. *Porphyrophora polonica* (Linnaeus)** (Margarodidae) Synonym(s): *polonica* Linnaeus Range (in code): TR
- 2954. *Anigrus vicinus* Dlabola,1959** (Meenoplidae) Synonym(s): *vicinus* Dlabola,1959 Range (in code): AF IL
- 2955. *Meenoplus albosignatus* Fieber,1866** (Meenoplidae) Synonym(s): *albosignatus* Fieber,1866 Range (in code): CY GR IL Pa IT JO TR RU Cc YU IQ 02 06 07 10 14 27 30 44 47 49
- 2956. *Nisia nervosa* (Motschulsky,1863)** (Meenoplidae) Synonym(s): *nervosa* Motschulsky,1863; *atrovenosus* Lethierry,1888 Range (in code): GR TR EG IL CN JP KP KR MA 33
- 2957. *Centrotus cornutus* (Linnaeus,1758)** (Membracidae) Synonym(s): *cornutus* Linnaeus,1758; *gallicus* Kirschbaum,1868; *italicus* Kirschbaum,1868; *turcicus* Kirschbaum,1868; *abbreviatus* Kirschbaum,1868 (*praeocc.*); *depressus* Fieber,1876; *obtus* Fieber,1876; *rugosus* Buckton,1903; *kirschbaumi* Metcalf,1955 Range (in code): AL AT BE BG CS DK FI FR DE GB GR HU IT NL NO PL PT RO ES SE TR Cc AM AZ EE GG KG LV MD RU Sb UA YU 06 07 08 09 10 11 16 19 20 21 22 24 28 34 35 39 41 43 52 54 56 59 65
- 2958. *Centrotus israelensis* Linnavuori,1962** (Membracidae) Synonym(s): *israelensis* Linnavuori,1962 Range (in code): IL Pa
- 2959. *Ceresa bubalus* (Fabricius,1794)** (Membracidae) Synonym(s): *bubalus* Fabricius,1794 Range (in code): AL BG FR GR HU IT RO ES SW Cc AM AZ GG TR MD UA YU 06 08 10 22 39 53
- 2960. *Gargara genistae* (Fabricius,1775)** (Membracidae) Synonym(s): *genistae* Fabricius,1775; *okinawanus* Matsumura,1775 Range (in code): AL DZ AT BE BG CN CS DK FR DE GB HU IR IT JP KP NL NO PL PT RO ES SW TR Cc GG KG MD RU Sb UA UZ YU 06 07 09 10 19 25 35 48
- 2961. *Leptocentrus taurus* (Fabricius,1775)** (Membracidae) Synonym(s): *taurus* Fabricius,1775 Range (in code): AF
- 2962. *Oxyrhachis caligula* Capener,1962** (Membracidae) Synonym(s): *caligula* Capener,1962 Range (in code): EG IL Pa EH
- 2963. *Oxyrhachis capaneri* Izzard,1953** (Membracidae) Synonym(s): *delalenderi* Fieber,1876 nec Fairm.; *tarandus* Haput,1927; *capaneri* Izzard,1953 Range (in code): EG IL Pa JO IT MA SY TN TR RU YU TM 05
- 2964. *Oxyrhachis egyptiana* Distant,1915** (Membracidae) Synonym(s): *egyptiana* Distant,1915 Range (in code): EG IL Pa IT JO MA SY TN TR CN Ui YU
- 2965. *Oxyrhachis furva* Capener,1962** (Membracidae) Synonym(s): *furva* Capener,1962 Range (in code): EG IL Pa EH

- 2966. Oxyrhachis taranda (Fabricius,1798)** (Membracidae) **Synonym(s):** taranda Fabricius,1798 **Range (in code):** **AF**
- 2967. Oxyrhachis versicolor Distant,1916** (Membracidae) **Synonym(s):** versicolor Distant,1916 **Range (in code):** **DZ EG IL Pa**
- 2968. Stictocephala alta (Walker,1851)** (Membracidae) **Synonym(s):** alta Walker,1851; constans Walker,1851; bisonia Kopp & Yonke,1977; bubalus auct. nec Fabricius,1794 **Range (in code):** **TR**
- 2969. Micrococcus similis Leonardi** (Micrococcidae) **Synonym(s):** similis Leonardi **Range (in code):** **TR**
- 2970. Acetropis carinata (Herrich-Schäffer,1841)** (Miridae) **Synonym(s):** carinata Herrich-Schäffer,1841 **Range (in code):** **DE PL TR HU MK SE 06 16 33 38 43**
- 2971. Acetropis sinuata E.Wagner,1951** (Miridae) **Synonym(s):** sinuata E.Wagner,1951; josifovi E.Wagner,1974 **Range (in code):** **MA DZ BG TR 35**
- 2972. Acrorrhinium conspersum Noualhier,1895** (Miridae) **Synonym(s):** conspersum Noualhier,1895 **Range (in code):** **BG TR IQ Slh Dok Shq Er Ssa 01 06 07 09 27 31 32 33 35 45 46 66 79**
- 2973. Acrotelus caspicus (Reuter,1879)** (Miridae) **Synonym(s):** caspicus Reuter,1879; loewii Reuter,1885; montandoni Reuter,1899; discretus Horvath & Reuter,1901 **Range (in code):** **RU Ao AT RO Sb Om TR 42**
- 2974. Acrotelus tristis Linnavuori,1965** (Miridae) **Synonym(s):** tristis Linnavuori,1965 **Range (in code):** **SA**
- 2975. Adelphocoris bimaculicollis Lindberg,1948** (Miridae) **Synonym(s):** bimaculicollis Lindberg,1948 **Range (in code):** **CY IL Pa TR IR 20 21 24 35 46**
- 2976. Adelphocoris detritus (Fieber,1861)** (Miridae) **Synonym(s):** detritus Fieber,1861; cumulatus Stichel,1957 **Range (in code):** **IT MK CH TR 43**
- 2977. Adelphocoris insignis Horvath,1898** (Miridae) **Synonym(s):** insignis Horvath,1898 **Range (in code):** **YU BG TR Bz Gk 17**
- 2978. Adelphocoris lineolatus (Goeze,1778)** (Miridae) **Synonym(s):** lineolatus Goeze,1778; albinus Geoffroy,1785; chenopodii Fallén,1807; brevicollis Meyer-Dür,1843; implagiatus Westhoff,1881; bisbipunctatus Reuter,1891; baltrumensis Schumacher,1911 **Range (in code):** **ES GB DK DE GB IT MK FR SE CH RU Sb Tv Am Sh TR IR Ak Koa Qrg CN JP CA On US Ny Col 01 06 07 14 18 19 26 27 31 37 38 40 42 46 50 51 57 65 66 67 70 71 74 76 78 79 80**
- 2979. Adelphocoris quadripunctatus (Fabricius,1794)** (Miridae) **Synonym(s):** quadripunctatus Fabricius,1794; annulicornis Sahlberg,1848; confluent Reuter,1896; innotatus Reuter,1896; scutellaris Reuter,1906; innotatus Reuter,1906; karafutonis Matsumura,1911; megapolitanus E.Wagner,1938; uniannulatus E.Wagner,1938; annulatus Carvalho,1959 **Range (in code):** **DE FI TR CN Sz RU Tv Sb SE Sh JP 09 25 35**
- 2980. Adelphocoris seticornis (Fabricius,1775)** (Miridae) **Synonym(s):** seticornis Fabricius,1775; exoletus Gmelin,1790; hirtus Schrank,1801; tibialis Wolff,1802; lateralis Fallén,1826; apicalis Hahn,1833; jakovleffi Reuter,1877; niger Reuter,1896; pallidipennis Reuter,1896; plagifer Reuter,1896; femoralis E.Wagner,1947 **Range (in code):** **GB IT MK LT DE SE TR UZ RU Sb CN 08 11 22 36 55 57 67 74**
- 2981. Adelphocoris suturalis Jakovlev,1882** (Miridae) **Synonym(s):** suturalis Jakovlev,1882 **Range (in code):** **TR RU Am Sh Krl CN JP Hkk 53 61**
- 2982. Adelphocoris ticinensis (Meyer-Dür,1843)** (Miridae) **Synonym(s):** ticinensis Meyer-Dür,1843; haemorrhous A.Costa,1853; henkei Jakovlev,1875; capitatus Jakovlev,1877; testaceus Stichel,1957; virescens Stichel,1957 **Range (in code):** **SE Co CZ MK IT CH RU GB TR IR 14 53 60 61**
- 2983. Adelphocoris vandalicus (Rossi,1790)** (Miridae) **Synonym(s):** vandalicus Rossi,1790; fraxini Fabricius,1794; humuli Schummel,1847; taenioma A.Costa,1853; denigratus Stichel,1930; levis Stichel,1930 **Range (in code):** **IT DE PL FR Co MK TR 01 06 08 10 11 13 14 16 17 22 23 33 34 35 36 37 38 42 46 49 51 54 55 57 59**
- 2984. Agnecoris reclairei (W.Wagner,1949)** (Miridae) **Synonym(s):** reclairei W.Wagner,1949 **Range (in code):** **TR MK DE 11 14 16 19 22 26 33 35 37 38 39 41 42 43 51 57 64**
- 2985. Agnecoris rubicundus (Fallén,1807)** (Miridae) **Synonym(s):** rubicundus Fallén,1807; minor Reuter,1896; winnipegensis Knight,1917; collaris E.Wagner,1949; fuscoangulata Stichel,1958; schmidtii Stichel,1958; variegata Stichel,1958 **Range (in code):** **ES SE CA DE US DK RU Tv Sb Co IT TR 01 04 06 19 25 46 33 37 42 66 67 74 78**
- 2986. Alloeomimus kurdus Hoberlandt,1953** (Miridae) **Synonym(s):** kurdus Hoberlandt,1953 **Range (in code):** **TR IQ Akr Bgd Pjw Dbd Shq 27 46**
- 2987. Alloeomimus pilosus Linnavuori,1984** (Miridae) **Synonym(s):** pilosus Linnavuori,1984 **Range (in code):** **IQ Pjw**
- 2988. Alloeomimus unifasciatus (Reuter,1879)** (Miridae) **Synonym(s):** unifasciatus Reuter,1879 **Range (in code):** **DZ MA FR IT RU TN SY TR TM UZ 46**
- 2989. Alloeonotus egregius Fieber,1864** (Miridae) **Synonym(s):** egregius Fieber,1864 **Range (in code):** **TR DE AL AT BG IT RU 05 06 16 42**
- 2990. Alloeonotus fulvipes (Scopoli,1763)** (Miridae) **Synonym(s):** fulvipes Scopoli,1763; avellanae Gmelin,1790; distinguendus Herrich-Schäffer,1838; caspicus Horvath,1884; separandus Horvath,1888; paganettii Schumacher,1918; macedonicus Schumacher,1918 **Range (in code):** **TR 03 05 06 16 19 22 34 39 42**
- 2991. Alloeonotus obtusus E.Wagner,1968** (Miridae) **Synonym(s):** obtusus E.Wagner,1968 **Range (in code):** **TR 06**
- 2992. Alloeotomus cyprius (E.Wagner,1953)** (Miridae) **Synonym(s):** cyprius E.Wagner,1953; doesburgi Önder,1974 **Range (in code):** **CY TR 01**

- 2993.** *Alloeotomus germanicus* E.Wagner,1939 (Miridae) Synonym(s): germanicus E.Wagner,1939 Range (in code): DE TR CZ SE FR ES IT 07 37 43 48
- 2994.** *Alloeotomus gothicus* (Fallén,1807) (Miridae) Synonym(s): gothicus Fallén,1807 Range (in code): TR SE CZ GB DE DK FR AT IT 14 37 43
- 2995.** *Amblytylus concolor* Jakovlev,1877 (Miridae) Synonym(s): concolor Jakovlev,1877 Range (in code): TR 01 03 06 07 11 15 16 17 19 22 27 32 33 34 35 37 38 39 40 43 45 46 48 50 59 61
- 2996.** *Amblytylus delicatus* (Perris,1857) (Miridae) Synonym(s): delicatus Perris,1857 DE FR GB TR 07
- 2997.** *Amblytylus jani* Fieber,1858 (Miridae) Synonym(s): jani Fieber,1858 IT TR 27
- 2998.** *Amblytylus longirostris* (Jorden,1947) (Miridae) Synonym(s): longirostris Jorden,1947 TR SK CZ DE 37
- 2999.** *Amblytylus luridus* Hoberlandt,1961 (Miridae) Synonym(s): luridus Hoberlandt,1961 Range (in code): TR 06 33 46 70 71
- 3000.** *Amblytylus nasutus* (Kirschbaum,1855) (Miridae) Synonym(s): nasutus Kirschbaum,1855 TR 03 06 17 22 24 33 35 42
- 3001.** *Anapus dorsalis* (Reuter,1890) (Miridae) Synonym(s): dorsalis Reuter,1890 Range (in code): TR 25 76
- 3002.** *Atomophora arabica* Linnavuori,1962 (Miridae) Synonym(s): arabica Linnavuori,1962 Range (in code): SA IQ
- 3003.** *Atomophora astraia* Linnavuori,1997 (Miridae) Synonym(s): astraia Linnavuori,1997 Range (in code): IR Kh
- 3004.** *Atomophora atripes* Linnavuori,1997 (Miridae) Synonym(s): atripes Linnavuori,1997 Range (in code): IR Kh
- 3005.** *Atomophora maculosa* Reuter,1903 (Miridae) Synonym(s): maculosa Reuter,1903; erato Linnavuori,1971 Range (in code): TM IR Ss
- 3006.** *Atomophora nut* Linnavuori,1971 (Miridae) Synonym(s): nut Linnavuori,1971 Range (in code): DZ IL Pa SA
- 3007.** *Atomophora oculata* Reuter,1903 (Miridae) Synonym(s): oculata Reuter,1903 Range (in code): TM
- 3008.** *Atomophora pantherina* Reuter,1879 (Miridae) Synonym(s): pantherina Reuter,1879 Range (in code): DZ IR TM UZ
- 3009.** *Atomophora pentheus* Linnavuori,1971 (Miridae) Synonym(s): pentheus Linnavuori,1971 Range (in code): IR
- 3010.** *Atomophora sabaea* Linnavuori & Al-Safadi,1993 (Miridae) Synonym(s): sabaea Linnavuori & Al-Safadi,1993 Range (in code): YE
- 3011.** *Atomoscelis roubali* Hoberlandt,1961 (Miridae) Synonym(s): roubali Hoberlandt,1961 Range (in code): TR 06
- 3012.** *Atractotomus kolenatii* (Flor,1860) (Miridae) Synonym(s): kolenatii Flor,1860; debilicornis Reuter,1875 EE FI DE DK SE FR RU Ya US TR 01 04 08 31 33 36 80
- 3013.** *Barbarosia decalvata* (Seidenstücker,1962) (Miridae) Synonym(s): decalvata Seidenstücker,1962 Range (in code): TR 06 42 51
- 3014.** *Barbarosia punctulata* (Reuter,1901) (Miridae) Synonym(s): punctulata Reuter,1901 Range (in code): RU Ur TR
- 3015.** *Blepharidopterus angulatus* (Fallén,1807) (Miridae) Synonym(s): angulatus Fallén,1807 Range (in code): TR 06
- 3016.** *Bothynotus pilosus* (Boheman,1852) (Miridae) Synonym(s): pilosus Boheman,1852; fairmairii Signoret,1852; horridus Mulsant & Rey,1852; minki Fieber,1864; kiritschenkoi Lindberg,1934 TR IR Lo SE FR RU Am CZ Sb DE DK FR Sh Krl 38
- 3017.** *Brachycoleus bolivari* Horvath,1901 (Miridae) Synonym(s): bolivari Horvath,1901 Range (in code): GR IL Pa TR 01 12 31 46
- 3018.** *Brachycoleus decolor* Reuter,1887 (Miridae) Synonym(s): scriptus Fabricius,1803 nec Fabr.,1794; decolor Reuter,1887; bipunctatus Stichel,1930; flavus Stichel,1930; marginatus Stichel,1930; ornatus Stichel,1957 Range (in code): TR AT FR DE RU Sb Tv MK IT 01 04 05 06 11 16 18 26 31 38 42 46 50 64 71 76
- 3019.** *Brachycoleus lineellus* Jakovlev,1884 (Miridae) Synonym(s): lineellus Jakovlev,1884 Range (in code): TR IR RU 01 03 06 09 11 15 17 20 22 27 32 36 38 39 42 46 51 64 70 79
- 3020.** *Brachycoleus steini* Reuter,1877 (Miridae) Synonym(s): steini Reuter,1877 Range (in code): TR 03 07 09 10 15 16 17 20 22 27 32 34 35 38 39 42 43 45 46 48 49 51 59 64
- 3021.** *Brachycoleus thoracicus* Puton,1892 (Miridae) Synonym(s): thoracicus Puton,1892; nigricans Puton,1898; coccineus Horvath,1901; coccineus Hoberlandt,1956 Range (in code): TR LB HU SY 21 27 31 46 47 78
- 3022.** *Calocoris affinis* (Herrich-Schäffer,1835) (Miridae) Synonym(s): affinis Herrich-Schäffer,1835; salviae Hahn,1835 Range (in code): TR DE DK SE YU IT 06 14 18 37 54 71
- 3023.** *Calocoris nemoralis* (Fabricius,1787) (Miridae) Synonym(s): sexpunctatus Fabricius,1787 nec Linn.,1758; nemoralis Fabricius,1787; piceus Cyrillo,1787; hispanicus Gmelin,1790; ruficollis Fabricius,1794; carcelii Lepeletier,1825; coccineus Dufour,1833; nankineus Dufour,1833; aterrimus Garbiglietti,1869; zelleri Scott,1876;



thoracicus Puton,1884; punicus Ferrari,1884; cuneatus Puton,1887; bimaculatus Reuter,1894; confluens Reuter,1896; hexastigma Reuter,1896; limbatus Reuter,1896; pallidus Reuter,1896; quadripunctatus Reuter,1902; rufipes Reuter,1902; bisignatus Reuter,1904; connectens Reuter,1905; ruffifemus Horvath,1911; griseus Vidal,1937; erythrocephalus Mancini,1952; oculatus Stichel,1957 Range (in code): **Az Cn Md ES MA DZ TN LY IL Pa Co Si Sa GR Cr IT FR CY AU TR 01 07 27 31 33 46 79 80**

**3024. Calocoris porphyropterus Reuter,1904** (Miridae) Synonym(s): porphyropterus Reuter,1904 Range (in code): **DZ MA EG SY TR 27**

**3025. Calocoris roseomaculatus (DeGeer,1773)** (Miridae) Synonym(s): roseomaculatus DeGeer,1773; bistriatus Goeze,1778; cruentatus Geoffroy,1785; digrammus Gmelin,1790; sauciatus Gmelin,1790; ferrugatus Fabricius,1794; rosatus Schrank,1796; succinctus Turton,1802; angularis Fieber,1864; lutescens Fieber,1864; virescens Fieber,1864; biplagiatus Reuter,1877; melanocephalus Reuter,1877; decolor Reuter,1902; fuscicornis Stichel,1930; nigroinductus Stichel,1930; supervacuus Stichel,1930; saucius Linnavuori,1951; cumulatus Stichel,1957 Range (in code): **SE DE FR IT RO GR DZ LY GB IL Pa MK TR 01 03 06 07 10 11 16 17 18 22 23 26 27 31 34 35 37 38 39 40 42 43 45 46 48 50 57 59 64 71 74 78**

**3026. Calocoris rubicundus Reuter,1904** (Miridae) Synonym(s): rubicundus Reuter,1904 Range (in code): **TR 01 06 26 70**

**3027. Camponotidea fieberi Reuter,1879** (Miridae) Synonym(s): fieberi Reuter,1879; putoni Reuter,1904; simulans Horvath,1918 Range (in code): **TR SY GR 01 07 27 31 33 35 42 46 50 80**

**3028. Camponotidea saundersi (Puton,1874)** (Miridae) Synonym(s): saundersi Puton,1874 Range (in code): **AL AT IL Pa IT SY YU GR TR 01 09 10 16 17 18 19 24 27 31 35 46 48 56 59 80**

**3029. Camptotylidea alba (Reuter,1879)** (Miridae) Synonym(s): alba Reuter,1879 Range (in code): **KG TM UZ**

**3030. Camptotylidea alhagii (Linnavuori,1986)** (Miridae) Synonym(s): alhagii Linnavuori,1986 Range (in code): **IQ**

**3031. Camptotylidea astarte (Linnavuori,1971)** (Miridae) Synonym(s): astarte Linnavuori,1971 Range (in code): **IL Pa SA IQ TM UZ**

**3032. Camptotylidea bast (Linnavuori,1989)** (Miridae) Synonym(s): bast Linnavuori,1989 Range (in code): **IL Pa**

**3033. Camptotylidea candida (Linnavuori,1984)** (Miridae) Synonym(s): candida Linnavuori,1984 Range (in code): **IQ Kbl**

**3034. Camptotylidea fuscomaculata (Reuter,1879)** (Miridae) Synonym(s): fuscomaculata Reuter,1879; punctulata Nonnaizab & Yang,1994 Range (in code): **IR Ss TM SA IQ RU CN Cc Da KG UZ**

**3035. Camptotylidea lineata (Reuter,1901)** (Miridae) Synonym(s): lineata Reuter,1901 Range (in code): **TM UZ**

**3036. Camptotylidea modesta (Linnavuori,1986)** (Miridae) Synonym(s): modesta Linnavuori,1986 Range (in code): **SA**

**3037. Camptotylidea persica E.Wagner,1957** (Miridae) Synonym(s): persica E.Wagner,1957 Range (in code): **IR**

**3038. Camptotylidea rubropicta Linnavuori,1998** (Miridae) Synonym(s): rubropicta Linnavuori,1998 Range (in code): **IR**

**3039. Camptotylidea sinaitica (Linnavuori,1964)** (Miridae) Synonym(s): sinaitica Linnavuori,1964 Range (in code): **EG Sn IR TM UZ**

**3040. Camptotylidea suturalis (Reuter,1903)** (Miridae) Synonym(s): suturalis Reuter,1903 Range (in code): **IR MN KG TJ TM UZ**

**3041. Camptotylidea vitticollis (Reuter,1901)** (Miridae) Synonym(s): vitticollis Reuter,1901 Range (in code): **IR TM UZ**

**3042. Campylomma annulicornis (Signoret,1865)** (Miridae) Synonym(s): #coerulescens Scholtz,1846; annulicornis Signoret,1865; lucida Jakovlev,1876; viridula Jakovlev,1880 Range (in code): **PL NL FR Co DE GB RU Ao Sr IQ TR 01 06 22 35 48**

**3043. Campylomma diversicornis Reuter,1878** (Miridae) Synonym(s): diversicornis Reuter,1878; simulans Stichel,1956 Range (in code): **TR IR Kz RU CN IQ SA**

**3044. Campylomma lindbergi Hoberlandt,1952** (Miridae) Synonym(s): lindbergi Hoberlandt,1952 Range (in code): **IQ TR TM CY 01 06 07 18 27 31 33 37 38 40 42 46 50 51 56**

**3045. Campylomma oertzeni Reuter,1888** (Miridae) Synonym(s): oertzeni Reuter,1888; infuscata Reuter,1904 Range (in code): **TR GR LY YU 07 33 35**

**3046. Campylomma verbasci (Meyer-Dür,1843)** (Miridae) Synonym(s): verbasci Meyer-Dür,1843; pellucida Garbiglietti,1869; nicolasi Puton & Reuter,1883; zizyphi Puton & Reuter,1886; novaki E.Wagner,1952; #nicolosi Önder et al.,2006 Range (in code): **CY DE CH IT FR YU TN TR CN EG JO IR RU Co US CA PR SE YU SD LY DZ 01 06 07 09 10 14 15 17 18 20 22 26 27 31 32 33 35 37 38 40 42 46 50 51 55 67 70 71**

**3047. Campylomma viticis Lindberg,1948** (Miridae) Synonym(s): viticis Lindberg,1948 Range (in code): **CY IL Pa IT TR 07 31 33 38**

**3048. Campyloneura virgula (Herrich-Schäffer,1835)** (Miridae) Synonym(s): virgula Herrich-Schäffer,1835; pulchella Guérin-Méneville,1835 nec Hahn,1834; marita E.Wagner,1968 Range (in code): **US IT SE DK DE DZ GB FR Co Si TR 07 08 48 53 61 67 81**

- 3049. Capsodes (Horistus) bimaculatus (Jakovlev,1884)** (Miridae) Synonym(s): bimaculatus Jakovlev,1884 Range (in code): **TR IR AZ Cc RU 01 06 25 26 33 36 38 46 50 51 55 59 70**
- 3050. Capsodes (Horistus) infuscatus (Brullé,1832)** (Miridae) Synonym(s): infuscatus Brullé,1832; rufipennis Reuter,1896; cinnamomea Stichel,1958 Range (in code): **GR Cr TR IL Pa MK 01 07 10 16 17 27 31 33 35 45 46**
- 3051. Capsodes (Horistus) orientalis (Gmelin,1790)** (Miridae) Synonym(s): orientalis Gmelin,1790; leucogrammus Gmelin,1790; marginellus Schrank,1801; lineolatus Brullé,1832; albostratus Burmeister,1835; rubrostratus Herrich-Schäffer,1836; consanguineus A.Costa,1862 Range (in code): **IN DE GR ES IT TR 01 06**
- 3052. Capsodes (Horistus) turcomanus (Horvath,1889)** (Miridae) Synonym(s): turcomanus Horvath,1889 Range (in code): **CY TR SY IL Pa LB JO TM 35**
- 3053. Capsodes bicolor (Fieber,1864)** (Miridae) Synonym(s): bicolor Fieber,1864; sanguineus Jakovlev,1882 Range (in code): **UA Cc GG Btm Aj BG RU Sb TR 54 55 74**
- 3054. Capsodes mat (Rossi,1790)** (Miridae) Synonym(s): mat Rossi,1790; erythromelas Hahn,1835; rubricosus Garbiglietti,1869; pulchra Stichel,1930; sanguinea Stichel,1930 nec Jakov.,1882 Range (in code): **IT DE TR AT**
- 3055. Charagochilus gyllenhalii (Fallén,1807)** (Miridae) Synonym(s): gyllenhalii Fallén,1807 Range (in code): **SE TR ES IT MK RU Sb Tv Sh Krl FR Co DE DL 08 09 14 16 18 22 31 33 35 41 42 44 46 48 50 57 64 78**
- 3056. Closterotomus annulus (Brullé,1832)** (Miridae) Synonym(s): annulus Brullé,1832; collaris Fieber,1870; fuliginosus Reuter,1877; fuscescens Reuter,1877; nebulosus E.Wagner,1974 Range (in code): **AL FR IL Pa IT HU GR HV SY Rd TR 01 07 31 33 46 79 80**
- 3057. Closterotomus aqranus (Linnavuori,1984)** (Miridae) Synonym(s): aqranus Linnavuori,1984 Range (in code): **IQ**
- 3058. Closterotomus costae (Reuter,1888)** (Miridae) Synonym(s): costae Reuter,1888 Range (in code): **AM Cc SY TR 01 07 08 33 46 47 80**
- 3059. Closterotomus fulvomaculatus (DeGeer,1773)** (Miridae) Synonym(s): fulvomaculatus DeGeer,1773; femoralis Lucas,1849; distinguendus Garbiglietti,1869; isabellinus Westhoff,1881; simplicicornis Strobl,1900; #fulva Stichel,1930 Range (in code): **TR GB DE IT DZ AT SE RU Sb Tv DK 06 10 11 14 16 22 37 39 41 43 54 64 67 74 81**
- 3060. Closterotomus hedenborgi (Fieber,1870)** (Miridae) Synonym(s): hedenborgi Fieber,1870; colorata Fieber,1870; albida Fieber,1870 Range (in code): **SY IL Pa TR 33 34 35 38 42 46 50 51 70**
- 3061. Closterotomus histrio (Reuter,1877)** (Miridae) Synonym(s): histrio Reuter,1877; obscurus Wagner,1968 Range (in code): **IR IL Pa TR SY CY GR 06 07 09 17 32 33 35 46 48**
- 3062. Closterotomus kroesus (Seidenstücker,1977)** (Miridae) Synonym(s): kroesus Seidenstücker,1977 Range (in code): **TR**
- 3063. Closterotomus krueperi (Reuter,1880)** (Miridae) Synonym(s): krueperi Reuter,1880 Range (in code): **GR TR CY 01 06 09 10 15 21 26 27 31 33 35 43 46 48 64 70 80**
- 3064. Closterotomus norvegicus (Gmelin,1790)** (Miridae) Synonym(s): bipunctatus Fabricius,1779 nec Linn.; norvegicus Gmelin,1790; biguttatus Schrank,1801; contiguus Walker,1873; stramineus Walker,1873; vittiger Reuter,1896; atava Reuter,1896; picticollis Horvath,1909 Range (in code): **Az AU US CA NO DE Cn ES GB GR TR Md IL Pa Co DZ LY IT Si FR DK 01 07 14 18 27 31 33 37 46 57 67 74 78 79 80**
- 3065. Closterotomus orientalis Carapezza,2002** (Miridae) Synonym(s): orientalis Carapezza,2002 Range (in code): **JO**
- 3066. Closterotomus putoni (Horvath,1888)** (Miridae) Synonym(s): putoni Horvath,1888 Range (in code): **SY TR IR 07 21 27 31 34 46 80**
- 3067. Closterotomus reuteri (Horvath,1882)** (Miridae) Synonym(s): reuteri Horvath,1882 Range (in code): **YU TR 01 05 06 11 14 16 43 54 57 67 78**
- 3068. Closterotomus trivialis (A.Costa,1853)** (Miridae) Synonym(s): trivialis A.Costa,1853 Range (in code): **DZ DE MA FR ES IT Cn PT CY TN SY GR YU TR 07 10 16**
- 3069. Cranocapsus turcicus Kıyak,1990** (Miridae) Synonym(s): turcicus Kıyak,1990 Range (in code): **TR 46**
- 3070. Cyphodema cilicicum Seidenstücker,1954** (Miridae) Synonym(s): cilicicum Seidenstücker,1954; confluens Stichel,1958 TR 01 33 51 80
- 3071. Cyphodema instabilis (Lucas,1849)** (Miridae) Synonym(s): instabilis Lucas,1849; tritaenia A.Costa,1853; meyerduri Fieber,1858; exigua Stichel,1958; maculata Stichel,1958; nigrita Stichel,1958; obratra Stichel,1958; simplex Stichel,1958; simplicata Stichel,1958; variegata Stichel,1958 MA DZ Co IL Pa AL ES IT Cn PT CY SY TN GR YU RO TR 01 07 27 31 42 46 52 57 61 80
- 3072. Cyphodema mendosa Montandon,1887** (Miridae) Synonym(s): mendosa Montandon,1887 TR FR YU RU 08
- 3073. Cyphodema pernix Horvath,1905** (Miridae) Synonym(s): pernix Horvath,1905; insueta Stichel,1958 TR 38 42
- 3074. Cyphodema rubrica Seidenstücker,1954** (Miridae) Synonym(s): rubrica Seidenstücker,1954 SY TR 34

- 3075. *Cyrtopeltis callosus* Odhiambo,1961** (Miridae) Synonym(s): callosus Odhiambo,1961 Range (in code): UG SA
- 3076. *Cyrtopeltis pygmaea* Wagner,1956** (Miridae) Synonym(s): pygmaea Wagner,1956; khalafi Seidenstücker,1964 Range (in code): EG Sn SD SA IL Pa IQ
- 3077. *Cyrtopeltis taxila* Seidenstücker,1972** (Miridae) Synonym(s): taxila Seidenstücker,1972 Range (in code): PK
- 3078. *Dasysectus sordidus* Fieber,1864** (Miridae) Synonym(s): sordidus Fieber,1864; frontosum Horvath,1898; aenescens Reuter,1899; pilifera Seidenstücker,1956 Range (in code): MA DZ ES TR SA 33
- 3079. *Deraeocoris addendus* Linnavuori,1960** (Miridae) Synonym(s): addendus Linnavuori,1960; ocularis Linnavuori,1960 Range (in code): CV SD IL Pa EG LY SA
- 3080. *Deraeocoris delangrangei* (Puton,1892)** (Miridae) Synonym(s): delangrangei Puton,1892 Range (in code): TR 07 31 33 48
- 3081. *Deraeocoris dentifer* Linnavuori,1975** (Miridae) Synonym(s): dentifer Linnavuori,1975 Range (in code): YE
- 3082. *Deraeocoris lutescens* (Schilling,1836)** (Miridae) Synonym(s): lutescens Schilling,1836 Range (in code): CY TR 06 07 14 18 19 26 37 38 42 46 51 66 67 70 74 78
- 3083. *Deraeocoris martini* (Puton,1887)** (Miridae) Synonym(s): martini Puton,1887; pallidus Reuter,1890 Range (in code): DZ EG CV Cn LY SD SA
- 3084. *Deraeocoris pallens* (Reuter,1904)** (Miridae) Synonym(s): pallens Reuter,1904; atramentarius Linnavuori,1975 TR SY IL Pa SY RU Sh Krl IR Ak Koa Th Il Kz Sh Krl IQ SA YE 01 21 27 31 33 46 47 48 79 80
- 3085. *Deraeocoris punctulatus* (Fallén,1807)** (Miridae) Synonym(s): punctulatus Fallén,1807; falleni Hahn,1834; poppius Reuter,1906; pulchellus Reuter,1906; pallidulus Stichel,1930 Cn Md TR SE DE CN Sz IR RU JP Hkk Sb Tv FR IT 01 06 07 27 31 33 46
- 3086. *Deraeocoris punctum* (Rambur,1842)** (Miridae) Synonym(s): punctum Rambur,1842; episcopalis A.Costa,1862; corruscus Garbiglietti,1869; nigerrimus Puton,1886; mimus Puton,1887; niger Ferrari,1888; pseudoschach Reuter,1894; immaculatus Stichel,1930; berkanensis Vidal,1936 Range (in code): Az DZ MA ES IT Cn Md PT TN TR
- 3087. *Deraeocoris putoni* (Montandon,1885)** (Miridae) Synonym(s): putoni Montandon,1885 Range (in code): IL Pa GR RO TR 06 22 35 39 50 57 59 70
- 3088. *Deraeocoris ruber* (Linnaeus,1758)** (Miridae) Synonym(s): ruber Linnaeus,1758; segusinus Müller,1766; lanarius Linnaeus,1767; capillaris Fabricius,1775; cimbricus Müller,1776; biguttatus Goeze,1778; croceus Goeze,1778; luteus Goeze,1778; rubroacuminatus Goeze,1778; melinus Harris,1780; rubens Harris,1780; flammeus Geoffroy,1785; tricolor Fabricius,1787; adustus Gmelin,1790; chrysocephalus Gmelin,1790; fuliginosus Gmelin,1790; haematocephalus Gmelin,1790; hamatostictos Gmelin,1790; rufescens Gmelin,1790; danicus Fabricius,1794; daniae Turton,1802; geniculus Turton,1802; concolor Reuter,1896; bicolor Knight,1921; fieberi Stichel,1930; dobsiki Stehlik,1948; denigratus Stichel,1956; scopoli Stichel,1958 Range (in code): SE FR Co CZ DK DE ES GB IT MK TR US 06 14 15 16 18 20 26 34 35 37 43 55 67 70 74 78
- 3089. *Deraeocoris rutilus* (Herrich-Schäffer,1838)** (Miridae) Synonym(s): rutilus Herrich-Schäffer,1838; bellicosus Horvath,1885; quadrimaculatus Jakovlev,1889; fasciatus Reuter,1904 Range (in code): Cc UA CY TR IL Pa MK 01 06 07 14 18 19 26 27 31 33 37 38 40 42 46 50 56 65 70 78 79 80
- 3090. *Deraeocoris schach* (Fabricius,1781)** (Miridae) Synonym(s): schach Fabricius,1781; miniatus Herrich-Schäffer,1838; novaki Horvath,1885; cunealis Reuter,1888; nigritus Reuter,1902; nigritus Reuter,1902; rutiloides Reuter,1905; rufipennis Reuter,1905; subrutilis Horvath,1914 Range (in code): FR ES IL Pa PT IT TN TR RU YU GR 05 07 35 45
- 3091. *Deraeocoris scutellaris* (Fabricius,1794)** (Miridae) Synonym(s): scutellaris Fabricius,1794; deruber E.Wagner & Weber,1955 Range (in code): GB RU Sb Tv DK SE DE TR 11 16 35 41 45 65
- 3092. *Deraeocoris serenus* Douglas & Scott,1868** (Miridae) Synonym(s): serenus Douglas & Scott,1868; desertus Becker,1864; beckeri Reuter,1900; extensus Stichel,1930; hoberlandti Stehlik,1948; nigriceps E.Wagner,1950 Range (in code): ES IT IL Pa EG Co DZ LY SD MK DE TR Cn Md SY LB RU Br 01 06 07 14 18 19 26 27 31 33 37 38 40 42 46 50 51 57 65 66 70 78 79
- 3093. *Deraeocoris trifasciatus* (Linnaeus,1767)** (Miridae) Synonym(s): trifasciatus Linnaeus,1767; variegatus Geoffroy,1785; elatus Fabricius,1794; elatior Turton,1802; annulatus Germar,1817; ultramontana Gredler,1784; imitator Horvath,1883; bipartitus Horvath,1884; regalis Horvath,1884; rubriceps Horvath,1907; conviva Horvath,1907; extremus Kiritshenko,1933; concolor Kiritshenko,1951 Range (in code): DE FR IT AT HU GG Cc GR UA SE TR 01 03 06 09 11 15 16 20 22 23 32 35 41 43 48 59 64
- 3094. *Deraeocoris ventralis* Reuter,1904** (Miridae) Synonym(s): alboscuteallatus Reuter,1891; marginiventris Rey,1894; ventralis Reuter,1904; flavoscuteallatus Stichel,1930; erythropus Kiritshenko,1952; megophthalmus Josifov & Kerzhner,1972 Range (in code): FR RU KG DE HV Sb Tv Us MK TR 65
- 3095. *Deraeocoris zarudnyi* Kiritshenko,1952** (Miridae) Synonym(s): zarudnyi Kiritshenko,1952 Range (in code): TJ TM UZ
- 3096. *Dicyphus albonasutus* E.Wagner,1951** (Miridae) Synonym(s): albonasutus E.Wagner,1951 Range (in code): DZ FR ES IT MK TR 06 07 17 35
- 3097. *Dicyphus alkannae* Seidenstücker,1956** (Miridae) Synonym(s): alkannae Seidenstücker,1956 Range (in code): TR 07 38 51 57 65 68



- 3098. *Dicyphus annulatus* (Wolff,1804)** (Miridae) Synonym(s): annulatus Wolff,1804; ononidis E.Wagner,1951 Range (in code): MA IT FR TR IL Pa GB Co DE o8 41
- 3099. *Dicyphus azadicus* Linnavuori & Hosseini,1999** (Miridae) Synonym(s): azadicus Linnavuori & Hosseini,1999 Range (in code): IR
- 3100. *Dicyphus bolivari* (Lindberg,1934)** (Miridae) Synonym(s): bolivari Lindberg,1934; atlanticus E.Wagner,1951 Range (in code): Cn ES Co FR IT TR 38
- 3101. *Dicyphus cerastii* E.Wagner,1951** (Miridae) Synonym(s): cerastii E.Wagner,1951 Range (in code): HV TR MK FR PT RU 35
- 3102. *Dicyphus deylamanus* Linnavuori & Hosseini,1999** (Miridae) Synonym(s): deylamanus Linnavuori & Hosseini,1999 Range (in code): IR
- 3103. *Dicyphus digitalidis* (Josifov,1958)** (Miridae) Synonym(s): digitalidis Josifov,1958 Range (in code): BG TR o7 31 80
- 3104. *Dicyphus eckerleini* E.Wagner,1963** (Miridae) Synonym(s): eckerleini E.Wagner,1963 Range (in code): BG TR LB IR o6 o7
- 3105. *Dicyphus errans* (Wolff,1804)** (Miridae) Synonym(s): errans Wolff,1804; collaris Fallén,1807; longicollis Fallén,1829 Range (in code): SE IT FR TR GB Co Si DE IT MK o8 19 31 33 35 36 37 38 42 50 80
- 3106. *Dicyphus geniculatus* (Fieber,1858)** (Miridae) Synonym(s): geniculata Fieber,1858; dispuncta Reuter,1903; obscurata Reuter,1913 Range (in code): ES Co CZ SK HU YU RU FR TR IT o8 33 36 67
- 3107. *Dicyphus globulifer* (Fallén,1829)** (Miridae) Synonym(s): globulifer Fallén,1829; alienus Herrich-Schäffer,1836; cylloroides Scholtz,1847; scabricollis A.Costa,1862; reuteri Stichel,1933 Range (in code): SE DE PL IT GB FR DK RU Sb YU TR 35
- 3108. *Dicyphus hyalinipennis* (Burmeister,1835)** (Miridae) Synonym(s): hyalinipennis Burmeister,1835; divisus Stichel,1956; fumatus Stichel,1956 Range (in code): Cn PT IT Md CZ TR CY o1 o7 o8 33 35 40 41 45
- 3109. *Dicyphus lindbergi* E.Wagner,1951** (Miridae) Synonym(s): lindbergi E.Wagner,1951 Range (in code): CY IL Pa
- 3110. *Dicyphus linnavuorii* E.Wagner,1967** (Miridae) Synonym(s): linnavuorii E.Wagner,1967 Range (in code): IL Pa
- 3111. *Dicyphus montandoni* Reuter,1888** (Miridae) Synonym(s): montandoni Reuter,1888 Range (in code): BG RU UA RO TR o6 15 17 35 38 50 51
- 3112. *Dicyphus orientalis* Reuter,1879** (Miridae) Synonym(s): orientalis Reuter,1879; physochlaenae Hutchinson,1934; sibiricus Kerzhner,1973 Range (in code): UZ CN Ti IN RU Tv At IR
- 3113. *Dicyphus pallidicornis* (Fieber,1861)** (Miridae) Synonym(s): pallidicornis Fieber,1861; stotti China,1930; fuscus Stichel,1933; virescens Stichel,1933 Range (in code): ES GB IT Si TR SE DE DK US CA CBo 11 67
- 3114. *Dicyphus seleucus* Seidenstücker,1969** (Miridae) Synonym(s): seleucus Seidenstücker,1969 Range (in code): TR 31
- 3115. *Dicyphus tamaninii* E.Wagner,1951** (Miridae) Synonym(s): tamaninii E.Wagner,1951 Range (in code): ES HV IT IL Pa
- 3116. *Dicyphus testaceus* Reuter,1879** (Miridae) Synonym(s): testaceus Reuter,1879 Range (in code): IR TJ UZ KK KG CN Ui Bc
- 3117. *Dimorphocoris argaeicus* Hoberlandt,1956** (Miridae) Synonym(s): argaeicus Hoberlandt,1956 Range (in code): TR 38
- 3118. *Dimorphocoris cilix* Seidenstücker,1962** (Miridae) Synonym(s): cilix Seidenstücker,1962 Range (in code): TR o1 33 51
- 3119. *Dimorphocoris debilis* (Reuter,1880)** (Miridae) Synonym(s): debilis Reuter,1880; italicus Tamanini,1981; mahgrebi Ehanno,1993; noualhieri Ehanno,1993; vidali Ehanno,1993 Range (in code): IT TR IL Pa GR LY ZD MA ES EG TN o3 10 17 34 35
- 3120. *Dimorphocoris distylus* Seidenstücker,1964** (Miridae) Synonym(s): distylus Seidenstücker,1964 Range (in code): TR o3 o6 o7 26 36 38 43 71
- 3121. *Dimorphocoris eckerleini* E.Wagner,1965** (Miridae) Synonym(s): eckerleini E.Wagner,1965 Range (in code): LY CY IL Pa
- 3122. *Dimorphocoris lateralis* Reuter,1901** (Miridae) Synonym(s): lateralis Reuter,1901 Range (in code): Cr IL Pa
- 3123. *Dimorphocoris mariae* Linnavuori,1962** (Miridae) Synonym(s): mariae Linnavuori,1962 Range (in code): LY IL Pa DZ TR 35
- 3124. *Dimorphocoris punctiger* (Horvath,1881)** (Miridae) Synonym(s): punctiger Horvath,1881 Range (in code): IL Pa
- 3125. *Dimorphocoris seidenstueckeri* Linnavuori,1984** (Miridae) Synonym(s): seidenstueckeri Linnavuori,1984 Range (in code): IQ
- 3126. *Dimorphocoris tauricus* (Horvath,1880)** (Miridae) Synonym(s): tauricus Horvath,1880 Range (in code): TR Cm RU At o1 o5 46 51

- 3127. Dimorphocoris toros Seidenstücker,1962** (Miridae) Synonym(s): toros Seidenstücker,1962  
Range (in code): TR 51
- 3128. Dimorphocoris tristis (Fieber,1861)** (Miridae) Synonym(s): tristis Fieber,1861 Range (in code): TR DZ MA ES PT GR 17 33
- 3129. Dionconotus cruentatus (Brullé,1832)** (Miridae) Synonym(s): cruentatus Brullé,1832; montivagus A.Costa,1862; lateralis Ferrari,1874; moestus Reuter,1896; major E.Wagner,1968 TR GR IT Si IL Pa Cr 07 27 33 42 70 79
- 3130. Dionconotus neglectus (Fabricius,1798)** (Miridae) Synonym(s): neglectus Fabricius,1798; flavescens Ferrari,1874; creticus Heiss,1984 TR IT AT Cr GR LB 07
- 3131. Dionconotus parnisanus Hoberlandt,1945** (Miridae) Synonym(s): parnisanus Hoberlandt,1945; ienisteai Sienkiewicz,1960 TR GR RO 33
- 3132. Dryophilocoris flavoquadrinaculatus (De Geer,1773)** (Miridae) Synonym(s): flavoquadrinaculatus De Geer,1773; tricolor Gmelin,1790; quadrinaculatus Schrank,1801; flavomaculatus Wolff,1802 TR 06
- 3133. Dryophilocoris persimilis (Puton,1895)** (Miridae) Synonym(s): persimilis Puton,1895 TR 07 11 14 20 31 33 37 42 43 64
- 3134. Ehippiocoris lunatus Poppius,1912** (Miridae) Synonym(s): lunatus Poppius,1912 CN Ui Cc TR 76
- 3135. Eumecotarsus milidius Seidenstücker,1980** (Miridae) Synonym(s): milidius Seidenstücker,1980  
Range (in code): TR Cc IR Elb Th
- 3136. Eurycolpus annulatus E.Wagner,1976** (Miridae) Synonym(s): annulatus E.Wagner,1976 Range (in code): TR 18 38 43 46 51 64 78
- 3137. Eurycolpus aureolus Seidenstücker,1961** (Miridae) Synonym(s): aureolus Seidenstücker,1961  
Range (in code): TR 01 06 33 40 46 51
- 3138. Eurycolpus enslini Seidenstücker,1959** (Miridae) Synonym(s): enslini Seidenstücker,1959  
Range (in code): TR 07 46 51
- 3139. Eurycolpus flaveolus (Stal,1858)** (Miridae) Synonym(s): flaveolus Stal,1858; fenestratus Fieber,1858; rubiginosa Stichel,1956; kuliki E.Wagner,1965; #flavoelus Önder et al.,2006 Range (in code): CZ RU Sb DE TR 35
- 3140. Fulvius oxycarenoides (Reuter,1878)** (Miridae) Synonym(s): punctumalbum Rossi,1790 (praeocc.); oxycarenoides Reuter,1878; ornatulus Jakovlev,1879 Range (in code): TR IT GR Cc IR Kd Mrv 01
- 3141. Glaphyrocoris agaue Linnavuori,1996** (Miridae) Synonym(s): agaue Linnavuori,1996 Range (in code): SA
- 3142. Glaphyrocoris ebikh Linnavuori,1984** (Miridae) Synonym(s): ebikh Linnavuori,1984 Range (in code): IQ Ssa
- 3143. Glaphyrocoris iranicus Linnavuori,1965** (Miridae) Synonym(s): unifasciatus Reuter,1904 nec Reut.,1903; iranicus Linnavuori,1965 Range (in code): IR
- 3144. Glaphyrocoris puncticollis (Linnavuori,1965)** (Miridae) Synonym(s): puncticollis Linnavuori,1965 Range (in code): IR
- 3145. Glaphyrocoris secundus (Linnavuori,1961)** (Miridae) Synonym(s): secundus Linnavuori,1961  
Range (in code): IL Pa
- 3146. Globiceps armeniacus Drapolyuk,1999** (Miridae) Synonym(s): armeniacus Drapolyuk,1999  
Range (in code): AM Cc
- 3147. Globiceps astragali Seidenstücker,1964** (Miridae) Synonym(s): astragali Seidenstücker,1964  
Range (in code): TR 06 16 38 42 46
- 3148. Globiceps caucasicus Poppius,1912** (Miridae) Synonym(s): caucasicus Poppius,1912 Range (in code): Cc TR 04 36
- 3149. Globiceps flavomaculatus (Fabricius,1794)** (Miridae) Synonym(s): flavomaculatus Fabricius,1794; selectus Fieber,1858 Range (in code): DE CZ FR RU Sb IT Tv SE DK TR MN 06 14 18 43 74
- 3150. Globiceps fulvicollis Jakovlev,1877** (Miridae) Synonym(s): fulvicollis Jakovlev,1877; cruciatus Reuter,1879; suturalis Reuter,1879; dubius Reuter,1901 Range (in code): RU Sr FR CH Co CZ TR GB Sb DK IT 22 25
- 3151. Globiceps genistae Seidenstücker,1971** (Miridae) Synonym(s): genistae Seidenstücker,1971  
Range (in code): TR 16 37 38
- 3152. Globiceps horvathi Reuter,1912** (Miridae) Synonym(s): horvathi Reuter,1912 Range (in code): CZ SK HU GR MK SK IT TR 03 06 17 21 22 35 49 59 64
- 3153. Globiceps monticolus Linnavuori,2006** (Miridae) Synonym(s): monticolus Linnavuori,2006  
Range (in code): IR Gh
- 3154. Globiceps rubi Wagner,1964** (Miridae) Synonym(s): rubi Wagner,1964 Range (in code): IL Pa
- 3155. Globiceps sordidus Reuter,1876** (Miridae) Synonym(s): sordidus Reuter,1876; albipennis Jakovlev,1877 Range (in code): HU RU Ao CZ SK KG TR 06 18 21 32 33 37 38 42 51
- 3156. Globiceps sphegiformis (Rossi,1790)** (Miridae) Synonym(s): sphegiformis Rossi,1790; capito Lepeleteier & Audinet-Serville,1825; decoratus (Meyer-Dür,1843 Range (in code): FR IT CH CZ SK Co DE MK TR 03 06 07 08 11 16 17 18 20 33 37 38 42 43 48 59 64 70 74

- 3157. *Globiceps syriacus* Wagner,1969** (Miridae) **Synonym(s):** horvathi Wagner,1960 nec Reut.; syriacus Wagner,1969; brevicornis Linnavuori,1992 **Range (in code):** **SY TR IL Pa 31 33 48**
- 3158. *Globiceps thymi* Seidenstücker,1964** (Miridae) **Synonym(s):** thymi Seidenstücker,1964 **Range (in code):** **TR 42**
- 3159. *Globiceps tragacanthae* Putshkov,1978** (Miridae) **Synonym(s):** tragacanthae Putshkov,1978 **Range (in code):** **AZ Cc**
- 3160. *Grypocoris adjerensis* Putshkov,1975** (Miridae) **Synonym(s):** adjerensis Putshkov,1975 **Range (in code):** **TM Kp**
- 3161. *Grypocoris amoenus* (Douglas & Scott,1868)** (Miridae) **Synonym(s):** moenus Douglas & Scott,1868; elegans Reuter,1877 **Range (in code):** **IL Pa SY TR 31 33 46**
- 3162. *Grypocoris fieberi* Douglas & Scott,1868** (Miridae) **Synonym(s):** fieberi Douglas & Scott,1868; blandus Puton,1881 **Range (in code):** **IL Pa SY JO TR 06 13 21 23 24 27 30 31 46 56 65 78 80**
- 3163. *Grypocoris heinzi* Wagner,1966** (Miridae) **Synonym(s):** heinzi Wagner,1966 **Range (in code):** **TR 06 14 18 37**
- 3164. *Grypocoris melanopygus* Horvath,1906** (Miridae) **Synonym(s):** melanopygus Horvath,1906; #melonopygus Önder et al.,2006 **Range (in code):** **TR 06 37 38 42 46 50 80**
- 3165. *Grypocoris meyeri* (Kolenati,1845)** (Miridae) **Synonym(s):** meyeri Kolenati,1845 **Range (in code):** **SY TR RU Cc 01**
- 3166. *Grypocoris nigriceps* Rosenzweig,2000** (Miridae) **Synonym(s):** nigriceps Rosenzweig,2000 **Range (in code):** **IR Gh**
- 3167. *Grypocoris syriacus* Reuter,1896** (Miridae) **Synonym(s):** syriacus Reuter,1896 **Range (in code):** **IL Pa SY TR 01 31 46 80**
- 3168. *Hallodapus costae* (Reuter,1890)** (Miridae) **Synonym(s):** costae Reuter,1890; longicornis Reuter,1904 **Range (in code):** **IQ Kbl Bgd CV SA YE SD EG IL Pa TZ Pb ZA Tva Lpo CI NG TD ER ZR**
- 3169. *Hallodapus pilosus* (Reuter,1882)** (Miridae) **Synonym(s):** pilosus Reuter,1882 **Range (in code):** **IQ Bgd SA**
- 3170. *Hallodapus pseudoconcolor* (Linnavuori,1984)** (Miridae) **Synonym(s):** pseudoconcolor Linnavuori,1984 **Range (in code):** **IQ Ssa Bgd Kbl**
- 3171. *Laemocoris farsianus* Linnavuori,2004** (Miridae) **Synonym(s):** farsianus Linnavuori,2004 **Range (in code):** **IR Hz**
- 3172. *Laemocoris orphanus* Linnavuori,1964** (Miridae) **Synonym(s):** orphanus Linnavuori,1964 **Range (in code):** **IQ SA**
- 3173. *Laemocoris trimaculatus* Linnavuori,1964** (Miridae) **Synonym(s):** trimaculatus Linnavuori,1964 **Range (in code):** **YE Ad SA**
- 3174. *Laemocoris zarudnyi* Reuter,1904** (Miridae) **Synonym(s):** zarudnyi Reuter,1904 **Range (in code):** **IR**
- 3175. *Lepidargyrus ancorifer* (Fieber,1858)** (Miridae) **Synonym(s):** ancorifer Fieber,1858; fuscineris Reuter,1875; minor Reuter,1883; puberulus Montandon,1887 **Range (in code):** **FR ES Co B-H TR GR IT US Cf DE 01 35**
- 3176. *Lepidargyrus hafezi* Linnavuori & Hosseini,1998** (Miridae) **Synonym(s):** hafezi Linnavuori & Hosseini,1998 **Range (in code):** **IR**
- 3177. *Lepidargyrus iranica* Muminov,1962** (Miridae) **Synonym(s):** iranica Muminov,1962 **Range (in code):** **IR Ak Kz**
- 3178. *Lepidargyrus pollinosus* (Horvath,1906)** (Miridae) **Synonym(s):** pollinosus Horvath,1906; vesicatus E.Wagner,1956 **Range (in code):** **SY Hal TR 01 31 38 46 51**
- 3179. *Lepidargyrus seidenstueckeri* (E.Wagner,1956)** (Miridae) **Synonym(s):** seidenstueckeri E.Wagner,1956 **Range (in code):** **TR SY Ttu 31**
- 3180. *Lepidargyrus senguni* (E.Wagner,1956)** (Miridae) **Synonym(s):** senguni E.Wagner,1956 **Range (in code):** **SY Ttu Hms**
- 3181. *Lepidargyrus syriacus* (E.Wagner,1956)** (Miridae) **Synonym(s):** syriacus E.Wagner,1956; alyssi Putshkov,1959 **Range (in code):** **UA AZ AM Cc IL Pa IR Kz SY Ttu Ham Hms TR?**
- 3182. *Leptopterna dolabrata* (Linnaeus,1758)** (Miridae) **Synonym(s):** dolabrata Linnaeus,1758; frumentarius Poda,1761; riparius Scopoli,1763; deses Müller,1776; lateralis Fabricius,1777; antennirectus Goeze,1778; v-flavum Goeze,1778; porrectus Geoffroy,1785; abbreviatus Wolff,1802; pictipes Curtis,1838; belangeri Provancher,1872; aurantiaca Reuter,1875 **Range (in code):** **US Als CA TR 01 06 16 18 22 28 36 37 41 46 67 78**
- 3183. *Leptopterna ferrugata* (Fallén,1807)** (Miridae) **Synonym(s):** ferrugata Fallén,1807; discors A.Costa,1853 **Range (in code):** **TR SE IT GB RU Sb DE DK YU US Col Als Cf 22 38 42**
- 3184. *Liocoris tripustulatus* (Fabricius,1781)** (Miridae) **Synonym(s):** tripustulatus Fabricius,1781 **Range (in code):** **Az Md Cn TR TM UZ CN Ui Bc 01 06 07 14 19 27 31 33 38 42 46 50 51 66 68 78 80**
- 3185. *Lygus gemellatus* (Herrich-Schäffer,1835)** (Miridae) **Synonym(s):** gemellatus Herrich-Schäffer,1835 **Range (in code):** **TR 01 04 05 06 07 20 21 22 23 33 36 38 42 43 46 50**
- 3186. *Lygus lucorum* (Meyer-Dür,1843)** (Miridae) **Synonym(s):** lucorum Meyer-Dür,1843 **Range (in code):** **TR 18 36**
- 3187. *Lygus maritimus* E.Wagner,1949** (Miridae) **Synonym(s):** maritimus E.Wagner,1949 **Range (in code):** **TR DE BE DK FR NL GB Cn TR 01 06 14**



- 3188. *Lygus pabulinus* (Linnaeus,1761)** (Miridae) Synonym(s): pabulinus Linnaeus,1761 Range (in code): **TR Az Cn Md TR**
- 3189. *Lygus perniciosus* (Seidenstücker,1957)** (Miridae) Synonym(s): perniciosus Seidenstücker,1957 Range (in code): **TR 33 42**
- 3190. *Lygus pratensis* (Linnaeus,1758)** (Miridae) Synonym(s): pratensis Linnaeus,1758; umbellatarum Scopoli,1763; rubecula Goeze,1778; viridulus Panzer,1804; alpinus Kolenati,1845 Range (in code): **IT DE AT GB RU Sb DK FR Co MK SE BE BG CY CZ FI GG Cc GR HU TR IR Ak Koa IR IN CN 01 06 07 18 19 26 27 31 37 38 39 40 42 46 46A 50 51 57 65 66 67 70 74 78 80**
- 3191. *Lygus punctatus* (Zetterstedt,1839)** (Miridae) Synonym(s): punctatus Zetterstedt,1839 Range (in code): **TR 06 08 25 36 55 61**
- 3192. *Lygus rugulipennis* Poppius,1911** (Miridae) Synonym(s): rugulipennis Poppius,1911; pubescens Reuter,1912; perplexus Stanger,1942; immaculatus E.Wagner,1949; obscura E.Wagner,1949; disponi Linnavuori,1961 Range (in code): **US Cf CA Abt BCo Yuk Als Col Org Id Mon FI SE GB Si JP Hkk RU Sb Tv Sh Krl MK ES DE DK IT TR IR Ak Koa 01 06 07 18 19 26 27 37 38 40 42 46 50 51 57 65 66 67 68 71 74 78 81**
- 3193. *Lygus wagneri* Remane,1955** (Miridae) Synonym(s): wagneri Remane,1955 Range (in code): **TR 61**
- 3194. *Macrolophus caliginosus* E.Wagner,1950** (Miridae) Synonym(s): caliginosus E.Wagner,1950 Range (in code): **IT Si IL Pa PT Co LY Cn Md MK TR 01 07 08 10 17 20 21 31 33 35 38 45 47 48 50 57 65**
- 3195. *Macrolophus costalis* Fieber,1858** (Miridae) Synonym(s): costalis Fieber,1858; rubi Woodroffe,1956 Range (in code): **TR Co GB IL Pa IT EG RU MK 07 18 19 26 31 33 37 38 42 40 46 50 51 57 67 68 71 80**
- 3196. *Macrolophus glaucescens* Fieber,1858** (Miridae) Synonym(s): glaucescens Fieber,1858 Range (in code): **SK FR TR RU 07 31**
- 3197. *Macrolophus melanotoma* (Costa,1852)** (Miridae) Synonym(s): melanotoma Costa,1852 Range (in code): **IT Sa HU TR 06**
- 3198. *Macrolophus pygmaeus* (Rambur,1839)** (Miridae) Synonym(s): nubilus Herrich-Schäffer,1835; nec nubilus Say,1832; pygmaeus Rambur,1839; brevicornis E.Wagner,1957; balcanicus E.Wagner,1959; geranii Josifov,1961; insignis Josifov,1968 Range (in code): **DE ES TR MK SK BG Cr DK IT RU 01 07 27 31 33 38 40 46 50 51 70 79 80**
- 3199. *Macrotylus anahtaris* Seidenstücker,1959** (Miridae) Synonym(s): anahtaris Seidenstücker,1959 Range (in code): **TR 42 51**
- 3200. *Macrotylus ancoratus* Seidenstücker,1959** (Miridae) Synonym(s): ancoratus Seidenstücker,1959 Range (in code): **TR 06 33 50**
- 3201. *Macrotylus ancyranus* Seidenstücker,1969** (Miridae) Synonym(s): ancyranus Seidenstücker,1969 Range (in code): **TR IQ 06 50 51 70**
- 3202. *Macrotylus antennalis* Horvath,1905** (Miridae) Synonym(s): antennalis Horvath,1905 Range (in code): **TR 38 51**
- 3203. *Macrotylus atricapillus* (Scott,1872)** (Miridae) Synonym(s): atricapillus Scott,1872 Range (in code): **RU HU CY TR 07 31 80**
- 3204. *Macrotylus attenuatus* Jakovlev,1882** (Miridae) Synonym(s): attenuatus Jakovlev,1882 Range (in code): **RU Sr TR 38**
- 3205. *Macrotylus bipunctatus* Reuter,1879** (Miridae) Synonym(s): bipunctatus Reuter,1879 Range (in code): **DZ FR ES TR 17 39 64**
- 3206. *Macrotylus dentifer* Wagner,1969** (Miridae) Synonym(s): dentifer Wagner,1969 Range (in code): **YU BG TR 06**
- 3207. *Macrotylus elevatus* Fieber,1858** (Miridae) Synonym(s): elevatus Fieber,1858 Range (in code): **DZ MA FR ES RU HU RO TN TR 10 16 45**
- 3208. *Macrotylus galatinus* Seidenstücker,1968** (Miridae) Synonym(s): galatinus Seidenstücker,1968 Range (in code): **TR 06 19**
- 3209. *Macrotylus hamatus* Seidenstücker,1963** (Miridae) Synonym(s): hamatus Seidenstücker,1963 Range (in code): **TR 11 38 39 50**
- 3210. *Macrotylus herrichi* (Reuter,1873)** (Miridae) Synonym(s): herrichi Reuter,1873; flavus Polentz,1954; unicolor Polentz,1954 Range (in code): **DE ES IT TR 06 07 27 42 46**
- 3211. *Macrotylus horvathi* (Reuter,1876)** (Miridae) Synonym(s): horvathi Reuter,1876 Range (in code): **TR 06 42**
- 3212. *Macrotylus interpositus* Wagner,1951** (Miridae) Synonym(s): interpositus Wagner,1951 Range (in code): **AL FR ES TR YU 31 35 46 48 80**
- 3213. *Macrotylus lindbergi* Wagner,1953** (Miridae) Synonym(s): lindbergi Wagner,1953 Range (in code): **CY**
- 3214. *Macrotylus longulus* Poppius,1912** (Miridae) Synonym(s): longulus Poppius,1912 Range (in code): **RU TR 0133 46**
- 3215. *Macrotylus nasutus* Wagner,1959** (Miridae) Synonym(s): nasutus Wagner,1959 Range (in code): **MA TR 01 07 31 33**

- 3216. *Macrotylus paykullii* (Fallén,1807)** (Miridae) Synonym(s): paykullii Fallén,1807 Range (in code): Cn TR 07 10 11 17 20 22 31 35 39 46 48 80
- 3217. *Macrotylus perdictus* Kritshenko,1938** (Miridae) Synonym(s): perdictus Kritshenko,1938; echinopsis Lindberg,1948 Range (in code): RU CY IR TR SY IQ 01 07 12 27 30 31 33 46 47 79 80
- 3218. *Macrotylus ponticus* Seidenstücker,1966** (Miridae) Synonym(s): ponticus Seidenstücker,1966 Range (in code): TR 14 28 37 52 67
- 3219. *Macrotylus quadrilineatus* (Schränk,1785)** (Miridae) Synonym(s): quadrilineatus Schränk,1785 Range (in code): DE AT CH CY HU PL RO RU TR 35
- 3220. *Macrotylus seidenstueckeri* Wagner,1954** (Miridae) Synonym(s): seidenstueckeri Wagner,1954 Range (in code): TR 01 07 33
- 3221. *Macrotylus solitarius* (Meyer-Dür,1843)** (Miridae) Synonym(s): solitarius Meyer-Dür,1843; pilosus Douglas & Scott,1865; mayri Reuter,1904 Range (in code): GB CH DE DK SE MK ES BG FR TR 64
- 3222. *Macrotylus suhaili* Ghauri,1978** (Miridae) Synonym(s): suhaili Ghauri,1978 Range (in code): PK
- 3223. *Macrotylus syriacus* Wagner,1963** (Miridae) Synonym(s): syriacus Wagner,1963 Range (in code): SY
- 3224. *Macrotylus talhouki* Wagner,1976** (Miridae) Synonym(s): talhouki Wagner,1976 Range (in code): LB
- 3225. *Macrotylus tamerus* Wagner,1975** (Miridae) Synonym(s): tamerus Wagner,1975 Range (in code): SY
- 3226. *Macrotylus weberi* Wagner,1976** (Miridae) Synonym(s): weberi Wagner,1976 Range (in code): TR 06 27 33 50 64 71
- 3227. *Mecomma pervinius* Önder,1974** (Miridae) Synonym(s): pervinius Önder,1974; lodosi Önder,1979 Range (in code): TR 08 61
- 3228. *Megacoelum beckeri* (Fieber,1870)** (Miridae) Synonym(s): beckeri Fieber,1870; lethierryi Fieber,1870; fasciatus Jakovlev,1875; strigipes Reuter,1877; pulchricorne Reuter,1880; reficeps Reuter,1880; fusca Stichel,1930; rufotestaceus Stichel,1930 TR FR IT RU Sr GR Co DE CZ GB PT ES BG AT IR 06
- 3229. *Megacoelum infusum* (Herrich-Schäffer,1837)** (Miridae) Synonym(s): infusum Herrich-Schäffer,1837; validicornis Boheman,1852; reuteri Stichel,1930; infusca Stichel,1957 TR SE GB DK DE IT BG AT FR 07 27 38 46 67
- 3230. *Megalocoleus dissimilis* (Reuter,1876)** (Miridae) Synonym(s): dissimilis Reuter,1876 Range (in code): IT HU TM TR 06
- 3231. *Megalocoleus exsanguis* (Herrich-Schäffer,1835)** (Miridae) Synonym(s): exsanguis Herrich-Schäffer,1835 Range (in code): TR 06
- 3232. *Megalodactylus grandoculus* Linnavuori,2010** (Miridae) Synonym(s): grandoculus Linnavuori,2010 Range (in code): IR Kz
- 3233. *Mimocoris coarctatus* (Mulsant & Rey,1852)** (Miridae) Synonym(s): coarctatus Mulsant & Rey,1852; angusticollis E.Wagner,1948 TR ES FR 07 31
- 3234. *Mimocoris rugicollis* (A.Costa,1853)** (Miridae) Synonym(s): rugicollis A.Costa,1853; camaranotoides J.Scott,1872; paederoides A.Cota,1884; formosus Horvath,1923 TR IT Co HV BG 07 33 37
- 3235. *Myrmecophyes alacer* Horvath,1927** (Miridae) Synonym(s): caucasicus Horvath,1927; alacer Horvath,1927 Range (in code): AZ Len Cc
- 3236. *Myrmecophyes armeniacus* Drapolyuk,1989** (Miridae) Synonym(s): armeniacus Drapolyuk,1989 Range (in code): AM Cc TR 36
- 3237. *Myrmecophyes variabilis* Drapolyuk,1989** (Miridae) Synonym(s): variabilis Drapolyuk,1989 Range (in code): AZ Cc
- 3238. *Nasocoris albipennis* Lindberg,1939** (Miridae) Synonym(s): albipennis Lindberg,1939 Range (in code): EG Sn IQ Ttl IR Kh SA IL Pa
- 3239. *Nasocoris arabicus* Linnavuori,1999** (Miridae) Synonym(s): arabicus Linnavuori,1999 Range (in code): SA
- 3240. *Nasocoris argyrottrichus* Reuter,1879** (Miridae) Synonym(s): argyrottrichus Reuter,1879; badia Stichel,1956; brevicornis Linnavuori,1968 Range (in code): KG MN IR Ak Fa
- 3241. *Nasocoris argyrottrichus* Reuter,1879** (Miridae) Synonym(s): argyrottrichus Reuter,1879 Range (in code): MN TJ Pm IR Kh
- 3242. *Nasocoris artemis* Linnavuori,1968** (Miridae) Synonym(s): artemis Linnavuori,1968 Range (in code): IL Pa
- 3243. *Nasocoris convexicollis* Linnavuori,1999** (Miridae) Synonym(s): convexicollis Linnavuori,1999 Range (in code): IL Pa
- 3244. *Nasocoris desertorum* Kerzhner,1970** (Miridae) Synonym(s): desertorum Kerzhner,1970 Range (in code): TM IR Fa
- 3245. *Nasocoris serratus* Linnavuori,1984** (Miridae) Synonym(s): serratus Linnavuori,1984 Range (in code): IQ IR Se
- 3246. *Nasocoris tuberculicollis* Linnavuori,1999** (Miridae) Synonym(s): tuberculicollis Linnavuori,1999 Range (in code): IQ

- 3247. Nesidiocoris alkannae Linnavuori,1975** (Miridae) Synonym(s): alkannae Linnavuori,1975 Range (in code): SA YE
- 3248. Nesidiocoris echinopis Linnavuori & Al-Safadi,1993** (Miridae) Synonym(s): echinopis Linnavuori & Al-Safadi,1993 Range (in code): YE
- 3249. Nesidiocoris kristenseni Poppius,1914** (Miridae) Synonym(s): kristenseni Poppius,1914 Range (in code): ER YE
- 3250. Nesidiocoris tenuis (Reuter,1895)** (Miridae) Synonym(s): #tamaricis Puton,1886; tenuis Reuter,1895; crassicornis Distant,1904; javanus Poppius,1914; nocivus Fulmek,1925 Range (in code): CV ZA Tva UG EG IL Pa CN DZ Md TN IN MM ID Sum Ja TR IR KP KR LY PR CU SD IT SA US CfNMx VE 01 07 33 35
- 3251. Nicticoris wagneri Hoberlandt,1961** (Miridae) Synonym(s): wagneri Hoberlandt,1961 Range (in code): TR 06
- 3252. Notostira elongata (Geoffroy,1785)** (Miridae) Synonym(s): elongata Geoffroy,1785; pubicornis Schrank,1785; viriduscula Gmelin,1790; quadrilineatus Schrank,1801; caucasica Kolenati,1845; depicta Reuter,1911 Range (in code): FR DE Cc AM AZ GG IT DK TR GB RU Tv Sb CN 06 08 18 19 36 38 43 50 57 65 66
- 3253. Notostira erratica (Linnaeus,1758)** (Miridae) Synonym(s): erratica Linnaeus,1758; tritici Curtis,1838; tricotata A.Costa,1853; virescens Fieber,1861; ancestralis Reuter,1911; atavus Reuter,1911; authumnalis Stichel,1930 Range (in code): GB IT ES FR DE PL TR RU DK SE Cc AM GG MK 01 04 06 08 11 16 18 35 37 38 42 56 66 74 78
- 3254. Oncotylus anatolicus E.Wagner,1969** (Miridae) Synonym(s): anatolicus E.Wagner,1969 Range (in code): TR 06 27 31 51
- 3255. Oncotylus basicornis Horvath,1901** (Miridae) Synonym(s): basicornis Horvath,1901 Range (in code): TR IQ 31 51
- 3256. Oncotylus horvathi Reuter,1901** (Miridae) Synonym(s): horvathi Reuter,1901 Range (in code): AM Cc
- 3257. Oncotylus innotatus E.Wagner,1969** (Miridae) Synonym(s): innotatus E.Wagner,1969 Range (in code): SY TR IQ
- 3258. Oncotylus longicornis E.Wagner,1969** (Miridae) Synonym(s): longicornis E.Wagner,1969 Range (in code): IL Pa
- 3259. Oncotylus nigdensis Linnavuori,1961** (Miridae) Synonym(s): nigdensis Linnavuori,1961 Range (in code): TR 06 33 51
- 3260. Oncotylus persicus Reuter,1879** (Miridae) Synonym(s): persicus Reuter,1879 Range (in code): IR
- 3261. Oncotylus puncticeps Reuter,1873** (Miridae) Synonym(s): puncticeps Reuter,1873 Range (in code): RU Sb MK DE DK SE TR 04 25 43
- 3262. Oncotylus pyrethri (Becker,1864)** (Miridae) Synonym(s): pyrethri Becker,1864 Range (in code): RU Sr TR 06 32
- 3263. Oncotylus setulosus (Herrich-Schäffer,1837)** (Miridae) Synonym(s): setulosus Herrich-Schäffer,1837 Range (in code): TR IR Ab Oru 01 06 18 19 21 23 27 32 36 37 38 42 46 50 70 74 78
- 3264. Oncotylus viridiflavus (Goeze,1778)** (Miridae) Synonym(s): viridiflavus Goeze,1778; nigropunctatus Geoffroy,1785; chloris Gmelin,1790; tanacetii Schrank,1801; trisignatus Assmann,1854; longipes E.Wagner,1954 Range (in code): FR PL GB DE SE MK TR IR Ar Ab Oru 06 31 36 38 42 49
- 3265. Oncotylus vitticeps Reuter,1879** (Miridae) Synonym(s): vitticeps Reuter,1879; pennicornis Jakovlev,1880 Range (in code): RU Sr CN Ui IR Ab Oru
- 3266. Opisthotaenia fulvipes Reuter,1901** (Miridae) Synonym(s): fulvipes Reuter,1901 Range (in code): AZ AM Cc IQ TR 05 18 21 38 44 51 65
- 3267. Opisthotaenia glauca Seidenstücker,1968** (Miridae) Synonym(s): glauca Seidenstücker,1968 Range (in code): TR 06
- 3268. Orthocephalus bivittatus Fieber,1864** (Miridae) Synonym(s): bivittatus Fieber,1864; bilineatus Jakovlev,1875; niger Reuter,1879 Range (in code): AM Cc AZ GG IR Elb Th KG KK RU Sr Ao Or Om At TM TJ TR UA Cm UZ 03 06 22 43 45 64
- 3269. Orthocephalus brevis (Panzer,1798)** (Miridae) Synonym(s): brevis Panzer,1798; panzeri Fieber,1861; confinis Reuter,1879 Range (in code): FR AT EE LT DE MN RU Om Or Tv Ya AM AZ GG Cc TR KG BY UA Cm 16
- 3270. Orthocephalus fulvipes Reuter,1904** (Miridae) Synonym(s): tenuicornis Mulsant & Rey,1852 nec Say,1852; fulvipes Reuter,1904 Range (in code): DZ CY TR IR Gh Kh Kz Se IL Pa 01 06 27 33 35 48 59 63
- 3271. Orthocephalus melas Seidenstücker,1962** (Miridae) Synonym(s): melas Seidenstücker,1962 Range (in code): TR 46 51
- 3272. Orthocephalus modarresi Linnavuori,1997** (Miridae) Synonym(s): modarresi Linnavuori,1997 Range (in code): IR Kh Th Elb Kdv
- 3273. Orthocephalus proserpinae (Mulsant & Rey,1852)** (Miridae) Synonym(s): proserpinae Mulsant & Rey,1852; coracinus Puton,1874 Range (in code): FR GR TR IT Si MA DZ TN 17 31 57
- 3274. Orthocephalus rhyaropus Fieber,1864** (Miridae) Synonym(s): rhyaropus Fieber,1864 Range (in code): TR RU Sr 21



- 3275. Orthocephalus saltator (Hahn,1835)** (Miridae) Synonym(s): saltator Hahn,1835; hirtus Curtis,1838 nec Müll.,1776; major Costa,1853; infuscatus Garbiglietti,1869; ferrarii Reuter,1891; parvulus Reuter,1891 Range (in code): IT SE NO FI RU At KG B-H DE NL RO Si PL GR Cr MK GG Cc TR IR Gh Kz KG At Tv BY AZ Nv AM Eri UA Cm 01 03 06 07 10 11 16 17 18 22 25 26 27 31 32 33 35 37 38 43 45 46 47 48 51 59 70 71 79 80
- 3276. Orthocephalus solidus (Seidenstücker,1971)** (Miridae) Synonym(s): solidus Seidenstücker,1971 Range (in code): TR 38
- 3277. Orthocephalus turkmenicus Namyatova & Konstantinov,2009** (Miridae) Synonym(s): turkmenicus Namyatova & Konstantinov,2009 Range (in code): TM Kp IR Kh Gol AZ Cc
- 3278. Orthocephalus vittipennis (Herrich-Schäffer,1835)** (Miridae) Synonym(s): vittipennis Herrich-Schäffer,1835; #decipiens Wagner,1942 Range (in code): Cc AM AZ Kir GG Tbl IR Gh KG Aa KK LT MN PL RO RU At At Da Kr Or Om To Tv Ya TR TM UA Cm YU 07 08 11 14 36 49
- 3279. Orthopidea platani (Lindberg,1948)** (Miridae) Synonym(s): platani Lindberg,1948 Range (in code): TR CY 38
- 3280. Orthops basalis (Costa,1852)** (Miridae) Synonym(s): basalis Costa,1852 Range (in code): TR IT FR AT YU CZ SE 06
- 3281. Orthops campestris (Linnaeus,1758)** (Miridae) Synonym(s): campestris Linnaeus,1758; transversalis Fabricius,1787; pastinacae Fallén,1807; lucidus Kirschbaum,1856; algiricus Reuter,1896; viridipallens Stichel,1930; prasinus Stichel,1930; herbaceus Stichel,1958; imperfectus Stichel,1958; stillatus Stichel,1958 DZ DE SE GB ES IT MK TR IR RU Sb Co US Ut 01 06 07 19 26 31 37 38 42 46 50 51 66 68 78
- 3282. Orthops kalmii (Linnaeus,1758)** (Miridae) Synonym(s): kalmii Linnaeus,1758; varius Fabricius,1787; daldorfii Gmelin,1790; gramineus Fabricius,1798; ribis Schrank,1801; singularis Fallén,1829; pellucidus Fieber,1858; fieberi Westhoff,1881; luridus Westhoff,1881; piceus Reuter,1894; orientalis Reuter,1896; westhoffi Stichel,1930; tenuis Stichel,1958; triplex Stichel,1958; quadrimaculatus Stichel,1958; nigrovarius Stichel,1958; conspicuus Stichel,1958; bipartitus Stichel,1958 TR DE DK MK IT SE CH Cc IR GB Md CN RU Sb Tv 01 06 07 14 18 19 26 31 33 37 38 46 50 66 78 80
- 3283. Orthops montanus (Schilling,1837)** (Miridae) Synonym(s): montanus Schilling,1837; fasciatus Meyer-Dür,1841 PL CH IT SE FR DE MK TR 01 07 46
- 3284. Orthotylus acacicola Lindberg,1958** (Miridae) Synonym(s): acacicola Lindberg,1958; chariensis Linnavuori,1975; robustus Linnavuori & Al-Safadi,1993 Range (in code): CV TD CM YE
- 3285. Orthotylus arabicus E.Wagner,1962** (Miridae) Synonym(s): arabicus E.Wagner,1962; jordanicus E.Wagner,1963; abbreviatus Linnavuori,1975 Range (in code): SA JO YE IL Pa ER SO
- 3286. Orthotylus bilineatus (Fallén,1807)** (Miridae) Synonym(s): bilineatus Fallén,1807 TR 08
- 3287. Orthotylus concolor (Kirschbaum,1855)** (Miridae) Synonym(s): concolor Kirschbaum,1855 TR 42 51
- 3288. Orthotylus cupressi Reuter,1883** (Miridae) Synonym(s): cupressi Reuter,1883 TR FR 01 06 07 19 27 31 33 35 37 43 46
- 3289. Orthotylus diaphanus (Kirschbaum,1855)** (Miridae) Synonym(s): diaphanus Kirschbaum,1855 TR 06 38 40
- 3290. Orthotylus dumosus Seidenstücker,1971** (Miridae) Synonym(s): dumosus Seidenstücker,1971 TR 19 38
- 3291. Orthotylus eleagni Jakovlev,1880** (Miridae) Synonym(s): eleagni Jakovlev,1880 RU TR 50
- 3292. Orthotylus flavosparsus (Sahlberg,1841)** (Miridae) Synonym(s): flavosparsus Sahlberg,1841; viridipennis Dahlbom,1851; pulchellus Reuter,1874; viridipunctatus Reuter,1899; guttula Matsumura,1917; parallelus Lindberg,1934; deflavus Stichel,1957; bicolor Carvalho & Carpintero,1986 Az Cn SE RO JP RU Am Sb Co Tv Sh Krl Hkk Us MN TM CA Nfl MK IT DE US AR CL CN Gn Ui Ku TR GB IR FR Md 03 06 07 08 15 16 17 19 26 31 35 36 37 38 43 46 50 59
- 3293. Orthotylus fuscescens (Kirschbaum,1856)** (Miridae) Synonym(s): fuscescens Kirschbaum,1856 TR 32
- 3294. Orthotylus halaibicus Linnavuori,1975** (Miridae) Synonym(s): halaibicus Linnavuori,1975 Range (in code): SD SA IL Pa
- 3295. Orthotylus hodiernus Linnavuori,1961** (Miridae) Synonym(s): hodiernus Linnavuori,1961 IL Pa TR 01
- 3296. Orthotylus junipericola Linnavuori,1965** (Miridae) Synonym(s): junipericola Linnavuori,1965; contractulus Linnavuori,1965; regularis Linnavuori,1965; terminalis Linnavuori,1965; balcanicus Josifov,1974; castellanus Ribes,1978 Range (in code): TR TN LY BG ES 01 06 07 26 33 37 42 70
- 3297. Orthotylus mafraq Linnavuori & Al-Safadi,1993** (Miridae) Synonym(s): mafraq Linnavuori & Al-Safadi,1993 Range (in code): YE
- 3298. Orthotylus marginatus Reuter,1884** (Miridae) Synonym(s): marginatus Reuter,1884 TR
- 3299. Orthotylus minutus Jakovlev,1877** (Miridae) Synonym(s): minutus Jakovlev,1877 TR 06 35 36 51
- 3300. Orthotylus minutus Jakovlev,1877** (Miridae) Synonym(s): minutus Jakovlev,1877 Range (in code): PT ES IT EG RU Tv TR 06
- 3301. Orthotylus moncreaffi (Douglas & Scott,1875)** (Miridae) Synonym(s): moncreaffi Douglas & Scott,1875 DE RU NL GB TR 09 22 35 38 39 40 42

- 3302. Orthotylus nassatus (Fabricius,1787)** (Miridae) Synonym(s): nassatus Fabricius,1787 [\\_TR 06 07 10 11 14 19 26 35 37 38 42 45 46 47 50 51](#)
- 3303. Orthotylus nassatus (Fabricius,1787)** (Miridae) Synonym(s): nassatus Fabricius,1787; flavicornis Latreille,1804; striicornis Kirschbaum,1856; striola Kirschbaum,1856 [Range \(in code\): DK DE GB FR IL Pa TR SE CA US AM Cc KK UZ 06](#)
- 3304. Orthotylus palustris Reuter,1888** (Miridae) Synonym(s): palustris Reuter,1888 [\\_TR 19 42 51](#)
- 3305. Orthotylus parvulus Reuter,1880** (Miridae) Synonym(s): parvulus Reuter,1880 [\\_BG TR RU 35](#)
- 3306. Orthotylus prasinus (Fallén,1829)** (Miridae) Synonym(s): prasinus Fallén,1829 [\\_TR 06 14 18](#)
- 3307. Orthotylus pusillus Reuter,1883** (Miridae) Synonym(s): pusillus Reuter,1883 [\\_MA TN LY EG IL Pa GR TR 35](#)
- 3308. Orthotylus quercicola Reuter,1885** (Miridae) Synonym(s): quercicola Reuter,1885 [\\_TR 37](#)
- 3309. Orthotylus tenellus (Fallén,1807)** (Miridae) Synonym(s): tenellus Fallén,1807 [\\_TR 10 11 35 37 38 42 74](#)
- 3310. Orthotylus virescens (Douglas & Scott,1865)** (Miridae) Synonym(s): virescens Douglas & Scott,1865 [\\_TR 06 09 26 35 38 48](#)
- 3311. Orthotylus virescens (Douglas & Scott,1865)** (Miridae) Synonym(s): chloropterus Kirschbaum,1856 nec H.-S.,1853; virescens Douglas & Scott,1865; grseinervis E.Wagner,1961 [Range \(in code\): DK DE Co GB SE FR LY IT Cr CY IL Pa TR 06](#)
- 3312. Orthotylus viridinervis (Kirschbaum,1856)** (Miridae) Synonym(s): viridinervis Kirschbaum,1856 [\\_TR 07 26 31 33 38 40 50 66](#)
- 3313. Phytocoris (Compsoecocoris) stysi Linnavuori,2008** (Miridae) Synonym(s): stysi Linnavuori,2008 [Range \(in code\): IR](#)
- 3314. Phytocoris austriacus E.Wagner,1954** (Miridae) Synonym(s): austriacus E.Wagner,1954 [Range \(in code\): TR 35](#)
- 3315. Phytocoris bivittatus Reuter,1904** (Miridae) Synonym(s): bivittatus Reuter,1904 [Range \(in code\): TR 06 22](#)
- 3316. Phytocoris calliger E.Wagner,1957** (Miridae) Synonym(s): calliger E.Wagner,1957 [Range \(in code\): TR IQ 19](#)
- 3317. Phytocoris chardoni Puton,1887** (Miridae) Synonym(s): chardoni Puton,1887 [Range \(in code\): DZ MA TN TR 10](#)
- 3318. Phytocoris confusus Reuter,1896** (Miridae) Synonym(s): confusus Reuter,1896 [Range \(in code\): DE AT FR IT HU PL PT TR YU 07 38](#)
- 3319. Phytocoris crux E.Wagner,1959** (Miridae) Synonym(s): crux E.Wagner,1959 [Range \(in code\): TR Cr 01 07 31](#)
- 3320. Phytocoris cyprius E.Wagner,1967** (Miridae) Synonym(s): cyprius E.Wagner,1967 [Range \(in code\): TR CY 46](#)
- 3321. Phytocoris exoletus A.Costa,1852** (Miridae) Synonym(s): exoletus A.Costa,1852 [Range \(in code\): TR IT 06 09 34](#)
- 3322. Phytocoris extensus Reuter,1904** (Miridae) Synonym(s): extensus Reuter,1904 [Range \(in code\): TR](#)
- 3323. Phytocoris femoralis Fieber,1861** (Miridae) Synonym(s): femoralis Fieber,1861 [Range \(in code\): TR 07](#)
- 3324. Phytocoris flammula Reuter,1875** (Miridae) Synonym(s): flammula Reuter,1875 [Range \(in code\): TR FR DE ES IL Pa IT CY SY GR 27](#)
- 3325. Phytocoris humeralis E.Wagner,1976** (Miridae) Synonym(s): humeralis E.Wagner,1976 [Range \(in code\): TR 11](#)
- 3326. Phytocoris insignis Reuter,1876** (Miridae) Synonym(s): insignis Reuter,1876; furcifer E.Wagner,1954; pseudinsignis E.Wagner,1955 [Range \(in code\): TR Cc FR Co DE SE IT IR 08 10 11 14 22 35 42 45 54](#)
- 3327. Phytocoris longipennis Flor,1861** (Miridae) Synonym(s): longipennis Flor,1861 [Range \(in code\): TR 19 37 38 50 57 66 67](#)
- 3328. Phytocoris loralis E.Wagner,1976** (Miridae) Synonym(s): loralis E.Wagner,1976 [Range \(in code\): TR 01 21 31 33 46](#)
- 3329. Phytocoris meridionalis Herrich-Schäffer,1835** (Miridae) Synonym(s): meridionalis Herrich-Schäffer,1835; signoreti Perris,1857; handlirschi Reuter,1896 [Range \(in code\): TR DE FR AT IT ES 46](#)
- 3330. Phytocoris miridioides Lethierry,1877** (Miridae) Synonym(s): miridioides Lethierry,1877 [Range \(in code\): DZ MA Cn ES PT SY CY GR TR 20](#)
- 3331. Phytocoris niveatus Horvath,1891** (Miridae) Synonym(s): niveatus Horvath,1891 [Range \(in code\): TR Cc 04](#)
- 3332. Phytocoris obliquoides E.Wagner,1959** (Miridae) Synonym(s): obliquoides E.Wagner,1959 [Range \(in code\): TR 42](#)
- 3333. Phytocoris obliquus A.Costa,1852** (Miridae) Synonym(s): obliquus A.Costa,1852 [Range \(in code\): IT TR FR DE ES YU GR 01](#)

- 3334. Phytocoris obscurus Reuter,1875** (Miridae) Synonym(s): obscurus Reuter,1875 Range (in code): DE FR ES TR YU GR 07
- 3335. Phytocoris parvulus Reuter,1880** (Miridae) Synonym(s): parvulus Reuter,1880 Range (in code): TR 22 35 48
- 3336. Phytocoris phrygicus E.Wagner,1955** (Miridae) Synonym(s): phrygicus E.Wagner,1955 Range (in code): TR 04 07 19 31 33 42 46 50
- 3337. Phytocoris pilifer Reuter,1880** (Miridae) Synonym(s): pilifer Reuter,1880 Range (in code): TR YU GR 01 06 07 09 27 33 35 42 45 46 80
- 3338. Phytocoris pini Kirschbaum,1855** (Miridae) Synonym(s): pini Kirschbaum,1855 Range (in code): TR 06 14
- 3339. Phytocoris pinihalepensis Lindberg,1948** (Miridae) Synonym(s): pinihalepensis Lindberg,1948 Range (in code): CY IL Pa TR 01 07 09 27 31 33 35 46 48 70 79 80
- 3340. Phytocoris raunoi Kerzhner & Schuh,1995** (Miridae) Synonym(s): irroratus Linnavuori,1965 nec Blanc.,1852; raunoi Kerzhner & Schuh,1995 Range (in code): TR 40 47
- 3341. Phytocoris salsolae Puton,1874** (Miridae) Synonym(s): salsolae Puton,1874 Range (in code): DZ MA FR ES IT Cn TN PT TR GR 43 61
- 3342. Phytocoris sardus E.Wagner,1976** (Miridae) Synonym(s): sardus E.Wagner,1976 Range (in code): TR
- 3343. Phytocoris scituloides Lindberg,1948** (Miridae) Synonym(s): scituloides Lindberg,1948 Range (in code): CY TR 07 33 34 35
- 3344. Phytocoris seidenstueckeri E.Wagner,1955** (Miridae) Synonym(s): seidenstueckeri E.Wagner,1955 Range (in code): TN IL Pa TR 01 07 11 17 31 33 35 38 46 48 80
- 3345. Phytocoris setiger Reuter,1896** (Miridae) Synonym(s): setiger Reuter,1896 Range (in code): TR YU GR 07 17 31 33 35 48 61
- 3346. Phytocoris tauricola Linnavuori,1965** (Miridae) Synonym(s): tauricola Linnavuori,1965 Range (in code): TR 18 33 37 46 80
- 3347. Phytocoris tiliae (Fabricius,1775)** (Miridae) Synonym(s): tiliae Fabricius,1775 Range (in code): TR CA US 03 08 14 19 21 35 42 67 70 74
- 3348. Phytocoris tridens E.Wagner,1954** (Miridae) Synonym(s): tridens E.Wagner,1954 Range (in code): TR CY 46
- 3349. Phytocoris tristis Linnavuori,1965** (Miridae) Synonym(s): tristis Linnavuori,1965 Range (in code): TR 33 41
- 3350. Phytocoris ulmi (Linnaeus,1758)** (Miridae) Synonym(s): ulmi Linnaeus,1758 Range (in code): CA TR 06 17 41 59
- 3351. Phytocoris ustulatus Herrich-Schäffer,1835** (Miridae) Synonym(s): ustulatus Herrich-Schäffer,1835 Range (in code): TR 67
- 3352. Phytocoris varipes Boheman,1865** (Miridae) Synonym(s): varipes Boheman,1865 Range (in code): TR 08 39
- 3353. Pinalitus atomarius (Meyer-Dür,1843)** (Miridae) Synonym(s): atomarius Meyer-Dür,1843 TR 01 07 14 46
- 3354. Pinalitus conspurcatus (Reuter,1875)** (Miridae) Synonym(s): conspurcatus Reuter,1875; annulatus Lindberg,1940 DZ MA Cn LY SD Md IL Pa TR 07 33
- 3355. Plagiognathus albipennis (Fallén,1829)** (Miridae) Synonym(s): albipennis Fallén,1829 Range (in code): TR 01 27 33 37 50
- 3356. Plagiognathus amygdali Linnavuori,1965** (Miridae) Synonym(s): amygdali Linnavuori,1965 Range (in code): TR 14
- 3357. Plagiognathus arbustorum (Fabricius,1794)** (Miridae) Synonym(s): arbustorum Fabricius,1794 Range (in code): Cn TR 07 10 14 18 33 34 35 37 41 43 46 57 78 81
- 3358. Plagiognathus bipunctatus Reuter,1883** (Miridae) Synonym(s): bipunctatus Reuter,1883 Range (in code): TR
- 3359. Plagiognathus chrysanthemi (Wolff,1804)** (Miridae) Synonym(s): chrysanthemi Wolff,1804 Range (in code): TR 01 09 11 14 16 21 22 27 31 33 34 35 38 43 45 46 48 54 58 63
- 3360. Plagiognathus flavipes (Provancher,1872)** (Miridae) Synonym(s): flavipes Provancher,1872; elongatus Knight,1923; nigricornis elongatus Knight,1923 Range (in code): US CA TR 07
- 3361. Plagiognathus fulvipennis (Kirschbaum,1856)** (Miridae) Synonym(s): fulvipennis Kirschbaum,1856 Range (in code): TR 01 06 07 20 22 27 31 32 33 35 36 39 42 46 48 50 80
- 3362. Plagiognathus pictus (Fieber,1864)** (Miridae) Synonym(s): pictus Fieber,1864 Range (in code): AT Cc HU RO RU CN Ui TR
- 3363. Plagiognathus raphani Wagner,1963** (Miridae) Synonym(s): raphani Wagner,1963 Range (in code): LB TR 01 07 27 31 33 35 46
- 3364. Plagiognathus vitellinus (Scholtz,1847)** (Miridae) Synonym(s): vitellinus Scholtz,1847 Range (in code): TR 33
- 3365. Polymerus asperulae (Fieber,1861)** (Miridae) Synonym(s): asperulae Fieber,1861; nigrocallosus Stichel,1958; pervulgatus Stichel,1958 Range (in code): CZ MK AT IT TR 31



- 3366. Polymerus brevicornis (Reuter,1879)** (Miridae) Synonym(s): brevicornis Reuter,1879; pallidonotus Kiritshenko,1952; junctus Stichel,1958 Range (in code): UZ Tas TR TJ IR FR RU Sb Tv HU DE DK SE CN 42 74
- 3367. Polymerus brevirostris Knight,1925** (Miridae) Synonym(s): brevirostris Knight,1925 Range (in code): IR Ak Koa
- 3368. Polymerus cognatus (Fieber,1858)** (Miridae) Synonym(s): cognatus Fieber,1858 Range (in code): Az Cn Md IL Pa CN HU SE KP KR DE Co RU Sb Tv MK IT GR FI US TR IR 01 04 06 07 10 15 18 19 24 25 26 27 33 36 37 38 39 42 45 50 51 66 67
- 3369. Polymerus forughae Linnavuori & Hosseini,2000** (Miridae) Synonym(s): forughae Linnavuori & Hosseini,2000 Range (in code): IR
- 3370. Polymerus holosericeus Hahn,1831** (Miridae) Synonym(s): holosericeus Hahn,1831 Range (in code): DE IT TR 39
- 3371. Polymerus microphthalmus (Wagner,1951)** (Miridae) Synonym(s): microphthalmus Wagner,1951 Range (in code): SE DE FI IT ES TR 43 46
- 3372. Polymerus palustris (Reuter,1905)** (Miridae) Synonym(s): palustris Reuter,1905; centralis Wagner,1951 Range (in code): DE IE GB DK SE FI RU Sh Krl CN JP MK TR 01
- 3373. Polymerus unifasciatus (Fabricius,1794)** (Miridae) Synonym(s): unifasciatus Fabricius,1794; semiflavus Wolff,1804; lateralis Hahn,1834; marginatus Hahn,1834; galli Gistel,1857; transitus Stichel,1930; disjunctus Wagner,1951 Range (in code): Cn SE FI DE DK TR RU Sb Tv Krl Sh Co IT MK GB CN US 01 04 15 18 22 25 36 38 39 42 43
- 3374. Polymerus vulneratus (Panzer,1805)** (Miridae) Synonym(s): vulneratus Panzer,1805; dalmanni Fallén,1826; intermedius Jakovlev,1876; medius Stichel,1930; unicolor Stichel,1930 Range (in code): SE DE RU Sb HU DK FI MK CN TR IR 03 04 05 06 14 15 18 19 20 24 25 26 36 37 38 40 42 50 51 55 66 67 70
- 3375. Psallus ambiguus (Fallén,1807)** (Miridae) Synonym(s): ambiguus Fallén,1807; obscurus Kirschbaum,1856; diversipes Horvath,1885; similis Stichel,1933; translucidus Stichel,1933; bicolor Stichel,1933; inconspicuus Stichel,1933; bicinctus Stichel,1956 TR SE DE HU FR GB GG Cc IT DK AT 08 20 35 43
- 3376. Psallus amygdali Linnavuori,1998** (Miridae) Synonym(s): amygdali Linnavuori,1998 Range (in code): IR
- 3377. Psallus anaemicus Seidenstücker,1966** (Miridae) Synonym(s): anaemicus Seidenstücker,1966 Range (in code): TR 03 42
- 3378. Psallus anatolicus Wagner,1963** (Miridae) Synonym(s): anatolicus Wagner,1963 Range (in code): TR 57
- 3379. Psallus anticus Reuter,1876** (Miridae) Synonym(s): anticus Reuter,1876; cognatus Jakovlev,1877 Range (in code): RU Sr TR Sb IL Pa GR 05 08 10 11 35 43
- 3380. Psallus apoplecticus Seidenstücker,1966** (Miridae) Synonym(s): apoplecticus Seidenstücker,1966 Range (in code): TR 38
- 3381. Psallus asthenicus Seidenstücker,1966** (Miridae) Synonym(s): asthenicus Seidenstücker,1966; amittinus Wagner,1975 Range (in code): TR GR BG 03 38 42
- 3382. Psallus atomosus Reuter,1878** (Miridae) Synonym(s): atomosus Reuter,1878 Range (in code): FR YU BG RU Cc TR 06
- 3383. Psallus aurora (Mulsant & Rey,1852)** (Miridae) Synonym(s): aurora Mulsant & Rey,1852; puncticollis Fieber,1870; pulchellus Reuter,1899; tenebricosus Stichel,1958; theryi Wagner,1958; vidali Wagner,1958; maroccanus Wagner,1960; morenus Wagner,1972 Range (in code): ES FR DZ MA PT LY TN TR 01 45 48
- 3384. Psallus betuleti (Fallén,1826)** (Miridae) Synonym(s): cruentus Müller,1776; leucostictos Gmelin,1790; mulleri Turton,1802; betuleti Fallén,1826; betulae Kirschbaum,1856; minor Westhoff,1881; nigricollis Stichel,1933; nigriventris Stichel,1933 CA Als BCo US Ny AT CZ AT MN FI SE DK DE FR AM Cc IT RU Sh Krl Sb TR 08
- 3385. Psallus brachycerus Reuter,1904** (Miridae) Synonym(s): brachycerus Reuter,1904 Range (in code): GR TR 07 35
- 3386. Psallus calliprinoi Carapezza,2002** (Miridae) Synonym(s): calliprinoi Carapezza,2002 Range (in code): JO
- 3387. Psallus carduelus Horvath,1888** (Miridae) Synonym(s): carduelus Horvath,1888 Range (in code): TR 06
- 3388. Psallus cerridis Wagner,1971** (Miridae) Synonym(s): cerridis Wagner,1971 Range (in code): TR 81
- 3389. Psallus collaris (Wagner,1975)** (Miridae) Synonym(s): collaris Wagner,1975 Range (in code): TR
- 3390. Psallus flavellus Stichel,1933** (Miridae) Synonym(s): minor Saunders,1892 (preocc.); flavellus Stichel,1933; rubidus Stichel,1933; pristis E.Wagner,1948; nudus Stichel,1958; #flavelles Önder et al.,2006 DZ DE DK SE CA TR 08
- 3391. Psallus galilaeus Linnavuori,1961** (Miridae) Synonym(s): galilaeus Linnavuori,1961 Range (in code): IL Pa
- 3392. Psallus georgicus Zaitzeva,1968** (Miridae) Synonym(s): georgicus Zaitzeva,1968 Range (in code): GG Cc

- 3393. Psallus halidi Drapolyuk,1991** (Miridae) Synonym(s): halidi Drapolyuk,1991 Range (in code): AZ Cc
- 3394. Psallus hastatus Carapezza,2002** (Miridae) Synonym(s): hastatus Carapezza,2002 Range (in code): JO
- 3395. Psallus henshii Reuter,1888** (Miridae) Synonym(s): henshii Reuter,1888; femoralis Reuter,1899 Range (in code): FR IT GR TR
- 3396. Psallus jeitensis Wagner,1963** (Miridae) Synonym(s): jeitensis Wagner,1963 Range (in code): LB
- 3397. Psallus karakardes Seidenstücker,1959** (Miridae) Synonym(s): karakardes Seidenstücker,1959 Range (in code): TR 03 42
- 3398. Psallus kiritshenkoi Zaitzeva,1968** (Miridae) Synonym(s): kiritshenkoi Zaitzeva,1968 Range (in code): AM GG Cc
- 3399. Psallus lentigo Seidenstücker,1972** (Miridae) Synonym(s): lentigo Seidenstücker,1972 Range (in code): TR 03 14 42
- 3400. Psallus lepidus Fieber,1858** (Miridae) Synonym(s): lepidus Fieber,1858 CA CH GB FR AM Cc DE IT DK SE TR 30 39 59 67 74
- 3401. Psallus melpomene Linnavuori,1989** (Miridae) Synonym(s): melpomene Linnavuori,1989 Range (in code): IQ
- 3402. Psallus milenae Josifov,1974** (Miridae) Synonym(s): milenae Josifov,1974 BG TR 07 33
- 3403. Psallus minusculus Zaitzeva,1968** (Miridae) Synonym(s): minusculus Zaitzeva,1968 Range (in code): AZ Cc
- 3404. Psallus mollis (Mulsant & Rey,1852)** (Miridae) Synonym(s): mollis Mulsant & Rey,1852; diminutus Kirschbaum,1856; convexus Reuter,1875; ruber Stichel,1933; signatus Stichel,1933; masseei Woodroffe,1957; rubescens Stichel,1958 TR FR IT ES RU YU GR 17 32 35 38 43 45 48 55 59 64
- 3405. Psallus niger (Wagner,1968)** (Miridae) Synonym(s): niger Wagner,1968; cyprius Wagner,1977 Range (in code): CY
- 3406. Psallus ninurta (Linnavuori,1984)** (Miridae) Synonym(s): ninurta Linnavuori,1984 Range (in code): IQ
- 3407. Psallus oenderi E.Wagner,1976** (Miridae) Synonym(s): oenderi E.Wagner,1976 Range (in code): TR 32
- 3408. Psallus oleae E.Wagner,1963** (Miridae) Synonym(s): oleae E.Wagner,1963 Range (in code): TR 31 66
- 3409. Psallus pardalis Seidenstücker,1966** (Miridae) Synonym(s): pardalis Seidenstücker,1966 Range (in code): AT BG TR 03 42
- 3410. Psallus perrisi (Mulsant & Rey,1852)** (Miridae) Synonym(s): perrisi Mulsant & Rey,1852 TR FR IL Pa SE DE DK IT ES Cc AZ AM FI 01 03 08 09 10 11 14 16 17 19 33 35 37 43 48
- 3411. Psallus piceae Reuter,1878** (Miridae) Synonym(s): piceae Reuter,1878; fasciata Stichel,1956 nec Jakov.,1893 Range (in code): CH TR SE IT 01 06 33 35 43
- 3412. Psallus pinicola Reuter,1875** (Miridae) Synonym(s): pinicola Reuter,1875; intermedia Stichel,1956 FR TR IT 06 08 18 26
- 3413. Psallus pseudopunctulatus Linnavuori,1984** (Miridae) Synonym(s): pseudopunctulatus Linnavuori,1984 Range (in code): IQ
- 3414. Psallus pumilus (Jakovlev,1876)** (Miridae) Synonym(s): pumilus Jakovlev,1876 Range (in code): DZ FR ES HU RO RU TR Cc TM 06
- 3415. Psallus punctulatus Puton,1874** (Miridae) Synonym(s): punctulatus Puton,1874; impustulata Stichel,1956 Range (in code): FR DE TR 06 07 11 20 33 42 43 45 46 48
- 3416. Psallus quercicola Reuter,1904** (Miridae) Synonym(s): quercicola Reuter,1904 Range (in code): TR
- 3417. Psallus quercus (Kirschbaum,1856)** (Miridae) Synonym(s): quercus Kirschbaum,1856; simillimus Kirschbaum,1856; montandoni Reuter,1894; basipallens Stichel,1933; fuscatus Stichel,1933; grisescens Stichel,1933; maculatus Stichel,1933 TR DE FR Co Cc Da RU DK SE 08 37 38 46 74
- 3418. Psallus rubinictus Seidenstücker,1966** (Miridae) Synonym(s): rubinictus Seidenstücker,1966 Range (in code): TR 51
- 3419. Psallus samedovi Drapolyuk,1991** (Miridae) Synonym(s): samedovi Drapolyuk,1991 Range (in code): AZ Cc
- 3420. Psallus svidae Drapolyuk,1991** (Miridae) Synonym(s): svidae Drapolyuk,1991 Range (in code): AZ Cc
- 3421. Psallus syriacus (Reuter,1883)** (Miridae) Synonym(s): syriacus Reuter,1883 Range (in code): SY Zb IQ
- 3422. Psallus transcausicus Zaitzeva,1966** (Miridae) Synonym(s): transcausicus Zaitzeva,1966 Range (in code): GG AM Cc
- 3423. Psallus turcicus Wagner,1971** (Miridae) Synonym(s): turcicus Wagner,1971 Range (in code): TR 06 33
- 3424. Psallus variabilis (Fallén,1807)** (Miridae) Synonym(s): variabilis Fallén,1807; whitei Douglas & Scott,1869; ruber Stichel,1933; variegatus Stichel,1933 SE GB FR RU Sb AZ AM Cc IT DK US Ny DE TR 07

- 3425. *Psallus varians* (Herrich-Schäffer,1841)** (Miridae) **Synonym(s):** rufescens Hahn,1831; varians Herrich-Schäffer,1841; decoloratus Mulsant & Rey,1852; distinctus Fieber,1858; insignis Fieber,1858; kirschbaumi Fieber,1861; nigrescens Fieber,1861; ochraceus Fieber,1861; fieberi Stichel,1933; cornutus Wagner,1943; tunetanus Wagner,1962 **Range (in code):** [DE CH FR Co CH MT TR GB HV TN LY Cc DK Cr IT o6 o7 16 18 31 33 35 37 38 41 42 45 46 70 74](#)
- 3426. *Psallus zakatalensis* Drapolyuk,1991** (Miridae) **Synonym(s):** zakatalensis Drapolyuk,1991 **Range (in code):** [AZ Cc](#)
- 3427. *Reuteria jordanica* Carapezza,2002** (Miridae) **Synonym(s):** jordanica Carapezza,2002 **JO IR Kd Kz Il By TR 48**
- 3428. *Reuteria kiritshenkoi* Muminov,1964** (Miridae) **Synonym(s):** kiritshenkoi Muminov,1964 **AZ Cc**
- 3429. *Reuteria marqueti* Puton,1875** (Miridae) **Synonym(s):** marqueti Puton,1875 **TR o7**
- 3430. *Reuterista caucasica* (Poppius,1912)** (Miridae) **Synonym(s):** caucasica Poppius,1912; poppiusi Kerzhner & Schuh,1995 **Range (in code):** [Cc TR EG SA](#)
- 3431. *Reuterista demeter* (Linnavuori,1974)** (Miridae) **Synonym(s):** demeter Linnavuori,1974 **Range (in code):** [SA](#)
- 3432. *Reuterista desertorum* (Reuter,1900)** (Miridae) **Synonym(s):** desertorum Reuter,1900 **Range (in code):** [DZ SA](#)
- 3433. *Reuterista instabilis* (Fieber,1861)** (Miridae) **Synonym(s):** instabilis Fieber,1861 **Range (in code):** [DE ES IL Pa Cn DZ LY](#)
- 3434. *Reuterista iranensis* (E.Wagner,1968)** (Miridae) **Synonym(s):** iranensis E.Wagner,1968 **Range (in code):** [IR](#)
- 3435. *Reuterista sangvineovitta* (Reuter,1904)** (Miridae) **Synonym(s):** sangvineovitta Reuter,1904 **Range (in code):** [SY IL Pa SA](#)
- 3436. *Reuterista unicolor* Rosenzweig,1997** (Miridae) **Synonym(s):** unicolor Rosenzweig,1997 **Range (in code):** [UZ TM CN](#)
- 3437. *Reuterista villiersi* Wagner,1968** (Miridae) **Synonym(s):** villiersi Wagner,1968 **Range (in code):** [IR](#)
- 3438. *Rhabdomiris striatellus* (Fabricius,1794)** (Miridae) **Synonym(s):** quadripunctatus Villiers,1789; variegatus Müller,1776; pulligo Harris,1780; ochromelas Gmelin,1790; striatellus Fabricius,1794; luteus Turton,1802; fornicatus Fieber,1864; obscurata E.Wagner,1942; wagneri Kerzhner & Schuh,1998 **DK GB FR DE FR TR IT ES SE**
- 3439. *Singhalesia indica* (Poppius,1913)** (Miridae) **Synonym(s):** indica Poppius,1913 **Range (in code):** [LK IR](#)
- 3440. *Singhalesia turcica* (Seidenstücker,1959)** (Miridae) **Synonym(s):** turcica Seidenstücker,1959 **Range (in code):** [TR SA o7 31 33](#)
- 3441. *Solenoxyphus adspersus* (Reuter,1904)** (Miridae) **Synonym(s):** adspersus Reuter,1904; barbatus E.Wagner,1951 **Range (in code):** [EG TN IQ IL Pa AF AM AZ Cc Nv IR Se Da RU KG TJ TM UZ](#)
- 3442. *Solenoxyphus alkani* Önder,1975** (Miridae) **Synonym(s):** alkani Önder,1975; markevichi Putshkov,1978 **Range (in code):** [AM TR Cc 43 76](#)
- 3443. *Solenoxyphus artemisiae* Putshkov,1978** (Miridae) **Synonym(s):** artemisiae Putshkov,1978 **Range (in code):** [TM UZ](#)
- 3444. *Solenoxyphus candidatus* (Reuter,1879)** (Miridae) **Synonym(s):** candidatus Reuter,1879; longicollis Reuter,1879; fasciatum Reuter,1879; transversum Jakovlev,1882 **Range (in code):** [RU Da Cc GG AM AZ KG TM IR TJ KK CN Ui](#)
- 3445. *Solenoxyphus fuscovenosus* (Fieber,1864)** (Miridae) **Synonym(s):** fuscovenosus Fieber,1864; halimocnemis Becker,1864; crassipes Reuter,1879; reticulatus Reuter,1900; #cruenta Stichel,1956 **Range (in code):** [ES IL Pa EG AT HU RO SK TR UA Cm AZ Cc SY RU TM KG IR KK UZ Tas 68](#)
- 3446. *Solenoxyphus halocnemi* (Putshkov,1984)** (Miridae) **Synonym(s):** halocnemi Putshkov,1984 **Range (in code):** [KK KG MN TM](#)
- 3447. *Solenoxyphus lepidus* (Puton,1874)** (Miridae) **Synonym(s):** lepidus Puton,1874; parvulus Reuter,1894; minor E.Wagner,1969; gobicus Nonnaizab & Yang,1994 **Range (in code):** [ES FR MK RO DZ AM Cc UA KG UZ KK TM RU Sb Tv MN CN Ui Um](#)
- 3448. *Solenoxyphus loginovae* (Putshkov,1976)** (Miridae) **Synonym(s):** loginovae Putshkov,1976 **Range (in code):** [TM](#)
- 3449. *Solenoxyphus pallens* (Reuter,1879)** (Miridae) **Synonym(s):** pallens Reuter,1879 **Range (in code):** [AZ Bak Cc IR KG UZ TJ MN RU](#)
- 3450. *Solenoxyphus punctipennis* (Reuter,1879)** (Miridae) **Synonym(s):** punctipennis Reuter,1879; impunctata E.Wagner,1958 **Range (in code):** [GG Tbl AZ Nv Ord Cc AM RU Da KG TM IR UZ KK TJ Ui Tpn CN](#)
- 3451. *Stenodema calcaratum* (Fallén,1807)** (Miridae) **Synonym(s):** calcaratum Fallén,1807 **Range (in code):** [TR](#)
- 3452. *Stenodema holsatum* (Fabricius,1787)** (Miridae) **Synonym(s):** holsatum Fabricius,1787 **Range (in code):** [TR o8 36 41 61](#)
- 3453. *Stenodema laevigatum* (Linnaeus,1758)** (Miridae) **Synonym(s):** laevigatum Linnaeus,1758 **Range (in code):** [US CA Md TR o6 o7 o8 34 61 65](#)



- 3454. *Stenodema trispinosum* Reuter,1904** (Miridae) Synonym(s): trispinosum Reuter,1904 Range (in code): US JP CA TR 04 06 40 46 51
- 3455. *Stenodema turanicum* (Reuter,1904)** (Miridae) Synonym(s): turanicum Reuter,1904 Range (in code): TR IQ IR Cc Ak Ma Ke Ss
- 3456. *Stenodema virens* (Linnaeus,1767)** (Miridae) Synonym(s): virens Linnaeus,1767 Range (in code): US CA TR 04 06 09 11 15 17 18 20 25 35 36 37 38 41 48 50 66 68
- 3457. *Stethoconus ocularis* Linnavuori,1995** (Miridae) Synonym(s): ocularis Linnavuori,1995 Range (in code): IQ
- 3458. *Stethoconus pyri* (Mella,1869)** (Miridae) Synonym(s): pyri Mella,1869 Range (in code): IT RU TR 31
- 3459. *Stethoconus rhoksane* Linnavuori,1995** (Miridae) Synonym(s): rhoksane Linnavuori,1995 Range (in code): YE
- 3460. *Stethoconus scutellaris* (Schouteden,1946)** (Miridae) Synonym(s): scutellaris Schouteden,1946 Range (in code): ZR YE
- 3461. *Systellonotus thymi* Signoret,1859** (Miridae) Synonym(s): thymi Signoret,1859; putoni Reuter,1890 Range (in code): IQ TN TR FR ES EG LY
- 3462. *Thermocoris discolor* Seidenstücker,1957** (Miridae) Synonym(s): discolor Seidenstücker,1957; #discolar Önder et al.,2006 Range (in code): TR 51
- 3463. *Thermocoris munieri* Puton,1875** (Miridae) Synonym(s): munieri Puton,1875; algiricus Wagner,1943 Range (in code): MA DZ FR RU ES TN LY CY IT HU YU BG GR TR 01 06 10 11 16 19 26 35 38 43 48 51 54
- 3464. *Thermocoris rivalis* (Horvath,1894)** (Miridae) Synonym(s): rivalis Horvath,1894; suctor Seidenstücker,1957 Range (in code): TR IQ AM Cc 38 51
- 3465. *Trichophorella splendida* Linnavuori,1984** (Miridae) Synonym(s): splendida Linnavuori,1984 Range (in code): SA IQ Bgd
- 3466. *Trigonotylus pallidicornis* Reuter,1899** (Miridae) Synonym(s): pallidicornis Reuter,1899 Range (in code): TR 06
- 3467. *Tuponia adenica* Linnavuori,1975** (Miridae) Synonym(s): adenica Linnavuori,1975 Range (in code): YE Ad
- 3468. *Tuponia algirica* Eckerlein & Wagner,1965** (Miridae) Synonym(s): algirica Eckerlein & Wagner,1965; ninhursag Linnavuori,1984 Range (in code): DZ TN IQ IR Kz
- 3469. *Tuponia altera* Wagner,1974** (Miridae) Synonym(s): altera Wagner,1974 Range (in code): IL Pa
- 3470. *Tuponia anatolica* Linnavuori,1965** (Miridae) Synonym(s): anatolica Linnavuori,1965 Range (in code): TR 68
- 3471. *Tuponia angusta* Wagner,1957** (Miridae) Synonym(s): angusta Wagner,1957 Range (in code): IR IQ
- 3472. *Tuponia arcufera* Reuter,1879** (Miridae) Synonym(s): arcufera Reuter,1879; eckerleini Wagner,1955; orientalis Wagner,1955; elegantulus Zheng & H.Li,1992 Range (in code): RU Ao FR YU TR IT IR CN 01 06 07 11 14 18 22 27 31 33 35 42 46 50 51 67 78
- 3473. *Tuponia ayasensis* Wagner,1963** (Miridae) Synonym(s): ayasensis Wagner,1963 Range (in code): TR IQ IR Fa Zj Kz 06 38 57 70
- 3474. *Tuponia bifasciata* Wagner,1965** (Miridae) Synonym(s): bifasciata Wagner,1965 Range (in code): CY
- 3475. *Tuponia brevirostris* Reuter,1883** (Miridae) Synonym(s): brevirostris Reuter,1883; hartigi Wagner,1955 Range (in code): DZ MA FR ES IT Si PT EG TR RU 07 09 10 15 31 33 43 48
- 3476. *Tuponia concinna* Reuter,1875** (Miridae) Synonym(s): concinna Reuter,1875; conspersa Reuter,1901; fezzana Wagner,1971; amguele Wagner,1975 Range (in code): DZ IL Pa SY EG LY TR Cc IR Kz Fa SD SA IQ 36
- 3477. *Tuponia concinnoides* Linnavuori,1961** (Miridae) Synonym(s): concinnoides Linnavuori,1961 Range (in code): IL Pa EG ER YE
- 3478. *Tuponia coruhica* Wagner,1976** (Miridae) Synonym(s): coruhica Wagner,1976 Range (in code): TR 08
- 3479. *Tuponia dalmatina* Wagner,1955** (Miridae) Synonym(s): dalmatina Wagner,1955 Range (in code): YU TR 22
- 3480. *Tuponia diversa* Linnavuori,1975** (Miridae) Synonym(s): diversa Linnavuori,1975 Range (in code): YE ER
- 3481. *Tuponia elegans* (Jakovlev,1867)** (Miridae) Synonym(s): elegans Jakovlev,1867; bilobata Benedek & Jaszai,1968 Range (in code): RU Cc TR IR Kd CN HU 06 33
- 3482. *Tuponia filomele* Linnavuori,1995** (Miridae) Synonym(s): filomele Linnavuori,1995 Range (in code): IL Pa
- 3483. *Tuponia guttata* Wagner,1950** (Miridae) Synonym(s): guttata Wagner,1950; variegata Wagner,1958; sodomita Wagner,1974 Range (in code): EG IR Ke Kz AZ Cc IL Pa YE SA SD ER IQ
- 3484. *Tuponia hippophaes* (Fieber,1861)** (Miridae) Synonym(s): hippophaes Fieber,1861; unicolor Scott,1872; myricariae Cerutti,1939; michalki Wagner,1951; seidenstueckeri Wagner,1955; mimeuri Wagner,1958;

- albomarginata Linnavuori,1961; cypria Wagner,1962; longitarsis Wagner,1962; pradassiensis Tamanini,1964; menorcana Wagner,1971; liparensis Tamanini,1973; rhodensis Wagner,1974 Range (in code): DZ TN IT LY AT CH FR Co MA ES DE Cn CY AL TR GR LB IL Pa IR Kz AZ Cc CN 01 06 07 08 09 10 11 17 18 19 22 26 31 33 35 37 38 42 43 45 46 48 50 51 66 67 70
- 3485. Tuponia hosseinii Linnavuori,2004** (Miridae) Synonym(s): hosseinii Linnavuori,2004 Range (in code): IR
- 3486. Tuponia inessae Linnavuori,2004** (Miridae) Synonym(s): inessae Linnavuori,2004 Range (in code): IR
- 3487. Tuponia kurdestanica Linnavuori,2010** (Miridae) Synonym(s): kurdestanica Linnavuori,2010 Range (in code): IR Kd
- 3488. Tuponia macedonica Wagner,1957** (Miridae) Synonym(s): macedonica Wagner,1957; dentifer Wagner,1974 Range (in code): MK BG CY TR IR By 01 35 48
- 3489. Tuponia minima Wagner,1957** (Miridae) Synonym(s): minima Wagner,1957 Range (in code): IR EG IQ SA
- 3490. Tuponia minutissima Linnavuori,1961** (Miridae) Synonym(s): minutissima Linnavuori,1961 Range (in code): IL Pa EG
- 3491. Tuponia mixticolor (Costa,1862)** (Miridae) Synonym(s): mixticolor Costa,1862; lethierryi Reuter,1875; colorata Poppius,1914; carayoni Wagner,1955; vulnerata Linnavuori,1961; hungarica Benedek & Jaszai,1968; annulata Wagner,1974 Range (in code): CV Md SA DZ TN SD LY HU IT IL Pa SY EG Cn YU TR TN FR IR Kz AZ Cc IQ TR 01 07 09 10 17 20 31 33 35 43 46 51
- 3492. Tuponia mujiba Wagner,1971** (Miridae) Synonym(s): mujiba Wagner,1971 Range (in code): JO IR Kz
- 3493. Tuponia ninlil Linnavuori,1984** (Miridae) Synonym(s): ninlil Linnavuori,1984 Range (in code): IQ
- 3494. Tuponia ornatipes Linnavuori,1975** (Miridae) Synonym(s): ornatipes Linnavuori,1975 Range (in code): ER SA
- 3495. Tuponia persica Wagner,1957** (Miridae) Synonym(s): persica Wagner,1957 Range (in code): IQ IR Kz Fa
- 3496. Tuponia picticornis Linnavuori,2004** (Miridae) Synonym(s): picticornis Linnavuori,2004 Range (in code): IR
- 3497. Tuponia platycranoides Linnavuori,1975** (Miridae) Synonym(s): platycranoides Linnavuori,1975 Range (in code): SA YE
- 3498. Tuponia prasina (Fieber,1864)** (Miridae) Synonym(s): prasina Fieber,1864; affinis Reuter,1878; apicalis Reuter,1894 Range (in code): IQ Cc TR HU PL RO RU GR IR Kz AZ 01 35 80
- 3499. Tuponia punctipes Reuter,1879** (Miridae) Synonym(s): punctipes Reuter,1879 Range (in code): IQ IR TR Cc 42 50 51
- 3500. Tuponia roseipennis Reuter,1878** (Miridae) Synonym(s): roseipennis Reuter,1878; sahlbergi Wagner,1955 Range (in code): IR
- 3501. Tuponia semele Linnavuori,1995** (Miridae) Synonym(s): semele Linnavuori,1995 Range (in code): IL Pa JO IR Kz
- 3502. Tuponia shadeganica Linnavuori,2010** (Miridae) Synonym(s): shadeganica Linnavuori,2010 Range (in code): IR Kz
- 3503. Tuponia shulgi Linnavuori,1984** (Miridae) Synonym(s): shulgi Linnavuori,1984 Range (in code): IQ
- 3504. Tuponia simplex Wagner,1974** (Miridae) Synonym(s): simplex Wagner,1974 Range (in code): CY
- 3505. Tuponia spilana Wagner,1974** (Miridae) Synonym(s): spilana Wagner,1974 Range (in code): CY
- 3506. Tuponia tamaricicola Lindberg,1939** (Miridae) Synonym(s): tamaricicola Lindberg,1939 Range (in code): EG IL Pa IR LY SD NE SO ER YE IQ
- 3507. Tuponia tamarisci (Perris,1857)** (Miridae) Synonym(s): tamarisci Perris,1857; notatus Fieber,1858; cunealis Reuter,1902 Range (in code): CH Cn Cc CY Md RO RU TR FR Md DZ GR 36
- 3508. Arachnocephalus vestitus A.Costa,1855** (Mogoplistidae) Synonym(s): vestitus A.Costa,1855 Range (in code): TR 09 34
- 3509. Mogoplistes brunneus Audinet-Serville,1839** (Mogoplistidae) Synonym(s): brunneus Audinet-Serville,1839 Range (in code): TR
- 3510. Pseudomogoplistes squamiger (Fischer von Waldheim,1853)** (Mogoplistidae) Synonym(s): squamiger Fischer von Waldheim,1853 Range (in code): TR
- 3511. Pseudomogoplistes turcicus Gorochoy,1995** (Mogoplistidae) Synonym(s): turcicus Gorochoy,1995 Range (in code): TR
- 3512. Myrmecophilus (s.str.) acervorum (Panzer,1799)** (Myrmecophilidae) Synonym(s): acervorum Panzer,1799 Range (in code): TR
- 3513. Myrmecophilus (s.str.) termitophilus Maran,1959** (Myrmecophilidae) Synonym(s): termitophilus Maran,1959 Range (in code): TR

- 3514. Myrmecophilus (s.str.) ochraceus Fischer von Waldheim,1853** (Myrmecophilidae)  
Synonym(s): ochraceus Fischer von Waldheim,1853 Range (in code): ES Si IT GR TR 16 31 33 35 63
- 3515. Myrmecophilus orientalis Stalling,2010** (Myrmecophilidae) Synonym(s): orientalis  
Stalling,2010 Range (in code): TR JO 27
- 3516. Myrmecophilus nigricornis Chopard,1963** (Myrmecophilidae) Synonym(s): nigricornis  
Chopard,1963 Range (in code): IL Pa JO
- 3517. Myrmecophilus americanus Saussure,1877** (Myrmecophilidae) Synonym(s): americanus  
Saussure,1877; prenolepidis Wasmann,1905; ?cottami Chopard,1922; albicinctus Chopard,1924; robustus Ebner,1956;  
microscopicus Gorochoy,1994 Range (in code): CO IN EG IL Pa
- 3518. Myrmecophilus brevipalpis Chopard,1948** (Myrmecophilidae) Synonym(s): brevipalpis  
Chopard,1948 Range (in code): SA
- 3519. Myrmecophilus ochraceus Fischer,1853** (Myrmecophilidae) Synonym(s): ochraceus  
Fischer,1853 Range (in code): SY
- 3520. Myrmecophilus wahrmani Chopard,1963** (Myrmecophilidae) Synonym(s): wahrmani  
Chopard,1963 Range (in code): IL Pa
- 3521. Alloerhynchus flavipes (Fieber,1836)** (Nabidae) Synonym(s): flavipes Fieber,1836 Range (in code): AL BG CZ FR RU ES CH IT Si SK YU TR GR 01
- 3522. Aptus mirmicoides Costa,1834** (Nabidae) Synonym(s): mirmicoides Costa,1834 Range (in code): TR
- 3523. Aspilaspis viridis (Brullé,1835)** (Nabidae) Synonym(s): viridis Brullé,1835 Range (in code): Cn GR TR CY
- 3524. Himacerus apterus (Fabricius,1798)** (Nabidae) Synonym(s): apterus Fabricius,1798 Range (in code): TR 10 39 67
- 3525. Himacerus dauricus (Kiritschenko,1911)** (Nabidae) Synonym(s): dauricus Kiritschenko,1911  
Range (in code): RU Sb TR 38
- 3526. Himacerus maracandicus (Reuter,1890)** (Nabidae) Synonym(s): maracandicus Reuter,1890  
Range (in code): TR CN Ui 01 38 51
- 3527. Himacerus mirmicoides (O.Costa,1834)** (Nabidae) Synonym(s): mirmicoides O.Costa,1834  
Range (in code): TR 28 29 60 69
- 3528. Nabis brevis Scholtz,1846** (Nabidae) Synonym(s): brevis Scholtz,1846 Range (in code): TR 29 35
- 3529. Nabis capsiformis Germar,1837** (Nabidae) Synonym(s): capsiformis Germar,1837 Range (in code): TR
- 3530. Nabis feroides Remane,1953** (Nabidae) Synonym(s): feroides Remane,1953 Range (in code): TR 23
- 3531. Nabis ferus (Linnaeus,1758)** (Nabidae) Synonym(s): ferus Linnaeus,1758 Range (in code): TR 04 05 23 28 31 36 46 56 60 65
- 3532. Nabis limbatus Duda,1851** (Nabidae) Synonym(s): limbatus Duda,1851 Range (in code): DZ TR RU Sb 06
- 3533. Nabis meridionalis Kerzhner,1963** (Nabidae) Synonym(s): meridionalis Kerzhner,1963 Range (in code): TR 08 35
- 3534. Nabis palifer Seidenstücker,1954** (Nabidae) Synonym(s): palifer Seidenstücker,1954 Range (in code): TR CY UZ TM SY AF 05 06 23 28 38 50 60
- 3535. Nabis provencalis Remane,1953** (Nabidae) Synonym(s): provencalis Remane,1953 Range (in code): TR 23
- 3536. Nabis pseudoferus Remane,1949** (Nabidae) Synonym(s): pseudoferus Remane,1949 Range (in code): Az TR CY IR Ak 05 28 58 60 69
- 3537. Nabis punctatus Costa,1847** (Nabidae) Synonym(s): punctatus Costa,1847 Range (in code): CZ BG ES FR PT IT RO RU SK GR YU TR 28 50 58 60 65
- 3538. Nabis rugosus (Linnaeus,1758)** (Nabidae) Synonym(s): rugosus Linnaeus,1758 Range (in code): TR 08 09 14 15 18 22 23 28 29 35 36 41 55 60 67
- 3539. Nabis sareptanus Dohrn,1862** (Nabidae) Synonym(s): sareptanus Dohrn,1862 Range (in code): RU TR RO BG IR CN Ui 21 60 68
- 3540. Phorticus velutinus Puton,1895** (Nabidae) Synonym(s): velutinus Puton,1895 Range (in code): CZ MA ES SY TR 02 31 33
- 3541. Prostemma aeneicolle Stein,1857** (Nabidae) Synonym(s): aeneicolle Stein,1857; laterale Fieber,1861 Range (in code): DE AL CZ BG FR RU CH IT SK HU PL SY RO TR YU GR Cc 33 36 60
- 3542. Prostemma guttula (Fabricius,1787)** (Nabidae) Synonym(s): guttula Fabricius,1787; staphylinus Gmelin,1790; brachelythrum Dufour,1834; fuscipennis Mulsant & Rey,1873; asiaticum Kerzhner,1968 [ssp.] Range (in code): Cn DZ MA TN AL AD AT BE B-H BG HV CZ FR GB DE GR HU IT MK MD NL PL PT RO RU SS ES UA YU CY TR Cc AM Eri AZ AF GG IR IQ IL Pa JO LB SY TJ TM UZ 01 13 29 34 35 36 60 65
- 3543. Prostemma sanguineum (Rossi,1790)** (Nabidae) Synonym(s): sanguineum Rossi,1790; lucidulus Spinola,1837; staphylinus Amyot-Serville,1843; krueperi Stein,1878; margelanum Horvath,1895; afghanicus Poppius,1909; dimidiatus Poppius,1909 Range (in code): AL AT B-H BG HV FR DE GR HU IT MK MD PT RO RU SK ES CH UA YU TR IL Pa Js SY Cc AM Eri GG AZ UZ Smk KK TJ AF TM 01 25 29 31 34 35 42 46



- 3544. *Stalia major* Costa,1840** (Nabidae) **Synonym(s):** major Costa,1840 **Range (in code):** **Cn CY TR RU 01 09 20 33 35**
- 3545. *Ilyocoris cimicoides* (Linnaeus,1758)** (Naucoridae) **Synonym(s):** cimicoides Linnaeus,1758 **Range (in code):** **TR 01 03 06 38 42**
- 3546. *Naucoris maculatus* Fabricius,1798** (Naucoridae) **Synonym(s):** maculatus Fabricius,1798 **Range (in code):** **BE GB NL TR 33**
- 3547. *Amphinemura mirabilis* (Martynov,1928)** (Nemouridae) **Synonym(s):** mirabilis Martynov,1928 **Range (in code):** **Cc TR IR AF Ch 08 18 24 25 28 29 37 60 62 69**
- 3548. *Amphinemura standfussi* (Ris,1902)** (Nemouridae) **Synonym(s):** standfussi Ris,1902; palmeni Kpopnen,1917; osorioi Navas,1929; vicina Navas,1932 **Range (in code):** **TR 07 14 39**
- 3549. *Amphinemura trialetica* Zhiltzova,1957** (Nemouridae) **Synonym(s):** trialetica Zhiltzova,1957 **Range (in code):** **TR Cc 06 08 14 16 18 60 62**
- 3550. *Nemoura brevipennis* Martynov,1928** (Nemouridae) **Synonym(s):** brevipennis Martynov,1928 **Range (in code):** **TR 46**
- 3551. *Nemoura carpathica* Illies,1963** (Nemouridae) **Synonym(s):** carpathica Illies,1963 **Range (in code):** **CZ SK RO TR UA 14 37 67**
- 3552. *Nemoura cinerea* (Retzius,1783)** (Nemouridae) **Synonym(s):** cinerea Retzius,1783; variegata Olivier,1811; affinis Stephens,1836; pallida Stephens,1836; annulata Stephens,1836; macrophthalma Pictet,1836; pallipes Burmeister,1839; lunata Rambur,1842; castanea Kempny,1898; lobuata Navas,1918; bureschi Navas,1929; caucasica Balinsky,1950; turcica Zwick,1972; iberica Zwick,1972 **Range (in code):** **PT ES BE NL DE GB NO SE FI RU EE LT LV BY DK PL RO AT CZ SK CH HU SS HV YU IT MK GR BG Cc TR UA 06 10 14 16 18 25 26 28 36 37 38 46 52 58 59 62 66 69 70 75**
- 3553. *Nemoura flexuosa* Aubert,1949** (Nemouridae) **Synonym(s):** flexuosa Aubert,1949 **Range (in code):** **TR 06 14 18 35 67**
- 3554. *Nemoura martynovia* Claassen,1936** (Nemouridae) **Synonym(s):** martynovia Claassen,1936 **Range (in code):** **Cc TR 08 25 53 60**
- 3555. *Nemoura subtilis* Klapalek,1895** (Nemouridae) **Synonym(s):** subtilis Klapalek,1895; carpathica Illies,1963 **Range (in code):** **TR 14 39 54**
- 3556. *Nemoura taurica* Zhiltzova,1967** (Nemouridae) **Synonym(s):** taurica Zhiltzova,1967 **Range (in code):** **TR Cc UA Cm 01 02 06**
- 3557. *Protonemura abchasica* Zhiltzova,1964** (Nemouridae) **Synonym(s):** abchasica Zhiltzova,1964 **Range (in code):** **Cc GG**
- 3558. *Protonemura bacuriana* Zhiltzova,1957** (Nemouridae) **Synonym(s):** bacuriana Zhiltzova,1957 **Range (in code):** **TR Cc GG 06 08 14 24 25 28 44 58 69**
- 3559. *Protonemura besucheti* Zwick,1971** (Nemouridae) **Synonym(s):** besucheti Zwick,1971 **Range (in code):** **TR 31**
- 3560. *Protonemura bifida* Martynov,1928** (Nemouridae) **Synonym(s):** bifida Martynov,1928; breviuscula Martynov,1928; falciformis Martynov,1928 **Range (in code):** **TR 08 53 69**
- 3561. *Protonemura bithynica* Aubert,1964** (Nemouridae) **Synonym(s):** bithynica Aubert,1964 **Range (in code):** **TR 01 02 06 07 08 14 53 29 69 70**
- 3562. *Protonemura capitata* Martynov,1928** (Nemouridae) **Synonym(s):** capitata Martynov,1928 **Range (in code):** **TR 08 53**
- 3563. *Protonemura dilatata* Martynov,1928** (Nemouridae) **Synonym(s):** dilatata Martynov,1928 **Range (in code):** **TR 58**
- 3564. *Protonemura elbourzi* Aubert,1964** (Nemouridae) **Synonym(s):** elbourzi Aubert,1964 **Range (in code):** **IR**
- 3565. *Protonemura eumontana* Zhiltzova,1957** (Nemouridae) **Synonym(s):** eumontana Zhiltzova,1957 **Range (in code):** **TR 53**
- 3566. *Protonemura fusunae* Vinçon & Ravizza,1999** (Nemouridae) **Synonym(s):** fusunae Vinçon & Ravizza,1999 **Range (in code):** **TR**
- 3567. *Protonemura gladifera* Balinsky,1950** (Nemouridae) **Synonym(s):** gladifera Balinsky,1950 **Range (in code):** **TR 44**
- 3568. *Protonemura intricata* (Ris,1902)** (Nemouridae) **Synonym(s):** intricata Ris,1902 **Range (in code):** **ES GR TR 45**
- 3569. *Protonemura izmiriana* Vinçon & Zhiltzova,2004** (Nemouridae) **Synonym(s):** izmiriana Vinçon & Zhiltzova,2004 **Range (in code):** **TR 35**
- 3570. *Protonemura libanica* Aubert,1964** (Nemouridae) **Synonym(s):** libanica Aubert,1964 **Range (in code):** **LB**
- 3571. *Protonemura libanocyprica* Zwick,1967** (Nemouridae) **Synonym(s):** libanocyprica Zwick,1967 **Range (in code):** **LB CY**
- 3572. *Protonemura mattheyi* (Aubert,1956)** (Nemouridae) **Synonym(s):** mattheyi Aubert,1956 **Range (in code):** **TR LB GR**

- 3573. *Protonemura microstyla* Martynov,1928** (Nemouridae) Synonym(s): *microstyla* Martynov,1928 Range (in code): TR
- 3574. *Protonemura oreas* Martynov,1928** (Nemouridae) Synonym(s): *oreas* Martynov,1928; *longispinosa* Martynov,1928 Range (in code): TR 53
- 3575. *Protonemura praecox* (Morton,1894)** (Nemouridae) Synonym(s): *praecox* Morton,1894 Range (in code): GB GR TR 06 18 25 44 48
- 3576. *Protonemura ressl* Zwick,1971** (Nemouridae) Synonym(s): *ressli* Zwick,1971 Range (in code): TR 58
- 3577. *Protonemura teberdensis* Zhiltzova,1958** (Nemouridae) Synonym(s): *teberdensis* Zhiltzova,1958 Range (in code): Cc GG RU TR 08 53 61
- 3578. *Protonemura triangulata* Martynov,1928** (Nemouridae) Synonym(s): *triangulata* Martynov,1928; *karabagi* Kazanci,1982 Range (in code): TR 14
- 3579. *Protonemura waliabadi* Aubert,1964** (Nemouridae) Synonym(s): *waliabadi* Aubert,1964 Range (in code): IR
- 3580. *Protonemura zernyi* Aubert,1964** (Nemouridae) Synonym(s): *zernyi* Aubert,1964 Range (in code): IL Pa LB
- 3581. *Nepa cinerea* Linnaeus,1758** (Nepidae) Synonym(s): *cinerea* Linnaeus,1758 Range (in code): TR 15 38 40 46 50 54
- 3582. *Nepa rubra* Linnaeus,1758** (Nepidae) Synonym(s): *rubra* Linnaeus,1758 Range (in code): TR
- 3583. *Ranatra linearis* (Linnaeus,1758)** (Nepidae) Synonym(s): *linearis* Linnaeus,1758 Range (in code): TR 35 38 42
- 3584. *Morsina persica* Melichar,1902** (Nogodinidae) Synonym(s): *persica* Melichar,1902 Range (in code): IR
- 3585. *Philbyella arabica* China,1938** (Nogodinidae) Synonym(s): *arabica* China,1938 Range (in code): SA
- 3586. *Philbyella glarea* Dlabola & Heller,1962** (Nogodinidae) Synonym(s): *glarea* Dlabola & Heller,1962 Range (in code): IR
- 3587. *Anisops sardeus* Herrich-Schäffer,1849** (Notonectidae) Synonym(s): *sardeus* Herrich-Schäffer,1849 Range (in code): RU Cn FR Co TR SD IN CN Ui 01 27 33
- 3588. *Notonecta glauca* Linnaeus,1758** (Notonectidae) Synonym(s): *glauca* Linnaeus,1758; *kervillei* Poisson,1933; *poissoni* Hungerford,1934; *hybrida* Poisson,1953 Range (in code): PT ES FR GB IE NO SE FI DK DE NL BE EE LT BY UA MD RO PL CZ SK HU CH AT IT Sa Si MT AL BG GR MK YU SS HV B-H CY TR IR AM GG AZ Cc 01 03 06 16 24 25 34 35 37 41
- 3589. *Notonecta maculata* Fabricius,1794** (Notonectidae) Synonym(s): *maculata* Fabricius,1794 Range (in code): TR 34
- 3590. *Notonecta marmorea* Fabricius,1803** (Notonectidae) Synonym(s): *marmorea* Fabricius,1803 Range (in code): RU Cc TR IR TM
- 3591. *Notonecta meridionalis* Poisson,1926** (Notonectidae) Synonym(s): *meridionalis* Poisson,1926 Range (in code): TR 01 06 34 35 37 41
- 3592. *Notonecta obliqua* Gallen,1787** (Notonectidae) Synonym(s): *obliqua* Gallen,1787 Range (in code): TR 01 40 41 46
- 3593. *Notonecta viridis* Delcourt,1909** (Notonectidae) Synonym(s): *viridis* Delcourt,1909; *mediterranea* Hutchinson,1928 Range (in code): TR 03 06 10 35 40 42 65
- 3594. *Ochterus marginatus* (Latreille,1804)** (Ochteridae) Synonym(s): *marginatus* Latreille,1804 Range (in code): TR AF CN IN JP LK ID Sum 01 23 51
- 3595. *Orthezia urticae* (Linnaeus)** (Ortheziidae) Synonym(s): *urticae* Linnaeus Range (in code): TR
- 3596. *Araxiana woronowi* (Uvarov,1918)** (Pamphagidae) Synonym(s): *woronowi* Uvarov,1918; *woronovi* Bei-Bienko & Mishchenko,1951 Range (in code): AM Eri Cc Ord Nv AZ
- 3597. *Asiotmethis artemisianus* Shumakov,1949** (Pamphagidae) Synonym(s): *artemisianus* Shumakov,1949 Range (in code): IR
- 3598. *Asiotmethis limbatus* (Charpentier,1845)** (Pamphagidae) Synonym(s): *limbatus* Charpentier,1845 Range (in code): TR
- 3599. *Asiotmethis turritus* (Fischer von Waldheim,1833)** (Pamphagidae) Synonym(s): *turritus* Fischer von Waldheim,1833 Range (in code): Cc GG AZ AM Eri TR 36
- 3600. *Atrichotmethis semenovi* (Zubovskii,1899)** (Pamphagidae) Synonym(s): *semenovi* Zubovskii,1899; *zaitzevi* Uvarov,1917 Range (in code): RU Cc KG UZ TM AF
- 3601. *Bufonocarodes intricatus* Mishchenko,1951** (Pamphagidae) Synonym(s): *intricatus* Mishchenko,1951 Range (in code): IR Fa
- 3602. *Bufonocarodes mistshenkoi* Descamps,1967** (Pamphagidae) Synonym(s): *mistshenkoi* Descamps,1967 Range (in code): IR Ak Tbz Ar Cc
- 3603. *Bufonocarodes robustus* Mishchenko,1951** (Pamphagidae) Synonym(s): *robustus* Mishchenko,1951 Range (in code): IR

- 3604. *Bufonocarodes sabalanicus* Descamps,1967** (Pamphagidae) Synonym(s): sabalanicus Descamps,1967 Range (in code): IR Sbl
- 3605. *Bufonocarodes tumulosus* Mishchenko,1951** (Pamphagidae) Synonym(s): tumulosus Mishchenko,1951 Range (in code): Cc AZ Zu
- 3606. *Dhofaria splendens* (Popov,1980)** (Pamphagidae) Synonym(s): splendens Popov,1980 Range (in code): OM
- 3607. *Ebnerodes tolgi* (Ebner,1919)** (Pamphagidae) Synonym(s): tolgi Ebner,1919 Range (in code): TR
- 3608. *Eremocharis afghana* Ramme,1928** (Pamphagidae) Synonym(s): afghana Ramme,1928; maior Ramme,1952 Range (in code): AF Pag Kab
- 3609. *Eremocharis ancestralis* Stolyarov,1972** (Pamphagidae) Synonym(s): ancestralis Stolyarov,1972 Range (in code): AF Gz
- 3610. *Eremocharis brachyptera* Ramme,1952** (Pamphagidae) Synonym(s): brachyptera Ramme,1952 Range (in code): AF Kab
- 3611. *Eremocharis brachyptera uvarovi* Cejchan,1969** (Pamphagidae) Synonym(s): uvarovi Cejchan,1969 Range (in code): AF Kab
- 3612. *Eremocharis granulosa* (Walker,1871)** (Pamphagidae) Synonym(s): granulosa Walker,1871 Range (in code): PK Bl Qu IR Kh AF Kab
- 3613. *Eremocharis obscura* Ramme,1952** (Pamphagidae) Synonym(s): obscura Ramme,1952 Range (in code): AF
- 3614. *Eremocharis subsulcata* (Stal,1875)** (Pamphagidae) Synonym(s): subsulcata Stal,1875 Range (in code): IR Elb Srd AF
- 3615. *Eremocharis zaheri* Pfadt,1969** (Pamphagidae) Synonym(s): zaheri Pfadt,1969 Range (in code): AF
- 3616. *Eremopeza afghana* (Uvarov,1940)** (Pamphagidae) Synonym(s): afghana Uvarov,1940; maior Ramme,1952 Range (in code): AF Kab
- 3617. *Eremopeza bicoloripes* (Moritz,1928)** (Pamphagidae) Synonym(s): bicoloripes Moritz,1928; paludani Ramme,1952 Range (in code): IR Kh AF PK
- 3618. *Eremopeza cinerascens* (Stal,1875)** (Pamphagidae) Synonym(s): cinerascens Stal,1875 Range (in code): IR Elb Srd
- 3619. *Eremopeza clavicornis* Uvarov,1943** (Pamphagidae) Synonym(s): clavicornis Uvarov,1943 Range (in code): AF
- 3620. *Eremopeza festiva* (Saussure,1884)** (Pamphagidae) Synonym(s): festiva Saussure,1884; grandis Portschinsky,1886 Range (in code): TR Cc Nv Ord AZ AM Eri 36 76
- 3621. *Eremopeza gibbera* (Stal,1874)** (Pamphagidae) Synonym(s): gibbera Stal,1874 Range (in code): IQ LB SY Hal TR IR Bu Es Hz Ke Kz Lo Fa Il Km Ss 27 46 56 63 72
- 3622. *Eremopeza gigas* (Kirby,1914)** (Pamphagidae) Synonym(s): gigas Kirby,1914 Range (in code): PK Bl Qu
- 3623. *Eremopeza saussurei* (Uvarov,1918)** (Pamphagidae) Synonym(s): gibber Uvarov,1916; saussurei Uvarov,1918 Range (in code): TR IR Bk Kh Ab Ak Es Fa Ha By Kd Ke Kh Lo Ma Ss Th 65
- 3624. *Eremotmethis carinatus* (Fabricius,1775)** (Pamphagidae) Synonym(s): carinatus Fabricius,1775; continuata Audinet-Serville,1838; aegyptius Uvarov,1924; moritzi Uvarov,1929 Range (in code): AF PK IR Elb Kh IN SA IL Pa EG
- 3625. *Eunothotes derjugini* Adelung,1907** (Pamphagidae) Synonym(s): derjugini Adelung,1907 Range (in code): TR Cc GG Aj o8
- 3626. *Glyphotmethis adaliae* (Uvarov,1928)** (Pamphagidae) Synonym(s): adaliae Uvarov,1928 Range (in code): TR o6 o7 66
- 3627. *Glyphotmethis dimorphus* (Uvarov,1934)** (Pamphagidae) Synonym(s): dimorphus Uvarov,1934 Range (in code): TR o1 o3 38 42 58
- 3628. *Glyphotmethis efe* Ünal,2007** (Pamphagidae) Synonym(s): efe Ünal,2007 Range (in code): TR 45
- 3629. *Glyphotmethis escherichi* (Krauss,1896)** (Pamphagidae) Synonym(s): escherichi Krauss,1896 Range (in code): TR o6 26 35 38 42 43 64
- 3630. *Glyphotmethis holtzi* (Werner,1901)** (Pamphagidae) Synonym(s): holtzi Werner,1901 Range (in code): TR o6 33 38 42 50 51
- 3631. *Glyphotmethis inermis* (Uvarov,1934)** (Pamphagidae) Synonym(s): inermis Uvarov,1934 Range (in code): TR o6 18
- 3632. *Glyphotmethis ovipennis* (Uvarov,1934)** (Pamphagidae) Synonym(s): ovipennis Uvarov,1934 Range (in code): TR o6
- 3633. *Glyphotmethis sevketi* (Ramme,1951)** (Pamphagidae) Synonym(s): sevketi Ramme,1951 Range (in code): TR 19
- 3634. *Iranotmethis cyanipennis* (Saussure,1884)** (Pamphagidae) Synonym(s): cyanipennis Saussure,1884 Range (in code): IR Elb Th



- 3635. Iranotmethis luteipes Bei-Bienko,1951** (Pamphagidae) Synonym(s): luteipes Bei-Bienko,1951 Range (in code): IR
- 3636. Iranotmethis persa (Saussure,1888)** (Pamphagidae) Synonym(s): persa Saussure,1888 Range (in code): IR Ak Ab Fa
- 3637. Nocaracris curtus Mishchenko,1951** (Pamphagidae) Synonym(s): curtus Mishchenko,1951 Range (in code): Cc GG Aj
- 3638. Nocaracris cyanipes (Fischer von Waldheim,1846)** (Pamphagidae) Synonym(s): cyanipes Fischer von Waldheim,1846 Range (in code): TR Cc GG 04 05 08 11 16 35 46 75
- 3639. Nocaracris tecticollis Ramme,1951** (Pamphagidae) Synonym(s): tecticollis Ramme,1951 Range (in code): TR 11
- 3640. Nocaracris tibialis Ramme,1951** (Pamphagidae) Synonym(s): tibialis Ramme,1951 Range (in code): Cc AM Di
- 3641. Nocaracris tristis Ramme,1951** (Pamphagidae) Synonym(s): tristis Ramme,1951 Range (in code): Cc GG Akk
- 3642. Nocarodes armenus Ramme,1951** (Pamphagidae) Synonym(s): armenus Ramme,1951; fragosus Mishchenko,1951 Range (in code): Cc AM Eri IR AZ Nv Ord
- 3643. Nocarodes aserbus Mistshenko,1951** (Pamphagidae) Synonym(s): aserbus Mistshenko,1951 Range (in code): TR 04 65 76
- 3644. Nocarodes balachowskyi Descamps,1967** (Pamphagidae) Synonym(s): balachowskyi Descamps,1967 Range (in code): Cc AZ IR Ak Ab
- 3645. Nocarodes bicoloripes Uvarov,1949** (Pamphagidae) Synonym(s): bicoloripes Uvarov,1949; #marani Demirsoy,1973 Range (in code): TR 20
- 3646. Nocarodes corrugatus Mishchenko,1951** (Pamphagidae) Synonym(s): corrugatus Mishchenko,1951 Range (in code): IR Elb
- 3647. Nocarodes crispus Mishchenko,1951** (Pamphagidae) Synonym(s): crispus Mishchenko,1951 Range (in code): IR Ak Ab
- 3648. Nocarodes daghestanicus Uvarov,1928** (Pamphagidae) Synonym(s): daghestanicus Uvarov,1928 Range (in code): Cc RU Da
- 3649. Nocarodes ebneri Ramme,1951** (Pamphagidae) Synonym(s): ebneri Ramme,1951 Range (in code): IR Elb Kdv
- 3650. Nocarodes femoralis Fischer von Waldheim,1846** (Pamphagidae) Synonym(s): femoralis Fischer von Waldheim,1846 Range (in code): Cc RU
- 3651. Nocarodes geniculatus Uvarov,1928** (Pamphagidae) Synonym(s): geniculatus Uvarov,1928 Range (in code): RU Cc Da
- 3652. Nocarodes gibbosus Mishchenko,1951** (Pamphagidae) Synonym(s): gibbosus Mishchenko,1951 Range (in code): IR
- 3653. Nocarodes humerosus Mishchenko,1951** (Pamphagidae) Synonym(s): humerosus Mishchenko,1951 Range (in code): IR
- 3654. Nocarodes iranicus (Werner,1939)** (Pamphagidae) Synonym(s): iranicus Werner,1939 Range (in code): IR Elb Th
- 3655. Nocarodes keredjensis (Werner,1939)** (Pamphagidae) Synonym(s): keredjensis Werner,1939 Range (in code): IR Elb Th Kdj
- 3656. Nocarodes nanus Mishchenko,1951** (Pamphagidae) Synonym(s): nanus Mishchenko,1951 Range (in code): Cc AZ Nv
- 3657. Nocarodes scabiosus Mishchenko,1951** (Pamphagidae) Synonym(s): scabiosus Mishchenko,1951 Range (in code): Cc AZ IR Ak Ab
- 3658. Nocarodes schelkovnikovi Uvarov,1917** (Pamphagidae) Synonym(s): schelkovnikovi Uvarov,1917 Range (in code): IR Ak Ab
- 3659. Nocarodes serricollis Fischer von Waldheim,1846** (Pamphagidae) Synonym(s): serricollis Fischer von Waldheim,1846 Range (in code): Cc RU Da AM GG Tbl
- 3660. Nocarodes specialis Mishchenko,1951** (Pamphagidae) Synonym(s): specialis Mishchenko,1951 Range (in code): IR Elb Th
- 3661. Nocarodes urmianus Ramme,1939** (Pamphagidae) Synonym(s): urmianus Ramme,1939 Range (in code): IR Ak Ab Oru Cc
- 3662. Nocarodes variegatus Fischer von Waldheim,1846** (Pamphagidae) Synonym(s): variegatus Fischer von Waldheim,1846 Range (in code): Cc RU
- 3663. Nocarodes znojkoii Miram,1938** (Pamphagidae) Synonym(s): znojkoii Miram,1938 Range (in code): Cc AZ Nv
- 3664. Orchamus davisi (Uvarov,1949)** (Pamphagidae) Synonym(s): davisi Uvarov,1949 Range (in code): TR 01 07 20 31 33 48
- 3665. Orchamus gracilis (Brunner von Wattenwyl,1882)** (Pamphagidae) Synonym(s): gracilis Brunner von Wattenwyl,1882 Range (in code): CY

- 3666. *Orchamus hebraeus* Uvarov,1942** (Pamphagidae) Synonym(s): hebraeus Uvarov,1942 Range (in code): IL Pa
- 3667. *Orchamus yersini* (Brunner von Wattenwyl,1882)** (Pamphagidae) Synonym(s): raulinii Yersin,1860 nec Lucas,1854; yersini Brunner von Wattenwyl,1882 Range (in code): Rd GR LB Bei SY IL Pa TR 31
- 3668. *Oronothotes furvus* Mistshenko,1951** (Pamphagidae) Synonym(s): furvus Mistshenko,1951 Range (in code): TR
- 3669. *Paktia gardezae* Pfadt,1970** (Pamphagidae) Synonym(s): gardezae Pfadt,1970 Range (in code): AF
- 3670. *Paranocaracris bulgaricus* (Ebner & Drenowsky,1930)** (Pamphagidae) Synonym(s): bulgaricus Ebner & Drenowsky,1930 Range (in code): BG TR
- 3671. *Paranocaracris citripes* (Uvarov,1949)** (Pamphagidae) Synonym(s): citripes Uvarov,1949; flavitarsis Karabağ,1953 Range (in code): TR 06 07 19 48 54
- 3672. *Paranocaracris elegans* Mistshenko,1951** (Pamphagidae) Synonym(s): elegans Mistshenko,1951; tridentatus Shchelkanovtsev,1916 Range (in code): TR 08
- 3673. *Paranocaracris granosus* Mishchenko,1951** (Pamphagidae) Synonym(s): granosus Mishchenko,1951 Range (in code): Cc GG
- 3674. *Paranocaracris rimansonae* (Uvarov,1918)** (Pamphagidae) Synonym(s): rimansonae Uvarov,1918 Range (in code): TR Cc GG Tbl Smt Akh 13 65
- 3675. *Paranocaracris rubripes* (Fischer von Waldheim,1846)** (Pamphagidae) Synonym(s): rubripes Fischer von Waldheim,1846; #rupripes Salman,1978 Range (in code): TR Cc GG 04 05 06 08 14 16 29 31 33 35 36 37 43 44 58 75
- 3676. *Paranocarodes aserbeidshanicus* Ramme,1951** (Pamphagidae) Synonym(s): aserbeidshanicus Ramme,1951 Range (in code): AZ Cc
- 3677. *Paranocarodes atympanicus* Ramme,1951** (Pamphagidae) Synonym(s): atympanicus Ramme,1951 Range (in code): TR 06
- 3678. *Paranocarodes beieri* (Ramme,1951)** (Pamphagidae) Synonym(s): beieri Ramme,1951 Range (in code): TR 38 42
- 3679. *Paranocarodes fieberi* (Brunner von Wattenwyl,1882)** (Pamphagidae) Synonym(s): fieberi Brunner von Wattenwyl,1882 Range (in code): TR GR 05 06 07 16 17 33 35 45
- 3680. *Paranocarodes pahlagonicus* Ramme,1951** (Pamphagidae) Synonym(s): pahlagonicus Ramme,1951 Range (in code): TR 37
- 3681. *Paranocarodes straubei* (Fieber,1853)** (Pamphagidae) Synonym(s): straubei Fieber,1853 Range (in code): TR GR 16 17 31 34
- 3682. *Paranocarodes sulcatus* (Bolivar,1912)** (Pamphagidae) Synonym(s): sulcatus Bolivar,1912 Range (in code): SY IQ TR IR 31
- 3683. *Paranothotes asulcatus* Demirsoy,1973** (Pamphagidae) Synonym(s): asulcatus Demirsoy,1973 Range (in code): TR
- 3684. *Paranothotes eximius* Mistshenko,1951** (Pamphagidae) Synonym(s): eximius Mistshenko,1951 Range (in code): TR 36 46
- 3685. *Paranothotes gotvendicus* (Bolivar,1912)** (Pamphagidae) Synonym(s): gotvendicus Bolivar,1912 Range (in code): TR IR Lo
- 3686. *Paranothotes kosswigi* Demirsoy,1973** (Pamphagidae) Synonym(s): kosswigi Demirsoy,1973 Range (in code): TR 51
- 3687. *Paranothotes levis* Mistshenko,1951** (Pamphagidae) Synonym(s): levis Mistshenko,1951 Range (in code): TR 08
- 3688. *Paranothotes opacus* (Brunner von Wattenwyl,1882)** (Pamphagidae) Synonym(s): opacus Brunner von Wattenwyl,1882 Range (in code): TR Cc GG Tbl UZ IR 30 73
- 3689. *Paranothotes tenuicornis* Mishchenko,1951** (Pamphagidae) Synonym(s): tenuicornis Mishchenko,1951 Range (in code): IR Elb
- 3690. *Prionosthenus (Lativertex) liebmanni* Werner,1939** (Pamphagidae) Synonym(s): liebmanni Werner,1939 Range (in code): IL Pa
- 3691. *Prionosthenus (s.str.) baalbekianus* Werner,1939** (Pamphagidae) Synonym(s): baalbekianus Werner,1939 Range (in code): LB Baa
- 3692. *Prionosthenus (s.str.) femoralis* Werner,1939** (Pamphagidae) Synonym(s): femoralis Werner,1939 Range (in code): LB
- 3693. *Prionosthenus (s.str.) galericulatus* (Stal,1876)** (Pamphagidae) Synonym(s): galericulatus Stal,1876 Range (in code): IL Pa
- 3694. *Prionosthenus (s.str.) gueleni* Karabağ,1956** (Pamphagidae) Synonym(s): gueleni Karabağ,1956 Range (in code): TR 31
- 3695. *Prionosthenus (s.str.) lebanicus* Dirsh,1950** (Pamphagidae) Synonym(s): lebanicus Dirsh,1950 Range (in code): LB
- 3696. *Prionosthenus (s.str.) syriacus* (Brisout de Barneville,1855)** (Pamphagidae) Synonym(s): syriacus Brisout de Barneville,1855 Range (in code): SY

- 3697. *Prionotropis maculinervis* (Stal,1878)** (Pamphagidae) Synonym(s): *maculinervis* Stal,1878 Range (in code): TR 05 12 19 23 24 44 46 62 63
- 3698. *Pseudosavalania karabagi* Demirsoy,1973** (Pamphagidae) Synonym(s): *karabagi* Demirsoy,1973 Range (in code): TR 42
- 3699. *Savalania pulla* Mishchenko,1951** (Pamphagidae) Synonym(s): *pulla* Mishchenko,1951 Range (in code): IR Sbl
- 3700. *Saxetania aelleni* (Dirsh,1952)** (Pamphagidae) Synonym(s): *aelleni* Dirsh,1952 Range (in code): IR
- 3701. *Saxetania alticola* Bei-Bienko,1967** (Pamphagidae) Synonym(s): *alticola* Bei-Bienko,1967 Range (in code): AF Kab
- 3702. *Saxetania beybienkoi* Stolyarov,1968** (Pamphagidae) Synonym(s): *beybienkoi* Stolyarov,1968 Range (in code): AF
- 3703. *Saxetania cultricolis* (Saussure,1887)** (Pamphagidae) Synonym(s): *cultricolis* Saussure,1887; *paramonovi* Dirsh,1927; *fuscipes* Mishchenko,1951; *gibbosa* Mishchenko,1951; *tumulosa* Mishchenko,1951 Range (in code): TM Kp IR Gor
- 3704. *Saxetania decumana* Mishchenko,1951** (Pamphagidae) Synonym(s): *decumana* Mishchenko,1951 Range (in code): IR Kh
- 3705. *Saxetania dehbidi* (Dirsh,1952)** (Pamphagidae) Synonym(s): *dehbidi* Dirsh,1952 Range (in code): IR
- 3706. *Saxetania edentulum* (Uvarov,1923)** (Pamphagidae) Synonym(s): *edentulum* Uvarov,1923 Range (in code): IR
- 3707. *Saxetania escalerae* (Bolivar,1912)** (Pamphagidae) Synonym(s): *escalerae* Bolivar,1912 Range (in code): IR
- 3708. *Saxetania haarlovi* (Ramme,1952)** (Pamphagidae) Synonym(s): *haarlovi* Ramme,1952 Range (in code): AF Hr
- 3709. *Saxetania irrasa* Mishchenko,1951** (Pamphagidae) Synonym(s): *irrasa* Mishchenko,1951 Range (in code): IR Kh Msh
- 3710. *Saxetania lindbergi* Bei-Bienko,1967** (Pamphagidae) Synonym(s): *lindbergi* Bei-Bienko,1967 Range (in code): AF Hr
- 3711. *Saxetania miramae* (Mishchenko,1937)** (Pamphagidae) Synonym(s): *miramae* Mishchenko,1937; *nigrocostatum* Ramme,1952 Range (in code): AF
- 3712. *Saxetania mistshenkoi* Bei-Bienko,1963** (Pamphagidae) Synonym(s): *mistshenkoi* Bei-Bienko,1963 Range (in code): AF
- 3713. *Saxetania muricata* Mishchenko,1951** (Pamphagidae) Synonym(s): *muricata* Mishchenko,1951; *femoralis* Mishchenko,1951 Range (in code): IR Kh
- 3714. *Saxetania onerosa* Mishchenko,1951** (Pamphagidae) Synonym(s): *onerosa* Mishchenko,1951 Range (in code): IR
- 3715. *Saxetania popovi* (Dirsh,1952)** (Pamphagidae) Synonym(s): *popovi* Dirsh,1952 Range (in code): IR Ke
- 3716. *Saxetania pravdini* Chernyakhovskij,1979** (Pamphagidae) Synonym(s): *pravdini* Chernyakhovskij,1979 Range (in code): TM
- 3717. *Saxetania scutata* Mishchenko,1951** (Pamphagidae) Synonym(s): *scutata* Mishchenko,1951 Range (in code): TM
- 3718. *Saxetania spinosa* Mishchenko,1951** (Pamphagidae) Synonym(s): *spinosa* Mishchenko,1951; *nizwai* Dirsh,1952 Range (in code): IR Mz Elb Srd
- 3719. *Saxetania sulcata* Bei-Bienko,1963** (Pamphagidae) Synonym(s): *sulcata* Bei-Bienko,1963 Range (in code): AF
- 3720. *Saxetania uvarovi* (Mishchenko,1937)** (Pamphagidae) Synonym(s): *uvarovi* Mishchenko,1937 Range (in code): AF
- 3721. *Thrinchus turcmenus* Bey-Bienko & Mishchenko,1951** (Pamphagidae) Synonym(s): *turcmenus* Bey-Bienko & Mishchenko,1951 Range (in code): TM Krn
- 3722. *Tmethis iranica* Werner,1939** (Pamphagidae) Synonym(s): *iranica* Werner,1939 Range (in code): IR
- 3723. *Tmethis pulchripennis* (Audinet-Serville,1839)** (Pamphagidae) Synonym(s): *pulchripennis* Audinet-Serville,1839 Range (in code): TR IR Hz Il Km Kh IL Pa IQ 27 63
- 3724. *Utubius syriacus* (Bolivar,1893)** (Pamphagidae) Synonym(s): *syriacus* Bolivar,1893 Range (in code): SY Pmy KW
- 3725. *Acrosternum arabicum* Wagner,1959** (Pentatomidae) Synonym(s): *arabicum* Wagner,1959 Range (in code): IR Gh Zj Se Th Mz Elb Gor Kh GR YE SA
- 3726. *Acrosternum breviceps* (Jakovlev,1890)** (Pentatomidae) Synonym(s): *breviceps* Jakovlev,1890; *sahlbergi* Reuter,1900; *satunini* Jakovlev,1903; *bactriana* Kiritshenko,1912 Range (in code): RU TR IQ SA CN Ui IR Kh Ar Ak Kfr Gh Zj Th Ltf AZ AM Cc AF GG KK KW UZ TJ TM 02 21 63



- 3727. *Acrosternum heegeri* Fieber,1861** (Pentatomidae) **Synonym(s):** heegeri Fieber,1861; incerta Signoret,1861; submarginatus Stal,1861 **Range (in code):** **TR IL Pa Cc IR Ak Kfr Gh Gor Mz Elb CY UA Cm MG SO SY SA 01 02 07 21 25 27 31 33 35 38 45 48 56 57 63**
- 3728. *Acrosternum millieri* (Mulsant & Rey,1866)** (Pentatomidae) **Synonym(s):** millieri Mulsant & Rey,1866; forbesi Distant,1884; putoni Vidal,1949 **Range (in code):** **TR IQ IR Ak Kfr Kh IL Pa EG SY SA CN Ui TM 01 02 07 09 19 21 27 33 35 45 55 63**
- 3729. *Adria parvula* (Dallas,1851)** (Pentatomidae) **Synonym(s):** parvula Dallas,1851; brevittata Walker,1867 **Range (in code):** **IN MM PK YE**
- 3730. *Aelia acuminata* (Linnaeus,1758)** (Pentatomidae) **Synonym(s):** acuminata Linnaeus,1758;rostratus De Geer,1773; tessarophthalmus Schrank,1781;neglecta Dallas,1851; burmeisteri Küster,1852;pallida Küster,1852; turanica Horvath,1895; punctiventris Horvath,1911; #nigripes Wagner,1938; baluchistanensis Ahmad & Zaidi,1988 **Range (in code):** **AL AT BE B-H BG BY HV CZ DK EE FI FR GB DE GR HU IT MK MD NL NO PL PT RO RU SK SS ES SE CH UA YU MA DZ TN MR TR IL Pa IR Ak Kfr Ab Th Ar Km Es Kh Fa Ma Ha Zj Lo Mz Gor Cc CN Ui Sz PK Bl Qu UZ Fe AF GG AZ AM CN CY IQ IL Pa Jo KK LB SY TD TM 01 02 03 05 06 07 08 09 10 11 14 16 17 18 19 20 21 22 27 31 33 34 35 37 40 41 42 45 46 48 52 50 51 53 54 55 57 59 63 64 67 70 74 78 80**
- 3731. *Aelia albobittata* Fieber,1868** (Pentatomidae) **Synonym(s):** albobittata Fieber,1868 **Range (in code):** **GR TR IQ SY 01 02 05 06 10 16 17 19 21 27 31 33 35 44 45 56 60 63 70 71**
- 3732. *Aelia alticola* Kiritshenko,1914** (Pentatomidae) **Synonym(s):** alticola Kiritshenko,1914; satunini Kiritshenko,1930 **Range (in code):** **TR IR AZ AM Eri IR Ar IQ Cc 01 05 06 07 16 19 22 25 27 32 36 45 51 52 55 59 60 70 76**
- 3733. *Aelia furcula* Fieber,1868** (Pentatomidae) **Synonym(s):** furcula Fieber,1868; simillima Reuter,1900 **Range (in code):** **Cc CN Ui TR AF AM AT AZ GR IR Ak Kfr Ab Km Th Kdv Elb Kh Fa Ma Ha Zj Lo Mz Gor KK KG RU Sr UA TJ YU UZ 06 36 38 65**
- 3734. *Aelia germari* Küster,1852** (Pentatomidae) **Synonym(s):** germari Küster,1852; triticiperda Pomel,1889 **Range (in code):** **DZ TN MA HV FR IT MK PT ES IL Pa IT TR YU 27 31**
- 3735. *Aelia glebana* Horvath,1895** (Pentatomidae) **Synonym(s):** glebana Horvath,1895 **Range (in code):** **IQ Cc TR GR SY 06 23 34 51**
- 3736. *Aelia klugii* Hahn,1833** (Pentatomidae) **Synonym(s):** klugii Hahn,1833; granum Jakovlev,1903; demissa Kiritshenko,1914; angusta Stehlik,1976; bifida Hsiao & Cheng,1977; orientalis Josifov,1984; chinensis Rider & Rolston,1995 **Range (in code):** **AL AT BE BG BY HV CZ DK EE FI FR DE GR HU IT LT MK MD NL PL PT RO RU SK ES SE CH UA YU DZ AZ GG CN Sz KK MN TJ TR Cc EG 36 76**
- 3737. *Aelia melanota* Fieber,1868** (Pentatomidae) **Synonym(s):** melanota Fieber,1868; #melonata Havaskary et al.,2012; #abtusca Havaskary,2012 **Range (in code):** **FR ES AZ AM GG RU KK KG TJ TM UZ AF IR Ak Kfr Ma Gh Th Mz Kh Ss TR Cc 06 12 21 23 62 63 72**
- 3738. *Aelia notata* Rey,1887** (Pentatomidae) **Synonym(s):** notata Rey,1887 **Range (in code):** **FR RU Cc ES UA MA AT**
- 3739. *Aelia obtusa* Fieber,1868** (Pentatomidae) **Synonym(s):** obtusa Fieber,1868 **Range (in code):** **TR Cc**
- 3740. *Aelia rostrata* Boheman,1852** (Pentatomidae) **Synonym(s):** rostrata Boheman,1852; cognata Fieber,1868; glebana Ferrari,1874; syriaca Horvath,1903; eminealkanata Lodos,1959; confusa Kirkaldy,1909; brunnea Halaszfy,1955 **Range (in code):** **AL AT B-H BG BY HV CZ DK DE FR GR HU IT LT MK MD PL PT RO RU SK SS ES SE UA YU DZ LY MA TN AZ KG AM Cc GG CY IR IQ SY TR 01 03 05 06 07 11 14 15 17 18 19 21 22 26 27 31 32 34 35 36 37 38 39 40 41 42 43 45 46 47 50 51 52 54 55 60 62 63 64 65 67 78**
- 3741. *Aelia sibirica* Reuter,1884** (Pentatomidae) **Synonym(s):** sibirica Reuter,1884; henschi Montandon,1886; aspersa Jakovlev,1903 **Range (in code):** **CN Gn Ui AT BG IT IR RU Sb KG KK MN UA**
- 3742. *Aelia virgata* (Herrich-Schäffer,1841)** (Pentatomidae) **Synonym(s):** virgata Herrich-Schäffer,1841 **Range (in code):** **BG GR MK TR Cc AZ AM GG UZ LB IL Pa SY IR Ak Kfr Km Fa Lo Ma Ha Zj Kh 03 05 06 11 22 23 27 35 39 42 44 46 62 64**
- 3743. *Aeliomorpha* (Distantietta) fletcheri Distant,1911** (Pentatomidae) **Synonym(s):** fletcheri Distant,1911 **Range (in code):** **IN LK PK**
- 3744. *Aeliomorpha* (s.str.) eremita Linnavuori,1975** (Pentatomidae) **Synonym(s):** eremita Linnavuori,1975 **Range (in code):** **YE ER SD**
- 3745. *Aeliomorpha* (s.str.) griseoflava (Stal,1854)** (Pentatomidae) **Synonym(s):** griseoflava Stal,1854 **Range (in code):** **ZA YE**
- 3746. *Aeliomorpha* (s.str.) lineatocollis (Westwood,1837)** (Pentatomidae) **Synonym(s):** lineatocollis Westwood,1837 **Range (in code):** **SY AF CN IN BD**
- 3747. *Aeliomorpha* (s.str.) pazukii Hoberlandt,1997** (Pentatomidae) **Synonym(s):** pazukii Hoberlandt,1997 **Range (in code):** **IR**
- 3748. *Aeliomorpha* (s.str.) pumila (Stal,1854)** (Pentatomidae) **Synonym(s):** pumila Stal,1854; centrobica Bergroth,1926 **Range (in code):** **ZA Nta Kzu MA SA YE IR**
- 3749. *Aeliomorpha* (s.str.) sheanensis Linnavuori,1965** (Pentatomidae) **Synonym(s):** sheanensis Linnavuori,1965 **Range (in code):** **IL Pa IQ IR JO**
- 3750. *Agatharchus* (Afghanotharchus) kabakovi Belousova,1999** (Pentatomidae) **Synonym(s):** kabakovi Belousova,1999 **Range (in code):** **AF**

- 3751. Agatharchus (s.str.) escalerae Horvath,1901** (Pentatomidae) Synonym(s): escalerae Horvath,1901 Range (in code): TR 46
- 3752. Agatharchus (s.str.) herrichi (Kolenati,1846)** (Pentatomidae) Synonym(s): herrichi Kolenati,1846; montanus Jakovlev,1879; jakovleffi Reuter,1881; aemulans Horvath,1897; sobrinus Horvath,1897 Range (in code): RU Da AZ Kir AM Cc IR GG SY TR 01 21 33 38 42 46 49 70
- 3753. Agatharchus (s.str.) hirsutus Belousova,1999** (Pentatomidae) Synonym(s): hirsutus Belousova,1999 Range (in code): IR
- 3754. Agatharchus (s.str.) jalloides Stal,1876** (Pentatomidae) Synonym(s): jalloides Stal,1876; saundersi Jakovlev,1877 Range (in code): IR
- 3755. Agatharchus (s.str.) lineus (Klug,1845)** (Pentatomidae) Synonym(s): lineus Klug,1845; furcus Jakovlev,1877 Range (in code): IR Cc TR SY LB 23 36 76
- 3756. Agatharchus (s.str.) persicus (Jakovlev,1880)** (Pentatomidae) Synonym(s): persicus Jakovlev,1880 Range (in code): IR
- 3757. Agatharchus (s.str.) ponticus Belousova,1999** (Pentatomidae) Synonym(s): ponticus Belousova,1999 Range (in code): TR 25
- 3758. Agatharchus (s.str.) tritaenia Horvath,1897** (Pentatomidae) Synonym(s): tritaenia Horvath,1897 Range (in code): TR IR IQ 27 31
- 3759. Agatharchus (s.str.) turkmenicus Belousova,1999** (Pentatomidae) Synonym(s): turkmenicus Belousova,1999 Range (in code): TM
- 3760. Agatharchus (s.str.) umarovi Muminov,1975** (Pentatomidae) Synonym(s): umarovi Muminov,1975 Range (in code): AF
- 3761. Alloeoglypta pretiosa Kiritshenko,1952** (Pentatomidae) Synonym(s): pretiosa Kiritshenko,1952 Range (in code): IR Th Kh Ltf Kdj Msh TM AF TJ KK KG
- 3762. Alloeoglypta pretiosa Kiritshenko,1952** (Pentatomidae) Synonym(s): pretiosa Kiritshenko,1952; arnoldii Kiritshenko,1952 Range (in code): AF KG KK TJ TM
- 3763. Anasida orientalis Distant,1910** (Pentatomidae) Synonym(s): orientalis Distant,1910 Range (in code): PK IN
- 3764. Anchesmus rubiplaga (Walker,1867)** (Pentatomidae) Synonym(s): rubiplaga Walker,1867; ruficornis Stal,1876 Range (in code): DZ EG LY TN SA IL Pa JO IR Kh YE ET IN PK
- 3765. Ancyrosoma leucogrammes (Gmelin,1790)** (Pentatomidae) Synonym(s): albolineatus Fabricius,1781 nec Gz.,1778; leucogrammes Gmelin,1790; nervosus Cyrillus,1791 nec Sc.,1763; affine Westwood,1837; tuberculatum Bergevin,1908 Range (in code): AL AT B-H HV FR GR BG IT MT MK PT SK SS ES CH Az TR IL Pa IR Cc GG AM AZ IR IQ IL JO CY EG SY TJ TM UZ KK MN 01 02 06 07 08 09 10 11 15 16 17 19 21 22 27 31 32 33 34 35 38 39 42 45 46 48 50 54 56 59 63 62 65 72
- 3766. Andrallus spinidens (Fabricius,1787)** (Pentatomidae) Synonym(s): spinidens Fabricius,1787; geometricus Burmeister,1835; aliena Westwood,1837; cinctum Montrouzer,1858; aculeata Ellenreider,1862; ludovicianus Stoner,1917 Range (in code): TW PH ID Sum Ja Bor MY VN PG BD IN FJ IT GR EG Sn TM CN JP RU Cc AZ TR SY IR Gh ET MW ZA MZ SD ZR MG BW UG AU US 01 09 35
- 3767. Apines insignita (Bergroth,1919)** (Pentatomidae) Synonym(s): insignita Bergroth,1919; satrapes Oshanin,1922 Range (in code): AF IR Ss
- 3768. Apodiphus amygdali (Germar,1817)** (Pentatomidae) Synonym(s): amygdali Germar,1817; hellenica Lefebvre,1831; exsculpta Burmeister,1835 Range (in code): DE AT IT B-H AL MK GR BG TR Cc AZ AM GG HV IQ IR Gh Ak Kfr Mrd Fa Th Ma Ke Hz Se Ss Kh Es IL Pa SY LB TM 01 02 06 07 08 09 15 16 19 20 21 22 23 25 26 27 31 33 34 35 36 45 46 48 56 60 63 65 79
- 3769. Apodiphus montanus Hoberlandt,1984** (Pentatomidae) Synonym(s): montanus Hoberlandt,1984 Range (in code): AF Nu IN
- 3770. Apodiphus murghzarus Ghauri,1977** (Pentatomidae) Synonym(s): murghzarus Ghauri,1977 Range (in code): PK Swa
- 3771. Apodiphus pallidus (Hoberlandt,1959)** (Pentatomidae) Synonym(s): pallidus Hoberlandt,1959; siazovi Kiritchenko,1966 Range (in code): IR Ke B-A
- 3772. Arma custos (Fabricius,1794)** (Pentatomidae) Synonym(s): custos Fabricius,1794; #scutellaris Stichel,1961; neocustos Ahmad & Önder,1990; neoinsperata Ahmad & Önder,1990 Range (in code): DZ PT ES FR IT DK SE RU Sb TR CN JP KP KR MN AT CZ B-H BE NL HU CH RO BG DE IR Gh CN JP Cc 06 14 16 22 35 39 41 45 52
- 3773. Arma insperata Horvath,1899** (Pentatomidae) Synonym(s): insperata Horvath,1899 Range (in code): BG GR TR RO HU 11 14 33 35 38 67
- 3774. Arma neocustos Ahmad & Önder,1990** (Pentatomidae) Synonym(s): neocustos Ahmad & Önder,1990 Range (in code): TR 06 39
- 3775. Arma neoinsperata Ahmad & Önder,1990** (Pentatomidae) Synonym(s): neoinsperata Ahmad & Önder,1990 Range (in code): TR 39 41 52
- 3776. Bagrada (Nitilia) abeillei Puton,1881** (Pentatomidae) Synonym(s): abeillei Puton,1881; persica Horvath,1936; lepida Horvath,1936; pallens Kiritshenko,1966 Range (in code): TR GR EG AZ Cc AM GG IQ IR AF KG IL Pa SA LB SY 02 21 27 31 33 46 56 63 72 79

- 3777. *Bagrada amoenula* (Walker,1870)** (Pentatomidae) Synonym(s): amoenula Walker,1870; royeri Horvath,1936; picticollis Horvath,1936; algerica Horvath,1936; singularis Horvath,1936; deserticola Horvath,1936; lineata Horvath,1936 Range (in code): **DZ MA EG Sn LY IL Pa IQ TR SA YE SD 02 63**
- 3778. *Bagrada concinna* Horvath,1936** (Pentatomidae) Synonym(s): concinna Horvath,1936; biramosa Horvath,1936 Range (in code): **TR AZ Cc AM IR SY 06 27 31 46**
- 3779. *Bagrada funerea* Horvath,1901** (Pentatomidae) Synonym(s): funerea Horvath,1901 Range (in code): **TR SY CY 01**
- 3780. *Bagrada kauffmanni* (Oshanin,1870)** (Pentatomidae) Synonym(s): kauffmanni Oshanin,1870; pallida Kiritshenko,1914 Range (in code): **IR CN Ui TR AF KG IR TJ UZ TM 25 33**
- 3781. *Bagrada picta* (Fabricius,1775)** (Pentatomidae) Synonym(s): picta Fabricius,1775 Range (in code): **TR**
- 3782. *Bagrada stolidia* (Herrich-Schäffer,1839)** (Pentatomidae) Synonym(s): stolidia Herrich-Schäffer,1839; gibbicollis Horvath,1936; cicur Horvath,1936; scutellaris Horvath,1936; confusa Horvath,1936; stolata Horvath,1936; quadrimaculata Horvath,1936 Range (in code): **TR BG IT Si FR SK HU UA MK GR KG IR AF UZ TJ TM 05 06 09 15 16 35 38 40 47 48 60 63 72 79**
- 3783. *Bagrada turcica* Horvath,1936** (Pentatomidae) Synonym(s): turcica Horvath,1936 Range (in code): **TR MK 02 06 63**
- 3784. *Brachynema cinctum* (Fabricius,1775)** (Pentatomidae) Synonym(s): cinctus Fabricius,1775; forskahlii Gmelin,1790; tarsatus Klug,1845; roseipennis Mulsant & Rey,1852; flavatum Horvath,1896; simonyi Horvath,1896; exul Horvath,1896; splendidum Montandon,1900; miniatulum Montandon,1900; venustulum Montandon,1900 Range (in code): **Cn DZ EG LY MA TN CV ET SO SD ES FR DE HV AT IT Sa Si GR CY TR IR Kh SA YE PK AF IQ IL Pa Sn SY 05 19**
- 3785. *Brachynema germarii* (Kolenati,1846)** (Pentatomidae) Synonym(s): virens Klug,1845 nec Linn.,1767; germarii Kolenati,1846; anabasis Becker,1867; biplaga Walker,1867; flavomarginatus Jakovlev,1871; grisea Jakovlev,1871; melanota Jakovlev,1874; alternatum Horvath,1899 Range (in code): **DZ Cn EG LY MA TN FR GR IT PT UA TR IR IL Pa Cc EG SY CN Ui RU Ao Cc AZ AM GG CY IQ JO KK MN Sn SY TJ TM UZ PK 06 19 38 42 50 51 63 65 71**
- 3786. *Brachynema purpureomarginatum* (Rambur,1839)** (Pentatomidae) Synonym(s): purpureomarginatum Rambur,1839; baerensprungi Mulsant & Rey,1863; triguttatum Fieber,1870 [ssp.]; hypocrita Puton,1887 [ssp.]; rungsi Vidal,1936; maroccana Vidal,1949; espagnoli Ribes,1965 Range (in code): **DZ MA TN PT ES FR IR**
- 3787. *Brachynema signatum* Jakovlev,1879** (Pentatomidae) Synonym(s): signatum Jakovlev,1879; turanicum Horvath,1889; immaculiscutum Kiritshenko,1922 Range (in code): **RU Da Cc AM AZ GG IR KG TM Kp CN**
- 3788. *Carbula afghana* Hoberlandt,1984** (Pentatomidae) Synonym(s): afghana Hoberlandt,1984 Range (in code): **AF Kab**
- 3789. *Carbula limpoponis* (Stal,1854)** (Pentatomidae) Synonym(s): marginellus Thunberg,1822 nec F.,1781; limpoponis Stal,1854; pedalis Bergroth,1891; litigatrix Kirkaldy,1909 Range (in code): **ZA SN YE BF**
- 3790. *Carenoplistus acutus* (Signoret,1880)** (Pentatomidae) Synonym(s): acutus Signoret,1880; fixseni Jakovlev,1882 Range (in code): **AM Cc AZ Nv Ord RU TR IR Ab Ak Kh Fa Ke PK Bl Qu AF 02 13 47**
- 3791. *Carenoplistus breviceps* Kiritshenko,1963** (Pentatomidae) Synonym(s): breviceps Kiritshenko,1963 Range (in code): **AF Pag TJ**
- 3792. *Carenoplistus Jakovlev,1882*** (Pentatomidae) Synonym(s): Carenoplistus Jakovlev,1882 Range (in code): **TR**
- 3793. *Carpocoris* (s.str.) *coreanus* Distant,1899** (Pentatomidae) Synonym(s): coreanus Distant,1899; iranum Tamanini,1958 Range (in code): **IR Ak Kfr Kh Msh Gh Ar Se Zj Th Kdv Elb GR TR AF AM AZ GG Cc IQ IL Pa EG Sn JO KG MN CN Gn Ui KK RU Sb TJ TM UZ PK 02 13 21 23 27 30 31 46 47 56 63 65 73**
- 3794. *Carpocoris* (s.str.) *fuscispinus* (Boheman,1851)** (Pentatomidae) Synonym(s): fuscispinus Boheman,1851; hahni Flor,1856; rugicollis Seabra,1925; subrufus Seabra,1925; flavescens Seabra,1925; infuscatus Seabra,1925 Range (in code): **AL AT BE B-H BG BY HV CZ DE FI FR DK GR HU IT Si Sa LT LV MK MD NL PL PT RO RU SK SS ES CH UA YU TR AZ AM GG CN AF IL Pa Cc IQ IR Ak Kfr Mz Zj Ma Th Es Kh Lo Ar Gh SY TJ KK KG KP KR MN IN PK 01 02 04 06 07 09 10 11 13 15 16 17 18 19 21 22 25 26 27 30 31 32 33 35 36 37 38 39 40 42 43 45 46 48 50 54 56 59 60 63 65 66 70 71 73**
- 3795. *Carpocoris* (s.str.) *mediterraneus* Tamanini,1958** (Pentatomidae) Synonym(s): mediterraneus Tamanini,1958; #incerta Tamanini,1958; #maculosa Tamanini,1958; atlanticus Tamanini,1958 [ssp.] Range (in code): **AL BG HV FR GB GR HU IT MT MK MD RO RU Cc SK SS PT ES UA YU MA DZ TN EG AZ AM GG TR CY IQ IR IL Pa JO LB Sn SY TM ET 01 05 06 07 09 10 11 15 16 17 19 22 27 31 32 33 34 35 39 42 43 45 46 48 52 54 55 59 60**
- 3796. *Carpocoris* (s.str.) *melanocerus* (Mulsant & Rey,1852)** (Pentatomidae) Synonym(s): melanocerus Mulsant & Rey,1852; #nigrina Tamanini,1958 Range (in code): **PT ES FR BE DE SE PL SK AT HU SS IT RO BG MK AL Cc TR 01 06 18 19 25 36 51 76**
- 3797. *Carpocoris* (s.str.) *pudicus* (Poda,1761)** (Pentatomidae) Synonym(s): pudicus Poda,1761; cinctus Schrank,1776; carnus Gmelin,1790; wilkinsonii Westwood,1837; pallida Dallas,1851 Range (in code): **IT Si UA TR AF IL Pa IR Ak Kfr Mz Gor Th Se Kh Gh Ar Zj Cc EG SY 01 02 05 06 07 08 12 13 16 19 21 22 23 27 30 31 34 37 38 41 42 44 46 47 49 50 51 52 55 56 57 58 60 62 65 66 67 70 73 76 78**



- 3798. *Carpocoris* (s.str.) *purpureipennis* (De Geer,1773)** (Pentatomidae) Synonym(s): *purpureipennis* De Geer,1773; *nigricornis* Fabricius,1775; *porphyropterus* Gmelin,1790; *pyromosa* Westhoff,1884; *sexmaculatus* Péneau,1921; #*fumarius* Stichel,1924; #*maculata* Tamanini,1958; #*japonensis* Tamanini,1958 Range (in code): **MA DZ LY ES FR GB NO SE FI EE PL BY UA MD RO CZ SK HU CH AT IT SS BG MK AL GR CY TR IR Ak Kfr Kh Gh Ar AZ AM GG Cc RU CN Ui Nra KK KG KP KR MN PK JP 01 05 07 09 10 11 16 17 18 19 21 22 25 27 31 32 33 34 35 36 37 38 39 43 45 46 47 48 52 55 59 60 63 67**
- 3799. *Caystrus* *deserticolus* Linnavuori,1974** (Pentatomidae) Synonym(s): *deserticolus* Linnavuori,1974 Range (in code): **YE YE47**
- 3800. *Caystrus* *langei* (Breddin,1899)** (Pentatomidae) Synonym(s): *langei* Breddin,1899 Range (in code): **IL Pa Js**
- 3801. *Caystrus* *nuristanus* Linnavuori,1974** (Pentatomidae) Synonym(s): *nuristanus* Linnavuori,1974 Range (in code): **AF Nu Bkt**
- 3802. *Caystrus* *obscurus* (Distant,1891)** (Pentatomidae) Synonym(s): *obscurus* Distant,1891 Range (in code): **CN MM IN PK**
- 3803. *Cazira* *schwarzi* Abbasi & Rishi,1974** (Pentatomidae) Synonym(s): *schwarzi* Abbasi & Rishi,1974 Range (in code): **PK**
- 3804. *Chlorochroa* (*Rhytidolomia*) *juniperina* (Linnaeus,1758)** (Pentatomidae) Synonym(s): *juniperina* Linnaeus,1758; *flavoviridis* Goeze,1778; *tricolor* Gmelin,1790 nec Fabr.,1787; *unicolor* Turton,1802 nec Gm.,1790; *confusa* Westwood,1837 nec Westw.,1837 Range (in code): **AL AT BE B-H BG BY HV CZ DE GB? FI FR DK HU GR IT LT LV MK NL NO PL RO RU Us SK SS ES SE UA YU DZ AZ AM GG MN KG Cc TR 13 16 19 37 60**
- 3805. *Chlorochroa* (*Rhytidolomia*) *pinicola* (Mulsant,1852)** (Pentatomidae) Synonym(s): *pinicola* Mulsant,1852; *longirostris* Dallas,1861; *porphyrea* Fieber,1864; *planuscula* Reuter,1875 Range (in code): **AL AT BE B-H BG BY HV CZ DK FI FR DE HU IT LT NL NO PL RO RU SK SS ES SE UA YU KG GG TR Cc 01 05 06 14 17 27 31**
- 3806. *Chroantha* *ornatula* (Herrich-Schäffer,1842)** (Pentatomidae) Synonym(s): *ornatula* Herrich-Schäffer,1842; *notatus* Klug,1842 nec Pda.,1761; *humerosa* Dallas,1851; *scitulus* Jakovlev,1877; *hataska* Kirkaldy,1899 Range (in code): **Cn MA DZ LY EG TN PT ES IT Si GR CY TR IQ IR Elb Kh Se Zj Gh Qz SA YE SD AZ Cc CY IL Pa JO SA SY TJ TM UZ AF 65**
- 3807. *Cnephosa* *flavomarginata* Jakovlev,1880** (Pentatomidae) Synonym(s): *flavomarginata* Jakovlev,1880 Range (in code): **AM AZ Cc IR Elb Kdv Th TR 06 17 21 23 24 30 36 45 46 49 51 56 65 73**
- 3808. *Codophila* (*Antheminia*) *absinthii* Wagner,1952** (Pentatomidae) Synonym(s): *absinthii* Wagner,1952; *orientalis* Hoberlandt,1955 Range (in code): **TR 06 23**
- 3809. *Codophila* (*Antheminia*) *lunulata* (Goeze,1778)** (Pentatomidae) Synonym(s): *lunulata* Goeze,1778 Range (in code): **IR Kh Ar Gh Fa Qz Gh Ke Mz Se Yz Zj TR Cc SY TM 01 02 03 04 05 06 16 18 21 22 26 32 34 38 39 40 41 45 46 50 51 55 60 63 65 77**
- 3810. *Codophila* (*Antheminia*) *Mulsant & Rey*,1866** (Pentatomidae) Synonym(s): *Antheminia* Mulsant & Rey,1866 Range (in code): **TR**
- 3811. *Codophila* (*Antheminia*) *pusio* (Kolenati,1846)** (Pentatomidae) Synonym(s): *pusio* Kolenati,1846 Range (in code): **RU Sb IQ TR IR Kh TM CN Ui 06 18 19 21 23 25 27 36 37 42 46 47 50**
- 3812. *Codophila* (*Antheminia*) *varicornis* (Jakovlev,1876)** (Pentatomidae) Synonym(s): *varicornis* Jakovlev,1876 Range (in code): **TR UA Cm 65**
- 3813. *Codophila* (*Antheminia*) *variocornis* (Jakovlev,1874)** (Pentatomidae) Synonym(s): *variocornis* Jakovlev,1874; *baicalensis* Jakovlev,1894; *montandoni* Sienkiewicz,1954 Range (in code): **RO RU Ao TM Cc TR AL AT GR HU IT UA YU AZ AM CN IR KK MN Sn SY TJ UZ 06 16**
- 3814. *Codophila* (s.str.) *maculicollis* (Dallas,1851)** (Pentatomidae) Synonym(s): *maculicollis* Dallas,1851; *arabica* Stal,1854 Range (in code): **MA IR Ss Fa Ke Kh Kz IL Pa JO IN AF CN Sn SY DZ EG LY TN SD ET**
- 3815. *Codophila* (s.str.) *varia* (Fabricius,1787)** (Pentatomidae) Synonym(s): *varia* Fabricius,1787; *lunula* Fabricius,1794; *eryngii* Germar,1814; *bilunulata* Kolenati,1846; *persica* Kolenati,1846; *nubica* Kolenati,1846; *laborans* A.Costa,1847; *distinguenda* A.Costa,1847; *longicornis* Fuente,1972 Range (in code): **DZ PT ES FR DE PL CZ SK HU AT CH IT Sa Si HV UA Cm RO BG MK AL GR CY TR Cc AZ Kir IL Pa IR Ar Ab Ak Kh Fa Gh Mz Se Th Kdv Zj SY TJ IQ SD 01 02 05 06 09 07 10 11 13 16 17 19 21 22 25 26 27 31 33 35 38 42 44 46 47 48 50 54 55 56 57 60 62 63 65 67 73 76**
- 3816. *Derula* *delagrangei* Puton,1892** (Pentatomidae) Synonym(s): *delagrangei* Puton,1892 Range (in code): **TR IR 02 21 27 31 47 79**
- 3817. *Derula* *flavoguttata* Mulsant & Rey,1856** (Pentatomidae) Synonym(s): *flavoguttata* Mulsant & Rey,1856; *oculatum* Baerensprung,1858 Range (in code): **ES FR DE AT IT Si CZ SK HU UA RO BG MK GR AL TR Cc AZ AM GG 01 02 07 14 16 21 22 26 27 31 33 39 43 57 58 65**
- 3818. *Desertomenida* *albula* Kiritshenko,1914** (Pentatomidae) Synonym(s): *albula* Kiritshenko,1914 Range (in code): **IR Kh MN CN Ui KK TM UZ**
- 3819. *Desertomenida* *jakowleffi* (Horvath,1907)** (Pentatomidae) Synonym(s): *poecila* Jakovlev,1903 nec Dall.,1851; *jakowleffi* Horvath,1907; #*jakovlevi* Oshanin,1912 Range (in code): **KG TM UZ IR**

- 3820. *Desertomenida quadrimaculata* (Horvath,1892)** (Pentatomidae) Synonym(s): quadrimaculata Horvath,1892 Range (in code): **KG CN Ui IMn MN TM TJ UZ**
- 3821. *Dolycoris baccarum* (Linnaeus,1758)** (Pentatomidae) Synonym(s): baccarum Linnaeus,1758; verbasci De Geer,1773; subater Harris,1780; albidus Gmelin,1790; depressa Westwood,1837; confusa Westwood,1837; inconcisa Walker,1867 Range (in code): **PT ES FR GB BE NL DE DK NO SE FI EE BY UA PL CZ SK HU CH AT SS IT Sa Si AL MK GR BG CY MD RO TR IL Pa SY IQ Cc IN PK CN Ui Ku Kun Um IR Zj Th Elb Ak Kfr Fa Es Gh Ar Kh 01 02 03 04 05 06 07 08 09 10 11 13 14 15 16 17 18 19 20 21 22 24 25 26 27 30 31 32 33 35 36 37 38 39 41 42 45 46 47 48 49 50 51 52 54 55 56 59 60 63 64 65 67 73 76**
- 3822. *Dolycoris penicillatus* Horvath,1904** (Pentatomidae) Synonym(s): penicillatus Horvath,1904 Range (in code): **IR Ak Kh Se Elb AF KK KG TJ TM UZ CN**
- 3823. *Dyroderes umbraculatus* (Fabricius,1775)** (Pentatomidae) Synonym(s): umbraculatus Fabricius,1775; marginatus Fabricius,1798 nec Linn.,1758; aparines Dufour,1833 Range (in code): **PT ES FR CH AT CZ SK HU UA IT Sa Si RO BG GR CY TR IL Pa JO SY IQ 01 02 03 05 06 07 10 11 14 15 16 19 20 22 27 31 34 35 39 42 43 45 46 48 50 51 52 57 59 61 67 68**
- 3824. *Eocanthecona neotibialis* (Ahmad & Rana,1988)** (Pentatomidae) Synonym(s): neotibialis Ahmad & Rana,1988 Range (in code): **PK**
- 3825. *Eocanthecona populusi* (Ahmad & Rana,1988)** (Pentatomidae) Synonym(s): populusi Ahmad & Rana,1988 Range (in code): **PK**
- 3826. *Erthesina fullo* (Thunberg,1783)** (Pentatomidae) Synonym(s): fullo Thunberg,1783; mucoreus Fabricius,1794; japonica Walker,1867 Range (in code): **AF CN Ui JP TW**
- 3827. *Eurydema (Horvatheurydema) caligatum* Horvath,1901** (Pentatomidae) Synonym(s): caligatum Horvath,1901 Range (in code): **TR 31**
- 3828. *Eurydema (Horvatheurydema) fieberi* Fieber,1837** (Pentatomidae) Synonym(s): fieberi Fieber,1837; armeniacum Kolenati,1846; schaefferi Gorski,1852; meyeri Fieber,1861; caucasica Jalkovlev,1873; scutellata Jakovlev,1883; melanogaster Horvath,1917; gussakovskii Kiritshenko,1952; bagradiformis Kiritshenko,1952 Range (in code): **PT ES FR DE DK B-H AT BG CZ HV GR HU IT MK PL RO SK SS CH UA YU DZ MA TR Cc AZ Kir RU Da Der KG AM CN Ui Ku IQ IL Pa IR SY MN TJ UZ IN 01 02 05 06 07 13 15 16 19 21 25 27 30 31 37 40 42 43 46 47 50 51 60 63 65 70 72 80**
- 3829. *Eurydema (Horvatheurydema) rugulosum* (Dohrn,1860)** (Pentatomidae) Synonym(s): rugulosa Dohrn,1860; nigrorubra Reuter,1900; v-rubrum Horvath,1917; anaemica Horvath,1917 Range (in code): **TR CY IL Pa Js Hf BG GR MK EG SY IR AF LB JO Sn ER ET 01 05 06 07 16 17 27 31 33 35 42 45 46 48 64 70**
- 3830. *Eurydema (Rubrodorsalium) blandum* Horvath,1903** (Pentatomidae) Synonym(s): blanda Horvath,1903; albicans Horvath,1903 Range (in code): **TR 01 03 05 06 07 09 10 11 14 15 17 19 20 25 29 30 32 35 36 37 39 41 42 43 44 45 46 51 52 55 60 64 71 73 77**
- 3831. *Eurydema (Rubrodorsalium) dominulum* (Scopoli,1763)** (Pentatomidae) Synonym(s): dominulus Scopoli,1763; cordiger Goeze,1778 (praeocc.); fimbriolatum Germar,1836; llesgicum Kolenati,1846; daurica Motschoulsky,1860; minuscula Walker,1867; albiventris Jakovlev,1876; albovariata Reuter,1891; confluens Reuter,1910; schirmeri Schumacher,1911 Range (in code): **AT BE B-H BG BY HV CZ DK DE FI FR GB GG HU IT TR Cc SY LT LV MK MD NL PL RO RU SK SS ES CH UA YU DZ KG CN JP KP KR MN IN 06 31**
- 3832. *Eurydema (Rubrodorsalium) spectabilis* Horvath,1882** (Pentatomidae) Synonym(s): spectabilis Horvath,1882; #intaminata Stichel,1961 Range (in code): **TR AL BG GR RO RU UA Cc GG SY IL Pa 01 07 19 31 33 35 45 48 55 63 67 74**
- 3833. *Eurydema (Rubrodorsalium) ventralis* Kolenati,1846** (Pentatomidae) Synonym(s): ventralis Kolenati,1846; hoffmanseggii Gorski,1852; ornata Fieber,1861 nec Linn.,1758; ventralis Tamanini,1947 nec Kol.,1846 Range (in code): **TR IR Ak Kfr Kh 01 03 04 05 06 07 08 10 11 14 15 16 17 19 20 22 25 30 34 35 36 37 39 40 41 42 43 45 48 50 51 54 57 59 60 64 65 71**
- 3834. *Eurydema (s.str.) oleraceum* (Linnaeus,1758)** (Pentatomidae) Synonym(s): oleracea Linnaeus,1758; flavatus Schrank,1776; albomarginatus Goeze,1778; flavomarginatus Goeze,1778; albomarginellus Fabricius,1794; annulatus Fallén,1829; angularis Kolenati,1846; insidiosa Mulsant & Rey,1866; consobrina Puton,1871; consimilis Horvath,1885; paradoxa Horvath,1885; triguttata Horvath,1885; nigripes Horvath,1885; atavus Horvath,1885; variventer Rey,1887; uniforme Puton,1889; petulans Horvath,1898; confluens Royer,1907; nicolasi Royer,1907; putoni Royer,1907; aberrans Horvath,1917; susannae Royer,1923; linnaei Royer,1924; nevadensis Lindberg,1932; ypsilon Cerutti,1937; royeri Stichel,1938;... Range (in code): **AL AD AT BE B-H BG BY HV CZ DK FI FR GB DE GR HU IT LT LV MK MD NL NO PL PT RO RU SK SS ES CH UA YU DZ MA TN TR Cc AZ AM GG CN Ui Kun Nra IL Pa IR MN SY TJ 01 03 05 06 07 10 11 14 16 17 19 22 25 26 27 29 31 32 34 36 37 39 41 43 45 46 52 53 54 55 59 60 61 62 64 65 67 73 76 77**
- 3835. *Eurydema (s.str.) ornatum* (Linnaeus,1758)** (Pentatomidae) Synonym(s): ornatum Linnaeus,1758; festivus Linnaeus,1767; pictum Herrich-Schäffer,1833; decoratum Herrich-Schäffer,1833; pustulata Fieber,1837; conjuncta Kolenati,1846; fallax Scholtz,1847; falleni Gorski,1852; umbralis Gistel,1857 Range (in code): **TR CY IR Kh ET IN PK CN Ui Bc IR Ak Kfr Ar Ss Es Gh Gor Ke Kh Km Kz Lo Mz Th Zj 01 02 03 04 05 06 07 08 09 10 11 13 14 15 16 17 18 19 21 22 23 24 25 26 27 30 31 32 33 34 35 37 38 39 42 44 45 46 47 48 50 51 52 54 55 56 57 59 60 61 63 64 65 66 67 71 73 76 77**
- 3836. *Eurydema (s.str.) putoni* Jakovlev,1877** (Pentatomidae) Synonym(s): putoni Jakovlev,1877; adusta Jakovlev,1879; distincta Jakovlev,1879; colorata Jakovlev,1882; formosum Puton,1895; superstes Horvath,1917; hypoleuca Horvath,1917 Range (in code): **TR Cc IR Ak Kfr Shh AZ AF AM SY Dms IL Pa IQ 21 25 27 31 47**

- 3837. Eurydema (s.str.) syriacum Kirkaldy,1909** (Pentatomidae) Synonym(s): placens Walker,1870 nec Wlk.,1867; syriaca Kirkaldy,1909 Range (in code): EG Sn
- 3838. Eurydema laticollis Horvath,1907** (Pentatomidae) Synonym(s): laticollis Horvath,1907; discors Horvath,1907; hypoxanthum Horvath,1907 Range (in code): IR TR RU 21 76
- 3839. Eurydema mrugowskyi Stichel,1944** (Pentatomidae) Synonym(s): mrugowskyi Stichel,1944 Range (in code): TR AF Nu PK 01
- 3840. Eysarcoris aeneus (Scopoli,1763)** (Pentatomidae) Synonym(s): aeneus Scopoli,1763; venustissima Schrenk; melanocephala Fabricius Range (in code): PT ES FR GB SE BE NL DK DE EE PL BY UA CZ SK HU MD RO CH AT IT Sa Si SS BG AL TR 01 22 52 55 59
- 3841. Eysarcoris fabricii Kirkaldy,1904** (Pentatomidae) Synonym(s): fabricii Kirkaldy,1904 Range (in code): TR JP 14
- 3842. Eysarcoris inconspicuus (Herrich-Schäffer,1844)** (Pentatomidae) Synonym(s): inconspicuus Herrich-Schäffer,1844 Range (in code): NE NG AT HU TR IN PH 01 02 04 06 07 09 14 15 16 17 19 21 22 25 27 31 33 34 35 37 39 41 42 45 46 48 49 50 51 54 56 59 64 67 73
- 3843. Eysarcoris ventralis (Westwood,1837)** (Pentatomidae) Synonym(s): ventralis Westwood,1837; inconspicuus Herrich-Schäffer,1844; pusillus Costa,1847; distactus Dallas,1851; misellus Stal,1854; helferi Fieber,1861; rectipes Ellenrieder,1862; epistomalis Mulsant & Rey,1866; mayeti Mulsant & Rey,1866; pseudoaeneus Jakovlev,1869; simplex Puton,1881; scutellaris Jakovlev,1885; egenus Jakovlev,1900; sindellus Distant,1902; schmidtii Jakovlev,1902; tangens Stichel,1961; confuses Fuente,1972; uniformis Fuente,1972; hispalensis Fuente,1972; luisae Fuente,1972 Range (in code): TR IR Ak Kfr Ma Kh Ar Gh Gor Ke Elb Mz Se Th Zj Ltf 01 02 04 05 06 07 09 10 14 15 16 17 19 21 22 23 27 31 33 34 35 37 39 42 45 46 48 49 50 51 52 54 55 56 57 59 60 63 64 67 73 74 80
- 3844. Eysarcoris venutissimus (Schränk,1776)** (Pentatomidae) Synonym(s): venutissimus Schränk,1776 Range (in code): TR 05 14 52 55
- 3845. Gomphocranum adad Linnavuori,1984** (Pentatomidae) Synonym(s): adad Linnavuori,1984 Range (in code): IQ Pjw
- 3846. Gomphocranum anu Linnavuori,1984** (Pentatomidae) Synonym(s): anu Linnavuori,1984 Range (in code): IQ Nw
- 3847. Gomphocranum christophi Jakovlev,1877** (Pentatomidae) Synonym(s): christophi Jakovlev,1877 Range (in code): AF IR Srd IQ IL Pa SY
- 3848. Graphosoma (Graphosomella) inexpectatum Carapezza & Jindra,2008** (Pentatomidae) Synonym(s): inexpectatum Carapezza & Jindra,2008 Range (in code): SY TR 01 27 56 65
- 3849. Graphosoma (s.str.) consimile Horvath,1903** (Pentatomidae) Synonym(s): consimile Horvath,1903; personatum Horvath,1903; rubrum Kiritshenko,1914 Range (in code): AF RU IR TM Kp GG Cc Tbl KG TJ UZ Tas TR 23 38
- 3850. Graphosoma (s.str.) lineatum (Linnaeus,1758)** (Pentatomidae) Synonym(s): lineatum Linnaeus,1758; italicus Müller,1766; nigrolineatus Fabricius,1781; shangini Gebler,1817; reductum Horvath,1901; ochraceum Royer,1925; obscurum Stepanek,1926; soosi Halaszfy,1953; nigriscutellatum Halaszfy,1955; flavolineatum Halaszfy,1955 Range (in code): DZ EG TN Co IT UZ TR SY RU Sb IR Ak 01 04 06 07 08 09 10 11 13 16 17 18 19 20 22 25 26 27 31 32 33 34 35 36 37 38 39 43 45 46 48 54 56 60 65 73 76 77
- 3851. Graphosoma (s.str.) melanoxanthum Horvath,1903** (Pentatomidae) Synonym(s): melanoxanthum Horvath,1903 Range (in code): Cc RU IR Elb Th Kdv AZ AM GG TR 13 21 23 25 34 65 76
- 3852. Graphosoma (s.str.) semipunctatum (Fabricius,1775)** (Pentatomidae) Synonym(s): semipunctatum Fabricius,1775; interruptum White,1839; wilsoni White,1839; persica Ferr.,1874; creticum Horvath,1909 Range (in code): Cn TR Cr IR AF IL Pa Cc CY Ui TM 01 02 06 08 09 13 17 19 21 22 23 25 27 31 34 35 36 38 39 45 46 47 48 50 54 56 59 63 65 80
- 3853. Graphosoma (s.str.) stali Horvath,1881** (Pentatomidae) Synonym(s): stali Horvath,1881; alkani Lodos,1959 Range (in code): TR SY IQ IR 21 23 27 31 36 47 49
- 3854. Halys hedenborgi Stal,1865** (Pentatomidae) Synonym(s): hedenborgi Stal,1865 Range (in code): SD SA
- 3855. Halys jizanus Linnavuori,1986** (Pentatomidae) Synonym(s): jizanus Linnavuori,1986 Range (in code): SA
- 3856. Halys persa Bergroth,1919** (Pentatomidae) Synonym(s): persa Bergroth,1919 Range (in code): AF IR SA
- 3857. Halys serrigera (Westwood,1837)** (Pentatomidae) Synonym(s): dentatus Fabricius,1775 nec DeGeer,1773; serrigera Westwood,1837 Range (in code): AF MM IN LK
- 3858. Holcogaster fibulata (Germar,1831)** (Pentatomidae) Synonym(s): fibulata Germar,1831; exilis Horvath,1903; meridionalis De Seabra,1924; longicornis E.Wagner,1955; weberi E.Wagner,1964 Range (in code): Cn TN MA DZ LY SE PT ES FR CH AT IT Si AL MK GR BG CY TR IL Pa 01 07 10 15 17 19 26 27 31 33 34 46 48 51 54 57 60 70
- 3859. Holcostethus fissiceps (Horvath,1905)** (Pentatomidae) Synonym(s): fissiceps Horvath,1905 Range (in code): TR 38
- 3860. Holcostethus hoberlandti Lodos & Önder,1980** (Pentatomidae) Synonym(s): hoberlandti Lodos & Önder,1980 Range (in code): TR 69



- 3861. *Holcostethus inclusus* (Dohrn,1860)** (Pentatomidae) Synonym(s): *inclusus* Dohrn,1860 Range (in code): Cc TR 04 44
- 3862. *Holcostethus strictus* (Fabricius,1803)** (Pentatomidae) Synonym(s): *strictus* Fabricius,1803; *vernalis* Wolff,1804 Range (in code): PT ES FR BE NL DE DK GB NO SE FI EE BY UA PL CZ SK HU AT CH IT Sa Si SS B-H RO BG MK AL GR TR Cc SY CN Ui IR Th Ak Kfr IL Pa CY 01 02 04 06 07 10 11 15 17 18 19 20 21 22 25 26 27 31 33 35 38 39 40 42 45 46 47 48 50 51 54 59 63 64 65 67 73
- 3863. *Hybocoris brachypterus* Kiritshenko,1913** (Pentatomidae) Synonym(s): *brachypterus* Kiritshenko,1913 Range (in code): TJ TM UZ
- 3864. *Jalla dumosa* (Linnaeus,1758)** (Pentatomidae) Synonym(s): *dumosa* Linnaeus,1758; *nigriventris* Fieber,1861; *anthracina* Jakovlev,1885; *vidua* Horvath,1917 Range (in code): AF DZ AT AZ Cc BE BG CN CZ DK GB FR FI DE GR HU IR IT MA NL IL Pa PL RO RU Sb ES SE CH SY TN TR YU 06 16 32 38 42 45
- 3865. *Jalla subcalcarata* Jakovlev,1885** (Pentatomidae) Synonym(s): *subcalcarata* Jakovlev,1885 Range (in code): CN MN RU TR
- 3866. *Leprosoma inaequale* Horvath,1911** (Pentatomidae) Synonym(s): *inaequale* Horvath,1911 Range (in code): RU Cc AZ AM TR IR SY JO IL Pa IR 21 32 38 46 76?
- 3867. *Leprosoma inconspicuum* Bärensprung,1859** (Pentatomidae) Synonym(s): *inconspicuum* Bärensprung,1859; *carinatum* Montandon,1895 Range (in code): RU Sr TR Cc AL BG KG FR GR IT MK MD PT RO ES SE UA DZ AZ GG IR IQ KK 06
- 3868. *Leprosoma reticulatum* (Herrich-Schäffer,1851)** (Pentatomidae) Synonym(s): *reticulatum* Herrich-Schäffer,1851 Range (in code): MR EG MA LY IR IL Pa SY
- 3869. *Leprosoma stali* Douglas & Scott,1868** (Pentatomidae) Synonym(s): *stali* Douglas & Scott,1868 Range (in code): RU Cc TR IR SY EG AZ AM CY IL Pa IQ 21 59
- 3870. *Leprosoma tuberculatum* Jakovlev,1876** (Pentatomidae) Synonym(s): *tuberculatum* Jakovlev,1876; *turkestanicum* Zolotov,1928 Range (in code): RU Ao Cc TR IR Elb Th Kh TM UZ AF KG AM CN KK TJ 46
- 3871. *Mecosoma mensor* (Germar,1837)** (Pentatomidae) Synonym(s): *ensor* Germar,1837; *thoracata* Distant,1901 Range (in code): BW MZ NG SA SO ZA SD ZW
- 3872. *Menaccarus (Oploscelis) arenicola* (Scholtz,1847)** (Pentatomidae) Synonym(s): *arenicola* Scholtz,1847; *ciliatus* Mulsant & Rey,1852; *pallidus* Perris,1857; *minor* Stichel,1936 Range (in code): AT BG BY CZ EE FR GB DE HU IT MK PL PT RO RU SK ES UA YU DZ MA TN KG TR IR IL Pa? KK SY 65
- 3873. *Menaccarus (Orocephalus) deserticola* Jakovlev,1900** (Pentatomidae) Synonym(s): *deserticola* Jakovlev,1900; *transparens* Jakovlev,1900; *eremita* Jakovlev,1903 Range (in code): KG TM Kp IR Kh TJ RU
- 3874. *Menaccarus (Orocephalus) divaricatus* Jakovlev,1877** (Pentatomidae) Synonym(s): *divaricatus* Jakovlev,1877 Range (in code): IR Srd TM TJ UZ
- 3875. *Menaccarus (Orocephalus) dohrnianus* (Mulsant & Rey,1866)** (Pentatomidae) Synonym(s): *dohrnianus* Mulsant & Rey,1866; *ovalis* Puton,1873; *hirticornis* Puton,1873; *jakovleffi* Reuter,1902; *jakovlevi* Oshanin,1912; *rotundatus* Horvath,1923 Range (in code): DZ IT Cn EG LY MA TN AZ? Cc TR IR IL Pa SA Sn SY
- 3876. *Menaccarus (s.str.) piceus* Amyot & Serville,1843** (Pentatomidae) Synonym(s): *piceus* Amyot & Serville,1843; *ciliatus* Stal,1865 Range (in code): YE NG SD
- 3877. *Menida afghana* Hoberlandt,1984** (Pentatomidae) Synonym(s): *afghana* Hoberlandt,1984 Range (in code): AF Nu
- 3878. *Menida apicalis* (Dallas,1851)** (Pentatomidae) Synonym(s): *apicalis* Dallas,1851 Range (in code): AF IN PK
- 3879. *Menida poecila* (Dallas,1851)** (Pentatomidae) Synonym(s): *poecila* Dallas,1851 Range (in code): SA YE ET SO ZA
- 3880. *Menida varipennis* (Westwood,1837)** (Pentatomidae) Synonym(s): *varipennis* Westwood,1837 Range (in code): AF CN ID Ja
- 3881. *Mustha baranovi* Kiritshenko,1952** (Pentatomidae) Synonym(s): *baranovi* Kiritshenko,1952 Range (in code): AF IR TJ Pm
- 3882. *Mustha gigantea* Horvath,1906** (Pentatomidae) Synonym(s): *gigantea* Horvath,1906; *spinosus* Abbasi & Ahmad,1971 Range (in code): AF IR Bk PK Bl Qu
- 3883. *Mustha incana* Stal,1876** (Pentatomidae) Synonym(s): *incana* Stal,1876; *dentata* Jakovlev,1877 Range (in code): IR IL Pa
- 3884. *Mustha izmirensis* Memon & Ahmad,2008** (Pentatomidae) Synonym(s): *izmirensis* Memon & Ahmad,2008 Range (in code): TR 35
- 3885. *Mustha longispinis* Reuter,1890** (Pentatomidae) Synonym(s): *longispinis* Reuter,1890 Range (in code): TR 05
- 3886. *Mustha morgani* Horvath,1906** (Pentatomidae) Synonym(s): *morgani* Horvath,1906 Range (in code): IR EG IL Pa JO SA Sn
- 3887. *Mustha serrata* (Fabricius,1803)** (Pentatomidae) Synonym(s): *serrata* Fabricius,1803 Range (in code): SY?

- 3888. Mustha spinosula (Lefebvre,1831)** (Pentatomidae) Synonym(s): spinosula Lefebvre,1831 Range (in code): **AL GR DE MK BG TR IR Ak Kfr Ab Fa Gh Gor Mz Se Th Kh Cc AZ Kir Nv Ord EG B-H CY GG AM EG TM IQ SY IL Pa 01 05 06 07 08 09 12 16 17 19 22 23 26 27 31 32 33 34 35 36 42 45 46 47 48 49 55 56 60 64 65 73**
- 3889. Mustha vicina Hoberlandt,1997** (Pentatomidae) Synonym(s): vicina Hoberlandt,1997; #vicinia Gözüaık, Fent & Özgen,2011 Range (in code): **IR Fa TR 02 21 63**
- 3890. Neottiglossa bifida (Costa,1847)** (Pentatomidae) Synonym(s): bifida Costa,1847 Range (in code): **IT GR TR 05 10 16 22 27 31 34 35 48 54 55 57 60**
- 3891. Neottiglossa flavomarginata (Lucas,1849)** (Pentatomidae) Synonym(s): flavomarginata Lucas,1849 Range (in code): **TR**
- 3892. Neottiglossa leporina (Herrich-Schäffer,1830)** (Pentatomidae) Synonym(s): leporina Herrich-Schäffer,1830; calva Jakovlev,1903; irana Wagner,1963 Range (in code): **TR RU Cc IR Ak Kfr Ab Th Elb Kh TJ 05 16 18 21 25 36 38 46 52 55 57 60 65 74**
- 3893. Neottiglossa lineolata (Mulsant & Rey,1852)** (Pentatomidae) Synonym(s): lineolata Mulsant & Rey,1852 Range (in code): **PT ES FR DE CH AT HU IT UA RO BG TR**
- 3894. Neottiglossa pusilla (Gmelin,1789)** (Pentatomidae) Synonym(s): pusilla Gmelin,1789 Range (in code): **RU Cc TR 36**
- 3895. Nezara viridula (Linnaeus,1758)** (Pentatomidae) Synonym(s): viridula Linnaeus,1758 Range (in code): **TR ET US NZ AU QAU TS BR JP Hw BE FR Co DE GR Cr IT Sa Si MT PT Az Md RU Ur Cn ES YU AF AZ Cc BD BN KH CN Fkn Hn Hun Hbe Sz Yu CX CY GG IN Ass Mh SI Up ID Ij Ja Bor Clb Sum IR Gh Ar Mz Elb Gor IQ IL NP PK PH SA SG LK SY TW TH VN YE DZ AO BJ BW BF BI CM CV TD CG ZR CI EG UA RO BG AL MK AT CH SS HV GO GH GN KE LS MG MW ML SC SL SO ZA SH SD SZ TZ TG UG ZM ZW MX Cf FI Ny Oh Tx CR CU GT JM PR TT AR CL GY PY UY VE FJ NC PG SB 05 07 09 19 31 34 52 55 60**
- 3896. Ochyrotylus helvinus Jakovlev,1885** (Pentatomidae) Synonym(s): helvinus Jakovlev,1885 Range (in code): **IR Kh AZ Cc KG UZ TM MN CN**
- 3897. Oplistochilus pallidus Jakovlev,1887** (Pentatomidae) Synonym(s): pallidus Jakovlev,1887 Range (in code): **KK TJ TM UZ**
- 3898. Oplistochilus subcarinatus Hoberlandt,1984** (Pentatomidae) Synonym(s): subcarinatus Hoberlandt,1984 Range (in code): **AF Kab**
- 3899. Palomena mursili Linnavuori,1984** (Pentatomidae) Synonym(s): mursili Linnavuori,1984 Range (in code): **IQ Dk IR Gh Lo TR 33**
- 3900. Palomena prasina (Linnaeus,1761)** (Pentatomidae) Synonym(s): prasina Linnaeus,1761; roseus O.F.Müller,1776; viridis Harris,1780; dissimilis Fabricius,1781; discolor Wolff,1811; rhododactyla Horvath,1883 Range (in code): **MA DZ BG Cc AZ GG AM TR SY IR Gh Kh CN Ui TJ UZ 01 06 07 09 11 13 14 15 16 17 18 19 22 25 27 31 35 37 39 41 42 43 45 46 54 56 57 65 67 71**
- 3901. Palomena reuteri Distant,1879** (Pentatomidae) Synonym(s): reuteri Distant,1879 Range (in code): **PK Mre**
- 3902. Palomena spinosa Distant,1880** (Pentatomidae) Synonym(s): spinosa Distant,1880 Range (in code): **CN IN PK Sd**
- 3903. Palomena viridissima (Poda,1761)** (Pentatomidae) Synonym(s): viridissima Poda,1761; rotundicollis Westwood,1837; amplificata Distant,1880; simulans Puton,1881; rubicunda Westhoff,1884 Range (in code): **MA DZ AT BE B-H BG BY HV CZ DK FR DE HU IT LT LV MD NL PL PT RO SK SS ES CH UA YU SY KG TR PK CN RU Us**
- 3904. Paranevisanus pilipes (Horvath,1889)** (Pentatomidae) Synonym(s): pilipes Horvath,1889 Range (in code): **AF Ch PK IN**
- 3905. Pausias leprieuri (Signoret,1880)** (Pentatomidae) Synonym(s): leprieuri Signoret,1880 Range (in code): **NG EG LB AF TN IL Pa SA YE**
- 3906. Pausias martini (Puton,1890)** (Pentatomidae) Synonym(s): martini Puton,1890 Range (in code): **TR IR Elb Th Gh AM AZ Cc IQ SY 05 06 17 21 24 26 35 42 56 60 70**
- 3907. Pentatoma rufipes (Linnaeus,1758)** (Pentatomidae) Synonym(s): rufipes Linnaeus,1758 Range (in code): **TR Cc UA Cm IR Gh 34 41**
- 3908. Peribalus strictus (Fabricius,1803)** (Pentatomidae) Synonym(s): strictus Fabricius,1803; vernalis Wolff,1804; capitatus Jakovlev,1889 Range (in code): **IR Zj Se Kh Ar**
- 3909. Perillus bioculatus (Fabricius,1775)** (Pentatomidae) Synonym(s): bioculatus Fabricius,1775 Range (in code): **US NMx CA MX TR 22 59**
- 3910. Phaeocoris ellipticus (Herrich-Schäffer,1840)** (Pentatomidae) Synonym(s): ellipticus Herrich-Schäffer,1840; semenovi Jakovlev,1887; alpicola Kiritshenko,1912 [ssp.]; melancera Horvath,1903; breddini Jensen-Haarup,1937; gonocoxa Ahmad & Önder,1996 Range (in code): **TR KG CN Ts Kno KK MN RU At Sb TJ 24**
- 3911. Phyllocephala albicornis Horvath,1911** (Pentatomidae) Synonym(s): albicornis Horvath,1911 Range (in code): **IL Pa Js YE Ad**
- 3912. Picromerus bidens (Linnaeus,1758)** (Pentatomidae) Synonym(s): bidens Linnaeus,1758; bilobus Schrank,1781; fuscoannulatus Stal,1858; longicollis Jakovlev,1902 Range (in code): **AL AF DZ AT AZ Cc BE CA CN CZ DK GB FI FR DE GR HU IE IT JP KP KR MN NL PL PT RU Sb ES SE CH TR US YU 08 17 19 28 39 50 52 59**

- 3913. *Picromerus brachypterus* Ahmad & Önder,1990** (Pentatomidae) Synonym(s): brachypterus Ahmad & Önder,1990 Range (in code): TR 53
- 3914. *Picromerus conformis* (Herrich-Schäffer,1841)** (Pentatomidae) Synonym(s): conformis Herrich-Schäffer,1841 Range (in code): AL AZ Cc BG CZ FI HU IT CH RO RU YU TR 06 16 19 21 22 35 45 59
- 3915. *Picromerus griseus* (Dallas,1851)** (Pentatomidae) Synonym(s): griseus Dallas,1851; obtusus Walker,1867; nigrivitta Walker,1867; sundanus Breddin,1902 Range (in code): BD MM CN IN PK ID Ja
- 3916. *Picromerus nigridens* (Fabricius,1803)** (Pentatomidae) Synonym(s): nigridens Fabricius,1803; maculicornis Mulsant,1852 Range (in code): AL DZ AT GR Cr FR IT MA PT ES TR YU
- 3917. *Picromerus orientalis* Rishi & Abbasi,1973** (Pentatomidae) Synonym(s): orientalis Rishi & Abbasi,1973 Range (in code): PK
- 3918. *Picromerus pseudobidens* Ahmad & Önder,1990** (Pentatomidae) Synonym(s): pseudobidens Ahmad & Önder,1990 Range (in code): TR 06 39 50 53 58 59
- 3919. *Piezodorus hybneri* (Gmelin)** (Pentatomidae) Synonym(s): Range (in code): NG PK IN PH Luz AU
- 3920. *Piezodorus lituratus* (Fabricius,1794)** (Pentatomidae) Synonym(s): lituratus Fabricius,1794 Range (in code): FR GB TR UA Cm IR Gh Mz Elb RU CN 01 02 03 05 07 09 10 11 13 15 16 17 18 19 21 22 25 26 27 31 33 34 35 36 37 39 43 45 46 48 50 52 55 56 57 60 63 67
- 3921. *Piezodorus sindellus* Ahmad & Rana,1982** (Pentatomidae) Synonym(s): sindellus Ahmad & Rana,1982 Range (in code): PK
- 3922. *Pinthaeus sanguinipes* (Fabricius,1781)** (Pentatomidae) Synonym(s): sanguinipes Fabricius,1781; genei Costa,1841 Range (in code): AT BE CN CZ DK FR DE GR HU IT JP KP KR NL PL PT RU Sb ES CH SY TR YU IR Gh CN JP
- 3923. *Psammotisia gracilis* (Hoberlandt,1993)** (Pentatomidae) Synonym(s): gracilis Hoberlandt,1993 Range (in code): IR Ss MN
- 3924. *Pseudanasida ikrami* (Ahmad & Kamaluddin,1983)** (Pentatomidae) Synonym(s): ikrami Ahmad & Kamaluddin,1983 Range (in code): PK
- 3925. *Putonia asiatica* Jakovlev,1885** (Pentatomidae) Synonym(s): asiatica Jakovlev,1885 Range (in code): TM Kp IR Kh KG AZ Cc PK SY AF AM CN TJ UZ
- 3926. *Putonia torrida* Stal,1872** (Pentatomidae) Synonym(s): torrida Stal,1872 Range (in code): ES DZ EG LY MA TN IL Pa SY JO
- 3927. *Rhacognathus punctatus* (Linnaeus,1758)** (Pentatomidae) Synonym(s): punctatus Linnaeus,1758; annularis Geoffroy,1785 Range (in code): AF AL AT BE BG CN CZ DK GB FI FR DE GR HU IT JP KP KR MN NL RU Sb SE ES YU
- 3928. *Rhaphigaster brevispina* Horvath,1889** (Pentatomidae) Synonym(s): brevispina Horvath,1889; mongolica Puton,1899; nebulosa sensu Bodenh.,1937 Range (in code): CN Ui Ku Ksr AF KG IR KK IL Pa MN RU SY TJ TM UZ Tas
- 3929. *Rhaphigaster nebulosa* (Poda,1761)** (Pentatomidae) Synonym(s): nebulosa Poda,1761; atomarius Fabricius,1775; sagittifer Goeze,1778; lentiginosus Gmelin,1790; punctipennis Illiger,1807; nigrovarius Gravenhorst,1807; stigmatica Palisot,1811; fusca Motschulsky,1861; impunctata Gabiglietti,1869 Range (in code): AT AL BE B-H BG HV CZ FR DDE GR HU IT MK MD NL PL PT RO RU SK SS ES UA YU DZ MA AZ AM Cc AF KG CY GG TR IR Gh Ar Th Elb Zj PK IQ SY TM UZ 01 02 03 04 06 07 09 13 14 15 16 17 18 19 20 21 22 27 31 32 33 34 35 36 37 38 39 41 42 43 44 45 46 47 48 50 51 52 54 55 56 57 60 63 64 65 66 67
- 3930. *Rhombocoris regularis* (Herrich-Schaeffer,1851)** (Pentatomidae) Synonym(s): regularis Herrich-Schaeffer,1851; syriacus Mayr,1864; flavolineatus Jakovlev,1876; fuscus Jakovlev,1880 Range (in code): IR Th Kdv RU Da Cc TR Arr AZ AM SY HU 03 04 05 06 07 13 16 24 25 36 38 46 65 76
- 3931. *Risibia christophi* (Jakovlev,1885)** (Pentatomidae) Synonym(s): christophi Jakovlev,1885; geniculata Horvath,1903 Range (in code): Cc TR IR AZ AM 27 31 76
- 3932. *Risibia obscura* (Jakovlev,1880)** (Pentatomidae) Synonym(s): obscura Jakovlev,1880 Range (in code): IR Se Shh
- 3933. *Risibia verbasci* Lodos & Önder,1980** (Pentatomidae) Synonym(s): verbasci Lodos & Önder,1980 Range (in code): TR 42
- 3934. *Risibia xanthochila* Horvath,1888** (Pentatomidae) Synonym(s): xanthochila Horvath,1888; mimula Kiritshenko,1911 Range (in code): AF KG CN IR KK MN TJ UZ Smk Sb RU
- 3935. *Sarju burmana* Ghauri,1977** (Pentatomidae) Synonym(s): burmana Ghauri,1977 Range (in code): CN MM IN Khs Meg PK
- 3936. *Sarju eremica* (Hoberlandt,1959)** (Pentatomidae) Synonym(s): eremica Hoberlandt,1959 Range (in code): AF IR PK
- 3937. *Sarju lata* Ghauri,1977** (Pentatomidae) Synonym(s): lata Ghauri,1977 Range (in code): PK Gg AF
- 3938. *Sarju pavlovskii* (Kiritshenko,1952)** (Pentatomidae) Synonym(s): pavlovskii Kiritshenko,1952 Range (in code): AF TJ
- 3939. *Schyzops aegyptiaca* (Lefebvre,1831)** (Pentatomidae) Synonym(s): aegyptiaca Lefebvre,1831 Range (in code): IR IL Pa TR EG SA
- 3940. *Schyzops pakistanica* Ghauri,1969** (Pentatomidae) Synonym(s): pakistanica Ghauri,1969 Range (in code): PK



- 3941. Sciocoris (Aposciocoris) atifi Lodos & Önder,1982** (Pentatomidae) Synonym(s): atifi Lodos & Önder,1982 Range (in code): **TR 27 31 46 56 79**
- 3942. Sciocoris (Aposciocoris) homalonotus Fieber,1851** (Pentatomidae) Synonym(s): homalonotus Fieber,1851; nigropunctatus Fuente,1971 Range (in code): **TR 35 37 38 40 47**
- 3943. Sciocoris (Aposciocoris) luteolus Fieber,1861** (Pentatomidae) Synonym(s): luteolus Fieber,1861 Range (in code): **ES TN IL Pa SY TR IR Kh AF 01 02 06 07 21 22 23 27 31 33 38 40 46 47 50 56 63**
- 3944. Sciocoris (Aposciocoris) macrocephalus Fieber,1851** (Pentatomidae) Synonym(s): europaeus Amyot & Serville,1843; macrocephalus Fieber,1851; basalis Fieber,1851 Range (in code): **TR IR Elb Kdv Th RU Sb 01 02 06 07 10 11 15 16 17 21 22 25 27 29 32 33 34 35 36 38 43 46 48 50 51 56 59 65**
- 3945. Sciocoris (Aposciocoris) microphthalmus Flor,1860** (Pentatomidae) Synonym(s): griseus Eversmann,1837; microphthalmus Flor,1860; curtippennis Mulsant & Rey,1866; cerrutii Wagner,1959; poppiusi Wagner,1965; pirinaicus Fuente,1971 Range (in code): **TR 01 31 43 52 55 60**
- 3946. Sciocoris (Aposciocoris) pictus Wagner,1959** (Pentatomidae) Synonym(s): pictus Wagner,1959 Range (in code): **TR 21**
- 3947. Sciocoris (Aposciocoris) safavii Hoberlandt,1959** (Pentatomidae) Synonym(s): safavii Hoberlandt,1959 Range (in code): **IR**
- 3948. Sciocoris (Aposciocoris) umbrinus (Wolff,1804)** (Pentatomidae) Synonym(s): umbrinus Wolff,1804; brevicollis Fieber,1851; fieberii Flor,1860; rotermundi Schumacher,1911; subglaber Schumacher,1911 Range (in code): **TR 01 35**
- 3949. Sciocoris (Neosciocoris) conspurcatus Klug,1845** (Pentatomidae) Synonym(s): conspurcatus Klug,1845 Range (in code): **SD DJ SA IR Kh**
- 3950. Sciocoris (Neosciocoris) fraterculus Linnavuori,1972** (Pentatomidae) Synonym(s): fraterculus Linnavuori,1972 Range (in code): **SA SO SD**
- 3951. Sciocoris (Neosciocoris) kiritshenkoi Wagner,1965** (Pentatomidae) Synonym(s): kiritshenkoi Wagner,1965 Range (in code): **IR TJ UZ**
- 3952. Sciocoris (Neosciocoris) maculatus Fieber,1851** (Pentatomidae) Synonym(s): maculatus Fieber,1851; gravenhorstii Fieber,1851; auritus Mulsant & Rey,1856; obscurus Ferrari,1874; obscurella Kirkaldy,1909; minorerostris Fuente,1971 Range (in code): **TR IR Gh 06 07 17 18 31 35 38 40 48 55 63**
- 3953. Sciocoris (Neosciocoris) monticola Linnavuori,1975** (Pentatomidae) Synonym(s): monticola Linnavuori,1975 Range (in code): **YE**
- 3954. Sciocoris (Neosciocoris) orientalis Linnavuori,1960** (Pentatomidae) Synonym(s): orientalis Linnavuori,1960 Range (in code): **TR CY IR IL Pa SA SY YE**
- 3955. Sciocoris (Neosciocoris) othmanus Linnavuori,1972** (Pentatomidae) Synonym(s): othmanus Linnavuori,1972 Range (in code): **YE**
- 3956. Sciocoris (Neosciocoris) pallens Klug,1855** (Pentatomidae) Synonym(s): pallens Klug,1855; fissus Mulsant & Rey,1845; curvocatatus Fuente,1971 Range (in code): **TR DZ FR IT PT TN IL Pa EG SY 07 23 27 31 33 46**
- 3957. Sciocoris (Neosciocoris) persimilis Wagner,1965** (Pentatomidae) Synonym(s): persimilis Wagner,1965 Range (in code): **TR 71**
- 3958. Sciocoris (Neosciocoris) remanei Wagner,1965** (Pentatomidae) Synonym(s): remanei Wagner,1965 Range (in code): **EG IR SA ER SO SD**
- 3959. Sciocoris (Parasciocoris) afghanus Hoberlandt,1984** (Pentatomidae) Synonym(s): afghanus Hoberlandt,1984 Range (in code): **AF**
- 3960. Sciocoris (Parasciocoris) angusticollis Puton,1895** (Pentatomidae) Synonym(s): angusticollis Puton,1895 Range (in code): **FR DZ LY TN EG IL Pa SY**
- 3961. Sciocoris (Parasciocoris) bifurcus Seidenstücker,1968** (Pentatomidae) Synonym(s): bifurcus Seidenstücker,1968 Range (in code): **AF**
- 3962. Sciocoris (Parasciocoris) capitatus Jakovlev,1881** (Pentatomidae) Synonym(s): capitatus Jakovlev,1881; denticeps Wagner,1965 Range (in code): **IR Th Elb Kh TR 02 14 21 37 42 44 46 47 51 63**
- 3963. Sciocoris (Parasciocoris) cassiae Linnavuori,1986** (Pentatomidae) Synonym(s): cassiae Linnavuori,1986 Range (in code): **SA**
- 3964. Sciocoris (Parasciocoris) convexusculus Puton,1874** (Pentatomidae) Synonym(s): convexusculus Puton,1874; scutellaris Schmidt,1939 nec Put.,1884; sahlbergi Wagner,1952; clypeatus Stichel,1961; schmidtii Wagner,1965 Range (in code): **IL Pa LB SY TR 01 31 33 46**
- 3965. Sciocoris (Parasciocoris) kamali Ahmad & Siddiqui,1993** (Pentatomidae) Synonym(s): kamali Ahmad & Siddiqui,1993 Range (in code): **PK**
- 3966. Sciocoris (Parasciocoris) peshawarensis Ahmad & Siddiqui,1993** (Pentatomidae) Synonym(s): peshawarensis Ahmad & Siddiqui,1993 Range (in code): **PK Nwf Pes**
- 3967. Sciocoris (s.str.) cursitans (Fabricius,1794)** (Pentatomidae) Synonym(s): cursitans Fabricius,1794; terreus Schrank,1801; rubropunctatus Fuente,1972 Range (in code): **AL AT BE B-H BG BY HV CZ DK EE FI FR GB DE GR HU IT LT MK MD NL NO PL PT RO RU SK SS ES SE CH UA YU DZ MA AZ AM GG Cc CY SY PK TR IR Gh 11 14 16 21 22 23 31 35 38 43 45 63**

- 3968. Sciocoris (s.str.) deltocephalus Fieber,1861** (Pentatomidae) **Synonym(s):** deltocephalus Fieber,1861 **Range (in code):** **TR IR Ar Kdv Th Elb Kdv CN PK 06 10 21 22 24 35 48 51 65**
- 3969. Sciocoris (s.str.) hoberlandti Wagner,1954** (Pentatomidae) **Synonym(s):** hoberlandti Wagner,1954 **Range (in code):** **TR CY IL Pa JO LB SY LY IR Gh 09 21 35 46 52 63**
- 3970. Sciocoris (s.str.) indicus Dallas,1851** (Pentatomidae) **Synonym(s):** indicus Dallas,1851 **Range (in code):** **IN PK CN**
- 3971. Sciocoris (s.str.) ochraceus Fieber,1861** (Pentatomidae) **Synonym(s):** ochraceus Fieber,1861; #ochraceus Önder et al.,2006 **Range (in code):** **IQ IL Pa CY SY TM TR 01 21 23 31 33 35 46 47 56 65 73**
- 3972. Sciocoris (s.str.) ogivus Jakovlev,1894** (Pentatomidae) **Synonym(s):** ogivus Jakovlev,1894 **Range (in code):** **IR Ak Gh RU Cc AZ AM TR GG Bjo**
- 3973. Sciocoris (s.str.) resilli E.Wagner,1966** (Pentatomidae) **Synonym(s):** resilli E.Wagner,1966 **Range (in code):** **TR 03 21 27 38 63**
- 3974. Sciocoris (s.str.) sulcatus Fieber,1851** (Pentatomidae) **Synonym(s):** sulcatus Fieber,1851; angustipennis Mulsant & Rey,1852; lautus Horvath,1903; atticus Horvath,1907; cypria Lindberg,1948 **Range (in code):** **AL AT B-H HV CZ EE FR GR HU IT MK MD PT RO RU SK ES UA YU DZ MA TN AZ KG AM GG Cc TR IR Th IL Pa LB KK CY SY TJ TM UZ 02 21 23 63**
- 3975. Sciocoris distinctus Fieber,1861** (Pentatomidae) **Synonym(s):** distinctus Fieber,1861; hospes Kiritshenko,1964; ovatus Wagner,1965 **Range (in code):** **TR 06 36 52**
- 3976. Sciocoris helferii Fieber,1851** (Pentatomidae) **Synonym(s):** helferii Fieber,1851 **Range (in code):** **TR 20 21 23 34 35 36 38 39 40 63**
- 3977. Stagonomus (Dalleria) bipunctatus (Linnaeus,1758)** (Pentatomidae) **Synonym(s):** bipunctatus Linnaeus,1758; pusillum Herrich-Schäffer,1833; binotatus Hahn,1835; gibbus Fieber,1861; plataspis Horvath,1883 **Range (in code):** **TR IL Pa Cc CY SY TJ 01 02 05 07 16 21 25 27 31 33 46 55 56 57 60 63 67**
- 3978. Stagonomus (Dalleria) devius Seidenstücker,1965** (Pentatomidae) **Synonym(s):** devius Seidenstücker,1965 **Range (in code):** **AM Cc TR IR IQ IL Pa SY TM 06 46 65**
- 3979. Stagonomus (Dalleria) grenieri (Signoret,1865)** (Pentatomidae) **Synonym(s):** grenieri Signoret,1865 **Range (in code):** **FR GR IT? ES PT DZ MA EG SY**
- 3980. Stagonomus (s.str.) amoenus (Brullé,1832)** (Pentatomidae) **Synonym(s):** bipunctatus Fabricius,1781 nec Linn.,1758; italicus Gmelin,1790 nec Müll.,1766; amoenus Brullé,1832; #transparens Fuente,1974 **Range (in code):** **SS GR TR AF IQ IR Gh IL Pa Cc SY IN 01 05 06 10 11 16 17 22 31 33 38 39 42 46 52 55 56 59 60 63 65 70 78 80**
- 3981. Staria lunata (Hahn,1835)** (Pentatomidae) **Synonym(s):** lunata Hahn,1835; lobulatus Rambur,1839; maroccana Lindberg,1932; levantinae Fuente,1972 **Range (in code):** **DZ MA TN AZ Cc GG IQ IL Pa JO LB SY AL AT B-H BG HV CZ FR DE GR HU IT MK MD PL PT RO RU SK SS CH UA YU TR IR Gh Ak CY 01 02 06 07 09 10 11 14 16 17 18 21 22 23 27 31 33 35 45 46 48 63 67 74**
- 3982. Stenozygum (s.str.) coloratum (Klug,1845)** (Pentatomidae) **Synonym(s):** coloratum Klug,1845 **Range (in code):** **TR 01 07 33**
- 3983. Stenozygum (Setozygum) pseudospeciosum Ghauri,1972** (Pentatomidae) **Synonym(s):** pseudospeciosum Ghauri,1972 **Range (in code):** **PK Rw**
- 3984. Sternodontus ampliatus Jakovlev,1887** (Pentatomidae) **Synonym(s):** ampliatus Jakovlev,1887 **Range (in code):** **AZ Nv Ord KG IR TR TJ UZ TM 76**
- 3985. Sternodontus contestor Kiritshenko,1966** (Pentatomidae) **Synonym(s):** contestor Kiritshenko,1966 **Range (in code):** **IR**
- 3986. Tarisa elevata Reuter,1901** (Pentatomidae) **Synonym(s):** elevata Reuter,1901 **Range (in code):** **IR Kh RU AF MN CN**
- 3987. Tarisa fraudatrix Horvath,1891** (Pentatomidae) **Synonym(s):** fraudatrix Horvath,1891; chloris Horvath,1904 **Range (in code):** **TR IR RU Cc SY IL Pa CN Ui 04 09 21 24 36 46 68 76**
- 3988. Tarisa igdirensis Lodos & Önder,1978** (Pentatomidae) **Synonym(s):** igdirensis Lodos & Önder,1978; #igdirensis Lodos & Önder,1978 **Range (in code):** **TR 04 12 19 36**
- 3989. Tarisa osmanica Hoberlandt,1955** (Pentatomidae) **Synonym(s):** osmanica Hoberlandt,1955 **Range (in code):** **TR 04 06 07 23 38 40 46 50 65 66 71**
- 3990. Tarisa subspinosa (Germar,1839)** (Pentatomidae) **Synonym(s):** subspinosa Germar,1839 **Range (in code):** **IR Zj Qz Kh RU UA AF PK IN**
- 3991. Tarisa virescens Herrich-Schäffer,1851** (Pentatomidae) **Synonym(s):** virescens Herrich-Schäffer,1851; notoceras Kolenati,1857 **Range (in code):** **TR SY IL Pa RU CN Ui IR Elb Th Kh Cc 06 20 27 32 38 40 43 44 50**
- 3992. Tholagmus acutangulus Linnavuori,1984** (Pentatomidae) **Synonym(s):** acutangulus Linnavuori,1984 **Range (in code):** **IR**
- 3993. Tholagmus breviceps Jakovlev,1883** (Pentatomidae) **Synonym(s):** breviceps Jakovlev,1883; nigricornis Reuter,1900 **Range (in code):** **KG Aa TrA AF TJ KK IR TM UZ Tas**
- 3994. Tholagmus enkidu Linnavuori,1984** (Pentatomidae) **Synonym(s):** enkidu Linnavuori,1984 **Range (in code):** **IQ Mos IR**
- 3995. Tholagmus flavolineatus (Fabricius,1798)** (Pentatomidae) **Synonym(s):** flavolineatus Fabricius,1798; confinis Horvath,1898 **Range (in code):** **TR HV IQ IR IL Pa Cc CY EG B-H BG HV FR GR IT MK**

- PT RO RU SS ES UA YU DZ LY MA TN AZ AF AM KG GG IR LB MN PK 01 02 06 07 08 10 15 16 20 21 22 27 31 33 34 35 38 39 42 46 65**
- 3996. Trochiscocoris hemipterus (Jakovlev,1879)** (Pentatomidae) Synonym(s): hemipterus Jakovlev,1879; sanguinolentus Horvath,1895; maroccanus Taeuber,1940; kiritschenkoi Akramovskaya,1957 Range (in code): TR RU Da Cc AM Eri MA AZ IR Ak Mha 01 42 50 70
- 3997. Trochiscocoris rotundatus Horvath,1895** (Pentatomidae) Synonym(s): rotundatus Horvath,1895 Range (in code): TR BG HV GR MK IT RO RU Cc YU GG HU KG 02 05 06 16 37 60 65
- 3998. Troilus luridus (Fabricius,1775)** (Pentatomidae) Synonym(s): luridus Fabricius,1775 Range (in code): PT ES FR BE NL GB IE DK DE NO SE FI EE LT LV BY RU UA MD RO CZ SK PL CH AT IT SS HV B-H YU MK AL GR BG TR
- 3999. Tshingisella bella Kirkaldy,1913** (Pentatomidae) Synonym(s): bella Kirkaldy,1913 Range (in code): TR AZ Cc AM IR IQ SY TM TJ UZ RU
- 4000. Tshingisella robusta Linnavuori,1960** (Pentatomidae) Synonym(s): robusta Linnavuori,1960 Range (in code): IL Pa SY
- 4001. Ventocoris (Astirocoris) achivus (Horvath,1889)** (Pentatomidae) Synonym(s): achivus Horvath,1889 Range (in code): DZ TR GR Cr Rd CY EG AZ Cc IR IQ IL Pa JO Sn SY 01 09 35 45 63 80
- 4002. Ventocoris (Astirocoris) armeniacus (Kiritshenko,1938)** (Pentatomidae) Synonym(s): armeniacus Kiritshenko,1938 Range (in code): AZ AM Cc IR TR 46 51 63
- 4003. Ventocoris (Astirocoris) bulbifer Seidenstücker,1964** (Pentatomidae) Synonym(s): bulbifer Seidenstücker,1964 Range (in code): AM Cc TR AZ IR Gh 09 20 28 42 48
- 4004. Ventocoris (Astirocoris) ceriferus (Horvath,1889)** (Pentatomidae) Synonym(s): ceriferus Horvath,1889 Range (in code): AF KG KK IR TJ TM UZ Tas
- 4005. Ventocoris (Astirocoris) cribrosus (Horvath,1889)** (Pentatomidae) Synonym(s): cribrosus Horvath,1889; intermittens Jakovlev,1894 Range (in code): KG TM UZ
- 4006. Ventocoris (Astirocoris) fischeri (Herrich-Schäffer,1851)** (Pentatomidae) Synonym(s): fischeri Herrich-Schäffer,1851; baerensprungii Stal,1860; lehmanni Fieber,1864; umbrosum Jakovlev,1882; confusum Kirby,1892 Range (in code): PT FR EG IR Cc AZ AF KG AM TR IL Pa Sn SY SD TM UZ 01 05 06 07 15 19 21 33 42 50 51 65
- 4007. Ventocoris (Astirocoris) halophilus (Jakovlev,1874)** (Pentatomidae) Synonym(s): halophilus Jakovlev,1874 Range (in code): RU Ao Cc UA TR AZ KG KK CN SY TJ UZ 06 26 40 51 65
- 4008. Ventocoris (Astirocoris) modestus (Jakovlev,1880)** (Pentatomidae) Synonym(s): modestus Jakovlev,1880; martini Horvath,1889 Range (in code): DZ MA LY TN ES AZ AM Cc IL Pa IR SA UZ IQ
- 4009. Ventocoris (Astirocoris) obesus (Stal,1865)** (Pentatomidae) Synonym(s): obesus Stal,1865; humerale Horvath,1889 Range (in code): DZ TN EG IQ Sn IL Pa SA
- 4010. Ventocoris (Astirocoris) oblongus (Horvath,1889)** (Pentatomidae) Synonym(s): oblongus Horvath,1889 Range (in code): AZ Cc Nv Ord AM IR TR 65
- 4011. Ventocoris (Astirocoris) oschanini (Horvath,1889)** (Pentatomidae) Synonym(s): oschanini Horvath,1889 Range (in code): TJ UZ IR
- 4012. Ventocoris (Astirocoris) productus (Jakovlev,1885)** (Pentatomidae) Synonym(s): productus Jakovlev,1885 Range (in code): TM Kp TJ UZ
- 4013. Ventocoris (Astirocoris) putoni (Jakovlev,1877)** (Pentatomidae) Synonym(s): putoni Jakovlev,1877; stali Reuter,1881 Range (in code): IR Se
- 4014. Ventocoris (Astirocoris) similis Ghauri,1972** (Pentatomidae) Synonym(s): similis Ghauri,1972 Range (in code): PK Bl Qu
- 4015. Ventocoris (Astirocoris) tataricus Kirkaldy,1909** (Pentatomidae) Synonym(s): carinatum Jakovlev,1887 nec Germ.,1838; tataricus Kirkaldy,1909; taurus Akramovskaya,1957 Range (in code): Cc AM Eri UZ Tas KG KK TJ TM PK
- 4016. Ventocoris (s.str.) advenus (Horvath,1896)** (Pentatomidae) Synonym(s): advenus Horvath,1896 Range (in code): IR Kh KG KK TJ TM UZ
- 4017. Ventocoris (s.str.) horvathi (Puton,1896)** (Pentatomidae) Synonym(s): horvathi Puton,1896 Range (in code): AM Cc SY IQ IR TR 21 27 31 63 73
- 4018. Ventocoris (s.str.) trigonus (Krynicky,1871)** (Pentatomidae) Synonym(s): trigonus Krynicky,1871 Range (in code): AT UA HU MD RO YU AL MK GR BG RU TR CZ IR IL Pa Cc CY SK SY 01 03 05 06 09 10 16 22 27 31 42 46 50
- 4019. Veterna abyssinica Lethierry,1881** (Pentatomidae) Synonym(s): abyssinica Lethierry,1881 Range (in code): ET YE SA
- 4020. Vilpianus galii (Wolff,1802)** (Pentatomidae) Synonym(s): galii Wolff,1802 Range (in code): CZ Cc SK PL TR 01 06 21 22 27 46
- 4021. Zicrona caerulea (Linnaeus,1758)** (Pentatomidae) Synonym(s): caerulea Linnaeus,1758; concinna Westwood,1837; violacea Westwood,1837; illustris Amyot & Serville,1843; cuprea Dallas,1851 Range (in code): AF DZ AT AZ Cc BE GB FI GR DE Cr NL SY IL Pa RU CN MN PK MA JP KP KR TW MY SE CH TR ES PT VN MM ID Ja Sum Bor IR BG YU US 01 02 04 06 08 10 14 18 21 22 25 27 30 31 33 35 39 42 55 56 58 60 65 67 74 79
- 4022. Agnetina senilis Klapalek,1921** (Perlidae) Synonym(s): senilis Klapalek,1921; acutipennis Klapalek,1921 Range (in code): GG Cc Tbl Bjo Cch Kta Im UA Cm



- 4023. Agnetina weneri (Kempny,1908)** (Perlidae) Synonym(s): weneri Kempny,1908 Range (in code): TR
- 4024. Eoperla ochracea (Kolbe,1885)** (Perlidae) Synonym(s): ochracea Kolbe,1885; paui Navas,1909; latusculata Klapalek,1921; nigritarisis Despax,1931; theryana Navas,1935 Range (in code): GR TR 25
- 4025. Marthamea vitripennis (Burmeister,1839)** (Perlidae) Synonym(s): vitripennis Burmeister,1839; bicolor Burmeister,1839; angustata Rambur,1842; terminalis Walker,1852; beraudi Navas,1909 Range (in code): TR IL Pa SY
- 4026. Paragnetina transoxanica (Klapalek,1921)** (Perlidae) Synonym(s): transoxanica Klapalek,1921; spinulifera Zhiltzova,1967 Range (in code): TR Ui Ku
- 4027. Perla caucasica Guérin-Ménéville,1838** (Perlidae) Synonym(s): caucasica Guérin-Ménéville,1838; abbreviata Klapalek,1921; persica Zwick,1975 Range (in code): CY Cc IR
- 4028. Perla grandis Rambur,1842** (Perlidae) Synonym(s): grandis Rambur,1842; alpicola Klapalek,1900 Range (in code): MA ES BE CH IT Si SS HV YU MK RO PL AT UA Cc GG AM AZ
- 4029. Perla illiesi Braasch & Joost,1971** (Perlidae) Synonym(s): illiesi Braasch & Joost,1971 Range (in code): BG TR 14 62
- 4030. Perla kiritschenkoi Zhiltzova,1961** (Perlidae) Synonym(s): kiritschenkoi Zhiltzova,1961 Range (in code): TR? Cc IR Elb
- 4031. Perla marginata (Panzer,1799)** (Perlidae) Synonym(s): maxima Scopoli,1763; marginata Panzer,1799; kheili Navas,1909; fraterna Navas,1909; asturica Navas,1917; guitarti Navas,1921; barcinonensis Rambur,1842; madritensis Rambur,1842; malaccensis Rambur,1842; hagenii Pictet,1865; luteipes Klapalek,1921 Range (in code): ES FR NL DE PL CH AT HU SS HV YU MK IT TR 01 06
- 4032. Perla pallida Guérin-Ménéville,1838** (Perlidae) Synonym(s): pallida Guérin-Ménéville,1838; dacica Klapalek,1907; bureschi Schoenemund,1926 Range (in code): TR 01 08 46 53
- 4033. Isoperla armeniaca Zhiltzova,1961** (Perlodidae) Synonym(s): armeniaca Zhiltzova,1961 Range (in code): AM Cc TR 08 24 25 62
- 4034. Isoperla bithynica (Kempny,1908)** (Perlodidae) Synonym(s): bithynica Kempny,1908; caucasica Balinsky,1950; pulchra Balinsky,1950 Range (in code): Cc TR 06 08 14 16 53 62
- 4035. Isoperla rhododendri Zhiltzova,1956** (Perlodidae) Synonym(s): rhododendri Zhiltzova,1956 Range (in code): Cc TR 01 44 46
- 4036. Perlodes microcephala (Pictet,1833)** (Perlodidae) Synonym(s): microcephala Pictet,1833; cymodoce Newman,1839; rectangula Pictet,1841; hispanica Rambur,1842; mortoni Klapalek,1906; cadevalli Navas,1922; festai Navas,1932 Range (in code): TR 06 46 62
- 4037. Piesma (Parapiesma) kochiae (Becker,1867)** (Piesmatidae) Synonym(s): kochiae Becker,1867 Range (in code): Cc AM AZ Ur AT CZ HU RO YU BG GR UA KG Aa T-S TJ Pm KK TM UZ RU Ur Sb At Tv MN CN
- 4038. Piesma (Parapiesma) kolenatii (Fieber,1861)** (Piesmatidae) Synonym(s): laportei Kolenati,1857 nec Fieb.,1844; kolenatii Fieber,1861; causicum Péricart,1973 Range (in code): RO BG GR RU Or UA MD Cc AZ Kir TR KG UZ Fe TJ KK Ik CN Ui Cn ES MA DZ TN LY Cy IL Pa CY JO IQ Bgd PK Bl Qu 04 13 36 38 51 65
- 4039. Piesma (Parapiesma) quadratum (Fieber,1844)** (Piesmatidae) Synonym(s): quadratum Fieber,1844; dilatatus Jakovlev,1874; convexicollis Jakovlev,1874; rotundicollis Rey,1888; nigroscutellata Peneau,1921; chiniana Drake & Maa,1953; spargulariae Woodroffe,1966 Range (in code): DZ TN ES FR BE NL GB DK NO SE DE PL AT CZ HU CH IT Sa Co HV YU RO BG GR TR MD UA Cm Cc RU Ur Sb AZ AM UZ KG CN Mc KP KR MN TW 17
- 4040. Piesma (Parapiesma) salsolae (Becker,1867)** (Piesmatidae) Synonym(s): salsolae Becker,1867 Range (in code): ES FR NL DE DK CH AT IT CZ YU RO GR BG TR BY UA RU Cc Ur Sb Tv AZ AM UZ KG At MN CN 06 18 26 35 38 40 50 51 55
- 4041. Piesma (Parapiesma) silenes (Horvath,1888)** (Piesmatidae) Synonym(s): silenes Horvath,1888 Range (in code): ES IT DE AT CZ HU MK BY BG UA RU KG TR 06
- 4042. Piesma (Parapiesma) tenellum Horvath,1906** (Piesmatidae) Synonym(s): tenellum Horvath,1906 Range (in code): SA IQ Bgd TM UZ
- 4043. Piesma (s.str.) capitatum (Wolff,1804)** (Piesmatidae) Synonym(s): capitatum Wolff,1804; collaris Zetterstedt,1828; pedicularis Herrich-Schäffer,1830; stephensi Fieber,1844; pallidum Costa,1862; declivis Rey,1893; divergens Rey,1893 Range (in code): FR BE NL ES IT DE AT CH PL CZ RO YU AL BG GR UA TR SE NO Cc GG AZ AM RU Sb At Ya MN CN Ui Sz Gn KG KK TM UZ KP KR 03 06 36 41
- 4044. Piesma (s.str.) maculatum (Laporte,1833)** (Piesmatidae) Synonym(s): antica Stephens,1829; maculatum Laporte,1833; laportei Fieber,1844; viridis Jakovlev,1871 Range (in code): MA DZ TN GB PT ES FR BE NL DE DK SE NO PL HU CZ AT CH YU RO IT Sa Co MK GR BG TR Cc GG AZ AM UA RU Sb Ya Us TM TJ KG KK UZ CN Ui MN
- 4045. Coptosoma anatolicum Horvath,1883** (Plataspidae) Synonym(s): anatolicum Horvath,1883 Range (in code): TR 16
- 4046. Coptosoma arabicum Linnavuori,1977** (Plataspidae) Synonym(s): arabicum Linnavuori,1977 Range (in code): YE
- 4047. Coptosoma costale Stal,1854** (Plataspidae) Synonym(s): costale Stal,1854 Range (in code): TR CY LB 01 27 31 33 46 80

- 4048. *Coptosoma josuae* Horvath,1903** (Plataspidae) Synonym(s): josuae Horvath,1903 Range (in code): IL Pa Jer
- 4049. *Coptosoma lodosi* Doğanlar, Karsavuran & Demirel,2007** (Plataspidae) Synonym(s): lodosi Doğanlar, Karsavuran & Demirel,2007 Range (in code): TR 47
- 4050. *Coptosoma maurum* Vidal,1938** (Plataspidae) Synonym(s): maurum Vidal,1938 Range (in code): MA TR 31 51
- 4051. *Coptosoma mucronatum* Seidenstücker,1963** (Plataspidae) Synonym(s): mucronatum Seidenstücker,1963 Range (in code): RU BG KG HU CZ SK TR 06 15 32 33 42 43 46 51
- 4052. *Coptosoma oenderi* Doğanlar, Karsavuran & Demirel,2007** (Plataspidae) Synonym(s): oenderi Doğanlar, Karsavuran & Demirel,2007 Range (in code): TR 50
- 4053. *Coptosoma putoni* Montandon,1898** (Plataspidae) Synonym(s): putoni Montandon,1898 Range (in code): TR 01 21 31 33 50 51 80
- 4054. *Coptosoma raunoi* Davidova-Vilimova & Stys,1980** (Plataspidae) Synonym(s): raunoi Davidova-Vilimova & Stys,1980 Range (in code): IL Pa Jf
- 4055. *Coptosoma scutellatum* (Geoffroy,1785)** (Plataspidae) Synonym(s): scutellatum Geoffroy,1785; globus Fabricius,1794; dilatata Motschoulsky,1860; anatolica Horvath,1883 Range (in code): TR UA Cm AL AT BE B-H BG BY HV CZ DE FR DK GR HU IT LT LV MK MD NL PL RO RU SK SS ES CH YU AZ Cc AM CN GG KK MN KP KR Us DZ 01 08 10 15 16 19 28 31 33 37 46 50 52 55 59 67
- 4056. *Platynemis dealbata* Selys,1863** (Platynemidae) Synonym(s): dealbata Selys,1863 Range (in code): TR LB Bei IL Pa IR AF Ch PK IN IQ Dk Ama Cc AM 02 35 31 33 46 48 80
- 4057. *Platynemis kervillei* (Martin,1909)** (Platynemidae) Synonym(s): kervillei Martin,1909 Range (in code): TR SY Hms LB IQ Dk Ama 01 21 27 33 46
- 4058. *Platynemis pennipes* (Pallas,1771)** (Platynemidae) Synonym(s): pennipes Pallas,1771 Range (in code): TR Rd GR RU Da Cc GG Tbl 05 06 07 16 25 32 33 34 35 36 38 45 47 48 55 58 71 73 80
- 4059. *Plea atomaria* (Pallas,1771)** (Pleidae) Synonym(s): atomaria Pallas,1771 Range (in code): TR
- 4060. *Plea leachi* Mc Gregor,1899** (Pleidae) Synonym(s): leachi Mc Gregor,1899 Range (in code): TR 03 06
- 4061. *Plea minutissima* Leach,1817** (Pleidae) Synonym(s): minutissima Leach,1817 Range (in code): TR IR Ak Qrg 01 03 06 15 38 42 50
- 4062. *Mirococcopsis elongatus* Borchsenius,1948** (Pseudococcidae) Synonym(s): elongatus Borchsenius,1948 Range (in code): HU TR KG
- 4063. *Mirococcopsis multicircularia* Kaydan & Gavrilov,2010** (Pseudococcidae) Synonym(s): multicircularia Kaydan & Gavrilov,2010 Range (in code): TR 65
- 4064. *Mirococcopsis avetianae* Ter-Grigorian,1964** (Pseudococcidae) Synonym(s): avetianae Ter-Grigorian,1964 Range (in code): TR 65
- 4065. *Mirococcopsis ammophila* Bazarov & Nurmatov,1975** (Pseudococcidae) Synonym(s): ammophila Bazarov & Nurmatov,1975 Range (in code): TR 65 76
- 4066. *Mirococcopsis subalpina* (Danzig,1985)** (Pseudococcidae) Synonym(s): subalpina Danzig,1985 Range (in code): TR 65
- 4067. *Mirococcopsis teberdae* (Danzig,1985)** (Pseudococcidae) Synonym(s): teberdae Danzig,1985 Range (in code): TR RU Cc Teb Kc 65
- 4068. *Antonina graminis* (Maskell,1897)** (Pseudococcidae) Synonym(s): graminis Maskell,1897 Range (in code): TR 04 65
- 4069. *Atrococcus achilleae* (Kiritchenko)** (Pseudococcidae) Synonym(s): achilleae Kiritchenko Range (in code): TR
- 4070. *Atrococcus indigenus* (Borchsenius)** (Pseudococcidae) Synonym(s): indigenus Borchsenius Range (in code): TR
- 4071. *Atrococcus paludinus* (Green)** (Pseudococcidae) Synonym(s): paludinus Green Range (in code): TR
- 4072. *Atrococcus parvulus* (Borchsenius)** (Pseudococcidae) Synonym(s): parvulus Borchsenius Range (in code): TR
- 4073. *Atrococcus cracens* Williams,1962** (Pseudococcidae) Synonym(s): cracens Williams,1962 Range (in code): TR 04 76
- 4074. *Atrococcus arakelianae* (Ter-Grigorian,1964)** (Pseudococcidae) Synonym(s): arakelianae Ter-Grigorian,1964 Range (in code): TR 04 36
- 4075. *Atrococcus saxatilis* (Ter-Grigorian,1964)** (Pseudococcidae) Synonym(s): saxatilis Ter-Grigorian,1964 Range (in code): TR 04 25 65
- 4076. *Chaetococcus bambusae* (Maskell)** (Pseudococcidae) Synonym(s): bambusae Maskell Range (in code): TR
- 4077. *Chaetococcus phragmitis* (Marchal,1909)** (Pseudococcidae) Synonym(s): phragmitis Marchal Range (in code): TR 06 30
- 4078. *Coccura circumscripta* (Kiritchenko,1936)** (Pseudococcidae) Synonym(s): circumscripta Kiritchenko,1936 Range (in code): TR 76

- 4079. Dysmicoccus brevipes (Cockerell,1875)** (Pseudococcidae) Synonym(s): brevipes Cockerell,1875 Range (in code): TR 65
- 4080. Fonscolombia europaea (Newstead,1897)** (Pseudococcidae) Synonym(s): europaea Newstead,1897 Range (in code): TR 76
- 4081. Ceroputo pilosellae Sulc,1898** (Pseudococcidae) Synonym(s): pilosellae Sulc,1898 Range (in code): TR 06 13 30 32 65
- 4082. Coccidohystrix artemisiae (Kiritchenko,1937)** (Pseudococcidae) Synonym(s): artemisiae Kiritchenko,1937 Range (in code): TR
- 4083. Euripersia amnicola Borchsenius,1948** (Pseudococcidae) Synonym(s): amnicola Borchsenius,1948 Range (in code): TR 04 13 65 76
- 4084. Heliococcus bohemicus Sulc** (Pseudococcidae) Synonym(s): bohemicus Sulc Range (in code): TR
- 4085. Heliococcus glacialis (Newstead,1900)** (Pseudococcidae) Synonym(s): glacialis Newstead,1900 Range (in code): TR 76
- 4086. Heliococcus radicola Goux,1931** (Pseudococcidae) Synonym(s): radicola Goux,1931 Range (in code): TR 06 13 30 50 65 73
- 4087. Heliococcus saxatilis Borchsenius** (Pseudococcidae) Synonym(s): saxatilis Borchsenius Range (in code): TR
- 4088. Heliococcus sulcii Goux** (Pseudococcidae) Synonym(s): sulcii Goux Range (in code): TR
- 4089. Heterococcopsis opertus Borkhsenius,1949** (Pseudococcidae) Synonym(s): opertus Borchsenius,1949 Range (in code): TR 06 13 65
- 4090. Heterococcus nudus (Green,1926)** (Pseudococcidae) Synonym(s): nudus Green,1926 Range (in code): TR 06 30 76
- 4091. Heterococcus tritici (Kiritshenko)** (Pseudococcidae) Synonym(s): tritici Kiritshenko Range (in code): TR
- 4092. Longicoccus affinis (Ter-Grigorian,1967)** (Pseudococcidae) Synonym(s): affinis Ter-Grigorian,1967 Range (in code): TR 06 76
- 4093. Longicoccus clarus (Borkhsenius,1949)** (Pseudococcidae) Synonym(s): clarus Borchsenius,1949 Range (in code): TR 06 76
- 4094. Longicoccus festucae (Koteja)** (Pseudococcidae) Synonym(s): festucae Koteja Range (in code): TR
- 4095. Longicoccus tongiventris (Borkhsenius)** (Pseudococcidae) Synonym(s): tongiventris Borchsenius Range (in code): TR
- 4096. Longicoccus psammophilus (Koteja)** (Pseudococcidae) Synonym(s): psammophilus Koteja Range (in code): TR
- 4097. Metadenopus festucae Sulc,1933** (Pseudococcidae) Synonym(s): festucae Sulc,1933 Range (in code): TR 04 30
- 4098. Metadenopus ankaranus (Bodenheimer,1953)** (Pseudococcidae) Synonym(s): ankaranus Bodenheimer,1953 Range (in code): TR 06
- 4099. Micrococcopsis elongatus Borkhsenius** (Pseudococcidae) Synonym(s): elongatus Borchsenius Range (in code): TR
- 4100. Micrococcopsis stipae Borchsenius** (Pseudococcidae) Synonym(s): stipae Borchsenius Range (in code): TR
- 4101. Micrococcus inermis (Hall)** (Pseudococcidae) Synonym(s): inermis Hall Range (in code): TR
- 4102. Neotrionymus monstus Borkhsenius,1948** (Pseudococcidae) Synonym(s): monstus Borkhsenius,1948 Range (in code): TR 06 30
- 4103. Nipaeoccus filamentosus (Cockerell)** (Pseudococcidae) Synonym(s): filamentosus Cockerell Range (in code): TR
- 4104. Nipaeoccus nipae (Maskell)** (Pseudococcidae) Synonym(s): nipae Maskell Range (in code): TR
- 4105. Peliococcopsis priesneri (Laing,1936)** (Pseudococcidae) Synonym(s): priesneri Laing,1936 Range (in code): TR 06 76
- 4106. Peliococcus kimmericus (Kiritshenko)** (Pseudococcidae) Synonym(s): kimmericus Kiritshenko Range (in code): TR
- 4107. Peliococcus chersonensis (Kiritshenko)** (Pseudococcidae) Synonym(s): chersonensis Kiritshenko Range (in code): TR
- 4108. Peliococcus manifestus Borchsenius,1949** (Pseudococcidae) Synonym(s): manifestus Borchsenius,1949 Range (in code): TR 06 65 76
- 4109. Peliococcus salviae Hadzibejli,1963** (Pseudococcidae) Synonym(s): salviae Hadzibejli,1963 Range (in code): TR 04 06 65
- 4110. Peliococcus tritubulatus (Kiritshenko,1940)** (Pseudococcidae) Synonym(s): tritubulatus Kiritshenko,1940 Range (in code): TR 04 06 65 76
- 4111. Peliococcus turanicus (Kiritshenko)** (Pseudococcidae) Synonym(s): turanicus Kiritshenko Range (in code): TR



- 4112. Phenacoccus aceris (Signoret)** (Pseudococcidae) Synonym(s): aceris Signoret Range (in code): TR
- 4113. Phenacoccus avenae Borchsenius,1949** (Pseudococcidae) Synonym(s): avenae Borchsenius,1949 Range (in code): TR 13 30 65
- 4114. Phenacoccus asphodeli Goux** (Pseudococcidae) Synonym(s): asphodeli Goux Range (in code): TR
- 4115. Phenacoccus bicerarius Borchsenius** (Pseudococcidae) Synonym(s): bicerarius Borchsenius Range (in code): TR
- 4116. Phenacoccus evelinae (Tereznikova)** (Pseudococcidae) Synonym(s): evelinae Tereznikova Range (in code): TR
- 4117. Phenacoccus ferulae Borchsenius** (Pseudococcidae) Synonym(s): ferulae Borchsenius Range (in code): TR
- 4118. Phenacoccus graminicola Leonardi** (Pseudococcidae) Synonym(s): graminicola Leonardi Range (in code): TR
- 4119. Phenacoccus hordei (Lindeman)** (Pseudococcidae) Synonym(s): hordei Lindeman Range (in code): TR
- 4120. Phenacoccus interruptus Green** (Pseudococcidae) Synonym(s): interruptus Green Range (in code): TR
- 4121. Phenacoccus karaberdii Borchsenius & Ter-Grigorian** (Pseudococcidae) Synonym(s): karaberdii Borchsenius & Ter-Grigorian Range (in code): TR
- 4122. Phenacoccus loiki Danzig,2001** (Pseudococcidae) Synonym(s): loiki Danzig,2001 Range (in code): TR 04 06 65 76
- 4123. Phenacoccus phenacoccoides (Kiritshenko)** (Pseudococcidae) Synonym(s): phenacoccoides Kiritshenko Range (in code): TR
- 4124. Phenacoccus pumilus Kiritshenko** (Pseudococcidae) Synonym(s): pumilus Kiritshenko Range (in code): TR
- 4125. Phenacoccus tergrigorianae Borchsenius** (Pseudococcidae) Synonym(s): tergrigorianae Borchsenius Range (in code): TR
- 4126. Phenacoccus transcaucasicus Hadzibejli** (Pseudococcidae) Synonym(s): transcaucasicus Hadzibejli Range (in code): Cc TR
- 4127. Phenacoccus chatakicus Kaydan & Kozar,2011** (Pseudococcidae) Synonym(s): chatakicus Kaydan & Kozar,2011 Range (in code): TR 65
- 4128. Phenacoccus angustatus Borchsenius,1949** (Pseudococcidae) Synonym(s): angustatus Borchsenius,1949 Range (in code): TR 65
- 4129. Phenacoccus emansor Williams & Kozarzhevskaya,1988** (Pseudococcidae) Synonym(s): emansor Williams & Kozarzhevskaya,1988 Range (in code): TR 76
- 4130. Phenacoccus eurotiae Danzig,1985** (Pseudococcidae) Synonym(s): eurotiae Danzig,1985 Range (in code): TR 25 65 76
- 4131. Phenacoccus incertus (Kiritshenko,1940)** (Pseudococcidae) Synonym(s): incertus Kiritshenko,1940 Range (in code): TR Arr 04 13 65 76
- 4132. Phenacoccus kokandicus Nurmamatov,1986** (Pseudococcidae) Synonym(s): kokandicus Nurmamatov,1986 Range (in code): UZ TR 13
- 4133. Phenacoccus yerushalmi Ben-Dov** (Pseudococcidae) Synonym(s): yerushalmi Ben-Dov Range (in code): TR
- 4134. Planococcus citri (Risso)** (Pseudococcidae) Synonym(s): citri Risso Range (in code): TR
- 4135. Planococcus ficus (Signoret)** (Pseudococcidae) Synonym(s): ficus Signoret Range (in code): TR
- 4136. Planococcus vovae (Nasonov)** (Pseudococcidae) Synonym(s): vovae Nasonov Range (in code): TR
- 4137. Pseudococcus laingi Bodenheimer** (Pseudococcidae) Synonym(s): laingi Bodenheimer Range (in code): TR
- 4138. Pseudococcus longispinus (Targioni Tozzetti)** (Pseudococcidae) Synonym(s): longispinus Targioni Tozzetti Range (in code): TR
- 4139. Pseudococcus viburni (Signoret)** (Pseudococcidae) Synonym(s): viburni Signoret Range (in code): TR
- 4140. Puto palinuri Marotta & Tranfaglia** (Pseudococcidae) Synonym(s): palinuri Marotta & Tranfaglia Range (in code): TR
- 4141. Puto pilosellae (Sulc)** (Pseudococcidae) Synonym(s): pilosellae Sulc Range (in code): TR
- 4142. Puto superbus (Leonardi)** (Pseudococcidae) Synonym(s): superbus Leonardi Range (in code): TR
- 4143. Rippersiella periolana Goux** (Pseudococcidae) Synonym(s): periolana Goux Range (in code): TR
- 4144. Rippersiella Kaydani Konczne Benedicty & Kozar** (Pseudococcidae) Synonym(s): Kaydani Konczne Benedicty & Kozar Range (in code): TR
- 4145. Spilococcus mamillariae (Bouche)** (Pseudococcidae) Synonym(s): mamillariae Bouche Range (in code): TR

- 4146. *Spinococcus morrisoni* (Kiritshenko)** (Pseudococcidae) Synonym(s): *morrisoni* Kiritshenko  
Range (in code): TR
- 4147. *Trabutina crassispinosa* Borchsenius** (Pseudococcidae) Synonym(s): *crassispinosa* Borchsenius  
Range (in code): TR
- 4148. *Trabutina mannipara* (Hemprich & Ehrenberg)** (Pseudococcidae) Synonym(s): *mannipara* Hemprich & Ehrenberg Range (in code): TR
- 4149. *Trionymus aberrans* Goux,1938** (Pseudococcidae) Synonym(s): *aberrans* Goux,1938 Range (in code): TR
- 4150. *Trionymus cressae* (Hall)** (Pseudococcidae) Synonym(s): *cressae* Hall Range (in code): TR
- 4151. *Trionymus multivorus* (Kiritshenko)** (Pseudococcidae) Synonym(s): *multivorus* Kiritshenko  
Range (in code): TR
- 4152. *Trionymus perrisii* (Signoret)** (Pseudococcidae) Synonym(s): *perrisii* Signoret Range (in code): TR
- 4153. *Arytainilla cytisi* (Puton,1876)** (Psyllidae) Synonym(s): *cytisi* Puton,1876 Range (in code): TR 09 35
- 4154. *Baeopelma colorata* (F.Loew,1888)** (Psyllidae) Synonym(s): *colorata* F.Loew,1888 Range (in code): TR 33
- 4155. *Baeopelma foersteri* (Flor,1861)** (Psyllidae) Synonym(s): *foersteri* Flor,1861 Range (in code): TR 08 20 28 33 46 48 62
- 4156. *Cacopsylla affinis* (F.Loew,1880)** (Psyllidae) Synonym(s): *affinis* F.Loew,1880 Range (in code): TR 16 26 34 48
- 4157. *Cacopsylla albipes* (Flor,1861)** (Psyllidae) Synonym(s): *albipes* Flor,1861 Range (in code): TR 29
- 4158. *Cacopsylla bidens* (Sulc,1907)** (Psyllidae) Synonym(s): *bidens* Sulc,1907 Range (in code): TR 02
- 4159. *Cacopsylla breviantennata* (Flor,1861)** (Psyllidae) Synonym(s): *breviantennata* Flor,1861 Range (in code): TR 29
- 4160. *Cacopsylla fasciata* (F.Loew,1881)** (Psyllidae) Synonym(s): *fasciata* F.Loew,1881 Range (in code): TR 36
- 4161. *Cacopsylla incerta* (Bajeva,1972)** (Psyllidae) Synonym(s): *incerta* Bajeva,1972 Range (in code): TR 36
- 4162. *Cacopsylla mali* (Schmidberger,1836)** (Psyllidae) Synonym(s): *mali* Schmidberger,1836 Range (in code): TR 25 36
- 4163. *Cacopsylla mariannae* (Baeva,1966)** (Psyllidae) Synonym(s): *mariannae* Baeva,1966 Range (in code): TR 02 21 25 33 34 35 38 42 48 65
- 4164. *Cacopsylla moscovita* (Andrianova,1948)** (Psyllidae) Synonym(s): *moscovita* Andrianova,1948  
Range (in code): TR 62
- 4165. *Cacopsylla myrthi* (Puton,1876)** (Psyllidae) Synonym(s): *myrthi* Puton,1876 Range (in code): TR 06 24 33 35 45
- 4166. *Cacopsylla notata* (Flor,1861)** (Psyllidae) Synonym(s): *notata* Flor,1861 Range (in code): TR 35
- 4167. *Cacopsylla peregrina* (Förster,1848)** (Psyllidae) Synonym(s): *peregrina* Förster,1848 Range (in code): TR 07 24 25 39
- 4168. *Cacopsylla permixta* Burckhardt & Hodkinson,1986** (Psyllidae) Synonym(s): *permixta* Burckhardt & Hodkinson,1986 Range (in code): TR 01 02 29 42 47
- 4169. *Cacopsylla picta* (Förster,1848)** (Psyllidae) Synonym(s): *picta* Förster,1848 Range (in code): TR 01 27 30 33
- 4170. *Cacopsylla pruni* (Scopoli,1763)** (Psyllidae) Synonym(s): *pruni* Scopoli,1763 Range (in code): TR 01 16 25 33 77
- 4171. *Cacopsylla pulchella* (F.Loew,1877)** (Psyllidae) Synonym(s): *pulchella* F.Loew,1877 Range (in code): TR 09 33 35
- 4172. *Cacopsylla pyri* (Linnaeus,1758)** (Psyllidae) Synonym(s): *pyri* Linnaeus,1758 Range (in code): TR 06 16 24 25 35 42 70
- 4173. *Cacopsylla pyrisuga* (Förster,1848)** (Psyllidae) Synonym(s): *pyrisuga* Förster,1848 Range (in code): TR 06 07 35 46
- 4174. *Cacopsylla rhamnicola* (Scott,1876)** (Psyllidae) Synonym(s): *rhamnicola* Scott,1876 Range (in code): TR 08 36
- 4175. *Cacopsylla saliceti* (Förster,1848)** (Psyllidae) Synonym(s): *saliceti* Förster,1848 Range (in code): TR 36
- 4176. *Cacopsylla zetterstedti* (Thomson,1877)** (Psyllidae) Synonym(s): *zetterstedti* Thomson,1877  
Range (in code): TR 24
- 4177. *Cacopsylla* sp.** (Psyllidae) Synonym(s): Range (in code): TR 25 38 50 69
- 4178. *Cyamophila astragalicola* (Gegechkori,1977)** (Psyllidae) Synonym(s): *astragalicola* Gegechkori,1977 Range (in code): TR 25
- 4179. *Cyamophila glycyrrhizae* (Becker,1864)** (Psyllidae) Synonym(s): *glycyrrhizae* Becker,1864  
Range (in code): TR 02 06 08 13 24 25 31 35 36 38 49 56 62 65 71 76

- 4180. *Cyamophila stoklosai* Klimaszewski & Lodos,1979** (Psyllidae) Synonym(s): stoklosai Klimaszewski & Lodos,1979 Range (in code): TR 13 25 29
- 4181. *Cacopsylla mali* (Schmidberger)** (Psyllidae) Synonym(s): Range (in code): TR
- 4182. *Cacopsylla mariannae* (Beava)** (Psyllidae) Synonym(s): Range (in code): TR
- 4183. *Cacopsylla peregrina* (Förster)** (Psyllidae) Synonym(s): Range (in code): TR
- 4184. *Cacopsylla hippophaes* (Förster,1848)** (Psyllidae) Synonym(s): hippophaes Förster,1848 Range (in code): SE Cc TR 25
- 4185. *Cacopsylla pyri* (Linnaeus,1761)** (Psyllidae) Synonym(s): pyri Linnaeus,1761 Range (in code): TR
- 4186. *Cacopsylla pruni* (Scopoli,1763)** (Psyllidae) Synonym(s): pruni Scopoli,1763 Range (in code): YU Cc RU Sb 25
- 4187. *Craspedolepta nebulosa* (Zetterstedt,1828)** (Psyllidae) Synonym(s): nebulosa Zetterstedt,1828 Range (in code): TR KG RU Sb Sh Kmt Us US 25
- 4188. *Cyamophila glycyrrhizae* (Becker)** (Psyllidae) Synonym(s): Range (in code): TR
- 4189. *Cyamophila astragalicola* (Gegechkori,1977)** (Psyllidae) Synonym(s): astragalicola Gegechkori,1977 Range (in code): Cc TR IR 25
- 4190. *Cyamophila stocklosai* Klimaszewski & Lodos** (Psyllidae) Synonym(s): Range (in code): TR
- 4191. *Livilla horvathi* (Scott,1879)** (Psyllidae) Synonym(s): horvathi Scott,1879 Range (in code): TR 25 35 36 42
- 4192. *Livilla spectabilis* (Flor,1861)** (Psyllidae) Synonym(s): spectabilis Flor,1861 Range (in code): TR 31 35
- 4193. *Spanioneura caucasica* Loginova,1968** (Psyllidae) Synonym(s): caucasica Loginova,1968 Range (in code): TR Cc o8
- 4194. *Spanioneura pechai* (Klimaszewski & Lodos,1977)** (Psyllidae) Synonym(s): pechai Klimaszewski & Lodos,1977 Range (in code): TR 02 47 63
- 4195. *Spanioneura turkiana* (Klimaszewski & Lodos,1977)** (Psyllidae) Synonym(s): turkiana Klimaszewski & Lodos,1977 Range (in code): TR 02 23 40 44 56
- 4196. *Spanioneura persica* Burckhardt & Lauterer,1993** (Psyllidae) Synonym(s): persica Burckhardt & Lauterer,1993 Range (in code): TR IR 40
- 4197. *Psylla alni* (Linnaeus,1758)** (Psyllidae) Synonym(s): alni Linnaeus,1758 Range (in code): TR 35 81
- 4198. *Pyrgomorpha* (s.str.) *bispinosa* Walker,1870** (Pyrgomorphidae) Synonym(s): bispinosa Walker,1870; cingulata Walker,1870; indica Bolivar,1902 Range (in code): Cc GG SY IN KG MN ML NG IR Ss AF PK TJ KK CN Ui
- 4199. *Pyrgomorpha* (s.str.) *conica* (Olivier,1791)** (Pyrgomorphidae) Synonym(s): conica Olivier,1791; grylloides Latreille,1804; linearis Charpentier,1825; rosea Charpentier,1825; rhodoptila Herrich-Schäffer,1838; discrepans Fieber,1853; mideltica Werner,1931 Range (in code): GA CI NG MA Cn ES FR LY CY YE GH TR Cc 01 05 06 07 19 23 31 35 36 42 47 56 63 76
- 4200. *Pyrgomorpha* (s.str.) *cypria* Bolivar,1901** (Pyrgomorphidae) Synonym(s): cypria Bolivar,1901; cyprica Steinmann,1967 Range (in code): CY
- 4201. *Pyrgomorpha* (s.str.) *granulosa* Stal,1876** (Pyrgomorphidae) Synonym(s): granulosa Stal,1876 Range (in code): LB Be
- 4202. *Pyrgomorpha* (s.str.) *hemiptera* Uvarov,1938** (Pyrgomorphidae) Synonym(s): hemiptera Uvarov,1938 Range (in code): YE
- 4203. *Pyrgomorpha* (s.str.) *inaequalipennis* Bolivar,1904** (Pyrgomorphidae) Synonym(s): inaequalipennis Bolivar,1904 Range (in code): IN Hp Up AF
- 4204. *Pyrgomorpha cognata* Krauss,1877** (Pyrgomorphidae) Synonym(s): cognata Krauss,1877 Range (in code): TR SN DZ ML LY SD TD IR SA 01 06 07 11 20 26 33 50 71
- 4205. *Pyrgomorpha guentheri* Burr,1899** (Pyrgomorphidae) Synonym(s): guentheri Burr,1899; brevipennis Bolivar,1904; predtetschenskii Bei-Bienko,1951; ozeki Karabağ,1953; turcica Karabağ,1961; #urfenensis Demirsoy,1977; #guentheri Demirsoy,1977; #predtetschenskii Demirsoy,1977 Range (in code): TR Cc GG IR Ab IQ TM IL Pa SY Hal ZM 07 08 24 25 30 31 36 46 47 56 63 65
- 4206. *Pyrrhocoris apterus* (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): apterus Linnaeus,1758; clamariensis Fallén,1829 Range (in code): AF AL DZ AT BE BG Cc TR FR Co CY CZ DK GB DE GR HU IR Ak IQ IT Sa IL Pa Ch MA MN NL PL PT RO RU Sb YU ES SE CH SY TN TJ US 01 04 06 09 11 16 19 22 23 24 25 26 31 34 35 38 39 42 45 46 49 50 51 55 56 65 72 73 76
- 4207. *Pyrrhocoris marginatus* (Kolenati,1845)** (Pyrrhocoridae) Synonym(s): marginatus Kolenati,1845 Range (in code): AL AT BE BG CZ FR GR HU IT PL RO RU CH SY TR YU 06 24 25 31 35 38 46
- 4208. *Pyrrhocoris niger* Reuter,1888** (Pyrrhocoridae) Synonym(s): niger Reuter,1888 Range (in code): Cr RU TR 38
- 4209. *Scantius aegyptius* (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): aegyptius Linnaeus,1758 Range (in code): AL DZ EG BG Cn TR FR Co GR Cr CY IR IL Pa IT Si ES TN LY MT MA PT RO RU YU 03 06 09 10 16 17 20 21 26 31 33 34 35 45 46 48 51 67
- 4210. *Dolichopoda* (s.str.) *aranaea* Bolivar,1899** (Raphidophoridae) Synonym(s): aranea Bolivar,1899 Range (in code): TR 46



- 4211. Dolichopoda (s.str.) euxina Semenov,1901** (Raphidophoridae) Synonym(s): euxina Semenov,1901 Range (in code): TR Cc
- 4212. Dolichopoda (s.str.) lycia (Galvagni,2006)** (Raphidophoridae) Synonym(s): lycia Galvagni,2006 Range (in code): TR 07
- 4213. Dolichopoda (s.str.) noctivaga Di Russo & Rampini,2007** (Raphidophoridae) Synonym(s): noctivaga Di Russo & Rampini,2007 Range (in code): TR 08 25 28
- 4214. Dolichopoda (s.str.) pusilla Bolivar,1899** (Raphidophoridae) Synonym(s): pusilla Bolivar,1899 Range (in code): TR 31
- 4215. Dolichopoda (s.str.) sbordonii Di Russo & Rampini,2006** (Raphidophoridae) Synonym(s): sbordonii Di Russo & Rampini,2006 Range (in code): TR 07
- 4216. Troglophilus (s.str.) adamovici Us,1974** (Raphidophoridae) Synonym(s): adamovici Us,1974 Range (in code): TR 32
- 4217. Troglophilus (s.str.) bicakcii Rampini & Di Russo,2003** (Raphidophoridae) Synonym(s): bicakcii Rampini & Di Russo,2003; #biçakçii Di Russo et al.,2007; #biçaçkii Di Russo et al.,2007 Range (in code): TR 07 42
- 4218. Troglophilus (s.str.) escaleraei Bolivar,1899** (Raphidophoridae) Synonym(s): escaleraei Bolivar,1899 Range (in code): TR 32 46
- 4219. Troglophilus (s.str.) gajaci Us,1974** (Raphidophoridae) Synonym(s): gajaci Us,1974 Range (in code): TR 33
- 4220. Troglophilus (s.str.) tatyanae Di Russo & Rampini,2007** (Raphidophoridae) Synonym(s): tatyanae Di Russo & Rampini,2007 Range (in code): TR 08
- 4221. Callistodema fasciatum (Kolenati,1856)** (Reduviidae) Synonym(s): fasciatum Kolenati,1856 Range (in code): RU UI TR GR 48 76
- 4222. Coranus aegyptius (Fabricius,1775)** (Reduviidae) Synonym(s): aegyptius Fabricius,1775; linnavuorii Dispons,1963; aegypticus auct. Range (in code): Cn MA DZ TN LY CV SN TD DJ YE SA EG SY IQ Bgd IL Pa IR TM UZ AF
- 4223. Coranus angulatus Stal,1874** (Reduviidae) Synonym(s): angulatus Stal,1874; pirzadae Miller,1950; filsi Dispons,1954 Range (in code): MA DZ LY ET SN EG TN NG DJ ET SD SY IL Pa TR PK AF Gbh IR Ss TM TJ UZ YE 01 06 33 66
- 4224. Coranus contrarius Reuter,1881** (Reduviidae) Synonym(s): contrarius Reuter,1881 Range (in code): HU RO RU Sr BG MD UA YU TR KG 06 16 27
- 4225. Coranus griseus (Rossi,1790)** (Reduviidae) Synonym(s): griseus Rossi,1790; murinus Rambur,1840; persicus Wagner,1952 Range (in code): AL B-H BG HV FR GB DE GG Cc GR HU IT MK PL RO RU SS ES CH UA Cm YU DZ Cn MA TN AZ AF KG AM TR CY IQ IR IL Pa SY TJ TM UZ 02 05 25 33 35 42 45 50 60
- 4226. Coranus kerzhneri Putshkov,1982** (Reduviidae) Synonym(s): kerzhneri Putshkov,1982 Range (in code): TR CZ BY RU Ur 05 25 48
- 4227. Coranus niger (Rambur,1840)** (Reduviidae) Synonym(s): niger Rambur,1840; affinis Lucas,1849; niger Fieber,1861 nec Rmb.,1840; revellieri Mulsant & Rey,1873; fieberi Puton,1874; femoralis Ragusa,1908 Range (in code): MA DZ PT ES FR Co IT Si Sa EG IL Pa TN SA
- 4228. Coranus subapterus (De Geer,1775)** (Reduviidae) Synonym(s): subapterus De Geer,1775; naevius Gmelin,1790; dimidiatus Turton,1802; pedestris Wolff,1811; griseus Hahn,1833 nec Ross.,1790; hahnii Kolenati,1857 Range (in code): AD AT BE B-H BG BY HV CZ DK KG EE FI FR GB DE GR? HU IT LT LV MK? MD NL NO PL PT? RO RU SK SS ES SE CH UA YU TR? KK
- 4229. Coranus tuberculifer Reuter,1881** (Reduviidae) Synonym(s): tuberculifer Reuter,1881 Range (in code): AL B-H? BG HV GR IT MK? RO SS UA AZ AM Cc GG TR IL Pa SY 03 05 07 09 16 34 35 46 58 59
- 4230. Ectomocoris amseli Hoberlandt,1961** (Reduviidae) Synonym(s): amseli Hoberlandt,1961 Range (in code): AF Bm Srb
- 4231. Ectomocoris basra Linnavuori,1972** (Reduviidae) Synonym(s): basra Linnavuori,1972 Range (in code): IQ Bsr IR
- 4232. Ectomocoris caucasicus Linnavuori,1972** (Reduviidae) Synonym(s): caucasicus Linnavuori,1972 Range (in code): Cc AZ Len
- 4233. Ectomocoris chiragra (Fabricius,1803)** (Reduviidae) Synonym(s): chiragra Fabricius,1803; infimus Miller,1954; lindbergi Miller,1956 Range (in code): CV ET YE Md Cn DZ ES GR
- 4234. Ectomocoris cognatus Miller,1954** (Reduviidae) Synonym(s): cognatus Miller,1954 Range (in code): YE
- 4235. Ectomocoris cordiger Stal,1866** (Reduviidae) Synonym(s): cordiger Stal,1866; adjunctus Walker,1873 Range (in code): PG IN IR IQ Bgd LK AE
- 4236. Ectomocoris costatus Miller,1954** (Reduviidae) Synonym(s): costatus Miller,1954 Range (in code): YE SA
- 4237. Ectomocoris fenestratus (Klug,1830)** (Reduviidae) Synonym(s): fenestratus Klug,1830 Range (in code): SA SA50 Cn UG SD LY EG
- 4238. Ectomocoris jordanensis Linnavuori,1961** (Reduviidae) Synonym(s): jordanensis Linnavuori,1961 Range (in code): IL Pa

- 4239. Ectomocoris melanogaster (Fieber,1861)** (Reduviidae) Synonym(s): melanogaster Fieber,1861  
Range (in code): IT Si IL Pa
- 4240. Ectomocoris nemrod Dispons,1970** (Reduviidae) Synonym(s): nemrod Dispons,1970 Range (in code): IQ Bgd
- 4241. Ectomocoris ochronigrescens Moulet,2000** (Reduviidae) Synonym(s): ochronigrescens Moulet,2000 Range (in code): YE
- 4242. Ectomocoris quadrimaculatus (Audinet-Serville,1831)** (Reduviidae) Synonym(s): quadrimaculatus Audinet-Serville,1831 Range (in code): IR SA YE IQ Bgd NA
- 4243. Ectomocoris ululans (Rossi,1790)** (Reduviidae) Synonym(s): ululans Rossi,1790; tidikelti Dispons,1961 Range (in code): MA DZ TN PT ES Co Sa Si IT AL Cr CY TR EG SY RU Cc CY IR IQ Bgd IL Pa SA TM TJ AF 01 04 08 25 31 33 35
- 4244. Empicoris mediterraneus Hoberlandt,1955** (Reduviidae) Synonym(s): mediterraneus Hoberlandt,1955 Range (in code): TR IL Pa 01 33
- 4245. Holotrichius apterus Jakovlev,1879** (Reduviidae) Synonym(s): apterus Jakovlev,1879; eroanumensis Dispons,1964; araxeus Dispons,1964 Range (in code): SY IR TR TM IL Pa Cc AM Eri AZ Bak Nv Ord Kir Da Der RU CN Ui 04 21 36 65 76
- 4246. Holotrichius bergrothi Jakovlev,1891** (Reduviidae) Synonym(s): bergrothi Jakovlev,1891; ilius Dispons,1964; kizilkumi Dispons,1964; kafirnigani Dispons,1964 Range (in code): TM Kp KG Tk TJ
- 4247. Holotrichius bodenheimeri Dispons,1962** (Reduviidae) Synonym(s): bodenheimeri Dispons,1962 Range (in code): IL Pa
- 4248. Holotrichius denudatus A.Costa,1842** (Reduviidae) Synonym(s): denudatus A.Costa,1842; cyrilli A.Costa,1842; #denutatus Önder et al,2006 Range (in code): RU IT HU Si HV MK GR TR IL Pa 09 17 30 35 42 51
- 4249. Holotrichius dezfoulani Dispons & Villers,1967** (Reduviidae) Synonym(s): dezfoulani Dispons & Villers,1967 Range (in code): IR Km
- 4250. Holotrichius eghbali Dispons & Villers,1967** (Reduviidae) Synonym(s): eghbali Dispons & Villers,1967 Range (in code): IR Ss
- 4251. Holotrichius grimmii Jakovlev,1879** (Reduviidae) Synonym(s): grimmii Jakovlev,1879 Range (in code): Cc AZ Bak TM
- 4252. Holotrichius innesi Horvath,1910** (Reduviidae) Synonym(s): innesi Horvath,1910 Range (in code): IL Pa EG
- 4253. Holotrichius luctuosus (Mulsant & Mayet,1868)** (Reduviidae) Synonym(s): luctuosus Mulsant & Mayet,1868 Range (in code): IL Pa
- 4254. Holotrichius nigricans Reuter,1891** (Reduviidae) Synonym(s): nigricans Reuter,1891; fuscescens Reuter,1891; pallescens Reuter,1891; reuterianus Dispons,1961 Range (in code): DZ TN IL Pa
- 4255. Holotrichius ochraceus Reuter,1891** (Reduviidae) Synonym(s): ochraceus Reuter,1891 Range (in code): SY TR 31
- 4256. Holotrichius putoni Reuter,1909** (Reduviidae) Synonym(s): putoni Reuter,1909 Range (in code): SY TR 27 30 31
- 4257. Holotrichius rotundatus Stal,1874** (Reduviidae) Synonym(s): rotundatus Stal,1874; loricatus Dispons,1962 Range (in code): RU SY TR Ui IL Pa Js 01 02 31
- 4258. Holotrichius spinicollis Reuter,1891** (Reduviidae) Synonym(s): spinicollis Reuter,1891 Range (in code): GR Ae TR
- 4259. Holotrichius squalidus (Douglas & Scott,1868)** (Reduviidae) Synonym(s): squalidus Douglas & Scott,1868 Range (in code): IL Pa
- 4260. Holotrichius tenebrosus Burmeister,1835** (Reduviidae) Synonym(s): tenebrosus Burmeister,1835 Range (in code): IL Pa
- 4261. Metapterus linearis A.Costa,1863** (Reduviidae) Synonym(s): linearis A.Costa,1863 Range (in code): DZ BG GR FR IT HU RU RO SY IL Pa TR TM 31
- 4262. Nagusta goedelii (Kolenati,1856)** (Reduviidae) Synonym(s): goedelii Kolenati,1856; rugulosa Stal,1859; cornutus Jakovlev,1876 Range (in code): IL Pa TR Arr AZ Cc Kir AM GG IR TM IQ CY AT B-H BG HV HU MK RO RU UA YU 05 08 16 24 25 34 36 44 60 65 69 76
- 4263. Nagusta nigerensis Villiers,1948** (Reduviidae) Synonym(s): nigerensis Villiers,1948 Range (in code): ML EG SA YE CM TD NG SN
- 4264. Nagusta simonis Puton,1890** (Reduviidae) Synonym(s): simonis Puton,1890 Range (in code): IL Pa CY DZ IR SA EG
- 4265. Oncocephalus acutangulus Reuter,1882** (Reduviidae) Synonym(s): acutangulus Reuter,1882; brevipennis Reuter,1882 Range (in code): MA DZ TN SY ES GR BG IL Pa TR 01 27
- 4266. Oncocephalus afghanus Hoberlandt,1961** (Reduviidae) Synonym(s): afghanus Hoberlandt,1961 Range (in code): AF Srb
- 4267. Oncocephalus arctipes Noualhier,1895** (Reduviidae) Synonym(s): arctipes Noualhier,1895 Range (in code): TR 31 35

- 4268. Oncocephalus baghdadus Linnavuori,1986** (Reduviidae) Synonym(s): baghdadus Linnavuori,1986 Range (in code): IQ Bgd
- 4269. Oncocephalus biguttata Horvath,1901** (Reduviidae) Synonym(s): biguttata Horvath,1901 Range (in code): TR 01 22 31 33 35 51
- 4270. Oncocephalus brachymerus Reuter,1882** (Reduviidae) Synonym(s): brachymerus Reuter,1882; babylo Dispons,1970 Range (in code): RU CY IQ Amr AF Ui
- 4271. Oncocephalus fuscinitum Reuter,1882** (Reduviidae) Synonym(s): fuscinitum Reuter,1882 Range (in code): IN PK
- 4272. Oncocephalus gilvostriatus Moulet,2005** (Reduviidae) Synonym(s): gilvostriatus Moulet,2005 Range (in code): IQ
- 4273. Oncocephalus israelensis Moulet** (Reduviidae) Synonym(s): Range (in code): IL Pa
- 4274. Oncocephalus mesopotamicus Dispons,1970** (Reduviidae) Synonym(s): mesopotamicus Dispons,1970; #buxtoni Dispons,1970 Range (in code): IQ Amr
- 4275. Oncocephalus mygdonius Dispons,1968** (Reduviidae) Synonym(s): mygdonius Dispons,1968 Range (in code): IQ
- 4276. Oncocephalus notatus (Klug,1812)** (Reduviidae) Synonym(s): notatus Klug,1812 Range (in code): DZ ES SA Cc TR IN JP 21
- 4277. Oncocephalus obsoletus Klug,1830** (Reduviidae) Synonym(s): obsoletus Klug,1830 Range (in code): DZ SD IL Pa IQ Bgd
- 4278. Oncocephalus ocularis Horvath,1898** (Reduviidae) Synonym(s): ocularis Horvath,1898 Range (in code): TR 31
- 4279. Oncocephalus paulioni Puton,1884** (Reduviidae) Synonym(s): paulioni Puton,1884 Range (in code): PT TR 06
- 4280. Oncocephalus pilicornis (Herrich-Schäffer,1835)** (Reduviidae) Synonym(s): pilicornis Herrich-Schäffer,1835 Range (in code): TR SA 07 33 34 48
- 4281. Oncocephalus plumicornis (Germar,1822)** (Reduviidae) Synonym(s): plumicornis Germar,1822 Range (in code): SA SA50 RU TR IR RU Cc AM AF TJ 50
- 4282. Oncocephalus pugnax Horvath,1898** (Reduviidae) Synonym(s): pugnax Horvath,1898 Range (in code): TR 21 31
- 4283. Oncocephalus reuteri Bergroth,1914** (Reduviidae) Synonym(s): reuteri Bergroth,1914 Range (in code): BG RU TR SY
- 4284. Oncocephalus squalidus (Rossi,1790)** (Reduviidae) Synonym(s): squalidus Rossi,1790 Range (in code): TR IL Pa 01 06 07 16 27 31 34 35 41 42 44 45 54 63
- 4285. Oncocephalus stysi Moulet,2008** (Reduviidae) Synonym(s): stysi Moulet,2008 Range (in code): IL Pa
- 4286. Oncocephalus thoracicus Fieber,1861** (Reduviidae) Synonym(s): thoracicus Fieber,1861 Range (in code): BG RU TR SY 06 07 31 42 53
- 4287. Oncocephalus trichocnemis Horvath,1911** (Reduviidae) Synonym(s): trichocnemis Horvath,1911 Range (in code): LB AF
- 4288. Pasira basiptera Stal,1859** (Reduviidae) Synonym(s): basiptera Stal,1859 Range (in code): PT ES IT Sa B-H AL MK GR BG TR IL Pa SY CY EG AF Cc IR TM TJ 01 16 27 35
- 4289. Peirates hybridus (Scopoli,1763)** (Reduviidae) Synonym(s): hybridus Scopoli,1763 Range (in code): PT ES FR DE CH AT CZ SK UA ME RO HU YU HV B-H SS IT Sa Si AL MK BG GR CY IL Pa 01 06 07 08 16 21 25 26 27 28 29 31 42 51 53 56 64 65
- 4290. Peirates strepitans (Rambur,1839)** (Reduviidae) Synonym(s): strepitans Rambur,1839 Range (in code): PT ES Co IT Sa Si AL GR Cr CY TR IL Pa Sk MG SA YE IR 06 07 14 19 33 42
- 4291. Phymata (s.str.) crassipes (Fabricius,1775)** (Reduviidae) Synonym(s): crassipes Fabricius,1775 Range (in code): ES FR BE NL FI EE LT LV BY RU PL DE CH AT IT HU SS HV B-H YU MD RO BG GR AL MK TR 05 06 11 41 54 58 60 65 67 76
- 4292. Ploiaria anak Distant,1909** (Reduviidae) Synonym(s): anak Distant,1909 Range (in code): IN PK
- 4293. Ploiaria domestica Scopoli,1786** (Reduviidae) Synonym(s): domestica Scopoli,1786 Range (in code): PT FR MT HV RO CY TR 35
- 4294. Ploiaria katznelsoni (Dispons,1964)** (Reduviidae) Synonym(s): katznelsoni Dispons,1964 Range (in code): IL Pa
- 4295. Ploiaria matilei Dispons & Villiers,1967** (Reduviidae) Synonym(s): matilei Dispons & Villiers,1967 Range (in code): IR Elb Th Ak Tbz
- 4296. Polididus phoeniceus Linnavuori,1965** (Reduviidae) Synonym(s): phoeniceus Linnavuori,1965 Range (in code): IQ IL Pa SA
- 4297. Polytoxus amseli Hoberlandt,1961** (Reduviidae) Synonym(s): amseli Hoberlandt,1961 Range (in code): AF Srb
- 4298. Pygolampis bidentata (Goeze,1778)** (Reduviidae) Synonym(s): bidentata Goeze,1778 Range (in code): TR 54



- 4299. Reduvius ales Kiritshenko,1966** (Reduviidae) Synonym(s): ales Kiritshenko,1966 Range (in code): IR Fa
- 4300. Reduvius autrani Reuter,[1892]** (Reduviidae) Synonym(s): autrani Reuter,[1892]; maestus Miller,1955 Range (in code): IL Pa Js SY
- 4301. Reduvius camelus Miller,1955** (Reduviidae) Synonym(s): camelus Miller,1955 Range (in code): IQ Mos
- 4302. Reduvius carinatus Reuter,1892** (Reduviidae) Synonym(s): carinatus Reuter,1892; discoidalis Reuter,1892; fenestratus Reuter,1892; exilis Miller,1956 Range (in code): DZ SA ES MA TN IQ
- 4303. Reduvius christophi (Jakovlev,1885)** (Reduviidae) Synonym(s): christophi Jakovlev,1885; typicus Miller,1950 Range (in code): AF Hr TM Krn UZ TJ
- 4304. Reduvius ciliatus Jakovlev,1879** (Reduviidae) Synonym(s): ciliatus Jakovlev,1879 Range (in code): Cc AZ Nv Ord IR TR SY RU IL Pa Da 04 27
- 4305. Reduvius disciger Horvath,1896** (Reduviidae) Synonym(s): disciger Horvath,1896 Range (in code): IR TM TJ AF Kab Srb Gbh Hr UZ Smk Kp
- 4306. Reduvius fedtschenkianus Oshanin,1870** (Reduviidae) Synonym(s): fedtschenkianus Oshanin,1870; fuscescens Reuter,1892 Range (in code): IQ Bgd AF IR Kh TM Ui CN TJ UZ Smk
- 4307. Reduvius festai Giglio-Tos,1894** (Reduviidae) Synonym(s): festai Giglio-Tos,1894 Range (in code): SY TR 02
- 4308. Reduvius gharibi Dispos & Villiers,1967** (Reduviidae) Synonym(s): gharibi Dispos & Villiers,1967 Range (in code): IR Ss
- 4309. Reduvius imitator Miller,1951** (Reduviidae) Synonym(s): imitator Miller,1951 Range (in code): YE SO
- 4310. Reduvius inermis (Jakovlev,1885)** (Reduviidae) Synonym(s): inermis Jakovlev,1885 Range (in code): IR Oru Ab AZ Cc Nv Ord
- 4311. Reduvius israelensis Dispos,1962** (Reduviidae) Synonym(s): israelensis Dispos,1962 Range (in code): IL Pa
- 4312. Reduvius jakovleffi Reuter,[1892]** (Reduviidae) Synonym(s): jakovleffi Reuter,[1892] Range (in code): EG IL Pa TR AF Gbh Hr Srb IR Kh SY CY 56
- 4313. Reduvius nebulosus (Klug,1830)** (Reduviidae) Synonym(s): nebulosus Klug,1830; dubius Reuter,1892 Range (in code): EG SA
- 4314. Reduvius nigricans (Klug,1830)** (Reduviidae) Synonym(s): nigricans Klug,1830 Range (in code): SA
- 4315. Reduvius nigricans Klug,1830** (Reduviidae) Synonym(s): nigricans Klug,1830 Range (in code): IL Pa
- 4316. Reduvius pallipes Klug,1830** (Reduviidae) Synonym(s): pallipes Klug,1830; thoracicus Stal,1855; testaceus Fieber Range (in code): BG IT Si MK MT GR Rd CY TR IQ Bgd SY SA Cr DZ TN LY EG Sn IL Pa LB Bei IR Kh PK 01 05 06 08 09 16 21 23 27 31 33 35 40 42 44 45 46 49 50 56 58 65 66 68 73 80
- 4317. Reduvius personatus (Linnaeus,1758)** (Reduviidae) Synonym(s): personatus Linnaeus,1758; ater Poda,1761 Range (in code): CA US Ny DZ Cc TR AU 01 05 06 07 08 16 35 43 54 60 65
- 4318. Reduvius scheibei Kiritshenko,1938** (Reduviidae) Synonym(s): scheibei Kiritshenko,1938 Range (in code): AF
- 4319. Reduvius tabidus Klug,1830** (Reduviidae) Synonym(s): tabidus Klug,1830 Range (in code): IL Pa IQ Bgd SA SA50 DZ TN TM
- 4320. Reduvius testaceus (Herrich-Schäffer,1845)** (Reduviidae) Synonym(s): testaceus Herrich-Schäffer,1845 Range (in code): BG DZ Cr EG IL Pa RU SY IR Elb Th TR 01 04 23 35 36
- 4321. Reduvius vicarius Kiritshenko,1938** (Reduviidae) Synonym(s): vicarius Kiritshenko,1938 Range (in code): AF Gbh
- 4322. Rhynocoris abeillei (Puton,1881)** (Reduviidae) Synonym(s): abeillei Puton,1881 Range (in code): IL Pa Js SY
- 4323. Rhynocoris abramovii (Oshanin,1871)** (Reduviidae) Synonym(s): abramovii Oshanin,1871 Range (in code): UZ KG KK TJ TM
- 4324. Rhynocoris annulatus (Linnaeus,1758)** (Reduviidae) Synonym(s): annulatus Linnaeus,1758; nigripes Mancini,1952 nec Kol.,1857; hilaris Dispos,1968; vasconicus Dispos,1968; wastinensis Dispos,1968 Range (in code): TR AL BE B-H BG BY HV CZ DK GB FI FR GG HU IT LT MD NL NO PL PT RO RU SK SS ES SE CH UA YU KG 53
- 4325. Rhynocoris bipustulatus (Fieber,1861)** (Reduviidae) Synonym(s): bipustulatus Fieber,1861; signiceps Walker,1870; nigripennis Lindberg,1930; israelensis Hoberlandt,1951 Range (in code): GR CY Cr Sn IL Pa Js JO Jer TR 33
- 4326. Rhynocoris erythropus (Linnaeus,1767)** (Reduviidae) Synonym(s): erythropus Linnaeus,1767; maurus Fabricius,1775; haemorrhoidalis Fabricius,1787; tessellatus Fabricius,1787; tibialis Fabricius,1787; roseiventris Rey,1893; krugeri Menozzi,1934; rufifrons E.Wagner,1952; meridialis Dispos,1968; monogrammus Dispos,1968; propinquus Dispos,1968; tyrrhenicus Dispos,1968 Range (in code): MR FR Co DE IT MA PT ES CH DZ LY TN TR?

- 4327. *Rhynocoris flavolimbatus* (Jakovlev,1889)** (Reduviidae) Synonym(s): flavolimbatus Jakovlev,1889; #descampsi Dispons & Villiers,1967 Range (in code): **RU Cc IR Ak Ab TR AZ Nv Ord AM SY? 01 27 51 65**
- 4328. *Rhynocoris harmonia* Linnavuori,1989** (Reduviidae) Synonym(s): harmonia Linnavuori,1989 Range (in code): **YE Sna**
- 4329. *Rhynocoris hierapolitanus* (Dispons,1964)** (Reduviidae) Synonym(s): hierapolitanus Dispons,1964 Range (in code): **TR 20**
- 4330. *Rhynocoris ibericus* (Kolenati,1856)** (Reduviidae) Synonym(s): morio Kolenati,1857 nec Grm.,1838; ibericus Kolenati,1856; kolenatii Reuter,1881 Range (in code): **RU Da Cc GG IR SY TR GR CN Ui TM 01 04 08 12 23 25 33 34 35 42 49 51 62 76**
- 4331. *Rhynocoris iracundus* (Poda,1761)** (Reduviidae) Synonym(s): iracundus Poda,1761; sanguineus Schrank,1776; cruentus Fabricius,1787; monspeliensis Gmelin,1790; caucasicus Kolenati,1857; interruptus Kolenati,1857; pictus Kolenati,1857; nigripes Kolenati,1857; rubricoxa Bergroth,1890; jucundus Horvath,1891; geniculatus Jakovlev,1904; amabilis Dispons,1959; #armeniaca Dispons,1959; ochreateus Dispons,1964; #safavii Dispons & Villiers,1967 Range (in code): **AL BE B-H BG BY HV CZ DE FR HU IT MK MD PL RO SK SS ES CH UA YU AT TR IL Pa Cc AZ Ord Nv AM IN DE RU IR Elb Shh AF CN GG IQ LB SY TJ TM UZ Ch 05 12 24 29 48 53 60**
- 4332. *Rhynocoris kervillei* Horvath,1911** (Reduviidae) Synonym(s): kervillei Horvath,1911 Range (in code): **SY**
- 4333. *Rhynocoris marginellus* (Fabricius,1803)** (Reduviidae) Synonym(s): marginellus Fabricius,1803; vicinus Stal,1859 Range (in code): **ID Sum Clb CN YE**
- 4334. *Rhynocoris monticola* Oshanin,1870** (Reduviidae) Synonym(s): monticola Oshanin,1870 Range (in code): **RU IR Ch CN Ui MN KK TJ Pm Chr UZ AF Pm Chr**
- 4335. *Rhynocoris niger* (Herrich-Schäffer,1842)** (Reduviidae) Synonym(s): niger Herrich-Schäffer,1842 Range (in code): **BG UA Cm HU RO YU TR 21**
- 4336. *Rhynocoris parthiae* Miller,1950** (Reduviidae) Synonym(s): parthiae Miller,1950 Range (in code): **AF Kbb**
- 4337. *Rhynocoris persicus* (Jakovlev,1877)** (Reduviidae) Synonym(s): persicus Jakovlev,1877; christophi Jakovlev,1877; analis Jakovlev,1889; pictipes Horvath,1911 Range (in code): **RU IR Elb Ak Ab Se AM Cc Eri AZ Nv Ord SY TR IL Pa 27 31 44**
- 4338. *Rhynocoris pumilus* (Jakovlev,1877)** (Reduviidae) Synonym(s): pumilus Jakovlev,1877 Range (in code): **IR Elb Se**
- 4339. *Rhynocoris punctiventris* Herrich-Schäffer,1846** (Reduviidae) Synonym(s): punctiventris Herrich-Schäffer,1846; variegatus Fieber,1861; dimidiatus Dispons,1964; #punciventris Yildirim et al.,2010 Range (in code): **TR AL BG IL Pa Js MK UA Cm AZ AM CY IR IQ LB SY RU YU 01 02 06 07 08 09 10 12 16 17 24 25 28 29 31 33 34 35 36 42 44 45 48 50 51 53 60 63 65 69 73 75 76 80**
- 4340. *Rhynocoris rathjensi* Miller,1954** (Reduviidae) Synonym(s): rathjensi Miller,1954 Range (in code): **YE**
- 4341. *Rhynocoris reuteri* (Distant,1879)** (Reduviidae) Synonym(s): reuteri Distant,1879 Range (in code): **AF PK Sd IN CN**
- 4342. *Rhynocoris rubrizonatus* Miller,1954** (Reduviidae) Synonym(s): rubrizonatus Miller,1954 Range (in code): **YE Sna**
- 4343. *Rhynocoris rubrogularis* (Horvath,1880)** (Reduviidae) Synonym(s): rubrogularis Horvath,1880 Range (in code): **TR Cc AZ GG 08 52**
- 4344. *Rhynocoris transitus* Hoberlandt,1952** (Reduviidae) Synonym(s): transitus Hoberlandt,1952 Range (in code): **IL Pa Js SY TR 27 30 44 46**
- 4345. *Sphedanolestes annulatus* Linnavuori,1961** (Reduviidae) Synonym(s): annulatus Linnavuori,1961 Range (in code): **IL Pa**
- 4346. *Sphedanolestes dorchymonti* Dispons,1968** (Reduviidae) Synonym(s): dorchymonti Dispons,1968 Range (in code): **Rd TR**
- 4347. *Sphedanolestes lividigaster* (Mulsant & Rey,1852)** (Reduviidae) Synonym(s): lividigaster Mulsant & Rey,1852; lividiventris Stal,1874; atripes Puton,1880 Range (in code): **DZ MA TN ES PT FR IT TR 31 33 35 65**
- 4348. *Sphedanolestes pulchellus* (Klug,1830)** (Reduviidae) Synonym(s): pulchellus Klug,1830; hedenborgi Stal,1855 Range (in code): **AL SY IL Pa TR CY GR Rd 01 06 16 31 34 35 41 46**
- 4349. *Sphedanolestes sanguineus* (Fabricius,1794)** (Reduviidae) Synonym(s): sanguineus Fabricius,1794; carnifex Mulsant & Rey,1852; perrisi Mulsant & Rey,1873; perrisianus Puton,1880; albiventer Rey,1888; algiricus Dispons,1955; mauritanicus Dispons,1955; numidicus Dispons,1955; baeticus Dispons,1968 Range (in code): **PT FR ES IT MA DZ TN LY TR? 01?**
- 4350. *Stenolemus bogdanovii* Oshanin,1870** (Reduviidae) Synonym(s): bogdanovii Oshanin,1870 Range (in code): **RU IR SY TM TR 27**
- 4351. *Stirogaster carayoni* Moulet,2005** (Reduviidae) Synonym(s): carayoni Moulet,2005 Range (in code): **SA**

- 4352. Stirogaster desertorum Horvath,1913** (Reduviidae) Synonym(s): desertorum Horvath,1913  
Range (in code): SA SA50 DZ
- 4353. Tinna orientalis Dispons,1964** (Reduviidae) Synonym(s): orientalis Dispons,1964 Range (in code): IL Pa
- 4354. Tinna sodomita Dispons,1964** (Reduviidae) Synonym(s): sodomita Dispons,1964 Range (in code): IL Pa
- 4355. Vachiria deserta (Becker,1867)** (Reduviidae) Synonym(s): deserta Becker,1867 Range (in code): ET TR 04 07 23 42 50 58 65 76
- 4356. Vachiria natolica Stal,1859** (Reduviidae) Synonym(s): natolica Stal,1859 Range (in code): PT ES LY EG TN TR IR 09 19 21 33 35 45 47 76
- 4357. Agraphopus lethierryi Stal,1872** (Rhopalidae) Synonym(s): lethierryi Stal,1872 Range (in code): TR 01 17 22 23 35 47
- 4358. Agraphopus pallens Schmidt,1939** (Rhopalidae) Synonym(s): pallens Schmidt,1939 Range (in code): DZ EG Sn SY TR IR
- 4359. Brachycarenum languidus Horvath,1891** (Rhopalidae) Synonym(s): languidus Horvath,1891  
Range (in code): AZ Nv Ord Cc TR RU AF IR UZ TM 36
- 4360. Brachycarenum tigrinus (Schilling,1829)** (Rhopalidae) Synonym(s): tigrinus Schilling,1829; pudicus Rambur,1839; laticeps Boheman,1851; gemmatus A.Costa,1853; punctosus Walker,1872 Range (in code): Az Cn DZ MA MR LY TN AL AT BE B-H BG BY RU HV CZ DK DE EE FI FR GB GR HU IT MT MK MD NL NO PT ES RO SK SS SE UA YU TR AZ AM GG Cc AF CN Ui IR IQ CY JO IL Pa KK KG MN TJ TM UZ Ch US 31 50 56
- 4361. Chorosoma schillingi Schummel,1829** (Rhopalidae) Synonym(s): schillingi Schummel,1829  
Range (in code): TR RU IL Pa SY CN Ui 50 56 65
- 4362. Corizomorpha janowskyi Jakovlev,1883** (Rhopalidae) Synonym(s): janowskyi Jakovlev,1883  
Range (in code): RU TR CN Ui Ku TM 21
- 4363. Corizus brevicornis Horvath,1917** (Rhopalidae) Synonym(s): brevicornis Horvath,1917 Range (in code): TR 25 44
- 4364. Corizus fenestella Horvath,1917** (Rhopalidae) Synonym(s): limbatus Reuter,1900 nec Rey,1877; fenestella Horvath,1917; alternans Horvath,1917; subsimilis Horvath,1917; diluta Distant,1918 Range (in code): GR Le AZ AM TR Cc RU IQ IR Th Elb Kdv Gh IN Hp Kma AF 20 21 35 44 45 65 76
- 4365. Corizus hyoscyami (Linnaeus,1758)** (Rhopalidae) Synonym(s): hyoscyami Linnaeus,1758; flavicans Puton,1881; usticensis Riggio,1885; flavescens Rey,1888; collinus Distant,1909; monticola Horvath,1917; atropyga Blöte,1934; #hyoscyami Kiyak et al.,2004 Range (in code): AL AT BE B-H BG BY HV CZ SK DK DE GB FI FR GR HU IE IT LT LV MT MK MD NL NO PL PT RO RU SS ES SE CH UA YU EG LY AZ AF AM CN Ui Bc Nra CY GG IR IQ IL JO Pa KK LB MN RU KP KR Sn SY TJ TM UZ MA DZ TN Cn TR IR Ak Elb Th Se Gh 13 30 31 38 46 50 56 65 73 76
- 4366. Leptoceraea femoralis (Horvath,1897)** (Rhopalidae) Synonym(s): femoralis Horvath,1897  
Range (in code): FR ES EG TN CY IQ IL Pa IR SA KG UZ
- 4367. Leptoceraea viridis Jakovlev,1873** (Rhopalidae) Synonym(s): viridis Jakovlev,1873; ismatae Ahmad & Kamaluddin,1981 Range (in code): DZ EG AZ Cc CY IR IQ IL Pa TR RU Ao RO PK SY TJ TM UZ
- 4368. Limacocarenum curtulus Kiritchenko,1914** (Rhopalidae) Synonym(s): curtulus Kiritchenko,1914  
Range (in code): TR AF KG IR KK UZ Smk 44
- 4369. Liorhyssus hyalinus (Fabricius,1794)** (Rhopalidae) Synonym(s): hyalinus Fabricius,1794 Range (in code): TR 50 65
- 4370. Maccavethus corsicus Signoret,1862** (Rhopalidae) Synonym(s): corsicus Signoret,1862; persicus Jakovlev,1882 [ssp.]; lutheri E.Wagner,1953 Range (in code): ES FR Co Sa Si IT AL GR MK MT BG UA TR CY Cc AZ AM GG IR Shh IQ IL Pa LB AF MN TJ TM UZ RU Kr Nov 06 09 10 11 17 23 33 35 45 48 50 56 59 73
- 4371. Maccavethus errans (Fabricius,1794)** (Rhopalidae) Synonym(s): lineolus Fabricius,1787 nec Linn.,1758; errans Fabricius,1794; baeticus Rambur,1839; caucasicus Kolenati,1845 [ssp.]; ruficornis Reuter,1900; elongatus Blöte,1934; angustus E.Wagner,1949; houskai Hoberlandt,1952 Range (in code): TN ES FR B-H IT SK HV SS HU RO BG MK GR RU TR IR DZ SY CN Ui AZ Cc KG AM GG KK IL Pa Js LB Zah SY TJ TM UZ IQ 01 06 09 16 21 25 23 27 35 36 38 42 44 46 65
- 4372. Myrmus miriformis (Fallén,1807)** (Rhopalidae) Synonym(s): miriformis Fallén,1807; parallelus Jakovlev,1905 Range (in code): SE RU Sb DZ TR AZ Cc CN Ui GG MN RU Us 04
- 4373. Rhopalus (Aeschyntelus) maculatus (Fieber,1837)** (Rhopalidae) Synonym(s): crassicornis Latreille,1804 nec L.,1758; clavicornis Boitard,1828 nec Fabr.,1803; maculatus Fieber,1837; chinensis Dallas,1852; ledi Boheman,1852; meridionalis Jakovlev,1869; decolor E.Wagner,1962 Range (in code): RU Sb TR IQ IR AF CN Ui JP VN 01 02 08 16 21 23 27 29 34 56 60
- 4374. Rhopalus (s.str.) conspersus Fieber,1836** (Rhopalidae) Synonym(s): conspersus Fieber,1836  
Range (in code): RU TR MA IR FR Co CN Ui 22 29 32 35 39 43 47
- 4375. Rhopalus (s.str.) distinctus (Signoret,1859)** (Rhopalidae) Synonym(s): distinctus Signoret,1859; lividus Ribaut,1929 Range (in code): AT B-H BG HV CZ FR GR DE IT MK MD PT RO ES GB YU AZ Cc TR AF CN Ui IR UZ MN RU Us



- 4376. Rhopalus (s.str.) lepidus Fieber,1861** (Rhopalidae) Synonym(s): lepidus Fieber,1861 Range (in code): AT BG FR Co GR IT MK PL SS UA YU TR DZ TN MA AZ Cc CN IR KK TJ 06 27
- 4377. Rhopalus (s.str.) parumpunctatus Schilling,1829** (Rhopalidae) Synonym(s): parumpunctatus Schilling,1829; pratensis Fallén,1829; subspeciosa Schumacher,1914 Range (in code): DZ Cn MA AL AT BE B-H BG BY HV CZ SK DK FI FR GB DE GR HU IT MK MD NL PT RO SK SS ES UA YU TR AZ AM GG Cc AF CN Ui CY IR SY MN UZ TJ RU Us 31 44
- 4378. Rhopalus (s.str.) rufus Schilling,1829** (Rhopalidae) Synonym(s): rufus Schilling,1829 Range (in code): DZ TN TR IL Pa JO LB DE AT FR GB RU HU 01 17 50
- 4379. Rhopalus (s.str.) subrufus (Gmelin,1790)** (Rhopalidae) Synonym(s): subrufus Gmelin,1790; capitatus Fabricius,1794; magnicornis Fabricius,1794; mavromaustakisi E.Wagner,1967 Range (in code): DZ LY MA AL AT BE BG BY HV CZ DK FI FR GB DE GR HU IT MK MD NLNO PL PT RO TR AZ Cc AF CN Ui IQ IR CY GG L Pa KK SY UZ RU 31 73
- 4380. Stictopleurus abutilon (Rossi,1790)** (Rhopalidae) Synonym(s): abutilon Rossi,1790 Range (in code): TR CY 56 65
- 4381. Stictopleurus angustus Reuter,1900** (Rhopalidae) Synonym(s): angustus Reuter,1900 Range (in code): TR 06 51
- 4382. Stictopleurus crassicornis (Linnaeus,1758)** (Rhopalidae) Synonym(s): crassicornis Linnaeus,1758 Range (in code): Cn DZ TR RU IL Pa SY JP 06 16 29 31 36 38 42
- 4383. Stictopleurus pictus (Fieber,1861)** (Rhopalidae) Synonym(s): pictus Fieber,1861 Range (in code): Cn GB IL Pa JO TR AF Cc CY UA PK 50
- 4384. Stictopleurus punctatonervosus (Goeze,1778)** (Rhopalidae) Synonym(s): punctatonervosus Goeze,1778 Range (in code): TR 08 34 35 41 45 52
- 4385. Stictopleurus riveti Royer,1923** (Rhopalidae) Synonym(s): riveti Royer,1923 Range (in code): RU Cc TR IL Pa CY DZ 01 11 15 17 21 22 30 36 43 45 56 63 64 65
- 4386. Stictopleurus unicolor (Jakovlev,1874)** (Rhopalidae) Synonym(s): unicolor Jakovlev,1874 Range (in code): TR 36
- 4387. Pochazia umbrata Melichar,1896** (Ricanidae) Synonym(s): umbrata Melichar,1896 Range (in code): IR TM RU Sb
- 4388. Ricania aylae Dlabola,1983** (Ricanidae) Synonym(s): aylae Dlabola,1983 Range (in code): TR 23 35 48 49
- 4389. Ricania hedenborgi Stal,1865** (Ricanidae) Synonym(s): hedenborgi Stal,1865 Range (in code): GR Rd Cr TR AM Cc 07 21 23 35 47 56 65 73
- 4390. Ricania japonica Melichar,1898** (Ricanidae) Synonym(s): japonica Melichar,1898 Range (in code): JP KP KR TR CN Cc GG BG UA 34 53
- 4391. Ricania soraya Dlabola,1983** (Ricanidae) Synonym(s): soraya Dlabola,1983 Range (in code): IR
- 4392. Salda littoralis (Linnaeus,1758)** (Saldidae) Synonym(s): littoralis Linnaeus,1758 Range (in code): PT ES FR IE GB IC NO SE FI EE LT UA RU DK DE BE NL CH AT IT YU BG AL GR RO TR CN IMn Sz Ui 09
- 4393. Saldula amplicollis (Reuter,1891)** (Saldidae) Synonym(s): amplicollis Reuter,1891 Range (in code): TR 01 06 35
- 4394. Saldula arenicola (Scholtz,1847)** (Saldidae) Synonym(s): arenicola Scholtz,1847 Range (in code): US PT ES FR GB BE NL DK DE NO SE FI PL UA CZ SK HU CH AT IT B-H YU AL MK GR BG MD RO RU IR CY TR CN Ui 06 16 22 35 42 54
- 4395. Saldula lindbergi Lindskog,1975** (Saldidae) Synonym(s): lindbergi Lindskog,1975 Range (in code): CY TR
- 4396. Saldula melanoscela (Fieber,1859)** (Saldidae) Synonym(s): melanoscela Fieber,1859 Range (in code): ES FR GB SE RU EE LT DE CZ SK PL MD RO CH AT HU IT SS HV B-H YU AL MK GR TR 01
- 4397. Saldula misis Seidenstücker,1964** (Saldidae) Synonym(s): misis Seidenstücker,1964 Range (in code): TR IQ IR
- 4398. Saldula opacula (Zetterstedt,1838)** (Saldidae) Synonym(s): opacula Zetterstedt,1838 Range (in code): PT FR IE GB NO SE FI DK DE PL LT EE BY RU UA MD RO CZ SK HU CH AT SS HV B-H YU AL MK GR BG IT TR CN Ui Qoq Tar2 US CA Als 16
- 4399. Saldula orthochila (Fieber,1859)** (Saldidae) Synonym(s): orthochila Fieber,1859 Range (in code): ES GB IE NO SE FI DK DE EE LT LV BY RU UA RO CZ SK CH AT SS B-H YU AL BG GR IT TR CN Ui Um Sz Ch TM Kp KK KG MN Sb
- 4400. Saldula pallipes (Fabricius,1794)** (Saldidae) Synonym(s): pallipes Fabricius,1794 Range (in code): PT ES FR GB IE NO SE FI DK DE EE LT RU PL CZ SK HU MD RO UA BG GR AL MK YU B-H HV SS IT TR IR CN Ui 26 35 38 65
- 4401. Saldula pilosella (Thomson,1871)** (Saldidae) Synonym(s): pilosella Thomson,1871; hirsuta Reuter,1888 Range (in code): PT ES FR GB IE NO SE FI DK DE BE NL CH AT IT CZ SK PL RU UA HU MD RO BG GR SS HV YU TR CN Ui Bc Srm US CA 01
- 4402. Saldula saltatoria (Linnaeus,1758)** (Saldidae) Synonym(s): saltatoria Linnaeus,1758 Range (in code): TR CN Ui 01 16 18 42
- 4403. Saldula xanthochila (Fieber,1859)** (Saldidae) Synonym(s): xanthochila Fieber,1859; #xsanthochila Önder et al.,2006 Range (in code): TR FR DE CH AT SK HU RO RU BG GR YU AL MK CN Ui

- 4404. Schizodactylus hesperus Bei-Bienko,1967** (Schizodactylidae) Synonym(s): hesperus Bei-Bienko,1967 Range (in code): AF Ng Jla
- 4405. Schizodactylus inexpectatus (Werner,1901)** (Schizodactylidae) Synonym(s): inexpectatus Werner,1901 Range (in code): TR 33
- 4406. Ceratocranum caucasicum (Jakovlev,1879)** (Scutelleridae) Synonym(s): caucasicum Jakovlev,1879; anthracinum Horvath,1891 Range (in code): AZ AM Cc IR Nv Ord
- 4407. Ellipsocoris tamerlani Kiritshenko,1914** (Scutelleridae) Synonym(s): tamerlani Kiritshenko,1914 Range (in code): IR AF TJ UZ Smk
- 4408. Ellipsocoris trilineatus Mayr,1864** (Scutelleridae) Synonym(s): trilineatus Mayr,1864 Range (in code): TR IL Pa IR AM Cc SY LB Bei 25 27 31
- 4409. Eurygaster austriaca (Schränk,1776)** (Scutelleridae) Synonym(s): austriaca Schränk,1776 Range (in code): Cc TR UA Cm 01 02 06 07 10 11 17 22 25 26 32 33 34 35 39 42 46 49 61 62 70 71 76 78
- 4410. Eurygaster chinai Lodos,1963** (Scutelleridae) Synonym(s): chinai Lodos,1963; #chianai Lodos,1963 Range (in code): TR 35
- 4411. Eurygaster dilaticollis Dohrn,1860** (Scutelleridae) Synonym(s): dilaticollis Dohrn,1860; schreiberi Montandon,1885; flavescens Horvath,1911 Range (in code): AL B-H BG HV FR GR HU IT MK MD RU YU AZ Cc KK TR AT UA Cm 06 08 24 25 36 42 65 75 76
- 4412. Eurygaster hottentota (Fabricius,1775)** (Scutelleridae) Synonym(s): hottentota Fabricius,1775; maroccanus Fabricius,1798; pictula Royer,1911; rufa E.Wagner,1951; punctigera E.Wagner,1951; #badia Stichel,1960 Range (in code): MA DZ LY TN FR IT PT ES CH TR 21 66
- 4413. Eurygaster integriceps Puton,1886** (Scutelleridae) Synonym(s): integriceps Puton,1886; distigma Horvath,1917 Range (in code): TR CY Cc AZ Nv Ord AM Eri IR Ak Mrd Gh Th Ar Kh PK UA Cm 01 02 06 07 08 10 11 15 21 23 24 25 32 34 36 38 40 42 44 46 48 50 54 55 56 62 63 65 66 70 76
- 4414. Eurygaster maura (Linnaeus,1758)** (Scutelleridae) Synonym(s): maura Linnaeus,1758; cinereus Goeze,1778; picta Fabricius,1803; communis Fieber,1861; nigricans Mancini,1931; maculata Mancini,1931; rutilus E.Wagner,1938; punctata E.Wagner,1951 Range (in code): AL AT BE B-H BG BY Cr CZ DE GB FI FR GR HU IT LT MK MD NL PL PT RO RU SK SS CH UA YU TR IR Kh DZ MA TN AZ AM Cc GG IL Pa Sn SY TM 01 02 06 07 08 11 20 21 24 25 32 36 38 40 42 44 50 56 58 62 63 68 69 70 75 76
- 4415. Eurygaster testudinaria (Geoffroy,1785)** (Scutelleridae) Synonym(s): testudinaria Geoffroy,1785 Range (in code): TR 05 08 13 25 34 60 67 74 75
- 4416. Irochrotus caspius Jakovlev,1875** (Scutelleridae) Synonym(s): caspius Jakovlev,1875 Range (in code): RU Sr MN TM KG
- 4417. Irochrotus caucasicus (Jakovlev,1875)** (Scutelleridae) Synonym(s): caucasicus Jakovlev,1875; mongolicus Jakovlev,1902 Range (in code): Cc RU Da Sb TR CN Ui MN KK 31
- 4418. Irochrotus lanatus (Pallas,1773)** (Scutelleridae) Synonym(s): lanatus Pallas,1773 Range (in code): DZ TR IR IT IL Pa Cc RU Sr AZ Nv Ord TM Kp Sb CN Mc KG 05 22 27 31
- 4419. Irochrotus maculiventris (Germar,1839)** (Scutelleridae) Synonym(s): maculiventris Germar,1839; villosus Herrich-Schäffer,1839; hirtus A.Costa,1842 Range (in code): ES TR Cc BG Cr GR IT Si MK YU LB DZ RU Da Der 27 33 34 46 65
- 4420. Irochrotus majusculus Kerzhner,1976** (Scutelleridae) Synonym(s): majusculus Kerzhner,1976 Range (in code): AZ Bak Cc AM TR IR
- 4421. Irochrotus montandoni Schoueteden,1903** (Scutelleridae) Synonym(s): montandoni Schoueteden,1903 Range (in code): SN ET YE
- 4422. Irochrotus turanicus Kerzhner,1976** (Scutelleridae) Synonym(s): turanicus Kerzhner,1976 Range (in code): RU Da Cc AZ AM IR Gh AF KK TJ TM UZ
- 4423. Melanodema carbonaria Jakovlev,1880** (Scutelleridae) Synonym(s): carbonaria Jakovlev,1880; apicifera Distant,1899 Range (in code): IR Shh KK TJ TM UZ PK Sd
- 4424. Odontoscelis byrrhus Seidenstücker,1971** (Scutelleridae) Synonym(s): byrrhus Seidenstücker,1971 Range (in code): TR AF SY CN IR MN RU Us AL Cr GR RO UA 01 06 07 33 35 37 38 46 50 51 71
- 4425. Odontoscelis dorsalis (Fabricius,1798)** (Scutelleridae) Synonym(s): dorsalis Fabricius,1798; plagiatus Germar,1839; seminitens E.Wagner,1953 Range (in code): SE Cc TR CY MA Cn LY EG TJ AZ AF GG IR IQ IL Pa KK TJ TM UZ 01 06 07 09 11 16 19 20 23 27 31 33 35 42 46
- 4426. Odontoscelis fuliginosa (Linnaeus,1761)** (Scutelleridae) Synonym(s): fuliginosa Linnaeus,1761 Range (in code): DE BG KG Cc TR TJ SY IL Pa CY IR Gor Gh Ar TM AF CN Ui 03 06 09 16 20 22 23 25 35 37 40 42 46 65 67 70 71 74
- 4427. Odontoscelis hispidula Jakovlev,1874** (Scutelleridae) Synonym(s): hispidula Jakovlev,1874 Range (in code): AT RU HU EG TR 42
- 4428. Odontoscelis lineola (Rambur,1839)** (Scutelleridae) Synonym(s): lineola Rambur,1839; comaroffi Jakovlev,1879; dubius E.Wagner,1957 Range (in code): FR IT Cn PT TR GR 01 07
- 4429. Odontoscelis litura (Fabricius,1775)** (Scutelleridae) Synonym(s): litura Fabricius,1775 Range (in code): CY TR SA EG IQ Nw SY
- 4430. Odontoscelis minuta Jakovlev,1881** (Scutelleridae) Synonym(s): minuta Jakovlev,1881 Range (in code): Cr GR IT MK RU Cc Da TR CY IL Pa SA 01 31 33 46 80

- 4431. *Odontotarsiellus esfandarii* Hoberlandt,1955** (Scutelleridae) Synonym(s): *esfandarii* Hoberlandt,1955 Range (in code): IR Fa
- 4432. *Odontotarsus angustatus* Jakovlev,1883** (Scutelleridae) Synonym(s): *angustatus* Jakovlev,1883 Range (in code): TR IR Kh 23 44
- 4433. *Odontotarsus caudatus* (Burmeister,1835)** (Scutelleridae) Synonym(s): *caudatus* Burmeister,1835 Range (in code): DZ MA LY ES IT Cn Co MT EG PT Sa Si TN TR YU GR 01 07 27 31 33 40 46 50
- 4434. *Odontotarsus confraginosus* Hoberlandt,1955** (Scutelleridae) Synonym(s): *confraginosus* Hoberlandt,1955 Range (in code): TR 06 15 23
- 4435. *Odontotarsus freyi* Puton,1882** (Scutelleridae) Synonym(s): *freyi* Puton,1882 Range (in code): IL Pa EG SY TR GR 05 27
- 4436. *Odontotarsus impictus* Jakovlev,1886** (Scutelleridae) Synonym(s): *impictus* Jakovlev,1886; *lautus* Horvath,1891; *decolor* Horvath,1906; *mendax* Horvath,1906 Range (in code): Cc AZ Nv Ord TR IR Elb Th Ar TJ UZ TM 01 02 06 18 19 21 25 31 38 47 56 62 63 67 73
- 4437. *Odontotarsus karatasensis* Hoberlandt,1955** (Scutelleridae) Synonym(s): *karatasensis* Hoberlandt,1955 Range (in code): TR 01 06 09 10 17 18 19 23 27 32 35 40 45 48 50
- 4438. *Odontotarsus latissimus* Göllner-Scheiding,1990** (Scutelleridae) Synonym(s): *latissimus* Göllner-Scheiding,1990 Range (in code): IR Th Elb TR GR SY IQ
- 4439. *Odontotarsus obsoletus* Horvath,1906** (Scutelleridae) Synonym(s): *obsoletus* Horvath,1906 Range (in code): IR Gh Kh TR AM Cc KG KK TM UZ
- 4440. *Odontotarsus oculatus* Horvath,1881** (Scutelleridae) Synonym(s): *oculatus* Horvath,1881 Range (in code): IR SY IL Pa TR 05 27
- 4441. *Odontotarsus plicatulus* Hovarth,1906** (Scutelleridae) Synonym(s): *plicatulus* Hovarth,1906 Range (in code): TR IL Pa IR Cc SY 05 06 23 27 38 46 47 50 56 79
- 4442. *Odontotarsus purpureolineatus* (Rossi,1790)** (Scutelleridae) Synonym(s): *purpureolineatus* Rossi,1790; *lutescens* Fieber,1861; *rugicollis* Jakovlev,1884; *insignis* Jakovlev,1908; *#confluens* Hoberlandt,1944 Range (in code): DE CZ TR IL Pa IR Cc Th Elb Kh Ar Gh SK SY TM UA Cm 01 02 06 07 08 11 16 17 21 22 25 27 32 33 36 38 46 49 53 56 58 63 65 69 73 76
- 4443. *Odontotarsus robustus* Jakovlev,1884** (Scutelleridae) Synonym(s): *robustus* Jakovlev,1884; *flavus* Jakovlev,1885; *dilutus* Horvath,1917 Range (in code): IL Pa Cc AZ Kir IR Ak Kh Zj Gh CY EG TR SY TM YU UA Cm 01 03 06 07 09 10 11 16 17 20 21 22 27 31 32 33 34 35 36 39 42 46 54 64 65
- 4444. *Odontotarsus rufescens* Fieber,1861** (Scutelleridae) Synonym(s): *rufescens* Fieber,1861 Range (in code): CY TR IQ 01 02 05 06 07 08 09 16 20 23 25 27 29 31 33 34 35 36 37 42 45 46 47 48 50
- 4445. *Periphima batesoni* Jakovlev,1889** (Scutelleridae) Synonym(s): *batesoni* Jakovlev,1889 Range (in code): KG IR
- 4446. *Periphima crassa* Kiritshenko,1938** (Scutelleridae) Synonym(s): *crassa* Kiritshenko,1938 Range (in code): Cc AZ Nv Ord
- 4447. *Phimodera flori* Fieber,1863** (Scutelleridae) Synonym(s): *flori* Fieber,1863 Range (in code): AT CZ DK FR DE HU LT PL RU Sb KG MN GG Cc TR 25
- 4448. *Phimodera fumosa* Fieber,1863** (Scutelleridae) Synonym(s): *fumosa* Fieber,1863; *protracta* Jakovlev,1879; *distincta* Jakovlev,1880; *argillacea* Jakovlev,1901; *infusata* Reuter,1906; *plagigera* Reuter,1906; *pollens* Reuter,1906 Range (in code): RU HU TR UA AZ AM Cc CN GG IR KK MN UZ 01
- 4449. *Phimodera humeralis* (Dalman,1823)** (Scutelleridae) Synonym(s): *humeralis* Dalman,1823; *nodicollis* Burmeister,1835; *sellata* Schilling,1843; *bufonia* Puton,1888; *caucasica* Jakovlev,1903; *picturata* Jakovlev,1903; *ivanovi* Semenov,1903; *dalmanni* Reuter,1904; *antica* Reuter,1906; *connectens* Reuter,1906; *dorsigera* Reuter,1906; *binotata* Reuter,1906; *extrema* Reuter,1906; *rubiginosa* Reuter,1906; *reuteriana* Kirkaldy,1909 Range (in code): UA Cm Cc
- 4450. *Phimodera tuberculata* Jakovlev,1874** (Scutelleridae) Synonym(s): *tuberculata* Jakovlev,1874; *dorsalis* Reuter,1906 Range (in code): TR RU Ao 46
- 4451. *Polyphyma koenigi* Jakovlev,1889** (Scutelleridae) Synonym(s): *koenigi* Jakovlev,1889 Range (in code): TJ TM UZ
- 4452. *Polyphyma scrobiculatum* Jakovlev,1877** (Scutelleridae) Synonym(s): *scrobiculatum* Jakovlev,1877 Range (in code): IR Se TM
- 4453. *Promecocoris cerathocranoides* Popov,1964** (Scutelleridae) Synonym(s): *cerathocranoides* Popov,1964 Range (in code): Cc AM KK
- 4454. *Promecocoris laticollis* (Jakovlev,1885)** (Scutelleridae) Synonym(s): *laticollis* Jakovlev,1885 Range (in code): TJ UZ TM Kp
- 4455. *Promecocoris stschurovskii* (Oshanin,1871)** (Scutelleridae) Synonym(s): *stschurovskii* Oshanin,1871; *pictus* Jakovlev,1887 Range (in code): AZ Cc AM KG KK TM UZ TJ IR Gh
- 4456. *Promecocoris testaceus* (Reuter,1900)** (Scutelleridae) Synonym(s): *testaceus* Reuter,1900 Range (in code): KG KK AZ Cc TR IR TM UZ TJ
- 4457. *Psacasta (Cryptodontus) neglecta* (Herrich-Schäffer,1837)** (Scutelleridae) Synonym(s): *neglecta* Herrich-Schäffer,1837; *rugulosa* Horvath,1883 Range (in code): BG CZ FR HU IT MK MD RO RU UA YU Cc TR 06 16



- 4458. Psacasta (Cryptodontus) tuberculata (Fabricius,1781)** (Scutelleridae) Synonym(s): tuberculata Fabricius,1781 Range (in code): BG FR GR HU IT MK PT RO ES DZ EG MA CY IL Pa TR 01 06 07 09 27 31 33 40
- 4459. Psacasta (s.str.) cypria Puton,1881** (Scutelleridae) Synonym(s): cypria Puton,1881 Range (in code): CY TR IQ 46
- 4460. Psacasta (s.str.) exanthematica (Scopoli,1763)** (Scutelleridae) Synonym(s): exanthematica Scopoli,1763; pedemontanus Fabricius,1781; allioni Gmelin,1790; herculeana Horvath,1891; pallida Reuter,1902; simillima Horvath,1917; #versicolor Stichel,1960 Range (in code): IL Pa SY Cc UA Cm TR IR Zj Th Mz Elb SY EG IQ CY EG Nv AM AZ 01 06 07 12 14 16 18 19 22 23 25 27 31 33 35 36 38 40 42 46 49 56 62
- 4461. Psacasta (s.str.) granulata (A.Costa,1847)** (Scutelleridae) Synonym(s): granulata A.Costa,1847; marmottani Puton,1887; transcaspica Jakovlev,1889 Range (in code): DZ MA TN EG ES PT FR IT TR IL Pa SY JO TM Kp 50
- 4462. Solenostethium bilunatum (Lefebvre,1827)** (Scutelleridae) Synonym(s): bilunatum Lefebvre,1827 Range (in code): DZ MA TN Si Co ES LB SY GR HV TR 07 33 48
- 4463. Solenostethium ledereri (Fieber,1861)** (Scutelleridae) Synonym(s): ledereri Fieber,1861 Range (in code): TR CY SY
- 4464. Xerobia verruculosa Stal,1873** (Scutelleridae) Synonym(s): verruculosa Stal,1873 Range (in code): TR IR Qm LB Bei 13
- 4465. Isolabella graeca (Verhoeff,1901)** (Spongiphoridae) Synonym(s): graeca Verhoeff,1901 Range (in code): GR TR 09 10 15 20 48
- 4466. Isolaboides kosswigi (Burr,1947)** (Spongiphoridae) Synonym(s): kosswigi Burr,1947 Range (in code): TR 03 14 15 20 27 35 42 45 48
- 4467. Labia minor (Linnaeus,1758)** (Spongiphoridae) Synonym(s): minor Linnaeus,1758 Range (in code): ES FI KG UZ TR Cm 01 07 22 26 31 33 34 35 43 78
- 4468. Dicranocephalus agilis (Scopoli,1763)** (Stenocephalidae) Synonym(s): agilis Scopoli,1763; quinquepunctatus Goeze,1778; nugax Fabricius,1781; monilis Geoffroy,1785; geoffroy Petagna,1787; multicolor Gmelin,1790; nussax Gmelin,1790; celer Gmelin,1790; melanochros Gmelin,1790; mexicanus Ashmead,1886; crassicornis Horvath,1887; femoralis Noualhier,1893; femoratus Puton,1899; robustus Jakovlev,1901; moralesi Wagner,1950; africanus Stichel,1959; litoralis Linnavuori,1960 Range (in code): IL Pa TR CY Cc ... 06 14 16 34 36 38 49 65 76
- 4469. Dicranocephalus albipes (Fabricius,1781)** (Stenocephalidae) Synonym(s): albipes Fabricius,1781; leucopus Gmelin,1790; neglectus Herrich-Schäffer,1835 Range (in code): IQ Cc TR IR GB ... 01 06 14 16 25 26 31 36 49 65
- 4470. Dicranocephalus ferganensis (Horvath,1887)** (Stenocephalidae) Synonym(s): ferganensis Horvath,1887 Range (in code): AZ Cc AF KG IR KK TJ TM UZ Fe
- 4471. Dicranocephalus hirsutus Moulet,1993** (Stenocephalidae) Synonym(s): hirsutus Moulet,1993 Range (in code): ET YE IR
- 4472. Dicranocephalus lateralis (Signoret,1879)** (Stenocephalidae) Synonym(s): lateralis Signoret,1879 Range (in code): IR CN JP
- 4473. Dicranocephalus marginatus (Ferrari,1874)** (Stenocephalidae) Synonym(s): marginatus Ferrari,1874; albomarginatus Jakovlev,1877; orientalis Distant,1880 Range (in code): AF KG IR Srd IQ IL Pa JO KK LB OM SA SY TJ TM UZ IN Bba
- 4474. Dicranocephalus medius (Mulsant & Rey,1870)** (Stenocephalidae) Synonym(s): medius Mulsant & Rey,1870; horvathi Reuter,1888; sibiricus Jakovlev,1889; brevis Horvath,1899; japonicus Lansbury,1966 Range (in code): TR AZ Len Cc CN Ui ...
- 4475. Dicranocephalus punctarius (Stal,1865)** (Stenocephalidae) Synonym(s): punctarius Stal,1865; pilosus Bergroth,1912; prolixus Lansbury,1966 Range (in code): RE TZ MU YE
- 4476. Dicranocephalus putoni (Horvath,1897)** (Stenocephalidae) Synonym(s): putoni Horvath,1897; dimidiatus Jakovlev,1901 Range (in code): TR IR Kh SY 31
- 4477. Dicranocephalus setulosus (Ferrari,1874)** (Stenocephalidae) Synonym(s): setulosus Ferrari,1874 Range (in code): BG FR GR IT MT MD RO RU ES UA DZ EG MA TN AZ Cc AM GG CY IR IQ IL Pa OM Sn SY Cc TR IR 01 08 16 51
- 4478. Brachyptera ankara Kazancı,2000** (Taeniopterygidae) Synonym(s): ankara Kazancı,2000 Range (in code): TR 06 81
- 4479. Brachyptera berkii Kazancı,2000** (Taeniopterygidae) Synonym(s): berkii Kazancı,2000 Range (in code): TR 16
- 4480. Brachyptera demirsoyi Kazancı,1983** (Taeniopterygidae) Synonym(s): demirsoyi Kazancı,1983 Range (in code): TR
- 4481. Brachyptera sislii Kazancı,1983** (Taeniopterygidae) Synonym(s): sislii Kazancı,1983 Range (in code): TR 26
- 4482. Brachyptera transcaucasica Zhiltzova,1956** (Taeniopterygidae) Synonym(s): transcaucasica Zhiltzova,1956 Range (in code): TR GR Cc 06 07 14
- 4483. Brachyptera zwicki Braasch & Joost,1971** (Taeniopterygidae) Synonym(s): zwicki Braasch & Joost,1971 Range (in code): BG TR 14 54

- 4484. *Rhabdiopteryx doiranensis* Ikonomov,1983** (Taeniopterygidae) Synonym(s): doiranensis Ikonomov,1983 Range (in code): **MK TR 48**
- 4485. *Taeniopteryx caucasica* Zhiltzova,1981** (Taeniopterygidae) Synonym(s): caucasica Zhiltzova,1981 Range (in code): **Cc**
- 4486. *Taeniopteryx nebulosa* (Linnaeus,1758)** (Taeniopterygidae) Synonym(s): nebulosa Linnaeus,1758; praetexta Burmeister,1839; nigripes Zetterstedt,1840; minuta Rambur,1842; socia Rambur,1842 Range (in code): **GB SE DE BE NL PL BY UA Cc KG CH AT HU TR**
- 4487. *Depressotetrix depressa* (Brisout,1848)** (Tetrigidae) Synonym(s): depressa Brisout,1848; acuminata Brisout,1850; charpentieri Fieber,1853; elevata Fieber,1853; rudis Walker,1971; turcicus Demirsoy,1977 Range (in code): **TR ES FR GR BG RO Cm IR Cc GG 01 03 04 06 08 09 13 16 18 21 22 23 24 25 26 31 33 34 35 36 42 44 50 51 55 63 65 66 71 80**
- 4488. *Mistshenkotetrix brachyptera* (Lucas,1849)** (Tetrigidae) Synonym(s): brachyptera Lucas,1849 Range (in code): **TR**
- 4489. *Paratettix iranica* Uvarov,1952** (Tetrigidae) Synonym(s): iranica Uvarov,1952 Range (in code): **TR IR**
- 4490. *Paratettix meridionalis* (Rambur,1838)** (Tetrigidae) Synonym(s): meridionalis Rambur,1838; brachyptera Lucas & Brisout & Barneville,1849; dorhni Fieber,1853; ophthalmicus Fieber,1853; weidneri Karaman,1965 Range (in code): **MX Cn MA LY SA ES FR IT Co BG RO TR Cc GG Tbl 06 09 16 31 34 35 45 53 61**
- 4491. *Paratettix uvarovi* Semenov,1915** (Tetrigidae) Synonym(s): uvarovi Semenov,1915 Range (in code): **Cc GG IR KG**
- 4492. *Tetratetrix tenuicornis* (Sahlberg,1891)** (Tetrigidae) Synonym(s): #nutans Hagenbach,1822; tenuicornis Sahlberg,1891; pisarskii Bazyluk,1963; antennata Steinmann,1964; australis Bei-Bienko,1964 Range (in code): **ES FR DE DK PL EE RO BG CH AT IT IR TR Cc GG Abk Sva KG RU MN 04 08 31 45**
- 4493. *Tetrix bipunctata* (Linnaeus,1758)** (Tetrigidae) Synonym(s): bipunctata Linnaeus,1758; obscura Hagenbach,1822; arcticus Hancock,1909; obtusus Hancock,1909; validus Hancock,1909; explicatum Ebner,1910; paradoxa Haij,1914; subaptera Haij,1914; tuberculata Haij,1914; sjostedti Bei-Bienko,1933; sjoestedtiana Bei-Bienko & Mishchenko,1951 Range (in code): **ES FR DE DK NO SE FI CZ SK HU CH AT IT RO BG YU Cc GG Tus UA RU KG MN CN KP KR**
- 4494. *Tetrix bolivari* (Saulcy,1901)** (Tetrigidae) Synonym(s): bolivari Saulcy,1901 Range (in code): **ES FR CZ YU SS B-H HV RO BG TR Cc GG RU KG TM UZ KK 04 06 08 12 13 14 21 23 31 34 35 36 42 44 50 61 63 65 71**
- 4495. *Tetrix ceperoi* (Bolivar,1887)** (Tetrigidae) Synonym(s): ceperoi Bolivar,1887 Range (in code): **TR**
- 4496. *Tetrix subulata* (Linnaeus,1758)** (Tetrigidae) Synonym(s): subulata Linnaeus,1758; bimaculatum Herbst,1786; quadrimaculatum Thunberg,1815; lunulatum Thunberg,1815; dorsale Thunberg,1815; cristatum Thunberg,1815; exclamationis Saint-Fargeau & Serville,1825; marginata Saint-Fargeau & Serville,1825; panzeri Saint-Fargeau & Serville,1825; granulum Kirby,1837; sahlbergi Saulcy,1893; incurvatus Hancock,1895; luggeri Hancock,1899; morsei Hancock,1899; oculata Karny,1908; subulatum Kirby,1910; atrata Voroncovski,1928; flavolineata Voroncovski,1928; bielawskii Bazyluk,1963; austriaca Schmidt & Devkota,1989 Range (in code): **US CA ES PT GB NO SE FI DK DE IT AT HU CZ SK PL BG RO TR Cm Cc GG RU CN KP KR 06 08 14 13 16 31 33 34 46 75**
- 4497. *Tetrix tuerki* (Krauss,1876)** (Tetrigidae) Synonym(s): tuerki Krauss,1876 Range (in code): **TR**
- 4498. *Brachycephala exigua* (Horvath,1901)** (Tettigometridae) Synonym(s): exigua Horvath,1901 Range (in code): **TR**
- 4499. *Eurychila pantherina* (Horvath,1891)** (Tettigometridae) Synonym(s): pantherina Horvath,1891 Range (in code): **AF AZ TM UZ**
- 4500. *Eurychila tafratensis* (Bergevin,1920)** (Tettigometridae) Synonym(s): tafratensis Bergevin,1920 Range (in code): **IL LY MA**
- 4501. *Tettigometra (Hystriogonia) hexaspina* Kolenati,1857** (Tettigometridae) Synonym(s): hexaspina Kolenati,1857; hispidula Fieber,1865; callosa Signoret,1866 Range (in code): **Cc BG GR IL IT JO PT RO TR AM GG RU Da UA YU 04 06 07 22 24 25 27 28 32 36 59 63**
- 4502. *Tettigometra (Metroplaca) baranii* Signoret,1866** (Tettigometridae) Synonym(s): baranii Signoret,1866 Range (in code): **AL BG CS FR GR IL IT RO ES TR RU TJ YU 06 10 47**
- 4503. *Tettigometra (Metroplaca) longicornis* (Signoret,1866)** (Tettigometridae) Synonym(s): longicornis Signoret,1866 Range (in code): **AF DZ FR DE GR IT RO SW TR AM AZ Cc KG RU TJ TM UZ YU 06 07 22 58**
- 4504. *Tettigometra (Mitriccephalus) eremi* Lindberg,1948** (Tettigometridae) Synonym(s): eremi Lindberg,1948 Range (in code): **AF IR TR Cc AZ KG KK RU TJ TM UA UZ 06 07 09 15 17 35 38 41 43 45 58 64**
- 4505. *Tettigometra (Mitriccephalus) leucophaea* (Preyssler,1792)** (Tettigometridae) Synonym(s): leucophaea Preyssler,1792; obliqua Panzer,1799; #leucophaea Lodos & Kalkandelen,1980 Range (in code): **Cc AF AL DZ AT BE BG CS FR DE HU IL IT JO MN MA NL NO PL RO ES SY TN TR AM AZ GG KG MD RU Sb TJ UA UZ YU 01 02 04 06 07 11 14 15 17 18 19 21 22 23 34 35 47 50 58 59 63**
- 4506. *Tettigometra (Mitriccephalus) macrocephalus* (Fieber,1865)** (Tettigometridae) Synonym(s): macrocephalus Fieber,1865; longiceps Signoret,1866; concolor Fieber,1876 (praeocc.); contaminatus Metcalf,1932 Range (in code): **Cc TR AF AT BE CS FR DE GR RO SW AM GG KG RU UA 06 41 54 65**

- 4507. Tettigometra (s.str.) impressopunctata Dufour,1846** (Tettigometridae) Synonym(s): impressopunctata Dufour,1846; frontalis Fieber,1865; concolor Fieber,1865; fasciata Fieber,1865; nitidula Kirschbaum,1868; plagialis Rey,1894; viridula Melichar,1899; clara Metcalf,1932; fasciolata Metcalf,1932 Range (in code): AL DZ AT BE CZ FR DE GB HU IT Sa Si PL PT RO ES CH TN RU UA YU TR 06
- 4508. Tettigometra (s.str.) sulphurea Mulsant-Rey,1855** (Tettigometridae) Synonym(s): sulphurea Mulsant-Rey,1855; mendax Horvath,1888; scutellaris Horvath,1903 Range (in code): 1Cc AT CY CS FR GR HU IT JO ES TR AZ GG KG KK MD RU TM UA YU 01 06 07 08 09 10 11 16 21 23 35 43 50 54 63 64 65
- 4509. Tettigometra (s.str.) virescens (Panzer,1799)** (Tettigometridae) Synonym(s): virescens Panzer,1799; dorsalis Latreille,1804 Range (in code): DZ AT BE CS FR DE GR HU IT LY MA PL PT RO ES TN TR AZ LV UA YU 01 02 06 07 08 16 20 21 23 24 25 27 31 47 62 63 65 76
- 4510. Tettigometra (Stirometra) costulata Fieber,1865** (Tettigometridae) Synonym(s): costulata Fieber,1865; parviceps Signoret,1866; heydenii Kirschbaum,1868; abrupta Fieber,1876; albofasciata Fieber,1876; unifasciata Fieber,1876 Range (in code): AF DZ CY TR EG IR IL IT JO MA PT ES SY TN AM AZ KG RU TJ TM UZ YU 01 02 08 12 21 23 24 25 27 30 44 47 63 65 72 76
- 4511. Tettigometra afra Kirschbaum,1868** (Tettigometridae) Synonym(s): afra Kirschbaum,1868 Range (in code): DZ IL ES SY TN
- 4512. Tettigometra angulata Lindberg,1948** (Tettigometridae) Synonym(s): angulata Lindberg,1948 Range (in code): AF IR IL Pa Cc TR AM KG KK RU TJ TM UZ 01
- 4513. Tettigometra atra Hagenbach,1825** (Tettigometridae) Synonym(s): atra Hagenbach,1825 Range (in code): DZ AT BE CS FR DE HU IT MN PL RO ES SW TN TR Cc AM AZ KG LV RU Sb UA UZ YU 06
- 4514. Tettigometra atrata Fieber,1872** (Tettigometridae) Synonym(s): atrata Fieber,1872 Range (in code): AT FR DE IT TR EE RU YU
- 4515. Tettigometra beckeri Horváth,1909** (Tettigometridae) Synonym(s): beckeri Horvath,1909 Range (in code): DZ ES Cn MA ES TN TR KG UA Cm 22
- 4516. Tettigometra contracta Lindberg,1948** (Tettigometridae) Synonym(s): contracta Lindberg,1948 Range (in code): IL
- 4517. Tettigometra depressa Fieber,1865** (Tettigometridae) Synonym(s): depressa Fieber,1865 Range (in code): DZ AT CS FR DE HU IR TR IT RO AM RU Sb UA YU 42 46
- 4518. Tettigometra helferi Fieber,1865** (Tettigometridae) Synonym(s): helferi Fieber,1865 Range (in code): GR ES SY
- 4519. Tettigometra impressifrons Mulsant-Rey,1855** (Tettigometridae) Synonym(s): impressifrons Mulsant-Rey,1855; marginata Fieber,1876 Range (in code): DZ BE FR GR TR IT Si JO MA ES SY TN 72
- 4520. Tettigometra lyncea Horvath,1903** (Tettigometridae) Synonym(s): lyncea Horvath,1903 Range (in code): FR TR YU
- 4521. Tettigometra sordida Fieber,1865** (Tettigometridae) Synonym(s): sordida Fieber,1865 Range (in code): Cc AT CZ FR HU IR RO TR GG KG RU Sb UA YU 06
- 4522. Tettigometra varia Fieber,1865** (Tettigometridae) Synonym(s): varia Fieber,1865 Range (in code): BG JO AZ KG KK RU TJ TM UZ YU
- 4523. Tettigometra vitellina Fieber,1865** (Tettigometridae) Synonym(s): vitellina Fieber,1865 Range (in code): Cc AF IR IL Pa AM AZ GG TR KG KK RU TJ TM UZ YU 06 65
- 4524. Acrometopa servillea (Brullé,1832)** (Tettigoniidae) Synonym(s): servillea Brullé,1832 Range (in code): IT Si SS HV B-H RO BG GR TR 14 15 17 22 33 34 35 39 45 63
- 4525. Acrometopa syriaca Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): syriaca Brunner von Wattenwyl,1878; festae Giglio-Tos,1893; elsae Werner,1937 Range (in code): GR CY EG IL Pa Cc LB Bei SY Dms TR IQ 04 07 09 21 25 27 31 33 35 36 44 46 56 63 65 76 80
- 4526. Afghanoptera adusta Ramme,1952** (Tettigoniidae) Synonym(s): adusta Ramme,1952 Range (in code): AF Kbb
- 4527. Anadolua burri Karabağ,1952** (Tettigoniidae) Synonym(s): burri Karabağ,1952 Range (in code): TR 01 20
- 4528. Anadolua davisii Karabağ,1952** (Tettigoniidae) Synonym(s): davisii Karabağ,1952 Range (in code): TR 35
- 4529. Anadolua rammei Karabağ,1952** (Tettigoniidae) Synonym(s): rammei Karabağ,1952 Range (in code): TR 42
- 4530. Anadolua schwarzi Ramme,1939** (Tettigoniidae) Synonym(s): schwarzi Ramme,1939 Range (in code): TR 20 35 43 48
- 4531. Anadrymadusa (Orodusa) beckeri (Adelung,1907)** (Tettigoniidae) Synonym(s): beckeri Adelung,1907 Range (in code): RU Cc Pja
- 4532. Anadrymadusa (Orodusa) robusta (Miram,1926)** (Tettigoniidae) Synonym(s): robusta Miram,1926 Range (in code): RU Cc Nt
- 4533. Anadrymadusa (s.str.) adzharica (Uvarov,1934)** (Tettigoniidae) Synonym(s): adzharica Uvarov,1934 Range (in code): TR 08
- 4534. Anadrymadusa (s.str.) albomaculata (Karabağ,1956)** (Tettigoniidae) Synonym(s): albomaculata Karabağ,1956 Range (in code): TR 48



- 4535. Anadrymadusa (s.str.) brevipennis (Brunner von Wattenwyl,1882)** (Tettigoniidae) Synonym(s): brevipennis Brunner von Wattenwyl,1882 Range (in code): GR Ae TR 31
- 4536. Anadrymadusa (s.str.) curvicercis (Uvarov,1916)** (Tettigoniidae) Synonym(s): curvicercis Uvarov,1916 Range (in code): IR Kd
- 4537. Anadrymadusa (s.str.) danensis Koçak & Kemal,2010** (Tettigoniidae) Synonym(s): #danensis Karabağ,1972; danensis Koçak & Kemal,2010 Range (in code): IL Pa Her SY
- 4538. Anadrymadusa (s.str.) kosswigi Koçak & Kemal,2010** (Tettigoniidae) Synonym(s): #kosswigi Karabağ,1975; kosswigi Koçak & Kemal,2010 Range (in code): TR 47
- 4539. Anadrymadusa (s.str.) modestalis Koçak & Kemal,2010** (Tettigoniidae) Synonym(s): modestalis Koçak & Kemal,2010 Range (in code): TR 30
- 4540. Anadrymadusa (s.str.) ornatipennis (Ramme,1926)** (Tettigoniidae) Synonym(s): ornatipennis Ramme,1926 Range (in code): TR 48
- 4541. Anadrymadusa (s.str.) recticauda (Werner,1903)** (Tettigoniidae) Synonym(s): recticauda Werner,1903 Range (in code): TR 01 03 31 33 46
- 4542. Anadrymadusa (s.str.) spinicercis (Karabağ,1956)** (Tettigoniidae) Synonym(s): spinicercis Karabağ,1956 Range (in code): TR 20 31 33
- 4543. Anadrymadusa jordanica Katbeh Bader & Massa,2000** (Tettigoniidae) Synonym(s): jordanica Katbeh Bader & Massa,2000 Range (in code): JO
- 4544. Ancistrura nigrovittata (Brunner von Wattenwyl,1878)** (Tettigoniidae) Synonym(s): nigrovittata Brunner von Wattenwyl,1878; truncata Uvarov,1921; kinzelbachi Harz,1975 Range (in code): YU MK TR
- 4545. Anterastes akdaghensis Ramme,1951** (Tettigoniidae) Synonym(s): akdaghensis Ramme,1951 Range (in code): TR 20
- 4546. Anterastes anatolicus Uvarov,1934** (Tettigoniidae) Synonym(s): anatolicus Uvarov,1934 Range (in code): TR 16 35
- 4547. Anterastes antitauricus Çıplak,2004** (Tettigoniidae) Synonym(s): antitauricus Çıplak,2004 Range (in code): TR
- 4548. Anterastes babadaghi Uvarov,1939** (Tettigoniidae) Synonym(s): babadaghi Uvarov,1939; ucari Çıplak,2004 Range (in code): TR 20
- 4549. Anterastes burri Karabağ,1951** (Tettigoniidae) Synonym(s): burri Karabağ,1951 Range (in code): TR 03 16 26 42 43
- 4550. Anterastes niger Ünal,2000** (Tettigoniidae) Synonym(s): niger Ünal,2000 Range (in code): TR
- 4551. Anterastes serbicus Brunner von Wattenwyl,1882** (Tettigoniidae) Synonym(s): serbicus Brunner von Wattenwyl,1882 Range (in code): TR 14 78
- 4552. Anterastes tolunayi Karabağ,1951** (Tettigoniidae) Synonym(s): tolunayi Karabağ,1951 Range (in code): TR 09
- 4553. Anterastes turcicus Karabağ,1951** (Tettigoniidae) Synonym(s): turcicus Karabağ,1951 Range (in code): TR 07
- 4554. Anterastes uludaghensis Karabağ,1950** (Tettigoniidae) Synonym(s): uludaghensis Karabağ,1950 Range (in code): TR 16
- 4555. Apholidoptera kurda (Uvarov,1916)** (Tettigoniidae) Synonym(s): kurda Uvarov,1916; mirzayani Mofidi-Neyestanek & Quicke,2007 Range (in code): TR IQ IR Kz 30
- 4556. Apholidoptera pietschmanni (Ebner,1912)** (Tettigoniidae) Synonym(s): pietschmanni Ebner,1912 Range (in code): TR IQ 13 21 23 24 44 47 63
- 4557. Barbitistes sp.n.** (Tettigoniidae) Synonym(s): Range (in code): TR 22
- 4558. Bergiola persica Uvarov,1928** (Tettigoniidae) Synonym(s): persica Uvarov,1928 Range (in code): IR
- 4559. Bolua turkiyae Ünal,1999** (Tettigoniidae) Synonym(s): turkiyae Ünal,1999 Range (in code): TR 11 14 16 43 67 78 81
- 4560. Bradyporus (Callimenus) avanos Ünal,2011** (Tettigoniidae) Synonym(s): avanos Ünal,2011 Range (in code): TR 06 26 38 40 42 50 51 60 70 72
- 4561. Bradyporus (Callimenus) conophallus Ünal,2011** (Tettigoniidae) Synonym(s): conophallus Ünal,2011 Range (in code): TR 03 32
- 4562. Bradyporus (Callimenus) dilatatus Stal,1875** (Tettigoniidae) Synonym(s): dilatatus Stal,1875; inflatus Brunner von Wattenwyl,1882 Range (in code): TR 05 06 13 19 23 26 35 42 51 70 71
- 4563. Bradyporus (Callimenus) karabagi Ünal,2011** (Tettigoniidae) Synonym(s): karabagi Ünal,2011 Range (in code): TR 21 47
- 4564. Bradyporus (Callimenus) latipes Stal,1875** (Tettigoniidae) Synonym(s): latipes Stal,1875 Range (in code): IR Elb Es Fa Kd Mha Ak TR 13 23 44 65 73
- 4565. Bradyporus (Callimenus) macrogaster (Lefebvre,1831)** (Tettigoniidae) Synonym(s): macrogaster Lefebvre,1831; brachynotus Fieber,1853; longicollis Fieber,1853; intermedius Werner,1901; dobrogensis Müller,1933; skopjensis Karaman,1961 Range (in code): MK TR GR Rd 15 16 20 35 43 45

- 4566. Bradyporus (Callimenus) multituberculatus (Fischer von Waldheim,1833)** (Tettigoniidae) Synonym(s): #obesus Fischer von Waldheim,1830; multituberculatus Fischer von Waldheim,1833; brauneri Shugurov,1906 Range (in code): RU Cc
- 4567. Bradyporus (Callimenus) sureyai Ünal,2011** (Tettigoniidae) Synonym(s): sureyai Ünal,2011 Range (in code): TR 18
- 4568. Bradyporus (Callimenus) toros Ünal,2011** (Tettigoniidae) Synonym(s): toros Ünal,2011 Range (in code): TR 07 15 42
- 4569. Bradyporus (s.str.) dasypus (Illiger,1800)** (Tettigoniidae) Synonym(s): dasypus Illiger,1800; rex Illiger,1801; armadillo Thunberg,1815; mocsaryi Kuthy,1910 Range (in code): TR GR BG RO AL MD HU MK 22 39
- 4570. Bucephaloptera bolivari Karabağ,1950** (Tettigoniidae) Synonym(s): bolivari Karabağ,1950 Range (in code): TR 33
- 4571. Bucephaloptera bucephala (Brunner von Wattenwyl,1882)** (Tettigoniidae) Synonym(s): bucephala Brunner von Wattenwyl,1882; riveti Berland & Chopard,1922; jannonei Ramme,1939 Range (in code): IT YU GR BG RO AL TR 01 03 05 06 07 08 10 14 16 22 23 31 33 34 35 39 41 45 48 55 59 71 78 80
- 4572. Bucephaloptera convergens Karabağ,1950** (Tettigoniidae) Synonym(s): convergens Karabağ,1950 Range (in code): TR 23 33 80
- 4573. Bucephaloptera robusta Karabağ,1956** (Tettigoniidae) Synonym(s): robusta Karabağ,1956 Range (in code): TR 80
- 4574. Calopterusa balucha (Uvarov,1932)** (Tettigoniidae) Synonym(s): balucha Uvarov,1932 Range (in code): PK BI
- 4575. Calopterusa lindbergi Bei-Bienko,1963** (Tettigoniidae) Synonym(s): lindbergi Bei-Bienko,1963 Range (in code): AF
- 4576. Calopterusa pastuchovi (Uvarov,1917)** (Tettigoniidae) Synonym(s): pastuchovi Uvarov,1917 Range (in code): Cc AZ Len
- 4577. Calopterusa platycerca Bei-Bienko,1963** (Tettigoniidae) Synonym(s): platycerca Bei-Bienko,1963 Range (in code): AF
- 4578. Calopterusa wernerii (Adelung,1910)** (Tettigoniidae) Synonym(s): wernerii Adelung,1910 Range (in code): IR
- 4579. Ceraecercus fuscipennis Uvarov,1910** (Tettigoniidae) Synonym(s): fuscipennis Uvarov,1910 Range (in code): TJ AF Bd Adr KG DsA UZ Fe TM Krn IR Srd Kh
- 4580. Conocephalus (Anisoptera) concolor (Burmeister,1838)** (Tettigoniidae) Synonym(s): concolor Burmeister,1838 Range (in code): ES EG IL Pa IQ Amara TR
- 4581. Conocephalus (Anisoptera) cyprius Ramme,1951** (Tettigoniidae) Synonym(s): cyprius Ramme,1951 Range (in code): CY
- 4582. Conocephalus (Anisoptera) dorsalis (Latreille,1804)** (Tettigoniidae) Synonym(s): dorsalis Latreille,1804; brevicaudatum Uvarov,1910; hungaricus Cziki,1923 Range (in code): FR GB EE LT DE AT HU RO Cc RU KG TR 55
- 4583. Conocephalus (Anisoptera) maculatus (Le Guillou,1841)** (Tettigoniidae) Synonym(s): maculatus Le Guillou,1841; lepida Haan,1842; continuus Walker,1869; dimidiatus Matsumura & Shiraki,1908; neglectum Bruner,1920 Range (in code): CM LY SA YE IN PK LA CN KP KR JP TW PH ID Bor Sum Ja Clb
- 4584. Conocephalus (s.str.) conocephalus (Linnaeus,1767)** (Tettigoniidae) Synonym(s): conocephalus Linnaeus,1767; aethiopicus Thunberg,1789; hemipterus Thunberg,1815 Range (in code): ES IT Sa MG DZ MA TN LY EG SD ET SO KE ZR SN SL GA GM ZM ZW ZA MZ TZ AO BW UG CF CM NG NE TR 01 33
- 4585. Conocephalus (s.str.) hastatus (Charpentier,1825)** (Tettigoniidae) Synonym(s): hastatus Charpentier,1825 Range (in code): TR 16 34 39 41 46 54 74 78
- 4586. Conocephalus (s.str.) kisi Harz,1967** (Tettigoniidae) Synonym(s): kisi Harz,1967; harzi Willemse,1971 Range (in code): TR AL BG GR SY Ltk LB 31 46
- 4587. Conocephalus (Xiphidion) fuscus (Fabricius,1793)** (Tettigoniidae) Synonym(s): fuscus Fabricius,1793; discolor Thunberg,1815; thoracicus Fischer von Waldheim,1846; concolor Bolivar,1878; ponticus Nedelkov,1907; turanicus Semenov,1916; dilatatus Ramme,1951 Range (in code): PL DE FR ES GB IT Sa SE YU HV B-H BG RO RU Cc AZ AM GG KG MN TR 01 02 05 06 07 08 09 10 12 13 14 16 19 21 23 25 26 30 31 33 34 35 36 39 43 46 47 50 53 56 59 62 63 65 71 76 81
- 4588. Decticus albifrons (Fabricius,1793)** (Tettigoniidae) Synonym(s): albifrons Fabricius,1793; aeolicus Guarino,1935 Range (in code): PT FR DZ LY TR Cc FR IT YU HV B-H Co Sa Si GR BG RO RU KG IQ IR AF 01 04 05 06 07 08 09 10 16 17 21 22 23 25 27 31 33 34 35 36 41 45 46 47 55 59 63 65 67 71 80
- 4589. Decticus mithati Ramme,1939** (Tettigoniidae) Synonym(s): mithati Ramme,1939 Range (in code): TR 09 35
- 4590. Decticus verrucivorus (Linnaeus,1758)** (Tettigoniidae) Synonym(s): verrucivorus Linnaeus,1758; rubicundus De Geer,1778; hastatus Fischer von Waldheim,1839; radiata Fischer von Waldheim,1846 Range (in code): TR GB ES FR SE DE EE LT BY RU AT CZ HU RO YU B-H HV BG GR Cc AZ AM GG Tbl RU IR KG KK MN KP KR JP AF IQ SY LB IL Pa SA CN 04 06 07 08 09 14 16 22 23 25 30 34 35 36 39 40 44 46 54 56 57 58 59 65 71 75 76

- 4591. *Delodusa humeralis* (Uvarov,1929)** (Tettigoniidae) Synonym(s): humeralis Uvarov,1929 Range (in code): IR
- 4592. *Diogenes fausta* (Burmeister,1838)** (Tettigoniidae) Synonym(s): fausta Burmeister,1838 Range (in code): LY SD YE IL Pa JO
- 4593. *Drymadusa dorsalis* (Brullé,1832)** (Tettigoniidae) Synonym(s): dorsalis Brullé,1832 Range (in code): TR GR
- 4594. *Drymadusa limbata* Brunner von Wattenwyl,1882** (Tettigoniidae) Synonym(s): limbata Brunner von Wattenwyl,1882 Range (in code): GR SY LB TR 01 31 33 35 45 46 48 80
- 4595. *Drymadusella afghana* Ramme,1939** (Tettigoniidae) Synonym(s): afghana Ramme,1939 Range (in code): AF Bd Hd Nks
- 4596. *Drymadusella nativa* Stolyanov,1970** (Tettigoniidae) Synonym(s): nativa Stolyanov,1970 Range (in code): AF Gz
- 4597. *Drymadusella paghmana* Bei-Bienko,1967** (Tettigoniidae) Synonym(s): paghmana Bei-Bienko,1967 Range (in code): AF Pag Kab
- 4598. *Drymapedes invalida* Bei-Bienko,1967** (Tettigoniidae) Synonym(s): invalida Bei-Bienko,1967 Range (in code): AF Kab
- 4599. *Ephippiger ephippiger* (Fiebig,1784)** (Tettigoniidae) Synonym(s): ephippiger Fiebig,1784; vitium Serville,1831; rossii Fieber,1853; fibigii Fieber,1853; fabricii Fieber,1853; moguntiacus Schuster,1906 Range (in code): AT Wn HU SK PL AL MK RO RU GR IT ES FR CZ DE YU BG TR 22 34 39
- 4600. *Euconocephalus gracilis* (Redtenbacher,1891)** (Tettigoniidae) Synonym(s): gracilis Redtenbacher,1891 Range (in code): PK IN MM TH MY LK ID Sum Ja Bor PH PG
- 4601. *Euconocephalus pallidus* (Redtenbacher,1891)** (Tettigoniidae) Synonym(s): pallidus Redtenbacher,1891 Range (in code): PK Abb Pj IN MM TH MY LK ID Sum Ja Bor PH PG
- 4602. *Euconocercus caucasicus* Bei-Bienko,1950** (Tettigoniidae) Synonym(s): caucasicus Bei-Bienko,1950 Range (in code): RU Cc Da
- 4603. *Euconocercus iris* Bei-Bienko,1950** (Tettigoniidae) Synonym(s): iris Bei-Bienko,1950 Range (in code): Cc AZ Tlh
- 4604. *Eupholidoptera akdeniz* Ünal & Naskrecki,2002** (Tettigoniidae) Synonym(s): akdeniz Ünal & Naskrecki,2002 Range (in code): TR 31
- 4605. *Eupholidoptera anatolica* (Ramme,1930)** (Tettigoniidae) Synonym(s): anatolica Ramme,1930 Range (in code): TR 01 07
- 4606. *Eupholidoptera annulipes* (Brunner von Wattenwyl,1882)** (Tettigoniidae) Synonym(s): annulipes Brunner von Wattenwyl,1882 Range (in code): TR 01 31 33 46 48 80
- 4607. *Eupholidoptera cypria* Ramme,1951** (Tettigoniidae) Synonym(s): cypria Ramme,1951 Range (in code): CY TR
- 4608. *Eupholidoptera demirsoyi* Salman,1983** (Tettigoniidae) Synonym(s): demirsoyi Salman,1983 Range (in code): TR 46
- 4609. *Eupholidoptera excisa* (Karabağ,1952)** (Tettigoniidae) Synonym(s): excisa Karabağ,1952 Range (in code): TR 80
- 4610. *Eupholidoptera helina* Çıplak,2009** (Tettigoniidae) Synonym(s): helina Çıplak,2009 Range (in code): TR 07
- 4611. *Eupholidoptera karabagi* Salman,1983** (Tettigoniidae) Synonym(s): karabagi Salman,1983 Range (in code): TR 07
- 4612. *Eupholidoptera krueperi* (Ramme,1930)** (Tettigoniidae) Synonym(s): krueperi Ramme,1930 Range (in code): TR 16 48
- 4613. *Eupholidoptera lyra* (Uvarov,1942)** (Tettigoniidae) Synonym(s): lyra Uvarov,1942 Range (in code): IL Pa
- 4614. *Eupholidoptera maraschensis* Salman,1983** (Tettigoniidae) Synonym(s): maraschensis Salman,1983 Range (in code): TR 46
- 4615. *Eupholidoptera mersinensis* Salman,1983** (Tettigoniidae) Synonym(s): mersinensis Salman,1983 Range (in code): TR 33
- 4616. *Eupholidoptera palaestinensis* (Ramme,1939)** (Tettigoniidae) Synonym(s): palaestinensis Ramme,1939; hebraea Uvarov,1939 Range (in code): IL Pa
- 4617. *Eupholidoptera peneri* Kaltenbach,1969** (Tettigoniidae) Synonym(s): peneri Kaltenbach,1969; rammei Katbeh-Bader & Massa,2001 [June] Range (in code): IL Pa JO
- 4618. *Eupholidoptera prasina* (Brunner von Wattenwyl,1882)** (Tettigoniidae) Synonym(s): prasina Brunner von Wattenwyl,1882 Range (in code): TR 09 35 45
- 4619. *Eupholidoptera raggei* Salman,1983** (Tettigoniidae) Synonym(s): raggei Salman,1983 Range (in code): TR 01
- 4620. *Eupholidoptera seveti* (Ramme,1933)** (Tettigoniidae) Synonym(s): seveti Ramme,1933 Range (in code): TR 01 31



- 4621. Eupholidoptera smyrnensis (Brunner von Wattenwyl,1882)** (Tettigoniidae) Synonym(s): smyrnensis Brunner-Wattenwyl,1882; festae Giglio-Tos,1914; chabrieri sensu Karabağ nec Charpentier,1825. Range (in code): GR TR LB Bei 09 16 34 35 45 46
- 4622. Eupholidoptera tahtalica (Uvarov,1949)** (Tettigoniidae) Synonym(s): tahtalica Uvarov,1949 Range (in code): TR 07 48
- 4623. Eupholidoptera tasheliensis Çıplak,1999** (Tettigoniidae) Synonym(s): tasheliensis Çıplak,1999 Range (in code): TR 07
- 4624. Eupholidoptera tauricola (Ramme,1930)** (Tettigoniidae) Synonym(s): tauricola Ramme,1930 Range (in code): TR 33
- 4625. Eupholidoptera tucherti Harz,1988** (Tettigoniidae) Synonym(s): tucherti Harz,1988 Range (in code): TR 48
- 4626. Eupholidoptera unimacula Karabağ,1956** (Tettigoniidae) Synonym(s): unimacula Karabağ,1956; femorata Çıplak,1999; #unimaculata Mofidi-Neyestanek & Quicke,2007 Range (in code): TR 33 62
- 4627. Eupholidoptera wernerii Ramme,1951** (Tettigoniidae) Synonym(s): wernerii Ramme,1951 Range (in code): LB SY TR 31
- 4628. Eurycorypha arabica Uvarov,1936** (Tettigoniidae) Synonym(s): arabica Uvarov,1936 Range (in code): SA YE
- 4629. Eurycorypha darlingi Uvarov,1936** (Tettigoniidae) Synonym(s): darlingi Uvarov,1936 Range (in code): YE
- 4630. Exodrymadusa inornata (Uvarov,1936)** (Tettigoniidae) Synonym(s): inornata Uvarov,1936 Range (in code): CY
- 4631. Exopholidoptera brevifemora Ünal,1998** (Tettigoniidae) Synonym(s): brevifemora Ünal,1998 Range (in code): TR 58
- 4632. Farsodectus abaicus Mirzayans,1991** (Tettigoniidae) Synonym(s): abaicus Mirzayans,1991 Range (in code): IR Elb Th
- 4633. Festella festae (Giglio-Tos,1893)** (Tettigoniidae) Synonym(s): festae Giglio-Tos,1893 Range (in code): IL Pa Hf
- 4634. Festella rammei Çıplak,2000** (Tettigoniidae) Synonym(s): rammei Çıplak,2000 Range (in code): TR 01 31
- 4635. Gampsocleis acutipennis Karabağ,1956** (Tettigoniidae) Synonym(s): acutipennis Karabağ,1956 Range (in code): TR 23
- 4636. Gampsocleis glabra (Herbst,1786)** (Tettigoniidae) Synonym(s): prima Schaff,1776; glabra Herbst,1786; gratus Millet,1870; annae Shugurov,1908; podolica Shugurov,1908; alberti Seidl,1937 Range (in code): FR DE CZ SK RO BG Cc RU KG MN
- 4637. Gampsocleis recticauda Werner,1901** (Tettigoniidae) Synonym(s): recticauda Werner,1901 Range (in code): TR 16 35
- 4638. Gampsocleis schelkovnikovae Adelung,1916** (Tettigoniidae) Synonym(s): schelkovnikovae Adelung,1916 Range (in code): TR Cc AM 76
- 4639. Hermoniana blondheimae Broza, Ayal & Pener,2004** (Tettigoniidae) Synonym(s): blondheimae Broza, Ayal & Pener,2004 Range (in code): IL Pa He
- 4640. Hermoniana brozai Ünal,2006** (Tettigoniidae) Synonym(s): brozai Ünal,2006 Range (in code): LB Bsa
- 4641. Homorocoryphus nitidulus (Scopoli,1786)** (Tettigoniidae) Synonym(s): nitidulus Scopoli,1786 Range (in code): TR 08 16 31 76 77
- 4642. Iranusa bampura Uvarov,1942** (Tettigoniidae) Synonym(s): bampura Uvarov,1942 Range (in code): IR
- 4643. Iranusa grisea Ingrisch,1996** (Tettigoniidae) Synonym(s): grisea Ingrisch,1996 Range (in code): PK Abb Pj
- 4644. Iranusa khorassana Uvarov,1942** (Tettigoniidae) Synonym(s): khorassana Uvarov,1942 Range (in code): IR Kh
- 4645. Iranusa uvarovi Ünal,2006** (Tettigoniidae) Synonym(s): uvarovi Ünal,2006 Range (in code): IR
- 4646. Isoimon riabovi (Uvarov,1927)** (Tettigoniidae) Synonym(s): riabovi Uvarov,1927; caspicus Ramme,1929 Range (in code): RU Cc Da IR
- 4647. Isophya acuminata Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): acuminata Brunner von Wattenwyl,1878 Range (in code): RO TR 05 46
- 4648. Isophya adelungi Stshelkanovtzev,1909** (Tettigoniidae) Synonym(s): adelungi Stshelkanovtzev,1909 Range (in code): Cc GG Mng
- 4649. Isophya amplipennis Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): amplipennis Brunner von Wattenwyl,1878 Range (in code): TR 01 05 11 16 22 31 34 37 41 54 55 57 60 63 77
- 4650. Isophya anatolica Ramme,1951** (Tettigoniidae) Synonym(s): anatolica Ramme,1951 Range (in code): TR 07 42
- 4651. Isophya armena Miram,1938** (Tettigoniidae) Synonym(s): armena Miram,1938 Range (in code): Cc AM Eri

- 4652. *Isophya artvin* Ünal,2010** (Tettigoniidae) Synonym(s): artvin Ünal,2010 Range (in code): TR 08
- 4653. *Isophya autumnalis* Karabağ,1962** (Tettigoniidae) Synonym(s): autumnalis Karabağ,1962 Range (in code): TR 61
- 4654. *Isophya bicarinata* Karabağ,1957** (Tettigoniidae) Synonym(s): bicarinata Karabağ,1957; #bicarianata Karabağ,1957 Range (in code): TR 04 12 24 25 65 69
- 4655. *Isophya bivittata* Uvarov,1921** (Tettigoniidae) Synonym(s): bivittata Uvarov,1921 Range (in code): Cc GG Bku Lag
- 4656. *Isophya bumerangoides* Sevgili, Demirsoy & Çıplak,2012** (Tettigoniidae) Synonym(s): bumerangoides Sevgili, Demirsoy & Çıplak,2012 Range (in code): TR
- 4657. *Isophya cania* Karabağ,1975** (Tettigoniidae) Synonym(s): cania Karabağ,1975 Range (in code): TR 10
- 4658. *Isophya gracilis* Miram,1938** (Tettigoniidae) Synonym(s): gracilis Miram,1938; shaposhnikovii Miram,1938; vulgaris Miram,1938 Range (in code): Cc RU Kr
- 4659. *Isophya hakkarica* Karabağ,1962** (Tettigoniidae) Synonym(s): hakkarica Karabağ,1962 Range (in code): TR IQ Su 30
- 4660. *Isophya hemiptera* Bei-Bienko,1954** (Tettigoniidae) Synonym(s): hemiptera Bei-Bienko,1954 Range (in code): TR "Turkey".
- 4661. *Isophya hitit* Ünal,2010** (Tettigoniidae) Synonym(s): hitit Ünal,2010 Range (in code): TR 05 19
- 4662. *Isophya hospodar* (Saussure & Pictet,1898)** (Tettigoniidae) Synonym(s): hospodar Saussure & Pictet,1898; burmevi Nedelkov,1907; tschirpanensis Nedelkov,1907 Range (in code): RO BG TR
- 4663. *Isophya ilkazi* Ramme,1951** (Tettigoniidae) Synonym(s): ilkazi Ramme,1951 Range (in code): TR 06 18 37
- 4664. *Isophya iraca* Maran,1977** (Tettigoniidae) Synonym(s): iraca Maran,1977 Range (in code): IQ
- 4665. *Isophya kalishevskii* Adelung,1907** (Tettigoniidae) Synonym(s): kalishevskii Adelung,1907 Range (in code): Cc GG Abk
- 4666. *Isophya karabagi* Uvarov,1940** (Tettigoniidae) Synonym(s): karabagi Uvarov,1940; #karabaghi Ünal,2005 Range (in code): TR 06 42
- 4667. *Isophya karadenizensis* Ünal,2005** (Tettigoniidae) Synonym(s): karadenizensis Ünal,2005 Range (in code): TR 69
- 4668. *Isophya kosswigi* Demirsoy,1974** (Tettigoniidae) Synonym(s): kosswigi Demirsoy,1974 Range (in code): TR 24 25
- 4669. *Isophya major* Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): major Brunner von Wattenwyl,1878 Range (in code): TR 33 42 51 70
- 4670. *Isophya mavromaustakisi* Uvarov,1936** (Tettigoniidae) Synonym(s): mavromaustakisi Uvarov,1936 Range (in code): CY
- 4671. *Isophya mersinensis* Sevgili & Çıplak,2006** (Tettigoniidae) Synonym(s): mersinensis Sevgili & Çıplak,2006 Range (in code): TR 33
- 4672. *Isophya nervosa* Ramme,1951** (Tettigoniidae) Synonym(s): nervosa Ramme,1951; obtusidens Ramme,1951 Range (in code): TR 06 14 18 26 40 43 50 58 71 78
- 4673. *Isophya obenbergeri* Maran,1958** (Tettigoniidae) Synonym(s): obenbergeri Maran,1958 Range (in code): TR 18
- 4674. *Isophya pavelii* Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): pavelii Brunner von Wattenwyl,1878 Range (in code): TR 06 14 16 34 37 57
- 4675. *Isophya pentheri* Ramme,1951** (Tettigoniidae) Synonym(s): pentheri Ramme,1951 Range (in code): TR 38 46
- 4676. *Isophya rectipennis* Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): rectipennis Brunner von Wattenwyl,1878 Range (in code): TR 06 11 14 16 18 19 26 34 35 37 41 54
- 4677. *Isophya redtenbacheri* Adelung,1907** (Tettigoniidae) Synonym(s): redtenbacheri Adelung,1907; nigrosignata Miram,1938 Range (in code): TR Cc GG Bjo 08
- 4678. *Isophya reticulata* Ramme,1951** (Tettigoniidae) Synonym(s): reticulata Ramme,1951 Range (in code): TR 28
- 4679. *Isophya rizeensis* Sevgili,2003** (Tettigoniidae) Synonym(s): rizeensis Sevgili,2003 Range (in code): TR 53
- 4680. *Isophya rodsjankoi* Bolivar,1899** (Tettigoniidae) Synonym(s): rodsjankoi Bolivar,1899 Range (in code): TR 31 46 62 80
- 4681. *Isophya salmani* Sevgili & Heller,2006** (Tettigoniidae) Synonym(s): salmani Sevgili & Heller,2006 Range (in code): TR 33
- 4682. *Isophya savignyi* Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): savignyi Brunner von Wattenwyl,1878; festae Griffini,1893 Range (in code): LB Bei SY JO IL Pa TR 07 31 46
- 4683. *Isophya schneideri* Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): schneideri Brunner von Wattenwyl,1878; caucasica Uvarov,1921 Range (in code): TR Cc AZ Bak Nv AM GG Tbl Kzb RU 04 05 08 23 24 25 36 46 58 60 71 75

- 4684. *Isophya sikorai* Ramme,1951** (Tettigoniidae) Synonym(s): sikorai Ramme,1951 Range (in code): TR 13 23 56 63
- 4685. *Isophya speciosa* (Frivaldsky,1867)** (Tettigoniidae) Synonym(s): speciosa Frivaldsky,1867; tenuicerca Ramme,1951 Range (in code): RO TR 34 39 55
- 4686. *Isophya splendida* Naskrecki & Ünal,1995** (Tettigoniidae) Synonym(s): splendida Naskrecki & Ünal,1995 Range (in code): TR 31 46
- 4687. *Isophya staneki* Maran,1958** (Tettigoniidae) Synonym(s): staneki Maran,1958 Range (in code): TR 18 37
- 4688. *Isophya stenocauda* Ramme,1951** (Tettigoniidae) Synonym(s): stenocauda Ramme,1951 Range (in code): TR 05 06 19 37 57
- 4689. *Isophya straubei* (Fieber,1853)** (Tettigoniidae) Synonym(s): straubei Fieber,1853 Range (in code): TR 10 16 35 43 45 64
- 4690. *Isophya sureyai* Ramme,1951** (Tettigoniidae) Synonym(s): sureyai Ramme,1951 Range (in code): TR 28 29 55 58 62
- 4691. *Isophya thracica* Karabağ,1962** (Tettigoniidae) Synonym(s): thracica Karabağ,1962 Range (in code): TR 22
- 4692. *Isophya transcaucasica* Ramme,1930** (Tettigoniidae) Synonym(s): transcaucasica Ramme,1930 Range (in code): Cc GG Smt Bku
- 4693. *Isophya triangularis* Brunner von Wattenwyl,1891** (Tettigoniidae) Synonym(s): triangularis Brunner von Wattenwyl,1891 Range (in code): LB SY TR SY Hal
- 4694. *Isophya uludaghensis* Sevgili & Heller,2003** (Tettigoniidae) Synonym(s): uludaghensis Sevgili & Heller,2003 Range (in code): TR 16
- 4695. *Isophya yaraligozi* Ünal,2003** (Tettigoniidae) Synonym(s): yaraligozi Ünal,2003 Range (in code): TR 37
- 4696. *Isophya zernovi* Miram,1938** (Tettigoniidae) Synonym(s): zernovi Miram,1938 Range (in code): Cc GG Aj Btm TR 08 25 29
- 4697. *Koroglus disparalatus* Ünal,2002** (Tettigoniidae) Synonym(s): disparalatus Ünal,2002 Range (in code): TR 14
- 4698. *Kurdia nesterovi* Uvarov,1916** (Tettigoniidae) Synonym(s): nesterovi Uvarov,1916 Range (in code): IR Kd IQ
- 4699. *Kurdia uvarovi* Karabağ,1975** (Tettigoniidae) Synonym(s): uvarovi Karabağ,1975 Range (in code): TR 30
- 4700. *Leptodusa demirsoyi* (Karabağ,1975)** (Tettigoniidae) Synonym(s): demirsoyi Karabağ,1975 Range (in code): TR 24
- 4701. *Leptodusa expugnata* (Uvarov,1917)** (Tettigoniidae) Synonym(s): expugnata Uvarov,1917 Range (in code): TR 21 23 25 31 46
- 4702. *Leptodusa harzi* (Karabağ,1975)** (Tettigoniidae) Synonym(s): harzi Karabağ,1975 Range (in code): TR 31 46
- 4703. *Leptophyes albobittata* (Kollar,1833)** (Tettigoniidae) Synonym(s): albobittata Kollar,1833; foliicauda Fischer von Waldheim,1846; vittata Fischer,1853; pontica Bei-Bienko,1941 Range (in code): TR DE CH AT PL CZ SK RO BG UA RU KG Cc GG Aj 04 05 08 14 18 19 22 25 34 35 36 45 52 55 57 59 60 75 77 81
- 4704. *Leptophyes bolivari* (Kirby,1906)** (Tettigoniidae) Synonym(s): brunneri Bolivar,1899 nec Ret.,1878; bolivari Kirby,1906 Range (in code): TR IL Pa LB SY IQ IR AF 46
- 4705. *Leptophyes festae* Giglio-Tos,1893** (Tettigoniidae) Synonym(s): festae Giglio-Tos,1893 Range (in code): LB SY
- 4706. *Leptophyes helleri* Sevgili,2004** (Tettigoniidae) Synonym(s): helleri Sevgili,2004 Range (in code): TR 48
- 4707. *Leptophyes iranica* (Ramme,1939)** (Tettigoniidae) Synonym(s): iranica Ramme,1939 Range (in code): IR Elb Dam
- 4708. *Leptophyes karanae* Naskrecki & Ünal,1995** (Tettigoniidae) Synonym(s): karanae Naskrecki & Ünal,1995 Range (in code): SY TR 31
- 4709. *Leptophyes nigrovittata* Uvarov,1921** (Tettigoniidae) Synonym(s): nigrovittata Uvarov,1921 Range (in code): Cc GG Lag
- 4710. *Leptophyes peneri* Harz,1970** (Tettigoniidae) Synonym(s): peneri Harz,1970 Range (in code): IL Pa
- 4711. *Leptophyes purpureopunctatus* Garai,2002** (Tettigoniidae) Synonym(s): purpureopunctatus Garai,2002 Range (in code): PK Kag
- 4712. *Leptophyes trivittata* Bei-Bienko,1950** (Tettigoniidae) Synonym(s): trivittata Bei-Bienko,1950 Range (in code): AZ Cc
- 4713. *Lithodusa daghestanica* Bei-Bienko,1951** (Tettigoniidae) Synonym(s): daghestanica Bei-Bienko,1951 Range (in code): RU Cc Da
- 4714. *Lithodusa helverseni* Heller,2009** (Tettigoniidae) Synonym(s): helverseni Heller,2009 Range (in code): TR 25



- 4715. Meconema thalassinum (De Geer,1773)** (Tettigoniidae) Synonym(s): thalassinum De Geer,1773  
Range (in code): NO SE DK GB IE NL BE FR PT ES CH AT CZ SK HU IT SS HV B-H YU PL BY UA RU MD  
RO MK BG GR EE LV Cc TR 14 55
- 4716. Medecticus assimilis (Fieber,1853)** (Tettigoniidae) Synonym(s): assimilis Fieber,1853; syriacus Fieber,1853; #minutus Kaltenbach,1974 Range (in code): RU IL Pa TR Cc GG Tbl SY JO IQ IR Th AF TJ 01 02  
04 06 07 12 21 23 25 27 30 36 44 47 58 62 63 71 79 80
- 4717. Medecticus goliath Uvarov,1923** (Tettigoniidae) Synonym(s): goliath Uvarov,1923 Range (in code): IL Pa
- 4718. Metrioptera (Bicolorana) bicolor (Philippi,1830)** (Tettigoniidae) Synonym(s): bicolor Philippi,1830 Range (in code): FR DE BE NL PL EE CZ SK HU CH AT IT SS HV B-H YU RO BG RU TR KG MN
- 4719. Metrioptera (Bicolorana) burri (Uvarov,1921)** (Tettigoniidae) Synonym(s): burri Uvarov,1921  
Range (in code): TR Cc AZ Kir 36
- 4720. Metrioptera (Broughtonia) arnoldi Ramme,1933** (Tettigoniidae) Synonym(s): arnoldi Ramme,1933 Range (in code): BG TR
- 4721. Metrioptera (Roeseliana) bispina (Bolivar,1899)** (Tettigoniidae) Synonym(s): bispina Bolivar,1899 Range (in code): TR 04 06 10 14 16 21 34 35 42 43 46 65 69 71 77
- 4722. Metrioptera (Roeseliana) fedtschenkoi (Saussure,1874)** (Tettigoniidae) Synonym(s): fedtschenkoi Saussure,1874 Range (in code): TR Cc UZ KG MN RU Sb
- 4723. Metrioptera (Roeseliana) pylnovi Uvarov,1924** (Tettigoniidae) Synonym(s): pylnovi Uvarov,1924 Range (in code): Cc TR GG Smt Bku 08 25 75
- 4724. Metrioptera (Vichetia) oblongicollis (Brunner von Wattenwyl,1882)** (Tettigoniidae) Synonym(s): oblongicollis Brunner von Wattenwyl,1882 Range (in code): YU MK AL GR BG TR 39
- 4725. Microdrymadusa bispina Bei-Bienko,1967** (Tettigoniidae) Synonym(s): bispina Bei-Bienko,1967  
Range (in code): AF Hr
- 4726. Mixodusa bocquilloni (Uvarov,1917)** (Tettigoniidae) Synonym(s): bocquilloni Uvarov,1917  
Range (in code): IR Elb Th
- 4727. Mixodusa sizovi (Uvarov,1929)** (Tettigoniidae) Synonym(s): sizovi Uvarov,1929 Range (in code): IR Elb Th Kdj Fa Qz Qm
- 4728. Nephoptera bienkoi Ragge,1959** (Tettigoniidae) Synonym(s): bienkoi Ragge,1959 Range (in code): IR AF
- 4729. Nephoptera dezfoulani Mirzayans & Morales-Agacino,1972** (Tettigoniidae) Synonym(s): dezfoulani Mirzayans & Morales-Agacino,1972 Range (in code): IR
- 4730. Nephoptera dlabolai Cejchan,1974** (Tettigoniidae) Synonym(s): dlabolai Cejchan,1974 Range (in code): IR Fa
- 4731. Nephoptera persica (Uvarov,1929)** (Tettigoniidae) Synonym(s): persica Uvarov,1929 Range (in code): IR Ke
- 4732. Nephoptera richteri (Bei-Bienko,1958)** (Tettigoniidae) Synonym(s): richteri Bei-Bienko,1958  
Range (in code): IR
- 4733. Nephoptera robusta (Bei-Bienko,1951)** (Tettigoniidae) Synonym(s): robusta Bei-Bienko,1951  
Range (in code): IR Lo
- 4734. Nephoptera tibialis Uvarov,1929** (Tettigoniidae) Synonym(s): tibialis Uvarov,1929 Range (in code): IR Ss PK Ch Cls
- 4735. Novadrymadusa karabagi Demirsoy, Salman & Sevgili,2002** (Tettigoniidae) Synonym(s): karabagi Demirsoy, Salman & Sevgili,2002 Range (in code): TR 30
- 4736. Pachytrachis gracilis (Brunner von Wattenwyl,1861)** (Tettigoniidae) Synonym(s): gracilis Brunner von Wattenwyl,1861 Range (in code): TR IT AT UA YU RO AL MK GR BG 39
- 4737. Paradrymadusa abchazica Stolyarov,1981** (Tettigoniidae) Synonym(s): abchazica Stolyarov,1981  
Range (in code): GG Cc Abk
- 4738. Paradrymadusa aksirayi Karabağ,1952** (Tettigoniidae) Synonym(s): aksirayi Karabağ,1952; #aksirayi Salman,1978 Range (in code): TR 08 25 36
- 4739. Paradrymadusa brevicerca Karabağ,1956** (Tettigoniidae) Synonym(s): brevicerca Karabağ,1956  
Range (in code): TR 08
- 4740. Paradrymadusa fridae Werner,1939** (Tettigoniidae) Synonym(s): fridae Werner,1939 Range (in code): IR Elb Kdj
- 4741. Paradrymadusa jakobsoni Pylnov,1918** (Tettigoniidae) Synonym(s): jakobsoni Pylnov,1918  
Range (in code): Cc
- 4742. Paradrymadusa picta Uvarov,1929** (Tettigoniidae) Synonym(s): picta Uvarov,1929 Range (in code): RU Da Cc
- 4743. Paradrymadusa pontica Ramme,1939** (Tettigoniidae) Synonym(s): pontica Ramme,1939 Range (in code): RU Cc Kr
- 4744. Paradrymadusa sciadophila Stolyarov,1980** (Tettigoniidae) Synonym(s): sciadophila Stolyarov,1980 Range (in code): GG Cc

- 4745. *Paradrymadusa sordida* Herman,1874** (Tettigoniidae) Synonym(s): *sordida* Herman,1874; *gracilis* Uvarov,1929 Range (in code): TR Cc GG RU Da Aky 08
- 4746. *Parapholidoptera antaliae* Nadig,1991** (Tettigoniidae) Synonym(s): *#antalaee* Nadig,1991; *#antalyae* Nadig,1991; *antaliae* Nadig,1991 Range (in code): TR 33
- 4747. *Parapholidoptera belen* Ünal,2006** (Tettigoniidae) Synonym(s): *belen* Ünal,2006 Range (in code): TR 14
- 4748. *Parapholidoptera bolkarensis* Çıplak,2000** (Tettigoniidae) Synonym(s): *bolkarensis* Çıplak,2000 Range (in code): TR 51
- 4749. *Parapholidoptera castaneoviridis* (Brunner von Wattenwyl,1882)** (Tettigoniidae) Synonym(s): *castaneoviridis* Brunner von Wattenwyl,1882; *ornata* Nedelkov,1907 Range (in code): GR BG TR 09 11 16 22 35 45
- 4750. *Parapholidoptera flexuosa* Karabağ,1961** (Tettigoniidae) Synonym(s): *flexuosa* Karabağ,1961 Range (in code): TR 09
- 4751. *Parapholidoptera georgiae* Massa, Buzzetti & Fontana,2009** (Tettigoniidae) Synonym(s): *georgiae* Massa, Buzzetti & Fontana,2009 Range (in code): Cc GG
- 4752. *Parapholidoptera grandis* (Karabağ,1952)** (Tettigoniidae) Synonym(s): *grandis* (Karabağ,1952) Range (in code): TR 07
- 4753. *Parapholidoptera intermixta* Karabağ,1961** (Tettigoniidae) Synonym(s): *intermixta* Karabağ,1961 Range (in code): TR 46
- 4754. *Parapholidoptera kalashiani* Massa, Buzzetti & Fontana,2009** (Tettigoniidae) Synonym(s): *kalashiani* Massa, Buzzetti & Fontana,2009 Range (in code): AM Cc
- 4755. *Parapholidoptera karabagi* Demirsoy,1974** (Tettigoniidae) Synonym(s): *karabagi* Demirsoy,1974 Range (in code): TR 25
- 4756. *Parapholidoptera kosswigi* (Karabağ,1950)** (Tettigoniidae) Synonym(s): *kosswigi* Karabağ,1950 Range (in code): TR 36
- 4757. *Parapholidoptera noxia* (Ramme,1930)** (Tettigoniidae) Synonym(s): *noxia* Ramme,1930 Range (in code): TR 33
- 4758. *Parapholidoptera punctifrons* (Burmeister,1839)** (Tettigoniidae) Synonym(s): *punctifrons* Burmeister,1839; *ehrenbergii* Fieber,1853 Range (in code): SY TR
- 4759. *Parapholidoptera salmani* Çıplak,2000** (Tettigoniidae) Synonym(s): *salmani* Çıplak,2000 Range (in code): TR 60
- 4760. *Parapholidoptera signata* (Brunner von Wattenwyl,1861)** (Tettigoniidae) Synonym(s): *signata* Brunner von Wattenwyl,1861; *indistinctus* Bolivar,1899 Range (in code): TR 07 08 21 27 28 31 33 36 38 43 46 63 80
- 4761. *Parapholidoptera spinulosa* Karabağ,1956** (Tettigoniidae) Synonym(s): *spinulosa* Karabağ,1956 Range (in code): TR 01 05 14 19 37 55 67 78
- 4762. *Parapholidoptera syriaca* (Ramme,1930)** (Tettigoniidae) Synonym(s): *syriaca* Ramme,1930 Range (in code): TR SY LB 31
- 4763. *Parapholidoptera willemsei* Katbeh Bader & Massa,2001** (Tettigoniidae) Synonym(s): *willemsei* Katbeh Bader & Massa,2001 Range (in code): IL Pa JO
- 4764. *Parapholidoptera yoruka* Çıplak,2000** (Tettigoniidae) Synonym(s): *yoruka* Çıplak,2000 Range (in code): TR 33 70
- 4765. *Parapholidoptera ziganensis* Karabağ,1964** (Tettigoniidae) Synonym(s): *ziganensis* Karabağ,1964; *delineata* Stolyarov,1983 Range (in code): TR 08 61
- 4766. *Parapocilimon antalyaensis* Karabağ,1975** (Tettigoniidae) Synonym(s): *antalyaensis* Karabağ,1975 Range (in code): TR 07
- 4767. *Peropyrrhicia parva* Ragge,1980** (Tettigoniidae) Synonym(s): *parva* Ragge,1980 Range (in code): YE
- 4768. *Pezodrymadusa affinis* (Bolivar,1899)** (Tettigoniidae) Synonym(s): *affinis* Bolivar,1899 Range (in code): TR 46 51 58
- 4769. *Pezodrymadusa angorensis* (Uvarov,1930)** (Tettigoniidae) Synonym(s): *angorensis* Uvarov,1930 Range (in code): TR 06 18 23 42 44 71
- 4770. *Pezodrymadusa diffusa* (Ramme,1951)** (Tettigoniidae) Synonym(s): *diffusa* Ramme,1951 Range (in code): TR 51
- 4771. *Pezodrymadusa indivisa* Karabağ,1961** (Tettigoniidae) Synonym(s): *kurmana* sensu Karabağ,1958 nec Rme.,1939; *indivisa* Karabağ,1961 Range (in code): TR 65
- 4772. *Pezodrymadusa karabagi* Ünal,2013** (Tettigoniidae) Synonym(s): *karabagi* Ünal,2013 Range (in code): TR 24
- 4773. *Pezodrymadusa konowi* (Bolivar,1899)** (Tettigoniidae) Synonym(s): *konowi* Bolivar,1899 Range (in code): TR 23 31 46
- 4774. *Pezodrymadusa kurmana* (Ramme,1939)** (Tettigoniidae) Synonym(s): *kurmana* Ramme,1939 Range (in code): TR 44

- 4775. *Pezodrymadusa lata* Karabağ,1961** (Tettigoniidae) Synonym(s): *lata* Karabağ,1961 Range (in code): TR 04 12 36 44
- 4776. *Pezodrymadusa magnifica* (Werner,1901)** (Tettigoniidae) Synonym(s): *magnifica* Werner,1901 Range (in code): TR Cc AZ Nv Ord 36
- 4777. *Pezodrymadusa sinuata* (Ramme,1951)** (Tettigoniidae) Synonym(s): *sinuata* Ramme,1951 Range (in code): TR IR 58
- 4778. *Pezodrymadusa striolata* (Ramme,1951)** (Tettigoniidae) Synonym(s): *striolata* Ramme,1951 Range (in code): TR 51 58
- 4779. *Pezodrymadusa subinermis* Karabağ,1961** (Tettigoniidae) Synonym(s): *subinermis* Karabağ,1961 Range (in code): TR 23
- 4780. *Pezodrymadusa uvarovi* Karabağ,1961** (Tettigoniidae) Synonym(s): *uvarovi* Karabağ,1961 Range (in code): TR 62
- 4781. *Phaneroptera* (Erdemia) *erdemi* Koçak & Kemal,2009** (Tettigoniidae) Synonym(s): *erdemi* Koçak & Kemal,2009 Range (in code): TR 56
- 4782. *Phaneroptera* (Erdemia) *hackeri* Harz,1988** (Tettigoniidae) Synonym(s): *hackeri* Harz,1988 Range (in code): TR 30
- 4783. *Phaneroptera* (s.str.) *albida* Walker,1869** (Tettigoniidae) Synonym(s): *albida* Walker,1869 Range (in code): YE IR
- 4784. *Phaneroptera* (s.str.) *bivittata* Bei-Bienko,1954** (Tettigoniidae) Synonym(s): *bivittata* Bei-Bienko,1954 Range (in code): AM Cc AZ Nv TM PK Ch Cls
- 4785. *Phaneroptera* (s.str.) *cleomis* Ayal, Broza & Pener,1974** (Tettigoniidae) Synonym(s): *cleomis* Ayal, Broza & Pener,1974 Range (in code): EG Sn IL Pa
- 4786. *Phaneroptera* (s.str.) *cretacea* (Uvarov,1929)** (Tettigoniidae) Synonym(s): *cretacea* Uvarov,1929 Range (in code): IR Ss
- 4787. *Phaneroptera* (s.str.) *falcata* (Poda,1761)** (Tettigoniidae) Synonym(s): *falcata* Poda,1761; *libellula* Stoll,1787; *lilifolia* Audinet-Serville,1831; *phyllopteroides* Fischer von Waldheim,1846; *sinensis* Uvarov,1933 Range (in code): ES FR GB DE IT YU HU RO TR UA RU Cc KG CN Ui KP KR JP 08 14 34 61 67 78 81
- 4788. *Phaneroptera* (s.str.) *gracilis* Burmeister,1838** (Tettigoniidae) Synonym(s): *gracilis* Burmeister,1838; *roseata* Walker,1869; *elongata* Brunner von Wattenwyl,1878; *indica* Brunner von Wattenwyl,1878; *marginalis* Brunner von Wattenwyl,1878; *subcarinata* Bolivar,1900 Range (in code): IR Ss EG PK Ch Cls ID Sum Ja IN MM VN ZA NA PH AU QAU CN Sz Gn RU KG TrA T-S KK UZ Tas CN Ui TJ RO
- 4789. *Phaneroptera* (s.str.) *jordanica* Steinmann,1966** (Tettigoniidae) Synonym(s): *jordanica* Steinmann,1966 Range (in code): JO
- 4790. *Phaneroptera* (s.str.) *minima* Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *minima* Brunner von Wattenwyl,1878 Range (in code): EG YE
- 4791. *Phaneroptera* (s.str.) *nana* Fieber,1853** (Tettigoniidae) Synonym(s): *nana* Fieber,1853; *quadripunctata* Brunner von Wattenwyl,1878 Range (in code): PT ES FR IT Sa RO TR 01 06 07 10 16 24 25 31 33 34 35 53 55 61 67 71
- 4792. *Phaneroptera* (s.str.) *sparsa* Stal,1857** (Tettigoniidae) Synonym(s): *sparsa* Stal,1857; *tetrasticta* Gerstaecker,1869; *lurida* Walker,1869; *conspersa* Stal,1874; *punctulata* Burr,1900; *nana* Stöstedt,1901 *nec* Fieb.,1853; *sempunctata* Navas,1928; *tenuicerca* Ramme,1951; *bivittata* Bei-Bienko,1954; *africana* Steinmann,1966 Range (in code): TR LB SY Cc AM AZ Nv Dz TM Kp YE Sna Ad SO ET TZ MA DZ TN LY EG AO ZA Nta Kzu Dbn GN MG ZR UG KE CM NG GA GM ZM BW MZ 08 29 36
- 4793. *Pholidoptera aptera* (Fabricius,1793)** (Tettigoniidae) Synonym(s): *aptera* Fabricius,1793 Range (in code): TR 39
- 4794. *Pholidoptera augustae* Tarbinsky,1940** (Tettigoniidae) Synonym(s): *augustae* Tarbinsky,1940 Range (in code): Cc AZ
- 4795. *Pholidoptera brevipes* Ramme,1939** (Tettigoniidae) Synonym(s): *brevipes* Ramme,1939 Range (in code): TR 14 16
- 4796. *Pholidoptera fallax* (Fischer,1853)** (Tettigoniidae) Synonym(s): *fallax* Fischer,1853 Range (in code): TR 14 53 54 78 81
- 4797. *Pholidoptera femorata* (Fieber,1853)** (Tettigoniidae) Synonym(s): *femorata* Fieber,1853 Range (in code): TR 09 34
- 4798. *Pholidoptera grandis* Karabağ,1952** (Tettigoniidae) Synonym(s): *grandis* Karabağ,1952 Range (in code): TR 07
- 4799. *Pholidoptera griseoptera* (De Geer,1773)** (Tettigoniidae) Synonym(s): *griseoptera* De Geer,1773; *cinereus* Gmelin,1789; *aptera* Charpentier,1825 Range (in code): FR GB NO SE FI EE PL DE CH AT IT YU RO BG GR TR IR Elb Gor Mz 08 14 61 81
- 4800. *Pholidoptera guichardi* Karabağ,1961** (Tettigoniidae) Synonym(s): *guichardi* Karabağ,1961 Range (in code): TR 61
- 4801. *Pholidoptera kalandadzei* Kartsivadze,1949** (Tettigoniidae) Synonym(s): *kalandadzei* Kartsivadze,1949 Range (in code): Cc GG



- 4802. *Pholidoptera kosswigi* Karabağ,1950** (Tettigoniidae) Synonym(s): kosswigi Karabağ,1950 [Range \(in code\): TR 25](#)
- 4803. *Pholidoptera satunini* (Uvarov,1916)** (Tettigoniidae) Synonym(s): satunini Uvarov,1916 [Range \(in code\): AZ Kir Cc](#)
- 4804. *Phonochorion artvinensis* Bei-Bienko,1954** (Tettigoniidae) Synonym(s): artvinensis Bei-Bienko,1954 [Range \(in code\): TR 08](#)
- 4805. *Phonochorion satunini* Uvarov,1916** (Tettigoniidae) Synonym(s): satunini Uvarov,1916 [Range \(in code\): TR Cc GG 08 53](#)
- 4806. *Phonochorion uvarovi* Karabağ,1956** (Tettigoniidae) Synonym(s): uvarovi Karabağ,1956 [Range \(in code\): TR 53 69](#)
- 4807. *Phytodrymadusa gyulaipeteri* Garai,2002** (Tettigoniidae) Synonym(s): gyulaipeteri Garai,2002 [Range \(in code\): PK Ch Bt Deo](#)
- 4808. *Phytodrymadusa hakkarica* Karabağ,1956** (Tettigoniidae) Synonym(s): hakkarica Karabağ,1956 [Range \(in code\): TR 30 73](#)
- 4809. *Phytodrymadusa longipes* (Brunner von Wattenwyl,1882)** (Tettigoniidae) Synonym(s): longipes Brunner von Wattenwyl,1882 [Range \(in code\): TR Cc AZ Kir Nv Ord 65](#)
- 4810. *Phytodrymadusa miramae* (Uvarov,1929)** (Tettigoniidae) Synonym(s): miramae Uvarov,1929; armeniaca Ramme,1939; #miramae Garai,2002 [Range \(in code\): TR Cc AM IR Ak Tbz 36 76](#)
- 4811. *Phytodrymadusa quazvinensis* (Chopard,1921)** (Tettigoniidae) Synonym(s): quazvinensis Chopard,1921 [Range \(in code\): IR Th Qz](#)
- 4812. *Phytodrymadusa variicercis* (Veltishchev,1937)** (Tettigoniidae) Synonym(s): variicercis Veltishchev,1937 [Range \(in code\): Cc AZ](#)
- 4813. *Phytodrymadusa viridipennis* (Stshelkanovtzev,1915)** (Tettigoniidae) Synonym(s): viridipennis Stshelkanovtzev,1915 [Range \(in code\): AZ Len Cc](#)
- 4814. *Phytodrymadusa znojkoï* (Miram,1938)** (Tettigoniidae) Synonym(s): znojkoï Miram,1938 [Range \(in code\): AZ Nv Cc](#)
- 4815. *Platycleis (Decorana) arabica* Popov,1981** (Tettigoniidae) Synonym(s): arabica Popov,1981 [Range \(in code\): SA](#)
- 4816. *Platycleis (Decorana) buxtoni* (Uvarov,1923)** (Tettigoniidae) Synonym(s): buxtoni Uvarov,1923; erecta Uvarov,1939 [Range \(in code\): IL Pa Js](#)
- 4817. *Platycleis (Decorana) capitata* Uvarov,1917** (Tettigoniidae) Synonym(s): capitata Uvarov,1917 [Range \(in code\): IR](#)
- 4818. *Platycleis (Incertana) incerta* Brunner von Wattenwyl,1882** (Tettigoniidae) Synonym(s): incerta Brunner von Wattenwyl,1882 [Range \(in code\): TR GR Cr SY 07 10 16 19 26 27 31 33 34 35 39 45 59 67 74 77 80 81](#)
- 4819. *Platycleis (Incertana) persica* Uvarov,1917** (Tettigoniidae) Synonym(s): persica Uvarov,1917 [Range \(in code\): Cc IR Elb Th TR 05 12 21 23 24 25 27 30 36 44 50 62 63 71 76](#)
- 4820. *Platycleis (Montana) armeniaca* (Ramme,1930)** (Tettigoniidae) Synonym(s): armeniaca Ramme,1930 [Range \(in code\): TR AM Cc 04 36 75](#)
- 4821. *Platycleis (Montana) daghestanica* Uvarov,1917** (Tettigoniidae) Synonym(s): daghestanica Uvarov,1917 [Range \(in code\): Cc Da RU](#)
- 4822. *Platycleis (Montana) decticiformis* (Stshelkanovtzev,1914)** (Tettigoniidae) Synonym(s): decticiformis Stshelkanovtzev,1914 [Range \(in code\): AZ Cc Bak](#)
- 4823. *Platycleis (Montana) elegans* (Uvarov,1934)** (Tettigoniidae) Synonym(s): elegans Uvarov,1934 [Range \(in code\): TR 06 18 24 43 58](#)
- 4824. *Platycleis (Montana) gaskoi* Garai,2011** (Tettigoniidae) Synonym(s): gaskoi Garai,2011 [Range \(in code\): IR Kd](#)
- 4825. *Platycleis (Montana) heinrichi* Ramme,1929** (Tettigoniidae) Synonym(s): heinrichi Ramme,1929 [Range \(in code\): IR Elb Th](#)
- 4826. *Platycleis (Montana) helleri* Çıplak & Taylan,2006** (Tettigoniidae) Synonym(s): helleri Çıplak & Taylan,2006 [Range \(in code\): TR 24](#)
- 4827. *Platycleis (Montana) kure* Ünal,2006** (Tettigoniidae) Synonym(s): kure Ünal,2006 [Range \(in code\): TR 37](#)
- 4828. *Platycleis (Montana) richteri* Bei-Bienko,1958** (Tettigoniidae) Synonym(s): richteri Bei-Bienko,1958 [Range \(in code\): IR Elb Gor](#)
- 4829. *Platycleis (Montana) schereri* Werner,1901** (Tettigoniidae) Synonym(s): schereri Werner,1901; bifoveolata Karabağ,1950 [Range \(in code\): TR 03 06 20 26 35 42 43 45 46 48 58 64 71](#)
- 4830. *Platycleis (Montana) taurica* Bolivar,1899** (Tettigoniidae) Synonym(s): taurica Bolivar,1899 [Range \(in code\): TR 06 19 25 38 42 46 58 66 71](#)
- 4831. *Platycleis (Montana) uvarovi* (Karabağ,1950)** (Tettigoniidae) Synonym(s): uvarovi Karabağ,1950 [Range \(in code\): TR 04 24 25 75](#)
- 4832. *Platycleis (Montana) zanjanica* Garai,2011** (Tettigoniidae) Synonym(s): zanjanica Garai,2011 [Range \(in code\): IR Zj](#)

- 4833. Platycleis (s.str.) affinis Fieber,1853** (Tettigoniidae) Synonym(s): affinis Fieber,1853; boscae Bolivar,1873 Range (in code): **TR GR Rd 01 03 06 10 14 15 16 18 20 24 26 27 32 33 34 35 38 42 43 44 45 46 51 58 70 71**
- 4834. Platycleis (s.str.) albopunctata (Goeze,1778)** (Tettigoniidae) Synonym(s): albopunctata Goeze,1778; denticulata Panzer,1796; falcata Zetterstedt,1821; biedermaani Wolff,1911; occidentalis Zeuner,1930; jerseyana Zeuner,1940 Range (in code): **ES TR DE GR Cr 35 41 46 80**
- 4835. Platycleis (s.str.) escalerae Bolivar,1899** (Tettigoniidae) Synonym(s): escalerae Bolivar,1899; iphigeniae Adelung,1907; iranica Ramme,1929; graeca Harz,1966; #escaleraia Salman,1978 Range (in code): **TR Cc AZ Nv Ord SY IR Ak Ab Elb Th IL Pa 01 04 06 08 14 21 27 31 35 36 44 46 63 73 76**
- 4836. Platycleis (s.str.) grisea (Fabricius,1781)** (Tettigoniidae) Synonym(s): grisea Fabricius,1781 Range (in code): **TR Cm 35 46 80**
- 4837. Platycleis (s.str.) intermedia (Audinet-Serville,[1839])** (Tettigoniidae) Synonym(s): intermedia Audinet-Serville,[1839]; tessellatus Fischer von Waldheim,1846; krinicki Fischer von Waldheim,1846; transiens Ramme,1951 Range (in code): **MA Cc TR SY Dms IT Si Sa FR RO EG Sn JO IQ RU KG MN PK 01 03 04 06 07 08 09 10 12 13 14 15 16 18 20 21 23 24 25 26 27 30 31 32 33 34 35 36 37 38 39 42 43 44 45 46 47 48 50 51 54 56 58 59 60 61 62 63 65 67 71 76 78 81**
- 4838. Platycleis (s.str.) kabulica Bei-Bienko,1967** (Tettigoniidae) Synonym(s): kabulica Bei-Bienko,1967 Range (in code): **AF Kab**
- 4839. Platycleis (s.str.) kibris Ünal,2012** (Tettigoniidae) Synonym(s): kibris Ünal,2012 Range (in code): **CY**
- 4840. Platycleis (s.str.) latitabunda Stolyarov,1968** (Tettigoniidae) Synonym(s): latitabunda Stolyarov,1968 Range (in code): **AF**
- 4841. Platycleis (Semenoviana) afghana (Ramme,1939)** (Tettigoniidae) Synonym(s): afghana Ramme,1939 Range (in code): **AF**
- 4842. Platycleis (Sepiana) sepium (Yersin,1854)** (Tettigoniidae) Synonym(s): sepium Yersin,1854 Range (in code): **FR TR 10 34 35 55 81**
- 4843. Platycleis (Sporadiana) sporadarum Werner,1933** (Tettigoniidae) Synonym(s): sporadarum Werner,1933; brevipes Uvarov,1934 Range (in code): **GR TR 17 35**
- 4844. Platycleis (Squamiana) ankarensis (Karabağ,1950)** (Tettigoniidae) Synonym(s): ankarensis Karabağ,1950 Range (in code): **TR 06 14**
- 4845. Platycleis (Squamiana) irritans Ramme,1951** (Tettigoniidae) Synonym(s): irritans Ramme,1951 Range (in code): **TR Cc AM 65 76**
- 4846. Platycleis (Squamiana) kurmana (Ramme,1951)** (Tettigoniidae) Synonym(s): kurmana Ramme,1951 Range (in code): **TR 21 23 44 63**
- 4847. Platycleis (Squamiana) melendisensis Çıplak,2002** (Tettigoniidae) Synonym(s): melendisensis Çıplak,2002 Range (in code): **TR 38 51 60**
- 4848. Platycleis (Squamiana) salmani Çıplak,2002** (Tettigoniidae) Synonym(s): salmani Çıplak,2002 Range (in code): **TR 01 46 58**
- 4849. Platycleis (Squamiana) sinuata Ramme,1951** (Tettigoniidae) Synonym(s): sinuata Ramme,1951 Range (in code): **TR 05 06 24 31 40 44 46 50 51 58 63 66**
- 4850. Platycleis (Squamiana) weidneri Demirsoy,1974** (Tettigoniidae) Synonym(s): weidneri Demirsoy,1974; erzuruma Demirsoy,1975 Range (in code): **TR 24 25**
- 4851. Platycleis (Tessellana) nigrosignata (Costa,1863)** (Tettigoniidae) Synonym(s): nigrosignata Costa,1863 Range (in code): **IT TR 03 09 10 14 15 16 20 34 35 39 43 45 54 59 71**
- 4852. Platycleis (Tessellana) tessellata (Charpentier,1825)** (Tettigoniidae) Synonym(s): tessellata Charpentier,1825; emrahi Koçak,1984 Range (in code): **DZ TN IR IL Pa Cc RU TR 21 27 63**
- 4853. Platycleis (Tessellana) veyseli Koçak,1984** (Tettigoniidae) Synonym(s): vittata Charpentier,1825 (praeocc.); veyseli Koçak,1984 Range (in code): **AT DE HU RO Cc TR Cm IR RU TM KG KK TJ Sb 04 08 25 36 39 76**
- 4854. Platycleis (Yalvaciana) yalvacı (Demirsoy,1974)** (Tettigoniidae) Synonym(s): yalvacı Demirsoy,1974 Range (in code): **TR 25**
- 4855. Poecilimon (Hamatopoecilimon) hamatus Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): hamatus Brunner von Wattenwyl,1878; kattabica Giglio-Tos,1914 Range (in code): **TR GR Rd 09 35 48**
- 4856. Poecilimon (Hamatopoecilimon) unispinosus Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): unispinosus Brunner von Wattenwyl,1878 Range (in code): **TR 35**
- 4857. Poecilimon (s.str.) adentatus Ramme,1933** (Tettigoniidae) Synonym(s): adentatus Ramme,1933 Range (in code): **TR 06 41**
- 4858. Poecilimon (s.str.) amissus Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): amissus Brunner von Wattenwyl,1878; smyrnensis Brunner von Wattenwyl,1891 Range (in code): **TR GR Ae BG YU 09 12 16 35 45 48**
- 4859. Poecilimon (s.str.) anatolicus Ramme,1933** (Tettigoniidae) Synonym(s): anatolicus Ramme,1933; rufonitens Ingrisch & Pavicevic,1985 Range (in code): **TR AF IR IQ SY IL Pa GR 16 34 59**

- 4860. *Poecilimon* (s.str.) *angulatus* Uvarov,1939** (Tettigoniidae) Synonym(s): *angulatus* Uvarov,1939 Range (in code): TR 20
- 4861. *Poecilimon* (s.str.) *armeniaca* (Uvarov,1921)** (Tettigoniidae) Synonym(s): *armeniaca* Uvarov,1921 Range (in code): TR 04 12 19 25 36
- 4862. *Poecilimon* (s.str.) *ataturki* Ünal,1999** (Tettigoniidae) Synonym(s): *ataturki* Ünal,1999 Range (in code): TR 14 37
- 4863. *Poecilimon* (s.str.) *azdavayi* Ünal,2003** (Tettigoniidae) Synonym(s): *azdavayi* Ünal,2003 Range (in code): TR 37
- 4864. *Poecilimon* (s.str.) *bidens* Retowski,1889** (Tettigoniidae) Synonym(s): *bidens* Retowski,1889 Range (in code): TR 34
- 4865. *Poecilimon* (s.str.) *bifenestratus* Miram,1929** (Tettigoniidae) Synonym(s): *bifenestratus* Miram,1929 Range (in code): Cc RU Kr
- 4866. *Poecilimon* (s.str.) *bilgeri* Karabağ,1953** (Tettigoniidae) Synonym(s): *bilgeri* Karabağ,1953 Range (in code): TR 07 09
- 4867. *Poecilimon* (s.str.) *birandi* Karabağ,1950** (Tettigoniidae) Synonym(s): *birandi* Karabağ,1950 Range (in code): TR 07 48
- 4868. *Poecilimon* (s.str.) *bischoffi* Ramme,1933** (Tettigoniidae) Synonym(s): *bischoffi* Ramme,1933 Range (in code): TR 61
- 4869. *Poecilimon* (s.str.) *bosphoricus* Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *bosphoricus* Brunner von Wattenwyl,1878 Range (in code): TR 14 18 34
- 4870. *Poecilimon* (s.str.) *brunneri* (Frivaldsky,1867)** (Tettigoniidae) Synonym(s): *brunneri* Frivaldsky,1867 Range (in code): TR 39
- 4871. *Poecilimon* (s.str.) *celebi* Karabağ,1953** (Tettigoniidae) Synonym(s): *celebi* Karabağ,1953 Range (in code): TR 37 78
- 4872. *Poecilimon* (s.str.) *cervoides* Karabağ,1964** (Tettigoniidae) Synonym(s): *cervoides* Karabağ,1964 Range (in code): TR 66
- 4873. *Poecilimon* (s.str.) *cervus* Karabağ,1950** (Tettigoniidae) Synonym(s): *cervus* Karabağ,1950 Range (in code): TR 06 14 19 37 55
- 4874. *Poecilimon* (s.str.) *chostae* Stshelkanovtzev,1935** (Tettigoniidae) Synonym(s): *chostae* Stshelkanovtzev,1935 Range (in code): Cc RU Kr Soc
- 4875. *Poecilimon* (s.str.) *concinus* Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *concinus* Brunner von Wattenwyl,1878 Range (in code): TR 05
- 4876. *Poecilimon* (s.str.) *davisi* Karabağ,1953** (Tettigoniidae) Synonym(s): *davisi* Karabağ,1953 Range (in code): TR 07 42
- 4877. *Poecilimon* (s.str.) *demirsoyi* Sevgili,2001** (Tettigoniidae) Synonym(s): *demirsoyi* Sevgili,2001 Range (in code): TR 07 15 37 42
- 4878. *Poecilimon* (s.str.) *distinctus* Stshelkanovtzev,1909** (Tettigoniidae) Synonym(s): *distinctus* Stshelkanovtzev,1909 Range (in code): AZ Cc
- 4879. *Poecilimon* (s.str.) *diversus* Ünal,2010** (Tettigoniidae) Synonym(s): *diversus* Ünal,2010 Range (in code): TR 16
- 4880. *Poecilimon* (s.str.) *djakonovi* Miram,1938** (Tettigoniidae) Synonym(s): *djakonovi* Miram,1938 Range (in code): TR Cc RU Kr
- 4881. *Poecilimon* (s.str.) *djakonovi* Miram,1938** (Tettigoniidae) Synonym(s): *djakonovi* Miram,1938 Range (in code): RU Cc
- 4882. *Poecilimon* (s.str.) *doga* Ünal,2004** (Tettigoniidae) Synonym(s): *doga* Ünal,2004 Range (in code): TR 43
- 4883. *Poecilimon* (s.str.) *ege* Ünal,2005** (Tettigoniidae) Synonym(s): *ege* Ünal,2005 Range (in code): TR 09
- 4884. *Poecilimon* (s.str.) *ersisi* Salman,1978** (Tettigoniidae) Synonym(s): *ersisi* Salman,1978 Range (in code): TR 08
- 4885. *Poecilimon* (s.str.) *eskishehirensis* Ünal,2003** (Tettigoniidae) Synonym(s): *eskishehirensis* Ünal,2003 Range (in code): TR 03 26 43
- 4886. *Poecilimon* (s.str.) *excisus* Karabağ,1950** (Tettigoniidae) Synonym(s): *excisus* Karabağ,1950 Range (in code): TR 06 42 51
- 4887. *Poecilimon* (s.str.) *ferwillemsi* Ünal,2010** (Tettigoniidae) Synonym(s): *ferwillemsi* Ünal,2010 Range (in code): TR 26
- 4888. *Poecilimon* (s.str.) *flavescens* (Herrich-Schäffer,1838)** (Tettigoniidae) Synonym(s): *flavescens* Herrich-Schäffer,1838 Range (in code): Cc GG RU
- 4889. *Poecilimon* (s.str.) *geoktschajcus* Stshelkanovtzev,1910** (Tettigoniidae) Synonym(s): *geoktschajcus* Stshelkanovtzev,1910; *zawadskyi* Stshelkanovtzev,1910 Range (in code): Cc AZ
- 4890. *Poecilimon* (s.str.) *glandifer* Karabağ,1950** (Tettigoniidae) Synonym(s): *glandifer* Karabağ,1950 Range (in code): TR 06 55 71



- 4891. Poecilimon (s.str.) guichardi Karabağ,1964** (Tettigoniidae) Synonym(s): guichardi Karabağ,1964 Range (in code): TR 33
- 4892. Poecilimon (s.str.) harveyi Karabağ,1964** (Tettigoniidae) Synonym(s): harveyi Karabağ,1964 Range (in code): TR 25
- 4893. Poecilimon (s.str.) hatti Ünal,2004** (Tettigoniidae) Synonym(s): hatti Ünal,2004 Range (in code): TR 05
- 4894. Poecilimon (s.str.) haydari Ramme,1951** (Tettigoniidae) Synonym(s): haydari Ramme,1951 Range (in code): TR 03 51
- 4895. Poecilimon (s.str.) heinrichi Ramme,1951** (Tettigoniidae) Synonym(s): heinrichi Ramme,1951 Range (in code): TR 39
- 4896. Poecilimon (s.str.) inflatus Brunner von Wattenwyl,1891** (Tettigoniidae) Synonym(s): inflatus Brunner von Wattenwyl,1891 Range (in code): TR 06 09 48
- 4897. Poecilimon (s.str.) inopinatus Ünal,2010** (Tettigoniidae) Synonym(s): inopinatus Ünal,2010 Range (in code): TR 38
- 4898. Poecilimon (s.str.) istanbul Ünal,2010** (Tettigoniidae) Synonym(s): istanbul Ünal,2010 Range (in code): TR 34
- 4899. Poecilimon (s.str.) iucundus Ünal,2003** (Tettigoniidae) Synonym(s): iucundus Ünal,2003 Range (in code): TR 18
- 4900. Poecilimon (s.str.) izmirnensis Ramme,1933** (Tettigoniidae) Synonym(s): izmirnensis Ramme,1933 Range (in code): TR 35
- 4901. Poecilimon (s.str.) karabagi (Ramme,1942)** (Tettigoniidae) Synonym(s): karabagi Ramme,1942 Range (in code): TR 06
- 4902. Poecilimon (s.str.) karabukensis Ünal,2003** (Tettigoniidae) Synonym(s): karabukensis Ünal,2003 Range (in code): TR 78
- 4903. Poecilimon (s.str.) karakushi Ünal,2003** (Tettigoniidae) Synonym(s): karakushi Ünal,2003 Range (in code): TR 32
- 4904. Poecilimon (s.str.) kocaki Ünal,1999** (Tettigoniidae) Synonym(s): kocaki Ünal,1999 Range (in code): TR 14 41 54
- 4905. Poecilimon (s.str.) kutahiensis Werner,1901** (Tettigoniidae) Synonym(s): kutahiensis Werner,1901; rammeanus Karabağ,1953 Range (in code): TR 16 26 41 43
- 4906. Poecilimon (s.str.) ledereri Ramme,1933** (Tettigoniidae) Synonym(s): ledereri Ramme,1933; tuncayi Karabağ,1953 Range (in code): TR 09 35
- 4907. Poecilimon (s.str.) lodosi Harz,1975** (Tettigoniidae) Synonym(s): lodosi Harz,1975 Range (in code): TR 45
- 4908. Poecilimon (s.str.) longicercus Ünal,2010** (Tettigoniidae) Synonym(s): longicercus Ünal,2010 Range (in code): TR 19
- 4909. Poecilimon (s.str.) luschni Ramme,1933** (Tettigoniidae) Synonym(s): luschni Ramme,1931 Range (in code): TR 07 43
- 4910. Poecilimon (s.str.) marmaraensis Naskrecki,1992** (Tettigoniidae) Synonym(s): marmaraensis Naskrecki,1992 Range (in code): TR 43 59
- 4911. Poecilimon (s.str.) martinae Heller,2004** (Tettigoniidae) Synonym(s): martinae Heller,2004 Range (in code): TR 07 48
- 4912. Poecilimon (s.str.) minutus Karabağ,1975** (Tettigoniidae) Synonym(s): minutus Karabağ,1975 Range (in code): TR 45
- 4913. Poecilimon (s.str.) miramae Ramme,1933** (Tettigoniidae) Synonym(s): miramae Ramme,1933 Range (in code): TR 14 34 54 59 77
- 4914. Poecilimon (s.str.) mytilenensis Werner,1932** (Tettigoniidae) Synonym(s): mytilenensis Werner,1932; brevicauda Werner,1932 Range (in code): GR Les TR
- 4915. Poecilimon (s.str.) naskrecki Ünal,2001** (Tettigoniidae) Synonym(s): naskrecki Ünal,2001 Range (in code): TR 14
- 4916. Poecilimon (s.str.) neglectus Ramme,1931** (Tettigoniidae) Synonym(s): neglectus Ramme,1931 Range (in code): TR 05
- 4917. Poecilimon (s.str.) obtusicercus Heller, Sevgili & Reinhold,2008** (Tettigoniidae) Synonym(s): obtusicercus Heller, Sevgili & Reinhold,2008 Range (in code): TR 20 32
- 4918. Poecilimon (s.str.) oligacanthus Miram,1938** (Tettigoniidae) Synonym(s): oligacanthus Miram,1938; paramonovi Ramme,1951 Range (in code): RU Cc
- 4919. Poecilimon (s.str.) pergamicus Brunner von Wattenwyl,1891** (Tettigoniidae) Synonym(s): pergamicus Brunner von Wattenwyl,1891 Range (in code): TR 35
- 4920. Poecilimon (s.str.) pulcher Brunner von Wattenwyl,1891** (Tettigoniidae) Synonym(s): pulcher Brunner von Wattenwyl,1891 Range (in code): TR 35
- 4921. Poecilimon (s.str.) rammei Miram,1938** (Tettigoniidae) Synonym(s): rammei Miram,1938 Range (in code): TR 08

- 4922. Poecilimon (s.str.) sanctipauli Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): sanctipauli Brunner von Wattenwyl,1878 Range (in code): TR 07 09 35 45 48
- 4923. Poecilimon (s.str.) schmidtii (Fieber,1853)** (Tettigoniidae) Synonym(s): schmidtii Fieber,1853; zolotarewi Stshelkanovtzev,1910 Range (in code): YU B-H HV BG GR RO Cc RU Kc Teb TR 08 53
- 4924. Poecilimon (s.str.) serratus Karabağ,1962** (Tettigoniidae) Synonym(s): serratus Karabağ,1962 Range (in code): TR 16
- 4925. Poecilimon (s.str.) similis Retowski,1889** (Tettigoniidae) Synonym(s): similis Retowski,1889; caucasicus Adelung,1907; richteri Ramme,1933 Range (in code): TR Cc GG Abk Bku Aj Btm 08 14 57 75
- 4926. Poecilimon (s.str.) solus Ünal,2010** (Tettigoniidae) Synonym(s): solus Ünal,2010 Range (in code): TR 03
- 4927. Poecilimon (s.str.) sureyanus Uvarov,1930** (Tettigoniidae) Synonym(s): sureyanus Uvarov,1930 Range (in code): TR 08 16 41 54
- 4928. Poecilimon (s.str.) syriacus Brunner von Wattenwyl,1891** (Tettigoniidae) Synonym(s): syriacus Brunner von Wattenwyl,1891; raggei Karabağ,1975 Range (in code): TR IL Pa Js LB Bei 13 31 33 46 47 63
- 4929. Poecilimon (s.str.) tauricola Ramme,1951** (Tettigoniidae) Synonym(s): tauricola Ramme,1951 Range (in code): TR 08 33
- 4930. Poecilimon (s.str.) tereckensis Stshelkanovtzev,1909** (Tettigoniidae) Synonym(s): tereckensis Stshelkanovtzev,1909 Range (in code): RU Cc
- 4931. Poecilimon (s.str.) tevfikarabagi Ünal,2005** (Tettigoniidae) Synonym(s): karabagi Ünal,2003 nec Rme.,1942; tevfikarabagi Ünal,2005 Range (in code): TR 14 78
- 4932. Poecilimon (s.str.) thoracicus (Fieber,1853)** (Tettigoniidae) Synonym(s): thoracicus Fieber,1853 Range (in code): TR 22
- 4933. Poecilimon (s.str.) toros Ünal,2003** (Tettigoniidae) Synonym(s): toros Ünal,2003 Range (in code): TR 07
- 4934. Poecilimon (s.str.) tricusps Miram,1926** (Tettigoniidae) Synonym(s): tricusps Miram,1926 Range (in code): TR Cc RU Nt
- 4935. Poecilimon (s.str.) tschorochensis Adelung,1907** (Tettigoniidae) Synonym(s): tschorochensis Adelung,1907 Range (in code): TR 08
- 4936. Poecilimon (s.str.) turciae (Ramme,1951)** (Tettigoniidae) Synonym(s): turciae Ramme,1951 Range (in code): TR 16 41
- 4937. Poecilimon (s.str.) turcicus Karabağ,1950** (Tettigoniidae) Synonym(s): turcicus Karabağ,1950 Range (in code): TR 16
- 4938. Poecilimon (s.str.) uvarovi Ramme,1933** (Tettigoniidae) Synonym(s): uvarovi Ramme,1933 Range (in code): TR 06 14 40 71
- 4939. Poecilimon (s.str.) variicercis Miram,1938** (Tettigoniidae) Synonym(s): variicercis Miram,1938 Range (in code): TR 25 36
- 4940. Poecilimon (s.str.) xenocercus Karabağ,1956** (Tettigoniidae) Synonym(s): xenocercus Karabağ,1956 Range (in code): TR 19
- 4941. Poecilimon (s.str.) zimmeri Ramme,1933** (Tettigoniidae) Synonym(s): zimmeri Ramme,1933 Range (in code): TR 34
- 4942. Poecilimon (s.str.) zonatus Bolivar,1899** (Tettigoniidae) Synonym(s): zonatus Bolivar,1899; poltoratskyi Uvarov,1917 Range (in code): TR 01 06 07 12 13 24 25 44 46 48 51 62
- 4943. Polysarcus denticaudus (Charpentier,1825)** (Tettigoniidae) Synonym(s): denticaudus Charpentier,1825; lixoniensis Saulcy,1887 Range (in code): FR ES HU TR BG 39
- 4944. Polysarcus elbursianus (Uvarov,1930)** (Tettigoniidae) Synonym(s): elbursianus Uvarov,1930; rechingeri Werner,1939 Range (in code): IR Elb Dam TR 65
- 4945. Polysarcus zacharovi (Stshelkanovtsev,1909)** (Tettigoniidae) Synonym(s): zacharovi Stshelkanovtsev,1909 Range (in code): TR Cc GG Mng 04 30 36 49 76
- 4946. Polysarcus zigana Ünal & Chobanov,2013** (Tettigoniidae) Synonym(s): zigana Ünal & Chobanov,2013 Range (in code): TR 28 61
- 4947. Psorodonotus anatolicus Karabağ,1952** (Tettigoniidae) Synonym(s): anatolicus Karabağ,1952 Range (in code): TR 45
- 4948. Psorodonotus caucasicus (Fischer von Waldheim,1846)** (Tettigoniidae) Synonym(s): caucasicus Fischer von Waldheim,1846; uvarovi Ebner,1923 Range (in code): Cc TR 04 28 75 76
- 4949. Psorodonotus davisii Karabağ,1956** (Tettigoniidae) Synonym(s): davisii Karabağ,1956 Range (in code): TR 28 53
- 4950. Psorodonotus ebneri Karabağ,1952** (Tettigoniidae) Synonym(s): ebneri Karabağ,1952 Range (in code): TR 07
- 4951. Psorodonotus hakkari Kaya, Korkmaz & Çıplak,2013** (Tettigoniidae) Synonym(s): hakkari Kaya, Korkmaz & Çıplak,2013 Range (in code): TR 30
- 4952. Psorodonotus rugulosus Karabağ,1952** (Tettigoniidae) Synonym(s): rugulosus Karabağ,1952 Range (in code): TR 25

- 4953. *Psorodonotus salmani* Ünal,2013** (Tettigoniidae) Synonym(s): salmani Ünal,2013 Range (in code): TR 01
- 4954. *Psorodonotus soganli* Ünal,2013** (Tettigoniidae) Synonym(s): soganli Ünal,2013 Range (in code): TR 29 53
- 4955. *Psorodonotus specularis* (Fischer von Waldheim,1839)** (Tettigoniidae) Synonym(s): specularis Fischer von Waldheim,1839; inermis Ramme,1951 Range (in code): TR UA Cm Cc GG AZ RU AM Eri 08 36 53 75
- 4956. *Psorodonotus suphani* Taylan & Şirin,2014** (Tettigoniidae) Synonym(s): suphani Taylan & Şirin,2014 Range (in code): TR 13
- 4957. *Psorodonotus tendürek* Kaya, Korkmaz & Çıplak,2013** (Tettigoniidae) Synonym(s): tendürek Kaya, Korkmaz & Çıplak,2013 Range (in code): TR 65
- 4958. *Psorodonotus venosus* (Fischer von Waldheim,1839)** (Tettigoniidae) Synonym(s): venosus Fischer von Waldheim,1839 Range (in code): TR AZ Kir GG AM Cc RU Sb
- 4959. *Raggeana bodenheimeri* (Uvarov,1927)** (Tettigoniidae) Synonym(s): bodenheimeri Uvarov,1927 Range (in code): IL Pa
- 4960. *Rammeola anatolica* Uvarov,1934** (Tettigoniidae) Synonym(s): anatolica Uvarov,1934 Range (in code): TR 07 42
- 4961. *Rhacocleis acutangula* Karabağ,1957** (Tettigoniidae) Synonym(s): acutangula Karabağ,1957 Range (in code): GR TR 10 17
- 4962. *Rhacocleis anatolica* Werner,1933** (Tettigoniidae) Synonym(s): anatolica Werner,1933 Range (in code): TR 35
- 4963. *Rhacocleis ayali* Karabağ,1974** (Tettigoniidae) Synonym(s): ayali Karabağ,1974 Range (in code): IL Pa
- 4964. *Rhacocleis germanica* (Herrich-Schäffer,1840)** (Tettigoniidae) Synonym(s): germanica Herrich-Schäffer,1840 Range (in code): TR 09 16 34 39 41 54 81
- 4965. *Rhacocleis tuberculata* Karabağ,1978** (Tettigoniidae) Synonym(s): tuberculata Karabağ,1978 Range (in code): TR 07
- 4966. *Rhacocleis turcica* (Uvarov,1930)** (Tettigoniidae) Synonym(s): turcica Uvarov,1930 Range (in code): TR 03 06 10 14 18 35 42 45 50 67 71
- 4967. *Ruspolia nitidula* (Scopoli,1786)** (Tettigoniidae) Synonym(s): nitidula Scopoli,1786; tuberculata Rossi,1790; erythrosoma St.Fargeau & Serville,1825; mandibularis Charpentier,1825; ambiguus Stal,1876; macroptercus Bolivar,1890; minor Bolivar,1890; eurostratus Jannone,1936 Range (in code): FR DE AT CZ HU IT Sa YU HV B-H BG RO TR JO IR YE RU KG ZA 01 05 06 08 16 31 33 34 36 37 39 41 53 55 59 61 64 67 71 78 81
- 4968. *Saga beieri* Kaltenbach,1967** (Tettigoniidae) Synonym(s): lucasi Ramme,1951 nec Sauss.,1888; beieri Kaltenbach,1967 Range (in code): TR SY 31
- 4969. *Saga campbelli* Uvarov,1921** (Tettigoniidae) Synonym(s): campbelli Uvarov,1921 Range (in code): GR RO TR 17
- 4970. *Saga cappadocica* Werner,1903** (Tettigoniidae) Synonym(s): cappadocica Werner,1903 Range (in code): TR 01 03 06 07 10 17 19 33 42 43 46 50 51 71
- 4971. *Saga ephippigera* Fischer von Waldheim,1846** (Tettigoniidae) Synonym(s): ephippigera Fischer von Waldheim,1846; syriaca Lucas,1864; monstrosa Krauss,1878; uvarovi Ramme,1951 Range (in code): Cc AM Eri AZ Kir Nv Ord GG Aj Btm TR SY Hal LB IL Js Pa JO IR Elb Th IQ Mos Bgd 01 02 04 08 12 13 21 23 24 25 27 30 31 36 38 44 46 47 48 49 56 62 63 65 73 76 80
- 4972. *Saga ledereri* Saussure,1888** (Tettigoniidae) Synonym(s): ornata Krauss,1879 nec Burm.,1838; ledereri Saussure,1888; kraussi Kirby,1906 Range (in code): LB Bei TR
- 4973. *Saga longicaudata* Krauss,1879** (Tettigoniidae) Synonym(s): longicaudata Krauss,1879 Range (in code): TR 01 33 80
- 4974. *Saga natoliae* Audinet-Serville,1839** (Tettigoniidae) Synonym(s): onos Stoll,1787 nec Pall.,1772; synophrys Charpentier,1841; natoliae Audinet-Serville,1839; brunneri Saussure,1888 Range (in code): AL MK BG TR SY IL Pa 01 07 09 10 16 17 21 31 33 34 35 39 45 46 48
- 4975. *Saga ornata* Burmeister,1838** (Tettigoniidae) Synonym(s): ornata Burmeister,1838; lucasi Saussure,1888; savignyi Saussure,1888; gracilipes Uvarov,1923 Range (in code): TR LB Bei EG 01 31 33
- 4976. *Saga pedo* (Pallas,1771)** (Tettigoniidae) Synonym(s): pedo Pallas,1771; giganteus Villers,1789; serrata Fabricius,1793; nudipes Fischer von Waldheim,1830; vittata Fischer von Waldheim,1830; italica Costa & Costa,1871 Range (in code): FR IT Co YU GR BG TR? RO UA RU KG 46?
- 4977. *Saga puella* Werner,1901** (Tettigoniidae) Synonym(s): puella Werner,1901 Range (in code): TR 06 09 16 35 38
- 4978. *Saga rhodiensis* Salfi,1929** (Tettigoniidae) Synonym(s): rhodiensis Salfi,1929 Range (in code): GR Rd TR 07 42 48
- 4979. *Schizonotinus crassicera* (Tarbinsky,1940)** (Tettigoniidae) Synonym(s): crassicera Tarbinsky,1940 Range (in code): Cc RU
- 4980. *Schizonotinus forficalis* Bei-Bienko,1951** (Tettigoniidae) Synonym(s): forficalis Bei-Bienko,1951 Range (in code): Cc RU



- 4981. Schizonotinus kerketa (Uvarov,1917)** (Tettigoniidae) Synonym(s): kerketa Uvarov,1917; caucasicus Ramme,1948 Range (in code): Cc GG Abk RU
- 4982. Scotodrymadusa annulicornis (Uvarov,1922)** (Tettigoniidae) Synonym(s): annulicornis Uvarov,1922 Range (in code): IL Pa Hf
- 4983. Scotodrymadusa ebneri Ramme,1939** (Tettigoniidae) Synonym(s): ebneri Ramme,1939 Range (in code): LB Bsa
- 4984. Scotodrymadusa maculata (Ebner,1912)** (Tettigoniidae) Synonym(s): maculata Ebner,1912 Range (in code): TR 21 47 63
- 4985. Scotodrymadusa ozkani Erman & Salman,1990** (Tettigoniidae) Synonym(s): ozkani Erman & Salman,1990 Range (in code): TR 23
- 4986. Scotodrymadusa persa (Uvarov,1917)** (Tettigoniidae) Synonym(s): persa Uvarov,1917 Range (in code): IR Elb Th
- 4987. Scotodrymadusa persica (Chopard,1921)** (Tettigoniidae) Synonym(s): persica Chopard,1921 Range (in code): IR Qz
- 4988. Scotodrymadusa philbyi (Uvarov,1927)** (Tettigoniidae) Synonym(s): philbyi Uvarov,1927; palaestina Uvarov,1939 Range (in code): IL Pa Js JO SY TR IQ IR AF
- 4989. Scotodrymadusa syriaca (Pictet,1888)** (Tettigoniidae) Synonym(s): syriaca Pictet,1888; anatolica Werner,1901; rammei Uvarov,1929; turcica Ramme,1939; kozana Ramme,1951; amani Ramme,1951 Range (in code): TR SY LB IQ 01 04 06 27 31 33 36 44 51 63 71
- 4990. Sepiana sepia (Yersin,1854)** (Tettigoniidae) Synonym(s): sepia Yersin,1854 Range (in code): TR 34 35 41
- 4991. Sureyaella bella Uvarov,1934** (Tettigoniidae) Synonym(s): bella Uvarov,1934 Range (in code): TR 03 06 26 42 43 50 51 70
- 4992. Tadzhihia mistshenkoi Stolyarov,1968** (Tettigoniidae) Synonym(s): mistshenkoi Stolyarov,1968 Range (in code): AF
- 4993. Tettigonia acutipennis Ebner,1946** (Tettigoniidae) Synonym(s): acutipennis Ebner,1946 Range (in code): TR SY LB IL Pa IQ IR AF 46
- 4994. Tettigonia caudata (Charpentier,1845)** (Tettigoniidae) Synonym(s): caudata Charpentier,1845; kolenatii Fischer von Waldheim,1846; longicauda Eversmann,1848; prasina Fieber,1852; armeniaca Tarbinsky,1940 Range (in code): DE AT IT CZ HU RO TR Cc AM IR KK RU Sb FR ES SE 01 02 04 06 07 08 09 12 13 14 16 21 22 23 25 26 30 35 39 44 45 46 51 59 63 65 71
- 4995. Tettigonia turcica Ramme,1951** (Tettigoniidae) Synonym(s): turcica Ramme,1951 Range (in code): TR 30 51 65 73
- 4996. Tettigonia viridissima (Linnaeus,1758)** (Tettigoniidae) Synonym(s): viridissima Linnaeus,1758; cantatrix De Geer,1773; flava Nedelkov,1907; meridionalis Shugurov,1912; paoli Capra,1936; intermedia Jannone,1937; trinacriae Jannone,1937 Range (in code): DZ GB FR DE IT Sa SE EE LT BY RU HV B-H YU AL BG RO HU Cc AZ AM GG Tbl IR KG MN TR AF 01 03 05 06 07 08 09 12 14 16 21 23 24 25 26 28 30 31 33 34 35 36 39 42 44 45 46 47 48 50 52 54 55 56 57 58 60 62 67 71
- 4997. Trigonocorypha angustata Uvarov,1922** (Tettigoniidae) Synonym(s): angustata Uvarov,1922 Range (in code): IQ
- 4998. Trigonocorypha brevinota Ingrisch,1996** (Tettigoniidae) Synonym(s): brevinota Ingrisch,1996 Range (in code): PK Pj Abb
- 4999. Trigonocorypha buettikeri Popov,1981** (Tettigoniidae) Synonym(s): buettikeri Popov,1981 Range (in code): SA As YE
- 5000. Trigonocorypha sirvani Koçak, Kemal & Seven,2010** (Tettigoniidae) Synonym(s): sirvani Koçak, Seven & Kemal,2010 Range (in code): TR 56
- 5001. Trigonocorypha tihamae raggei Cejchan,1969** (Tettigoniidae) Synonym(s): raggei Cejchan,1969 Range (in code): AF
- 5002. Trigonocorypha tihamae tihamae Uvarov,1952** (Tettigoniidae) Synonym(s): tihamae Uvarov,1952 Range (in code): SA
- 5003. Trigonocorypha tihamae Uvarov,1952** (Tettigoniidae) Synonym(s): tihamae Uvarov,1952 Range (in code): SA AF
- 5004. Tylopsis lilifolia (Fabricius,1793)** (Tettigoniidae) Synonym(s): lilifolia Fabricius,1793; thymifolia Petagna,1792; gracilis Germar,1817; marginepunctata Audinet-Serville,1838; praeusta Fischer von Waldheim,1846; spinosus Fischer von Waldheim,1846; #liliifolia Bolivar,1877 Range (in code): TR CY FR IT Sa YU HV B-H HU RO BG Cc AZ AM GG UA Cm 01 03 05 06 07 09 10 11 14 15 16 17 18 19 22 24 25 26 27 31 32 33 34 35 37 39 41 43 44 50 54 55 56 57 58 59 63 65 67 71 77 78 81
- 5005. Tylopsis peneri Ragge,1974** (Tettigoniidae) Synonym(s): peneri Ragge,1974 Range (in code): LY IL Pa JO
- 5006. Uvarovistia (s.str.) bakhtiara (Uvarov,1934)** (Tettigoniidae) Synonym(s): bakhtiara Uvarov,1934 Range (in code): IR
- 5007. Uvarovistia (s.str.) iraka (Uvarov,1934)** (Tettigoniidae) Synonym(s): iraka Uvarov,1934 Range (in code): IQ

- 5008. Uvarovistia (s.str.) satunini (Uvarov,1916)** (Tettigoniidae) Synonym(s): satunini Uvarov,1916 Range (in code): TR 12 13 21 23 30 49 56 62 65
- 5009. Uvarovistia (s.str.) zebra (Uvarov,1916)** (Tettigoniidae) Synonym(s): zebra Uvarov,1916 Range (in code): TR IQ 30 65 73
- 5010. Zagrosiella moralesi Mirzayans,1991** (Tettigoniidae) Synonym(s): moralesi Mirzayans,1991 Range (in code): IR Lo
- 5011. Ceratothripoides cameroni (Priesner,1934)** (Thripidae) Synonym(s): cameroni Priesner,1934 Range (in code): SD NG SA IN TH
- 5012. Acalypta marginata (Wolff,1804)** (Tingidae) Synonym(s): marginata Wolff,1804; macrophthalma Fieber,1844; cylindricornis Thomson,1871; acutispinis Reuter,1886 HU FR CH ES PT IT DE DK AT CZ SK PL RO YU NO B-H HV BG SE FI RU UA Cm TR KG Sb 14 37
- 5013. Acalypta hellenica Reuter,1888** (Tingidae) Synonym(s): hellenica Reuter,1888 Cn ES FR IT Co Sa DZ YU Cm GR TR LB 33 38 42 80
- 5014. Acalypta gracilis (Fieber,1844)** (Tingidae) Synonym(s): gracilis Fieber,1844; biseriata Thomson,1871; recticosta Thomson,1871; propinqua Ferrari,1874 TR FR BE ES CH IT DE AT DK CZ SK PL HU RO YU BG BY UA Cm Cc FI NO KG RU At Am MN Krl 06 14
- 5015. Acalypta sejuncta Horvath,1905** (Tingidae) Synonym(s): sejuncta Horvath,1905 AM Cc TR TM Kp 31 44
- 5016. Acalypta uniseriata (Puton,1879)** (Tingidae) Synonym(s): uniseriata Puton,1879; anatolica Josifov,1967 MK RU Cm Kr Cc GG AZ Kir TR 08 13 14 31 57 61 77 80
- 5017. Acalypta acutangula (Jakovlev,1880)** (Tingidae) Synonym(s): acutangula Jakovlev,1880 Range (in code): RU Sb Sr Cc AM TR KG 31
- 5018. Catoplatus nigriceps Horvath,1905** (Tingidae) Synonym(s): nigriceps Horvath,1905 Range (in code): TR DE AT CZ RU IT JP HU SK TN 06 13 21 35 50 65
- 5019. Catoplatus brevicornis Akramovskaya & Golub,1973** (Tingidae) Synonym(s): brevicornis Akramovskaya & Golub,1973 Range (in code): Cc TR 01 08 13 30 65
- 5020. Dictyla triconula (Seidenstücker,1954)** (Tingidae) Synonym(s): triconula Seidenstücker,1954 Range (in code): BG RU TR 13 23 27 31 33 50
- 5021. Monosteira lobulifera Reuter,1888** (Tingidae) Synonym(s): lobulifera Reuter,1888 Range (in code): TR IL Pa IR EG RU SY GR IQ LB JO 01 02 07 12 20 21 23 27 31 35 45 47 48 50 56 63 65 72
- 5022. Agramma (s.str.) atricapillum (Spinola,1837)** (Tingidae) Synonym(s): atricapillum Spinola,1837 Range (in code): GR TR CN Ui MN 06 14 21 46 47 57 63
- 5023. Agramma (s.str.) blandulum (Horvath,1905)** (Tingidae) Synonym(s): blandulum Horvath,1905 Range (in code): RU Da Cc Or TR GR CN IMn Ui 06
- 5024. Agramma (s.str.) confusum (Puton,1879)** (Tingidae) Synonym(s): confusum Puton,1879 Range (in code): RU TR 06 22 51 67
- 5025. Agramma (s.str.) intermedium (Wagner,1941)** (Tingidae) Synonym(s): intermedium Wagner,1941 Range (in code): TR 06 22
- 5026. Agramma (s.str.) brevirostre (Jakovlev,1901)** (Tingidae) Synonym(s): brevirostre Jakovlev,1901 Range (in code): KG TJ TM UZ CN Ui
- 5027. Campylosteira orientalis Horvath,1881** (Tingidae) Synonym(s): orientalis Horvath,1881; suspecta Horvath,1892; miridita Horvath,1905 AL HV GR HU IT RO RU Cc UA AZ Len AM TR?
- 5028. Campylosteira jakesi Stusak & Stehlik,1979** (Tingidae) Synonym(s): jakesi Stusak & Stehlik,1979 AF Hr
- 5029. Campylosteira heissi Périkart,1981** (Tingidae) Synonym(s): heissi Périkart,1981 IQ Bgd IR SA SD ES
- 5030. Campylosteira bosnica Horvath,1892** (Tingidae) Synonym(s): bosnica Horvath,1892 Range (in code): B-H Cc IT RO RU YU TR 21
- 5031. Campylosteira ciliata Fieber,1844** (Tingidae) Synonym(s): ciliata Fieber,1844; pilifera Reuter,1880; humilis Horvath,1905; diminuta Horvath,1905 Range (in code): DE AT CZ GR SK TR 01 07 33 34
- 5032. Campylosteira parvula Ferrari,1874** (Tingidae) Synonym(s): parvula Ferrari,1874 IR Gor RU Cc AZ KG
- 5033. Campylosteira pilicornis Horvath,1906** (Tingidae) Synonym(s): pilicornis Horvath,1906; libanotica Horvath,1906 IL Pa Js LB
- 5034. Cantacader quadricornis (Le Peletier & Serville,1828)** (Tingidae) Synonym(s): quadricornis Le Peletier & Serville,1828; nubilus Horvath,1906 Range (in code): PT ES FR IT Cn GR MA DZ EG IL Pa RU EG TR CY IQ Bgd UA Cc KR GG AM AZ AF 01 35
- 5035. Catoplatus anticus (Reuter,1880)** (Tingidae) Synonym(s): anticus Reuter,1880 Range (in code): AL RU IL Pa LB SY TR GR 03 07 10 11 17 22 27 30 35 43
- 5036. Catoplatus carthusianus (Goeze,1778)** (Tingidae) Synonym(s): carthusianus Goeze,1778 Range (in code): RU TR DZ IR
- 5037. Catoplatus citrinus Horvath,1897** (Tingidae) Synonym(s): citrinus Horvath,1897 Range (in code): TR KG 04 30

- 5038. Catoplatus crassipes (Fieber,1861)** (Tingidae) Synonym(s): crassipes Fieber,1861 Range (in code): **CY SY RU TR YU**
- 5039. Catoplatus distinctus Montandon,1895** (Tingidae) Synonym(s): distinctus Montandon,1895 Range (in code): **RU RO TR 06 12 35 39 51 56**
- 5040. Catoplatus fulvicornis (Jakovlev,1890)** (Tingidae) Synonym(s): fulvicornis Jakovlev,1890 Range (in code): **TR AF RU TM KG SY IR 01 36 51**
- 5041. Catoplatus hiliaris (Horvath,1906)** (Tingidae) Synonym(s): hiliaris Horvath,1906 Range (in code): **IL Pa LB SY TR 46 47**
- 5042. Catoplatus horvathi (Puton,1879)** (Tingidae) Synonym(s): horvathi Puton,1879 Range (in code): **RU TR 01 13 51**
- 5043. Copium adumbratum (Horvath,1891)** (Tingidae) Synonym(s): adumbratum Horvath,1891 Range (in code): **Cc AM AZ Nv Ord SY TR 25 51**
- 5044. Copium clavicorne (Linnaeus,1758)** (Tingidae) Synonym(s): clavicorne Linnaeus,1758; punctata Lamarck,1816; cornutum Thunberg,1822 Range (in code): **GB BE NL FR ES PT Sa IT CH DE AT CZ HU RO GR AL PL BG YU RU TR Cc IL Pa 06 16 21 29 30 33 42 47 50 56 57 62 65**
- 5045. Copium brevicorne (Jakovlev,1880)** (Tingidae) Synonym(s): brevicorne Jakovlev,1880 Range (in code): **Cc RU Da AM TR SY RO IL Pa GR YU CY TN**
- 5046. Copium teucarii (Host,1788)** (Tingidae) Synonym(s): teucarii Host,1788; magnicornis Rey,1888; lusitanicum de Seabra,1924; bernardi E.Wagner,1954; horvathi E.Wagner,1957 Range (in code): **MA DZ EG PT ES FR NL BE DE AT IT Co Sa CH HU YU GR AL CY BG IL Pa IR SY Cc AM GG UA Cm TR SA 22**
- 5047. Derephysia foliacea (Fallén,1807)** (Tingidae) Synonym(s): foliacea Fallén,1807 Range (in code): **TR CN Ui 35 37 41**
- 5048. Dictyla subdola (Horvath,1905)** (Tingidae) Synonym(s): subdola Horvath,1905 Range (in code): **RU Cc Sb MN CN IMn Ui Bc**
- 5049. Dictyla echii (Schränk,1782)** (Tingidae) Synonym(s): echii Schränk,1782 Range (in code): **DE AL AT BE BG CZ DZ DK EE FR FI NL IR ES CH IT SE IL Pa CY Co LV EG NO PL PT RO RU SK Si SY TN YU GR TR CN Ui Um Tar2 Qoq 01 02 03 04 06 07 09 10 11 13 14 15 16 17 18 19 21 23 25 27 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 50 51 52 55 56 58 60 62 63 64 65 71 73**
- 5050. Dictyla lupuli (Herrich-Schäffer,1837)** (Tingidae) Synonym(s): lupuli Herrich-Schäffer,1837 Range (in code): **DZ RU Sb Cc TR KG KK UZ CN Ui 06 22**
- 5051. Dictyla nassata (Puton,1874)** (Tingidae) Synonym(s): nassata Puton,1874 Range (in code): **TR**
- 5052. Dictyla platyoma (Fieber,1861)** (Tingidae) Synonym(s): platyoma Fieber,1861 Range (in code): **TR CN Ui Bc Um RU Sb 11**
- 5053. Dictyla putoni (Montandon,1895)** (Tingidae) Synonym(s): putoni Montandon,1895 Range (in code): **TR**
- 5054. Dictyla rotundata (Herrich-Schäffer,1835)** (Tingidae) Synonym(s): rotundata Herrich-Schäffer,1835 Range (in code): **RU TR CN Ui 23**
- 5055. Dictyla sima Seidenstücker,1975** (Tingidae) Synonym(s): sima Seidenstücker,1975 Range (in code): **TR 06 51**
- 5056. Dictyonota astragali Stusak & Önder,1982** (Tingidae) Synonym(s): astragali Stusak & Önder,1982 Range (in code): **TR 13**
- 5057. Kalama lugubris (Fieber,1861)** (Tingidae) Synonym(s): lugubris Fieber,1861; eckerleini Péricart,1979 Range (in code): **YU TR CY GR IL Pa LB 34**
- 5058. Dictyonota phoenicea Seidenstücker,1963** (Tingidae) Synonym(s): phoenicea Seidenstücker,1963; latior E.Wagner,1963 Range (in code): **IT Si IL Pa CY FR Co LB Bei SY Ttu TR 07**
- 5059. Dictyonota sareptana Jakovlev,1874** (Tingidae) Synonym(s): sareptana Jakovlev,1874; adelpha Horvath,1905 Range (in code): **RU Sr Cm UA Ode AZ Cc TR KG Ka**
- 5060. Dictyonota horvathi (Kiritshenko,1914)** (Tingidae) Synonym(s): horvathi Kiritshenko,1914 Range (in code): **AM Cc Eri IQ Bgd Kbl Dy Agh Rmd Diw KG UZ TM MN**
- 5061. Dictyonota lepida (Horvath,1905)** (Tingidae) Synonym(s): lepida Horvath,1905 Range (in code): **TN IQ Nsr Bsr SA**
- 5062. Dictyonota opaca (Linnavuori,1965)** (Tingidae) Synonym(s): opaca Linnavuori,1965; josifovi Seidenstücker,1968 Range (in code): **DZ IR IL Pa IQ Bgd Amr Diw SA SAo8 TM YE**
- 5063. Dictyonota strichnocera Fieber,1844** (Tingidae) Synonym(s): strichnocera Fieber,1844; idonea Jakovlev,1903 Range (in code): **RU TR RO KG IR UA GB DE HU IT CZ AT BE PT PL NL ES 09 19 29 50 62**
- 5064. Elasmotropis testacea (Herrich-Schäffer,1830)** (Tingidae) Synonym(s): testacea Herrich-Schäffer,1830; echinopsis Fieber,1844; egena Puton,1879; platydera Horvath,1906; vicina Horvath,1906 Range (in code): **AT BG CZ DE HU IT MD PL RO RU UA YU DZ MA TN EG KG IL Pa JO LB TR Cc AZ AM GG IR SY SA YE 51**
- 5065. Galeatus affinis (Herrich-Schäffer,1835)** (Tingidae) Synonym(s): affinis Herrich-Schäffer,1835; uhleri Horvath,1923 Range (in code): **AF KG RU CN Ui US NMx**
- 5066. Galeatus cellularis Jakovlev,1884** (Tingidae) Synonym(s): cellularis Jakovlev,1884 Range (in code): **RU UA TR Au Ga Um CN Ui KG KK TJ TM UZ MN 01 06 51**



- 5067. Galeatus scrophicus Saunders,1876** (Tingidae) **Synonym(s):** scrophicus Saunders,1876; semilucidus Jakovlev,1884; retiarius Distant,1909; helianthi Önder & Lodos,1977 **Range (in code):** **DZ Cn MA TN LY EG CV Cn SN ES GR CY Cc AZ AM TR KG TJ TM MN CN Ui Um IQ IR IL Pa JO SA YE TJ TM 47 63**
- 5068. Galeatus inermis Jakovlev,1874** (Tingidae) **Synonym(s):** inermis Jakovlev,1874 **Range (in code):** **RU Ao Az Cc TJ TM CN Ui MN Um**
- 5069. Hyalochiton komaroffii (Jakovlev,1880)** (Tingidae) **Synonym(s):** komaroffii Jakovlev,1880; debilis Montandon,1887 **Range (in code):** **RU Da Cc B-H AZ IR IL Pa TR**
- 5070. Hyalochiton multiseriatus (Reuter,1888)** (Tingidae) **Synonym(s):** multiseriatus Reuter,1888; strumosus Horvath,1902 **Range (in code):** **GR AM IR Cc IQ IL Pa SY TR 42 50**
- 5071. Kalama tricornis Schrank,1801** (Tingidae) **Synonym(s):** tricornis Schrank,1801; erythrophthalma Germar & Kaulfuss,1817; truncaticollis A.Costa,1862; aridula Jakovlev,1902; americana Parshley,1916; maroccana Ribaut,1939; ifranensis Vidal,1951 **Range (in code):** **MA US CV CA DZ IR CY TR Cm HU RU Sb CN Ui IQ IR AF Cc AM GG AZ KG KK TJ TM UZ Smk MN 31 34**
- 5072. Kalama levantina (Péricart,1981)** (Tingidae) **Synonym(s):** levantina Péricart,1981 **Range (in code):** **IQ SY Ham**
- 5073. Kalama reuteri (Horvath,1906)** (Tingidae) **Synonym(s):** reuteri Horvath,1906 **IL Pa Hf LB**
- 5074. Lasiacantha capucina (Germar,1836)** (Tingidae) **Synonym(s):** capucina Germar,1836 **Range (in code):** **TR 14 35 37**
- 5075. Lasiacantha gracilis (Herrich-Schäffer,1830)** (Tingidae) **Synonym(s):** gracilis Herrich-Schäffer,1830 **Range (in code):** **TR 42**
- 5076. Lasiacantha hedenborgi (Stal,1873)** (Tingidae) **Synonym(s):** hedenborgi Stal,1873; #hedenbergii Önder et al.,2006 **Range (in code):** **IL Pa CY SY TR 31**
- 5077. Monosteira inermis Horvath,1899** (Tingidae) **Synonym(s):** inermis Horvath,1899 **Range (in code):** **KG TJ TM UZ CN Ui**
- 5078. Monosteira discoidalis (Jakovlev,1883)** (Tingidae) **Synonym(s):** discoidalis Jakovlev,1883 **Range (in code):** **IQ IR AF EU KG MN CN Ui Tpn Kl**
- 5079. Monosteira unicostata (Mulsant & Rey,1852)** (Tingidae) **Synonym(s):** unicostata Mulsant & Rey,1852 **Range (in code):** **IT Sa Si TR MN CN Ui Um**
- 5080. Monosteira pardoi E.Wagner,1961** (Tingidae) **Synonym(s):** pardoi E.Wagner,1961 **Range (in code):** **TR 01 06**
- 5081. Physatocheila confinis Horvath,1905** (Tingidae) **Synonym(s):** confinis Horvath,1905 **Range (in code):** **PT ES FR GB BE DE PL UA CZ SK CH AT IT Sa SS YU AL GR TR 14 33 50**
- 5082. Physatocheila dumetorum (Herrich-Schäffer,1838)** (Tingidae) **Synonym(s):** dumetorum Herrich-Schäffer,1838 **Range (in code):** **ES FR GB BE NL DK DE CZ SK AT CH IT SS B-H YU RO MD GR BG TR UA IL Pa**
- 5083. Physatocheila municeps Horvath,1903** (Tingidae) **Synonym(s):** municeps Horvath,1903 **Range (in code):** **DZ LB TR CY GR**
- 5084. Corythucha arcuata (Say,1832)** (Tingidae) **Synonym(s):** arcuata Say,1832 **Range (in code):** **CH IT TR 06 11 14 18 26 41 54 67 81**
- 5085. Corythucha ciliata (Say,1832)** (Tingidae) **Synonym(s):** ciliata Say,1832 **Range (in code):** **TR 14**
- 5086. Stephanitis Stal,1873** (Tingidae) **Synonym(s):** Stephanitis Stal,1873 **Range (in code):** **TR**
- 5087. Stephanitis caucasica Kiritschenko,1939** (Tingidae) **Synonym(s):** caucasica Kiritschenko,1939 **Range (in code):** **RU Cc TR 08 58**
- 5088. Stephanitis oschanini Vasiliev,1935** (Tingidae) **Synonym(s):** oschanini Vasiliev,1935; hoberlandti Lis,2002 **Range (in code):** **AF AZ Cc GG AM IQ Shq JO IR Elb Th IL Pa KK UZ TJ TM TR 27 80**
- 5089. Stephanitis pyri (Fabricius,1775)** (Tingidae) **Synonym(s):** pyri Fabricius,1775 **Range (in code):** **B-H HV GR CY HU IT RO UA BG TR 22**
- 5090. Tingis (s.str.) kerzhneri Golub,2006** (Tingidae) **Synonym(s):** kerzhneri Golub,2006 **Range (in code):** **AM AZ Cc KG TJ TM IR CN Ui Qoq Tar2**
- 5091. Tingis (s.str.) angustata (Herrich-Schäffer,1838)** (Tingidae) **Synonym(s):** angustata Herrich-Schäffer,1838 **Range (in code):** **TR**
- 5092. Tingis (s.str.) auriculata (Costa,1847)** (Tingidae) **Synonym(s):** auriculata Costa,1847 **Range (in code):** **US MA AT AL BG CZ FR IQ ES SE IT CH HU PT RO SY JO DZ RU IL Pa GR TR CN Ui 02 03 06 09 18 21 24 25 26 27 31 33 34 35 40 42 43 46 55 56 57 59 65**
- 5093. Tingis (s.str.) ballotae Seidenstücker,1970** (Tingidae) **Synonym(s):** ballotae Seidenstücker,1970 **Range (in code):** **TR 06 26 51**
- 5094. Tingis (s.str.) cappadocica Horvath,1905** (Tingidae) **Synonym(s):** cappadocica Horvath,1905 **Range (in code):** **TR 38**
- 5095. Tingis (s.str.) cardui (Linnaeus,1758)** (Tingidae) **Synonym(s):** cardui Linnaeus,1758 **Range (in code):** **Cn TR CN Ui**
- 5096. Tingis (s.str.) caucasica (Jakovlev,1880)** (Tingidae) **Synonym(s):** caucasica Jakovlev,1880 **Range (in code):** **Cc TR AL RU HU YU 33 38 42 50 51 64**
- 5097. Tingis (s.str.) ciliaris (Puton,1879)** (Tingidae) **Synonym(s):** ciliaris Puton,1879 **Range (in code):** **TR**

- 5098.** *Tingis* (s.str.) *demissa* Horvath,1905 (Tingidae) Synonym(s): *demissa* Horvath,1905 Range (in code): **TR IQ IR 38 42 44 62**
- 5099.** *Tingis* (s.str.) *elongata* (Fieber,1861) (Tingidae) Synonym(s): *elongata* Fieber,1861 Range (in code): **DZ MA TN ES CY EG JO TR YU 27**
- 5100.** *Tingis* (s.str.) *geniculata* (Fieber,1844) (Tingidae) Synonym(s): *geniculata* Fieber,1844 Range (in code): **DZ RU TR 01 35 67**
- 5101.** *Tingis* (s.str.) *grisea* Germar,1835 (Tingidae) Synonym(s): *grisea* Germar,1835 Range (in code): **TR 06 17 21 38**
- 5102.** *Tingis* (s.str.) *griseola* (Puton,1879) (Tingidae) Synonym(s): *griseola* Puton,1879 Range (in code): **TR 06 07 09 15 28 35 38 55 59 62 67**
- 5103.** *Tingis* (s.str.) *hellenica* (Puton,1877) (Tingidae) Synonym(s): *hellenica* Puton,1877 Range (in code): **RU Cc TR CY SY GR**
- 5104.** *Tingis* (s.str.) *ottomana* Péricart & Önder,1982 (Tingidae) Synonym(s): *ottomana* Péricart & Önder,1982 Range (in code): **TR 44**
- 5105.** *Tingis* (Neolasiotropis) *pauperata* (Puton,1879) (Tingidae) Synonym(s): *pauperata* Puton,1879 Range (in code): **MA RU Cc TR CN Ui Um 35 45 51**
- 5106.** *Tingis* (Neolasiotropis) *pilosa* Hummel,1825 (Tingidae) Synonym(s): *pilosa* Hummel,1825 Range (in code): **MA TR CN Ui Um Bc Tek Hun Pkn RU Sb KG Tk Ket 42**
- 5107.** *Tingis* (s.str.) *pusilla* (Jakovlev,1874) (Tingidae) Synonym(s): *pusilla* Jakovlev,1874 Range (in code): **RU Cc TR KG MN IR CN Ui Um**
- 5108.** *Tingis* (s.str.) *ragusana* (Fieber,1861) (Tingidae) Synonym(s): *ragusana* Fieber,1861 Range (in code): **IT TR**
- 5109.** *Tingis* (s.str.) *reticulata* Herrich-Schäffer,1835 (Tingidae) Synonym(s): *reticulata* Herrich-Schäffer,1835 Range (in code): **TR 34**
- 5110.** *Tingis* (s.str.) *reuteri* Horvath,1906 (Tingidae) Synonym(s): *reuteri* Horvath,1906 Range (in code): **TM TR 22 27**
- 5111.** *Tingis* (s.str.) *rotundicollis* (Jakovlev,1883) (Tingidae) Synonym(s): *rotundicollis* Jakovlev,1883 Range (in code): **AL BG RU IT CY RO TR YU GR 01 06 11 12 22 30 33 42 46**
- 5112.** *Tingis* (s.str.) *sideritis* Stusak,1973 (Tingidae) Synonym(s): *sideritis* Stusak,1973 Range (in code): **BG RU TR 39**
- 5113.** *Tingis* (s.str.) *stepposa* Golub,1977 (Tingidae) Synonym(s): *stepposa* Golub,1977 Range (in code): **RU TR 51**
- 5114.** *Tingis* (s.str.) *stupidula* Horvath,1906 (Tingidae) Synonym(s): *stupidula* Horvath,1906 Range (in code): **SY TR 42 51**
- 5115.** *Tingis* (s.str.) *torpida* (Horvath,1906) (Tingidae) Synonym(s): *torpida* Horvath,1906 Range (in code): **FR ES DZ TR 51**
- 5116.** *Tingis* (s.str.) *valida* (Puton,1878) (Tingidae) Synonym(s): *valida* Puton,1878 Range (in code): **LB TR IR SY CN Ui 33 44**
- 5117.** *Tingis* (s.str.) *kerzhneri* Golub,2006 (Tingidae) Synonym(s): *kerzhneri* Golub,2006 Range (in code): **AM AZ Cc KG TJ IR TM**
- 5118.** *Tingis* (s.str.) *afemeljanovi* Golub,2006 (Tingidae) Synonym(s): *afemeljanovi* Golub,2006 Range (in code): **UZ TJ AF**
- 5119.** *Urentius* *chobauti* Horvath,1907 (Tingidae) Synonym(s): *chobauti* Horvath,1907 Range (in code): **TR 01 27**
- 5120.** *Pareuthyphleps* *arabica* La Greca & Lombardo,1983 (Toxoderidae) Synonym(s): *arabica* La Greca & Lombardo,1983 Range (in code): **YE**
- 5121.** *Pareuthyphleps* *occidentalis* Werner,1928 (Toxoderidae) Synonym(s): *occidentalis* Werner,1928 Range (in code): **IL Pa**
- 5122.** *Pareuthyphleps* *palmonii* (Uvarov,1939) (Toxoderidae) Synonym(s): *palmonii* Uvarov,1939 Range (in code): **IL Pa**
- 5123.** *Pareuthyphleps* *popovi* Kaltenbach,1991 (Toxoderidae) Synonym(s): *popovi* Kaltenbach,1991 Range (in code): **SA**
- 5124.** *Pareuthyphleps* *scorteccii* La Greca & Lombardo,1983 (Toxoderidae) Synonym(s): *scorteccii* La Greca & Lombardo,1983 Range (in code): **YE**
- 5125.** *Bruntridactylus* *irremipes* (Uvarov,1934) (Tridactylidae) Synonym(s): *irremipes* Uvarov,1934 Range (in code): **TR 31 35**
- 5126.** *Tridactylus* *fasciatus* Guérin,1829 (Tridactylidae) Synonym(s): *fasciatus* Guérin,1829 Range (in code): **TR**
- 5127.** *Xya* *pfaendleri* (Harz,1970) (Tridactylidae) Synonym(s): *pfaendleri* Harz,1970; *indistieta* Harz,1979; *musicus* Harz,1979 Range (in code): **TR IL Pa JO ES AT CZ SK 01 06 09 14 15 16 18 19 21 22 23 25 31 34 35 37 42 44 50 51 55 56 57 59 61 62 71**

- 5128. Xya variegata (Latreille,1809)** (Tridactylidae) Synonym(s): variegata Latreille,1809 Range (in code): ES FR CZ SK RO BG TR Cc RU KG Sb LY IN LK TR 04 06 08 10 11 14 16 23 26 31 34 35 39 42 44 50 61
- 5129. Xya festiva (Chopard,1968)** (Tridactylidae) Synonym(s): festiva Chopard,1968 Range (in code): AF
- 5130. Xya hieroglyphicus (Bei-Bienko,1967)** (Tridactylidae) Synonym(s): hieroglyphicus Bei-Bienko,1967 Range (in code): AF Kab
- 5131. Xya punctata (Bei-Bienko,1967)** (Tridactylidae) Synonym(s): punctata Bei-Bienko,1967 Range (in code): AF NP
- 5132. Asiotridactylus fasciatus (Guérin-Méneville,1844)** (Tridactylidae) Synonym(s): fasciatus Guérin-Méneville,1844; savignyi Guérin-Méneville,1844; major Karny,1907 Range (in code): TD CF SD ET ER SO IQ IN Cc KG
- 5133. Bruntridactylus tartarus (Saussure,1874)** (Tridactylidae) Synonym(s): tartarus Saussure,1874 Range (in code): RO Cc UZ Tas RU KG
- 5134. Bactericera albiventris (Förster)** (Triozidae) Synonym(s): Range (in code): TR
- 5135. Bactericera albiventris (Förster,1848)** (Triozidae) Synonym(s): albiventris Förster,1848 Range (in code): TR 06 25 36 42 62
- 5136. Bactericera crithmi (F.Loew,1879)** (Triozidae) Synonym(s): crithmi F.Loew,1879 Range (in code): TR 01 06
- 5137. Bactericera femoralis (Förster,1848)** (Triozidae) Synonym(s): femoralis Förster,1848 Range (in code): Cc TR RU Sb Am 25
- 5138. Bactericera femoralis (Förster,1848)** (Triozidae) Synonym(s): femoralis Förster,1848 Range (in code): TR 25
- 5139. Bactericera nigricornis (Förster)** (Triozidae) Synonym(s): Range (in code): TR
- 5140. Bactericera nigricornis (Förster,1848)** (Triozidae) Synonym(s): nigricornis Förster,1848 Range (in code): TR 04 06 15 25 29 42 62
- 5141. Bactericera tremblayi (Wagner,1961)** (Triozidae) Synonym(s): tremblayi Wagner,1961 Range (in code): TR 25 29 35 42
- 5142. Bactericera trigonica Hodkinson,1981** (Triozidae) Synonym(s): trigonica Hodkinson,1981 Range (in code): TR 35 54
- 5143. Egeirotioza populi (Horvath,1915)** (Triozidae) Synonym(s): populi Horvath,1915 Range (in code): TR 36
- 5144. Eutrioza opima Loginova,1964** (Triozidae) Synonym(s): opima Loginova,1964 Range (in code): TR 42
- 5145. Phylloplecta trisignata (F.Loew,1886)** (Triozidae) Synonym(s): trisignata F.Loew,1886 Range (in code): TR 35
- 5146. Trioza achilleae Wagner,1955** (Triozidae) Synonym(s): achilleae Wagner,1955 Range (in code): TR 08 36
- 5147. Trioza alacris Flor,1861** (Triozidae) Synonym(s): alacris Flor,1861 Range (in code): TR 33 34 35
- 5148. Trioza anthrisci Burckhardt,1986** (Triozidae) Synonym(s): anthrisci Burckhardt,1986 Range (in code): TR 08 36
- 5149. Trioza centhranthi (Vallot,1829)** (Triozidae) Synonym(s): centhranthi Vallot,1829 Range (in code): TR 18 54
- 5150. Trioza foersteri Meyer-Dür,1871** (Triozidae) Synonym(s): foersteri Meyer-Dür,1871 Range (in code): TR 54
- 5151. Trioza galii Förster,1848** (Triozidae) Synonym(s): galii Förster,1848 Range (in code): TR 09 36 63
- 5152. Trioza ilicina (De Stefani Perez,1901)** (Triozidae) Synonym(s): ilicina De Stefani Perez,1901 Range (in code): TR 01 42
- 5153. Trioza kantshavelii Gegechkori,1977** (Triozidae) Synonym(s): kantshavelii Gegechkori,1977 Range (in code): TR 08
- 5154. Trioza magnisetosa Loginova,1964** (Triozidae) Synonym(s): magnisetosa Loginova,1964 Range (in code): TR 01 21 33 50 62
- 5155. Trioza neglecta Loginova,1978** (Triozidae) Synonym(s): neglecta Loginova,1978 Range (in code): TR 01 15 21 36 42 50 51 63 66
- 5156. Trioza remota Förster,1848** (Triozidae) Synonym(s): remota Förster,1848 Range (in code): TR 02 21 33 35
- 5157. Trioza rhamni (Schrank,1801)** (Triozidae) Synonym(s): rhamni Schrank,1801 Range (in code): TR 36
- 5158. Trioza scottii F.Loew,1880** (Triozidae) Synonym(s): scottii F.Loew,1880 Range (in code): TR 42
- 5159. Trioza urticae (Linnaeus,1758)** (Triozidae) Synonym(s): urticae Linnaeus,1758 Range (in code): TR 01 08 14 25 33
- 5160. Ommatissus binotatus Fieber,1876** (Tropiduchidae) Synonym(s): binotatus Fieber,1876 Range (in code): DZ CN GR IQ LY MA



- 5161. Trypetimorpha occidentalis Huang & Bourgoin,1993** (Tropiduchidae) Synonym(s): fenestrata auct. nec A.Costa,1862; occidentalis Huang & Bourgoin,1993 Range (in code): **AT BG CY CS FR HU IL IT RO TR Cc AM KK MD RU UA YU 06 07**
- 5162. Trypetimorpha pilosa Horvath,1907** (Tropiduchidae) Synonym(s): pilosa Horvath,1907 Range (in code): **CY IL IT YU**
- 5163. Microvelia hozari (Hoberlandt,1948)** (Veliidae) Synonym(s): hozari Hoberlandt,1948 Range (in code): **IQ TR 01 33 79**
- 5164. Microvelia pygmaea (Dufour,1833)** (Veliidae) Synonym(s): pygmaea Dufour,1833 Range (in code): **IE GB PT ES FR BE NL DE CH AT IT Sa Si HU SS B-H HV YU AL MK GR BG TR CY 16 22 40 42 54**
- 5165. Microvelia reticulata (Burmeister,1835)** (Veliidae) Synonym(s): reticulata Burmeister,1835 Range (in code): **PT IE GB FR BE NL DE DK NO SE FI EE LT PL UA BY CH AT HU MD RO UA YU BG GR TR IT Si 42 58**
- 5166. Velia (Plesiovelia) affinis Kolenati,1856** (Veliidae) Synonym(s): affinis Kolenati,1856 Range (in code): **IT B-H HU RO MK BG GR AL UA CY AM Cc RU IN IR IQ SA SY TJ Ui TR 01 16 33**
- 5167. Velia (Plesiovelia) kitishenkoi Tamanini,1958** (Veliidae) Synonym(s): kitishenkoi Tamanini,1958 Range (in code): **AZ AM Cc TR**
- 5168. Velia (Plesiovelia) mancinii Tamanini,1947** (Veliidae) Synonym(s): mancinii Tamanini,1947 Range (in code): **B-H AL MK GR BG TR IR**
- 5169. Velia (s.str.) rivulorum (Fabricius,1775)** (Veliidae) Synonym(s): rivulorum Fabricius,1775 Range (in code): **PT ES FR IT Sa Si TR 56**
- 5170. Velia mariae Tamanini,1971** (Veliidae) Synonym(s): helenae Tamanini,1970 (praeoc.); mariae Tamanini,1971 Range (in code): **TR**
- 5171. Velia nervosa Horvath,1896** (Veliidae) Synonym(s): nervosa Horvath,1896 Range (in code): **IR TR**

## Part 2

### Planipennia, Raphidioptera, Megaloptera, Trichoptera, Mecoptera

In Part 2, the species of five orders are given alphabetically according to their families. Additionally, synonyms and distributional information (as range codes) are also mentioned. Totally 626 species of 32 families are given in this part. These families are as follows alphabetically: Ascalaphidae, Beraeidae, Berothidae, Bittacidae, Brachycentridae, Calamoceratidae, Chrysopidae, Coniopterygidae, Dilaridae, Ecnomidae, Glossosomatidae, Goeridae, Hemerobiidae, Hydropsychidae, Hydroptilidae, Lepidostomatidae, Leptoceridae, Limnephilidae, Mantispidae, Myrmeleonidae, Nemopteridae, Osmylidae, Panorpidae, Philopotamidae, Phryganeidae, Polycentropodidae, Psychomyiidae, Raphidiidae, Rhyacophilidae, Sericostomatidae, Sialidae, and Uenoidae.

- 5172. Abronius canescens Needham,1909** (Ascalaphidae) Synonym(s): canescens Needham,1909 Range (in code): **PK BI**
- 5173. Ascalaphodes canifrons (Westwood,1848)** (Ascalaphidae) Synonym(s): canifrons Westwood,1848 Range (in code): **IN SY**
- 5174. Ascalaphus dicax Walker,1853** (Ascalaphidae) Synonym(s): dicax Walker,1853 Range (in code): **TR SY IQ SA IN Ass Hp Up Oi Ben LK BD MY PH ID Mlc PG**
- 5175. Ascalaphus festivus (Rambur,1842)** (Ascalaphidae) Synonym(s): festivus Rambur,1842 Range (in code): **IL Pa SA MG**
- 5176. Ascalaphus krueperi (Van der Weele,1909)** (Ascalaphidae) Synonym(s): krueperi Van der Weele,1909 Range (in code): **SY EG Sn**
- 5177. Ascalohybris javana (Burmeister,1839)** (Ascalaphidae) Synonym(s): javana Burmeister,1839 Range (in code): **PK Krc ID Ja**
- 5178. Bubopsis andromache Aspöck, Aspöck & Hölzel,1979** (Ascalaphidae) Synonym(s): andromache Aspöck, Aspöck & Hölzel,1979 Range (in code): **TR IL Pa LB SY GR BG MK Cr Rd TM 01 02 07 15 16 17 26 31 32 33 35 48 80**

- 5179. Bubopsis hamata (Klug,1834)** (Ascalaphidae) Synonym(s): hamatus Klug,1834 Range (in code): **DZ GR TR IR SA AE EG IQ IR Km SY IL Pa JO Cc GG AZ TM Kp 01 02 05 07 17 21 23 32 34 44 47 56 58 63 65 80**
- 5180. Bubopsis tancrei Van der Weele,1909** (Ascalaphidae) Synonym(s): tancrei Van der Weele,1909 Range (in code): **TM UZ KG**
- 5181. Bubopsis zarudnyi Alexandrov-Martynov,1926** (Ascalaphidae) Synonym(s): zarudnyi Alexandrov-Martynov,1926 Range (in code): **OM Ss IR TR 21 23**
- 5182. Deleproctophylla australis (Fabricius,1787)** (Ascalaphidae) Synonym(s): australis Fabricius,1787 Range (in code): **Co Sa Si IT SS YU AL GR MK HV BG TR 22**
- 5183. Deleproctophylla dusmeti Navas,1914** (Ascalaphidae) Synonym(s): dusmeti Navas,1914 Range (in code): **PT FR ES TR Cc AZ PK 20 32 48 65**
- 5184. Deleproctophylla variegata (Klug,1834)** (Ascalaphidae) Synonym(s): variegata Klug,1834 Range (in code): **IL Pa Js TR Cc AM GG CY TM UZ KG 04 07 15 16 20 22 32 33 35 36 44 47 65 75**
- 5185. Idricerus decrepitus (Walker,1859)** (Ascalaphidae) Synonym(s): decrepitus Walker,1859 Range (in code): **IN Ass Ch Meg Up TM**
- 5186. Idricerus sogdianus McLachlan,1875** (Ascalaphidae) Synonym(s): sogdianus McLachlan,1875 Range (in code): **IN TM**
- 5187. Iranoidricerus iranensis (Kimmins,1938)** (Ascalaphidae) Synonym(s): iranensis Kimmins,1938 Range (in code): **IR TR 56 65**
- 5188. Libelloides jungei Aistleitner,1982** (Ascalaphidae) Synonym(s): jungei Aistleitner,1982 Range (in code): **TR 07**
- 5189. Libelloides lacteus (Brullé,1832)** (Ascalaphidae) Synonym(s): lacteus Brullé,1832 Range (in code): **FR IT RO TR 06 07 16 22 31 32 35 39 48 51**
- 5190. Libelloides macaronius (Scopoli,1763)** (Ascalaphidae) Synonym(s): macaronius Scopoli,1763 Range (in code): **AT IT HU CZ SK YU UA TR Cc GG IR SY RU KG TJ KK CN Ui 01 04 05 06 07 10 13 14 15 17 20 22 24 25 30 31 32 33 38 40 42 44 47 51 52 56 62 63 65 68 76**
- 5191. Libelloides ottomanus (Germar,1817)** (Ascalaphidae) Synonym(s): ottomanus Germar,1817 Range (in code): **TR 06**
- 5192. Libelloides rhomboideus (Schneider,1845)** (Ascalaphidae) Synonym(s): rhomboideus Schneider,1845; #rhomboideus Dobosz & Abraham,2007 Range (in code): **AL GR Cr TR SY IL Pa 01 06 07 09 13 15 16 17 20 31 33 35 47 48 62 80**
- 5193. Libelloides syriacus (McLachlan,1871)** (Ascalaphidae) Synonym(s): syriacus McLachlan,1871 Range (in code): **IL Pa SY TR 31**
- 5194. Libelloides ustulatus (Eversmann,1850)** (Ascalaphidae) Synonym(s): ustulatus Eversmann,1850 Range (in code): **TR Cc GG AZ AM IR 05**
- 5195. Ogcogaster tessellata Westwood,1848** (Ascalaphidae) Synonym(s): tessellata Westwood,1848; xavierii Navas,1930 Range (in code): **IN Hp PK**
- 5196. Omanoidricerus venustus (Tjeder & Waterson,1977)** (Ascalaphidae) Synonym(s): venustus Tjeder & Waterson,1977 Range (in code): **IR Ss OM AE**
- 5197. Ptyngidricerus albardanus (McLachlan,1891)** (Ascalaphidae) Synonym(s): albardanus McLachlan,1891 Range (in code): **TR IR Ha Ss 02 13 30 44 47 56 65**
- 5198. Ptyngidricerus pakistanensis Abraham & Meszaros,2002** (Ascalaphidae) Synonym(s): pakistanensis Abraham & Meszaros,2002 Range (in code): **PK Ch Gg**
- 5199. Ptyngidricerus persepolisensis Abraham & Meszaros,2002** (Ascalaphidae) Synonym(s): persepolisensis Abraham & Meszaros,2002 Range (in code): **IR Fa**
- 5200. Ptyngidricerus pseudoalbardanus Abraham & Meszaros,2002** (Ascalaphidae) Synonym(s): pseudoalbardanus Abraham & Meszaros,2002 Range (in code): **IR Es Lo**
- 5201. Ptyngidricerus sendanensis Abraham & Meszaros,2002** (Ascalaphidae) Synonym(s): sendanensis Abraham & Meszaros,2002 Range (in code): **IR Zj**
- 5202. Puer maculatus (Olivier,1789)** (Ascalaphidae) Synonym(s): maculatus Olivier,1789 Range (in code): **FR DZ IL Pa**

- 5203. *Stephanolasca chrysophlebia* Navas,1913** (Ascalaphidae) **Synonym(s):** chrysophlebia Navas,1913 **Range (in code):** [LB](#)
- 5204. *Stylascalaphus fabiani* Meszaros & Abraham,2005** (Ascalaphidae) **Synonym(s):** fabiani Meszaros & Abraham,2005 **Range (in code):** [TR PK Gg 02](#)
- 5205. *Suhpalasca fuscostigma* Navas,1925** (Ascalaphidae) **Synonym(s):** fuscostigma Navas,1925 **Range (in code):** [IL Pa](#)
- 5206. *Tmesibasis larseni* Hölzel,1983** (Ascalaphidae) **Synonym(s):** larseni Hölzel,1983 **Range (in code):** [OM SA](#)
- 5207. *Beraea alihosi* Sipahiler,2008** (Beraeidae) **Synonym(s):** alihosi Sipahiler,2008 **Range (in code):** [TR 52](#)
- 5208. *Beraea walteri* Malicky,1975** (Beraeidae) **Synonym(s):** walteri Malicky,1975 **Range (in code):** [TR](#)
- 5209. *Beraeodes minutus* (Linnaeus,1761)** (Beraeidae) **Synonym(s):** minutus Linnaeus,1761 **Range (in code):** [TR](#)
- 5210. *Ernodes abanticus* Çakın,1983** (Beraeidae) **Synonym(s):** abanticus Çakın,1983 **Range (in code):** [TR 14](#)
- 5211. *Ernodes anaticus* Çakın,1983** (Beraeidae) **Synonym(s):** anaticus Çakın,1983 **Range (in code):** [TR 06](#)
- 5212. *Ernodes articularis* Pictet,1834** (Beraeidae) **Synonym(s):** articularis Pictet,1834 **Range (in code):** [TR](#)
- 5213. *Ernodes orduensis* Sipahiler,2008** (Beraeidae) **Synonym(s):** orduensis Sipahiler,2008 **Range (in code):** [TR 52](#)
- 5214. *Isoscelipteron fulvum* Costa,1863** (Berothidae) **Synonym(s):** fulvum Costa,1863 **Range (in code):** [IT AL MK GR BG TR 07 15 16 20 42 46](#)
- 5215. *Nyrma kervillea* Navas,1933** (Berothidae) **Synonym(s):** kervillea Navas,1933 **Range (in code):** [TR 35 49](#)
- 5216. *Bittacus nodosus* Rust & Byers,1976** (Bittacidae) **Synonym(s):** nodosus Rust & Byers,1976 **Range (in code):** [IN PK](#)
- 5217. *Micrasema anaticum* Botosaneanu,1974** (Brachycentridae) **Synonym(s):** anaticum Botosaneanu,1974 **Range (in code):** [TR](#)
- 5218. *Micrasema bifoliatum* Martynov,1925** (Brachycentridae) **Synonym(s):** bifoliatum Martynov,1925 **Range (in code):** [TR](#)
- 5219. *Oligoplectrum maculatum* (Fourcroy,1785)** (Brachycentridae) **Synonym(s):** maculatum Fourcroy,1785 **Range (in code):** [TR](#)
- 5220. *Calamoceras illiesi* Malicky & Kumanski,1974** (Calamoceratidae) **Synonym(s):** illiesi Malicky & Kumanski,1974 **Range (in code):** [TR](#)
- 5221. *Brinckochrysa amseli* (Hölzel,1967)** (Chrysopidae) **Synonym(s):** amseli Hölzel,1967 **Range (in code):** [TR 01](#)
- 5222. *Chrysopa astarte* Hölzel,1967** (Chrysopidae) **Synonym(s):** astarte Hölzel,1967 **Range (in code):** [TR](#)
- 5223. *Chrysopa curdica* Hölzel,1967** (Chrysopidae) **Synonym(s):** curdica Hölzel,1967 **Range (in code):** [TR 13](#)
- 5224. *Chrysopa dorsalis* Burmeister,1839** (Chrysopidae) **Synonym(s):** dorsalis Burmeister,1839 **Range (in code):** [TR 06 07 15 20 32 33 48](#)
- 5225. *Chrysopa dubitans* McLachlan,1887** (Chrysopidae) **Synonym(s):** dubitans McLachlan,1887 **Range (in code):** [TR 07 31 35 47 56](#)
- 5226. *Chrysopa formosa* Brauer,1850** (Chrysopidae) **Synonym(s):** formosa Brauer,1850 **Range (in code):** [TR 01 05 06 07 15 20 22 32 34 35 38 40 48](#)
- 5227. *Chrysopa hungarica* Klapalek,1899** (Chrysopidae) **Synonym(s):** hungarica Klapalek,1899 **Range (in code):** [HU TR 03 06 16 20 32 33 40 42 60 66](#)
- 5228. *Chrysopa nigrescens* Hölzel & Ohm,1986** (Chrysopidae) **Synonym(s):** nigrescens Hölzel & Ohm,1986 **Range (in code):** [TR 07 33](#)



- 5229. Chrysopa nigricostata Brauer,1850** (Chrysopidae) **Synonym(s):** nigricostata Brauer,1850  
**Range (in code):** [TR 22 32](#)
- 5230. Chrysopa pallens (Rambur,1838)** (Chrysopidae) **Synonym(s):** pallens Rambur,1838 **Range (in code):** [TR 01 06 07 15 20 22 32 33 34 35 46 48 50](#)
- 5231. Chrysopa perla (Linnaeus,1758)** (Chrysopidae) **Synonym(s):** perla Linnaeus,1758 **Range (in code):** [TR 06](#)
- 5232. Chrysopa septempunctata Wesmael,1841** (Chrysopidae) **Synonym(s):** septempunctata Wesmael,1841 **Range (in code):** [TR 01 06 33 34 35](#)
- 5233. Chrysopa viridana Schneider,1845** (Chrysopidae) **Synonym(s):** viridana Schneider,1845 **Range (in code):** [TR 06 07 09 15 20 22 32 33 46 48](#)
- 5234. Chrysopa walkeri McLachlan,1893** (Chrysopidae) **Synonym(s):** walkeri McLachlan,1893; novempunctata Navas,1912; caucasica Navas,1920; alpina Navas,1920 **Range (in code):** [FR TR Cc 07 35](#)
- 5235. Chrysoperla carnea (Stephens,1836)** (Chrysopidae) **Synonym(s):** carnea Stephens,1836 **Range (in code):** [TR 01 02 04 05 06 07 08 09 13 15 17 20 21 22 23 25 27 30 32 33 34 35 38 40 42 44 46 47 48 50 51 55 56 60 61 63 65 72 73 75 76](#)
- 5236. Chrysoperla lucasina (Lacroix,1912)** (Chrysopidae) **Synonym(s):** lucasina Lacroix,1912 **Range (in code):** [GB CZ FR DE GR IT ES PT CH TR 42](#)
- 5237. Chrysoperla mutata (McLachlan,1898)** (Chrysopidae) **Synonym(s):** mutata McLachlan,1898 **Range (in code):** [TR](#)
- 5238. Chrysoperla rotundata (Navas,1929)** (Chrysopidae) **Synonym(s):** rotundata Navas,1929; iranica Hölzel,1967 **Range (in code):** [IR TR 35](#)
- 5239. Chrysoperla sillemi (Esben-Petersen,1935)** (Chrysopidae) **Synonym(s):** sillemi Esben-Petersen,1935 **Range (in code):** [IR Ha](#)
- 5240. Cunctochrysa albolineata (Killington,1935)** (Chrysopidae) **Synonym(s):** albolineata Killington,1935 **Range (in code):** [TR 06 46](#)
- 5241. Cunctochrysa baetica (Hölzel,1972)** (Chrysopidae) **Synonym(s):** baetica Hölzel,1972 **Range (in code):** [ES TR 06 32 60](#)
- 5242. Dichochrysa clathrata (Schneider,1845)** (Chrysopidae) **Synonym(s):** clathrata Schneider,1845 **Range (in code):** [TR 07 15 16 20 22 23 32 33 35 48](#)
- 5243. Dichochrysa flavifrons (Brauer,1850)** (Chrysopidae) **Synonym(s):** flavifrons Brauer,1850 **Range (in code):** [TR IR Kd 01 02 06 07 09 15 17 20 21 22 32 33 36 38 47 48 56 73 75](#)
- 5244. Dichochrysa genei (Rambur,1842)** (Chrysopidae) **Synonym(s):** genei Rambur,1842 **Range (in code):** [TR 07 17 20 33 35](#)
- 5245. Dichochrysa hadimensis Canbulat & Kiyak,2005** (Chrysopidae) **Synonym(s):** hadimensis Canbulat & Kiyak,2005 **Range (in code):** [TR 42](#)
- 5246. Dichochrysa inornata (Navas,1901)** (Chrysopidae) **Synonym(s):** inornata Navas,1901 **Range (in code):** [TR 22](#)
- 5247. Dichochrysa prasina (Burmeister,1839)** (Chrysopidae) **Synonym(s):** prasina Burmeister,1839 **Range (in code):** [TR 01 02 06 07 09 15 17 20 21 22 23 30 31 32 33 36 38 40 42 46 47 48 55 56 62 72 75 76](#)
- 5248. Dichochrysa subflavifrons (Tjeder,1949)** (Chrysopidae) **Synonym(s):** subflavifrons Tjeder,1949 **Range (in code):** [TR 01 22 30 31 33 36 46 47 55 76 80](#)
- 5249. Dichochrysa sybaritica (McLachlan,1875)** (Chrysopidae) **Synonym(s):** sybaritica McLachlan,1875 **Range (in code):** [TR 13](#)
- 5250. Dichochrysa venosa (Rambur,1842)** (Chrysopidae) **Synonym(s):** venosa Rambur,1842 **Range (in code):** [TR 21 33 47 76](#)
- 5251. Dichochrysa zelleri (Schneider,1851)** (Chrysopidae) **Synonym(s):** zelleri Schneider,1851 **Range (in code):** [TR 01 06 07 09 15 17 20 22 23 32 33 38 42 48](#)
- 5252. Hypochrysa elegans (Burmeister,1839)** (Chrysopidae) **Synonym(s):** elegans Burmeister,1839 **Range (in code):** [TR 07 20](#)
- 5253. Hypochrysa pernobilis Tjeder,1967** (Chrysopidae) **Synonym(s):** pernobilis Tjeder,1967 **Range (in code):** [TR](#)

- 5254. *Italochrysa italica* (Rossi,1790)** (Chrysopidae) Synonym(s): *italica* Rossi,1790 Range (in code): [IT TR 02 06 09 17 32 33 35 42 46 48 76](#)
- 5255. *Italochrysa vartianorum* Hölzel,1967** (Chrysopidae) Synonym(s): *vartianorum* Hölzel,1967 Range (in code): [TR IR Kd 33 46](#)
- 5256. *Nineta carinthiaca* (Hölzel,1965)** (Chrysopidae) Synonym(s): *carinthiaca* Hölzel,1965 Range (in code): [AT SS HU TR 06 33 75](#)
- 5257. *Nineta flava* (Scopoli,1763)** (Chrysopidae) Synonym(s): *flava* Scopoli,1763 Range (in code): [PT ES FR GB IE NO SE FI DK DE EE LT PL RU UA MD RO CZ HU CH AT IT NL SS HV YU SI BG GR TR 13 33](#)
- 5258. *Nineta gevnensis* Canbulat & Kiyak,2003** (Chrysopidae) Synonym(s): *gevnensis* Canbulat & Kiyak,2003 Range (in code): [TR 42](#)
- 5259. *Nineta guadarramensis* (Pictet,1865)** (Chrysopidae) Synonym(s): *guadarramensis* Pictet,1865 Range (in code): [ES FR DE CZ AT HU SS IT GR TR 32 55](#)
- 5260. *Nineta pallida* (Schneider,1845)** (Chrysopidae) Synonym(s): *pallida* Schneider,1845 Range (in code): [ES FR CH AT IT SS CZ DE PL UA HU RO BG TR 32 75](#)
- 5261. *Nothochrysa fulviceps* (Stephens,1836)** (Chrysopidae) Synonym(s): *fulviceps* Stephens,1836 Range (in code): [TR 32](#)
- 5262. *Nothochrysa turcicus* Kovancı & Canbulat,2007** (Chrysopidae) Synonym(s): *turcicus* Kovancı & Canbulat,2007 Range (in code): [TR 16](#)
- 5263. *Peyerimhoffina gracilis* (Schneider,1851)** (Chrysopidae) Synonym(s): *gracilis* Schneider,1851; *tricolor* Brauer,1856 Range (in code): [ES FR DE PL CZ CH AT IT Co B-H YU HU RO MD GR TR Cc 07 08 16 32 75](#)
- 5264. *Rexa raddai* (Hölzel,1966)** (Chrysopidae) Synonym(s): *raddai* Hölzel,1966 Range (in code): [GR TR 01 06 11 48](#)
- 5265. *Suarius* (s.str.) *nanus* (McLachlan,1893)** (Chrysopidae) Synonym(s): *nanus* McLachlan,1893 Range (in code): [TR 01 06 07 09 15 20 23 32 33 35 36 42 44 47 48 58 71](#)
- 5266. *Suarius* (s.str.) *vanensis* (Hölzel,1967)** (Chrysopidae) Synonym(s): *vanensis* Hölzel,1967 Range (in code): [TR 13](#)
- 5267. *Suarius caviceps* (McLachlan,1898)** (Chrysopidae) Synonym(s): *caviceps* McLachlan,1898 Range (in code): [TR 42](#)
- 5268. *Suarius vartianae* (Hölzel,1967)** (Chrysopidae) Synonym(s): *vartianae* Hölzel,1967 Range (in code): [TR](#)
- 5269. *Aleuropteryx loewi* Klapalek,1894** (Coniopterygidae) Synonym(s): *loewi* Klapalek,1894 Range (in code): [TR 15](#)
- 5270. *Aleuropteryx perpusilla* Gepp,1969** (Coniopterygidae) Synonym(s): *perpusilla* Gepp,1969 Range (in code): [TR 33](#)
- 5271. *Aleuropteryx umbrata* Zeleny,1964** (Coniopterygidae) Synonym(s): *umbrata* Zeleny,1964 Range (in code): [TR 07 09 20 32 33](#)
- 5272. *Coniopteryx* (Holoconiopteryx) *drammonti* Rousset,1964** (Coniopterygidae) Synonym(s): *drammonti* Rousset,1964 Range (in code): [TR](#)
- 5273. *Coniopteryx* (Holoconiopteryx) *haematica* McLachlan,1868** (Coniopterygidae) Synonym(s): *haematica* McLachlan,1868 Range (in code): [TR](#)
- 5274. *Coniopteryx* (Metaconiopteryx) *arcuata* Kis,1965** (Coniopterygidae) Synonym(s): *arcuata* Kis,1965 Range (in code): [TR 06 14 60](#)
- 5275. *Coniopteryx* (Metaconiopteryx) *esbenpeterseni* Tjeder,1930** (Coniopterygidae) Synonym(s): *esbenpeterseni* Tjeder,1930 Range (in code): [TR](#)
- 5276. *Coniopteryx* (Metaconiopteryx) *lentiae* H.Aspöck & U.Aspöck,1964** (Coniopterygidae) Synonym(s): *lentiae* H.Aspöck & U.Aspöck,1964 Range (in code): [TR](#)
- 5277. *Coniopteryx* (Metaconiopteryx) *tjederi* Kimmins,1934** (Coniopterygidae) Synonym(s): *tjederi* Kimmins,1934 Range (in code): [TR 33](#)
- 5278. *Coniopteryx* (s.str.) *borealis* Tjeder,1931** (Coniopterygidae) Synonym(s): *borealis* Tjeder,1931 Range (in code): [TR 57](#)
- 5279. *Coniopteryx* (s.str.) *pygmaea* Enderlein,1906** (Coniopterygidae) Synonym(s): *pygmaea* Enderlein,1906 Range (in code): [TR 07 15 33 42 48](#)

- 5280. Coniopteryx (s.str.) tineiformis** Curtis,[1834] (Coniopterygidae) Synonym(s): *tineiformis* Curtis,[1834] Range (in code): [TR](#)
- 5281. Coniopteryx (Xeroconiopteryx) atlasensis** Meinander,1963 (Coniopterygidae) Synonym(s): *atlasensis* Meinander,1963 Range (in code): [TR 13 33](#)
- 5282. Coniopteryx (Xeroconiopteryx) furcata** Meinander,1998 (Coniopterygidae) Synonym(s): *furcata* Meinander,1998 Range (in code): [IR Kh](#)
- 5283. Coniopteryx (Xeroconiopteryx) loipetsederi** H.Aspöck,1963 (Coniopterygidae) Synonym(s): *loipetsederi* H.Aspöck,1963 Range (in code): [TR 81](#)
- 5284. Coniopteryx (Xeroconiopteryx) manka** H.Aspöck & U.Aspöck,1965 (Coniopterygidae) Synonym(s): *manka* H.Aspöck & U.Aspöck,1965 Range (in code): [IR Fa Shr](#)
- 5285. Coniopteryx (Xeroconiopteryx) resslı** Rausch & H.Aspöck,1978 (Coniopterygidae) Synonym(s): *resslı* Rausch & H.Aspöck,1978 Range (in code): [IR Ss](#)
- 5286. Coniopteryx (Xeroconiopteryx) venustula** Rausch & H.Aspöck,1978 (Coniopterygidae) Synonym(s): *venustula* Rausch & H.Aspöck,1978 Range (in code): [IR Ss](#)
- 5287. Coniopteryx (Xeroconiopteryx?) orba** Rausch & H.Aspöck,1978 (Coniopterygidae) Synonym(s): *orba* Rausch & H.Aspöck,1978 Range (in code): [IR Ss](#)
- 5288. Conwentzia pineticola** Enderlein,1905 (Coniopterygidae) Synonym(s): *pineticola* Enderlein,1905 Range (in code): [TR 20 32](#)
- 5289. Conwentzia psociformis** (Curtis,[1834]) (Coniopterygidae) Synonym(s): *psociformis* Curtis,[1834] Range (in code): [TR](#)
- 5290. Helicoconis (Ohmopteryx) pseudolutea** Ohm,1965 (Coniopterygidae) Synonym(s): *pseudolutea* Ohm,1965 Range (in code): [TR 07 09 20 32 35](#)
- 5291. Helicoconis sengeri** Rausch, H.Aspöck & U.Aspöck,1978 (Coniopterygidae) Synonym(s): *sengeri* Rausch, H.Aspöck & U.Aspöck,1978 Range (in code): [TR 15 38 43](#)
- 5292. Hemisemidalis pallida** (Withycombe,[1924]) (Coniopterygidae) Synonym(s): *pallida* Withycombe,[1924] Range (in code): [TR IR Kd 07 09](#)
- 5293. Nimboa asadeva** Rausch & H.Aspöck,1978 (Coniopterygidae) Synonym(s): *asadeva* Rausch & H.Aspöck,1978 Range (in code): [TR IR Kd Fa](#)
- 5294. Nimboa kasyi** Rausch & H.Aspöck,1978 (Coniopterygidae) Synonym(s): *kasyi* Rausch & H.Aspöck,1978 Range (in code): [TR 58](#)
- 5295. Nimboa resslı** H.Aspöck & U.Aspöck,1965 (Coniopterygidae) Synonym(s): *resslı* H.Aspöck & U.Aspöck,1965 Range (in code): [TR 20 33](#)
- 5296. Parasemidalis fuscipennis** (Reuter,1894) (Coniopterygidae) Synonym(s): *fuscipennis* Reuter,1894 Range (in code): [AT BG CH CZ SK DE DK ES FR GB GR HU HV IT LT NO PL RO RU SE FI SS YU MN TR US Arz Cf MX 38](#)
- 5297. Semidalis aleyrodiformis** (Stephens,1836) (Coniopterygidae) Synonym(s): *aleyrodiformis* Stephens,1836 Range (in code): [TR 07 09 15 20 33 34 35 40 42 48](#)
- 5298. Vartiana necopinata** H.Aspöck & U.Aspöck,1965 (Coniopterygidae) Synonym(s): *necopinata* H.Aspöck & U.Aspöck,1965 Range (in code): [TR GR](#)
- 5299. Dilar kirgisus** H.Aspöck & U.Aspöck,1967 (Dilaridae) Synonym(s): *kirgisus* H.Aspöck & U.Aspöck,1967 Range (in code): [IR](#)
- 5300. Dilar lineolatus** Navas,[1909] (Dilaridae) Synonym(s): *lineolatus* Navas,[1909] Range (in code): [TR 16](#)
- 5301. Dilar turcicus** Hagen,1858 (Dilaridae) Synonym(s): *turcicus* Hagen,1858 Range (in code): [HV B-H YU AL MK GR BG UA TR 06 07 16](#)
- 5302. Ecnomus tenellus** Rambur,1842 (Ecnomidae) Synonym(s): *tenellus* Rambur,1842 Range (in code): [TR](#)
- 5303. Agapetus belareca** Botosaneanu,1957 (Glossosomatidae) Synonym(s): *belareca* Botosaneanu,1957 Range (in code): [TR](#)
- 5304. Agapetus caucasicus** Martynov,1913 (Glossosomatidae) Synonym(s): *caucasicus* Martynov,1913 Range (in code): [TR Cc](#)



- 5305. *Agapetus delicatulus* McLachlan,1884** (Glossosomatidae) **Synonym(s):** delicatulus McLachlan,1884 **Range (in code):** [TR](#)
- 5306. *Agapetus episkopi* Malicky,1972** (Glossosomatidae) **Synonym(s):** episkopi Malicky,1972 **Range (in code):** [TR](#)
- 5307. *Agapetus karabagi* Çakın,1981** (Glossosomatidae) **Synonym(s):** karabagi Çakın,1981 **Range (in code):** [TR](#)
- 5308. *Agapetus laniger* Pictet,1834** (Glossosomatidae) **Synonym(s):** laniger Pictet,1834 **Range (in code):** [TR](#)
- 5309. *Glossosoma baclava* Malicky,1972** (Glossosomatidae) **Synonym(s):** baclava Malicky,1972 **Range (in code):** [TR](#)
- 5310. *Glossosoma capitatum* Martynov,1913** (Glossosomatidae) **Synonym(s):** capitatum Martynov,1913 **Range (in code):** [TR](#)
- 5311. *Glossosoma develi* Malicky,1972** (Glossosomatidae) **Synonym(s):** develi Malicky,1972 **Range (in code):** [TR](#)
- 5312. *Glossosoma tunceliensis* Sipahiler,1987** (Glossosomatidae) **Synonym(s):** tunceliensis Sipahiler,1987 **Range (in code):** [TR 62](#)
- 5313. *Glossosoma unguiculatum* Martynov,1925** (Glossosomatidae) **Synonym(s):** unguiculatum Martynov,1925 **Range (in code):** [TR](#)
- 5314. *Ptilocolepus colchicus* Martynov,1913** (Glossosomatidae) **Synonym(s):** colchicus Martynov,1913 **Range (in code):** [TR Cc](#)
- 5315. *Ptilocolepus granulatus* (Pictet,1834)** (Glossosomatidae) **Synonym(s):** granulatus Pictet,1834 **Range (in code):** [TR](#)
- 5316. *Synagapetus anaticus* Çakın,1981** (Glossosomatidae) **Synonym(s):** anaticus Çakın,1981 **Range (in code):** [TR](#)
- 5317. *Goera pilosa* Fabricius,1775** (Goeridae) **Synonym(s):** pilosa Fabricius,1775 **Range (in code):** [TR](#)
- 5318. *Lithax incanus* Hagen,1859** (Goeridae) **Synonym(s):** incanus Hagen,1859 **Range (in code):** [TR](#)
- 5319. *Lithax musaca* Malicky,1972** (Goeridae) **Synonym(s):** musaca Malicky,1972 **Range (in code):** [TR](#)
- 5320. *Helicopsyche bacescui* Orghidan & Botosaneanu,1953** (Helicopsychidae) **Synonym(s):** bacescui Orghidan & Botosaneanu,1953 **Range (in code):** [TR](#)
- 5321. *Boriomyia amseli* Aspöck & Aspöck,1966** (Hemerobiidae) **Synonym(s):** amseli Aspöck & Aspöck,1966 **Range (in code):** [AF NP](#)
- 5322. *Boriomyia arenata* Aspöck & Aspöck,1966** (Hemerobiidae) **Synonym(s):** arenata Aspöck & Aspöck,1966 **Range (in code):** [TR 06 13](#)
- 5323. *Boriomyia vartianae* Aspöck & Aspöck,1966** (Hemerobiidae) **Synonym(s):** vartianae Aspöck & Aspöck,1966 **Range (in code):** [AF](#)
- 5324. *Hemerobius friedeli* Aspöck & Aspöck,1966** (Hemerobiidae) **Synonym(s):** friedeli Aspöck & Aspöck,1966 **Range (in code):** [TR 06 13 42 80](#)
- 5325. *Hemerobius gilvus* Stein,1863** (Hemerobiidae) **Synonym(s):** gilvus Stein,1863 **Range (in code):** [TR 06 27 32 42 55 60](#)
- 5326. *Hemerobius handschini* Tjeder,1957** (Hemerobiidae) **Synonym(s):** handschini Tjeder,1957 **Range (in code):** [TR 07 20 32](#)
- 5327. *Hemerobius micans* Olivier,1792** (Hemerobiidae) **Synonym(s):** micans Olivier,1792 **Range (in code):** [TR 32](#)
- 5328. *Hemerobius nitidulus* Fabricius,1777** (Hemerobiidae) **Synonym(s):** nitidulus Fabricius,1777 **Range (in code):** [TR 07 09 15 20 48](#)
- 5329. *Hemerobius zernyi* Esben-Petersen,1935** (Hemerobiidae) **Synonym(s):** zernyi Esben-Petersen,1935 **Range (in code):** [LB Bsa TR 02 06 20 32 42 80](#)
- 5330. *Megalomus tortricoides* Rambur,1842** (Hemerobiidae) **Synonym(s):** tortricoides Rambur,1842 **Range (in code):** [TR 07 20](#)
- 5331. *Symphorobius elegans* (Stephens,1836)** (Hemerobiidae) **Synonym(s):** elegans Stephens,1836 **Range (in code):** [TR 15 42](#)

- 5332. Sympherobius pygmaeus (Rambur,1842)** (Hemerobiidae) **Synonym(s):** pygmaeus Rambur,1842 **Range (in code):** [TR 07 15 20 32 40 46](#)
- 5333. Wesmaelius (Kimmisia) navasi (Andreu,1911)** (Hemerobiidae) **Synonym(s):** navasi Andreu,1911 **Range (in code):** [TR 27 32 42](#)
- 5334. Wesmaelius (Kimmisia) subnebulosus (Stephens,1836)** (Hemerobiidae) **Synonym(s):** subnebulosus Stephens,1836 **Range (in code):** [TR 15 16 20 32 33 35 40 46](#)
- 5335. Wesmaelius (s.str.) concinnus (Stephens,1836)** (Hemerobiidae) **Synonym(s):** concinnus Stephens,1836 **Range (in code):** [TR 32](#)
- 5336. Cheumatopsyche capitella Martynov,1927** (Hydropsychidae) **Synonym(s):** capitella Martynov,1927 **Range (in code):** [TR](#)
- 5337. Cheumatopsyche lepida Pictet,1834** (Hydropsychidae) **Synonym(s):** lepida Pictet,1834 **Range (in code):** [TR](#)
- 5338. Diplectrona atra McLachlan,1878** (Hydropsychidae) **Synonym(s):** atra McLachlan,1878 **Range (in code):** [TR](#)
- 5339. Hydropsyche acuta Martynov,1909** (Hydropsychidae) **Synonym(s):** acuta Martynov,1909 **Range (in code):** [TR](#)
- 5340. Hydropsyche alaca Malicky,1974** (Hydropsychidae) **Synonym(s):** alaca Malicky,1974 **Range (in code):** [TR](#)
- 5341. Hydropsyche angustipennis Curtis,1834** (Hydropsychidae) **Synonym(s):** angustipennis Curtis,1834 **Range (in code):** [TR](#)
- 5342. Hydropsyche bitlis Malicky,1986** (Hydropsychidae) **Synonym(s):** bitlis Malicky,1986 **Range (in code):** [TR 13](#)
- 5343. Hydropsyche bulbifera McLachlan,1878** (Hydropsychidae) **Synonym(s):** bulbifera McLachlan,1878 **Range (in code):** [TR](#)
- 5344. Hydropsyche consanguinea McLachlan,1884** (Hydropsychidae) **Synonym(s):** consanguinea McLachlan,1884 **Range (in code):** [TR](#)
- 5345. Hydropsyche contubernalis McLachlan,1865** (Hydropsychidae) **Synonym(s):** contubernalis McLachlan,1865 **Range (in code):** [TR](#)
- 5346. Hydropsyche cornuta Martynov,1909** (Hydropsychidae) **Synonym(s):** cornuta Martynov,1909 **Range (in code):** [TR](#)
- 5347. Hydropsyche djabai Schmid,1959** (Hydropsychidae) **Synonym(s):** djabai Schmid,1959 **Range (in code):** [TR](#)
- 5348. Hydropsyche gemecika Malicky,1981** (Hydropsychidae) **Synonym(s):** gemecika Malicky,1981 **Range (in code):** [TR](#)
- 5349. Hydropsyche instabilis Curtis,1834** (Hydropsychidae) **Synonym(s):** instabilis Curtis,1834 **Range (in code):** [TR](#)
- 5350. Hydropsyche jordanensis Tjeder,1946** (Hydropsychidae) **Synonym(s):** jordanensis Tjeder,1946 **Range (in code):** [TR](#)
- 5351. Hydropsyche kebab Malicky,1974** (Hydropsychidae) **Synonym(s):** kebab Malicky,1974 **Range (in code):** [TR](#)
- 5352. Hydropsyche kocaki Çakın,1983** (Hydropsychidae) **Synonym(s):** kocaki Çakın,1983 **Range (in code):** [TR 01](#)
- 5353. Hydropsyche lepnevae Botosaneanu,1967** (Hydropsychidae) **Synonym(s):** lepnevae Botosaneanu,1967 **Range (in code):** [TR](#)
- 5354. Hydropsyche mahrkusha Schmid,1959** (Hydropsychidae) **Synonym(s):** mahrkusha Schmid,1959 **Range (in code):** [TR](#)
- 5355. Hydropsyche modesta Navas,1925** (Hydropsychidae) **Synonym(s):** modesta Navas,1925 **Range (in code):** [TR](#)
- 5356. Hydropsyche pellucidula Curtis,1834** (Hydropsychidae) **Synonym(s):** pellucidula Curtis,1834 **Range (in code):** [TR](#)
- 5357. Hydropsyche peristerica Botosaneanu & Marinkovic,1966** (Hydropsychidae) **Synonym(s):** peristerica Botosaneanu & Marinkovic,1966 **Range (in code):** [TR](#)

- 5358. *Hydropsyche ressl* Malicky,1974** (Hydropsychidae) **Synonym(s):** ressl Malicky,1974 **Range**  
**(in code):** **TR**
- 5359. *Hydropsyche sakarawaka* Schmid,1959** (Hydropsychidae) **Synonym(s):** sakarawaka Schmid,1959 **Range (in code):** **TR**
- 5360. *Hydropsyche sappho* Malicky,1976** (Hydropsychidae) **Synonym(s):** sappho Malicky,1976  
**Range (in code):** **TR**
- 5361. *Hydropsyche sciligra* Malicky,1977** (Hydropsychidae) **Synonym(s):** sciligra Malicky,1977  
**Range (in code):** **TR**
- 5362. *Hydropsyche siltalai* Döhler,1963** (Hydropsychidae) **Synonym(s):** siltalai Döhler,1963 **Range**  
**(in code):** **TR**
- 5363. *Hydropsyche tigrata* Malicky,1974** (Hydropsychidae) **Synonym(s):** tigrata Malicky,1974  
**Range (in code):** **TR**
- 5364. *Hydropsyche valkanovi* Kumanski,1974** (Hydropsychidae) **Synonym(s):** valkanovi Kumanski,1974 **Range (in code):** **TR**
- 5365. *Agraylea sexmaculata* Curtis,1834** (Hydroptilidae) **Synonym(s):** sexmaculata Curtis,1834  
**Range (in code):** **TR**
- 5366. *Allotrichia pallicornis* Eaton,1873** (Hydroptilidae) **Synonym(s):** pallicornis Eaton,1873 **Range**  
**(in code):** **TR**
- 5367. *Allotrichia vilnensis* Raciecka,1937** (Hydroptilidae) **Synonym(s):** vilnensis Raciecka,1937  
**Range (in code):** **TR**
- 5368. *Hydroptila angustata* Mosely,1939** (Hydroptilidae) **Synonym(s):** angustata Mosely,1939 **Range**  
**(in code):** **TR**
- 5369. *Hydroptila armathai* Schmid,1959** (Hydroptilidae) **Synonym(s):** armathai Schmid,1959 **Range**  
**(in code):** **TR**
- 5370. *Hydroptila cornuta* Mosely,1922** (Hydroptilidae) **Synonym(s):** cornuta Mosely,1922 **Range (in**  
**code):** **TR**
- 5371. *Hydroptila forcipata* Eaton,1873** (Hydroptilidae) **Synonym(s):** forcipata Eaton,1873 **Range (in**  
**code):** **TR**
- 5372. *Hydroptila friedeli* Malicky,1972** (Hydroptilidae) **Synonym(s):** friedeli Malicky,1972 **Range (in**  
**code):** **TR**
- 5373. *Hydroptila kalonichtis* Malicky,1972** (Hydroptilidae) **Synonym(s):** kalonichtis Malicky,1972  
**Range (in code):** **TR**
- 5374. *Hydroptila lotensis* Mosely,1930** (Hydroptilidae) **Synonym(s):** lotensis Mosely,1930 **Range (in**  
**code):** **TR**
- 5375. *Hydroptila manavgatensis* Malicky & Çakın,1983** (Hydroptilidae) **Synonym(s):** manavgatensis Malicky & Çakın,1983 **Range (in code):** **TR 07**
- 5376. *Hydroptila occulta* Eaton,1873** (Hydroptilidae) **Synonym(s):** occulta Eaton,1873 **Range (in**  
**code):** **TR**
- 5377. *Hydroptila ovacikensis* Sipahiler,1987** (Hydroptilidae) **Synonym(s):** ovacikensis Sipahiler,1987  
**Range (in code):** **TR 62**
- 5378. *Hydroptila simulans* Mosely,1920** (Hydroptilidae) **Synonym(s):** simulans Mosely,1920 **Range**  
**(in code):** **TR**
- 5379. *Hydroptila sparsa* Curtis,1834** (Hydroptilidae) **Synonym(s):** sparsa Curtis,1834 **Range (in**  
**code):** **TR**
- 5380. *Hydroptila taurica* Martynov,1934** (Hydroptilidae) **Synonym(s):** taurica Martynov,1934 **Range**  
**(in code):** **TR**
- 5381. *Hydroptila tineoides* Dalman,1819** (Hydroptilidae) **Synonym(s):** tineoides Dalman,1819 **Range**  
**(in code):** **TR**
- 5382. *Hydroptila vectis* Curtis,1834** (Hydroptilidae) **Synonym(s):** vectis Curtis,1834 **Range (in**  
**code):** **TR**
- 5383. *Hydroptila vichtaspa* Schmid,1959** (Hydroptilidae) **Synonym(s):** vichtaspa Schmid,1959 **Range**  
**(in code):** **TR**



- 5384. Ithytrichia lamellaris Eaton,1873** (Hydroptilidae) **Synonym(s):** lamellaris Eaton,1873 **Range (in code):** [TR](#)
- 5385. Orthotrichia costalis Curtis,1834** (Hydroptilidae) **Synonym(s):** costalis Curtis,1834 **Range (in code):** [TR](#)
- 5386. Oxyethiva delcourti Jacquemart,1973** (Hydroptilidae) **Synonym(s):** delcourti Jacquemart,1973 **Range (in code):** [TR](#)
- 5387. Oxyethiva falcata Morton,1893** (Hydroptilidae) **Synonym(s):** falcata Morton,1893 **Range (in code):** [TR](#)
- 5388. Stactobia marlieri Schmid,1959** (Hydroptilidae) **Synonym(s):** marlieri Schmid,1959 **Range (in code):** [TR](#)
- 5389. Stactobiella celtikci Çakın,1981** (Hydroptilidae) **Synonym(s):** celtikci Çakın,1981 **Range (in code):** [TR](#)
- 5390. Dinarthrum chaldyrense Martynov,1909** (Lepidostomatidae) **Synonym(s):** chaldyrense Martynov,1909 **Range (in code):** [TR](#)
- 5391. Dinarthrum iranicum Schmid,1959** (Lepidostomatidae) **Synonym(s):** iranicum Schmid,1959 **Range (in code):** [TR](#) [IR](#)
- 5392. Dinarthrum longiplicatum Martynov,1913** (Lepidostomatidae) **Synonym(s):** longiplicatum Martynov,1913 **Range (in code):** [TR](#)
- 5393. Dinarthrum mesoplicatum Martynov,1913** (Lepidostomatidae) **Synonym(s):** mesoplicatum Martynov,1913 **Range (in code):** [TR](#)
- 5394. Lasiocephala holzschuhi Malicky,1977** (Lepidostomatidae) **Synonym(s):** holzschuhi Malicky,1977 **Range (in code):** [TR](#)
- 5395. Lasiocephala olimpensis Çakın & Malicky,1983** (Lepidostomatidae) **Synonym(s):** olimpensis Çakın & Malicky,1983 **Range (in code):** [TR](#)
- 5396. Lepidostoma hirtum Fabricius,1775** (Lepidostomatidae) **Synonym(s):** hirtum Fabricius,1775 **Range (in code):** [TR](#)
- 5397. Setodes viridis (Fourcroy,1785)** (Leptoceridae) **Synonym(s):** viridis Fourcroy,1785 **Range (in code):** [TR](#)
- 5398. Adicella altandroconia Botosaneanu & Novak,1965** (Leptoceridae) **Synonym(s):** altandroconia Botosaneanu & Novak,1965 **Range (in code):** [TR](#)
- 5399. Adicella dionisos Malicky,1977** (Leptoceridae) **Synonym(s):** dionisos Malicky,1977 **Range (in code):** [TR](#)
- 5400. Adicella hakkariensis Malicky,1987** (Leptoceridae) **Synonym(s):** hakkariensis Malicky,1987 **Range (in code):** [TR](#) [30](#)
- 5401. Adicella hypseloknossoios Malicky,1977** (Leptoceridae) **Synonym(s):** hypseloknossoios Malicky,1977 **Range (in code):** [TR](#)
- 5402. Adicella syriaca Ulmer,1907** (Leptoceridae) **Synonym(s):** syriaca Ulmer,1907 **Range (in code):** [TR](#)
- 5403. Adicella thalia Malicky,1976** (Leptoceridae) **Synonym(s):** thalia Malicky,1976 **Range (in code):** [TR](#)
- 5404. Athripsodes angriamani Schmid,1959** (Leptoceridae) **Synonym(s):** angriamani Schmid,1959 **Range (in code):** [TR](#)
- 5405. Athripsodes fulvicornis Martynov,1913** (Leptoceridae) **Synonym(s):** fulvicornis Martynov,1913 **Range (in code):** [TR](#)
- 5406. Athripsodes iltsohi Malicky,1987** (Leptoceridae) **Synonym(s):** iltsohi Malicky,1987 **Range (in code):** [TR](#)
- 5407. Athripsodes karsensis Çakın & Malicky,1983** (Leptoceridae) **Synonym(s):** karsensis Çakın & Malicky,1983 **Range (in code):** [TR](#)
- 5408. Athripsodes longispinosus Martynov,1909** (Leptoceridae) **Synonym(s):** longispinosus Martynov,1909 **Range (in code):** [TR](#)
- 5409. Athripsodes sewangensis Martynov,1925** (Leptoceridae) **Synonym(s):** sewangensis Martynov,1925 **Range (in code):** [TR](#)

- 5410. Ceraclea aurea Pictet,1834** (Leptoceridae) Synonym(s): aurea Pictet,1834 Range (in code): TR
- 5411. Ceraclea riparia Albarda,1874** (Leptoceridae) Synonym(s): riparia Albarda,1874 Range (in code): TR
- 5412. Ceraclea senilis Burmeister,1839** (Leptoceridae) Synonym(s): senilis Burmeister,1839 Range (in code): TR
- 5413. Leptocerus interruptus Fabricius,1775** (Leptoceridae) Synonym(s): interruptus Fabricius,1775 Range (in code): TR
- 5414. Leptocerus tineiformis Curtis,1834** (Leptoceridae) Synonym(s): tineiformis Curtis,1834 Range (in code): TR
- 5415. Mystacides azurea (Linnaeus,1761)** (Leptoceridae) Synonym(s): azurea Linnaeus,1761 Range (in code): TR
- 5416. Mystacides nigra (Linnaeus,1758)** (Leptoceridae) Synonym(s): nigra Linnaeus,1758 Range (in code): TR
- 5417. Oecetis brignolii Malicky,1981** (Leptoceridae) Synonym(s): brignolii Malicky,1981 Range (in code): TR
- 5418. Oecetis furva Rambur,1842** (Leptoceridae) Synonym(s): furva Rambur,1842 Range (in code): TR
- 5419. Oecetis ochracea Curtis,1825** (Leptoceridae) Synonym(s): ochracea Curtis,1825 Range (in code): TR
- 5420. Setodes anatolicus Schmid,1964** (Leptoceridae) Synonym(s): anatolicus Schmid,1964 Range (in code): TR
- 5421. Setodes dehensurae Çakın & Malicky,1983** (Leptoceridae) Synonym(s): dehensurae Çakın & Malicky,1983 Range (in code): TR
- 5422. Setodes kuehbandneri Malicky,1987** (Leptoceridae) Synonym(s): kuehbandneri Malicky,1987 Range (in code): TR
- 5423. Setodes punctatus Fabricius,1793** (Leptoceridae) Synonym(s): punctatus Fabricius,1793 Range (in code): TR
- 5424. Triaenodes conspersus Rambur,1842** (Leptoceridae) Synonym(s): conspersus Rambur,1842 Range (in code): TR
- 5425. Triaenodes internus McLachlan,1875** (Leptoceridae) Synonym(s): internus McLachlan,1875 Range (in code): TR
- 5426. Triaenodes kawraiskii Martynov,1909** (Leptoceridae) Synonym(s): kawraiskii Martynov,1909 Range (in code): TR
- 5427. Potamophylax luctuosus (Piller & Mitterpacher,1783)** (Limnephilidae) Synonym(s): luctuosus Piller & Mitterpacher,1783 Range (in code): TR
- 5428. Apatania olympica Malicky,1982** (Limnephilidae) Synonym(s): olympica Malicky,1982 Range (in code): TR
- 5429. Apatania subtilis Martynov,1909** (Limnephilidae) Synonym(s): subtilis Martynov,1909 Range (in code): TR
- 5430. Drusus bayburti Çakın,1983** (Limnephilidae) Synonym(s): bayburti Çakın,1983 Range (in code): TR 69
- 5431. Drusus caucasicus Ulmer,1907** (Limnephilidae) Synonym(s): caucasicus Ulmer,1907 Range (in code): TR Cc
- 5432. Drusus demirsoyi Çakın,1983** (Limnephilidae) Synonym(s): demirsoyi Çakın,1983 Range (in code): TR
- 5433. Drusus fuesunae Malicky,1986** (Limnephilidae) Synonym(s): fuesunae Malicky,1986 Range (in code): TR
- 5434. Drusus hackeri Malicky,1986** (Limnephilidae) Synonym(s): hackeri Malicky,1986 Range (in code): TR
- 5435. Drusus kazanciae Çakın,1983** (Limnephilidae) Synonym(s): kazanciae Çakın,1983 Range (in code): TR

- 5436. *Drusus muchei* Malicky,1987** (Limnephilidae) Synonym(s): *muchei* Malicky,1987 Range (in code): TR
- 5437. *Drusus rizeiensis* Sipahiler,1986** (Limnephilidae) Synonym(s): *rizeiensis* Sipahiler,1986 Range (in code): TR 53
- 5438. *Drusus simplex* Martynov,1927** (Limnephilidae) Synonym(s): *simplex* Martynov,1927 Range (in code): TR
- 5439. *Ecclisopteryx dalecarlica* Kolenati,1848** (Limnephilidae) Synonym(s): *dalecarlica* Kolenati,1848 Range (in code): TR
- 5440. *Glyptotaelius selysi* McLachlan,1869** (Limnephilidae) Synonym(s): *selysi* McLachlan,1869 Range (in code): TR
- 5441. *Grammotaulius nigropunctatus* Retzius,1783** (Limnephilidae) Synonym(s): *nigropunctatus* Retzius,1783 Range (in code): TR
- 5442. *Halesus digitatus* Schrank,1781** (Limnephilidae) Synonym(s): *digitatus* Schrank,1781 Range (in code): TR
- 5443. *Limnephilus affinis* Curtis,1834** (Limnephilidae) Synonym(s): *affinis* Curtis,1834 Range (in code): TR
- 5444. *Limnephilus alaicus* Martynov,1915** (Limnephilidae) Synonym(s): *alaicus* Martynov,1915 Range (in code): TR
- 5445. *Limnephilus auricula* Curtis,1834** (Limnephilidae) Synonym(s): *auricula* Curtis,1834 Range (in code): TR
- 5446. *Limnephilus binotatus* Curtis,1834** (Limnephilidae) Synonym(s): *binotatus* Curtis,1834 Range (in code): TR
- 5447. *Limnephilus bipunctatus* Curtis,1834** (Limnephilidae) Synonym(s): *bipunctatus* Curtis,1834 Range (in code): TR
- 5448. *Limnephilus caucasicus* Schmid,1955** (Limnephilidae) Synonym(s): *caucasicus* Schmid,1955 Range (in code): TR Cc
- 5449. *Limnephilus decipiens* Kolenati,1848** (Limnephilidae) Synonym(s): *decipiens* Kolenati,1848 Range (in code): TR
- 5450. *Limnephilus flavicornis* (Fabricius,1787)** (Limnephilidae) Synonym(s): *flavicornis* Fabricius,1787 Range (in code): TR
- 5451. *Limnephilus flavospinosus* Stein,1874** (Limnephilidae) Synonym(s): *flavospinosus* Stein,1874 Range (in code): TR
- 5452. *Limnephilus griseus* (Linnaeus,1758)** (Limnephilidae) Synonym(s): *griseus* Linnaeus,1758 Range (in code): TR
- 5453. *Limnephilus hirsutus* Pictet,1834** (Limnephilidae) Synonym(s): *hirsutus* Pictet,1834 Range (in code): TR
- 5454. *Limnephilus incisus* Curtis,1834** (Limnephilidae) Synonym(s): *incisus* Curtis,1834 Range (in code): TR
- 5455. *Limnephilus lunatus* Curtis,1834** (Limnephilidae) Synonym(s): *lunatus* Curtis,1834 Range (in code): TR
- 5456. *Limnephilus major* Martynov,1909** (Limnephilidae) Synonym(s): *major* Martynov,1909 Range (in code): TR
- 5457. *Limnephilus microdentatus* Martynov,1913** (Limnephilidae) Synonym(s): *microdentatus* Martynov,1913 Range (in code): TR
- 5458. *Limnephilus peculiaris* McLachlan,1875** (Limnephilidae) Synonym(s): *peculiaris* McLachlan,1875 Range (in code): TR
- 5459. *Limnephilus ponticus* McLachlan,1898** (Limnephilidae) Synonym(s): *ponticus* McLachlan,1898 Range (in code): TR
- 5460. *Limnephilus rhombicus* (Linnaeus,1758)** (Limnephilidae) Synonym(s): *rhombicus* Linnaeus,1758 Range (in code): TR
- 5461. *Limnephilus sparsus* Curtis,1834** (Limnephilidae) Synonym(s): *sparsus* Curtis,1834 Range (in code): TR



- 5462. *Limnephilus subcentralis* Brauer,1857** (Limnephilidae) Synonym(s): subcentralis Brauer,1857  
Range (in code): [TR](#)
- 5463. *Limnephilus tauricus* Schmid,1964** (Limnephilidae) Synonym(s): tauricus Schmid,1964  
Range (in code): [TR](#)
- 5464. *Limnephilus vittatus* (Fabricius,1798)** (Limnephilidae) Synonym(s): vittatus Fabricius,1798  
Range (in code): [TR](#)
- 5465. *Mesophylax aspersus* Rambur,1842** (Limnephilidae) Synonym(s): aspersus Rambur,1842  
Range (in code): [TR](#)
- 5466. *Metanoea anatolica* Sipahiler,1986** (Limnephilidae) Synonym(s): anatolica Sipahiler,1986  
Range (in code): [TR](#)
- 5467. *Micropterna caesareica* Schmid,1959** (Limnephilidae) Synonym(s): caesareica Schmid,1959  
Range (in code): [TR](#)
- 5468. *Micropterna clavata* Martynov,1916** (Limnephilidae) Synonym(s): clavata Martynov,1916  
Range (in code): [TR](#)
- 5469. *Micropterna coiffaiti* Decamps,1962** (Limnephilidae) Synonym(s): coiffaiti Decamps,1962  
Range (in code): [TR](#)
- 5470. *Micropterna hatatitla* Malicky,1985** (Limnephilidae) Synonym(s): hatatitla Malicky,1985  
Range (in code): [TR](#)
- 5471. *Micropterna malaspina* Schmid,1957** (Limnephilidae) Synonym(s): malaspina Schmid,1957  
Range (in code): [TR](#)
- 5472. *Micropterna muehleni* McLachlan,1884** (Limnephilidae) Synonym(s): muehleni McLachlan,1884 Range (in code): [TR](#)
- 5473. *Micropterna nycterobia* McLachlan,1875** (Limnephilidae) Synonym(s): nycterobia McLachlan,1875 Range (in code): [TR](#)
- 5474. *Micropterna sequax* McLachlan,1875** (Limnephilidae) Synonym(s): sequax McLachlan,1875  
Range (in code): [TR](#)
- 5475. *Micropterna taurica* Martynov,1917** (Limnephilidae) Synonym(s): taurica Martynov,1917  
Range (in code): [TR](#)
- 5476. *Potamophylax latipennis* Curtis,1834** (Limnephilidae) Synonym(s): latipennis Curtis,1834  
Range (in code): [TR](#)
- 5477. *Potamophylax nigricornis* Pictet,1834** (Limnephilidae) Synonym(s): nigricornis Pictet,1834  
Range (in code): [TR](#)
- 5478. *Psilopterus turcicus* Çakın,1981** (Limnephilidae) Synonym(s): turcicus Çakın,1981 [Range \(in code\): TR](#)
- 5479. *Rizeiella anatolica* Sipahiler,1986** (Limnephilidae) Synonym(s): anatolica Sipahiler,1986  
Range (in code): [TR 53](#)
- 5480. *Stenophylax meridiorientalis* Malicky,1980** (Limnephilidae) Synonym(s): meridiorientalis Malicky,1980 [Range \(in code\): TR](#)
- 5481. *Stenophylax permistus* McLachlan,1895** (Limnephilidae) Synonym(s): permistus McLachlan,1895 [Range \(in code\): TR](#)
- 5482. *Stenophylax tauricus* Schmid,1964** (Limnephilidae) Synonym(s): tauricus Schmid,1964 [Range \(in code\): TR](#)
- 5483. *Mantispa aphavexelte* U.Aspöck & H.Aspöck,1994** (Mantispidae) Synonym(s): aphavexelte U.Aspöck & H.Aspöck,1994; #aphavexelte Dobosz,2007 [Range \(in code\): TR Cc AM BG FR HV IT GR SL ES CH YU KG MN CN RU Ur IR 07 11 13 16 26 33 36 39 42](#)
- 5484. *Mantispa lobata* Navas,1912** (Mantispidae) Synonym(s): adelungi Navas,1912; mandrina Navas,1914  
Range (in code): [UA Cm Ao Akh Da GG AZ Cc AM TR ES FR IT RO YU BG GR RU CN MN MA PL KG TM 73](#)
- 5485. *Mantispa scabricollis* McLachlan,1875** (Mantispidae) Synonym(s): scabricollis McLachlan,1875; ?minuta Kozhantshikov,1949; caucasica Handschin,1959 [Range \(in code\): GR Rd TR Cc AM IQ IR AF TJ RU TM KK UZ CN Ui 01 02 07 09 23 32 33 35 36 42 44 47 48 75](#)

- 5486. Mantispa styriaca (Poda,1761)** (Mantispidae) **Synonym(s):** styriaca Poda,1761; pagana Fabricius,1775; hauseri Poivre,1982 **Range (in code):** [AT AM Cc TR MA B-H BG HV CZ FR DE GR IR IT MN RO RU Sb ES SE CH SY TM YU UA 06 07 09 16 23 25 32 33 40 42 43 48 50 62 65 75](#)
- 5487. Nampista auriventris (Guérin-Ménéville,1838)** (Mantispidae) **Synonym(s):** auriventris Guérin-Ménéville,1838; apicalis Loew,1843; speciosa Navas,1914; relictia Kozhanchikov,1949 **Range (in code):** [GR Rd EG OM UZ TJ TM](#)
- 5488. Sagittalata perla (Pallas,1772)** (Mantispidae) **Synonym(s):** perla Pallas,1772; christiana Charpentier,1825; victorii Guérin-Ménéville,1845 **Range (in code):** [ES IT YU BG GR PL KG UA Cm AM Eri AZ TR Cc KG TM RU IR 06 12 16 20 25 32 36 38 43 65 75](#)
- 5489. Acanthaclisis baetica Rambur,1842** (Myrmeleonidae) **Synonym(s):** baetica Rambur,1842 **Range (in code):** [ES IR TR 07 35](#)
- 5490. Acanthaclisis mesopotamica Hölzel,1972** (Myrmeleonidae) **Synonym(s):** mesopotamica Hölzel,1972 **Range (in code):** [IQ](#)
- 5491. Acanthaclisis neozelandica (Navas,1912)** (Myrmeleonidae) **Synonym(s):** neozelandica Navas,1912 **Range (in code):** [PK BI Qu](#)
- 5492. Acanthaclisis obscura Hölzel,1972** (Myrmeleonidae) **Synonym(s):** obscura Hölzel,1972 **Range (in code):** [AF](#)
- 5493. Acanthaclisis occitanica (Villers,1789)** (Myrmeleonidae) **Synonym(s):** occitanicum Villers,1789; pisanus Rossi,1790; georgianum Fischer v. Waldheim,1846. **Range (in code):** [TR IR Elb Th PK AF KG IL Pa 02 06 30 32 35 42 51 65 76](#)
- 5494. Acanthaclisis pallida McLachlan,1887** (Myrmeleonidae) **Synonym(s):** pallida McLachlan,1887 **Range (in code):** [IR KG](#)
- 5495. Afghanoleon flavomaculatus Hölzel,1972** (Myrmeleonidae) **Synonym(s):** flavomaculatus Hölzel,1972 **Range (in code):** [AF IR Fa](#)
- 5496. Aspoeckina uralensis (Hölzel,1969)** (Myrmeleonidae) **Synonym(s):** uralensis Hölzel,1969 **Range (in code):** [KG Uk TR IR ELB 04](#)
- 5497. Centroclisis cervina Gersträcker,1863** (Myrmeleonidae) **Synonym(s):** cervina Gersträcker,1863 **Range (in code):** [EG SA](#)
- 5498. Creoleon aegyptiacus (Rambur,1842)** (Myrmeleonidae) **Synonym(s):** aegyptiacus Rambur,1842 **Range (in code):** [ES Si EG IR Ab Ksh IQ Bgd AF Ca](#)
- 5499. Creoleon elegans Hölzel,1968** (Myrmeleonidae) **Synonym(s):** elegans Hölzel,1968 **Range (in code):** [SY Dms IR Ab Ksh IQ Bgd Dy PK BI Qu](#)
- 5500. Creoleon griseus (Klug,1834)** (Myrmeleonidae) **Synonym(s):** griseus Klug,1834; perfidus Walker,1853; sedulus Walker,1853; adversus Walker,1853 **Range (in code):** [SD EG IN IR Km IL Pa](#)
- 5501. Creoleon irroratus (Klug,1834)** (Myrmeleonidae) **Synonym(s):** irroratus Klug,1834 **Range (in code):** [SA SA63 IL Pa](#)
- 5502. Creoleon lugdunensis (Villers,1789)** (Myrmeleonidae) **Synonym(s):** lugdunensis Villers,1789; lineatus Latreille,1807; plumbeus Olivier,1811; murinus Klug,1834; tabidus Eversmann,1841; pallidipennis Rambur,1842; conspurcatus Kolenati,1846; plumbea Hagen,1860 **Range (in code):** [MA DZ PT ES FR CH IT Sa Si HV TR IR IL Pa AF Cc SY KG 01 06 07 13 17 22 42 50](#)
- 5503. Creoleon persicus Hölzel,1972** (Myrmeleonidae) **Synonym(s):** persicus Hölzel,1972 **Range (in code):** [IR Elb Th Es AF Kab](#)
- 5504. Creoleon plumbeus (Olivier,1811)** (Myrmeleonidae) **Synonym(s):** plumbeus Olivier,1811 **Range (in code):** [IT PL SK UA HU MD RO HV YU AL MK GR BG TR IR Km 01 02 06 07 09 15 16 17 20 21 23 31 32 33 35 36 40 42 48 56 63 72 73 80](#)
- 5505. Creoleon remanei Hölzel,1972** (Myrmeleonidae) **Synonym(s):** remanei Hölzel,1972 **Range (in code):** [IQ Bgd Mos](#)
- 5506. Cueta anomala Navas,1915** (Myrmeleonidae) **Synonym(s):** anomala Navas,1915; albanica Capra,1945; beieri Hölzel,1969 **Range (in code):** [AL AM Cc AZ GR LB Bei TR RU KG IR 01 07 09 16 20 31 32 34 36 38 48 76 80](#)
- 5507. Cueta grata Hölzel,1972** (Myrmeleonidae) **Synonym(s):** grata Hölzel,1972 **Range (in code):** [AF](#)
- 5508. Cueta kasyi Hölzel,1969** (Myrmeleonidae) **Synonym(s):** kasyi Hölzel,1969 **Range (in code):** [SY Dms](#)

- 5509. Cueta klugi Hölzel,1982** (Myrmeleonidae) Synonym(s): klugi Hölzel,1982 Range (in code): **SO YE KE TZ**
- 5510. Cueta lineosus (Rambur,1842)** (Myrmeleonidae) Synonym(s): lineosus Rambur,1842; morosus Walker,1853; ulianini McLachlan,1875; trilineata Navas,1911; grammaticus Navas,1912; syriaca Navas,1914; natti Navas,1914; anomala Navas,1915 Range (in code): **IT AL GR AF EG IR Kh TR SA JO Amm IQ IL Pa Cc AM GG CY SD KG KK TJ TM UZ PK Gg Ch 02 07 09 20 21 23 24 33 38 40 44**
- 5511. Cueta luteola Hölzel,1972** (Myrmeleonidae) Synonym(s): luteola Hölzel,1972 Range (in code): **IR**
- 5512. Cueta minervae Hölzel,1972** (Myrmeleonidae) Synonym(s): minervae Hölzel,1972 Range (in code): **AF Kab**
- 5513. Cueta modesta Hölzel,1972** (Myrmeleonidae) Synonym(s): modesta Hölzel,1972 Range (in code): **IR**
- 5514. Cueta pallens (Klug,1834)** (Myrmeleonidae) Synonym(s): pallens Klug,1834; abyssinicus Klapalek,1911; pertenuis Klapalek,1912; cognatus Navas,1912; tunetana Navas,1930 Range (in code): **EG SD ET TN SA IL Pa**
- 5515. Cueta parvula Hölzel,1968** (Myrmeleonidae) Synonym(s): parvula Hölzel,1968 Range (in code): **IR**
- 5516. Cueta striata Kimmins,1943** (Myrmeleonidae) Synonym(s): striata Kimmins,1943 Range (in code): **AF IR SA**
- 5517. Cueta thaliae Hölzel,1972** (Myrmeleonidae) Synonym(s): thaliae Hölzel,1972 Range (in code): **AF**
- 5518. Cueta variegata (Klug,1834)** (Myrmeleonidae) Synonym(s): variegata Klug,1834 Range (in code): **SA SN**
- 5519. Cueta virgata (Klug,1834)** (Myrmeleonidae) Synonym(s): virgata Klug,1834 Range (in code): **SA SD**
- 5520. Delfimeus friedeli (Hölzel,1972)** (Myrmeleonidae) Synonym(s): friedeli Hölzel,1972 Range (in code): **TR 15 32 40 48 71**
- 5521. Delfimeus intricatus (Hölzel,1972)** (Myrmeleonidae) Synonym(s): intricatus Hölzel,1972 Range (in code): **AF Pag Kab Jla Nu IR Elb Th Fa Ha**
- 5522. Delfimeus iranensis (Hölzel,1972)** (Myrmeleonidae) Synonym(s): iranensis Hölzel,1972 Range (in code): **IR Fa**
- 5523. Delfimeus irroratus (Olivier,1811)** (Myrmeleonidae) Synonym(s): irroratus Olivier,1811; imbecillus Stein,1863; extorris Navas,1913; clarus Navas,1914; sobrius Navas,1914 Range (in code): **HV MK Cr GR TR 01 06 07 20 31 32 33 42 75 76**
- 5524. Delfimeus laetus (Hölzel,1968)** (Myrmeleonidae) Synonym(s): laetus Hölzel,1968 Range (in code): **AF PK IR**
- 5525. Delfimeus limassolicus (Navas,1931)** (Myrmeleonidae) Synonym(s): limassolicus Navas,1931 Range (in code): **CY**
- 5526. Delfimeus morgani (Navas,1913)** (Myrmeleonidae) Synonym(s): morgani Navas,1913 Range (in code): **IR Elb Th AF Kbb**
- 5527. Delfimeus punctatus (Navas,1914)** (Myrmeleonidae) Synonym(s): punctatus Navas,1914 Range (in code): **SY IL Pa JO Amm**
- 5528. Dendroleon pantherinus (Fabricius,1787)** (Myrmeleonidae) Synonym(s): pantherinus Fabricius,1787 Range (in code): **CN Ui TR 53 76**
- 5529. Deutoleon turanicus Navas,1927** (Myrmeleonidae) Synonym(s): turanicus Navas,1927 Range (in code): **TR CN MN RU At Sb Ya 75**
- 5530. Distoleon annulatus (Klug,1834)** (Myrmeleonidae) Synonym(s): annulatus Klug,1834 Range (in code): **DZ ES EG Cr IQ Rba IR Ksh Ab**
- 5531. Distoleon asiricus Hölzel,1983** (Myrmeleonidae) Synonym(s): asiricus Hölzel,1983 Range (in code): **SA As**
- 5532. Distoleon cyrus Hölzel,1972** (Myrmeleonidae) Synonym(s): cyrus Hölzel,1972 Range (in code): **AF**
- 5533. Distoleon formosus Hölzel,1972** (Myrmeleonidae) Synonym(s): formosus Hölzel,1972 Range (in code): **AF Kab IR Elb Th Cc AM**



- 5534. Distoleon kabulensis Hölzel,1972** (Myrmeleonidae) **Synonym(s):** kabulensis Hölzel,1972  
**Range (in code):** [AF Kab IR Elb Th TR Cc AM 23 38 56](#)
- 5535. Distoleon laticollis (Navas,1913)** (Myrmeleonidae) **Synonym(s):** laticollis Navas,1913; alienus Navas,1913 **Range (in code):** [SD ET IL Pa Hf LB Bei SY TR 01 33](#)
- 5536. Distoleon luteomaculatus Hölzel,1972** (Myrmeleonidae) **Synonym(s):** luteomaculatus Hölzel,1972 **Range (in code):** [TR AF Kab Pag Kot PK Swa Klm Ch 76](#)
- 5537. Distoleon nuristanus Hölzel,1972** (Myrmeleonidae) **Synonym(s):** nuristanus Hölzel,1972  
**Range (in code):** [AF Nu Bkt](#)
- 5538. Distoleon tetragrammicus (Fabricius,1798)** (Myrmeleonidae) **Synonym(s):** tetragrammicus Fabricius,1798; catta Rossi,1790; rapax Olivier,1811; flavomaculatus Eversmann,1841; leuthneri Navas,1914; mesmini Navas,1921  
**Range (in code):** [RU AZ Kir Cc AM IR Km IQ Mos SY TR 01 07 09 15 16 17 20 21 31 32 33 35 38 42 48 73 75](#)
- 5539. Echthromyrmex platypterus McLachlan,1867** (Myrmeleonidae) **Synonym(s):** platypterus McLachlan,1867 **Range (in code):** [AF IQ](#)
- 5540. Echthromyrmex sehitlerolmez Koçak & Kemal,2008** (Myrmeleonidae) **Synonym(s):** sehitlerolmez Koçak & Kemal,2008 **Range (in code):** [TR 21 30 56 73](#)
- 5541. Epacanthaclisis continentalis Esben-Petersen,1935** (Myrmeleonidae) **Synonym(s):** continentalis Esben-Petersen,1935 **Range (in code):** [PK Gg AF](#)
- 5542. Euroleon nostras (Fourcroy,1785)** (Myrmeleonidae) **Synonym(s):** nostras Fourcroy,1785; europaeus MacLachlan,1873 **Range (in code):** [TR 06 76](#)
- 5543. Euroleon parvus Hölzel,1972** (Myrmeleonidae) **Synonym(s):** parvus Hölzel,1972 **Range (in code):** [AF](#)
- 5544. Ganguilus pallescens Navas,1912** (Myrmeleonidae) **Synonym(s):** pallescens Navas,1912 **Range (in code):** [IR Ab Ksh NE SD EG](#)
- 5545. Gepella modesta Hölzel,1968** (Myrmeleonidae) **Synonym(s):** modesta Hölzel,1968 **Range (in code):** [AF IR](#)
- 5546. Gepus buxtoni Morton,1921** (Myrmeleonidae) **Synonym(s):** buxtoni Morton,1921 **Range (in code):** [IQ Bsr](#)
- 5547. Gepus curvatus Navas,1914** (Myrmeleonidae) **Synonym(s):** curvatus Navas,1914 **Range (in code):** [SA SA63 IR Ss](#)
- 5548. Gepus gibbosus Hölzel,1968** (Myrmeleonidae) **Synonym(s):** gibbosus Hölzel,1968 **Range (in code):** [IR Ss Irs](#)
- 5549. Gepus invisus Navas,1912** (Myrmeleonidae) **Synonym(s):** invisus Navas,1912; scutellatus Klapalek,1914; tersus Navas,1936. **Range (in code):** [LY SD TN SA IR](#)
- 5550. Geyria arabica Hölzel,1983** (Myrmeleonidae) **Synonym(s):** arabica Hölzel,1983 **Range (in code):** [SA SA08](#)
- 5551. Geyria belutschistana Hölzel,1968** (Myrmeleonidae) **Synonym(s):** belutschistana Hölzel,1968  
**Range (in code):** [AF Hr IR Ss Irs](#)
- 5552. Geyria grandis Hölzel,1987** (Myrmeleonidae) **Synonym(s):** grandis Hölzel,1987 **Range (in code):** [OM](#)
- 5553. Geyria lepidula (Navas,1912)** (Myrmeleonidae) **Synonym(s):** lepidula Navas,1912 **Range (in code):** [DZ MA LY EG Sn SA SA63 SD OM IL Pa Neg IR Ss](#)
- 5554. Geyria omana Hölzel,1987** (Myrmeleonidae) **Synonym(s):** omana Hölzel,1987 **Range (in code):** [OM](#)
- 5555. Geyria pallida Hölzel,1983** (Myrmeleonidae) **Synonym(s):** pallida Hölzel,1983 **Range (in code):** [SA](#)
- 5556. Geyria saharica Esben-Petersen,1920** (Myrmeleonidae) **Synonym(s):** saharica Esben-Petersen,1920 **Range (in code):** [MA DZ TN IL Pa SASD](#)
- 5557. Graonus mesopotamiae (Morton,1921)** (Myrmeleonidae) **Synonym(s):** mesopotamiae Morton,1921 **Range (in code):** [IQ](#)
- 5558. Gymnocnemia variegata (Schneider,1845)** (Myrmeleonidae) **Synonym(s):** variegata Schneider,1845; multipunctatus Costa,1855; mocsaryi Pongracz,1910 **Range (in code):** [DZ ES FR CH IT Sa Si SS HV UA GR BG TJ Pm Chr TR IL Pa 23 42](#)

- 5559. Indophanes vartianorum Hölzel,1972** (Myrmeleonidae) Synonym(s): vartianorum Hölzel,1972  
Range (in code): [PK Swa Klm](#)
- 5560. Iranoleon darius Hölzel,1972** (Myrmeleonidae) Synonym(s): darius Hölzel,1972 Range (in code): [IR Ke](#)
- 5561. Iranoleon electus Hölzel,1968** (Myrmeleonidae) Synonym(s): electus Hölzel,1968 Range (in code): [AF IR Elb Th](#)
- 5562. Iranoleon nitidus Hölzel,1972** (Myrmeleonidae) Synonym(s): nitidus Hölzel,1972 Range (in code): [AF Kab](#)
- 5563. Iranoleon septimus Hölzel,1972** (Myrmeleonidae) Synonym(s): septimus Hölzel,1972 Range (in code): [IR Fa Shr Es Elb Th](#)
- 5564. Iranoleon solus Hölzel,1968** (Myrmeleonidae) Synonym(s): solus Hölzel,1968 Range (in code): [IR Ss](#)
- 5565. Iranoleon tigridis Hölzel,1972** (Myrmeleonidae) Synonym(s): tigridis Hölzel,1972 Range (in code): [IQ Bgd](#)
- 5566. Iranoleon vartianae Hölzel,1968** (Myrmeleonidae) Synonym(s): vartianae Hölzel,1968 Range (in code): [PK IR](#)
- 5567. Isoleon amseli (Hölzel,1967)** (Myrmeleonidae) Synonym(s): amseli Hölzel,1967 Range (in code): [AF TM UZ TJ IR Kh](#)
- 5568. Isoleon arabicus Esben-Petersen,1930** (Myrmeleonidae) Synonym(s): arabicus Esben-Petersen,1930 Range (in code): [SA](#)
- 5569. Lopezus fedtschenkoi (McLachlan,1875)** (Myrmeleonidae) Synonym(s): fedtschenkoi McLachlan,1875 Range (in code): [AF KG SA IR](#)
- 5570. Macronemurus amoenus (Hölzel,1972)** (Myrmeleonidae) Synonym(s): amoenus Hölzel,1972  
Range (in code): [TR IR Elb Th Km 20 23](#)
- 5571. Macronemurus appendiculatus (Latreille,1807)** (Myrmeleonidae) Synonym(s): appendiculatus Latreille,1807; insidiosus Walker,1853; platycerus Navas,1919; weissii Navas,1921; surcoufi Navas,1928 Range (in code): [MA TN Gf DZ Co PT ES GR B-H IT Sa Si MA YU TR LB IL Pa 05 61](#)
- 5572. Macronemurus bilineatus Brauer,1868** (Myrmeleonidae) Synonym(s): bilineatus Brauer,1868  
Range (in code): [TR AM Cc Eri RU Da AL BG YU GR KG Aa UA 03 06 07 13 15 16 17 20 22 32 33 35 36 38 40 42 47 50 51 65 76](#)
- 5573. Macronemurus delicatulus Morton,1925** (Myrmeleonidae) Synonym(s): delicatulus Morton,1925 Range (in code): [DZ SA SA63 QA IL Pa Jer](#)
- 5574. Macronemurus linearis (Klug,1834)** (Myrmeleonidae) Synonym(s): linearis Klug,1834; ibericus Navas,1927 Range (in code): [ES LB Bei SY IL Pa Neg](#)
- 5575. Macronemurus persicus (Navas,1915)** (Myrmeleonidae) Synonym(s): persicus Navas,1915  
Range (in code): [TR IR Kh Msh AF Hr Srb Ca Kab Pag Nu 01 35](#)
- 5576. Maracanda iranica Hölzel,1968** (Myrmeleonidae) Synonym(s): iranica Hölzel,1968 Range (in code): [IR PK](#)
- 5577. Maracanda lineata Navas,1913** (Myrmeleonidae) Synonym(s): lineata Navas,1913; stigmatis Navas,1913; saharica Navas,1913 Range (in code): [SA](#)
- 5578. Megistopus flavicornis (Rossi,1807)** (Myrmeleonidae) Synonym(s): flavicornis Rossi,1807; bisignatus Rambur,1842 Range (in code): [IT SK AT TR IR Elb Th 07 16 36 44 48](#)
- 5579. Mesonemurus clarus (McLachlan,1875)** (Myrmeleonidae) Synonym(s): clarus McLachlan,1875; sibirica Navas,1924 Range (in code): [KG Aa AF Kbb TM Rpt RU Sb](#)
- 5580. Mesonemurus eberti Hölzel,1972** (Myrmeleonidae) Synonym(s): eberti Hölzel,1972 Range (in code): [KG TJ Pm Chr TM Kp AF Kbb Slg](#)
- 5581. Mesonemurus harterti Navas,1919** (Myrmeleonidae) Synonym(s): harterti Navas,1919; clavata Navas,1926; tunetana Navas,1930 Range (in code): [DZ EG IL Pa SY Dms IR Elb Th Ke Yz IQ Rba AF Hr Pag Kab PK Bl Qu](#)
- 5582. Mesonemurus paulus (McLachlan,1875)** (Myrmeleonidae) Synonym(s): paulus McLachlan,1875 Range (in code): [KG UZ TM Prt IR Kh Msh MN](#)

- 5583. Mesonemurus steineri Hölzel,1972** (Myrmeleonidae) **Synonym(s):** steineri Hölzel,1972  
**Range (in code):** [TR 04 76](#)
- 5584. Mesonemurus vartianorum Hölzel,1972** (Myrmeleonidae) **Synonym(s):** vartianorum Hölzel,1972  
**Range (in code):** [AF Pag Kab Ng Jla](#)
- 5585. Myrmecaelurus acerbus (Walker,1853)** (Myrmeleonidae) **Synonym(s):** acerbus Walker,1853; atrox Walker,1853; iners Walker,1853; nigellus Navas,1930. **Range (in code):** [TR AF IN SA IQ PK Krc Sd TM 42](#)
- 5586. Myrmecaelurus afghanus Kimmins,1950** (Myrmeleonidae) **Synonym(s):** afghanus Kimmins,1950  
**Range (in code):** [AF](#)
- 5587. Myrmecaelurus atrifrons (Hölzel,1970)** (Myrmeleonidae) **Synonym(s):** atrifrons Hölzel,1970  
**Range (in code):** [TR 04 42](#)
- 5588. Myrmecaelurus curdicus (Hölzel,1972)** (Myrmeleonidae) **Synonym(s):** curdicus Hölzel,1972  
**Range (in code):** [TR Arr 02 04 13 21 23 25 27 38 75](#)
- 5589. Myrmecaelurus glaseri (Hölzel,1972)** (Myrmeleonidae) **Synonym(s):** glaseri Hölzel,1972  
**Range (in code):** [TR 06](#)
- 5590. Myrmecaelurus laetus (Klug,1834)** (Myrmeleonidae) **Synonym(s):** laetus Klug,1834  
**Range (in code):** [IR Ss SA AF JO](#)
- 5591. Myrmecaelurus major McLachlan,1875** (Myrmeleonidae) **Synonym(s):** major McLachlan,1875  
**Range (in code):** [TR AF KG RO KK Ik IR Kh Cc AM Eri TJ UZ 02 06 13 21 26 32 32 36 38 42 44 65 76](#)
- 5592. Myrmecaelurus paghmanus Hölzel,1969** (Myrmeleonidae) **Synonym(s):** paghmanus Hölzel,1969  
**Range (in code):** [AF IR TM UZ TJ](#)
- 5593. Myrmecaelurus peterseni Kimmins,1943** (Myrmeleonidae) **Synonym(s):** peterseni Kimmins,1943  
**Range (in code):** [SA](#)
- 5594. Myrmecaelurus solaris Krivokhatshky,2002** (Myrmeleonidae) **Synonym(s):** solaris Krivokhatshky,2002  
**Range (in code):** [Cc AM Eri AZ IR Elb Th Kd Glb TM UZ](#)
- 5595. Myrmecaelurus spectabilis Navas,1912** (Myrmeleonidae) **Synonym(s):** spectabilis Navas,1912  
**Range (in code):** [RU Cc GG AM TR 14 36](#)
- 5596. Myrmecaelurus trigrammus (Pallas,1781)** (Myrmeleonidae) **Synonym(s):** trigrammus Pallas,1781; pictum Fabricius,1798; flavus Rambur,1842  
**Range (in code):** [TR TJ KG IR Elb Th Km 01 06 07 09 13 15 17 20 21 22 26 31 33 34 35 36 38 40 42 46 48 65 72 73 76](#)
- 5597. Myrmecaelurus varians Navas,1913** (Myrmeleonidae) **Synonym(s):** varians Navas,1913; aequans Navas,1913; nematicus Navas,1932. **Range (in code):** [TR KG AF IR TM UZ 16](#)
- 5598. Myrmecaelurus zigan H.Aspöck, U.Aspöck & Hölzel,1980** (Myrmeleonidae) **Synonym(s):** zigan H.Aspöck, U.Aspöck & Hölzel,1980  
**Range (in code):** [TR 76](#)
- 5599. Myrmeleon (Morter) circumcinctus Tjeder,1963** (Myrmeleonidae) **Synonym(s):** circumcinctus Tjeder,1963  
**Range (in code):** [IL](#)
- 5600. Myrmeleon (Morter) fasciatus Navas,1912** (Myrmeleonidae) **Synonym(s):** fasciatus Navas,1912  
**Range (in code):** [SA](#)
- 5601. Myrmeleon (Morter) hyalinus (Olivier,1811)** (Myrmeleonidae) **Synonym(s):** hyalinus Olivier,1811  
**Range (in code):** [TR AF IR LB IQ 01 07 31 33](#)
- 5602. Myrmeleon (Morter) inconspicuus (Rambur,1842)** (Myrmeleonidae) **Synonym(s):** inconspicuus Rambur,1842  
**Range (in code):** [ES GR IR TR 02 07 21 23 36](#)
- 5603. Myrmeleon (Morter) pseudohyalinus Hölzel,1972** (Myrmeleonidae) **Synonym(s):** pseudohyalinus Hölzel,1972  
**Range (in code):** [IR AF](#)
- 5604. Myrmeleon (s.str.) formicarius Linnaeus,1767** (Myrmeleonidae) **Synonym(s):** formicarius Linnaeus,1767; formicalynx Linnaeus,1767  
**Range (in code):** [IR TR TJ KG 07 16 33 35 42](#)
- 5605. Myrmeleon (s.str.) lagopus Gerstaecker,1894** (Myrmeleonidae) **Synonym(s):** lagopus Gerstaecker,1894  
**Range (in code):** [TR 47](#)
- 5606. Myrmeleon (s.str.) noacki Ohm,1965** (Myrmeleonidae) **Synonym(s):** noacki Ohm,1965  
**Range (in code):** [TR 07 15 20 33 42](#)
- 5607. Myrmeleon (s.str.) paghmanus Hölzel,1972** (Myrmeleonidae) **Synonym(s):** paghmanus Hölzel,1972  
**Range (in code):** [AF Pag Kab PK Swa](#)



- 5608. Nedroledon anatolicus Navas,1914** (Myrmeleonidae) **Synonym(s):** anatolicus Navas,1914; longiventris Navas,1932; lineatus Kis,1964 **Range (in code):** [RO TR 16](#)
- 5609. Nedroledon iranicus Hölzel,1972** (Myrmeleonidae) **Synonym(s):** iranicus Hölzel,1972 **Range (in code):** [IR Fa](#)
- 5610. Nedroledon maculatus Zakharenko,1990** (Myrmeleonidae) **Synonym(s):** maculatus Zakharenko,1990 **Range (in code):** [UZ Tas TM Kp](#)
- 5611. Nedroledon striatus Hölzel,1972** (Myrmeleonidae) **Synonym(s):** striatus Hölzel,1972 **Range (in code):** [IR TR 21 44](#)
- 5612. Neuroleon alienus Hölzel,1972** (Myrmeleonidae) **Synonym(s):** alienus Hölzel,1972 **Range (in code):** [IR Ss](#)
- 5613. Neuroleon argutus (Navas,1914)** (Myrmeleonidae) **Synonym(s):** argutus Navas,1914 **Range (in code):** [IL Pa Jer LB Bei](#)
- 5614. Neuroleon assimilis (Navas,1914)** (Myrmeleonidae) **Synonym(s):** assimilis Navas,1914 **Range (in code):** [GR TR SY 15 16 17 20 21 32 33 34 35 47 48 72 75 76](#)
- 5615. Neuroleon daphne Hölzel,1968** (Myrmeleonidae) **Synonym(s):** daphne Hölzel,1968 **Range (in code):** [IR Ss](#)
- 5616. Neuroleon demeter Hölzel,1972** (Myrmeleonidae) **Synonym(s):** demeter Hölzel,1972 **Range (in code):** [AF Pag Nu](#)
- 5617. Neuroleon dianae Hölzel,1972** (Myrmeleonidae) **Synonym(s):** dianae Hölzel,1972 **Range (in code):** [TR IR Fa Shr Elb Th AF Kab 02](#)
- 5618. Neuroleon egenus (Navas,1914)** (Myrmeleonidae) **Synonym(s):** egenus Navas,1914; cyprius Navas,1940 **Range (in code):** [ES FR IT Sa HV GR TR CY 02 09 15 21 31 48 72 76](#)
- 5619. Neuroleon erato Hölzel,1972** (Myrmeleonidae) **Synonym(s):** erato Hölzel,1972 **Range (in code):** [PK NI Qu AF Hr Gbh Srb Bm IR Ss](#)
- 5620. Neuroleon jucundus Navas,[1921]** (Myrmeleonidae) **Synonym(s):** jucundus Navas,[1921] **Range (in code):** [TR TM IR Kh 16](#)
- 5621. Neuroleon leptaleus (Navas,1912)** (Myrmeleonidae) **Synonym(s):** leptaleus Navas,1912; algericus Navas,1913 **Range (in code):** [SA SA63 DZ IR Ab Ksh IQ Rba](#)
- 5622. Neuroleon longipennis (Esben-Petersen,1930)** (Myrmeleonidae) **Synonym(s):** longipennis Esben-Petersen,1930 **Range (in code):** [EG SA](#)
- 5623. Neuroleon microstenus (McLachlan,1898)** (Myrmeleonidae) **Synonym(s):** microstenus McLachlan,1898; propinquus Navas,1911; noxius Navas,1912; hellenicus Navas,1912; occultus Navas,1914; vicinus Navas,1914 **Range (in code):** [DZ CH IT Si HV RO AL GR BG SY UA Cm TR IR Elb Th 01 06 17 21 47 50 76](#)
- 5624. Neuroleon nemausiensis (Borkhausen,1791)** (Myrmeleonidae) **Synonym(s):** nemausiensis Borkhausen,1791; liturata Navas,1913; fortunyi Navas,1919 **Range (in code):** [ES FR IT PL Sa Si HU RO UA GR Cc TR RU 20 75 76](#)
- 5625. Neuroleon occultus (Navas,1914)** (Myrmeleonidae) **Synonym(s):** occultus Navas,1914 **Range (in code):** [IR Elb Th TR 06](#)
- 5626. Neuroleon parvus Kimmins,1943** (Myrmeleonidae) **Synonym(s):** parvus Kimmins,1943 **Range (in code):** [SA](#)
- 5627. Neuroleon taifenesi Kimmins,1943** (Myrmeleonidae) **Synonym(s):** taifenesi Kimmins,1943 **Range (in code):** [SA](#)
- 5628. Neuroleon tenellus (Klug,1834)** (Myrmeleonidae) **Synonym(s):** tenellus Klug,1834; naxensis Navas,1915 **Range (in code):** [SA SA63 TR IR Elb Th Ss IQ Bgd Mos AF Ca IL Pa LB EG SD TN GR Cr 01 07 09 21 33 38 47 48 56 72](#)
- 5629. Nicarinus poecilopterus (Stein,1863)** (Myrmeleonidae) **Synonym(s):** poecilopterus Stein,1863; basilicus Navas,1914 **Range (in code):** [IT HV Si GR TR AF Pag KK 01 07 16 20 33 75](#)
- 5630. Noaleon limbatellus (Navas,1913)** (Myrmeleonidae) **Synonym(s):** limbatellus Navas,1913 **Range (in code):** [Cn IR Ss DZ SD SA](#)
- 5631. Nohoveus armenicus (Krivokhatsky,1993)** (Myrmeleonidae) **Synonym(s):** armenicus Krivokhatsky,1993 **Range (in code):** [AM Cc Eri TR? IR? ?04](#)

- 5632. Nohoveus atrifrons Hölzel,1970** (Myrmeleonidae) Synonym(s): atrifrons Hölzel,1970 Range (in code): [MN TR IR Ak Tbz RU Tv 42 70](#)
- 5633. Nohoveus fidelis Hölzel,1968** (Myrmeleonidae) Synonym(s): fidelis Hölzel,1968 Range (in code): [IR Ss](#)
- 5634. Nohoveus lepidus (Klug,1834)** (Myrmeleonidae) Synonym(s): lepidus Klug,1834 Range (in code): [DZ EG SA](#)
- 5635. Nohoveus palpalis (Klapalek,1914)** (Myrmeleonidae) Synonym(s): palpalis Klapalek,1914 Range (in code): [DZ SA IR Ss](#)
- 5636. Nohoveus persicus Navas,1929** (Myrmeleonidae) Synonym(s): persicus Navas,1929 Range (in code): [IQ Bgd IR](#)
- 5637. Nohoveus philbyi (Kimmins,1943)** (Myrmeleonidae) Synonym(s): philbyi Kimmins,1943 Range (in code): [SA](#)
- 5638. Nophis flava Hölzel,1972** (Myrmeleonidae) Synonym(s): flava Hölzel,1972 Range (in code): [SA](#)
- 5639. Nophis lutea Hölzel,1972** (Myrmeleonidae) Synonym(s): lutea Hölzel,1972 Range (in code): [SA](#)
- 5640. Nophis teillardi Navas,1912** (Myrmeleonidae) Synonym(s): teillardi Navas,1912; macrurus Klapalek,1914. Range (in code): [SA](#)
- 5641. Palpares assyriorum Abraham,2012** (Myrmeleonidae) Synonym(s): assyriorum Abraham,2012 Range (in code): [SY Swd JO IR TR IL Pa EG? 46](#)
- 5642. Palpares cephalotes (Klug,1834)** (Myrmeleonidae) Synonym(s): cephalotes Klug,1834; subducens Walker,1853; sollicitus Walker,1853. Range (in code): [MR NE TD NG SN EG IL Pa SA AF IR SA PK SD ET DJ LY DZ](#)
- 5643. Palpares chrysopterus Navas,1910** (Myrmeleonidae) Synonym(s): chrysopterus Navas,1910; turcicus Koçak,1976 nec Pet. & Emp.,1767 Range (in code): [IR Elb Th Es Ha Kd Fa Lo Yz Zj TR Cc AM AZ Nv Ord SY 30 56 58 62 65](#)
- 5644. Palpares dispar Navas,1912** (Myrmeleonidae) Synonym(s): dispar Navas,1912 Range (in code): [SA EG EG11 IL Pa](#)
- 5645. Palpares geniculatus Navas,1912** (Myrmeleonidae) Synonym(s): geniculatus Navas,1912 Range (in code): [TZ IL Pa](#)
- 5646. Palpares klugi Kolbe,1898** (Myrmeleonidae) Synonym(s): klugi Kolbe,1898; reticulatus Stitz,1912 Range (in code): [SA](#)
- 5647. Palpares libelluloides (Linnaeus,1764)** (Myrmeleonidae) Synonym(s): libelluloides Linnaeus,1764; turcica Petiver & Empson,1767; nordmanni Kolenati,1846 Range (in code): [ES FR IT Sa Si HV B-H HU RO YU AL MK GR BG TR SY Hal Ham Ttu IR Qz Cc Lo Zj Km IQ Kro IL Pa RU Da GG AZ AM 01 02 06 07 09 13 15 16 17 20 21 23 31 32 33 34 35 38 40 42 46 48 51 56 58 60 63 65 72 76](#)
- 5648. Palpares papilionoides (Klug,1834)** (Myrmeleonidae) Synonym(s): papilionoides Klug,1834; inferioris Kolbe,1898; ugandanus Stitz,1912 Range (in code): [SA YE CM KE NE SN SO SD UG TZ Zz ET](#)
- 5649. Palpares venustus Hölzel,1988** (Myrmeleonidae) Synonym(s): venustus Hölzel,1988 Range (in code): [SA](#)
- 5650. Palpares walkeri McLachlan,1894** (Myrmeleonidae) Synonym(s): walkeri McLachlan,1894; laticaudus Navas,1915 Range (in code): [Ad YE IL Pa](#)
- 5651. Parapalpares solidus (Gerstaecker,[1894])** (Myrmeleonidae) Synonym(s): solidus Gerstaecker,[1894]; zugmayeri Navas,1912; klapaleki Navas,1912; validus Navas,1927 Range (in code): [AF IR Elb Th Es Km TR IQ PK 01 21 23 30 47 56 73](#)
- 5652. Pseudimares iris Kimmins,1933** (Myrmeleonidae) Synonym(s): iris Kimmins,1933 Range (in code): [IR](#)
- 5653. Pseudoformicaleo gracilis (Klug,1834)** (Myrmeleonidae) Synonym(s): gracilis Klug,1834 Range (in code): [IR TR 31](#)
- 5654. Quinemurus cinereus Kimmins,1943** (Myrmeleonidae) Synonym(s): cinereus Kimmins,1943 Range (in code): [IR Ab Ksh SA SA63](#)
- 5655. Solter felderi Navas,1912** (Myrmeleonidae) Synonym(s): felderi Navas,1912 Range (in code): [AF Pag Kab Ch IR Elb Th](#)

- 5656. Solter gaudryi Navas,1914** (Myrmeleonidae) Synonym(s): gaudryi Navas,1914 Range (in code): [CY IR Es](#)
- 5657. Solter hardei Hölzel,1968** (Myrmeleonidae) Synonym(s): hardei Hölzel,1968 Range (in code): [IR Ss Irs](#)
- 5658. Solter iranensis Hölzel,1967** (Myrmeleonidae) Synonym(s): iranensis Hölzel,1967 Range (in code): [IR](#)
- 5659. Solter ledereri Navas,1912** (Myrmeleonidae) Synonym(s): ledereri Navas,1912 Range (in code): [SY LB IR Es TR Cc AM JO Amm TM Kp 02 07 20 21 47 76](#)
- 5660. Solter liber Navas,1912** (Myrmeleonidae) Synonym(s): liber Navas,1912 Range (in code): [TR 01](#)
- 5661. Solter pulcher Hölzel,1967** (Myrmeleonidae) Synonym(s): pulcher Hölzel,1967 Range (in code): [TR AF 38](#)
- 5662. Solter resli Hölzel,1972** (Myrmeleonidae) Synonym(s): resli Hölzel,1972 Range (in code): [IR Ss](#)
- 5663. Solter robustus Hölzel,1972** (Myrmeleonidae) Synonym(s): robustus Hölzel,1972 Range (in code): [IR Fa](#)
- 5664. Solter vartianae Hölzel,1967** (Myrmeleonidae) Synonym(s): vartianae Hölzel,1967 Range (in code): [IQ IR AF PK IL](#)
- 5665. Stenares irroratus Navas,1912** (Myrmeleonidae) Synonym(s): irroratus Navas,1912 Range (in code): [OM OM18 IL Pa](#)
- 5666. Syngenes arabicus Kimmins,1943** (Myrmeleonidae) Synonym(s): arabicus Kimmins,1943 Range (in code): [SA](#)
- 5667. Tomatarella markli Kimmins,1952** (Myrmeleonidae) Synonym(s): markli Kimmins,1952 Range (in code): [SA](#)
- 5668. Afghanocroce vartianorum Hölzel,1968** (Nemopteridae) Synonym(s): vartianorum Hölzel,1968 Range (in code): [AF](#)
- 5669. Croce schmidtii (Navas,1927)** (Nemopteridae) Synonym(s): schmidtii Navas,1927 Range (in code): [TR PK 02](#)
- 5670. Croce zarudnyi Alexandrov-Martynov,1930** (Nemopteridae) Synonym(s): zarudnyi Alexandrov-Martynov,1930 Range (in code): [IR AF PK BI Qu](#)
- 5671. Dielocroce afghana Hölzel,1968** (Nemopteridae) Synonym(s): afghana Hölzel,1968 Range (in code): [AF](#)
- 5672. Dielocroce baudii (Griffini,1895)** (Nemopteridae) Synonym(s): baudii Griffini,1895 Range (in code): [TR SA IR AF 02 21 47 63](#)
- 5673. Dielocroce elegans (Alexandrov-Martynov,1930)** (Nemopteridae) Synonym(s): elegans Alexandrov-Martynov,1930 Range (in code): [SY IR AF](#)
- 5674. Dielocroce ephemera (Gersträcker,[1894])** (Nemopteridae) Synonym(s): ephemera Gersträcker,[1894] Range (in code): [TR IQ IR Fa 02 47 56 63 72](#)
- 5675. Dielocroce joppana (Withycombe,1923)** (Nemopteridae) Synonym(s): joppana Withycombe,1923 Range (in code): [Pa IL](#)
- 5676. Dielocroce maxima Hölzel,1975** (Nemopteridae) Synonym(s): maxima Hölzel,1975 Range (in code): [IR Ha](#)
- 5677. Dielocroce modesta Hölzel,1975** (Nemopteridae) Synonym(s): modesta Hölzel,1975 Range (in code): [TR IR OM 02 63](#)
- 5678. Dielocroce persica (Alexandrov-Martynov,1930)** (Nemopteridae) Synonym(s): persica Alexandrov-Martynov,1930 Range (in code): [IR IQ AF](#)
- 5679. Dielocroce vartianae Hölzel,1975** (Nemopteridae) Synonym(s): vartianae Hölzel,1975 Range (in code): [IR Kd](#)
- 5680. Dielocroce withycombei (Navas,1926)** (Nemopteridae) Synonym(s): withycombei Navas,1926 Range (in code): [IR SA](#)
- 5681. Halter halterata (Forskal,1775)** (Nemopteridae) Synonym(s): halterata Forskal,1775; nutans Navas,1910. Range (in code): [IQ Bgd SY EG SL IR AF PK BI Qu](#)



- 5682. *Lertha extensa* (Olivier,1811)** (Nemopteridae) Synonym(s): *extensa* Olivier,1811 Range (in code): [TR IQ Bgd IR Cc SY JO 02 21 30 31 32 44 46 63](#)
- 5683. *Lertha ledereri* (Selys-Longchamps,1866)** (Nemopteridae) Synonym(s): *ledereri* Selys-Longchamps,1866 Range (in code): [TR Cc IR 06 07 15 20 32 35 38 42 45 50 51 63 68](#)
- 5684. *Lertha palmonii* Tjeder,1970** (Nemopteridae) Synonym(s): *palmonii* Tjeder,1970 Range (in code): [IL Pa TR Cc AM IR 02 04 13 27 36 47 56 63 65 72 73 76](#)
- 5685. *Lertha schmidtii* (H.Aspöck, U.Aspöck & Hölzel,1984)** (Nemopteridae) Synonym(s): *schmidtii* H.Aspöck, U.Aspöck & Hölzel,1984 Range (in code): [TR 06 07 21 26 40 42 50 63](#)
- 5686. *Lertha sheppardi* (Kirby,1904)** (Nemopteridae) Synonym(s): *sheppardi* Kirby,1904 Range (in code): [TR LB 20 21 31 33 35 38 42 63](#)
- 5687. *Nemoptera aegyptiaca* Rambur,1842** (Nemopteridae) Synonym(s): *aegyptiaca* Rambur,1842; *hebraica* Westwood,1874 Range (in code): [IL Pa SY TR EG 31](#)
- 5688. *Nemoptera coa* (Linnaeus,1758)** (Nemopteridae) Synonym(s): *coa* Linnaeus,1758; *petiveri* Westwood,1841 Range (in code): [GR TR Cc 01 16 34 35 48 49](#)
- 5689. *Nemoptera rachelii* U.Aspöck, Letardi & H.Aspöck,2006** (Nemopteridae) Synonym(s): *rachelii* U.Aspöck, Letardi & H.Aspöck,2006 Range (in code): [IR Fa](#)
- 5690. *Nemoptera sinuata* Olivier,1811** (Nemopteridae) Synonym(s): *sinuata* Olivier,1811 Range (in code): [YU RO GR BG TR SY Cc IR 01 02 05 06 07 08 09 10 11 13 14 15 16 19 20 25 30 31 32 33 34 35 36 37 38 42 43 46 48 49 56 60 62 63 65 68](#)
- 5691. *Osmylus cilicicus* Krüger,1913** (Osmylidae) Synonym(s): *cilicicus* Krüger,1913 Range (in code): [TR 08 14 35 61](#)
- 5692. *Osmylus elegantissimus* Kozhantshikov,1951** (Osmylidae) Synonym(s): *elegantissimus* Kozhantshikov,1951 Range (in code): [TR Cc Cm UA RU AM AZ GG](#)
- 5693. *Osmylus fulvicephalus* (Scopoli,1763)** (Osmylidae) Synonym(s): *fulvicephalus* Scopoli,1763 Range (in code): [AL AT BE B-H BG CZ DK EE GB FR GR NL HU IT IE LT MK PL RO RU ES SL SE CH UA YU TR 07 15 16 32 48 75](#)
- 5694. *Osmylus multiguttatus* McLachlan,1870** (Osmylidae) Synonym(s): *multiguttatus* McLachlan,1870 Range (in code): [TR 13 25 38 61 62 65 80](#)
- 5695. *Panorpa aspoecki* Willmann,1973** (Panorpidae) Synonym(s): *aspoecki* Willmann,1973 Range (in code): [TR 42](#)
- 5696. *Panorpa caucasica* McLachlan,1869** (Panorpidae) Synonym(s): *caucasica* McLachlan,1869 Range (in code): [Cc GG IQ IR](#)
- 5697. *Panorpa communis* Linnaeus,1758** (Panorpidae) Synonym(s): *communis* Linnaeus,1758 Range (in code): [YU B-H HV MK GR BG RO Cc AD BE FR DE IT CH RU GB ES DK NO SE FI EE LT LV PL BY HU CZ SK AT](#)
- 5698. *Panorpa connexa* McLachlan,1869** (Panorpidae) Synonym(s): *connexa* McLachlan,1869 Range (in code): [Cc Sok GG TR 08 14 53 61 75](#)
- 5699. *Panorpa germanica* Linnaeus,1758** (Panorpidae) Synonym(s): *germanica* Linnaeus,1758; *affinis* Leach,1815; *apicalis* Stephens,1835; *montana* Brauer,1857; *gibberosa* McLachlan,1869; *ruizi* Navas,1926; *pirion*, Navas,1929 Range (in code): [DE TR GR BE FR IT GB NO 34 59](#)
- 5700. *Panorpa hageniana* Willmann,1975** (Panorpidae) Synonym(s): *hageniana* Willmann,1975 Range (in code): [TR 35](#)
- 5701. *Panorpa nigrirostris* McLachlan,1882** (Panorpidae) Synonym(s): *nigrirostris* McLachlan,1882; *selysi* Esben-Petersen,1915 Range (in code): [Cc AZ Kir IR Ra Clu Mz GG](#)
- 5702. *Panorpa picta* Hagen,1863** (Panorpidae) Synonym(s): *picta* Hagen,1863 Range (in code): [TR RO 05 06 34 42](#)
- 5703. *Panorpa pieperi* Willmann,1975** (Panorpidae) Synonym(s): *pieperi* Willmann,1975 Range (in code): [TR 14 16 34](#)
- 5704. *Panorpa schweigeri* Willmann,1975** (Panorpidae) Synonym(s): *schweigeri* Willmann,1975 Range (in code): [TR 14 18 37 39 62](#)
- 5705. *Panorpa tatvana* Willmann,1974** (Panorpidae) Synonym(s): *tatvana* Willmann,1974 Range (in code): [TR 06 13 14 65](#)

- 5706. *Panorpa thrakica* Willmann,1976** (Panorpidae) **Synonym(s):** thrakica Willmann,1976 **Range (in code):** [TR 59](#)
- 5707. *Panorpa turcica* Willmann,1975** (Panorpidae) **Synonym(s):** turcica Willmann,1975 **Range (in code):** [TR 14 36 61](#)
- 5708. *Philopotamus achemenus* Schmid,1959** (Philopotamidae) **Synonym(s):** achemenus Schmid,1959 **Range (in code):** [GR BG TR IR](#)
- 5709. *Philopotamus caucasicus* Navas,1933** (Philopotamidae) **Synonym(s):** caucasicus Navas,1933 **Range (in code):** [Cc](#)
- 5710. *Philopotamus tenuis* Martynov,1913** (Philopotamidae) **Synonym(s):** tenuis Martynov,1913 **Range (in code):** [TR Cc GG RU](#)
- 5711. *Philopotamus variegatus* (Scopoli,1763)** (Philopotamidae) **Synonym(s):** variegatus Scopoli,1763; pedemontanus Navas,1934 **Range (in code):** [PT ES FR BE DE PL CZ SK HU RO SS B-H HV YU MK AL BG GR CH AT IT Sa Co Cr TR](#)
- 5712. *Wormaldia balcanica* Kumanski,1979** (Philopotamidae) **Synonym(s):** balcanica Kumanski,1979 **Range (in code):** [TR](#)
- 5713. *Wormaldia khourmai* Schmid,1959** (Philopotamidae) **Synonym(s):** khourmai Schmid,1959 **Range (in code):** [TR](#)
- 5714. *Wormaldia subnigra* McLachlan,1865** (Philopotamidae) **Synonym(s):** subnigra McLachlan,1865 **Range (in code):** [TR](#)
- 5715. *Wormaldia triangulifera* McLachlan,1878** (Philopotamidae) **Synonym(s):** triangulifera McLachlan,1878 **Range (in code):** [TR](#)
- 5716. *Agrypnia pagetana* Curtis,1835** (Phryganeidae) **Synonym(s):** pagetana Curtis,1835 **Range (in code):** [TR](#)
- 5717. *Agrypnia varia* Fabricius,1793** (Phryganeidae) **Synonym(s):** varia Fabricius,1793 **Range (in code):** [TR](#)
- 5718. *Phryganea ochrida* Malicky,1975** (Phryganeidae) **Synonym(s):** ochrida Malicky,1975 **Range (in code):** [TR](#)
- 5719. *Polycentropus flavomaculatus* (Pictet,1834)** (Polycentropodidae) **Synonym(s):** flavomaculatus Pictet,1834 **Range (in code):** [TR](#)
- 5720. *Cyrnus trimaculatus* Curtis,1834** (Polycentropodidae) **Synonym(s):** trimaculatus Curtis,1834 **Range (in code):** [TR](#)
- 5721. *Holocentropus picicornis* Stephens,1836** (Polycentropodidae) **Synonym(s):** picicornis Stephens,1836 **Range (in code):** [TR](#)
- 5722. *Plectrocnemia abraracourcix* Malicky,1979** (Polycentropodidae) **Synonym(s):** abraracourcix Malicky,1979 **Range (in code):** [TR](#)
- 5723. *Plectrocnemia brevis* McLachlan,1871** (Polycentropodidae) **Synonym(s):** brevis McLachlan,1871 **Range (in code):** [TR](#)
- 5724. *Plectrocnemia latissima* Martynov,1913** (Polycentropodidae) **Synonym(s):** latissima Martynov,1913 **Range (in code):** [TR](#)
- 5725. *Polycentropus ierapetra* Malicky,1972** (Polycentropodidae) **Synonym(s):** ierapetra Malicky,1972 **Range (in code):** [TR](#)
- 5726. *Polycentropus mazdacus* Schmid,1959** (Polycentropodidae) **Synonym(s):** mazdacus Schmid,1959 **Range (in code):** [TR](#)
- 5727. *Pseudoneureclipsis gudulensis* Çakın,1983** (Polycentropodidae) **Synonym(s):** gudulensis Çakın,1983 **Range (in code):** [TR 06](#)
- 5728. *Lype reducta* Hagen,1868** (Psychomyiidae) **Synonym(s):** reducta Hagen,1868 **Range (in code):** [TR](#)
- 5729. *Psychomyia pusilla* Fabricius,1781** (Psychomyiidae) **Synonym(s):** pusilla Fabricius,1781 **Range (in code):** [TR](#)
- 5730. *Tinodes adjaricus* Martynov,1913** (Psychomyiidae) **Synonym(s):** adjaricus Martynov,1913 **Range (in code):** [TR Cc](#)

- 5731. *Tinodes conjunctus* Martynov,1913** (Psychomyiidae) Synonym(s): *conjunctus* Martynov,1913 Range (in code): TR
- 5732. *Tinodes difficilis* Martynov,1927** (Psychomyiidae) Synonym(s): *difficilis* Martynov,1927 Range (in code): TR
- 5733. *Tinodes kypselos* Malicky,1977** (Psychomyiidae) Synonym(s): *kypselos* Malicky,1977 Range (in code): TR
- 5734. *Tinodes manni* McLachlan,1878** (Psychomyiidae) Synonym(s): *manni* McLachlan,1878 Range (in code): TR
- 5735. *Tinodes petaludes* Malicky,1975** (Psychomyiidae) Synonym(s): *petaludes* Malicky,1975 Range (in code): TR
- 5736. *Tinodes pluvialis* Malicky,1987** (Psychomyiidae) Synonym(s): *pluvialis* Malicky,1987 Range (in code): TR
- 5737. *Tinodes polifurculatus* Botosaneanu,1956** (Psychomyiidae) Synonym(s): *polifurculatus* Botosaneanu,1956 Range (in code): TR
- 5738. *Tinodes popovi* Kumanski,1975** (Psychomyiidae) Synonym(s): *popovi* Kumanski,1975 Range (in code): TR
- 5739. *Tinodes rauschi* Malicky,1975** (Psychomyiidae) Synonym(s): *rauschi* Malicky,1975 Range (in code): TR
- 5740. *Tinodes turbulentus* Martynov,1913** (Psychomyiidae) Synonym(s): *turbulentus* Martynov,1913 Range (in code): TR
- 5741. *Tinodes unidentatus* Klapalek,1894** (Psychomyiidae) Synonym(s): *unidentatus* Klapalek,1894 Range (in code): TR
- 5742. *Tinodes valvatus* Martynov,1913** (Psychomyiidae) Synonym(s): *valvatus* Martynov,1913 Range (in code): TR
- 5743. *Phaeostigma* (Aegeoraphidia) *noane* (H.Aspöck & U.Aspöck,1966)** (Raphidiidae) Synonym(s): *noane* H.Aspöck & U.Aspöck,1966 Range (in code): TR 14 23 26 33 42 51
- 5744. *Phaeostigma* (Aegeoraphidia) *raddai* (U.Aspöck & H.Aspöck,1969)** (Raphidiidae) Synonym(s): *raddai* U.Aspöck & H.Aspöck,1969 Range (in code): GR TR 07 09 32 35 48
- 5745. *Phaeostigma* (Aegeoraphidia) *remane* (H.Aspöck, U.Aspöck & Şengonca,1976)** (Raphidiidae) Synonym(s): *remane* H.Aspöck, U.Aspöck & Şengonca,1976 Range (in code): SY IQ Mos TR 30 65
- 5746. *Phaeostigma* (Aegeoraphidia) *ressli* (H.Aspöck & U.Aspöck,1964)** (Raphidiidae) Synonym(s): *ressli* H.Aspöck & U.Aspöck,1964 Range (in code): TR 07 09 15 20 32 35 42 64
- 5747. *Phaeostigma* (Aegeoraphidia) *vartianorum* (H.Aspöck & U.Aspöck,1968)** (Raphidiidae) Synonym(s): *vartianorum* H.Aspöck & U.Aspöck,1968 Range (in code): TR 07 15 20 48
- 5748. *Phaeostigma* (Caucasoraphidia) *caucasica* (Esben-Petersen,1913)** (Raphidiidae) Synonym(s): *caucasica* Esben-Petersen,1913 Range (in code): Cc TR GG 08 24 25 29 60
- 5749. *Phaeostigma* (Crassoraphidia) *klimeschiella* H.Aspöck & U.Aspöck & Rausch,1982** (Raphidiidae) Synonym(s): *klimeschiella* H.Aspöck & U.Aspöck & Rausch,1982 Range (in code): TR 07
- 5750. *Phaeostigma* (Crassoraphidia) *knappi* H.Aspöck & U.Aspöck,1967** (Raphidiidae) Synonym(s): *knappi* H.Aspöck & U.Aspöck,1967 Range (in code): TR 07 11 15 16 20 32 33 39 42 54 70 77
- 5751. *Phaeostigma* (Magnoraphidia) *robusta* Aspöck & Aspöck,1966** (Raphidiidae) Synonym(s): *robusta* Aspöck & Aspöck,1966 Range (in code): TR 03 06 08 10 11 14 16 20 35 37 43 45
- 5752. *Phaeostigma* (Pontoraphidia) *rhodopica* (Klapalek,1894)** (Raphidiidae) Synonym(s): *rhodopica* Klapalek,1894 Range (in code): BG TR 39
- 5753. *Phaeostigma* (Pontoraphidia) *setulosa* H.Aspöck & U.Aspöck,1967** (Raphidiidae) Synonym(s): *setulosa* H.Aspöck & U.Aspöck,1967 Range (in code): BG HU MK TR 07 20 32 35 39 43 48
- 5754. *Phaeostigma* (s.str.) *pilicollis* (Stein,1863)** (Raphidiidae) Synonym(s): *pilicollis* Stein,1863 Range (in code): TR GR BG MK 39
- 5755. *Raphidia* (Aserbeidshanoraphidia) *nuchensis* H.Aspöck, U.Aspöck & Martynova,1968** (Raphidiidae) Synonym(s): *nuchensis* H.Aspöck, U.Aspöck & Martynova,1968 Range (in code): AZ Cc
- 5756. *Raphidia* (Caucasoraphidia) *ressliana* H.Aspöck & U.Aspöck,1970** (Raphidiidae) Synonym(s): *ressliana* H.Aspöck & U.Aspöck,1970 Range (in code): IR Elb Clu



- 5757. *Raphidia (Navasana) notata* Fabricius,1781** (Raphidiidae) Synonym(s): *notata* Fabricius,1781  
Range (in code): Cc RU Teb AZ
- 5758. *Raphidia (Parvoraphidia) microstigma* Stein,1863** (Raphidiidae) Synonym(s): *microstigma* Stein,1863 Range (in code): TR
- 5759. *Raphidia (Phidiara) prophetica* H.Aspöck & U.Aspöck,1964** (Raphidiidae) Synonym(s): *prophetica* H.Aspöck & U.Aspöck,1964 Range (in code): GR Rd TR 32
- 5760. *Raphidia (Pontoraphidia) pontica* Albarda,1891** (Raphidiidae) Synonym(s): *pontica* Albarda,1891 Range (in code): AM Cc TR 02 05 06 12 13 14 29 30 32 33 36 38 49 51 58 65 69 76
- 5761. *Raphidia (s.str.) beieri* H.Aspöck & U.Aspöck,1964** (Raphidiidae) Synonym(s): *beieri* H.Aspöck & U.Aspöck,1964; *schizurotergalis* Bartos,1965 Range (in code): MD MK BG TR 11 14
- 5762. *Raphidia (s.str.) grusinica* H.Aspöck, U.Aspöck & Martynova,1968** (Raphidiidae) Synonym(s): *grusinica* H.Aspöck, U.Aspöck & Martynova,1968 Range (in code): Cc GG RU
- 5763. *Raphidia (s.str.) ophiopsis* Linnaeus,1758** (Raphidiidae) Synonym(s): *ophiopsis* Linnaeus,1758  
Range (in code): IR
- 5764. *Raphidia (Turcoraphidia) acerba* H.Aspöck & U.Aspöck,1966** (Raphidiidae) Synonym(s): *acerba* H.Aspöck & U.Aspöck,1966 Range (in code): TR Cc AZ Nv AM 06 29 49
- 5765. *Raphidia (Turcoraphidia) amara* H.Aspöck & U.Aspöck,1964** (Raphidiidae) Synonym(s): *amara* H.Aspöck & U.Aspöck,1964 Range (in code): AL MK BG UA Cm TR 16
- 5766. *Raphidia (Turcoraphidia) flaviventris* Navas,1926** (Raphidiidae) Synonym(s): *flaviventris* Navas,1926; *pseudoamara* H.Aspöck & U.Aspöck,1968 Range (in code): Cc AM AZ Kir
- 5767. *Raphidia (Turcoraphidia) fuscina* H.Aspöck & U.Aspöck,1964** (Raphidiidae) Synonym(s): *fuscina* H.Aspöck & U.Aspöck,1964 Range (in code): TR 05
- 5768. *Raphidia (Turcoraphidia) hethitica* H.Aspöck, U.Aspöck & Rausch,1984** (Raphidiidae) Synonym(s): *hethitica* H.Aspöck, U.Aspöck & Rausch,1984 Range (in code): TR 46
- 5769. *Raphidia adanana* Albarda,1891** (Raphidiidae) Synonym(s): *adanana* Albarda,1891; *anatolica* H.Aspöck & U.Aspöck,1964 Range (in code): TR LB Bsa 01 33
- 5770. *Raphidia cypria* Navas,1931** (Raphidiidae) Synonym(s): *cypria* Navas,1931; *phoenicia* H.Aspöck & U.Aspöck,1964; *#cypria* H.Aspöck & U.Aspöck,1967 Range (in code): CY TR 42
- 5771. *Raphidia wittmeri* H.Aspöck & U.Aspöck,1970** (Raphidiidae) Synonym(s): *wittmeri* H.Aspöck & U.Aspöck,1970 Range (in code): IR Tih
- 5772. *Rhyacophila aberrans* Martynov,1913** (Rhyacophilidae) Synonym(s): *aberrans* Martynov,1913  
Range (in code): TR
- 5773. *Rhyacophila aliena* Martynov,1916** (Rhyacophilidae) Synonym(s): *aliena* Martynov,1916  
Range (in code): TR
- 5774. *Rhyacophila armeniaca* Guérin,1834** (Rhyacophilidae) Synonym(s): *armeniaca* Guérin,1834  
Range (in code): TR Cc
- 5775. *Rhyacophila clavalis* Martynov,1913** (Rhyacophilidae) Synonym(s): *clavalis* Martynov,1913  
Range (in code): TR
- 5776. *Rhyacophila fasciata* Hagen,1859** (Rhyacophilidae) Synonym(s): *fasciata* Hagen,1859 Range (in code): TR
- 5777. *Rhyacophila forcipulata* Martynov,1926** (Rhyacophilidae) Synonym(s): *forcipulata* Martynov,1926 Range (in code): TR
- 5778. *Rhyacophila nubila* Zetterstedt,1840** (Rhyacophilidae) Synonym(s): *nubila* Zetterstedt,1840  
Range (in code): TR
- 5779. *Rhyacophila osellai* Malicky,1981** (Rhyacophilidae) Synonym(s): *osellai* Malicky,1981 Range (in code): TR
- 5780. *Rhyacophila spinulata* Martynov,1913** (Rhyacophilidae) Synonym(s): *spinulata* Martynov,1913  
Range (in code): TR
- 5781. *Rhyacophila subovata* Martynov,1913** (Rhyacophilidae) Synonym(s): *subovata* Martynov,1913  
Range (in code): TR
- 5782. *Rhyacophila tristis* Pictet,1834** (Rhyacophilidae) Synonym(s): *tristis* Pictet,1834 Range (in code): TR

- 5783. Rhyacophila zwickorum Malicky,1972** (Rhyacophilidae) Synonym(s): zwickorum Malicky,1972  
Range (in code): [TR](#)
- 5784. Oecismus monedula (Hagen,1859)** (Sericostomatidae) Synonym(s): monedula Hagen,1859  
Range (in code): [TR](#)
- 5785. Cerasma cairon Malicky,1986** (Sericostomatidae) Synonym(s): cairon Malicky,1986 [Range \(in code\): TR](#)
- 5786. Notidobia demelti Malicky,1974** (Sericostomatidae) Synonym(s): demelti Malicky,1974 [Range \(in code\): TR](#)
- 5787. Notidobia forsteri Malicky,1974** (Sericostomatidae) Synonym(s): forsteri Malicky,1974 [Range \(in code\): TR](#)
- 5788. Notidobia melanoptera Stein,1863** (Sericostomatidae) Synonym(s): melanoptera Stein,1863  
Range (in code): [TR](#)
- 5789. Schizopelex anatolica Schmid,1964** (Sericostomatidae) Synonym(s): anatolica Schmid,1964  
Range (in code): [TR](#)
- 5790. Schizopelex rhamnes Malicky,1976** (Sericostomatidae) Synonym(s): rhamnes Malicky,1976  
Range (in code): [TR](#)
- 5791. Sericostoma flavicorne Schneider,1845** (Sericostomatidae) Synonym(s): flavicorne Schneider,1845 [Range \(in code\): TR](#)
- 5792. Sericostoma grusiense Martynov,1913** (Sericostomatidae) Synonym(s): grusiense Martynov,1913 [Range \(in code\): TR Cc GG](#)
- 5793. Sialis morio Klingstedt,1932** (Sialidae) Synonym(s): morio Klingstedt,1932 [Range \(in code\): IT NO SE FI HV HU RO TR 14 37](#)
- 5794. Sialis nigripes Pictet,1865** (Sialidae) Synonym(s): nigripes Pictet,1865 [Range \(in code\): ES GB IE FR BE NL DK PL CZ CH AT IT SS HV HU BG TR 12 38 46 49 58](#)
- 5795. Sialis abchasica Vshivkova,1985** (Sialidae) Synonym(s): abchasica Vshivkova,1985 [Range \(in code\): Cc GG](#)
- 5796. Threrma anomalum McLachlan,1876** (Uenoidae) Synonym(s): anomalum McLachlan,1876  
Range (in code): [TR](#)
- 5797. Threrma martynovi Malicky,1976** (Uenoidae) Synonym(s): martynovi Malicky,1976 [Range \(in code\): TR](#)

### Part 3

### Diptera

In Part 3, 5913 species of the 78 families in the order Diptera are given alphabetically according to their families. Additionally, synonyms and distributional information (as range codes) are also mentioned. These families are as follows alphabetically: Acroceridae, Agromyzidae, Anthomyiidae, Asilidae, Athericidae, Bibionidae, Blephariceridae, Bombyliidae, Braulidae, Calliphoridae, Camillidae, Carnidae, Cecidomyiidae, Ceratopogonidae, Chamaemyiidae, Chaoboridae, Chironomidae, Chloropidae, Culicidae, Cylindrotomidae, Diastatidae, Diopsidae, Ditomyiidae, Dolichopodidae, Drosophilidae, Empidae, Ephydriidae, Fanniidae, Heleomyzidae, Hippoboscidae, Hybotidae, Keroplatidae, Lauxaniidae, Limoniidae, Lonchopteridae, Micropezidae, Milichiidae, Muscidae, Mycetophilidae, Mydidae, Mythicomyiidae, Nemestrinidae, Nycteribiidae, Opomyzidae, Pediciidae, Phoridae, Piophilidae, Pipunculidae, Platystomidae, Psilidae, Psychodidae, Pyrgotidae, Rhagionidae, Rhinophoridae, Sarcophagidae, Scathophagidae, Scenopinidae, Sciaridae, Sciomyzidae, Sepsidae, Simuliidae, Sphaeroceridae, Stratiomyidae, Streblidae, Syrphidae, Tabanidae, Tachinidae, Tephritidae, Tethinidae, Thaumaleidae, Therevidae, Tipulidae, Trichoceridae, Trixoscelidae, Ulidiidae, Vermileonidae, Xylomyiidae, and Xylophagidae.

- 5798. Acrocera (Acrocerina) trifasciata Pleske,1930** (Acroceridae) Synonym(s): trifasciata Pleske,1930 [Range \(in code\): IR TJ Pm](#)

- 5799. Acrocera (s.str.) orbiculus (Fabricius,1787)** (Acroceridae) Synonym(s): orbiculus Fabricius,1787; globula Panzer,1802; borealis Zetterstedt,1838 Range (in code): ES FR BE NL GB IE NO SE FI EE LT LV RU UA MD RO PL DE DK CZ CH AT IT HV B-H YU MK GR TR 65
- 5800. Astomella gravis Erichson,1840** (Acroceridae) Synonym(s): gravis Erichson,1840 Range (in code): SY
- 5801. Astomella hispaniae Lamarck,1816** (Acroceridae) Synonym(s): hispaniae Lamarck,1816; curvinervis Dufour,1833; clavicornis Macquart,1834; marginata Meigen,1838; aurea Erichson,1840; lindenii Erichson,1840; macquarti A.Costa,1847; grandipennis A.Costa,1854; apiformis Westwood,1876; bombiformis Westwood,1876 Range (in code): DZ PT ES FR IT GR SY TR
- 5802. Ogcodes asiaticus Nartshuk,1975** (Acroceridae) Synonym(s): asiaticus Nartshuk,1975 Range (in code): IR RU Tv MN
- 5803. Ogcodes formosus Loew,1873** (Acroceridae) Synonym(s): formosus Loew,1873 Range (in code): TR IR Srd 65
- 5804. Ogcodes guttatus A.Costa,1854** (Acroceridae) Synonym(s): guttatus A.Costa,1854; benacensis Pokorný,1887 Range (in code): IT GR Cc AZ GG TR IR IN
- 5805. Ogcodes hirtus (Sack,1936)** (Acroceridae) Synonym(s): hirtus Sack,1936 Range (in code): Cc TR IR UZ MN
- 5806. Ogcodes reginae (Trojan,1956)** (Acroceridae) Synonym(s): reginae Trojan,1956 Range (in code): PL CZ SK HU BG IR RU
- 5807. Ogcodes zonatus Erichson,1840** (Acroceridae) Synonym(s): zonatus Erichson,1840 Range (in code): FR IT DE CH CZ SK HU PL RO RU TR IR MN DZ 65
- 5808. Oligoneura murina (Loew,1844)** (Acroceridae) Synonym(s): murina Loew,1844 Range (in code): IT RU GR Cc AM GG IL Pa TR IR
- 5809. Agromyza abiens Zetterstedt,1848** (Agromyzidae) Synonym(s): abiens Zetterstedt,1848 Range (in code): TR 47
- 5810. Agromyza albipennis Meigen,1830** (Agromyzidae) Synonym(s): albipennis Meigen,1830 Range (in code): TR 63
- 5811. Agromyza albitarsis Meigen,1830** (Agromyzidae) Synonym(s): albitarsis Meigen,1830 Range (in code): TR 35 47
- 5812. Agromyza ambigua Fallén,1823** (Agromyzidae) Synonym(s): ambigua Fallén,1823 Range (in code): TR 09
- 5813. Agromyza anderssoni Spencer,1976** (Agromyzidae) Synonym(s): anderssoni Spencer,1976 Range (in code): TR 39
- 5814. Agromyza anthracina Meigen,1830** (Agromyzidae) Synonym(s): anthracina Meigen,1830 Range (in code): TR 25
- 5815. Agromyza apfelbecki Strobl,1902** (Agromyzidae) Synonym(s): apfelbecki Strobl,1902 Range (in code): TR 35
- 5816. Agromyza bromi Spencer,1966** (Agromyzidae) Synonym(s): bromi Spencer,1966 Range (in code): TR 25
- 5817. Agromyza felleri M.Hering,1941** (Agromyzidae) Synonym(s): felleri M.Hering,1941 Range (in code): TR 21 47
- 5818. Agromyza flavipennis Hendel,1920** (Agromyzidae) Synonym(s): flavipennis Hendel,1920 Range (in code): TR 32
- 5819. Agromyza frontella (Rondani,1875)** (Agromyzidae) Synonym(s): frontella Rondani,1875 Range (in code): TR 35
- 5820. Agromyza graminicola Hendel,1931** (Agromyzidae) Synonym(s): graminicola Hendel,1931 Range (in code): TR 25
- 5821. Agromyza hiemalis Becker,1908** (Agromyzidae) Synonym(s): hiemalis Becker,1908 Range (in code): TR 01 31 35
- 5822. Agromyza idaeiana Hardy,1853** (Agromyzidae) Synonym(s): idaeiana Hardy,1853 Range (in code): TR 08
- 5823. Agromyza intermittens Becker,1907** (Agromyzidae) Synonym(s): intermittens Becker,1907 Range (in code): TR 35
- 5824. Agromyza marionae Griffiths,1963** (Agromyzidae) Synonym(s): marionae Griffiths,1963 Range (in code): TR 31
- 5825. Agromyza megalopsis M.Hering,1933** (Agromyzidae) Synonym(s): megalopsis M.Hering,1933 Range (in code): TR
- 5826. Agromyza myosotidis Kaltenbach,1864** (Agromyzidae) Synonym(s): myosotidis Kaltenbach,1864 Range (in code): TR 32
- 5827. Agromyza nana Meigen,1830** (Agromyzidae) Synonym(s): nana Meigen,1830 Range (in code): TR 35
- 5828. Agromyza nigrescens Hendel,1920** (Agromyzidae) Synonym(s): nigrescens Hendel,1920 Range (in code): TR



- 5829. *Agromyza nigripes* Meigen,1830** (Agromyzidae) Synonym(s): *nigripes* Meigen,1830 [Range \(in code\): TR](#)
- 5830. *Agromyza phylloposthia* Sasakawa,2008** (Agromyzidae) Synonym(s): *phylloposthia* Sasakawa,2008 [Range \(in code\): TR 02](#)
- 5831. *Agromyza pittodes* Hendel,1931** (Agromyzidae) Synonym(s): *pittodes* Hendel,1931 [Range \(in code\): TR 48](#)
- 5832. *Agromyza prespana* Spencer,1957** (Agromyzidae) Synonym(s): *prespana* Spencer,1957 [Range \(in code\): TR](#)
- 5833. *Agromyza reptans* Fallén,1823** (Agromyzidae) Synonym(s): *reptans* Fallén,1823 [Range \(in code\): US TR 63](#)
- 5834. *Agromyza rondensis* Strobl,1900** (Agromyzidae) Synonym(s): *rondensis* Strobl,1900 [Range \(in code\): TR 35 63](#)
- 5835. *Agromyza trebinjensis* Strobl,1900** (Agromyzidae) Synonym(s): *trebinjensis* Strobl,1900 [Range \(in code\): TR 35](#)
- 5836. *Amauromyza* (*Cephalomyza*) *flavifrons* (Meigen,1830)** (Agromyzidae) Synonym(s): *flavifrons* Meigen,1830 [Range \(in code\): TR 35](#)
- 5837. *Amauromyza* (*Cephalomyza*) *luteiceps* (Hendel,1920)** (Agromyzidae) Synonym(s): *luteiceps* Hendel,1920 [Range \(in code\): TR 48](#)
- 5838. *Amauromyza* (s.str.) *morionella* (Zetterstedt,1848)** (Agromyzidae) Synonym(s): *morionella* Zetterstedt,1848 [Range \(in code\): TR 35](#)
- 5839. *Aulagromyza buhri* (De Meijere,1938)** (Agromyzidae) Synonym(s): *buhri* De Meijere,1938 [Range \(in code\): TR 48](#)
- 5840. *Aulagromyza hamata* (Hendel,1932)** (Agromyzidae) Synonym(s): *hamata* Hendel,1932 [Range \(in code\): TR 35](#)
- 5841. *Aulagromyza heringii* (Hendel,1920)** (Agromyzidae) Synonym(s): *heringii* Hendel,1920 [Range \(in code\): TR 48](#)
- 5842. *Aulagromyza orphana* (Hendel,1920)** (Agromyzidae) Synonym(s): *orphana* Hendel,1920 [Range \(in code\): TR 35](#)
- 5843. *Aulagromyza populi* (Kaltenbach,1864)** (Agromyzidae) Synonym(s): *populi* Kaltenbach,1864 [Range \(in code\): TR 32 35](#)
- 5844. *Aulagromyza trivittata* (Loew,1873)** (Agromyzidae) Synonym(s): *trivittata* Loew,1873 [Range \(in code\): TR 10](#)
- 5845. *Calycomyza humeralis* (von Roser,1840)** (Agromyzidae) Synonym(s): *humeralis* von Roser,1840 [Range \(in code\): TR 35 47 63](#)
- 5846. *Cerodontha* (*Butomomyza*) *angulata* (Loew,1869)** (Agromyzidae) Synonym(s): *angulata* Loew,1869; *semiposticata* Hendel,1920; *caricis* M.Hering,1925; *cinereifrons* Frost,1931 [Range \(in code\): BE TR](#)
- 5847. *Cerodontha* (*Butomomyza*) *pseuderrans* (Hendel,1931)** (Agromyzidae) Synonym(s): *pseuderrans* Hendel,1931 [Range \(in code\): TR 53](#)
- 5848. *Cerodontha* (*Butomomyza*) *scutellaris* (von Roser,1840)** (Agromyzidae) Synonym(s): *scutellaris* von Roser,1840 [Range \(in code\): TR 63](#)
- 5849. *Cerodontha* (*Dizygomyza*) *bimaculata* (Meigen,1830)** (Agromyzidae) Synonym(s): *bimaculata* Meigen,1830 [Range \(in code\): TR 32](#)
- 5850. *Cerodontha* (*Poemyza*) *imbuta* (Meigen,1838)** (Agromyzidae) Synonym(s): *imbuta* Meigen,1838 [Range \(in code\): TR 53](#)
- 5851. *Cerodontha* (*Poemyza*) *incisa* (Meigen,1830)** (Agromyzidae) Synonym(s): *incisa* Meigen,1830 [Range \(in code\): TR 33](#)
- 5852. *Cerodontha* (*Poemyza*) *lateralis* (Macquart,1835)** (Agromyzidae) Synonym(s): *lateralis* Macquart,1835 [Range \(in code\): TR](#)
- 5853. *Cerodontha* (*Poemyza*) *pygmaea* (Meigen,1830)** (Agromyzidae) Synonym(s): *pygmaea* Meigen,1830 [Range \(in code\): TR](#)
- 5854. *Cerodontha* (s.str.) *denticornis* (Panzer,1806)** (Agromyzidae) Synonym(s): *denticornis* Panzer,1806 [Range \(in code\): TR 21 35 47 63](#)
- 5855. *Cerodontha* (s.str.) *fulvipes* (Meigen,1830)** (Agromyzidae) Synonym(s): *fulvipes* Meigen,1830 [Range \(in code\): TR 08 53 61](#)
- 5856. *Chromatomyia ciliata* (Hendel,1935)** (Agromyzidae) Synonym(s): *ciliata* Hendel,1935 [Range \(in code\): TR 25](#)
- 5857. *Chromatomyia fuscula* (Zetterstedt,1838)** (Agromyzidae) Synonym(s): *fuscula* Zetterstedt,1838 [Range \(in code\): TR 46](#)
- 5858. *Chromatomyia horticola* (Goureau,1851)** (Agromyzidae) Synonym(s): *horticola* Goureau,1851; *cucumidis* Macquart,1854; *tropaeoli* Dufour,1857; *fediae* Kaltenbach,1860; *linariae* Kaltenbach,1862; *pisi* Kaltenbach,1864; *lactucae* Vimmer,1928; *bidensivora* Séguy,1951; *nainiensis* Garg,1971 [Range \(in code\): TR PT ES FR GB IC NO SE FI DK EE PL CZ SK DE BE NL CH AT Co Sa Si IT HU MD RO GR 01 06 21 31 34 35 47 48 58 63](#)

- 5859. Chromatomyia luzulae (M.Hering,1924)** (Agromyzidae) Synonym(s): luzulae M.Hering,1924 Range (in code): TR 53
- 5860. Chromatomyia milii (Kaltenbach,1864)** (Agromyzidae) Synonym(s): milii Kaltenbach,1864 Range (in code): TR 35
- 5861. Chromatomyia nigra (Meigen,1830)** (Agromyzidae) Synonym(s): nigra Meigen,1830 Range (in code): TR 23
- 5862. Chromatomyia scolopendri (R-D.,1851)** (Agromyzidae) Synonym(s): scolopendri R-D.,1851 Range (in code): TR 48
- 5863. Chromatomyia succisae (M.Hering,1922)** (Agromyzidae) Synonym(s): succisae M.Hering,1922 Range (in code): TR
- 5864. Galiomyza violiphaga (Hendel,1932)** (Agromyzidae) Synonym(s): violiphaga Hendel,1932 Range (in code): TR 17
- 5865. Hexomyza simplex (Loew,1869)** (Agromyzidae) Synonym(s): simplex Loew,1869 Range (in code): TR 39
- 5866. Japanagromyza salicifolii (Collin,1911)** (Agromyzidae) Synonym(s): salicifolii Collin,1911 Range (in code): TR 35
- 5867. Liriomyza alyssi (M.Hering,1960)** (Agromyzidae) Synonym(s): alyssi M.Hering,1960 Range (in code): TR
- 5868. Liriomyza amarellae M.Hering,1963** (Agromyzidae) Synonym(s): amarellae M.Hering,1963 Range (in code): TR 17
- 5869. Liriomyza amoena (Meigen,1830)** (Agromyzidae) Synonym(s): amoena Meigen,1830 Range (in code): TR 35
- 5870. Liriomyza balcanica (Strobl,1900)** (Agromyzidae) Synonym(s): balcanica Strobl,1900 Range (in code): TR 35
- 5871. Liriomyza brassicae (Riley,1884)** (Agromyzidae) Synonym(s): brassicae Riley,1884 Range (in code): TR 07 35
- 5872. Liriomyza bryoniae (Kaltenbach,1858)** (Agromyzidae) Synonym(s): bryoniae Kaltenbach,1858 Range (in code): TR 01 31 35
- 5873. Liriomyza buhri M.Hering,1937** (Agromyzidae) Synonym(s): buhri M.Hering,1937 Range (in code): TR 07
- 5874. Liriomyza cannabis Hendel,1931** (Agromyzidae) Synonym(s): cannabis Hendel,1931 Range (in code): TR 35 37
- 5875. Liriomyza cardariae Sasakawa,2008** (Agromyzidae) Synonym(s): cardariae Sasakawa,2008 Range (in code): TR 02
- 5876. Liriomyza centaureae M.Hering,1927** (Agromyzidae) Synonym(s): centaureae M.Hering,1927 Range (in code): TR 35
- 5877. Liriomyza cepae (M.Hering,1927)** (Agromyzidae) Synonym(s): cepae M.Hering,1927 Range (in code): TR 35
- 5878. Liriomyza cicerina (Rondani,1875)** (Agromyzidae) Synonym(s): cicerina Rondani,1875 Range (in code): TR 01 31 35 63
- 5879. Liriomyza congesta (Becker,1903)** (Agromyzidae) Synonym(s): congesta Becker,1903 Range (in code): TR 35 45 47 63
- 5880. Liriomyza dracunculi M.Hering,1932** (Agromyzidae) Synonym(s): dracunculi M.Hering,1932 Range (in code): TR 53
- 5881. Liriomyza eupatorii (Kaltenbach,1873)** (Agromyzidae) Synonym(s): eupatorii Kaltenbach,1873 Range (in code): TR 33
- 5882. Liriomyza euphorbiae Martinez,1999** (Agromyzidae) Synonym(s): euphorbiae Martinez,1999 Range (in code): TR 32
- 5883. Liriomyza flaveola (Fallén,1823)** (Agromyzidae) Synonym(s): flaveola Fallén,1823 Range (in code): TR 48
- 5884. Liriomyza freyella Spencer,1976** (Agromyzidae) Synonym(s): freyella Spencer,1976 Range (in code): TR 39
- 5885. Liriomyza hieracivora Spencer,1971** (Agromyzidae) Synonym(s): hieracivora Spencer,1971 Range (in code): TR 63
- 5886. Liriomyza huidobrensis (Blanchard,1926)** (Agromyzidae) Synonym(s): huidobrensis Blanchard,1926 Range (in code): TR 01 09 35
- 5887. Liriomyza orbona (Meigen,1830)** (Agromyzidae) Synonym(s): orbona Meigen,1830 Range (in code): TR 35
- 5888. Liriomyza pascuum (Meigen,1838)** (Agromyzidae) Synonym(s): pascuum Meigen,1838 Range (in code): TR 48
- 5889. Liriomyza pedestris Hendel,1931** (Agromyzidae) Synonym(s): pedestris Hendel,1931 Range (in code): TR

- 5890. *Liriomyza pusilla* (Meigen,1830)** (Agromyzidae) Synonym(s): *pusilla* Meigen,1830 [Range \(in code\): TR](#)
- 5891. *Liriomyza sativae* Blanchard,1938** (Agromyzidae) Synonym(s): *sativae* Blanchard,1938 [Range \(in code\): TR 21 48](#)
- 5892. *Liriomyza strigata* (Meigen,1830)** (Agromyzidae) Synonym(s): *strigata* Meigen,1830 [Range \(in code\): TR 01 20 31 35 47 63](#)
- 5893. *Liriomyza trifolii* (Burgess,1880)** (Agromyzidae) Synonym(s): *trifolii* Burgess,1880 [Range \(in code\): TR 01 06 09 21 31 47 48 63](#)
- 5894. *Liriomyza virgula* Frey,1946** (Agromyzidae) Synonym(s): *virgula* Frey,1946 [Range \(in code\): TR 33](#)
- 5895. *Melanagromyza aeneoventris* (Fallén,1823)** (Agromyzidae) Synonym(s): *aeneoventris* Fallén,1823 [Range \(in code\): TR 02](#)
- 5896. *Melanagromyza cunctans* (Meigen,1830)** (Agromyzidae) Synonym(s): *cunctans* Meigen,1830 [Range \(in code\): TR 48](#)
- 5897. *Melanagromyza heracleana* Zlobin,2005** (Agromyzidae) Synonym(s): *heracleana* Zlobin,2005 [Range \(in code\): TR Cc Kr RU 06](#)
- 5898. *Melanagromyza pubescens* Hendel,1923** (Agromyzidae) Synonym(s): *pubescens* Hendel,1923 [Range \(in code\): TR 02](#)
- 5899. *Melanagromyza tripolii* Spencer,1957** (Agromyzidae) Synonym(s): *tripolii* Spencer,1957 [Range \(in code\): TR 23](#)
- 5900. *Melanagromyza vignalis* Spencer,1959** (Agromyzidae) Synonym(s): *vignalis* Spencer,1959 [Range \(in code\): TR 63](#)
- 5901. *Metopomyza scutellata* (Fallén,1823)** (Agromyzidae) Synonym(s): *scutellata* Fallén,1823 [Range \(in code\): TR 33](#)
- 5902. *Metopomyza xanthaspis* (Loew,1858)** (Agromyzidae) Synonym(s): *xanthaspis* Loew,1858 [Range \(in code\): TR 33](#)
- 5903. *Napomyza bellidis* Griffiths,1967** (Agromyzidae) Synonym(s): *bellidis* Griffiths,1967 [Range \(in code\): TR 31](#)
- 5904. *Napomyza carotae* Spencer,1966** (Agromyzidae) Synonym(s): *carotae* Spencer,1966 [Range \(in code\): TR 25](#)
- 5905. *Napomyza cichorii* Spencer,1966** (Agromyzidae) Synonym(s): *cichorii* Spencer,1966 [Range \(in code\): TR 32](#)
- 5906. *Napomyza elegans* (Meigen,1830)** (Agromyzidae) Synonym(s): *elegans* Meigen,1830 [Range \(in code\): TR 47](#)
- 5907. *Napomyza lateralis* (Fallén,1823)** (Agromyzidae) Synonym(s): *lateralis* Fallén,1823 [Range \(in code\): TR 21 35](#)
- 5908. *Ophiomyia beckeri* (Hendel,1923)** (Agromyzidae) Synonym(s): *beckeri* Hendel,1923 [Range \(in code\): TR 47](#)
- 5909. *Ophiomyia cunctata* (Hendel,1920)** (Agromyzidae) Synonym(s): *cunctata* Hendel,1920 [Range \(in code\): TR 35 63](#)
- 5910. *Ophiomyia curvipalpis* (Zetterstedt,1848)** (Agromyzidae) Synonym(s): *curvipalpis* Zetterstedt,1848 [Range \(in code\): TR 35](#)
- 5911. *Ophiomyia delphinii* Hendel,1928** (Agromyzidae) Synonym(s): *delphinii* Hendel,1928 [Range \(in code\): TR 48](#)
- 5912. *Ophiomyia galii* M.Hering,1937** (Agromyzidae) Synonym(s): *galii* M.Hering,1937 [Range \(in code\): TR 48](#)
- 5913. *Ophiomyia inaequabilis* (Hendel,1931)** (Agromyzidae) Synonym(s): *inaequabilis* Hendel,1931 [Range \(in code\): TR 35](#)
- 5914. *Ophiomyia labiatarum* M.Hering,1937** (Agromyzidae) Synonym(s): *labiatarum* M.Hering,1937 [Range \(in code\): TR](#)
- 5915. *Ophiomyia maura* (Meigen,1838)** (Agromyzidae) Synonym(s): *maura* Meigen,1838 [Range \(in code\): TR 17](#)
- 5916. *Ophiomyia memorabilis* Spencer,1974** (Agromyzidae) Synonym(s): *memorabilis* Spencer,1974 [Range \(in code\): TR](#)
- 5917. *Ophiomyia orbiculata* (Hendel,1931)** (Agromyzidae) Synonym(s): *orbiculata* Hendel,1931 [Range \(in code\): TR 35](#)
- 5918. *Ophiomyia phaseoli* (Tryon,1895)** (Agromyzidae) Synonym(s): *phaseoli* Tryon,1895 [Range \(in code\): TR 01 31](#)
- 5919. *Ophiomyia pinguis* (Fallén,1820)** (Agromyzidae) Synonym(s): *pinguis* Fallén,1820 [Range \(in code\): TR 63](#)
- 5920. *Ophiomyia pulicaria* (Meigen,1830)** (Agromyzidae) Synonym(s): *pulicaria* Meigen,1830 [Range \(in code\): TR 48](#)



- 5921. *Ophiomyia submaura* M.Hering,1926** (Agromyzidae) Synonym(s): *submaura* M.Hering,1926 Range (in code): TR
- 5922. *Phytoliriomyza arctica* (Lundbeck,1901)** (Agromyzidae) Synonym(s): *arctica* Lundbeck,1901 Range (in code): TR 35
- 5923. *Phytoliriomyza dorsata* (Siebke,1863)** (Agromyzidae) Synonym(s): *dorsata* Siebke,1863 Range (in code): TR 21
- 5924. *Phytoliriomyza oasis* (Becker,1907)** (Agromyzidae) Synonym(s): *oasis* Becker,1907 Range (in code): TR
- 5925. *Phytoliriomyza perpusilla* (Meigen,1830)** (Agromyzidae) Synonym(s): *perpusilla* Meigen,1830 Range (in code): TR 46
- 5926. *Phytomyza aconitophila* Hendel,1927** (Agromyzidae) Synonym(s): *aconitophila* Hendel,1927 Range (in code): TR 48
- 5927. *Phytomyza affinis* Fallén,1823** (Agromyzidae) Synonym(s): *affinis* Fallén,1823 Range (in code): TR 63
- 5928. *Phytomyza albipennis* (Fallén,1823)** (Agromyzidae) Synonym(s): *albipennis* Fallén,1823 Range (in code): TR 48
- 5929. *Phytomyza angelicae* Kaltenbach,1872** (Agromyzidae) Synonym(s): *angelicae* Kaltenbach,1872 Range (in code): TR 48
- 5930. *Phytomyza aquilonia* Frey,1946** (Agromyzidae) Synonym(s): *aquilonia* Frey,1946 Range (in code): TR 21
- 5931. *Phytomyza astrantiae* Hendel,1924** (Agromyzidae) Synonym(s): *astrantiae* Hendel,1924 Range (in code): TR 61
- 5932. *Phytomyza aurei* M.Hering,1931** (Agromyzidae) Synonym(s): *aurei* M.Hering,1931 Range (in code): TR 39
- 5933. *Phytomyza brevifacies* Hendel,1934** (Agromyzidae) Synonym(s): *brevifacies* Hendel,1934 Range (in code): TR 53
- 5934. *Phytomyza cecidonomia* M.Hering,1937** (Agromyzidae) Synonym(s): *cecidonomia* M.Hering,1937 Range (in code): TR 48
- 5935. *Phytomyza chelonei* Spencer,1969** (Agromyzidae) Synonym(s): *chelonei* Spencer,1969 Range (in code): TR 63
- 5936. *Phytomyza cirsii* Hendel,1923** (Agromyzidae) Synonym(s): *cirsii* Hendel,1923 Range (in code): TR
- 5937. *Phytomyza clematidis* Kaltenbach,1859** (Agromyzidae) Synonym(s): *clematidis* Kaltenbach,1859 Range (in code): TR 35
- 5938. *Phytomyza continua* Hendel,1920** (Agromyzidae) Synonym(s): *continua* Hendel,1920 Range (in code): TR
- 5939. *Phytomyza conyzae* M.Hering,1920** (Agromyzidae) Synonym(s): *conyzae* M.Hering,1920 Range (in code): TR 48
- 5940. *Phytomyza crassiseta* Zetterstedt,1860** (Agromyzidae) Synonym(s): *crassiseta* Zetterstedt,1860 Range (in code): TR 16 17 41 48
- 5941. *Phytomyza fallaciosa* Brischke,1880** (Agromyzidae) Synonym(s): *fallaciosa* Brischke,1880 Range (in code): TR 46
- 5942. *Phytomyza ferulae* M.Hering,1927** (Agromyzidae) Synonym(s): *ferulae* M.Hering,1927 Range (in code): TR 35
- 5943. *Phytomyza flavicornis* Fallén,1823** (Agromyzidae) Synonym(s): *flavicornis* Fallén,1823 Range (in code): TR
- 5944. *Phytomyza geminata* Sasakawa,2008** (Agromyzidae) Synonym(s): *geminata* Sasakawa,2008 Range (in code): TR 02
- 5945. *Phytomyza glabra* Hendel,1935** (Agromyzidae) Synonym(s): *glabra* Hendel,1935 Range (in code): TR 25
- 5946. *Phytomyza gymnostoma* Loew,1858** (Agromyzidae) Synonym(s): *gymnostoma* Loew,1858 Range (in code): TR 35
- 5947. *Phytomyza kaltenbachii* Hendel,1922** (Agromyzidae) Synonym(s): *kaltenbachii* Hendel,1922 Range (in code): TR 01 35 45
- 5948. *Phytomyza lappae* Goureau,1851** (Agromyzidae) Synonym(s): *lappae* Goureau,1851 Range (in code): TR 06
- 5949. *Phytomyza nigrifulva* Zetterstedt,1838** (Agromyzidae) Synonym(s): *nigrifulva* Zetterstedt,1838 Range (in code): TR 15
- 5950. *Phytomyza origani* M.Hering,1931** (Agromyzidae) Synonym(s): *origani* M.Hering,1931 Range (in code): TR 17
- 5951. *Phytomyza orobanchiae* Kaltenbach,1864** (Agromyzidae) Synonym(s): *orobanchiae* Kaltenbach,1864 Range (in code): TR 10 16 21 45 47 63

- 5952. *Phytomyza petoei* M.Hering,1924** (Agromyzidae) Synonym(s): petoei M.Hering,1924 Range (in code): TR 35
- 5953. *Phytomyza phillyreae* M.Hering,1930** (Agromyzidae) Synonym(s): phillyreae M.Hering,1930 Range (in code): TR 35
- 5954. *Phytomyza plantaginis* R-D.,1851** (Agromyzidae) Synonym(s): plantaginis R-D.,1851 Range (in code): TR 35 47
- 5955. *Phytomyza podagrariae* M.Hering,1954** (Agromyzidae) Synonym(s): podagrariae M.Hering,1954 Range (in code): TR 17
- 5956. *Phytomyza pubicornis* Hendel,1920** (Agromyzidae) Synonym(s): pubicornis Hendel,1920 Range (in code): TR 32
- 5957. *Phytomyza ranunculi* (Schrank,1803)** (Agromyzidae) Synonym(s): ranunculi Schrank,1803 Range (in code): TR 35
- 5958. *Phytomyza rostrata* M.Hering,1934** (Agromyzidae) Synonym(s): rostrata M.Hering,1934 Range (in code): TR 35
- 5959. *Phytomyza rufescens* von Roser,1840** (Agromyzidae) Synonym(s): rufescens von Roser,1840 Range (in code): TR 35
- 5960. *Phytomyza rufipes* Meigen,1830** (Agromyzidae) Synonym(s): rufipes Meigen,1830 Range (in code): TR 35 47
- 5961. *Phytomyza sii* M.Hering,1930** (Agromyzidae) Synonym(s): sii M.Hering,1930 Range (in code): TR 39
- 5962. *Phytomyza socia* Brischke,1880** (Agromyzidae) Synonym(s): socia Brischke,1880 Range (in code): TR 21
- 5963. *Phytomyza spoliata* Strobl,1906** (Agromyzidae) Synonym(s): spoliata Strobl,1906 Range (in code): TR
- 5964. *Phytomyza tenella* Meigen,1830** (Agromyzidae) Synonym(s): tenella Meigen,1830 Range (in code): TR 35
- 5965. *Phytomyza tetrasticha* Hendel,1927** (Agromyzidae) Synonym(s): tetrasticha Hendel,1927 Range (in code): TR 35
- 5966. *Phytomyza thysselinivora* M.Hering,1924** (Agromyzidae) Synonym(s): thysselinivora M.Hering,1924 Range (in code): TR 48
- 5967. *Pseudonapomyza atra* (Meigen,1830)** (Agromyzidae) Synonym(s): atra Meigen,1830 Range (in code): TR 63
- 5968. *Pseudonapomyza europaea* Spencer,1973** (Agromyzidae) Synonym(s): europaea Spencer,1973 Range (in code): TR
- 5969. *Pseudonapomyza hispanica* Spencer,1973** (Agromyzidae) Synonym(s): hispanica Spencer,1973 Range (in code): TR 35
- 5970. *Pseudonapomyza pyriformis* Sasakawa,2008** (Agromyzidae) Synonym(s): pyriformis Sasakawa,2008 Range (in code): TR 02
- 5971. *Pseudonapomyza spicata* (Malloch,1914)** (Agromyzidae) Synonym(s): spicata Malloch,1914 Range (in code): TR 63
- 5972. *Pseudonapomyza spinosa* Spencer,1973** (Agromyzidae) Synonym(s): spinosa Spencer,1973 Range (in code): TR 63
- 5973. *Pseudonapomyza strobliana* Spencer,1973** (Agromyzidae) Synonym(s): strobliana Spencer,1973 Range (in code): TR
- 5974. *Anthomyia procellaris* Rondani,1866** (Anthomyiidae) Synonym(s): procellaris Rondani,1866 Range (in code): PT ES FR GB BE CH DK FI IT Si PL NO SE FI CZ SK UA HU YU RU HV YU GR BG CN JP TR 06 65
- 5975. *Delia arambourgi* (Séguy,1938)** (Anthomyiidae) Synonym(s): arambourgi Séguy,1938 Range (in code): UG KE YE SD ZA Nta Kzu Tva Lpo Fs ZW
- 5976. *Delia flavibasis* (Stein,1903)** (Anthomyiidae) Synonym(s): flavibasis Stein,1903 Range (in code): IL Pa
- 5977. *Delia persica* Hennig,1974** (Anthomyiidae) Synonym(s): persica Hennig,1974 Range (in code): IR
- 5978. *Delia platura* Meigen,1826** (Anthomyiidae) Synonym(s): platura Meigen,1826 Range (in code): PT ES FR GB IE IS BE NL DE DK NO SE FI RU EE PL UA CZ SK HU CH AT IT Co Si RO BG YU B-H GR CY Cr TR 06
- 5979. *Delia radicum* (Linnaeus,1758)** (Anthomyiidae) Synonym(s): radicum Linnaeus,1758 Range (in code): TR 25
- 5980. *Delia sileni* Michelsen,2012** (Anthomyiidae) Synonym(s): sileni Michelsen,2012 Range (in code): DK FI CZ EE ES IT TR 35
- 5981. *Leucophora palmonii* Ackland,1968** (Anthomyiidae) Synonym(s): palmonii Ackland,1968 Range (in code): IL Pa
- 5982. *Paradelia hedgreni* (Ringdahl,1959)** (Anthomyiidae) Synonym(s): hedgreni Ringdahl,1959 Range (in code): SE CA Abt GB Cc GG

- 5983. *Paradelia intersecta* (Meigen,1826)** (Anthomyiidae) Synonym(s): *intersecta* Meigen,1826 Range (in code): AD AT CZ DK FI DE GR NO IT RU SK ES SE GB GG Smt Bku Cc TR UZ Tas CN CA Yu US Cf 35
- 5984. *Paradelia manni* Michelsen,2007** (Anthomyiidae) Synonym(s): *manni* Michelsen,2007 Range (in code): PK Hu
- 5985. *Pegomya bicolor* (Wiedemann,1817)** (Anthomyiidae) Synonym(s): *bicolor* Wiedemann,1817; *mitis* Meigen,1826; *longipes* R-D.,1851; *rumicis* Hardy,1854; *jynx* Séguy,1926; *cinereorufa* Ringdahl,1930; *sapporensis* Kato,1941 Range (in code): AD AT BG Co Cr CY CZ DK NL BE GB IE FI DE HU GR IT LT Md NO PL RO RU Si SK ES SE CH MA DZ TN SY IL Pa KP KR JP Hkk CN
- 5986. *Pegomya testacea* (De Geer,1776)** (Anthomyiidae) Synonym(s): *testacea* De Geer,1776 Range (in code): SE NO FI GB DK DE BE NL PL CZ HU FR ES IT BG GR Cr TR 56
- 5987. *Phorbia acrophallosa* Ackland,1993** (Anthomyiidae) Synonym(s): *acrophallosa* Ackland,1993 Range (in code): Cc GG
- 5988. *Phorbia lobata* (Huckett,1929)** (Anthomyiidae) Synonym(s): *lobata* Huckett,1929; *perssoni* Hennig,1976 Range (in code): Cc GG MN RU Sb CA BC
- 5989. *Phorbia penicillifera* Jermy,1953** (Anthomyiidae) Synonym(s): *penicillifera* Jermy,1953 Range (in code): TR 02 21 56
- 5990. *Phorbia securis* Tiensuu,1935** (Anthomyiidae) Synonym(s): *securis* Tiensuu,1935 Range (in code): TR 22 39 59
- 5991. *Amygdalops rufior* Rohacek & Freidberg,1993** (Anthomyzidae) Synonym(s): *rufior* Rohacek & Freidberg,1993 Range (in code): IL Pa
- 5992. *Amygdalops thomasseti* Lamb,1914** (Anthomyzidae) Synonym(s): *thomasseti* Lamb,1914 Range (in code): OM SC Cn EG IL Pa GR ES
- 5993. *Anagnota coccinea* Rohacek & Freidberg,1993** (Anthomyzidae) Synonym(s): *coccinea* Rohacek & Freidberg,1993 Range (in code): CY IL Pa TR
- 5994. *Anthomyza receptrix* Rohacek & Freidberg,1993** (Anthomyzidae) Synonym(s): *receptrix* Rohacek & Freidberg,1993 Range (in code): IL Pa
- 5995. *Cercagnota collini* (Czerny,1928)** (Anthomyzidae) Synonym(s): *collini* Czerny,1928 Range (in code): GB IL Pa MT ES UZ
- 5996. *Fungomyza albimana* (Meigen,1830)** (Anthomyzidae) Synonym(s): *albimana* Meigen,1830; *glabra* Meigen,1838; *nigrimana* Meigen,1838; *armillaris* Rondani,1875; *rufa* Czerny,1928 Range (in code): AT BE BG CZ EE FR DE GB HU IT PL RU YU SK SS ES SE CH NL TR
- 5997. *Santhomyza inermis* Rohacek,1984** (Anthomyzidae) Synonym(s): *inermis* Rohacek,1984 Range (in code): EG FR GR IL Pa ES
- 5998. *Acnephalum fasciculatus* (Loew,1847)** (Asilidae) Synonym(s): *fasciculatus* Loew,1847 Range (in code): TR IR AL BG CZ ES FR GR IT RO YU AZ Cc SY IL Pa MA DZ TN
- 5999. *Acnephalum futile* Wulp,1899** (Asilidae) Synonym(s): *futile* Wulp,1899 Range (in code): YE
- 6000. *Acnephalum hirsutus* (Becker,1913)** (Asilidae) Synonym(s): *hirsutus* Becker,1913 Range (in code): IR Ss
- 6001. *Acnephalum leucostomus* (Engel,1930)** (Asilidae) Synonym(s): *leucostomus* Engel,1930 Range (in code): FR Cc RU TR IR Elb Mz AM
- 6002. *Acnephalum melanostomus* (Loew,1874)** (Asilidae) Synonym(s): *melanostomus* Loew,1874 Range (in code): IR Kz Mz Elb EG KG
- 6003. *Acnephalum mixtus* (Loew,1847)** (Asilidae) Synonym(s): *mixtus* Loew,1847; *anthophorinus* Loew,1847 Range (in code): TR IR Es Fa Ke GR JO IL Pa EG Cc AZ AM GG 35 48
- 6004. *Acnephalum pallidipennis* (Brullé,1833)** (Asilidae) Synonym(s): *pallidipennis* Brullé,1833 Range (in code): TR 35
- 6005. *Acrochordomerus aeneus* Hermann,1920** (Asilidae) Synonym(s): *aeneus* Hermann,1920 Range (in code): SY TR
- 6006. *Acrochordomerus mediterraneus* Kovár & Hradski,1995** (Asilidae) Synonym(s): *mediterraneus* Kovár & Hradski,1995 Range (in code): TR
- 6007. *Afganopogon lindbergi* Hradski,1962** (Asilidae) Synonym(s): *lindbergi* Hradski,1962 Range (in code): AF
- 6008. *Afroestricus vittatus* (Curran,1927)** (Asilidae) Synonym(s): *vittatus* Curran,1927 Range (in code): TD ZR AO GA ML SN UG YE
- 6009. *Afroholopogon dasys* Londt,2005** (Asilidae) Synonym(s): *dasys* Londt,2005 Range (in code): OM Sk YE ET
- 6010. *Amathomyia persiana* Hermann,1912** (Asilidae) Synonym(s): *persiana* Hermann,1912; *persiana* Becker,1913 Range (in code): KG IR Ss TN
- 6011. *Amphisbetetus dorsatus* Becker,1913** (Asilidae) Synonym(s): *dorsatus* Becker,1913; *rufipes* Engel,1930 Range (in code): RU KG IL Pa IR Ss TR EG
- 6012. *Amphisbetetus favillaceus* (Loew,1856)** (Asilidae) Synonym(s): *favillaceus* Loew,1856 Range (in code): Cc RU GR ES IL Pa TR IR Fa Kz AF



- 6013. *Amphisbetetus gederati* Efflatoun,1937** (Asilidae) Synonym(s): gederati Efflatoun,1937 Range (in code): EG IL Pa
- 6014. *Amphisbetetus ruazi* Theodor,1980** (Asilidae) Synonym(s): ruazi Theodor,1980 Range (in code): JO IL Pa
- 6015. *Anarolius bicolor* Theodor,1980** (Asilidae) Synonym(s): bicolor Theodor,1980 Range (in code): JO IL Pa
- 6016. *Anarolius fronto* Loew,1873** (Asilidae) Synonym(s): fronto Loew,1873 Range (in code): RU KG TR
- 6017. *Anarolius jamshidi* Abbassian-Lintzen,1964** (Asilidae) Synonym(s): jamshidi Abbassian-Lintzen,1964 Range (in code): IR Elb Th TR
- 6018. *Anarolius jubatus* Loew,1844** (Asilidae) Synonym(s): jubatus Loew,1844 Range (in code): Cc RU GR TR IR Th Elb AZ AM GG
- 6019. *Anarolius rufescens* Theodor,1980** (Asilidae) Synonym(s): rufescens Theodor,1980 Range (in code): LB
- 6020. *Anarolius setitarsis* Richter,1963** (Asilidae) Synonym(s): setitarsis Richter,1963 Range (in code): Cc RU
- 6021. *Ancylorhynchus argyrogaster* (Séguy,1932)** (Asilidae) Synonym(s): argyrogaster Séguy,1932 Range (in code): IR
- 6022. *Ancylorhynchus bicolor* (Becker,1913)** (Asilidae) Synonym(s): bicolor Becker,1913 Range (in code): IR Kh
- 6023. *Ancylorhynchus brussensis* (Schiner,1867)** (Asilidae) Synonym(s): brussensis Schiner,1867 Range (in code): GR TR 16
- 6024. *Ancylorhynchus farinosus* Becker,1913** (Asilidae) Synonym(s): farinosus Becker,1913 Range (in code): IR Ss
- 6025. *Ancylorhynchus glaucius* (Rossi,1790)** (Asilidae) Synonym(s): glaucius Rossi,1790; variegatus Wiedemann,1818; pictus Wiedemann,1821 Range (in code): AT AL FR GR IT RO TR YU KG SR IL Pa UA Cm 35
- 6026. *Ancylorhynchus longicornis* (Schiner,1867)** (Asilidae) Synonym(s): longicornis Schiner,1867 Range (in code): IT GR TR
- 6027. *Ancylorhynchus rufocinctus* Séguy,1930** (Asilidae) Synonym(s): rufocinctus Séguy,1930 Range (in code): TN IL Pa
- 6028. *Andrenosoma albibarbe* (Meigen,1820)** (Asilidae) Synonym(s): albibarbe Meigen,1820; adustiventris Costa,1863; erythrurum Loew,1847 Range (in code): DZ CH AT CZ DE ES FR GR IT PL RO TR RU Ur Sb 48
- 6029. *Andrenosoma atrum* (Linnaeus,1758)** (Asilidae) Synonym(s): atrum Linnaeus,1758; prostratum Scopoli,1763 Range (in code): Cn DZ AT BG CH CZ DE DK ES FR Co IT GR PL SE RO RU Sb TR IR
- 6030. *Andrenosoma cornuta* Oldroyd,1972** (Asilidae) Synonym(s): cornuta Oldroyd,1972 Range (in code): GR TR
- 6031. *Andrenosoma serratum* Hermann,1906** (Asilidae) Synonym(s): serratum Hermann,1906 Range (in code): TR IR Elb Se 35
- 6032. *Aneomochtherus acratu*s (Tsacas,1968)** (Asilidae) Synonym(s): acratu Tsacas,1968 Range (in code): GR TR 17 59
- 6033. *Aneomochtherus aerifacies* (Tsacas,1968)** (Asilidae) Synonym(s): aerifacies Tsacas,1968; celaenophanes Janssens,1968 Range (in code): TR 35
- 6034. *Aneomochtherus arabicus* (Macquart,1838)** (Asilidae) Synonym(s): arabicus Macquart,1838 Range (in code): SA
- 6035. *Aneomochtherus atripes* (Oldroyd,1958)** (Asilidae) Synonym(s): atripes Oldroyd,1958 Range (in code): IR Ss
- 6036. *Aneomochtherus grisescens* (Tsacas,1968)** (Asilidae) Synonym(s): grisescens Tsacas,1968 Range (in code): Cc AM RU TR 05
- 6037. *Aneomochtherus hermonensis* (Theodor,1980)** (Asilidae) Synonym(s): hermonensis Theodor,1980 Range (in code): JO IL Pa SY
- 6038. *Aneomochtherus hungaricus* (Engel,1927)** (Asilidae) Synonym(s): hungaricus Engel,1927 Range (in code): HU MN CN RU Cc AM IR KG
- 6039. *Aneomochtherus illustris* (Schiner,1867)** (Asilidae) Synonym(s): illustris Schiner,1867 Range (in code): IL Pa JO SY TR 16
- 6040. *Aneomochtherus libanonensis* (Tsacas,1968)** (Asilidae) Synonym(s): libanonensis Tsacas,1968 Range (in code): LB
- 6041. *Aneomochtherus macropygus* (Tsacas,1968)** (Asilidae) Synonym(s): macropygus Tsacas,1968 Range (in code): IL Pa
- 6042. *Aneomochtherus mesopotamicus* (Janssens,1961)** (Asilidae) Synonym(s): mesopotamicus Janssens,1961 Range (in code): IQ IR
- 6043. *Aneomochtherus micrasiaticus* (Tsacas,1968)** (Asilidae) Synonym(s): micrasiaticus Tsacas,1968 Range (in code): TR 18 42

- 6044. Aneomochtherus mundus (Loew,1849)** (Asilidae) Synonym(s): mundus Loew,1849; rhodius Tsacas,1963 Range (in code): GR Rd TR Cc AM IR
- 6045. Aneomochtherus nairicus (Richter,1962)** (Asilidae) Synonym(s): nairicus Richter,1962 Range (in code): Cc AM RU
- 6046. Aneomochtherus ochriventris (Loew,1854)** (Asilidae) Synonym(s): ochriventris Loew,1854; tenellus Becker,1923 Range (in code): MA TN ES SY
- 6047. Aneomochtherus perplexus (Becker,1923)** (Asilidae) Synonym(s): perplexus Becker,1923; repentinus Richter,1963 Range (in code): RU Cc TR IR
- 6048. Aneomochtherus petrishtshevae (Stackelberg,1937)** (Asilidae) Synonym(s): petrishtshevae Stackelberg,1937 Range (in code): RU KG IR
- 6049. Aneomochtherus quettanus (Tsacas,1963)** (Asilidae) Synonym(s): quettanus Tsacas,1963 Range (in code): PK Bl Qu
- 6050. Aneomochtherus rhogmopygus (Tsacas,1965)** (Asilidae) Synonym(s): rhogmopygus Tsacas,1965 Range (in code): GR SY
- 6051. Aneomochtherus soleus (Tsacas,1968)** (Asilidae) Synonym(s): soleus Tsacas,1968 Range (in code): TR
- 6052. Aneomochtherus stackelbergi (Lehr,1958)** (Asilidae) Synonym(s): stackelbergi Lehr,1958 Range (in code): MN CN AF
- 6053. Anisopogon asiaticus Oldroyd,1963** (Asilidae) Synonym(s): asiaticus Oldroyd,1963 Range (in code): AF
- 6054. Anisopogon hermanni (Engel,1930)** (Asilidae) Synonym(s): hermanni Engel,1930; modestus Lehr,1964 Range (in code): RU Cc KG IL Pa TR IR Fa AM AZ GG
- 6055. Anisopogon parvum Efflatoun,1937** (Asilidae) Synonym(s): parvum Efflatoun,1937 Range (in code): EG IL Pa
- 6056. Antipalus truncatus (Loew,1849)** (Asilidae) Synonym(s): truncatus Loew,1849 Range (in code): TR IR Fa o9
- 6057. Antipalus varipes (Meigen,1820)** (Asilidae) Synonym(s): varipes Meigen,1820; tibialis Megerle,1820; macrurus Ruthe,1831; xanthopygus Ruthe,1831; aurifluus Zeller,1840; tenax Zeller,1840; mollis Loew,1871; flabellifer Pandellé,1905 Range (in code): AT AL CH CZ DE DK ES FR HU IT NL PL RO YU RU Cc BY
- 6058. Antiphrisson adpressus (Loew,1849)** (Asilidae) Synonym(s): adpressus Loew,1849 Range (in code): Cc RU KG IL Pa TR IR Kz Fa EG TN
- 6059. Antiphrisson angustifrons Loew,1849** (Asilidae) Synonym(s): angustifrons Loew,1849 Range (in code): TR
- 6060. Antiphrisson trifarius (Loew,1849)** (Asilidae) Synonym(s): trifarius Loew,1849; sareptanus Lichtwardt,1903; thalhammeri Lichtwardt,1903 Range (in code): AL DE ES FR GR TR HU IT YU CH RO BY RU Cc IR Elb Mz Fa KG SY IL Pa MT MA EG TN 35
- 6061. Apoclea albipila Becker,1913** (Asilidae) Synonym(s): albipila Becker,1913 Range (in code): IR
- 6062. Apoclea algira (Linnaeus,1767)** (Asilidae) Synonym(s): algira Linnaeus,1767; alginis Fabricius,1787; vegeta Wiedemann,1828; pallida Macquart,1838; fuscana Macquart,1838; aberrans Schiner,1867; deformis Walker,1871 Range (in code): MA DZ LY TN EG NG TR SA IL Pa IR
- 6063. Apoclea autumnalis Becker,1909** (Asilidae) Synonym(s): autumnalis Becker,1909 Range (in code): YE SA
- 6064. Apoclea conicera Loew,1856** (Asilidae) Synonym(s): conicera Loew,1856 Range (in code): EG IL Pa
- 6065. Apoclea continuata Becker,1909** (Asilidae) Synonym(s): continuata Becker,1909 Range (in code): IR
- 6066. Apoclea femoralis (Wiedemann,1828)** (Asilidae) Synonym(s): femoralis Wiedemann,1828; helva Wiedemann,1828; illustris Schiner,1867; aperta Becker,1909 Range (in code): EG SA IL Pa IR Fa Ss Ke Kh YE SD
- 6067. Apoclea helvipes Loew,1873** (Asilidae) Synonym(s): helvipes Loew,1873 Range (in code): RU KG DZ IR TR
- 6068. Apoclea heteroclita Wulp,1899** (Asilidae) Synonym(s): heteroclita Wulp,1899 Range (in code): YE
- 6069. Apoclea inarticulata Theodor,1980** (Asilidae) Synonym(s): inarticulata Theodor,1980 Range (in code): JO
- 6070. Apoclea micracantha Loew,1856** (Asilidae) Synonym(s): micracantha Loew,1856; arabica Becker,1910 Range (in code): EG TN LY MA IL Pa YE SA IR
- 6071. Apoclea obscura Theodor,1980** (Asilidae) Synonym(s): obscura Theodor,1980 Range (in code): IL Pa
- 6072. Apoclea pakistanicus Rahim,1976** (Asilidae) Synonym(s): pakistanicus Rahim,1976 Range (in code): PK
- 6073. Apoclea parvula Theodor,1980** (Asilidae) Synonym(s): parvula Theodor,1980 Range (in code): JO

- 6074. Apoclea plurisetosa Becker,1909** (Asilidae) Synonym(s): plurisetosa Becker,1909 Range (in code): IR
- 6075. Apoclea treibensis Theodor,1980** (Asilidae) Synonym(s): treibensis Theodor,1980 Range (in code): IL Pa
- 6076. Apoclea trivialis Loew,1873** (Asilidae) Synonym(s): trivialis Loew,1873 Range (in code): RU KG DZ TN LY IR TR
- 6077. Asiloephesus excisus (Loew,1848)** (Asilidae) Synonym(s): excisus Loew,1848 Range (in code): IR Kh TR
- 6078. Asilus barbarus Linnaeus,1758** (Asilidae) Synonym(s): barbarus Linnaeus,1758; sinis Séguy,1930; flavipes Esipenko,1970 Range (in code): IR Kz DZ MA TN RU
- 6079. Asilus crabroniformis Linnaeus,1758** (Asilidae) Synonym(s): crabroniformis Linnaeus,1758 Range (in code): IR DZ AT AZ BE B-H HV CZ FR DK FI DE HU IT MA NO PL RO SK RU SS ES SE CH NL TR GB
- 6080. Asilus lucidus Pallas,1818** (Asilidae) Synonym(s): lucidus Pallas,1818 Range (in code): IR Kd RU
- 6081. Astochia caspica Hermann,1917** (Asilidae) Synonym(s): caspica Hermann,1917; sareptana Becker,1923 Range (in code): IR AF RU KG AZ Cc
- 6082. Astochia metatarsata Becker,1913** (Asilidae) Synonym(s): metatarsata Becker,1913 Range (in code): IR Ss Ke
- 6083. Astochia sodalis (Wulp,1899)** (Asilidae) Synonym(s): sodalis Wulp,1899 Range (in code): IR YE
- 6084. Cerdistus dactylopygus Janssens,1968** (Asilidae) Synonym(s): dactylopygus Janssens,1968 Range (in code): TR
- 6085. Cerdistus debilis Becker,1923** (Asilidae) Synonym(s): debilis Becker,1923 Range (in code): IT GR TR
- 6086. Cerdistus denticulatus Loew,1849** (Asilidae) Synonym(s): denticulatus Loew,1849 Range (in code): TR IR Es BG GR AZ AM GG Cc 22
- 6087. Cerdistus erythruroides Theodor,1980** (Asilidae) Synonym(s): erythruroides Theodor,1980 Range (in code): MT IL Pa TR
- 6088. Cerdistus manii Schiner,1867** (Asilidae) Synonym(s): manii Schiner,1867 Range (in code): TN TR IR Elb Mz Cc AZ AM GG
- 6089. Choerades fimbriata (Meigen,1820)** (Asilidae) Synonym(s): fimbriata Meigen,1820; marginata sensu Meigen,1820 Range (in code): IR AL Cc AM AT AZ GG CZ FI YU FR DE HU IT PL RO RU Sb SK CH TR
- 6090. Choerades fuliginosa (Panzer,1798)** (Asilidae) Synonym(s): fuliginosa Panzer,1798 Range (in code): TR
- 6091. Choerades fulva (Meigen,1804)** (Asilidae) Synonym(s): fulva Meigen,1804; proboscidea Loew,1847; aurigera Dufour,1850; aurifera Schiner,1854 Range (in code): DE Cc TR CN 08 25
- 6092. Choerades gilva (Linnaeus,1758)** (Asilidae) Synonym(s): gilva Linnaeus,1758; rufa De Geer,1776; bilineata Walker,1849 Range (in code): IR BG CZ DK GB FI FR DE HU IT MN NO PL RO RU SE CH NL US CA
- 6093. Choerades loewi Lehr,1991** (Asilidae) Synonym(s): loewi Lehr,1991 Range (in code): GR TR IR Yz
- 6094. Choerades marginata (Linnaeus,1758)** (Asilidae) Synonym(s): marginata Linnaeus,1758; nigra Scopoli,1763; media Müller,1765; aurea Olivier,1789; anthrax Meigen,1804; nigrifrons Megerle,1820; fulgida Meigen,1820; podagrica Meigen,1820; chrysocephala Meigen,1820; strandi Duda,1940 Range (in code): IR Ak Ab AL AT BE CZ DK GB YU FI FR DE HU IT NO PL RO SE CH NL
- 6095. Choerades ursula (Loew,1851)** (Asilidae) Synonym(s): ursula Loew,1851 Range (in code): AT BG FE GR HU IT RO CZ SK YU RU Sb Us TR IR Elb Mz Kh Ke Es
- 6096. Crobilocerus engeli Geller-Grimm & Hradski,1999** (Asilidae) Synonym(s): engeli Geller-Grimm & Hradski,1999 Range (in code): LB TR
- 6097. Crobilocerus megilliformis (Loew,1847)** (Asilidae) Synonym(s): megilliformis Loew,1847 Range (in code): RO Cc AZ IR Fa Th Elb RU GR TR
- 6098. Crobilocerus spinosus Theodor,1980** (Asilidae) Synonym(s): spinosus Theodor,1980 Range (in code): IL Pa IR Fa
- 6099. Ctenota armeniaca Paramonov,1930** (Asilidae) Synonym(s): armeniaca Paramonov,1930 Range (in code): Cc AM
- 6100. Ctenota coerulea (Becker,1913)** (Asilidae) Synonym(s): coerulea Becker,1913 Range (in code): IR Kh IL Pa KG MN
- 6101. Ctenota molitrix Loew,1873** (Asilidae) Synonym(s): molitrix Loew,1873 Range (in code): IR Ss Kz EG IL Pa SY KG
- 6102. Dasypogon diadema (Fabricius,1781)** (Asilidae) Synonym(s): diadema Fabricius,1781; punctatus Fabricius,1781; bohemicus Preyssler,1790; analis Fabricius,1794; cylindrica Fabricius,1794; nervosus Meigen,1804; liburnicus Germar,1817; fasciatus Meigen,1820; umbrosus Brullé,1832; sicanus Costa,1853; rubidus Hermann,1906 Range (in code): IR AL MK AT AZ Cc BE B-H BG HV CZ FR DE GR HU IT MA PL RO RU SK SS ES CH TR GB 35 48



- 6103. Dasypogon gerardi Weinberg,1987** (Asilidae) Synonym(s): gerardi Weinberg,1987 Range (in code): GR TR 07
- 6104. Dasypogon irinelae Weinberg,1986** (Asilidae) Synonym(s): irinelae Weinberg,1986 Range (in code): Cc RU TR AZ IR
- 6105. Dasypogon magisi Tomasovic,1999** (Asilidae) Synonym(s): magisi Tomasovic,1999 Range (in code): IQ IR Fa
- 6106. Dasypogon octonotatus Loew,1869** (Asilidae) Synonym(s): octonotatus Loew,1869; melanopterus Loew,1869 Range (in code): IR AZ Cc GR KG MN RO RU Sb TR
- 6107. Didymachus picipes (Meigen,1820)** (Asilidae) Synonym(s): picipes Meigen,1820 Range (in code): TR IR Fa AT AL CZ CH DK DE FR HU IT NO NL PL RO YU SE FI Cc AZ AM GG UA RU Sb KG
- 6108. Dioctria abdominalis Becker,1923** (Asilidae) Synonym(s): abdominalis Becker,1923 Range (in code): TR IR Es 33 51 70
- 6109. Dioctria arcana Richter,1966** (Asilidae) Synonym(s): arcana Richter,1966 Range (in code): TR Cc AM RU 19 32 33 38 58
- 6110. Dioctria arnoldii V.Richter,1964** (Asilidae) Synonym(s): arnoldii V.Richter,1964 Range (in code): Cc
- 6111. Dioctria arthritica Loew,1871** (Asilidae) Synonym(s): arthritica Loew,1871 Range (in code): RU BG TR?
- 6112. Dioctria atricapilla Meigen,1804** (Asilidae) Synonym(s): atricapilla Meigen,1804; falleni Meigen,1820; atrata Meigen,1820; geniculata Meigen,1820 Range (in code): AT BE BG BY FR Co DK EE FI DE HU IT KG LT LV LX MD MN NL PL RO RU SE CH TR UA GB IR 41
- 6113. Dioctria bithynica Janssens,1968** (Asilidae) Synonym(s): bithynica Janssens,1968 Range (in code): TR 10
- 6114. Dioctria dispar Loew,1870** (Asilidae) Synonym(s): dispar Loew,1870 Range (in code): IR RU UZ Smk TJ Pm
- 6115. Dioctria engeli Noskiewicz,1953** (Asilidae) Synonym(s): engeli Noskiewicz,1953 Range (in code): UA AZ Cc Cm
- 6116. Dioctria flavipennis Meigen,1820** (Asilidae) Synonym(s): flavipennis Meigen,1820; aurifrons Meigen,1820 Range (in code): FR HU PL AT RO DE LT EE LV MD CZ BG TR IR Elb Mz MY CN TJ RU Sb UA TM UZ KG KK TrA Aa To 01 06 25 32 33 38 50 51 68 70
- 6117. Dioctria gracilis Meigen,1820** (Asilidae) Synonym(s): gracilis Meigen,1820; hyalipennis sensu Meigen,1830; concinna Costa,1883 Range (in code): DZ FR DE CH IT TR IR Kh Ss 33
- 6118. Dioctria harcyniae Loew,1844** (Asilidae) Synonym(s): harcyniae Loew,1844 Range (in code): BG GG Cc Btm
- 6119. Dioctria hyalipennis (Fabricius,1794)** (Asilidae) Synonym(s): hyalipennis Fabricius,1794; anomala Macquart,1826; flavipes Meigen,1804; frontalis Meigen,1804; varipes Meigen,1804; baumhaueri Meigen,1820; strandi Duda,1940 Range (in code): IR Ss DZ AT BE BG CZ DK GB FI YU FR IT PL RO RU ES CH NL TN CA US
- 6120. Dioctria lenta Becker,1923** (Asilidae) Synonym(s): lenta Becker,1923 Range (in code): TR 33
- 6121. Dioctria linearis (Fabricius,1787)** (Asilidae) Synonym(s): linearis Fabricius,1787; cingulata Zetterstedt,1849 Range (in code): IR AT BE BG CZ DK GB YU FR DE HU IT NL PL RO RU CH MD UA Or AL
- 6122. Dioctria lugens Loew,1873** (Asilidae) Synonym(s): lugens Loew,1873 Range (in code): IR TR
- 6123. Dioctria meyeri Nowicki,1867** (Asilidae) Synonym(s): meyeri Nowicki,1867 Range (in code): ES PL RU Sb AL TR 14
- 6124. Dioctria niedli Moucha & Hradsky,1963** (Asilidae) Synonym(s): niedli Moucha & Hradsky,1963 Range (in code): KK KG TM UZ TJ CN Ui
- 6125. Dioctria pilithorax V.Richter,1980** (Asilidae) Synonym(s): pilithorax V.Richter,1980 Range (in code): Cc AZ AM
- 6126. Dioctria popovi Lehr,1965** (Asilidae) Synonym(s): popovi Lehr,1965 Range (in code): TM
- 6127. Dioctria rufonigra Theodor,1980** (Asilidae) Synonym(s): rufonigra Theodor,1980 Range (in code): IL Pa TR IR Elb Mz
- 6128. Dioctria speculifrons Wiedemann,1820** (Asilidae) Synonym(s): speculifrons Wiedemann,1820 Range (in code): PT ES Cc GG UA Cm
- 6129. Dioctria striata Theodor,1980** (Asilidae) Synonym(s): striata Theodor,1980 Range (in code): IL Pa TR IR Fa
- 6130. Dioctria valida Loew,1856** (Asilidae) Synonym(s): valida Loew,1856 Range (in code): SY LB IL Pa TR IR Es 32 33 42 70
- 6131. Dymachus antipai Weinberg,1968** (Asilidae) Synonym(s): antipai Weinberg,1968 Range (in code): RO TR 35
- 6132. Dymachus appendiculatus Schiner,1867** (Asilidae) Synonym(s): appendiculatus Schiner,1867 Range (in code): TR
- 6133. Dymachus bifurcus (Loew,1848)** (Asilidae) Synonym(s): bifurcus Loew,1848 Range (in code): IR Elb Mz AT CZ DE DK FR GB HU RO CH PL TR
- 6134. Dymachus bilobus Loew,1871** (Asilidae) Synonym(s): bilobus Loew,1871 Range (in code): YU RO Cc RU BG TR IR UA AZ AM GG

- 6135. *Dysmachus bimucronatus* (Loew,1854)** (Asilidae) Synonym(s): bimucronatus Loew,1854 Range (in code): IR AT BG CZ DE FR IT HU RO YU UA RU TR KG
- 6136. *Dysmachus cephalenus* Loew,1871** (Asilidae) Synonym(s): cephalenus Loew,1871 Range (in code): YU RU GR BG AL TR IR Fa
- 6137. *Dysmachus dasypoctus* Loew,1871** (Asilidae) Synonym(s): dasypoctus Loew,1871 Range (in code): RO Cc RU GR TR IR Es AZ GG AM
- 6138. *Dysmachus fuscipennis* (Meigen,1820)** (Asilidae) Synonym(s): fuscipennis Meigen,1820 Range (in code): TR IR Fa AL BG CZ DE FR GR HU PL IT RO YU RU Sb UA Cc AZ AM GG KG 13 16 17 21 43
- 6139. *Dysmachus praemorsus* (Loew,1854)** (Asilidae) Synonym(s): praemorsus Loew,1854 Range (in code): AT AL BG DE FR HU PL RO UA TR IR Fa
- 6140. *Dysmachus safranboluticus* Hasbenli & Geller-Grimm,1999** (Asilidae) Synonym(s): safranboluticus Hasbenli & Geller-Grimm,1999 Range (in code): TR 78
- 6141. *Dysmachus setiger* (Loew,1848)** (Asilidae) Synonym(s): setiger Loew,1848 Range (in code): TR
- 6142. *Dysmachus setipyga* Becker,1923** (Asilidae) Synonym(s): setipyga Becker,1923 Range (in code): TR IR Elb Th
- 6143. *Dysmachus stylifer* (Loew,1854)** (Asilidae) Synonym(s): stylifer Loew,1854 Range (in code): AT AL BG CZ DE FR GR HU IT PL RO YU UA RU Cc AZ AM GG TR IR 35
- 6144. *Dysmachus suludereae* Hasbenli & Geller-Grimm,1999** (Asilidae) Synonym(s): suludereae Hasbenli & Geller-Grimm,1999 Range (in code): TR
- 6145. *Dysmachus transcausicus* Richter,1962** (Asilidae) Synonym(s): transcausicus Richter,1962 Range (in code): Cc AZ Len RU TR
- 6146. *Dysmachus tricusps* (Loew,1848)** (Asilidae) Synonym(s): tricusps Loew,1848 Range (in code): TR IR Es AL GR RO TN 09 10 35
- 6147. *Dysmachus zaitzevi* Lehr,1996** (Asilidae) Synonym(s): zaitzevi Lehr,1996 Range (in code): IL Pa TR
- 6148. *Eccoptopus longitarsis* (Macquart,1838)** (Asilidae) Synonym(s): longitarsis Macquart,1838; erythrogastrus Loew,1871; lucidus Becker,1907 Range (in code): IR DZ EG IQ IL Pa TN MA ES
- 6149. *Echthistus cognatus* Loew,1849** (Asilidae) Synonym(s): cognatus Loew,1849 Range (in code): TR 03 10 11 43 45
- 6150. *Echthistus rufinervis* (Meigen,1820)** (Asilidae) Synonym(s): rufinervis Meigen,1820 Range (in code): IL Pa TR IR Fa AT BG CH CZ DE FR GR HU PL RO YU UA RU Sb KG 09 17 35
- 6151. *Engelepogon antiochensis* (Tsacas,1964)** (Asilidae) Synonym(s): antiochensis Tsacas,1964 Range (in code): TR IR Elb Mz 31
- 6152. *Engelepogon brunnipes* (Fabricius,1794)** (Asilidae) Synonym(s): brunnipes Fabricius,1794; castanipes Meigen,1820; rufipes Meigen,1820; goliath Schiner,1867 Range (in code): IR Kd DZ GR MA TN TR YU
- 6153. *Engelepogon chrysophora* (Tsacas,1964)** (Asilidae) Synonym(s): chrysophora Tsacas,1964 Range (in code): TR
- 6154. *Engelepogon cingulifer* (Becker,1913)** (Asilidae) Synonym(s): cingulifer Becker,1913 Range (in code): IR Ss Kd AZ Cc KG
- 6155. *Engelepogon goedli* (Loew,1854)** (Asilidae) Synonym(s): goedli Loew,1854 Range (in code): YU GR BG TR LB SY IL Pa 03 35
- 6156. *Engelepogon rarus* (Loew,1871)** (Asilidae) Synonym(s): rarus Loew,1871 Range (in code): TN YU GR TR
- 6157. *Erax grootaerti* Tomasovic,2002** (Asilidae) Synonym(s): grootaerti Tomasovic,2002 Range (in code): IR Fa
- 6158. *Erax hayati* Tomasovic,2002** (Asilidae) Synonym(s): hayati Tomasovic,2002 Range (in code): TR
- 6159. *Erax nigrosetosus* Theodor,1980** (Asilidae) Synonym(s): nigrosetosus Theodor,1980 Range (in code): IL Pa TR 07 15 32 33 38 42 45
- 6160. *Erax nubeculus* (Loew,1848)** (Asilidae) Synonym(s): nubeculus Loew,1848 Range (in code): TR
- 6161. *Erax punctipennis* (Meigen,1820)** (Asilidae) Synonym(s): punctipennis Meigen,1820 Range (in code): TR 15 17 48
- 6162. *Erax tenuicornis* (Loew,1848)** (Asilidae) Synonym(s): tenuicornis Loew,1848 Range (in code): GR TR
- 6163. *Erebunus farinosus* (Becker,1913)** (Asilidae) Synonym(s): farinosus Becker,1913; transcaspica Lehr,1964; pilosa Lehr,1964 Range (in code): IR Kh KG
- 6164. *Eremisca heleni* (Eflatoun,1934)** (Asilidae) Synonym(s): heleni Eflatoun,1934 Range (in code): IR OM IL Pa EG MA
- 6165. *Eremisca shahgudiani* Abbasian-Lintzen,1964** (Asilidae) Synonym(s): shahgudiani Abbasian-Lintzen,1964; araratica Richter,1966 Range (in code): IR Kz AZ AM Cc TR
- 6166. *Eriopogon laniger* (Meigen,1804)** (Asilidae) Synonym(s): laniger Meigen,1804; flavescens Jaennicke,1867 Range (in code): DZ MA FR PT ES TN IR Ss
- 6167. *Esatanas shah* (Rondani,1873)** (Asilidae) Synonym(s): shah Rondani,1873 Range (in code): IR KG

- 6168. Euscelidia pallasii (Wiedemann,1818)** (Asilidae) Synonym(s): conopsoides Pallas,1818; pallasii Wiedemann,1818; pubiceps Loew,1871 Range (in code): YU GR TR IR RU TM KG 05 34
- 6169. Eutolmus apiculatus (Loew,1848)** (Asilidae) Synonym(s): apiculatus Loew,1848 Range (in code): TR
- 6170. Eutolmus calopus (Loew,1848)** (Asilidae) Synonym(s): calopus Loew,1848 Range (in code): YU RU GR TR 35 48
- 6171. Eutolmus excisus (Loew,1848)** (Asilidae) Synonym(s): excisus Loew,1848 Range (in code): TR 35
- 6172. Eutolmus facialis (Loew,1848)** (Asilidae) Synonym(s): facialis Loew,1848 Range (in code): YU IL Pa TR IR Elb Dam
- 6173. Eutolmus kiesenwetteri Loew,1854** (Asilidae) Synonym(s): kiesenwetteri Loew,1854; implacidus Loew,1870 Range (in code): ES TR 35
- 6174. Eutolmus mordax (Loew,1848)** (Asilidae) Synonym(s): mordax Loew,1848 Range (in code): TR IR Fa GR Rd RO RU TN
- 6175. Eutolmus palestinensis Theodor,1980** (Asilidae) Synonym(s): palestinensis Theodor,1980 Range (in code): JO IL Pa TR 36
- 6176. Eutolmus parricida (Loew,1848)** (Asilidae) Synonym(s): parricida Loew,1848 Range (in code): TR AF IR Elb Mz Cc GG AM AZ
- 6177. Eutolmus polypogon (Loew,1848)** (Asilidae) Synonym(s): polypogon Loew,1848 Range (in code): TR 07
- 6178. Eutolmus rufibarbis (Meigen,1820)** (Asilidae) Synonym(s): rufibarbis Meigen,1820 Range (in code): TR 09
- 6179. Galactopogon hispidus Engel,1929** (Asilidae) Synonym(s): hispidus Engel,1929 Range (in code): IR Ss Kz Fa JO IL Pa DZ
- 6180. Glyphotriclis impulvinatus Oldroyd,1958** (Asilidae) Synonym(s): impulvinatus Oldroyd,1958 Range (in code): IR Ss Kz
- 6181. Habropogon aegyptius Efflatoun,1937** (Asilidae) Synonym(s): aegyptius Efflatoun,1937 Range (in code): EG JO IL Pa
- 6182. Habropogon appendiculatus Schiner,1867** (Asilidae) Synonym(s): appendiculatus Schiner,1867; solox Enderlein,1921 Range (in code): ES IL Pa MA EG
- 6183. Habropogon decipiens Theodor,1980** (Asilidae) Synonym(s): decipiens Theodor,1980 Range (in code): JO IL Pa TR IR Fa
- 6184. Habropogon doriae Rondani,1873** (Asilidae) Synonym(s): doriae Rondani,1873 Range (in code): IR AZ Cc
- 6185. Habropogon francoisi Janssens,1969** (Asilidae) Synonym(s): francoisi Janssens,1969 Range (in code): IL Pa
- 6186. Habropogon heteroneurus Timon & David,1951** (Asilidae) Synonym(s): striatus Fabricius,1794 nec Gmel.,1790; heteroneurus Timon & David,1951 (see Koçak & Kemal,2008, Misc. Pap. 145: 10). Range (in code): DZ MT IL Pa
- 6187. Habropogon lineatus Lehr,1960** (Asilidae) Synonym(s): lineatus Lehr,1960 Range (in code): IR Ak Tbz
- 6188. Habropogon longiventris Loew,1847** (Asilidae) Synonym(s): longiventris Loew,1847 Range (in code): FR RU GR IR Elb Th Ss IL Pa TR 35 45
- 6189. Habropogon montanus Lehr,1960** (Asilidae) Synonym(s): montanus Lehr,1960 Range (in code): IR Kz KG TM
- 6190. Habropogon similimus Theodor,1980** (Asilidae) Synonym(s): similimus Theodor,1980 Range (in code): IL Pa TR IR Gor
- 6191. Habropogon spissipes Hermann,1909** (Asilidae) Synonym(s): spissipes Hermann,1909 Range (in code): TR EG MA 63
- 6192. Habropogon theodori Hradsky & Geller-Grimm,2005** (Asilidae) Synonym(s): theodori Hradsky & Geller-Grimm,2005 Range (in code): IL Pa SY TN
- 6193. Habropogon verticalis Becker,1913** (Asilidae) Synonym(s): verticalis Becker,1913 Range (in code): IR Ss TR 21
- 6194. Heteropogon lehri Richter,1968** (Asilidae) Synonym(s): lehri Richter,1968 Range (in code): Cc RU TR IR Elb Mz AM
- 6195. Heteropogon lugubris Hermann,1906** (Asilidae) Synonym(s): lugubris Hermann,1906; mesasiaticus Lehr,1970 Range (in code): IR AZ Cc KG
- 6196. Heteropogon manicatus (Meigen,1820)** (Asilidae) Synonym(s): manicatus Meigen,1820 Range (in code): MA DZ FR Co ES TR
- 6197. Heteropogon manni Loew,1854** (Asilidae) Synonym(s): manni Loew,1854 Range (in code): GR DZ TR
- 6198. Heteropogon nubilus (Wiedemann,1820)** (Asilidae) Synonym(s): nubilus Wiedemann,1820 Range (in code): IR Fa ES PT JO IL Pa MA DZ TN TR



- 6199. *Heteropogon ornatipes* Loew,1851** (Asilidae) Synonym(s): ornatipes Loew,1851 Range (in code): RU YU GR BG AL IL Pa TR
- 6200. *Heteropogon pyrinus* Hermann,1906** (Asilidae) Synonym(s): pyrinus Hermann,1906; pyrrhinus Engel,1925 Range (in code): EG IL Pa IR Fa AZ Cc KG
- 6201. *Heteropogon scoparius* Loew,1847** (Asilidae) Synonym(s): scoparius Loew,1847 Range (in code): RU AL TR IR 48
- 6202. *Heteropogon succinctus* Loew,1847** (Asilidae) Synonym(s): succinctus Loew,1847 Range (in code): TR IR Es
- 6203. *Hippomachus iranensis* Londt,1985** (Asilidae) Synonym(s): iranensis Londt,1985 Range (in code): IR
- 6204. *Holopogon albosetosus* Schiner,1867** (Asilidae) Synonym(s): albosetosus Schiner,1867 Range (in code): TR 05
- 6205. *Holopogon dimidiatus* (Meigen,1820)** (Asilidae) Synonym(s): dimidiatus Meigen,1820; dimidipennis Megerle,1820; fuscipennis Meigen,1820; timidus Loew,1847 Range (in code): AT FR GR HU IT PL RO RU YU IR
- 6206. *Holopogon fumipennis* (Meigen,1820)** (Asilidae) Synonym(s): fumipennis Meigen,1820 Range (in code): TR 25
- 6207. *Holopogon hasbenlii* Tomasovic, Weyer & Dils,2009** (Asilidae) Synonym(s): hasbenlii Tomasovic, Weyer & Dils,2009 Range (in code): TR 25 36
- 6208. *Holopogon imbecillus* Loew,1871** (Asilidae) Synonym(s): imbecillus Loew,1871 Range (in code): Cc AZ AM IR Elb Th
- 6209. *Holopogon nigripennis* (Meigen,1820)** (Asilidae) Synonym(s): nigripennis Meigen,1820 Range (in code): IR Kh AT AZ BE BG CN CZ RU Us Sb FR DE GR IT KG MN PL SK CH
- 6210. *Holopogon nigropilosus* Theodor,1980** (Asilidae) Synonym(s): nigropilosus Theodor,1980 Range (in code): IL Pa TR IR 01 33
- 6211. *Holopogon priscus* (Meigen,1820)** (Asilidae) Synonym(s): priscus Meigen,1820 Range (in code): TR 25
- 6212. *Iranopogon brandti* Timon-David,1955** (Asilidae) Synonym(s): brandti Timon-David,1955 Range (in code): IR
- 6213. *Jothopogon leucomallus* (Loew,1871)** (Asilidae) Synonym(s): leucomallus Loew,1871 Range (in code): IR Ss JO IL Pa TR 11
- 6214. *Laphria aurea* (Fabricius,1794)** (Asilidae) Synonym(s): aurea Fabricius,1794; lutea Megerle,1820 Range (in code): AT BG FR GR HU IT YU RU TR IL Pa RU
- 6215. *Laphria caspica* Hermann,1906** (Asilidae) Synonym(s): caspica Hermann,1906 Range (in code): AZ Len Cc RU CN?
- 6216. *Laphria dimidiata* Macquart,1846** (Asilidae) Synonym(s): dimidiata Macquart,1846 Range (in code): TR
- 6217. *Laphria dizonias* Loew,1847** (Asilidae) Synonym(s): dizonias Loew,1847; integra Becker,1912 Range (in code): Cc AM GR IQ IR Fa Shr IL Pa LB TR 01 07 56 70 73
- 6218. *Laphria flava* (Linnaeus,1761)** (Asilidae) Synonym(s): flava Linnaeus,1761; conopsoides Scopoli,1763; ferox Scopoli,1763; fulva Geoffroy,1785; pedemontana Fabricius,1794; escorialensis Strobl,1906 Range (in code): DZ TR IR Elb Mz AL AT BE CZ DK GB YU FR DE GR HU IT NO PL RO ES SE RU NL MN IN 33
- 6219. *Laphria gibbosa* (Linnaeus,1758)** (Asilidae) Synonym(s): gibbosa Linnaeus,1758; bombilius De Geer,1776 Range (in code): IR Kh AT BE CH CZ SK DE DK ES FR GB IT NO PL RO SE FI YU RU Sb KG TR
- 6220. *Laphria varia* Loew,1865** (Asilidae) Synonym(s): varia Loew,1865 Range (in code): Cc RU TR GG Im Kta
- 6221. *Laphystia anatolica* (Hermann,1920)** (Asilidae) Synonym(s): anatolica Hermann,1920 Range (in code): RU KG TR
- 6222. *Laphystia dimidiata* Oldroyd,1958** (Asilidae) Synonym(s): dimidiata Oldroyd,1958 Range (in code): IR Kz
- 6223. *Laphystia erberi* (Schiner,1865)** (Asilidae) Synonym(s): erberi Schiner,1865; arenacea Paramonov,1930 Range (in code): IR Ss Kz Fa AZ Cc EG GR IL Pa IT KG MT ES TN RO TR
- 6224. *Laphystia kuehlhorni* Janssens,1961** (Asilidae) Synonym(s): kuehlhorni Janssens,1961 Range (in code): IQ
- 6225. *Laphystia latiuscula* Loew,1871** (Asilidae) Synonym(s): latiuscula Loew,1871; metallescens Hermann,1906 Range (in code): IR Fa AF RU
- 6226. *Laphystia lehri* Abbassian-Lintzen,1964** (Asilidae) Synonym(s): lehri Abbassian-Lintzen,1964 Range (in code): IR Kz
- 6227. *Laphystia sabulicola* Loew,1847** (Asilidae) Synonym(s): sabulicola Loew,1847 Range (in code): IT AT RU KG GR TR IR Fa TN UZ TJ TM CN
- 6228. *Lasiopogon pilosellus* Loew,1847** (Asilidae) Synonym(s): pilosellus Loew,1847 Range (in code): PL AT CH TR
- 6229. *Lasiopogon tarsalis* Loew,1847** (Asilidae) Synonym(s): tarsalis Loew,1847 Range (in code): IT TR

- 6230. Leptarthus brevirostris (Meigen,1804)** (Asilidae) Synonym(s): brevirostris Meigen,1804 Range (in code): IR Mz Elb AT AL BG CZ SK DE DK FR GB IT RO SE YU RU TR
- 6231. Leptogaster armeniaca Paramonov,1930** (Asilidae) Synonym(s): armeniaca Paramonov,1930 Range (in code): AM Cc
- 6232. Leptogaster calceata Engel,1925** (Asilidae) Synonym(s): calceata Engel,1925 Range (in code): Cc RU TR IR Kd AZ GG AM
- 6233. Leptogaster cylindrica (De Geer,1776)** (Asilidae) Synonym(s): cylindrica De Geer,1776; tipuloides Fabricius,1775; livida Geoffroy,1785; fusca Meigen,1804; hispanica Meigen,1838; nigricornis Loew,1847; dorsalis Dahlbom,1851 Range (in code): MA DZ ES FR CZ HV B-H IT SS RU Sb IR Fa AZ Cc
- 6234. Leptogaster fumipennis Loew,1871** (Asilidae) Synonym(s): fumipennis Loew,1871 Range (in code): TR
- 6235. Leptogaster gracilis Loew,1847** (Asilidae) Synonym(s): gracilis Loew,1847 Range (in code): RO RU KG IR IL Pa TR
- 6236. Leptogaster guttiventris Zetterstedt,1842** (Asilidae) Synonym(s): guttiventris Zetterstedt,1842; cylindrica sensu Meigen,1820 Range (in code): IR AT BE CZ DK GB FI FR DE HU PL RU SE CH NL
- 6237. Leptogaster helvola Loew,1871** (Asilidae) Synonym(s): helvola Loew,1871 Range (in code): RU KG TR
- 6238. Leptogaster hermonensis Theodor,1980** (Asilidae) Synonym(s): hermonensis Theodor,1980 Range (in code): SY IL Pa
- 6239. Leptogaster montana Theodor,1980** (Asilidae) Synonym(s): montana Theodor,1980 Range (in code): IL Pa TR
- 6240. Leptogaster nartshukae Lehr,1961** (Asilidae) Synonym(s): nartshukae Lehr,1961 Range (in code): IR KG MN RU Sb
- 6241. Leptogaster palparis Loew,1847** (Asilidae) Synonym(s): palparis Loew,1847 Range (in code): GR SY TR
- 6242. Leptogaster pubicornis Loew,1847** (Asilidae) Synonym(s): pubicornis Loew,1847; pusillus Jaennicke,1867 Range (in code): IR BG CZ FR DE GR HU IT RU CH TR
- 6243. Leptogaster suleymani Hasbenli, Candan & Alpaya,2006** (Asilidae) Synonym(s): suleymani Hasbenli, Candan & Alpaya,2006 Range (in code): TR 46
- 6244. Leptogaster theodori Koçak & Kemal,2008** (Asilidae) Synonym(s): tomentosa Theodor,1980 nec Oldr.,1972; theodori Koçak & Kemal,2008 Range (in code): IL Pa JO
- 6245. Leptogaster truncata Theodor,1980** (Asilidae) Synonym(s): truncata Theodor,1980 Range (in code): TR IL Pa
- 6246. Leptogaster turkmenica Paramonov,1930** (Asilidae) Synonym(s): turkmenica Paramonov,1930 Range (in code): TM
- 6247. Loewinella virescens (Loew,1871)** (Asilidae) Synonym(s): virescens Loew,1871 Range (in code): IR Kz RU CN
- 6248. Machimus albicapillus Janssens,1968** (Asilidae) Synonym(s): albicapillus Janssens,1968 Range (in code): TR 26
- 6249. Machimus annulipes (Brullé,1832)** (Asilidae) Synonym(s): annulipes Brullé,1832; basalis Loew,1849; cerdo Gerstaecker,1861 Range (in code): IR Se AL AZ Cc B-H BG HV GR HU IL Pa PL RO SS TR CH 09 10 17 35
- 6250. Machimus aradensis Theodor,1980** (Asilidae) Synonym(s): aradensis Theodor,1980 Range (in code): IL Pa IR Fa
- 6251. Machimus armipes Becker,1913** (Asilidae) Synonym(s): armipes Becker,1913 Range (in code): IR Ss Ke
- 6252. Machimus atripes Loew,1854** (Asilidae) Synonym(s): atripes Loew,1854 Range (in code): TR 09 35
- 6253. Machimus caliginosus (Meigen,1820)** (Asilidae) Synonym(s): caliginosus Meigen,1820 Range (in code): TR 35
- 6254. Machimus cingulatus (Fabricius,1781)** (Asilidae) Synonym(s): cingulatus Fabricius,1781 Range (in code): Cc TR 08
- 6255. Machimus cyanopus (Loew,1849)** (Asilidae) Synonym(s): cyanopus Loew,1849 Range (in code): IT HU AT YU RO GR BG AL TR 35 45 48
- 6256. Machimus elegans (Loew,1849)** (Asilidae) Synonym(s): elegans Loew,1849 Range (in code): TR IR Es ES
- 6257. Machimus fimbriatus (Meigen,1804)** (Asilidae) Synonym(s): fimbriatus Meigen,1804 Range (in code): TR 35
- 6258. Machimus fuscus (Macquart,1839)** (Asilidae) Synonym(s): fuscus Macquart,1839 Range (in code): TR 09 35
- 6259. Machimus gratiosus Loew,1871** (Asilidae) Synonym(s): gratiosus Loew,1871 Range (in code): TR IR
- 6260. Machimus idiorrhhythmicus Janssens,1960** (Asilidae) Synonym(s): idiorrhhythmicus Janssens,1960 Range (in code): IR Fa

- 6261. Machimus leucocephalus Janssens,1968** (Asilidae) Synonym(s): leucocephalus Janssens,1968 Range (in code): GR Cr TR
- 6262. Machimus modestus (Loew,1849)** (Asilidae) Synonym(s): modestus Loew,1849 Range (in code): HU YU RO GR BG TR IR Gor
- 6263. Machimus mystacinus Becker,1923** (Asilidae) Synonym(s): mystacinus Becker,1923 Range (in code): TR
- 6264. Machimus nahalelensis Theodor,1980** (Asilidae) Synonym(s): nahalelensis Theodor,1980 Range (in code): IL Pa IR Fa
- 6265. Machimus nevadensis (Strobl,1909)** (Asilidae) Synonym(s): nevadensis Strobl,1909 Range (in code): IR
- 6266. Machimus planifacies Becker,1923** (Asilidae) Synonym(s): planifacies Becker,1923 Range (in code): TR
- 6267. Machimus rudis Becker,1923** (Asilidae) Synonym(s): rudis Becker,1923 Range (in code): TR IR Fa
- 6268. Machimus rusticus (Meigen,1820)** (Asilidae) Synonym(s): rusticus Meigen,1820; obscurus Meigen,1820; genualis Zeller,1840 Range (in code): IR Kh AL AT BE B-H BG HV CZ FR DE GR SS ES IT KG PL RO SK CH NL TR GB
- 6269. Machimus sareptanus Becker,1923** (Asilidae) Synonym(s): sareptanus Becker,1923 Range (in code): RU TR
- 6270. Machimus senex (Wiedemann,1820)** (Asilidae) Synonym(s): senex Wiedemann,1820 Range (in code): TR
- 6271. Machimus setibarbus (Loew,1849)** (Asilidae) Synonym(s): setibarbus Loew,1849 Range (in code): IR Es GR BG CZ DE ES FR IT DK RO YU PL SE FI RU TN TR IL Pa 35
- 6272. Machimus tessellatus Loew,1849** (Asilidae) Synonym(s): tessellatus Loew,1849 Range (in code): TR
- 6273. Machimus thoracius (Loew,1849)** (Asilidae) Synonym(s): thoracius Loew,1849 Range (in code): IR Ss Ke HU TR 09
- 6274. Machiremisca decipiens (Wiedemann,1820)** (Asilidae) Synonym(s): decipiens Wiedemann,1820; variegatus Meigen,1820; multicolor Schiner,1854; varispinus Strobl,1909 Range (in code): IR Es IT FR PT ES
- 6275. Mesoleptogaster cappadocia Hasbenli & Çağlar,2009** (Asilidae) Synonym(s): cappadocia Hasbenli & Çağlar,2009 Range (in code): TR 33 51
- 6276. Molobratia egregia (Loew,1869)** (Asilidae) Synonym(s): egregia Loew,1869 Range (in code): TR IR Fa RO Cc GG AM AZ
- 6277. Molobratia teutonus (Linnaeus,1767)** (Asilidae) Synonym(s): teutonus Linnaeus,1767; marmoratus Geoffroy,1785; teuton Macquart,1834 Range (in code): ES FR BE NL DK DE SE PL CH IT SK SS HU B-H RO YU BG GR RU TR IR Es
- 6278. Neoitamus cyanurus (Loew,1849)** (Asilidae) Synonym(s): tipuloides Harris,1776; niger De Geer,1776; aestivus Schrank,1781; tabidus Meigen,1820; cyanurus Loew,1849 Range (in code): IR Mz Elb AT BE BG CZ DK FI FR DE GR HU IT IE PL RO RU SE CH NL TR TW
- 6279. Neoitamus senectus Richter,1963** (Asilidae) Synonym(s): senectus Richter,1963; lehri Moucha & Hradski,1963 Range (in code): Cc RU IR TR UA MD GG AZ AM
- 6280. Neolophonotus pegasus (Loew,1858)** (Asilidae) Synonym(s): pegasus Loew,1858 Range (in code): IR Ss SD ZA
- 6281. Neomochtherus albicans (Loew,1849)** (Asilidae) Synonym(s): albicans Loew,1849 Range (in code): TR
- 6282. Neomochtherus auratus Janssens,1968** (Asilidae) Synonym(s): auratus Janssens,1968 Range (in code): TR
- 6283. Neomochtherus leclerqi Janssens,1968** (Asilidae) Synonym(s): leclerqi Janssens,1968 Range (in code): TR
- 6284. Nusa infumata (Loew,1851)** (Asilidae) Synonym(s): infumata Loew,1851; brachyptera Loew,1851; stenura Loew,1858; ruficornis Wulp,1899 Range (in code): IR Elb Th EG KG KE MZ NA ZA TZ ZW YE RU
- 6285. Nusa puella (Rondani,1873)** (Asilidae) Synonym(s): puella Rondani,1873 Range (in code): IR
- 6286. Nusa ramicosa (Loew,1871)** (Asilidae) Synonym(s): ramicosa Loew,1871 Range (in code): RU IR Ss Ke Kz AZ Cc IQ TR KG CN
- 6287. Oldroydiana calceatus (Oldroyd,1958)** (Asilidae) Synonym(s): calceatus Oldroyd,1958 Range (in code): IR
- 6288. Oligopogon anatolicus Geller-Grimm & Hradsky,2003** (Asilidae) Synonym(s): anatolicus Geller-Grimm & Hradsky,2003 Range (in code): TR 17 26
- 6289. Oligopogon hybotinus (Loew,1847)** (Asilidae) Synonym(s): hybotinus Loew,1847 Range (in code): GR Rd TR 16
- 6290. Oligopogon londti Geller-Grimm & Hradsky,2003** (Asilidae) Synonym(s): londti Geller-Grimm & Hradsky,2003 Range (in code): TR GR 02 07 15 16 20 33 58



- 6291. Oligopogon nitidus** Efflatoun,1937 (Asilidae) Synonym(s): nitidus Efflatoun,1937 Range (in code): SY EG
- 6292. Oligopogon palestinensis** Theodor,1980 (Asilidae) Synonym(s): palestinensis Theodor,1980 Range (in code): IL Pa
- 6293. Oligopogon rufus** Geller-Grimm & Hradsky,2003 (Asilidae) Synonym(s): rufus Geller-Grimm & Hradsky,2003 Range (in code): TR 01
- 6294. Ommatius stackelbergi** (Richter,1960) (Asilidae) Synonym(s): stackelbergi Richter,1960 Range (in code): Cc RU TR AM IR Se
- 6295. Ommatius tenellus** Wulp,1899 (Asilidae) Synonym(s): tenellus Wulp,1899 Range (in code): DZ TD CN EG ET IL Pa IR AZ Cc YE IN NE SN SD
- 6296. Pamponerus germanicus** (Linnaeus,1758) (Asilidae) Synonym(s): germanicus Linnaeus,1758 Range (in code): DE TR 26
- 6297. Paraphamartania syriaca** (Schiner,1867) (Asilidae) Synonym(s): syriaca Schiner,1867 Range (in code): IR Elb Th KG SY GR IL Pa TR
- 6298. Perasis sussiana** Abbassian-Lintzen,1964 (Asilidae) Synonym(s): sussiana Abbassian-Lintzen,1964 Range (in code): IR Kz AZ Cc
- 6299. Perasis transcaspica** Paramonov,1930 (Asilidae) Synonym(s): transcaspica Paramonov,1930 Range (in code): TM
- 6300. Philodicus ponticus** (Bigot,1880) (Asilidae) Synonym(s): ponticus Bigot,1880; bimaculatus Becker,1913 Range (in code): IR Ss Ke Kh Fa AZ Cc TR GR IQ IL Pa RU AF
- 6301. Philodicus spectabilis** Loew,1871 (Asilidae) Synonym(s): spectabilis Loew,1871 Range (in code): IR Ss Fa AF KG
- 6302. Philonicus albiceps** (Meigen,1820) (Asilidae) Synonym(s): albiceps Meigen,1820; canescens Wiedemann,1820; nudus Loew,1840; eletus Loew,1871; domesticus Ricardo,1920; pulcher Becker,1923; marinus Becker,1923; orientalis Esipenko,1969 Range (in code): IR Kd AL AT AZ Cc BE B-H HV CY CZ DE RU Sb Us FI FR DE GR HU IE IL Pa IT MT MN NO PL PT RO SK SS ES SE CH NL TR GB
- 6303. Pogonosoma maroccanum** (Fabricius,1794) (Asilidae) Synonym(s): maroccanum Fabricius,1794 Range (in code): IR Mz Se Elb TR AT AL BG CZ SK DE FR GR HU IT PL RO YU RU MA DZ MT 35
- 6304. Polyphonus laevigatus** Loew,1848 (Asilidae) Synonym(s): laevigatus Loew,1848 Range (in code): AZ Cc RU GR AL IR IL Pa TR SY 35
- 6305. Polysarca unguata** (Wiedemann,1818) (Asilidae) Synonym(s): unguata Wiedemann,1818 Range (in code): TR
- 6306. Polysarca violacea** Schiner,1867 (Asilidae) Synonym(s): violacea Schiner,1867 Range (in code): TN Cc RU DZ TR
- 6307. Promachus canus** (Wiedemann,1818) (Asilidae) Synonym(s): canus Wiedemann,1818 Range (in code): IR Fa TR AF RU KG CN TW
- 6308. Promachus griseiventris** Becker,1913 (Asilidae) Synonym(s): griseiventris Becker,1913; aegyptiacus Efflatoun,1929 Range (in code): IR Ss Ke EG IL Pa SD
- 6309. Promachus leoninus** Loew,1848 (Asilidae) Synonym(s): leoninus Loew,1848 Range (in code): YU SS B-H HV RO Cc AZ RU GR IL Pa TR IR Fa IN MM 07 09 48
- 6310. Promachus microlabis** Loew,1857 (Asilidae) Synonym(s): microlabis Loew,1857 Range (in code): CY SY TR IR Es
- 6311. Promachus mustelus** Loew,1854 (Asilidae) Synonym(s): mustela Loew,1854 Range (in code): SY LB IL Pa TR 01 33
- 6312. Promachus rectangularis** Loew,1854 (Asilidae) Synonym(s): rectangularis Loew,1854; cinctipes Walker,1871 Range (in code): IR Ke Ss EG YE ET
- 6313. Psilocurus hypopygialis** (Paramonov,1930) (Asilidae) Synonym(s): hypopygialis Paramonov,1930; ?ltranslatus Oldroyd,1958 Range (in code): IR Kz AM Cc AZ IQ
- 6314. Reminasus ephippium** (Macquart,1855) (Asilidae) Synonym(s): ephippium Macquart,1855; pulcher Ricardo,1922 Range (in code): IR CN IN MN LK
- 6315. Rhabdogaster cinerascens** (Wulp,1899) (Asilidae) Synonym(s): cinerascens Wulp,1899 Range (in code): IR YE KE
- 6316. Rhadinus megalonix** Loew,1856 (Asilidae) Synonym(s): megalonix Loew,1856 Range (in code): IR Kz AZ Cc EG IL Pa IQ SY YE TN SD LY
- 6317. Saropogon alternatus** Loew,1873 (Asilidae) Synonym(s): alternatus Loew,1873; alternans Loew,1873 Range (in code): IR Ss
- 6318. Saropogon aurifrons** (Macquart,1850) (Asilidae) Synonym(s): aurifrons Macquart,1850 Range (in code): DZ EG IL Pa MA TN
- 6319. Saropogon bijani** Abbassian-Lintzen,1964 (Asilidae) Synonym(s): bijani Abbassian-Lintzen,1964 Range (in code): IR Kz
- 6320. Saropogon clausus** Becker,1906 (Asilidae) Synonym(s): clausus Becker,1906; vosseleri Becker,1906 Range (in code): IR Ss Kh DZ MA TN
- 6321. Saropogon dasynotus** Loew,1871 (Asilidae) Synonym(s): dasynotus Loew,1871 Range (in code): RU KG TR

- 6322. Saropogon distinctus Becker,1906** (Asilidae) Synonym(s): distinctus Becker,1906 Range (in code): **DZ EG IL Pa IR Fa**
- 6323. Saropogon ehrenbergii Loew,1851** (Asilidae) Synonym(s): ehrenbergii Loew,1851 Range (in code): **GR SY LB IL Pa TR**
- 6324. Saropogon eucerus (Loew,1847)** (Asilidae) Synonym(s): eucerus Loew,1847 Range (in code): **GR IL Pa TR 48**
- 6325. Saropogon fucatus Loew,1869** (Asilidae) Synonym(s): fucatus Loew,1869 Range (in code): **ES DZ IR Ss**
- 6326. Saropogon gigas Becker,1913** (Asilidae) Synonym(s): gigas Becker,1913 Range (in code): **IR Ss Ke**
- 6327. Saropogon jugulum (Loew,1847)** (Asilidae) Synonym(s): jugulum Loew,1847; brachyterus Loew,1869; micropterus Loew,1869 Range (in code): **TR IR Kz AL DZ B-H HV EG FR GR Rd LY MA SS ES**
- 6328. Saropogon leucocephalus (Meigen,1820)** (Asilidae) Synonym(s): leucocephalus Meigen,1820; scutellaris Wiedemann,1820 Range (in code): **ES Sn PT FR IT MA TN EG TR IL Pa**
- 6329. Saropogon longicornis (Macquart,1838)** (Asilidae) Synonym(s): longicornis Macquart,1838 Range (in code): **IR Ss Kh Th Elb EG Sn IL Pa**
- 6330. Saropogon luctuosus (Wiedemann,1820)** (Asilidae) Synonym(s): luctuosus Wiedemann,1820; nigripennis Costa,1844 Range (in code): **IR Ak Ab HV GR FR IT PT**
- 6331. Saropogon melampygus (Loew,1851)** (Asilidae) Synonym(s): melampygus Loew,1851 Range (in code): **ML MR ET NE SN SD YE EG SY Sn TR**
- 6332. Saropogon mofidii Abbassian-Lintzen,1964** (Asilidae) Synonym(s): mofidii Abbassian-Lintzen,1964 Range (in code): **IR Kz**
- 6333. Saropogon platynotus (Loew,1847)** (Asilidae) Synonym(s): platynotus Loew,1847 Range (in code): **TR IR Elb Mz 48**
- 6334. Saropogon pollinosus Loew,1869** (Asilidae) Synonym(s): pollinosus Loew,1869 Range (in code): **TN EG ES TR IR Es 35**
- 6335. Saropogon pseudojugulum Theodor,1980** (Asilidae) Synonym(s): pseudojugulum Theodor,1980 Range (in code): **EG Sn IL Pa**
- 6336. Saropogon verticalis Oldroyd,1958** (Asilidae) Synonym(s): verticalis Oldroyd,1958 Range (in code): **IR Ss Kz**
- 6337. Saropogon vestitus (Wiedemann,1828)** (Asilidae) Synonym(s): vestitus Wiedemann,1828; aegypticus Macquart,1838; confluent Loew,1851 Range (in code): **TR IR Ss IL Pa EG Sn SY LY CH**
- 6338. Satanas gigas (Eversmann,1855)** (Asilidae) Synonym(s): gigas Eversmann,1855 Range (in code): **IR Ss Ke Kh Kz Se DZ AZ Cc CN EG GR IL Pa KG LY MN RO RU TR**
- 6339. Scylaticus elamiensis Abbassian-Lintzen,1964** (Asilidae) Synonym(s): elamiensis Abbassian-Lintzen,1964 Range (in code): **IR Kz**
- 6340. Scytomedes haemorrhoidalis (Fabricius,1794)** (Asilidae) Synonym(s): haemorrhoidalis Fabricius,1794; nubeculipennis Costa,1863; menstruus Loew,1882 Range (in code): **FR GR MA DZ TN BG TR IR Ab Mak**
- 6341. Stenopogon callosus (Pallas,1818)** (Asilidae) Synonym(s): callosus Pallas,1818 Range (in code): **IR Fa BG DE FR HU PL RO YU RU TR Cc AZ AM GG KG**
- 6342. Stenopogon coracinus (Loew,1847)** (Asilidae) Synonym(s): coracinus Loew,1847 Range (in code): **IT FR HU RO GR BG TR IR**
- 6343. Stenopogon elongatus (Meigen,1804)** (Asilidae) Synonym(s): elongatus Meigen,1804 Range (in code): **TR IR EG GR FR HU IL Pa RO RU TN**
- 6344. Stenopogon flavibarbis Enderlein,1934** (Asilidae) Synonym(s): flavibarbis Enderlein,1934; fuscibarbis Enderlein,1934 Range (in code): **TR RU KG CN**
- 6345. Stenopogon heteroneurus (Macquart,1838)** (Asilidae) Synonym(s): heteroneurus Macquart,1838 Range (in code): **MA DZ TN EG IL Pa IR Ss**
- 6346. Stenopogon junceus (Wiedemann,1820)** (Asilidae) Synonym(s): junceus Wiedemann,1820; tanygastrus Loew,1861 Range (in code): **IR AZ Cc Fa Kz AF RU TR IL Pa GR ES FR MA 72 73**
- 6347. Stenopogon laevigatus (Loew,1851)** (Asilidae) Synonym(s): laevigatus Loew,1851; bicolor Bigot,1878 Range (in code): **TR Cc RU AF CN IR Fa AZ 33**
- 6348. Stenopogon milvus (Loew,1847)** (Asilidae) Synonym(s): milvus Loew,1847 Range (in code): **GR BG TR 10 48**
- 6349. Stenopogon mollis Loew,1868** (Asilidae) Synonym(s): mollis Loew,1868 Range (in code): **Cc RU TR IR Elb Dam AM 33**
- 6350. Stenopogon nataliae Richter,1963** (Asilidae) Synonym(s): nataliae Richter,1963 Range (in code): **Cc RU TR IR Mz Elb AM**
- 6351. Stenopogon nigriventris Loew,1868** (Asilidae) Synonym(s): nigriventris Loew,1868 Range (in code): **Cc GG Akh RU GR TR IR AZ 10**
- 6352. Stenopogon roederii Bezzi,1895** (Asilidae) Synonym(s): roederii Bezzi,1895 Range (in code): **IT Cc RU TR**

- 6353. Stenopogon rufescens Theodor,1980** (Asilidae) Synonym(s): rufescens Theodor,1980 Range (in code): IL Pa TR 33
- 6354. Stenopogon rufipilus (Loew,1873)** (Asilidae) Synonym(s): rufipilus Loew,1873 Range (in code): TR IR Kh 47
- 6355. Stenopogon sabaudus (Fabricius,1794)** (Asilidae) Synonym(s): sabaudus Fabricius,1794; fulvus Pallas,1818 Range (in code): Cc RU TR IR Kd 35 62
- 6356. Stenopogon sciron (Loew,1873)** (Asilidae) Synonym(s): sciron Loew,1873; theseus Loew,1873 Range (in code): TR IR Fa Ss Ke AF AZ Cc EG CN RU KG
- 6357. Stenopogon strataegus Gerstaecker,1862** (Asilidae) Synonym(s): strataegus Gerstaecker,1862; antar Schiner,1867 Range (in code): GR TR
- 6358. Stenopogon xanthotricus (Brullé,1832)** (Asilidae) Synonym(s): xanthotricus Brullé,1832 Range (in code): TR IR Es AL GR RO 33 44
- 6359. Stichopogon albellus Loew,1856** (Asilidae) Synonym(s): albellus Loew,1856 Range (in code): IR Ss Kz IL Pa EG
- 6360. Stichopogon albofasciatus (Meigen,1820)** (Asilidae) Synonym(s): albofasciatus Meigen,1820 Range (in code): TR
- 6361. Stichopogon auritinctus Abbassian-Lintzen,1964** (Asilidae) Synonym(s): auritinctus Abbassian-Lintzen,1964 Range (in code): IR AZ Cc
- 6362. Stichopogon caucasicus Bezzi,1910** (Asilidae) Synonym(s): caucasicus Bezzi,1910 Range (in code): IR Ss Ab Ak Cc RU
- 6363. Stichopogon chrysostoma Schiner,1867** (Asilidae) Synonym(s): chrysostoma Schiner,1867; lucidiventria Becker,1902 Range (in code): TR IR Kh Elb Th CY EG IL Pa KG LY MN
- 6364. Stichopogon elegantulus (Wiedemann,1820)** (Asilidae) Synonym(s): elegantulus Wiedemann,1820 Range (in code): IR Ss AT BG DE ES FR Co IT HU PT YU RU GG AZ AM Cc TR KK IL Pa MA DZ EG MT
- 6365. Stichopogon inaequalis Loew,1847** (Asilidae) Synonym(s): inaequalis Loew,1847 Range (in code): IT FR Co YU PT AT RO RU BG TR
- 6366. Stichopogon scaliger Loew,1847** (Asilidae) Synonym(s): scaliger Loew,1847; congener Loew,1856 Range (in code): IT FR RO GR CZ BG SK TR RU IR AZ Ss Ke
- 6367. Stichopogon schineri Koch,1872** (Asilidae) Synonym(s): schineri Koch,1872; spinimanus Pokorný,1887 Range (in code): IR Ss BG DE ES FR Co GR IT YU B-H HV MK SS MA CH
- 6368. Stiphrolamyra pleskei (Becker,1913)** (Asilidae) Synonym(s): pleskei Becker,1913 Range (in code): IR Ss Ke AF TR 56
- 6369. Stiphrolamyra rubicunda Oldroyd,1947** (Asilidae) Synonym(s): rubicunda Oldroyd,1947 Range (in code): LY EG IL Pa IR Fa
- 6370. Stiphrolamyra sinaitica Theodor,1980** (Asilidae) Synonym(s): sinaitica Theodor,1980 Range (in code): IL Pa IQ Bgd
- 6371. Tolmerus angustifrons (Loew,1849)** (Asilidae) Synonym(s): angustifrons Loew,1849 Range (in code): TR
- 6372. Tolmerus cingulatus (Fabricius,1781)** (Asilidae) Synonym(s): cingulatus Fabricius,1781; striatus Meigen,1820; annulatus Macquart,1826; pictipes Loew,1848 Range (in code): IR Kh AT AZ Cc BE B-H BG HV CZ DK FI FR DE HU IT NO PL RO RU SK SS SE CH NL GB TR
- 6373. Tolmerus facialis Becker,1913** (Asilidae) Synonym(s): facialis Becker,1913 Range (in code): IR Ss
- 6374. Tolmerus muhabbet Koçak,2008** (Asilidae) Synonym(s): fuscus Macquart,1839 nec Wied.,1828; muhabbet Koçak,2008 Range (in code): Cn RU TR
- 6375. Tolmerus paganus Becker,1923** (Asilidae) Synonym(s): paganus Becker,1923 Range (in code): RU TR
- 6376. Tolmerus senex (Wiedemann,1820)** (Asilidae) Synonym(s): senex Wiedemann,1820 Range (in code): PT ES TR SY TN
- 6377. Tolmerus tivenensis Theodor,1980** (Asilidae) Synonym(s): tivenensis Theodor,1980 Range (in code): IL Pa TR IR
- 6378. Tolmerus turcicus Koçak & Kemal,2008** (Asilidae) Synonym(s): tessellatus Loew,1849 nec Brull.,1832; turcicus Koçak & Kemal,2008 Range (in code): IT RO TR
- 6379. Trichardis leucomus (Wulp,1899)** (Asilidae) Synonym(s): leucomus Wulp,1899; albipila Becker,1907 Range (in code): IR Kz MA DZ EG IL Pa YE KG MN
- 6380. Trichardopsis richteri Oldroyd,1958** (Asilidae) Synonym(s): richteri Oldroyd,1958; kasakh Lehr,1958 Range (in code): IR Kz KG
- 6381. Triclis olivaceus Loew,1851** (Asilidae) Synonym(s): olivaceus Loew,1851; halictivorus Rondani,1856 Range (in code): TR AZ Cc IR FR GR IT RU KG IL Pa
- 6382. Turka cervinus (Loew,1856)** (Asilidae) Synonym(s): cervinus Loew,1856; cretaceus Becker,1913 Range (in code): RU KG KK TR IQ IR MA TN EG
- 6383. Turka tridentatus (Loew,1871)** (Asilidae) Synonym(s): tridentatus Loew,1871 Range (in code): RU KK KG TR



- 6384. Udenopogon inscriptus Becker,1913** (Asilidae) Synonym(s): inscriptus Becker,1913 Range (in code): IR Ss Ke
- 6385. Atherix alagezica Paramonov,1926** (Athericidae) Synonym(s): alagezica Paramonov,1926 Range (in code): Cc AM
- 6386. Atherix dispar Bezzi,1909** (Athericidae) Synonym(s): dispar Bezzi,1909 Range (in code): SY
- 6387. Atherix erythrapsis Bezzi,1909** (Athericidae) Synonym(s): erythrapsis Bezzi,1909 Range (in code): EG SY
- 6388. Atricops apollinis Lindler,1923** (Athericidae) Synonym(s): apollinis Lindler,1923 Range (in code): GR TR 33
- 6389. \$Bibio anatolicus Skartveit & Nel,2012** (Bibionidae) Synonym(s): anatolicus Skartveit & Nel,2012 Range (in code): TR 06
- 6390. \$Bibio nigricosta Skartveit & Nel,2012** (Bibionidae) Synonym(s): nigricosta Skartveit & Nel,2012 Range (in code): TR 06
- 6391. \$Penthetria beskonakensis Skartveit & Nel,2012** (Bibionidae) Synonym(s): beskonakensis Skartveit & Nel,2012 Range (in code): TR 06
- 6392. Bibio caucasicus Duda,1930** (Bibionidae) Synonym(s): caucasicus Duda,1930 Range (in code): Cc AZ Nv
- 6393. Bibio consanguineus Loew,1869** (Bibionidae) Synonym(s): consanguineus Loew,1869 Range (in code): Cc GG Akh MN CN
- 6394. Bibio femoralis Meigen,1818** (Bibionidae) Synonym(s): femoralis Meigen,1818; globuliceps Loew,1846 Range (in code): DE FI PL CZ AT HU YU GR TR RU
- 6395. Bibio hortulanus (Linnaeus,1758)** (Bibionidae) Synonym(s): hortulanus Linnaeus,1758; citrius Harris,1776; hirtipes Loew,1846; hispanicus Duda,1930; major Duda,1930 Range (in code): TN PT ES FR GB BE NL DK DE SE EE PL CZ SK CH AT HU IT Sa Si GR TR IL Pa IR 03 09 13 15 20 31 32 42 50 56 65 73 76
- 6396. Bibio marci (Linnaeus,1758)** (Bibionidae) Synonym(s): marci Linnaeus,1758; brevicornis Linnaeus,1758; crassipes Harris,1776; funerosus Harris,1776; pusillus Macquart,1846 Range (in code): PT ES FR GB IE NO SE FI RU UA EE PL DK DE CZ SK HU CH AT IT Sa Si TR 13 56 65
- 6397. Bibio nigropilosus Duda,1930** (Bibionidae) Synonym(s): nigropilosus Duda,1930 Range (in code): TM CN
- 6398. Bibio turcmenicus Duda,1930** (Bibionidae) Synonym(s): turcmenicus Duda,1930 Range (in code): TM
- 6399. Dilophus bispinosus Lundström,1913** (Bibionidae) Synonym(s): bispinosus Lundström,1913 Range (in code): ES FR GB CH IT SS HU YU RO BG TR IL Pa 09
- 6400. Dilophus clavicornus Skartveit & Kaplan,1996** (Bibionidae) Synonym(s): clavicornus Skartveit & Kaplan,1996 Range (in code): IL Pa Js
- 6401. Dilophus erythraeus Bezzi,1905** (Bibionidae) Synonym(s): erythraeus Bezzi,1905 Range (in code): ER YE
- 6402. Dilophus lingens Loew,1869** (Bibionidae) Synonym(s): lingens Loew,1869 Range (in code): IL Pa Rd GR TN EG
- 6403. Dilophus tridentatus Walker,1848** (Bibionidae) Synonym(s): tridentatus Walker,1848; africanus Becker,1903 Range (in code): IQ LB IL Pa EG Cn DZ SA
- 6404. Apistomyia aphrodite Zwick,1988** (Blephariceridae) Synonym(s): aphrodite Zwick,1988 Range (in code): TR CY 31
- 6405. Apistomyia sp.** (Blephariceridae) Synonym(s): Range (in code): TR 48
- 6406. Blepharicera fasciata (Westwood,1842)** (Blephariceridae) Synonym(s): fasciata Westwood,1842 Range (in code): PT ES IT GR TR LB IR 08 09 10 14 16 17 24 25 28 30 31 32 35 37 39 41 42 44 45 48 49 52 53 58 61 62 80
- 6407. Liponeura bithynica Zwick,1988** (Blephariceridae) Synonym(s): bithynica Zwick,1988 Range (in code): TR 43
- 6408. Liponeura cinerascens Loew,1844** (Blephariceridae) Synonym(s): cinerascens Loew,1844 Range (in code): TR 35
- 6409. Liponeura euryfrons Bischoff,1935** (Blephariceridae) Synonym(s): euryfrons Bischoff,1935 Range (in code): Cc TR 16 25 30
- 6410. Liponeura heidae Zwick,1972** (Blephariceridae) Synonym(s): heidae Zwick,1972 Range (in code): TR
- 6411. Liponeura lindneri Zwick,1972** (Blephariceridae) Synonym(s): lindneri Zwick,1972 Range (in code): TR 42 48
- 6412. Liponeura mannheimsi Zwick,1972** (Blephariceridae) Synonym(s): mannheimsi Zwick,1972 Range (in code): TR 16 18
- 6413. Liponeura osmanica Koç & Zwick,2006** (Blephariceridae) Synonym(s): osmanica Koç & Zwick,2006 Range (in code): TR 09
- 6414. Liponeura tarnogradskyi Bischoff,1930** (Blephariceridae) Synonym(s): tarnogradskyi Bischoff,1930 Range (in code): TR 58 61

- 6415. *Liponeura vinconi* Zwick,2006** (Blephariceridae) Synonym(s): vinconi Zwick,2006 Range (in code): TR 31
- 6416. *Bolitophila* (s.str.) *saundersi* (Curtis,1836)** (Bolitophilidae) Synonym(s): saundersi Curtis,1836 Range (in code): TR 09
- 6417. *Amictus firjuzanus* Paramonov,1931** (Bombyliidae) Synonym(s): firjuzanus Paramonov,1931 Range (in code): TM UZ PK
- 6418. *Amictus funebris* Paramonov,1931** (Bombyliidae) Synonym(s): funebris Paramonov,1931 Range (in code): TJ TM UZ
- 6419. *Amictus iranicus* Lindner,1975** (Bombyliidae) Synonym(s): iranicus Lindner,1975 Range (in code): IR
- 6420. *Amictus minor* Austen,1937** (Bombyliidae) Synonym(s): minor Austen,1937; aharonii Engel,1937 Range (in code): IL Pa GR IT TN
- 6421. *Amictus obliquenotatus* Austen,1937** (Bombyliidae) Synonym(s): obliquenotatus Austen,1937 Range (in code): IL Pa
- 6422. *Amictus oblongus* (Fabricius,1805)** (Bombyliidae) Synonym(s): oblongus Fabricius,1805 Range (in code): MA TM
- 6423. *Amictus pictus* Loew,1869** (Bombyliidae) Synonym(s): pictus Loew,1869 Range (in code): IT Sa GR DZ AM AZ Cc GG B-H BG HV MK SS YU TR 01 02 07
- 6424. *Amictus pulchellus* Macquart,1846** (Bombyliidae) Synonym(s): pulchellus Macquart,1846; strigillatus Loew,1869 Range (in code): DZ EG GR Rd TR ES MA TN 33
- 6425. *Amictus scutellaris* Loew,1869** (Bombyliidae) Synonym(s): scutellaris Loew,1869 Range (in code): GR TR IR 33 48
- 6426. *Amictus setosus* Loew,1869** (Bombyliidae) Synonym(s): setosus Loew,1869 Range (in code): EG GR TR IL Pa 48 70
- 6427. *Amictus tigrinus* Austen,1937** (Bombyliidae) Synonym(s): tigrinus Austen,1937 Range (in code): IL Pa
- 6428. *Amictus validus* Loew,1869** (Bombyliidae) Synonym(s): validus Loew,1869 Range (in code): IT TR CY DZ AF AM AZ Cc BG GG CY EG GR IR Ab Oru IL Pa LB LY MK MD RO RU UA YU 01 07 17 22 25 26 33 38 42 44 51 58 70
- 6429. *Amictus virgatus* Austen,1937** (Bombyliidae) Synonym(s): virgatus Austen,1937 Range (in code): AF IL Pa TR
- 6430. *Anastoechus angustifrons* Paramonov,1930** (Bombyliidae) Synonym(s): angustifrons Paramonov,1930 Range (in code): TM
- 6431. *Anastoechus araxis* Paramonov,1926** (Bombyliidae) Synonym(s): araxis Paramonov,1926; nigrisetosus Paramonov,1926 Range (in code): TR Cc AM IR 42 51
- 6432. *Anastoechus aurifrons* Efflatoun,1945** (Bombyliidae) Synonym(s): aurifrons Efflatoun,1945 Range (in code): EG IR
- 6433. *Anastoechus bahirae* Becker,1915** (Bombyliidae) Synonym(s): bahirae Becker,1915; fuscipennis Becker,1915; pyramidum Paramonov,1940 Range (in code): TN EG KE SD DZ IL Pa LY SA ES SY
- 6434. *Anastoechus caucasicus* Paramonov,1930** (Bombyliidae) Synonym(s): caucasicus Paramonov,1930 Range (in code): AM AZ GG Cc MD RU UA
- 6435. *Anastoechus elegans* Paramonov,1930** (Bombyliidae) Synonym(s): elegans Paramonov,1930 Range (in code): TM
- 6436. *Anastoechus exalbidus* (Wiedemann,1820)** (Bombyliidae) Synonym(s): exalbidus Wiedemann,1820 Range (in code): IT SD YE DZ AM AZ GG Cc EG FR IL Pa JO KW LB OM PT SA ES SY TN YU
- 6437. *Anastoechus firjuzanus* Paramonov,1930** (Bombyliidae) Synonym(s): firjuzanus Paramonov,1930 Range (in code): TM UZ
- 6438. *Anastoechus fulvescens* Becker,1913** (Bombyliidae) Synonym(s): fulvescens Becker,1913; intermedius Becker,1916 Range (in code): AM AZ GG Cc IR EG GR KG KK ES TJ TM UZ
- 6439. *Anastoechus hyrcanus* (Wiedemann,1818)** (Bombyliidae) Synonym(s): hyrcanus Wiedemann,1818; viduus Becker,1916 Range (in code): IT Si IR GR AM AZ GG Cc B-H HV CY EG FR HU TR MK RO RU SS ES UZ YU 02 07 24 25 58 65
- 6440. *Anastoechus mellinus* François,1969** (Bombyliidae) Synonym(s): mellinus François,1969 Range (in code): AF
- 6441. *Anastoechus miscens* (Walker,1871)** (Bombyliidae) Synonym(s): miscens Walker,1871 Range (in code): ER SD YE SA
- 6442. *Anastoechus monticola* Paramonov,1930** (Bombyliidae) Synonym(s): monticola Paramonov,1930 Range (in code): TM UZ
- 6443. *Anastoechus mylabricida* Zakhvatkin,1934** (Bombyliidae) Synonym(s): mylabricida Zakhvatkin,1934 Range (in code): Cc AZ AM GG MD UA RU
- 6444. *Anastoechus nigricirratu*s Becker,1913** (Bombyliidae) Synonym(s): nigricirratu Becker,1913 Range (in code): IR GG AZ AM Cc

- 6445. *Anastoechus nitidulus* (Fabricius,1794)** (Bombyliidae) Synonym(s): nitidulus Fabricius,1794; caudatus Meigen,1804; diadema Meigen,1804; cephalotes Walker,1849; olivaceus Paramonov,1930; corsicanus Paramonov,1930; hummeli Paramonov,1933; aberrans Paramonov,1940; corsicanus Zaitzev,1989 Range (in code): IT RU CN MN AF AT BE B-H BG HV FR DE GR HU IR JP KG KK MK PT RO SS ES SK TR 01 24 25 51 69
- 6446. *Anastoechus nivifrons* (Walker,1871)** (Bombyliidae) Synonym(s): nivifrons Walker,1871; niveus Hermann,1909 nec Macq.,1855; albopectinatus Becker,1913 Range (in code): SD YE PK IR EG IL Pa IQ JO KW LB OM QA SA SY AE
- 6447. *Anastoechus nomas* Paramonov,1930** (Bombyliidae) Synonym(s): nomas Paramonov,1930 Range (in code): TM UZ
- 6448. *Anastoechus pulcher* Paramonov,1930** (Bombyliidae) Synonym(s): pulcher Paramonov,1930 Range (in code): IQ IR TM UZ
- 6449. *Anastoechus retardatus* Bezzi,1924** (Bombyliidae) Synonym(s): retardatus Bezzi,1924 Range (in code): IR TM
- 6450. *Anastoechus rubriventris* Paramonov,1930** (Bombyliidae) Synonym(s): rubriventris Paramonov,1930 Range (in code): TM
- 6451. *Anastoechus stackelbergi* Paramonov,1926** (Bombyliidae) Synonym(s): stackelbergi Paramonov,1926 Range (in code): KK TJ TM UZ
- 6452. *Anastoechus stramineus* (Wiedemann,1820)** (Bombyliidae) Synonym(s): stramineus Wiedemann,1820; acuticornis Macquart,1840 Range (in code): IT DZ EG FR IL Pa LY PT ES TN TM SA SD
- 6453. *Anastoechus syrdarjensis* Paramonov,1926** (Bombyliidae) Synonym(s): syrdarjensis Paramonov,1926 Range (in code): KG TM UZ
- 6454. *Anastoechus trisignatus* Portschinsky,1881** (Bombyliidae) Synonym(s): trisignatus Portschinsky,1881; retrogradus Becker,1902; weneri Paramonov,1930; fulvojubatus François,1967 Range (in code): IT IL Pa SD YE DZ AM AZ GG Cc B-H HV EG GR JO KW LB MK MA OM QA SA SS SY TN YU
- 6455. *Anastoechus turanicus* Paramonov,1926** (Bombyliidae) Synonym(s): turanicus Paramonov,1926 Range (in code): AF IR UZ
- 6456. *Anastoechus turkmenorum* Paramonov,1930** (Bombyliidae) Synonym(s): turkmenorum Paramonov,1930 Range (in code): AF IR TM UZ
- 6457. *Anastoechus vlasovi* Paramonov,1930** (Bombyliidae) Synonym(s): vlasovi Paramonov,1930; albicans Paramonov,1930 Range (in code): KG TM UZ
- 6458. *Anastoechus zimini* Paramonov,1940** (Bombyliidae) Synonym(s): zimini Paramonov,1940 Range (in code): KG AF UZ MN IR AM AZ Cc
- 6459. *Anisotamia orientalis* Greathead,1998** (Bombyliidae) Synonym(s): orientalis Greathead,1998 Range (in code): PK
- 6460. *Anisotamia ruficornis* Macquart,1840** (Bombyliidae) Synonym(s): ruficornis Macquart,1840 Range (in code): EG IL Pa LY SY
- 6461. *Anthrax actuosus* Paramonov,1935** (Bombyliidae) Synonym(s): actuosus Paramonov,1935 Range (in code): TM UZ
- 6462. *Anthrax aethiops* (Fabricius,1781)** (Bombyliidae) Synonym(s): aethiops Fabricius,1781; punctata Meigen,1820; mendax Austen,1937 Range (in code): DZ AM Cc GG AZ B-H AT BG HV CY CZ SK FR EG DE GR Cr IR IL Pa IT KK MA LY PL PT RO RU SS ES CH TJ TN TM UA UZ TR 30 31 33 48 58
- 6463. *Anthrax alagoezicus* Paramonov,1935** (Bombyliidae) Synonym(s): alagoezicus Paramonov,1935 Range (in code): AM AZ GG Cc
- 6464. *Anthrax amnoni* Zaitzev,1997** (Bombyliidae) Synonym(s): amnoni Zaitzev,1997 Range (in code): IL Pa
- 6465. *Anthrax anthrax* (Schrank,1781)** (Bombyliidae) Synonym(s): anthrax Schrank,1781; sinuata Meigen,1804 Range (in code): IT Si Sa TR AF AL DZ Cc AM AZ GG AT BY BE BG Cn CN Ui Ti CZ DK EE FI FR DE GR HU IR Ab Oru Khy RU MN MA LY TJ TN TM UA UZ 04 30 33 51 58 65 73
- 6466. *Anthrax arenophilus* Paramonov,1935** (Bombyliidae) Synonym(s): arenophilus Paramonov,1935 Range (in code): TM
- 6467. *Anthrax armeniacus* Paramonov,1935** (Bombyliidae) Synonym(s): armeniacus Paramonov,1935 Range (in code): Cc AM AZ GG
- 6468. *Anthrax aygulus* Fabricius,1805** (Bombyliidae) Synonym(s): aygulus Fabricius,1805; biflexa Loew,1852; senegalensis François,1972 Range (in code): SN BW TD ZR ER ET GH KE MW MR MZ NA NG ZA Nta Kzu SD TZ UG YE ZM ZW CN TW Hn Hun Yu Sz Ti JP SA EG
- 6469. *Anthrax bezzianus* Paramonov,1935** (Bombyliidae) Synonym(s): bezzianus Paramonov,1935 Range (in code): LB SY
- 6470. *Anthrax binotatus* Wiedemann,1820** (Bombyliidae) Synonym(s): binotatus Wiedemann,1820; subnotata Wiedemann,1820 Range (in code): IT Si Sa TR AL Cc AM AZ GG AT B-H HV CZ EG FR DE GR Rd HU IR IL Pa LY MK MD MA PL RO RU SK SS ES CH SY TJ UA UZ 38 70
- 6471. *Anthrax bipunctatus* Fabricius,1805** (Bombyliidae) Synonym(s): bipunctatus Fabricius,1805; carbonarius Walker,1852 Range (in code): IN Ass Bi Mad Ben BD PK Sd
- 6472. *Anthrax brevis* Becker & Stein,1913** (Bombyliidae) Synonym(s): brevis Becker & Stein,1913 Range (in code): IR



- 6473. Anthrax bucharensis Paramonov,1935** (Bombyliidae) Synonym(s): bucharensis Paramonov,1935 Range (in code): UZ Br TM
- 6474. Anthrax candidapex (Austen,1937)** (Bombyliidae) Synonym(s): candidapex Austen,1937 Range (in code): IL Pa
- 6475. Anthrax chionanthrax Bezzi,1926** (Bombyliidae) Synonym(s): chionanthrax Bezzi,1926; cairensis Paramonov,1935; nanus Paramonov,1935 Range (in code): EG IL Pa
- 6476. Anthrax decesus Bezzi,1924** (Bombyliidae) Synonym(s): decesus Bezzi,1924 Range (in code): YE SA OM
- 6477. Anthrax dentata (Becker,1906)** (Bombyliidae) Synonym(s): fuscipennis Ricardo,1903 nec Macq.,1834; dentata Becker,1906 Range (in code): SC TD ER KE TZ YE Sk DZ EG HU IL Pa IT Si LY MT MA SA ES TN
- 6478. Anthrax desertorum Paramonov,1935** (Bombyliidae) Synonym(s): desertorum Paramonov,1935 Range (in code): AF IR TM UZ
- 6479. Anthrax dolgovskayae Zaitzev,1997** (Bombyliidae) Synonym(s): dolgovskayae Zaitzev,1997 Range (in code): IL Pa
- 6480. Anthrax eremicus Evenhuis & Greathead,1999** (Bombyliidae) Synonym(s): cana Greathead,1989 nec Meig.,1804; eremicus Evenhuis & Greathead,1999 Range (in code): AE
- 6481. Anthrax erythrogaster Paramonov,1935** (Bombyliidae) Synonym(s): erythrogaster Paramonov,1935 Range (in code): AM AZ GG Cc KK TJ TM UZ
- 6482. Anthrax flavipes (Röder,1896)** (Bombyliidae) Synonym(s): flavipes Röder,1896 Range (in code): IR TR
- 6483. Anthrax flavus (Sack,1909)** (Bombyliidae) Synonym(s): flavus Sack,1909 Range (in code): TR IR 25
- 6484. Anthrax glabratus Zaitzev,1976** (Bombyliidae) Synonym(s): glabratus Zaitzev,1976 Range (in code): IQ
- 6485. Anthrax grisescens Paramonov,1935** (Bombyliidae) Synonym(s): grisescens Paramonov,1935 Range (in code): TJ TM UZ
- 6486. Anthrax hassani Paramonov,1935** (Bombyliidae) Synonym(s): hassani Paramonov,1935 Range (in code): EG IL Pa TN
- 6487. Anthrax heteropygus (Sack,1909)** (Bombyliidae) Synonym(s): heteropyga Sack,1909 Range (in code): IT FR Co GR IL Pa KK MK MD RO RU TJ TM UA UZ YU
- 6488. Anthrax incitus Paramonov,1935** (Bombyliidae) Synonym(s): incitus Paramonov,1935 Range (in code): Cc AM
- 6489. Anthrax jazykovi Zakhvatkin,1934** (Bombyliidae) Synonym(s): jazykovi Zakhvatkin,1934; jazykovi Paramonov,1935 Range (in code): TR Cc AZ AM GG MN TJ UZ 07
- 6490. Anthrax kiritshenkoi Paramonov,1935** (Bombyliidae) Synonym(s): kiritshenkoi Paramonov,1935 Range (in code): IR MA
- 6491. Anthrax laetus Paramonov,1935** (Bombyliidae) Synonym(s): laetus Paramonov,1935 Range (in code): TJ TM
- 6492. Anthrax leucogaster Wiedemann,1820** (Bombyliidae) Synonym(s): leucogaster Wiedemann,1820 Range (in code): IT TR SY SE ES RU RO MD MT GR LY IR HU GG AZ AM Cc FR FI EG CN Sz Pkn Yu BG BE AT SD
- 6493. Anthrax lucidus Becker,1902** (Bombyliidae) Synonym(s): lucidus Becker,1902 Range (in code): EG IL Pa LY SD TR 38
- 6494. Anthrax macrocerus Paramonov,1935** (Bombyliidae) Synonym(s): macrocerus Paramonov,1935 Range (in code): TM UZ
- 6495. Anthrax monachus (Sack,1909)** (Bombyliidae) Synonym(s): monachus Sack,1909 Range (in code): IR AM AZ GG Cc TR KK TJ TM UZ
- 6496. Anthrax nanellus Paramonov,1935** (Bombyliidae) Synonym(s): nanellus Paramonov,1935 Range (in code): TM
- 6497. Anthrax niger (Austen,1937)** (Bombyliidae) Synonym(s): niger Austen,1937 Range (in code): IL Pa
- 6498. Anthrax nitidus (Austen,1937)** (Bombyliidae) Synonym(s): nitidus Austen,1937 Range (in code): IL Pa
- 6499. Anthrax palaestinus Zaitzev,1997** (Bombyliidae) Synonym(s): palaestinus Zaitzev,1997 Range (in code): IL Pa
- 6500. Anthrax pargrisescens Paramonov,1935** (Bombyliidae) Synonym(s): pargrisescens Paramonov,1935 Range (in code): KG TM UZ
- 6501. Anthrax pilosulus Strobl,1902** (Bombyliidae) Synonym(s): pilosulus Strobl,1902 Range (in code): IT TR Cc AZ AM GG GR IL Pa KK MK RU TJ TM UA UZ YU 07 38 44 51
- 6502. Anthrax pori Zaitzev,1997** (Bombyliidae) Synonym(s): pori Zaitzev,1997 Range (in code): IL Pa
- 6503. Anthrax sticticus Klug,1832** (Bombyliidae) Synonym(s): sticticus Klug, 1832; polystigma Sack,1909; quinquemaculatum Bezzi,1924 Range (in code): IT Si TR YU HV UZ TM TJ SY OM MK KK IL Pa IR Cc AM AZ GG GR CY AF SN NG TD ER YE 02 33 65

- 6504. Anthrax tajikistanus Evenhuis & Greathead,1999** (Bombyliidae) Synonym(s): *tajikistanus* Evenhuis & Greathead,1999 Range (in code): AM AZ GG Cc KG TJ UZ
- 6505. Anthrax transcaspicus Paramonov,1935** (Bombyliidae) Synonym(s): *transcaspicus* Paramonov,1935 Range (in code): KG TM UZ
- 6506. Anthrax trifasciatus Meigen,1804** (Bombyliidae) Synonym(s): *trifasciatus* Meigen,1804; *capitulata* Mulsant,1852 Range (in code): IT TR PK AF AL DZ MA TN AT BE B-H BG HV CZ FR Co GR HU KK MK MT MA OM AE 06 07 12 25 76
- 6507. Anthrax varius Fabricius,1794** (Bombyliidae) Synonym(s): *varius* Fabricius,1794 Range (in code): IT Si MD MK LT IR HU GG AZ AM Cc GR TR DE FR FI EE DK CZ HV Cn BG B-H BE BY AT DZ 12
- 6508. Anthrax virgo Egger,1859** (Bombyliidae) Synonym(s): *virgo* Egger,1859 Range (in code): IT Si AL DZ AM AZ GG Cc BG HV FR GR HU IL Pa LY MT MA SA ES TN TR 07 42 48 51 70
- 6509. Anthrax zonabripagus (Portschinsky,1895)** (Bombyliidae) Synonym(s): *zonabripagus* Portschinsky,1895 Range (in code): BY EE KG LT MD RU Cc UA
- 6510. Antonia gabalensis El-Hawagry,2009** (Bombyliidae) Synonym(s): *gabalensis* El-Hawagry,2009 Range (in code): EG Sn
- 6511. Antonia suavissima Loew,1856** (Bombyliidae) Synonym(s): *suavissima* Loew,1856; *syrphoides* Walker,1871 Range (in code): IT Si EG Sn DJ ER ET SO SD YE DZ KW OM SA AE
- 6512. Aphoebantus albicinctus Paramonov,1925** (Bombyliidae) Synonym(s): *albicinctus* Paramonov,1925 Range (in code): KG KK TJ TM UZ
- 6513. Aphoebantus armeniacus Paramonov,1925** (Bombyliidae) Synonym(s): *armeniacus* Paramonov,1925 Range (in code): Cc AM
- 6514. Aphoebantus claripennis (Becker,1903)** (Bombyliidae) Synonym(s): *claripennis* Becker,1903 Range (in code): TM UZ
- 6515. Aphoebantus costalis Paramonov,1929** (Bombyliidae) Synonym(s): *costalis* Paramonov,1929 Range (in code): TM UZ
- 6516. Aphoebantus latifrons Paramonov,1929** (Bombyliidae) Synonym(s): *latifrons* Paramonov,1929 Range (in code): TJ TM UZ
- 6517. Aphoebantus persicus Becker,1913** (Bombyliidae) Synonym(s): *persicus* Becker,1913 Range (in code): AF IR
- 6518. Aphoebantus pusillus Paramonov,1929** (Bombyliidae) Synonym(s): *pusillus* Paramonov,1929 Range (in code): TJ TM UZ
- 6519. Aphoebantus subcostalis Paramonov,1929** (Bombyliidae) Synonym(s): *subcostalis* Paramonov,1929 Range (in code): TM
- 6520. Aphoebantus transcaspicus Paramonov,1925** (Bombyliidae) Synonym(s): *transcaspicus* Paramonov,1925 Range (in code): TJ TM UZ
- 6521. Aphoebantus turkmenicus Paramonov,1929** (Bombyliidae) Synonym(s): *turkmenicus* Paramonov,1929 Range (in code): TJ TM UZ
- 6522. Aphoebantus wadensis Bezzi,1925** (Bombyliidae) Synonym(s): *wadensis* Bezzi,1925 Range (in code): EG IL Pa
- 6523. Apolysis dolichorostris Evenhuis & Greathead,1999** (Bombyliidae) Synonym(s): *longirostris* Paramonov,1947 nec Melander,1946; *dolichorostris* Evenhuis & Greathead,1999 Range (in code): AM AZ GG Cc TM
- 6524. Apolysis dolichorostris Evenhuis & Greathead,1999** (Bombyliidae) Synonym(s): *longirostris* Paramonov,1947 nec Meland.,1946; *dolichorostris* Evenhuis & Greathead,1999 Range (in code): Cc AZ AM GG TM
- 6525. Apolysis eremophila Loew,1873** (Bombyliidae) Synonym(s): *eremophila* Loew,1873 Range (in code): IT ES TN Cn HV HU EG AF IL Pa IR TM UZ
- 6526. Apolysis fumipennis (Loew,1844)** (Bombyliidae) Synonym(s): *fumipennis* Loew,1844 Range (in code): GR TR 48
- 6527. Apolysis pusilla (Paramonov,1929)** (Bombyliidae) Synonym(s): *pusilla* Paramonov,1929 Range (in code): RU Da Cc AZ
- 6528. Apolysis pusilla (Paramonov,1929)** (Bombyliidae) Synonym(s): *pusilla* Paramonov,1929 Range (in code): Cc AZ Da RU
- 6529. Apolysis sedophila (Brunetti,1909)** (Bombyliidae) Synonym(s): *sedophila* Brunetti,1909 Range (in code): IN Hp PK
- 6530. Apolysis sedophila (Brunetti,1909)** (Bombyliidae) Synonym(s): *sedophila* Brunetti,1909 Range (in code): PK IN Hp
- 6531. Apolysis superba (Engel,1933)** (Bombyliidae) Synonym(s): *superba* Engel,1933 Range (in code): AM AZ GG Cc IR
- 6532. Apolysis superba (Engel,1933)** (Bombyliidae) Synonym(s): *superba* Engel,1933 Range (in code): Cc AZ AM GG IR
- 6533. Beckerellus androgynus (Loew,1855)** (Bombyliidae) Synonym(s): *androgynus* Loew,1855 Range (in code): IT TR AL AM AZ HV EG GR GG Cc IR KG LB MK MD RO RU SS SY UA UZ YU 70

- 6534. *Beckerellus terminatus* (Becker,1909)** (Bombyliidae) Synonym(s): terminatus Becker,1909; mollis Bezzi,1921; disjunctus Bezzi,1921; parallelus Bezzi,1924 Range (in code): **BW ER ET KE MW SN ZA Nta Kzu Mpu Tva TZ UG YE Sk ZM ZW**
- 6535. *Bombomyia discoidea* (Fabricius,1794)** (Bombyliidae) Synonym(s): analis Fabricius,1794 nec Oliv.,1789; discoidea Fabricius,1794; charopus Lichtenstein,1796; thoracicus Fabricius,1805; analis Thunberg,1827; trichromus Paramonov,1955 Range (in code): **DZ AM Cc AT AZ GG CN Ui CY EG FR GR HU IR IT IL Pa KG KK LB MD MN MA OM RU Sb ES SY TJ TN TR TM UA UZ BW BI TD ZR ER ET GM GH KE ZA Tva Lpo Spb Mdk Kzu Nta Mpu Fs Gau SZ TZ TG UG YE ZM ZW 33 65**
- 6536. *Bombomyia tricolor* (Guérin-Ménéville,1835)** (Bombyliidae) Synonym(s): tricolor Guérin-Ménéville,1835; orientalis Macquart,1840 Range (in code): **BD IN Ben Up ID Ja PK LK**
- 6537. *Bombomyia vertebralis* (Dufour,1833)** (Bombyliidae) Synonym(s): punctatus Fabricius,1794 nec De Geer,1776; #perlatus Pallas,1818; #maximus Wiedemann,1818; #hemipterus Pallas,1818; vertebralis Dufour,1833; sticticus Boisduval,1835; subluna Walker,1849 Range (in code): **AF AL DZ AM AT Cc AZ GG CZ EG FR DE GR HU IR IQ IL Pa IT Sa Si KG KW KK LB LY MD MA PL PT RO RU Sb SK ES SY TJ TN TR TM UA AE 38 48 76**
- 6538. *Bombylella atra* (Scopoli,1763)** (Bombyliidae) Synonym(s): ater Scopoli,1763; #quartus Schaeffer,1768; uralensis Gmelin,1790; barbulus Pallas,1818; lugubris Loew,1855 Range (in code): **AL AM Cc AT AZ GG BY BE B-H BG HV CZ EG EE FR GR HU IR Ab Oru IL Pa IT Si KG KW KK LB LT MK MT OM PL RO RU Sb SA SK SS ES CH SY TJ TR TM UA AE UZ YU 13 17 32 31 33 35 38 48 51 56 65 70 73**
- 6539. *Bombylella delicata* (Wiedemann,1830)** (Bombyliidae) Synonym(s): delicata Wiedemann,1830; mutilatus Bezzi,1921; truncatus Greathead,1967 Range (in code): **BW ER ET KE LS NA SO ZA Fs Kzu Nta TZ UG YE ZW SA**
- 6540. *Bombylella firjuzana* (Paramonov,1929)** (Bombyliidae) Synonym(s): firjuzana Paramonov,1929 Range (in code): **IR TM**
- 6541. *Bombylella ornata* (Wiedemann,1828)** (Bombyliidae) Synonym(s): ornata Wiedemann,1828; signifer Walker,1852; pleuralis Bezzi,1924 Range (in code): **AO BW BF ER ET KE ML MZ ZA Fs Gau Mpu Tva Pre SZ TZ UG SA**
- 6542. *Bombylella simulans* (Austen,1937)** (Bombyliidae) Synonym(s): simulans Austen,1937 Range (in code): **IL Pa LB JO**
- 6543. *Bombylella sp.n.*** (Bombyliidae) Synonym(s): Range (in code): **TR 56**
- 6544. *Bombylisoma alirum* (Macquart,1840)** (Bombyliidae) Synonym(s): alirum Macquart,1840; lutescens Loew,1855; nigrifrons Becker,1913 Range (in code): **DZ MA TN ES SY?**
- 6545. *Bombylisoma brevisculum* (Loew,1855)** (Bombyliidae) Synonym(s): brevisculum Loew,1855 Range (in code): **AF AM Cc AZ GG B-H HV FR DE GR IR IY Si KG KK MK MD MA PL PT RO RU Sb SS ES TR TJ TM UA UZ 01 25 30 32 38 48 51 65 70**
- 6546. *Bombylisoma croaticum* (Kertész,1901)** (Bombyliidae) Synonym(s): barbula Loew,1855 nec Pall.,1818; croaticum Kertész,1901 Range (in code): **AM Cc AT AZ GG B-H HV TR CZ FR DE GR HU IR IT MD PL PT RO RU Sb SK SS ES CH UA YU 01 25 32 38 51**
- 6547. *Bombylisoma flavibarbum* (Loew,1855)** (Bombyliidae) Synonym(s): flavibarbum Loew,1855; brevirostratus Austen,1937 Range (in code): **AM Cc AZ GG B-H HV EG GR Rd IR Ab Oru IL Pa IT JO MK MD RU Sb SS ES SY TR TN UA YU 02 48 73**
- 6548. *Bombylisoma imitator* (Loew,1855)** (Bombyliidae) Synonym(s): imitator Loew,1855 Range (in code): **IT YU TR SY MK IR HU GR AL 33**
- 6549. *Bombylisoma melanocephalum* (Fabricius,1794)** (Bombyliidae) Synonym(s): melanocephalum Fabricius,1794; argyropyga Macquart,1846 Range (in code): **DZ AM Cc AZ GG CZ FR HU IT MD PT RU Sb SK ES CH TN TR UA**
- 6550. *Bombylisoma minimum* (Scopoli,1771)** (Bombyliidae) Synonym(s): minimum Scopoli,1771; minimus Schrank,1781; flavus Meigen,1804 Range (in code): **AL AM Cc AT AZ GG B-H BG HV FR DE GR HU IR IT MK MD PL PT RO RU Sb SK SS ES CH SY TR UA YU 01 14 22 42 51**
- 6551. *Bombylisoma nigriceps* (Loew,1862)** (Bombyliidae) Synonym(s): nigriceps Loew,1862; nigricephalus Séguy,1926 Range (in code): **AM AT Cc AZ BG FR GR GG HU IR IT MD PL RO RU Sb SK ES CH TR UA**
- 6552. *Bombylisoma noctum* Greathead,1980** (Bombyliidae) Synonym(s): noctum Greathead,1980 Range (in code): **YE**
- 6553. *Bombylisoma noctum* Greathead,1980** (Bombyliidae) Synonym(s): noctum Greathead,1980 Range (in code): **YE**
- 6554. *Bombylisoma senegalense* (Macquart,1840)** (Bombyliidae) Synonym(s): senegalensis Macquart,1840; vitripennis oew,1855; pectoralis Loew,1863; diadematus Bezzi,1912; gibbicornis Bezzi,1923 Range (in code): **SN GM ER AO BW BF TD ET GH HU IT Si KE MW ML MR MZ NE NG PT SL SO ZA Fs Kzu Nta SD SW TZ UG YE ZM ZW SA AE**
- 6555. *Bombylisoma simulator* (Loew,1855)** (Bombyliidae) Synonym(s): simulator Loew,1855 Range (in code): **IT TR HV GR IR MK SY LB YU**
- 6556. *Bombylisoma sinaiticum* (Efflatoun,1945)** (Bombyliidae) Synonym(s): sinaiticum Efflatoun,1945 Range (in code): **EG Sn**



- 6557. Bombylisoma tripunctatum (Macquart,1840)** (Bombyliidae) Synonym(s): tripunctatum Macquart,1840; trigonus Bezzi,1925; pulchellus Austen,1937 Range (in code): EG IL Pa IR SA
- 6558. Bombylisoma turkmenicum (Paramonov,1926)** (Bombyliidae) Synonym(s): turkmenicum Paramonov,1926; flavisetis Paramonov,1940 Range (in code): TR IR TJ UZ TM
- 6559. Bombylisoma unicolor (Loew,1855)** (Bombyliidae) Synonym(s): unicolor Loew,1855 Range (in code): AL DZ AM Cc AZ GG BG HV EG GR HU IR IT Si LY MD RO RU Sb ES TR UA YU 01 22 38 70
- 6560. Bombylius (s.str.) aksarayensis Hasbenli & Zaitzev,2000** (Bombyliidae) Synonym(s): aksarayensis Hasbenli & Zaitzev,2000 Range (in code): TR 68
- 6561. Bombylius (s.str.) alexandri Paramonov,1940** (Bombyliidae) Synonym(s): alexandri Paramonov,1940 Range (in code): AM Cc AZ GG IL Pa
- 6562. Bombylius (s.str.) altivolans François,1969** (Bombyliidae) Synonym(s): altivolans François,1969 Range (in code): AF
- 6563. Bombylius (s.str.) ambustus Pallas,1818** (Bombyliidae) Synonym(s): ambustus Pallas,1818; dispar Meigen,1820 Range (in code): IT Si AL AM Cc AT AZ GG BY CN HV CZ EE FR DE GR HU KG KK LT MD MN PL RU Sb SK ES CH TJ TR TM UA UZ
- 6564. Bombylius (s.str.) analis Olivier,1789** (Bombyliidae) Synonym(s): analis Olivier,1789; undatus Mikan,1796 Range (in code): AF DZ Cc AM AZ GG AT BY CY CZ EG EE EG DE FR HU IR IT Si KK LT LY MD MA PL PT RU SK ES CH TJ TR TM UA UZ 17
- 6565. Bombylius (s.str.) arenosus Paramonov,1940** (Bombyliidae) Synonym(s): arenosus Paramonov,1940 Range (in code): UZ KG TM
- 6566. Bombylius (s.str.) argentifacies Austen,1937** (Bombyliidae) Synonym(s): argentifacies Austen,1937 Range (in code): IL Pa JO
- 6567. Bombylius (s.str.) armeniacus Paramonov,1925** (Bombyliidae) Synonym(s): armeniacus Paramonov,1925 Range (in code): AM Cc
- 6568. Bombylius (s.str.) callopterus Loew,1855** (Bombyliidae) Synonym(s): callopterus Loew,1855 Range (in code): RU Sb CN IR MN KK ES TJ TM UZ
- 6569. Bombylius (s.str.) candidifrons Austen,1937** (Bombyliidae) Synonym(s): candidifrons Austen,1937 Range (in code): IL Pa
- 6570. Bombylius (s.str.) candidus Loew,1855** (Bombyliidae) Synonym(s): candidus Loew,1855 Range (in code): AF AM Cc AZ GG DE IR IL Pa MD RU SY TR UA 33 42 51 70
- 6571. Bombylius (s.str.) canescens Mikan,1796** (Bombyliidae) Synonym(s): canescens Mikan,1796; cinereus Meigen,1804; variabilis Loew,1855 Range (in code): AL AM Cc AZ GG AT BY BE B-H BG HV CY CZ EE FR Co DE GR IT Si HU LT LY MT MD NL PL RO RU Sb SK SS ES CH SY TR TM GB UA YU 35 36 48
- 6572. Bombylius (s.str.) cinerascens Mikan,1796** (Bombyliidae) Synonym(s): cinerascens Mikan,1796; floralis Meigen,1820 Range (in code): AL AM Cc AZ GG AT BE B-H BG HV CZ EG FR DE GR HU IL Pa IT MK MD PL RO RU SA SK SS ES CH TR IR Ab Oru UA YU 07 17 44 70
- 6573. Bombylius (s.str.) cirrhopus Evenhuis,1978** (Bombyliidae) Synonym(s): fulvipes Bigot,1892; cirrhopus Evenhuis,1978 Range (in code): IN PK
- 6574. Bombylius (s.str.) citrinus Loew,1855** (Bombyliidae) Synonym(s): citrinus Loew,1855 Range (in code): AL AM Cc AZ GG AT B-H HV CY FR DE GR HU IR IT MK MT MD PL PT RO RU Sb SS ES TR UA YU 24 70
- 6575. Bombylius (s.str.) crassitarsis Paramonov,1940** (Bombyliidae) Synonym(s): crassitarsis Paramonov,1940 Range (in code): IL Pa UZ
- 6576. Bombylius (s.str.) desertivagus Paramonov,1940** (Bombyliidae) Synonym(s): dorsalis Loew,1873 nec Oliv.,1789; desertivagus Paramonov,1940 Range (in code): PK KG KK TJ TM UZ
- 6577. Bombylius (s.str.) discolor Mikan,1796** (Bombyliidae) Synonym(s): discolor Mikan,1796 Range (in code): DZ AM Cc AT AZ GG BY BE HV CZ DK EE FI FR DE GR HU IT Si LT LY MD PL PT RO RU Sb SK ES CH TR GB UA YU 31 56 65 76
- 6578. Bombylius (s.str.) elbayensis Efflatoun,1945** (Bombyliidae) Synonym(s): elbayensis Efflatoun,1945; cinereipilus Greathead,1967 Range (in code): ER KE SD TZ EG SA
- 6579. Bombylius (s.str.) fallax Austen,1937** (Bombyliidae) Synonym(s): fallax Austen,1937 Range (in code): IL Pa
- 6580. Bombylius (s.str.) fimbriatus Meigen,1820** (Bombyliidae) Synonym(s): fimbriatus Meigen,1820; dimidiatus Wiedemann,1820; ventralis Loew,1855; debilis Loew,1855; expleta Loew,1855 Range (in code): AF AM Cc AZ GG AT BY BE CY CZ EG EE FR Co DE GR HU IT Si Sa IL Pa LB IR KG KK LT MD MA PL RO RU Sb SK ES SY TJ TN TR TM UA UZ YU 14 70
- 6581. Bombylius (s.str.) flavicalcaratus Lindner,1975** (Bombyliidae) Synonym(s): flavicalcaratus Lindner,1975 Range (in code): IR
- 6582. Bombylius (s.str.) flavipes Wiedemann,1828** (Bombyliidae) Synonym(s): flavipes Wiedemann,1828 Range (in code): EG IR IT LY MA ES YU TR
- 6583. Bombylius (s.str.) flavisetosus Abbasian-Lintzen,1965** (Bombyliidae) Synonym(s): flavisetosus Abbasian-Lintzen,1965 Range (in code): IR IQ

- 6584. Bombylius (s.str.) floccosus Loew,1857** (Bombyliidae) Synonym(s): floccosus Loew,1857; nigropenicillatus Bigot,1892 Range (in code): AM AZ GG Cc BG EG GR IR IT MK MT RO SY LB YU TR
- 6585. Bombylius (s.str.) fulvescens Wiedemann,1820** (Bombyliidae) Synonym(s): fulvescens Wiedemann,1820; apicalis Meigen,1820 Range (in code): AL AM Cc AZ GG AT B-H BG CN? HV CZ EG GR HU IR IQ IL Pa IT Sa Si KG KK MK MT MD PL PT RO RU Sb SA SK SS ES CH TJ TN TR TM UZ UA YU 07 17 25 32 33 36 38 68 70
- 6586. Bombylius (s.str.) fuscus Fabricius,1781** (Bombyliidae) Synonym(s): fuscus Fabricius,1781 Range (in code): IT Si AM AZ GG Cc EG GR IR IQ IL Pa PT ES TM JO
- 6587. Bombylius (s.str.) hololeucus Loew,1873** (Bombyliidae) Synonym(s): hololeucus Loew,1873 Range (in code): TM UZ
- 6588. Bombylius (s.str.) iranica Paramonov,1940** (Bombyliidae) Synonym(s): iranica Paramonov,1940 Range (in code): AZ AM GG Cc IR
- 6589. Bombylius (s.str.) kugleri Zaitsev,1995** (Bombyliidae) Synonym(s): kugleri Zaitsev,1995 Range (in code): IL Pa
- 6590. Bombylius (s.str.) maculithorax Paramonov,1926** (Bombyliidae) Synonym(s): maculithorax Paramonov,1926 Range (in code): UZ TJ KK TM CN Ui
- 6591. Bombylius (s.str.) major Linnaeus,1758** (Bombyliidae) Synonym(s): major Linnaeus,1758; anonyms Sulzer,1761; variegatus De Geer,1776; aequalis Fabricius,1781; lanigerus Geoffroy,1785; sinuatus Mikan,1796; fratellus Wiedemann,1828; consanguineus Macquart,1840; vicinus Macquart,1840; albipectus Macquart,1855; basilinea Loew,1855; australis Loew,1855; antenoreus Lioy,1864; notialis Evenhuis,1978 Range (in code): CA Alb BCo On Mnt Ssk MX BcN US Arz Cf Col Tx NMx BD IN Ass Hp NP PK TH AL DZ AM AT AZ GG Cc BY BE B-H BG CN HV CY CZ DK EG EE FI FR Co DE GR HU IE IT Sa Si JP KG KR KP LT LY MT MK RO RU Sb Us NL NO MN MA SK SS ES SE CH TJ TR TN TM GB UZ YU HV B-H SS MK Aks FI Ne Neb Mon Mch Ny NCa NDk Oh Ok Org SCa SDk Ut Vi Ws We Wy Mai Mrl Mis Kan Io Idp Iln Id Ge Nje 65
- 6592. Bombylius (s.str.) marebensis Greathead,1967** (Bombyliidae) Synonym(s): marebensis Greathead,1967 Range (in code): ET YE SA
- 6593. Bombylius (s.str.) massaurensis Greathead,1967** (Bombyliidae) Synonym(s): massaurensis Greathead,1967 Range (in code): ER ML YE SA
- 6594. Bombylius (s.str.) medius Linnaeus,1758** (Bombyliidae) Synonym(s): medius Linnaeus,1758; punctatus De Geer,1776; concolor Mikan,1796; discolor Meigen,1804; tectus panzer,1804; intermedius Walker,1849; albomicans Loew,1855; pictipennis Loew,1855; pallipes Loew,1855; dalmatina Strobl,1902 nec Lw.,1855; poecilopterus Bezzi,1925; caucasicus Paramonov,1940; varipennis Evenhuis,1978 Range (in code): AF AL AM AZ GG Cc DZ BY BE B-H HV BG CY CZ EG EE FR DE GR Rd HU IR Ab Oru IQ IL Pa IT Sa Si KG KK LT LB LY MK MT MD MA NL PL PT RO RU Sb SK SS ES SE CH SY TJ TN TR TM UA UZ YU 14 35 38 42 48 65
- 6595. Bombylius (s.str.) mendax Austen,1937** (Bombyliidae) Synonym(s): mendax Austen,1937 Range (in code): IL Pa
- 6596. Bombylius (s.str.) minor Linnaeus,1758** (Bombyliidae) Synonym(s): minor Linnaeus,1758; dilutus Wiedemann,1820; subcinctus Wiedemann,1820; allibarbis Zetterstedt,1842; flavescens Palm,1876; ochraceus paramonov,1926 nec Big.,1892; moldavanicus Paramonov,1926; luteolus Evenhuis,1978; thapsinoides Evenhuis,1978 Range (in code): AF AL AM Cc AT AZ GG BY BE B-H BG HV CY CZ DK EE FI FR DE GR HU IR IT Sa Si KG KK LT MK MD MN NL NO PL PT RO ES SE CH TJ TM GB UA UZ YU 17 33 44 58 70
- 6597. Bombylius (s.str.) mobilis Loew,1873** (Bombyliidae) Synonym(s): mobilis Loew,1873 Range (in code): UZ TJ TM KG PK
- 6598. Bombylius (s.str.) modestus Loew,1873** (Bombyliidae) Synonym(s): modestus Loew,1873 Range (in code): ET SD YE PK AF AM AZ GG Cc CY EG GR IT IR MK KG RU Sb SA TJ TM UZ YU 04 24 33 70
- 6599. Bombylius (s.str.) mus Bigot,1862** (Bombyliidae) Synonym(s): mus Bigot,1862; argentifrons Loew,1873; similis Loew,1873 Range (in code): AL AM AZ Cc AT B-H HV EG FR Co GR GG HU IR IL Pa IT Si KK LB MK MA PT RO SS ES SY TJ TN TM UZ YU
- 6600. Bombylius (s.str.) nigricolor François,1969** (Bombyliidae) Synonym(s): nigricolor François,1969 Range (in code): AF
- 6601. Bombylius (s.str.) niveus Meigen,1804** (Bombyliidae) Synonym(s): niveus Meigen,1804 Range (in code): AL AM AZ Cc GG GR BG EG FR IT HU IR IL Pa MK MD RO RU Sb SA ES TR UA AE YU 01 33
- 6602. Bombylius (s.str.) nubilus Mikan,1796** (Bombyliidae) Synonym(s): nubilus Mikan,1796; pilirostris Loew,1855; monticola Paramonov,1926; algericus Villeneuve,1932 Range (in code): DZ AM AZ Cc AT CZ EG DE GR IR IT Sa MD PL RO RU SK ES CH TR UA 06 32
- 6603. Bombylius (s.str.) olgae Zaitsev,1995** (Bombyliidae) Synonym(s): olgae Zaitsev,1995 Range (in code): IL Pa
- 6604. Bombylius (s.str.) olivierii Macquart,1840** (Bombyliidae) Synonym(s): olivierii Macquart,1840 Range (in code): IQ
- 6605. Bombylius (s.str.) pallidipilus Greathead,1967** (Bombyliidae) Synonym(s): pallidipilus Greathead,1967 Range (in code): TD ER SO YE SA OM
- 6606. Bombylius (s.str.) pallidus Abbassian-Lintzen,1965** (Bombyliidae) Synonym(s): pallidus Abbassian-Lintzen,1965 Range (in code): IR

- 6607. Bombylius (s.str.) pericaustus Loew,1873** (Bombyliidae) Synonym(s): pericaustus Loew,1873  
Range (in code): AF IR KG KK TJ TM UZ
- 6608. Bombylius (s.str.) persicus Paramonov,1926** (Bombyliidae) Synonym(s): persicus Paramonov,1926 Range (in code): IR
- 6609. Bombylius (s.str.) phaeopterus Bezzi,1924** (Bombyliidae) Synonym(s): phaeopterus Bezzi,1924; phaeopteroides Greathead,1967 Range (in code): ER ET YE OM SA
- 6610. Bombylius (s.str.) polypogon Loew,1855** (Bombyliidae) Synonym(s): polypogon Loew,1855  
Range (in code): EG IL Pa LY SY LB
- 6611. Bombylius (s.str.) posticus Fabricius,1805** (Bombyliidae) Synonym(s): micans Meigen,1804 nec Fabr.,1798; posticus Fabricius,1805; vulpinus Wiedemann,1820; fugax Wiedemann,1820; tibialis Walker,1849; desertorum Paramonov,1926; palaestinus Paramonov,1926 Range (in code): AF AL DZ AM AZ Cc AT BE B-H BG HV CY CZ DK EG FR DE GR GG HU IR Ab Oru IQ IT Sa Si KG MK MD MA PL RO PT RU SK SS ES CH SY TJ TN TR TM UA 07 13 17 32 33 35 48 49 51
- 6612. Bombylius (s.str.) proximocruciatu Abbassian-Lintzen,1965** (Bombyliidae) Synonym(s): proximocruciatu Abbassian-Lintzen,1965 Range (in code): IR
- 6613. Bombylius (s.str.) pumilus Meigen,1820** (Bombyliidae) Synonym(s): pumilus Meigen,1820  
Range (in code): YE AL DZ AM AZ GG Cc GR EG FR DE HU IR IQ IL Pa IT Si LB KW MK MD OM PL RO RU SA ES SY TR UA AE 17 35 42 48
- 6614. Bombylius (s.str.) punctipennis Loew,1855** (Bombyliidae) Synonym(s): punctipennis Loew,1855  
Range (in code): GR IR MK ES TN TR YU
- 6615. Bombylius (s.str.) repeteki Paramonov,1940** (Bombyliidae) Synonym(s): repeteki Paramonov,1940; submodestus Paramonov,1940 Range (in code): TM UZ IL Pa
- 6616. Bombylius (s.str.) rhodius Loew,1855** (Bombyliidae) Synonym(s): rhodius Loew,1855 Range (in code): GR TR IT TM IR 17 48
- 6617. Bombylius (s.str.) rossicus Evenhuis & Greathead,1999** (Bombyliidae) Synonym(s): aurulentus Paramonov,1926 nec Wiedem.,1820; rossicus Evenhuis & Greathead,1999 Range (in code): CN KG KK TJ TM UZ
- 6618. Bombylius (s.str.) saudiensis Greathead,1980** (Bombyliidae) Synonym(s): saudiensis Greathead,1980 Range (in code): SA
- 6619. Bombylius (s.str.) schaeuffelei Lindner,1975** (Bombyliidae) Synonym(s): schaeuffelei Lindner,1975 Range (in code): IR
- 6620. Bombylius (s.str.) semifuscus Meigen,1820** (Bombyliidae) Synonym(s): semifuscus Meigen,1820; senilis Jaennicke,1867 nec Fabr.,1794; nigripes Strobl,1898 nec Macq.,1834 Range (in code): AL AM AZ Cc AT CN CZ FR DE GR GG HU IT KK MK MA PL SK CH TJ TN TM UZ
- 6621. Bombylius (s.str.) shah Paramonov,1940** (Bombyliidae) Synonym(s): shah Paramonov,1940  
Range (in code): IR AM AZ GG Cc
- 6622. Bombylius (s.str.) shelkovnikovi Paramonov,1926** (Bombyliidae) Synonym(s): shelkovnikovi Paramonov,1926 Range (in code): IT AM AZ Cc GR GR TM
- 6623. Bombylius (s.str.) socotrae Greathead,1969** (Bombyliidae) Synonym(s): socotrae Greathead,1969 Range (in code): Sk YE
- 6624. Bombylius (s.str.) spinulosus Hasbenli & Zaitzev,2000** (Bombyliidae) Synonym(s): spinulosus Hasbenli & Zaitzev,2000 Range (in code): TR
- 6625. Bombylius (s.str.) susianae Abbassian-Lintzen,1965** (Bombyliidae) Synonym(s): susianae Abbassian-Lintzen,1965 Range (in code): IR
- 6626. Bombylius (s.str.) tephroleucus Loew,1855** (Bombyliidae) Synonym(s): tephroleucus Loew,1855  
Range (in code): IR
- 6627. Bombylius (s.str.) terminalis Brunetti,1909** (Bombyliidae) Synonym(s): terminalis Brunetti,1909 Range (in code): IN Up PK
- 6628. Bombylius (s.str.) testaceiventris Paramonov,1925** (Bombyliidae) Synonym(s): testaceiventris Paramonov,1925; bergi Paramonov,1926 Range (in code): UZ TM Cc AM AZ GG KG
- 6629. Bombylius (s.str.) torquatus Loew,1855** (Bombyliidae) Synonym(s): torquatus Loew,1855  
Range (in code): DZ AM AZ Cc GG CY EG IT Si LY MA TN PT ES FR
- 6630. Bombylius (s.str.) trichurus Pallas,1818** (Bombyliidae) Synonym(s): trichurus Pallas,1818; fuliginosus Wiedemann,1820; brevirostris Meigen,1830 nec Oliv.,1789; rhodius Loew,1855; capillatus Palm,1876; tavrizi Paramonov,1926 Range (in code): YE AL AM AZ GG Cc AT BG HV CY CZ FR GR Rd HU IR Ak Ab IL Pa IT Si LB MK MD OM PL RO RU SA SK ES SY TR TM UA 06 07 15 32 38 44 48 50 51 68
- 6631. Bombylius (s.str.) turanicus Paramonov,1926** (Bombyliidae) Synonym(s): turanicus Paramonov,1926 Range (in code): KK UZ TM
- 6632. Bombylius (s.str.) turcmenicus Paramonov,1926** (Bombyliidae) Synonym(s): turcmenicus Paramonov,1926; turkmenicus Paramonov,1940 Range (in code): TM
- 6633. Bombylius (s.str.) ushinskii Paramonov,1940** (Bombyliidae) Synonym(s): ushinskii Paramonov,1940 Range (in code): TM



- 6634. Bombylius (s.str.) venosus Mikan,1796** (Bombyliidae) Synonym(s): venosus Mikan,1796; holosericeus Wiedemann,1820; longirostris Meigen,1820; pusillus Meigen,1830 Range (in code): AM AZ GG Cc TR AT BE B-H BG HV CZ EE FR DE GR HU IT Si LT LB MK NL PL PT RO RU Sb SK SS ES CH UA YU 48
- 6635. Bombylius (s.str.) vlasovi Paramonov,1940** (Bombyliidae) Synonym(s): vlasovi Paramonov,1940 Range (in code): AM AZ GG Cc TM UZ
- 6636. Bombylius (s.str.) wadensis Efflatoun,1945** (Bombyliidae) Synonym(s): wadensis Efflatoun,1945 Range (in code): SD EG IL Pa
- 6637. Bombylius (s.str.) zarudnyi Paramonov,1940** (Bombyliidae) Synonym(s): zarudnyi Paramonov,1940 Range (in code): IR
- 6638. Bombylius (Zephyrectes) cinerarius Pallas,1818** (Bombyliidae) Synonym(s): cinerarius Pallas,1818; eversmanni Paramonov,1926; karelini Paramonov,1926; pallasi Paramonov,1926 Range (in code): AL AM AZ Cc AT B-H BG CN HV CY EG FR GR GG HU IR IT KG MK MD MN RO RU Sb SK SS ES SY TR TM UA UZ YU 33 35
- 6639. Bombylius (Zephyrectes) cruciatus Fabricius,1798** (Bombyliidae) Synonym(s): cruciatus Fabricius,1798; leucopogon Meigen,1804 Range (in code): AL AZ BE CY EG FR GR IR Cc IT Si Sa MA PL ES
- 6640. Bombylius (Zephyrectes) quadrifarius Loew,1855** (Bombyliidae) Synonym(s): quadrifarius Loew,1855 Range (in code): AL AM AZ BG CN CZ GR GG HU Cc IR IL Pa IR MK MD RO RU SK TJ TR UA YU 25 32 36
- 6641. Caecanthrax arabicus (Macquart,1840)** (Bombyliidae) Synonym(s): arabicus Macquart,1840; punctum Loew,1854; dimidiatus Greathead,1980 Range (in code): TR PK SA AF AM AZ GG Cc FR GR Rd IR Ab Oru IT JO KK TJ TM AE UZ YU 02 12 46 50 65
- 6642. Caecanthrax auratus Greathead,1980** (Bombyliidae) Synonym(s): auratus Greathead,1980 Range (in code): YE
- 6643. Caecanthrax inauratus (Klug,1832)** (Bombyliidae) Synonym(s): inauratus Klug,1832 Range (in code): SA ER GH KE ML NE SO YE Sk EG SA
- 6644. Callostoma desertorum Loew,1873** (Bombyliidae) Synonym(s): desertorum Loew,1873 Range (in code): IR KG TM TJ UZ
- 6645. Callostoma fascipenne Macquart,1840** (Bombyliidae) Synonym(s): fascipenne Macquart,1840; palaestinae Paramonov,1931 Range (in code): IT Sa AF AM AZ GG Cc TR GR IR IL Pa MK TM UZ YU 07 42 44 56 65
- 6646. Callostoma imperator Nurse,1922** (Bombyliidae) Synonym(s): imperator Nurse,1922 Range (in code): IN PK AF
- 6647. Callostoma oezbeki Dils & Özbek,2006** (Bombyliidae) Synonym(s): oezbeki Dils & Özbek,2006 Range (in code): TR 44 73
- 6648. Callostoma persicum Paramonov,1929** (Bombyliidae) Synonym(s): persicum Paramonov,1929 Range (in code): IR Ab Khy Mak Oru
- 6649. Callostoma soror Loew,1873** (Bombyliidae) Synonym(s): soror Loew,1873 Range (in code): TJ UZ KK IR
- 6650. Chalcochiton argyrocephalus (Macquart,1840)** (Bombyliidae) Synonym(s): argyrocephalus Macquart,1840 Range (in code): DZ EG IL Pa JO LY MA
- 6651. Chalcochiton aureus (Fabricius,1794)** (Bombyliidae) Synonym(s): aureus Fabricius,1794; punctipennis Macquart,1840 Range (in code): DZ EG IL Pa IT Si LY JO TN MA
- 6652. Chalcochiton holosericea (Fabricius,1794)** (Bombyliidae) Synonym(s): holosericea Fabricius,1794; albivillus Pallas,1818; semiargentea Macquart,1840; aberrans Walker,1849 Range (in code): ES FR Co Sa IT Si HV AF DZ GR IR MK MA TN YU TM TJ
- 6653. Chalcochiton pallasii (Loew,1856)** (Bombyliidae) Synonym(s): pallasii Loew,1856; schineri Nowicki,1868 Range (in code): IT MK GR BG UA Cc TR SY LB JO RU AZ AM GG IR KK MD MA PL RO SS SY TJ UZ TM 01 06 13 14 25 30 35 36 38 42 44 48 60 65 68 76
- 6654. Chalcochiton speciosus Loew,1844** (Bombyliidae) Synonym(s): speciosus Loew,1844 Range (in code): AF TR JO IR Th Elb 30
- 6655. Chalcochiton syriacus (Loew,1869)** (Bombyliidae) Synonym(s): syriacus Loew,1869 Range (in code): SY LB JO IL Pa TR LY
- 6656. Cononedys armenica (Paramonov,1929)** (Bombyliidae) Synonym(s): armeniaca Paramonov,1925 nec Param.,1925; armenica Paramonov,1929 Range (in code): AZ AM Cc
- 6657. Cononedys bilobata (Bezzi,1924)** (Bombyliidae) Synonym(s): bilobata Bezzi,1924 Range (in code): ET SA
- 6658. Cononedys bituberculata Becker,1915** (Bombyliidae) Synonym(s): bituberculata Becker,1915 Range (in code): TN IL Pa
- 6659. Cononedys dichromatopa (Bezzi,1925)** (Bombyliidae) Synonym(s): dichromatopa Bezzi,1925 Range (in code): EG IL Pa
- 6660. Cononedys efflatouni (Bezzi,1925)** (Bombyliidae) Synonym(s): efflatouni Bezzi,1925 Range (in code): EG IL Pa
- 6661. Cononedys inornata (Greathead,1967)** (Bombyliidae) Synonym(s): inornata Greathead,1967 Range (in code): ER SA

- 6662. *Cononedys stenura* (Loew,1871) (Bombyliidae) Synonym(s): stenura Loew,1871 Range (in code): TJ TM UZ PK IL Pa TR IR Ab Oru 04 24 30 33 42 44 58 65 70**
- 6663. *Conophorus aktashi* Hasbenli, Koç & Zaitzev,1998 (Bombyliidae) Synonym(s): aktashi Hasbenli, Koç & Zaitzev,1998 Range (in code): TR 25 46 51 68**
- 6664. *Conophorus anatolicus* Zaitzev,1981 (Bombyliidae) Synonym(s): anatolicus Zaitzev,1981 Range (in code): TR**
- 6665. *Conophorus asiaticus* Paramonov,1929 (Bombyliidae) Synonym(s): asiaticus Paramonov,1929 Range (in code): TR IR 15 38**
- 6666. *Conophorus bivittatus* (Loew,1862) (Bombyliidae) Synonym(s): bivittatus Loew,1862 Range (in code): TR IT**
- 6667. *Conophorus caucasicus* Zaitzev,1960 (Bombyliidae) Synonym(s): caucasicus Zaitzev,1960 Range (in code): RU Cc**
- 6668. *Conophorus engeli* Paramonov,1940 (Bombyliidae) Synonym(s): engeli Paramonov,1940 Range (in code): TM**
- 6669. *Conophorus glaucescens* (Loew,1863) (Bombyliidae) Synonym(s): glaucescens Loew,1863; #glaucescens Hasbenli & Aktaş,1995 Range (in code): IT BG YU AL RU MD UA TR Cc GG AZ AM IR Ak Qz 06 07 15 32 38 42 55**
- 6670. *Conophorus gracilis* Dils & Özbek,2006 (Bombyliidae) Synonym(s): gracilis Dils & Özbek,2006 Range (in code): TR GR 17 33 35 38 42 48 51 70**
- 6671. *Conophorus greeni* Austen,1936 (Bombyliidae) Synonym(s): greeni Austen,1936 Range (in code): CY**
- 6672. *Conophorus monticola* Paramonov,1929 (Bombyliidae) Synonym(s): monticola Paramonov,1929 Range (in code): AF IR KK TM TJ UZ**
- 6673. *Conophorus nobilis* (Loew,1873) (Bombyliidae) Synonym(s): nobilis Loew,1873 Range (in code): Cc AM AZ GG TR JO IR TM 06 07 25 38 70**
- 6674. *Conophorus paraduncus* Paramonov,1929 (Bombyliidae) Synonym(s): paraduncus Paramonov,1929 Range (in code): AM Cc KK TM TJ**
- 6675. *Conophorus pseudaduncus* Paramonov,1929 (Bombyliidae) Synonym(s): pseudaduncus Paramonov,1929 Range (in code): TR IR Qz TM UZ 65**
- 6676. *Conophorus rjabovi* Paramonov,1929 (Bombyliidae) Synonym(s): rjabovi Paramonov,1929 Range (in code): RU Da Cc AZ AM GG MD UA IR Gh 07 09 17 32 33 38**
- 6677. *Conophorus rjabovi* Paramonov,1929 (Bombyliidae) Synonym(s): rjabovi Paramonov,1929 Range (in code): AM AZ GG Cc MD RU UA TR**
- 6678. *Conophorus rossicus* Paramonov,1929 (Bombyliidae) Synonym(s): rossicus Paramonov,1929 Range (in code): AM AZ GG Cc CZ HU RU TR IT MD PL RO IR SK UA**
- 6679. *Conophorus simplex* Loew,1869 (Bombyliidae) Synonym(s): simplex Loew,1869 Range (in code): TR IL Pa 06 35 45 50**
- 6680. *Conophorus storthus* Bowden,1967 (Bombyliidae) Synonym(s): storthus Bowden,1967 Range (in code): TR 09 25 42**
- 6681. *Conophorus syriacus* Paramonov,1929 (Bombyliidae) Synonym(s): syriacus Paramonov,1929 Range (in code): TR AM AZ Cc IR 17 33 35 70**
- 6682. *Conophorus talyshensis* Zaitzev,1960 (Bombyliidae) Synonym(s): talyshensis Zaitzev,1960 Range (in code): Cc AZ AM GG**
- 6683. *Conophorus virescens* (Fabricius,1787) (Bombyliidae) Synonym(s): virescens Fabricius,1787; maurus Mikan,1796; hirticornis Latreille,1805; semirostris Pallas,1818; lurida Wiedemann,1820 Range (in code): DZ TN EG PT ES IT BE DE PL EE LT LV UA RU MD Cc TR AZ AM GG IR AF CN 06 26 35 38**
- 6684. *Cyllenina globiceps* Loew,1871 (Bombyliidae) Synonym(s): globiceps Loew,1871 Range (in code): TJ TM UZ**
- 6685. *Cyllenina marginata* Loew,1846 (Bombyliidae) Synonym(s): marginata Loew,1846 Range (in code): FR IT Si TR AL AM AZ GG Cc B-H HV GR IL Pa IR MK RO SS YU TM 02 04 25 30 32 33 36 38 44 65 70**
- 6686. *Cyllenina obsoleta* Loew,1846 (Bombyliidae) Synonym(s): obsoleta Loew,1846 Range (in code): TR IR 32 35 42 48**
- 6687. *Cyllenina rustica* (Rossi,1790) (Bombyliidae) Synonym(s): rustica Rossi,1790; maculata Latreille,1802; cyllenina Lamarck,1816 Range (in code): ES FR CH IT Si AT TR Cc AZ AM GG GR CZ SK BY DE HU MK MD RO PL YU UA RU 01 33 48 51 65 70**
- 6688. *Cyllenina turkestanica* Paramonov,1929 (Bombyliidae) Synonym(s): turkestanica Paramonov,1929 Range (in code): KK UZ TJ TM**
- 6689. *Cytherea albifrons* (Loew,1873) (Bombyliidae) Synonym(s): albifrons Loew,1873 Range (in code): TJ TM UZ**
- 6690. *Cytherea albolineata* (Bezzi,1925) (Bombyliidae) Synonym(s): albolineata Bezzi,1925 Range (in code): YE EG IL Pa JO IR OM SA AE**

- 6691. *Cytherea alexandrina* (Becker,1902)** (Bombyliidae) Synonym(s): alexandrina Becker,1902 Range (in code): SD YE DZ TN EG IL Pa TR OM SA AE IR KW AF 44
- 6692. *Cytherea araxana* Paramonov,1930** (Bombyliidae) Synonym(s): araxana Paramonov,1930 Range (in code): AM AZ Cc
- 6693. *Cytherea arenicola* Paramonov,1930** (Bombyliidae) Synonym(s): arenicola Paramonov,1930 Range (in code): TM
- 6694. *Cytherea barbara* Sack,1906** (Bombyliidae) Synonym(s): barbara Sack,1906 Range (in code): TN DZ EG IL Pa LB JO SY LY
- 6695. *Cytherea bucharensis* Paramonov,1930** (Bombyliidae) Synonym(s): bucharensis Paramonov,1930 Range (in code): TM UZ
- 6696. *Cytherea carmelitensis* (Becker,1903)** (Bombyliidae) Synonym(s): carmelitensis Becker,1903 Range (in code): IL Pa SY
- 6697. *Cytherea delicata* (Becker,1906)** (Bombyliidae) Synonym(s): delicata Becker,1906 Range (in code): MA DZ TN YE EG IL Pa JO KW OM SA AE TR
- 6698. *Cytherea deserticola* Paramonov,1930** (Bombyliidae) Synonym(s): albifrons Paramonov,1930 nec Lw.,1871; deserticola Paramonov,1930; pallidifrons Evenhuis,1978 Range (in code): UZ TM
- 6699. *Cytherea dichroma* Paramonov,1930** (Bombyliidae) Synonym(s): dichroma Paramonov,1930 Range (in code): TM UZ
- 6700. *Cytherea discipes* Becker,1915** (Bombyliidae) Synonym(s): discipes Becker,1915 Range (in code): TN IL Pa
- 6701. *Cytherea dispar* (Loew,1873)** (Bombyliidae) Synonym(s): dispar Loew,1873 Range (in code): MA DZ AM AZ Cc GG JO TN TR IR AF KK TJ UZ TM 04 46
- 6702. *Cytherea disparoides* Paramonov,1930** (Bombyliidae) Synonym(s): disparoides Paramonov,1930 Range (in code): TM UZ
- 6703. *Cytherea elegans* Paramonov,1930** (Bombyliidae) Synonym(s): elegans Paramonov,1930; paramonovi Evenhuis & Greathead,1999 [unnecessary replacement name!] Range (in code): AM Cc
- 6704. *Cytherea esfandiarii* Lindner,1975** (Bombyliidae) Synonym(s): esfandiarii Lindner,1975 Range (in code): IR
- 6705. *Cytherea fenestrata* (Loew,1873)** (Bombyliidae) Synonym(s): fenestrata Loew,1873 Range (in code): MA YE EG IL Pa JO SY TR IR Ab Oru OM SA AE KW UZ TM TJ
- 6706. *Cytherea fenestrulata* (Loew,1873)** (Bombyliidae) Synonym(s): fenestrulata Loew,1873; armeniaca Paramonov,1930 Range (in code): TR AZ AM Cc UZ TJ KG 38
- 6707. *Cytherea fratella* (Becker,1903)** (Bombyliidae) Synonym(s): fratella Becker,1903 Range (in code): TM UZ
- 6708. *Cytherea fusciventris* Zaitzev,1966** (Bombyliidae) Synonym(s): fusciventris Zaitzev,1966 Range (in code): AZ Cc
- 6709. *Cytherea infuscata* (Meigen,1820)** (Bombyliidae) Synonym(s): infuscata Meigen,1820 Range (in code): DZ ES AM AZ GG Cc EG FR GR IT K LY KK TJ TM UZ YU
- 6710. *Cytherea innitidifrons* Abbassian-Lintzen,1968** (Bombyliidae) Synonym(s): innitidifrons Abbassian-Lintzen,1968 Range (in code): IR
- 6711. *Cytherea iranica* Abbassian-Lintzen,1968** (Bombyliidae) Synonym(s): iranica Abbassian-Lintzen,1968 Range (in code): IR
- 6712. *Cytherea latifrons* Paramonov,1930** (Bombyliidae) Synonym(s): latifrons Paramonov,1930 Range (in code): TM UZ
- 6713. *Cytherea maroccana* (Becker,1903)** (Bombyliidae) Synonym(s): maroccana Becker,1903; nitidapex Bezzi,1925 Range (in code): MA DZ EG LY IL Pa
- 6714. *Cytherea melaleuca* (Loew,1873)** (Bombyliidae) Synonym(s): melaleuca Loew,1873; melanoleuca Becker,1903 Range (in code): AM AZ GG Cc TR TM TJ
- 6715. *Cytherea mervensis* Paramonov,1927** (Bombyliidae) Synonym(s): mervensis Paramonov,1927 Range (in code): TM Mrw TJ IR
- 6716. *Cytherea nucleorum* (Bekcer,1902)** (Bombyliidae) Synonym(s): nucleorum Bekcer,1902 Range (in code): EG IL Pa JO KW SY SA KW
- 6717. *Cytherea obscura* Fabricius,1794** (Bombyliidae) Synonym(s): obscura Fabricius,1794; tauriacus Becker,1903 Range (in code): MA DZ IT TR IL Pa JO LB IR Ab Oru Ha Lo Th Elb AL AM AZ Cc B-H BG HV CZ SK FR GR MK MD RO ES PT SSTJ TM YU UA 01 02 04 07 13 17 25 30 33 36 38 42 44 65 70 73
- 6718. *Cytherea pallidipennis* Abbasian-Lintzen,1968** (Bombyliidae) Synonym(s): pallidipennis Abbasian-Lintzen,1968 Range (in code): IR IL Pa TR 12 30 73
- 6719. *Cytherea persicana* (Becker,1903)** (Bombyliidae) Synonym(s): persicana Becker,1903 Range (in code): IR AZ AM Cc GG EG KK TJ TM UZ
- 6720. *Cytherea thyridophora* Bezzi,1925** (Bombyliidae) Synonym(s): thyridophora Bezzi,1925 Range (in code): IR EG DZ TN SA IL Pa
- 6721. *Cytherea transcaspia* (Becker,1903)** (Bombyliidae) Synonym(s): transcaspia Becker,1903 Range (in code): IR TM KG TJ UZ



- 6722. *Cytherea turanica* Paramonov,1930** (Bombyliidae) Synonym(s): turanica Paramonov,1930  
Range (in code): TM TJ
- 6723. *Cytherea turkmenica* Paramonov,1930** (Bombyliidae) Synonym(s): turkmenica Paramonov,1930  
Range (in code): TM UZ
- 6724. *Cytherea wadensis* Efflatoun,1945** (Bombyliidae) Synonym(s): wadensis Efflatoun,1945 Range (in code): EG IL Pa
- 6725. *Desmatoneura albifacies* (Macquart,1840)** (Bombyliidae) Synonym(s): tibialis Stephens,1829; albifacies Macquart,1840 Range (in code): EG DZ AF
- 6726. *Desmatoneura brevipennis* (Bezzi,1924)** (Bombyliidae) Synonym(s): cristata Zetterstedt,1845; brevipennis Bezzi,1924 Range (in code): ER YE OM AE
- 6727. *Desmatoneura davidi* Zaitzev,1997** (Bombyliidae) Synonym(s): davidi Zaitzev,1997 Range (in code): IL Pa
- 6728. *Desmatoneura erythrostoma* (Rondani,1873)** (Bombyliidae) Synonym(s): frenatus Holmgren,1872; erythrostoma Rondani,1873 Range (in code): IR
- 6729. *Desmatoneura frontalis* (Wiedemann,1828)** (Bombyliidae) Synonym(s): frontalis Wiedemann,1828; impar Zetterstedt,1845 Range (in code): ET SD OM SA
- 6730. *Desmatoneura kinereti* Zaitzev,1999** (Bombyliidae) Synonym(s): kinereti Zaitzev,1999 Range (in code): IL Pa
- 6731. *Desmatoneura niveisquamis* (Brunetti,1909)** (Bombyliidae) Synonym(s): niveisquamis Brunetti,1909 Range (in code): PK
- 6732. *Desmatoneura sica* Greathead,1969** (Bombyliidae) Synonym(s): sica Greathead,1969 Range (in code): Sk OM
- 6733. *Desmatoneura turkmenica* Zaitzev,2002** (Bombyliidae) Synonym(s): turkmenica Zaitzev,2002  
Range (in code): TM
- 6734. *Dischistus effatounbeyi* François,1961** (Bombyliidae) Synonym(s): auripilus Efflatoun,1945 nec by Ség.,1930; effatounbeyi François,1961 Range (in code): EG IL Pa
- 6735. *Dischistus niveicomatus* Austen,1937** (Bombyliidae) Synonym(s): niveicomatus Austen,1937  
Range (in code): IL Pa
- 6736. *Dischistus separatus* (Becker,1906)** (Bombyliidae) Synonym(s): separatus Becker,1906 Range (in code): DZ EG LY IT MA ES TN SY
- 6737. *Dischistus syriacus* (Villeneuve,1912)** (Bombyliidae) Synonym(s): syriacus Villeneuve,1912  
Range (in code): LB IL Pa
- 6738. *Eclimus gracilis* Loew,1844** (Bombyliidae) Synonym(s): gracilis Loew,1844; festae Bezzi,1924  
Range (in code): FR IT TR GR IL Pa LY MK MA YU 09 32 33 48
- 6739. *Eclimus perspicillaris* Loew,1844** (Bombyliidae) Synonym(s): perspicillaris Loew,1844 Range (in code): IT GR TR
- 6740. *Efflatounia aegyptiaca* Bezzi,1925** (Bombyliidae) Synonym(s): aegyptiaca Bezzi,1925 Range (in code): EG IL Pa LY SA
- 6741. *Eremyia argentata* (Greathead,1967)** (Bombyliidae) Synonym(s): argentata Greathead,1967  
Range (in code): ER YE
- 6742. *Eremyia mofidii* (Abbassian-Lintzen,1966)** (Bombyliidae) Synonym(s): mofidii Abbassian-Lintzen,1966 Range (in code): IR
- 6743. *Eremyia transcaspica* (Paramonov,1924)** (Bombyliidae) Synonym(s): transcaspica Paramonov,1924 Range (in code): IN KG TM IR Cc AZ AM GG
- 6744. *Exhyalanthrax afer* (Fabricius,1794)** (Bombyliidae) Synonym(s): afer Fabricius,1794; fimbriata Meigen,1804; marginalis Wiedemann,1820; tangerinus Bigot,1892; burtii Hesse,1956; aequisexus Bowden,1964; decipiens Bowden,1964 Range (in code): TR TD ER GH KE YE PK AF AM AZ GG Cc BE BG CN Sz Yu Ui Ti HV CY CZ DK EG FR Co DE ES GR HU IR Ab Khy IT Sa Si KK KG LY MK MT MN MA NL OM PL PT RO RU SA SK SS CH TJ TM UA AE UZ YU 01 02 07 25 32 33 35 38 42 44 48 58 65 70
- 6745. *Exhyalanthrax albicingulus* (Austen,1936)** (Bombyliidae) Synonym(s): albicingulus Austen,1936  
Range (in code): CY LB SY TR IR
- 6746. *Exhyalanthrax aravensis* (Zaitzev,1999)** (Bombyliidae) Synonym(s): aravensis Zaitzev,1999  
Range (in code): IL Pa
- 6747. *Exhyalanthrax argentifer* Becker,1916** (Bombyliidae) Synonym(s): argentifer Becker,1916  
Range (in code): IT GR YU MK TR IR
- 6748. *Exhyalanthrax autumnalis* Becker,1916** (Bombyliidae) Synonym(s): autumnalis Becker,1916  
Range (in code): TR EG IR
- 6749. *Exhyalanthrax beckerianus* (Bezzi,1924)** (Bombyliidae) Synonym(s): beckerianus Bezzi,1924; argentifrons Austen,1929 nec Beck.,1910; argyrolophus Hesse,1956 Range (in code): TD KE NA NG SN SL TZ ZW OM SA AE
- 6750. *Exhyalanthrax blattae* Greathead,1995** (Bombyliidae) Synonym(s): blattae Greathead,1995  
Range (in code): SA

- 6751. Exhyalanthrax contrarius Becker,1916** (Bombyliidae) Synonym(s): contrarius Becker,1916 Range (in code): IT HV GR TR 33
- 6752. Exhyalanthrax entamari Zaitzev,1999** (Bombyliidae) Synonym(s): entamari Zaitzev,1999 Range (in code): IL Pa
- 6753. Exhyalanthrax innocens (Austen,1936)** (Bombyliidae) Synonym(s): innocens Austen,1936; amoenus Austen,1937 Range (in code): CY EG IL Pa SY
- 6754. Exhyalanthrax intermedius (Paramonov,1927)** (Bombyliidae) Synonym(s): intermedius Paramonov,1927 Range (in code): AM AZ GG Cc
- 6755. Exhyalanthrax irrorellus (Klug,1832)** (Bombyliidae) Synonym(s): irrorellus Klug,1832; inconspicua Loew,1856 Range (in code): EG LB LY SY
- 6756. Exhyalanthrax keiseri (François,1968)** (Bombyliidae) Synonym(s): keiseri François,1968 Range (in code): IN Adm Ch BD PK LK TH
- 6757. Exhyalanthrax lepidulus (Austen,1937)** (Bombyliidae) Synonym(s): lepidulus Austen,1937 Range (in code): IL Pa
- 6758. Exhyalanthrax macrops (Portschinsky,1887)** (Bombyliidae) Synonym(s): macrops Portschinsky,1887 Range (in code): AM AZ GG Cc IR Ab Oru KK TJ UZ TM
- 6759. Exhyalanthrax melanchlaenus (Loew,1869)** (Bombyliidae) Synonym(s): melanchlaenus Loew,1869; agnitionalis Austen,1937 Range (in code): IT TR SY AM AZ GG Cc CY GR Rd IL Pa PT ES 32 35 42
- 6760. Exhyalanthrax muscarius (Pallas,1818)** (Bombyliidae) Synonym(s): muscarius Pallas,1818; vagans Loew,1862; squamifera Jaennicke,1867; marginalis Bezzi,1903; beckeri Paramonov,1927; unistriata Engel,1936 Range (in code): PK AF AM AZ GG Cc TR HV EG FR Co DE GR Rd HU IR Ab Khy IT Sa Si KK MK MD PL PT RO RU SS ES CH TJ TN TM UA UZ YU 02 07 33 38 44 58
- 6761. Exhyalanthrax negevensis Zaitzev,1999** (Bombyliidae) Synonym(s): negevensis Zaitzev,1999 Range (in code): IL Pa Neg
- 6762. Exhyalanthrax parvus (Paramonov,1927)** (Bombyliidae) Synonym(s): parvus Paramonov,1927 Range (in code): AM AZ Cc GG TM
- 6763. Exhyalanthrax perpusillus (Austen,1937)** (Bombyliidae) Synonym(s): perpusillus Austen,1937 Range (in code): IL Pa SY
- 6764. Exhyalanthrax pseudoflammiger (Bezzi,1924)** (Bombyliidae) Synonym(s): pseudoflammiger Bezzi,1924 Range (in code): TD ER YE SA
- 6765. Exhyalanthrax stigmulus (Klug,1832)** (Bombyliidae) Synonym(s): stigmulus Klug,1832 Range (in code): EG AM AZ GG Cc IR
- 6766. Exhyalanthrax timurensis (Paramonov,1927)** (Bombyliidae) Synonym(s): timurensis Paramonov,1927 Range (in code): TJ TM UZ
- 6767. Exhyalanthrax triangularis Bezzi,1924** (Bombyliidae) Synonym(s): triangularis Bezzi,1924 Range (in code): YE SA
- 6768. Exhyalanthrax unicolor (Becker,1902)** (Bombyliidae) Synonym(s): unicolor Becker,1902 Range (in code): EG IL Pa SY
- 6769. Exhyalanthrax vitripennis (Lindner,1975)** (Bombyliidae) Synonym(s): vitripennis Lindner,1975 Range (in code): IR
- 6770. Exhyalanthrax volkovitshi Zaitzev,1999** (Bombyliidae) Synonym(s): volkovitshi Zaitzev,1999 Range (in code): IL Pa
- 6771. Exoprosopa ahtamara Dils & Özbek,2007** (Bombyliidae) Synonym(s): ahtamara Dils & Özbek,2007 Range (in code): TR 30 65
- 6772. Exoprosopa asiatica Zaitzev,1972** (Bombyliidae) Synonym(s): asiatica Zaitzev,1972 Range (in code): MN KG IL Pa
- 6773. Exoprosopa asiris Greathead,1980** (Bombyliidae) Synonym(s): asiris Greathead,1980 Range (in code): SA YE
- 6774. Exoprosopa baccha Loew,1869** (Bombyliidae) Synonym(s): baccha Loew,1869 Range (in code): HV EG FR GR Cr Rd IR IL Pa IT Si LY MK MA SS YU TR 02 03 04 07 24 25 38 43 46 48 65 70 75
- 6775. Exoprosopa capucina (Fabricius,1781)** (Bombyliidae) Synonym(s): capucina Fabricius,1781; caloptera Pallas,1818 Range (in code): AL AM AT Cc TR AZ BE BG HV IT EE FI FR DE GR GG HU KG KK LT MK MD NL PL RO RU SK ES CH TJ UA TM UZ 04
- 6776. Exoprosopa chalybaea Röder,1887** (Bombyliidae) Synonym(s): chalybaea Röder,1887 Range (in code): LB Bei
- 6777. Exoprosopa circeoides Paramonov,1928** (Bombyliidae) Synonym(s): circeoides Paramonov,1928; nigrofasciata Paramonov,1928 Range (in code): EG DZ IL Pa
- 6778. Exoprosopa cleomene Egger,1859** (Bombyliidae) Synonym(s): cleomene Egger,1859 Range (in code): AM AZ Cc GG TR IR Ab Oru AT BE CZ FR EG IL Pa IT HU MD PL RU SK SS ES CH UA 17 35 36
- 6779. Exoprosopa decrepita (Wiedemann,1828)** (Bombyliidae) Synonym(s): decrepita Wiedemann,1828; albifacies Paramonov,1928; aegyptiaca Paramonov,1928; flava Paramonov,1928; verna Greathead,1970 Range (in code): TD SN SD EG SA IL Pa Neg

- 6780. Exoprosopa dedecor Loew,1871** (Bombyliidae) Synonym(s): dedecor Loew,1871 Range (in code): TR IR AF AM AZ GG Cc CH IR KG KK MN TJ TM UZ 42
- 6781. Exoprosopa dispar (Loew,1869)** (Bombyliidae) Synonym(s): dispar Loew,1869; interrupta Paramonov,1928 nec Wied.,1828; paramonovi Evenhuis,1978 Range (in code): IT Si FR GR Rd HU MA LB PT RU ES TN TR IR Ab Khy YU 07 17 25 30 32 33 38 42 43 44 46 48 65
- 6782. Exoprosopa disrupta Walker,1871** (Bombyliidae) Synonym(s): disrupta Walker,1871; lacerata Engel,1936; tihamae Greathead,1980 Range (in code): ER SN SO SD YE IN? OM SA AE
- 6783. Exoprosopa efflatounbeyi Paramonov,1928** (Bombyliidae) Synonym(s): efflatounbeyi Paramonov,1928 Range (in code): EG SA YE
- 6784. Exoprosopa efflatouni Bezzi,1925** (Bombyliidae) Synonym(s): efflatouni Bezzi,1925 Range (in code): IL Pa Neg EG ET SD DZ YE IR PK ER ML SD IN SA
- 6785. Exoprosopa empidiformis Lindner,1975** (Bombyliidae) Synonym(s): empidiformis Lindner,1975 Range (in code): IR
- 6786. Exoprosopa eritrae Greathead,1967** (Bombyliidae) Synonym(s): eritrae Greathead,1967 Range (in code): TD ER SO SA
- 6787. Exoprosopa flexuosa Pal,1991** (Bombyliidae) Synonym(s): flexuosa Pal,1991 Range (in code): PK
- 6788. Exoprosopa grandis (Wiedemann,1820)** (Bombyliidae) Synonym(s): grandis Wiedemann,1820; fasciata Dufour,1850 nec Meig.,1804; turcomana Portschinsky,1887 Range (in code): IT Sa Si TR AF AM AZ Cc GG B-H HV CY EG FR GR IR IL Pa KG KK MK LY MT MD PT RU SA SS ES TJ TN TM AE UA UZ YU 07 08 36 43 51
- 6789. Exoprosopa jacchus (Fabricius,1805)** (Bombyliidae) Synonym(s): jacchus Fabricius,1805; picta Wiedemann,1820; quadripunctata Paramonov,1926 Range (in code): IT Si TR FR AT YU GR CZ HU BG RU Cc IR IL Pa EG TN DZ MA 17 36 35 58 65
- 6790. Exoprosopa khuzistanica Lindner,1975** (Bombyliidae) Synonym(s): khuzistanica Lindner,1975 Range (in code): IR
- 6791. Exoprosopa linearis Bezzi,1924** (Bombyliidae) Synonym(s): linearis Bezzi,1924 Range (in code): YE Ad ER OM
- 6792. Exoprosopa linearis Bezzi,1924** (Bombyliidae) Synonym(s): linearis Bezzi,1924 Range (in code): ER YE OM
- 6793. Exoprosopa lucidifrons Becker,1913** (Bombyliidae) Synonym(s): lucidifrons Becker,1913 Range (in code): IR Ss TR 72
- 6794. Exoprosopa lugens Paramonov,1928** (Bombyliidae) Synonym(s): lugens Paramonov,1928 Range (in code): AF AM AZ GG Cc IR TJ TM
- 6795. Exoprosopa maenas Loew,1869** (Bombyliidae) Synonym(s): maenas Loew,1869 Range (in code): TR SY
- 6796. Exoprosopa magnipennis Bezzi,1924** (Bombyliidae) Synonym(s): magnipennis Bezzi,1924 Range (in code): KE TZ YE
- 6797. Exoprosopa melaena Loew,1874** (Bombyliidae) Synonym(s): melaena Loew,1874; abbreviata Paramonov,1928 Range (in code): AF AM GG AZ Cc CN GR IR KK RU TJ TR TM UZ 15 25 38 65
- 6798. Exoprosopa minoides Paramonov,1928** (Bombyliidae) Synonym(s): minoides Paramonov,1928 Range (in code): AM Cc TR IR 17 38 44 50 58 65
- 6799. Exoprosopa minois Loew,1869** (Bombyliidae) Synonym(s): minois Loew,1869; semiflavida Becker,1906 Range (in code): IT TR AF DZ AM AZ Cc GG GR Rd IR Ab Oru Khy MK SY IL Pa Neg TM YU 02 03 04 07 25 32 35 38 42 44 48 58
- 6800. Exoprosopa minos (Meigen,1804)** (Bombyliidae) Synonym(s): minos Meigen,1804; semialba Pallas & Wiedemann,1818; germari Wiedemann,1818; senilis Klug,1832; albiventris Macquart,1840 Range (in code): DZ MA TN IT Sa Si AT HV CZ FR DE GR Rd HU IL Pa IR KK KG LB LY MD PL RO RU SK ES SY TJ TM UA UZ TR 02 03 04 07 24 25 30 38 43 44 51 65
- 6801. Exoprosopa nemesis (Fabricius,1805)** (Bombyliidae) Synonym(s): nemesis Fabricius,1805; nox Walker,1849 Range (in code): BW ZR ET KE NA ZA Tva Lpo Spb Mdk Mpu Brb Kzu Nta SZ TZ ZM ZW SA
- 6802. Exoprosopa nigrifimbriata Hesse,1956** (Bombyliidae) Synonym(s): nigrifimbriata Hesse,1956 Range (in code): ER YE ZW SA
- 6803. Exoprosopa nonna Becker,1913** (Bombyliidae) Synonym(s): nonna Becker,1913 Range (in code): IR
- 6804. Exoprosopa onusta (Walker,1852)** (Bombyliidae) Synonym(s): onusta Walker,1852; truquii Rondani,1863 Range (in code): TR CY BG GR Les IL Pa SY SA YE 28
- 6805. Exoprosopa pallasii (Wiedemann,1818)** (Bombyliidae) Synonym(s): pallasii Wiedemann,1818; rhymnica Eversmann,1855; dyonysii Bigot,1861; dionysii Kertész,1909 Range (in code): GR IT Si KK KG RU TJ TM UZ YU
- 6806. Exoprosopa pallidisetigera Austen,1937** (Bombyliidae) Synonym(s): pallidisetigera Austen,1937 Range (in code): IL Pa
- 6807. Exoprosopa pandora (Fabricius,1805)** (Bombyliidae) Synonym(s): pandora Fabricius,1805 Range (in code): DZ TR 01 45 65



- 6808. *Exoprosopa pectoralis* Loew,1862** (Bombyliidae) Synonym(s): *pectoralis* Loew,1862 Range (in code): IT GR CY AF AM AZ GG Cc IR IL Pa KK LB SY TJ TM UZ YU TR 07 35 36 44 65
- 6809. *Exoprosopa pharaonis* Paramonov,1928** (Bombyliidae) Synonym(s): *pharaonis* Paramonov,1928 Range (in code): ML SD EG OM SA TN
- 6810. *Exoprosopa pleskei* Paramonov,1928** (Bombyliidae) Synonym(s): *pleskei* Paramonov,1928; *transcaucasica* Paramonov,1928 Range (in code): TR Cc AM AZ GG IR MD RU TJ TM UA UZ
- 6811. *Exoprosopa povolnyi* Zaitzev,1977** (Bombyliidae) Synonym(s): *povolnyi* Zaitzev,1977 Range (in code): AF
- 6812. *Exoprosopa povolnyi* Zaitzev,1977** (Bombyliidae) Synonym(s): *povolnyi* Zaitzev,1977 Range (in code): AF
- 6813. *Exoprosopa pulcherrima* Paramonov,1928** (Bombyliidae) Synonym(s): *pulcherrima* Paramonov,1928 Range (in code): IR
- 6814. *Exoprosopa pullata* Zaitzev,1976** (Bombyliidae) Synonym(s): *pullata* Zaitzev,1976 Range (in code): IQ
- 6815. *Exoprosopa pullata* Zaitzev,1976** (Bombyliidae) Synonym(s): *pullata* Zaitzev,1976 Range (in code): IQ
- 6816. *Exoprosopa pusilla* Macquart,1840** (Bombyliidae) Synonym(s): *pusilla* Macquart,1840; *jacchoides* Bezzi,1912 Range (in code): TD ET GM GH CI KE NG SN UG YE SA
- 6817. *Exoprosopa retrorsa* Brunetti,1909** (Bombyliidae) Synonym(s): *retrorsa* Brunetti,1909 Range (in code): IR
- 6818. *Exoprosopa richteri* Lindner,1975** (Bombyliidae) Synonym(s): *richteri* Lindner,1975 Range (in code): IR
- 6819. *Exoprosopa rivularis* (Meigen,1820)** (Bombyliidae) Synonym(s): *rivularis* Meigen,1820; *argyrocephala* Macquart,1840; *undans* Walker,1849 Range (in code): AT IT Si AM AZ GG Cc IL Pa JO IR HV FR LY KK MA MN MK SA PT SS ES TJ TM UZ YU TR 65
- 6820. *Exoprosopa rutila* (Wiedemann,1818)** (Bombyliidae) Synonym(s): *rutila* Wiedemann,1818; *daubei* Guérin-Ménéville,1844; *miegii* Dufour,1850; *interrupta* Mulsant,1852; *hilaris* Eversmann,1855; *kruegeri* Bezzi,1926 Range (in code): AF DZ AM AZ GG Cc TR HV EG FR Co GR IR IT KG KK LY MD MA MN PR RU SS ES TJ TM UA UZ YU
- 6821. *Exoprosopa serva* Bezzi,1924** (Bombyliidae) Synonym(s): *serva* Bezzi,1924 Range (in code): ER YE SA
- 6822. *Exoprosopa stackelbergi* Zaitzev,1972** (Bombyliidae) Synonym(s): *stackelbergi* Zaitzev,1972 Range (in code): MN TJ TM UZ
- 6823. *Exoprosopa subfasciata* Engel,1936** (Bombyliidae) Synonym(s): *subfasciata* Engel,1936 Range (in code): TR AZ AM Cc GG IR 25
- 6824. *Exoprosopa tamerlan* Portshinsky,1887** (Bombyliidae) Synonym(s): *tamerlan* Portshinsky,1887; *flavipennis* Brunetti,1909 Range (in code): IN PK AF IR KG TJ TM
- 6825. *Exoprosopa turkestanica* Paramonov,1925** (Bombyliidae) Synonym(s): *turkestanica* Paramonov,1925 Range (in code): CN Ui Um Adu KK TJ MN AF IR
- 6826. *Exoprosopa zarudnyi* Paramonov,1928** (Bombyliidae) Synonym(s): *zarudnyi* Paramonov,1928 Range (in code): IR
- 6827. *Exoprosopa zimini* Paramonov,1929** (Bombyliidae) Synonym(s): *zimini* Paramonov,1929 Range (in code): MN TM UZ
- 6828. *Geron* (s.str.) *argentifrons* Brunetti,1909** (Bombyliidae) Synonym(s): *argentifrons* Brunetti,1909 Range (in code): PK LK TH IN Up Hp
- 6829. *Geron* (s.str.) *asiaticus* Zaitzev,1967** (Bombyliidae) Synonym(s): *asiaticus* Zaitzev,1967; *paramonovi* Greathead,2001 *nec* Evenh.,1979 Range (in code): AM Cc UA TJ UZ TR 02 25 33
- 6830. *Geron* (s.str.) *auratus* Zaitzev,1962** (Bombyliidae) Synonym(s): *auratus* Zaitzev,1962 Range (in code): AM AZ GG Cc TR 38
- 6831. *Geron* (s.str.) *canescens* Zaitzev,1962** (Bombyliidae) Synonym(s): *canescens* Zaitzev,1962 Range (in code): AM AZ GG Cc
- 6832. *Geron* (s.str.) *efflatouni* Greathead,1999** (Bombyliidae) Synonym(s): *efflatouni* Greathead,1999 Range (in code): EG IL Pa SA TN
- 6833. *Geron* (s.str.) *emiliae* Zaitzev,1964** (Bombyliidae) Synonym(s): *emiliae* Zaitzev,1964 Range (in code): TR KG UA 38 42
- 6834. *Geron* (s.str.) *freidbergi* Zaitzev,1996** (Bombyliidae) Synonym(s): *freidbergi* Zaitzev,1996 Range (in code): GR Rd IL Pa
- 6835. *Geron* (s.str.) *gibbosus* (Olivier,1789)** (Bombyliidae) Synonym(s): *gibbosus* Olivier,1789; *hybridus* Meigen,1804; *gibbosus* Meigen,1820; *corcyreus* Frey,1936 Range (in code): FR Co IT Si GR Rd ES? IL Pa TR 07 15 17 70
- 6836. *Geron* (s.str.) *griseus* Zaitzev,1962** (Bombyliidae) Synonym(s): *griseus* Zaitzev,1962 Range (in code): TR LB AZ AM GG Cc 02 25 38

- 6837. Geron (s.str.) halteralis Wiedemann,1820** (Bombyliidae) **Synonym(s):** halteralis Wiedemann,1820; albidulus François,1969 **Range (in code):** **IT ?EG FR Co GR Sa LY? ES PT TR 32**
- 6838. Geron (s.str.) kozlovi Zaitzev,1972** (Bombyliidae) **Synonym(s):** kozlovi Zaitzev,1972 **Range (in code):** **AM AZ GG Cc CN IR KG KK TJ UZ TR 07 33**
- 6839. Geron (s.str.) krymensis Paramonov,1929** (Bombyliidae) **Synonym(s):** krymensis Paramonov,1929 **Range (in code):** **UA Cm TR DZ AM AZ GG Cc IR Ab Khy AT B-H BG HV CY CZ FR GR HU IR LB KK MK MD PT RO SK SS ES SY TJ TM UZ YU 02 04 25 29 32 38 44 70**
- 6840. Geron (s.str.) longiventris Efflatoun,1945** (Bombyliidae) **Synonym(s):** longiventris Efflatoun,1945; roborovskii Zaitzev,1996 **Range (in code):** **CN EG IL Pa TJ UZ TR 02 38 42 51**
- 6841. Geron (s.str.) macquarti Greathead,1999** (Bombyliidae) **Synonym(s):** macquarti Greathead,1999 **Range (in code):** **GR IT MT MA TN TR EG 35**
- 6842. Geron (s.str.) michaili Zaitzev,1972** (Bombyliidae) **Synonym(s):** michaili Zaitzev,1972 **Range (in code):** **DZ AM UA EG IR Ab Khy MN TN TM**
- 6843. Geron (s.str.) mystacinus Bezzi,1924** (Bombyliidae) **Synonym(s):** mystacinus Bezzi,1924 **Range (in code):** **ES IL Pa SY**
- 6844. Geron (s.str.) olivierii Macquart,1840** (Bombyliidae) **Synonym(s):** olivierii Macquart,1840 **Range (in code):** **TR Cc AM AZ GG HV CY GR Cr Rd IL Pa IR IT Si LB RO RU SA ES SY TM UA 02 07 25 33 35 38 48 50 70**
- 6845. Geron (s.str.) ritae Zaitzev,1996** (Bombyliidae) **Synonym(s):** ritae Zaitzev,1996 **Range (in code):** **IL Pa**
- 6846. Geron (s.str.) smirnovi Zaitzev,1978** (Bombyliidae) **Synonym(s):** smirnovi Zaitzev,1978 **Range (in code):** **TJ GR Rd TM TR JO 07**
- 6847. Geron (s.str.) syriacus Zaitzev,2002** (Bombyliidae) **Synonym(s):** syriacus Zaitzev,2002 **Range (in code):** **LB Bei**
- 6848. Gyrocrapedum pleskei Becker,1913** (Bombyliidae) **Synonym(s):** pleskei Becker,1913 **Range (in code):** **IR**
- 6849. Hemipenthes caucasica Zaitzev,1966** (Bombyliidae) **Synonym(s):** caucasica Zaitzev,1966 **Range (in code):** **Cc AZ AM GG IR**
- 6850. Hemipenthes exoprosopoides Paramonov,1928** (Bombyliidae) **Synonym(s):** exoprosopoides Paramonov,1928 **Range (in code):** **Cc AM AZ CN Sz IR Ab Oru IL Pa KK TJ TM UZ**
- 6851. Hemipenthes gaudanica Paramonov,1927** (Bombyliidae) **Synonym(s):** gaudanicus Paramonov,1927 **Range (in code):** **CN Ui KK TJ TM UZ MN IR**
- 6852. Hemipenthes gussakovskiy Zaitzev,1966** (Bombyliidae) **Synonym(s):** gussakovskiy Zaitzev,1966 **Range (in code):** **TJ TM**
- 6853. Hemipenthes hamifera (Loew,1854)** (Bombyliidae) **Synonym(s):** hamifera Loew,1854 **Range (in code):** **RU Sb Cc AZ AM GG GR CN Ui BG FR IT IR Si KK KG MN ES TJ TM UZ YU TR 25**
- 6854. Hemipenthes maura (Linnaeus,1758)** (Bombyliidae) **Synonym(s):** maurus Linnaeus,1758; denigrata Linnaeus,1767; hirsuta Villers,1789; daemon Panzer,1797; bifasciata Meigen,1804; relata Walker,1852; uncinus Loew,1869; flavotomentosa Paramonov,1927 **Range (in code):** **AF Cc AM AZ GG BY BE BG B-H CN Ui HV CZ DK EE HU IR IT Si KK KG LT MD MN NL NO PL PT RO RU SK SS ES SE CH TJ TR TM UZ UA YU**
- 6855. Hemipenthes mesasiatica Zaitzev,1962** (Bombyliidae) **Synonym(s):** mesasiatica Zaitzev,1962 **Range (in code):** **TR TJ TM UZ 25**
- 6856. Hemipenthes mischanensis Paramonov,1927** (Bombyliidae) **Synonym(s):** mischanensis Paramonov,1927 **Range (in code):** **Cc AM**
- 6857. Hemipenthes morio (Linnaeus,1758)** (Bombyliidae) **Synonym(s):** morio Linnaeus,1758; semiatra Meigen,1820; morioides Say,1823 **Range (in code):** **ES IT Si TR SE CH AT FR SK SS RU EE LT UA MD AZ AM GG Cc IR Ab Oru AL HV CY GR BG MK MD MA TM TJ UZ KK KG AF Sb US Arz Cf NMx Ny Oh Wy Iln Mch Mis Ne Io Kan Idp Ok Pns Wc Neb CA BCo TH CN Ui 01 04 06 07 13 14 15 17 24 30 32 33 36 37 44 48 57 65 67 76 78**
- 6858. Hemipenthes pamirensis Zaitzev,1962** (Bombyliidae) **Synonym(s):** pamirensis Zaitzev,1962 **Range (in code):** **MN TJ Pm UZ TM**
- 6859. Hemipenthes praecisa (Loew,1869)** (Bombyliidae) **Synonym(s):** praecisus Loew,1869; #praecius Zaitzev,1999 **Range (in code):** **CN KK MN RU TJ TM UZ IL Pa**
- 6860. Hemipenthes referens (Walker,1852)** (Bombyliidae) **Synonym(s):** referens Walker,1852; himalayensis Brunetti,1909; bidens Bigot,1909 **Range (in code):** **IN Hp Up Ass Meg PK MM**
- 6861. Hemipenthes robusta Zaitzev,1966** (Bombyliidae) **Synonym(s):** robustus Zaitzev,1966 **Range (in code):** **Cc AM AZ GG IR Ab Oru CN KK KG TJ TM UZ**
- 6862. Hemipenthes splendida Zaitzev,1962** (Bombyliidae) **Synonym(s):** splendidus Zaitzev,1962 **Range (in code):** **KK KG TJ TM**
- 6863. Hemipenthes subvelutina Zaitzev,1966** (Bombyliidae) **Synonym(s):** subvelutina Zaitzev,1966 **Range (in code):** **TR IR AZ AM GG Cc KG TM TJ UZ KK MN CN 06 07 15 32 38 44 78**
- 6864. Hemipenthes tushetica Zaitzev,1966** (Bombyliidae) **Synonym(s):** tusheticus Zaitzev,1966 **Range (in code):** **Cc AM AZ GG IR CN Ui**

- 6865. Hemipenthes velutina (Meigen,1820)** (Bombyliidae) Synonym(s): velutinus Meigen,1820; bicincta Wiedemann,1820; nycthemera Wiedemann,1820 Range (in code): **PL BG RU UA MD Cc AZ AM GG IL Pa LB DZ MA TN SY IT Si Sa TR IR Ab Oru CN Ui PK TM YU EG 04 06 07 13 14 18 22 24 25 30 32 33 36 37 38 42 46 48 51 57 58 65 70 73 76 78**
- 6866. Heteralonia (Acrodisca) suffusa (Klug,1832)** (Bombyliidae) Synonym(s): suffusa Klug,1832; conturbata Loew,1869 Range (in code): **KE SO AF AM AZ Cc CY IT GR GG IR Ab Khy IL Pa MD KG RU SA SY LB TN UA YU TR 04 06 12 25 33 42 44 46 50 65**
- 6867. Heteralonia (Homolonia) aegina (Wiedemann,1828)** (Bombyliidae) Synonym(s): aegina Wiedemann,1828; ferruginea Klug,1832; bovei Macquart,1840 Range (in code): **DJ SD AM AZ GG Cc EG KK SA SY TJ TM UZ YE**
- 6868. Heteralonia (Homolonia) megerlei (Meigen,1820)** (Bombyliidae) Synonym(s): megerlei Meigen,1820; consanguinea Macquart,1840; egyptiaca Macquart,1840; campicola Eversmann,1855; mayeti Bigot,1888; aegyptiacus Bezzi,1903; compar Bezzi,1924; deserticola Paramonov,1928; turanica Paramonov,1928; conspicienda Austen,1937 Range (in code): **MR SD TN DZ LY AT IT Sa Si RU KG TR IL Pa TN EG IR Ab Khy TD GM GH MR NE NG SN SD YE PK AL AM Cc AM BG HV CY FR GR GG KK MK LY MT MD OM RO SA SS CH TJ TM UA AE UZ YU 02 07 13 17 24 25 30 32 33 35 36 38 42 44 46 48 50 58 65 70**
- 6869. Heteralonia (subgen?) araxana (Paramonov,1928)** (Bombyliidae) Synonym(s): araxana Paramonov,1928; meridionalis Paramonov,1928 Range (in code): **AM Cc IR KG UZ**
- 6870. Heteralonia (subgen?) dissoluta (Nurse,1922)** (Bombyliidae) Synonym(s): dissoluta Nurse,1922 Range (in code): **PK**
- 6871. Heteralonia (Zygodiola) aeaca (Meigen,1804)** (Bombyliidae) Synonym(s): aeaca Meigen,1804; livida Pallas,1818; bombyciformis Dufour,1833; lutea Macquart,1840 Range (in code): **IT Si YE AF AE AM AZ Cc IL Pa TR BG HV FR IR KK KG MD MK OM PT RU SA SS ES CH SY TJ UA TM AE UZ YU 07 33 65**
- 6872. Heteralonia (Zygodiola) algira (Fabricius,1794)** (Bombyliidae) Synonym(s): algira Fabricius,1794; sicula Macquart,1834; archimedeia Bigot,1861 Range (in code): **DZ MA TN EG ES AF FR IT Si YU GR TR IR TM TJ**
- 6873. Heteralonia (Zygodiola) bagdadensis (Macquart,1840)** (Bombyliidae) Synonym(s): bagdadensis Macquart,1840; clausa Becker,1913 Range (in code): **AZ AM Cc IR Ab Oru IQ Bgd IL Pa MN OM SA AE**
- 6874. Heteralonia (Zygodiola) bezzii (Paramonov,1928)** (Bombyliidae) Synonym(s): bezzii Paramonov,1928 Range (in code): **EG IL Pa**
- 6875. Heteralonia (Zygodiola) bisecta (Greathead,1988)** (Bombyliidae) Synonym(s): bisecta Greathead,1988 Range (in code): **SA**
- 6876. Heteralonia (Zygodiola) completa (Loew,1873)** (Bombyliidae) Synonym(s): completa Loew,1873 Range (in code): **KG UZ TM TJ**
- 6877. Heteralonia (Zygodiola) deserta (Paramonov,1928)** (Bombyliidae) Synonym(s): deserta Paramonov,1928 Range (in code): **TJ TM UZ**
- 6878. Heteralonia (Zygodiola) fallaciosa (Loew,1873)** (Bombyliidae) Synonym(s): fallaciosa Loew,1873; evanescens Becker,1913 Range (in code): **YE PK IR AF IL Pa SA OM AE UZ TM TJ**
- 6879. Heteralonia (Zygodiola) fusconotata (Becker,1913)** (Bombyliidae) Synonym(s): fusconotata Becker,1913 Range (in code): **PK IR TM**
- 6880. Heteralonia (Zygodiola) hermani (François,1967)** (Bombyliidae) Synonym(s): hermani François,1967 Range (in code): **IL Pa**
- 6881. Heteralonia (Zygodiola) interstitialis (Nurse,1922)** (Bombyliidae) Synonym(s): interstitialis Nurse,1922 Range (in code): **PK AF**
- 6882. Heteralonia (Zygodiola) kirgizorum (Paramonov,1928)** (Bombyliidae) Synonym(s): kirgizorum Paramonov,1928; uzbekorum Paramonov,1928 Range (in code): **AM AZ Cc GG UZ TJ KK**
- 6883. Heteralonia (Zygodiola) latiuscula (Loew,1873)** (Bombyliidae) Synonym(s): latiuscula Loew,1873; farinosa Becker,1913 Range (in code): **AF AM AZ Cc GG IR MN TJ TM UZ**
- 6884. Heteralonia (Zygodiola) lugubris (Macquart,1840)** (Bombyliidae) Synonym(s): lugubris Macquart,1840 Range (in code): **KW OM SA AE**
- 6885. Heteralonia (Zygodiola) melanoptera (Pallas & Wiedemann,1818)** (Bombyliidae) Synonym(s): melanoptera Pallas & Wiedemann,1818 Range (in code): **RU SY CY IR AM Cc**
- 6886. Heteralonia (Zygodiola) mucorea (Klug,1832)** (Bombyliidae) Synonym(s): mucorea Klug,1832 Range (in code): **AF DZ EG IR KW KK OM SA SY TJ TM TN AE UZ**
- 6887. Heteralonia (Zygodiola) normalis (Loew,1869)** (Bombyliidae) Synonym(s): normalis Loew,1869 Range (in code): **GR Rd IT TR TM UZ YU 38**
- 6888. Heteralonia (Zygodiola) oclusa (Loew,1873)** (Bombyliidae) Synonym(s): oclusa Loew,1873 Range (in code): **AF IR UZ KG KK TJ UZ TM**
- 6889. Heteralonia (Zygodiola) oclusoides (Paramonov,1928)** (Bombyliidae) Synonym(s): oclusoides Paramonov,1928; lactea Paramonov,1928 Range (in code): **TJ KG KK TJ TM UZ**
- 6890. Heteralonia (Zygodiola) olivierii (Macquart,1840)** (Bombyliidae) Synonym(s): olivierii Macquart,1840 Range (in code): **YE EG IL Pa SA AE**



- 6891. Heteralonia (Zygodiola) rivulosa (Becker,1902)** (Bombyliidae) Synonym(s): rivulosa Becker,1902 Range (in code): EG IR IL Pa TR
- 6892. Heteralonia (Zygodiola) sabulina (Becker,1913)** (Bombyliidae) Synonym(s): sabulina Becker,1913 Range (in code): IR
- 6893. Heteralonia (Zygodiola) singularis (Macquart,1840)** (Bombyliidae) Synonym(s): singularis Macquart,1840 Range (in code): YE EG IL Pa LY MA OM SA AE
- 6894. Heteralonia (Zygodiola) subfasciata (Engel,1936)** (Bombyliidae) Synonym(s): subfasciata Engel,1936 Range (in code): TR AZ AM Cc GG IR 25
- 6895. Heteralonia (Zygodiola) submucorea Greathead,1980** (Bombyliidae) Synonym(s): submucorea Greathead,1980 Range (in code): OM
- 6896. Heteralonia (Zygodiola) tephroptera (Zaitzev,1977)** (Bombyliidae) Synonym(s): tephroptera Zaitzev,1977 Range (in code): AF
- 6897. Heterotropus aegyptiacus Paramonov,1929** (Bombyliidae) Synonym(s): aegyptiacus Paramonov,1929 Range (in code): SD EG SA
- 6898. Heterotropus albidipennis Loew,1873** (Bombyliidae) Synonym(s): albidipennis Loew,1873 Range (in code): KG KK TJ TM UZ TR 44
- 6899. Heterotropus ammophilus Paramonov,1929** (Bombyliidae) Synonym(s): ammophilus Paramonov,1929 Range (in code): TJ TM UZ
- 6900. Heterotropus arenivagus Paramonov,1929** (Bombyliidae) Synonym(s): arenivagus Paramonov,1929; flavoscutellata Paramonov,1929 Range (in code): TJ TM UZ
- 6901. Heterotropus gussakovsiji Paramonov,1929** (Bombyliidae) Synonym(s): gussakovsiji Paramonov,1929 Range (in code): TM UZ
- 6902. Heterotropus hohlbecki Paramonov,1947** (Bombyliidae) Synonym(s): hohlbecki Paramonov,1947 Range (in code): TM
- 6903. Heterotropus israeliensis Zaitzev,2001** (Bombyliidae) Synonym(s): israeliensis Zaitzev,2001 Range (in code): IL Pa
- 6904. Heterotropus kaplanae Zaitzev,2001** (Bombyliidae) Synonym(s): kaplanae Zaitzev,2001 Range (in code): IL Pa
- 6905. Heterotropus kazanovskyi Paramonov,1925** (Bombyliidae) Synonym(s): kazanovskyi Paramonov,1925 Range (in code): AZ Cc EG KG TJ TM UZ
- 6906. Heterotropus monticola Paramonov,1929** (Bombyliidae) Synonym(s): monticola Paramonov,1929 Range (in code): TM UZ
- 6907. Heterotropus normalipes Paramonov,1929** (Bombyliidae) Synonym(s): normalipes Paramonov,1929 Range (in code): TM
- 6908. Heterotropus pallens Nurse,1922** (Bombyliidae) Synonym(s): pallens Nurse,1922 Range (in code): PK
- 6909. Heterotropus pyrus Bowden,1967** (Bombyliidae) Synonym(s): pyrus Bowden,1967 Range (in code): TR
- 6910. Heterotropus repeteki Paramonov,1929** (Bombyliidae) Synonym(s): repeteki Paramonov,1929 Range (in code): TM
- 6911. Heterotropus sabulosus Paramonov,1929** (Bombyliidae) Synonym(s): sabulosus Paramonov,1929 Range (in code): EG TM UZ
- 6912. Heterotropus sulphureus Paramonov,1929** (Bombyliidae) Synonym(s): sulphureus Paramonov,1929 Range (in code): TM UZ
- 6913. Heterotropus taurus Bowden,1967** (Bombyliidae) Synonym(s): taurus Bowden,1967 Range (in code): GR TR
- 6914. Heterotropus zarudnyi Paramonov,1947** (Bombyliidae) Synonym(s): zarudnyi Paramonov,1947 Range (in code): IR
- 6915. Heterotropus zimini Paramonov,1929** (Bombyliidae) Synonym(s): zimini Paramonov,1929 Range (in code): TM UZ
- 6916. Laminanthrax chionophorus (Bezzi,1925)** (Bombyliidae) Synonym(s): chionophorus Bezzi,1925; albus Greathead,1967 Range (in code): ER ET YE EG
- 6917. Laminanthrax olgae Zaitzev,1999** (Bombyliidae) Synonym(s): olgae Zaitzev,1999 Range (in code): IL Pa
- 6918. Legnotomyia cineracea (Austen,1937)** (Bombyliidae) Synonym(s): cineracea Austen,1937 Range (in code): IL Pa SA
- 6919. Legnotomyia erivanensis (Paramonov,1925)** (Bombyliidae) Synonym(s): erivanensis Paramonov,1925 Range (in code): Cc AM Eri
- 6920. Legnotomyia palestinae Paramonov,1947** (Bombyliidae) Synonym(s): palestinae Paramonov,1947 Range (in code): IL Pa
- 6921. Legnotomyia persica Paramonov,1933** (Bombyliidae) Synonym(s): persica Paramonov,1933 Range (in code): IQ IR

- 6922. *Legnotomyia singularis* (Macquart,1846)** (Bombyliidae) Synonym(s): *singularis* Macquart,1846; *bombyliformis* Becker,1906 Range (in code): **DZ TN TR IR Cc AM IL Pa 01 30 38**
- 6923. *Legnotomyia trichorhoea* (Loew,1855)** (Bombyliidae) Synonym(s): *trichorhoea* Loew,1855 Range (in code): **IT GR TR YU MK IL Pa IQ SY IR Ab Oru 33**
- 6924. *Ligyra astarte* Greathead,1980** (Bombyliidae) Synonym(s): *astarte* Greathead,1980 Range (in code): **SA**
- 6925. *Ligyra ferrea* (Walker,1849)** (Bombyliidae) Synonym(s): *ferrea* Walker,1849; *#versicolor* Loew,1869 Range (in code): **IT Si AL AM AZ GG Cc BG CY FR GR Rd TR RO MD RU UA TR 07 33 43**
- 6926. *Ligyra monacha* (Klug,1832)** (Bombyliidae) Synonym(s): *monacha* Klug,1832 Range (in code): **TD ER SD YE OM SA**
- 6927. *Ligyra virgo* (Bezzi,1924)** (Bombyliidae) Synonym(s): *virgo* Bezzi,1924 Range (in code): **KE SO SA**
- 6928. *Litorhina collaris* (Wiedemann,1828)** (Bombyliidae) Synonym(s): *collaris* Wiedemann,1828; *ruficollis* Saunders,1842; *binotata* Macquart,1855 Range (in code): **IN SI PK**
- 6929. *Litorhina metapleuralis* (Bezzi,1924)** (Bombyliidae) Synonym(s): *metapleuralis* Bezzi,1924 Range (in code): **KE MW TZ OM SA?**
- 6930. *Litorhina salamonae* (Greathead,1967)** (Bombyliidae) Synonym(s): *salamonae* Greathead,1967 Range (in code): **ER SO SD YE EG SA**
- 6931. *Lomatia abbreviata* Villeneuve,1913** (Bombyliidae) Synonym(s): *abbreviata* Villeneuve,1913 Range (in code): **DZ GR IL Pa IT MA RO ES SY TJ TN TM TR**
- 6932. *Lomatia alecto* Loew,1846** (Bombyliidae) Synonym(s): *alecto* Loew,1846 Range (in code): **IT TR BG CZ GR IR SK SY**
- 6933. *Lomatia armeniaca* Paramonov,1924** (Bombyliidae) Synonym(s): *armeniaca* Paramonov,1924 Range (in code): **TR AM AZ Cc RU SY IR 36 70**
- 6934. *Lomatia bella* Loew,1873** (Bombyliidae) Synonym(s): *bella* Loew,1873 Range (in code): **TJ TM UZ AF**
- 6935. *Lomatia belzebul* (Fabricius,1794)** (Bombyliidae) Synonym(s): *belzebul* Fabricius,1794; *fulvilaterus* Pallas,1818; *loewi* Paramonov,1931 Range (in code): **ES RU Cc AM AZ GG B-H HV FR HU IR Ab Oru LY MA PL RO MD SK SS SY TN UA TM YU IT DZ TR 35 65**
- 6936. *Lomatia comata* Austen,1937** (Bombyliidae) Synonym(s): *comata* Austen,1937 Range (in code): **IL Pa**
- 6937. *Lomatia conspicabilis* Austen,1937** (Bombyliidae) Synonym(s): *conspicabilis* Austen,1937 Range (in code): **IL Pa**
- 6938. *Lomatia erynnis* Loew,1869** (Bombyliidae) Synonym(s): *erynnis* Loew,1869; *erinnys* Kertész,1909 Range (in code): **AL AM AZ GG Cc TR B-H BG HV FR GR HU IT MK MD MA RO RU SK SS ES TN UA YU 17 35 48**
- 6939. *Lomatia fasciculata* Loew,1869** (Bombyliidae) Synonym(s): *fasciculata* Loew,1869 Range (in code): **TR IT YU 35**
- 6940. *Lomatia flavitibia* Zaitzev,1966** (Bombyliidae) Synonym(s): *flavitibia* Zaitzev,1966 Range (in code): **AM Cc TR 25 30**
- 6941. *Lomatia grajugenea* Loew,1869** (Bombyliidae) Synonym(s): *grajugenea* Loew,1869 Range (in code): **IT TR GR MK RO YU**
- 6942. *Lomatia hamata* Austen,1937** (Bombyliidae) Synonym(s): *hamata* Austen,1937 Range (in code): **IL Pa**
- 6943. *Lomatia innominata* Austen,1937** (Bombyliidae) Synonym(s): *innominata* Austen,1937 Range (in code): **IL Pa**
- 6944. *Lomatia lachesis* Egger,1859** (Bombyliidae) Synonym(s): *lachesis* Egger,1859; *graeca* Paramonov,1928; *erinoides* Paramonov,1928 Range (in code): **AL DZ AM AZ Cc GG TR B-H BG HV CZ FR GR HU IR IT MK MD MA PL RO RU SS ES CH SY TN UA YU 32 48**
- 6945. *Lomatia lateralis* (Meigen,1820)** (Bombyliidae) Synonym(s): *lateralis* Meigen,1820 Range (in code): **IT DZ AM Cc AT AZ BE B-H BG HV CZ FR DE GR GG HU LY MK MD MA PL RO RU SK SS ES SE CH TM UA YU**
- 6946. *Lomatia lepida* Austen,1937** (Bombyliidae) Synonym(s): *lepida* Austen,1937 Range (in code): **IL Pa**
- 6947. *Lomatia meridiana* Paramonov,1925** (Bombyliidae) Synonym(s): *meridiana* Paramonov,1925 Range (in code): **AM Cc**
- 6948. *Lomatia montana* Paramonov,1924** (Bombyliidae) Synonym(s): *montana* Paramonov,1924 Range (in code): **AM AZ GG Cc**
- 6949. *Lomatia obscuripennis* Loew,1869** (Bombyliidae) Synonym(s): *obscuripennis* Loew,1869 Range (in code): **IT ES DZ GR MK MA SY YU**
- 6950. *Lomatia persica* Paramonov,1924** (Bombyliidae) Synonym(s): *persica* Paramonov,1924 Range (in code): **AM AZ TR Cc IR Ab Oru 25**
- 6951. *Lomatia polyzona* Loew,1869** (Bombyliidae) Synonym(s): *polyzona* Loew,1869 Range (in code): **AL AM AZ GG Cc GR Rd RO MK SY YU IT Si TR 06 17 32 33 35 48 51 70**
- 6952. *Lomatia rogenhoferi* Nowicki,1868** (Bombyliidae) Synonym(s): *rogenhoferi* Nowicki,1868; *caspica* Paramonov,1926 Range (in code): **DZ AT AZ Cc HV BG HU GR IT MK RO PL SK ES YU TN TR 32**
- 6953. *Lomatia sabaea* (Fabricius,1781)** (Bombyliidae) Synonym(s): *sabaea* Fabricius,1781 Range (in code): **IT Si TR AL DZ AT BG HV CZ FR GR HU MK PL RO SK ES TN YU 32**
- 6954. *Lomatia shelkovnikovi* Paramonov,1924** (Bombyliidae) Synonym(s): *shelkovnikovi* Paramonov,1924 Range (in code): **AZ AM Cc IR Ab Khy**

- 6955. Lomatia superba Loew,1869** (Bombyliidae) Synonym(s): superba Loew,1869 Range (in code): TR IR 33
- 6956. Lomatia tysiophone Loew,1860** (Bombyliidae) Synonym(s): tysiophone Loew,1860; infernalis Schiner,1868 Range (in code): TR AL DZ AM AZ Cc BG FR GR GG HU IL Pa IT Si LY MK MD RO RU ES SY TM UA YU
- 6957. Mariobezzia armeniaca Zaitzev,1966** (Bombyliidae) Synonym(s): armeniaca Zaitzev,1966 Range (in code): AM Cc
- 6958. Mariobezzia lichtwardti Becker,1913** (Bombyliidae) Synonym(s): lichtwardti Becker,1913; zarudnyi Becker,1913; griseohirta Nurse,1922; pellucida Paramonov,1929; aegyptiacat Engel,1933 Range (in code): IN PK IR EG TM IL Pa TR 33
- 6959. Micomitra bella (Austen,1937)** (Bombyliidae) Synonym(s): bella Austen,1937 Range (in code): TR IL Pa SY 30
- 6960. Micomitra chrystallina (Bezzi,1924)** (Bombyliidae) Synonym(s): chrystallina Bezzi,1924 Range (in code): SO YE SA
- 6961. Micomitra iris (Loew,1869)** (Bombyliidae) Synonym(s): iris Loew,1869 Range (in code): IT Sa Si TR AM AZ Cc AT BG HV GR FR GG IR IL Pa KK KG MD RO RU ES TJ TM UZ UA 07 17 33 44
- 6962. Micomitra lapidoti Zaitzev,1999** (Bombyliidae) Synonym(s): lapidoti Zaitzev,1999 Range (in code): IL Pa Neg
- 6963. Micomitra stupida (Rossi,1790)** (Bombyliidae) Synonym(s): stupida Rossi,1790; rhadamanthus Meigen,1804; chalcoides Pallas,1818; vitricosta Walker,1849; vitreicosta Walker,1849; squamea Mulsant,1852 Range (in code): IT Sa Si TR AM AZ GG Cc AT EG FI FR DE GR HU IR KG KK LY PT PL RO RU ES SE CH TJ TM UZ IL Pa 07 33 65
- 6964. Micomitra transcaspica (Evenhuis,1978)** (Bombyliidae) Synonym(s): hyalipennis Paramonov,1928 nec Cole,1923; transcaspica Evenhuis,1978 Range (in code): TM UZ
- 6965. Micomitra vlasovi (Paramonov,1928)** (Bombyliidae) Synonym(s): vlasovi Paramonov,1928 Range (in code): TM UZ
- 6966. Oestranthrax brunnescens Loew,1857** (Bombyliidae) Synonym(s): brunnescens Loew,1857 Range (in code): EG IL Pa SY TR KK UZ TM TJ 44
- 6967. Oestranthrax karavajevi Paramonov,1931** (Bombyliidae) Synonym(s): karavajevi Paramonov,1931 Range (in code): AM Cc AZ GG TR KK MD RU UA 04 25 44
- 6968. Oestranthrax melanothrix Miksch,1991** (Bombyliidae) Synonym(s): melanothrix Miksch,1991 Range (in code): GR TR 70
- 6969. Oligodranes flavus Paramonov,1929** (Bombyliidae) Synonym(s): flavus Paramonov,1929 Range (in code): TM UZ AZ Cc
- 6970. Oligodranes israeliensis Zaitzev,1996** (Bombyliidae) Synonym(s): israeliensis Zaitzev,1996 Range (in code): IL Pa
- 6971. Oligodranes obscuripennis Loew,1844** (Bombyliidae) Synonym(s): obscuripennis Loew,1844 Range (in code): TR GR IT IR 33
- 6972. Pachyanthrax albosegmentatus (Engel,1936)** (Bombyliidae) Synonym(s): albosegmentatus Engel,1936 Range (in code): EG SA
- 6973. Pachyanthrax circe (Klug,1832)** (Bombyliidae) Synonym(s): circe Klug,1832 Range (in code): PK EG SA AE
- 6974. Pachyanthrax flavifacies (Austen,1937)** (Bombyliidae) Synonym(s): flavifacies Austen,1937 Range (in code): IL Pa
- 6975. Pachyanthrax nimrodicus Zaitzev,1999** (Bombyliidae) Synonym(s): nimrodicus Zaitzev,1999 Range (in code): IL Pa
- 6976. Pachyanthrax nomadarum (Greathead,1970)** (Bombyliidae) Synonym(s): nomadarum Greathead,1970 Range (in code): MR NG YE AE MA
- 6977. Pachyanthrax telamon (Loew,1869)** (Bombyliidae) Synonym(s): telamon Loew,1869; loevi Paramonov,1928; loewi Zaitzev,1989 Range (in code): IT TR TM GR CY FR Cc AZ AM GG IR Ab Oru IL Pa SY KK UZ YU 04 35 46 65
- 6978. Pachyanthrax unctus (Loew,1869)** (Bombyliidae) Synonym(s): unctus Loew,1869 Range (in code): IT GR Rd TR 32 48
- 6979. Pachyanthrax velleris Greathead,1980** (Bombyliidae) Synonym(s): velleris Greathead,1980 Range (in code): IN SA
- 6980. Parageron dimonicus Zaitzev,1996** (Bombyliidae) Synonym(s): dimonicus Zaitzev,1996 Range (in code): IL Pa
- 6981. Parageron gratus (Loew,1856)** (Bombyliidae) Synonym(s): gratus Loew,1856 Range (in code): MA Cn ES IT EG JO
- 6982. Parageron griseus Paramonov,1947** (Bombyliidae) Synonym(s): griseus Paramonov,1947; glauca Evenhuis,1978 Range (in code): TM UZ Cc AZ AM GG
- 6983. Parageron lutescens (Bezzi,1925)** (Bombyliidae) Synonym(s): lutescens Bezzi,1925; orientalis Paramonov,1929; minor Efflatoun,1945 Range (in code): EG TM UZ



- 6984. Parageron negevi Zaitzev,1996** (Bombyliidae) Synonym(s): negevi Zaitzev,1996 Range (in code): IL Pa
- 6985. Parageron punctipennis (Loew,1846)** (Bombyliidae) Synonym(s): punctipennis Loew,1846 Range (in code): TR GR IL Pa IT SY
- 6986. Parageron turkmenicus Paramonov,1947** (Bombyliidae) Synonym(s): turkmenicus Paramonov,1947 Range (in code): TM UZ
- 6987. Parageron volkovitshi Zaitzev,1996** (Bombyliidae) Synonym(s): volkovitshi Zaitzev,1996 Range (in code): IL Pa
- 6988. Parageron zimini Paramonov,1947** (Bombyliidae) Synonym(s): zimini Paramonov,1947 Range (in code): UZ TM
- 6989. Petrorossia albissima Zaitzev,1974** (Bombyliidae) Synonym(s): albissima Zaitzev,1974 Range (in code): TM KK TJ UZ
- 6990. Petrorossia albula Zaitzev,1962** (Bombyliidae) Synonym(s): albula Zaitzev,1962 Range (in code): BJ GH KE NG DZ AM AZ Cc GG KG KK MN MA SA TJ TM AE UZ
- 6991. Petrorossia anomala Zaitzev,1974** (Bombyliidae) Synonym(s): anomala Zaitzev,1974 Range (in code): KG TJ UZ TM
- 6992. Petrorossia carmelica Zaitzev,1999** (Bombyliidae) Synonym(s): carmelica Zaitzev,1999 Range (in code): IL Pa Neg
- 6993. Petrorossia caucasica Zaitzev,1962** (Bombyliidae) Synonym(s): caucasica Zaitzev,1962 Range (in code): AM Cc AZ GG KK TJ TM UZ GH NG
- 6994. Petrorossia ceylonica (Brunetti,1909)** (Bombyliidae) Synonym(s): ceylonica Brunetti,1909 Range (in code): IN And Up Ben MY LK PK
- 6995. Petrorossia chraminensis Zaitzev,1962** (Bombyliidae) Synonym(s): chraminensis Zaitzev,1962 Range (in code): IT RO YU BG GG Cc AM AZ IL Pa
- 6996. Petrorossia deserticola Zaitzev,1966** (Bombyliidae) Synonym(s): deserticola Zaitzev,1966 Range (in code): UZ TJ TM GG AZ AM Cc
- 6997. Petrorossia feti Zaitzev & Tsharykuliev,1981** (Bombyliidae) Synonym(s): feti Zaitzev & Tsharykuliev,1981 Range (in code): TM
- 6998. Petrorossia flavipennis Zaitzev,1966** (Bombyliidae) Synonym(s): flavipennis Zaitzev,1966 Range (in code): IL Pa AM AZ GG Cc KG UZ
- 6999. Petrorossia freidbergi Zaitzev,1999** (Bombyliidae) Synonym(s): freidbergi Zaitzev,1999 Range (in code): IL Pa
- 7000. Petrorossia fusca Zaitzev,1966** (Bombyliidae) Synonym(s): fusca Zaitzev,1966 Range (in code): AM Cc
- 7001. Petrorossia hespera (Rossi,1790)** (Bombyliidae) Synonym(s): hesperus Rossi,1790; albipectus Walker,1849 Range (in code): IT TR DZ AM AZ Cc GG AT B-H Cn BG HV EG Co FR GR IL Pa KK LY MK MT MD MA PT RO RU ES TJ TN TM UA UZ YU 07 24 25 33 44
- 7002. Petrorossia intermedia (Brunetti,1920)** (Bombyliidae) Synonym(s): intermedia Brunetti,1920 Range (in code): IN Up LK PK
- 7003. Petrorossia irakensis Zaitzev,1976** (Bombyliidae) Synonym(s): irakensis Zaitzev,1976 Range (in code): IQ
- 7004. Petrorossia israeliensis Zaitzev,1999** (Bombyliidae) Synonym(s): israeliensis Zaitzev,1999 Range (in code): IL Pa
- 7005. Petrorossia letho (Wiedemann,1828)** (Bombyliidae) Synonym(s): letho Wiedemann,1828; longitarsis Becker,1902 Range (in code): IT TR BJ TD ER ET KE SO SD AF DZ AT B-H BG HV EG FR IR LY MK RU SA SS ES TJ TM UZ YU 07 24 33 44
- 7006. Petrorossia lucidipennis Zaitzev,1966** (Bombyliidae) Synonym(s): lucidipennis Zaitzev,1966 Range (in code): IL Pa AM AZ GG Cc TJ TM UZ
- 7007. Petrorossia margaritae Zaitzev,1999** (Bombyliidae) Synonym(s): margaritae Zaitzev,1999 Range (in code): IL Pa
- 7008. Petrorossia mesasiatica Zaitzev,1974** (Bombyliidae) Synonym(s): mesasiatica Zaitzev,1974 Range (in code): TJ TM UZ
- 7009. Petrorossia modesta Zaitzev,1966** (Bombyliidae) Synonym(s): modesta Zaitzev,1966 Range (in code): IL Pa AM Cc AZ GG MN TM TJ
- 7010. Petrorossia quanchorum François,1970** (Bombyliidae) Synonym(s): quanchorum François,1970 Range (in code): Cn IL Pa
- 7011. Petrorossia rufiventris Zaitzev,1966** (Bombyliidae) Synonym(s): rufiventris Zaitzev,1966 Range (in code): IL Pa AM AZ GG Cc CN TJ TM UZ
- 7012. Petrorossia shibanovae Zaitzev,1999** (Bombyliidae) Synonym(s): shibanovae Zaitzev,1999 Range (in code): IL Pa
- 7013. Petrorossia tropicalis Bezzi,1921** (Bombyliidae) Synonym(s): tropicalis Bezzi,1921 Range (in code): ER ET KE MW NA NG SO ZA TZ ZM ZW OM SA

- 7014. *Petrorossia volkovitshi* Zaitzev,1999** (Bombyliidae) Synonym(s): volkovitshi Zaitzev,1999 Range (in code): IL Pa Neg
- 7015. *Phthiria canescens* Loew,1846** (Bombyliidae) Synonym(s): canescens Loew,1846; convergens Loew,1846 Range (in code): IT Si AF AL AM AZ GG Cc AT BY B-H HV CZ DK EG EE FI FR DE GR HU TR IR LT MK MD PL PT RO RU Sb SK SS ES SE CH UA YU 15
- 7016. *Phthiria conspicua* Loew,1846** (Bombyliidae) Synonym(s): conspicua Loew,1846 Range (in code): IT TR B-H HV FR GR IR IL Pa MK SS ES YU 33
- 7017. *Phthiria freidbergi* Zaitzev,2002** (Bombyliidae) Synonym(s): freidbergi Zaitzev,2002 Range (in code): IL Pa
- 7018. *Phthiria gaedii* Wiedemann,1820** (Bombyliidae) Synonym(s): gaedei Wiedemann,1820; maculata Wiedemann,1820; punctata Meigen,1835; zimmermanni Nowicki,1868; gaedei Engel,1933 Range (in code): IT TR AF AL DZ AT BY B-H BG HV CZ EG EE FR GR HU IR IL Pa LT MK MD MA PL RO RU Sb SS ES UA 04 07 25 32 33 44
- 7019. *Phthiria grisea* Zaitzev,1966** (Bombyliidae) Synonym(s): grisea Zaitzev,1966 Range (in code): Cc AZ AM GG
- 7020. *Phthiria inconspicua* Becker,1913** (Bombyliidae) Synonym(s): inconspicua Becker,1913 Range (in code): IR
- 7021. *Phthiria minuta* (Fabricius,1805)** (Bombyliidae) Synonym(s): minuta Fabricius,1805; maura Wiedemann,1820 Range (in code): AT BE CZ EG FR DE GR HU IT KG KK MN MA PL TJ TM UZ YU
- 7022. *Phthiria pulchripes* Austen,1937** (Bombyliidae) Synonym(s): pulchripes Austen,1937 Range (in code): IL Pa
- 7023. *Phthiria pulicaria* (Mikan,1796)** (Bombyliidae) Synonym(s): pulicaria Mikan,1796; nigra Meigen,1804; pygmaea Fabricius,1805; campestris Fallén,1815; major Strobl,1909 Range (in code): AM AZ Cc GG TR AT BY BE DK EE FI FR DE GR HU IR IE IT KG KK LT MD MN MA NL NO PL RO RU Sb SK SE CH TJ ES TM UZ GB 07 16 33 35 38 48 51
- 7024. *Phthiria quadrinotata* Loew,1873** (Bombyliidae) Synonym(s): quadrinotata Loew,1873 Range (in code): UZ TJ TM Cc AM AZ GG
- 7025. *Phthiria subnitens* Loew,1846** (Bombyliidae) Synonym(s): subnitens Loew,1846; rustica Loew,1846 Range (in code): TR AL GR YU RO RU IR IL Pa Cc AZ AM GG IT MD UA 33 46
- 7026. *Phthiria umbripennis* Loew,1846** (Bombyliidae) Synonym(s): umbripennis Loew,1846; notata Bigot,1862 Range (in code): FR Co AM AZ GG Cc HV GR IL Pa IT Si MD MA RO RU ES SY UA TN YU
- 7027. *Phthiria unicolor* Bezzi,1925** (Bombyliidae) Synonym(s): unicolor Bezzi,1925 Range (in code): EG OM?
- 7028. *Phthiria vagans* Loew,1846** (Bombyliidae) Synonym(s): vagans Loew,1846; pallescens Engel,1933 Range (in code): AM AZ GG Cc BY HV EE FR GR HU IT Si IR IL Pa KK LT HU MK MD RO RU ES TJ TR TM UA UZ YU 07 33 38 42 46 48 65 70
- 7029. *Phthiria variceps* Austen,1937** (Bombyliidae) Synonym(s): variceps Austen,1937 Range (in code): IL Pa
- 7030. *Phthiria variegata* Austen,1937** (Bombyliidae) Synonym(s): variegata Austen,1937 Range (in code): IL Pa
- 7031. *Phthiria virgata* Austen,1937** (Bombyliidae) Synonym(s): virgata Austen,1937 Range (in code): IL Pa
- 7032. *Plesiocera algira* Macquart,1840** (Bombyliidae) Synonym(s): algira Macquart,1840; fornicata Loew,1857; inaequalis Becker,1906 Range (in code): DZ TN ES IT IL Pa LB SY TR 01
- 7033. *Plesiocera ochracea* Greathead,1967** (Bombyliidae) Synonym(s): ochracea Greathead,1967 Range (in code): ER KE YE SA
- 7034. *Prorachthes beckeri* Paramonov,1926** (Bombyliidae) Synonym(s): beckeri Paramonov,1926 Range (in code): TR AM AZ Cc GG BG HU IT MD RU UA 38 70
- 7035. *Prorachthes ledereri* Loew,1868** (Bombyliidae) Synonym(s): ledereri Loew,1868 Range (in code): GR TR KK TJ TM UZ
- 7036. *Prorachthes pleskei* Paramonov,1927** (Bombyliidae) Synonym(s): pleskei Paramonov,1927 Range (in code): TR AM AZ GG Cc IR PK 46
- 7037. *Prorachthes portschinskyi* Paramonov,1927** (Bombyliidae) Synonym(s): portschinskyi Paramonov,1927 Range (in code): IR TM
- 7038. *Pteraulax oldroydi* Abbasian-Lintzen,1966** (Bombyliidae) Synonym(s): oldroydi Abbasian-Lintzen,1966 Range (in code): IR
- 7039. *Pterobates chalybaeus* (Röder,1887)** (Bombyliidae) Synonym(s): chalybaeus Röder,1887 Range (in code): EG SY IL Pa LB SA
- 7040. *Pterobates pennatus* (Nurse,1922)** (Bombyliidae) Synonym(s): pennatus Nurse,1922 Range (in code): PK IN AF IN IR
- 7041. *Pterobates shelkovnikovi* (Paramonov,1928)** (Bombyliidae) Synonym(s): shelkovnikovi Paramonov,1928 Range (in code): TR AM AZ Cc GG KK TJ TM UZ 02
- 7042. *Satyramoeba bipunctata* (Fabricius,1805)** (Bombyliidae) Synonym(s): bipunctata Fabricius,1805; carbonaria Walker,1852 Range (in code): BD IN Ass Meg Ben PK

- 7043. *Satyrarmoeba hetrusca* (Fabricius,1794)** (Bombyliidae) Synonym(s): *hetrusca* Fabricius,1794; *rubiginipennis* Macquart,1840; *formosa* Dufour,1852; *etrusca* Bezzi,1903 Range (in code): ES IT CY TR AF AT AM AZ Cc GG B-H HV FR GR IR IL Pa JP MK RO RU Cm SY TJ TM UZ YU 07 09 26 36
- 7044. *Sinaia kneuckeri* Becker,1916** (Bombyliidae) Synonym(s): *#kneuckeri* Hermann,1909; *kneuckeri* Becker,1916 Range (in code): EG Sn
- 7045. *Spogostylum afghanicola* (François,1969)** (Bombyliidae) Synonym(s): *afghanicola* François,1969 Range (in code): AF
- 7046. *Spogostylum arenivagum* (Austen,1937)** (Bombyliidae) Synonym(s): *arenivagum* Austen,1937 Range (in code): IL Pa IQ
- 7047. *Spogostylum austeni* Brunetti,1920** (Bombyliidae) Synonym(s): *austeni* Brunetti,1920 Range (in code): PK
- 7048. *Spogostylum candidum* (Sack,1909)** (Bombyliidae) Synonym(s): *candidum* Sack,1909 Range (in code): PK EG IR Oru Ab TR AE 44
- 7049. *Spogostylum caucasicum* (Zaitzev,1961)** (Bombyliidae) Synonym(s): *caucasicum* Zaitzev,1961 Range (in code): TR AZ AM GG Cc MN 02 04 65
- 7050. *Spogostylum cinereum* (Zaitzev,1961)** (Bombyliidae) Synonym(s): *cinereum* Zaitzev,1961 Range (in code): Cc GG IR KK TJ TM UZ
- 7051. *Spogostylum dagomba* (Bowden,1964)** (Bombyliidae) Synonym(s): *dagomba* Bowden,1964 Range (in code): GH TD CI ET ER NE KE SD SO YE EG SA
- 7052. *Spogostylum deserticola* (Zaitzev,1976)** (Bombyliidae) Synonym(s): *deserticola* Zaitzev,1976 Range (in code): KG KK TJ TM UZ
- 7053. *Spogostylum doctum* (Paramonov,1957)** (Bombyliidae) Synonym(s): *doctum* Paramonov,1957 Range (in code): TM UZ
- 7054. *Spogostylum dubium* (Zaitzev,1961)** (Bombyliidae) Synonym(s): *dubium* Zaitzev,1961 Range (in code): TR AM Cc MN KG 02 33
- 7055. *Spogostylum duvaucelii* (Macquart,1840)** (Bombyliidae) Synonym(s): *duvaucelii* Macquart,1840 Range (in code): IN Ben Hp Up PK LK
- 7056. *Spogostylum falkovitshi* (Zaitzev,1976)** (Bombyliidae) Synonym(s): *falkovitshi* Zaitzev,1976 Range (in code): UZ TJ TM
- 7057. *Spogostylum flavescens* (Sack,1909)** (Bombyliidae) Synonym(s): *flavescens* Sack,1909 Range (in code): IR
- 7058. *Spogostylum flavipenne* (Sack,1909)** (Bombyliidae) Synonym(s): *flavipenne* Sack,1909 Range (in code): IR
- 7059. *Spogostylum fuscipenne* (Zaitzev,1976)** (Bombyliidae) Synonym(s): *fuscipenne* Zaitzev,1976 Range (in code): TM UZ
- 7060. *Spogostylum griseipenne* (Macquart,1850)** (Bombyliidae) Synonym(s): *griseipenne* Macquart,1850 Range (in code): MR NE EG IQ IL Pa LY SA TN AE
- 7061. *Spogostylum grunini* (Zaitzev,1976)** (Bombyliidae) Synonym(s): *grunini* Zaitzev,1976 Range (in code): KG TM UZ
- 7062. *Spogostylum hippolytum* (Wiedemann,1828)** (Bombyliidae) Synonym(s): *hippolytum* Wiedemann,1828; *dedecor* Hermann,1907 Range (in code): EG TR IR IL Pa TM TJ LY ER GM GN ML MR SN SD 35
- 7063. *Spogostylum indigenum* (Becker,1913)** (Bombyliidae) Synonym(s): *indigenum* Becker,1913 Range (in code): IR
- 7064. *Spogostylum inquinatum* (Zaitzev,1976)** (Bombyliidae) Synonym(s): *inquinatum* Zaitzev,1976 Range (in code): TM UZ
- 7065. *Spogostylum isis* (Meigen,1820)** (Bombyliidae) Synonym(s): *isis* Meigen,1820; *subnotata* Walker,1871 nec Wied.,1820 Range (in code): DZ AM Cc AZ GG AT IT HV BE FR GR EG CY IL Pa TR IR Ab Khy Oru Mak KG KK LY MK MT MA PT SA ES SY TJ TN TM UZ YU 07 12 44 65
- 7066. *Spogostylum karavaievi* (Paramonov,1924)** (Bombyliidae) Synonym(s): *karavaievi* Paramonov,1924 Range (in code): TM KG
- 7067. *Spogostylum lehri* (Zaitzev,1976)** (Bombyliidae) Synonym(s): *lehri* Zaitzev,1976 Range (in code): KG TJ TM UZ
- 7068. *Spogostylum longipenne* (Macquart,1840)** (Bombyliidae) Synonym(s): *longipenne* Macquart,1840 Range (in code): IQ
- 7069. *Spogostylum niphas* (Hermann,1907)** (Bombyliidae) Synonym(s): *niphas* Hermann,1907; *bilineata* Engel,1936 Range (in code): TM TJ TR SA OM IL Pa EG YE SO ER MR
- 7070. *Spogostylum niphoides* (Greathead,1980)** (Bombyliidae) Synonym(s): *niphoides* Greathead,1980 Range (in code): SA
- 7071. *Spogostylum nomas* (Eversmann,1855)** (Bombyliidae) Synonym(s): *nomas* Eversmann,1855 Range (in code): KG KK TJ TM UZ
- 7072. *Spogostylum obscurum* (Sack,1909)** (Bombyliidae) Synonym(s): *obscurum* Sack,1909 Range (in code): AF IR TM TJ UZ



- 7073. *Spogostylum ocyale* (Wiedemann,1828)** (Bombyliidae) Synonym(s): ocyale Wiedemann,1828; umbra Walker,1849; arugotense Zaitzev,1997 Range (in code): IL Pa SD SO YE EG IR J LY OM SA
- 7074. *Spogostylum parobscurum* (Paramonov,1957)** (Bombyliidae) Synonym(s): parobscurum Paramonov,1957 Range (in code): TM UZ TJ
- 7075. *Spogostylum perpusillum* (Austen,1937)** (Bombyliidae) Synonym(s): perpusillum Austen,1937 Range (in code): IL Pa
- 7076. *Spogostylum persicum* (Macquart,1840)** (Bombyliidae) Synonym(s): persicum Macquart,1840 Range (in code): IR
- 7077. *Spogostylum robustum* (Zaitzev,1976)** (Bombyliidae) Synonym(s): robustum Zaitzev,1976 Range (in code): AF TJ TM UZ
- 7078. *Spogostylum rudolfae* (Zaitzev,1976)** (Bombyliidae) Synonym(s): rudolfae Zaitzev,1976 Range (in code): TJ TM
- 7079. *Spogostylum rufulum* (Zaitzev,1961)** (Bombyliidae) Synonym(s): rufulum Zaitzev,1961 Range (in code): TR AM Cc 02 07 25 44 70
- 7080. *Spogostylum sordidum* (Sack,1909)** (Bombyliidae) Synonym(s): sordidum Sack,1909 Range (in code): AF EG OM IR SA TJ TM UZ
- 7081. *Spogostylum stackelbergi* (Paramonov,1957)** (Bombyliidae) Synonym(s): stackelbergi Paramonov,1957 Range (in code): AZ Cc AM GG
- 7082. *Spogostylum tenebrosum* (Paramonov,1957)** (Bombyliidae) Synonym(s): tenebrosum Paramonov,1957 Range (in code): KG TM
- 7083. *Spogostylum tripunctatum* (Wiedemann,1820)** (Bombyliidae) Synonym(s): tripunctatum Wiedemann,1820; difficilis Wiedemann,1820; mystaceum Macquart,1840 Range (in code): AL DZ AM AZ Cc GG B-H BG HV EG FR GR IL Pa IT LY MK MT MD MA RU ES CH SY TJ TR IR Ab Khy AF TM UA UZ 01 07 65
- 7084. *Spogostylum tsharykulievi* (Zaitzev,1971)** (Bombyliidae) Synonym(s): tsharykulievi Zaitzev,1971 Range (in code): TJ TM MN
- 7085. *Spogostylum turemenicum* (Paramonov,1927)** (Bombyliidae) Synonym(s): turemenicum Paramonov,1927 Range (in code): IL Pa TJ TM UZ
- 7086. *Spogostylum turkmenicola* (Paramonov,1957)** (Bombyliidae) Synonym(s): turkmenicola Paramonov,1957 Range (in code): IR TM TJ UZ
- 7087. *Spogostylum variabile* (Zaitzev,1976)** (Bombyliidae) Synonym(s): variabile Zaitzev,1976 Range (in code): KG KK TJ TM UZ
- 7088. *Spogostylum ventrale* (Bezzi,1924)** (Bombyliidae) Synonym(s): ventrale Bezzi,1924 Range (in code): ET ER KE YE OM
- 7089. *Spogostylum vulpinum* (Sack,1909)** (Bombyliidae) Synonym(s): vulpinum Sack,1909; brunnica Becker,1913 Range (in code): IR
- 7090. *Spogostylum zaitzevi* Evenhuis & Greathead,1999** (Bombyliidae) Synonym(s): punctipennis Zaitzev,1961 nec Wiedem.,1821; zaitzevi Evenhuis & Greathead,1999; #zaitzevi Dils & Özbek,2006 Range (in code): AM AZ GG Cc IL Pa TR 02 30 44
- 7091. *Stomylomyia araxana* Paramonov,1925** (Bombyliidae) Synonym(s): araxana Paramonov,1925 Range (in code): AM Cc
- 7092. *Stomylomyia europaea* (Loew,1869)** (Bombyliidae) Synonym(s): europaea Loew,1869; leonina Bigot,1887 Range (in code): AF AL AM AZ GG Cc TR FR GR Rd HU IR Ab Khy IL Pa IT MK MD RO RU UA YU 02 07 26 32 33 44 51 70
- 7093. *Stomylomyia nigrirostris* Bezzi,1925** (Bombyliidae) Synonym(s): nigrirostris Bezzi,1925 Range (in code): EG IL Pa
- 7094. *Stomylomyia pusilla* Bezzi,1925** (Bombyliidae) Synonym(s): pusilla Bezzi,1925 Range (in code): AM AZ GG Cc EG
- 7095. *Stomylomyia turkestanica* Paramonov,1925** (Bombyliidae) Synonym(s): turkestanica Paramonov,1925 Range (in code): TJ TM UZ
- 7096. *Systoechus arabicus* Greathead,1980** (Bombyliidae) Synonym(s): arabicus Greathead,1980 Range (in code): SA
- 7097. *Systoechus autumnalis* (Wiedemann,1818)** (Bombyliidae) Synonym(s): autumnalis Wiedemann,1818 Range (in code): DZ AM AZ Cc GG AT BG CY CZ FR HU IR IT Si TR KG MD RO RU SK ES SY TN TM UA 44
- 7098. *Systoechus croceipilus* Greathead,1980** (Bombyliidae) Synonym(s): croceipilus Greathead,1980 Range (in code): OM
- 7099. *Systoechus ctenopterus* (Mikan,1796)** (Bombyliidae) Synonym(s): ctenopterus Mikan,1796; sulphureus Mikan,1796; aurulentus Wiedemann,1820; fulvus Meigen,1820; dalmatinus Loew,1855; convergens Loew,1855; orientalis Zakhvatkin,1954 Range (in code): IT Si HV DZ AM Cc AZ AT BE BG GR TR CN Ui CY CZ DK EG EE FI FR DE GG HU IR Ab Oru IL Pa KG LT MK MD MA NL PL PT RO RU SK SS ES SE CH UA YU 01 04 08 13 22 24 25 35 36 38 39 42 48 51 65 70
- 7100. *Systoechus gomezmenori* Rubio,1959** (Bombyliidae) Synonym(s): gomezmenori Rubio,1959 Range (in code): AM AZ Cc GG IT AT B-H BG HV EG FR DE KK MA PT RO SS ES TJ TM UZ

- 7101. Systoechus gradatus (Wiedemann,1820)** (Bombyliidae) Synonym(s): gradatus Wiedemann,1820; leucophaeus Wiedemann,1820; lucidus Loew,1855; gallicus Villeneuve,1904; tesquorum Becker,1916; validus Bezzi,1925 Range (in code): IT Si AF AM AT Cc AZ GG B-H BG CN Ui HV EG FI FR Co DE GR HU IR KK KG MK MD MA PL RO RU SS SE TJ TN TR TM UA UZ YU 01 02 13 17 25 26 38 44 49 51 70
- 7102. Systoechus horridus Greathead,1980** (Bombyliidae) Synonym(s): horridus Greathead,1980 Range (in code): OM SA AE
- 7103. Systoechus longirostris Becker,1916** (Bombyliidae) Synonym(s): longirostris Becker,1916 Range (in code): AM AZ GG Cc TR B-H BG FR DE IR IT KG MK MD PT ES RU SS UA YU 44
- 7104. Systoechus microcephalus (Loew,1855)** (Bombyliidae) Synonym(s): microcephalus Loew,1855 Range (in code): IT Si AM AZ Cc B-H HV GR HU MK MD RO SS UA YU
- 7105. Systoechus pallidipilosus Austen,1937** (Bombyliidae) Synonym(s): pallidipilosus Austen,1937 Range (in code): IL Pa
- 7106. Systoechus socius (Walker,1852)** (Bombyliidae) Synonym(s): socius Walker,1852; eupogonatus Bigot,1892 Range (in code): IN Hp Ch SI Up Ben NP PK LK
- 7107. Systoechus submicans Greathead,1980** (Bombyliidae) Synonym(s): submicans Greathead,1980 Range (in code): SA
- 7108. Systoechus tesquorum Becker,1916** (Bombyliidae) Synonym(s): tesquorum Becker,1916 Range (in code): IT TR
- 7109. Systoechus vulpinus Becker,1910** (Bombyliidae) Synonym(s): vulpinus Becker,1910 Range (in code): YE SA
- 7110. Systropus (s.str.) annulatus Engel,1932** (Bombyliidae) Synonym(s): annulatus Engel,1932 Range (in code): SY
- 7111. Thevenetimyia (s.str.) zerrinae Hasbenli,2005** (Bombyliidae) Synonym(s): zerrinae Hasbenli,2005 Range (in code): TR 07
- 7112. Thevenetimyia (s.str.) ziegleri Dils,2009** (Bombyliidae) Synonym(s): ziegleri Dils,2009 Range (in code): IR Kh
- 7113. Thyridanthrax anomalus Greathead,1980** (Bombyliidae) Synonym(s): anomalus Greathead,1980 Range (in code): SA
- 7114. Thyridanthrax dagniensis Paramonov,1933** (Bombyliidae) Synonym(s): dagniensis Paramonov,1933 Range (in code): AM AZ GG Cc KK TJ TM UZ
- 7115. Thyridanthrax decipulus (Austen,1937)** (Bombyliidae) Synonym(s): decipulus Austen,1937 Range (in code): IL Pa OM SA AE
- 7116. Thyridanthrax elegans (Wiedemann,1820)** (Bombyliidae) Synonym(s): elegans Wiedemann,1820; fenestralis Macquart,1840 nec Wied.,1830; varinervis Macquart,1846; variegatus Jaennicke,1867 nec Pall.,1818; macquarti Bezzi,1912; calochromatus Bezzi,1921; subperspicillaris Bezzi,1922;kappa Bowden,1964;dolgovskaya Zaitzev,1999 Range (in code): MW ZM ZW BW ZA Gau Tva KE ER GH ML NE YE SA NA IL Pa AM GG AZ GG Cc AT B-H HV BG EG CY FR Co GR IR Ab Khy Oru IT Si KK KG LB LY MT MD MN MA PT PL RU ES SY TJ TR TM UA UZ YU 07 32 33 35 42
- 7117. Thyridanthrax fenestratus (Fallén,1814)** (Bombyliidae) Synonym(s): fenestratus Fallén,1814; variegata Pallas,1818; ornatus Curtis,1824; italica Walker,1849; montana Paramonov,1927 Range (in code): AL DZ AM AZ GG Cc TR BY BE B-H BG CN HV CZ DK EG EE FI FR DE GR HU IR IT Si KG KK LT LY MK MD MN MA NL NO PL PT RO RU SK SS ES SE CH TJ TM UA GB UZ YU 17 35
- 7118. Thyridanthrax griseolus (Klug,1832)** (Bombyliidae) Synonym(s): griseolus Klug,1832 Range (in code): EG IR LB LY? SA TN
- 7119. Thyridanthrax incanus (Klug,1832)** (Bombyliidae) Synonym(s): incanus Klug,1832; testacea Macquart,1840; varipennis Macquart,1849 Range (in code): TR AF DZ AM AZ GG Cc CY EG FR GR IR Ab Oru IL Pa IT Si LB LY MK MA SY TN TM YU 02 07 65 70 73
- 7120. Thyridanthrax kushkaensis (Paramonov,1927)** (Bombyliidae) Synonym(s): kushkaensis Paramonov,1927 Range (in code): AF TJ TM
- 7121. Thyridanthrax lotus (Loew,1869)** (Bombyliidae) Synonym(s): lotus Loew,1869; confusa Becker,1916 Range (in code): AF AM AZ GG Cc CY EG IT GR Rd IR KK KG ES TJ TM UZ TR 07 33 42
- 7122. Thyridanthrax mutilus (Loew,1869)** (Bombyliidae) Synonym(s): mutilus Loew,1869 Range (in code): IT TR EG GR Rd IL Pa MK SA SY
- 7123. Thyridanthrax oblitteratus (Loew,1862)** (Bombyliidae) Synonym(s): oblitteratus Loew,1862 Range (in code): IT TR AM AZ GG Cc EG GR IR KK LY MN TJ TM US YU 07
- 7124. Thyridanthrax perspicillaris (Loew,1869)** (Bombyliidae) Synonym(s): perspicillaris Loew,1869; gallus Loew,1869; hispanus Loew,1869; ternarius Bezzi,1920; idulus Hesse,1956; speciosus Hesse,1956; hessei Bowden,1964 Range (in code): BW ER ET KE ML NA ZA UG YE ZW SA GM GH MR Mpu Tva SD PK AF AL AM AZ GG Cc IT Si AT BG HV CY EG FR DE GR Rd IR Ab Mak Oru IL Pa KK KG LY MA MN RO RU ES TJ TM AE UZ YU TR 02 04 24 25 32 38 42 44 50 51 65 69 70
- 7125. Thyridanthrax polyphemus (Wiedemann,1820)** (Bombyliidae) Synonym(s): polyphemus Wiedemann,1820; pumilio Austen,1937 Range (in code): AM AZ GG Cc FR GR IR Ab Oru IT IL Pa LY MT MA PT ES SY TN TM UZ YU TR 33 35 44

- 7126. *Thyridanthrax reductus* Lindner,1975** (Bombyliidae) Synonym(s): *reductus* Lindner,1975  
Range (in code): IR
- 7127. *Thyridanthrax rohdendorfi* (Paramonov,1925)** (Bombyliidae) Synonym(s): *rohdendorfi* Paramonov,1925 Range (in code): TM UZ
- 7128. *Thyridanthrax rotundifacies* (Paramonov,1927)** (Bombyliidae) Synonym(s): *rotundifacies* Paramonov,1927 Range (in code): TM UZ
- 7129. *Thyridanthrax rubriventris* Paramonov,1927** (Bombyliidae) Synonym(s): *rubriventris* Paramonov,1927 Range (in code): AM AZ GG Cc TM UZ
- 7130. *Thyridanthrax shibanovae* Zaitzev,1999** (Bombyliidae) Synonym(s): *shibanovae* Zaitzev,1999  
Range (in code): IL Pa
- 7131. *Thyridanthrax zefaticus* Zaitzev,1999** (Bombyliidae) Synonym(s): *zefaticus* Zaitzev,1999 Range (in code): IL Pa
- 7132. *Toxophora aegyptiaca* Efflatoun,1945** (Bombyliidae) Synonym(s): *aegyptiaca* Efflatoun,1945  
Range (in code): SD EG OM SA
- 7133. *Toxophora angusta* Paramonov,1933** (Bombyliidae) Synonym(s): *angusta* Paramonov,1933  
Range (in code): TJ TM UZ
- 7134. *Toxophora bezzii* Paramonov,1933** (Bombyliidae) Synonym(s): *bezzii* Paramonov,1933 Range (in code): EG IL Pa
- 7135. *Toxophora deserta* Paramonov,1933** (Bombyliidae) Synonym(s): *deserta* Paramonov,1933; *tadzhikorum* Paramonov,1933 Range (in code): IR TJ TM UZ
- 7136. *Toxophora epargyra* Hermann,1907** (Bombyliidae) Synonym(s): *epargyra* Hermann,1907 Range (in code): TR SD AM AZ GG Cc EG TJ TM UZ 35
- 7137. *Toxophora fasciculata* (Villers,1789)** (Bombyliidae) Synonym(s): *fasciculata* Villers,1789; *maculata* Rossi,1790 nec Müll.,1764; *completa* Paramonov,1933 Range (in code): TR SD DZ AM AZ GG Cc AT BG HV CY CZ EG FR Co DE GR HU IR IT IL Pa Si KG KK LB LY MD MA RO RU SK SS ES CH TJ TM UA UZ 03 07 32 35 48 65
- 7138. *Toxophora lebedevi* Paramonov,1925** (Bombyliidae) Synonym(s): *lebedevi* Paramonov,1925  
Range (in code): KH TM UZ
- 7139. *Toxophora psammophila* Paramonov,1933** (Bombyliidae) Synonym(s): *psammophila* Paramonov,1933 Range (in code): AM AZ GG Cc KK TJ TM UZ
- 7140. *Toxophora shelkovnikovi* Paramonov,1933** (Bombyliidae) Synonym(s): *shelkovnikovi* Paramonov,1933 Range (in code): AM AZ GG Cc CY
- 7141. *Toxophora turkestanica* Paramonov,1933** (Bombyliidae) Synonym(s): *turkestanica* Paramonov,1933 Range (in code): TJ TM UZ
- 7142. *Triplasius pictus* (Panzer,1794)** (Bombyliidae) Synonym(s): *pictus* Panzer,1794; *planicornis* Fabricius,1798 Range (in code): AM AZ GG Cc AT CZ EG FR DE GR HU IT Si MD PL PT RO RU SK ES CH TR UA 30 56 76
- 7143. *Turkmeniella magnifica* Paramonov,1940** (Bombyliidae) Synonym(s): *magnifica* Paramonov,1940 Range (in code): TM
- 7144. *Usia (Micrusia) aurata* (Fabricius,1794)** (Bombyliidae) Synonym(s): *aurata* Fabricius,1794; *taeniolata* Costa,1883 Range (in code): IT Si Sa ES FR DZ AM AZ GG Cc EG IR IL Pa KW KK LY MA ES TJ TN TM UZ
- 7145. *Usia (Micrusia) forcipata* Brullé,1833** (Bombyliidae) Synonym(s): *forcipata* Brullé,1833 Range (in code): DZ EG IL Pa TN IT YU MT MK GR
- 7146. *Usia (Micrusia) novakii* Strobl,1902** (Bombyliidae) Synonym(s): *novakii* Strobl,1902 Range (in code): DZ B-H HV FR GR TR IL Pa AL IT LY MK MA SS TN YU 14
- 7147. *Usia (Micrusia) sricula* Egger,1859** (Bombyliidae) Synonym(s): *sricula* Egger,1859 Range (in code): HV GR IT Si MK SS SY TR YU 48 50
- 7148. *Usia (Micrusia) theodori* Gibbs,2011** (Bombyliidae) Synonym(s): *theodori* Gibbs,2011 Range (in code): IL Pa
- 7149. *Usia (Micrusia) transcaspica* Paramonov,1950** (Bombyliidae) Synonym(s): *transcaspica* Paramonov,1950 Range (in code): TR AM AZ Cc MK TM Kp UZ IR Qz 02
- 7150. *Usia (Micrusia) versicolor* (Fabricius,1787)** (Bombyliidae) Synonym(s): *versicolor* Fabricius,1787; *hyalipennis* Macquart,1840 Range (in code): DZ B-H HV CY EG FR GR IT IR LY MK MT MA SS ES TN TR YU
- 7151. *Usia (s.str.) aenea* (Rossi,1794)** (Bombyliidae) Synonym(s): *aenea* Rossi,1794; *vicina* Macquart,1840; *dubia* Kertész,1900 Range (in code): DZ AT BG HV CZ FR DE GR HU IT IR ES PT MA SS SK CH TR
- 7152. *Usia (s.str.) anatoliensis* Gibbs,2014** (Bombyliidae) Synonym(s): *anatoliensis* Gibbs,2014 Range (in code): TR 46 70
- 7153. *Usia (s.str.) angustifrons* Becker,1906** (Bombyliidae) Synonym(s): *angustifrons* Becker,1906; *putilla* Becker,1906 Range (in code): FR GR IT KK RU ES TJ TN TM



- 7154. *Usia (s.str.) annetteae* Gibbs,2014** (Bombyliidae) Synonym(s): annetteae Gibbs,2014 Range (in code): LB IL Pa He
- 7155. *Usia (s.str.) atrata* (Fabricius,1798)** (Bombyliidae) Synonym(s): atrata Fabricius,1798; vicina Macquart,1840; claripennis Macquart,1840; #pubera Becker,1906; pubera Strobl,1906 Range (in code): DZ Cc AM AZ GG IT Si B-H AT HV BG CZ FR GR HU IR MK LY MA PT SK SS ES CH TN YU
- 7156. *Usia (s.str.) bicolor* Macquart,1855** (Bombyliidae) Synonym(s): bicolor Macquart,1855 Range (in code): B-H HV EG GR IL Pa IT KK LB JO SS SY TR TJ TM UZ YU 31 33 38 70
- 7157. *Usia (s.str.) calva* Loew,1869** (Bombyliidae) Synonym(s): calva Loew,1869 Range (in code): TR IL Pa SY 26 35 48 60
- 7158. *Usia (s.str.) carmelitensis* Becker,1906** (Bombyliidae) Synonym(s): carmelitensis Becker,1906 Range (in code): IL Pa Hf SY
- 7159. *Usia (s.str.) crinipes* Becker,1906** (Bombyliidae) Synonym(s): crinipes Becker,1906 Range (in code): TR Cc AZ AM GG IR TJ TM UZ 05 13 25 30 51 58 62
- 7160. *Usia (s.str.) florea* (Fabricius,1794)** (Bombyliidae) Synonym(s): florea Fabricius,1794; cuprea Macquart,1834; gagathea Bigot,1892 Range (in code): DZ FR ES MA TN IT Si KK TM TJ
- 7161. *Usia (s.str.) greadheadi* Gibbs,2014** (Bombyliidae) Synonym(s): greadheadi Gibbs,2014 Range (in code): TR GR Ae Le 07 33 48
- 7162. *Usia (s.str.) ignorata* Becker,1906** (Bombyliidae) Synonym(s): ignorata Becker,1906 Range (in code): DZ SD EG IL Pa MA ES TN SY
- 7163. *Usia (s.str.) incognita* Paramonov,1950** (Bombyliidae) Synonym(s): incognita Paramonov,1950 Range (in code): IR TM
- 7164. *Usia (s.str.) lata* Loew,1846** (Bombyliidae) Synonym(s): lata Loew,1846; bicoloripes Malloch,1926 Range (in code): GR Rd MK IT YU TR 38 48
- 7165. *Usia (s.str.) notata* Loew,1873** (Bombyliidae) Synonym(s): notata Loew,1873 Range (in code): DZ KG TJ UZ TM
- 7166. *Usia (s.str.) syriaca* Paramonov,1950** (Bombyliidae) Synonym(s): syriaca Paramonov,1950 Range (in code): SY IL Pa JO TR 63
- 7167. *Usia (s.str.) taeniolata* Costa,1883** (Bombyliidae) Synonym(s): taeniolata Costa,1883 Range (in code): DZ AM Cc AZ EG FR ES GG IR IL Pa IT Sa Si KW KK LY MA TN TJ TM UZ
- 7168. *Usia (s.str.) unicolor* Loew,1873** (Bombyliidae) Synonym(s): unicolor Loew,1873; subaeneiventris Malloch,1926 Range (in code): TM UZ Tas KG KK
- 7169. *Veribubo albinus* (Becker,1913)** (Bombyliidae) Synonym(s): albinus Becker,1913 Range (in code): AZ AM GG Cc IR Ab Khy
- 7170. *Veribubo albulus* Zaitzev,1999** (Bombyliidae) Synonym(s): albulus Zaitzev,1999 Range (in code): IL Pa
- 7171. *Veribubo angusteoculatus* (Becker,1902)** (Bombyliidae) Synonym(s): angusteoculatus Becker,1902 Range (in code): EG GR IT OM SA AE
- 7172. *Veribubo anus* (Wiedemann,1828)** (Bombyliidae) Synonym(s): anus Wiedemann,1828 Range (in code): SD EG LY TN AE
- 7173. *Veribubo desertus* Zaitzev,1972** (Bombyliidae) Synonym(s): desertus Zaitzev,1972 Range (in code): TR AM Cc AZ GG TM UZ 02 07 17 33
- 7174. *Veribubo heteropterus* Paramonov,1927** (Bombyliidae) Synonym(s): heteropterus Paramonov,1927 Range (in code): AM Cc
- 7175. *Veribubo mervensis* (Paramonov,1927)** (Bombyliidae) Synonym(s): mervensis Paramonov,1927 Range (in code): TJ TM
- 7176. *Veribubo mesasiaticus* (Zaitzev,1973)** (Bombyliidae) Synonym(s): mesasiaticus Zaitzev,1973 Range (in code): IR KG TJ TM UZ
- 7177. *Veribubo misellus* (Loew,1869)** (Bombyliidae) Synonym(s): misellus Loew,1869 Range (in code): TR AM AZ GG Cc GR EG IR IT KK LY TJ TM UZ YU 44
- 7178. *Veribubo nitidifrons* (Austen,1936)** (Bombyliidae) Synonym(s): nitidifrons Austen,1936 Range (in code): PK
- 7179. *Veribubo ravus* (Zaitzev,1976)** (Bombyliidae) Synonym(s): ravus Zaitzev,1976 Range (in code): TJ TM UZ
- 7180. *Veribubo saffra* Greathead,1981** (Bombyliidae) Synonym(s): saffra Greathead,1981 Range (in code): SA
- 7181. *Veribubo saudensis* (François,1970)** (Bombyliidae) Synonym(s): saudensis François,1970 Range (in code): SA
- 7182. *Veribubo semifuscus* (Engel,1936)** (Bombyliidae) Synonym(s): semifuscus Engel,1936 Range (in code): EG SA
- 7183. *Veribubo tabaninus* (Bezzi,1925)** (Bombyliidae) Synonym(s): tabaninus Bezzi,1925; arabicola François,1970 Range (in code): EG SA
- 7184. *Veribubo transcaspicus* (Paramonov,1924)** (Bombyliidae) Synonym(s): transcaspicus Paramonov,1924 Range (in code): TR TJ TM UZ 33 42 70

- 7185. Villa abbadon (Fabricius,1794)** (Bombyliidae) Synonym(s): abbadon Fabricius,1794 Range (in code): **DZ AM Cc AZ TR HV FR GR GG IR IT LB SY ES YU TM 33 35 44 70**
- 7186. Villa albida Becker,1916** (Bombyliidae) Synonym(s): dubia Meade,1881; albida Becker,1916 Range (in code): **TR HU IT 02 38**
- 7187. Villa albula (Loew,1869)** (Bombyliidae) Synonym(s): albula Loew,1869; gracilis Ringdahl,1915 Range (in code): **Cc AM AZ BG CY EG GR GG IR IT TR**
- 7188. Villa atricauda (Austen,1937)** (Bombyliidae) Synonym(s): jugorum Stein,1916; atricauda Austen,1937 Range (in code): **IL Pa SY**
- 7189. Villa baluchiana Brunetti,1920** (Bombyliidae) Synonym(s): baluchianus Brunetti,1920 Range (in code): **PK BI IN Ch**
- 7190. Villa bivirgata Austen,1937** (Bombyliidae) Synonym(s): trigonalis Meigen,1826; bivirgata Austen,1937 Range (in code): **EG YE IL Pa JO SY SA**
- 7191. Villa bizonata Becker,1916** (Bombyliidae) Synonym(s): nigripes Schnabl,1888; bizonata Becker,1916 Range (in code): **TR**
- 7192. Villa bombiformis Becker,1916** (Bombyliidae) Synonym(s): bombiformis Becker,1916; laetabilis Collin,1951 Range (in code): **TR**
- 7193. Villa brunettii Evenhuis & Greathead,1999** (Bombyliidae) Synonym(s): brunettii Evenhuis & Greathead,1999 Range (in code): **PK IN**
- 7194. Villa brunnea Becker,1916** (Bombyliidae) Synonym(s): brunnea Becker,1916; latifrons Stein,1916 Range (in code): **ES Cc GG AM AZ BG CY HV FR Co GR IR MD RU UA TR 07 33 38 44**
- 7195. Villa cana (Meigen,1804)** (Bombyliidae) Synonym(s): cana Meigen,1804; quinquefasciata Wiedemann,1820 Range (in code): **DZ LY MT ES CH Cc GG AM AF AZ AT BG HV CZ EG FR Co GR IT Si MK TR IR MD RO RU SS**
- 7196. Villa chorassani (Becker & Stein,1913)** (Bombyliidae) Synonym(s): medisepta Pandelle,1899; chorassani Becker & Stein,1913 Range (in code): **AM Cc AZ GG TM IR Kh AF**
- 7197. Villa cingulata (Meigen,1804)** (Bombyliidae) Synonym(s): cingulata Meigen,1804 Range (in code): **AF AL AM Cc GG AZ AT BE B-H HV CZ FI FR DE GR HU IT Sa Si IR MK MD PL NL PT CN**
- 7198. Villa cingulum (Wiedemann,1820)** (Bombyliidae) Synonym(s): cingulum Wiedemann,1820 Range (in code): **AM AZ BE Cc FR GR GG IT Si ES PT YU**
- 7199. Villa circumdata (Meigen,1820)** (Bombyliidae) Synonym(s): circumdata Meigen,1820 Range (in code): **IT Si Sa TR**
- 7200. Villa claripennis (Kowarz,1868)** (Bombyliidae) Synonym(s): vitifera Zetterstedt,1845; claripennis Kowarz,1868 Range (in code): **ES AM AT Cc AZ B-H HV CZ FR GR HU IT Si KG MD PL RO RU SK UA**
- 7201. Villa clarissima (Loew,1857)** (Bombyliidae) Synonym(s): clarissima Loew,1857; diluta Rondani,1866 Range (in code): **Cc AM AZ GG BG CY IL Pa IT Si SY LY YU**
- 7202. Villa cyrprigna (Rondani,1863)** (Bombyliidae) Synonym(s): cyrprigna Rondani,1863 Range (in code): **CY**
- 7203. Villa deludens François,1966** (Bombyliidae) Synonym(s): deludens François,1966; fulvescens Santos Abreu,1976 Range (in code): **CZ FR GR IT SK YU TR 38 70**
- 7204. Villa distincta (Meigen,1835)** (Bombyliidae) Synonym(s): distincta Meigen,1835; steinii Schnabl,1888 Range (in code): **MA DZ ES FR Co IT GR TR 42**
- 7205. Villa fallax Austen,1937** (Bombyliidae) Synonym(s): anthracina Zetterstedt,1860; fallax Austen,1937 Range (in code): **IL Pa SY**
- 7206. Villa fasciata (Meigen,1804)** (Bombyliidae) Synonym(s): fasciata Meigen,1804; trigonostigma Czerny,1901 Range (in code): **MA DZ Cc AM AZ GG AT BE B-H BG Cn TR HV CZ DK FI FR GR HU IT Sa Si KG LY MK MD PL RO**
- 7207. Villa fasciculata Becker,1916** (Bombyliidae) Synonym(s): fasciculata Becker,1916 Range (in code): **ES FR GR CY HU IT Si MD RU UA**
- 7208. Villa galla Greathead,1967** (Bombyliidae) Synonym(s): galla Greathead,1967 Range (in code): **TD ER ET KE NE SA**
- 7209. Villa haesitans Becker,1916** (Bombyliidae) Synonym(s): haesitans Becker,1916 Range (in code): **AM AZ GG Cc EG IT GR IR TR**
- 7210. Villa halteralis (Kowarz,1883)** (Bombyliidae) Synonym(s): halteralis Kowarz,1883; corsicana Schnabl,1911 Range (in code): **Cc AM AZ GG AT BG Cn CZ FI NO FR Co DE GR HU IT Si MD PL RO RU SK SE ES CH UA**
- 7211. Villa hottentotta (Linnaeus,1758)** (Bombyliidae) Synonym(s): hottentotta Linnaeus,1758; nugator Harris,1780 Range (in code): **AF AL DZ Cc AM TR AZ GG IR Ab Khy Oru AT BY BE B-H BG CN HV CZ DK EE FI FR DE GR HU IE IT Sa Si 07 24 32 36 65 70**
- 7212. Villa humilis (Ruthe,1831)** (Bombyliidae) Synonym(s): testacea Fabricius,1781; humilis Ruthe,1831 Range (in code): **BE CY CZ FR DE GR HU IT PL RO SK ES UA YU**
- 7213. Villa insignis Austen,1937** (Bombyliidae) Synonym(s): humeralis R-D.,1830; insignis Austen,1937 Range (in code): **IL Pa SY**

- 7214. Villa ixion (Fabricius,1794)** (Bombyliidae) Synonym(s): ixion Fabricius,1794; stolata Rondani,1866; senecio Loew,1869 Range (in code): AT HV CY CZ FR GR TR IR Ab Oru HU IT LY MD MA PL RO SK SS ES CH UA 33 42 48
- 7215. Villa kuehlhorni François,1969** (Bombyliidae) Synonym(s): interlatens Walker,1853; kuehlhorni François,1969 Range (in code): IR
- 7216. Villa laevis Becker,1915** (Bombyliidae) Synonym(s): laevis Becker,1915 Range (in code): MA TN EG TR 25 38 42 51 65
- 7217. Villa leucostoma (Meigen,1820)** (Bombyliidae) Synonym(s): leucostoma Meigen,1820; confluens Stein,1914 Range (in code): FR ES IT RO MD RU YU UA TR 33
- 7218. Villa melanura (Loew,1869)** (Bombyliidae) Synonym(s): melanura Loew,1869 Range (in code): ES AM Cc AZ GG GR IT Si TR IR AF KK MN RU TJ TM UZ YU 38
- 7219. Villa merlei François,1969** (Bombyliidae) Synonym(s): merlei François,1969 Range (in code): TR IR TM 04 07
- 7220. Villa micrargyra (Walker,1871)** (Bombyliidae) Synonym(s): micrargyra Walker,1871 Range (in code): EG SA
- 7221. Villa modesta (Meigen,1820)** (Bombyliidae) Synonym(s): modesta Meigen,1820 Range (in code): AL AM AZ Cc GG TR IT Si BE CZ DK FR DE GR HU IR IE PL ES SE UA GB YU 07 24 38 51
- 7222. Villa mouchai François,1969** (Bombyliidae) Synonym(s): mouchai François,1969 Range (in code): RU Sb TR 07 51 65 70
- 7223. Villa multibalteata Austen,1936** (Bombyliidae) Synonym(s): multibalteata Austen,1936 Range (in code): IT TR GR CY
- 7224. Villa niphobleta (Loew,1869)** (Bombyliidae) Synonym(s): niphobleta Loew,1869; nana Becker,1916 Range (in code): AF DZ AM Cc GG AZ BG CY FR GR IT Si Sa TR IR Ab Oru KK MA RO RU ES TJ TN TM UZ YU
- 7225. Villa nomadarum Greathead,1970** (Bombyliidae) Synonym(s): nomadarum Greathead,1970 Range (in code): MR NG SA YE
- 7226. Villa occulta (Wiedemann,1820)** (Bombyliidae) Synonym(s): occulta Wiedemann,1820 Range (in code): AM AZ GG Cc AT IT Si BY BG CZ DK EE FI FR DE GR HU KG LT MD PL RO RU ES UA YU
- 7227. Villa orientalis Zaitzev,1966** (Bombyliidae) Synonym(s): orientalis Zaitzev,1966 Range (in code): TR AM AZ Cc GG Tbl KG MN TM UZ 07 51
- 7228. Villa panisca (Rossi,1790)** (Bombyliidae) Synonym(s): paniscus Rossi,1790; cingulata Meigen,1820; bimaculata Macquart,1840 Range (in code): IT Si Sa TR MN CN IN 04 25
- 7229. Villa paniscoides Bezzi,1912** (Bombyliidae) Synonym(s): paniscoides Bezzi,1912 Range (in code): ER ET KE MW SO UG YE EG SA OM
- 7230. Villa pygarga (Loew,1868)** (Bombyliidae) Synonym(s): pygarga Loew,1868 Range (in code): IT BG CY GR MK TR 32 33 48 70
- 7231. Villa quinquefasciata (Wiedemann,1820)** (Bombyliidae) Synonym(s): quinquefasciata Wiedemann,1820; blanda Loew,1869; inquieta Becker,1916 Range (in code): FR Co IT Si TR RU BG ES KG TM TJ IR AF DZ TN 48
- 7232. Villa senecio (Loew,1869)** (Bombyliidae) Synonym(s): senecio Loew,1869 Range (in code): IT TR GR EG LY IL Pa YU
- 7233. Villa senex (Rondani,1863)** (Bombyliidae) Synonym(s): senex Rondani,1863 Range (in code): Cc
- 7234. Villa sesivora Greathead & Karimpour,2006** (Bombyliidae) Synonym(s): sesivora Greathead & Karimpour,2006 Range (in code): IR Ab Oru
- 7235. Villa stenozone (Loew,1869)** (Bombyliidae) Synonym(s): stenozone Loew,1869; disjuncta Becker,1916 Range (in code): DZ EG FR GR YU IT Si TR US Il n 33 70
- 7236. Villa tomentosa Becker,1916** (Bombyliidae) Synonym(s): tomentosa Becker,1916 Range (in code): IT Si TR AF AM AZ GG Cc GR IR MK YU
- 7237. Villa turcomanus (Paramonov,1927)** (Bombyliidae) Synonym(s): turcomanus Paramonov,1927 Range (in code): IR TJ TM UZ
- 7238. Villa ventruosa (Loew,1869)** (Bombyliidae) Synonym(s): ventruosa Loew,1869 Range (in code): IT Si Sa AM Cc AZ GG EG BG IR LY MD RO RU UA YU
- 7239. Villa venus Greathead,1967** (Bombyliidae) Synonym(s): venus Greathead,1967 Range (in code): ER NG SA
- 7240. Villa venusta (Meigen,1820)** (Bombyliidae) Synonym(s): venusta Meigen,1820; margaritifera Dufour,1833; dolosa Jaennicke,1867; turbidus Loew,1869 Range (in code): IT Si Cc AM AT AZ GG B-H CN HV FR HU MN RO SS ES SE CH TJ TM YU
- 7241. Villoestrus uvarovi Paramonov,1931** (Bombyliidae) Synonym(s): uvarovi Paramonov,1931 Range (in code): IL Pa SY TR 07
- 7242. Xeramoeba arabica Greathead,1980** (Bombyliidae) Synonym(s): arabica Greathead,1980 Range (in code): SA
- 7243. Xeramoeba davidi Zaitzev,1997** (Bombyliidae) Synonym(s): davidi Zaitzev,1997 Range (in code): IL Pa



- 7244. Xeramoeba lepida (Hermann,1907)** (Bombyliidae) Synonym(s): lepida Hermann,1907 Range (in code): AF IR IL Pa TR 02 35
- 7245. Xeramoeba oophaga (Zakhvatkin,1931)** (Bombyliidae) Synonym(s): oophaga Zakhvatkin,1931 Range (in code): ML NE PK IQ KG OM SA TJ TM UZ
- 7246. Xeramoeba pallipes (Loew,1869)** (Bombyliidae) Synonym(s): pallipes Loew,1869 Range (in code): TR GR Rd IR SY 48
- 7247. Xeramoeba ramsesi (Paramonov,1935)** (Bombyliidae) Synonym(s): ramsesi Paramonov,1935 Range (in code): EG IL Pa
- 7248. Xeramoeba sabulonis (Becker,1906)** (Bombyliidae) Synonym(s): sabulonis Becker,1906 Range (in code): SD DZ EG GR MK IL Pa YU TN TR IR Ab Mak Khy
- 7249. Xeramoeba semirufa (Sack,1909)** (Bombyliidae) Synonym(s): semirufa Sack,1909 Range (in code): PK AF EG IR SA
- 7250. Braula orientalis Örösi Pal,1963** (Braulidae) Synonym(s): orientalis Örösi Pal,1963 Range (in code): RU Us Vv BG TR IL Pa EG
- 7251. Braula schmitzi Örösi Pal,1939** (Braulidae) Synonym(s): schmitzi Örösi Pal,1939 Range (in code): BR PT YU BG GR FR IT ES TR IL Pa RU 34
- 7252. Bellardia agilis (Meigen,1826)** (Calliphoridae) Synonym(s): agilis Meigen,1826; vulgaris R-D.,1830; bisetosa Hall,1948 Range (in code): US AM AT Cc AM BG HV CZ FI FR DE HU IT NL NO PL RO RU SK YU ES SE CH UA GB
- 7253. Bellardia bayeri (Jacentkovsky,1937)** (Calliphoridae) Synonym(s): bayeri Jacentkovsky,1937 Range (in code): US Cc AM AZ BG CZ DK EE DE HU CH NO PL RO SK UA RU Sb Am Us
- 7254. Bellardia grunini Schumann,1974** (Calliphoridae) Synonym(s): grunini Schumann,1974 Range (in code): RU Or Ur Cc UA
- 7255. Bellardia kisha (Grunin,1970)** (Calliphoridae) Synonym(s): kisha Grunin,1970 Range (in code): Cc GG RU Da
- 7256. Bellardia kiyoshii (Kurahashi & Afzal,2002)** (Calliphoridae) Synonym(s): kiyoshii Kurahashi & Afzal,2002 Range (in code): PK
- 7257. Bellardia nova Rognes,2002** (Calliphoridae) Synonym(s): nova Rognes,2002 Range (in code): IL Pa SY
- 7258. Bellardia pandia (Walker,1849)** (Calliphoridae) Synonym(s): pandia Walker,1849; unxia Walker,1849; biseta Kramer,1917 Range (in code): BY Cc GG EE AL AD AT HV CZ DK FI FR DE HU IT NO PL RO RU YU SK ES SE CH UA GB
- 7259. Bellardia rohdendorfi (Grunin,1970)** (Calliphoridae) Synonym(s): rohdendorfi Grunin,1970 Range (in code): Cc AZ GG
- 7260. Bellardia stricta (Villeneuve,1926)** (Calliphoridae) Synonym(s): stricta Villeneuve,1926; pumicata Enderlein,1933; minutissima Enderlein,1933; xinganensis Chen, Fan & Cui,1983 Range (in code): EE BY AL AM Cc AZ BG CN Mc CZ DK FI DE HU LT NO PL RO RU Ya Us SK SE CH UA
- 7261. Bellardia tatica (Enderlein,1933)** (Calliphoridae) Synonym(s): tatica Enderlein,1933 Range (in code): IL Pa GR PL RU Cc Kr Y JO
- 7262. Bellardia zaitzevi (Grunin,1970)** (Calliphoridae) Synonym(s): zaitzevi Grunin,1970 Range (in code): Cc GG
- 7263. Calliphora vicina R-D.,1830** (Calliphoridae) Synonym(s): vicina R-D.,1830; monspeliaca R-D.,1830; musca R-D.,1830; nana R-D.,1830; spitzbergensis R-D.,1830; thuscia Walker,1849; rufifacies Macquart,1851; acuta Walker,1852; insidiosa R-D.,1863 Range (in code): US TR ZA SA CN MN JP Cn FR DE 34
- 7264. Calliphora vomitoria (Linnaeus,1758)** (Calliphoridae) Synonym(s): vomitoria Linnaeus,1758; carnaria Scopoli,1763; caerulea De Geer,1776; brunibarbis R-D.,1830; fulvibarbis R-D.,1830; affinis Macquart,1835 Range (in code): FR SS YU Cn IT Si RU AF CN MN
- 7265. Chrysomya albiceps (Wiedemann,1819)** (Calliphoridae) Synonym(s): albiceps Wiedemann,1819 Range (in code): ZA ES FR CH AT CZ SK HU UA RO BG GR IT Si CY
- 7266. Chrysomya megacephala (Fabricius,1794)** (Calliphoridae) Synonym(s): megacephala Fabricius,1794; remuria Walker,1849; bata Walker,1849; combrea Walker,1849; saffrana Bigot,1877 Range (in code): ES ZA Lpo Tva Nta Kzu IR AF CN JP EG Cn AU
- 7267. Chrysomya phaonis (Séguy,1928)** (Calliphoridae) Synonym(s): phaonis Séguy,1928 Range (in code): CN Yu AF
- 7268. Chrysomya regalis R-D.,1830** (Calliphoridae) Synonym(s): regalis R-D.,1830; marginalis Wiedemann,1830 nec Fourc.,1785 Range (in code): SY SA EG ZA SD
- 7269. Cosmina arabica R-D.,1830** (Calliphoridae) Synonym(s): arabica R-D.,1830 Range (in code): IL Pa
- 7270. Cosmina aucheri Séguy,1946** (Calliphoridae) Synonym(s): aucheri Séguy,1946 Range (in code): IR
- 7271. Cosmina claripennis R-D.,1830** (Calliphoridae) Synonym(s): claripennis R-D.,1830; bezziana Villeneuve,1932 Range (in code): DZ MA TN IL Pa IR AF
- 7272. Cosmina fishelsohni Rognes,2002** (Calliphoridae) Synonym(s): fishelsohni Rognes,2002 Range (in code): IL Pa

- 7273. *Cosmina metallina* Becker,1912** (Calliphoridae) Synonym(s): metallina Becker,1912 Range (in code): IR Ss Ke IQ
- 7274. *Cosmina par Zumpt*,1956** (Calliphoridae) Synonym(s): par Zumpt,1956 Range (in code): TM Kp
- 7275. *Cosmina prasina* (Brauer & Bergenstamm,1889)** (Calliphoridae) Synonym(s): prasina Brauer & Bergenstamm,1889; pseudoprasina Becker,1912 Range (in code): Si EG IR Ss
- 7276. *Cosmina similans* Becker,1912** (Calliphoridae) Synonym(s): similans Becker,1912 Range (in code): IR
- 7277. *Cosmina viridis* (Townsend,1917)** (Calliphoridae) Synonym(s): viridis Townsend,1917 Range (in code): IN NP SA YE IR
- 7278. *Lucilia sericata* (Meigen,1826)** (Calliphoridae) Synonym(s): sericata Meigen,1826 Range (in code): ES FR BE NL GB IE NO SE FI RU UA EE PL DK DE CZ SK HU CH AT IT Si HV RO BG MK AL GR IL Pa
- 7279. *Pollenia dasypoda* Portschinsky,1881** (Calliphoridae) Synonym(s): dasypoda Portschinsky,1881 Range (in code): DE PL CZ SK UA Cm Cc MD RO HU IT GR BG TR Cc DZ TN MA LY EG IL Pa IR TM UZ KG KK AF RU CN
- 7280. *Pollenia grunini* Rognes,1988** (Calliphoridae) Synonym(s): grunini Rognes,1988 Range (in code): Cc RU St
- 7281. *Pollenia labialis* R-D.,1863** (Calliphoridae) Synonym(s): labialis R-D.,1863; excarinata Wainwright,1940 Range (in code): PT ES FR GB NO SE FI EE PL UA CZ SK B-H HU RO GR CH AT IT TR RU US 45
- 7282. *Pollenia longithecra* Rognes,1987** (Calliphoridae) Synonym(s): longithecra Rognes,1987 Range (in code): CY
- 7283. *Pollenia mystica* Rognes,1988** (Calliphoridae) Synonym(s): mystica Rognes,1988 Range (in code): Cc GG
- 7284. *Pollenia paragrugini* Rognes,1988** (Calliphoridae) Synonym(s): paragrugini Rognes,1988 Range (in code): AM Cc
- 7285. *Pollenia rudis* (Fabricius,1794)** (Calliphoridae) Synonym(s): rudis Fabricius,1794; varia Meigen,1826; familiaris Harris,1869 Range (in code): PT ES FR GB NO SE FI RU EE BY UA PL DE DK CH AT IT Si CZ SK RO HU YU AL GR Cr CY
- 7286. *Rhinia apicalis* (Wiedemann,1830)** (Calliphoridae) Synonym(s): apicalis Wiedemann,1830; testacea R-D.,1830; flavipennis Macquart,1843; simulatrix Loew,1852; punctata Bigot,1858; bigoti Coquerell & Mondiere,1862; pleuralis Thomson,1869; glossina Rondani,1873; fulvipes Bigot,1874; pallidiventrtris Brauer,1899... Range (in code): Az Cn MA SN ZA ET MU MG SC Sk LK TR IR IL Pa CN AU QAU 73
- 7287. *Rhyncomya aravaensis* Rognes,2002** (Calliphoridae) Synonym(s): aravaensis Rognes,2002 Range (in code): IL Pa
- 7288. *Rhyncomya callopis* (Loew,1856)** (Calliphoridae) Synonym(s): callopis Loew,1856; koschewnikovi Rohdendorf,1930 Range (in code): IL Pa
- 7289. *Rhyncomya cyanescens* (Loew,1844)** (Calliphoridae) Synonym(s): cyanescens Loew,1844 Range (in code): HV AL MK GR BG TR RO UA Rd CY
- 7290. *Rhyncomya cyanicolor* Rognes,2002** (Calliphoridae) Synonym(s): cyanicolor Rognes,2002 Range (in code): IL Pa
- 7291. *Rhyncomya felina* (Fabricius,1794)** (Calliphoridae) Synonym(s): felina Fabricius,1794; ruficeps Fabricius,1805 Range (in code): DZ PT ES FR IT Si UA TR
- 7292. *Rhyncomya impavida* (Rossi,1790)** (Calliphoridae) Synonym(s): impavida Rossi,1790; concinna Germar,1824; punctata Costa,1835; audax Rondani,1861 Range (in code): IT Co Sa Si GR CY YU TR IL Pa DZ
- 7293. *Rhyncomya jordanensis* (Peris,1951)** (Calliphoridae) Synonym(s): jordanensis Peris,1951 Range (in code): IL Pa JO
- 7294. *Rhyncomya negevi* Rognes,2002** (Calliphoridae) Synonym(s): negevi Rognes,2002 Range (in code): IL Pa Neg
- 7295. *Rhyncomya nigripes* Séguy,1933** (Calliphoridae) Synonym(s): nigripes Séguy,1933; minima Peris,1951; atarensis Séguy,1955 Range (in code): IL Pa IQ IR DZ MR MA TN
- 7296. *Rhyncomya paralutea* Rognes,2002** (Calliphoridae) Synonym(s): paralutea Rognes,2002 Range (in code): IL Pa
- 7297. *Rhyncomya peusi* Zumpt,1956** (Calliphoridae) Synonym(s): peusi Zumpt,1956 Range (in code): AL GR BG RO UA Cr Rd CY TR
- 7298. *Rhyncomya sinaiensis* Rognes,2002** (Calliphoridae) Synonym(s): sinaiensis Rognes,2002 Range (in code): EG Sn
- 7299. *Rhyncomya speciosa* (Loew,1844)** (Calliphoridae) Synonym(s): speciosa Loew,1844 Range (in code): FR B-H AL MK GR BG RO UA CY TR Cc AZ Len
- 7300. *Rhyncomya subspeciosa* Rognes,2002** (Calliphoridae) Synonym(s): subspeciosa Rognes,2002 Range (in code): IL Pa
- 7301. *Rhyncomya yahavensis* Rognes,2002** (Calliphoridae) Synonym(s): yahavensis Rognes,2002 Range (in code): IL Pa

- 7302. Stomorhina lunata (Fabricius,1805)** (Calliphoridae) Synonym(s): lunata Fabricius,1805; selgae Lehrer,1979 Range (in code): PT ES B-I FR GB FI DE BE NL PL CZ SK UA RO CH AT HU YU IT Co Sa Si AL GR CY TR PT 35
- 7303. Camilla acutipennis (Loew,1865)** (Camillidae) Synonym(s): acutipennis Loew,1865; nigripes Strobl,1900 Range (in code): ES IT GR Rd TN IL Pa
- 7304. Camilla pruinosa Duda,1934** (Camillidae) Synonym(s): pruinosa Duda,1934 Range (in code): IL Pa
- 7305. Hemeromyia afghanica Papp,1979** (Carnidae) Synonym(s): afghanica Papp,1979 Range (in code): AF
- 7306. Meoneura caucasica Ozerov,1991** (Carnidae) Synonym(s): caucasica Ozerov,1991 Range (in code): RU Cc
- 7307. Meoneura compacta Gregor,1971** (Carnidae) Synonym(s): compacta Gregor,1971 Range (in code): PK AF
- 7308. Meoneura glaberrima Becker,1910** (Carnidae) Synonym(s): glaberrima Becker,1910 Range (in code): Co AF TN
- 7309. Meoneura hennigi Gregor,1971** (Carnidae) Synonym(s): hennigi Gregor,1971 Range (in code): PK Hk AF
- 7310. Meoneura palaestinensis Hennig,1937** (Carnidae) Synonym(s): palaestinensis Hennig,1937 Range (in code): TN IL Pa Jo
- 7311. Meoneura pamphylica Ozerov,2008** (Carnidae) Synonym(s): pamphylica Ozerov,2008 Range (in code): TR 07
- 7312. Meoneura perlamellata Hennig,1937** (Carnidae) Synonym(s): perlamellata Hennig,1937 Range (in code): IL Pa Js
- 7313. Meoneura prima (Becker,1903)** (Carnidae) Synonym(s): prima Becker,1903; baluchistani Duda,1936; seducta Collin,1937 Range (in code): GB FI CZ SK GR JO AF TN EG PK BI Qu
- 7314. Meoneura subfreta Papp,1979** (Carnidae) Synonym(s): subfreta Papp,1979 Range (in code): AF Ca
- 7315. Meoneura subnivalis Gregor,1971** (Carnidae) Synonym(s): subnivalis Gregor,1971 Range (in code): AF
- 7316. Meoneura vernicosa Ozerov,2011** (Carnidae) Synonym(s): vernicosa Ozerov,2011 Range (in code): TR 07
- 7317. Aphidoletes aphidimyza (Rondani,1847)** (Cecidomyiidae) Synonym(s): aphidimyza Rondani,1847; cerasi Loew,1850; napi Kaltenbach,1858; aphidisuga Rübsaamen,1891; aphidivora Rübsaamen,1891; sonchi Kieffer,1896; cucumeris Lintner,1897; rosivora Coquillett,1900; impatientis Kieffer,1901; hamamelidis Felt,1907;... Range (in code): DE FR US Ny IT AT YU TR IL Pa EG RU Us CN JP Hkk Kw BR CL NZ 01 31 33 35
- 7318. Apiomyia bergenstammi (Wachtl,1882)** (Cecidomyiidae) Synonym(s): bergenstammi Wachtl,1882 Range (in code): NL FR PL CZ SK HU RO IT YU BG GR RU UA IL Pa SY LBTR 34
- 7319. Aprionus aberrantis Mamaev,1998** (Cecidomyiidae) Synonym(s): aberrantis Mamaev,1998 RU Kr Cc
- 7320. Aprionus caucasicus Mamaev & Jaschhof,1997** (Cecidomyiidae) Synonym(s): caucasicus Mamaev & Jaschhof,1997 RU Cc Kr
- 7321. Aprionus ferulae Mamaev,1998** (Cecidomyiidae) Synonym(s): ferulae Mamaev,1998 TM
- 7322. Aprionus smirnovi Mamaev,1961** (Cecidomyiidae) Synonym(s): smirnovi Mamaev,1961 RU Cc Kr
- 7323. Arthrocnodax coryligallarum (Targioni-Tozzetti,1887)** (Cecidomyiidae) Synonym(s): coryligallarum Targioni-Tozzetti,1887 Range (in code): TR
- 7324. Asphondylia anatolica Skuhrava & Çam,1998** (Cecidomyiidae) Synonym(s): anatolica Skuhrava & Çam,1998 Range (in code): TR 60
- 7325. Asphondylia gennadii (Marchal,1904)** (Cecidomyiidae) Synonym(s): gennadii Marchal,1904; ceratoniae Bevan,1918; caspici Barnes,1932 Range (in code): GR CY TR 31 33
- 7326. Asphondylia verbasci (Vallot,1827)** (Cecidomyiidae) Synonym(s): verbasci Vallot,1827 Range (in code): TR 16 54
- 7327. Asynapta strobili (Kieffer,1920)** (Cecidomyiidae) Synonym(s): strobili Kieffer,1920 Range (in code): TR 35
- 7328. Asyntapta furcifer Barnes,1932** (Cecidomyiidae) Synonym(s): furcifer Barnes,1932 IT CY
- 7329. Baldratia aelleni Möhn,1969** (Cecidomyiidae) Synonym(s): aelleni Möhn,1969 Range (in code): IR Elb
- 7330. Baldratia aelleni Möhn,1969** (Cecidomyiidae) Synonym(s): aelleni Möhn,1969 IR Elb
- 7331. Baldratia anabasis Möhn,1969** (Cecidomyiidae) Synonym(s): anabasis Möhn,1969 Range (in code): IR Ke
- 7332. Baldratia anabasis Möhn,1969** (Cecidomyiidae) Synonym(s): anabasis Möhn,1969 IR Ke
- 7333. Baldratia balchanensis Fedotova,1992** (Cecidomyiidae) Synonym(s): balchanensis Fedotova,1992 TM



- 7334. *Baldratia caspica* Möhn,1969** (Cecidomyiidae) Synonym(s): *caspica* Möhn,1969 Range (in code):  
**TM**
- 7335. *Baldratia chiwensis* Fedotova,1994** (Cecidomyiidae) Synonym(s): *chiwensis* Fedotova,1994 **TM**
- 7336. *Baldratia dendroides* Fedotova,1992** (Cecidomyiidae) Synonym(s): *dendroides* Fedotova,1992  
**TM**
- 7337. *Baldratia grandis* Möhn,1969** (Cecidomyiidae) Synonym(s): *grandis* Möhn,1969 Range (in code):  
**IL Pa**
- 7338. *Baldratia grandis* Möhn,1969** (Cecidomyiidae) Synonym(s): *grandis* Möhn,1969 **IL Pa**
- 7339. *Baldratia halogetonis* Möhn,1969** (Cecidomyiidae) Synonym(s): *halogetonis* Möhn,1969 Range (in code): **IL Pa Sn**
- 7340. *Baldratia halogetonis* Möhn,1969** (Cecidomyiidae) Synonym(s): *halogetonis* Möhn,1969 **EG Sn**
- 7341. *Baldratia haloxyli* Möhn,1969** (Cecidomyiidae) Synonym(s): *haloxyli* Möhn,1969 Range (in code): **JO**
- 7342. *Baldratia haloxyli* Möhn,1969** (Cecidomyiidae) Synonym(s): *haloxyli* Möhn,1969 **JO TN**
- 7343. *Baldratia jordaniensis* Möhn,1969** (Cecidomyiidae) Synonym(s): *jordaniensis* Möhn,1969 Range (in code): **JO**
- 7344. *Baldratia jordaniensis* Möhn,1969** (Cecidomyiidae) Synonym(s): *jordaniensis* Möhn,1969 **JO**
- 7345. *Baldratia kaplankyrica* Fedotova,1992** (Cecidomyiidae) Synonym(s): *kaplankyrica* Fedotova,1992  
**TM**
- 7346. *Baldratia kermanensis* Möhn,1969** (Cecidomyiidae) Synonym(s): *kermanensis* Möhn,1969 Range (in code): **IR Ke**
- 7347. *Baldratia kermanensis* Möhn,1969** (Cecidomyiidae) Synonym(s): *kermanensis* Möhn,1969 **IR Ke KG**
- 7348. *Baldratia kozlovi* Marikovskii,1955** (Cecidomyiidae) Synonym(s): *kozlovi* Marikovskii,1955 Range (in code): **KG TM UZ**
- 7349. *Baldratia marikovskii* Möhn,1969** (Cecidomyiidae) Synonym(s): *marikovskii* Möhn,1969 **TM**
- 7350. *Baldratia marikovskiji* Möhn,1969** (Cecidomyiidae) Synonym(s): *marikovskiji* Möhn,1969 Range (in code): **TM Kp**
- 7351. *Baldratia occulta* Dorchin,2001** (Cecidomyiidae) Synonym(s): *occulta* Dorchin,2001 **IL Pa**
- 7352. *Baldratia orientalis* Möhn,1969** (Cecidomyiidae) Synonym(s): *orientalis* Möhn,1969 Range (in code): **JO**
- 7353. *Baldratia orientalis* Möhn,1969** (Cecidomyiidae) Synonym(s): *orientalis* Möhn,1969 **JO SA**
- 7354. *Baldratia przewalskii* Marikovskii,1955** (Cecidomyiidae) Synonym(s): *przewalskii* Marikovskii,1955 Range (in code): **KG TM UZ MN IR AF CN**
- 7355. *Baldratia salicorniae* Kieffer,1897** (Cecidomyiidae) Synonym(s): *salicorniae* Kieffer,1897; *hyalina* Kieffer,1912 Range (in code): **IT IL Pa MA DZ TN LY EG**
- 7356. *Baldratia salsolae* Möhn,1969** (Cecidomyiidae) Synonym(s): *salsolae* Möhn,1969 Range (in code): **TM**
- 7357. *Baldratia salsolae* Möhn,1969** (Cecidomyiidae) Synonym(s): *salsolae* Möhn,1969 **TM Krn**
- 7358. *Baldratia seidlitziae* Möhn,1969** (Cecidomyiidae) Synonym(s): *seidlitziae* Möhn,1969 Range (in code): **IQ Kbl**
- 7359. *Baldratia seidlitziae* Möhn,1969** (Cecidomyiidae) Synonym(s): *seidlitziae* Möhn,1969 **IQ Kbl**
- 7360. *Baldratia similis* Möhn,1969** (Cecidomyiidae) Synonym(s): *similis* Möhn,1969 Range (in code): **IR Ke**
- 7361. *Baldratia similis* Möhn,1969** (Cecidomyiidae) Synonym(s): *similis* Möhn,1969 **IR Ke SY RU**
- 7362. *Baldratia suaedae* Möhn,1969** (Cecidomyiidae) Synonym(s): *suaedae* Möhn,1969 Range (in code): **IL Pa DZ Cn**
- 7363. *Baldratia suaedae* Möhn,1969** (Cecidomyiidae) Synonym(s): *suaedae* Möhn,1969 **Cn DZ IL Pa**
- 7364. *Baldratia terteriani* Mamaev & Mirumian,1990** (Cecidomyiidae) Synonym(s): *terteriani* Mamaev & Mirumian,1990 **AM Cc**
- 7365. *Baldratia tubulata* Mamaev,1972** (Cecidomyiidae) Synonym(s): *tubulata* Mamaev,1972 Range (in code): **TM**
- 7366. *Baldratia tubulata* Mamaev,1972** (Cecidomyiidae) Synonym(s): *tubulata* Mamaev,1972 **TM Mrw**
- 7367. *Brachineura squamigera* (Winnertz,1853)** (Cecidomyiidae) Synonym(s): *squamigera* Winnertz,1853 Range (in code): **TR 06**
- 7368. *Campatomyia pinicola* Mamaev,1961** (Cecidomyiidae) Synonym(s): *pinicola* Mamaev,1961; *similis* Mamaev,1961; *dubia* Mamaev,1966 Range (in code): **TR RU Da Cc Mo 35 45**
- 7369. *Celticecis caucasiae* Gagné,2013** (Cecidomyiidae) Synonym(s): *caucasiae* Gagné,2013 Range (in code): **TR 31**
- 7370. *Clinodiplosis botularia* (Winnertz,1853)** (Cecidomyiidae) Synonym(s): *botularia* Winnertz,1853 Range (in code): **TR 34**
- 7371. *Contarinia citri* Barnes,1944** (Cecidomyiidae) Synonym(s): *citri* Barnes,1944 Range (in code): **TR**

- 7372. Contarinia coryli (Kaltenbach,1859)** (Cecidomyiidae) Synonym(s): coryli Kaltenbach,1859; corylina Loew,1878 Range (in code): TR CN DE AT
- 7373. Contarinia nasturtii (Kieffer,1888)** (Cecidomyiidae) Synonym(s): nasturtii Kieffer,1888; ruderalis Kieffer,1890; torquens Meijere,1906; isatidis Rübsaamen,1910; pernicioso Rübsaamen,1914; tudensis Tavares,1916; gallaica Tavares,1916; pontevedrensis Tavares,1916; geisenheyneri Rübsaamen,1917 Range (in code): CA On FR NL DE ES TR
- 7374. Contarinia populi (Rübsaamen,1917)** (Cecidomyiidae) Synonym(s): populi Rübsaamen,1917 Range (in code): TR DE 10 34
- 7375. Contarinia pyrivora (Riley,1886)** (Cecidomyiidae) Synonym(s): pyrivora Riley,1886 Range (in code): TR US NY CA 06
- 7376. Dasineura affinis (Kieffer,1886)** (Cecidomyiidae) Synonym(s): affinis Kieffer,1886 Range (in code): DZ FR TR 06 35
- 7377. Dasineura crataegi (Winnertz,1853)** (Cecidomyiidae) Synonym(s): crataegi Winnertz,1853 Range (in code): TR 06 16 54
- 7378. Dasineura gleditchiae (Osten Sacken,1866)** (Cecidomyiidae) Synonym(s): gleditchiae Osten Sacken,1866 Range (in code): US Cf TR 06
- 7379. Dasineura oleae (Loew,1885)** (Cecidomyiidae) Synonym(s): oleae Loew,1885 Range (in code): TR 07 16 20 31
- 7380. Dasineura rosae (Bremi,1847)** (Cecidomyiidae) Synonym(s): rosae Bremi,1847; rosarum Hardy,1850 Range (in code): TR 06 26
- 7381. Dasineura rufescens (De Stefani,1896)** (Cecidomyiidae) Synonym(s): rufescens De Stefani,1896 Range (in code): PT IT Si YU BG GR DZ TR 11 16
- 7382. Dasineura viciae (Kieffer,1888)** (Cecidomyiidae) Synonym(s): viciae Kieffer,1888 Range (in code): TR
- 7383. Dicrodiplosis pseudococci (Felt,1914)** (Cecidomyiidae) Synonym(s): pseudococci Felt,1914 Range (in code): TR
- 7384. Dryomyia circinans (Giraud,1861)** (Cecidomyiidae) Synonym(s): circinans Giraud,1861 Range (in code): IT CZ AT HU RO AT TR 11 26 34 51
- 7385. Feltiella acarisuga (Vallot,1827)** (Cecidomyiidae) Synonym(s): acarisuga Vallot,1827; persicae Kieffer,1912 Range (in code): TR
- 7386. Harmandiola cavernosa (Rübsaamen,1899)** (Cecidomyiidae) Synonym(s): cavernosa Rübsaamen,1899 Range (in code): TR 10 34
- 7387. Harmandiola globuli (Rübsaamen,1889)** (Cecidomyiidae) Synonym(s): globuli Rübsaamen,1889 Range (in code): TR 10 34
- 7388. Hartigiola annulipes (Hartig,1839)** (Cecidomyiidae) Synonym(s): annulipes Hartig,1839; tornatella Bremi,1847; piligera Loew,1850; fagineus Kieffer,1909 Range (in code): DE CH PL AT TR 14 34 54
- 7389. Iteomyia capreae (Winnertz,1853)** (Cecidomyiidae) Synonym(s): capreae Winnertz,1853; salicisfolii Hardy,1854 Range (in code): CN JP Hk DE GB TR
- 7390. Jaapiella chondrillae Skuhrava,2004** (Cecidomyiidae) Synonym(s): chondrillae Skuhrava,2004 Range (in code): TR 03 35 64
- 7391. Janetia cerris (Kollar,1850)** (Cecidomyiidae) Synonym(s): cerris Kollar,1850; cerrifoliae Passerini,1850 Range (in code): AT IT TR 16 35 68
- 7392. Janetia szepligetii Kieffer,1896** (Cecidomyiidae) Synonym(s): szepligetii Kieffer,1896 Range (in code): IT CZ SK HU RO BG YU GR TR 16 54
- 7393. Janetiella lemeei (Kieffer,1904)** (Cecidomyiidae) Synonym(s): lemeei Kieffer,1904 Range (in code): FR TR 06
- 7394. Janetiella potentillogemmae Skuhrava,2011** (Cecidomyiidae) Synonym(s): potentillogemmae Skuhrava,2011 Range (in code): TR 43
- 7395. Lasioptera berlesiana Paoli,1907** (Cecidomyiidae) Synonym(s): berlesiana Paoli,1907; kiefferiana Del Guercio,1910; carpophila Del Guercio,1918; brevicornis Melis,1927 Range (in code): MA Co IT GR CY IL Pa TR 09 10 31 33 35 41 48
- 7396. Lasioptera carophila Loew,1874** (Cecidomyiidae) Synonym(s): carophila Loew,1874; thapsiae Kieffer,1898 Range (in code): FR DE PL CZ SK CH AT HU RO PT IT YU GR LT LV TR UA GG Cc DZ MA 04 29 36 37 74 76
- 7397. Lasioptera eryngii (Vallot,1829)** (Cecidomyiidae) Synonym(s): eryngii Vallot,1829 Range (in code): FR DE CZ SK AT HU RO ES IT YU BG RU UA DZ TR 60
- 7398. Lasioptera oleicola Skuhrava,2011** (Cecidomyiidae) Synonym(s): oleicola Skuhrava,2011 Range (in code): TR 31
- 7399. Lasioptera populnea Wachtl,1883** (Cecidomyiidae) Synonym(s): populnea Wachtl,1883 Range (in code): NO FI GB NL BE DE PL CZ SK AT HU RO YU RU LV UA TR 10 34
- 7400. Lasioptera rubi (Schrank,1803)** (Cecidomyiidae) Synonym(s): rubi Schrank,1803; albipennis Meigen,1804; picta Meigen,1818; juniperi Meigen,1818; fusca Meigen,1818; argyrosticta Meigen,1830; pulchra

- Meigen,1830; annulata Costa,1844; fuliginosa Stephens,1846; ichigo Shinji,1935; rubicola Monzen,1955 Range (in code): **TR NO SE FI DK GB NL BE FR DE PL CZ SK CH AT HU RO IT YU BG RU LT LV UA Cc GG JP 16**
- 7401. Lasioptera turcica Möhn,1968** (Cecidomyiidae) Synonym(s): turcica Möhn,1968 Range (in code): **TR 37 64**
- 7402. Lasioptera umbelliferarum Kieffer,1909** (Cecidomyiidae) Synonym(s): umbelliferarum Kieffer,1909 Range (in code): **Cc Da RU GG AZ IR IL Pa**
- 7403. Leptodiplosis polypori (Loew,1850)** (Cecidomyiidae) Synonym(s): polypori Loew,1850 Range (in code): **TR 06**
- 7404. Macrodiptosis pustularis (Bremi,1847)** (Cecidomyiidae) Synonym(s): pustularis Bremi,1847; dryobia Loew,1877 Range (in code): **TR 16 54**
- 7405. Macrodiptosis roboris (Hardy,1854)** (Cecidomyiidae) Synonym(s): roboris Hardy,1854; volvens Kieffer,1895 Range (in code): **KG FR TR 16 34 54**
- 7406. Mayetiola destructor (Say,1817)** (Cecidomyiidae) Synonym(s): destructor Say,1817; cerealis Rondani,1843; frumentaria Rondani,1864; culmicola Morris,1850; orientalis Bollow,1955 Range (in code): **MA TN US IT PL Cf Ny DE TR 06 07 16 42 77**
- 7407. Mayetiola hordei Kieffer,1909** (Cecidomyiidae) Synonym(s): hordei Kieffer,1909; mimeuri Mesnil,1934 Range (in code): **TR**
- 7408. Mikiola fagi (Hartig,1839)** (Cecidomyiidae) Synonym(s): fagi Hartig,1839 Range (in code): **TR 14 34 54**
- 7409. Mikiola orientalis Kieffer,1908** (Cecidomyiidae) Synonym(s): orientalis Kieffer,1908 Range (in code): **TR 34**
- 7410. Mikomya coryli (Kieffer,1901)** (Cecidomyiidae) Synonym(s): coryli Kieffer,1901 Range (in code): **TR**
- 7411. Monarthropalpus flavus (Schränk,1776)** (Cecidomyiidae) Synonym(s): flavus Schränk,1776; schineri Frauenfeld,1873; buxi Laboulbène,1873 Range (in code): **DE FR IT US Cf TR 06 34**
- 7412. Odinadiplosis amygdali (Anagnostopoulou,1929)** (Cecidomyiidae) Synonym(s): amygdali Anagnostopoulou,1929 Range (in code): **TR MT GR LB AF 06 35**
- 7413. Oligotrophus juniperinus (Linnaeus,1758)** (Cecidomyiidae) Synonym(s): juniperinus Linnaeus,1758 Range (in code): **TR 34**
- 7414. Oligotrophus panteli Kieffer,1898** (Cecidomyiidae) Synonym(s): panteli Kieffer,1898 Range (in code): **TR 16**
- 7415. Ozirhincus anthemidis (Rübsaamen,1916)** (Cecidomyiidae) Synonym(s): anthemidis Rübsaamen,1916; anatolicus Möhn,1968; mallorcensis Möhn,1968; ibericus Möhn,1968; dalmaticus Möhn,1968; kabylenensis Möhn,1968 Range (in code): **DZ DE CZ SK HU RO ES IT HV SY TR 05**
- 7416. Ozirhincus longicollis Rondani,1840** (Cecidomyiidae) Synonym(s): longicollis Rondani,1840; chrysanthemi Loew,1850; crassipes Winnertz,1853; leucanthemi Kieffer,1898; planus Möhn,1966 Range (in code): **DZ SE GB NL FR DE PL CZ SK HU AT RO ES IT YU RU TR 33**
- 7417. Ozirhincus millefolii (Wachtl,1884)** (Cecidomyiidae) Synonym(s): millefolii Wachtl,1884; lusitanicus Möhn,1968; minor Möhn,1968; amurensis Möhn,1968 Range (in code): **GB FR DE PL CZ SK AT HU RO PT YU UA TR RU Us 55**
- 7418. Ozirhincus trichatus Möhn,1968** (Cecidomyiidae) Synonym(s): trichatus Möhn,1968 Range (in code): **SY Dms**
- 7419. Physemocecis hartigi (Liebel,1892)** (Cecidomyiidae) Synonym(s): hartigi Liebel,1892 Range (in code): **FR TR 34**
- 7420. Probruggmanniella phillyreae (Tavares,1907)** (Cecidomyiidae) Synonym(s): phillyreae Tavares,1907 Range (in code): **PT FR IT YU DZ TR 11**
- 7421. Rabdophaga gemmicolata Gagné,2004** (Cecidomyiidae) Synonym(s): gemmicola Mamaev & Mirumian,1990 nec Kieff.,1896; gemmicolata Gagné,2004 Range (in code): **AM Cc**
- 7422. Rabdophaga heterobia (Loew,1850)** (Cecidomyiidae) Synonym(s): heterobia Loew,1850 Range (in code): **ES FR GB IE NL DE PL CZ CH AT IT HU YU RO UA RU EE SE FI TR 06**
- 7423. Rabdophaga saliciperda (Dufour,1841)** (Cecidomyiidae) Synonym(s): saliciperda Dufour,1841; terebrans Loew,1851 Range (in code): **FR GB IE BE NL DE DK SE UA HU CZ RO YU PL EE CH IT BG TR 03 06 10 11 16 22 26 34 41 42 54**
- 7424. Rabdophaga salicis (Schränk,1803)** (Cecidomyiidae) Synonym(s): salicis Schränk,1803; salicina Bouché,1834; gallarumsalicis Hardy,1850; argyrosticta Macquart,1854; noduli Rübsaamen,1895; saliynoi Shinji,1938 Range (in code): **PT ES FR GB BE NL DE DK NO SE FI EE LT RU UA PL CZ HU RO BG YU IT AT CH TR 06 10 11 16 22 34 39 41 54 59**
- 7425. Rabdophaga strobilina (Bremi,1847)** (Cecidomyiidae) Synonym(s): strobilina Bremi,1847; rosaria Loew,1850 Range (in code): **PT FR GB IE BE NL DE DK NO SE FI RU UA CZ SK RO BG YU PL AT CH IT TR 06 13 22 26 39 41 42 51 54 78**
- 7426. Rabdophaga terminalis (Loew,1850)** (Cecidomyiidae) Synonym(s): terminalis Loew,1850 Range (in code): **ES FR GB BE NL DE DK NO SE FI RU UA RO YU PL AT CH IT TR 10 16 22 39 54 59**
- 7427. Resseliella oleisuga (Targioni-Tozzetti,1886)** (Cecidomyiidae) Synonym(s): oleisuga Targioni-Tozzetti,1886 Range (in code): **TR**



- 7428. Resseliella piceae Seitner,1906** (Cecidomyiidae) Synonym(s): piceae Seitner,1906 [Range \(in code\): TR](#)
- 7429. Resseliella theobaldi (Barnes,1927)** (Cecidomyiidae) Synonym(s): theobaldi Barnes,1927 [Range \(in code\): TR 16](#)
- 7430. Rhopalomyia artemisiae (Bouche,1834)** (Cecidomyiidae) Synonym(s): artemisiae Bouche,1834 [Range \(in code\): TR 11](#)
- 7431. Rhopalomyia baccarum (Wachtl,1883)** (Cecidomyiidae) Synonym(s): baccarum Wachtl,1883 [Range \(in code\): TR 11 16](#)
- 7432. Rhopalomyia saissanica Fedotova,1999** (Cecidomyiidae) Synonym(s): saissanica Fedotova,1999 [Range \(in code\): TR 60](#)
- 7433. Stefaniola adstricta Möhn,1971** (Cecidomyiidae) Synonym(s): adstricta Möhn,1971 [Range \(in code\): IQ Bgd](#)
- 7434. Stefaniola bamianica Möhn,1971** (Cecidomyiidae) Synonym(s): bamianica Möhn,1971 [Range \(in code\): AF](#)
- 7435. Stefaniola caulicola Möhn,1971** (Cecidomyiidae) Synonym(s): caulicola Möhn,1971 [Range \(in code\): IL Pa](#)
- 7436. Stefaniola congregata (Marikovskii,1953)** (Cecidomyiidae) Synonym(s): congregata Marikovskii,1953 [Range \(in code\): KG Tk UZ TM](#)
- 7437. Stefaniola deformans (Marikovskii,1953)** (Cecidomyiidae) Synonym(s): deformans Marikovskii,1953 [Range \(in code\): TM UZ KG Tk](#)
- 7438. Stefaniola excelsa Möhn,1971** (Cecidomyiidae) Synonym(s): excelsa Möhn,1971 [Range \(in code\): Cc AM](#)
- 7439. Stefaniola fistula Möhn,1971** (Cecidomyiidae) Synonym(s): fistula Möhn,1971 [Range \(in code\): IL Pa IQ](#)
- 7440. Stefaniola folicola Möhn,1971** (Cecidomyiidae) Synonym(s): folicola Möhn,1971 [Range \(in code\): IL Pa](#)
- 7441. Stefaniola fructua Möhn,1971** (Cecidomyiidae) Synonym(s): fructua Möhn,1971 [Range \(in code\): IR Elb AZ Cc TM](#)
- 7442. Stefaniola furtiva (Marikovskii,1953)** (Cecidomyiidae) Synonym(s): furtiva Marikovskii,1953 [Range \(in code\): KG Tk IR TM](#)
- 7443. Stefaniola gigas (Marikovskii,1953)** (Cecidomyiidae) Synonym(s): gigas Marikovskii,1953 [Range \(in code\): KG Tk TM MN](#)
- 7444. Stefaniola gloma Möhn,1971** (Cecidomyiidae) Synonym(s): gloma Möhn,1971 [Range \(in code\): DZ IL Pa SY IQ EG](#)
- 7445. Stefaniola harenosa Möhn,1971** (Cecidomyiidae) Synonym(s): harenosa Möhn,1971 [Range \(in code\): AZ Cc Bak AM TM](#)
- 7446. Stefaniola heterobia (Marikovskii,1953)** (Cecidomyiidae) Synonym(s): heterobia Marikovskii,1953 [Range \(in code\): KG Tk TM UZ](#)
- 7447. Stefaniola inobservabilis (Marikovskii,1953)** (Cecidomyiidae) Synonym(s): inobservabilis Marikovskii,1953 [Range \(in code\): KG Tk TM UZ](#)
- 7448. Stefaniola insignis (Marikovskii,1953)** (Cecidomyiidae) Synonym(s): insignis Marikovskii,1953 [Range \(in code\): KG Tk TM UZ](#)
- 7449. Stefaniola libanensis Möhn,1971** (Cecidomyiidae) Synonym(s): libanensis Möhn,1971 [Range \(in code\): LB](#)
- 7450. Stefaniola lignea Möhn,1971** (Cecidomyiidae) Synonym(s): lignea Möhn,1971 [Range \(in code\): AF](#)
- 7451. Stefaniola nodosa Möhn,1971** (Cecidomyiidae) Synonym(s): nodosa Möhn,1971 [Range \(in code\): IQ](#)
- 7452. Stefaniola opulenta Möhn,1971** (Cecidomyiidae) Synonym(s): opulenta Möhn,1971 [Range \(in code\): IL Pa TN MA](#)
- 7453. Stefaniola orta Möhn,1971** (Cecidomyiidae) Synonym(s): orta Möhn,1971 [Range \(in code\): AF](#)
- 7454. Stefaniola ramosa Möhn,1971** (Cecidomyiidae) Synonym(s): ramosa Möhn,1971 [Range \(in code\): IQ](#)
- 7455. Stefaniola spinosa Möhn,1971** (Cecidomyiidae) Synonym(s): spinosa Möhn,1971 [Range \(in code\): IR IQ](#)
- 7456. Stefaniola vastita Möhn,1971** (Cecidomyiidae) Synonym(s): vastita Möhn,1971 [Range \(in code\): DZ ES IL Pa JO](#)
- 7457. Taxomyia taxi (Inchbald,1861)** (Cecidomyiidae) Synonym(s): taxi Inchbald,1861 [Range \(in code\): TR 57](#)
- 7458. Thecodiplosis sp.** (Cecidomyiidae) Synonym(s): [Range \(in code\): TR 35 45](#)
- 7459. Vitisiella oenephila (Haimhoffen,1875)** (Cecidomyiidae) Synonym(s): oenephila Haimhoffen,1875 [Range \(in code\): LB RU Us AT TR 01 33](#)
- 7460. Wachtliella ericina (Loew,1885)** (Cecidomyiidae) Synonym(s): ericina Loew,1885 [Range \(in code\): TR 16 54](#)

- 7461. *Zygiobia carpini* (Loew,1874) (Cecidomyiidae) Synonym(s): carpini Loew,1874 Range (in code): TR**
- 7462. *Atrichopogon bullus* Remm,1980 (Ceratopogonidae) Synonym(s): bullus Remm,1980 Range (in code): TM**
- 7463. *Atrichopogon flavolineatus* (Strobl,1880) (Ceratopogonidae) Synonym(s): flavolineatus Strobl,1880; trifasciatus Kieffer,1918 Range (in code): TR GR HU SK RO AT**
- 7464. *Atrichopogon fulvipes* Remm,1972 (Ceratopogonidae) Synonym(s): fulvipes Remm,1972 Range (in code): TM**
- 7465. *Atrichopogon ghashmi* Boorman & Harten,2002 (Ceratopogonidae) Synonym(s): ghashmi Boorman & Harten,2002 Range (in code): YE**
- 7466. *Atrichopogon gillipaludosus* Remm,1993 (Ceratopogonidae) Synonym(s): gillipaludosus Remm,1993 Range (in code): Cc AM**
- 7467. *Atrichopogon luteicollis* (Becker,1903) (Ceratopogonidae) Synonym(s): luteicollis Becker,1903; flavoscutellatus Becker,1908; aegyptius Kieffer,1925; phrixus De Meillon,1943; sanani Boorman & Harten,2002 Range (in code): Cn ZA YE EG**
- 7468. *Atrichopogon rostratus* (Winnertz,1852) (Ceratopogonidae) Synonym(s): rostratus Winnertz,1852; transversalis Kieffer,1918; ventralis Kieffer,1918; homopterus Kieffer,1919; coracellus Kieffer,1919; nigriventris Kieffer,1919; putredinis Kieffer,1922 Range (in code): PL HU SK RO IT UA TR GR DE**
- 7469. *Atrichopogon sallami* Boorman & Harten,2002 (Ceratopogonidae) Synonym(s): sallami Boorman & Harten,2002 Range (in code): YE**
- 7470. *Atrichopogon taizi* Boorman & Harten,2002 (Ceratopogonidae) Synonym(s): wirthi Delécolle & Braverman,1997 (praeocc.); taizi Boorman & Harten,2002; shaubensis taizi Boorman & Harten,2002 Range (in code): IL Pa YE**
- 7471. *Atrichopogon unilineatus* Remm,1967 (Ceratopogonidae) Synonym(s): unilineatus Remm,1967 Range (in code): AZ Cc**
- 7472. *Atrichopogon winnertzi* Goetghebuer,1922 (Ceratopogonidae) Synonym(s): winnertzi Goetghebuer,1922; torngnyensis Goetghebuer,1949 Range (in code): AM Cc TR KK IT SS BG MK GB BE FR AT HU DE PL CZ SK DK FI SE EE LT UA 33**
- 7473. *Bezzia* (Homobezzia) *blandiata* Remm,1967 (Ceratopogonidae) Synonym(s): blandiata Remm,1967 Range (in code): AZ Cc GG KK UZ**
- 7474. *Bezzia* (Homobezzia) *kuhetiensis* Remm,1967 (Ceratopogonidae) Synonym(s): kuhetiensis Remm,1967 Range (in code): AZ Cc UA KK TM TJ KG**
- 7475. *Bezzia* (Homobezzia) *turkmenica* Glukhova,1979 (Ceratopogonidae) Synonym(s): turkmenica Glukhova,1979 Range (in code): TM**
- 7476. *Bezzia* (Homobezzia) *xanthocephala* Goetghebuer,1911 (Ceratopogonidae) Synonym(s): xanthocephala Goetghebuer,1911; parvidens Kieffer,1914; picticornis Kieffer,1914; danica Kieffer,1915; belgica Kieffer,1919; brachycera Kieffer,1919; grisea Kieffer,1919; hungarica Zilahi-Sebess,1930 Range (in code): BE DE DK GB HU NL SE FI EE LT UA Cc AM KG KK At**
- 7477. *Bezzia* (Homobezzia) *xanthogaster* Kieffer,1919 (Ceratopogonidae) Synonym(s): xanthogaster Kieffer,1919 Range (in code): RU Cc AZ UZ Us**
- 7478. *Brachypogon* (Isohelea) *caucasicus* (Remm,1967) (Ceratopogonidae) Synonym(s): caucasicus Remm,1967 Range (in code): Cc GG**
- 7479. *Brachypogon* (Isohelea) *herati* Navai,1997 (Ceratopogonidae) Synonym(s): herati Navai,1997 Range (in code): AF Hr**
- 7480. *Brachypogon* (Isohelea) *sevanicus* (Remm,1974) (Ceratopogonidae) Synonym(s): sevanicus Remm,1974 Range (in code): Cc AM**
- 7481. *Brachypogon* (Isohelea) *vanharteni* Szadziewski, Gwizdalska-Kentzer & Gilka,2011 (Ceratopogonidae) Synonym(s): vanharteni Szadziewski, Gwizdalska-Kentzer & Gilka,2011 Range (in code): AE**
- 7482. *Brachypogon* (s.str.) *afifi* Boorman & Harten,2002 (Ceratopogonidae) Synonym(s): afifi Boorman & Harten,2002 Range (in code): YE**
- 7483. *Brachypogon* (s.str.) *arabicus* Szadziewski, Gwizdalska-Kentzer & Gilka,2011 (Ceratopogonidae) Synonym(s): arabicus Szadziewski, Gwizdalska-Kentzer & Gilka,2011 Range (in code): AE**
- 7484. *Brachypogon* (s.str.) *obesus* Szadziewski, Gwizdalska-Kentzer & Gilka,2011 (Ceratopogonidae) Synonym(s): obesus Szadziewski, Gwizdalska-Kentzer & Gilka,2011 Range (in code): AE**
- 7485. *Brachypogon* (s.str.) *pakistanicus* Szadziewski & Havelka,1984 (Ceratopogonidae) Synonym(s): pakistanicus Szadziewski & Havelka,1984 Range (in code): PK**
- 7486. *Brachypogon* (s.str.) *yarimii* Boorman & Harten,2002 (Ceratopogonidae) Synonym(s): yarimii Boorman & Harten,2002 Range (in code): OM**
- 7487. *Culicoides abchazicus* Dzhafarov,1964 (Ceratopogonidae) Synonym(s): abchazicus Dzhafarov,1964 Range (in code): Abk GG Cc**
- 7488. *Culicoides achrayi* Kettle & Lawson,1955 (Ceratopogonidae) Synonym(s): achrayi Kettle & Lawson,1955 Range (in code): GB TR o6 23 42**

- 7489. Culicoides alatavicus Gutsevich & Smatov,1971** (Ceratopogonidae) Synonym(s): fuscus Gutsevich & Smatov,1966 nec Goet.,1952; alatavicus Gutsevich & Smatov,1971 Range (in code): Cc AZ
- 7490. Culicoides alazanicus Dzhafarov,1961** (Ceratopogonidae) Synonym(s): alazanicus Dzhafarov,1961; musilator Kremer & Callot,1961 Range (in code): Cc AZ FR
- 7491. Culicoides albonotatus Kieffer,1918** (Ceratopogonidae) Synonym(s): albonotatus Kieffer,1918 Range (in code): TR
- 7492. Culicoides alexandrae Dzhafarov,1962** (Ceratopogonidae) Synonym(s): alexandrae Dzhafarov,1962 Range (in code): Cc AZ
- 7493. Culicoides arabiensis Boorman,1989** (Ceratopogonidae) Synonym(s): arabiensis Boorman,1989 Range (in code): OM
- 7494. Culicoides azerbaijdzhanicus Dzhafarov,1962** (Ceratopogonidae) Synonym(s): azerbaijdzhanicus Dzhafarov,1962 Range (in code): TR Cc AZ IL Pa 23
- 7495. Culicoides badooshensis Khalaf,1961** (Ceratopogonidae) Synonym(s): badooshensis Khalaf,1961 Range (in code): TR IQ IL Pa 23 31 35 45
- 7496. Culicoides bahrainensis Boorman,1989** (Ceratopogonidae) Synonym(s): bahrainensis Boorman,1989 Range (in code): BH
- 7497. Culicoides begueti Clastrier,1957** (Ceratopogonidae) Synonym(s): begueti Clastrier,1957 Range (in code): DZ IL Pa
- 7498. Culicoides beybienkoi Dzhafarov,1962** (Ceratopogonidae) Synonym(s): beybienkoi Dzhafarov,1962 Range (in code): AZ Cc
- 7499. Culicoides biarcuatus Vimmer,1932** (Ceratopogonidae) Synonym(s): biarcuatus Vimmer,1932 Range (in code): IL Pa
- 7500. Culicoides bodenheimeri Vimmer,1932** (Ceratopogonidae) Synonym(s): bodenheimeri Vimmer,1932 Range (in code): IL Pa
- 7501. Culicoides brunnicans Edwards,1939** (Ceratopogonidae) Synonym(s): brunnicans Edwards,1939 Range (in code): GB IL Pa
- 7502. Culicoides buettikeri Boorman,1989** (Ceratopogonidae) Synonym(s): buettikeri Boorman,1989 Range (in code): OM
- 7503. Culicoides bulbostylus Khalaf,1961** (Ceratopogonidae) Synonym(s): bulbostylus Khalaf,1961 Range (in code): IR Elb Dam Kdj Th TR AZ Cc IQ 21
- 7504. Culicoides cataneii Clastrier,1957** (Ceratopogonidae) Synonym(s): cataneii Clastrier,1957 Range (in code): DZ IL Pa TR 01 06 10 23 31 35 43 45
- 7505. Culicoides caucasicus Sergejev,1959** (Ceratopogonidae) Synonym(s): caucasicus Sergejev,1959 Range (in code): Cc RU
- 7506. Culicoides circumscriptus Kieffer,1918** (Ceratopogonidae) Synonym(s): circumscriptus Kieffer,1918; nadayanus Kieffer,1918; edwardsi Goetghebuer,1921; algarum Kieffer,1924; salicola Kieffer,1924; pictidorsum Kieffer,1924; albonotatus Vimmer,1932 nec Kieff.,1918; albosignatus Vimmer,1932; polymaculatus Vimmer,1932; kirovabadicus Dzhafarov,1964 Range (in code): BG TR TN BE NO DE IL Pa Cc AZ Kir RU Us IR Fa UA Cm 01 06 07 10 20 23 31 33 35 42 48 45 51 70
- 7507. Culicoides denisoni Boorman,1988** (Ceratopogonidae) Synonym(s): denisoni Boorman,1988 Range (in code): GR TR 07
- 7508. Culicoides derisor Callot & Kremer,1965** (Ceratopogonidae) Synonym(s): derisor Callot & Kremer,1965 Range (in code): FR IL Pa
- 7509. Culicoides desertorum Gutsevich,1959** (Ceratopogonidae) Synonym(s): desertorum Gutsevich,1959 Range (in code): TM UZ
- 7510. Culicoides dewulfi Goetghebuer,1936** (Ceratopogonidae) Synonym(s): dewulfi Goetghebuer,1936; pseudochipterus Downes & Kettle,1952 Range (in code): BE TR 01
- 7511. Culicoides distinctipennis Austen,1912** (Ceratopogonidae) Synonym(s): distinctipennis Austen,1912 Range (in code): NG IL Pa
- 7512. Culicoides duddingstoni Kettle & Lawson,1955** (Ceratopogonidae) Synonym(s): duddingstoni Kettle & Lawson,1955 Range (in code): GB TR 42 43 70
- 7513. Culicoides dzhafarovi Remm,1967** (Ceratopogonidae) Synonym(s): dzhafarovi Remm,1967; dzhafarovi Callot,Kremer,Molet & Bach,1968 Range (in code): Cc AZ FR TR 01 06 07 23 31 33 42 43
- 7514. Culicoides faghihi Navai,1971** (Ceratopogonidae) Synonym(s): faghihi Navai,1971 Range (in code): IR
- 7515. Culicoides fagineus Edwards,1939** (Ceratopogonidae) Synonym(s): fagineus Edwards,1939 Range (in code): GB TR IL Pa 42
- 7516. Culicoides fascipennis (Staeger,1839)** (Ceratopogonidae) Synonym(s): fascipennis Staeger,1839; distinctus Kieffer,1916; albonotatus Kieffer,1918; turficola Kieffer,1925 Range (in code): DK EE SE TR 07 42
- 7517. Culicoides festivipennis Kieffer,1914** (Ceratopogonidae) Synonym(s): festivipennis Kieffer,1914; odibilis Austen,1921; winnertzi Edwards,1926 Range (in code): DE IL Pa TR 06 07 10 21 23 31 35 42 43 51 70
- 7518. Culicoides firuzae Dzhafarov,1958** (Ceratopogonidae) Synonym(s): firuzae Dzhafarov,1958 Range (in code): AZ Cc



- 7519. Culicoides flavidus Dzhafarov,1959** (Ceratopogonidae) Synonym(s): flavidus Dzhafarov,1959  
Range (in code): Cc AZ IR Kdj Th Msh
- 7520. Culicoides flavipulicaris Dzhafarov,1964** (Ceratopogonidae) Synonym(s): flavipulicaris Dzhafarov,1964 Range (in code): Cc AZ TR 42 43
- 7521. Culicoides geigelenis Dzhafarov,1964** (Ceratopogonidae) Synonym(s): geigelenis Dzhafarov,1964 Range (in code): Cc AZ IL Pa TR 06 31 42 51
- 7522. Culicoides grisescens Edwards,1921** (Ceratopogonidae) Synonym(s): grisescens Edwards,1921  
Range (in code): RU Cc IR Fa Dam Elb
- 7523. Culicoides haranti Rioux, Descous & Pech,1959** (Ceratopogonidae) Synonym(s): haranti Rioux, Descous & Pech,1959 Range (in code): FR IL Pa
- 7524. Culicoides heliophilus Edwards,1921** (Ceratopogonidae) Synonym(s): heliophilus Edwards,1921; latifrontis Shakirzjanova,1962; kobachidzei Dzhafarov,1964 Range (in code): GB GG RU Cc KG IR Es Dam Elb Fa Kdj
- 7525. Culicoides ibericus Dzhafarov,1963** (Ceratopogonidae) Synonym(s): ibericus Dzhafarov,1963  
Range (in code): AZ Cc IR Es
- 7526. Culicoides ibriensis Boorman,1989** (Ceratopogonidae) Synonym(s): ibriensis Boorman,1989  
Range (in code): OM
- 7527. Culicoides imicola Kieffer,1913** (Ceratopogonidae) Synonym(s): imicola Kieffer,1913; pallidipennis Carter, Ingram & Macfie,1920; iraqensis Khalaf,1957; minutus Sen & Das Gupta,1959; pseudoturgidus Das Gupta,1962  
Range (in code): KE SA GH PT ES IT Sa Rd GR BG MA EG TR IL Pa IQ IR IN 31
- 7528. Culicoides iranicus Navai,1971** (Ceratopogonidae) Synonym(s): iranicus Navai,1971 Range (in code): IR
- 7529. Culicoides judaeae Macfie,1933** (Ceratopogonidae) Synonym(s): judaeae Macfie,1933 Range (in code): IL Pa
- 7530. Culicoides jumeri Callot & Kremer,1969** (Ceratopogonidae) Synonym(s): jumeri Callot & Kremer,1969 Range (in code): TN IL Pa
- 7531. Culicoides karakumensis Gutsevich & Molotova,1973** (Ceratopogonidae) Synonym(s): karakumensis Gutsevich & Molotova,1973 Range (in code): TM
- 7532. Culicoides kasimi Khalaf,1961** (Ceratopogonidae) Synonym(s): kasimi Khalaf,1961 Range (in code): IQ
- 7533. Culicoides kibunensis Tokunaga,1937** (Ceratopogonidae) Synonym(s): kibunensis Tokunaga,1937; cubitalis Edwards,1939; ponkikiri Kono & Takahasi,1940; sitinohensis Okada,1941 Range (in code): GB TR JP 06
- 7534. Culicoides kohistanensis Kitaoka & Shinonaga,1989** (Ceratopogonidae) Synonym(s): kohistanensis Kitaoka & Shinonaga,1989 Range (in code): PK
- 7535. Culicoides koreensis Arnaud,1956** (Ceratopogonidae) Synonym(s): koreensis Arnaud,1956; palustris Amosova,1957 Range (in code): KR RU Vv IR Es
- 7536. Culicoides kugitangi Ataev,1976** (Ceratopogonidae) Synonym(s): kugitangi Ataev,1976 Range (in code): TM
- 7537. Culicoides kurensis Dzhafarov,1960** (Ceratopogonidae) Synonym(s): kurensis Dzhafarov,1960  
Range (in code): AZ Cc IR Kh Kdj
- 7538. Culicoides langeroni Kieffer,1921** (Ceratopogonidae) Synonym(s): langeroni Kieffer,1921 Range (in code): TN IL Pa
- 7539. Culicoides longipennis Khalaf,1957** (Ceratopogonidae) Synonym(s): longipennis Khalaf,1957; flavisimilis Dzhafarov,1964 Range (in code): Cc AZ IL Pa IQ TR IR Dam Elb Es Mz 06 51
- 7540. Culicoides maritimus Kieffer,1924** (Ceratopogonidae) Synonym(s): maritimus Kieffer,1924; submaritimus Dzhafarov,1962 Range (in code): DE TR DE Cc AZ IL Pa 42 51
- 7541. Culicoides mesghalii Navai,1973** (Ceratopogonidae) Synonym(s): mesghalii Navai,1973 Range (in code): IR
- 7542. Culicoides micromaculatus Vimmer,1932** (Ceratopogonidae) Synonym(s): micromaculatus Vimmer,1932 Range (in code): IL Pa
- 7543. Culicoides minutissimus (Zetterstedt,1855)** (Ceratopogonidae) Synonym(s): minutissimus Zetterstedt,1855; nanulus Kieffer,1919; albihalter Kieffer,1919; tugaicus Dzhafarov,1960; bychowskyi Dzhafarov,1964  
Range (in code): SE HU DE TR AZ Cc
- 7544. Culicoides molotovae Glukhova & Braverman,1999** (Ceratopogonidae) Synonym(s): molotovae Glukhova & Braverman,1999 Range (in code): TM
- 7545. Culicoides mongolensis Yao,1964** (Ceratopogonidae) Synonym(s): mongolensis Yao,1964; transcaspian Molotova,1966 Range (in code): MN TM
- 7546. Culicoides montanus Shakirzjanova,1962** (Ceratopogonidae) Synonym(s): montanus Shakirzjanova,1962 Range (in code): KG TR IL Pa
- 7547. Culicoides musajevi Dzhafarov,1961** (Ceratopogonidae) Synonym(s): musajevi Dzhafarov,1961  
Range (in code): AZ Cc

- 7548. Culicoides mystacinus Vimmer,1932** (Ceratopogonidae) Synonym(s): mystacinus Vimmer,1932 Range (in code): IL Pa
- 7549. Culicoides nagahanai Tokunaga,1956** (Ceratopogonidae) Synonym(s): nagahanai Tokunaga,1956 Range (in code): JP IR Mz
- 7550. Culicoides navaiae Lane,1983** (Ceratopogonidae) Synonym(s): navaiae Lane,1983 Range (in code): SA
- 7551. Culicoides neoschultzei Boorman & Meiswinkel,1989** (Ceratopogonidae) Synonym(s): neoschultzei Boorman & Meiswinkel,1989 Range (in code): OM
- 7552. Culicoides newsteadi Austen,1921** (Ceratopogonidae) Synonym(s): newsteadi Austen,1921; biclavatus Kieffer,1924; halophilus Kieffer,1924; edwardsi Goetghebuer,1933; edwardsianus Goetghebuer,1933 Range (in code): IL Pa DE NO GB TR 06 42
- 7553. Culicoides noshaquensis Tokunaga,1966** (Ceratopogonidae) Synonym(s): noshaquensis Tokunaga,1966 Range (in code): AF
- 7554. Culicoides nubeculosus (Meigen,1830)** (Ceratopogonidae) Synonym(s): nubeculosus Meigen,1830; puncticollis Goetghebuer,1912; punctaticollis Goetghebuer,1920 Range (in code): TR 31 51
- 7555. Culicoides obsoletus (Meigen,1818)** (Ceratopogonidae) Synonym(s): obsoletus Meigen,1818; varius Winnertz,1852; yezoensis Matsumura,1911; obscuripes Santos Abreu,1918; lacteinervis Kieffer,1919; rivicola Kieffer,1921; clavatus Kieffer,1921; heteroceris Kieffer,1921; pegobius Kieffer,1922; kabyliensis Kieffer,1922; concitus Kieffer,1922; intermedius Okada,1941; sintrensis Cambournac,1956; seimi Shevchenko,1967 Range (in code): TR IL Pa DE RU UA DZ JP PT 06 42
- 7556. Culicoides odai Boorman,1989** (Ceratopogonidae) Synonym(s): odai Boorman,1989 Range (in code): OM
- 7557. Culicoides odiatus Austen,1921** (Ceratopogonidae) Synonym(s): niger Dzhabarov,1960 (praeocc.); odiatus Austen,1921; indistinctus Khalaf,1961; lailae Khalaf,1961; kurektshaicus Dzhabarov,1962; conicus Remm,1968 Range (in code): TR IQ IL Pa Cc AZ UA 06 31 51
- 7558. Culicoides odibilis Austen,1921** (Ceratopogonidae) Synonym(s): odibilis Austen,1921 Range (in code): IR Elb Dam Es Kdj Mz Cc RU IQ GB
- 7559. Culicoides oxystoma Kieffer,1910** (Ceratopogonidae) Synonym(s): oxystoma Kieffer,1910; kiefferi Patton,1913; mesopotamiensis Patton,1920; pattoni Kieffer,1921; housei Causey,1938; punctigerus Tokunaga,1951; alatus Das Gupta & Ghosh,1956 Range (in code): IN IQ TH ID
- 7560. Culicoides pakistanensis Kitaoka & Shinonaga,1989** (Ceratopogonidae) Synonym(s): pakistanensis Kitaoka & Shinonaga,1989 Range (in code): PK
- 7561. Culicoides pallidicornis Kieffer,1919** (Ceratopogonidae) Synonym(s): pallidicornis Kieffer,1919; susae Kieffer,1919; dileucus Kieffer,1921; brunneiscutellatus Zilahi-Sebess,1933; bruneoscutellatus Zilahi-Sebess,1934; niger Root & Hoffman,1937 Range (in code): HU RO IT FR BG US IR Elb Dam Kdj SE GB
- 7562. Culicoides pallidipennis Carter, Ingram & Macfie,1920** (Ceratopogonidae) Synonym(s): pallidipennis Carter, Ingram & Macfie,1920 Range (in code): IR IQ GH
- 7563. Culicoides pallidus Khalaf,1957** (Ceratopogonidae) Synonym(s): pallidus Khalaf,1957; stackelbergi Dzhabarov,1962 Range (in code): AZ Cc IQ
- 7564. Culicoides pictimargo Tokunaga & Shogaki,1954** (Ceratopogonidae) Synonym(s): pictimargo Tokunaga & Shogaki,1954 Range (in code): JP IR Kdj
- 7565. Culicoides pictipennis Staeger,1839** (Ceratopogonidae) Synonym(s): pictipennis Staeger,1839 Range (in code): RU UA Cc IQ IR Kdj Ke Th Gh IL Pa
- 7566. Culicoides picturatus Kremer & Deduit,1961** (Ceratopogonidae) Synonym(s): picturatus Kremer & Deduit,1961 Range (in code): TR IL Pa FR 31 51
- 7567. Culicoides pictus Khalaf,1961** (Ceratopogonidae) Synonym(s): pictus Khalaf,1961 Range (in code): IQ
- 7568. Culicoides pseudopallidus Khalaf,1961** (Ceratopogonidae) Synonym(s): pseudopallidus Khalaf,1961 Range (in code): IQ IL Pa
- 7569. Culicoides pulicaris (Linnaeus,1758)** (Ceratopogonidae) Synonym(s): pulicaris Linnaeus,1758; setosinervis Kieffer,1913; pullatus Kieffer,1915; stephensi Carter,1916; cinerellus Kieffer,1919; quinquepunctatus Goetghebuer,1921; flaviplumus Kieffer,1924; sawamotoi Kono & Takahasi,1940 Range (in code): GB HU DZ LT TR IL Pa IQ SO TW SE DE EG UA RU BE IR Elb Dam Kdj Msh Mz CN JP US 06 42
- 7570. Culicoides pumilus (Winnertz,1852)** (Ceratopogonidae) Synonym(s): pumilus Winnertz,1852 Range (in code): DE TR 51
- 7571. Culicoides punctatus (Meigen,1804)** (Ceratopogonidae) Synonym(s): punctatus Meigen,1804; punctatus Latreille,1809; impressus Kieffer,1918; kasachstanicus Shakirzjanova,1963; #puncatatus Navai & Mesghali,1968 Range (in code): ES FR IT LT KG RU RO TR IL Pa SA IR MN 06 42 51 65
- 7572. Culicoides puncticollis (Becker,1903)** (Ceratopogonidae) Synonym(s): puncticollis Becker,1903; impressus Kieffer,1918; distigma Kieffer,1922; donatieni Kieffer,1922; sciniphes Kieffer,1925; bipunctatus Vimmer,1932; tripunctatus Vimmer,1932; wenigi Vimmer,1932; flavitarsis Vimmer,1932; flavitarsis Vimmer,1932; griseovittatus Vimmer,1932; luteosignatus Vimmer,1932; vavrai Vimmer,1932 Range (in code): TN DZ EG IL Pa IQ ES TR IR Es Kdj Msh Fa Kz Ab Ak Cc 06 31 51

- 7573. Culicoides puripennis Austen,1921** (Ceratopogonidae) Synonym(s): puripennis Austen,1921 Range (in code): IL Pa
- 7574. Culicoides quadrivittatus Vimmer,1932** (Ceratopogonidae) Synonym(s): quadrivittatus Vimmer,1932 Range (in code): IL Pa
- 7575. Culicoides quinquemaculatus Vimmer,1932** (Ceratopogonidae) Synonym(s): quinquemaculatus Vimmer,1932 Range (in code): IL Pa
- 7576. Culicoides riethi Kieffer,1914** (Ceratopogonidae) Synonym(s): riethi Kieffer,1914; cordatus Kieffer,1921; crassiforceps Kieffer,1924 Range (in code): DE LT TR IR Kdj Kz RU Us o6 31
- 7577. Culicoides riouxi Callot & Kremer,1961** (Ceratopogonidae) Synonym(s): riouxi Callot & Kremer,1961 Range (in code): FR TR o6
- 7578. Culicoides ritzei Dzhafarov,1964** (Ceratopogonidae) Synonym(s): ritzei Dzhafarov,1964 Range (in code): GG Cc
- 7579. Culicoides rubzovi Dzhafarov,1960** (Ceratopogonidae) Synonym(s): rubzovi Dzhafarov,1960 Range (in code): AZ Cc
- 7580. Culicoides saevanicus Dzhafarov,1960** (Ceratopogonidae) Synonym(s): saevanicus Dzhafarov,1960 Range (in code): Cc AM IL Pa
- 7581. Culicoides saevus Kieffer,1922** (Ceratopogonidae) Synonym(s): saevus Kieffer,1922; drensii Zilahi-Sebess,1934; puncticeps Goetghebuer,1934; micromaculithorax Khalaf,1957 Range (in code): DZ TR IQ AT BG IR Ke Kz Cc Ab Ksh
- 7582. Culicoides sahariensis Kieffer,1923** (Ceratopogonidae) Synonym(s): sahariensis Kieffer,1923; baghdadensis Khalaf,1957; coluzzii Callot, Kremer & Bailly-Choumara,1970 Range (in code): DZ TN TR IQ Bgd IL Pa 31
- 7583. Culicoides salinarius Kieffer,1914** (Ceratopogonidae) Synonym(s): salinarius Kieffer,1914; halobius Kieffer,1914; meinerti Kieffer,1915; punctatidorsum Kieffer,1924 Range (in code): DE TR 42
- 7584. Culicoides schultzei (Enderlein,1908)** (Ceratopogonidae) Synonym(s): schultzei Enderlein,1908; irroratus Goetghebuer,1948 Range (in code): NA ZR TR IR Es Kz Fa Ke Ss Kh ZR SD IN EG 31
- 7585. Culicoides seifadine Dzhafarov,1958** (Ceratopogonidae) Synonym(s): seifadine Dzhafarov,1958; flavidus Dzhafarov,1959 Range (in code): AZ Cc TR IR Elb Dam Msh Ke
- 7586. Culicoides semimaculatus Clastrier,1958** (Ceratopogonidae) Synonym(s): Clastrier,1958; karajevi Dzhafarov,1961 Range (in code): DZ TR IL Pa AZ Cc
- 7587. Culicoides sergenti Kieffer,1921** (Ceratopogonidae) Synonym(s): sergenti Kieffer,1921; citrinellus Kieffer,1923; mosulensis Khalaf,1957; turkmenicus Gutsevich,1959 Range (in code): DZ IQ Mos TM
- 7588. Culicoides shahgudiani Navai,1973** (Ceratopogonidae) Synonym(s): shahgudiani Navai,1973 Range (in code): IR
- 7589. Culicoides shaklawensis Khalaf,1957** (Ceratopogonidae) Synonym(s): shaklawensis Khalaf,1957; caspius Gutsevich,1959 Range (in code): IL Pa TR IQ Er Shq RU 31
- 7590. Culicoides similisbaghdadensis Khalaf,1957** (Ceratopogonidae) Synonym(s): similisbaghdadensis Khalaf,1957 Range (in code): IQ IR Mz
- 7591. Culicoides simulans Vimmer,1932** (Ceratopogonidae) Synonym(s): simulans Vimmer,1932 Range (in code): IL Pa
- 7592. Culicoides simulator Edwards,1939** (Ceratopogonidae) Synonym(s): simulator Edwards,1939 Range (in code): GB TR o6 42
- 7593. Culicoides slovacus Orszagh,1969** (Ceratopogonidae) Synonym(s): slovacus Orszagh,1969 Range (in code): SK TR
- 7594. Culicoides subfasciipennis Kieffer,1919** (Ceratopogonidae) Synonym(s): subfasciipennis Kieffer,1919; analis Kieffer,1925 Range (in code): HU BE RU Cc IR Ab Ak Kdj Th
- 7595. Culicoides subgriseus Dzhafarov,1964** (Ceratopogonidae) Synonym(s): subgriseus Dzhafarov,1964 Range (in code): AZ Cc
- 7596. Culicoides tbilisicus Dzhafarov,1964** (Ceratopogonidae) Synonym(s): tbilisicus Dzhafarov,1964; dendriticus Boorman,1976 Range (in code): AZ Cc GG Tbl GB
- 7597. Culicoides tentorius Austen,1921** (Ceratopogonidae) Synonym(s): tentorius Austen,1921 Range (in code): IL Pa
- 7598. Culicoides trivittatus Vimmer,1932** (Ceratopogonidae) Synonym(s): trivittatus Vimmer,1932; subneglectus Vimmer,1932; bulbostylus Khalaf,1961 Range (in code): TR IQ IL Pa 51
- 7599. Culicoides truncorum Edwards,1939** (Ceratopogonidae) Synonym(s): truncorum Edwards,1939 Range (in code): GB TR o6
- 7600. Culicoides turanicus Gutsevich & Smatov,in Smatov and Isimbekov,1971: 61. New name for kasachstanicus.** (Ceratopogonidae) Synonym(s): kasachstanicus Gutsevich & Smatov,1966 (praeocc.); turanicus Gutsevich & Smatov,1971 Range (in code): KG TR
- 7601. Culicoides turkmenicus Gutsevich,1959** (Ceratopogonidae) Synonym(s): turkmenicus Gutsevich,1959 Range (in code): TM IR Fa Kz Th Kh Kdj
- 7602. Culicoides univittatus Vimmer,1932** (Ceratopogonidae) Synonym(s): univittatus Vimmer,1932; agathensis Callot, Kremer & Rioux,1963 Range (in code): FR IL Pa



- 7603. *Culicoides vexans* (Staeger,1839)** (Ceratopogonidae) Synonym(s): *vexans* Staeger,1839; *pungens* Kieffer,1901; *perpungens* Kieffer,1919; *ajbassovi* Shakirzjanova,1962 Range (in code): DK TR FR KG 42
- 7604. *Culicoides vidourensis* Callot, Kremer, Molet & Bach,1968** (Ceratopogonidae) Synonym(s): *vidourensis* Callot, Kremer, Molet & Bach,1968 Range (in code): FR IL Pa
- 7605. *Culicoides vitreipennis* Austen,1921** (Ceratopogonidae) Synonym(s): *vitreipennis* Austen,1921 Range (in code): IL Pa
- 7606. *Culicoides wardi* Boorman,1989** (Ceratopogonidae) Synonym(s): *wardi* Boorman,1989 Range (in code): AE
- 7607. *Culicoides yemenensis* Boorman,1989** (Ceratopogonidae) Synonym(s): *yemenensis* Boorman,1989 Range (in code): YE
- 7608. *Dasyhelea abhazica* Remm,1967** (Ceratopogonidae) Synonym(s): *abhazica* Remm,1967 Range (in code): Cc GG Abk
- 7609. *Dasyhelea abyenensis* Boorman & Harten,2002** (Ceratopogonidae) Synonym(s): *abyenensis* Boorman & Harten,2002 Range (in code): YE
- 7610. *Dasyhelea afghanica* Navai,1994** (Ceratopogonidae) Synonym(s): *afghanica* Navai,1994 Range (in code): AF
- 7611. *Dasyhelea alboverrucosa* Remm,1967** (Ceratopogonidae) Synonym(s): *alboverrucosa* Remm,1967 Range (in code): Cc AZ
- 7612. *Dasyhelea awadi* Boorman & Harten,2002** (Ceratopogonidae) Synonym(s): *awadi* Boorman & Harten,2002 Range (in code): YE
- 7613. *Dasyhelea baculata* Remm,1967** (Ceratopogonidae) Synonym(s): *baculata* Remm,1967 Range (in code): Cc GG
- 7614. *Dasyhelea bamianica* Navai,1994** (Ceratopogonidae) Synonym(s): *bamianica* Navai,1994 Range (in code): AF
- 7615. *Dasyhelea deemingi* Boorman & Harten,2002** (Ceratopogonidae) Synonym(s): *deemingi* Boorman & Harten,2002 Range (in code): OM
- 7616. *Dasyhelea distalis* Kieffer,1918** (Ceratopogonidae) Synonym(s): *distalis* Kieffer,1918 Range (in code): TR
- 7617. *Dasyhelea ermeri* Remm,1967** (Ceratopogonidae) Synonym(s): *ermeri* Remm,1967 Range (in code): Cc GG
- 7618. *Dasyhelea ferruginosa* Remm & Nazarmukhamedov,1969** (Ceratopogonidae) Synonym(s): *ferruginosa* Remm & Nazarmukhamedov,1969 Range (in code): TM
- 7619. *Dasyhelea flaviscapula* Kieffer,1918** (Ceratopogonidae) Synonym(s): *flaviscapula* Kieffer,1918 Range (in code): TR
- 7620. *Dasyhelea fulvosa* Remm,1967** (Ceratopogonidae) Synonym(s): *fulvosa* Remm,1967 Range (in code): AZ Cc
- 7621. *Dasyhelea fuscocincta* Remm,1967** (Ceratopogonidae) Synonym(s): *fuscocincta* Remm,1967 Range (in code): AZ Cc
- 7622. *Dasyhelea kruppi* Boorman & Harten,2002** (Ceratopogonidae) Synonym(s): *kruppi* Boorman & Harten,2002 Range (in code): OM
- 7623. *Dasyhelea kurensis* Remm,1967** (Ceratopogonidae) Synonym(s): *kurensis* Remm,1967 Range (in code): AZ Cc
- 7624. *Dasyhelea leptoclada* Remm,1967** (Ceratopogonidae) Synonym(s): *leptoclada* Remm,1967 Range (in code): AZ Cc
- 7625. *Dasyhelea lucida* Remm,1968** (Ceratopogonidae) Synonym(s): *lucida* Remm,1968 Range (in code): Cc GG
- 7626. *Dasyhelea muradovi* Remm,1980** (Ceratopogonidae) Synonym(s): *muradovi* Remm,1980 Range (in code): TM
- 7627. *Dasyhelea peculiopa* Navai,1994** (Ceratopogonidae) Synonym(s): *peculiopa* Navai,1994 Range (in code): AF
- 7628. *Dasyhelea perrara* Remm,1980** (Ceratopogonidae) Synonym(s): *perrara* Remm,1980 Range (in code): TM
- 7629. *Dasyhelea schumanni* Navai,1994** (Ceratopogonidae) Synonym(s): *schumanni* Navai,1994 Range (in code): AF
- 7630. *Dasyhelea scutellaris* Kieffer,1918** (Ceratopogonidae) Synonym(s): *scutellaris* Kieffer,1918 Range (in code): TR
- 7631. *Dasyhelea seminigra* Navai,1994** (Ceratopogonidae) Synonym(s): *seminigra* Navai,1994 Range (in code): AF
- 7632. *Dasyhelea serristernum* Remm,1967** (Ceratopogonidae) Synonym(s): *serristernum* Remm,1967 Range (in code): Cc GG
- 7633. *Dasyhelea similinigrina* Navai,1994** (Ceratopogonidae) Synonym(s): *similinigrina* Navai,1994 Range (in code): AF

- 7634. *Dasyhelea trifasciata* Kieffer,1918** (Ceratopogonidae) Synonym(s): trifasciata Kieffer,1918 Range (in code): TR
- 7635. *Dasyhelea turanicola* Remm & Nazarmukhamedov,1969** (Ceratopogonidae) Synonym(s): turanicola Remm & Nazarmukhamedov,1969; serrata Navai,1994 Range (in code): KG AF
- 7636. *Dasyhelea wirthicola* Szadziewski,1985** (Ceratopogonidae) Synonym(s): wirthicola Szadziewski,1985 Range (in code): PK
- 7637. *Forcipomyia* (s.str.) *brachypetiolata* Vimmer,1928** (Ceratopogonidae) Synonym(s): brachypetiolata Vimmer,1928 Range (in code): IL Pa
- 7638. *Forcipomyia* (s.str.) *monticolonina* Tokunaga,1966** (Ceratopogonidae) Synonym(s): monticolonina Tokunaga,1966 Range (in code): AF
- 7639. *Forcipomyia* (s.str.) *ochracea* Vimmer,1928** (Ceratopogonidae) Synonym(s): ochracea Vimmer,1928 Range (in code): IL Pa
- 7640. *Forcipomyia* ? *koniae* (Kieffer,1918)** (Ceratopogonidae) Synonym(s): koniae Kieffer,1918 Range (in code): TR 42
- 7641. *Malachhelea remota* (Kieffer,1919)** (Ceratopogonidae) Synonym(s): remota Kieffer,1919; dimidiata Kieffer,1921; bulgarica Zilahi-Sebess,1934 Range (in code): CZ FR HU RU MD BG Cc AZ
- 7642. *Malachhelea tianshanica* Remm,1980** (Ceratopogonidae) Synonym(s): tianshanica Remm,1980 Range (in code): KK TJ IR
- 7643. *Palpomyia* (Gluhovia) *miki* Goetghebuer,1934** (Ceratopogonidae) Synonym(s): miki Goetghebuer,1934 Range (in code): CZ HU RU Cc AZ KG TJ TM UZ IR MN CN
- 7644. *Palpomyia* (s.str.) *algeriana* Clastrier,1962** (Ceratopogonidae) Synonym(s): algeriana Clastrier,1962 Range (in code): Cc RU DZ
- 7645. *Palpomyia* (s.str.) *aterrima* Goetghebuer,1921** (Ceratopogonidae) Synonym(s): aterrima Goetghebuer,1921 Range (in code): AT BE NO RU Cc AZ AM
- 7646. *Palpomyia* (s.str.) *flavipes* (Meigen,1804)** (Ceratopogonidae) Synonym(s): flavipes Meigen,1804; hortulana Meigen,1818; semifumosa Goetghebuer,1922 Range (in code): RU Cc AM GG KG Us Cn
- 7647. *Palpomyia* (s.str.) *fulva* (Macquart,1826)** (Ceratopogonidae) Synonym(s): fulva Macquart,1826; ferruginea Meigen,1830; parviforceps Kieffer,1925 Range (in code): DK FR RU JP Cc GG
- 7648. *Palpomyia* (s.str.) *longa* Remm,1976** (Ceratopogonidae) Synonym(s): longa Remm,1976 Range (in code): Cc GG
- 7649. *Sphaeromyias pictus* (Meigen,1818)** (Ceratopogonidae) Synonym(s): pictus Meigen,1818; punctatus Meigen,1830 (praeocc.); elegans Winnertz,1852; candidatus Loew,1856; miricornis Kieffer,1919; copiosus Kieffer,1925; sparus Borkent,1997 Range (in code): FR BE DE FI SE GB EE LT BY RU UA HU CZ SK PL IT AT Cc AZ TR TM KG MN JP 04
- 7650. *Leucopis silesiaca* Egger,1862** (Chamaemyiidae) Synonym(s): silesiaca Egger,1862; annulipes Oldenberg,1924 Range (in code): TR 06
- 7651. *Parochthiphila* (Euestelia) *argentiseta* Raspi & Ebejer,2008** (Chamaemyiidae) Synonym(s): argentiseta Raspi & Ebejer,2008 Range (in code): TR
- 7652. *Chaoborus flavicans* (Meigen,1830)** (Chaoboridae) Synonym(s): flavicans Meigen,1830; alpinus Peus,1938 Range (in code): US Idp Ny Als JP CA Abt BE Co GB DK CZ FI DE HU IT LV NO PL RU Sa SK ES SE CH NL YU TR 32 42
- 7653. *Chaoborus* (s.str.) *crystallinus* (De Geer,1776)** (Chaoboridae) Synonym(s): crystallinus De Geer,1776 Range (in code): TR 42
- 7654. *Abiskomyia paravirgo* Goetghebuer,1936** (Chironomidae) Synonym(s): paravirgo Goetghebuer,1936 Range (in code): TR 08 12
- 7655. *Ablabemyia monilis* (Linnaeus,1758)** (Chironomidae) Synonym(s): monilis Linnaeus,1758 Range (in code): TR 65
- 7656. *Ablabemyia phatta* (Egger,1896)** (Chironomidae) Synonym(s): phatta Egger,1896 Range (in code): TR 65
- 7657. *Ablabemyia* sp.** (Chironomidae) Synonym(s): Range (in code): TR
- 7658. *Ablabesmyia longistyla* Fittkau,1962** (Chironomidae) Synonym(s): longistyla Fittkau,1962 Range (in code): TR
- 7659. *Acalcarella nucus* (Pankratova,1950)** (Chironomidae) Synonym(s): nucus Pankratova,1950 Range (in code): TR
- 7660. *Acricotopus lucens* (Zetterstedt,1850)** (Chironomidae) Synonym(s): lucens Zetterstedt,1850 Range (in code): TR 08
- 7661. *Apsectrotamypus trifascipennis* (Zetterstedt,1850)** (Chironomidae) Synonym(s): trifascipennis Zetterstedt,1850 Range (in code): TR 08 12 23 24 65
- 7662. *Beckidia zabolotzkii* (Goetghebuer,1938)** (Chironomidae) Synonym(s): zabolotzkii Goetghebuer,1938 Range (in code): TR 22 39
- 7663. *Brillia modesta* (Meigen,1804)** (Chironomidae) Synonym(s): modesta Meigen,1804 Range (in code): TR

- 7664. Bryophaenocladus aff. brincki (Freeman,1955)** (Chironomidae) Synonym(s): brincki Freeman,1955 Range (in code): TR 53
- 7665. Bryophaenocladus rotundilobus Caspers & Reiss,1989** (Chironomidae) Synonym(s): rotundilobus Caspers & Reiss,1989 Range (in code): TR 33
- 7666. Bryophaenocladus virgo (Thienemann,1941)** (Chironomidae) Synonym(s): virgo Thienemann,1941 Range (in code): TR
- 7667. Cardiocladus capucinus (Zetterstedt,1850)** (Chironomidae) Synonym(s): capucinus Zetterstedt,1850 Range (in code): TR 08 35
- 7668. Chaetocladus Kieffer,1911** (Chironomidae) Synonym(s): Chaetocladus Kieffer,1911 Range (in code): TR
- 7669. Chaetocladus piger (Goetghebuer,1913)** (Chironomidae) Synonym(s): piger Goetghebuer,1913 Range (in code): TR
- 7670. Chaetocladus setosipennis (Kieffer,1913)** (Chironomidae) Synonym(s): setosipennis Kieffer,1913 Range (in code): TR
- 7671. Chironomus anthracinus (Zetterstedt,1855)** (Chironomidae) Synonym(s): anthracinus Zetterstedt,1855 Range (in code): TR 35
- 7672. Chironomus plumosus (Linnaeus,1758)** (Chironomidae) Synonym(s): plumosus Linnaeus,1758 Range (in code): TR 01 65
- 7673. Chironomus thummi Kieffer,1911** (Chironomidae) Synonym(s): thummi Kieffer,1911 Range (in code): TR 01 23 35
- 7674. Chironomus viridicollis Wulp,1877** (Chironomidae) Synonym(s): viridicollis Wulp,1877 Range (in code): TR 01
- 7675. Cladotanytarsus mancus (Walker,1856)** (Chironomidae) Synonym(s): mancus Walker,1856 Range (in code): TR 01 08 23
- 7676. Clinotanytus nervosus (Meigen,1804)** (Chironomidae) Synonym(s): nervosus Meigen,1804 Range (in code): TR
- 7677. Clunio mediterraneus Neumann,1966** (Chironomidae) Synonym(s): mediterraneus Neumann,1966 Range (in code): ES FR IT HV TR 07
- 7678. Conchapelopia sp.** (Chironomidae) Synonym(s): Range (in code): TR 65
- 7679. Corynoneura scutellata Thienemann,1944** (Chironomidae) Synonym(s): scutellata Thienemann,1944; celeripes Thienemann,1944; lacustris Cranston,1982 Range (in code): TR 22
- 7680. Corynoneura validicornis Kieffer,1911** (Chironomidae) Synonym(s): validicornis Kieffer,1911 Range (in code): TR 08
- 7681. Cricotopus annulator Goetghebuer,1927** (Chironomidae) Synonym(s): annulator Goetghebuer,1927 Range (in code): TR 08 65
- 7682. Cricotopus bicinctus (Meigen,1818)** (Chironomidae) Synonym(s): bicinctus Meigen,1818 Range (in code): TR 23 31 35 65
- 7683. Cricotopus flavocinctus (Kieffer,1924)** (Chironomidae) Synonym(s): flavocinctus Kieffer,1924 Range (in code): TR 08 65
- 7684. Cricotopus fuscus (Kieffer,1909)** (Chironomidae) Synonym(s): fuscus Kieffer,1909 Range (in code): TR 62
- 7685. Cricotopus sylvestris (Fabricius,1794)** (Chironomidae) Synonym(s): sylvestris Fabricius,1794 Range (in code): TR 30 65
- 7686. Cricotopus triannulatus (Macquart,1826)** (Chironomidae) Synonym(s): triannulatus Macquart,1826 Range (in code): TR 08
- 7687. Cricotopus tricinctus (Meigen,1828)** (Chironomidae) Synonym(s): tricinctus Meigen,1828 Range (in code): TR 08
- 7688. Cricotopus vieriensis Goetghebuer,1935** (Chironomidae) Synonym(s): vieriensis Goetghebuer,1935 Range (in code): TR 31 65
- 7689. Cryptochironomus defectus Kieffer,1921** (Chironomidae) Synonym(s): defectus Kieffer,1921 Range (in code): TR 01 08 23 65
- 7690. Cryptocladopelma laccophila (Kieffer,1922)** (Chironomidae) Synonym(s): laccophila Kieffer,1922 Range (in code): TR
- 7691. Cryptotendipes holsatus Lenz,1941** (Chironomidae) Synonym(s): holsatus Lenz,1941 Range (in code): TR
- 7692. Diamesa coronarunguis Şahin,1991** (Chironomidae) Synonym(s): coronarunguis Şahin,1991 Range (in code): TR 76
- 7693. Diamesa discoloriventris Şahin,1991** (Chironomidae) Synonym(s): discoloriventris Şahin,1991 Range (in code): TR 62
- 7694. Diamesa hozati Şahin,1991** (Chironomidae) Synonym(s): hozati Şahin,1991 Range (in code): TR 62
- 7695. Diamesa steinboeckii (Goetghebuer,1933)** (Chironomidae) Synonym(s): steinboeckii Goetghebuer,1933 Range (in code): TR



- 7696. *Diamesa stylata* Tchernovskii,1949** (Chironomidae) Synonym(s): *stylata* Tchernovskii,1949 Range (in code): TR
- 7697. *Diamesa thienemanni* Kieffer,1911** (Chironomidae) Synonym(s): *thienemanni* Kieffer,1911 Range (in code): TR
- 7698. *Dicrotendipes tritonus* (Kieffer,1916)** (Chironomidae) Synonym(s): *tritonus* Kieffer,1916 Range (in code): TR 35
- 7699. *Diplocladius cultriger* Kieffer,1908** (Chironomidae) Synonym(s): *cultriger* Kieffer,1908 Range (in code): TR 65
- 7700. *Einfeldia carbonaria* (Meigen,1804)** (Chironomidae) Synonym(s): *carbonaria* Meigen,1804 Range (in code): TR 01
- 7701. *Einfeldia dissidens* (Walker,1856)** (Chironomidae) Synonym(s): *dissidens* Walker,1856 Range (in code): TR
- 7702. *Einfeldia* sp.** (Chironomidae) Synonym(s): Range (in code): TR 23 65
- 7703. *Endochironomus tendens* (Fabricius,1794)** (Chironomidae) Synonym(s): *tendens* Fabricius,1794 Range (in code): TR 01
- 7704. *Eukiefferiella alpestris* Goetghebuer,1935** (Chironomidae) Synonym(s): *alpestris* Goetghebuer,1935 Range (in code): TR 65
- 7705. *Eukiefferiella brevicealcar* Kieffer,1929** (Chironomidae) Synonym(s): *brevicealcar* Kieffer,1929 Range (in code): TR 08 65
- 7706. *Eukiefferiella calvescens* Edw.,1929** (Chironomidae) Synonym(s): *calvescens* Edw.,1929 Range (in code): TR 31 65
- 7707. *Eukiefferiella claripennis* (Lundbeck,1898)** (Chironomidae) Synonym(s): *claripennis* Lundbeck,1898 Range (in code): TR 35
- 7708. *Eukiefferiella clypeata* Kieffer,1929** (Chironomidae) Synonym(s): *clypeata* Kieffer,1929 Range (in code): TR
- 7709. *Eukiefferiella discoloripes* Kieffer,1929** (Chironomidae) Synonym(s): *discoloripes* Kieffer,1929 Range (in code): TR 08 65
- 7710. *Fleuria lacustris* Kieffer,1924** (Chironomidae) Synonym(s): *lacustris* Kieffer,1924 Range (in code): TR
- 7711. *Gillotia alboviridis* (Malloch,1915)** (Chironomidae) Synonym(s): *alboviridis* Malloch,1915 Range (in code): TR
- 7712. *Halocladius fucicola* (Edwards,1926)** (Chironomidae) Synonym(s): *fucicola* Edwards,1926 Range (in code): TR 35
- 7713. *Harnischia fuscimana* Kieffer,1921** (Chironomidae) Synonym(s): *fuscimana* Kieffer,1921 Range (in code): TR 31
- 7714. *Harnischia* sp.** (Chironomidae) Synonym(s): Range (in code): TR 01
- 7715. *Kreacelopodia binotata* (Wiedemann,1817)** (Chironomidae) Synonym(s): *binotata* Wiedemann,1817 Range (in code): TR
- 7716. *Lapposmittia parvibarba* Edwards,1939** (Chironomidae) Synonym(s): *parvibarba* Edwards,1939 Range (in code): TR
- 7717. *Larsia curticalcar* (Kieffer,1918)** (Chironomidae) Synonym(s): *curtiscalcar* Kieffer,1918 Range (in code): TR
- 7718. *Limnophyes prolongatus* Kieffer,1929** (Chironomidae) Synonym(s): *prolongatus* Kieffer,1929 Range (in code): TR
- 7719. *Limnophyes pusillus* Eat.,1875** (Chironomidae) Synonym(s): *pusillus* Eat.,1875 Range (in code): TR 01 12
- 7720. *Limnophyes transcaucasicus* Tchern.1949** (Chironomidae) Synonym(s): *transcaucasicus* Tchern.1949 Range (in code): TR Cc 01 65
- 7721. *Lobosmittia invaginata* (Caspers & Reiss,1989)** (Chironomidae) Synonym(s): *invaginata* Caspers & Reiss,1989 Range (in code): TR 36
- 7722. *Metriocnemus cubitalis* Kieffer,1911** (Chironomidae) Synonym(s): *cubitalis* Kieffer,1911 Range (in code): TR
- 7723. *Microcricotopus bicolor* (Zetterstedt,1850)** (Chironomidae) Synonym(s): *bicolor* Zetterstedt,1850 Range (in code): TR
- 7724. *Micropsectra curvicornis* (Tchernovskii,1949)** (Chironomidae) Synonym(s): *curvicornis* Tchernovskii,1949 Range (in code): TR 23 35 65
- 7725. *Micropsectra notescens* (Walker,1856)** (Chironomidae) Synonym(s): *notescens* Walker,1856 Range (in code): TR 01 08 23
- 7726. *Microtendipes chloris* (Meigen,1804)** (Chironomidae) Synonym(s): *chloris* Meigen,1804 Range (in code): TR
- 7727. *Microtendipes tarsalis* (Walker,1856)** (Chironomidae) Synonym(s): *tarsalis* Walker,1856 Range (in code): TR 01

- 7728. *Monopelopia tenuicalcar* (Kieffer,1918)** (Chironomidae) Synonym(s): *tenuicalcar* Kieffer,1918  
Range (in code): TR
- 7729. *Odontomesa fulva* (Kieffer,1921)** (Chironomidae) Synonym(s): *fulva* Kieffer,1921 Range (in code): TR
- 7730. *Orthocladius luteipes* Goetghebuer,1921** (Chironomidae) Synonym(s): *luteipes* Goetghebuer,1921 Range (in code): TR 65
- 7731. *Orthocladius oblidens* (Walker,1856)** (Chironomidae) Synonym(s): *oblidens* Walker,1856  
Range (in code): TR 36 65
- 7732. *Orthocladius rivulorum* (Kieffer,1911)** (Chironomidae) Synonym(s): *rivulorum* Kieffer,1911  
Range (in code): TR 08
- 7733. *Orthocladius thienemanni* (Kieffer,1918)** (Chironomidae) Synonym(s): *thienemanni* Kieffer,1918 Range (in code): TR 65
- 7734. *Parachironomus arcuatus* (Goethebuer,1919)** (Chironomidae) Synonym(s): *arcuatus* Goethebuer,1919 Range (in code): TR 22
- 7735. *Parachironomus longiforceps* Kruseman,1933** (Chironomidae) Synonym(s): *longiforceps* Kruseman,1933; *pectinatellae* Dendy & Sublette,1959; *frequens* Lehmann,1970 Range (in code): TR 22
- 7736. *Paracladius conversus* (Walker,1856)** (Chironomidae) Synonym(s): *conversus* Walker,1856  
Range (in code): TR 01 08 65
- 7737. *Paracladopelma nigrigula* Goetghebuer,1942** (Chironomidae) Synonym(s): *nigrigula* Goetghebuer,1942 Range (in code): TR 01
- 7738. *Parakiefferiella coronata* (Edwards,1929)** (Chironomidae) Synonym(s): *coronata* Edwards,1929  
Range (in code): TR 36
- 7739. *Parakiefferiella tenuilobata* Caspers & Reiss,1989** (Chironomidae) Synonym(s): *tenuilobata* Caspers & Reiss,1989 Range (in code): TR 36
- 7740. *Paralauterboniella nigrohalteralis* (Malloch,1915)** (Chironomidae) Synonym(s): *nigrohalteralis* Malloch,1915 Range (in code): TR 23
- 7741. *Paramerina cingulata* (Walker,1856)** (Chironomidae) Synonym(s): *cingulata* Walker,1856  
Range (in code): TR 65
- 7742. *Parametriocnemus* sp.** (Chironomidae) Synonym(s): Range (in code): TR 73
- 7743. *Parametriocnemus stylatus* (Kieffer,1924)** (Chironomidae) Synonym(s): *stylatus* Kieffer,1924  
Range (in code): TR 08 29 56 65 73
- 7744. *Paratanytarsus lauterborni* Kieffer,1918** (Chironomidae) Synonym(s): *lauterborni* Kieffer,1918  
Range (in code): TR 08 23 65
- 7745. *Paratendipes albimanus* (Meigen,1818)** (Chironomidae) Synonym(s): *albimanus* Meigen,1818  
Range (in code): TR 08
- 7746. *Paratendipes demirsoyus* Şahin,1976** (Chironomidae) Synonym(s): *demirsoyus* Şahin,1976  
Range (in code): TR 12
- 7747. *Paratendipes intermedius* Tchern.,1949** (Chironomidae) Synonym(s): *intermedius* Tchern.,1949  
Range (in code): TR 65
- 7748. *Paratrichocladius rufiventris* (Meigen,1830)** (Chironomidae) Synonym(s): *rufiventris* Meigen,1830 Range (in code): TR 35
- 7749. *Phaenopsectra flavipes* (Meigen,1818)** (Chironomidae) Synonym(s): *flavipes* Meigen,1818; *tenellus* Zetterstedt,1838; *altipes* Zetterstedt,1850; *leucolabis* Kieffer,1915; *albiforceps* Goetghebuer,1921 Range (in code): FI EE HU IE NO PL RO RU ES SE CH NL UA Md IE DE AT BE Cr CZ DK GB TR CN US 14
- 7750. *Polypedilum aberrans* (Tchernovskii,1949)** (Chironomidae) Synonym(s): *aberrans* Tchernovskii,1949 Range (in code): TR 35
- 7751. *Polypedilum bicrenatum* Kieffer,1911** (Chironomidae) Synonym(s): *bicrenatum* Kieffer,1911  
Range (in code): TR 01 08
- 7752. *Polypedilum brevantennatum* Tchern.,1949** (Chironomidae) Synonym(s): *brevantennatum* Tchern.,1949 Range (in code): TR 01 07 23 31 65
- 7753. *Polypedilum convictum* (Walker,1856)** (Chironomidae) Synonym(s): *convictum* Walker,1856  
Range (in code): TR 65
- 7754. *Polypedilum laetum* (Meigen,1818)** (Chironomidae) Synonym(s): *laetum* Meigen,1818 Range (in code): TR 08
- 7755. *Polypedilum pedestre* (Meigen,1818)** (Chironomidae) Synonym(s): *pedestre* Meigen,1818  
Range (in code): TR
- 7756. *Potthastia gaedii* (Meigen,1818)** (Chironomidae) Synonym(s): *gaedii* Meigen,1818 Range (in code): TR 31
- 7757. *Potthastia* sp.** (Chironomidae) Synonym(s): Range (in code): TR 65
- 7758. *Procladius* sp.** (Chironomidae) Synonym(s): Range (in code): TR 65
- 7759. *Proclamesa olivacea* (Meigen,1818)** (Chironomidae) Synonym(s): *olivacea* Meigen,1818 Range (in code): TR 08

- 7760. *Psectrocladius calcaratus* (Edwards,1929)** (Chironomidae) **Synonym(s):** calcaratus Edwards,1929 **Range (in code):** [TR 01](#)
- 7761. *Psectrocladius dilatatus* (Wulp,1877)** (Chironomidae) **Synonym(s):** dilatatus Wulp,1877 **Range (in code):** [TR](#)
- 7762. *Psectrocladius ishimicus* Tchern.,1949** (Chironomidae) **Synonym(s):** ishimicus Tchern.,1949 **Range (in code):** [TR](#)
- 7763. *Psectrocladius psilopterus* Kieffer,1906** (Chironomidae) **Synonym(s):** psilopterus Kieffer,1906 **Range (in code):** [TR 31 65](#)
- 7764. *Psectrocladius serpentrionalis* Tchern.,1949** (Chironomidae) **Synonym(s):** serpentrionalis Tchern.,1949 **Range (in code):** [TR 65](#)
- 7765. *Psectrocladius stratiotis* Kieffer,1911** (Chironomidae) **Synonym(s):** stratiotis Kieffer,1911 **Range (in code):** [TR 08 65](#)
- 7766. *Psectrocladius ventricosus* Kieffer,1911** (Chironomidae) **Synonym(s):** ventricosus Kieffer,1911 **Range (in code):** [TR 65](#)
- 7767. *Psectrotanypus varius* (Fabricius,1787)** (Chironomidae) **Synonym(s):** varius Fabricius,1787 **Range (in code):** [TR](#)
- 7768. *Pseudodiamesa nivosa* (Goetghebuer,1932)** (Chironomidae) **Synonym(s):** nivosa Goetghebuer,1932 **Range (in code):** [TR 08](#)
- 7769. *Pseudodiamesa orientalis* Chern.,1949** (Chironomidae) **Synonym(s):** orientalis Chern.,1949 **Range (in code):** [TR 08](#)
- 7770. *Pseudosmittia gracilis* (Goetghebuer,1929)** (Chironomidae) **Synonym(s):** gracilis Goetghebuer,1929 **Range (in code):** [TR](#)
- 7771. *Psilodiamesa spitzbergensis* Kieffer & Thienemann,1919** (Chironomidae) **Synonym(s):** spitzbergensis Kieffer & Thienemann,1919 **Range (in code):** [TR](#)
- 7772. *Rheocricotopus gouini* (Goetghebuer,1927)** (Chironomidae) **Synonym(s):** gouini Goetghebuer,1927 **Range (in code):** [TR 62](#)
- 7773. *Rheotanytarsus exiguus* Joh.,1937** (Chironomidae) **Synonym(s):** exiguus Joh.,1937 **Range (in code):** [TR 01 65](#)
- 7774. *Robackia demeijerei* (Kruseman,1933)** (Chironomidae) **Synonym(s):** demeijerei Tshernovskii,1949; demeijerei Kruseman,1933 **Range (in code):** [TR 22](#)
- 7775. *Stempellina bausei* (Kieffer,1911)** (Chironomidae) **Synonym(s):** bausei Kieffer,1911 **Range (in code):** [TR](#)
- 7776. *Stictochironomus devinctus* (Say,1829)** (Chironomidae) **Synonym(s):** devinctus Say,1829; compes Coquillett,1908; ornatipes Kieffer,1917 **Range (in code):** [TR 03](#)
- 7777. *Stictochironomus* sp.1** (Chironomidae) **Synonym(s):** [Range \(in code\): TR 01 31 65](#)
- 7778. *Stictochironomus* sp.2** (Chironomidae) **Synonym(s):** [Range \(in code\): TR 23 65](#)
- 7779. *Syndiamesa magnifipedis* Şahin,1991** (Chironomidae) **Synonym(s):** magnifipedis Şahin,1991 **Range (in code):** [TR 62](#)
- 7780. *Tanypus kraatzi* Kieffer,1913** (Chironomidae) **Synonym(s):** kraatzi Kieffer,1913 **Range (in code):** [TR 12 23](#)
- 7781. *Tanypus punctipennis* Meigen,1818** (Chironomidae) **Synonym(s):** punctipennis Meigen,1818 **Range (in code):** [TR 23 65](#)
- 7782. *Tanypus vilipennis* (Kieffer,1918)** (Chironomidae) **Synonym(s):** vilipennis Kieffer,1918 **Range (in code):** [TR](#)
- 7783. *Tanytarsus arduennensis* Goetghebuer,1913** (Chironomidae) **Synonym(s):** arduennensis Goetghebuer,1913 **Range (in code):** [TR 31](#)
- 7784. *Tanytarsus gregarius* Kieffer,1911** (Chironomidae) **Synonym(s):** gregarius Kieffer,1911 **Range (in code):** [TR 23 65](#)
- 7785. *Thienemanniella clavicornis* Kieffer,1911** (Chironomidae) **Synonym(s):** clavicornis Kieffer,1911 **Range (in code):** [TR 62](#)
- 7786. *Thienemanniella* sp.** (Chironomidae) **Synonym(s):** [Range \(in code\): TR](#)
- 7787. *Thienemanniella vittata* Edwards,1929** (Chironomidae) **Synonym(s):** vittata Edwards,1929 **Range (in code):** [TR](#)
- 7788. *Thienemannimyia lentiginosa* (Fries,1830)** (Chironomidae) **Synonym(s):** lentiginosa Fries,1830 **Range (in code):** [TR 08 12 65](#)
- 7789. *Trissopelopia flavida* Kieffer,1923** (Chironomidae) **Synonym(s):** flavida Kieffer,1923 **Range (in code):** [TR](#)
- 7790. *Zalutschia korosienis* (Tchern.,1949)** (Chironomidae) **Synonym(s):** korosienis Tchern.,1949 **Range (in code):** [TR 31](#)
- 7791. *Zalutschia megastylus* (Shil.,1971)** (Chironomidae) **Synonym(s):** megastylus Shil.,1971 **Range (in code):** [TR 08](#)



- 7792. *Zavrelia pentatoma* Kieffer & Bause,1914** (Chironomidae) Synonym(s): pentatoma Kieffer & Bause,1914; atrofasciata Kieffer,1921; nigrifula Goethebuer,1921; paludosa Goethebuer,1931 Range (in code): BE DE CZ PL AT TR CN 30
- 7793. *Zavrelimyia melanura* (Meigen,1818)** (Chironomidae) Synonym(s): melanura Meigen,1818 Range (in code): TR 12 31
- 7794. *Anacamptoneurum arabicum* (Becker,1910)** (Chloropidae) Synonym(s): arabicum Becker,1910 Range (in code): EG IL Pa
- 7795. *Anacamptoneurum obliquum* Becker,1903** (Chloropidae) Synonym(s): obliquum Becker,1903 Range (in code): SA EG NG BW SD TZ IL Pa SN NE YE GM ML OM TR UZ TM IN
- 7796. *Anatrichus erinaceus* Loew,1860** (Chloropidae) Synonym(s): erinaceus Loew,1860 Range (in code): EG SA
- 7797. *Anatrichus pygmaeus* Lamb,1918** (Chloropidae) Synonym(s): pygmaeus Lamb,1918 Range (in code): IL Pa AF LK CN
- 7798. *Aphanotrigonum bicolor* Nartshuk,1964** (Chloropidae) Synonym(s): bicolor Nartshuk,1964 Range (in code): HU TR 07
- 7799. *Aphanotrigonum cinctellum* (Zetterstedt,1848)** (Chloropidae) Synonym(s): cinctellum Zetterstedt,1848; brevirostris Loew,1858; pallidinerve Duda,1933 Range (in code): SE FI GB DK DE HU RO BG ES IT YU TR RU IL Pa IR AF MN CN PK DZ EG UA 34
- 7800. *Aphanotrigonum femorellum* (Collin,1946)** (Chloropidae) Synonym(s): femorellum Collin,1946 Range (in code): TR OM MN 07 54
- 7801. *Aphanotrigonum hastatum* Dely-Draskovits,1981** (Chloropidae) Synonym(s): hastatum Dely-Draskovits,1981 Range (in code): AF
- 7802. *Aphanotrigonum kabuli* Dely-Draskovits,1981** (Chloropidae) Synonym(s): kabuli Dely-Draskovits,1981 Range (in code): AF Kab
- 7803. *Aphanotrigonum parahastatum* Dely-Draskovits,1981** (Chloropidae) Synonym(s): parahastatum Dely-Draskovits,1981 Range (in code): AF Ca
- 7804. *Apotropina longepilosa* (Strobl,1893)** (Chloropidae) Synonym(s): longepilosa Strobl,1893 Range (in code): RU Us MN TR 07 31
- 7805. *Aprometopsis flavofacies* (Becker,1910)** (Chloropidae) Synonym(s): flavofacies Becker,1910 Range (in code): SA As TZ NG ZW RW UG ZA
- 7806. *Arcuator opacus* (Becker,1912)** (Chloropidae) Synonym(s): opacus Becker,1912; bipustulatus Bezzi,1926 Range (in code): SA As ET MZ ZA ZR GM NG
- 7807. *Assuania thalhammeri* (Strobl,1893)** (Chloropidae) Synonym(s): thalhammeri Strobl,1893; hispanica Strobl,1899; glabra Becker,1903; frontata Becker,1907; siciliensis Duda,1933 Range (in code): ES FR IT HU RO BG TR RU DZ EG Si AF 07
- 7808. *Camarota curvipennis* (Latreille,1805)** (Chloropidae) Synonym(s): curvipennis Latreille,1805; flavitarsis Meigen,1830; aurifrons Haliday,1833; rufimana von Roser,1840; cerealis Rondani,1873 Range (in code): GB DE HU ES FR IT YU RO BG RU MD UA GG AZ AM Cc IL Pa MA TR 07 31
- 7809. *Capnoptera breviantennata* Becker,1910** (Chloropidae) Synonym(s): breviantennata Becker,1910 Range (in code): IL Pa
- 7810. *Cetema neglectum* Tonnoir,1921** (Chloropidae) Synonym(s): neglectum Tonnoir,1921 Range (in code): TR 31 54
- 7811. *Chlorops alpicolus* Becker,1910** (Chloropidae) Synonym(s): alpicolus Becker,1910 Range (in code): Cc RU Da FR IT
- 7812. *Chlorops caucasicus* Smirnov,1964** (Chloropidae) Synonym(s): caucasicus Smirnov,1964 Range (in code): RU Cc
- 7813. *Chlorops daghestanicus* Smirnov,1964** (Chloropidae) Synonym(s): daghestanicus Smirnov,1964 Range (in code): RU Cc Da
- 7814. *Chlorops dasycerus* Loew,1866** (Chloropidae) Synonym(s): dasycerus Loew,1866; horridus Becker,1910 Range (in code): FR GB SE DE PL CZ AT HU IT RU TR 05
- 7815. *Chlorops fasciatus* Meigen,1830** (Chloropidae) Synonym(s): fasciatus Meigen,1830 Range (in code): TR MN
- 7816. *Chlorops freidmani* Nartshuk,2012** (Chloropidae) Synonym(s): freidmani Nartshuk,2012 Range (in code): TR 07
- 7817. *Chlorops interruptus* Meigen,1830** (Chloropidae) Synonym(s): interruptus Meigen,1830; hirsutus Loew,1866 Range (in code): GB DE IL Pa BG
- 7818. *Chlorops pallidior* Becker,1912** (Chloropidae) Synonym(s): pallidior Becker,1912 Range (in code): TR 70
- 7819. *Chlorops palludus* (Nartshuk,1963)** (Chloropidae) Synonym(s): palludus Nartshuk,1963 Range (in code): AZ Cc AF UZ TJ TM
- 7820. *Chlorops pannonicus* Strobl,1893** (Chloropidae) Synonym(s): pannonicus Strobl,1893; hecyniae Duda,1933 Range (in code): DE YU IR MN

- 7821. *Chlorops persicus* (Duda,1933)** (Chloropidae) Synonym(s): persicus Duda,1933 Range (in code): IR RU TM TJ UZ
- 7822. *Chlorops pumilionis* (Bjerkander,1778)** (Chloropidae) Synonym(s): pumilionis Bjerkander,1778; lineatus Fabricius,1781; nasutus Schrank,1781; taeniopus Meigen,1830; annulipes Brullé,1833; lineolus Brullé,1833; pumilio Zetterstedt,1848 Range (in code): NO SE FI IE GB NL BE DE CH AT CZ SK HU RO PL ES FR IT AL YU BG GR TR RU IR IL Pa MN 07
- 7823. *Chlorops serenus* Loew,1866** (Chloropidae) Synonym(s): serenus Loew,1866 Range (in code): GB DE PL AT HU CZ SK ES FR IT RO YU BG RU DZ IL Pa
- 7824. *Chlorops syriacus* Becker,1910** (Chloropidae) Synonym(s): syriaca Becker,1910 Range (in code): IL Pa LB Bei
- 7825. *Chlorops syriacus* Becker,1910** (Chloropidae) Synonym(s): syriacus Becker,1910 Range (in code): LB Bei IL Pa
- 7826. *Conioscinella frontella* (Fallén,1820)** (Chloropidae) Synonym(s): frontella Fallén,1820 Range (in code): TR IL Pa MN 07
- 7827. *Conioscinella maculipennis* Sabrosky,1961** (Chloropidae) Synonym(s): maculipennis Sabrosky,1961 Range (in code): AF MN
- 7828. *Cryptonevra nigratarsis* (Duda,1933)** (Chloropidae) Synonym(s): nigratarsis Duda,1933 Range (in code): TR KG 07
- 7829. *Desertochlorops stackelbergi* Nartshuk,1968** (Chloropidae) Synonym(s): stackelbergi Nartshuk,1968 Range (in code): TM UZ TJ
- 7830. *Dicraeus bothriochloae* Nartshuk,1978** (Chloropidae) Synonym(s): bothriochloae Nartshuk,1978 Range (in code): TM
- 7831. *Dicraeus discolor* (Becker,1910)** (Chloropidae) Synonym(s): discolor Becker,1910 Range (in code): RU Sr TR BG
- 7832. *Dicraeus ingratus* (Loew,1866)** (Chloropidae) Synonym(s): ingratus Loew,1866 Range (in code): GB BG RU IL Pa
- 7833. *Dicraeus muricatus* Nartshuk,1967** (Chloropidae) Synonym(s): muricatus Nartshuk,1967 Range (in code): GG Cc
- 7834. *Dicraeus raptus* (Holiday,1838)** (Chloropidae) Synonym(s): raptus Holiday,1838 Range (in code): UA Cm TR 07
- 7835. *Dicraeus setiger* Nartshuk,1973** (Chloropidae) Synonym(s): setiger Nartshuk,1973 Range (in code): AZ Cc
- 7836. *Dicraeus tibialis* Macquart,1835** (Chloropidae) Synonym(s): tibialis Macquart,1835; pallidiventris Macquart,1835; bipunctata Macquart,1835; rufimana Macquart,1835; rufiventris Macquart,1835; flavimana Macquart,1835; fulviventris Meigen,1838; abdominalis Zetterstedt,1848 Range (in code): RU IL Pa SY TR MN CA NZ 07
- 7837. *Dicraeus valaceus* Nartshuk,1973** (Chloropidae) Synonym(s): valaceus Nartshuk,1973 Range (in code): AZ Cc
- 7838. *Dicraeus valvaceus* Nartshuk,1979** (Chloropidae) Synonym(s): valvaceus Nartshuk,1979 Range (in code): AZ Cc
- 7839. *Diptotoxa messoria* (Fallén,1820)** (Chloropidae) Synonym(s): messoria Fallén,1820 Range (in code): TR 07 36 42
- 7840. *Elachiptera bimaculata* (Loew,1845)** (Chloropidae) Synonym(s): bimaculata Loew,1845; furcata Perris,1876; bilineata Bigot,1891; quadrilineata Strobl,1902; tuberculata Becker,1907; tuberifera Becker,1910; latifasciata Duda,1932; trifasciata Duda,1932 Range (in code): MA DZ TN EG Cn Md PT ES NL IT Co Si Md IL Pa GR CY MK BG HV YU UA RU TR SA 07 45
- 7841. *Elachiptera cornuta* (Fallén,1820)** (Chloropidae) Synonym(s): cornuta Fallén,1820 Range (in code): ES FR GB IE NO SE FI DK DE BE NL EE LT LV RU BY UA PL CH AT CZ SK HU MD RO UA IT SS HV B-H YU MK BG TR CN 07
- 7842. *Elachiptera megaspis* (Loew,1858)** (Chloropidae) Synonym(s): megaspis Loew,1858 Range (in code): MA TN EG Az Cn ES FR GB IE BE NL DK DE IT Si HV HU UA RO BG GR CY TR IL Pa
- 7843. *Elachiptera rufifrons* Duda,1932** (Chloropidae) Synonym(s): rufifrons Duda,1932 Range (in code): GB NL DE HU UA RU BG TR IT IL Pa ES CN 07
- 7844. *Elachiptera simplicipes* Becker,1910** (Chloropidae) Synonym(s): simplicipes Becker,1910 Range (in code): SA As KE ET LR ZW RW UG TZ ZR ZM OM
- 7845. *Elachiptereicus abessynicus* Becker,1913** (Chloropidae) Synonym(s): abessynicus Becker,1913 Range (in code): SA As ET CM MZ RW NG SN UG ZA
- 7846. *Elachiptereicus bistriatus* Becker,1909** (Chloropidae) Synonym(s): bistriatus Becker,1909; bistriatus Séguy,1946 Range (in code): SA As SN ET CM ZA
- 7847. *Epimadiza nigrescens* Duda,1933** (Chloropidae) Synonym(s): nigrescens Duda,1933; anthracias Séguy,1949; inquilinum Séguy,1957 Range (in code): SA As IL Pa BW CV CI NE NG SN SD MA YE OM
- 7848. *Epimadiza rugosa* (De Meijere,1906)** (Chloropidae) Synonym(s): rugosa De Meijere,1906 Range (in code): SA As CM GH SL NG ML KE

- 7849. *Eurina ducalis* A.Costa,1885** (Chloropidae) Synonym(s): ducalis A.Costa,1885; dalmatina Strobl,1893 Range (in code): FR IT YU BG TR IL Pa SY 07 31
- 7850. *Eurina ferganensis* Nartshuk,1973** (Chloropidae) Synonym(s): ferganensis Nartshuk,1973 Range (in code): UZ Fe IL Pa
- 7851. *Eurina lurida* Meigen,1830** (Chloropidae) Synonym(s): lurida Meigen,1830; clypeata Meigen,1830; nuda Loew,1858 Range (in code): GB NL DE FR PT ES IT HU BG RU TJ IR IL Pa EG
- 7852. *Eurina triangularis* Becker,1903** (Chloropidae) Synonym(s): triangularis Becker,1903 Range (in code): EG IL Pa TR 07 31
- 7853. *Eutropha albipilosa* (Becker,1908)** (Chloropidae) Synonym(s): albipilosa Becker,1908; nitidifrons Czerny,1909 Range (in code): Cn MA ES IL Pa
- 7854. *Eutropha mediterranea* Becker,1910** (Chloropidae) Synonym(s): mediterranea Becker,1910 Range (in code): LB Bei
- 7855. *Eutropha ruficornis* Hendel,1931** (Chloropidae) Synonym(s): ruficornis Hendel,1931 Range (in code): EG IL Pa
- 7856. *Hapleginella laevifrons* (Loew,1858)** (Chloropidae) Synonym(s): laevifrons Loew,1858 Range (in code): GB RU Us TR 07
- 7857. *Homalura sarudnyi* Becker,1910** (Chloropidae) Synonym(s): sarudnyi Becker,1910; zarudnyi Becker,1913; #rossica Becker,1913 Range (in code): IR Ke IL Pa
- 7858. *Homops madagascariensis* (Enderlein,1911)** (Chloropidae) Synonym(s): madagascariensis Enderlein,1911 Range (in code): MG NG GH KE YE ZA SA
- 7859. *Lagaroceras curtum* Sabrosky,1961** (Chloropidae) Synonym(s): curtum Sabrosky,1961 Range (in code): IN Hp Sml PK AF
- 7860. *Lagaroceras distinctum* Deeming,1981** (Chloropidae) Synonym(s): distinctum Deeming,1981 Range (in code): NG KE YE SA As MZ
- 7861. *Lagaroceras sequens* Becker,1910** (Chloropidae) Synonym(s): sequens Becker,1910 Range (in code): SA As TZ ET KE ZM
- 7862. *Lasiambia albidipennis* (Strobl,1893)** (Chloropidae) Synonym(s): albidipennis Strobl,1893 Range (in code): TR HV FR IT RU CZ KG 06
- 7863. *Lasiambia brevibucca* (Duda,1933)** (Chloropidae) Synonym(s): brevibucca Duda,1933 Range (in code): TR 07
- 7864. *Lasiochaeta pubescens* (Thalhammer,1898)** (Chloropidae) Synonym(s): pubescens Thalhammer,1898 Range (in code): Az Md TR GB DE AF 07
- 7865. *Lasiosina apicata* (Becker,1913)** (Chloropidae) Synonym(s): apicata Becker,1913 Range (in code): SA ET As
- 7866. *Lasiosina armeniaca* Dely-Draskovits,1979** (Chloropidae) Synonym(s): armeniaca Dely-Draskovits,1979 Range (in code): AM Cc TR TJ Pm 42
- 7867. *Lasiosina aurea* Dely-Draskovits,1979** (Chloropidae) Synonym(s): aurea Dely-Draskovits,1979 Range (in code): IL Pa
- 7868. *Lasiosina brevisurstylata* Dely-Draskovits,1979** (Chloropidae) Synonym(s): brevisurstylata Dely-Draskovits,1979 Range (in code): AM Cc
- 7869. *Lasiosina cinctipes* (Meigen,1830)** (Chloropidae) Synonym(s): cinctipes Meigen,1830; limbata Meigen,1830; herpini Guérin-Méneville,1843; obscurata Duda,1933; nigripes Dely-Draskovits,1977 Range (in code): NO SE FI GB BE NL FR DE AT CH HU CZ SK PL AL YU RO BG RU Us IL Pa IR AF Cc GG
- 7870. *Lasiosina deviata* Nartshuk,2006** (Chloropidae) Synonym(s): deviata Nartshuk,2006 Range (in code): TR
- 7871. *Lasiosina emiliae* Dely-Draskovits,1982** (Chloropidae) Synonym(s): emiliae Dely-Draskovits,1982 Range (in code): TR KG KK TJ UZ 07
- 7872. *Lasiosina herpini* (Guérin-Méneville,1843)** (Chloropidae) Synonym(s): herpini Guérin-Méneville,1843 Range (in code): TR 42
- 7873. *Lasiosina immaculata* Becker,1912** (Chloropidae) Synonym(s): immaculata Becker,1912 Range (in code): HU AT IL Pa
- 7874. *Lasiosina kaplanae* Dely-Draskovits,1981** (Chloropidae) Synonym(s): kaplanae Dely-Draskovits,1981 Range (in code): IL Pa
- 7875. *Lasiosina littoralis* Becker,1910** (Chloropidae) Synonym(s): littoralis Becker,1910 Range (in code): HU UA TR KG MN
- 7876. *Lasiosina longifrons* Dely-Draskovits,1977** (Chloropidae) Synonym(s): longifrons Dely-Draskovits,1977 Range (in code): RU Cc KG MN
- 7877. *Lasiosina maculata* Dely-Draskovits,1981** (Chloropidae) Synonym(s): maculata Dely-Draskovits,1981 Range (in code): IL Pa
- 7878. *Lasiosina nigra* Dely-Draskovits,1981** (Chloropidae) Synonym(s): nigra Dely-Draskovits,1981 Range (in code): IL Pa
- 7879. *Lasiosina paralittoralis* Dely-Draskovits,1981** (Chloropidae) Synonym(s): paralittoralis Dely-Draskovits,1981 Range (in code): IL Pa



- 7880. *Lipara lucens* Meigen,1830** (Chloropidae) Synonym(s): lucens Meigen,1830; grisea Wiedemann,1830; tomentosa Macquart,1835 Range (in code): GB DK DE SE NL FR HU CZ SK PL RO RU UZ TM IL Pa TR JP 07
- 7881. *Lipara rufitarsis* Loew,1858** (Chloropidae) Synonym(s): rufitarsis Loew,1858 Range (in code): GB NL AT CZ SK IT HU BG RU MD IL Pa MN JP
- 7882. *Lipara similis* Schiner,1854** (Chloropidae) Synonym(s): similis Schiner,1854 Range (in code): GB FR DE AT HU CZ SK PL BG RU BY MD IL Pa KK
- 7883. *Melanochaeta flavofrontata* (Becker,1903)** (Chloropidae) Synonym(s): flavofrontata Becker,1903 Range (in code): IL Pa EG
- 7884. *Melanochaeta pubescens* (Thalhammer,1898)** (Chloropidae) Synonym(s): pubescens Thalhammer,1898; rufithorax Duda,1932 Range (in code): GB FR AT HU RO BG YU ES IT GR RU IR AF MA DZ TN Md Az
- 7885. *Melanum lateralis* (Haliday,1833)** (Chloropidae) Synonym(s): lateralis Haliday,1833; hyalipenne Strobl,1899 Range (in code): SE BG TR CN MN JP Hkk
- 7886. *Mepachymerus lentus* (Curran,1928)** (Chloropidae) Synonym(s): lentus Curran,1928 Range (in code): SA As ZR BI TD KE NG RW ZA UG
- 7887. *Meromyza femorata* Macquart,1835** (Chloropidae) Synonym(s): femorata Macquart,1835 Range (in code): FR IE GB DK FE ES BE DE HU RO PL RU UA TR 42
- 7888. *Meromyza filippovi* Ozerov,2009** (Chloropidae) Synonym(s): filippovi Ozerov,2009 Range (in code): TR 34
- 7889. *Meromyza nigriventris* Macquart,1835** (Chloropidae) Synonym(s): nigriventris Macquart,1835; basalis Von Roser,1840 Range (in code): ES FR GB NO SE FI DK DE BE NL PL CZ SK CH AT HU MD RO BY RU EE LT LV IT Co Sa Si SS HV B-H YU AL MK BG TR IR Fa JP 07
- 7890. *Meromyza ornata* (Wiedemann,1817)** (Chloropidae) Synonym(s): ornata Wiedemann,1817 Range (in code): TR RU Us 02 69
- 7891. *Meromyza smirnovi* Fedoseeva,1964** (Chloropidae) Synonym(s): smirnovi Fedoseeva,1964 Range (in code): Cc RU Da KG
- 7892. *Meromyza turcica* Nartshuk,2012** (Chloropidae) Synonym(s): turcica Nartshuk,2012 Range (in code): TR 07
- 7893. *Meromyza variegata* Meigen,1830** (Chloropidae) Synonym(s): variegata Meigen,1830; decorat Frey,1908 Range (in code): NO SE FI GB BE DE FR AT HU CZ SK PL YU BG RU AF? TR Cc 75
- 7894. *Metopostigma pleskei* Becker,1910** (Chloropidae) Synonym(s): pleskei Becker,1910 Range (in code): IR Ss PK
- 7895. *Metopostigma sabulona* Becker,1910** (Chloropidae) Synonym(s): sabulona Becker,1910 Range (in code): TN EG SA As IL Pa PK OM YE IN
- 7896. *Metopostigma tenuiseta* (Loew,1874)** (Chloropidae) Synonym(s): tenuiseta Loew,1874 Range (in code): NA TR IL Pa EG SA 07
- 7897. *Oscinella* (Cyclocerculla) *nartshukiana* Beschovsky,1978** (Chloropidae) Synonym(s): nartshukiana Beschovsky,1978 Range (in code): TR BG SA As Md BD IL Pa OM EG TN LY ET KE GM NE NG NA ZM CM MY MU 35
- 7898. *Oscinella* (Paroscinella) *acuticornis* Becker,1912** (Chloropidae) Synonym(s): acuticornis Becker,1912 Range (in code): SC SA As ET GM NA NG KE YE OM
- 7899. *Oscinella* (s.str.) *frit* (Linnaeus,1758)** (Chloropidae) Synonym(s): frit Linnaeus,1758; nigra Linnaeus,1764; fumipennis Meigen,1830; brunnitarsis Macquart,1835; viridescens Macquart,1835 rufitarsis Meigen,1838; nigrita Meigen,1838; aenea von Roser,1840; distincta von Roser,1840; nigrimana von Roser,1840; granarius Curtis,1846; nigripes Strobl,1894; plumiseta Duda,1933; sziladyi Duda,1933 Range (in code): PT ES IE GB BE NL DK DE NO SE FI EE LT LV BY RU PL UA CZ SK HU CH AT SS HV B-H MK YU AL BG GR IT Sa Si IR Fa AU PK IN 07
- 7900. *Oscinella* (s.str.) *maura* (Fallén,1820)** (Chloropidae) Synonym(s): maura Fallén,1820 Range (in code): TR Cc IR RU Sb 07
- 7901. *Oscinella* (s.str.) *nitidigenis* Becker,1908** (Chloropidae) Synonym(s): nitidigenis Becker,1908 Range (in code): SA As Cn CV HU IT Si ES RU Us CY IN KE MG MT ML NG ZA TN YE ZW
- 7902. *Oscinella* (s.str.) *nitidigenis* Becker,1910** (Chloropidae) Synonym(s): nitidigenis Becker,1910 Range (in code): TR IL Pa Cn CV 07
- 7903. *Oscinella* (s.str.) *nitidissima* (Meigen,1838)** (Chloropidae) Synonym(s): nitidissima Meigen,1838 Range (in code): TR 42
- 7904. *Oscinella* (s.str.) *pusilla* (Meigen,1830)** (Chloropidae) Synonym(s): pusilla Meigen,1830 Range (in code): ES IE GB BE NL DK DE NO SE FI EE LT LV BY RU PL UA CZ SK HU CH AT SS HV B-H MK YU AL BG IT Sa Si IR Fa
- 7905. *Oscinella nitidissima* (Meigen,1838)** (Chloropidae) Synonym(s): nitidissima Meigen,1838; agrostis Nartshuk,1955 Range (in code): SA As BG FR GR IL Pa Md RO IT Si ES YU SE FI GB IE BE DE DK AT CZ HU PL AL YU BG IL Pa MN Cn Az CA
- 7906. *Oscinimorpha albisetosa* (Duda,1932)** (Chloropidae) Synonym(s): albisetosa Duda,1932 Range (in code): FR GB BE NL DE PL RU CZ SK HU AT RO BG GR IT Sa Si TR MN RU Ya

- 7907. *Oscinimorpha arcuata* (Duda,1932)** (Chloropidae) Synonym(s): *arcuata* Duda,1932 Range (in code): ES GB FR CH AT IT HV RO YU NL DE PL RU UA CZ SK HU BG MK CY Sa TR IL Pa 07
- 7908. *Oscinimorpha longirostris* (Loew,1858)** (Chloropidae) Synonym(s): *longirostris* Loew,1858; *tunisia* Duda,1933 Range (in code): YU GR Rd MA TN Cn IL Pa BE NL IT Sa Si HU TR 32
- 7909. *Oscinimorpha novakii* (Strobl,1893)** (Chloropidae) Synonym(s): *novakii* Strobl,1893; *minor* Strobl,1900; *strobl* Czerny,1909 Range (in code): ES FR BE DE CH IT HV YU B-H HU Co GR Cr Cn IL Pa TR 07
- 7910. *Pachylophus proximus* Adams,1905** (Chloropidae) Synonym(s): *proximus* Adams,1905 Range (in code): ZA ZW SA
- 7911. *Pachylophus proximus* Adams,1905** (Chloropidae) Synonym(s): *proximus* Adams,1905 Range (in code): SA As ZW TD ET LS MZ NA NG ZA SD ZR ZM
- 7912. *Parectecephala longicornis* (Fallén,1820)** (Chloropidae) Synonym(s): *longicornis* Fallén,1820 Range (in code): SE DK DE FR IT AT HU RO PL BG RU SY
- 7913. *Parectecephala trimaculata* Adams,1905** (Chloropidae) Synonym(s): *trimaculata* Adams,1905 Range (in code): SA As ZW UG YE
- 7914. *Phyladelphus thalhammeri* Becker,1910** (Chloropidae) Synonym(s): *thalhammeri* Becker,1910; *gracus* Duda,1933 Range (in code): HU RO AL YU BG TR Cc GR RU 07
- 7915. *Platycephala ducalis* (Costa,1855)** (Chloropidae) Synonym(s): *ducalis* Costa,1855 Range (in code): RU IL Pa
- 7916. *Platycephala ferganensis* Nartshuk,1973** (Chloropidae) Synonym(s): *ferganensis* Nartshuk,1973 Range (in code): UZ IL Pa
- 7917. *Platycephala isinensis* Kubik & Bartak,2008** (Chloropidae) Synonym(s): *isinensis* Kubik & Bartak,2008 Range (in code): IR
- 7918. *Platycephala rugosa* Nartshuk,1964** (Chloropidae) Synonym(s): *rugosa* Nartshuk,1964 Range (in code): KG Tk UZ TJ TM MN
- 7919. *Platycephala scapularum* (Becker,1907)** (Chloropidae) Synonym(s): *scapularum* Becker,1907; *algerica* Duda,1933; *luteola* Collin,1949 Range (in code): IL Pa IR MA DZ TN EG MN
- 7920. *Platycephala umbraculata* (Fabricius,1794)** (Chloropidae) Synonym(s): *umbraculata* Fabricius,1794; *agrorum* Fallén,1820; *nigra* Meigen,1830 Range (in code): ES FR GB NO SE FI EE LT RU UA DK DE NL PL CZ SK HU RO CH AT SS HV IT BG TR RU Krl MN CN Mc Sh JP Hkk 65
- 7921. *Polyodaspis laevicola* (Becker,1913)** (Chloropidae) Synonym(s): *laevicola* Becker,1913 Range (in code): IR Ss
- 7922. *Polyodaspis robusta* (Lamb,1918)** (Chloropidae) Synonym(s): *robusta* Lamb,1918 Range (in code): SA As ZW KE ZA TZ
- 7923. *Polyodaspis ruficornis* (Macquart,1835)** (Chloropidae) Synonym(s): *ruficornis* Macquart,1835; *nucis* Perris,1839; *marginata* Loew,1858; *tarsalis* Frey,1923; *flavipila* Duda,1934; *endogena* De Meijere,1938; *flavisetosa* Nartshuk,1991; *similis* Nartshuk,1991 Range (in code): FI GB FR DE AT HU Si RO BG ES AL YU RU TR AF MN KP KR JP Az PK IN LK TH 34
- 7924. *Polyodaspis splendida* Nartshuk,2012** (Chloropidae) Synonym(s): *splendida* Nartshuk,2012 Range (in code): TR 07
- 7925. *Polyodaspis sulcicollis* (Meigen,1838)** (Chloropidae) Synonym(s): *sulcicollis* Meigen,1838; *atra* Meigen,1838; *dasyprocta* Loew,1858; *amicalis* Becker,1912; *pokorny* Becker,1912; *hispanica* Duda,1933; *helvetica* Duda,1933; *lacteipennis* Duda,1933; *anglicus* Collin,1946 Range (in code): GB CH FR DE AT CZ SK HU ES IT YU BG GR RU Ya IL Pa IR MN DZ 07
- 7926. *Pselaphia cornifera* Becker,1912** (Chloropidae) Synonym(s): *cornifera* Becker,1912 Range (in code): SA As ET YE KE TZ RW ZA UG
- 7927. *Rhodesiella fedtschenkoi* Nartshuk,1978** (Chloropidae) Synonym(s): *fedtschenkoi* Nartshuk,1978 Range (in code): KK UZ TJ TM
- 7928. *Rhodesiella plumiger* (Meigen,1830)** (Chloropidae) Synonym(s): *plumiger* Meigen,1830; *lepidus* Meigen,1830 Range (in code): SE DE AT RO PL FR IT YU IL Pa TR MN RU Am Sh Krl Us 54
- 7929. *Rhodesiella rugosa* (Lamb,1912)** (Chloropidae) Synonym(s): *rugosa* Lamb,1912 Range (in code): SA As SC ZA
- 7930. *Sabroskyina aharonii* (Duda,1933)** (Chloropidae) Synonym(s): *pallipes* Lamb,1923 *nec* Lw.,1863; *aharonii* Duda,1933; *antorides* Séguy,1950 Range (in code): NE SA CV TD NE SD EG IL Pa TR IQ PK AF ML OM YE BH
- 7931. *Scoliophthalmus civeleki* Deeming,2006** (Chloropidae) Synonym(s): *civeleki* Deeming,2006 Range (in code): TR 48
- 7932. *Scoliophthalmus micans* Lamb,1918** (Chloropidae) Synonym(s): *micans* Lamb,1918 Range (in code): RE OM
- 7933. *Scoliophthalmus trapezoides* Becker,1903** (Chloropidae) Synonym(s): *trapezoides* Becker,1903 Range (in code): EG IL Pa YE SA As ET GM GH CM SN BF NG KE UG ZM MZ ZR TZ ZA
- 7934. *Siphonellopsis lacteibasis* Strobl,1906** (Chloropidae) Synonym(s): *lacteibasis* Strobl,1906; *rossica* Nartshuk,1963 Range (in code): MA TN ES FR AL UA UZ IL Pa TR 07 31

- 7935. Siphunculina ornatifrons (Loew,1858)** (Chloropidae) Synonym(s): ornatifrons Loew,1858; maculifrons Becker,1903 Range (in code): MA Cn Md SA As IT Si EG IL Pa CM CV GH CI ET GH KE LR Cn Hw
- 7936. Speccafrons cypria Nartshuk,1990** (Chloropidae) Synonym(s): cypria Nartshuk,1990 Range (in code): CY IL Pa
- 7937. Stenophthalmus ocellatus Becker,1903** (Chloropidae) Synonym(s): ocellatus Becker,1903 Range (in code): EG TM UZ IN SD
- 7938. Stenophthalmus ocellatus Becker,1903** (Chloropidae) Synonym(s): ocellatus Becker,1903 Range (in code): SA As EG SD IN
- 7939. Stenophthalmus typhae Nartshuk,1971** (Chloropidae) Synonym(s): typhae Nartshuk,1971 Range (in code): TM UZ TJ AF
- 7940. Stenophthalmus typhae Nartshuk,1973** (Chloropidae) Synonym(s): typhae Nartshuk,1973 Range (in code): RU AF
- 7941. Thaumatomyia glabra (Meigen,1830)** (Chloropidae) Synonym(s): glabra Meigen,1830; nigrimana Macquart,1835; analis Macquart,1835 Range (in code): BG TR YU CN CA Hw 42
- 7942. Thaumatomyia notata (Meigen,1830)** (Chloropidae) Synonym(s): notata Meigen,1830; ornata Meigen,1830; circumdata Meigen,1830; prodigiosa Zenker,1833; lucida Meigen,1838; copiosa Schiner,1872; punctipleuris Becker,1913 Range (in code): Az Cn TN ES FR IE GB BE NL DE DK SE FI NO HU PL CH IT Co Sa Si AL GR CY MK BG TR RO HV B-H YU CZ SS SK MD UA RU BY EE LT AT ET SA As SO UG 07 34 38 42 65 75
- 7943. Thaumatomyia rufa Macquart,1835** (Chloropidae) Synonym(s): rufa Macquart,1835; simplex Meigen,1838; abbreviata Zetterstedt,1848; nigrovittata Strobl,1899; variegata Strobl,1899 Range (in code): DZ MA ES FR GB NO SE FI EE LT LV RU BY UA PL DE DK BE NL CZ SK HU RO CH AT IT Si SS HV B-H BG IR CN
- 7944. Thaumatomyia sulcifrons (Becker,1907)** (Chloropidae) Synonym(s): sulcifrons Becker,1907; aragonensis Duda,1933; plicata Duda,1933 Range (in code): SA As ES FR HU YU BG Cc KG Sb IR IL Pa TR AF MN CN DZ MA TN Cn 06 07 38 42
- 7945. Tricimba (Nartshukiella) cincta (Meigen,1830)** (Chloropidae) Synonym(s): cincta Meigen,1830; apicalis von Roser,1840; sulcella Zetterstedt,1848; aristolochiae Rondani,1869; flavipila Duda,1932; fungicola Dely-Draskovits,1983; ?albiseta Dely-Draskovits,1983 Range (in code): ES FR GB IE NO SE FI EE LT LV BY RU UA DK DE BE NL PL CZ SK HU CH AT SS HV B-H YU IT AL MK BG TR IR Fa IL Pa MN 07
- 7946. Tricimba (Nartshukiella) humeralis (Loew,1858)** (Chloropidae) Synonym(s): humeralis Loew,1858; maculifrons Becker,1903; punctifrons Becker,1914 Range (in code): MA DZ TN EG SD Az Cn ES FR GB NO SE BE DE PL RU UA CZ SK HU CH AT IT Sa Si HV B-H YU BG CY SA As IT Si IL Pa TR IR Fa AF Kab Ca 07
- 7947. Tricimba (s.str.) lineella (Fallén,1820)** (Chloropidae) Synonym(s): lineella Fallén,1820; delpinii Rondani,1869 Range (in code): SE FI GB NL BE FR DE AT HU CZ SK IT BG RU Us IL Pa MN Cn?
- 7948. Tricimba (Schumanniella) setulosa (Becker,1903)** (Chloropidae) Synonym(s): setulosa Becker,1903 Range (in code): EG IL Pa
- 7949. Tricimba bimarginata Sabrovsky,1979** (Chloropidae) Synonym(s): bimarginata Sabrovsky,1979 Range (in code): SA As KM YE
- 7950. Tricimba curvata Sabrovsky,1961** (Chloropidae) Synonym(s): curvata Sabrovsky,1961 Range (in code): AF
- 7951. Tricimba freidbergi Dely-Draskovits,1983** (Chloropidae) Synonym(s): freidbergi Dely-Draskovits,1983 Range (in code): IL Pa
- 7952. Tricimba heratica Dely-Draskovits,1983** (Chloropidae) Synonym(s): heratica Dely-Draskovits,1983 Range (in code): AF
- 7953. Tricimba kaplanae Dely-Draskovits,1983** (Chloropidae) Synonym(s): kaplanae Dely-Draskovits,1983 Range (in code): IL Pa
- 7954. Tricimba magna Dely-Draskovits,1983** (Chloropidae) Synonym(s): magna Dely-Draskovits,1983 Range (in code): IL Pa
- 7955. Gymnochiromyia curtisetosa Ebejer,2010** (Chyromyidae) Synonym(s): curtisetosa Ebejer,2010 Range (in code): AE
- 7956. Gymnochiromyia flavella (Zetterstedt,1848)** (Chyromyidae) Synonym(s): flavella Zetterstedt,1848; minima Becker,1904 Range (in code): FR Py ES IL Pa TR 73
- 7957. Gymnochiromyia fulvipygga Ebejer,2001** (Chyromyidae) Synonym(s): fulvipygga Ebejer,2001 Range (in code): IL Pa TN Cn
- 7958. Gymnochiromyia hermonensis Ebejer,2010** (Chyromyidae) Synonym(s): hermonensis Ebejer,2010 Range (in code): LB IL Pa He
- 7959. Gymnochiromyia homobifida Carles-Tolra,2001** (Chyromyidae) Synonym(s): homobifida Carles-Tolra,2001 Range (in code): CY PT ES IT Sa
- 7960. Gymnochiromyia meronensis Ebejer,2010** (Chyromyidae) Synonym(s): meronensis Ebejer,2010 Range (in code): IL Pa LB



- 7961. *Gymnochiromyia mihalyii* Soos,1979** (Chyromyidae) Synonym(s): mihalyii Soos,1979 Range (in code): TR CY FR GB GR IT Si ES 07
- 7962. *Gymnochiromyia pallida* Ebejer,2010** (Chyromyidae) Synonym(s): pallida Ebejer,2010 Range (in code): IL Pa He
- 7963. *Gymnochiromyia persimilis* Ebejer,2010** (Chyromyidae) Synonym(s): persimilis Ebejer,2010 Range (in code): IL Pa
- 7964. *Brachyceraea brevicornis* (Loew,1847)** (Conopidae) Synonym(s): brevicornis Loew,1847 Range (in code): TR Cc RU Da AM GR IR Fa 08 16 24 25 36
- 7965. *Conops elegans* Meigen,1824** (Conopidae) Synonym(s): elegans Meigen,1824; fuscipennis Macquart,1849; algirus Macquart,1849; fuscipennis Bigot,1887; minutus Kröber,1916 Range (in code): ES FR IT Si CY SY MA DZ TN EG
- 7966. *Conops flavicaudus* (Bigot,1880)** (Conopidae) Synonym(s): flavicaudus Bigot,1880; euzonatus Bigot,1887; superbus Röder,1899; cypris Janssens,1955; #falvicaudus Stucke, Hayat & Özbek,2008 Range (in code): GR Rd CY TR IL Pa LB Bei Cc AM IR AF TJ Pm 48 65
- 7967. *Conops flavifrons* Meigen,1824** (Conopidae) Synonym(s): flavifrons Meigen,1824; pugioniformis Becker,1913; minor Becker,1922; kroeberi Paramonov,1927; immaculata Paramonov,1927 Range (in code): PL CZ AT HU ES FR IT YU BG AL GR UA Cc RU KG AM Eri UZ TJ KK TM TR SY IR Ss EG TN 24 25 31 38 63
- 7968. *Conops flavipes* Linnaeus,1758** (Conopidae) Synonym(s): flavipes Linnaeus,1758 Range (in code): TR Cc 25 75
- 7969. *Conops insignis* Loew,1848** (Conopidae) Synonym(s): insignis Loew,1848; laeta Becker,1922 Range (in code): HU ES FR IT YU GR RU Sr UA AZ Cc KG IR TR MN TN 25 36
- 7970. *Conops nubeculipennis* Bezzi,1901** (Conopidae) Synonym(s): nubeculipennis Bezzi,1901 Range (in code): ER EG SA
- 7971. *Conops quadrifasciatus* De Geer,1776** (Conopidae) Synonym(s): quadrifasciatus De Geer,1776 Range (in code): RU TR 06 25
- 7972. *Conops silaceus* Wiedemann,1824** (Conopidae) Synonym(s): silaceus Wiedemann,1824 Range (in code): TR 06 09 11 36 42
- 7973. *Conops silaceus* Wiedemann,1824** (Conopidae) Synonym(s): silaceus Wiedemann,1824; sareptanus Becker,1922 Range (in code): HV Cr Cc AM KG ES FR IT YU RO GR RU Sr
- 7974. *Conops tomentosus* Kröber,1916** (Conopidae) Synonym(s): tomentosus Kröber,1916 Range (in code): TR TM TJ SA 76
- 7975. *Conops tomentosus* Kröber,1916** (Conopidae) Synonym(s): tomentosus Kröber,1916; immaculatus Kröber,1916 Range (in code): TM TJ
- 7976. *Conops vesicularis* Linnaeus,1761** (Conopidae) Synonym(s): vesicularis Linnaeus,1761 Range (in code): TR IR KP KR 25
- 7977. *Conops vitellinus* Loew,1847** (Conopidae) Synonym(s): vitellinus Loew,1847; tener Loew,1853; mucronatus Rondani,1857 Range (in code): NL HU ES FR IT YU RO TR Si
- 7978. *Dalmannia aculeata* (Linnaeus,1761)** (Conopidae) Synonym(s): aculeata Linnaeus,1761; gemina Weidemann,1824; meridionalis R-D.,1830; australis Macquart,1835; desponsata Rondani,1857; nigrifemorata Paramonov,1927 Range (in code): SE DE PL CZ AT HU ES FR Co IT Si YU BG GR TR IR RU Or DZ TM UZ KK
- 7979. *Dalmannia dorsalis* (Fabricius,1794)** (Conopidae) Synonym(s): dorsalis Fabricius,1794; flavescens Meigen,1824; vernalis R-D.,1853; confusa Becker,1923 Range (in code): ET FR DE CZ PL HV CH AT HU IT TR Cc RU Sb KG 65
- 7980. *Dalmannia marginata* (Meigen,1824)** (Conopidae) Synonym(s): marginata Meigen,1824; albivillosa von Roser,1840; flavipes R-D.,1853; parvula Rondani,1857; aharonii Kröber,1932 Range (in code): ES SE FI FR DE CZ SK PL CH AT HU IT Si TR IL Pa Cc AM TM RU Us 42
- 7981. *Dalmannia punctata* (Fabricius,1794)** (Conopidae) Synonym(s): punctata Fabricius,1794; virens Meigen,1804 Range (in code): ES FR BE NL DE DK SE FI CZ SK PL CH IT AT HU RO BG Si TR RU Us CN 42
- 7982. *Leopoldius anatolii* Zimina,1963** (Conopidae) Synonym(s): anatolii Zimina,1963 Range (in code): TJ Pm Chr UZ AF
- 7983. *Leopoldius brevirostris* (Germar,1817)** (Conopidae) Synonym(s): brevirostris Germar,1817 Range (in code): DE CZ AT FR IT RU Cc
- 7984. *Leopoldius coronatus* (Rondani,1857)** (Conopidae) Synonym(s): coronatus Rondani,1857 Range (in code): BE DE PL CZ AT HU FR IT YU RO BG GR UA Cc AM TR DZ 08 25 44
- 7985. *Leopoldius pontifex* Hüttinger,1978** (Conopidae) Synonym(s): pontifex Hüttinger,1978 Range (in code): IR Kh
- 7986. *Melanosoma bellum* Kröber,1927** (Conopidae) Synonym(s): bellum Kröber,1927 Range (in code): KG UZ MN IR
- 7987. *Melanosoma bicolor* (Meigen,1824)** (Conopidae) Synonym(s): bicolor Meigen,1824; nigrum Meigen,1824; nupta Rondani,1857; fraternum Kröber,1915; flaviventris Belanovsky,1954 Range (in code): DZ TN ES FR CH AT CZ SK DE PL HU RO BG GR IT Si Co TR Cc KG IR UA 25

- 7988. *Melanosoma hyalipennis* Kröber, 1914** (Conopidae) Synonym(s): *hyalipennis* Kröber, 1914 Range (in code): TR 26
- 7989. *Melanosoma pallipes* (Meigen, 1824)** (Conopidae) Synonym(s): *pallipes* Meigen, 1824 Range (in code): IT RU Cc AT Si AM Eri Cc CN Ui Ki
- 7990. *Merziella longirostris* (Lyneborg, 1962)** (Conopidae) Synonym(s): *longirostris* Lyneborg, 1962 Range (in code): AT DE PL IT Si AM BG HU GR KG T-S KK TJ At TR BY RU At Cc UA
- 7991. *Myopa arabica* Macquart, 1850** (Conopidae) Synonym(s): *arabica* Macquart, 1850 Range (in code): SA TR GR BY 25 38 42 51
- 7992. *Myopa argentata* Stuke, 2005** (Conopidae) Synonym(s): *argentata* Stuke, 2005 Range (in code): GR IL Pa Hf
- 7993. *Myopa buccata* (Linnaeus, 1758)** (Conopidae) Synonym(s): *buccata* Linnaeus, 1758; *buccae* Harris, 1776; *florea* R-D., 1853 Range (in code): ES FR IE GB BE NL DE DK CH IT Si HU RO SK CZ NO LT PL TR JP MY 25 35 47 48 65 69 76
- 7994. *Myopa dorsalis* Fabricius, 1794** (Conopidae) Synonym(s): *testacea* Gmelin, 1793 nec Linn., 1767; *dorsalis* Fabricius, 1794; *ferruginea* Panzer, [1794]; *grandis* Meigen, 1804; *nigrifacies* Becker, 1922 Range (in code): MA DZ TN EG ES FR BE NL DE DK PL SK CZ CH IT AT HU RO AL BG TR IR TM KG Cc Ch IN 08 25 42 65
- 7995. *Myopa extricata* Collin, 1960** (Conopidae) Synonym(s): *extricata* Collin, 1960 Range (in code): GB DK DE PL CZ HU GR ES RU AF TN
- 7996. *Myopa hirsuta* Stuke & Clements, 2008** (Conopidae) Synonym(s): *hirsuta* Stuke & Clements, 2008 Range (in code): DE FR GB GR CY LT MA CH ES TR 07 42
- 7997. *Myopa minor* Strobl, 1906** (Conopidae) Synonym(s): *minor* Strobl, 1906 Range (in code): TM LB LY ES
- 7998. *Myopa morio* Meigen, 1804** (Conopidae) Synonym(s): *morio* Meigen, 1804; *puella* Rondani, 1857 Range (in code): TR IR Cc AM KK
- 7999. *Myopa occulta* Wiedemann, 1824** (Conopidae) Synonym(s): *occulta* Wiedemann, 1824; *dispar* Rondani, 1857 Range (in code): GB FR BE DE PL CH AT IT Si SK CZ HU RO BG FI TR RU Sb Us IR Cc 25 42
- 8000. *Myopa pallida* Kröber, 1916** (Conopidae) Synonym(s): *pallida* Kröber, 1916 Range (in code): TR Cc GG AZ AM 25 36 44
- 8001. *Myopa pellucida* (R-D., 1830)** (Conopidae) Synonym(s): *pellucida* R-D., 1830; *fulvipalpis* R-D., 1853; *extricata* Collin, 1960 Range (in code): AT BE BG RU Cc CN CY FR DE GB GR IT HU KK NO PL MA IQ MK PT ES BY CH TN TR TM 07 25 32 35 42 69
- 8002. *Myopa picta* Panzer, 1798** (Conopidae) Synonym(s): *picta* Panzer, 1798; *varia* Wiedemann, 1830; *meridionalis* Macquart, 1835; *chusanensis* Ouchi, 1939 Range (in code): MA TN EG ES FR BE DE PL SK CZ AT IT HU RO BG TR Ch IR AF CN IN CN Cc 25
- 8003. *Myopa stigma* Meigen, 1824** (Conopidae) Synonym(s): *stigma* Meigen, 1824; *nigradorsata* R-D., 1853; *flavipennis* R-D., 1853; *scutellaris* R-D., 1853 Range (in code): AT FR CY DE GR IT CH HU KG TR AF TN DZ SA 07 25 42
- 8004. *Myopa testacea* (Linnaeus, 1767)** (Conopidae) Synonym(s): *testacea* Linnaeus, 1767; *longirostris* R-D., 1830; *pictipennis* R-D., 1830; *umbripennis* R-D., 1830; *japonica* Kröber, 1916 Range (in code): AT BG FI GB FR DE GR IT NL CH TN ES TR IN Ch CN JP RU 25
- 8005. *Myopa variegata* Meigen, 1804** (Conopidae) Synonym(s): *variegata* Meigen, 1804; *nitidula* Fabricius, 1805; *asiatica* Kröber, 1916 Range (in code): FR BE NL DE DK PL CZ SK HU RO AT CH IT SE TR RU Us MN CN Cc KK Ik 25
- 8006. *Myopotta rubripes* (Villeneuve, 1909)** (Conopidae) Synonym(s): *rubripes* Villeneuve, 1909; *horrida* Becker, 1922 Range (in code): FR BE DE PL CZ SK HU RO CH AT TR GR KG 25
- 8007. *Neobrachyglossum punctatum* Kröber, 1915** (Conopidae) Synonym(s): *punctatum* Kröber, 1915 Range (in code): TR 02 03 42
- 8008. *Physocephala albotomentosa* Kröber, 1915** (Conopidae) Synonym(s): *albotomentosa* Kröber, 1915 Range (in code): TM Kp
- 8009. *Physocephala antiqua* (Wiedemann, 1830)** (Conopidae) Synonym(s): *antiqua* Wiedemann, 1830; *arabica* Macquart, 1850; *syriaca* Kröber, 1915 Range (in code): RU MN CN DZ EG EG11 SA SA39 SY IR IL Pa
- 8010. *Physocephala aureotomentosa* Kröber, 1915** (Conopidae) Synonym(s): *aureotomentosa* Kröber, 1915 Range (in code): TR 05
- 8011. *Physocephala chrysorrhoea* (Meigen, 1824)** (Conopidae) Synonym(s): *chrysorrhoea* Meigen, 1824 Range (in code): ES FR BE NL DE EE PL SK CZ HU AT CH IT RO BG TR 24
- 8012. *Physocephala gracilis* Kröber, 1915** (Conopidae) Synonym(s): *gracilis* Kröber, 1915 Range (in code): TR 26
- 8013. *Physocephala lacera* (Meigen, 1824)** (Conopidae) Synonym(s): *lacera* Meigen, 1824 Range (in code): CZ AT HU FR YU RO BG GR RU TR SA SY EG 65
- 8014. *Physocephala laeta* Becker, 1913** (Conopidae) Synonym(s): *laeta* Becker, 1913 Range (in code): IR Ss Ke UA AZ Cc
- 8015. *Physocephala laticincta* (Brullé, 1832)** (Conopidae) Synonym(s): *laticincta* Brullé, 1832 Range (in code): MA ES FR CH AT DE CZ HU PL IT GR TR Cc 07 09 25 35 75

- 8016. *Physocephala nigra* (De Geer,1776)** (Conopidae) Synonym(s): *nigra* De Geer,1776; *macrocephala* Fabricius,1781 Range (in code): **MA DZ GB FR BE NL DE DK SE FI PL CZ AT HU IT TR Cc AZ AM UZ KK MN CN 08 25 36**
- 8017. *Physocephala pusilla* (Meigen,1824)** (Conopidae) Synonym(s): *pusilla* Meigen,1824; *tener* Loew,1847; *persica* Becker,1913; *punctithorax* Becker,1913 Range (in code): **MA DZ TN EG CZ AT HU ES FR IT YU RO BG GR CY SY IR AF MN CN KG Cc RU Sb TR**
- 8018. *Physocephala rufipes* (Fabricius,1781)** (Conopidae) Synonym(s): *rufipes* Fabricius,1781; *petiolata* Donovan,1808; *meridionalis* Macquart,1835 Range (in code): **ES FR GB BE NL DE DK SE EE PL CZ SK AT CH HU IT Si RO BG TR RU Sb MN JP 07 08 24 25 29 69 36**
- 8019. *Physocephala scutellata* Kröber,1915** (Conopidae) Synonym(s): *scutellata* Kröber,1915; *bicolor* Brunetti,1923 nec Kröb.,1915 Range (in code): **IN Hp Sml AF Nu CN Ch NP**
- 8020. *Physocephala truncata* (Loew,1847)** (Conopidae) Synonym(s): *truncata* Loew,1847 Range (in code): **TN DE PL CZ AT HU ES IT YU RO GR CY KG RU Sb Us MN TR CN**
- 8021. *Physocephala vaginalis* (Rondani,1865)** (Conopidae) Synonym(s): *vaginalis* Rondani,1865 Range (in code): **ES IT Si GR Cr TR 25**
- 8022. *Physocephala variegata* (Meigen,1824)** (Conopidae) Synonym(s): *variegata* Meigen,1824; *furax* Becker,1913 Range (in code): **AT HU FR RO BG GR KG RU Sb TR IR Ss Kh Ke AF MN CN EG**
- 8023. *Physocephala vittata* (Fabricius,1794)** (Conopidae) Synonym(s): *vittata* Fabricius,1794; *dorsalis* Wiedemann,1824; *solaeformis* Gimmerthal,1842; *fraterna* Loew,1847; *semiatrata* Costa,1844; *detecta* Becker,1913; *abdominalis* Kröber,1915; *semirufa* Kröber,1915; *immaculata* Kröber,1939 Range (in code): **MA DZ TN EG NL BE DK PL CZ SK AT HU ES FR IT YU BG GR DE RU Sb KG Cc MN CN IR AF TR CY IL Pa TM 42 76**
- 8024. *Physocephala zaitsevi* Zimina,1979** (Conopidae) Synonym(s): *zaitsevi* Zimina,1979 Range (in code): **TM IR Elb Th TR 06 38**
- 8025. *Sicus caucasicus* Zimina,1963** (Conopidae) Synonym(s): *caucasicus* Zimina,1963 Range (in code): **TR Cc AZ GG 36**
- 8026. *Sicus ferrugineus* (Linnaeus,1761)** (Conopidae) Synonym(s): *ferrugineus* Linnaeus,1761; *cessans* Harris,[1776]; *annulipes* R-D.,1830 Range (in code): **SE GB FR TR 08 25 31 36 69**
- 8027. *Sicus nigratarsis* Zimina,1975** (Conopidae) Synonym(s): *nigratarsis* Zimina,1975 Range (in code): **DE Bw RU TR Cc AM At 08 25**
- 8028. *Thecophora atra* (Fabricius,1775)** (Conopidae) Synonym(s): *atra* Fabricius,1775; *bimaculata* Preyssler,1791; *annulata* Fabricius,1794; *cinerascens* Meigen,1804; *maculata* Meigen,1804; *micans* Meigen,1804; *femorata* Fabricius,1805; *nana* R-D.,1830; *femoralis* R-D.,1853; *nitidula* R-D.,1853; *fulvifrons* R-D.,1853; *meigeni* R-D.,1853; *pallipes* R-D.,1853; *dufouri* R-D.,1853; *grisea* R-D.,1853; *lamarcki* R-D.,1853; *macquarti* R-D.,1853; *guerini* R-D.,1853; *bigoti* R-D.,1853; *brunipes* R-D.,1853; *lucasi* R-D.,1853 Range (in code): **FR DE IT CZ TR RU IN 24**
- 8029. *Thecophora distincta* (Wiedemann,1824)** (Conopidae) Synonym(s): *distincta* Wiedemann,1824 Range (in code): **DK DE PL CZ AT HU ES FR IT YU RO BG AL GR RU TR Cc KG Sb IR MN 06**
- 8030. *Thecophora fulvipes* (R-D.,1830)** (Conopidae) Synonym(s): *fulvipes* R-D.,1830; *sundewalli* Zetterstedt,1844 Range (in code): **TR Cc AM GG MN CN SE GB BE NL DK DE PL CZ CH AT HU IT YU RO GR 25**
- 8031. *Thecophora melanopa* Rondani,1857** (Conopidae) Synonym(s): *melanopa* Rondani,1857 Range (in code): **TR RU IR AF MN TN TM UZ KK TJ BG YU Co IT CH HU AT PL CZ DE**
- 8032. *Thecophora pusilla* (Meigen,1824)** (Conopidae) Synonym(s): *pusilla* Meigen,1824; *abdominalis* Chen,1939 Range (in code): **MA TN Md TR DE PL CZ SK CH AT HU ES FR IT YU RO BG AL GR CY RU SY IR AF MN Cc KG CN JP 25 66**
- 8033. *Tropidomyia aureifacies* Kröber,1915** (Conopidae) Synonym(s): *aureifacies* Kröber,1915 Range (in code): **TR SY AF GR Cc AM UZ TM TJ KK CN JP 11 16 31 50 58**
- 8034. *Zodion carceli* R-D.,1830** (Conopidae) Synonym(s): *carceli* R-D.,1830 Range (in code): **DE PL AT HU ES FR RO RU Sb TR IR KG MN**
- 8035. *Zodion cinereum* (Fabricius,1794)** (Conopidae) Synonym(s): *cinereum* Fabricius,1794; *notatum* Meigen,1804; *frontalis* Fabricius,1805; *tibiale* Fabricius,1805; *conopsoides* Latreille,1809; *subapertum* Rondani,1868 Range (in code): **DE TR RU IR MN 07 12 15 24 25 42 48 69 76**
- 8036. *Zodion erythrurum* Rondani,1865** (Conopidae) Synonym(s): *erythrurum* Rondani,1865; *pulchrum* Loew,1868; *vittipes* Strobl,1906; *grande* Kröber,1915 Range (in code): **MA DZ TN EG ES FR IT RO KG KG RU Sb TR 16 25 33 42 69**
- 8037. *Zodion nigratarsis* (Strobl,1902)** (Conopidae) Synonym(s): *nigratarsis* Strobl,1902; *grande* Kröber,1915 Range (in code): **RO YU GR TR IT RU 16 42**
- 8038. *Zodion notatum* (Meigen,1804)** (Conopidae) Synonym(s): *notatum* Meigen,1804; *irroratum* Fabricius,1805; *tessellatum* Fabricius,1805 Range (in code): **YE IR AF MN EG AT DE**
- 8039. *Aedes (Aedimorphus) vexans* (Meigen,1830)** (Culicidae) Synonym(s): *vexans* Meigen,1830; *parvus* Macquart,1834; *articulatus* Rondani,1872; *malariae* Grassi,1898; *sylvestris* Theobald,1901; *montcalmi* Blanchard,1905; *minuta* Theobald,1907; *eruthrosops* Theobald,1910; *sudanensis* Theobald,1911; *euochrus* Howard, Dyar & Knab,1917 Range (in code): **AF DZ SD AT BD BZ BG KH CA On Als CN HV CZ DK FI FR GG DE GR GT HU IN IR IQ IT LA LT LY MY MX MA MM NP NL NO PK PL PT RO RU SK ZA ES LK SE TW TJ TR TH UA GB US VN YE YU**



- 8040. Aedes (Finlaya) christophersi Edwards,1922** (Culicidae) Synonym(s): christophersi Edwards,1922 Range (in code): IN Sml NP JP PK TH
- 8041. Aedes (Finlaya) echinus Edwards,1920** (Culicidae) Synonym(s): echinus Edwards,1920 Range (in code): DZ GR BG FR MA IR ES PT TR
- 8042. Aedes (Finlaya) geniculatus (Olivier,1791)** (Culicidae) Synonym(s): geniculatus Olivier,1791; guttatus Meigen,1818; lateralis Meigen,1818; ornatus Meigen,1818; guttatus Curtis,1835; albopunctatus Rondani,1872 Range (in code): BG CZ DK FR GG Cc GR MA NO PL PT RU RO SK SE TR GB UA
- 8043. Aedes (Finlaya) versicolor (Barraud,1924)** (Culicidae) Synonym(s): versicolor Barraud,1924 Range (in code): Ch PK AZ Cc IR TR
- 8044. Aedes (Ochlerotatus) annulipes (Meigen,1803)** (Culicidae) Synonym(s): annulipes Meigen,1803; musivus Skuse,1889; mastersi Skuse,1889; quartus Martini,1920; opisthopus Komp,1926; mychonde Komp,1928; derricki Taylor,1943; perplerus Taylor,1943; persimilis Taylor,1943 Range (in code): AT BE BG CZ DK DE HU GR LT NL PL RO RU SK SE TR GB YU HN PA AU Cai NSw Syd QAU
- 8045. Aedes (Ochlerotatus) caspius (Pallas,1771)** (Culicidae) Synonym(s): caspius Pallas,1771; punctatus Meigen,1804; sculus R-D.,1827; maculiventris Macquart,1844; penicillaris Rondani,1872; curriei Coquillett,1901; onodagensis Felt,1904; longisquamosa Theobald,1905; subtilis Sergeant & Sergeant,1905; quaylei Dyar & Knab,1906; lativittatus Coquillett,1906; arabica Giles,1906; africanus Neveu-Lemaire,1906; willcocksii Theobald,1907; arabicus Becker,1910; broquetii Theobald,1913; grahami Ludlow,1919; epsilon Séguy,1924 Range (in code): CV US Cf Ny DZ TN BH BG CY CZ DJ EG GG Cc GR HU IR IQ IL IT Si JO LT MN MA PK PL PT RO RU Sb SA SK SE TJ TN UA TR YE Ad Sk TW 07
- 8046. Aedes (Ochlerotatus) communis (DeGeer,1776)** (Culicidae) Synonym(s): communis DeGeer,1776 Range (in code): BG CA CZ FI DE GR JP LT MN PL RO SK TR UA GB
- 8047. Aedes (Ochlerotatus) detritus Haliday,1833** (Culicidae) Synonym(s): detritus Haliday,1833; salinus Ficalbi,1896; terriei Theobald,1903; maculosa Theobald,1905 Range (in code): FR GB GR EG CY MN IR MA PT RO RU SK ES TJ TR TN Sfx
- 8048. Aedes (Ochlerotatus) dorsalis (Meigen,1830)** (Culicidae) Synonym(s): dorsalis Meigen,1830 Range (in code): US CA CZ DE GR JP KP KR LT MX PL RO RU SK TW TJ TR UA
- 8049. Aedes (Ochlerotatus) excrucians (Walker,1856)** (Culicidae) Synonym(s): excrucians Walker,1856; siphonalis Grossbeck,1904; abfitchii Felt,1904; sansoni Dyar & Knab,1909; dytes Martini,1922 Range (in code): CA Abt BG CZ GG Cc LT JP MN PL RO RU SK TR UA US Ny Nj
- 8050. Aedes (Ochlerotatus) flavescens (Müller,1764)** (Culicidae) Synonym(s): flavescens Müller,1764; lutescens Fabricius,1775; variegatus Schrank,1781; bipunctatus R-D.,1827; flavus Motschoulsky,1859; fletcheri Coquillett,1902 Range (in code): CA AT CZ DK DE FR LT IR PL RO RU Sb SK ES TR UA
- 8051. Aedes (Ochlerotatus) nigrocanus Martini,1927** (Culicidae) Synonym(s): nigrocanus Martini,1927 Range (in code): TR 03 26
- 8052. Aedes (Ochlerotatus) phoeniciae Coluzzi & Sabatini,1968** (Culicidae) Synonym(s): phoeniciae Coluzzi & Sabatini,1968 Range (in code): LB Bei CY IL Pa SY TR
- 8053. Aedes (Ochlerotatus) pulcritarsis (Rondani,1872)** (Culicidae) Synonym(s): pulcritarsis Rondani,1872; leucacanthus Loew,1873; stegomyia Stackelberg & Monchadskii,1926; asiatica Edwards,1926; simici Baranoff,1927 Range (in code): BG CZ GG Cc GR IR TM IL IT KG MA PK Nwf Ci PT RO RU Tt SK ES TN TR MK YU TJ UI
- 8054. Aedes (Ochlerotatus) zammitii (Theobald,1903)** (Culicidae) Synonym(s): zammitii Theobald,1903 Range (in code): MT GR RO TR
- 8055. Aedes (Rusticoides) lepidonotus (Edwards,1920)** (Culicidae) Synonym(s): lepidonotus Edwards,1920 Range (in code): GR TR
- 8056. Aedes (Rusticoides) refiki Medschid,1928** (Culicidae) Synonym(s): refiki Medschid,1928; stampari Apfelbeck,1929; pseudorusticus Callot,1945 Range (in code): AT CZ B-H FR GR DE HU RO RU SK ES SE YU TR 06
- 8057. Aedes (Rusticoides) rusticus (Rossi,1790)** (Culicidae) Synonym(s): rusticus Rossi,1790; maculatus Meigen,1804; musicus Leach,1825; pungens R-D.,1827; quadratimaculatus Macquart,1834; diversus Theobald,1901; luteovittata Theobald,1901; subtrichurus Martini,1927 (ssp.) Range (in code): DZ BG CZ FR GR IT LT MA PT SK ES TR GB YU 09 41
- 8058. Aedes (s.str.) cinereus Meigen,1818** (Culicidae) Synonym(s): cinereus Meigen,1818 Range (in code): BG CA CZ GG Cc LT MN PL RO RU SK UA TR
- 8059. Aedes (Stegomyia) aegypti (Linnaeus,1762)** (Culicidae) Synonym(s): aegypti Linnaeus,1762; argenteus Poiret,1787; fasciatus Fabricius,1805; sugens Wiedemann,1828; annulitarsis Macquart,1846; inexorabilis Walker,1848; insatiabilis Bigot,1859; nigeria Theobald,1901; atritarsis Edwards,1920 Range (in code): AF AL DZ AO AR AM Cc AZ GG AU Az BH BD BZ BJ BO B-H BW BR BN BG BF BI KH CM Cn CF TD CN CO ZR CG CR CU DJ DO EC EG GO ER ET FJ FR GA GM GH GR GT GN IN ID IR IQ IL IT Ci JM JP JO KE LA LB LY SY TR TH MK MG MW MY ML MR MX MA MZ MM NL NC NH NE NG OM PK PG PE PH PT RO RW ST SA SN SL SB SO ZA ES SD SR SZ TW TZ TG TT TN UG UA MT HV IT AE GB UY VE VT YE ZM ZW
- 8060. Aedes (Stegomyia) albipictus (Skuse,1895)** (Culicidae) Synonym(s): albipictus Skuse,1895; samarensis Ludlow,1903; nigrata Ludlow,1910; quasinigrata Ludlow,1911 Range (in code): AL AR AU BD BE Bor BR BN KH CM CN CO KM HV DO GO FJ FR FP GA GU GT IN Clc ID IL IT JP KP KR LA LB MG MY MV

**MU MX MM NP NC NI NG PK PG PH Sam Mno RE WS SC SG SB ZA ES LK SY TW TH TT US UY VN PW WF TO BB MP SV**

**8061. Aedes (Stegomyia) cretinus Edwards,1921** (Culicidae) **Synonym(s):** cretinus Edwards,1921; delta Séguy,1924; lindtropi Shingarev,1927 **Range (in code):** **Cr MK GR Cc GG TR**

**8062. Anopheles (Cellia) arabiensis Patton,1905** (Culicidae) **Synonym(s):** arabiensis Patton,1905 **Range (in code):** **NG SO TZ BF ZR YE**

**8063. Anopheles (Cellia) azaniae Bailly-Choumara,1960** (Culicidae) **Synonym(s):** azaniae Bailly-Choumara,1960 **Range (in code):** **SO SA YE Ad**

**8064. Anopheles (Cellia) cinereus Theobald,1901** (Culicidae) **Synonym(s):** cinereus Theobald,1901; jehafi Patton,1905 **Range (in code):** **ZW TZ YE**

**8065. Anopheles (Cellia) culicifacies Giles,1901** (Culicidae) **Synonym(s):** culicifacies Giles,1901; adenensis Christophers,1924 **Range (in code):** **CN IN ET Sk YE Ad SA**

**8066. Anopheles (Cellia) demeilloni Evans,1933** (Culicidae) **Synonym(s):** demeilloni Evans,1933 **Range (in code):** **ZA TZ CM SA**

**8067. Anopheles (Cellia) dthali Patton,1905** (Culicidae) **Synonym(s):** dthali Patton,1905; wardi Leeson & Theodor,1948 **Range (in code):** **YE Sk SA IR PK**

**8068. Anopheles (Cellia) fluviatilis James,1902** (Culicidae) **Synonym(s):** fluviatilis James,1902; arabica Christophers & Chand,1915 **Range (in code):** **IN SA OM**

**8069. Anopheles (Cellia) pharoensis Theobald,1901** (Culicidae) **Synonym(s):** pharoensis Theobald,1901; albofimbriatus Giles,1902; maculicosta Becker,1903; bozasi Neveu-Lemaire,1905; albus Laveran,1904 **Range (in code):** **AO BI BW BF BJ CM CF TD CI ZR EG ER ET GA GM GH GN IL Pa KE MG MW ML MR MZ NA NE NG RW SN SL SO ZA SD SY TZ TG UG ZM ZW**

**8070. Anopheles (Cellia) pretoriensis (Theobald,1903)** (Culicidae) **Synonym(s):** pretoriensis Theobald,1903; tibani Patton,1905 **Range (in code):** **ZA Pre Gau TZ Zz CV KM MG YE**

**8071. Anopheles (Cellia) pulcherrimus Theobald,1902** (Culicidae) **Synonym(s):** pulcherrimus Theobald,1902; atropotenae Lindtrop,1924 **Range (in code):** **AZ Cc TR AF BH IN IR IQ IL Pa KG LB PK RU SA SY TJ**

**8072. Anopheles (Cellia) rhodesiensis Theobald,1910** (Culicidae) **Synonym(s):** rhodesiensis Theobald,1910; rupicolus Lewis,1937; aegypti Salem,1938; dthalisimilis Corradetti,1939 **Range (in code):** **ZW SD ET DZ EG SA**

**8073. Anopheles (Cellia) sergentii (Theobald,1907)** (Culicidae) **Synonym(s):** sergentii Theobald,1907; macmachoni Evans,1936; barkhuusi Giaquinto-Mira,1950 **Range (in code):** **DZ SD ET KE SA PK**

**8074. Anopheles (Cellia) squamosus Theobald,1901** (Culicidae) **Synonym(s):** squamosus Theobald,1901; tananariviensis Ventrillon,1906; arnoldi Stephens & Christophers,1908; pretoriensis Gough,1910 nec Theob.,1903 **Range (in code):** **MW TZ Zz ZA Gau Pre Tva MG YE**

**8075. Anopheles (Cellia) superpictus Grassi,1899** (Culicidae) **Synonym(s):** superpictus Grassi,1899; palestinensis Theobald,1903; nursei Theobald,1907; cardamatisi Newstead & Carter,1910; vassilievii Portschesky,1911; macedoniensis Cot & Hovasse,1917; berestnevi Shingarev,1926; atheniensis Cardamatis,1931; hellenicus Peus,1954 **Range (in code):** **ES FR IT MK GR YU AF AL DZ AM AZ Cc GG B-H CY SY EG IQ IL Pa JO KG KK LB PK BI Qu RU Da TJ TN TR TM UZ 07 22 39 59**

**8076. Anopheles (Cellia) turkhudi Liston,1901** (Culicidae) **Synonym(s):** turkhudi Liston,1901; azriki Patton,1905; flaviceps Edwards,1921; persicus Edwards,1921, amutis De Burca,1943 **Range (in code):** **IN AF PK EG SA IR YE SD ER ET**

**8077. Anopheles (s.str.) algeriensis Theobald,1903** (Culicidae) **Synonym(s):** algeriensis Theobald,1903; lukisi Christophers,1916 **Range (in code):** **AF AL DZ AT B-H BG HV EE EG FR GG DE GR HU IR TR IQ IE IL Pa IT JO KK LB LY MK MD MA PT RU ES SY TJ UA GB YU**

**8078. Anopheles (s.str.) claviger (Meigen,1804)** (Culicidae) **Synonym(s):** claviger Meigen,1804; villosus R-D.,1827; grisescens Stephens,1828; turkestan Shingarev,1926; amaurus Martini,1929; habibi Mulligan & Puri,1936; missiroli Del Vecchio,1939; pullutus Canamares,1945 **Range (in code):** **AF AL AM AZ Cc GG AT BY BE B-H BG CN HV CY CZ DK EE FI FR DE GR HU IR IQ IE IL Pa IT JO KK LT LB LV MD MA NL NO PK BI Qu PL RO RU SK SS ES SE SY TJ TR TM UA GB UZ YU 59**

**8079. Anopheles (s.str.) hyrcanus (Pallas,1771)** (Culicidae) **Synonym(s):** hyrcanus Pallas,1771 **Range (in code):** **AF AL AM Cc AZ B-H BG CN HV FR GG GR HU IR IQ IT JP JO KK KG LB LY MK MD MN RO RU SK SS ES SY TJ TR TM UA UZ YU**

**8080. Anopheles (s.str.) maculipennis Meigen,1818** (Culicidae) **Synonym(s):** maculipennis Meigen,1818 **Range (in code):** **AL AM Cc AT BY BE B-H BG HV CZ DK EE FR FI GG DE GR HU IR IQ IT LT MK MD NL NO PL PT RU SK SS ES SE CH SY TJ TR UA AE YU 22 34 39 59**

**8081. Anopheles (s.str.) marteri Senetev & Prunelle,1927** (Culicidae) **Synonym(s):** marteri Senetev & Prunelle,1927; sogdianus Keshishian,1938; conquensis Torres Canamares,1946 **Range (in code):** **AL DZ BG FR GR IR IQ IL Pa IT JO LB MA PT ES SY TR TJ TN**

**8082. Anopheles (s.str.) plumbeus Stephens,1828** (Culicidae) **Synonym(s):** plumbeus Stephens,1828; nigripes Staeger,1839; corsicanus Edwards,1928; intermedius Shingarev,1928 **Range (in code):** **AL DZ BY BE B-H BG HV CZ DK EE FR GG DE GR HU IR IE IT NL PL PT RO RU SK SS ES SE CH SY UA GB YU TR**

- 8083. Anopheles (s.str.) sacharovi Favre,1903** (Culicidae) Synonym(s): sacharovi Favre,1903; elutus Edwards,1921 Range (in code): **AZ Kir Cc AF AL AM AT B-H BG CN HV FR GG GR IR IQ IL Pa IT JO LB MK PL RU SY TJ YU TR 22 39 59 63**
- 8084. Anopheles (s.str.) tenebrosus Dönitz,1902** (Culicidae) Synonym(s): tenebrosus Dönitz,1902; subtilis Pressat,1905 Range (in code): **EG SA AO BW BI CF ZR ET GA IL Pa JO KE LY MG MZ OM RW ZA TZ UG ZM ZW**
- 8085. Coquillettia richiardi (Ficalbi,1889)** (Culicidae) Synonym(s): richiardi Ficalbi,1889; nikolskyi Shingarev,1927 Range (in code): **AT BE BG HV CZ DK EE FI FR DE GR HU IE IT KG Ssn Ui RU Sb LT LV MA NL NO PL PT RO SK SS ES SE CH SY TJ TR UA GB UZ YU**
- 8086. Culex (Barradius) modestus Ficalbi,1889** (Culicidae) Synonym(s): modestus Ficalbi,1889; eadithae Barraud,1924; tanajcus Stschelkanovzev,1926; nudipalpis Shingarev,1927 Range (in code): **Ch PK RU Ro Mo DZ CN CZ GR HU IR IQ IL Pa IT MN MA PL RO SK TJ TR GB**
- 8087. Culex (Barradius) pusillus Macquart,1850** (Culicidae) Synonym(s): pusillus Macquart,1850 Range (in code): **DZ EG GR IR IQ LY SA SD SY TJ TN TR TJ AE UZ**
- 8088. Culex (Maillotia) deserticola Kirkpatrick,1924** (Culicidae) Synonym(s): deserticola Kirkpatrick,1924 Range (in code): **DZ EG IR IL Pa JO MA ES SY TN TR 07**
- 8089. Culex (Maillotia) hortensis Ficalbi,1889** (Culicidae) Synonym(s): hortensis Ficalbi,1889; pilifera Theobald,1907; lavieri Larrousse,1925 Range (in code): **DZ BG CZ GR IN IR IQ IT MA PT Md RO RU SK ES TJ TR**
- 8090. Culex (Neoculex) martinii Medschid,1930** (Culicidae) Synonym(s): martinii Medschid,1930 Range (in code): **B-H CZ DE HU IT MA RO SK TJ TR UZ YU 01 07**
- 8091. Culex (Neoculex) territans Walker,1856** (Culicidae) Synonym(s): territans Walker,1856; saxatilis Grossbeck,1905; frickii Ludlow,1906; pyrenaicus Brolemann,1919; nematoides Dyar & Shannon,1925 Range (in code): **US Nj CA CZ DE GR IR IQ JO PL PT RO RU SK ES TR YU**
- 8092. Culex (s.str.) laticinctus Edwards,1913** (Culicidae) Synonym(s): laticinctus Edwards,1913 Range (in code): **DJ ET GR IL Pa IR JO LB MA PT RO SA OM ES SD SY YE TR**
- 8093. Culex (s.str.) mimeticus Noe,1899** (Culicidae) Synonym(s): mimeticus Noe,1899; pseudomimeticus Sergent,1909 Range (in code): **DZ BG CN GR IN IR IQ IL Pa IT JO JP KP KR LB MA MY MM NP PK PT RU SA ES TH TR**
- 8094. Culex (s.str.) perexiguus Theobald,1903** (Culicidae) Synonym(s): perexiguus Theobald,1903 Range (in code): **GR IR IL Pa LB MA SA SD SY TR**
- 8095. Culex (s.str.) pipiens Linnaeus,1758** (Culicidae) Synonym(s): pipiens Linnaeus,1758; bifurcatus Linnaeus,1758; fasciatus Müller,1764; molestus Forskal,1775; trifurcatus Fabricius,1794; luteus Meigen,1804; domesticus Germar,1817; bicolor Meigen,1818; marginalis Stephens,1825; meridionalis Leach,1825; thoracicus R-D.,1827; calcitrans R-D.,1827; consobrinus R-D.,1827; unistriatus Curtis,1837; pallipes Macquart,1838; rufinus Bigot,1888; phytophagus Ficalbi,1889; agilis Bigot,1889; haematophagus Ficalbi,1893; melanorhinus Giles,1900; longefurcatus Becker,1903; varioannulatus Theobald,1903; azorensis Theobald,1903; quasimodestus Theobald,1905; osakensis Theobald,1907; comitatus Dyar & Knab,1909; dipseticus Dyar & Knab,1909; doliorum Edwards,1912; autogenicus Roubaud,1935; berbericus Roubaud,1935; Range (in code): **Az AF DZ AR AM Cc AZ GG AU AT BY B-H BG CA CY CZ SK EG EE ET FR DE GR HU IR IQ IL IT JP JO KG KE KP KR KW LT LB LY MR MA NO PK PL PT RO RU SA ZA ES SD SE CH TJ TR TZ TN Sfx TM UA GB US Cf MX UY UZ YE YU ZW 07**
- 8096. Culex (s.str.) theileri Theobald,1903** (Culicidae) Synonym(s): theileri Theobald,1903 Range (in code): **AF DZ BD BG CN EG GR IN IR IQ IL Pa JO LB KE LY MN MA NP PK PT RO RU SA SK ZA ES SY TJ TZ TN TR ZW**
- 8097. Culex (s.str.) torrentium Martini,1925** (Culicidae) Synonym(s): torrentium Martini,1925; pavlovsky Shingarev,1928 Range (in code): **BE CZ DK DE FI FR IR NO PL PT RO RU To Sb SK ES SE TR GB**
- 8098. Culex (s.str.) tritaeniorhynchus Giles,1901** (Culicidae) Synonym(s): tritaeniorhynchus Giles,1901; summorosus Dyar,1920; biroii Theobald,1905; siamensis Barraud & Christophers,1931 Range (in code): **AO BD KH CM CF CN DJ EG ET GA GM GH GR IN Bba ID IR IQ IL Pa JP JO KE KP KR LB MY MZ MV MM NP NG PK PH Luz RU SA LK SY TZ TH Cma TG TR TM VN**
- 8099. Culiseta (Allotheobaldia) longiareolata (Macquart,1838)** (Culicidae) Synonym(s): longiareolata Macquart,1838; spathipalpis Rondani,1872; leucogrammus Loew,1874; serratipes Becker,1908; marocanus D'Anfreville,1916 Range (in code): **Cn AL BW BG CY DJ EG ET FR GR HU IN IR Elb IQ IL Pa IT JO LB LS MR MA NA PK PT RO RU SK SO ZA ES SD SY TJ TN TR UA YE 07**
- 8100. Culiseta (Culicella) fumipennis (Stephens,1825)** (Culicidae) Synonym(s): fumipennis Stephens,1825; ficalbii Noe,1899; theobaldi Meijere,1911; setivalva Monchadskii,1936 Range (in code): **DZ AM AZ Cc GG BG DK FR DE GR IR IQ IE IT MK MA NL NO PL RO ES SE SY TN TR UA Cm GB**
- 8101. Culiseta (Culicella) morsitans (Theobald,1901)** (Culicidae) Synonym(s): morsitans Theobald,1901; dyari Coquillett,1902; brittoni Felt,1905; parodites Dyar,1928 Range (in code): **AM AZ GG Cc BY CA CZ DK EE FI FR DE GR HU IL Pa IT KG LT MA NL NO PL RO RU SK SE TR UA GB US**
- 8102. Culiseta (s.str.) annulata (Schränk,1776)** (Culicidae) Synonym(s): annulata Schränk,1776; annulatus Fabricius,1787; affinis Stephens,1825; nicaensis Leach,1825; ferruginata Martini,1924 Range (in code): **DZ AM AT Cc AZ GG BG CY CZ DK FR DE GR HU IR IQ IL Pa IT JO LT LB LT MA NO PL PT RO RU SK SE ES CH SY TN TR UA YU**



- 8103. Uranotaenia (Pseudoficalbia) unguiculata Edwards,1913** (Culicidae) Synonym(s): unguiculata Edwards,1913; pefflyi Stone,1961 Range (in code): IL Pa SA DZ AT BG HV CZ EG FR DE GR HU IR IQ IT JO LB MT MA MK PK PT RO RU SK ES SY TJ TN TR UA YU
- 8104. Diogma dmitrii Paramonov,2005** (Cylindrotomidae) Synonym(s): dmitrii Paramonov,2005 Range (in code): TR
- 8105. Campichoeta zernyi Duda,1934** (Diatatidae) Synonym(s): zernyi Duda,1934 Range (in code): LB Bsa
- 8106. Sphyracephala hearseiana (Westwood,1845)** (Diopsidae) Synonym(s): hearseiana Westwood,1845 Range (in code): PK IN
- 8107. Ditomyia fasciata (Meigen,1818)** (Ditomyiidae) Synonym(s): fasciata Meigen,1818; trifasciata Winnertz,1846 Range (in code): GB CZ DE IT RU UA Cm Cc IR
- 8108. Symmerus annulatus (Meigen,1830)** (Ditomyiidae) Synonym(s): annulatus Meigen,1830; ferrugineus Walker,1848; flavus Zetterstedt,1851; apicalis Winnertz,1852; vittata Walker,1856; pallida Giglio-Tos,1890 Range (in code): AT BE CZ SK DE DK FR GB IT NL PL FI RU EE UA Cm Cc
- 8109. Acropsilus brevitatus (Parent,1937)** (Dolichopodidae) Synonym(s): brevitatus Parent,1937 Range (in code): IL Pa ZR TZ NA
- 8110. Amblypsilopus turcicus Tonguç & Grootaert,2013** (Dolichopodidae) Synonym(s): turcicus Tonguç & Grootaert,2013 Range (in code): TR 53
- 8111. Aphrosylus parcearmatus Parent,1925** (Dolichopodidae) Synonym(s): parcearmatus Parent,1925 Range (in code): EG Sn IL Pa TR 07
- 8112. Argyra argentina (Meigen,1824)** (Dolichopodidae) Synonym(s): diaphana Fallén,1823 nec Fabr.,1775; argentina Meigen,1824; geniculata Schummel,1837 Range (in code): GG RO GR RU Cc UA IR MA
- 8113. Argyra argyria (Meigen,1824)** (Dolichopodidae) Synonym(s): argyria Meigen,1824; argentata Macquart,1834; argentellus Zetterstedt,1843; divergens Parent,1926; discedens Parent,1838 Range (in code): TR GR Cr MD RO RU UA Cc Cm MA Cn 03 43 64
- 8114. Argyra diaphana (Fabricius,1775)** (Dolichopodidae) Synonym(s): diaphana Fabricius,1775; ludea Harris,1776; pellucens Fallén,1823; versicolor Meigen,1824; hirtipes Curtis,1835 Range (in code): MD RU RO UA IR TR AZ Cc 22
- 8115. Argyra leucocephala (Meigen,1824)** (Dolichopodidae) Synonym(s): leucocephala Meigen,1824; fulviventris Macquart,1827; fulgens Haliday,1832; pellucens Zetterstedt,1838 Range (in code): AZ BG MD IL Pa RU Cc TR UA Cm Ur DZ
- 8116. Argyra spoliata Kowarz,1879** (Dolichopodidae) Synonym(s): spoliata Kowarz,1879 Range (in code): GG RO RU Sb Am Sj Us Kmt Cc SY CZ UZ
- 8117. Argyra vestita (Wiedemann,1817)** (Dolichopodidae) Synonym(s): vestita Wiedemann,1817 Range (in code): BG RO IL Pa TR 36 65
- 8118. Argyrochlamys cavicola (Parent,1929)** (Dolichopodidae) Synonym(s): cavicola Parent,1929 Range (in code): EG OM DJ
- 8119. Asyndetus connexus (Becker,1902)** (Dolichopodidae) Synonym(s): connexus Becker,1902 Range (in code): TR EG IQ IR RO AT ES 65
- 8120. Asyndetus izius Negrobov,1973** (Dolichopodidae) Synonym(s): izius Negrobov,1973 Range (in code): IQ MN TJ
- 8121. Asyndetus latifrons (Loew,1857)** (Dolichopodidae) Synonym(s): latifrons Loew,1857 Range (in code): RU Ur TR SY Cc Kr Ur KG CN 07 09 20 48
- 8122. Asyndetus separatus (Becker,1902)** (Dolichopodidae) Synonym(s): separatus Becker,1902 Range (in code): CY EG IQ TN ES
- 8123. Campsicnemus armatus (Zetterstedt,1849)** (Dolichopodidae) Synonym(s): armatus Zetterstedt,1849 Range (in code): TR NO SE DK FI IE GB NL BE FR DE AT IT CZ SK PL RU MN SH 36
- 8124. Campsicnemus barbitibia Stackelberg,1947** (Dolichopodidae) Synonym(s): barbitibia Stackelberg,1947 Range (in code): TR AM Cc RU Kc TJ 64
- 8125. Campsicnemus crinitarsis Strobl,1906** (Dolichopodidae) Synonym(s): crinitarsis Strobl,1906 Range (in code): TR GR Cr DZ Cn IT ES 64
- 8126. Campsicnemus curvipes (Fallén,1823)** (Dolichopodidae) Synonym(s): curvipes Fallén,1823; fuscipennis Macquart,1839; cilitibius Von Roser,1840 Range (in code): Abk GG Cc AM AZ BG GR Cr RO RU Da Kb Kc St Kr TR UA Cm Ode DZ Cn Md MA 07
- 8127. Campsicnemus filipes Loew,1859** (Dolichopodidae) Synonym(s): filipes Loew,1859 Range (in code): TR RU Cc GR RO UA Ode Ro AT FR HU SK IQ 03
- 8128. Campsicnemus lumbatus Loew,1857** (Dolichopodidae) Synonym(s): lumbatus Loew,1857 Range (in code): RO RU Cc Kr Ro UA Ode Ur
- 8129. Campsicnemus magius (Loew,1845)** (Dolichopodidae) Synonym(s): magius Loew,1845 Range (in code): BG TR UA IL Pa RU Cc Kb Kr Ro Ode TJ TM SH 20
- 8130. Campsicnemus marginatus Loew,1857** (Dolichopodidae) Synonym(s): marginatus Loew,1857 Range (in code): GR AF

- 8131. Campsicnemus picticornis (Zetterstedt,1843)** (Dolichopodidae) Synonym(s): picticornis Zetterstedt,1843; variicornis Loew,1864; camzonerii Rampini,1975 Range (in code): TR IL Pa UA Ode KG KK RU Sj Ya Us Kmt SE NO FI DK NL GB BE FR AT HU PL CZ SK EE 30
- 8132. Campsicnemus pumilio (Zetterstedt,1843)** (Dolichopodidae) Synonym(s): pumilio Zetterstedt,1843; pectinulatus Loew,1864 Range (in code): RO RU Cc Kr KK KG Ya Kmt
- 8133. Campsicnemus pusillus (Meigen,1824)** (Dolichopodidae) Synonym(s): pusillus Meigen,1824; platypus Loew,1857 Range (in code): RO RU Cc Kb St Us Kmt
- 8134. Campsicnemus scambus (Fallén,1823)** (Dolichopodidae) Synonym(s): scambus Fallén,1823; prodromus Meigen,1824; clavitibus Von Roser,1840 Range (in code): BG RO RU Cc Kr UA Ode At Us Kmt
- 8135. Campsicnemus simplicissimus Strobl,1906** (Dolichopodidae) Synonym(s): simplicissimus Strobl,1906 Range (in code): Abk GG Cc GR IL Pa RU Kc Kr Ro TR HU FR IT ES CH 07 42
- 8136. Campsicnemus umbripennis Loew,1856** (Dolichopodidae) Synonym(s): umbripennis Loew,1856 Range (in code): GB FR AT BE CH DE IT B-H ES PT HU CZ SK Abk GG AM Cc BG GR IQ IL Pa RO RU Kb Kc Kr TR TM TJ AF 25 30 32 36 48
- 8137. Campsicnemus varipes Loew,1859** (Dolichopodidae) Synonym(s): varipes Loew,1859 Range (in code): AM Cc BG RO RU Kb Kr Ro TR KK TJ
- 8138. Chrysotimus (Guzeriplia) chlorinus (Negrobov,1968)** (Dolichopodidae) Synonym(s): chlorinus Negrobov,1968 Range (in code): GG Cc RU Kc Kr St
- 8139. Chrysotimus (s.str.) flaviventris (Von Roser,1840)** (Dolichopodidae) Synonym(s): flaviventris Von Roser,1840; concinnus Zetterstedt,1843 Range (in code): BG IL Pa RO
- 8140. Chrysotimus (s.str.) molliculus (Fallén,1823)** (Dolichopodidae) Synonym(s): molliculus Fallén,1823; laetus Meigen,1824 Range (in code): TR BG GG Cc RO RU Kr UA 39
- 8141. Chrysotimus (s.str.) sinensis Parent,1944** (Dolichopodidae) Synonym(s): sinensis Parent,1944 Range (in code): CN RU Cc Kc
- 8142. Chrysotimus (s.str.) viridanus (Negrobov,1978)** (Dolichopodidae) Synonym(s): viridanus Negrobov,1978 Range (in code): RU Cc Kr Kc
- 8143. Chrysotus albibarbus Loew,1857** (Dolichopodidae) Synonym(s): albibarbus Loew,1857 Range (in code): EG GR TR DZ ES Cn FR IT RU Am
- 8144. Chrysotus alpicola Strobl,1893** (Dolichopodidae) Synonym(s): alpicola Strobl,1893; nigerrimus Becker,1918 Range (in code): RU Cc TR AT CH HU
- 8145. Chrysotus angulicornis Kowarz,1874** (Dolichopodidae) Synonym(s): angulicornis Kowarz,1874 Range (in code): TR GG RU Cc Da UA RO AT CZ FI FR IT LT PL SE CH IR 07 25 30 36
- 8146. Chrysotus cilipes Meigen,1824** (Dolichopodidae) Synonym(s): cilipes Meigen,1824; subfemoratus Frey,1839; callidus Parent,1944 Range (in code): GG Cc AM AZ RO RU TR UA 08 53
- 8147. Chrysotus collini Parent,1923** (Dolichopodidae) Synonym(s): collini Parent,1923 Range (in code): AM AZ GG Cc UA RU TM
- 8148. Chrysotus dorli Negrobov,1980** (Dolichopodidae) Synonym(s): dorli Negrobov,1980 Range (in code): TJ TR 02 42
- 8149. Chrysotus femoratus Zetterstedt,1843** (Dolichopodidae) Synonym(s): femoratus Zetterstedt,1843 Range (in code): TR 25 30
- 8150. Chrysotus glebi Negrobov & Maslova,1995** (Dolichopodidae) Synonym(s): glebi Negrobov & Maslova,1995 Range (in code): RU TR 53
- 8151. Chrysotus gramineus (Fallén,1823)** (Dolichopodidae) Synonym(s): gramineus Fallén,1823; microcerus Kowarz,1874 Range (in code): CN Gn GB SE FI NO DK BE BY DE FR NL AT CH IT AD GR ES HU BG TR CZ SK RO PL YU RU UA KK KP KR 25 30 36
- 8152. Chrysotus laesus (Wiedemann,1817)** (Dolichopodidae) Synonym(s): laesus Wiedemann,1817 Range (in code): TR 25 36
- 8153. Chrysotus obscuripes Zetterstedt,1838** (Dolichopodidae) Synonym(s): obscuripes Zetterstedt,1838; amplicornis Lowarz,1874; kowarzi Lundbeck,1912 Range (in code): RO TR UA RU Cc Ya Am KK CN 07 25 36
- 8154. Chrysotus pennatus Lichtwardt,1902** (Dolichopodidae) Synonym(s): pennatus Lichtwardt,1902 Range (in code): AM BG GR RO RU Cc TR HV HU DE IT CN Pkn
- 8155. Chrysotus pulchellus Kowarz,1874** (Dolichopodidae) Synonym(s): pulchellus Kowarz,1874 Range (in code): TR BG GG Cc RO RU Kr UA 54
- 8156. Chrysotus suavis Loew,1857** (Dolichopodidae) Synonym(s): suavis Loew,1857 Range (in code): Cn DZ FI GB NO BE FR DE PL HU SK RU AM BG EG GG GR Cc IQ IL Pa RO TR UA AF MN CN Kl Tpn Pkn 02 07 08
- 8157. Diaphorus baechlii Naglis,2010** (Dolichopodidae) Synonym(s): baechlii Naglis,2010 Range (in code): TR 30
- 8158. Diaphorus disjunctus Loew,1857** (Dolichopodidae) Synonym(s): disjunctus Loew,1857 Range (in code): GR RO RU Cc
- 8159. Diaphorus graecus Parent,1932** (Dolichopodidae) Synonym(s): graecus Parent,1932 Range (in code): TR GR 07

- 8160. Diaphorus gredleri Mik,[1881]** (Dolichopodidae) Synonym(s): gredleri Mik,[1881]; flavomaculatus Strobl,1909 Range (in code): AT ES FR IT TN IL Pa TR 36
- 8161. Diaphorus hoffmannseggii Meigen,1830** (Dolichopodidae) Synonym(s): hoffmannseggii Meigen,1830; tripilus Loew,1857 Range (in code): TR RU Cc Kr IL Pa RO 67
- 8162. Diaphorus nigricans Meigen,1824** (Dolichopodidae) Synonym(s): nigricans Meigen,1824; obscuripes Zetterstedt,1838; sokolovi Stackelberg,1928; consimilis Parent,1937 Range (in code): GG Cc GR IL Pa RO RU IN Ch
- 8163. Diaphorus parenti Stackelberg,1928** (Dolichopodidae) Synonym(s): parenti Stackelberg,1928 Range (in code): RU Cc Us
- 8164. Diaphorus pilitibius Negrobov & Maslova,2005** (Dolichopodidae) Synonym(s): pilitibius Negrobov & Maslova,2005 Range (in code): RU Cc Kr TR 54
- 8165. Diaphorus sublautus Negrobov,2007** (Dolichopodidae) Synonym(s): sublautus Negrobov,2007 Range (in code): Cc AZ
- 8166. Diaphorus varifrons Becker,1918** (Dolichopodidae) Synonym(s): varifrons Becker,1918 Range (in code): IL Pa TR TN 48
- 8167. Diaphorus vitripennis Loew,1859** (Dolichopodidae) Synonym(s): vitripennis Loew,1859 Range (in code): RO TR RU Cc Kr Or DZ AF AT FR HU IT KG PT CH UZ 09 36
- 8168. Diaphorus winthemi Meigen,1824** (Dolichopodidae) Synonym(s): winthemi Meigen,1824 Range (in code): TR RO UA RU Or Mo 67
- 8169. Dolichophorus kerteszi Lichtwardt,1902** (Dolichopodidae) Synonym(s): kerteszi Lichtwardt,1902; resplendens Strobl,1910 Range (in code): RO Cc
- 8170. Dolichopus annulipes Zetterstedt,1838** (Dolichopodidae) Synonym(s): annulipes Zetterstedt,1838; stenhammari Zetterstedt,1843 Range (in code): RU Cc Ya Us
- 8171. Dolichopus arbustorum Stannius,1831** (Dolichopodidae) Synonym(s): arbustorum Stannius,1831 Range (in code): RO Cc GG RU UA
- 8172. Dolichopus armeniacus Stackelberg,1926** (Dolichopodidae) Synonym(s): armeniacus Stackelberg,1926 Range (in code): AM Cc
- 8173. Dolichopus austriacus Parent,1927** (Dolichopodidae) Synonym(s): austriacus Parent,1927 Range (in code): TR RO AT EE FI DE RU SE UZ 03 30
- 8174. Dolichopus calinotus Loew,1871** (Dolichopodidae) Synonym(s): calinotus Loew,1871 Range (in code): TR RO UA KK KG SE DK DE NL ES PL 03
- 8175. Dolichopus campestris Meigen,1824** (Dolichopodidae) Synonym(s): campestris Meigen,1824 Range (in code): PL CZ SK HU RO BY EE UA GG RU Cc KG TR 25 36
- 8176. Dolichopus cilifemoratus Macquart,1827** (Dolichopodidae) Synonym(s): cilifemoratus Macquart,1827; macquarti Parent,1926; pseudocilifemoratus Stackelberg,1930 Range (in code): Cc AZ AM GG RO RU UA Cm TR KG At Us Sh 48 53
- 8177. Dolichopus cinctipes Wahlberg,1850** (Dolichopodidae) Synonym(s): cinctipes Wahlberg,1850 Range (in code): TR FI NO SE RU Ur Am Ya Us 25 36
- 8178. Dolichopus ciscaucasicus Stackelberg,1927** (Dolichopodidae) Synonym(s): ciscaucasicus Stackelberg,1927 Range (in code): RU Cc
- 8179. Dolichopus claviger Stannius,1831** (Dolichopodidae) Synonym(s): claviger Stannius,1831 Range (in code): RO RU Cc At Us UA Cm To
- 8180. Dolichopus diadema Haliday,1832** (Dolichopodidae) Synonym(s): diadema Haliday,1832; fraternus Staeger,1842 Range (in code): BG GR IL Pa RO RU UA TR KG CN 48
- 8181. Dolichopus excisus Loew,1859** (Dolichopodidae) Synonym(s): excisus Loew,1859 Range (in code): Cc GG AM BG IL Pa RO RU UA Cm TR TM TJ 07 15 48
- 8182. Dolichopus griseipennis Stannius,1831** (Dolichopodidae) Synonym(s): nitidus Macquart,1827 nec Fall.,1823; griseipennis Stannius,1831; subrutilus Zetterstedt,1859 Range (in code): AZ AM Cc Kr GG BG CY GR Cr IL Pa RO RU TR TN DZ MA KG 15 48 57
- 8183. Dolichopus immaculatus Becker,1909** (Dolichopodidae) Synonym(s): immaculatus Becker,1909 Range (in code): FR IL Pa TR 07
- 8184. Dolichopus kiritshenkoi Stackelberg,1927** (Dolichopodidae) Synonym(s): kiritshenkoi Stackelberg,1927 Range (in code): Cc GG
- 8185. Dolichopus lairdi Olejnick, Mohsen & Ouda,1995** (Dolichopodidae) Synonym(s): lairdi Olejnick, Mohsen & Ouda,1995 Range (in code): IQ
- 8186. Dolichopus latilimbatus Macquart,1827** (Dolichopodidae) Synonym(s): latilimbatus Macquart,1827; vulgaris Stannius,1831 Range (in code): Cc AZ GG BG RO RU Ur UA TR KG MN UZ 41
- 8187. Dolichopus lepidus Staeger,1842** (Dolichopodidae) Synonym(s): lepidus Staeger,1842 Range (in code): PL CZ SK HU RO BY GG Cc RU Us KG MN TR 36
- 8188. Dolichopus longitarsis Stannius,1831** (Dolichopodidae) Synonym(s): longitarsis Stannius,1831 Range (in code): TR PL SK HU RO BY EE GG Cc RU KG 36
- 8189. Dolichopus nubilus Meigen,1824** (Dolichopodidae) Synonym(s): nubilus Meigen,1824 Range (in code): DK EE FI LT RU NO SE BG AM Cc GR Cr RO UA KG UZ TJ CN TR 39



- 8190. Dolichopus pennatus Meigen,1824** (Dolichopodidae) Synonym(s): pennatus Meigen,1824 Range (in code): PL CZ SK HU RO BY EE UA GG Cc RU KG MN TR 36
- 8191. Dolichopus perversus Loew,1871** (Dolichopodidae) Synonym(s): perversus Loew,1871 Range (in code): GG Cc AM IL Pa TR TJ KG
- 8192. Dolichopus picipes Meigen,1824** (Dolichopodidae) Synonym(s): picipes Meigen,1824; cysneus Meigen,1824; fastuosus Haliday,1832; plebejus Zetterstedt,1838 Range (in code): RO RU Cc TR At KG 36
- 8193. Dolichopus plumipes (Scopoli,1763)** (Dolichopodidae) Synonym(s): plumipes Scopoli,1763; pennitarsis Fallén,1823; planitarsis Meigen,1824 Range (in code): Cc GG BG GR RO RU UA TR CN MX 53
- 8194. Dolichopus plunitarsis Fallén,1823** (Dolichopodidae) Synonym(s): plunitarsis Fallén,1823 Range (in code): Cc RU Sb Als CA On
- 8195. Dolichopus popularis Wiedemann,1817** (Dolichopodidae) Synonym(s): popularis Wiedemann,1817 Range (in code): BG GG Cc RO UA RU
- 8196. Dolichopus sabinus Haliday,1838** (Dolichopodidae) Synonym(s): sabinus Haliday,1838; pictus Staeger,1842 Range (in code): Cc GG BG GR Cr IL Pa RO RU TR TZ 07
- 8197. Dolichopus salictorum Loew,1871** (Dolichopodidae) Synonym(s): salictorum Loew,1871 Range (in code): PL CZ SK HU RO BG TR 02
- 8198. Dolichopus sculus Loew,1859** (Dolichopodidae) Synonym(s): sculus Loew,1859 Range (in code): FR BG IL Pa IT Si
- 8199. Dolichopus signatus Meigen,1824** (Dolichopodidae) Synonym(s): signatus Meigen,1824; argentifer Loew,1859 Range (in code): RO UA RU KG AF
- 8200. Dolichopus signifer Haliday,1832** (Dolichopodidae) Synonym(s): signifer Haliday,1832; pictipennis Wahlberg,1850; punctum Haliday,1851 Range (in code): Cc AM GG AZ BG GR RO RU UA Cm TR AF Az MA TM TJ UZ 15 22
- 8201. Dolichopus simplex Meigen,1824** (Dolichopodidae) Synonym(s): simplex Meigen,1824 Range (in code): PL CZ SK HU BY EE UA GG Cc RU KG TR 25 30 36
- 8202. Dolichopus strigipes Verrall,1875** (Dolichopodidae) Synonym(s): strigipes Verrall,1875; aratrimiformis Becker,1890 Range (in code): BG GR TR RO UA 08
- 8203. Dolichopus subpennatus d'Assis Fonseca,1976** (Dolichopodidae) Synonym(s): subpennatus d'Assis Fonseca,1976 Range (in code): TR RU RU 14
- 8204. Dolichopus syriacus Becker,1917** (Dolichopodidae) Synonym(s): syriacus Becker,1917 Range (in code): IL Pa Hf
- 8205. Dolichopus thalhammeri Knezy,1929** (Dolichopodidae) Synonym(s): thalhammeri Knezy,1929; balius Meuffels,1982 Range (in code): HU BG FR TR 07
- 8206. Dolichopus unguatus (Linnaeus,1758)** (Dolichopodidae) Synonym(s): unguatus Linnaeus,1758 Range (in code): TR PL CZ SK HV HU RO BG BY EE UA GG Cc RU KG 53
- 8207. Epithalassius caucasicus Becker,1918** (Dolichopodidae) Synonym(s): caucasicus Becker,1918 Range (in code): BG Cc GG
- 8208. Gymnopternus angustifrons (Staeger,1842)** (Dolichopodidae) Synonym(s): angustifrons Staeger,1842 Range (in code): TR PL CZ SK HU YU RO EE UA RU KG 36
- 8209. Gymnopternus assimilis (Staeger,1842)** (Dolichopodidae) Synonym(s): assimilis Staeger,1842 Range (in code): TR PL CZ HU EE BY UA RU 30
- 8210. Gymnopternus blankaartensis Pollet,1990** (Dolichopodidae) Synonym(s): blankaartensis Pollet,1990 Range (in code): TR CZ HU UA 02
- 8211. Gymnopternus celer (Meigen,1824)** (Dolichopodidae) Synonym(s): celer Meigen,1824 Range (in code): TR BG RO RU Cc Kr UA KG Ur At 17
- 8212. Hercostomus apollo (Loew,1869)** (Dolichopodidae) Synonym(s): apollo Loew,1869 Range (in code): AM Cc TR GR IQ UA Cm TN
- 8213. Hercostomus armeniorum Stackelberg,1933** (Dolichopodidae) Synonym(s): armeniorum Stackelberg,1933 Range (in code): AM RU Cc
- 8214. Hercostomus blepharopus Loew,1871** (Dolichopodidae) Synonym(s): blepharopus Loew,1871 Range (in code): Cc GG Abk RO RU TJ TM UZ
- 8215. Hercostomus chaerophylli (Meigen,1824)** (Dolichopodidae) Synonym(s): chaerophylli Meigen,1824; conformis Loew,1857 Range (in code): PL CZ HU BY UA AM TR Cc RU GG Os 25 36
- 8216. Hercostomus chetifer (Walker,1849)** (Dolichopodidae) Synonym(s): chetifer Walker,1849; chetifera Walker,1849; alutifer Haliday,1851; cretifer Walker,1856; cretifer Walker,1856 Range (in code): GR Cr GG Cc IL Pa RO RU TR UA Cm DZ CA
- 8217. Hercostomus convergens (Loew,1857)** (Dolichopodidae) Synonym(s): convergens Loew,1857 Range (in code): PL HU TR AZ Cc IL Pa RO RU UA 36 48
- 8218. Hercostomus costatus (Loew,1857)** (Dolichopodidae) Synonym(s): costatus Loew,1857 Range (in code): TR
- 8219. Hercostomus cyprius Parent,1937** (Dolichopodidae) Synonym(s): cyprius Parent,1937 Range (in code): CY

- 8220. *Hercostomus exarticulatus* (Loew,1857)** (Dolichopodidae) Synonym(s): *exarticulatus* Loew,1857; *papillifer* Mik,1880 Range (in code): Cc AM GG RO RU DZ Cn KK TJ
- 8221. *Hercostomus fugax* (Loew,1857)** (Dolichopodidae) Synonym(s): *fugax* Loew,1857 Range (in code): Cc AZ BG GG RO RU Ur KG TJ
- 8222. *Hercostomus fulvicaudis* (Haliday,1851)** (Dolichopodidae) Synonym(s): *fulvicaudis* Haliday,1851 Range (in code): TR GB SE AT BE FR DE NL PL RO CZ SK UA TM TJ Cn 03 43
- 8223. *Hercostomus germanus* (Wiedemann,1817)** (Dolichopodidae) Synonym(s): *germanus* Wiedemann,1817 Range (in code): AZ AM GG Cc RO RU Da Ur UA MA
- 8224. *Hercostomus gracilis* (Stannius,1831)** (Dolichopodidae) Synonym(s): *gracilis* Stannius,1831; *bohemani* Wahlberg,1851 Range (in code): AM Cc BG GR TR UA RO TJ TM
- 8225. *Hercostomus griseifrons* Becker,1910** (Dolichopodidae) Synonym(s): *griseifrons* Becker,1910 Range (in code): FR Co BG DE IT UA TR 43 64
- 8226. *Hercostomus leptocercus* Stackelberg,1949** (Dolichopodidae) Synonym(s): *leptocercus* Stackelberg,1949 Range (in code): RU Cc IR TJ
- 8227. *Hercostomus libanicola* Parent,1933** (Dolichopodidae) Synonym(s): *libanicola* Parent,1933 Range (in code): LB TR 17 39
- 8228. *Hercostomus longiventris* (Loew,1857)** (Dolichopodidae) Synonym(s): *longiventris* Loew,1857; *forcipatus* A.Müller,1923 Range (in code): BG GG Cc GR IL Pa TR RO RU MA TJ
- 8229. *Hercostomus nanus* (Macquart,1827)** (Dolichopodidae) Synonym(s): *nanus* Macquart,1827; *minus* Zetterstedt,1849; *angustus* Loew,1857 Range (in code): SE BG TR UA MD
- 8230. *Hercostomus nigrilamellatus* (Macquart,1827)** (Dolichopodidae) Synonym(s): *nigrilamellatus* Macquart,1827 Range (in code): TR MD RO Cc RU Kr 14
- 8231. *Hercostomus nigriplantis* (Stannius,1831)** (Dolichopodidae) Synonym(s): *nigriplantis* Stannius,1831; *subsimplicipes* Verrall,1912 Range (in code): AM Cc GG MD RO RU UA Cm
- 8232. *Hercostomus phoebus* Parent,1927** (Dolichopodidae) Synonym(s): *phoebus* Parent,1927 Range (in code): AM Cc TR 07 15 48
- 8233. *Hercostomus rusticus* (Meigen,1824)** (Dolichopodidae) Synonym(s): *rusticus* Meigen,1824 Range (in code): PL CZ SK HU B-H MK EE BY UA RU Cc GG AM KG MN TR 53
- 8234. *Hercostomus shelkovnikovi* Stackelberg,1926** (Dolichopodidae) Synonym(s): *shelkovnikovi* Stackelberg,1926 Range (in code): AM Cc
- 8235. *Hercostomus tanjusilus* Negrobov & Zurikov,1988** (Dolichopodidae) Synonym(s): *tanjusilus* Negrobov & Zurikov,1988 Range (in code): Cc GG
- 8236. *Hydrophorus balticus* (Meigen,1824)** (Dolichopodidae) Synonym(s): *balticus* Meigen,1824; *chloropus* Von Roser,1840 Range (in code): BG CY TR Cc GG GR IL Pa RO RU UA Cm 36 53
- 8237. *Hydrophorus bipunctatus* (Lehmann,1822)** (Dolichopodidae) Synonym(s): *bipunctatus* Lehmann,1822; *binotatus* Fallén,1823 Range (in code): RO RU Cc KK
- 8238. *Hydrophorus callostomus* Loew,1857** (Dolichopodidae) Synonym(s): *callostomus* Loew,1857 Range (in code): TR Cc AM RU Da Sb RO UA Cm 25 36
- 8239. *Hydrophorus nilicola* Parent,1927** (Dolichopodidae) Synonym(s): *nilicola* Parent,1927 Range (in code): EG IQ
- 8240. *Hydrophorus praecox* (Lehmann,1822)** (Dolichopodidae) Synonym(s): *praecox* Lehmann,1822; *inaequalipes* Macquart,1834; *schoenherr* Zetterstedt,1843; *cinereus* Perris,1847; *vagus* Hutton,1901; *breviventris* Becker,1902 Range (in code): Az Cn BG Cc Abk GG CY EG GR GG Cr IL Pa IQ TR SY Pmy RU Kr UA Cm AU NZ MA SN IN TW CV Cn 15
- 8241. *Hydrophorus viridis* (Meigen,1824)** (Dolichopodidae) Synonym(s): *viridis* Meigen,1824; *semiglaucus* Perris,1850; *paulosetosus* Becker,1907; *beckeri* Oldenberg,1920 Range (in code): EG BG MD IL Pa RO RU UA Ode Cc Cn
- 8242. *Lagodechia spinulifera* (Negrobov & Zurikov,1988)** (Dolichopodidae) Synonym(s): *spinulifera* Negrobov & Zurikov,1988 Range (in code): Cc GG Lag
- 8243. *Lamprochromus bifasciatus* (Macquart,1827)** (Dolichopodidae) Synonym(s): *bifasciatus* Macquart,1827; *elegans* Meigen,1830; *semiflavus* Strobl,1880 Range (in code): BG RO IL Pa
- 8244. *Lamprochromus dalmaticus* Parent,1927** (Dolichopodidae) Synonym(s): *dalmaticus* Parent,1927 Range (in code): TR HV 25
- 8245. *Lamprochromus speciosus* (Loew,1871)** (Dolichopodidae) Synonym(s): *speciosus* Loew,1871 Range (in code): BG TR EG IL Pa IQ RO UA Ode FR HU Cn TJ 48
- 8246. *Lamprochromus strobli* Parent,1925** (Dolichopodidae) Synonym(s): *strobli* Parent,1925 Range (in code): BG ?UA TR GB DE AT NL BE FR CZ HU PL RU 02
- 8247. *Liancalus virens* (Scopoli,1763)** (Dolichopodidae) Synonym(s): *virens* Scopoli,1763; *regius* Fabricius,1805 Range (in code): SS Cc GG Abk BG CY GR Cr RO IL Pa RU Kr TR UA Cm DZ Md MA TN KG KK TJ 30
- 8248. *Medetera abstrusa* Thuneberg,1955** (Dolichopodidae) Synonym(s): *apicalis* Collin,1941 *nec* Zetter.,1843; *abstrusa* Thuneberg,1955 Range (in code): FI GB IE NO DK SE CH FR BE NL DE UA CZ SK HU EE RU Cc Kr Kc Bry

- 8249. Medetera ambigua (Zetterstedt,1843)** (Dolichopodidae) Synonym(s): ambigua Zetterstedt,1843  
Range (in code): SE Cc UA Kr Us RU
- 8250. Medetera apicalis (Zetterstedt,1843)** (Dolichopodidae) Synonym(s): apicalis Zetterstedt,1843;  
orbiculata Van Duzee,1932 Range (in code): SE Cc GG Kr RU Sb Us JP US Cf
- 8251. Medetera armeniaca Negrobov,1972** (Dolichopodidae) Synonym(s): armeniaca Negrobov,1972  
Range (in code): Cc AM
- 8252. Medetera bisecta Negrobov,1967** (Dolichopodidae) Synonym(s): bisecta Negrobov,1967 Range (in code): Cc CZ RU Kr
- 8253. Medetera bispinosa Negrobov,1967** (Dolichopodidae) Synonym(s): bispinosa Negrobov,1967  
Range (in code): GB BE FR DE CZ RU Cc UA
- 8254. Medetera collarti Negrobov,1967** (Dolichopodidae) Synonym(s): collarti Negrobov,1967 Range (in code): RU Kr Cc
- 8255. Medetera dendrobaena Kowarz,1877** (Dolichopodidae) Synonym(s): dendrobaena Kowarz,1877  
Range (in code): GR IQ IL Pa
- 8256. Medetera diadema (Linnaeus,1767)** (Dolichopodidae) Synonym(s): diadema Linnaeus,1767;  
rostrata Fabricius,1775; carnivora Fischer von Waldheim,1819; aeneivittata Macquart,1827; ehrenbergi Becker,1923  
Range (in code): SE Cc GG BG EG GR Cr IL Pa RO RU Kr Ro UA TR Ode KG Or At DZ TN US Cf Nj 35
- 8257. Medetera fasciata Frey,1915** (Dolichopodidae) Synonym(s): fasciata Frey,1915 Range (in code): FI GB NO SE FR EE RU Cc Kc Kr Krl
- 8258. Medetera feminina Negrobov,1967** (Dolichopodidae) Synonym(s): feminina Negrobov,1967  
Range (in code): BE CZ SK RU Cc Ro Kr
- 8259. Medetera flavipes Meigen,1824** (Dolichopodidae) Synonym(s): flavipes Meigen,1824; insignis  
Girschner,1888 Range (in code): PT ES FR GB BE DE PL CZ UA Cm IT Co YU TR Cc RU Kr Cn MA DZ EG GR
- 8260. Medetera glauca Loew,1869** (Dolichopodidae) Synonym(s): glauca Loew,1869 Range (in code): AT SE NL FR DE BG PL CZ SK RU Cc
- 8261. Medetera gracilicauda Parent,1927** (Dolichopodidae) Synonym(s): gracilicauda Parent,1927  
Range (in code): RU Cc Kb SE IT CH
- 8262. Medetera impigra Collin,1941** (Dolichopodidae) Synonym(s): impigra Collin,1941 Range (in code): GB IE FI NO SE BE FR DE NL CH PL CZ EE UA RU Cc
- 8263. Medetera impigra Collin,1941** (Dolichopodidae) Synonym(s): impigra Collin,1941 Range (in code): RU Cc Kc Sj
- 8264. Medetera inspissata (Collin,1952)** (Dolichopodidae) Synonym(s): incrassatus Collin,1941 nec  
Fr.,1909; inspissata Collin,1952 Range (in code): GB FI NO SE BE NL SK EE RU Cc Kc Kr
- 8265. Medetera jacula (Fallén,1823)** (Dolichopodidae) Synonym(s): jacula Fallén,1823; nigricans  
Meigen,1824; meridionalis Negrobov,1967; armeniaca Negrobov,1972 Range (in code): SE Cc AZ AM GG RO RU Or Kb Kr Ro Ur At UA Cm TR Ode TN KG
- 8266. Medetera jugalis Collin,1941** (Dolichopodidae) Synonym(s): jugalis Collin,1941 Range (in code): GB FI NO FR BE NL DE CH EE HU CZ SK RU Cc
- 8267. Medetera lamprostoma (Loew,1871)** (Dolichopodidae) Synonym(s): lamprostoma Loew,1871  
Range (in code): TM UZ TJ
- 8268. Medetera magius (Loew,1845)** (Dolichopodidae) Synonym(s): magius Loew,1845 Range (in code): IT Si DZ AT AZ Cc BE BG CZ FR DE HU IL Pa NL SS ES RO RU Kr TJ TM UA UZ YU
- 8269. Medetera media Parent,1925** (Dolichopodidae) Synonym(s): media Parent,1925 Range (in code): TN EG TM KG
- 8270. Medetera micacea Loew,1857** (Dolichopodidae) Synonym(s): micacea Loew,1857; acuta  
Negrobov,1966 Range (in code): BG IL Pa RO RU Kr Cc TR AM UA Cm KG CN UZ MN Ya Om
- 8271. Medetera mixta Negrobov,1967** (Dolichopodidae) Synonym(s): mixta Negrobov,1967 Range (in code): RU Kr Ro At Cm UA Cc BG FR DE RO CZ SK KK KG TJ MN
- 8272. Medetera muralis Meigen,1824** (Dolichopodidae) Synonym(s): muralis Meigen,1824;  
melanopleura Loew,1857; tertia Becker,1917; belgica Parent,1936; peloria Negrobov,1967; kowarzi Negrobov,1972; miki  
Negrobov,1972 Range (in code): Cc GG RU RO IL Pa Kb Kr TR
- 8273. Medetera murina Becker,1917** (Dolichopodidae) Synonym(s): murina Becker,1917; brolemanni  
Parent,1927; cryophorus Ségué,1963 Range (in code): SE FI NO FR DE GB IE DK BE AT IT CZ SK PL HU RO YU B-H EE RU Cc BY
- 8274. Medetera obesa Kowarz,1877** (Dolichopodidae) Synonym(s): obesa Kowarz,1877 Range (in code): AT FR BE IT PL RU Cc B-H
- 8275. Medetera pallens Negrobov,1967** (Dolichopodidae) Synonym(s): pallens Negrobov,1967 Range (in code): RU Kr Cc
- 8276. Medetera pallipes (Zetterstedt,1843)** (Dolichopodidae) Synonym(s): pallipes Zetterstedt,1843;  
dendrophila Bezzi,1903 Range (in code): TR EG GG Cc GR Cr IL Pa RO RU Kb Kr St UA Cm 07
- 8277. Medetera parenti Stackelberg,1925** (Dolichopodidae) Synonym(s): parenti Stackelberg,1925  
Range (in code): RU Cc Kc Kr? Sb Us



- 8278. Medetera pavlovskii** Negrobov,1972 (Dolichopodidae) Synonym(s): pavlovskii Negrobov,1972 Range (in code): EG Sn IR
- 8279. Medetera perfida** Parent,1932 (Dolichopodidae) Synonym(s): perfida Parent,1932 Range (in code): TR AT BE FR DE RU UA Cm IL Pa 64
- 8280. Medetera petrophila** (Kowarz,1877) (Dolichopodidae) Synonym(s): petrophila Kowarz,1877; petrophiloides Parent,1925 Range (in code): MA GB IE SE FI NO FR DK DE AT NL BE IT CH GR BG ES HU PL CZ SK RU Cc Kr Ro IL Pa
- 8281. Medetera pinicola** (Kowarz,1877) (Dolichopodidae) Synonym(s): pinicola Kowarz,1877; nuortevai Thuneberg,1955; piceae Öunap,1997 Range (in code): CA US GB SE FI NO BE NL DE CH FR CZ SK EE RU Cc Kc Kr Us No
- 8282. Medetera platychira** Meijere,1916 (Dolichopodidae) Synonym(s): platychira Meijere,1916 Range (in code): ID Ja IN PK NP TH BD LK CN MY PH
- 8283. Medetera plumbella** (Meigen,1824) (Dolichopodidae) Synonym(s): plumbella Meigen,1824; minuta Zetterstedt,1843 Range (in code): Cc AM UA Cm IL Pa CN KG RU Ir
- 8284. Medetera pseudoapicalis** Thuneberg,1955 (Dolichopodidae) Synonym(s): pseudoapicalis Thuneberg,1955 Range (in code): RU Cc Kc ?Kr Sb Ur
- 8285. Medetera relicta** Negrobov,1967 (Dolichopodidae) Synonym(s): relicta Negrobov,1967 Range (in code): RU Cc Kr CZ
- 8286. Medetera seguyi** Parent,1926 (Dolichopodidae) Synonym(s): seguyi Parent,1926 Range (in code): BE FR NO CH RU Cc Kr Kc
- 8287. Medetera setiventris** Thuneberg,1955 (Dolichopodidae) Synonym(s): setiventris Thuneberg,1955; fasciata Zinovjev,1957 Range (in code): RO TR RU No
- 8288. Medetera signaticornis** Loew,1857 (Dolichopodidae) Synonym(s): signaticornis Loew,1857; subglauca Becker,1917 Range (in code): RU Cc Kr No Tv Us UA Cm RO MN JP CA
- 8289. Medetera striata** Parent,1927 (Dolichopodidae) Synonym(s): striata Parent,1927 Range (in code): IL Pa RU Cc Kr Sb No
- 8290. Medetera tenuicauda** Loew,1857 (Dolichopodidae) Synonym(s): tenuicauda Loew,1857 Range (in code): GR Cr RU Cc Kb Ro St UA Cm
- 8291. Medetera truncorum** Meigen,1824 (Dolichopodidae) Synonym(s): truncorum Meigen,1824; tenuicauda sensu Negrob.,1972 nec Lw.,1857 Range (in code): ES FR GB IE NO SE FI PL UA CZ SK HU AT CH IT HV Cc GG Soc TR RU Cc Kr DZ Az CA US BCo Wy Ore 09 65
- 8292. Medetera tumidula** Negrobov,1967 (Dolichopodidae) Synonym(s): tumidula Negrobov,1967 Range (in code): RU Cc Kr
- 8293. Medetera verae** Negrobov,1967 (Dolichopodidae) Synonym(s): verae Negrobov,1967 Range (in code): AM Cc
- 8294. Micromorphus aereus** (Vaillant,1953) (Dolichopodidae) Synonym(s): aereus Vaillant,1953 Range (in code): DZ EG IL Pa
- 8295. Micromorphus albipes** (Zetterstedt,1843) (Dolichopodidae) Synonym(s): albipes Zetterstedt,1843; bellus Strobl,1880 nec Lw.,1869 Range (in code): BG EG GR Cr TR IQ IL Pa RO RU Cc Kr UA Ode MA DZ MN CN? 20 48
- 8296. Micromorphus shamshevi** Negrobov,2000 (Dolichopodidae) Synonym(s): shamshevi Negrobov,2000 Range (in code): RO? RU Cc Ro UA
- 8297. Neurigona abdominalis** (Fallén,1823) (Dolichopodidae) Synonym(s): abdominalis Fallén,1823 Range (in code): TR RU Cc Kr GB NO SE FI RU DK DE CZ PL 43
- 8298. Neurigona erichsoni** (Zetterstedt,1843) (Dolichopodidae) Synonym(s): erichsoni Zetterstedt,1843 Range (in code): RO RU Cc Kr UA TR IR FR BE NL NO SE EE DK DE PL CZ SK CH AT HU YU 16 17
- 8299. Neurigona febrilata** Negrobov & Fursov,1988 (Dolichopodidae) Synonym(s): febrilata Negrobov & Fursov,1988 Range (in code): RU Cc Kr
- 8300. Neurigona helva** Negrobov & Fursov,1988 (Dolichopodidae) Synonym(s): helva Negrobov & Fursov,1988 Range (in code): RU Cc Kr
- 8301. Neurigona nubifera** (Loew,1869) (Dolichopodidae) Synonym(s): nubifera Loew,1869 Range (in code): TR GR 22
- 8302. Neurigona pallida** (Fallén,1823) (Dolichopodidae) Synonym(s): pallida Fallén,1823; ochracea Meigen,1824 Range (in code): RO RU Cc Kc UA Cm Ur To FR GN IE NO SE FI DK DE BE NL PL CZ SK HU CH AT IT
- 8303. Neurigona pseudolongipes** Negrobov,1987 (Dolichopodidae) Synonym(s): pseudolongipes Negrobov,1987 Range (in code): Abk GG Cc RU Kc Kr
- 8304. Neurigona semilata** Negrobov & Fursov,1988 (Dolichopodidae) Synonym(s): semilata Negrobov & Fursov,1988 Range (in code): RU Cc Kr
- 8305. Neurigona subcilipes** Negrobov & Fursov,1988 (Dolichopodidae) Synonym(s): subcilipes Negrobov & Fursov,1988 Range (in code): RU Cc Kr

- 8306. Neurigona suturalis (Fallén,1823)** (Dolichopodidae) Synonym(s): suturalis Fallén,1823 Range (in code): GG Cc RO FR GB NO SE FI RU DK DE BE NL CZ SK CH AT HU IT YU
- 8307. Neurigona verrichteræ** Negrobov & Fursov,1988 (Dolichopodidae) Synonym(s): verrichteræ Negrobov & Fursov,1988 Range (in code): RU Cc Kr
- 8308. Orthoceratium lacustre (Scopoli,1763)** (Dolichopodidae) Synonym(s): lacustre Scopoli,1763; virens Panzer,1798; formosum Haliday,1832; viridipes Macquart,1834 Range (in code): Cc AZ BG CY GR TR IL Pa UA Cm DZ TN Md TZ 03 43
- 8309. Ortochile nigrocoerulea Latreille,1809** (Dolichopodidae) Synonym(s): nigrocoerulea Latreille,1809; nigrocoerulescens Staeger,1842; coerulea Zetterstedt,1843; walkeri Rondani,1859; unicolor Loew,1850; italica Rondani,1859 Range (in code): BG GR IT IL Pa SY TR DZ AT HV FR GB HU MK PL ES SE TN YU 07 31 35 46
- 8310. Parallelloneurum cilifemoratum Becker,1902** (Dolichopodidae) Synonym(s): cilifemoratum Becker,1902 Range (in code): EG IN PK TW
- 8311. Peloropeodes acuticornis (Oldenberg,1916)** (Dolichopodidae) Synonym(s): acuticornis Oldenberg,1916 Range (in code): TR GR Cr RO RU Cc Kr FR 43
- 8312. Peodes forcipatus Loew,1857** (Dolichopodidae) Synonym(s): forcipatus Loew,1857 Range (in code): RO RU Cc Kr Ur
- 8313. Poecilobothrus basilius (Loew,1869)** (Dolichopodidae) Synonym(s): basilius Loew,1869 Range (in code): TR IT IL Pa 02
- 8314. Poecilobothrus bigoti Mik,1883** (Dolichopodidae) Synonym(s): bigoti Mik,1883 Range (in code): RO TR 65
- 8315. Poecilobothrus caucasicus (Stackelberg,1934)** (Dolichopodidae) Synonym(s): caucasicus Stackelberg,1934 Range (in code): Cc GG Abk AM RU TR KK 08 53
- 8316. Poecilobothrus chrysozygos (Wiedemann,1817)** (Dolichopodidae) Synonym(s): chrysozygos Wiedemann,1817 Range (in code): AM Cc MD RO RU UA KG SE DK NL GB CZ FR DE PL HU YU BG TR 39
- 8317. Poecilobothrus comitalis (Kowarz,1867)** (Dolichopodidae) Synonym(s): comitalis Kowarz,1867 Range (in code): AM Cc BG MD RO RU TR UA KG TJ
- 8318. Poecilobothrus principalis (Loew,1861)** (Dolichopodidae) Synonym(s): principalis Loew,1861 Range (in code): AT BE BG CZ GB FR DE NL HU IL Pa IT PL RO RU ES UA TR 43
- 8319. Poecilobothrus regalis (Meigen,1824)** (Dolichopodidae) Synonym(s): regalis Meigen,1824 Range (in code): BG Cc GG GR RO RU TR UA Cm IR UZ 02 07 15 36
- 8320. Poecilobothrus varicoloris (Becker,1917)** (Dolichopodidae) Synonym(s): varicoloris Becker,1917; flavifemoratus Grichanov & Tonguç,2010 [ssp.] Range (in code): Cc Abk GG AM RU TR 08 14
- 8321. Rhaphium albifrons Zetterstedt,1843** (Dolichopodidae) Synonym(s): albifrons Zetterstedt,1843; sagax Gerstaecker,1864; breviseta Becker,1891 Range (in code): TR RO AF RU Sb 43
- 8322. Rhaphium albomaculatum (Becker,1891)** (Dolichopodidae) Synonym(s): albomaculatum Becker,1891 Range (in code): RU Cc Kr AT CZ FR FI DE GB IE NO SE CH SK
- 8323. Rhaphium antennatum (Carlier,1835)** (Dolichopodidae) Synonym(s): antennatum Carlier,1835; schineri Mik,1863 Range (in code): RO RU Cc Kr UA Ode
- 8324. Rhaphium appendiculatum Zetterstedt,1849** (Dolichopodidae) Synonym(s): appendiculatum Zetterstedt,1849; anale Becker,1918; macrocerum Parent,1925 Range (in code): Cc Abk GG BG GR RO RU Kr TR UA Cm Ur IR AF DZ MA SH 35
- 8325. Rhaphium auctum Loew,1857** (Dolichopodidae) Synonym(s): auctum Loew,1857; spinicoxa Becker,1910 nec Lw.,1850 Range (in code): RO UA AF
- 8326. Rhaphium brevicorne Curtis,1835** (Dolichopodidae) Synonym(s): brevicorne Curtis,1835; dissectum Loew,1850; pectinatum Becker,1908 Range (in code): GB NL FR Co GR Cr TR IQ RU Cc Kr TJ DZ Cn 07
- 8327. Rhaphium caliginosum Meigen,1824** (Dolichopodidae) Synonym(s): caliginosum Meigen,1824; zetterstedti Parent,1925 Range (in code): AM Cc BG GR IL Pa RO RU Kc Kb Kr Ro St SY TR UA Ode Ur Sb Us DZ MA 22 35
- 8328. Rhaphium commune (Meigen,1824)** (Dolichopodidae) Synonym(s): commune Meigen,1824; bivittatum Von Roser,1840; spinicoxa Loew,1850 Range (in code): RO RU Cc Kr UA Cm Ya Kmt CA
- 8329. Rhaphium crassipes (Meigen,1824)** (Dolichopodidae) Synonym(s): crassipes Meigen,1824; rufipes Meigen,1824 Range (in code): RO RU Cc Kr Kmt Us Als Yu BCo CA Abt
- 8330. Rhaphium crinitum Negrobov & Onishchenko,1991** (Dolichopodidae) Synonym(s): crinitum Negrobov & Onishchenko,1991 Range (in code): Cc GG
- 8331. Rhaphium discigerum Stenhammar,1851** (Dolichopodidae) Synonym(s): discigerum Stenhammar,1851 Range (in code): RO RU Cc Kr UA Cm KK
- 8332. Rhaphium elegantulum (Meigen,1824)** (Dolichopodidae) Synonym(s): elegantulum Meigen,1824; wilsoni Curtis,1835 Range (in code): RU Cc Kr MD RO Sb Kmt Als US CA
- 8333. Rhaphium fasciatum Meigen,1824** (Dolichopodidae) Synonym(s): fasciatum Meigen,1824 Range (in code): RU Cc Kb Kc

- 8334. *Rhaphium fascipes* Meigen,1824** (Dolichopodidae) **Synonym(s):** fascipes Meigen,1824; latipes Macquart,1827; insulsum Haliday,1832; Range (in code): **GR RO RU Cc Kb Kr Ro TR UA Ode MA Sb Als CA US Abt On Ny**
- 8335. *Rhaphium fissum* Loew,1850** (Dolichopodidae) **Synonym(s):** fissum Loew,1850; bilamellatum Becker,1918; trifidum Becker,1918 Range (in code): **Cc GG GR RO RU Sb KP KR TJ**
- 8336. *Rhaphium lanceolatum* Loew,1850** (Dolichopodidae) **Synonym(s):** lanceolatum Loew,1850 Range (in code): **RO RU Cc Kc Kr SY Sb Us DZ**
- 8337. *Rhaphium laticorne* (Fallén,1823)** (Dolichopodidae) **Synonym(s):** laticorne Fallén,1823; nemorum Meigen,1830; nigripes Macquart,1834; subnudipes Zetterstedt,1859 Range (in code): **BG RO RU Cc Kr At TR UA Cm 20**
- 8338. *Rhaphium macrocerum* Meigen,1824** (Dolichopodidae) **Synonym(s):** macrocerum Meigen,1824 Range (in code): **RU IR FA TR DZ MA SH 20**
- 8339. *Rhaphium micans* (Meigen,1824)** (Dolichopodidae) **Synonym(s):** micans Meigen,1824; simplex Verrall,1876 Range (in code): **Abk GG Cc BG RO RU Kc Kb Kr Ro Us TR TJ CN 48**
- 8340. *Rhaphium monotrichum* Loew,1850** (Dolichopodidae) **Synonym(s):** macrocerum Zetterstedt,1843 nec Mg.,1824; monotrichum Loew,1850 Range (in code): **RO RU Cc Kb Sb**
- 8341. *Rhaphium pectinatum* (Loew,1859)** (Dolichopodidae) **Synonym(s):** pectinatum Loew,1859 Range (in code): **RO RU Cc**
- 8342. *Rhaphium penicillatum* Loew,1850** (Dolichopodidae) **Synonym(s):** penicillatum Loew,1850 Range (in code): **RO RU Cc Kr**
- 8343. *Rhaphium riparium* (Meigen,1824)** (Dolichopodidae) **Synonym(s):** riparium Meigen,1824; praerosum Loew,1850; tenue Verrall,1876; vandeli Thomas,1971 Range (in code): **Cc GG RO RU Kc Kr Kmt KK CN MN**
- 8344. *Rhaphium suave* (Loew,1869)** (Dolichopodidae) **Synonym(s):** suave Loew,1869 Range (in code): **RU Cc Kr**
- 8345. *Scellus grichanovi* Naglis,2012** (Dolichopodidae) **Synonym(s):** grichanovi Naglis,2012 Range (in code): **TR 14**
- 8346. *Scellus notatus* (Fabricius,1781)** (Dolichopodidae) **Synonym(s):** notatus Fabricius,1781; armiger Fallén,1823 Range (in code): **BG GR Cr TR RO RU Cc Kr UA Cm Sb 03**
- 8347. *Scellus paramonovi* Stackelberg,1926** (Dolichopodidae) **Synonym(s):** paramonovi Stackelberg,1926 Range (in code): **TR AM Cc 25 53**
- 8348. *Scellus tshernovskii* Stackelberg,1951** (Dolichopodidae) **Synonym(s):** tshernovskii Stackelberg,1951 Range (in code): **AM Cc**
- 8349. *Schoenophilus versutus* (Haliday,1851)** (Dolichopodidae) **Synonym(s):** versutus Haliday,1851; maculipennis Strobl,1899 Range (in code): **PL HU BG GR Cr RO TR UA MA DZ 25**
- 8350. *Sciapus aberrans* Becker,1918** (Dolichopodidae) **Synonym(s):** aberrans Becker,1918 Range (in code): **LB Bei CY GR TR IT DE 01**
- 8351. *Sciapus adana* Grichanov & Negrobov,2014** (Dolichopodidae) **Synonym(s):** adana Grichanov & Negrobov,2014 Range (in code): **TR 01**
- 8352. *Sciapus adumbratus* (Becker,1902)** (Dolichopodidae) **Synonym(s):** adumbratus Becker,1902 Range (in code): **AE MA EG IQ TM OM TN**
- 8353. *Sciapus albifrons* (Meigen,1830)** (Dolichopodidae) **Synonym(s):** albifrons Meigen,1830; contristans Becker,1918 nec Wied.,1817; cornuflexus Parent,1938 Range (in code): **AT CZ FI LT LV TR BE NL DE FR AT PL HU IL Pa RO RU Cc Kc UA 09 20**
- 8354. *Sciapus basilicus* Meuffels & Grootaert,1990** (Dolichopodidae) **Synonym(s):** basilicus Meuffels & Grootaert,1990 Range (in code): **AT RO DE NL NO SE GB CH RU Kr Cc**
- 8355. *Sciapus contristans* (Wiedemann,1817)** (Dolichopodidae) **Synonym(s):** contristans Wiedemann,1817; flexus Loew,1869; vialis Raddatz,1873; loewi Becker,1902 Range (in code): **RO BG UA EG? IL Pa**
- 8356. *Sciapus euchromus* (Loew,1857)** (Dolichopodidae) **Synonym(s):** euchromus Loew,1857 Range (in code): **BG HU IL Pa**
- 8357. *Sciapus flavicinctus* (Loew,1857)** (Dolichopodidae) **Synonym(s):** flavicinctus Loew,1857; ludens Loew,1873 Range (in code): **AZ Cc BG GR Cr RO RU Kr TR IL? Pa FR HU DE IT SK 01 07 34**
- 8358. *Sciapus frater* Parent,1927** (Dolichopodidae) **Synonym(s):** frater Parent,1927 Range (in code): **RU Cc Kr? AT FR SK**
- 8359. *Sciapus freidbergi* Grichanov & Negrobov,2014** (Dolichopodidae) **Synonym(s):** freidbergi Grichanov & Negrobov,2014 Range (in code): **IL Pa**
- 8360. *Sciapus glaucescens* (Loew,1856)** (Dolichopodidae) **Synonym(s):** glaucescens Loew,1856; robustus Loew,1857; validus Loew,1858; brionii Becker,1918 Range (in code): **Az Md IT HV BG EG IL Pa Cc Sok GG TR MA Cm 33**
- 8361. *Sciapus heteropygus* Parent,1926** (Dolichopodidae) **Synonym(s):** heteropygus Parent,1926 Range (in code): **RO IL Pa TR CZ SK DK DE GB HU FR CH ES 48**
- 8362. *Sciapus holoxanthos* Parent,1926** (Dolichopodidae) **Synonym(s):** holoxanthos Parent,1926 Range (in code): **FR TR 48**



- 8363. *Sciapus iranicus* Grichanov & Negrobov, 2014** (Dolichopodidae) Synonym(s): *iranicus* Grichanov & Negrobov, 2014 Range (in code): IR Th
- 8364. *Sciapus judaeus* Parent, 1932** (Dolichopodidae) Synonym(s): *judaeus* Parent, 1932 Range (in code): IL Pa Js CY
- 8365. *Sciapus litoralis* Grichanov & Negrobov, 2014** (Dolichopodidae) Synonym(s): *litoralis* Grichanov & Negrobov, 2014 Range (in code): GR TR 07
- 8366. *Sciapus longitarsis* Grichanov & Negrobov, 2014** (Dolichopodidae) Synonym(s): *longitarsis* Grichanov & Negrobov, 2014 Range (in code): IL Pa Gol
- 8367. *Sciapus longulus* (Fallén, 1823)** (Dolichopodidae) Synonym(s): *longulus* Fallén, 1823; *lugens* Meigen, 1824; *obscurus* Meigen, 1824 Range (in code): BG RO RU Cc Kb Kr Ro UA Ode KK Ik
- 8368. *Sciapus maritimus* Becker, 1918** (Dolichopodidae) Synonym(s): *contristans* Zetterstedt, 1855 nec Wied., 1817; *maritimus* Becker, 1918; *flavomaculatus* Ringdahl, 1949 Range (in code): RO RU Cc Kr GG
- 8369. *Sciapus matilei* Negrobov, 1973** (Dolichopodidae) Synonym(s): *matilei* Negrobov, 1973 Range (in code): AF Ng Jla
- 8370. *Sciapus maurus* Parent, 1930** (Dolichopodidae) Synonym(s): *maurus* Parent, 1930 Range (in code): BG TR ?IL Pa DZ BE? 07
- 8371. *Sciapus medvedevi* Negrobov & Selivanova, 2009** (Dolichopodidae) Synonym(s): *medvedevi* Negrobov & Selivanova, 2009 Range (in code): AM Cc
- 8372. *Sciapus occidasiaticus* Grichanov & Negrobov, 2014** (Dolichopodidae) Synonym(s): *occidasiaticus* Grichanov & Negrobov, 2014 Range (in code): IL Pa
- 8373. *Sciapus opacus* (Loew, 1866)** (Dolichopodidae) Synonym(s): *opacus* Loew, 1866 Range (in code): BG GR IT ES YU IL? Pa
- 8374. *Sciapus pallens* (Wiedemann, 1830)** (Dolichopodidae) Synonym(s): *pallens* Wiedemann, 1830 Range (in code): BG GR Cr IL Pa CA
- 8375. *Sciapus polozhentsevi* Negrobov, 1977** (Dolichopodidae) Synonym(s): *polozhentsevi* Negrobov, 1977 Range (in code): RU Cc Kr
- 8376. *Sciapus richterae* Negrobov & Grichanov, 2010** (Dolichopodidae) Synonym(s): *frater* sensu auct.; *spiniger* sensu auct.; *richterae* Negrobov & Grichanov, 2010 Range (in code): RU Kr AZ Cc
- 8377. *Sciapus richterae* Negrobov & Grichanov, 2010** (Dolichopodidae) Synonym(s): *richterae* Negrobov & Grichanov, 2010 Range (in code): AZ Cc RU Kr
- 8378. *Sciapus spiniger* (Zetterstedt, 1859)** (Dolichopodidae) Synonym(s): *spiniger* Zetterstedt, 1859 Range (in code): RU Cc ?Kr SE DE BE?
- 8379. *Sciapus subvicinus* Gricharov, 2007** (Dolichopodidae) Synonym(s): *mediterraneus* Bulli & Negrobov, 1987 nec Beck., 1907; *subvicinus* Gricharov, 2007 Range (in code): AM Cc UA UZ
- 8380. *Sciapus vicinus* Parent, 1925** (Dolichopodidae) Synonym(s): *vicinus* Parent, 1925 Range (in code): EG Sn ?IL Pa DZ
- 8381. *Sphyrotarsus caucasicus* Negrobov, 1965** (Dolichopodidae) Synonym(s): *caucasicus* Negrobov, 1965 Range (in code): RU Kr Cc
- 8382. *Sybistroma binodicornis* Stackelberg, 1941** (Dolichopodidae) Synonym(s): *binodicornis* Stackelberg, 1941 Range (in code): RU Sr Cc
- 8383. *Sybistroma caudata* (Loew, 1859)** (Dolichopodidae) Synonym(s): *caudata* Loew, 1859 Range (in code): IT AT AZ Cc CZ FR DE HU PL RO RU Cc SK
- 8384. *Sybistroma clara* Negrobov & Onishchenko, 1991** (Dolichopodidae) Synonym(s): *clara* Negrobov & Onishchenko, 1991 Range (in code): Cc GG Bjo IR
- 8385. *Sybistroma crinipes* Staeger, 1842** (Dolichopodidae) Synonym(s): *crinipes* Staeger, 1842 Range (in code): TR RO RU UA GB SE DK BE FR AT DE NL IT CH HU CZ 64
- 8386. *Sybistroma discipes* (Germar, 1821)** (Dolichopodidae) Synonym(s): *discipes* Germar, 1821; *patellata* Fallén, 1823; *ventralis* Fallén, 1823; *patellipes* Meigen, 1824 Range (in code): SE DK FR BE IE GB NL AT IT HU CZ TR GR RO RU IR 16 17
- 8387. *Sybistroma golanica* (Gricharov, 2000)** (Dolichopodidae) Synonym(s): *golanica* Gricharov, 2000 Range (in code): IL Pa
- 8388. *Sybistroma impar* (Rondani, 1843)** (Dolichopodidae) Synonym(s): *impar* Rondani, 1843 Range (in code): BG GR IL RO HU IT TR RU Cc Kr 02 07
- 8389. *Sybistroma israelensis* (Grichanov, 2000)** (Dolichopodidae) Synonym(s): *israelensis* Grichanov, 2000 Range (in code): IL Pa
- 8390. *Sybistroma lenkoranica* Negrobov, 1979** (Dolichopodidae) Synonym(s): *lenkoranica* Negrobov, 1979 Range (in code): Cc AZ Len
- 8391. *Sybistroma lorifera* (Mik, 1878)** (Dolichopodidae) Synonym(s): *lorifera* Mik, 1878 Range (in code): TR GR FR IT YU MK? 64
- 8392. *Sybistroma nodicornis* Meigen, 1824** (Dolichopodidae) Synonym(s): *nodicornis* Meigen, 1824; *wiedemanni* Rondani, 1843 Range (in code): FR BE DE NL CH AT IT HU SK YU BG EG GR IL Pa TR IQ RO RU 03 64

- 8393. *Sybistroma obscurella* (Fallén,1823)** (Dolichopodidae) Synonym(s): obscurella Fallén,1823; xanthogastra Meigen,1824; appendiculata Macquart,1827 Range (in code): SE CH TR Cc Abk Kr GB GG GR DE HU NL RO RU UA Cm 16 17 39
- 8394. *Sybistroma occidasiatica* Grichanov & Kazerani,2014** (Dolichopodidae) Synonym(s): occidasiatica Grichanov & Kazerani,2014 Range (in code): TR IR Ak IL Pa 07
- 8395. *Sybistroma schachti* Naglis,2011** (Dolichopodidae) Synonym(s): schachti Naglis,2011 Range (in code): TR 73
- 8396. *Sybistroma sciophila* (Loew,1869)** (Dolichopodidae) Synonym(s): sciophila Loew,1869 Range (in code): AF BE CZ HU IT SK
- 8397. *Sybistroma sinaiensis* (Grichanov,2000)** (Dolichopodidae) Synonym(s): sinaiensis Grichanov,2000 Range (in code): EG Sn
- 8398. *Sybistroma sphenopterum* (Loew,1859)** (Dolichopodidae) Synonym(s): sphenopterum Loew,1859 Range (in code): PL CZ HU B-H RO TR 17 36
- 8399. *Sybistroma transcaucasica* Stackelberg,1941** (Dolichopodidae) Synonym(s): transcaucasica Stackelberg,1941 Range (in code): TR Cc Abk Kr GG RU 16
- 8400. *Sympycnus aeneicoxa* (Meigen,1824)** (Dolichopodidae) Synonym(s): aeneicoxa Meigen,1824; brevicornis Zetterstedt,1843; nigrifrons Zetterstedt,1855 Range (in code): RO UA Cn AF
- 8401. *Sympycnus annulipes* (Meigen,1824)** (Dolichopodidae) Synonym(s): annulipes Meigen,1824 Range (in code): TR FI DE AT FR Co IT ES Cn PL HU RO BG GR RU At UA US Cf 25 36 53
- 8402. *Sympycnus cirripes* (Haliday,1851)** (Dolichopodidae) Synonym(s): cirripes Haliday,1851; brachydactylus Kowarz,1889; pullatus Kowarz,1899 Range (in code): BG RU Cc Kr RO?
- 8403. *Sympycnus pulicarius* (Fallén,1823)** (Dolichopodidae) Synonym(s): pulicarius Fallén,1823; annulipes Meigen,1824; pygmaeus Macquart,1827; cinerellus Zetterstedt,1838; desoutterii Parent,1925 Range (in code): BG GR RO RU Cc Kb Kc St TR UA Cm At US Cf 65
- 8404. *Sympycnus simpliceps* Becker,1908** (Dolichopodidae) Synonym(s): simpliceps Becker,1908 Range (in code): Abk GG Cc EG GR Cr TR IQ IL Pa RU Kr AT CZ FR DE IT KG KP KR ES Cn TJ UZ 03 43 64
- 8405. *Syntormon abbreviatus* Becker,1918** (Dolichopodidae) Synonym(s): abbreviatus Becker,1918 Range (in code): HU Cn TN TR 02 36
- 8406. *Syntormon aulicum* (Meigen,1824)** (Dolichopodidae) Synonym(s): aulicus Meigen,1824; calcaratus Becker,1907 Range (in code): BG GR TR DZ MA TN SE DK GB IE DE AT BE FR ES IT CZ RU 02
- 8407. *Syntormon codinai* Parent,1924** (Dolichopodidae) Synonym(s): codinai Parent,1924 Range (in code): MA ES TR 02
- 8408. *Syntormon denticulatum* (Zetterstedt,1843)** (Dolichopodidae) Synonym(s): denticulatus Zetterstedt,1843; aculeatus Zetterstedt,1843; biserialis Loew,1850; pumilus Parent,1925 Range (in code): DE FR IT PL UA Abk GG Cc AM BG RO IL Pa RU Kb St TR UA DZ AF 20 25 65
- 8409. *Syntormon filiger* Verrall,1912** (Dolichopodidae) Synonym(s): filiger Verrall,1912; obscurifrons Parent,1932 Range (in code): BG GR RU Ro Cc UA Cm
- 8410. *Syntormon fuscipes* (Von Roser,1840)** (Dolichopodidae) Synonym(s): fuscipes Von Roser,1840; spicatus Loew,1857 Range (in code): BG GR RO RU Cc Kr UA Cm TR BI KE
- 8411. *Syntormon giordanii* Negrobov,1974** (Dolichopodidae) Synonym(s): giordanii Negrobov,1974 Range (in code): IQ? IR
- 8412. *Syntormon latitarsis* Negrobov & Shamshev,1984** (Dolichopodidae) Synonym(s): latitarsis Negrobov & Shamshev,1984 Range (in code): RU Cc Kr
- 8413. *Syntormon metathensis* (Loew,1850)** (Dolichopodidae) Synonym(s): metathensis Loew,1850; simplicipes Frey,1915; dobrogicus Parvu,1985 Range (in code): RO RU Cc Kr Ur TR
- 8414. *Syntormon miki* Strobl,1899** (Dolichopodidae) Synonym(s): miki Strobl,1899 Range (in code): GR Cr MA TN IL? Pa?
- 8415. *Syntormon monilis* (Haliday,1851)** (Dolichopodidae) Synonym(s): monilis Haliday,1851; silvanus Parvu,1989 Range (in code): TR BG RO RU Cc Kr? Ur MA DZ TN 36
- 8416. *Syntormon pallipes* (Fabricius,1794)** (Dolichopodidae) Synonym(s): pallipes Fabricius,1794; hamatus Zetterstedt,1843; pseudospicatus Strobl,1899; immaculatus Santos Abreu,1929 Range (in code): Cc GG Abk BG EG GR Cr IL Pa IQ RO UA Cm Kb Kc Kr Ro TR Ode 02 06 30 35 65
- 8417. *Syntormon pennatus* Ringdahl,1920** (Dolichopodidae) Synonym(s): pennatus Ringdahl,1920 Range (in code): RU Cc Kb NO
- 8418. *Syntormon pumilum* (Meigen,1824)** (Dolichopodidae) Synonym(s): pumilus Meigen,1824; rufipes Meigen,1824; longiseta Zetterstedt,1843; pumilio Zetterstedt,1859; pusillus Zetterstedt,1859; tridens Becker,1918 Range (in code): TR AM Cc BG EG? GR? IL? Pa RO RU Cc Kb Kr St UA Ode Ur AF MA TN 25 36
- 8419. *Syntormon samarkandi* Negrobov,1975** (Dolichopodidae) Synonym(s): samarkandi Negrobov,1975 Range (in code): UZ Smk IQ?
- 8420. *Syntormon subinermis* (Loew,1869)** (Dolichopodidae) Synonym(s): subinermis Loew,1869 Range (in code): TR IL Pa Cc GG RO RU Kb KK TJ 02 25

- 8421. Syntormon submonilis** Negrobov,1975 (Dolichopodidae) Synonym(s): submonilis Negrobov,1975 Range (in code): RU Cc Kb Kr
- 8422. Syntormon sulcipes** (Meigen,1824) (Dolichopodidae) Synonym(s): sulcipes Meigen,1824; oedienemus Loew,1859; obscurior Parent,1938 Range (in code): RU Cc Kc RO
- 8423. Syntormon zelleri** (Loew,1850) (Dolichopodidae) Synonym(s): zelleri Loew,1850 Range (in code): TR Abk GG Cc GR Cr RO RU Kr 03 64
- 8424. Systemus pallipes** (Von Roser,1840) (Dolichopodidae) Synonym(s): pallipes Von Roser,1840; adpropinquans Loew,1857; pallidus Vaillant,1978 Range (in code): IL Pa RU Cc Kr Us TM
- 8425. Systemus scholtzi** (Loew,1850) (Dolichopodidae) Synonym(s): scholtzi Loew,1850; alpinus Vaillant,1978 Range (in code): RO RU Cc Kr UA Cm TM TJ
- 8426. Systemus vasilii** Grichanov,2002 (Dolichopodidae) Synonym(s): vasilii Grichanov,2002 Range (in code): IL Pa
- 8427. Tachytrechus beckeri** Lichtwardt,1917 (Dolichopodidae) Synonym(s): beckeri Lichtwardt,1917; gussakowskii Stackelberg,1941 Range (in code): TR TJ FR IT CN
- 8428. Tachytrechus flavicollis** Naglis,2011 (Dolichopodidae) Synonym(s): flavicollis Naglis,2011 Range (in code): TR 36
- 8429. Tachytrechus genualis** Loew,1857 (Dolichopodidae) Synonym(s): genualis Loew,1857 Range (in code): TR AM Cc Kr BG RO RU JP TW 54 67
- 8430. Tachytrechus insignis** (Stannius,1831) (Dolichopodidae) Synonym(s): insignis Stannius,1831 Range (in code): BG RO TR UA MA
- 8431. Tachytrechus kowarzi** Mik,1864 (Dolichopodidae) Synonym(s): kowarzi Mik,1864 Range (in code): AM Cc TR AT CZ HU IT
- 8432. Tachytrechus notatus** (Stannius,1831) (Dolichopodidae) Synonym(s): notatus Stannius,1831; litoreus Haliday,1833; obscuripes Gertaeker,1864; beckeri Müller,1923 Range (in code): Cc Abk GG TR AM BG GR RO IL Pa RU SY UA Cm Cn 20 48
- 8433. Tachytrechus petraeus** Loew,1871 (Dolichopodidae) Synonym(s): petraeus Loew,1871 Range (in code): TR Cc AM UZ 42
- 8434. Tachytrechus planitarsis** Becker,1907 (Dolichopodidae) Synonym(s): planitarsis Becker,1907 Range (in code): EG IL Pa SY DZ Cn ET IR SA TN TM
- 8435. Tachytrechus ripicola** Loew,1857 (Dolichopodidae) Synonym(s): ripicola Loew,1857 Range (in code): GB SE AT IT BE FR GR HU SK RO BG UA Cc AM UZ KG TR 07
- 8436. Tachytrechus salinarius** Becker,1902 (Dolichopodidae) Synonym(s): salinarius Becker,1902 Range (in code): EG Sk TR TW 07
- 8437. Tachytrechus tessellatus** (Macquart,1842) (Dolichopodidae) Synonym(s): tessellatus Macquart,1842; indirectus Walker,1849; picticornis Bigot,1890; salinarius Becker,1902; seychellensis Lamb,1922; capensis Curran,1924; ponderosus Frey,1958 Range (in code): ZA SC IL Pa EG YE Sk NC
- 8438. Tachytrechus transitorius** Becker,1917 (Dolichopodidae) Synonym(s): transitorius Becker,1917 Range (in code): RU TR 36
- 8439. Telmaturgus tumidulus** (Raddatz,1873) (Dolichopodidae) Synonym(s): tumidulus Raddatz,1873 Range (in code): TR Abk GG Cc RO RU Kr 36
- 8440. Teuchophorus bipilosus** Becker,1908 (Dolichopodidae) Synonym(s): bipilosus Becker,1908 Range (in code): RU Cc Kr DZ FR ES Md Cn
- 8441. Teuchophorus bisetus** Loew,1871 (Dolichopodidae) Synonym(s): bisetus Loew,1871 Range (in code): TR IL Pa IQ TJ UZ 09
- 8442. Teuchophorus calcaratus** (Macquart,1827) (Dolichopodidae) Synonym(s): calcaratus Macquart,1827 Range (in code): GG Cc RO RU Kb Kr
- 8443. Teuchophorus chaetifemoratus** Pollet & Kechev,2007 (Dolichopodidae) Synonym(s): chaetifemoratus Pollet & Kechev,2007 Range (in code): BG TR 43 64
- 8444. Teuchophorus cristulatus** Meuffels & Grootaert,1992 (Dolichopodidae) Synonym(s): cristulatus Meuffels & Grootaert,1992 Range (in code): IT TR 48
- 8445. Teuchophorus monocanthus** Loew,1859 (Dolichopodidae) Synonym(s): monocanthus Loew,1859 Range (in code): BG GR GG Cc Cr IQ IL Pa RO RU Kb Kr St TR 48
- 8446. Teuchophorus quadrisetosus** Naglis,2009 (Dolichopodidae) Synonym(s): quadrisetosus Naglis,2009 Range (in code): TR 36
- 8447. Teuchophorus spinigerellus** (Zetterstedt,1843) (Dolichopodidae) Synonym(s): spinigerellus Zetterstedt,1843 Range (in code): TR Abk GG Cc BG GR EG RO RU Kb Kr St KG 02
- 8448. Thinophilus argyropalpis** Becker,1907 (Dolichopodidae) Synonym(s): argyropalpis Becker,1907 Range (in code): EG IQ UA Ode IR KG KK MN RU SA UZ TM TN
- 8449. Thinophilus brevicilius** Negrobov,1971 (Dolichopodidae) Synonym(s): brevicilius Negrobov,1971 Range (in code): IQ UZ TJ KK
- 8450. Thinophilus flavipalpis** (Zetterstedt,1843) (Dolichopodidae) Synonym(s): flavipalpis Zetterstedt,1843; neptunus Frey,1815 Range (in code): SE TR AZ Cc BG GR EG Cr IL Pa RO RU Cc Kr UA Cm Ode SY KK KG MN CN 06 33



- 8451. *Thinophilus indigenus* Becker,1902** (Dolichopodidae) Synonym(s): indigenus Becker,1902  
Range (in code): EG IL Pa TR IR DZ MN
- 8452. *Thinophilus mirandus* Becker,1907** (Dolichopodidae) Synonym(s): mirandus Becker,1907  
Range (in code): DZ IQ MA TZ ?ES
- 8453. *Thinophilus promotus* Becker,1910** (Dolichopodidae) Synonym(s): promotus Becker,1910  
Range (in code): DJ EG SA YE
- 8454. *Thinophilus quadrimaculatus* Becker,1902** (Dolichopodidae) Synonym(s): quadrimaculatus Becker,1902 Range (in code): EG IL Pa IR TJ TN DZ
- 8455. *Thinophilus ruficornis* (Haliday,1838)** (Dolichopodidae) Synonym(s): ruficornis Haliday,1838; maculicornis Zetterstedt,1843 Range (in code): GB RO RU Cc Kb Ro UA CmOde KK KG CN MN Sb
- 8456. *Thinophilus spinitarsis* Becker,1907** (Dolichopodidae) Synonym(s): spinitarsis Becker,1907  
Range (in code): UA IL Pa IR CN TJ
- 8457. *Thinophilus vanschuytbroeckii* Negrobov,1971** (Dolichopodidae) Synonym(s): vanschuytbroeckii Negrobov,1971 Range (in code): AZ AF Cc TM UZ?
- 8458. *Thrypticus bellus* Loew,1869** (Dolichopodidae) Synonym(s): bellus Loew,1869 Range (in code): ES FR GB IE SE FI DK DE BE NL PL AT HU IT GG Abk Cc AM BG EG GR IL Pa RO RU Ro TR UA Ode Sb Us CN SH TZ
- 8459. *Thrypticus smaragdinus* Gerstaecker,1864** (Dolichopodidae) Synonym(s): smaragdinus Gerstaecker,1864 Range (in code): GB FR SE FI BE NL DE CZ AT HU HV YU IL Pa RU Cc Kr Ro St UA Ode
- 8460. *Thrypticus virescens* Negrobov,1967** (Dolichopodidae) Synonym(s): virescens Negrobov,1967  
Range (in code): RU Ro Cc
- 8461. *Thrypticus viridis* Parent,1932** (Dolichopodidae) Synonym(s): viridis Parent,1932 Range (in code): IL Pa TR FR DE NL
- 8462. *Trigonocera rivos*a Becker,1902** (Dolichopodidae) Synonym(s): rivos
- a Becker,1902 Range (in code): EG IL Pa CV TW
- 8463. *Vetimicrotes mediterraneus* (Becker,1918)** (Dolichopodidae) Synonym(s): mediterraneus Becker,1918 Range (in code): BG GR AL YU TR 35
- 8464. *Xanthochlorus fulvus* Negrobov,1978** (Dolichopodidae) Synonym(s): fulvus Negrobov,1978  
Range (in code): RU Cc Kr
- 8465. *Xanthochlorus luridus* Negrobov,1978** (Dolichopodidae) Synonym(s): luridus Negrobov,1978  
Range (in code): GB GR RU Cc Kr Kc GG Abk
- 8466. *Xanthochlorus ornatus* (Haliday,1832)** (Dolichopodidae) Synonym(s): ornatus Haliday,1832; ultramontanus Becker,1918 Range (in code): FR GB IE NO SE FI EE DK BE NL DE PL CZ SK HU CH AT IT Co YU EG RU Cc Kr UA Cn
- 8467. *Xanthochlorus tenellus* (Wiedemann,1817)** (Dolichopodidae) Synonym(s): tenellus Wiedemann,1817; flavellus Zetterstedt,1843 Range (in code): FR GB IE NO SE FI EE PL DK DE BE NL CZ SK HU BG RO IT Co TR GG Cc Kr UA Cm 43
- 8468. *Acletoxenus formosus* (Loew,1864)** (Drosophilidae) Synonym(s): formosus Loew,1864; syrphoides Frauenfeld,1868 Range (in code): AT CH CZ SK DE FR GB HU IT NL PL RO YU Cn TR IL Pa 20
- 8469. *Amiota (Phortica) goetzi* Maca,1987** (Drosophilidae) Synonym(s): goetzi Maca,1987 Range (in code): TR 16 33 55
- 8470. *Amiota (Phortica) semivirgo* Maca,1977** (Drosophilidae) Synonym(s): semivirgo Maca,1977  
Range (in code): B-H TR 55 61
- 8471. *Amiota (Phortica) variegata* (Fallén,1823)** (Drosophilidae) Synonym(s): variegata Fallén,1823  
Range (in code): B-H BG CH CZ GB HU TR 22 67
- 8472. *Drosophila (Dorsilopha) buskii* Coquillett,1901** (Drosophilidae) Synonym(s): buskii Coquillett,1901; rubrostriata Becker,1908; plurilineata Villeneuve,1911 Range (in code): AT BE CZ SK CH DE DK ES FR GB GR LT TR HU IT NO NL FI YU RU US UA LB IL Pa KP KR CN JP MZ DZ TN EG Az Md Cn 33 63
- 8473. *Drosophila (Hirtodrosophila) cameraria* Haliday,1833** (Drosophilidae) Synonym(s): cameraria Haliday,1833; unistriata Strobl,1898; latestriata Becker,1908; fungicola Villeneuve,1921 Range (in code): AT AL BG CH CZ SK DE ES FR GB GR HU IT NL PT PL SE FI YU BG LT TR IR Az Md Cn 07 14 31 63
- 8474. *Drosophila (Hirtodrosophila) confusa* Staeger,1844** (Drosophilidae) Synonym(s): confusa Staeger,1844 Range (in code): RO TR 67
- 8475. *Drosophila (Lordiphosa) andalusiaca* Strobl,1906** (Drosophilidae) Synonym(s): andalusiaca Strobl,1906; forcipata Collin,1952 Range (in code): ES AT BE CH CZ SK CY DE DK FR GB GR HU NL PT RO SE YU SY IL Pa TR MA Az Cn Md 30 31 63 65 73
- 8476. *Drosophila (s.str.) funebris* (Fabricius,1787)** (Drosophilidae) Synonym(s): funebris Fabricius,1787 Range (in code): TR 17 21 55 61 63 67
- 8477. *Drosophila (s.str.) histrio* Meigen,1830** (Drosophilidae) Synonym(s): histrio Meigen,1830; pokorny Duda,1924 Range (in code): AT CH CZ SK DE ES FR GB HU IT NO NL PT PL RO SE FI TR YU RU DZ CN KP KR JP
- 8478. *Drosophila (s.str.) immigrans* Sturtevant,1921** (Drosophilidae) Synonym(s): immigrans Sturtevant,1921; cilifemur Villeneuve,1923 Range (in code): AT BE CH CZ SK DE DK ES FR GB GR HU IT NO NL PT SE FI YU RU UA B-H RO TR LB IL Pa KP KR CN JP MA DZ TN EG Az Cn Md 33 61

- 8479. *Drosophila* (s.str.) *kuntzei* Duda,1924** (Drosophilidae) Synonym(s): *kuntzei* Duda,1924 Range (in code): RO TR 36 61
- 8480. *Drosophila* (s.str.) *littoralis* Meigen,1830** (Drosophilidae) Synonym(s): *littoralis* Meigen,1830; *parenti* Villeneuve,1921; *lugubrina* Duda,1914; *imeretensis* Sokolov,1948 Range (in code): TR GG Cc IR
- 8481. *Drosophila* (s.str.) *phalerata* Meigen,1830** (Drosophilidae) Synonym(s): *phalerata* Meigen,1830 Range (in code): YU BG RO TR UA Cc GG LB IR MA Az TN 16 33 55 61 67
- 8482. *Drosophila* (s.str.) *repleta* Wollaston,1858** (Drosophilidae) Synonym(s): *repleta* Wollaston,1858; *adspersa* Mik,1886 Range (in code): Cn MZ DZ TN LY EG TR LB IL Pa CN KP KR JP 06 07 34 44 61
- 8483. *Drosophila* (s.str.) *testacea* Roser,1840** (Drosophilidae) Synonym(s): *testacea* Roser,1840; *nigrithorax* Strobl,1894; *setosa* Villeneuve,1921 Range (in code): RO BG TR IR IN 61 67
- 8484. *Drosophila* (s.str.) *transversa* Fallén,1823** (Drosophilidae) Synonym(s): *transversa* Fallén,1823; *laeta* Zetterstedt,1847 Range (in code): RO BG TR UA RU 55 61 63
- 8485. *Drosophila* (s.str.) *virilis* Sturtevant,1916** (Drosophilidae) Synonym(s): *virilis* Sturtevant,1916 Range (in code): US Ny ES NL RU TR Cc GG KP KR CN JP Md Cn
- 8486. *Drosophila* (Scaptodrosophila) *deflexa* Duda,1924** (Drosophilidae) Synonym(s): *deflexa* Duda,1924; *guyenoti* Burla,1948 Range (in code): CH LT RO BG TR 55 61
- 8487. *Drosophila* (Scaptodrosophila) *lebanonensis* Wheeler,1949** (Drosophilidae) Synonym(s): *lebanonensis* Wheeler,1949 Range (in code): LB Bei IL Pa GR ES Cn
- 8488. *Drosophila* (Scaptodrosophila) *pattersoni* Pipkin,1956** (Drosophilidae) Synonym(s): *pattersoni* Pipkin,1956 Range (in code): LB Bei
- 8489. *Drosophila* (Scaptodrosophila) *rufifrons* Loew,1873** (Drosophilidae) Synonym(s): *rufifrons* Loew,1873; *nitens* Buzzati-Traverso,1943 Range (in code): RO TR 33 55 67
- 8490. *Drosophila* (Scaptodrosophila) *stonei* Pipkin,1956** (Drosophilidae) Synonym(s): *stonei* Pipkin,1956 Range (in code): LB
- 8491. *Drosophila* (Sophophora) *ambigua* Pomini,1940** (Drosophilidae) Synonym(s): *ambigua* Pomini,1940 Range (in code): AT CH CZ SK DE DK ES FR GB GR HU NL T PL SE FI YU Cn MA DZ TN RO TR IR 16 33 55 61 67
- 8492. *Drosophila* (Sophophora) *melanogaster* Meigen,1830** (Drosophilidae) Synonym(s): *melanogaster* Meigen,1830; *fasciata* Meigen,1830; *approximata* Zetterstedt,1847; *uvarum* Rondani,1875; *pilosula* Becker,1908 Range (in code): Cn AT CH CZ SK DE DK ES FR GB GR HU IT NO NL PL PT SE FI YU RU UA MD Cc GG AZ AM UZ TJ KK TM Us RO B-H BG TR LB IL Pa IR AF MN KP KR CN JP MA DZ TN LY EG Az Md 34
- 8493. *Drosophila* (Sophophora) *obscura* Fallén,1823** (Drosophilidae) Synonym(s): *obscura* Fallén,1823; *meigeni* Duda,1935; *obscuroides* Pomini,1940 Range (in code): AT CH CZ SK DE DK ES FR GB GR HU IT NO NL PT PL RO BG TR YU IR 67
- 8494. *Drosophila* (Sophophora) *simulans* Sturtevant,1921** (Drosophilidae) Synonym(s): *simulans* Sturtevant,1921 Range (in code): AT CH CZ SK DE DK ES FR GB GR HU IT NO NL FI B-H RO TR MA DZ TN EG Az Md Cn LB IL Pa KR JP 07 33 34 55 61
- 8495. *Drosophila* (Sophophora) *subobscura* Collin,1936** (Drosophilidae) Synonym(s): *subobscura* Collin,1936 Range (in code): AT BE CH CZ SK DE DK ES FR GR HU IT NO NL PT SE FI YU B-H RO BG TR GG Cc Soc AZ LB SY IL Pa IR MA TN EG Az Md Cn 07 14 33 55 61 67
- 8496. *Drosophila* (Sophophora) *tristis* Fallén,1823** (Drosophilidae) Synonym(s): *tristis* Fallén,1823; *spurca* Zetterstedt,1847; *tinctipennis* Strobl,1901 Range (in code): AT CH CZ SK DE DK ES FR GB HU IT NL PT PL RO SE YU RO TR IR 33 55 67
- 8497. *Drosophila* *adusta* Loew,1862** (Drosophilidae) Synonym(s): *adusta* Loew,1862 Range (in code): TR 36
- 8498. *Drosophila* *amoena* Loew,1862** (Drosophilidae) Synonym(s): *amoena* Loew,1862 Range (in code): TR 16
- 8499. *Drosophila* *ampelophila* Loew,1862** (Drosophilidae) Synonym(s): *ampelophila* Loew,1862 Range (in code): TR 35
- 8500. *Drosophila* *buzzatii* Patterson & Wheeler,1942** (Drosophilidae) Synonym(s): *buzzatii* Patterson & Wheeler,1942 Range (in code): AU TR 33
- 8501. *Drosophila* *flavicauda* Toda,1991** (Drosophilidae) Synonym(s): *flavicauda* Toda,1991 Range (in code): TR 02
- 8502. *Gitona* *distans* Bezzi,1924** (Drosophilidae) Synonym(s): *distans* Bezzi,1924 Range (in code): CY PK
- 8503. *Gitona* *distigma* Meigen,1830** (Drosophilidae) Synonym(s): *distigma* Meigen,1830 Range (in code): UA LT TR AT CH CZ SK DE ES FR HU IT PL RO YU RU MN CN 30 73
- 8504. *Leucophenga* *maculata* (Dufour,1839)** (Drosophilidae) Synonym(s): *maculata* Dufour,1839 Range (in code): LT B-H Cc RU TR GG Soc AT CH CZ SK DE ES FR GB HU IT PL RO SE YU KP KR JP TW 33 55 73
- 8505. *Mycodrosophila* *poecilogastra* (Loew,1874)** (Drosophilidae) Synonym(s): *poecilogastra* Loew,1874 Range (in code): BG GG Cc Soc

- 8506. Scaptomyza (Parascaptomyza) pallida (Zetterstedt,1847)** (Drosophilidae) Synonym(s): pallida Zetterstedt,1847; disticha Duda,1921 Range (in code): AT BE CH CZ SK DE DK ES FR GB GR HU IT NO NL PT PL SE FI TN Az Md Cn YU AL RO BG UA Cm GG Cc Soc GB TR IL Pa AF MN KP KR JP 02 04 25 31 32 33 34 36 42 48 53 61 63 65 73 80
- 8507. Scaptomyza (s.str.) flava (Fallén,1823)** (Drosophilidae) Synonym(s): flava Fallén,1823; flaveola Meigen,1830; apicalis Hardy,1849; montana Wheeler,1949 Range (in code): AT AL BG CH CZ SK DK DE ES FR GB HU IT NO NL PL RO SE FI YU RU UA BG TR AF MN Az Md Cn US 30 65
- 8508. Scaptomyza (s.str.) graminum (Fallén,1823)** (Drosophilidae) Synonym(s): graminum Fallén,1823; incana Meigen,1830; rufipes Meigen,1830; amoena Meigen,1838; flavipennis Zetterstedt,1838; tetrasticha Becker,1908; semiatricornis Duda,1935; norica Hackman,1955 Range (in code): AT CH CZ SK DE DK ES FR HU IT NO NL PT PL SE FI TN LY YU RO BG TR EG LB IR AF US TW RU UZ GB DK Hw IN KP KR JP Az Md Cn 35
- 8509. Zaprionus ghesquierei Collart,1937** (Drosophilidae) Synonym(s): ghesquierei Collart,1937 Range (in code): BJ CM CG CI ZR GA KE MG MW NE NG ST SZ TZ TR UG Hw ZW
- 8510. Zaprionus indianus Gupta,1970** (Drosophilidae) Synonym(s): indianus Gupta,1970 Range (in code): AR AT BJ BR CV Cn CG CI EG IN IR IL Pa IT KE MG Md MW MU MA MZ NE NG PA RE ST SA SC ZA TZ US UY
- 8511. Zaprionus tuberculatus Malloch,1932** (Drosophilidae) Synonym(s): tuberculatus Malloch,1932 Range (in code): CM Cn CV CF TD ZR CI CY CG EG GA GR IL Pa KE MG MW MT MU MZ NE NG RE ZM SC ZA SH TZ UG ZW
- 8512. Chelifera precatoria (Fallén,1816)** (Empidae) Synonym(s): precatoria Fallén,1816 Range (in code): ES IT Sa MK TR
- 8513. Chelifera stigmatica (Schiner,1862)** (Empidae) Synonym(s): stigmatica Schiner,1862 Range (in code): IT Sa TR 14
- 8514. Clinocera appendiculata (Zetterstedt,1838)** (Empidae) Synonym(s): appendiculata Zetterstedt,1838 Range (in code): Cc RU
- 8515. Clinocera nigra Meigen,1804** (Empidae) Synonym(s): nigra Meigen,1804 Range (in code): Cc RU LB GG Kr
- 8516. Clinocera stagnalis (Haliday,1833)** (Empidae) Synonym(s): stagnalis Haliday,1833 Range (in code): Cc RU
- 8517. Clinocerella oldenbergi (Engel,1918)** (Empidae) Synonym(s): oldenbergi Engel,1918 Range (in code): TR
- 8518. Dolichocephala guttata (Haliday,1833)** (Empidae) Synonym(s): guttata Haliday,1833 Range (in code): TR
- 8519. Dolichocephala irrorata (Fallén,1816)** (Empidae) Synonym(s): irrorata Fallén,1816; maculata Macquart,1823 Range (in code): Cc RU GG
- 8520. Dolichocephala monae Joost,1981** (Empidae) Synonym(s): monae Joost,1981 Range (in code): AM Cc
- 8521. Empis (Argyrandrus) dispar Scholz,1851** (Empidae) Synonym(s): dispar Scholz,1851 Range (in code): TR
- 8522. Empis (Coptophlebia) coreyrica Bezzi,1909** (Empidae) Synonym(s): coreyrica Bezzi,1909 Range (in code): GR TR
- 8523. Empis (Euempis) calcarata Bezzi,1899** (Empidae) Synonym(s): calcarata Bezzi,1899 Range (in code): IT YU TR 07 31 32 33 38 42 51
- 8524. Empis (Euempis) dasycera Collin,1960** (Empidae) Synonym(s): dasycera Collin,1960 Range (in code): JO IL Pa TR 01 32 38 42
- 8525. Empis (Euempis) kerteszi Bezzi,1900** (Empidae) Synonym(s): kerteszi Bezzi,1900 Range (in code): TR
- 8526. Empis (Euempis) pleurica (Collin,1960)** (Empidae) Synonym(s): pleurica Collin,1960 Range (in code): JO TR 32 33 42 51
- 8527. Empis (Euempis) sericans Brullé,1833** (Empidae) Synonym(s): sericans Brullé,1833; nepticula Loew,1869 Range (in code): TR NL DE CZ SK ES IT YU RO BG GR 01 18 29 41 67 74
- 8528. Empis (Euempis) shushaensis Shamshev,2001** (Empidae) Synonym(s): shushaensis Shamshev,2001 Range (in code): AZ Cc TR 08
- 8529. Empis (Euempis) tessellata Fabricius,1794** (Empidae) Synonym(s): tessellata Fabricius,1794 Range (in code): TR 01 05 07 33 38 41 42 51 66 67
- 8530. Empis (Leptempis) affinis Egger,1860** (Empidae) Synonym(s): affinis Egger,1860 Range (in code): TR IT 41
- 8531. Empis (Leptempis) cognata Egger,1860** (Empidae) Synonym(s): cognata Egger,1860 Range (in code): TR
- 8532. Empis (Leptempis) discolor Loew,1856** (Empidae) Synonym(s): discolor Loew,1856 Range (in code): CH YU IT TR 06
- 8533. Empis (Leptempis) grisea Fallén,1816** (Empidae) Synonym(s): grisea Fallén,1816; pilipes Meigen,1822; nodosa Beling,1882; nigri ventris Strobl,1893; rufiventris Strobl,1893; rufirostris Oldenberg,1924; flavipes



- Engel,1946 nec Thunb.,1784; testaceiventris Oldenberg,1924 Range (in code): TR SE IE GB DK NL DE PL CZ SK AT HU YU RO 42
- 8534. Empis (Leptempis) maculata Fabricius,1781** (Empidae) Synonym(s): maculata Fabricius,1781 Range (in code): TR
- 8535. Empis (Leptempis) meridionalis Meigen,1822** (Empidae) Synonym(s): meridionalis Meigen,1822 Range (in code): AT GR YU TR 06 67
- 8536. Empis (Leptempis) nigricans Meigen,1804** (Empidae) Synonym(s): nigricans Meigen,1804 Range (in code): NL DE PL CZ SK AT HU IT SS RO FR TR 32 33 42
- 8537. Empis (Lisempis) cuneipennis Bezzi,1899** (Empidae) Synonym(s): cuneipennis Bezzi,1899 Range (in code): TR GR IT 01 38
- 8538. Empis (Lisempis) nigratarsis Meigen,1804** (Empidae) Synonym(s): nigratarsis Meigen,1804; crassipes Meigen,1822; nitidicollis Curtis,1831 Range (in code): GB DK DE HU ES FR YU GR TR 01
- 8539. Empis (Pachymeria) contigua (Loew,1864)** (Empidae) Synonym(s): contigua Loew,1864 Range (in code): TR DE GR RU 01 16 33 35 38 58 66 68 70
- 8540. Empis (Pachymeria) femorata Fabricius,1798** (Empidae) Synonym(s): femorata Fabricius,1798; ruralis Meigen,1822; quinquevittata Macquart,1827 Range (in code): DE AT E CZ SK FR NL GB IE IT HU PL YU TR 01 32 33 38 50 51 58
- 8541. Empis (Pachymeria) mediterranea (Loew,1864)** (Empidae) Synonym(s): mediterranea Loew,1864 Range (in code): TR 01 42
- 8542. Empis (Pachymeria) obscuripes (Loew,1873)** (Empidae) Synonym(s): obscuripes Loew,1873 Range (in code): RU TR 35 38 58
- 8543. Empis (Pachymeria) trianguligera Strobl,1898** (Empidae) Synonym(s): trianguligera Strobl,1898 Range (in code): TR YU GR DZ 35
- 8544. Empis (Polyblepharis) angorae Collin,1937** (Empidae) Synonym(s): angorae Collin,1937 Range (in code): TR 06
- 8545. Empis (Polyblepharis) dedecor Loew,1869** (Empidae) Synonym(s): dedecor Loew,1869 Range (in code): TR AL SY ES GR YU IL Pa 01 07 32 33 38 51 70
- 8546. Empis (Polyblepharis) engeli Chvala,1999** (Empidae) Synonym(s): engeli Chvala,1999 Range (in code): GR TR 33 70
- 8547. Empis (Polyblepharis) haemi Loew,1862** (Empidae) Synonym(s): haemi Loew,1862 Range (in code): TR BG GR Cc 01 06 07 38 58
- 8548. Empis (Polyblepharis) haemorrhoeica Loew,1869** (Empidae) Synonym(s): haemorrhoeica Loew,1869; concisa Loew,1869; divergens Loew,1869 Range (in code): GR TR 33 35 42 70
- 8549. Empis (Polyblepharis) heliciphora Collin,1937** (Empidae) Synonym(s): heliciphora Collin,1937 Range (in code): TR
- 8550. Empis (Polyblepharis) lugubris Loew,1869** (Empidae) Synonym(s): lugubris Loew,1869; decoripes Röder,1894 Range (in code): GR TR 01 05 38
- 8551. Empis (Polyblepharis) nabucco Çiftçi,2012** (Empidae) Synonym(s): nabucco Çiftçi,2012 Range (in code): TR 06 24 58
- 8552. Empis (Polyblepharis) nigerrima Loew,1862** (Empidae) Synonym(s): nigerrima Loew,1862 Range (in code): TR BG GR YU 06 15 32 38
- 8553. Empis (Polyblepharis) pulchripes Loew,1869** (Empidae) Synonym(s): pulchripes Loew,1869 Range (in code): TR
- 8554. Empis (Polyblepharis) soror Collin,1937** (Empidae) Synonym(s): soror Collin,1937 Range (in code): IL Pa TR 01 06 27 29 34 41 66
- 8555. Empis (Polyblepharis) spirifera Bezzi,1909** (Empidae) Synonym(s): spirifera Bezzi,1909 Range (in code): LB SY TR IL Pa 38 50 58
- 8556. Empis (s.str.) acinerea Chavala,1985** (Empidae) Synonym(s): cinerea Zetterstedt,1855 nec Fabr.,1775; acinerea Chavala,1985 Range (in code): TR CZ DK FI DE NL SK SE CH RU 41
- 8557. Empis (s.str.) caudatula Loew,1867** (Empidae) Synonym(s): caudatula Loew,1867 Range (in code): TR AT CZ DK FR DE GB HU LT NL NO PL SK SL SE CH 01 32 35 50
- 8558. Empis (s.str.) curticoris Collin,1960** (Empidae) Synonym(s): curticoris Collin,1960 Range (in code): TR IL Pa 33
- 8559. Empis (s.str.) curticornis Collin,1960** (Empidae) Synonym(s): curticornis Collin,1960 Range (in code): TR
- 8560. Empis (s.str.) discrepans Collin,1960** (Empidae) Synonym(s): discrepans Collin,1960 Range (in code): TR IL Pa 33
- 8561. Empis (s.str.) doronicola Çiftçi,2012** (Empidae) Synonym(s): doronicola Çiftçi,2012 Range (in code): TR 66
- 8562. Empis (s.str.) genualis Strobl,1893** (Empidae) Synonym(s): genualis Strobl,1893 Range (in code): TR
- 8563. Empis (s.str.) inopinata Collin,1960** (Empidae) Synonym(s): inopinata Collin,1960 Range (in code): IL Pa TR 07 20 33 42

- 8564. Empis (s.str.) insulata Collin,1960** (Empidae) Synonym(s): insulata Collin,1960 Range (in code): TR IL Pa 33
- 8565. Empis (s.str.) lepidopus Meigen,1822** (Empidae) Synonym(s): lepidopus Meigen,1822 Range (in code): TR DE IT HU NL CH ES 01 06 07 32 42 70
- 8566. Empis (s.str.) nigripes Fabricius,1794** (Empidae) Synonym(s): nigripes Fabricius,1794; obscurella Zetterstedt,1842 Range (in code): TR AT BE B-H BG CZ DK FR FI DE GB HU IT LT NL NO PL SK SL ES SE CH UA RU 07 20 41
- 8567. Empis (s.str.) pexata Collin,1960** (Empidae) Synonym(s): pexata Collin,1960 Range (in code): JO TR 07 33
- 8568. Empis (s.str.) setosa Loew,1867** (Empidae) Synonym(s): setosa Loew,1867 Range (in code): TR
- 8569. Empis (s.str.) tanysphyra Loew,1873** (Empidae) Synonym(s): tanysphyra Loew,1873 Range (in code): TR
- 8570. Empis (s.str.) tristis Loew,1867** (Empidae) Synonym(s): tristis Loew,1867 Range (in code): TR GR 16 41
- 8571. Empis (s.str.) woodi Collin,1927** (Empidae) Synonym(s): woodi Collin,1927 Range (in code): TR
- 8572. Empis (Xanthempis) aemula Loew,1873** (Empidae) Synonym(s): aemula Loew,1873 Range (in code): TR SE GB BE DK PL CZ SK RO UA 41
- 8573. Empis (Xanthempis) digramma Meigen,1835** (Empidae) Synonym(s): digramma Meigen,1835 Range (in code): TR
- 8574. Empis (Xanthempis) lutea Meigen,1804** (Empidae) Synonym(s): lutea Meigen,1804 Range (in code): TR
- 8575. Empis (Xanthempis) rohaceki Chvala,1994** (Empidae) Synonym(s): rohaceki Chvala,1994; #rhohaceki Çiftçi & Hasbenli,2007 Range (in code): SK RO TR 41
- 8576. Empis (Xanthempis) stercorea Linnaeus,1761** (Empidae) Synonym(s): stercorea Linnaeus,1761 Range (in code): TR
- 8577. Empis (Xanthempis) univittata Loew,1867** (Empidae) Synonym(s): univittata Loew,1867 Range (in code): TR SE FI DK DE PL CZ SK AT RU EE UA 41
- 8578. Heleodromia immaculata Haliday,1833** (Empidae) Synonym(s): immaculata Haliday,1833 Range (in code): TR
- 8579. Hemerodromia oratoria (Fallén,1816)** (Empidae) Synonym(s): oratoria Fallén,1816 Range (in code): ES GR IT SS HV YU TR 14
- 8580. Hemerodromia raptoria Meigen,1830** (Empidae) Synonym(s): raptoria Meigen,1830 Range (in code): YU TR 14
- 8581. Hemerodromia sp.1** (Empidae) Synonym(s): Range (in code): TR 73
- 8582. Hemerodromia sp.2** (Empidae) Synonym(s): Range (in code): TR 30
- 8583. Hilara aeronetha Mik,1892** (Empidae) Synonym(s): aeronetha Mik,1892 Range (in code): TR
- 8584. Hilara ammoni Chvala,2008** (Empidae) Synonym(s): ammoni Chvala,2008 Range (in code): IL Pa
- 8585. Hilara anglodanica Lundbeck,1913** (Empidae) Synonym(s): anglodanica Lundbeck,1913 Range (in code): TR
- 8586. Hilara antalyensis Chvala,2008** (Empidae) Synonym(s): antalyensis Chvala,2008 Range (in code): TR 07
- 8587. Hilara aptoides Chvala,2008** (Empidae) Synonym(s): aptoides Chvala,2008 Range (in code): IL Pa
- 8588. Hilara bernmerzi Chvala,2008** (Empidae) Synonym(s): bernmerzi Chvala,2008 Range (in code): GR TR
- 8589. Hilara bolharensis Çiftçi, Parvu & Hasbenli,2008** (Empidae) Synonym(s): bolharensis Çiftçi, Parvu & Hasbenli,2008 Range (in code): TR 33
- 8590. Hilara cilipes Meigen,1822** (Empidae) Synonym(s): cilipes Meigen,1822 Range (in code): TR
- 8591. Hilara clavidipes Chvala,2008** (Empidae) Synonym(s): clavidipes Chvala,2008 Range (in code): IL Pa
- 8592. Hilara clavipes (Harris,1776)** (Empidae) Synonym(s): clavipes Harris,1776 Range (in code): TR
- 8593. Hilara curtisi Collin,1927** (Empidae) Synonym(s): curtisi Collin,1927 Range (in code): TR
- 8594. Hilara cypriana Chvala,2008** (Empidae) Synonym(s): cypriana Chvala,2008 Range (in code): CY
- 8595. Hilara deryae Çiftçi & Hasbenli,2011** (Empidae) Synonym(s): deryae Çiftçi & Hasbenli,2011 Range (in code): TR
- 8596. Hilara discalis Chvala,1997** (Empidae) Synonym(s): discalis Chvala,1997 Range (in code): TR
- 8597. Hilara discolor Strobl,1892** (Empidae) Synonym(s): discolor Strobl,1892 Range (in code): TR
- 8598. Hilara flavidipes Chvala,1997** (Empidae) Synonym(s): flavidipes Chvala,1997 Range (in code): TR
- 8599. Hilara freidbergi Chvala,2008** (Empidae) Synonym(s): freidbergi Chvala,2008 Range (in code): IL Pa TR
- 8600. Hilara fusitibia Strobl,1899** (Empidae) Synonym(s): fusitibia Strobl,1899 Range (in code): TR

- 8601. *Hilara hasankoci* Çiftçi & Hasbenli, 2011** (Empidae) Synonym(s): *hasankoci* Çiftçi & Hasbenli, 2011 Range (in code): TR
- 8602. *Hilara israelica* Chvala, 2008** (Empidae) Synonym(s): *israelica* Chvala, 2008 Range (in code): IL Pa
- 8603. *Hilara lurida* (Fallén, 1816)** (Empidae) Synonym(s): *lurida* Fallén, 1816 Range (in code): TR
- 8604. *Hilara mauroides* Chvala, 1996** (Empidae) Synonym(s): *mauroides* Chvala, 1996 Range (in code): Cc
- 8605. *Hilara merula* Collin, 1927** (Empidae) Synonym(s): *merula* Collin, 1927 Range (in code): TR
- 8606. *Hilara moceki* Chvala, 2008** (Empidae) Synonym(s): *moceki* Chvala, 2008 Range (in code): TR
- 8607. *Hilara orilasiochira* Chvala, 2008** (Empidae) Synonym(s): *orilasiochira* Chvala, 2008 Range (in code): IL Pa
- 8608. *Hilara peshawarensis* Brunetti, 1920** (Empidae) Synonym(s): *peshawarensis* Brunetti, 1920 Range (in code): PK Nwf Pes
- 8609. *Hilara spectabilis* Chvala, 2008** (Empidae) Synonym(s): *spectabilis* Chvala, 2008 Range (in code): GR TR IL Pa
- 8610. *Hilara theodori* Chvala, 2008** (Empidae) Synonym(s): *theodori* Chvala, 2008 Range (in code): IL Pa
- 8611. *Hilara thoracica* Macquart, 1827** (Empidae) Synonym(s): *thoracica* Macquart, 1827 Range (in code): TR
- 8612. *Hilara turcica* Chvala, 2008** (Empidae) Synonym(s): *turcica* Chvala, 2008 Range (in code): TR
- 8613. *Kowarzia caucasica* Sinclair & Shamshev, 2014** (Empidae) Synonym(s): *caucasica* Sinclair & Shamshev, 2014 Range (in code): Cc RU
- 8614. *Kowarzia plectrum* (Mik, 1880)** (Empidae) Synonym(s): *plectrum* Mik, 1880 Range (in code): GG Cc
- 8615. *Rhamphomyia* (Holoclera) *biserialis* Collin, 1960** (Empidae) Synonym(s): *biserialis* Collin, 1960 Range (in code): IL Pa
- 8616. *Rhamphomyia* (Holoclera) *tenuipes* Becker, 1907** (Empidae) Synonym(s): *tenuipes* Becker, 1907 Range (in code): Cn IL Pa TR CY 48
- 8617. *Rhamphomyia* (Lundstroemiella) *cimrmani* Bartak, 2006** (Empidae) Synonym(s): *cimrmani* Bartak, 2006 Range (in code): TR 07 48
- 8618. *Rhamphomyia* (Megacyttarus) *crassirostris* (Fallén, 1816)** (Empidae) Synonym(s): *crassirostris* Fallén, 1816 Range (in code): TR
- 8619. *Rhamphomyia* (Megacyttarus) *maculipennis* Zetterstedt, 1842** (Empidae) Synonym(s): *maculipennis* Zetterstedt, 1842 Range (in code): TR
- 8620. *Rhamphomyia* (Pararhamphomyia) *intersita* Collin, 1960** (Empidae) Synonym(s): *intersita* Collin, 1960 Range (in code): IL Pa TR 48
- 8621. *Rhamphomyia* (Pararhamphomyia) *sulcatella* Collin, 1926** (Empidae) Synonym(s): *sulcatella* Collin, 1926 Range (in code): IL Pa
- 8622. *Rhamphomyia* (s.str.) *academica* Bartak, 2014** (Empidae) Synonym(s): *academica* Bartak, 2014 Range (in code): TR 32 48
- 8623. *Rhamphomyia* (s.str.) *argentata* Röder, 1887** (Empidae) Synonym(s): *argentata* Röder, 1887 Range (in code): TR DE CH AT HU CZ SK 48
- 8624. *Rhamphomyia* (s.str.) *bohousi* Bartak & Kubik, 2008** (Empidae) Synonym(s): *bohousi* Bartak & Kubik, 2008 Range (in code): TR 14
- 8625. *Rhamphomyia* (s.str.) *furmani* Bartak & Kubik, 2009** (Empidae) Synonym(s): *furmani* Bartak & Kubik, 2009 Range (in code): IL Pa
- 8626. *Rhamphomyia* (s.str.) *hermonensis* Bartak & Kubik, 2009** (Empidae) Synonym(s): *hermonensis* Bartak & Kubik, 2009 Range (in code): IL Pa
- 8627. *Rhamphomyia* (s.str.) *iranica* Bartak & Kubik, 2008** (Empidae) Synonym(s): *iranica* Bartak & Kubik, 2008 Range (in code): IR Mz Dam
- 8628. *Rhamphomyia* (s.str.) *karamanensis* Bartak, Çiftçi & Hasbenli, 2007** (Empidae) Synonym(s): *karamanensis* Bartak, Çiftçi & Hasbenli, 2007 Range (in code): TR IL Pa 32 33 70
- 8629. *Rhamphomyia* (s.str.) *soukupi* Bartak, 2014** (Empidae) Synonym(s): *soukupi* Bartak, 2014 Range (in code): TR 32 48
- 8630. *Trichoclinocera grichanovi* Sinclair & Shamshev, 2014** (Empidae) Synonym(s): *grichanovi* Sinclair & Shamshev, 2014 Range (in code): Cc RU
- 8631. *Wiedemannia* (Eucelidia) *zetterstedti* (Fallén, 1826)** (Empidae) Synonym(s): *zetterstedti* Fallén, 1826; *escheri* Zetterstedt, 1838 Range (in code): TR Cc RU Soc 14
- 8632. *Wiedemannia* (Philotura) *fallaciosa* (Loew, 1873)** (Empidae) Synonym(s): *fallaciosa* Loew, 1873 Range (in code): TR Cc 14
- 8633. *Wiedemannia* (Philotura) *vaillanti* Joost, 1981** (Empidae) Synonym(s): *vaillanti* Joost, 1981 Range (in code): TR Cc 14



- 8634. Wiedemannia (Pseudowiedemannia) lamellata (Loew,1869)** (Empidae) Synonym(s): lamellata Loew,1869 Range (in code): TR 14
- 8635. Wiedemannia beckeri (Mik,1889)** (Empidae) Synonym(s): beckeri Mik,1889 Range (in code): Cc
- 8636. Wiedemannia braueri (Mik,1880)** (Empidae) Synonym(s): braueri Mik,1880 Range (in code): Cc
- 8637. Wiedemannia chvalai Joost,1981** (Empidae) Synonym(s): chvalai Joost,1981 Range (in code): Cc
- 8638. Wiedemannia klausnitzeri Joost,1981** (Empidae) Synonym(s): klausnitzeri Joost,1981 Range (in code): Cc
- 8639. Wiedemannia kustovi Sinclair & Shamshev,2014** (Empidae) Synonym(s): kustovi Sinclair & Shamshev,2014 Range (in code): Cc RU
- 8640. Wiedemannia pseudovallanti Joost,1981** (Empidae) Synonym(s): pseudovallanti Joost,1981 Range (in code): Cc
- 8641. Athyroglossa (Parathyroglossa) africana (Wirth,1955)** (Ephydriidae) Synonym(s): africana Wirth,1955 Range (in code): EG Sn IL Pa KE RW TZ ZR
- 8642. Athyroglossa (Parathyroglossa) ordinata Becker,1896** (Ephydriidae) Synonym(s): ordinata Becker,1896 Range (in code): AF Kab AL AT BE BG GR HU IL Pa IT MA RO ES YU GB Cn
- 8643. Athyroglossa (s.str.) argyrata Hendel,1931** (Ephydriidae) Synonym(s): argyrata Hendel,1931 Range (in code): EG Sn IL Pa SD NE
- 8644. Athyroglossa (s.str.) glabra (Meigen,1830)** (Ephydriidae) Synonym(s): glabra Meigen,1830; brevipunctata Becker,1896 Range (in code): DZ ES FR GB NO SE FI NL DE PL CZ SK UA HU RO CH AT SS B-H YU MK BG IT Co Si TR IL Pa Cc GG Sok RU Us KP 48
- 8645. Athyroglossa (s.str.) kaplanae Mathis & Zatwarnicki,1990** (Ephydriidae) Synonym(s): kaplanae Mathis & Zatwarnicki,1990 Range (in code): IL Pa
- 8646. Athyroglossa (s.str.) nudiuscula Loew,1873** (Ephydriidae) Synonym(s): nudiuscula Loew,1873; brunnimana Czerny & Strobl,1909 Range (in code): AL BG IL Pa HU IT RO ES Cn RU
- 8647. Discocerina obscurella (Fallén,1813)** (Ephydriidae) Synonym(s): obscurella Fallén,1813 Range (in code): BZ CV KE ZR CA On US Arz FI NMx Oh Tx AR BO BR CL CO CR EC GT MX PA PY PE VE CU JM PR DZ AT Az BE BG Cn HV CZ EE FI FR DE GB HU IR IT MK MA NL PL RO RU Us SK SS ES SE CH TR YU
- 8648. Discomyza incurva (Fallén,1823)** (Ephydriidae) Synonym(s): incurva Fallén,1823 Range (in code): ES GB IE NO SE FI PL DE NL DK UA RO CZ SK HU CH AT IT Si YU BG GR CY JP
- 8649. Discomyza vorticis Becker,1903** (Ephydriidae) Synonym(s): vorticis Becker,1903 Range (in code): EG IL Pa
- 8650. Ephydra afghanica Dahl,1961** (Ephydriidae) Synonym(s): afghanica Dahl,1961 Range (in code): TR Cc AZ Kir JO AF Ca TM MN 19 42
- 8651. Ephydra attica Becker,1896** (Ephydriidae) Synonym(s): attica Becker,1896 Range (in code): BG GR TM
- 8652. Ephydra flavipes (Macquart,1843)** (Ephydriidae) Synonym(s): flavipes Macquart,1843; helwanensis Steyskal,1968 Range (in code): SE RU Tv Cn TD TN MA DZ LY SD GR TR EG PK TM Kp CY IQ IR IL Pa 06 07
- 8653. Ephydra glauca Meigen,1830** (Ephydriidae) Synonym(s): glauca Meigen,1830; obscuripes Becker,1896 Range (in code): FR HU RO IT BG TR KG RU Ur Or Sr Ao Cn Ti MN 65
- 8654. Ephydra macellaria Egger,1862** (Ephydriidae) Synonym(s): macellaria Egger,1862 Range (in code): AL BE CZ DK DE FR NL NO FI SE IT Sa Si ES GB RO DZ TN Az Md Cn CV HU YU TR CY 20
- 8655. Ephydra murina Wirth,1975** (Ephydriidae) Synonym(s): murina Wirth,1975 Range (in code): BG RO UA TR IQ IR 65
- 8656. Ephydra urmiana Günther,1899** (Ephydriidae) Synonym(s): urmiana Günther,1899 Range (in code): IR Ab Oru
- 8657. Eremomusca nussbaumi Mathis,1985** (Ephydriidae) Synonym(s): nussbaumi Mathis,1985 Range (in code): IL Pa
- 8658. Halmopota mediterranea Loew,1860** (Ephydriidae) Synonym(s): mediterranea Loew,1860; anatolica Canzoneri & Meneghini,1974; septentrionalis Canzoneri & Meneghini,1974 Range (in code): IT TR IQ IR SY Cn Ti 06 48
- 8659. Halmopota tomentosa Canzoneri & Meneghini,1974** (Ephydriidae) Synonym(s): tomentosa Canzoneri & Meneghini,1974 Range (in code): TR 06
- 8660. Halmopota viridescens Brunetti,1919** (Ephydriidae) Synonym(s): viridescens Brunetti,1919 Range (in code): IR
- 8661. Hecamedoides costatus (Loew,1860)** (Ephydriidae) Synonym(s): costata Loew,1860 Range (in code): IL Pa TR 20
- 8662. Hyadina fenestrata Becker,1903** (Ephydriidae) Synonym(s): fenestrata Becker,1903 Range (in code): Cn EG IL Pa SC
- 8663. Hyadina freidbergi Mathis & Zatwarnicki,2004** (Ephydriidae) Synonym(s): freidbergi Mathis & Zatwarnicki,2004 Range (in code): IL Pa

- 8664. Hyadina giordanii Canzoneri & Meneghini,1975** (Ephydridae) Synonym(s): giordanii Canzoneri & Meneghini,1975 Range (in code): IR
- 8665. Hyadina guttata (Fallén,1813)** (Ephydridae) Synonym(s): guttata Fallén,1813; vernalis R-D.,1830; viridis Macquart,1835; humeralis Becker,1896; nigripes Strobl,1900; obscuripes Strobl,1900 Range (in code): Az AT BE Cn CZ EE FI FR DE GB GR HU IT IL Pa NL PL MK Md MA RO RU Us SK ES SE CH YU TR 35
- 8666. Hyadina kugleri Mathis & Zatwarnicki,2004** (Ephydridae) Synonym(s): kugleri Mathis & Zatwarnicki,2004 Range (in code): IL Pa
- 8667. Hyadina meggiolaroi Canzoneri & Meneghini,1975** (Ephydridae) Synonym(s): meggiolaroi Canzoneri & Meneghini,1975 Range (in code): IR
- 8668. Hyadina pollinosa Oldenberg,1923** (Ephydridae) Synonym(s): pollinosa Oldenberg,1923 Range (in code): DE FR ES IT IL Pa
- 8669. Hydrellia argyrogenis Becker,1896** (Ephydridae) Synonym(s): argyrogenis Becker,1896 Range (in code): GB IT ES HU Cn IR
- 8670. Hydrellia bucciarelli Canzoneri & Meneghini,1975** (Ephydridae) Synonym(s): bucciarelli Canzoneri & Meneghini,1975 Range (in code): IR
- 8671. Hydrellia concii Canzoneri & Meneghini,1975** (Ephydridae) Synonym(s): concii Canzoneri & Meneghini,1975 Range (in code): IR
- 8672. Hydrellia elegans Dahl,1973** (Ephydridae) Synonym(s): elegans Dahl,1973 Range (in code): AF Hr
- 8673. Hydrellia griseola (Fallén,1813)** (Ephydridae) Synonym(s): griseola Fallén,1813; obscura Meigen,1830; chrysostoma Meigen,1830 Range (in code): NL BE AD AT Az BG TR Cn Co CY CZ DK EE FI FR GR HU IC IT LT MK Md MT NO PL RO RU Sa Si SK ES SE CH YU AF
- 8674. Hydrellia pakistanae Deonier,1978** (Ephydridae) Synonym(s): pakistanae Deonier,1978 Range (in code): PK Rw Lh Pj Mre CN Pkn IN
- 8675. Hydrellia sarahae Deonier,1993** (Ephydridae) Synonym(s): sarahae Deonier,1993 Range (in code): PK Rw Pj IN CN Pkn
- 8676. Lamproscatella sibilans (Haliday,1833)** (Ephydridae) Synonym(s): sibilans Haliday,1833; nubilipennis Stenhammar,1844 Range (in code): IE SE AF CN Ti US
- 8677. Mosillus subsultans (Fabricius,1794)** (Ephydridae) Synonym(s): subsultans Fabricius,1794; arcuatus Latreille,1805; aenea Fallén,1820; nigra Meigen,1830; murorum Rondani,1856; coronatus Becker,1926 Range (in code): AM Cc GG Tbl TR AT BG CN Ti Mc CZ DK EG Sn EE DE GB GR Cr HU IL Pa JO Amm IT KK KG Aa LT MA PL RO RU SE CH TJ TN TM UA Cm Ode Kiw UZ YU AF Kab Az Cn 01 20 71
- 8678. Notiphila (s.str.) australis Loew,1860** (Ephydridae) Synonym(s): australis Loew,1860 Range (in code): IT GR TR
- 8679. Notiphila (s.str.) flava Dahl,1973** (Ephydridae) Synonym(s): flava Dahl,1973 Range (in code): AF
- 8680. Notiphila (s.str.) iranica Canzoneri & Meneghini,1979** (Ephydridae) Synonym(s): iranica Canzoneri & Meneghini,1979 Range (in code): IR
- 8681. Notiphila (s.str.) juncea Dahl,1973** (Ephydridae) Synonym(s): juncea Dahl,1973 Range (in code): AF
- 8682. Notiphila (s.str.) maculata Stenhammar,1844** (Ephydridae) Synonym(s): maculata Stenhammar,1844; supposita Collin,1911 Range (in code): FR GB SE FI PL DE BE NL UA RO CZ SK CH AT IT Cr BG TR 09
- 8683. Notiphila (s.str.) nigricornis Stenhammar,1844** (Ephydridae) Synonym(s): nigricornis Stenhammar,1844 Range (in code): FR BE NL GB SE DK EE PL UA DE CZ SK CH AT HU RO MK IT Cr TR CN Ti 07 35
- 8684. Notiphila (s.str.) nubila Dahl,1973** (Ephydridae) Synonym(s): nubila Dahl,1973 Range (in code): AF
- 8685. Notiphila (s.str.) quadrimaculata Dahl,1973** (Ephydridae) Synonym(s): quadrimaculata Dahl,1973 Range (in code): AF
- 8686. Notiphila (s.str.) riparia Meigen,1830** (Ephydridae) Synonym(s): riparia Meigen,1830; guttiventris Stenhammar,1844 Range (in code): SE FR GB DE TR
- 8687. Notiphila (s.str.) semimaculata Becker,1926** (Ephydridae) Synonym(s): semimaculata Becker,1926 Range (in code): EG LB Bei
- 8688. Notiphila (s.str.) stagnicola R-D.,1830** (Ephydridae) Synonym(s): stagnicola R-D.,1830 Range (in code): GB HU FR TR
- 8689. Ochthera pilimana Becker,1903** (Ephydridae) Synonym(s): pilimana Becker,1903 Range (in code): IL Pa EG IN TW AU JP
- 8690. Ochthera schembrii Rondani,1847** (Ephydridae) Synonym(s): schembrii Rondani,1847; mantispa Loew,1847; setigera Czerny,1909 Range (in code): ES GB FR IT Co Sa Si GR BG TR IR 20
- 8691. Parydra (Chaetoapnaea) pusilla (Meigen,1830)** (Ephydridae) Synonym(s): pusilla Meigen,1830 Range (in code): Cn FR GB SE FI EE PL DK BE NL DE CZ SK HU RO BG TR CH AT IT 48

- 8692. Parydra (Chaetoapnaea) quadripunctata (Meigen,1830)** (Ephydridae) Synonym(s): quadripunctata Meigen,1830 Range (in code): ES FR GB NO SE FI DK PL CZ SK HU IT CH AT RO UA Si DE TR AF JP KP KR 35 48
- 8693. Parydra (s.str.) cognata Loew,1860** (Ephydridae) Synonym(s): cognata Loew,1860 Range (in code): ES BE DE SE EE PL HU IT Sa Si BG TR 09 20
- 8694. Parydra (s.str.) nubecula Becker,1896** (Ephydridae) Synonym(s): nubecula Becker,1896 Range (in code): BE NL DE FI PL CZ SK HU RO CH AT IT TR 48
- 8695. Pelina aenea (Fallén,1813)** (Ephydridae) Synonym(s): aenea Fallén,1813; glabricula Meigen,1830; aenescens Stenhammar,1844; tarsata Zetterstedt,1846; mikii Strobl,1893 Range (in code): SE RU FR DE AT AF CN Ti JP US
- 8696. Pelina nitens Loew,1873** (Ephydridae) Synonym(s): nitens Loew,1873 Range (in code): IT FR ES GR BG AF
- 8697. Psilopa compta (Meigen,1830)** (Ephydridae) Synonym(s): compta Meigen,1830 Range (in code): Cn AF CN Ti RU TR 48
- 8698. Psilopa elsa Dahl,1973** (Ephydridae) Synonym(s): elsa Dahl,1973 Range (in code): AF
- 8699. Psilopa fannya Dahl,1973** (Ephydridae) Synonym(s): fannya Dahl,1973 Range (in code): AF
- 8700. Psilopa nana (Loew,1860)** (Ephydridae) Synonym(s): nana Loew,1860 Range (in code): ES TR CN Ti 34
- 8701. Psilopa nilotica (Becker,1903)** (Ephydridae) Synonym(s): nilotica Becker,1903; flavipalpis Becker,1913 Range (in code): IT AF EG IR DZ TN ER SD
- 8702. Psilopa obscuripes Loew,1860** (Ephydridae) Synonym(s): obscuripes Loew,1860 Range (in code): GR TR Cn
- 8703. Psilopa rufithorax (Becker,1903)** (Ephydridae) Synonym(s): rufithorax Becker,1903 Range (in code): DZ EG IR
- 8704. Psilopa thora Dahl,1973** (Ephydridae) Synonym(s): thora Dahl,1973 Range (in code): AF
- 8705. Scatella (Neoscatella) subguttata (Meigen,1830)** (Ephydridae) Synonym(s): subguttata Meigen,1830; aestuans Haliday,1833; flavipennis Stenhammar,1844; gilva Loew,1860; aurulenta Soika,1956 Range (in code): SE IE DZ TR
- 8706. Scatella (s.str.) pruinosa Dahl,1961** (Ephydridae) Synonym(s): pruinosa Dahl,1961 Range (in code): AF
- 8707. Scatella (s.str.) stagnalis (Fallén,1813)** (Ephydridae) Synonym(s): stagnalis Fallén,1813; lacustris Meigen,1830; buccata R-D.,1830; tateyamana Matsumura,1915 Range (in code): Cn MA FR DE AF JP
- 8708. Scatophila cavipes (Stenhammar,1844)** (Ephydridae) Synonym(s): cavipes Stenhammar,1844; strandi Duda,1942 Range (in code): SE RU Md AF
- 8709. Trimerina madizans (Fallén,1813)** (Ephydridae) Synonym(s): madizans Fallén,1813 Range (in code): ES FR GB SE FI EE PL CZ SK HU BE NL CH AT IT YU RO BG TR 09 20
- 8710. Fannia brinae Albuquerque,1951** (Fanniidae) Synonym(s): brinae Albuquerque,1951 Range (in code): TR
- 8711. Fannia canicularis (Linnaeus,1761)** (Fanniidae) Synonym(s): canicularis Linnaeus,1761; rivularis R-D.,1830; chilensis Macquart,1843; constantina Macquart,1843; hilaris Zetterstedt,1845; introducta Walker,1853; muscoides Walker,1871 Range (in code): CY SY IQ IL Pa Js Cc TR AM GG IR 01 17 21 35
- 8712. Fannia incisurata (Zetterstedt,1838)** (Fanniidae) Synonym(s): incisurata Zetterstedt,1838 Range (in code): TR IL Pa
- 8713. Fannia lepida (Wiedemann,1817)** (Fanniidae) Synonym(s): lepida Wiedemann,1817; mutica Zetterstedt,1845 Range (in code): FI Cc AM Eri GG Ch
- 8714. Fannia leucosticta (Meigen,1838)** (Fanniidae) Synonym(s): leucosticta Meigen,1838 Range (in code): TR Hf IL Pa 21 27
- 8715. Fannia monilis (Haliday,1838)** (Fanniidae) Synonym(s): monilis Haliday,1838 Range (in code): SY IL Pa MN
- 8716. Fannia scalaris (Fabricius,1794)** (Fanniidae) Synonym(s): scalaris Fabricius,1794 Range (in code): IL Pa LB Bei UA CH AT ES FI IT YU AL BG GR TR 17
- 8717. Fannia serena (Fallén,1825)** (Fanniidae) Synonym(s): serena Fallén,1825; stygia Meigen,1826 Range (in code): YU BG AM Cc Eri GG TR 28
- 8718. Acantholeria caucasica Gorodkov,1962** (Heleomyzidae) Synonym(s): caucasica Gorodkov,1962 Range (in code): GG Cc
- 8719. Acantholeria cineraria (Loew,1862)** (Heleomyzidae) Synonym(s): cineraria Loew,1862 Range (in code): DE PL AT HU IT RU Cc Teb Kc
- 8720. Desertoleria vinogradovi Gorodkov,1962** (Heleomyzidae) Synonym(s): vinogradovi Gorodkov,1962 Range (in code): TM Rpt
- 8721. Eccoptomera brandti Collart,1948** (Heleomyzidae) Synonym(s): brandti Collart,1948 Range (in code): IR Elb Th Kdj
- 8722. Eccoptomera infuscata Wahlgren,1918** (Heleomyzidae) Synonym(s): infuscata Wahlgren,1918 Range (in code): RU Cc Kc Teb



- 8723. *Eccoptomera leisteri* Gorodkov,1977** (Heleomyzidae) Synonym(s): *leisteri* Gorodkov,1977 Range (in code): GG Cc
- 8724. *Eccoptomera longiseta* (Meigen,1830)** (Heleomyzidae) Synonym(s): *longiseta* Meigen,1830; *microphthalma* Zetterstedt,1847 Range (in code): SE RU Cc Kc Teb
- 8725. *Eccoptomera microps* (Meigen,1830)** (Heleomyzidae) Synonym(s): *microps* Meigen,1830 Range (in code): SE GB FR NL DE PL AT HU RU TR 39
- 8726. *Eccoptomera promethei* Gorodkov,1966** (Heleomyzidae) Synonym(s): *promethei* Gorodkov,1966 Range (in code): Cc GG
- 8727. *Gymnomus caucasicus* Woznica,2006** (Heleomyzidae) Synonym(s): *caucasicus* Woznica,2006 Range (in code): Cc RU Kc Teb
- 8728. *Heleomyza modesta* (Meigen,1838)** (Heleomyzidae) Synonym(s): *modesta* Meigen,1838 Range (in code): TR Cc 36
- 8729. *Heteromyza atricornis* Meigen,1830** (Heleomyzidae) Synonym(s): *atricornis* Meigen,1830 Range (in code): Cc RU Kr Soc
- 8730. *Morpholeria* (Anthroleria) *vlasovi* Gorodkov,1964** (Heleomyzidae) Synonym(s): *vlasovi* Gorodkov,1964 Range (in code): TM Kp
- 8731. *Morpholeria* (s.str.) *hiemalis* Gorodkov,1964** (Heleomyzidae) Synonym(s): *hiemalis* Gorodkov,1964 Range (in code): TM Kp
- 8732. *Morpholeria* (s.str.) *innotata* (Czerny,1933)** (Heleomyzidae) Synonym(s): *innotata* Czerny,1933 Range (in code): CZ RU TM Kp MD UA Cc T-S KK UZ TJ MN
- 8733. *Morpholeria* (s.str.) *monticola* Gorodkov,1970** (Heleomyzidae) Synonym(s): *monticola* Gorodkov,1970 Range (in code): RU Cc Kc Teb
- 8734. *Neoleria flavicornis* (Loew,1862)** (Heleomyzidae) Synonym(s): *flavicornis* Loew,1862 Range (in code): TR 07
- 8735. *Neoleria pusilla* Loew,1862** (Heleomyzidae) Synonym(s): *pusilla* Loew,1862 Range (in code): TR GR 09
- 8736. *Neoleria ruficeps* (Zetterstedt,1838)** (Heleomyzidae) Synonym(s): *ruficeps* Zetterstedt,1838; *crepusculascens* Schmitz,1917 Range (in code): SE AT GB BG PL DE RU Cc GG TN NL
- 8737. *Oecotha desertorum* Gorodkov,1959** (Heleomyzidae) Synonym(s): *desertorum* Gorodkov,1959 Range (in code): TM Kp UZ
- 8738. *Oecotha dubia* Gorodkov,1959** (Heleomyzidae) Synonym(s): *dubia* Gorodkov,1959 Range (in code): TM TJ
- 8739. *Oecotha fenestralis* (Fallén,1820)** (Heleomyzidae) Synonym(s): *fenestralis* Fallén,1820 Range (in code): TR 39
- 8740. *Oecotha longipes* Gorodkov,1959** (Heleomyzidae) Synonym(s): *longipes* Gorodkov,1959 Range (in code): RU Cc
- 8741. *Oecotha syriaca* Villeneuve,1924** (Heleomyzidae) Synonym(s): *syriaca* Villeneuve,1924 Range (in code): SY
- 8742. *Oecotha ushinskii* Gorodkov,1959** (Heleomyzidae) Synonym(s): *ushinskii* Gorodkov,1959 Range (in code): UA Cm RU Cc Da TM TJ
- 8743. *Oldenbergiella vernalis* Gorodkov,1970** (Heleomyzidae) Synonym(s): *vernalis* Gorodkov,1970 Range (in code): Cc RU Kc Teb
- 8744. *Orbellia montana* Gorodkov,1972** (Heleomyzidae) Synonym(s): *montana* Gorodkov,1972 Range (in code): RU Cc Teb Kc
- 8745. *Orbellia tetrachaeta* Gorodkov,1972** (Heleomyzidae) Synonym(s): *tetrachaeta* Gorodkov,1972 Range (in code): RU Cc Teb Kc
- 8746. *Orbellia zaitzevi* Gorodkov,1972** (Heleomyzidae) Synonym(s): *zaitzevi* Gorodkov,1972 Range (in code): Cc GG Smt Bku
- 8747. *Pseudoleria pectinata* (Loew,1872)** (Heleomyzidae) Synonym(s): *pectinata* Loew,1872 Range (in code): TR EG AE 07
- 8748. *Schroederella nigra* (Czerny,1931)** (Heleomyzidae) Synonym(s): *nigra* Czerny,1931 Range (in code): TM Kp
- 8749. *Scoliocentra* (Leandertia) *flavotestacea* (Zetterstedt,1838)** (Heleomyzidae) Synonym(s): *flavotestacea* Zetterstedt,1838; *biseta* Loew,1862 Range (in code): NO SE FI RU PL GB FR BE DE CZ SK CH AT IT RO BG RU Cc Us Kmt Sh Krl US
- 8750. *Suillia affinis* (Meigen,1830)** (Heleomyzidae) Synonym(s): *affinis* Meigen,1830 Range (in code): PT ES FR GB DE DK NO SE FI EE PL UA CZ SK HU BE NL CH AT IT HV Si RO BG GR TR 07 09 61
- 8751. *Suillia bistrigata* (Meigen,1830)** (Heleomyzidae) Synonym(s): *bistrigata* Meigen,1830 Range (in code): PT ES FR IT Co Sa HV Cr TR 07 16
- 8752. *Suillia gigantea* (Meigen,1830)** (Heleomyzidae) Synonym(s): *gigantea* Meigen,1830 Range (in code): ES FR CH AT CZ SK HU UA RU MD RO BG IT GR TR 33

- 8753. *Suillia humilis* (Meigen,1830)** (Heleomyzidae) Synonym(s): humilis Meigen,1830; inornata Loew,1862 Range (in code): **PT ES FR GB DE DK NL BE CH IT AT Co NO SE FI EE PL CZ SK HU RO BG HV UA TR 07 09**
- 8754. *Suillia pallida* (Fallén,1820)** (Heleomyzidae) Synonym(s): pallida Fallén,1820 Range (in code): **ES FR GB BE NL DK DE PL EE NO SE FI RU UA CZ SK HU RO CH AT IT BG GR TR 49**
- 8755. *Suillia variegata* (Loew,1862)** (Heleomyzidae) Synonym(s): variegata Loew,1862 Range (in code): **TN ES TR AZ RU Cc Kr Soc 07 34 39**
- 8756. *Suillia villeneuvei* Czerny,1924** (Heleomyzidae) Synonym(s): villeneuvei Czerny,1924 Range (in code): **FR CH AT HU YU Co IT BG UA TR 39**
- 8757. *Tephrochlamys laeta* (Meigen,1830)** (Heleomyzidae) Synonym(s): laeta Meigen,1830 Range (in code): **TR 07 65**
- 8758. *Tephrochlamys rufiventris* (Meigen,1830)** (Heleomyzidae) Synonym(s): rufiventris Meigen,1830 Range (in code): **TR 36 39**
- 8759. *Pseudolynchia canariensis* (Macquart,1839)** (Hippoboscidae) Synonym(s): canariensis Macquart,1839; maura Bigot,1885 Range (in code): **Cn GR Cr TR AF IN NP TH TW JP Ry MY PH ID 65**
- 8760. *Crossopalpus aeneus* (Walker,1871)** (Hybotidae) Synonym(s): aeneus Walker,1871 Range (in code): **TR DE AT HU FR IT YU BG CY UA RU AZ AM Cc IL Pa LB YE DZ TN LY EG Az Md Cn 15 17 20 22**
- 8761. *Crossopalpus nigrtellus* (Zetterstedt,1842)** (Hybotidae) Synonym(s): nigrtellus Zetterstedt,1842 Range (in code): **FI TR IL Pa 35**
- 8762. *Crossopalpus setiger* (Loew,1859)** (Hybotidae) Synonym(s): setiger Loew,1859 Range (in code): **RU BG FI TR 15**
- 8763. *Drapetis pictitarsis* Engel,1939** (Hybotidae) Synonym(s): pictitarsis Engel,1939 Range (in code): **IR IT TN**
- 8764. *Hybos culiciformis* (Fabricius,1775)** (Hybotidae) Synonym(s): culiciformis Fabricius,1775 Range (in code): **DZ BY HV CY LB PT AT BE BG HV CZ DK TR FI FR Co DE GB GR Cr HU IE IT Si LT YU PL RU SK SS ES SE CH NL UA**
- 8765. *Hybos femoratus* (Müller,1776)** (Hybotidae) Synonym(s): femoratus Müller,1776 Range (in code): **EE GG Cc KG MN UA AT BE BG CZ DK EG FI FR DE GB HU IE IT LT MN NL NO PL RO RU Kr Kb Kc SK SS ES SE CH**
- 8766. *Hybos vagans* (Loew,1874)** (Hybotidae) Synonym(s): vagans Loew,1874 Range (in code): **TR Cc AM AZ GG IR RU Kr**
- 8767. *Platypalpus acuticornis* (Collin,1960)** (Hybotidae) Synonym(s): acuticornis Collin,1960 Range (in code): **IL Pa**
- 8768. *Platypalpus agnitus* (Collin,1960)** (Hybotidae) Synonym(s): agnitus Collin,1960 Range (in code): **IL Pa Js**
- 8769. *Platypalpus argyroceratus* (Collin,1960)** (Hybotidae) Synonym(s): argyroceratus Collin,1960 Range (in code): **IL Pa**
- 8770. *Platypalpus caucasicus* Kovalev,1967** (Hybotidae) Synonym(s): caucasicus Kovalev,1967 Range (in code): **RU Cc**
- 8771. *Platypalpus collini* Chvala,1966** (Hybotidae) Synonym(s): collini Chvala,1966 Range (in code): **NL CZ AT HU YU RO TR 15**
- 8772. *Platypalpus farabiensis* Shamshev,1998** (Hybotidae) Synonym(s): farabiensis Shamshev,1998 Range (in code): **TM**
- 8773. *Platypalpus longiseta* (Zetterstedt,1842)** (Hybotidae) Synonym(s): longiseta Zetterstedt,1842; extricatus Collin,1926 Range (in code): **MT FI IL Pa IR? TR 20**
- 8774. *Platypalpus niyazovi* Shamshev,1998** (Hybotidae) Synonym(s): niyazovi Shamshev,1998 Range (in code): **TM**
- 8775. *Platypalpus ozerovi* Shamshev,1999** (Hybotidae) Synonym(s): ozerovi Shamshev,1999 Range (in code): **TM**
- 8776. *Platypalpus sejunctus* (Collin,1949)** (Hybotidae) Synonym(s): sejunctus Collin,1949 Range (in code): **Cn EG IL Pa**
- 8777. *Platypalpus verralli* (Collin,1926)** (Hybotidae) Synonym(s): verralli Collin,1926 Range (in code): **BE GB CZ DK EE FI FR DE HU IE NO RU SE NL TR 51**
- 8778. *Tachydromia caucasica* Chvala,1970** (Hybotidae) Synonym(s): caucasica Chvala,1970 Range (in code): **AZ RU Cc**
- 8779. *Asindulum theodori* Matile,1974** (Keroplastidae) Synonym(s): theodori Matile,1974 Range (in code): **IL Pa**
- 8780. *Cerotelion lineatus* (Fabricius,1775)** (Keroplastidae) Synonym(s): lineatus Fabricius,1775; striata Gmelin,1792; laticornis Meigen,1818 Range (in code): **GB NL DE CZ SK RU IR**
- 8781. *Cerotelion racovitzae* Matile & Burghel-Balacesco,1969** (Keroplastidae) Synonym(s): racovitzae Matile & Burghel-Balacesco,1969 Range (in code): **RO IR**
- 8782. *Keroplatus testaceus* (Dalman,1818)** (Keroplastidae) Synonym(s): testaceus Dalman,1818; dispar Dufour,1839; biformis Okada,1938 Range (in code): **SE FI NL FR GB RU EE Sh IR**

- 8783. *Keroplatus tipuloides* Bosc,1792** (Keroplaticidae) Synonym(s): tipuloides Bosc,1792 Range (in code): FI FR NL RU EE IR
- 8784. *Macrocera crassicornis* Winnertz,1863** (Keroplaticidae) Synonym(s): crassicornis Winnertz,1863; annulicoxa Mik,1864 Range (in code): Cr GR IL Pa TR AF
- 8785. *Macrocera fasciata* Meigen,1804** (Keroplaticidae) Synonym(s): fasciata Meigen,1804; fusca Landrock,1917; monticola Landrock,1917 Range (in code): Cn Cr CY IL Pa TR 09 39
- 8786. *Macrocera lutea* Meigen,1804** (Keroplaticidae) Synonym(s): lutea Meigen,1804 Range (in code): TR GB SE FI NL FR DE AT CZ SK PL RU EE UA Cm JP 39
- 8787. *Macrocera phalerata* Meigen,1818** (Keroplaticidae) Synonym(s): phalerata Meigen,1818; maculipennis Macquart,1826 Range (in code): TR GB NL FR CH DE CZ SK PL FI RU UA Cm 39
- 8788. *Platyura marginata* Meigen,1804** (Keroplaticidae) Synonym(s): marginata Meigen,1804; atratus Fabricius,1805; rufipes Meigen,1818 Range (in code): TR GB NL DE PL CZ SK PT 09
- 8789. *Platyura subdiscoloria* Matile,1969** (Keroplaticidae) Synonym(s): subdiscoloria Matile,1969 Range (in code): IR
- 8790. *Pyratula zonata* (Zetterstedt,1855)** (Keroplaticidae) Synonym(s): zonata Zetterstedt,1855; concisa Walker,1856; forcipula Lundström,1912 Range (in code): SE Cc GB RU RO
- 8791. *Urytalpa chandleri* Bechev & Koç,2008** (Keroplaticidae) Synonym(s): chandleri Bechev & Koç,2008 Range (in code): TR
- 8792. *Calliopum aeneum* (Fallén,1820)** (Lauxaniidae) Synonym(s): aeneum Fallén,1820 Range (in code): ES FR GB IE BE NL DE DK NO SE FI RU EE LT DK DE BE NL CH AT CZ SK HU UA MD RO HV YU BG GR CY TR Cc IR IT Co Sa Si 73
- 8793. *Calliopum caucasicum* Shatalkin,1996** (Lauxaniidae) Synonym(s): caucasicum Shatalkin,1996 Range (in code): Cc RU
- 8794. *Calliopum elisae* (Meigen,1826)** (Lauxaniidae) Synonym(s): elisae Meigen,1826 Range (in code): ES FR GB IE BE NL DE DK NO SE FI RU EE LT DK DE BE NL CH AT CZ SK HU UA RO HV YU BG GR IT Cc
- 8795. *Calliopum rufipes* Czerny,1932** (Lauxaniidae) Synonym(s): rufipes Czerny,1932 Range (in code): YE
- 8796. *Calliopum simillimum* (Collin,1933)** (Lauxaniidae) Synonym(s): simillimum Collin,1933 Range (in code): ES FR GB BE NL NO SE FI EE LT LV RU DK DE PL CZ SK HU UA RO YU CH IT Si GR Cc
- 8797. *Eusapromyza martineki* (Shatalkin,1999)** (Lauxaniidae) Synonym(s): martineki Shatalkin,1999 Range (in code): IR Ak Ab
- 8798. *Eusapromyza multipunctata* (Fallén,1820)** (Lauxaniidae) Synonym(s): multipunctata Fallén,1820 Range (in code): ES BE DK DE SE LT UA MD RO BG CZ SK CH AT HU IT TR IR Fa Km RU 65
- 8799. *Homoneura dentiventris* Czerny,1932** (Lauxaniidae) Synonym(s): dentiventris Czerny,1932 Range (in code): IR
- 8800. *Lyciella decipiens* (Loew,1847)** (Lauxaniidae) Synonym(s): decipiens Loew,1847 Range (in code): GB IE NO SE FI EE LT RU BY PL DK DE BE NL CH AT IT CZ SK HU RO UA Cc
- 8801. *Lyciella nigripalpis* (Czerny,1932)** (Lauxaniidae) Synonym(s): nigripalpis Czerny,1932 Range (in code): Cc
- 8802. *Lyciella rorida* (Fallén,1820)** (Lauxaniidae) Synonym(s): rorida Fallén,1820 Range (in code): ES FR GB IE NO SE FI EE BY UA DK DE PL CH AT HU CZ SK RO YU BG GR IT Co Si Cc RU Sb Us
- 8803. *Meiosimyza rorida* (Fallén,1820)** (Lauxaniidae) Synonym(s): rorida Fallén,1820 Range (in code): IR
- 8804. *Minettia* (s.str.) *bulgarica* Papp,1981** (Lauxaniidae) Synonym(s): bulgarica Papp,1981 Range (in code): BG GR UA IR
- 8805. *Minettia* (s.str.) *cypriota* Papp,1981** (Lauxaniidae) Synonym(s): cypriota Papp,1981 Range (in code): CY
- 8806. *Minettia* (s.str.) *czernyi* Freidberg & Yarom,1990** (Lauxaniidae) Synonym(s): quadrisetosa Czerny,1927 nec Beck.,1907; czernyi Freidberg & Yarom,1990 Range (in code): IL Pa Jf LB CY
- 8807. *Minettia* (s.str.) *fasciata* (Fallén,1826)** (Lauxaniidae) Synonym(s): fasciata Fallén,1826; rivos Meigen,1826; nemorosa R-D.,1830 Range (in code): AT BE HV BG GB DK FR DE GR TR IT MT PT MA PL YU NL CH SE TN CA BCo US Ore
- 8808. *Minettia* (s.str.) *hyrcanica* Shatalkin,1998** (Lauxaniidae) Synonym(s): hyrcanica Shatalkin,1998 Range (in code): IR
- 8809. *Minettia* (s.str.) *R-D.*,1830** (Lauxaniidae) Synonym(s): Minettia R-D.,1830; Prorhapochaeta Czerny,1932 Range (in code): TR
- 8810. *Minettia* (s.str.) *subvittata* (Loew,1847)** (Lauxaniidae) Synonym(s): subvittata Loew,1847; cataracta Pandellé,1902 Range (in code): GR Rd Cr TR HV CY FR HU IL Pa YU IT ES 07 32 55
- 8811. *Minettia* (s.str.) *tabidiventris* (Rondani,1877)** (Lauxaniidae) Synonym(s): tabidiventris Rondani,1877; luteofrontata Becker,1895 Range (in code): HV CY IT DK FR DE GR HU IL Pa MT NO PT ES SE CH TR Cc 07



- 8812. Neoparoecus tibialis (Yarom,1991)** (Lauxaniidae) Synonym(s): tibialis Yarom,1991 Range (in code): IL Pa
- 8813. Sapromyza afghanica Papp,1979** (Lauxaniidae) Synonym(s): afghanica Papp,1979 Range (in code): AF IR TM
- 8814. Sapromyza apicalis Loew,1847** (Lauxaniidae) Synonym(s): apicalis Loew,1847 Range (in code): ES FR GB IE DK DE BE NL CH AT IT Si CZ SK PL EE LT LV RU UA HU RO MD BG TR IR MA KG 73
- 8815. Sapromyza biordinata Czerny,1932** (Lauxaniidae) Synonym(s): biordinata Czerny,1932 Range (in code): IR
- 8816. Sapromyza cerata Shatalkin,1996** (Lauxaniidae) Synonym(s): cerata Shatalkin,1996 Range (in code): IR
- 8817. Sapromyza freidbergi Yarom,1990** (Lauxaniidae) Synonym(s): freidbergi Yarom,1990 Range (in code): IL Pa
- 8818. Sapromyza gozmanyi Papp,1981** (Lauxaniidae) Synonym(s): gozmanyi Papp,1981 Range (in code): DZ CY IL Pa TR 07
- 8819. Sapromyza intonsa Loew,1847** (Lauxaniidae) Synonym(s): intonsa Loew,1847 Range (in code): IT CH TR 07
- 8820. Sapromyza intonsina Yarom,1990** (Lauxaniidae) Synonym(s): intonsina Yarom,1990 Range (in code): IL Pa TR 07
- 8821. Sapromyza laszlopappi Merz,2007** (Lauxaniidae) Synonym(s): laszlopappi Merz,2007 Range (in code): TR CY 07 09 48
- 8822. Sapromyza persica Shtatalkin,1995** (Lauxaniidae) Synonym(s): persica Shtatalkin,1995 Range (in code): IR
- 8823. Sapromyza pistaciphila Shatalkin,1993** (Lauxaniidae) Synonym(s): pistaciphila Shatalkin,1993 Range (in code): IR
- 8824. Sapromyza ravida Shatalkin,1996** (Lauxaniidae) Synonym(s): ravida Shatalkin,1996 Range (in code): IR
- 8825. Sapromyza talyshensis Shatalkin,1998** (Lauxaniidae) Synonym(s): talyshensis Shatalkin,1998 Range (in code): Cc IR
- 8826. Sapromyza transcaspica Shatalkin,2000** (Lauxaniidae) Synonym(s): transcaspica Shatalkin,2000 Range (in code): IR
- 8827. Sapromyza transcaucasica Czerny,1932** (Lauxaniidae) Synonym(s): transcaucasica Czerny,1932 Range (in code): Cc IR
- 8828. Sciasminettia vikhrevi Shatalkin,2008** (Lauxaniidae) Synonym(s): vikhrevi Shatalkin,2008 Range (in code): AZ Cc Len
- 8829. Achyrolimonia coeiana (Nielsen,1959)** (Limoniidae) Synonym(s): coeiana Nielsen,1959 Range (in code): HV CZ SK DE YU PL AZ Cc
- 8830. Achyrolimonia decemmaculata (Loew,1873)** (Limoniidae) Synonym(s): decemmaculata Loew,1873 Range (in code): AT BE BG HV CZ FI FR DE GB HU IE IT Si LT NL PL RO YU SK SS SE CH UA RU Cc GG AM AZ IR
- 8831. Achyrolimonia neonebulosa (Alexander,1924)** (Limoniidae) Synonym(s): nebulosa Alexander,1913; neonebulosa Alexander,1924; delicatula Lackschewitz,1964 Range (in code): CA US AT BG HV CZ FR DE IT LT NL RO YU SK CH UA RU Cc IR At Us Sh JP Hkk CN Sz
- 8832. Afrolimnophila basispina (Savchenko,1971)** (Limoniidae) Synonym(s): basispina Savchenko,1971 Range (in code): Cc GG
- 8833. Afrolimnophila minima (Savchenko,1971)** (Limoniidae) Synonym(s): minima Savchenko,1971 Range (in code): GR Cr RO Cc GG AZ AM TR 64
- 8834. Antocha (Orimargula) alpigena (Mik,1883)** (Limoniidae) Synonym(s): alpigena Mik,1883 Range (in code): AT BG CZ DK FR DE IT RO SK SS CH UA RU Cc GG TR 20
- 8835. Antocha (s.str.) hirtipes Savchenko,1971** (Limoniidae) Synonym(s): hirtipes Savchenko,1971 Range (in code): GG Cc
- 8836. Antocha (s.str.) libanotica Lackschewitz,1940** (Limoniidae) Synonym(s): libanotica Lackschewitz,1940 Range (in code): GG AM AZ Cc CY LB IR TM TJ AF
- 8837. Antocha (s.str.) lindneri (Nielsen,1963)** (Limoniidae) Synonym(s): lindneri Nielsen,1963 Range (in code): AF
- 8838. Antocha (s.str.) phoenicia Thomas & Dia,1982** (Limoniidae) Synonym(s): phoenicia Thomas & Dia,1982 Range (in code): LB
- 8839. Antocha (s.str.) turkestanica De Meijere,1921** (Limoniidae) Synonym(s): turkestanica De Meijere,1921; libitina Alexander,1960; afghana Nielsen,1962 Range (in code): KG TrA Aa TM TJ AF
- 8840. Antocha (s.str.) vitripennis (Meigen,1830)** (Limoniidae) Synonym(s): vitripennis Meigen,1830 Range (in code): AL AT BE B-H BG HV CZ SK DK EE FR Co DE GB GR IE IT Si LT LV MK YU NL NO PL RO SS ES SE CH UA RU TR IL Pa AF 07 32 48
- 8841. Arctoconopa melampodia (Loew,1873)** (Limoniidae) Synonym(s): melampodia Loew,1873 Range (in code): AT BE BG CZ DK FR DE GB HU IT LT MK MD NO PL SK SS ES CH UA RU Cc Kr TR 09

- 8842. Austrolimnophila (s.str.) brevicellula Stary,1977** (Limoniidae) Synonym(s): brevicellula Stary,1977 Range (in code): GR RO CY IL Pa TR 09 20 48
- 8843. Austrolimnophila (s.str.) ochracea (Meigen,1804)** (Limoniidae) Synonym(s): ochracea Meigen,1804 Range (in code): AT BE B-H BG HV CZ DK FR DE GB HU IE IT LT MK YU NL NO PL RO YU SK SS ES SE CH UA AZ Cc IR TR 43
- 8844. Baeoura alexanderi Mendl & Tjeder,1974** (Limoniidae) Synonym(s): alexanderi Mendl & Tjeder,1974 Range (in code): TR Cr 48
- 8845. Baeoura schachti Mendl,1986** (Limoniidae) Synonym(s): schachti Mendl,1986 Range (in code): TR 30
- 8846. Cheilotrichia (Empeda) baluchistanica (Alexander,1944)** (Limoniidae) Synonym(s): baluchistanica Alexander,1944 Range (in code): IL Pa PK BI
- 8847. Cheilotrichia (Empeda) cinerascens (Meigen,1804)** (Limoniidae) Synonym(s): cinerascens Meigen,1804; nubila Schummel,1829; ditula Zetterstedt,1851; tenella Walker,1856 Range (in code): Cn AT BY BE BG CZ DK EE FI FR Co DE GB HU IE IT LT LV NL NO PL RO YU SK SS ES Cn SE CH UA RU Cc GG CY TR IL Pa IR 09 48
- 8848. Conosia irrorata (Wiedemann,1828)** (Limoniidae) Synonym(s): irrorata Wiedemann,1828 Range (in code): EG IL Pa AF KP JP AU
- 8849. Crypteria (Franckomyia) israelica Stary & Freidberg,2007** (Limoniidae) Synonym(s): israelica Stary & Freidberg,2007 Range (in code): IL Pa
- 8850. Dactylolabis (Coenolabis) aberrans Savchenko,1969** (Limoniidae) Synonym(s): aberrans Savchenko,1969 Range (in code): GG Cc TR 08 61
- 8851. Dactylolabis (s.str.) jonica Lackschewitz,1940** (Limoniidae) Synonym(s): jonica Lackschewitz,1940 Range (in code): GR TR 09 20 48
- 8852. Dicranomyia (Glochina) sericata (Meigen,1830)** (Limoniidae) Synonym(s): sericata Meigen,1830; glabrata Walker,1856; croatica Egger,1863 Range (in code): AL AT BE B-H BG HV CZ FR Co DE GB GR Cr Rd HU IE IT Sa Si MK RO YU SK ES CH UA Cm RU AZ TR Cc 05 16 48
- 8853. Dicranomyia (Glochina) transsilvanica Lackschewitz,1928** (Limoniidae) Synonym(s): transsilvanica Lackschewitz,1928 Range (in code): AT BG HV CZ DE IT YU RO SK CH UA RU Cc AM AZ TR 08
- 8854. Dicranomyia (Glochina) tristis (Schummel,1829)** (Limoniidae) Synonym(s): tristis Schummel,1829; subtristis Alexander,1924; retroflexa Bangerter,1948 Range (in code): AT BE BG HV CZ FI FR DE HU IT LT MK NL NO PL RO YU SS SE ES CH UA RU Cc GG AZ TR DZ Sb Us KP KR KK JP Hkk CN 61
- 8855. Dicranomyia (Idiopyga) halterella Edwards,1921** (Limoniidae) Synonym(s): halterella Edwards,1921 Range (in code): Cc RU Kmt Sh At Tv MN KK
- 8856. Dicranomyia (Idiopyga) lackschewitzi Edwards,1928** (Limoniidae) Synonym(s): lackschewitzi Edwards,1928 Range (in code): CZ FR Co GB SK CH TR 20
- 8857. Dicranomyia (Melanolimonia) hamata Becker,1908** (Limoniidae) Synonym(s): hamata Becker,1908; saxetana Santos Abreu,1923; umbraticola Santos Abreu,1923; tyrrhenica Edwards,1928 Range (in code): Co Az Cn TR 48
- 8858. Dicranomyia (Melanolimonia) morio (Fabricius,1787)** (Limoniidae) Synonym(s): morio Fabricius,1787; leucocephala Meigen,1818; reperta Walker,1848; pauliani Séguy,1941 Range (in code): AT BE BG CZ DK EE FI FR Co DE GB GR HU IE IT Si LT LV NL NO PL RO SK SS ES SE CH UA RU Cc MA GG AM AZ TR IR MN 09 48
- 8859. Dicranomyia (Melanolimonia) rufiventris (Strobl,1900)** (Limoniidae) Synonym(s): rufiventris Strobl,1900 Range (in code): AT CZ EE FI FR DE GB LT LV NO RO SK SE CH UA RU Mgd Kmt Sh MN TR 48
- 8860. Dicranomyia (Numantia) fusca (Meigen,1804)** (Limoniidae) Synonym(s): fusca Meigen,1804; atra Macquart,1826; laevigata Macquart,1826; turpis Walker,1856; pubipennis Osten Sacken,1860; pilipennis Egger,1863 Range (in code): CA US On Nfl AT BE B-H BG CZ DK FI FR Co DE GB HU IE IT Si LT NL PL RO SK SS SE CH UA RU TR Cc GG AZ IR Us Sh Krl JP Hkk 08
- 8861. Dicranomyia (s.str.) chorea (Meigen,1818)** (Limoniidae) Synonym(s): #lutea Meigen,1804; chorea Meigen,1818; quadra Meigen,1838; flavicollis Becker,1908; longipes Santos Abreu,1923; vidua Santos Abreu,1923; grisescens Lackschewitz,1928; lutescens Lackschewitz,1928 Range (in code): CA BCo AL AT BE B-H BG HV CZ DK FI? FR Py Co DE GB GR Cr HU IE IT Sa Si TR DZ Cc LT LV MK YU Ni NO PL PT? Md? RO SK SS ES Cn SE CH UA RU MA GG AM AZ CY IL Pa IR 09 48
- 8862. Dicranomyia (s.str.) goritiensis (Mik,1864)** (Limoniidae) Synonym(s): goritiensis Mik,1864; cornubiensis Edwards,1938 Range (in code): AT HV FR Co GB GR Cr IE IT Si ES CH UA Cm TR MA DZ GG Cc IL Pa 32 48
- 8863. Dicranomyia (s.str.) kamakensis Stary,1993** (Limoniidae) Synonym(s): kamakensis Stary,1993 Range (in code): TR BG 48
- 8864. Dicranomyia (s.str.) livornica Lackschewitz,1928** (Limoniidae) Synonym(s): livornica Lackschewitz,1928 Range (in code): TR IT Si GR Cr 09 10

- 8865. *Dicranomyia (s.str.) longipennis* (Schummel,1829)** (Limoniidae) **Synonym(s):** longipennis Schummel,1829; immemor Osten Sacken,1861; tiefii Strobl,1900 **Range (in code):** CA US Col Cf Oh AT BG CZ FI FR Py DE IT LT LV NL PL RO SK HU ES CH UA RU Cc GG AZ TR IR Us KG TJ KK MN JP Hkk Ch IN 31
- 8866. *Dicranomyia (s.str.) lucida* De Meijere,1918** (Limoniidae) **Synonym(s):** lucida De Meijere,1918 **Range (in code):** TR BE BG CZ FR DE GB GR Cr IE IT MK NL RO SK CH AM AZ Cc 09 15 20 48
- 8867. *Dicranomyia (s.str.) mitis* (Meigen,1830)** (Limoniidae) **Synonym(s):** mitis Meigen,1830; excisa Walker,1848; unicolor Strobl,1898; maculosa Strobl,1900; lutea Lakschewitz,1928; infusata Lakschewitz,1928; imbecilla Lakschewitz,1941; hygropetrica Vaillant,1952. **Range (in code):** AL AD AT BE B-H BG HV CZ DK FI FR Co DE GB GR HU IE LT MK YU NL NO PL RO SK SS ES SE CH UA RU TR DZ MA GG AZ AM Cc IL Pa TM 09 20 32 48
- 8868. *Dicranomyia (s.str.) modesta* (Meigen,1818)** (Limoniidae) **Synonym(s):** modesta Meigen,1818; simplex Meigen,1830; nova Meigen,1830; takahashii Alexander,1920; spinicauda Alexander,1924 **Range (in code):** CA US Ut AT BE B-H BG HV CZ DK EE FI FR Co GB GR HU IE IT LT LV MK YU NL NO PL RO SK SS ES SE CH UA RU TR Cc GG AM AZ IR KG TM TJ KK AF MN JP Hkk 09 20 48
- 8869. *Dicranomyia (s.str.) ornata* (Meigen,1818)** (Limoniidae) **Synonym(s):** ornata Meigen,1818 **Range (in code):** AT BE BG HV CZ? EE FR Co DE GB HU IT YU NL PL PT RO SK SS ES CH UA Cc RU TR 05
- 8870. *Dicranomyia (s.str.) sera* (Walker,1848)** (Limoniidae) **Synonym(s):** sera Walker,1848; disjuncta Walker,1848; globata Walker,1848; forcipula De Meijere,1918; discors Kuntze,1919; erostrata Alexander,1930 **Range (in code):** CA US Ut AT BE BG CZ DK FI FR Co DE GB IE NL PL RO YU SK SE UA RU Cc Us KG KK AF MN TR 15
- 8871. *Dicranomyia (s.str.) signatella* Stary & Freidberg,2007** (Limoniidae) **Synonym(s):** modesta Lakschewitz & Pagast,1941 nec Meig.,1818; signata Lakschewitz & Pagast,1941 (praeocc.); signatella Stary & Freidberg,2007 **Range (in code):** TR BG HV FR Co IT? GR Cr IL Pa 09 32 48
- 8872. *Dicranomyia (s.str.) ventralis* (Schummel,1829)** (Limoniidae) **Synonym(s):** ventralis Schummel,1829; simplex Brunetti,1912; perserotina Alexander,1945; pristomera Alexander,1968 **Range (in code):** AT BE BG CZ DK EE FI FR DE GB GR HU IT IE Si LT LV NL NO PL RO SK SE ES CH UA Cm RU Cc TR AZ EG IL Pa IR Sb Ya KK KG AF KP KR IN Ben 15
- 8873. *Dicranophragma (Brachylimnophila) adjunctum* (Walker,1848)** (Limoniidae) **Synonym(s):** adjunctum Walker,1848; axillare Strobl,1906; brevifurcatum Strobl,1906; dimidiatum De Meijere,1918; noscibile Edwards,1921 **Range (in code):** AD BE FR Co DE GB GR Cr IE IT Si LT NL RO ES CH RU Cc GG MA TR CY LB IL Pa 15 32 48
- 8874. *Dicranophragma (Brachylimnophila) nemorale* (Meigen,1818)** (Limoniidae) **Synonym(s):** nemorale Meigen,1818; leucophaeum Meigen,1818; plebeium Meigen,1818; inclusum Walker,1848; collinum Edwards,1921; quadratum Edwards,1921; minusculum Edwards,1921 **Range (in code):** AL AD AT BE B-H BG HV CZ DK EE FI FR Co DE GB GR Kos Cr HU IE IT Si LT LV MK YU NL NO PL PT RO SK SS SE CH UA RU Cc GG AM AZ MA TR At Us Sh Krl KK KG TJ MN 08 37
- 8875. *Dicranoptycha (s.str.) fuscescens* (Schummel,1829)** (Limoniidae) **Synonym(s):** fuscescens Schummel,1829; lundstroemi Bergroth,1922 **Range (in code):** AL AT BE B-H BG HV CZ DK FI FR Co DE GB GR Cr Rd HU IT Sa Si LT MK MD YU NL NO PL RO SK SS ES SE CH UA TR Cc IR RU MA DZ CY LB IL Pa ?KG MN 34 48
- 8876. *Dicranoptycha (Ulugbekia) savtshenkoi* Mendl,1976** (Limoniidae) **Synonym(s):** savtshenkoi Mendl,1976 **Range (in code):** GR Rd TR 09 48
- 8877. *Ellipteroides (Protogonomyia) limbatus* (Von Roser,1840)** (Limoniidae) **Synonym(s):** limbatus Von Roser,1840; huguenini Bangerter,1947 **Range (in code):** AT BG CZ FR DE GB HU IT MK PL YU SK CH UA TR 48
- 8878. *Ellipteroides (Protogonomyia) murati* Özgül & Koç,2014** (Limoniidae) **Synonym(s):** murati Özgül & Koç,2014 **Range (in code):** TR 43
- 8879. *Ellipteroides (Protogonomyia) quadridens* (Savchenko,1972)** (Limoniidae) **Synonym(s):** quadridens Savchenko,1972 **Range (in code):** TR 09 30 48
- 8880. *Ellipteroides (s.str.) bifastigatus* Mendl,1987** (Limoniidae) **Synonym(s):** bifastigatus Mendl,1987 **Range (in code):** TR 07
- 8881. *Ellipteroides (s.str.) friesei* (Mannheims,1967)** (Limoniidae) **Synonym(s):** friesei Mannheims,1967 **Range (in code):** AL TR 48
- 8882. *Ellipteroides (s.str.) lateralis* (Macquart,1835)** (Limoniidae) **Synonym(s):** lateralis Macquart,1835 **Range (in code):** MA LB IL Pa
- 8883. *Eloeophila maculata* (Meigen,1804)** (Limoniidae) **Synonym(s):** maculata Meigen,1804 **Range (in code):** TR Cc 16 48
- 8884. *Eloeophila miliaria* (Egger,1863)** (Limoniidae) **Synonym(s):** miliaria Egger,1863 **Range (in code):** TR
- 8885. *Epiphragma (Epiphragma) ocellare* (Linnaeus,1761)** (Limoniidae) **Synonym(s):** ocellare Linnaeus,1761 **Range (in code):** TR 48
- 8886. *Erioconopa symplectoides* (Kuntze,1914)** (Limoniidae) **Synonym(s):** symplectoides Kuntze,1914 **Range (in code):** TR



- 8887. Eriocnopa trivialis (Meigen,1818)** (Limoniidae) Synonym(s): trivialis Meigen,1818 Range (in code): TR
- 8888. Erioptera (Mesocyphona) bivittata (Loew,1873)** (Limoniidae) Synonym(s): bivittata Loew,1873 Range (in code): TR Cc IL Pa IR RU Sb Us MN
- 8889. Erioptera (s.str.) fusculentata Edwards,1938** (Limoniidae) Synonym(s): fusculentata Edwards,1938 Range (in code): TR IL Pa Cc TM 14
- 8890. Erioptera (s.str.) lutea Meigen,1804** (Limoniidae) Synonym(s): lutea Meigen,1804 Range (in code): Cc IL Pa TR IR? RU Sb
- 8891. Euphyllidorea dispar (Meigen,1818)** (Limoniidae) Synonym(s): dispar Meigen,1818 Range (in code): TR
- 8892. Euphyllidorea lineola (Meigen,1804)** (Limoniidae) Synonym(s): lineola Meigen,1804 Range (in code): MA IL Pa TR
- 8893. Gonomyia (s.str.) basilobata Alexander,1975** (Limoniidae) Synonym(s): basilobata Alexander,1975 Range (in code): AM Cc IR
- 8894. Gonomyia (s.str.) conoviensis Barnes,1924** (Limoniidae) Synonym(s): conoviensis Barnes,1924 Range (in code): TR DZ Cc 48
- 8895. Gonomyia (s.str.) copulata (Becker,1908)** (Limoniidae) Synonym(s): copulata Becker,1908 Range (in code): TR
- 8896. Gonomyia (s.str.) faria Stary & Freidberg,2007** (Limoniidae) Synonym(s): faria Stary & Freidberg,2007 Range (in code): IL Pa
- 8897. Gonomyia (s.str.) sicula Lackschewitz,1940** (Limoniidae) Synonym(s): sicula Lackschewitz,1940 Range (in code): TR IT Si 48
- 8898. Helius (s.str.) hispanicus Lackschewitz,1928** (Limoniidae) Synonym(s): hispanicus Lackschewitz,1928 Range (in code): TR ES GB GG Cc AM AZ IR 48
- 8899. Hexatoma (Cladolipes) simplex (Loew,1865)** (Limoniidae) Synonym(s): simplex Loew,1865 Range (in code): TR AL BG GR RO 48
- 8900. Hexatoma (Eriocera) chirothecata (Scopoli,1763)** (Limoniidae) Synonym(s): chirothecata Scopoli,1763; waterstoni Edwards,1921 Range (in code): TR YU AL AT B-H BG HV CZ GR HU IT MK RO SK SS CH UA RU Cc 14 48 67
- 8901. Hexatoma (s.str.) bicolor (Meigen,1818)** (Limoniidae) Synonym(s): bicolor Meigen,1818 Range (in code): TR GB 48
- 8902. Hexatoma (s.str.) fuscipennis (Curtis,1836)** (Limoniidae) Synonym(s): fuscipennis Curtis,1836 Range (in code): TR Cc IL Pa 13
- 8903. Hexatoma (s.str.) gaedii (Meigen,1830)** (Limoniidae) Synonym(s): gaedii Meigen,1830 Range (in code): IL Pa Cc AF? MA
- 8904. Hoplolabis (Eurasicesa) amseliana (Nielsen,1961)** (Limoniidae) Synonym(s): amseliana Nielsen,1961 Range (in code): AF AM Cc TM TJ KK
- 8905. Hoplolabis (Parilisia) pontica (Savchenko,1984)** (Limoniidae) Synonym(s): pontica Savchenko,1984 Range (in code): TR CZ MD PL RO SK UA Cm 43
- 8906. Hoplolabis (Parilisia) punctigera (Lackschewitz,1940)** (Limoniidae) Synonym(s): punctigera Lackschewitz,1940 Range (in code): TR AL BG FR GR Cr Rd IT Si MK YU RO CH MA AZ Cc TM TJ AF KK 42 62
- 8907. Idiocera (Euptilostena) arabiensis Hancock,1997** (Limoniidae) Synonym(s): arabiensis Hancock,1997 Range (in code): SA IL Pa
- 8908. Idiocera (s.str.) ampullifera (Stary,1979)** (Limoniidae) Synonym(s): ampullifera Stary,1979 Range (in code): EG IL Pa
- 8909. Idiocera (s.str.) laterospina (Alexander,1975)** (Limoniidae) Synonym(s): laterospina Alexander,1975 Range (in code): GR TR Cc AM IR 09 44
- 8910. Idiocera (s.str.) pulchripennis (Loew,1856)** (Limoniidae) Synonym(s): pulchripennis Loew,1856; ?filicina Santos Abreu,1923; similior Alexander,1956 Range (in code): Cn AL AT B-H BG CZ DK GR IT Si ES CH UA RU Cc MA DZ EG TR AF GG AM AZ CY IL Pa IR TM TJ KK 48
- 8911. Idiocera (s.str.) sziladyi (Lackschewitz,1940)** (Limoniidae) Synonym(s): sziladyi Lackschewitz,1940 Range (in code): Cn EG Sn
- 8912. Ilisia inermis Mendl,1979** (Limoniidae) Synonym(s): inermis Mendl,1979 Range (in code): IL Pa SK GR SY
- 8913. Ilisia maculata (Meigen,1804)** (Limoniidae) Synonym(s): maculata Meigen,1804 Range (in code): TR
- 8914. Limnophila schranki Oosterbroek,1992** (Limoniidae) Synonym(s): schranki Oosterbroek,1992 Range (in code): AT BE B-H BG HV TR CZ DK FI FR DE GB HU IT LT LV MK YU NL NO PL RO SK SS ES SE CH UA RU GG Cc KG 64
- 8915. Limonia eos Stary & Savchenko,1976** (Limoniidae) Synonym(s): eos Stary & Savchenko,1976 Range (in code): TR

- 8916. *Limonia hercegovinae* (Strobl,1898)** (Limoniidae) Synonym(s): hercegovinae Strobl,1898 Range (in code): TR B-H
- 8917. *Limonia macrostigma* (Schummel,1829)** (Limoniidae) Synonym(s): macrostigma Schummel,1829 Range (in code): TR 48
- 8918. *Limonia nubeculosa* Meigen,1804** (Limoniidae) Synonym(s): nubeculosa Meigen,1804 Range (in code): TR 05 38 48
- 8919. *Limonia nussbaumi* Stary & Freidberg,2007** (Limoniidae) Synonym(s): nussbaumi Stary & Freidberg,2007 Range (in code): TR
- 8920. *Limonia pannonica* (Kowarz,1868)** (Limoniidae) Synonym(s): pannonica Kowarz,1868 Range (in code): TR
- 8921. *Limonia phragmitidis* (Schränk,1781)** (Limoniidae) Synonym(s): tripunctata Fabricius,1781 nec Müll.,1764; phragmitidis Schränk,1781 Range (in code): AL AD AT BE B-H BG HV CZ DK FI FR Co DE GB HU IE IT Sa Si LT LV MK YU NL NO PL RO SK SS ES SE CH UA RU Cc MA AZ GG IL Pa JO At KG TrA KK TR 05 48
- 8922. *Limonia subaequalis* Savchenko,1979** (Limoniidae) Synonym(s): subaequalis Savchenko,1979 Range (in code): TR
- 8923. *Limonia taurica* (Strobl,1895)** (Limoniidae) Synonym(s): taurica Strobl,1895 Range (in code): TR
- 8924. *Limonia trivittata* (Schummel,1829)** (Limoniidae) Synonym(s): trivittata Schummel,1829 Range (in code): TR
- 8925. *Lipsothrix nobilis* Loew,1873** (Limoniidae) Synonym(s): nobilis Loew,1873 Range (in code): TR
- 8926. *Metalimnobia* (s.str.) *bifasciata* (Schränk,1781)** (Limoniidae) Synonym(s): bifasciata Schränk,1781 Range (in code): TR
- 8927. *Metalimnobia* (s.str.) *quadrinaculata* (Linnaeus,1761)** (Limoniidae) Synonym(s): quadrinaculata Linnaeus,1761 Range (in code): TR
- 8928. *Molophilus* (s.str.) *aduncus* Stary,1978** (Limoniidae) Synonym(s): aduncus Stary,1978 Range (in code): TR
- 8929. *Molophilus* (s.str.) *aktashi* Özgül & Koç,2014** (Limoniidae) Synonym(s): aktashi Özgül & Koç,2014 Range (in code): TR 43
- 8930. *Molophilus* (s.str.) *baniyas* Stary & Freidberg,2007** (Limoniidae) Synonym(s): baniyas Stary & Freidberg,2007 Range (in code): IL Pa
- 8931. *Molophilus* (s.str.) *griseus* (Meigen,1804)** (Limoniidae) Synonym(s): griseus Meigen,1804; biflatus Meijere,1920 Range (in code): Cn Cc TR IL Pa 14
- 8932. *Molophilus* (s.str.) *hasbenli* Özgül & Koç,2014** (Limoniidae) Synonym(s): hasbenli Özgül & Koç,2014 Range (in code): TR 43 64
- 8933. *Molophilus* (s.str.) *obscurus* (Meigen,1818)** (Limoniidae) Synonym(s): obscurus Meigen,1818 Range (in code): TR Cc LB IL Pa
- 8934. *Molophilus* (s.str.) *ochraceus* (Meigen,1818)** (Limoniidae) Synonym(s): ochraceus Meigen,1818 Range (in code): TR
- 8935. *Molophilus* (s.str.) *pleuralis* De Meijere,1920** (Limoniidae) Synonym(s): pleuralis De Meijere,1920 Range (in code): Cc IL Pa TR IR RU Sb Us
- 8936. *Molophilus* (s.str.) *propinquus* (Egger,1863)** (Limoniidae) Synonym(s): propinquus Egger,1863 Range (in code): TR DZ RU Sb 48
- 8937. *Orimarga* (s.str.) *attautena* Özgül & Koç,2014** (Limoniidae) Synonym(s): attautena Özgül & Koç,2014 Range (in code): TR 03 43
- 8938. *Ormosia* (s.str.) *fascipennis* (Zetterstedt,[1838])** (Limoniidae) Synonym(s): fascipennis Zetterstedt,[1838] Range (in code): RU Kb Cc
- 8939. *Ormosia* (s.str.) *hederae* (Curtis,1835)** (Limoniidae) Synonym(s): hederae Curtis,1835 Range (in code): TJ Pm GG AZ Cc Kb RU TR
- 8940. *Paradelphomyia* (Oxyrhiza) *cycnea* Stary & Freidberg,2007** (Limoniidae) Synonym(s): cycnea Stary & Freidberg,2007 Range (in code): IL Pa
- 8941. *Paradelphomyia* (Oxyrhiza) *dissita* Alexander,1960** (Limoniidae) Synonym(s): dissita Alexander,1960 Range (in code): PK Mre
- 8942. *Paradelphomyia* (Oxyrhiza) *senilis* (Haliday,1833)** (Limoniidae) Synonym(s): senilis Haliday,1833 Range (in code): Cc TR 48
- 8943. *Phylidorea* (s.str.) *ferruginea* (Meigen,1818)** (Limoniidae) Synonym(s): ferruginea Meigen,1818 Range (in code): TR Cc RU Sb IL Pa MN
- 8944. *Phyllolabis golanensis* Stary & Freidberg,2007** (Limoniidae) Synonym(s): golanensis Stary & Freidberg,2007 Range (in code): IL Pa
- 8945. *Phyllolabis kocmani* Koç,2004** (Limoniidae) Synonym(s): kocmani Koç,2004 Range (in code): TR 48
- 8946. *Pilaria discicollis* (Meigen,1818)** (Limoniidae) Synonym(s): discicollis Meigen,1818 Range (in code): TR

- 8947. *Pseudolimnophila* (s.str.) *sepium* (Verrall,1886)** (Limoniidae) Synonym(s): *sepium* Verrall,1886 Range (in code): TR Cc AF 48
- 8948. *Rhabdomastix* (s.str.) *filata* Stary,2004** (Limoniidae) Synonym(s): *filata* Stary,2004 Range (in code): BG GR RU Cc GG AM TR LB Bsa 53
- 8949. *Scleroprocta balcanica* Stary,1976** (Limoniidae) Synonym(s): *balcanica* Stary,1976 Range (in code): TR 48
- 8950. *Symplecta* (*Psiloconopa*) *stictica* (Meigen,1818)** (Limoniidae) Synonym(s): *stictica* Meigen,1818 Range (in code): TR IL Pa Cc IR AF 06 48
- 8951. *Symplecta* (s.str.) *hybrida* (Meigen,1804)** (Limoniidae) Synonym(s): *hybrida* Meigen,1804; *punctipennis* De Meijere,1920 Range (in code): CA Als Az Cc AT BE BG CH DE DK ES FR Co GB HU IT Si IE IL Pa NO NL PL PT YU RU FI TR DZ MA EG LB IR AF PK CN KP KR JP Az CA US 07 15 48
- 8952. *Symplecta* (*Trimicra*) *pilipes* (Fabricius,1787)** (Limoniidae) Synonym(s): *pilipes* Fabricius,1787 Range (in code): AT BE CZ DE DK ES FR Co GB IE NO NL PL RO SE CH YU RU Sb Us TR IL Pa SA MN MA DZ EG Az Md Cn 20
- 8953. *Lonchoptera lutea* Panzer,1809** (Lonchopteridae) Synonym(s): *lutea* Panzer,1809; *trilineata* Zetterstedt,1848 Range (in code): SE TR 26 38
- 8954. *Lonchoptera nerana* Vaillant,1989** (Lonchopteridae) Synonym(s): *nerana* Vaillant,1989 Range (in code): TR 25
- 8955. *Micropeza annuliventris* (Hendel,1931)** (Micropezidae) Synonym(s): *annuliventris* Hendel,1931 Range (in code): EG Sn IL Pa
- 8956. *Micropeza corrigiolata* (Linnaeus,1767)** (Micropezidae) Synonym(s): *corrigiolata* Linnaeus,1767 Range (in code): ES FR CH DE DK NO SE FI RU UA CZ SK HU TR 25
- 8957. *Micropeza grallatrix* Loew,1868** (Micropezidae) Synonym(s): *grallatrix* Loew,1868 Range (in code): ES FR DE CH IT IL Pa LB
- 8958. *Micropeza nigra* (Loew,1873)** (Micropezidae) Synonym(s): *nigra* Loew,1873; *diversipes* Villeneuve,1913; *niger* Czerny,1930 Range (in code): TR IL Pa SY AF 25
- 8959. *Neria octoannulata* (Strobl,1899)** (Micropezidae) Synonym(s): *octoannulata* Strobl,1899 Range (in code): ES TR 25
- 8960. *Milichia albomaculata* (Strobl,1900)** (Milichiidae) Synonym(s): *albomaculata* Strobl,1900 Range (in code): ES MA DZ YE
- 8961. *Milichia sinaiensis* Steyskal,1966** (Milichiidae) Synonym(s): *sinaiensis* Steyskal,1966 Range (in code): EG Sn IL Pa
- 8962. *Milichia speciosa* Meigen,1830** (Milichiidae) Synonym(s): *speciosa* Meigen,1830 Range (in code): Cn AD CZ SK HU RU RO CH MA FR IT Sa GR YU TR IL Pa 07 25 29 55 61 76
- 8963. *Milichiella argentiventris* Hendel,1931** (Milichiidae) Synonym(s): *argentiventris* Hendel,1931 Range (in code): CV EG IL? NG OM SD YE
- 8964. *Milichiella iberica* Carles-Tolra,2001** (Milichiidae) Synonym(s): *iberica* Carles-Tolra,2001 Range (in code): ES GR TR 76
- 8965. *Milichiella lacteipennis* (Loew,1866)** (Milichiidae) Synonym(s): *lacteipennis* Loew,1866 Range (in code): AF Cn Md GR US Fl Cf Hw NMx Tx TW JM AU QAU SC FJ PR GU TZ AO CL EG NA OM JP MZ
- 8966. *Milichiella* sp.** (Milichiidae) Synonym(s): Range (in code): TR
- 8967. *Atherigona alpha* Pont,1981** (Muscidae) Synonym(s): *alpha* Pont,1981 Range (in code): TR SI MM AU 07
- 8968. *Atherigona bedfordi* Emden,1940** (Muscidae) Synonym(s): *bedfordi* Emden,1940 Range (in code): EG IL Pa
- 8969. *Atherigona humeralis* (Wiedemann,1830)** (Muscidae) Synonym(s): *humeralis* Wiedemann,1830; *ferruginea* Emden,1940 Range (in code): IL Pa JO Cn EG LY
- 8970. *Atherigona laevigata* (Loew,1852)** (Muscidae) Synonym(s): *laevigata* Loew,1852 Range (in code): IL Pa JO EG
- 8971. *Atherigona orientalis* Schiner,1868** (Muscidae) Synonym(s): *orientalis* Schiner,1868; *excisa* Thomson,1869 Range (in code): CY IQ IL Pa Cn
- 8972. *Atherigona pulla* (Wiedemann,1830)** (Muscidae) Synonym(s): *pulla* Wiedemann,1830 Range (in code): TR CY IQ IL Pa 07
- 8973. *Atherigona soccata* Rondani,1871** (Muscidae) Synonym(s): *soccata* Rondani,1871; *indica* Malloch,1923 Range (in code): TR IQ IL Pa IT AF Cn IN 01
- 8974. *Atherigona theodori* Hennig,1963** (Muscidae) Synonym(s): *theodori* Hennig,1963 Range (in code): IL Pa EG
- 8975. *Atherigona varia* (Meigen,1826)** (Muscidae) Synonym(s): *varia* Meigen,1826 Range (in code): TR CY SY IQ LB IL Pa Cc AM Eri GG AZ IR 34
- 8976. *Azelia gibbera* (Meigen,1826)** (Muscidae) Synonym(s): *gibbera* Meigen,1826 Range (in code): US CA Als Qb ES FR GB IE NO SE FI DK DE PL CZ SK CH AT HU IT RO BG TR
- 8977. *Azelia monodactyla* Loew,1874** (Muscidae) Synonym(s): *monodactyla* Loew,1874 Range (in code): DE CH CZ SK FI HU RO BG TR Cn JP RU Ao Cc Kr 07



- 8978. *Azelia nebulosa* R-D.,1830** (Muscidae) Synonym(s): *nebulosa* R-D.,1830; *macquarti* Staeger,1843 Range (in code): **PT ES FR Co GB IE NO SE FI RU PL DK DE CZ SK BE NL CH AT SS HU IT MD RO YU GR Cc AZ LenRU Kr Sok UA**
- 8979. *Azelia parva* Rondani,1866** (Muscidae) Synonym(s): *parva* Rondani,1866 Range (in code): **ES Co IT CH DE CZ SK SS HU RO TR RU MN 28**
- 8980. *Brontaea eremophila* (Brauer & Bergenstamm,1894)** (Muscidae) Synonym(s): *eremophila* Brauer & Bergenstamm,1894; *impedita* Pandellé,1898 Range (in code): **FR IT BG TR Arr SY IQ Bgd LB IL Pa IR 06 68 76**
- 8981. *Brontaea tonitrui* (Wiedemann,1824)** (Muscidae) Synonym(s): *tonitrui* Wiedemann,1824; *canace* Walker,1849; *variegata* Stein,1903 Range (in code): **SK HU AL Si IL Pa Js IR**
- 8982. *Coenosia agromyzina* (Fallén,1825)** (Muscidae) Synonym(s): *agromyzina* Fallén,1825 Range (in code): **FR Co DE PL CZ SK CH AT HU Cc TR AM Eri UA 08 16**
- 8983. *Coenosia albicornis* Meigen,1826** (Muscidae) Synonym(s): *albicornis* Meigen,1826; *lineatipes* Zetterstedt,1845 Range (in code): **TR UA 06**
- 8984. *Coenosia atra* Meigen,1830** (Muscidae) Synonym(s): *atra* Meigen,1830 Range (in code): **TR SY IL Pa 06**
- 8985. *Coenosia attenuata* Stein,1903** (Muscidae) Synonym(s): *attenuata* Stein,1903; *flavicornis* Schnabl,1911; *confalonierii* Séguy,1930; *affinis* Santos Abreu,1976; *flavipes* Santos Abreu,1976 Range (in code): **CN TW Ui Au KI Ga EG AU CY SY IQ Agh IL Pa Js JO Amm AF TJ**
- 8986. *Coenosia brevicauda* Pont,2005** (Muscidae) Synonym(s): *brevicauda* Pont,2005 Range (in code): **AM Cc Eri**
- 8987. *Coenosia femoralis* (R-D.,1830)** (Muscidae) Synonym(s): *femoralis* R-D.,1830; *geniculata* Fallén,1825 Range (in code): **TR 06**
- 8988. *Coenosia freidbergi* Pont & Grach,2008** (Muscidae) Synonym(s): *freidbergi* Pont & Grach,2008 Range (in code): **IL Pa Kf**
- 8989. *Coenosia humilis* Meigen,1826** (Muscidae) Synonym(s): *humilis* Meigen,1826; *litoral* R-D.,1830; *limpidipennis* R-D.,1830; *riparia* R-D.,1830; *distincta* R-D.,1830; *nana* Zetterstedt,1845; *diedickii* Schnabl,1911 Range (in code): **CN Sz Yu TJ TM IL Pa AF TR CA 07 28 31 33 48 55**
- 8990. *Coenosia means* Meigen,1826** (Muscidae) Synonym(s): *means* Meigen,1826 Range (in code): **AD FR ES DE PL CZ SK CH AT Cc**
- 8991. *Coenosia mollicula* (Fallén,1825)** (Muscidae) Synonym(s): *mollicula* Fallén,1825 Range (in code): **TR RU Sb MN 18 25 37 52 61**
- 8992. *Coenosia nigridigita* Rondani,1866** (Muscidae) Synonym(s): *nigridigita* Rondani,1866 Range (in code): **DE PL CZ SK CH AT HU TR RU Cc AM Eri 06 14 17 43 78**
- 8993. *Coenosia pumila* (Fallén,1825)** (Muscidae) Synonym(s): *pumila* Fallén,1825 Range (in code): **MA? TR 06**
- 8994. *Coenosia testacea* (R-D.,1830)** (Muscidae) Synonym(s): *testacea* R-D.,1830 Range (in code): **CY SY AM Cc Eri TR 06 42**
- 8995. *Coenosia tigrina* (Fabricius,1775)** (Muscidae) Synonym(s): *tigrina* Fabricius,1775 Range (in code): **CY LB IL Pa JO AM Cc TR IR 06 28 48**
- 8996. *Coenosia verralli* Collin,1953** (Muscidae) Synonym(s): *verralli* Collin,1953 Range (in code): **TR 13 25**
- 8997. *Coenosia wernerai* Pont,2005** (Muscidae) Synonym(s): *wernerai* Pont,2005 Range (in code): **AM Cc Eri**
- 8998. *Dasyphora albofasciata* (Macquart,1839)** (Muscidae) Synonym(s): *albofasciata* Macquart,1839; *hirsutoculata* Macquart,1849; *aeneomicans* Portschinsky,1881 Range (in code): **Cc AM Eri GG AZ TR CY SY IQ 35**
- 8999. *Dasyphora asiatica* Zimin,1947** (Muscidae) Synonym(s): *asiatica* Zimin,1947 Range (in code): **IQ RU MN CN**
- 9000. *Dasyphora meridionalis* Zimin,1951** (Muscidae) Synonym(s): *meridionalis* Zimin,1951 Range (in code): **AM Cc TM**
- 9001. *Dasyphora paraversicolor* Zimin,1951** (Muscidae) Synonym(s): *paraversicolor* Zimin,1951 Range (in code): **AM Cc Eri TJ KK RU Us Sb CN PK**
- 9002. *Dasyphora penicillata* (Egger,1865)** (Muscidae) Synonym(s): *penicillata* Egger,1865 Range (in code): **MA DE PL CZ SK CH AT HU Cc AM RU TR 61**
- 9003. *Dasyphora pratorum* (Meigen,1826)** (Muscidae) Synonym(s): *pratorum* Meigen,1826 Range (in code): **TR GG AZ AM Cc IQ Ssa JO Zq RU Sb TJ PK 07 25**
- 9004. *Drymeia alpicola* (Rondani,1871)** (Muscidae) Synonym(s): *alpicola* Rondani,1871; *tundrica* Schnabl,1915 Range (in code): **CA US NMx DE PL SK CH AT TR RU Ur Sb CN 25**
- 9005. *Drymeia caucasica* (Schnabl & Dziedzicki,1911)** (Muscidae) Synonym(s): *caucasica* Schnabl & Dziedzicki,1911 Range (in code): **Cc RU MN**
- 9006. *Drymeia fasciculata* (Stein,1916)** (Muscidae) Synonym(s): *fasciculata* Stein,1916 Range (in code): **Cc AM Eri AT IT BG TR GG 28**
- 9007. *Drymeia vicana* (Harris,1780)** (Muscidae) Synonym(s): *vicana* Harris,1780 Range (in code): **RU Us Cc TR 08**

- 9008. Eginia ocypterata (Meigen,1826)** (Muscidae) Synonym(s): ocypterata Meigen,1826; cylindrica R-D.,1830 Range (in code): PT ES FR BE NL DK DE PL EE LT RU UA CZ SK AT HU Cc B-H YU
- 9009. Eudasyphora cyanella (Meigen,1826)** (Muscidae) Synonym(s): cyanella Meigen,1826 Range (in code): CZ SE GR UA TR IR Az CY LB IL Pa SH 45
- 9010. Eudasyphora zimini (Hennig,1963)** (Muscidae) Synonym(s): zimini Hennig,1963 Range (in code): DE PL CZ SK CH AT HU Cc AM Eri GG
- 9011. Graphomya maculata (Scopoli,1763)** (Muscidae) Synonym(s): maculata Scopoli,1763; compuncta Harris,1780 Range (in code): IE IC GB PT ES FR Cn Co Sa Si IT CH AT BE NL DK DE NO DE FI PL CZ SK SS HU YU AL MK GR BG Cr TR UA RO RU BY IQ LB IL Pa SY 06
- 9012. Haematobia exigua De Meijere,1903** (Muscidae) Synonym(s): exigua De Meijere,1903 Range (in code): IQ SC
- 9013. Haematobia irritans (Linnaeus,1758)** (Muscidae) Synonym(s): irritans Linnaeus,1758 Range (in code): TR IQ IL Pa Hf JP Hw 17 35
- 9014. Haematobia titillans (Bezzi,1907)** (Muscidae) Synonym(s): titillans Bezzi,1907 Range (in code): TR Arr IQ IL Pa Ch RU Us CN 17 35 76
- 9015. Haematobosca atripalpis (Bezzi,1895)** (Muscidae) Synonym(s): atripalpis Bezzi,1895 Range (in code): TR AM Cc RU Us CN 05 06
- 9016. Haematobosca stimulans (Meigen,1824)** (Muscidae) Synonym(s): stimulans Meigen,1824 Range (in code): AM Cc Eri GG TR IN NP RU Us 08 55
- 9017. Hebecnema fumosa (Meigen,1826)** (Muscidae) Synonym(s): fumosa Meigen,1826 Range (in code): TR AM Cc Eri CY LB TW 58
- 9018. Hebecnema nigra (R-D.,1830)** (Muscidae) Synonym(s): nigra R-D.,1830 Range (in code): PT ES FR GB IE NO SE FI DK LT RU DE PL CZ SK HU CH AT IT Co SS RO BG GR IL Pa SY IR
- 9019. Hebecnema umbratica (Meigen,1826)** (Muscidae) Synonym(s): umbratica Meigen,1826 Range (in code): AM Cc Eri TR MM CN SY LB IL Pa IN TW?
- 9020. Hebecnema vespertina (Fallén,1823)** (Muscidae) Synonym(s): vespertina Fallén,1823; affinis Malloch,1921 Range (in code): AM Cc Eri IL Pa Cn
- 9021. Helina abdominalis (Zetterstedt,1846)** (Muscidae) Synonym(s): abdominalis Zetterstedt,1846 Range (in code): DK FR Co DE PL AT HU SY
- 9022. Helina almeriensis (Strobl,1906)** (Muscidae) Synonym(s): almeriensis Strobl,1906 Range (in code): Cn ES IL Pa TR YU MT 21
- 9023. Helina annosa (Zetterstedt,1838)** (Muscidae) Synonym(s): annosa Zetterstedt,1838 Range (in code): IL Pa
- 9024. Helina arctata Collin,1953** (Muscidae) Synonym(s): arctata Collin,1953 Range (in code): AM Cc UA
- 9025. Helina atricolor (Fallén,1825)** (Muscidae) Synonym(s): atricolor Fallén,1825; denudata Zetterstedt,1845 Range (in code): DE PL CZ SK CH AT TR 61
- 9026. Helina chaetopyga (Malloch,1921)** (Muscidae) Synonym(s): chaetopyga Malloch,1921 Range (in code): CY IL?
- 9027. Helina clara (Meigen,1826)** (Muscidae) Synonym(s): clara Meigen,1826 Range (in code): LB IL Pa Js Hf
- 9028. Helina decipiens Mihalyi,1974** (Muscidae) Synonym(s): decipiens Mihalyi,1974 Range (in code): DE CZ SK AT HU TR RU Us KG 20 37 42 61
- 9029. Helina edita Pont,2012** (Muscidae) Synonym(s): edita Pont,2012 Range (in code): RU GG TR Cc
- 9030. Helina evecta (Harris,1780)** (Muscidae) Synonym(s): evecta Harris,1780; lucorum Fallén,1823 Range (in code): AM Cc Eri GG LK LB IL Pa Js Sk SA IN MX VE
- 9031. Helina karina Pont,2012** (Muscidae) Synonym(s): karina Pont,2012 Range (in code): AM Cc
- 9032. Helina lasiophthalma (Macquart,1835)** (Muscidae) Synonym(s): lasiophthalma Macquart,1835 Range (in code): GG Cc TJ TR 46
- 9033. Helina latitarsis Ringdahl,1924** (Muscidae) Synonym(s): latitarsis Ringdahl,1924 Range (in code): FR Co DK DE PL CZ SK CH AT HU TR Cc AM RU 61 69
- 9034. Helina maculipennis (Zetterstedt,1845)** (Muscidae) Synonym(s): maculipennis Zetterstedt,1845 Range (in code): AM Cc Eri
- 9035. Helina marisha Pont,2012** (Muscidae) Synonym(s): marisha Pont,2012 Range (in code): Cc AM
- 9036. Helina moedlingensis (Schnabl,1911)** (Muscidae) Synonym(s): moedlingensis Schnabl,1911 Range (in code): KK PK
- 9037. Helina obtusipennis (Fallén,1823)** (Muscidae) Synonym(s): obtusipennis Fallén,1823 Range (in code): SE DE SK CH AT TR 69
- 9038. Helina parcepilosa (Stein,1907)** (Muscidae) Synonym(s): parcepilosa Stein,1907; calceataeformis Schnabl,1911 Range (in code): TR Arr SY IQ Bgd LB IL Pa Js KK CN 76
- 9039. Helina pubescens (Stein,1893)** (Muscidae) Synonym(s): pubescens Stein,1893 Range (in code): DE PL CH AT HU TR? RU 35

- 9040. *Helina reversio* (Harris,1780)** (Muscidae) Synonym(s): *reversio* Harris,1780; *duplicata* Meigen,1826; *duplaris* Zetterstedt,1845 Range (in code): **CY SY IL Pa FI AM Cc Eri AZ TR TW 01 08 20 28 35 42 43 61**
- 9041. *Helina setiventris* Ringdahl,1924** (Muscidae) Synonym(s): *setiventris* Ringdahl,1924 Range (in code): **AD DE PL CZ SK CH AT HU TR Ui RU Sb TM 25**
- 9042. *Helina sexmaculata* (Preyssler,1791)** (Muscidae) Synonym(s): *sexmaculata* Preyssler,1791; *punctata* R-D.,1830 Range (in code): **CY IL Pa NZ**
- 9043. *Helina straminea* Hennig,1963** (Muscidae) Synonym(s): *straminea* Hennig,1963 Range (in code): **YU GR IL?**
- 9044. *Helina syracusana* Hennig,1957** (Muscidae) Synonym(s): *syracusana* Hennig,1957 Range (in code): **Si IL Pa**
- 9045. *Helina tetrastigma* (Meigen,1826)** (Muscidae) Synonym(s): *tetrastigma* Meigen,1826; *flagripes* Rondani,1866 Range (in code): **DE IL Pa AM Cc TR**
- 9046. *Hydrotaea aenescens* (Wiedemann,1830)** (Muscidae) Synonym(s): *aenescens* Wiedemann,1830 Range (in code): **DZ TN ES FR GB IE NO SE DK DE CH AT IT CZ HU RO Co Cr LB IL Pa AM Cc TR 07**
- 9047. *Hydrotaea albipuncta* (Zetterstedt,1845)** (Muscidae) Synonym(s): *albipuncta* Zetterstedt,1845 Range (in code): **GG TR AM Cc Eri**
- 9048. *Hydrotaea armipes* (Fallén,1825)** (Muscidae) Synonym(s): *armipes* Fallén,1825; *occulta* Meigen,1826 Range (in code): **TW MM IR GG AM Cc**
- 9049. *Hydrotaea capensis* (Wiedemann,1818)** (Muscidae) Synonym(s): *capensis* Wiedemann,1818; *anthrax* Meigen,1826 Range (in code): **ZA CL US Ny SY IL Pa Hf TR 42 48**
- 9050. *Hydrotaea cyrtoneurina* (Zetterstedt,1845)** (Muscidae) Synonym(s): *cyrtoneurina* Zetterstedt,1845; *sylvicola* Loew,1857 Range (in code): **AM Cc TR IN MN KP KR**
- 9051. *Hydrotaea dentipes* (Fabricius,1805)** (Muscidae) Synonym(s): *dentipes* Fabricius,1805 Range (in code): **Cc Eri AM TR GG IN NP CN 61**
- 9052. *Hydrotaea floccosa* Macquart,1835** (Muscidae) Synonym(s): *floccosa* Macquart,1835 Range (in code): **LB Cc Eri AM AZ IR TR Ch 16**
- 9053. *Hydrotaea hirticeps* (Fallén,1824)** (Muscidae) Synonym(s): *hirticeps* Fallén,1824 Range (in code): **Cc Eri AM**
- 9054. *Hydrotaea ignava* (Harris,1780)** (Muscidae) Synonym(s): *ignava* Harris,1780; *leucostoma* Wiedemann,1817 Range (in code): **Ch NP CN MY Cc AZ GG TR LB IL Pa SY Js IR AM RU Soc Kr 06 07 17 21 46 55**
- 9055. *Hydrotaea irritans* (Fallén,1823)** (Muscidae) Synonym(s): *irritans* Fallén,1823; *incompta* Meigen,1826 Range (in code): **GG Cc AM**
- 9056. *Hydrotaea meridionalis* Portschinsky,1882** (Muscidae) Synonym(s): *curvipes* Fallén,1825 nec Gmel.,1790; *meridionalis* Portschinsky,1882 Range (in code): **IT Si DE PL CZ SK CH AT HU TR Cc RU UA 08**
- 9057. *Hydrotaea meteorica* (Linnaeus,1758)** (Muscidae) Synonym(s): *meteorica* Linnaeus,1758 Range (in code): **Cc Eri AM IR TR PK GG RU Sb To At Ya Sj 29 61**
- 9058. *Hydrotaea pandellei* Stein,1899** (Muscidae) Synonym(s): *pandellei* Stein,1899 Range (in code): **TR RU Sb MN 25**
- 9059. *Hydrotaea pellucens* Portchinsky,1879** (Muscidae) Synonym(s): *pellucens* Portchinsky,1879 Range (in code): **MA TR 61**
- 9060. *Hydrotaea penicillata* (Rondani,1866)** (Muscidae) Synonym(s): *penicillata* Rondani,1866 Range (in code): **FR Co PL CZ SK CH HU TR GR Cr 25 61**
- 9061. *Hydrotaea similis* Meade,1887** (Muscidae) Synonym(s): *similis* Meade,1887 Range (in code): **IL Pa**
- 9062. *Hydrotaea velutina* R-D.,1830** (Muscidae) Synonym(s): *velutina* R-D.,1830 Range (in code): **TR RU Sb Us MN 25 42 58**
- 9063. *Limnophora angustatifrons* Emden,1965** (Muscidae) Synonym(s): *angustatifrons* Emden,1965 Range (in code): **PK**
- 9064. *Limnophora bipunctata* (Stein,1908)** (Muscidae) Synonym(s): *bipunctata* Stein,1908 Range (in code): **IL Pa IR TJ**
- 9065. *Limnophora exigua* (Wiedemann,1830)** (Muscidae) Synonym(s): *exigua* Wiedemann,1830; *plumiseta* Stein,1903 Range (in code): **EG IL Pa**
- 9066. *Limnophora femoriseta* Pont, Vihrev & Werner,2011** (Muscidae) Synonym(s): *femoriseta* Pont, Vihrev & Werner,2011 Range (in code): **Cc AM TR 07 33**
- 9067. *Limnophora latevittata* Schnabl,1911** (Muscidae) Synonym(s): *latevittata* Schnabl,1911 Range (in code): **RU AM Cc**
- 9068. *Limnophora maculosa* (Meigen,1826)** (Muscidae) Synonym(s): *maculosa* Meigen,1826 Range (in code): **FR Co Cr IT Si RU AM Cc Eri TJ**
- 9069. *Limnophora obsignata* (Rondani,1866)** (Muscidae) Synonym(s): *obsignata* Rondani,1866; *ostensackeni* Jaennicke,1867 Range (in code): **TR CY SY LB IL Pa Cn IR 07 25 42**



- 9070. *Limnophora olympiae* Lyneborg,1965** (Muscidae) Synonym(s): olympiae Lyneborg,1965 Range (in code): MA IL Pa
- 9071. *Limnophora olympiae* Lyneborg,1965** (Muscidae) Synonym(s): olympiae Lyneborg,1965 Range (in code): IL Pa MA
- 9072. *Limnophora pandellei* Séguéy,1923** (Muscidae) Synonym(s): pandellei Séguéy,1923 Range (in code): RU MA AM Cc Eri GG TR 40
- 9073. *Limnophora patellifera* (Villeneuve,1911)** (Muscidae) Synonym(s): patellifera Villeneuve,1911 Range (in code): AM Cc TR TM SY Dms 07 33
- 9074. *Limnophora persica* Hennig,1959** (Muscidae) Synonym(s): persica Hennig,1959 Range (in code): IR
- 9075. *Limnophora pollinifera* Stein,1916** (Muscidae) Synonym(s): pollinifera Stein,1916 Range (in code): MA TR TJ CN 72
- 9076. *Limnophora pulchriceps* (Loew,1860)** (Muscidae) Synonym(s): pulchriceps Loew,1860 Range (in code): CZ AT IL? TR? 42
- 9077. *Limnophora quaterna* (Loew,1852)** (Muscidae) Synonym(s): quaterna Loew,1852; notabilis Stein,1903 Range (in code): TR CY SY IQ Bgd IL Pa Js EG Cn 01 07 33
- 9078. *Limnophora riparia* (Fallén,1824)** (Muscidae) Synonym(s): riparia Fallén,1824 Range (in code): Cc AM TR TJ 07
- 9079. *Limnophora rufimana* (Strobl,1893)** (Muscidae) Synonym(s): rufimana Strobl,1893 Range (in code): TR IL Pa 07 42
- 9080. *Limnophora setinerva* Schnabl,1911** (Muscidae) Synonym(s): setinerva Schnabl,1911 Range (in code): TR IL Pa Cn TJ JP 48
- 9081. *Limnophora triangula* (Fallén,1825)** (Muscidae) Synonym(s): triangula Fallén,1825 Range (in code): FR Co IT Si RU CN JP AM Cc Eri
- 9082. *Limnospila albifrons* (Zetterstedt,1849)** (Muscidae) Synonym(s): albifrons Zetterstedt,1849 Range (in code): SE TR 58
- 9083. *Lispe apicalis* Mik,1869** (Muscidae) Synonym(s): apicalis Mik,1869 Range (in code): MA DZ AT HU TR IR 06
- 9084. *Lispe armeniaca* Canzoneri & Meneghini,1972** (Muscidae) Synonym(s): armeniaca Canzoneri & Meneghini,1972 Range (in code): Cc AM Eri
- 9085. *Lispe assimilis* Wiedemann,1824** (Muscidae) Synonym(s): assimilis Wiedemann,1824; quadrilineata Macquart,1835; cyrtoneurina Stein,1900; modesta Stein,1913; incerta Malloch,1925; inexpectata Canzoneri & Meneghini,1966 Range (in code): TR ET PG AU IN IL Pa IT Si MM MA NG SD TH 01 07 31 33 54 67
- 9086. *Lispe caesia* Meigen,1826** (Muscidae) Synonym(s): caesia Meigen,1826 Range (in code): Cn MA DZ TN LY EG Cn ES IT Sa Si DE PL CZ AT HU SY IL Pa LB TR RU 01 06
- 9087. *Lispe candidans* Kowarz,1892** (Muscidae) Synonym(s): candidans Kowarz,1892 Range (in code): IL Pa
- 9088. *Lispe cilitarsis* Loew,1856** (Muscidae) Synonym(s): cilitarsis Loew,1856 Range (in code): IL Pa EG Sn ET MA SA OM
- 9089. *Lispe consanguinea* Loew,1858** (Muscidae) Synonym(s): consanguinea Loew,1858 Range (in code): MD RU Cc MN Am TJ TR 06 34 54 67
- 9090. *Lispe elegantissima* Stackelberg,1937** (Muscidae) Synonym(s): elegantissima Stackelberg,1937 Range (in code): TM KG TJ
- 9091. *Lispe elkantarae* Becker,1907** (Muscidae) Synonym(s): elkantarae Becker,1907 Range (in code): DZ TR? 06?
- 9092. *Lispe flavicincta* Loew,1847** (Muscidae) Synonym(s): flavicincta Loew,1847 Range (in code): FE Co IT Sa PL CZ SK AT Cc AM
- 9093. *Lispe kowarzi* Becker,1903** (Muscidae) Synonym(s): kowarzi Becker,1903 Range (in code): EG IL Pa IR
- 9094. *Lispe loewi* Ringdahl,1922** (Muscidae) Synonym(s): loewi Ringdahl,1922 Range (in code): TR IL Pa SD 06
- 9095. *Lispe longicollis* Meigen,1826** (Muscidae) Synonym(s): longicollis Meigen,1826; leucomelaena Konow,1892 Range (in code): DZ Ch AM Eri Cc IL Pa DE TR CN IN ?SD RU Sr HU IR Ss KG Ao Or St Om Kr SS TJ UZ UA 06 07 31 33 38 42
- 9096. *Lispe melaleuca* Loew,1847** (Muscidae) Synonym(s): melaleuca Loew,1847 Range (in code): MA IN CN TR Cc AM 33 57
- 9097. *Lispe microptera* Séguéy,1937** (Muscidae) Synonym(s): microptera Séguéy,1937 Range (in code): IN PK Krc
- 9098. *Lispe nana* Macquart,1835** (Muscidae) Synonym(s): nana Macquart,1835; pulchella Loew,1847; melitensis Rondani,1866; meridionalis Rondani,1877 Range (in code): Cn AM Cc Eri LB IL Pa IR TR IN AF 06 33 34 40 48 65
- 9099. *Lispe nuba* Wiedemann,1830** (Muscidae) Synonym(s): nuba Wiedemann,1830 Range (in code): IL Pa EG ET

- 9100. *Lispe orientalis* Wiedemann,1824** (Muscidae) Synonym(s): *orientalis* Wiedemann,1824 Range (in code): AZ Len Cc IN RU Cc TH TJ KR TR 07 31 35
- 9101. *Lispe pectinipes* Becker,1903** (Muscidae) Synonym(s): *leucopsila* sensu auct.; *pectinipes* Becker,1903; *cochlearia* Becker,1904; *mixticia* Séguy,1941 Range (in code): Cn MA Cr EG TR AZ Cc Len CY IQ IL Pa IN TH Cbi Cbu Pgg Mae 01 07 31 35 42
- 9102. *Lispe pygmaea* Fallén,1825** (Muscidae) Synonym(s): *pygmaea* Fallén,1825; *tenuipalpis* Zetterstedt,1846; *simplicissima* Loew,1847; *suturata* Rondani,1866; *longiuscula* Rondani,1877 Range (in code): Cn SE AM Eri AZ Cc EG GG IN MN MA KG RU At Am Da Kr Om Us TJ TM UA TR CY IQ LB IL Pa JO 01 06 07 17 31 33 34 38 42 48 54 58
- 9103. *Lispe quaerens* Villeneuve,1936** (Muscidae) Synonym(s): *quaerens* Villeneuve,1936 Range (in code): ES IT YU TR IR 42
- 9104. *Lispe scalaris* Loew,1847** (Muscidae) Synonym(s): *scalaris* Loew,1847; *persica* Becker,1904 Range (in code): MA TR IL Pa EG GR IR Ss TM IN SD 33 35
- 9105. *Lispe sericipalpis* Stein,1904** (Muscidae) Synonym(s): *sericipalpis* Stein,1904; *quaerens* Villeneuve,1936 Range (in code): ES IT AZ Len Cc MM NP TJ Pm TR ID Ja TW VN TH LK IN PK CN 07 14 33 54 67
- 9106. *Lispe superciliosa* Loew,1861** (Muscidae) Synonym(s): *superciliosa* Loew,1861; *monacha* Schiner,1862; *cancellata* Canzoneri & Meneghini,1966 Range (in code): TR AT HU DE 06
- 9107. *Lispe tentaculata* (De Geer,1776)** (Muscidae) Synonym(s): *tentaculata* De Geer,1776; *fluviatilis* R-D.,1830; *tarsalis* R-D.,1830; *tibialis* Macquart,1839; *dissona* Villeneuve,1936 Range (in code): Cn GR LV PT NL UA GG AZ AM Eri Cc IL Pa LB SY IR TR Ch KG TJ TM MN UZ Tas RU At Us Om IN 01 06 07 09 14 16 25 31 32 33 35 38 40 42 48 54 59 61 67 80
- 9108. *Lispocephala erythrocerata* (R-D.,1830)** (Muscidae) Synonym(s): *erythrocerata* R-D.,1830 Range (in code): TR 07 28 48
- 9109. *Lispocephala miki* (Strobl,1893)** (Muscidae) Synonym(s): *miki* Strobl,1893 Range (in code): TR SY LB IL Pa JP 07 48
- 9110. *Lispocephala spuria* (Zetterstedt,1838)** (Muscidae) Synonym(s): *spuria* Zetterstedt,1838 Range (in code): AM Cc Eri GB JP
- 9111. *Lispocephala unguata* (Rondani,1866)** (Muscidae) Synonym(s): *unguata* Rondani,1866 Range (in code): TR CZ 01
- 9112. *Macrorchis meditata* (Fallén,1825)** (Muscidae) Synonym(s): *meditata* Fallén,1825 Range (in code): AM Cc Eri GG TR RU Sb MN
- 9113. *Mesembrina meridiana* (Linnaeus,1758)** (Muscidae) Synonym(s): *meridiana* Linnaeus,1758 Range (in code): TR 26
- 9114. *Mesembrina mystacea* (Linnaeus,1758)** (Muscidae) Synonym(s): *mystacea* Linnaeus,1758 Range (in code): RU Sb TR MN 61
- 9115. *Morellia hortorum* (Fallén,1817)** (Muscidae) Synonym(s): *hortorum* Fallén,1817 Range (in code): Cc GG TR AM RU Sb Tv To PK 06
- 9116. *Morellia nilotica* (Loew,1856)** (Muscidae) Synonym(s): *nilotica* Loew,1856; *syriaca* Séguy,1935 Range (in code): SY LB Bei IL Pa EG
- 9117. *Morellia simplex* (Loew,1857)** (Muscidae) Synonym(s): *simplex* Loew,1857 Range (in code): GB DE PL HU IT Si GR Rd TR IQ RU Ur Sb CN PK
- 9118. *Musca (Plaxemya) osiris* Wiedemann,1830** (Muscidae) Synonym(s): *osiris* Wiedemann,1830; *sugillatrix* R-D.,1830 Range (in code): EG IT Si Sa RU Cc Sb GG AM GG IR CY SY IQ Bgd LB IL Pa TR CN Ch PK IN TJ TD CV Arr 05 07 08 17 34 35 42 46 51 58 61 76
- 9119. *Musca (Plaxemya) vitripennis* Meigen,1826** (Muscidae) Synonym(s): *vitripennis* Meigen,1826 Range (in code): Cn Az SE FR EG SA Cr IL Pa IQ Slh LB TR IR TM RU Sb Ur At AF PK Bi Ch IN CN KG MN 01 06 07 25 26 27 28 29 34 37 42 43 58 69 76
- 9120. *Musca albina* Wiedemann,1830** (Muscidae) Synonym(s): *albina* Wiedemann,1830; *beckeri* Schnabl,1911 Range (in code): SY LB Bei IQ IL Pa Hf SA AF RU CN
- 9121. *Musca autumnalis* De Geer,1776** (Muscidae) Synonym(s): *autumnalis* De Geer,1776; *corvina* Fabricius,1781 Range (in code): Az PT IT Si Sa DE PL CZ SK CH AT HU IN PK CN TR AZ GG Cc AM SY IL Pa SH IN RU Sb At To CN 05 17 32 61
- 9122. *Musca biseta* Hough,1898** (Muscidae) Synonym(s): *biseta* Hough,1898 Range (in code): IQ Bgd IL Pa TJ
- 9123. *Musca calleva* Walker,1849** (Muscidae) Synonym(s): *calleva* Walker,1849; *mimetica* Malloch,1941 Range (in code): SC ZW ZA MG Sk Cn EG TR 07
- 9124. *Musca conducens* Walker,1859** (Muscidae) Synonym(s): *conducens* Walker,1859; *lineata* Brunetti,1910 Range (in code): IL Pa JO EG CN JP
- 9125. *Musca crassirostris* Stein,1903** (Muscidae) Synonym(s): *crassirostris* Stein,1903; *insignis* Austen,1909 Range (in code): IQ Amr Bgd TR CY IL Pa Js GR IR CN 01 07 17 31 33
- 9126. *Musca domestica* Linnaeus,1758** (Muscidae) Synonym(s): *domestica* Linnaeus,1758; *nebulosa* Fabricius,1794; *vicina* Macquart,1851; *determinata* Walker,1853 Range (in code): PT DK DE IT Si Sa PL CZ SK CH

- AT HU TR Arr TH AU NF US RU Sb To Us At CY SY IQ Bgd Amr LB IL Pa Js JO Amm 06 16 17 35 33 42 65  
71 76
- 9127. *Musca larvipara* Portschecksky,1910** (Muscidae) Synonym(s): larvipara Portschecksky,1910; mesopotamiensis Patton,1920 Range (in code): Cc AM TR AZ IQ Bgd CY IL Pa LB RU Sb Ur At CN MN 06 08 25 60
- 9128. *Musca lucidula* (Loew,1856)** (Muscidae) Synonym(s): lucidula Loew,1856 Range (in code): SY IQ IL Pa JO Si IR RU IN
- 9129. *Musca sorbens* Wiedemann,1830** (Muscidae) Synonym(s): sorbens Wiedemann,1830; humilis Wiedemann,1830; primitiva Walker,1849 Range (in code): SL SC MG MU RE Sk DZ MA TN IT Si Sa? TR CY SY IQ Amr LB IL Pa JO Amm RU AU CN KP KR 07 21 24
- 9130. *Musca tempestiva* Fallén,1817** (Muscidae) Synonym(s): tempestiva Fallén,1817 Range (in code): FR NO SE FI DK DE PL RU Sb Tv At Ya UA CZ SK BE NL CH AT IT PT ES Co Sa Si HV RO AL MK GR Cr BG Cn EG ET IQ IL Pa JO SY SA IR Sb CN PK Nwf Ch IN 01 06 08 17 37 38 48 51 59
- 9131. *Muscina krivosheinae* Lobanov,1977** (Muscidae) Synonym(s): krivosheinae Lobanov,1977 Range (in code): TM
- 9132. *Muscina levida* (Harris,1780)** (Muscidae) Synonym(s): levida Harris,1780; assimilis Fallén,1823 Range (in code): US Als Cf Hw DE AT AL BG CZ AM EE DK FI FR Co NL GB IE ES SE CH LT HU NO PL PT RO RU Sb To YU GR Cr UA IL Pa CY SY TR IQ IL Pa AZ Cc GG CN JP KG KK MN UZ Sb TJ Az Md Cn 06
- 9133. *Muscina pascuorum* (Meigen,1826)** (Muscidae) Synonym(s): pascuorum Meigen,1826 Range (in code): US Cf CA IN IL Pa RU Sb
- 9134. *Muscina prolapsa* (Harris,1780)** (Muscidae) Synonym(s): prolapsa Harris,1780; pabulorum Fallén,1817 Range (in code): US Arz Ny SH RU Sb To CY IQ IL Pa Hf
- 9135. *Muscina stabulans* (Fallén,1817)** (Muscidae) Synonym(s): stabulans Fallén,1817 Range (in code): US Cf Als CA Nfl Cc CY SY IQ LB Bei IL Pa Js Hf AM TR RU Sb At Ya To AL AD AT BE GB BG Cn Co Cr HV CZ DK FI DE FR GR HU IE IC MK Md MT NO PL PT RO Si SS SK SE CH NL UA YU 17 21 32 35 40 42 65
- 9136. *Mydaea corni* (Scopoli,1763)** (Muscidae) Synonym(s): corni Scopoli,1763; pagana Fabricius,1794 Range (in code): TR 61
- 9137. *Mydaea lateritia* (Rondani,1866)** (Muscidae) Synonym(s): lateritia Rondani,1866 Range (in code): IQ
- 9138. *Mydaea urbana* (Meigen,1826)** (Muscidae) Synonym(s): urbana Meigen,1826 Range (in code): AM Cc Eri GG TR 16 61
- 9139. *Myospila bimaculata* (Macquart,1834)** (Muscidae) Synonym(s): bimaculata Macquart,1834 Range (in code): AM Cc Eri
- 9140. *Myospila mediatubunda* (Fabricius,1781)** (Muscidae) Synonym(s): mediatubunda Fabricius,1781 Range (in code): AM Cc Eri AZ IR TR GG CY SY IQ Bgd 09 42
- 9141. *Neomyia claripennis* (Malloch,1923)** (Muscidae) Synonym(s): claripennis Malloch,1923 Range (in code): MT Bor MM CN LK ID Flo Ja Lb Sum Sbw PH Pal NP IN PK Nwf Sml Up SI Ass TW
- 9142. *Neomyia cornicina* (Fabricius,1781)** (Muscidae) Synonym(s): cornicina Fabricius,1781; viridis Wiedemann,1824; caesarion Meigen,1826 nec Bechstein & Scharfenberg,1805; fennica Frey,1909 Range (in code): IT PT AM Cc Eri AZ TR Arr IR Hw FI RU Sb Ya To CY IL Pa SY IQ Hjo LB Bei 06 08 14 32 34 35 56 61 69 76
- 9143. *Neomyia gavis* (Walker,1859)** (Muscidae) Synonym(s): gavis Walker,1859 Range (in code): MY Bor MM ID Clb Ja Sum LK CN TW IN Ass Hp Ch Pj Si Up NP PK
- 9144. *Neomyia lauta* (Wiedemann,1830)** (Muscidae) Synonym(s): lauta Wiedemann,1830; eximia R-D.,1830; bengalensis R-D.,1830; proerna Walker,1849; polita Walker,1852 Range (in code): MY Bor LK CN ID Flo Ja Sum TW PK Pj IN Ass Hp Up Ben Ja LA TH Lb NP PH Luz Pal Ry
- 9145. *Phaonia angelicae* (Scopoli,1763)** (Muscidae) Synonym(s): angelicae Scopoli,1763; basalis Zetterstedt,1838 Range (in code): SE TR 14 61
- 9146. *Phaonia atriceps* (Loew,1858)** (Muscidae) Synonym(s): atriceps Loew,1858 Range (in code): AM Cc Eri
- 9147. *Phaonia cincta* (Zetterstedt,1846)** (Muscidae) Synonym(s): cincta Zetterstedt,1846 Range (in code): MA? DE PL CZ AT HU SY TR SE 16
- 9148. *Phaonia fuscata* (Fallén,1825)** (Muscidae) Synonym(s): fuscata Fallén,1825 Range (in code): RU Sb SE PK JP TW
- 9149. *Phaonia gobertii* (Mik,1881)** (Muscidae) Synonym(s): gobertii Mik,1881 Range (in code): CY KK RU
- 9150. *Phaonia gracilis* Stein,1916** (Muscidae) Synonym(s): gracilis Stein,1916 Range (in code): CZ DE AT SE RU Ur Sb TR MN
- 9151. *Phaonia incana* (Wiedemann,1817)** (Muscidae) Synonym(s): incana Wiedemann,1817 Range (in code): TR 69
- 9152. *Phaonia interfrontalis* Emden,1965** (Muscidae) Synonym(s): interfrontalis Emden,1965 Range (in code): MM Kch Kam IN Hp Sml PK
- 9153. *Phaonia kobica* Schnabl,1911** (Muscidae) Synonym(s): kobica Schnabl,1911 Range (in code): AM Eri Cc GG AZ TR 61
- 9154. *Phaonia kugleri* Lyneborg,1965** (Muscidae) Synonym(s): kugleri Lyneborg,1965 Range (in code): IL Pa



- 9155. *Phaonia laeta* (Fallén,1823)** (Muscidae) Synonym(s): *laeta* Fallén,1823; *trigonalis* Meigen,1826 Range (in code): US Oh CA On DE PL CZ SK AT HU SY
- 9156. *Phaonia mediterranea* Hennig,1963** (Muscidae) Synonym(s): *mediterranea* Hennig,1963 Range (in code): MA CY
- 9157. *Phaonia pallida* (Fabricius,1787)** (Muscidae) Synonym(s): *pallida* Fabricius,1787 Range (in code): TR IL Pa RU Sb IR 13 34
- 9158. *Phaonia pura* (Loew,1873)** (Muscidae) Synonym(s): *pura* Loew,1873 Range (in code): SK CH AT Cc RO RU
- 9159. *Phaonia regalis* (Stein,1900)** (Muscidae) Synonym(s): *regalis* Stein,1900 Range (in code): Cc GG Tbl TR RU Sb AT BG GR 33 35
- 9160. *Phaonia rufipalpis* (Macquart,1835)** (Muscidae) Synonym(s): *rufipalpis* Macquart,1835 Range (in code): IL Pa
- 9161. *Phaonia rufiventris* (Scopoli,1763)** (Muscidae) Synonym(s): *rufiventris* Scopoli,1763; *scutellaris* Fallén,1825; *populi* Meigen,1826 Range (in code): ES Md FR Co DE PL CZ SK CH AT HU LB RU Sb
- 9162. *Phaonia serva* (Meigen,1826)** (Muscidae) Synonym(s): *serva* Meigen,1826 Range (in code): AM Cc Eri
- 9163. *Phaonia subventa* (Harris,1780)** (Muscidae) Synonym(s): *subventa* Harris,1780; *variegata* Meigen,1826 Range (in code): Az DE AL AT BE BG CZ FR Co FI DK NL ES GB SE CH IE IT Si LT HU MT NO PL RO YU GR Cr TR UA CY 06
- 9164. *Phaonia tersa* Villeneuve,1936** (Muscidae) Synonym(s): *tersa* Villeneuve,1936 Range (in code): TR ?TJ 42
- 9165. *Phaonia trimaculata* (Bouché,1834)** (Muscidae) Synonym(s): *trimaculata* Bouché,1834 Range (in code): IL Pa
- 9166. *Phaonia valida* (Harris,1780)** (Muscidae) Synonym(s): *valida* Harris,1780; *viarum* R-D.,1830 Range (in code): TR UZ 78
- 9167. *Philaematomyia insignis* Austen,1909** (Muscidae) Synonym(s): *insignis* Austen,1909 Range (in code): IN Clc Mus Sk LK SN CY CG
- 9168. *Polietes meridionalis* Peris & Llorente,1963** (Muscidae) Synonym(s): *meridionalis* Peris & Llorente,1963 Range (in code): CY UA TR 16 42
- 9169. *Potamia littoralis* R-D.,1830** (Muscidae) Synonym(s): *littoralis* R-D.,1830 Range (in code): Cc AM
- 9170. *Pyrellia rapax* (Harris,1780)** (Muscidae) Synonym(s): *rapax* Harris,1780; *serena* Meigen,1826; *ignita* R-D.,1830 Range (in code): IL Pa
- 9171. *Pyrellia vivida* R-D.,1830** (Muscidae) Synonym(s): *cadaverina* auct.; *vivida* R-D.,1830 Range (in code): Cc AM Eri AZ TR CY IQ IL Pa IR PK IN CN 05 06 35
- 9172. *Schoenomyza litorella* (Fallén,1823)** (Muscidae) Synonym(s): *litorella* Fallén,1823 Range (in code): AM Cc GG TR LB PK NP 06 07 13 25 28 36 58 61 69 72
- 9173. *Spilogona biseriata* (Stein,1916)** (Muscidae) Synonym(s): *biseriata* Stein,1916 Range (in code): DE TR 06
- 9174. *Spilogona carbonella* (Zetterstedt,1845)** (Muscidae) Synonym(s): *carbonella* Zetterstedt,1845 Range (in code): FR Co DE PL CZ SK CH AT HU TR? RU 69
- 9175. *Spilogona dispar* (Fallén,1823)** (Muscidae) Synonym(s): *dispar* Fallén,1823 Range (in code): SE DE PL CZ SK CH AT HU TR Cc RU Sb 61 69
- 9176. *Spilogona taeniata* (Stein,1916)** (Muscidae) Synonym(s): *taeniata* Stein,1916 Range (in code): Cc GG TR 69
- 9177. *Steelea pales* Emden,1965** (Muscidae) Synonym(s): *pales* Emden,1965 Range (in code): PK Abb IN Ass Meg SI
- 9178. *Stomoxys calcitrans* (Linnaeus,1758)** (Muscidae) Synonym(s): *calcitrans* Linnaeus,1758 Range (in code): US Cf Fl Als CA BCo AU PT ES FR IE GB NO SE FI EE RU PL DK DE BE NL CH AT IT CZ SK HU UA RO HV YU Sa Co Si AL MK BG GR CY AM Cc TR IQ Bgd Amr IL Pa Js LB JO AZ IR 09 14 15 17 20 22 35 56
- 9179. *Stomoxys niger* Macquart,1851** (Muscidae) Synonym(s): *niger* Macquart,1851 Range (in code): VE CV MU MG SC YE Cn?
- 9180. *Stomoxys sitiens* Rondani,1873** (Muscidae) Synonym(s): *sitiens* Rondani,1873 Range (in code): ET CV GM NG YE EG
- 9181. *Synthesiomia nudiseta* (Wulp,1883)** (Muscidae) Synonym(s): *nudiseta* Wulp,1883 Range (in code): EG IL Pa JP
- 9182. *Thricops aculeipes* (Zetterstedt,1838)** (Muscidae) Synonym(s): *aculeipes* Zetterstedt,1838; *pubicheta* Rondani,1871; *armipes* Rondani,1871; *tyrolensis* Meunier,1893 Range (in code): GB FR BE DE PL SK CH AT IT RO NO SE FI TR RU 69
- 9183. *Thricops bukowskii* (Ringdahl,1934)** (Muscidae) Synonym(s): *bukowskii* Ringdahl,1934 Range (in code): AL BG UA Cm RU GG Cc TR 06 69
- 9184. *Thricops calcaratus* (Portschinsky,1881)** (Muscidae) Synonym(s): *calcaratus* Portschinsky,1881 Range (in code): GG Cc FR Co

- 9185. *Thricops dawkinsi* Vikhrev,2009** (Muscidae) Synonym(s): dawkinsi Vikhrev,2009 Range (in code): RU Kr Cc
- 9186. *Thricops diaphanus* (Wiedemann,1817)** (Muscidae) Synonym(s): diaphanus Wiedemann,1817; flava R-D.,1830; lenis Harris,1835; varians Zetterstedt,1838; signia Walker,1849; geldria Walker,1849; futilis Walker,1853; aculeata Loew,1873 Range (in code): ES FR GB IE NO SE FI EE PL DK BE NL CH AT IT Co HU RO DE TR US Als CA Cf JP MN MX Ch IN CN
- 9187. *Thricops nigrifrons* (R-D.,1830)** (Muscidae) Synonym(s): variabilis Fallén,1823 nec Gmel.,1790; nigrifrons R-D.,1830; rubrifrons R-D.,1830; rupestris Rondani,1866 Range (in code): ES Co SK GB FI AT IT NO SE CH RU Ur Cc IR GG AM Eri TR 14 61
- 9188. *Thricops nigritellus* (Zetterstedt,1838)** (Muscidae) Synonym(s): nigritellus Zetterstedt,1838; mikii Schnabl,1888 Range (in code): ES FR GB NO SE FI DE PL CZ SK CH AT HU YU IT RO BG TR RU Ur Sb CN 61 69
- 9189. *Thricops nigroabdominalis* Savage,2003** (Muscidae) Synonym(s): nigroabdominalis Savage,2003 Range (in code): RU Cc Kr TR 61
- 9190. *Thricops semicinerus* (Wiedemann,1817)** (Muscidae) Synonym(s): semicinerus Wiedemann,1817; hyalinata Fallén,1823; apicalis Meigen,1830; subhyalina Rondani,1877 Range (in code): AT CZ GB FI DE GR NO IT SE CH ES TR MN 06 14 25 61
- 9191. *Thricops simplex* (Wiedemann,1817)** (Muscidae) Synonym(s): simplex Wiedemann,1817; nigricans R-D.,1830; blondeli R-D.,1830; postica Zetterstedt,1846 Range (in code): MA ES FR GB DE DK NO SE FI RU UA RO IT BG GR PL CZ SK CH AT HU IQ Er
- 9192. *Thricops sudeticus* (Schnabl,1888)** (Muscidae) Synonym(s): sudeticus Schnabl,1888; aurulans Pandellé,1899 Range (in code): ES GB FR Co DE NO SE FI PL CZ SK CH AT HU IT YU BG TR RU 69
- 9193. *Thricops tomkovichi* Vikhrev,2009** (Muscidae) Synonym(s): tomkovichi Vikhrev,2009 Range (in code): RU Cc Kr
- 9194. *Thricops vaderi* Savage,2003** (Muscidae) Synonym(s): vaderi Savage,2003 Range (in code): RU Kr TR Cc GG 69
- 9195. *Allodia (Brachycampta) pistillata* (Lundström,1911)** (Mycetophilidae) Synonym(s): pistillata Lundström,1911 Range (in code): TN GR Md Cr CY IL Pa TR
- 9196. *Allodiopsis rustica* (Edwards,1941)** (Mycetophilidae) Synonym(s): rustica Edwards,1941 Range (in code): TR 39
- 9197. *Anatella concava* Plassmann,1990** (Mycetophilidae) Synonym(s): concava Plassmann,1990; longiflagellata Caspers,1991 Range (in code): TR 07
- 9198. *Brevicornu griseicollis* (Staeger,1840)** (Mycetophilidae) Synonym(s): griseicollis Staeger,1840 Range (in code): RU Sb Co IL Pa GR TR
- 9199. *Brevicornu verralli* (Edwards,1925)** (Mycetophilidae) Synonym(s): verralli Edwards,1925 Range (in code): TR
- 9200. *Coelosia fusca* Bezzi,1892** (Mycetophilidae) Synonym(s): fusca Bezzi,1892 Range (in code): IT Sa Cn IL Pa TR 09
- 9201. *Cordyla brevicornis* (Staeger,1840)** (Mycetophilidae) Synonym(s): brevicornis Staeger,1840 Range (in code): EE LT RU MN Sb TR 06
- 9202. *Cordyla fusca* Meigen,1804** (Mycetophilidae) Synonym(s): fusca Meigen,1804 Range (in code): EE LT LV RU Sb TR 06
- 9203. *Docosia gilvipes* (Haliday,1856)** (Mycetophilidae) Synonym(s): gilvipes Haliday,1856 Range (in code): ES PT FR GB CH AT IT HU NL BE DE DK EE LT LV RU UA NO SE FI PL JP RU Sb Md GR BG Cr TR 06
- 9204. *Exechia fulva* Santos Abreu,1920** (Mycetophilidae) Synonym(s): fulva Santos Abreu,1920; exornata Séguy,1941; peyerimhoffi Burghel-Balacesco,1966 Range (in code): Cn PT ES FR Co DE GR Rd IL Pa BG CY TR 06
- 9205. *Exechia fusca* (Meigen,1804)** (Mycetophilidae) Synonym(s): fusca Meigen,1804 Range (in code): TR 09
- 9206. *Exechia separata* Lundström,1912** (Mycetophilidae) Synonym(s): separata Lundström,1912 Range (in code): DE EE FR FI NL GB SE LT HU PL RU Sb DZ TR 06
- 9207. *Leia bimaculata* (Meigen,1804)** (Mycetophilidae) Synonym(s): bimaculata Meigen,1804; fasciola Meigen,1818; octomaculata Curtis,1837 Range (in code): MA DZ CY Co GR Ae Le Cr Rd GB DE TR IL Pa
- 9208. *Mycetophila alea* Laffoon,1965** (Mycetophilidae) Synonym(s): alea Laffoon,1965 Range (in code): EE LT LV RU Sb TR IR CA 06
- 9209. *Mycetophila blanda* Winnertz,1863** (Mycetophilidae) Synonym(s): blanda Winnertz,1863 Range (in code): EE LT RU MN TR 06
- 9210. *Mycetophila fungorum* (DeGeer,1776)** (Mycetophilidae) Synonym(s): fungorum DeGeer,1776 Range (in code): RU TR IN CN TH MY 06 09
- 9211. *Mycetophila ocellus* Walker,1848** (Mycetophilidae) Synonym(s): ocellus Walker,1848 Range (in code): Co Sa CY IL Pa TR
- 9212. *Mycetophila pictula* Meigen,1830** (Mycetophilidae) Synonym(s): pictula Meigen,1830 Range (in code): GR Cr CY IL Pa TR

- 9213. *Mycetophila spectabilis* Winnertz,1863** (Mycetophilidae) Synonym(s): spectabilis Winnertz,1863  
Range (in code): Co GR CY IL Pa TR
- 9214. *Mycetophila strigatoides* (Landrock,1927)** (Mycetophilidae) Synonym(s): strigatoides Landrock,1927; pseudoquadra Bukowski,1934; pseudoquadroides Matile,1967 Range (in code): Sa TN IL Pa TR
- 9215. *Mycetophila trinotata* Staeger,1840** (Mycetophilidae) Synonym(s): trinotata Staeger,1840  
Range (in code): TR
- 9216. *Mycetophila unicolor* Stannius,1831** (Mycetophilidae) Synonym(s): unicolor Stannius,1831  
Range (in code): Co Cr IL Pa TR
- 9217. *Mycomya* (Cymomya) *circumdata* (Staeger,1840)** (Mycetophilidae) Synonym(s): circumdata Staeger,1840 Range (in code): ES FR GB IE SE FI RU EE LT LV UA PL DK DE CZ SK HU RO BG YU B-H SS IT TR IL Pa
- 9218. *Phronia basalis* Winnertz,1863** (Mycetophilidae) Synonym(s): basalis Winnertz,1863 Range (in code): Md Co DZ Cr CY IL Pa TR
- 9219. *Phronia biarcuata* (Becker,1908)** (Mycetophilidae) Synonym(s): biarcuata Becker,1908 Range (in code): MA Co Sa TN Si CY IL Pa TR
- 9220. *Phronia tenuis* Winnertz,1863** (Mycetophilidae) Synonym(s): tenuis Winnertz,1863 Range (in code): Md Sa DZ TN Cr CY IL Pa TR
- 9221. *Phronia willistoni* Dziedzicki,1889** (Mycetophilidae) Synonym(s): willistoni Dziedzicki,1889; incisa Caspers,1991 Range (in code): TR 07
- 9222. *Pseudexechia trisignata* (Edwards,1913)** (Mycetophilidae) Synonym(s): trisignata Edwards,1913  
Range (in code): Co TN GR CY TR IL Pa
- 9223. *Rymosia affinis* Winnertz,1863** (Mycetophilidae) Synonym(s): affinis Winnertz,1863 Range (in code): DZ Co GR CY Cr IL Pa LB AF
- 9224. *Rymosia cretensis* Lundström,1911** (Mycetophilidae) Synonym(s): cretensis Lundström,1911  
Range (in code): TR Cr CY IT DE
- 9225. *Rymosia pseudocretensis* Burghel-Balacesco,1967** (Mycetophilidae) Synonym(s): pseudocretensis Burghel-Balacesco,1967 Range (in code): MA DZ PT FR IT TR IL Pa
- 9226. *Rymosia spinipes* Winnertz,1863** (Mycetophilidae) Synonym(s): spinipes Winnertz,1863 Range (in code): IL Pa TN AF
- 9227. *Sceptonia cryptocauda* Chandler,1991** (Mycetophilidae) Synonym(s): cryptocauda Chandler,1991  
Range (in code): TR 09
- 9228. *Sceptonia flavipuncta* Edwards,1925** (Mycetophilidae) Synonym(s): flavipuncta Edwards,1925  
Range (in code): TR BG HV GB
- 9229. *Sceptonia intestata* Plassmann & Schacht,1990** (Mycetophilidae) Synonym(s): intestata Plassmann & Schacht,1990 Range (in code): ES GR IL Pa TR 48
- 9230. *Sceptonia membranacea* Edwards,1925** (Mycetophilidae) Synonym(s): membranacea Edwards,1925 Range (in code): GB NL GR BG Cr TR 48
- 9231. *Sciophila delphis* Chandler,2001** (Mycetophilidae) Synonym(s): delphis Chandler,2001 Range (in code): TR
- 9232. *Sciophila muglolutea* Bechev & Koç,2006** (Mycetophilidae) Synonym(s): muglolutea Bechev & Koç,2006 Range (in code): TR
- 9233. *Sciophila* sp.** (Mycetophilidae) Synonym(s): Range (in code): TR 06
- 9234. *Sciophila turcolutea* Bechev & Koç,2006** (Mycetophilidae) Synonym(s): turcolutea Bechev & Koç,2006 Range (in code): TR
- 9235. *Zygomysia valida* Winnertz,1863** (Mycetophilidae) Synonym(s): valida Winnertz,1863 Range (in code): GR Ae Le Cr CY IL Pa TR
- 9236. *Eremomidas arabicus* Bequaert,1961** (Mydidae) Synonym(s): arabicus Bequaert,1961 Range (in code): YE OM AE
- 9237. *Leptomydas danaus* Bowden,1983** (Mydidae) Synonym(s): danaus Bowden,1983 Range (in code): SA
- 9238. *Leptomydas maculatus* (Walker,1871)** (Mydidae) Synonym(s): maculatus Walker,1871 Range (in code): EG IL Pa SY
- 9239. *Leptomydas shach* Semenov,1922** (Mydidae) Synonym(s): shach Semenov,1922 Range (in code): IR
- 9240. *Leptomydas turcicus* Bowden,1983** (Mydidae) Synonym(s): turcicus Bowden,1983 Range (in code): TR 01
- 9241. *Perissocerus arabicus* Bequaert,1961** (Mydidae) Synonym(s): arabicus Bequaert,1961 Range (in code): AE YE
- 9242. *Rhopalia annulata* Sack,1934** (Mydidae) Synonym(s): annulata Sack,1934 Range (in code): SY
- 9243. *Rhopalia bequaerti* Lyneborg,1970** (Mydidae) Synonym(s): bequaerti Lyneborg,1970 Range (in code): AF
- 9244. *Rhopalia gyps* Bowden,1987** (Mydidae) Synonym(s): gyps Bowden,1987 Range (in code): SA AE



- 9245. *Rhopalia iranensis* Bequaert,1961** (Mydidae) Synonym(s): *iranensis* Bequaert,1961 [Range \(in code\): IR](#)
- 9246. *Rhopalia oldroydi* Lyneborg,1970** (Mydidae) Synonym(s): *oldroydi* Lyneborg,1970 [Range \(in code\): AF](#)
- 9247. *Rhopalia olivieri* Macquart,1838** (Mydidae) Synonym(s): *olivieri* Macquart,1838 [Range \(in code\): AE EG](#)
- 9248. *Cephalodromia cognata* (Engel,1933)** (Mythicomyiidae) Synonym(s): *cognata* Engel,1933; *trisinata* Engel,1933 [Range \(in code\): IL Pa](#)
- 9249. *Cyrtisiopsis maculiventris* (Loew,1874)** (Mythicomyiidae) Synonym(s): *maculiventris* Loew,1874 [Range \(in code\): IR EG](#)
- 9250. *Cyrtisiopsis melleus* (Loew,1856)** (Mythicomyiidae) Synonym(s): *melleus* Loew,1856 [Range \(in code\): EG JO MA DZ AZ AM GG Cc TR IR GR IT Sa FR ES RU UA TM TJ](#)
- 9251. *Cyrtosia cinerascens* Loew,1873** (Mythicomyiidae) Synonym(s): *cinerascens* Loew,1873 [Range \(in code\): TJ TM UZ](#)
- 9252. *Cyrtosia meridionalis* Rondani,1863** (Mythicomyiidae) Synonym(s): *meridionalis* Rondani,1863 [Range \(in code\): FR EG IT Sa ES IR TM TJ MN](#)
- 9253. *Cyrtosia obscuripes* Loew,1855** (Mythicomyiidae) Synonym(s): *obscuripes* Loew,1855 [Range \(in code\): GR GG Cc IT TN KG UZ TM YU](#)
- 9254. *Cyrtosia pusilla* Loew,1873** (Mythicomyiidae) Synonym(s): *pusilla* Loew,1873 [Range \(in code\): EG SA IR KG MN TN TM UZ](#)
- 9255. *Doliopteryx arava* Evenhuis,2000** (Mythicomyiidae) Synonym(s): *arava* Evenhuis,2000 [Range \(in code\): IL Pa](#)
- 9256. *Doliopteryx omanae* Evenhuis,2000** (Mythicomyiidae) Synonym(s): *omanae* Evenhuis,2000 [Range \(in code\): OM](#)
- 9257. *Doliopteryx palaestinensis* Evenhuis & Theodor,2000** (Mythicomyiidae) Synonym(s): *palaestinensis* Evenhuis & Theodor,2000 [Range \(in code\): IL Pa EG](#)
- 9258. *Empidideicus amicus* Gharali & Evenhuis,2010** (Mythicomyiidae) Synonym(s): *amicus* Gharali & Evenhuis,2010 [Range \(in code\): IR](#)
- 9259. *Empidideicus asiaticus* Zaitzev,1971** (Mythicomyiidae) Synonym(s): *asiaticus* Zaitzev,1971 [Range \(in code\): TJ TM UZ](#)
- 9260. *Empidideicus carthaginensis* Becker,1907** (Mythicomyiidae) Synonym(s): *carthaginensis* Becker,1907 [Range \(in code\): DZ TN Sf SD EG IL Pa](#)
- 9261. *Empidideicus ebellicus* Gharali & Evenhuis,2010** (Mythicomyiidae) Synonym(s): *ebellicus* Gharali & Evenhuis,2010 [Range \(in code\): IR](#)
- 9262. *Empidideicus efflatouni* Engel,1933** (Mythicomyiidae) Synonym(s): *efflatouni* Engel,1933 [Range \(in code\): EG IL Pa LY SD](#)
- 9263. *Empidideicus greatheadi* Gharali & Evenhuis,2010** (Mythicomyiidae) Synonym(s): *greatheadi* Gharali & Evenhuis,2010 [Range \(in code\): IR](#)
- 9264. *Empidideicus legulicoxa* Gharali & Evenhuis,2010** (Mythicomyiidae) Synonym(s): *legulicoxa* Gharali & Evenhuis,2010 [Range \(in code\): IR](#)
- 9265. *Empidideicus matricarius* Gharali & Evenhuis,2010** (Mythicomyiidae) Synonym(s): *matricarius* Gharali & Evenhuis,2010 [Range \(in code\): IR](#)
- 9266. *Empidideicus persicus* Gharali & Evenhuis,2010** (Mythicomyiidae) Synonym(s): *persicus* Gharali & Evenhuis,2010 [Range \(in code\): IR](#)
- 9267. *Glabellula femorata* (Loew,1873)** (Mythicomyiidae) Synonym(s): *femorata* Loew,1873 [Range \(in code\): ?EG KG TM UZ](#)
- 9268. *Glabellula nobilis* Kertesz,1912** (Mythicomyiidae) Synonym(s): *nobilis* Kertesz,1912 [Range \(in code\): SY TR IL Pa](#)
- 9269. *Glabellula palaestinensis* Engel,1933** (Mythicomyiidae) Synonym(s): *palaestinensis* Engel,1933 [Range \(in code\): IL Pa](#)
- 9270. *Leylaiya mimnermia* Efflatoun,1945** (Mythicomyiidae) Synonym(s): *mimnermia* Efflatoun,1945 [Range \(in code\): EG IL Pa OM](#)
- 9271. *Platypygus bellus* Loew,1869** (Mythicomyiidae) Synonym(s): *bellus* Loew,1869 [Range \(in code\): RU Sr Or AM AZ GG Cc TR EG GR HU](#)
- 9272. *Platypygus chrysanthemi* Loew,1844** (Mythicomyiidae) Synonym(s): *chrysanthemi* Loew,1844 [Range \(in code\): IT Si TR GR Le Rd YU LB SY IL Pa Hf JO EG 07 25 32 33 35](#)
- 9273. *Platypygus kurdorum* Paramonov,1929** (Mythicomyiidae) Synonym(s): *kurdorum* Paramonov,1929; *persicus* Paramonov,1934 [Range \(in code\): TR IR Cc Qz Th Fa Kd Lo IL Pa JO Amm SY AZ AM GG 76](#)
- 9274. *Platypygus melinoproctus* Loew,1873** (Mythicomyiidae) Synonym(s): *melinoproctus* Loew,1873 [Range \(in code\): AM AZ Cc TR EG IR Qz IT Si SY LB TJ TM 46 65](#)
- 9275. *Platypygus melleus* Loew,1856** (Mythicomyiidae) Synonym(s): *melleus* Loew,1856 [Range \(in code\): IT Si Sa TR](#)

- 9276. *Platypygus pumilio* Loew,1873** (Mythicomysiidae) **Synonym(s):** pumilio Loew,1873 **Range (in code):** [TM GR TJ UZ](#)
- 9277. *Platypygus ridibundus* (A.Costa,1863)** (Mythicomysiidae) **Synonym(s):** ridibundus A.Costa,1863; tauricus Paramonov,1926 **Range (in code):** [GR HV FR HU RO SS ES IT Si BG TR RU UA Cm MD GG AZ AM Cc EG CY 07 16 33](#)
- 9278. *Platypygus titanomedeia* Gharali & Evenhuis,2011** (Mythicomysiidae) **Synonym(s):** titanomedeia Gharali & Evenhuis,2011 **Range (in code):** [IR Ak Mrd Qz JO TR 13 30 33 38 65 70](#)
- 9279. *Platypygus turkmenorum* Paramonov,1929** (Mythicomysiidae) **Synonym(s):** turkmenorum Paramonov,1929 **Range (in code):** [TM Kp UZ](#)
- 9280. *Fallenia fasciata* (Fabricius,1805)** (Nemestrinidae) **Synonym(s):** fasciata Fabricius,1805 **Range (in code):** [DZ TN ES FR IT AT HV Si GR CY UA Cm RU TR IL Pa IR TM Kp Cc Da AZ AM](#)
- 9281. *Fallenia semenovi* Paramonov,1924** (Nemestrinidae) **Synonym(s):** semenovi Paramonov,1924 **Range (in code):** [IR](#)
- 9282. *Hirmoneura brandti* Bequaert,1938** (Nemestrinidae) **Synonym(s):** brandti Bequaert,1938 **Range (in code):** [IR Fa](#)
- 9283. *Hirmoneura kunchuy* Koçak & Kemal,2012** (Nemestrinidae) **Synonym(s):** kunchuy Koçak & Kemal,2012 **Range (in code):** [TR 65](#)
- 9284. *Hirmoneura obscura* Wiedemann,1820** (Nemestrinidae) **Synonym(s):** obscura Wiedemann,1820 **Range (in code):** [TR AT HV Si GR RO 01](#)
- 9285. *Nemestrinus abdominalis* (Olivier,1811)** (Nemestrinidae) **Synonym(s):** abdominalis Olivier,1811; osiris Wiedemann,1828 **Range (in code):** [IL Pa EG TN DZ ET](#)
- 9286. *Nemestrinus ater* Olivier,1811** (Nemestrinidae) **Synonym(s):** ater Olivier,1811; nigra Wiedemann,1828 **Range (in code):** [DZ TN ES IL Pa EG](#)
- 9287. *Nemestrinus bombiformis* (Portschinsky,1892)** (Nemestrinidae) **Synonym(s):** bombiformis Portschinsky,1892 **Range (in code):** [IR Elb Cc AM RU Kis](#)
- 9288. *Nemestrinus brandti* Bequaert,1938** (Nemestrinidae) **Synonym(s):** brandti Bequaert,1938 **Range (in code):** [IR Th Kdj Elb AZ Cc Nv](#)
- 9289. *Nemestrinus canaaniticus* (Lichtwardt,1907)** (Nemestrinidae) **Synonym(s):** canaaniticus Lichtwardt,1907 **Range (in code):** [IL Pa Js](#)
- 9290. *Nemestrinus caucasicus* (Fischer,1806)** (Nemestrinidae) **Synonym(s):** caucasicus Fischer,1806; analis Olivier,1811; adamsii Fischer,1812; albofasciata Wiedemann,1828; anthophorina Portschinsky,1881 **Range (in code):** [BG RO MD UA Cm RU Cc TR IR Th Elb Fa AZ Kir GG AM TM Kp KG 65 76](#)
- 9291. *Nemestrinus cinereus* Olivier,1811** (Nemestrinidae) **Synonym(s):** cinereus Olivier,1811 **Range (in code):** [SA](#)
- 9292. *Nemestrinus dedecor* (Loew,1873)** (Nemestrinidae) **Synonym(s):** dedecor Loew,1873; niveus Lichtwardt,1907 **Range (in code):** [TR TM Kp](#)
- 9293. *Nemestrinus eristalis* Loew,1873** (Nemestrinidae) **Synonym(s):** eristalis Loew,1873 **Range (in code):** [TM UZ](#)
- 9294. *Nemestrinus exalbidus* Lichtwardt,1907** (Nemestrinidae) **Synonym(s):** exalbidus Lichtwardt,1907 **Range (in code):** [EG IL Pa Js IR](#)
- 9295. *Nemestrinus fasciatus* (Olivier,1811)** (Nemestrinidae) **Synonym(s):** fasciatus Olivier,1811 **Range (in code):** [MA DZ EG SY IL Pa Js](#)
- 9296. *Nemestrinus fascifrons* (Bigot,1888)** (Nemestrinidae) **Synonym(s):** fascifrons Bigot,1888 **Range (in code):** [TN EG IL Pa](#)
- 9297. *Nemestrinus iranici* Bequaert,1938** (Nemestrinidae) **Synonym(s):** iranici Bequaert,1938 **Range (in code):** [IR Fa](#)
- 9298. *Nemestrinus kiritshenkoi* Paramonov,1945** (Nemestrinidae) **Synonym(s):** kiritshenkoi Paramonov,1945 **Range (in code):** [IR](#)
- 9299. *Nemestrinus laetus* (Loew,1873)** (Nemestrinidae) **Synonym(s):** laetus Loew,1873 **Range (in code):** [AM Eri Cc Nv Ord AZ TR TM KG TJ UZ Fe IR Kh Gor 63 76](#)
- 9300. *Nemestrinus persicus* Lichtwardt,1909** (Nemestrinidae) **Synonym(s):** persicus Lichtwardt,1909 **Range (in code):** [IR KG](#)
- 9301. *Nemestrinus pubescens* Lichtwardt,1919** (Nemestrinidae) **Synonym(s):** pubescens Lichtwardt,1919 **Range (in code):** [TR RU 42](#)
- 9302. *Nemestrinus reticulatus* Latreille,1802** (Nemestrinidae) **Synonym(s):** reticulatus Latreille,1802; latreillei Fischer,1812; cinctus Macquart,1840; kindermanni Bischof,1905 **Range (in code):** [GR Nx EG SY LB IL Pa SA TR Cc AZ AM 38 44](#)
- 9303. *Nemestrinus reticuloides* Bowden,1985** (Nemestrinidae) **Synonym(s):** reticuloides Bowden,1985 **Range (in code):** [TR 38 51 66](#)
- 9304. *Nemestrinus rjabovi* Paramonov,1945** (Nemestrinidae) **Synonym(s):** rjabovi Paramonov,1945 **Range (in code):** [TM Kp](#)
- 9305. *Nemestrinus rufipes* (Olivier,1811)** (Nemestrinidae) **Synonym(s):** rufipes Olivier,1811; lateralis Wiedemann,1828 **Range (in code):** [DZ EG SY](#)

- 9306. Nemestrinus signatus (Lichtwardt,1907)** (Nemestrinidae) Synonym(s): signatus Lichtwardt,1907 Range (in code): IL Pa Js
- 9307. Neorhynchocephalus tauscheri (Fischer,1812)** (Nemestrinidae) Synonym(s): tauscheri Fischer,1812 Range (in code): ES FR TR RO RU Sr IR Elb Th GR Rd UA Cm Cc Da GG AM AZ TM UZ KK KG TJ 05 13 46 65
- 9308. Trichopsidea costata (Loew,1857)** (Nemestrinidae) Synonym(s): costata Loew,1857; flavopilosus Bigot,1879 Range (in code): ZA ES FR Cc AM ET
- 9309. Basilia mongolensis Theodor,1966** (Nycteribiidae) Synonym(s): mongolensis Theodor,1966 Range (in code): BG GR YU AT TR MN 15 49
- 9310. Basilia nana Theodor & Moscona,1954** (Nycteribiidae) Synonym(s): nana Theodor & Moscona,1954 Range (in code): ES FR GB NL DE SE CZ PL AT CH RO BG TR JO IL Pa Cc AZ 07 20 80
- 9311. Eucampsipoda aegyptia (Macquart,1851)** (Nycteribiidae) Synonym(s): aegyptia Macquart,1851 Range (in code): TR LB IL Pa JO IR SA YE EG 31
- 9312. Nycteribia (Acrocholidia) vexata Westwood,1835** (Nycteribiidae) Synonym(s): vexata Westwood,1835 Range (in code): MA DZ TN LY EG PT ES FR BE CH DE CZ PL AT HU RO YU BG AL GR TR Cc IL Pa AZ GG UA TM IQ IR 01 07 21 29 31 32 33 40 46 51 52 80
- 9313. Nycteribia (s.str.) kolenatii Theodor & Moscona,1954** (Nycteribiidae) Synonym(s): kolenatii Theodor & Moscona,1954 Range (in code): IE GN DK NO SE FI NL PT FR IT AT CH DE PL CZ HU RO MK TR EE 31
- 9314. Nycteribia (s.str.) latreillii (Leach,1817)** (Nycteribiidae) Synonym(s): latreillii Leach,1817 Range (in code): MA DZ TN LY PT ES IT FR BE NL DE CH PL CZ HU RO YU AL BG GR TR IL Pa KK TM TJ AF 01 07 15 29 32 34 39 40 46 51 52 65 76 80
- 9315. Nycteribia (s.str.) pedicularia Latreille,1805** (Nycteribiidae) Synonym(s): pedicularia Latreille,1805 Range (in code): DZ TN ES FR IT CH YU RO BG AL GR TR CY IL Pa IR 15 33 46 80
- 9316. Nycteribia (s.str.) schmidlii Schiner,1853** (Nycteribiidae) Synonym(s): schmidlii Schiner,1853 Range (in code): MA DZ TN PT ES FR IT CH DE CZ HU RO YU AL BG GR TR CY IL Pa LB Cc AZ GG UA TM IR AF 07 21 25 29 31 32 39 46 60 61 76
- 9317. Penicillidia conspicua Speiser,1901** (Nycteribiidae) Synonym(s): conspicua Speiser,1901 Range (in code): MA DZ TN PT ES FR IT CH CZ HU RO YU BG AL GR TR AM AZ GG Cc IL Pa IR TM AF 10 15 31 32 39 42 46 61 76
- 9318. Penicillidia dufourii (Westwood,1835)** (Nycteribiidae) Synonym(s): dufourii Westwood,1835 Range (in code): MA DZ TN PT ES FR NL BE CH IT DE CZ PL AT HU RO YU BG AL GR TR Cc AZ GG IL Pa KK UZ TM TJ IR AF IN 07 15 31 32 33 34 42 60 65 77 80
- 9319. Phthiridium biarticulatum Hermann,1804** (Nycteribiidae) Synonym(s): biarticulatum Hermann,1804 Range (in code): PT ES FR IE GB CH IT DE CZ AT HU RO BE YU AL GR TR CY Cc AZ GG JO IL Pa IR RU TM TJ KK AF 01 07 10 15 23 31 35 37 39 42 54
- 9320. Geomyza tripunctata Fallén,1823** (Opomyzidae) Synonym(s): tripunctata Fallén,1823; pictipennis Rondani,1874; braccata Rondani,1874; calceata Rondani,1874 Range (in code): NO FI SE DE EE LT LV BY PL CZ SK HU BE NL IC IE GB FR CH IT AT Sa Si B-H HV YU AL GR BG RO UA Rd CY RU CA DK ES PT TR 09 31 34 65 70 73
- 9321. Dicranota (Ludicia) lucidipennis (Edwards,1921)** (Pediidae) Synonym(s): lucidipennis Edwards,1921; luteicolor Alexander,1975 Range (in code): AT BE BG CZ FR DE GB IE IT MK PL RO YU SK SS CH UA TR 25
- 9322. Dicranota (Ludicia) iranensis (Alexander,1975)** (Pediidae) Synonym(s): iranensis Alexander,1975; meridiana Mendl,1988 Range (in code): IT Si PT ES RU Cc GG AM AZ TR IR 53
- 9323. Dicranota (Paradicranota) minuta Lackschewitz,1940** (Pediidae) Synonym(s): minuta Lackschewitz,1940 Range (in code): DE CZ IT PL RO SK CH UA RU Cc
- 9324. Dicranota (Paradicranota) robusta Lundstrom,1912** (Pediidae) Synonym(s): robusta Lundstrom,1912 Range (in code): HV CZ DK FI FR DE GB LT NO PL SK SS SE RU TR
- 9325. Pedicia (s.str.) savchenkoi Paramonov,2009** (Pediidae) Synonym(s): savchenkoi Paramonov,2009 Range (in code): RU Cc
- 9326. Pedicia (Amalopsis) occulta (Meigen,1830)** (Pediidae) Synonym(s): occulta Meigen,1830 Range (in code): AL AD AT BE B-H BG CZ FR Co DE GB GR Cr HU IE IT Sa Si MK YU PL PT RO SK SS ES CH UA Cm GG AZ AM Cc CY LB TR 14 25 37
- 9327. Pedicia (Crunobia) littoralis (Meigen,1804)** (Pediidae) Synonym(s): littoralis Meigen,1804 Range (in code): AT BE B-H BG HV CZ DK FR Co DE GB HU IE IT MK YU NL PL RO SK SS ES SE CH UA TR 14
- 9328. Pedicia (Crunobia) tjederi Mendl,1974** (Pediidae) Synonym(s): tjederi Mendl,1974 Range (in code): CH IT TR 08 53
- 9329. Pedicia (Crunobia) zernyi (Lackschewitz,1940)** (Pediidae) Synonym(s): zernyi Lackschewitz,1940 Range (in code): AL AT HV GR RO TR 06 14 37 57 67 74
- 9330. Pedicia (Crunobia) persica Alexander,1975** (Pediidae) Synonym(s): persica Alexander,1975; elegantula Savchenko,1978 Range (in code): IR GG AZ Cc



- 9331. Tricyphona (s.str.) immaculata (Meigen,1804)** (Pedicidae) Synonym(s): immaculata Meigen,1804 Range (in code): AD AT BE B-H BG CZ DK EE FI FR Co DE GB HU IE IT Si LT MK NL NO PL RO YU SK SS ES SE CH UA RU Cc GG AM AZ TR LB At KG Aa KK 25
- 9332. Tricyphona (s.str.) zwicki Mendl,1973** (Pedicidae) Synonym(s): zwicki Mendl,1973; acuspica Alexander,1975; elburzensis Alexander,1975 Range (in code): TR IR AZ Cc GG RU BG IT 06
- 9333. Ula (s.str.) mollissima Haliday,1833** (Pedicidae) Synonym(s): mollissima Haliday,1833; inconclusa Walker,1856; crassicauda Agrell,1945 Range (in code): AT BE BG CZ DK FI FR Co DE GB HU IE IT LT NL NO PL RO SK SE CH UA RU Cc GG TR 06
- 9334. Phalacrotophora fasciata (Fallén,1823)** (Phoridae) Synonym(s): fasciata Fallén,1823 Range (in code): TR 06
- 9335. Megaselia onis Mostovski & Disney,2002** (Phoridae) Synonym(s): onis Mostovski & Disney,2002 Range (in code): TR 07
- 9336. Megaselia plurispinulosa (Zetterstedt,1860)** (Phoridae) Synonym(s): plurispinulosa Zetterstedt,1860 Range (in code): TR 07
- 9337. Megaselia coetanea Schmitz,1929** (Phoridae) Synonym(s): coetanea Schmitz,1929 Range (in code): TR AT FI ES 06
- 9338. Megaselia berndseni (Schmitz,1919)** (Phoridae) Synonym(s): berndseni Schmitz,1919; undulans Schmitz,1940 Range (in code): DE AT BE BG CZ DK FI FR NL GB SE CH ES IT HU PT PL AF TN TR 06
- 9339. Megaselia brevissima (Schmitz,1924)** (Phoridae) Synonym(s): brevissima Schmitz,1924 Range (in code): TR HV FR IT Cn 01
- 9340. Megaselia scalaris (Loew,1866)** (Phoridae) Synonym(s): scalaris Loew,1866 Range (in code): TR 01
- 9341. Megaselia flavicans Schmitz,1935** (Phoridae) Synonym(s): flavicans Schmitz,1935 Range (in code): DE AT CZ DK EE FR NL GB ES CH IE IT LT HU PT PL GR TR 06
- 9342. Protopiophila latipes (Meigen,1838)** (Piophilidae) Synonym(s): latipes Meigen,1838; caucasica Ozerov,2008 Range (in code): FR DE PL CZ SK HU CH Co GR RU Cc
- 9343. Protopiophila vikhrevi Ozerov,2008** (Piophilidae) Synonym(s): vikhrevi Ozerov,2008 Range (in code): TR 07
- 9344. Cephalops conjunctivus Collin,1958** (Pipunculidae) Synonym(s): conjunctivus Collin,1958 Range (in code): HV IT Sa IL Pa TR 33
- 9345. Cephalops perspicuus (de Meijere,1905)** (Pipunculidae) Synonym(s): perspicuus de Meijere,1905 Range (in code): NL IL Pa
- 9346. Chalarus fimbriatus Coe,1966** (Pipunculidae) Synonym(s): fimbriatus Coe,1966 Range (in code): ES GB IE SE FI DK DE BE NL EE PL CZ SK CH HU IL Pa
- 9347. Chalarus juliae Jervis,1992** (Pipunculidae) Synonym(s): juliae Jervis,1992 Range (in code): ES FR GB SE FI RU DE CH IL Pa
- 9348. Chalarus spurius (Fallén,1816)** (Pipunculidae) Synonym(s): spurius Fallén,1816; velutinus Macquart,1835 Range (in code): ES FR GB IE SE FI EE RU DK DE BE NL PL CZ SK HU CH AT IL Pa LB
- 9349. Verrallia aucta (Fallén,1817)** (Pipunculidae) Synonym(s): aucta Fallén,1817 Range (in code): ES FR GB IE NO SE FI EE RU DK DE BE NL PL CZ SK HU CH AT IT RO BG IL Pa
- 9350. Clistoabdominalis trochanteratus (Becker,1900)** (Pipunculidae) Synonym(s): trochanteratus Becker,1900 Range (in code): TR 07
- 9351. Eudorylas ascitus de Meyer,1995** (Pipunculidae) Synonym(s): ascitus de Meyer,1995; #acitus de Meyer,1995 Range (in code): IL Pa Hf
- 9352. Eudorylas confusoides (Lamb,1922)** (Pipunculidae) Synonym(s): confusoides Lamb,1922; lini Hardy,1971 Range (in code): SC PH Pal TW RE IL Pa Js
- 9353. Eudorylas flavicrus de Meyer,1995** (Pipunculidae) Synonym(s): flavicrus de Meyer,1995 Range (in code): IL Pa
- 9354. Eudorylas fluviatilis (Becker,1900)** (Pipunculidae) Synonym(s): fluviatilis Becker,1900 Range (in code): Cn EG IL Pa RU
- 9355. Eudorylas halteratus (Meigen,1838)** (Pipunculidae) Synonym(s): halteratus Meigen,1838 Range (in code): IL Pa
- 9356. Eudorylas imitator de Meyer,1995** (Pipunculidae) Synonym(s): imitator de Meyer,1995 Range (in code): IL Pa
- 9357. Eudorylas longifrons Coe,1966** (Pipunculidae) Synonym(s): longifrons Coe,1966 Range (in code): IL Pa BE CZ GB
- 9358. Eudorylas obliquus Coe,1966** (Pipunculidae) Synonym(s): obliquus Coe,1966 Range (in code): TR IL Pa CZ IT 07
- 9359. Eudorylas pannonicus (Becker,1898)** (Pipunculidae) Synonym(s): pannonicus Becker,1898 Range (in code): IL Pa EG Sn
- 9360. Eudorylas ruralis (Meigen,1824)** (Pipunculidae) Synonym(s): ruralis Meigen,1824 Range (in code): IL Pa EG Sn

- 9361. Eudorylas setosus (Becker,1898)** (Pipunculidae) Synonym(s): setosus Becker,1898 Range (in code): IL Pa Cn ES
- 9362. Eudorylas sinaiensis de Meyer,1995** (Pipunculidae) Synonym(s): sinaiensis de Meyer,1995 Range (in code): EG Sn
- 9363. Eudorylas trochanteratus (Becker,1900)** (Pipunculidae) Synonym(s): trochanteratus Becker,1900 Range (in code): EG IL Pa
- 9364. Eudorylas fuscipes (Zetterstedt,1844)** (Pipunculidae) Synonym(s): fuscipes Zetterstedt,1844 Range (in code): TR 42
- 9365. Eudorylas gemellus Kehlmaier,2005** (Pipunculidae) Synonym(s): gemellus Kehlmaier,2005 Range (in code): TR 50
- 9366. Eudorylas zermattensis (Becker,1897)** (Pipunculidae) Synonym(s): zermattensis Becker,1897 Range (in code): FR GB IL Pa Js TR 06
- 9367. Tomosvaryella sp.** (Pipunculidae) Synonym(s): Range (in code): TR 65
- 9368. Tomosvaryella kuthyi Aczél,1944** (Pipunculidae) Synonym(s): kuthyi Aczél,1944 Range (in code): IL Pa IT Sa
- 9369. Tomosvaryella israelensis de Meyer,1995** (Pipunculidae) Synonym(s): israelensis de Meyer,1995 Range (in code): IL Pa IT
- 9370. Tomosvaryella freidbergi de Meyer,1995** (Pipunculidae) Synonym(s): freidbergi de Meyer,1995 Range (in code): IL Pa EG Sn IT
- 9371. Tomosvaryella argyrata de Meyer,1995** (Pipunculidae) Synonym(s): argyrata de Meyer,1995 Range (in code): IL Pa
- 9372. Tomosvaryella argyratoides de Meyer,1995** (Pipunculidae) Synonym(s): argyratoides de Meyer,1995 Range (in code): IL Pa
- 9373. Tomosvaryella debruyni de Meyer,1995** (Pipunculidae) Synonym(s): debruyni de Meyer,1995 Range (in code): IL Pa
- 9374. Tomosvaryella docta de Meyer,1995** (Pipunculidae) Synonym(s): docta de Meyer,1995 Range (in code): EG Sn IL Pa
- 9375. Tomosvaryella frontata (Becker,1898)** (Pipunculidae) Synonym(s): frontata Becker,1898 Range (in code): FR IT RO IL Pa
- 9376. Tomosvaryella geniculata (Meigen,1824)** (Pipunculidae) Synonym(s): geniculata Meigen,1824 Range (in code): IL Pa
- 9377. Tomosvaryella helwanensis (Collin,1949)** (Pipunculidae) Synonym(s): helwanensis Collin,1949 Range (in code): EG Sn IL Pa
- 9378. Tomosvaryella inermis de Meyer,1995** (Pipunculidae) Synonym(s): inermis de Meyer,1995 Range (in code): IL Pa
- 9379. Tomosvaryella inopinata de Meyer,1995** (Pipunculidae) Synonym(s): inopinata de Meyer,1995 Range (in code): EG Sn IL Pa
- 9380. Tomosvaryella jubata de Meyer,1995** (Pipunculidae) Synonym(s): jubata de Meyer,1995 Range (in code): IL Pa
- 9381. Tomosvaryella minima (Becker,1898)** (Pipunculidae) Synonym(s): minima Becker,1898 Range (in code): IL Pa
- 9382. Tomosvaryella mutata (Becker,1898)** (Pipunculidae) Synonym(s): mutata Becker,1898 Range (in code): EG ES HU ?IL ?Pa
- 9383. Tomosvaryella nigronitida (Collin,1958)** (Pipunculidae) Synonym(s): nigronitida Collin,1958 Range (in code): HV IL Pa
- 9384. Tomosvaryella nodosa de Meyer,1995** (Pipunculidae) Synonym(s): nodosa de Meyer,1995 Range (in code): IL Pa EG Sn
- 9385. Tomosvaryella parakuthyi de Meyer,1995** (Pipunculidae) Synonym(s): parakuthyi de Meyer,1995 Range (in code): IL Pa EG Sn
- 9386. Tomosvaryella pusilla de Meyer,1995** (Pipunculidae) Synonym(s): pusilla de Meyer,1995 Range (in code): IL Pa EG Sn
- 9387. Tomosvaryella sedomensis de Meyer,1995** (Pipunculidae) Synonym(s): sedomensis de Meyer,1995 Range (in code): IL Pa
- 9388. Tomosvaryella subvirescens (Loew,1872)** (Pipunculidae) Synonym(s): subvirescens Loew,1872 Range (in code): US Tx EG Sn IL Pa
- 9389. Tomosvaryella sylvatica (Meigen,1824)** (Pipunculidae) Synonym(s): sylvatica Meigen,1824 Range (in code): IL Pa TN
- 9390. Tomosvaryella tecta de Meyer,1993** (Pipunculidae) Synonym(s): tecta de Meyer,1993 Range (in code): KE ZA Nta Kzu EG IL Pa
- 9391. Tomosvaryella trichotibialis de Meyer,1995** (Pipunculidae) Synonym(s): trichotibialis de Meyer,1995 Range (in code): IL Pa
- 9392. Tomosvaryella vicina (Becker,1900)** (Pipunculidae) Synonym(s): vicina Becker,1900 Range (in code): ZR EG IL Pa

- 9393. *Platystoma aenescens* Loew,1868** (Platystomidae) Synonym(s): aenescens Loew,1868 Range (in code): RO RU TR 07
- 9394. *Platystoma afghanistanicum* Soos,1977** (Platystomidae) Synonym(s): afghanistanicum Soos,1977 Range (in code): AF
- 9395. *Platystoma angustipenne* Loew,1854** (Platystomidae) Synonym(s): angustipenne Loew,1854 Range (in code): RU Cc AZ Nv
- 9396. *Platystoma arcuatum* Loew,1856** (Platystomidae) Synonym(s): arcuatum Loew,1856 Range (in code): FR GR Cr TR SY IL Pa RO RU 34
- 9397. *Platystoma bipilosum* Portschinsky,1875** (Platystomidae) Synonym(s): bipilosa Portschinsky,1875; #bipilosum Hendel,1913 Range (in code): Cc Arr TR 76
- 9398. *Platystoma canum* Portschinsky,1875** (Platystomidae) Synonym(s): cana Portschinsky,1875 Range (in code): Cc TM IR
- 9399. *Platystoma chrysotoxum* Hendel,1913** (Platystomidae) Synonym(s): chrysotoxum Hendel,1913 Range (in code): TR IR Kd Yz 04 44 65
- 9400. *Platystoma curvinerve* Hendel,1913** (Platystomidae) Synonym(s): curvinerve Hendel,1913 Range (in code): TM
- 9401. *Platystoma dimidiatum* Hendel,1913** (Platystomidae) Synonym(s): dimidiatum Hendel,1913 Range (in code): Cr TR 01 07 32 38 42 51 58 65
- 9402. *Platystoma elegans* Hendel,1913** (Platystomidae) Synonym(s): elegans Hendel,1913 Range (in code): Cc AM TR IR Kd
- 9403. *Platystoma gilvipes* Loew,1868** (Platystomidae) Synonym(s): gilvipes Loew,1868; sororcula Portschinsky,1875 Range (in code): CN Ui RU Sr TR Arr Cc 76
- 9404. *Platystoma ilguenensis* Bischof,1905** (Platystomidae) Synonym(s): #ilguenensis Bischof,1905; ilguenensis Bischof,1905 Range (in code): TR 42
- 9405. *Platystoma lativentre* Loew,1865** (Platystomidae) Synonym(s): lativentre Loew,1865 Range (in code): Cc GG Im Kta
- 9406. *Platystoma lugubre* (R-D.,1830)** (Platystomidae) Synonym(s): lugubre R-D.,1830 Range (in code): ES FR Co Si IT AT HU PL DE CZ TR Cc 16
- 9407. *Platystoma malatiense* Hennig,1945** (Platystomidae) Synonym(s): malatiense Hennig,1945 Range (in code): TR 44 51
- 9408. *Platystoma nitidiventre* Hendel,1913** (Platystomidae) Synonym(s): nitidiventre Hendel,1913 Range (in code): Cc TR 56
- 9409. *Platystoma obtusum* Hendel,1913** (Platystomidae) Synonym(s): obtusum Hendel,1913 Range (in code): Cc
- 9410. *Platystoma pavonis* Hendel,1913** (Platystomidae) Synonym(s): pavonis Hendel,1913 Range (in code): TM
- 9411. *Platystoma pleuronitens* Hendel,1913** (Platystomidae) Synonym(s): pleuronitens Hendel,1913 Range (in code): TR
- 9412. *Platystoma pubescens* Loew,1845** (Platystomidae) Synonym(s): pubescens Loew,1845 Range (in code): HU AT IT RO Rd CZ TR IR Ma Snj Kd
- 9413. *Platystoma punctiventris* Portschinsky,1875** (Platystomidae) Synonym(s): punctiventris Portschinsky,1875 Range (in code): Cc RU Sr
- 9414. *Platystoma rufimanum* Loew,1873** (Platystomidae) Synonym(s): rufimanum Loew,1873 Range (in code): Cc AZ Nv LB?
- 9415. *Platystoma rufipes* Meigen,1826** (Platystomidae) Synonym(s): rufipes Meigen,1826; pentheri Bischof,1905 Range (in code): FR UA Ode TR RU Ao DE IR Elb KuS Ar 33 38
- 9416. *Platystoma seminationis* (Fabricius,1775)** (Platystomidae) Synonym(s): seminationis Fabricius,1775; fulviventre Schrank,1781; biseta Loew,1868; vegetationis Rondani,1869 Range (in code): ES GB BE NL DE DK CH AT IT HU CZ PL RU UA RO TR Cc 56 65 70 73 76
- 9417. *Platystoma strix* Portschinsky,1875** (Platystomidae) Synonym(s): strix Portschinsky,1875 Range (in code): Cc
- 9418. *Platystoma suave* Loew,1873** (Platystomidae) Synonym(s): suave Loew,1873 Range (in code): UZ TM Ru Da Cc
- 9419. *Platystoma subfasciatum* Loew,1862** (Platystomidae) Synonym(s): subfasciatum Loew,1862 Range (in code): TR BG Vrn 16
- 9420. *Platystoma valachiae* Hendel,1913** (Platystomidae) Synonym(s): valachiae Hendel,1913 Range (in code): HU RO TR 16 75
- 9421. *Loxocera aristata* (Panzer,1801)** (Psilidae) Synonym(s): aristata Panzer,1801 Range (in code): TR IL Pa Cc RU Ur
- 9422. *Oxypsila abdominalis* (Schummel,1844)** (Psilidae) Synonym(s): abdominalis Schummel,1844 Range (in code): TR 25
- 9423. *Chamaepsila basalis* Freidberg & Shatalkin,2008** (Psilidae) Synonym(s): basalis Freidberg & Shatalkin,2008 Range (in code): IL Pa



- 9424. Chamaepsila friedmani Freidberg & Shatalkin,2008** (Psilidae) Synonym(s): friedmani Freidberg & Shatalkin,2008 Range (in code): IL Pa
- 9425. Chamaepsila hebraica Hennig,1941** (Psilidae) Synonym(s): hebraica Hennig,1941 Range (in code): IL Pa Js
- 9426. Chamaepsila homochroa Freidberg & Shatalkin,2008** (Psilidae) Synonym(s): homochroa Freidberg & Shatalkin,2008 Range (in code): IL Pa
- 9427. Chamaepsila nigricornis Meigen,1826** (Psilidae) Synonym(s): nigricornis Meigen,1826 Range (in code): DZ TN EG IL Pa KG MN
- 9428. Chamaepsila pallida (Fallén,1820)** (Psilidae) Synonym(s): pallida Fallén,1820 Range (in code): IL Pa
- 9429. Chamaepsila pseudobicolor Soos,1985** (Psilidae) Synonym(s): pseudobicolor Soos,1985 Range (in code): DE IL Pa
- 9430. Chamaepsila sardoa (Rondani,1876)** (Psilidae) Synonym(s): sardoa Rondani,1876 Range (in code): IT Sa IL Pa MN
- 9431. Chamaepsila setalba Freidberg & Shatalkin,2008** (Psilidae) Synonym(s): gracilis Loew,1854 nec Meig.,1826; setalba Freidberg & Shatalkin,2008 Range (in code): BG TR CY IL Pa 31 34
- 9432. Chyliza extenuata (Rossi,1790)** (Psilidae) Synonym(s): extenuata Rossi,1790 Range (in code): PT ES IE GB BE DE CZ SK HU CH IT Si IL Pa TR TM
- 9433. Bazarella subneglecta (Tonnoir,1922)** (Psychodidae) Synonym(s): subneglecta Tonnoir,1922 Range (in code): TR 25
- 9434. Berdeniella aktashi Koç & Özgül,2013** (Psychodidae) Synonym(s): aktashi Koç & Özgül,2013 Range (in code): TR 20
- 9435. Berdeniella turcica R.Wagner & Özgül,2013** (Psychodidae) Synonym(s): turcica R.Wagner & Özgül,2013 Range (in code): TR 09 16
- 9436. Clogmia albipunctata (Williston,1893)** (Psychodidae) Synonym(s): albipunctata Williston,1893; nocturna Abreu,1930; nigrithorax Abreu,1930; haranti Mirouse,1958 Range (in code): Cc GG Tbl ES FR DE IT SS Sa
- 9437. Clytocerus thracicus R.Wagner & Koç,2013** (Psychodidae) Synonym(s): thracicus R.Wagner & Koç,2013 Range (in code): TR 39
- 9438. Joostiella caucasica Vaillant,1983** (Psychodidae) Synonym(s): caucasica Vaillant,1983 Range (in code): TR Cc AM 30
- 9439. Jungiella afyonica R.Wagner & Koç,2013** (Psychodidae) Synonym(s): afyonica R.Wagner & Koç,2013 Range (in code): TR 03 32
- 9440. Jungiella barlasii Koç & Tonguç,2013** (Psychodidae) Synonym(s): barlasii Koç & Tonguç,2013 Range (in code): TR 32
- 9441. Jungiella geniculatoides R.Wagner & Koç,2013** (Psychodidae) Synonym(s): geniculatoides R.Wagner & Koç,2013 Range (in code): TR 26
- 9442. Mormia revisenda (Eaton,1896)** (Psychodidae) Synonym(s): revisenda Eaton,1896 Range (in code): TR 73
- 9443. Pericoma blandula Eaton,1893** (Psychodidae) Synonym(s): blandula Eaton,1893 Range (in code): TR Cc 30
- 9444. Pericoma hakkariae R.Wagner,1986** (Psychodidae) Synonym(s): hakkariae R.Wagner,1986 Range (in code): TR 73
- 9445. Pericoma kariana Vaillant,1978** (Psychodidae) Synonym(s): kariana Vaillant,1978 Range (in code): TR 73
- 9446. Pericoma orientalis R.Wagner,1986** (Psychodidae) Synonym(s): orientalis R.Wagner,1986 Range (in code): TR 73
- 9447. Pericoma platystyla R.Wagner,1986** (Psychodidae) Synonym(s): platystyla R.Wagner,1986 Range (in code): GR TR 30 36
- 9448. Pericoma tenuistylis Vaillant,1978** (Psychodidae) Synonym(s): tenuistylis Vaillant,1978 Range (in code): TR 73
- 9449. Philosepedon symmetricus R.Wagner,1986** (Psychodidae) Synonym(s): symmetricus R.Wagner,1986 Range (in code): TR 30
- 9450. Phlebotomus (Adlerius) angustus Artemiev,1978** (Psychodidae) Synonym(s): angustus Artemiev,1978 Range (in code): AF PK TJ UZ
- 9451. Phlebotomus (Adlerius) arabicus Theodor,1953** (Psychodidae) Synonym(s): arabicus Theodor,1953; davidi Artemiev,1980 Range (in code): EG ET SA YE
- 9452. Phlebotomus (Adlerius) balcanicus Theodor,1958** (Psychodidae) Synonym(s): balcanicus Theodor,1958 Range (in code): GR MK IR RO TR AZ GG Cc Nv UA 03
- 9453. Phlebotomus (Adlerius) brevis Theodor & Mesghali,1964** (Psychodidae) Synonym(s): brevis Theodor & Mesghali,1964; ismailicus Perfilev,1966 Range (in code): GR MT TR AZ GG Cc IR 63
- 9454. Phlebotomus (Adlerius) comatus Artemiev,1978** (Psychodidae) Synonym(s): comatus Artemiev,1978 Range (in code): AF NP PK

- 9455. Phlebotomus (Adlerius) halepensis Theodor,1958** (Psychodidae) Synonym(s): halepensis Theodor,1958 Range (in code): TR SY Hal IR Cc GG AZ IL Pa JO? 03 17 63
- 9456. Phlebotomus (Adlerius) hindustanicus Theodor,1958** (Psychodidae) Synonym(s): hindustanicus Theodor,1958 Range (in code): AF PK IN Hp
- 9457. Phlebotomus (Adlerius) kabulensis Artemiev,1978** (Psychodidae) Synonym(s): kabulensis Artemiev,1978 Range (in code): AF Kab IR
- 9458. Phlebotomus (Adlerius) kyreniae Theodor,1958** (Psychodidae) Synonym(s): kyreniae Theodor,1958 Range (in code): CY TR
- 9459. Phlebotomus (Adlerius) longiductus Parrot,1928** (Psychodidae) Synonym(s): longiductus Parrot,1928; tauriae Perfilev,1966 Range (in code): RO IR UA Cm AF PK IN KG UZ CN Ui
- 9460. Phlebotomus (Adlerius) naqbenius Lewis & Büttiker,1986** (Psychodidae) Synonym(s): naqbenius Lewis & Büttiker,1986 Range (in code): SA
- 9461. Phlebotomus (Adlerius) rupester Artemiev,1978** (Psychodidae) Synonym(s): rupester Artemiev,1978 Range (in code): AF Kab
- 9462. Phlebotomus (Adlerius) salangensis Artemiev,1978** (Psychodidae) Synonym(s): salangensis Artemiev,1978 Range (in code): AF IR
- 9463. Phlebotomus (Adlerius) simici Nitzulescu,1931** (Psychodidae) Synonym(s): simici Nitzulescu,1931 Range (in code): TR MK Skj BG GR IR JO? SY IL Pa a 03 17
- 9464. Phlebotomus (Adlerius) turanicus Artemiev,1974** (Psychodidae) Synonym(s): turanicus Artemiev,1974 Range (in code): AF TJ TM UZ
- 9465. Phlebotomus (Adlerius) zulfagarensis Artemiev,1978** (Psychodidae) Synonym(s): zulfagarensis Artemiev,1978 Range (in code): IR TM
- 9466. Phlebotomus (Anaphlebotomus) colabaensis Young & Chalam,1927** (Psychodidae) Synonym(s): colabaensis Young & Chalam,1927 Range (in code): IN PK
- 9467. Phlebotomus (Euphlebotomus) argentipes Annandale,1908** (Psychodidae) Synonym(s): argentipes Annandale,1908; marginatus Annandale,1910; annandalei Sinton,1923; glaucus Mitra & Roy,1953 Range (in code): IN Clc LK BD MM ID LA NP PK TH CMa VN MY
- 9468. Phlebotomus (Euphlebotomus) autumnalis Artemiev,1978** (Psychodidae) Synonym(s): autumnalis Artemiev,1978 Range (in code): AF
- 9469. Phlebotomus (Euphlebotomus) caudatus Artemiev,1978** (Psychodidae) Synonym(s): caudatus Artemiev,1978 Range (in code): AF
- 9470. Phlebotomus (Euphlebotomus) mesghali Seyedi-Rashti & Nadim,1970** (Psychodidae) Synonym(s): mesghali Seyedi-Rashti & Nadim,1970 Range (in code): IR AF
- 9471. Phlebotomus (Euphlebotomus) nadimi Javadian,1997** (Psychodidae) Synonym(s): nadimi Javadian,1997 Range (in code): IR
- 9472. Phlebotomus (Larroussius) ilami Javadian,1997** (Psychodidae) Synonym(s): ilami Javadian,1997 Range (in code): IR
- 9473. Phlebotomus (Larroussius) kandelakii Shchurenkova,1929** (Psychodidae) Synonym(s): kandelakii Shchurenkova,1929 Range (in code): AF IR Cc GG Tbl AM AZ TR LB PK
- 9474. Phlebotomus (Larroussius) keshishiani Shchurenkova,1936** (Psychodidae) Synonym(s): keshishiani Shchurenkova,1936 Range (in code): TJ Pm PK AF IR
- 9475. Phlebotomus (Larroussius) langeroni Nitzulescu,1930** (Psychodidae) Synonym(s): langeroni Nitzulescu,1930 Range (in code): MA DZ TN EG IR
- 9476. Phlebotomus (Larroussius) major Annandale,1910** (Psychodidae) Synonym(s): major Annandale,1910; grisea Annandale,1911; crimicus Shtefko & Minkevich,1923 Range (in code): IR IN SI DjI NP RU PK TH
- 9477. Phlebotomus (Larroussius) neglectus Tonnoir,1921** (Psychodidae) Synonym(s): neglectus Tonnoir,1921; krimensis Perfilev,1966 Range (in code): UA Cm TR GR AL IT Sa Si YU RU 03 17 63
- 9478. Phlebotomus (Larroussius) notus Arteniev & Neronov,1984** (Psychodidae) Synonym(s): notus Arteniev & Neronov,1984 Range (in code): AF
- 9479. Phlebotomus (Larroussius) orientalis Parrot,1936** (Psychodidae) Synonym(s): orientalis Parrot,1936 Range (in code): ET TD EG KE NE RW SA YE SD UG
- 9480. Phlebotomus (Larroussius) perfilevi Parrot,1930** (Psychodidae) Synonym(s): perfilevi Parrot,1930; macedonicus Adler & Theodor,1931 Range (in code): DZ MA MT TN RO GR TR UA YU IR 03 17 63
- 9481. Phlebotomus (Larroussius) perniciosus Newstead,1911** (Psychodidae) Synonym(s): perniciosus Newstead,1911; nigerrimus Newstead,1911; legeri Mansion,1913; lusitanicus França,1918; grassi Pierantoni,1925 Range (in code): DZ FR Co MT IT Sa Si CY MA LY PT ES CH TN SY TR YU AZ Cc
- 9482. Phlebotomus (Larroussius) smirnovi Perfilev,1941** (Psychodidae) Synonym(s): smirnovi Perfilev,1941; wui Yang & Xiong,1965 Range (in code): IR TM KK CN Ui Gn IMn KG
- 9483. Phlebotomus (Larroussius) syriacus Adler & Theodor,1930** (Psychodidae) Synonym(s): syriacus Adler & Theodor,1930 Range (in code): IL Pa SY TR EG JO ?SA UA GG AZ Cc 03

- 9484. Phlebotomus (Larroussius) tobbsi** Adler & Theodor, 1930 (Psychodidae) Synonym(s): tobbsi Adler & Theodor, 1930; pirumovi Burakova & Mirzayan, 1934 Range (in code): IR TR AL CY GR Si IQ IL Pa SY LB AZ GG Cc RU YU 03 17
- 9485. Phlebotomus (Larroussius) transcaasicus** Perfilev, 1937 (Psychodidae) Synonym(s): transcaasicus Perfilev, 1937; ?galilaeus Theodor, 1958 Range (in code): AZ Bak Cc GG Nv TR IR IQ IL Pa CY
- 9486. Phlebotomus (Larroussius) wenyoni** Adler & Theodor, 1930 (Psychodidae) Synonym(s): wenyoni Adler & Theodor, 1930 Range (in code): IR Ha IQ TR TM
- 9487. Phlebotomus (Paraphlebotomus) alexandri** Sinton, 1928 (Psychodidae) Synonym(s): alexandri Sinton, 1928; borovskii Khodukin & Sofiev, 1931 Range (in code): IQ Amr TR DZ AF CN Gn Ui IMn CY EG DJ ET GR IR IN IL Pa JO KW MN OM MA PK RO ES SA TN YE SD AE KG AZ Cc TM 63
- 9488. Phlebotomus (Paraphlebotomus) andrejevi** Shakirzyanova, 1953 (Psychodidae) Synonym(s): andrejevi Shakirzyanova, 1953; mofidii Theodor & Mesghali, 1964 Range (in code): KG IR AF CN Gn IMn Ui MN UZ
- 9489. Phlebotomus (Paraphlebotomus) bergeroti** Parrot, 1934 (Psychodidae) Synonym(s): bergeroti Parrot, 1934 Range (in code): IR
- 9490. Phlebotomus (Paraphlebotomus) caucasicus** Marzinowsky, 1917 (Psychodidae) Synonym(s): caucasicus Marzinowsky, 1917; grimmi Porchinski, 1876; li Popov, 1926; selectus Khodukin, 1929 Range (in code): Cc GG Tbl AZ Bak UZ Tas AM IR CN Ui
- 9491. Phlebotomus (Paraphlebotomus) jacusieli** Theodor, 1947 (Psychodidae) Synonym(s): jacusieli Theodor, 1947 Range (in code): TR AZ Cc IR IL Pa 65
- 9492. Phlebotomus (Paraphlebotomus) kazeruni** Theodor & Mesghali, 1964 (Psychodidae) Synonym(s): kazeruni Theodor & Mesghali, 1964 Range (in code): AF DZ EG JO SA MA IR
- 9493. Phlebotomus (Paraphlebotomus) marismortui** Theodor, 1947 (Psychodidae) Synonym(s): marismortui Theodor, 1947 Range (in code): IL Pa
- 9494. Phlebotomus (Paraphlebotomus) mongolensis** Sinton, 1928 (Psychodidae) Synonym(s): mongolensis Sinton, 1928; imitabilis Artemiev, 1974 Range (in code): AF Kab CN Gn Pkn Hbe Ui IR MN AZ Cc UZ KG
- 9495. Phlebotomus (Paraphlebotomus) nuri** Lewis, 1967 (Psychodidae) Synonym(s): nuri Lewis, 1967 Range (in code): PK Bl Qu Pj Rw AF IR
- 9496. Phlebotomus (Paraphlebotomus) saevus** Parrot & Martin, 1939 (Psychodidae) Synonym(s): saevus Parrot & Martin, 1939 Range (in code): CM ET KE SA SD YE
- 9497. Phlebotomus (Paraphlebotomus) sergenti** Parrot, 1917 (Psychodidae) Synonym(s): sergenti Parrot, 1917; similis Perfilev, 1963 Range (in code): AF DZ CZ CY EG ET FR Co GR Cr IN IR IQ IL Pa IT Si JO LB LY ML MT MA NP NE PK PT RO SA SO YE ES TR SY KY YU UA Cm RU Pja 63
- 9498. Phlebotomus (s.str.) bergeroti** Parrot, 1934 (Psychodidae) Synonym(s): bergeroti Parrot, 1934; viduus Parrot, 1936 Range (in code): DZ ET EG DJ IR IL Pa JO MR MA SA SO YE SD AE
- 9499. Phlebotomus (s.str.) duboscqi** Neveu-Lemaire, 1906 (Psychodidae) Synonym(s): duboscqi Neveu-Lemaire, 1906; roubaudi Newstead, 1913; fourtoni Floch & Abonnenc, 1948 Range (in code): ML MR BF ET GM GH KE NE NG SN SD TG YE
- 9500. Phlebotomus (s.str.) papatasi** (Scopoli, 1786) (Psychodidae) Synonym(s): papatasi Scopoli, 1786; molesta Costa, 1840; breviventrtris Ristorcelli, 1943 Range (in code): MA IT DZ AF BD BG CY EG TR IR FR Co GR HU IN IQ IL Pa Sa Si JO KW LB LY MT NE NP OM PK RO SA LK SO YE ES SD SY TN AM AZ Cc GG KG TM UZ YU 03 17 63 65
- 9501. Phlebotomus (s.str.) salehi** Mesghali, 1965 (Psychodidae) Synonym(s): salehi Mesghali, 1965 Range (in code): IR IN Suspected vector of L. major in Rajasthan (India) (Killick-Kendrick, 1990).
- 9502. Phlebotomus (Synphlebotomus) ansarii** Lewis, 1958 (Psychodidae) Synonym(s): ansarii Lewis, 1958 Range (in code): IR
- 9503. Phlebotomus (Synphlebotomus) eleanorae** Sinton, 1931 (Psychodidae) Synonym(s): eleanorae Sinton, 1931 Range (in code): IR IN Pj
- 9504. Phlebotomus (Transphlebotomus) canaaniticus** Adler & Theodor, 1931 (Psychodidae) Synonym(s): canaaniticus Adler & Theodor, 1931 Range (in code): IL Pa SY JO
- 9505. Phlebotomus (Transphlebotomus) mascittii** Grassi, 1908 (Psychodidae) Synonym(s): mascittii Grassi, 1908; larroussei Langeron & Nitzulescu, 1931; vesuvianus Adler & Theodor, 1931 Range (in code): FR IT IR IL Pa TR 63
- 9506. Phlebotomus (Transphlebotomus) nitzulescui** Simic, 1932 (Psychodidae) Synonym(s): nitzulescui Simic, 1932 Range (in code): MK Skj CY DZ FR Co GR IT ES CH TR
- 9507. Pneumia borealis** (Berdén, 1954) (Psychodidae) Synonym(s): borealis Berdén, 1954 Range (in code): SE FI RU Sb TR DE
- 9508. Pneumia nubila** (Meigen, 1818) (Psychodidae) Synonym(s): nubila Meigen, 1818 Range (in code): TR Cc GG
- 9509. Pneumia palustris** (Meigen, 1818) (Psychodidae) Synonym(s): palustris Meigen, 1818 Range (in code): TR
- 9510. Pneumia pellucida** R.Wagner, 2013 (Psychodidae) Synonym(s): pellucida R.Wagner, 2013 Range (in code): TR 20



- 9511. *Pneumia pilularia* (Tonnoir,1940)** (Psychodidae) Synonym(s): pilularia Tonnoir,1940 Range (in code): TR DZ
- 9512. *Pneumia trivialis* (Eaton,1893)** (Psychodidae) Synonym(s): trivialis Eaton,1893 Range (in code): TR
- 9513. *Psychoda cinerea* Banks,1834** (Psychodidae) Synonym(s): cinerea Banks,1834 Range (in code): TR 73
- 9514. *Satchelliella canescens* (Meigen,1804)** (Psychodidae) Synonym(s): canescens Meigen,1804 Range (in code): TR 30 73
- 9515. *Satchelliella malickyi* Vaillant,1981** (Psychodidae) Synonym(s): malickyi Vaillant,1981 Range (in code): TR 30
- 9516. *Satchelliella schachti* R.Wagner,1986** (Psychodidae) Synonym(s): schachti R.Wagner,1986 Range (in code): TR 36
- 9517. *Sergentomyia* (*Grassomyia*) *dreyfussi* Theodor & Mesghali,1964** (Psychodidae) Synonym(s): dreyfussi Theodor & Mesghali,1964 Range (in code): IR
- 9518. *Sergentomyia* (*Grassomyia*) *dreyfussi turkestanica* Theodor & Mesghali,1964** (Psychodidae) Synonym(s): turkestanica Theodor & Mesghali,1964 Range (in code): IR
- 9519. *Sergentomyia* (*Grassomyia*) *indica* (Theodor,1931)** (Psychodidae) Synonym(s): indica Theodor,1931 Range (in code): IN IR
- 9520. *Sergentomyia* (*Grassomyia*) *squamipleuris* (Newstead,1912)** (Psychodidae) Synonym(s): squamipleuris Newstead,1912 Range (in code): IR TH CMA
- 9521. *Sergentomyia* (*Parrotomyia*) *africana* (Newstead,1912)** (Psychodidae) Synonym(s): africana Newstead,1912 Range (in code): IR
- 9522. *Sergentomyia* (*Parrotomyia*) *baghdadis* (Adler & Theodor,1929)** (Psychodidae) Synonym(s): baghdadis Adler & Theodor,1929 Range (in code): IQ IR
- 9523. *Sergentomyia* (*Parrotomyia*) *bailyi* (Sinton,1931)** (Psychodidae) Synonym(s): bailyi Sinton,1931 Range (in code): IR
- 9524. *Sergentomyia* (*Parrotomyia*) *grekovi* (Chodukin,1929)** (Psychodidae) Synonym(s): grekovi Chodukin,1929 Range (in code): IR
- 9525. *Sergentomyia* (*Parrotomyia*) *palestinensis* (Adler & Theodor,1927)** (Psychodidae) Synonym(s): palestinensis Adler & Theodor,1927 Range (in code): IL Pa IR
- 9526. *Sergentomyia* (*Parrotomyia*) *sogdiana* (Parrot,1929)** (Psychodidae) Synonym(s): sogdiana Parrot,1929 Range (in code): UZ IR
- 9527. *Sergentomyia* (*Parrotomyia*) *sumbarica* (Perfiliew,1933)** (Psychodidae) Synonym(s): sumbarica Perfiliew,1933 Range (in code): IR
- 9528. *Sergentomyia* (*Parvidens*) *iranica* (Lewis & Mesghali,1961)** (Psychodidae) Synonym(s): iranica Lewis & Mesghali,1961 Range (in code): IR
- 9529. *Sergentomyia* (*Rondonomyia*) *dolichopus* (Abonnene & Courtois,1970)** (Psychodidae) Synonym(s): dolichopus Abonnene & Courtois,1970 Range (in code): IR
- 9530. *Sergentomyia* (*Rondonomyia*) *hodgsoni* (Sinton,1933)** (Psychodidae) Synonym(s): hodgsoni Sinton,1933 Range (in code): IR
- 9531. *Sergentomyia* (*Rondonomyia*) *pawlowskyi* (Perfiliew,1933)** (Psychodidae) Synonym(s): pawlowskyi Perfiliew,1933 Range (in code): IR
- 9532. *Sergentomyia* (s.str.) *antennata* (Newstead,1912)** (Psychodidae) Synonym(s): antennata Newstead,1912 Range (in code): IR
- 9533. *Sergentomyia* (s.str.) *dentata* (Sinton,1933)** (Psychodidae) Synonym(s): dentata Sinton,1933 Range (in code): IR
- 9534. *Sergentomyia* (s.str.) *mervynae* Pringle,1953** (Psychodidae) Synonym(s): mervynae Pringle,1953 Range (in code): IR
- 9535. *Sergentomyia* (s.str.) *sintoni* (Pringle,1953)** (Psychodidae) Synonym(s): sintoni Pringle,1953 Range (in code): IR
- 9536. *Sergentomyia* (s.str.) *theodori* (Parrot,1942)** (Psychodidae) Synonym(s): theodori Parrot,1942 Range (in code): TR IR 63
- 9537. *Sergentomyia* (*Sintonius*) *adleri* (Theodor,1933)** (Psychodidae) Synonym(s): adleri Theodor,1933 Range (in code): TR IR 63
- 9538. *Sergentomyia* (*Sintonius*) *christophersi* (Sinton,1927)** (Psychodidae) Synonym(s): christophersi Sinton,1927 Range (in code): IR
- 9539. *Sergentomyia* (*Sintonius*) *tiberiadis* (Adler, Theodor & Lourie,1930)** (Psychodidae) Synonym(s): tiberiadis Adler, Theodor & Lourie,1930 Range (in code): IL Pa IR
- 9540. *Telmatoscopus remotus* R.Wagner & Koç,2013** (Psychodidae) Synonym(s): remotus R.Wagner & Koç,2013 Range (in code): TR 39
- 9541. *Telmatoscopus svaneticus* Jezek,1989** (Psychodidae) Synonym(s): svaneticus Jezek,1989 Range (in code): Cc GG CZ

- 9542. *Thornburghiella quezeli* (Vaillant,1956)** (Psychodidae) Synonym(s): quezeli Vaillant,1956 Range (in code): TR 73
- 9543. *Tonnoiriella turcica* R.Wagner,1986** (Psychodidae) Synonym(s): turcica R.Wagner,1986 Range (in code): TR 36
- 9544. *Ulomyia asiaminorica* R.Wagner,2013** (Psychodidae) Synonym(s): asiaminorica R.Wagner,2013 Range (in code): TR 16 43
- 9545. *Eupyrgota vagae* (Bigot,1880)** (Pyrgotidae) Synonym(s): vagae Bigot,1880; picta Portschinsky,1881; wagae Becker,1905; wagai Soos,1984 Range (in code): KG TJ AF Kab Gbh Sfk IQ Smr TR IR Cc 73
- 9546. *Chrysopilus pallipes* (Loew,1869)** (Rhagionidae) Synonym(s): pallipes Loew,1869 Range (in code): GR TR IR 48
- 9547. *Chrysopilus splendidus* (Meigen,1820)** (Rhagionidae) Synonym(s): splendidus Meigen,1820 Range (in code): AT AL CH CZ SK DE FR GB HU IT PL RO SE YU RU UA TR 07
- 9548. *Rhagio albipilosus* Becker,1921** (Rhagionidae) Synonym(s): albipilosus Becker,1921 Range (in code): TR 33
- 9549. *Rhagio libanonicus* Szilady,1934** (Rhagionidae) Synonym(s): libanonicus Szilady,1934 Range (in code): LB
- 9550. *Rhagio maculipennis* (Loew,1854)** (Rhagionidae) Synonym(s): maculipennis Loew,1854 Range (in code): TR 16
- 9551. *Rhagio notatus* Meigen,1820** (Rhagionidae) Synonym(s): notatus Meigen,1820 Range (in code): GB TR 07
- 9552. *Rhagio sordidus* (Loew,1862)** (Rhagionidae) Synonym(s): sordidus Loew,1862; pilosus Loew,1865 Range (in code): TR Cc GG Kta Im 05
- 9553. *Rhagio turcicus* Lindler,1931** (Rhagionidae) Synonym(s): turcicus Lindler,1931 Range (in code): TR 16
- 9554. *Symphoromyia melaena* (Meigen,1820)** (Rhagionidae) Synonym(s): melaena Meigen,1820; maura Meigen,1820; pilosa Meigen,1820 Range (in code): GB BY DE FR CZ SK HU AT IT RO TR 48
- 9555. *Melanophora asetosa* Kugler,1978** (Rhinophoridae) Synonym(s): asetosa Kugler,1978 Range (in code): IL Pa
- 9556. *Melanophora roralis* (Linnaeus,1758)** (Rhinophoridae) Synonym(s): roralis Linnaeus,1758; grossificationis Linnaeus,1758; atra R-D.,1830 Range (in code): US CV IT Si Sa IL Pa
- 9557. *Oplisa (Anoplisa) hertingi* Zeegers,2011** (Rhinophoridae) Synonym(s): hertingi Zeegers,2011 Range (in code): TR 30 73
- 9558. *Oplisa (Anoplisa) nudiseta* Zeegers,2011** (Rhinophoridae) Synonym(s): nudiseta Zeegers,2011 Range (in code): TR 07
- 9559. *Oplisa (Anoplisa) oldenbergi* Herting,1961** (Rhinophoridae) Synonym(s): oldenbergi Herting,1961 Range (in code): RO UA PL BG TR 53
- 9560. *Oplisa (Anoplisa) pollinosa* Kugler,1978** (Rhinophoridae) Synonym(s): pollinosa Kugler,1978 Range (in code): IL Pa Hf
- 9561. *Phyto anatolica* Zeegers,2011** (Rhinophoridae) Synonym(s): anatolica Zeegers,2011 Range (in code): TR 68
- 9562. *Stevenia angustifrons* Villeneuve,1912** (Rhinophoridae) Synonym(s): angustifrons Villeneuve,1912 Range (in code): IL Pa IR TR
- 9563. *Stevenia caucasica* (Portschinsky,1875)** (Rhinophoridae) Synonym(s): caucasica Portschinsky,1875 Range (in code): Cc
- 9564. *Stevenia fausti* (Portschinsky,1875)** (Rhinophoridae) Synonym(s): fausti Portschinsky,1875 Range (in code): Cc UA GR
- 9565. *Stevenia flaviventris* Kugler,1978** (Rhinophoridae) Synonym(s): flaviventris Kugler,1978 Range (in code): IL Pa
- 9566. *Stevenia hertingi* Kugler,1978** (Rhinophoridae) Synonym(s): hertingi Kugler,1978 Range (in code): IL Pa
- 9567. *Stevenia hirtigena* Herting,1961** (Rhinophoridae) Synonym(s): hirtigena Herting,1961 Range (in code): IR
- 9568. *Stevenia kugleri* Herting,1961** (Rhinophoridae) Synonym(s): kugleri Herting,1961 Range (in code): IL Pa TR 07
- 9569. *Stevenia pallidicornis* (Loew,1847)** (Rhinophoridae) Synonym(s): pallidicornis Loew,1847 Range (in code): TR
- 9570. *Stevenia signata* (Mik,1886)** (Rhinophoridae) Synonym(s): signata Mik,1886 Range (in code): IT HV AL GR TR 07
- 9571. *Africasiomyia turana* Rohdendorf,1975** (Sarcophagidae) Synonym(s): turana Rohdendorf,1975 Range (in code): TM
- 9572. *Agria affinis* (Fallén,1817)** (Sarcophagidae) Synonym(s): affinis Fallén,1817; punctata R-D.,1830; grisescens R-D.,1830; quinquevittata Hartig,1937; procax R-D.,1863; arvensis R-D.,1863; vittata Brauer,1883 Range

(in code): **TR IE GB NO SE FI DK NL BE DE PL CZ CH AT HU RO FR IT YU BG EE BY UA RU MD AZ Cc KG MN 32 60**

**9573. Agria mamillata (Pandellé,1896)** (Sarcophagidae) Synonym(s): mamillata Pandellé,1896; bichunis Pandellé,1896; pacifica Karaseeva,1964 Range (in code): **TR GB FI DK BE DE PL CZ AT HU RO FR IT YU BG EE UA AZ Cc KG UZ KK TJ Us RU 06 26**

**9574. Agriella lindneri (Rohdendorf,1937)** (Sarcophagidae) Synonym(s): lindneri Rohdendorf,1937 Range (in code): **TR 42**

**9575. Agriella transcaspia (Rohdendorf,1928)** (Sarcophagidae) Synonym(s): transcaspia Rohdendorf,1928; heptneri Rohdendorf,1937 Range (in code): **UZ TM IR Kp**

**9576. Amobia oculata (Zetterstedt,1844)** (Sarcophagidae) Synonym(s): oculata Zetterstedt,1844 Range (in code): **TR DZ BY CN CZ EE FI DE HU JP KG MN KP NO PL SK ES SE UA 07 25**

**9577. Amobia signata (Meigen,1824)** (Sarcophagidae) Synonym(s): signata Meigen,1824; conica R-D.,1830; nigra Macquart,1834; odyneri R-D.,1853; anomalus Zetterstedt,1859; deprimata Zetterstedt,1859; maculosa Rondani,1859; cinerea R-D.,1863; ardeacea R-D.,1863; obliquata R-D.,1863; laeta R-D.,1863; cinereifrons R-D.,1863; fugitiva R-D.,1863; incana R-D.,1863; hortulana R-D.,1863; despecta R-D.,1863; flavicans R-D.,1863; vivida R-D.,1863; pervia R-D.,1863; biciliata R-D.,1863; aurifacies R-D.,1863; praecox R-D.,1863 Range (in code): **IE GB SE FI DK DE BE PL CZ CH AT HU RO ES FR IT YU AL BG CY LT UA MD AZ Cc KG TM UZ TJ KK MN CN DZ LY Cn NL TR 07 25 60**

**9578. Angiometopa falleni Pape,1986** (Sarcophagidae) Synonym(s): falleni Pape,1986 Range (in code): **AD TR AM Cc AT BE BG CN CZ DK FI FR GG DE GB GR HU IT KG MN NL PL RO RU Si SK ES SE CH UA UZ 25**

**9579. Apodacra dispar Villeneuve,1916** (Sarcophagidae) Synonym(s): dispar Villeneuve,1916; rondaniella Venturi,1957 ZA ES FR IT UA IL Pa KK TM UZ AO ZW TZ

**9580. Apodacra ljudmilae Verves,1980** (Sarcophagidae) Synonym(s): ljudmilae Verves,1980 AM Cc

**9581. Apodacra poeciloptera Rohdendorf,1927** (Sarcophagidae) Synonym(s): poeciloptera Rohdendorf,1927 CN Gn EG IL Pa MN TJ TM UZ

**9582. Apodacra pulchra Egger,1861** (Sarcophagidae) Synonym(s): pulchra Egger,1861 FR AT Co CZ FR DE HU IL Pa PL Si UA TR CN 38

**9583. Apodacra radchenkoi Verves & Khrokalo,2014** (Sarcophagidae) Synonym(s): radchenkoi Verves & Khrokalo,2014 TR 07

**9584. Apodacra rohdendorfi Verves,1980** (Sarcophagidae) Synonym(s): rohdendorfi Verves,1980 AM Cc

**9585. Apodacra seriemaclata Macquart,1854** (Sarcophagidae) Synonym(s): seriemaclata Macquart,1854 FR AT Co HU IR IL Pa IT RO Cc RU Si ES TR TM UA Cm 26

**9586. Asiomtopia (Caspionia) persa (Rohdendorf,1935)** (Sarcophagidae) Synonym(s): persa Rohdendorf,1935 Range (in code): **IR MN**

**9587. Asiomtopia (s.str.) beludzha Rohdendorf,1961** (Sarcophagidae) Synonym(s): beludzha Rohdendorf,1961 Range (in code): **IR**

**9588. Asiomtopia (s.str.) ujugura Rohdendorf,1935** (Sarcophagidae) Synonym(s): ujugura Rohdendorf,1935 Range (in code): **UZ TM TJ CN Ui**

**9589. Asiomtopia (s.str.) uzbeki Rohdendorf,1935** (Sarcophagidae) Synonym(s): uzbeki Rohdendorf,1935 Range (in code): **UZ Br TM**

**9590. Beludzhia phylloteliptera Rohdendorf,1935** (Sarcophagidae) Synonym(s): phylloteliptera Rohdendorf,1935 Range (in code): **IR Ss**

**9591. Blaesoxipha aguriana Lehrer,2002** (Sarcophagidae) Synonym(s): aguriana Lehrer,2002 Range (in code): **IL Pa**

**9592. Blaesoxipha ataturkia Lehrer,2008** (Sarcophagidae) Synonym(s): ataturkia Lehrer,2008 Range (in code): **TR 30**

**9593. Blaesoxipha berolinensis Villeneuve,1912** (Sarcophagidae) Synonym(s): berolinensis Villeneuve,1912; acuminata Villeneuve,1912; monticola Rohdendorf,1928; schirakiensis Gudjabidze,1966 Range (in code): **Cc GG TM Kp DK DE PL CH FR IT YU RU AZ KG UZ KK TJ MN CN PK**

**9594. Blaesoxipha calliste Pape,1994** (Sarcophagidae) Synonym(s): calliste Pape,1994 Range (in code): **TR**

**9595. Blaesoxipha campestris (R-D.,1863)** (Sarcophagidae) Synonym(s): lineata Fallén,1817 nec Harr.,1776; campestris R-D.,1863; redempta Pandellé,1895 Range (in code): **SE FI NO DK DE PL CZ AT SK CH HU IT ES FR RO YU AL BG RU LT UA MD KG EG Sn IL Pa SY TR IQ SA YE IR AF MN CN MA DZ TN LY Cn SO SD**

**9596. Blaesoxipha cochlearis (Pandellé,1894)** (Sarcophagidae) Synonym(s): cochlearis Pandellé,1894; sinica Rohdendorf,1928 Range (in code): **DE PL CZ HU RO ES FR IT CH YU BG UA KG MN KP KR TR CN Gn 05**

**9597. Blaesoxipha delilah Lehrer,2006** (Sarcophagidae) Synonym(s): delilah Lehrer,2006 Range (in code): **IL Pa**

**9598. Blaesoxipha erythrura (Meigen,1826)** (Sarcophagidae) Synonym(s): erythrura Meigen,1826; crocata R-D.,1830; agilis R-D.,1830; riparia R-D.,1830; clinalis R-D.,1830; erythroceras R-D.,1863; egena R-D.,1863; gagatea R-D.,1863; luteicauda R-D.,1863; aurea R-D.,1863; strenua R-D.,1863; silantjevi Rohdendorf,1937 Range (in



- code): **GB SE FI DK DE PL CZ SK CH AT HU FR IT YU BG GR RU At LT EE BY UA GG AZ Cc KG KK TJ MN CN TR 25**
- 9599. *Blaesoxipha filipjevi* Rohdendorf,1928** (Sarcophagidae) Synonym(s): filipjevi Rohdendorf,1928  
Range (in code): RU Da Cc IL Pa
- 9600. *Blaesoxipha gladiatrix* (Pandellé,1896)** (Sarcophagidae) Synonym(s): gladiatrix Pandellé,1896; krameri Baranoff,1925 Range (in code): IE GB NO SE FI DK DE PL CZ SK CH AT HU FR IT YU AL BG RU LT EE BY UA KG IL Pa TR IR SA AF CN MN KP KR JP EG
- 9601. *Blaesoxipha grisea* (Meigen,1826)** (Sarcophagidae) Synonym(s): grisea Meigen,1826; erythroceras R-D.,1830; brunnicans R-D.,1830; claripennis R-D.,1830; cinerea R-D.,1830; rapida R-D.,1830; campestris R-D.,1830; grisea R-D.,1830; riparia R-D.,1830; albifrons R-D.,1830; luteifrons R-D.,1830; musca R-D.,1830; floralis R-D.,1830; aurifacies R-D.,1830; agrestis R-D.,1830; fuliginosa R-D.,1830; grisella R-D.,1863; fulvifrons R-D.,1863; ruralis R-D.,1863; rustica R-D.,1863 Range (in code): DK BE DE PL CH CZ SK HU AT RO IT ES FR YU AL BG RU BY YA MD GG AZ AM Cc KG MN
- 9602. *Blaesoxipha lapidosa* Pape,1994** (Sarcophagidae) Synonym(s): lapidosa Pape,1994 Range (in code): TR
- 9603. *Blaesoxipha laticornis* (Meigen,1826)** (Sarcophagidae) Synonym(s): laticornis Meigen,1826  
Range (in code): TR
- 9604. *Blaesoxipha lautaretensis* (Villeneuve,1928)** (Sarcophagidae) Synonym(s): lautaretensis Villeneuve,1928; benshiensis Hsue,1978; caspica Rohdendorf & Verves,1979; laticerca Rohdendorf & Verves,1979  
Range (in code): FR CH RU GG AZ Cc UZ MN CN KG TR
- 9605. *Blaesoxipha leonidei* Lehrer,2006** (Sarcophagidae) Synonym(s): leonidei Lehrer,2006 Range (in code): IL Pa
- 9606. *Blaesoxipha litoralis* (Villeneuve,1911)** (Sarcophagidae) Synonym(s): litoralis Villeneuve,1911  
Range (in code): ES FR Co IT YU BG HU RU UA KG UZ Tas TM TJ MN CN KP KR DZ TR IL Pa
- 9607. *Blaesoxipha misriella* Lehrer,2002** (Sarcophagidae) Synonym(s): misriella Lehrer,2002 Range (in code): EG Sn
- 9608. *Blaesoxipha plumicornis* (Zetterstedt,1859)** (Sarcophagidae) Synonym(s): plumicornis Zetterstedt,1859 Range (in code): TR
- 9609. *Blaesoxipha pygmaea* (Zetterstedt,1845)** (Sarcophagidae) Synonym(s): pygmaea Zetterstedt,1845 Range (in code): TR
- 9610. *Blaesoxipha richterae* Rohdendorf & Verves,1977** (Sarcophagidae) Synonym(s): richterae Rohdendorf & Verves,1977 Range (in code): Cc AM
- 9611. *Blaesoxipha rufipes* (Macquart,1839)** (Sarcophagidae) Synonym(s): rufipes Macquart,1839; rubripes Villeneuve,1912; tertia Rohdendorf,1928; aegyptiaca Villeneuve,1932; paolii Villeneuve,1939; povolnyi Rohdendorf,1975 Range (in code): Cn ES FR IT YU CY KG TM UZ Tas KK IL Pa LB SY JO YE SA IR AF CN MN KP KR DZ EG TR 07
- 9612. *Blaesoxipha suspinata* Lehrer,2006** (Sarcophagidae) Synonym(s): suspinata Lehrer,2006  
Range (in code): IL Pa
- 9613. *Blaesoxipha tzinella* Lehrer,2006** (Sarcophagidae) Synonym(s): tzinella Lehrer,2006 Range (in code): IL Pa
- 9614. *Blaesoxipha unguata* (Pandellé,1896)** (Sarcophagidae) Synonym(s): unguata Pandellé,1896; talyshensis Rohdendorf & Verves,1977 Range (in code): TR AZ Cc Len ES FR CH HU PL IT YU BG RU UA Cm GG DZ
- 9615. *Blaesoxiphella brevicornis* Villeneuve,1912** (Sarcophagidae) Synonym(s): brevicornis Villeneuve,1912; algeriensis Townsend,1919 Range (in code): KG Cc RU CN IMn DZ MN
- 9616. *Brachicoma devia* (Fallén,1820)** (Sarcophagidae) Synonym(s): devia Fallén,1820 Range (in code): TR AD AM Cc AT AZ BY BE BG CN CZ DK EE FI FR GG DE GB GR HU IT JP KG LT MD MN NL NO PL RO SK ES SE CH UA 25
- 9617. *Chaetophylloteles olgae* Rohdendorf,1926** (Sarcophagidae) Synonym(s): olgae Rohdendorf,1926  
Range (in code): IR Ss
- 9618. *Craticulina tabaniformis* (Fabricius,1805)** (Sarcophagidae) Synonym(s): tabaniformis Fabricius,1805 Range (in code): PT ES FR IT Co Sa Si AT HU RO TR UA 07
- 9619. *Ctenodasyphygia fertoni* (Villeneuve,1911)** (Sarcophagidae) Synonym(s): fertoni Villeneuve,1911  
Range (in code): DZ TN EG IL Pa HU ES FR IT GR
- 9620. *Ctenodasyphygia graeca* (Rohdendorf,1937)** (Sarcophagidae) Synonym(s): graeca Rohdendorf,1937; mousseti Lehrer,1976 Range (in code): HU ES GR TR IL Pa 09
- 9621. *Ctenodasyphygia kobachidzei* Gudjabidze,1965** (Sarcophagidae) Synonym(s): kobachidzei Gudjabidze,1965 Range (in code): Cc GG
- 9622. *Ctenodasyphygia penicillata* (Villeneuve,1907)** (Sarcophagidae) Synonym(s): penicillata Villeneuve,1907; villeneuveana Enderlein,1928 Range (in code): ES FR IT YU IL Pa DZ TN
- 9623. *Dolichotachina marginella* (Wiedemann,1830)** (Sarcophagidae) Synonym(s): marginella Wiedemann,1830; albimana Séguy,1934 Range (in code): SD EG IL Pa MA DZ TN LY MR
- 9624. *Golanina israeliana* Lehrer,2000** (Sarcophagidae) Synonym(s): israeliana Lehrer,2000 Range (in code): IL Pa SY

- 9625. Iranihindia persica Rohdendorf,1961** (Sarcophagidae) Synonym(s): persica Rohdendorf,1961 Range (in code): IR Ss
- 9626. Macronychia (Moschusa) polyodon (Meigen,1824)** (Sarcophagidae) Synonym(s): polyodon Meigen,1824; trifaria R-D.,1863; villana R-D.,1863; sylvestris Rondani,1865 Range (in code): AD AT BE BG CN Pkn HV CY CZ EE FI FR DE HU IE IL Pa TR IT JP Hkk MT MD MN MA NL NO PL RU Ur Sb Cc Am Us Sh YU SK SE CH TJ UA GB 25
- 9627. Macronychia (s.str.) dolini Verves & Khrokalo,2006** (Sarcophagidae) Synonym(s): dolini Verves & Khrokalo,2006 Range (in code): UA CZ RU Sj TM Kp
- 9628. Macronychia (s.str.) lemariei Jacentkovsky,1941** (Sarcophagidae) Synonym(s): lemariei Jacentkovsky,1941; veresi Mihalyi,1979; sinerea Chao & Zhang,1988 Range (in code): IL Pa Jf GR CZ TR UA CN HU SK TM UZ 06 71
- 9629. Macronychia (s.str.) striginervis (Zetterstedt,1838)** (Sarcophagidae) Synonym(s): striginervis Zetterstedt,1838 Range (in code): GB CZ HU UA Cm RU Sb At Am Us Sh Cc GG AZ TR KG AT DK EE FI FR DE IE IT JP Hkk JO SK SE CH CN Ti TM UZ KE ZA 25
- 9630. Macronychia (s.str.) substriginervis Verves & Khrokalo,2006** (Sarcophagidae) Synonym(s): substriginervis Verves & Khrokalo,2006 Range (in code): UA RU Sb TM UZ
- 9631. Medomyia olgae Rohdendorf,1926** (Sarcophagidae) Synonym(s): olgae Rohdendorf,1926 Range (in code): IR Kh
- 9632. Metopia argyrocephala (Meigen,1824)** (Sarcophagidae) Synonym(s): argyrocephala Meigen,1824; leucocephala Rossi,1790; philanthi R-D.,1830; minuta R-D.,1830; assimilis R-D.,1830; obscura R-D.,1830; squamipallens R-D.,1830; roserii Rondani,1859; hilaris R-D.,1863; humilis R-D.,1863; dissimilis R-D.,1863; festinans R-D.,1863; cinerella R-D.,1863; jocosa R-D.,1863; vigilans R-D.,1863; ruralis R-D.,1863 Range (in code): IE GB NO SE FI DK BE DE PL CZ CH AT HU RO ES FR IT YU BG GR CY TR RU UA GG AM AZ Cc KG CN MN KP KR JP US PE
- 9633. Metopodia grisea Brauer & Bergenstamm,1889** (Sarcophagidae) Synonym(s): grisea Brauer & Bergenstamm,1889; pilicornis Pandellé,1895 Range (in code): CZ HU RU Sr FR IT KG TM UZ TJ TR IR MN
- 9634. Miltogramma (Dichiracantha) beludzhanense Rohdendorf,1930** (Sarcophagidae) Synonym(s): beludzhanense Rohdendorf,1930 Range (in code): IR Ss
- 9635. Miltogramma (Dichiracantha) germari Meigen,1824** (Sarcophagidae) Synonym(s): germari Meigen,1824; fasciatum R-D.,1830 nec Mg.,1824 Range (in code): TR SE DK GB BE DE PL CZ CH AT HU RO IT FR YU BG LT UA MD KG MN MA DZ
- 9636. Miltogramma (Dichiracantha) oestraceum (Fallén,1820)** (Sarcophagidae) Synonym(s): oestracea Fallén,1820; tessellatum Meigen,1824; basillans Pandellé,1895 Range (in code): NO SE FI DK BE DE PL CZ AT HU RO ES FR IT YU AL LT EE BY MD UA AM AZ Cc KG RU Tv Mgd IL Pa LB SY MN CN IMn DZ TR 07 60
- 9637. Miltogramma (Dichiracantha) taeniorufum Rohdendorf,1930** (Sarcophagidae) Synonym(s): taeniorufum Rohdendorf,1930 Range (in code): IR
- 9638. Miltogramma (Dichiracantha) turkmenorum Rohdendorf,1930** (Sarcophagidae) Synonym(s): turkmenorum Rohdendorf,1930 Range (in code): TM UZ TJ
- 9639. Miltogramma (Dichiracantha) villeneuvei Verves,1982** (Sarcophagidae) Synonym(s): meigeni Villeneuve,1922 nec R-D.,1863; villeneuvei Verves,1982 Range (in code): SE FR HU IT Cc AZ EG
- 9640. Miltogramma (Dichiracantha) zarudnyi Rohdendorf,1930** (Sarcophagidae) Synonym(s): zarudnyi Rohdendorf,1930 Range (in code): IR Ss
- 9641. Miltogramma (Dichiracantha) zeravshanicum Rohdendorf,1930** (Sarcophagidae) Synonym(s): zeravshanicum Rohdendorf,1930 Range (in code): UZ Smk TM
- 9642. Miltogramma (Myochromum) occipitale Pandellé,1895** (Sarcophagidae) Synonym(s): occipitale Pandellé,1895 Range (in code): FR IT AL Cc AM
- 9643. Miltogramma (Myochromum) ruficorne Meigen,1824** (Sarcophagidae) Synonym(s): ruficorne Meigen,1824 Range (in code): Cc AM D PL AT HU ES FR IT AL
- 9644. Miltogramma (s.str.) obscurum Rohdendorf,1930** (Sarcophagidae) Synonym(s): obscurum Rohdendorf,1930 Range (in code): TM Kp
- 9645. Miltogramma (s.str.) punctatum Meigen,1824** (Sarcophagidae) Synonym(s): punctatum Meigen,1824; arcuata Zetterstedt,1844; sexpunctatum Meigen,1838; laterale R-D.,1863; macquarti R-D.,1863; punctatellum R-D.,1863 Range (in code): IE GB SE FI DK BE DE PL CZ AT HU RO ES FR IT YU BG GR CY EE BY UA GG AZ AM Cc KG TM KK TJ IL Pa LB SY IR AF MN CN JP DZ TN EG Cn
- 9646. Miltogrammidium (Pseudomiltogramma) brevipilum (Rohdendorf,1930)** (Sarcophagidae) Synonym(s): brevipilum Rohdendorf,1930 Range (in code): AT RO FR IT RU UA Cm Cc AZ TM UZ TJ
- 9647. Miltogrammidium (Pseudomiltogramma) kirgisorum (Rohdendorf,1930)** (Sarcophagidae) Synonym(s): kirgisorum Rohdendorf,1930 Range (in code): KG UZ TM
- 9648. Miltogrammidium (Pseudomiltogramma) kopetdaghense (Rohdendorf,1930)** (Sarcophagidae) Synonym(s): kopetdaghense Rohdendorf,1930 Range (in code): TM Kp UZ TJ
- 9649. Miltogrammidium (s.str.) auriceps (Rohdendorf,1935)R** (Sarcophagidae) Synonym(s): auriceps Rohdendorf,1935 Range (in code): IR Kh

- 9650. *Miltogrammidium* (s.str.) *chivae* (Rohdendorf,1935)** (Sarcophagidae) Synonym(s): *chivae* Rohdendorf,1935 Range (in code): UZ Ao RU Cc TM TJ AM AZ EG
- 9651. *Miltogrammidium* (s.str.) *jaxartoxianum* (Rohdendorf,1935)** (Sarcophagidae) Synonym(s): *jaxartoxianum* Rohdendorf,1935 Range (in code): UZ TM KG
- 9652. *Miltogrammidium* (s.str.) *rutilans* (Meigen,1824)** (Sarcophagidae) Synonym(s): *rutilans* Meigen,1824 Range (in code): DE PL AT HU CZ FR IT RU UA Cc AM TM UZ TJ
- 9653. *Miltogrammidium* (s.str.) *sumbaricum* (Rohdendorf,1935)** (Sarcophagidae) Synonym(s): *sumbaricum* Rohdendorf,1935 Range (in code): TM Kp
- 9654. *Miltogrammidium* (s.str.) *taeniatum* (Meigen,1824)** (Sarcophagidae) Synonym(s): *taeniatum* Meigen,1824; *pilimanum* Rondani,1859 Range (in code): DE PL ES HU FR IT YU AL BG RU UA Cc AM TR TM TJ UZ KK IR MN LK 15 60
- 9655. *Miltogrammidium* (s.str.) *turanicum* (Rohdendorf,1935)** (Sarcophagidae) Synonym(s): *turanicum* Rohdendorf,1935 Range (in code): KG UZ TM KK TJ MN CN Ui
- 9656. *Miltogrammidium* (s.str.) *turkmenicum* (Rohdendorf,1935)** (Sarcophagidae) Synonym(s): *turkmenicum* Rohdendorf,1935 Range (in code): TM
- 9657. *Miltogrammoides* *iranicus* Rohdendorf,1961** (Sarcophagidae) Synonym(s): *iranicus* Rohdendorf,1961 Range (in code): IR Kz
- 9658. *Miltogrammoides* *maximum* (Rohdendorf,1925)** (Sarcophagidae) Synonym(s): *maximum* Rohdendorf,1925; *chorezmicus* Rohdendorf,1930; *zimini* Rohdendorf,1930 Range (in code): TM UZ CN Ui Ga MN
- 9659. *Nyctella* *zimini* Rohdendorf,1961** (Sarcophagidae) Synonym(s): *zimini* Rohdendorf,1961 Range (in code): IR Ss
- 9660. *Nyctia* *halterata* (Panzer,1798)** (Sarcophagidae) Synonym(s): *halterata* Panzer,1798; *maura* Fabricius,1805; *caminaria* Meigen,1826; *nigricans* Wiedemann,1826; *carceli* R-D.,1830; *servillei* R-D.,1830; *rubescens* R-D.,1830; *pusilla* R-D.,1830; *nitida* R-D.,1830; *picea* R-D.,1830; *hyalipennis* Macquart,1834; *albopunctata* Von Roser,1840; *fuliginaria* Rondani,1862; *furnaria* Rondani,1862; *vivida* R-D.,1863; *obscurata* R-D.,1863; *usta* R-D.,1863; *quinquestrigata* Enderlein,1934 Range (in code): TR FR IT MT YU AL BG GR CY RU EE LT UA MD AZ AM GG Cc IL Pa MA DZ LY EG Cn 05 60
- 9661. *Nyctia* *lugubris* (Macquart,1843)** (Sarcophagidae) Synonym(s): *lugubris* Macquart,1843 Range (in code): ES TR 15 55
- 9662. *Oophagomyia* *plotnikovi* Rohdendorf,1928** (Sarcophagidae) Synonym(s): *plotnikovi* Rohdendorf,1928 Range (in code): KG RU Cc Da TM UZ CN IMn MN
- 9663. *Paragusia* *albina* (Rohdendorf,1935)** (Sarcophagidae) Synonym(s): *albina* Rohdendorf,1935; *popovi* Rohdendorf,1935 Range (in code): UZ Smk TM Mrw MN
- 9664. *Paragusia* *armeniaca* Verves,1980** (Sarcophagidae) Synonym(s): *armeniaca* Verves,1980 Range (in code): AM Cc
- 9665. *Paragusia* *elegantula* (Zetterstedt,1844)** (Sarcophagidae) Synonym(s): *elegantula* Zetterstedt,1844; *frivaldskii* Schiner,1862 Range (in code): NO SE FI DK BE DE PL AT HU FR IT EE UA AM Cc KG TM UZ TJ TR IR MN
- 9666. *Paragusia* *gussakovskiji* (Rohdendorf,1935)** (Sarcophagidae) Synonym(s): *gussakovskiji* Rohdendorf,1935 Range (in code): ZU TM
- 9667. *Paragusia* *karakumicum* (Rohdendorf,1935)** (Sarcophagidae) Synonym(s): *karakumicum* Rohdendorf,1935 Range (in code): TM Mrw
- 9668. *Paragusia* *multipunctata* (Rondani,1859)** (Sarcophagidae) Synonym(s): *multipunctata* Rondani,1859 Range (in code): DE AT HU ES FR MT IT YU AL BG GR CY Cc UA Cm AM TM UZ EG IR MN
- 9669. *Paragusia* *pluriseta* (Pandellé,1895)** (Sarcophagidae) Synonym(s): *pluriseta* Pandellé,1895 Range (in code): ES FR IT TM UA Cm
- 9670. *Paragusia* *richteri* Rohdendorf,1961** (Sarcophagidae) Synonym(s): *richteri* Rohdendorf,1961 Range (in code): IR
- 9671. *Paragusia* *zimini* (Rohdendorf,1935)** (Sarcophagidae) Synonym(s): *zimini* Rohdendorf,1935 Range (in code): TM UZ
- 9672. *Parthomyia* *armenica* Rohdendorf,1975** (Sarcophagidae) Synonym(s): *armenica* Rohdendorf,1975 Range (in code): Cc AM Eri
- 9673. *Parthomyia* *beludzhistanica* Rohdendorf,1925** (Sarcophagidae) Synonym(s): *beludzhistanica* Rohdendorf,1925 Range (in code): IR Ss
- 9674. *Parthomyia* *gerasimovi* Rohdendorf,1975** (Sarcophagidae) Synonym(s): *gerasimovi* Rohdendorf,1975 Range (in code): TM UZ Br
- 9675. *Parthomyia* *iranica* Rohdendorf,1925** (Sarcophagidae) Synonym(s): *iranica* Rohdendorf,1925 Range (in code): IR Ss
- 9676. *Parthomyia* *turanica* Rohdendorf,1975** (Sarcophagidae) Synonym(s): *turanica* Rohdendorf,1975 Range (in code): TM UZ Smk
- 9677. *Parthomyia* *zimini* Rohdendorf,1975** (Sarcophagidae) Synonym(s): *zimini* Rohdendorf,1975 Range (in code): TM Mrw TJ UZ



- 9678. *Pediasomyia lindneri* Villeneuve,1933** (Sarcophagidae) Synonym(s): lindneri Villeneuve,1933 Range (in code): IL Pa
- 9679. *Pediasomyia przhivalskiji* Rohdendorf,1925** (Sarcophagidae) Synonym(s): przhivalskiji Rohdendorf,1925; pleskei Rohdendorf,1927 Range (in code): CN Qz Kno TM UZ TJ Kp
- 9680. *Phrosinella nasuta* (Wiedemann,1824)** (Sarcophagidae) Synonym(s): nasuta Wiedemann,1824; sannio Zetterstedt,1838; pilarsis Zetterstedt,1844; lineolata Rondani,1859; strenua Perris,1852; argyrina R-D.,1863 Range (in code): TR SE FI PL CZ AT HU IT FR AL UA AZ Cc KG LY MN 42 60
- 9681. *Phrosinella tadhika* (Rohdendorf,1935)** (Sarcophagidae) Synonym(s): tadhika Rohdendorf,1935 Range (in code): TR TJ UZ TM Br CN 42
- 9682. *Phrosinella zarudnoji* Rohdendorf,1971** (Sarcophagidae) Synonym(s): zarudnoji Rohdendorf,1971 Range (in code): AZ Cc TM UZ MN IR Ss
- 9683. *Phylloteles pictipennis* Loew,1844** (Sarcophagidae) Synonym(s): pictipennis Loew,1844 Range (in code): TR FI DK DE PL CZ AT HU ES FR IT AL BG RU UA AM AZ Cc KG
- 9684. *Protomiltogramma fasciatum* (Meigen,1824)** (Sarcophagidae) Synonym(s): fasciata Meigen,1824; erythrochaeta Bezzi,1895 Range (in code): DE PL AT HU ES FR IT YU RU UA Cc AZ AM KG TM UZ TJ IL Pa AF IR CH MN JP MA DZ EG Cn TR 07
- 9685. *Protomiltogramma iranikum* (Rohdendorf,1961)** (Sarcophagidae) Synonym(s): iranikum Rohdendorf,1961 Range (in code): IR Ss
- 9686. *Protomiltogramma jaxartianum* (Rohdendorf,1927)** (Sarcophagidae) Synonym(s): jaxartiana Rohdendorf,1927 Range (in code): KG RU Ao Cc AM TM UZ TJ CN MN
- 9687. *Pterella abchazica* (Rohdendorf,1935)** (Sarcophagidae) Synonym(s): abchazica Rohdendorf,1935 Range (in code): Cc GG Abk Sok
- 9688. *Pterella asiatica* Rohdendorf & Verves,1980** (Sarcophagidae) Synonym(s): angustifrons Rohdendorf,1935 nec Villen.,1916; asiatica Rohdendorf & Verves,1980 Range (in code): TM UZ MN
- 9689. *Pterella dagestanica* (Rohdendorf,1935)** (Sarcophagidae) Synonym(s): dagestanica Rohdendorf,1935 Range (in code): Cc RU Da
- 9690. *Pterella grisea* (Meigen,1824)** (Sarcophagidae) Synonym(s): grisea Meigen,1824; intricata Meigen,1824; cerceridis R-D.,1863; incompta R-D.,1863 Range (in code): GB SE FI DK DE PL CZ AT HU FR IT YU BG LT LV EE MD UA Cc AM KG IL Pa MN TR 38
- 9691. *Pterella melanura* (Meigen,1824)** (Sarcophagidae) Synonym(s): melanura Meigen,1824; mellifrons R-D.,1863; florem R-D.,1863 Range (in code): DE PL CZ AT HU RO ES FR IT YU AL RU EE UA Cc AM KG KK MN
- 9692. *Pterella penicillaris* (Rondani,1865)** (Sarcophagidae) Synonym(s): penicillaris Rondani,1865 Range (in code): IT FR HU Cc RU AM
- 9693. *Pterella soror* (Rohdendorf,1935)** (Sarcophagidae) Synonym(s): soror Rohdendorf,1935 Range (in code): RU Cc Da
- 9694. *Ravinia pernix* (Harris,1780)** (Sarcophagidae) Synonym(s): pernix Harris,1780 Range (in code): AL AD AT BY BE GB Cn FR Co CY CZ DK EE FI DE GR HU IT LT MT MD NO PL PT ES RO TR Si Sa SK SE CH NL UA YU 01 33 38 42 60
- 9695. *Ravinia striata* (Fabricius,1794)** (Sarcophagidae) Synonym(s): striata Fabricius,1794; haematodes Meigen,1826; haemisphaerica R-D.,1830; limpidipennis R-D.,1830; horticola R-D.,1830; campestris R-D.,1830; parva R-D.,1863; sulcata R-D.,1863; hebes R-D.,1863; nova Siebke,1877; aozia Séguy,1935; disjuncta Séguy,1938 Range (in code): IE GB NO SE FI DK BE DE PL CZ SK CH AT HU RO PT ES FR IT MT YU AL BG GR CY RU LT LV EE BY UA EG Sn GG AZ AM Cc KG TM UZ KK TJ IL Pa LB SY IQ SA YE IR AF CN MN KP KR JP NP MA DZ TN LY Cn Md Az TD PK IN
- 9696. *Rhynchopodacra olgae* (Rohdendorf,1926)** (Sarcophagidae) Synonym(s): olgae Rohdendorf,1926 Range (in code): TM Kp UZ
- 9697. *Rhynchopodacra rufa* Rohdendorf,1930** (Sarcophagidae) Synonym(s): rufa Rohdendorf,1930 Range (in code): UZ Br TM
- 9698. *Rohdendorfiella verum* Verves,1979** (Sarcophagidae) Synonym(s): verum Verves,1979 Range (in code): KG AF
- 9699. *Sarcophaga (Bercaea) africa* (Wiedemann,1819)** (Sarcophagidae) Synonym(s): africa Wiedemann,1819 Range (in code): AL AT BY BE GB BG Cn Co FR HV CY TR IL Pa CZ DK DE GR HU IT Md MD NO PL PT ES RO Sa Si SK SE CH NL UA YU DZ MG 26 36 65 72
- 9700. *Sarcophaga (Bercaea) cruentata* Meigen,1826** (Sarcophagidae) Synonym(s): cruentata Meigen,1826; haemorrhoidalis Fallén,1817; squalida R-D.,1830; blondeli R-D.,1830; villiva R-D.,1830; ruficauda Zetterstedt,1838; consobrina Rondani,1860; nurus Rondani,1860; zetterstedti R-D.,1863; iners R-D.,1863; pabulorum R-D.,1863; meigeni R-D.,1863; inclyta R-D.,1863; praeceps R-D.,1863; fugax R-D.,1863; nitida R-D.,1863; albidula R-D.,1863; commendata R-D.,1863; fulvipalpis R-D.,1863; haematura R-D.,1863; agilis R-D.,1863; oralis R-D.,1863; agraria R-D.,1863; meditata R-D.,1863; #interrupta Enderlein,1928; #tiesleri Enderlein,1928 Range (in code): IE GB NO SE DK NL BE DE PL CZ SK CH AT HU RO ES PT FR IT MT YU AL BG GR CY TR RU LT LV BY MD UA GG AZ AM Cc KG TM TJ KK UZ EG Sn IL Pa LB SY IQ SA YE IR AF CH MN KP KR JP MA MR DZ TN LY Az Md Cn MG

- 9701. Sarcophaga (Discachaeta) cucullans Pandellé,1896** (Sarcophagidae) Synonym(s): cucullans Pandellé,1896 Range (in code): FR CH HU IT YU BG UA Cc GG AZ AM TR
- 9702. Sarcophaga (Engelisca) surcoufi Villeneuve,1913** (Sarcophagidae) Synonym(s): surcoufi Villeneuve,1913; perfusa Villeneuve,1934 Range (in code): IL Pa EG DZ
- 9703. Sarcophaga (Helicophagella) bellae Lehrer,2000** (Sarcophagidae) Synonym(s): bellae Lehrer,2000 Range (in code): TR 07 15 70
- 9704. Sarcophaga (Helicophagella) crassimargo Pandellé,1896** (Sarcophagidae) Synonym(s): crassimargo Pandellé,1896 Range (in code): AL AT BE GB BG HV CZ DK FI FR DE GR HU IT MK MD NO PL RO TR SK ES SU CH NL UA YU 05 38 60
- 9705. Sarcophaga (Helicophagella) dreyfusi (Lehrer,1994)** (Sarcophagidae) Synonym(s): dreyfusi Lehrer,1994 Range (in code): TR
- 9706. Sarcophaga (Helicophagella) melanura Meigen,1826** (Sarcophagidae) Synonym(s): melanura Meigen,1826; edax Walker,1849; striata R-D.,1863 Range (in code): AL AT BY BE GB BG Cn Co HV FR DE GR HU IT MK MT MD NO PL PT RO Sa Si TR SK ES SE CH NL UA YU 26 38 63
- 9707. Sarcophaga (Helicophagella) novercoides Böttcher,1913** (Sarcophagidae) Synonym(s): novercoides Böttcher,1913 Range (in code): TR 07
- 9708. Sarcophaga (Heteronychia) anatolica Whitmore,2011** (Sarcophagidae) Synonym(s): anatolica Whitmore,2011 Range (in code): TR 06 50
- 9709. Sarcophaga (Heteronychia) armeniaca (Rohdendorf,1937)** (Sarcophagidae) Synonym(s): armeniaca Rohdendorf,1937 Range (in code): Cc AL AZ UA
- 9710. Sarcophaga (Heteronychia) belanovskyi (Verves,1973)** (Sarcophagidae) Synonym(s): belanovskyi Verves,1973; povolnyi Mihalyi,1975 Range (in code): Cc GG UA RO IT YU HU
- 9711. Sarcophaga (Heteronychia) bezziana Böttcher,1913** (Sarcophagidae) Synonym(s): bezziana Böttcher,1913; cornogranda Lehrer,2009 Range (in code): IT TR 38 42
- 9712. Sarcophaga (Heteronychia) boettcheri Villeneuve,1912** (Sarcophagidae) Synonym(s): boettcheri Villeneuve,1912; taurica Rohdendorf,1937; gaspari Lehrer,1977; bodediana Lehrer,1998; shakrana Lehrer,1998; caraormana Lehrer,2008 Range (in code): AT UA Cm YU RO GR IL Pa Js TR CY HU Cc AZ IR 05 33 55 60 81
- 9713. Sarcophaga (Heteronychia) bulgarica (Enderlein,1936)** (Sarcophagidae) Synonym(s): bulgarica Enderlein,1936; boettcheriana Rohdendorf,1937; fraterna Lehrer,1977; nostalgica Lehrer,2000 Range (in code): ES FR DE DK NO SE BY RU UA PL CZ SK MD RO HU CH AT IT Co HV BG Cc AM
- 9714. Sarcophaga (Heteronychia) clarahenae (Lehrer,1999)** (Sarcophagidae) Synonym(s): clarahenae Lehrer,1999 Range (in code): AZ Cc IL Pa
- 9715. Sarcophaga (Heteronychia) consanguinea Rondani,1860** (Sarcophagidae) Synonym(s): consanguinea Rondani,1860; schnabli Villeneuve,1911; portschinskyana Rohdendorf,1937; atanassovi Lehrer,1977; cullottorum Povolny,2005 Range (in code): BG FR GR IT Si UA Cm YU TR IL Pa RU 01 07
- 9716. Sarcophaga (Heteronychia) cucullans Pandellé,1896** (Sarcophagidae) Synonym(s): cucullans Pandellé,1896; iacentkovskyi Enderlein,1936 Range (in code): B-H HV FR DE HU IT IL Pa YU ES UA AM AZ Cc AT BG CZ GG CH RU TR
- 9717. Sarcophaga (Heteronychia) esthera (Lehrer,2006)** (Sarcophagidae) Synonym(s): esthera Lehrer,2006 Range (in code): IL Pa RU Da Cc
- 9718. Sarcophaga (Heteronychia) filia Rondani,1860** (Sarcophagidae) Synonym(s): filia Rondani,1860; juvenis Rondani,1860; lyneborghi Rohdendorf,1975; resnikae Lehrer,1996 Range (in code): MA TN ES AL AT BE GB BG Cr MK Co CZ FR DE GR HU IT MT MD PL RO SK CH NL UA YU TR 05 07 26 38 55 60 61
- 9719. Sarcophaga (Heteronychia) haemorrhoea Meigen,1826** (Sarcophagidae) Synonym(s): haemorrhoea Meigen,1826; contempta R-D.,1830; aestivalis R-D.,1830; riparia R-D.,1830; albicans R-D.,1830; sanguinolenta Macquart,1835; valida R-D.,1863; pilosa R-D.,1863; campestris R-D.,1863; chetalis R-D.,1863; labialis R-D.,1863; oralis R-D.,1863; ambulatoria R-D.,1863; ardeacea R-D.,1863; fuliginosa R-D.,1863; musca R-D.,1863; rustica R-D.,1863; umbripennis R-D.,1863; procax R-D.,1863; claripennis R-D.,1863; varinervis R-D.,1863; arborea R-D.,1863; inconstans R-D.,1863; contigua R-D.,1863; flavinervis R-D.,1863; anxia R-D.,1863; helicivorax Enderlein,1933; fugitiva Povolny,2001 Range (in code): AT HV CZ SK HU IT Si ES SE UA TR AL BE BG BY DK EE FI FR DE GR LT NL NO PL RO RU CH GB
- 9720. Sarcophaga (Heteronychia) haemorrhoides Böttcher,1913** (Sarcophagidae) Synonym(s): haemorrhoides Böttcher,1913; wahisi Lehrer,1976 Range (in code): HV GR HU IL Pa AL MK YU UA Cm TR Cc AZ AM GG RO BG BE CZ EE IR HU MT PL CH RU Sb 05 31 60
- 9721. Sarcophaga (Heteronychia) helenae (Trofimov,1948)** (Sarcophagidae) Synonym(s): helenae Trofimov,1948; fraterna Lehrer,1977; delicata Lehrer,2000 Range (in code): AM Cc AZ GG GR IL Pa TR TM 35
- 9722. Sarcophaga (Heteronychia) infantilis Böttcher,1913** (Sarcophagidae) Synonym(s): infantilis Böttcher,1913; ostensackeni Rohdendorf,1937 Range (in code): AT FR HV IT CH BG HV CZ FR DE GR KK NO PL RO SK YU SE CH TR
- 9723. Sarcophaga (Heteronychia) kerteszi Villeneuve,1912** (Sarcophagidae) Synonym(s): kerteszi Villeneuve,1912; dayani Lehrer,1996; sororia Povolny,2004 Range (in code): Si IL Pa LB Cr TR 07 35
- 9724. Sarcophaga (Heteronychia) lacrymans Villeneuve,1912** (Sarcophagidae) Synonym(s): lacrymans Villeneuve,1912; thalhammeri Böttcher,1913; zhelochovtzevi Rohdendorf,1925; cepelaki Povolny &

- Slameckova,1970; markevitchi Verves,1975; histriops Lehrer,2008 Range (in code): **AT UA Cm TR IL Pa SY Dms 03**
- 9725. Sarcophaga (Heteronychia) minima Rondani,1860** (Sarcophagidae) Synonym(s): minima Rondani,1860; fertoni Villeneuve,1916; graeca Rohdendorf,1937 Range (in code): **DZ EG Sn IL Pa TN Gf MA SK ES FR Co GR Cr TR 35**
- 9726. Sarcophaga (Heteronychia) mutila Villeneuve,1912** (Sarcophagidae) Synonym(s): mutila Villeneuve,1912; nedelkoffi Lehrer,1977; galmuda Lehrer,1998 Range (in code): **AM GG Cc IT CY BG HV GR HU YU SK UA Cm TR 42**
- 9727. Sarcophaga (Heteronychia) pontica (Rohdendorf,1937)** (Sarcophagidae) Synonym(s): pontica Rohdendorf,1937 Range (in code): **BG Cc GG Btm AZ AM RU**
- 9728. Sarcophaga (Heteronychia) recta (Rohdendorf,1937)** (Sarcophagidae) Synonym(s): recta Rohdendorf,1937 Range (in code): **AM AZ GG Cc RU**
- 9729. Sarcophaga (Heteronychia) rondaniana (Rohdendorf,1937)** (Sarcophagidae) Synonym(s): rondaniana Rohdendorf,1937 Range (in code): **AT BG TR HV CZ FR DE GR HU IT MK RO SK ES NL YU 05 38 60**
- 9730. Sarcophaga (Heteronychia) schineri Bezzi,1891** (Sarcophagidae) Synonym(s): schineri Bezzi,1891 Range (in code): **AL AT AZ BG HV CZ FR DE GG GR HU IT Si PL RO RU SK CH UA TR 05 60**
- 9731. Sarcophaga (Heteronychia) setinervis Rondani,1860** (Sarcophagidae) Synonym(s): setinervis Rondani,1860; puerula Rondani,1860; efflatouni Salem,1935; seguyi Lehrer,1977 Range (in code): **TR IL Pa CY BG GR FR IT HU RO MK Cc AZ AM GG IR KG KK TJ UZ TM 20 31 33 38 60 63**
- 9732. Sarcophaga (Heteronychia) siciliensis Böttcher,1913** (Sarcophagidae) Synonym(s): siciliensis Böttcher,1913 Range (in code): **IT Si TR BG CY EG GR RO ES UA 07 42**
- 9733. Sarcophaga (Heteronychia) thirionae (Lehrer,1976)** (Sarcophagidae) Synonym(s): thirionae Lehrer,1976 Range (in code): **DZ Sa TR 16**
- 9734. Sarcophaga (Heteronychia) turana (Rohdendorf,1937)** (Sarcophagidae) Synonym(s): turana Rohdendorf,1937 Range (in code): **Cc RU GG AZ AM Eri IR Th Elb KG UZ Smk TM TJ TR 76**
- 9735. Sarcophaga (Heteronychia) vagans Meigen,1826** (Sarcophagidae) Synonym(s): vagans Meigen,1826; nepos Rondani,1860; frenata Pandellé,1896; bajkalensis Rohdendorf,1925; anastrenua Baranov,1942; sachalinensis Verves,1978 Range (in code): **TR RU Sh HV BE AT CZ DE HU IT YU SK ES CH UA NO 06 60**
- 9736. Sarcophaga (Jantia) crassipalpis Macquart,1839** (Sarcophagidae) Synonym(s): crassipalpis Macquart,1839; dalmatina Schiner,1862; securifera Villeneuve,1908 Range (in code): **Cn CZ HU RO PT ES FR MT IT YU AL BG CY TR RU IL Pa LB SA SY IQ IR AF CN MN KP KR JP MA DZ TN LY EG Md ZA NZ**
- 9737. Sarcophaga (Krameromyia) anaces Walker,1849** (Sarcophagidae) Synonym(s): anaces Walker,1849 Range (in code): **TR AT BE GB BG HV CZ FR DE HU IT PL SK ES CH NL UA 05 38**
- 9738. Sarcophaga (Liopygia) argyrostoma (R-D.,1830)** (Sarcophagidae) Synonym(s): argyrostoma R-D.,1830 Range (in code): **TR AL AT BE GB BG Cn HV CY CZ FR DK DE GR HU IT MK Md MD PL PT ES RO Si SK CH NL UA YU 31 32**
- 9739. Sarcophaga (Liopygia) crassipalpis Macquart,1839** (Sarcophagidae) Synonym(s): crassipalpis Macquart,1839 Range (in code): **TR**
- 9740. Sarcophaga (Liosarcophaga) adzharica (Rohdendorf,1937)** (Sarcophagidae) Synonym(s): adzharica Rohdendorf,1937 Range (in code): **Cc GG AZ Btm**
- 9741. Sarcophaga (Liosarcophaga) aegyptica (Salem,1935)** (Sarcophagidae) Synonym(s): aegyptica Salem,1935 Range (in code): **EG CZ HU RO YU AL BG RU UA Cc GG AZ AM KG TM UZ TJ IL Pa IR CN ET**
- 9742. Sarcophaga (Liosarcophaga) emdeni (Rohdendorf,1969)** (Sarcophagidae) Synonym(s): emdeni Rohdendorf,1969 Range (in code): **GB FI DE PL CZ SK CH AT HU RO FR BG EE UA Cc GG AZ KG CN TR 05**
- 9743. Sarcophaga (Liosarcophaga) exuberans Pandellé,1896** (Sarcophagidae) Synonym(s): exuberans Pandellé,1896; setosa Baranov,1929 Range (in code): **RO ES FR IT YU BG GR CY RU UA Cm Cc GG AZ KG IL Pa EG Az HV**
- 9744. Sarcophaga (Liosarcophaga) jacobsoni (Rohdendorf,1937)** (Sarcophagidae) Synonym(s): jacobsoni Rohdendorf,1937; sachtlebeni Lehrer,1959 Range (in code): **HU ES FR YU AL GR BG RO CY RU UA GG AZ AM Cc KG TM UZ TJ IL Pa IR MN KP KR**
- 9745. Sarcophaga (Liosarcophaga) lypai Verves,1977** (Sarcophagidae) Synonym(s): lypai Verves,1977 Range (in code): **Cc AM**
- 9746. Sarcophaga (Liosarcophaga) palestinensis Lehrer,1998** (Sarcophagidae) Synonym(s): palestinensis Lehrer,1998 Range (in code): **IL Pa**
- 9747. Sarcophaga (Liosarcophaga) portschinskyi (Rohdendorf,1937)** (Sarcophagidae) Synonym(s): portschinskyi Rohdendorf,1937; verticina Ringdahl,1945 Range (in code): **UA SE FI PL CH CZ SK HU RO BG AL YU GR EE BY GG AZ AM Cc KG TM UZ TJ CN MN TR**
- 9748. Sarcophaga (Liosarcophaga) tuberosa Pandellé,1896** (Sarcophagidae) Synonym(s): tuberosa Pandellé,1896 Range (in code): **GB SE FI DK DE PL CZ SK CH AT HU RO FR IT YU BG UA GG AZ Cc KG TM UZ TJ KK CN MN KP KR JP US**
- 9749. Sarcophaga (Mehria) sexpunctata (Fabricius,1794)** (Sarcophagidae) Synonym(s): sexpunctata Fabricius,1794 Range (in code): **TR 60**



- 9750. Sarcophaga (Myorhina) nigriventris Meigen,1826** (Sarcophagidae) Synonym(s): nigriventris Meigen,1826 Range (in code): TR 05 60
- 9751. Sarcophaga (Myorhina) soror Rondani,1860** (Sarcophagidae) Synonym(s): soror Rondani,1860 Range (in code): TR 05 55
- 9752. Sarcophaga (Pandelleana) kugleri Lehrer,2004** (Sarcophagidae) Synonym(s): kugleri Lehrer,2004; tahtaliana Lehrer,2004 Range (in code): IL Pa
- 9753. Sarcophaga (Pandelleana) protuberans Pandellé,1896** (Sarcophagidae) Synonym(s): protuberans Pandellé,1896; angustifrons Baranov,1926; dzhavachetia Gudjabidze,1966 Range (in code): ES FR NL DE PL UA MD RO CZ SK CH AT IT Co Si HV YU BG TR Cc GG AM AZ RU KG
- 9754. Sarcophaga (Pandelleisca) baudeti Lehrer,1998** (Sarcophagidae) Synonym(s): baudeti Lehrer,1998 Range (in code): IL Pa
- 9755. Sarcophaga (Pandelleisca) similis Meade,1876** (Sarcophagidae) Synonym(s): similis Meade,1876; appendiculata Kramer,1905; popovi Trofimov,1948 Range (in code): TR IE GB NO SE FI DK DE PL CZ SK CH AT IT HU RO FR YU AL BG LT EE BY UA MD GG AZ Cc IR CN KP KR JP 61
- 9756. Sarcophaga (Pandelleisca) theodori Lehrer,1998** (Sarcophagidae) Synonym(s): theodori Lehrer,1998 Range (in code): IL Pa
- 9757. Sarcophaga (Parasarcophaga) albiceps Meigen,1826** (Sarcophagidae) Synonym(s): albiceps Meigen,1826; privigna Rondani,1860; cyathisans Pandellé,1896; pauciseta Kramer,1905; colchica Gudjabidze,1966 Range (in code): TR IE GB NO SE FI DK DE BE PL CZ SK CH AT HU RO FR IT YU AL BG GR RU LT BY UA MD Cc GG AZ AM KG IL Pa CN KP KR JP AU
- 9758. Sarcophaga (Parasarcophaga) hirtipes Wiedemann,1830** (Sarcophagidae) Synonym(s): hirtipes Wiedemann,1830; rufipes Wiedemann,1830; fulvipalpis Macquart,1843 Range (in code): RU Cc Da AZ KG TM UZ KK TJ EG Sn IL Pa JO LB SY IQ SA IR AF CN MA DZ IN TR
- 9759. Sarcophaga (Phytosarcophaga) destructor Malloch,1929** (Sarcophagidae) Synonym(s): destructor Malloch,1929; flagellata Villeneuve,1930; margaretti Salem,1935; destructix Rohdendorf,1937; mezzadrii Séguy,1951 Range (in code): SD CY EG Sn IL Pa SY IQ ML ET DJ SO UG TR 33 45
- 9760. Sarcophaga (Pseudothyrsocnema) spinosa Villeneuve,1912** (Sarcophagidae) Synonym(s): spinosa Villeneuve,1912 Range (in code): TR 01
- 9761. Sarcophaga (Robineauella) scoparia Pandellé,1896** (Sarcophagidae) Synonym(s): scoparia Pandellé,1896; neglecta Kramer,1905 Range (in code): IE GB SE FI DK DE PL CH CZ SK AT HU RO FR IT YU BG RU LT EE BY UA GG AZ AM Cc KG KK TJ CN MN KP KR JP Als
- 9762. Sarcophaga (Rosellea) aratrix Pandellé,1896** (Sarcophagidae) Synonym(s): aratrix Pandellé,1896 Range (in code): TR 15
- 9763. Sarcophaga (s.str.) bergi Rohdendorf,1937** (Sarcophagidae) Synonym(s): bergi Rohdendorf,1937; jupalnica Lehrer,1967 Range (in code): RO BG RU UA Cm Cc GG TR 36
- 9764. Sarcophaga (s.str.) carnaria (Linnaeus,1758)** (Sarcophagidae) Synonym(s): carnaria Linnaeus,1758; variegata Scopoli,1763; collosus Scopoli,1763; atropos Meigen,1826; soror R-D.,1830; brunnifacies R-D.,1830; fuliginosa R-D.,1830; intermedia R-D.,1830; nigra R-D.,1830; livida R-D.,1830; livens R-D.,1830; villana R-D.,1830; squamosa R-D.,1830; florea R-D.,1830; strata R-D.,1830; squamigera R-D.,1830; grisea R-D.,1830; agricola R-D.,1830; obscuricauda R-D.,1830; aurifacies R-D.,1830; compar R-D.,1830; aprilis R-D.,1830; conica R-D.,1830; vernalis R-D.,1830; specialis R-D.,1830; squalens R-D.,1830; affinis R-D.,1830; subnitens R-D.,1830; rubescens R-D.,1830; grisescens R-D.,1830; atrata R-D.,1830; laticrus R-D.,1830; arvensis R-D.,1830; florum R-D.,1830; squalida R-D.,1830; morio R-D.,1830; atrata R-D.,1830; limpida R-D.,1863; Range (in code): IE GB NO SE FI DK DE NL BE PL CZ SK CH AT HU ES RO PT FR IT YU AL BG GR TR RU LT LV EE BY UA GG Cc KG TJ CN MN
- 9765. Sarcophaga (s.str.) lasiostyla Macquart,1843** (Sarcophagidae) Synonym(s): lasiostyla Macquart,1843 Range (in code): TR SA 45
- 9766. Sarcophaga (s.str.) lehmanni Müller,1922** (Sarcophagidae) Synonym(s): lehmanni Müller,1922; clausa Müller,1922; meridionalis Rohdendorf,1937 Range (in code): AL AD AT BY BE BG CY CZ DK FR EE GR HU IT LT MD NO PL RO TR Sa Si SK ES SE CH NL UA Cc AZ AM GG TM UZ TJ IL Pa IQ IR AF MA EG 26 35 36 38 45 76
- 9767. Sarcophaga (s.str.) pachyura Rohdendorf,1937** (Sarcophagidae) Synonym(s): pachyura Rohdendorf,1937 Range (in code): TR 25
- 9768. Sarcophaga (s.str.) variegata (Scopoli,1763)** (Sarcophagidae) Synonym(s): variegata Scopoli,1763 Range (in code): TR
- 9769. Sarcophaga (Sarcotachinella) sinuata Meigen,1826** (Sarcophagidae) Synonym(s): sinuata Meigen,1826 Range (in code): TR AL AT BY BE GB BG CZ DK EE FR DE GR HU IT LT MD NO PL RO SK ES SE NL UA YU 05 38 60
- 9770. Sarcophaga (Thomsonea) argyrostoma (R-D.,1830)** (Sarcophagidae) Synonym(s): argyrostoma R-D.,1830; barbata Thomson,1869; falculata Pandellé,1896; persicae Senior-White,1924; chivensis Zimin,1928 Range (in code): GB BE DE PL CZ SK AT HU RO PT ES FR IT YU AL BG CY TR MD UA GG AZ AM Cc TM UZ KK TJ IL Pa SY IQ SA IR AF MN CN TN EG IN SH ZA Hw
- 9771. Sarcophaga (Thyrsocnema) incisilobata Pandellé,1896** (Sarcophagidae) Synonym(s): incisilobata Pandellé,1896 Range (in code): TR 05 60
- 9772. Sarcophaga (Ziminisca) semenovi Rohdendorf,1925** (Sarcophagidae) Synonym(s): semenovi Rohdendorf,1925; linearis Villeneuve,1936 Range (in code): KG RU Cc Da TM UZ KK CN Ui MN

- 9773. *Sarcophila latifrons* (Fallén,1817)** (Sarcophagidae) Synonym(s): latifrons Fallén,1817; obsoleta Fallén,1817; bipunctata R-D.,1830; grisea R-D.,1830; punctulata R-D.,1830; gesnerioidea R-D.,1830; tachinaria Zetterstedt,1859 Range (in code): IE GB NO SE FI DK DE NL BE PL CZ CH AT HU RO ES FR IT YU AL GR BG UA LV TJ TR IL Pa 01 63
- 9774. *Sarcophila meridionalis* Verves,1982** (Sarcophagidae) Synonym(s): meridionalis Verves,1982 Range (in code): TR ES IT UA AM AZ Cc IL Pa IR AF DZ EG TM 24 25
- 9775. *Sarcophila turanica* Verves,1982** (Sarcophagidae) Synonym(s): turanica Verves,1982 Range (in code): KG TM UZ KK TJ
- 9776. *Sarcotachina aegyptiaca* Villeneuve,1910** (Sarcophagidae) Synonym(s): aegyptiaca Villeneuve,1910 Range (in code): IL Pa SY EG YE IR AF EH
- 9777. *Sarcotachina subcylindrica* Portschinsky,1881** (Sarcophagidae) Synonym(s): subcylindrica Portschinsky,1881 Range (in code): UA TM UZ CN MN
- 9778. *Senotainia* (s.str.) *armenica* Rohdendorf,1935** (Sarcophagidae) Synonym(s): armenica Rohdendorf,1935 Range (in code): Cc AM
- 9779. *Senotainia* (s.str.) *beludzhitanica* Rohdendorf,1961** (Sarcophagidae) Synonym(s): beludzhitanica Rohdendorf,1961 Range (in code): IR Ss
- 9780. *Senotainia* (s.str.) *chivica* Rohdendorf,1935** (Sarcophagidae) Synonym(s): chivica Rohdendorf,1935 Range (in code): TM UZ
- 9781. *Senotainia* (s.str.) *conica* (Fallén,1810)** (Sarcophagidae) Synonym(s): conica Fallén,1810; atrox R-D.,1830; crudelis R-D.,1830; inimica R-D.,1830; quadrinotata Macquart,1835; fasciolella Zetterstedt,1844; fulvipalpis R-D.,1863; cinerella R-D.,1863 Range (in code): SE IE GB NO FI DK DE BE PL CZ AT HU RO FR IT YU BG EE MD UA GG AM AZ Cc TR TM MN 42
- 9782. *Senotainia* (s.str.) *deserta* Rohdendorf,1935** (Sarcophagidae) Synonym(s): deserta Rohdendorf,1935 Range (in code): RU Cc Da Ao EG CN IMn KG TM UZ TJ
- 9783. *Senotainia* (s.str.) *iranica* Rohdendorf,1961** (Sarcophagidae) Synonym(s): iranica Rohdendorf,1961 Range (in code): IR Ss
- 9784. *Senotainia* (s.str.) *murgabica* Rohdendorf,1935** (Sarcophagidae) Synonym(s): murgabica Rohdendorf,1935 Range (in code): TM Mrw I-B Mgab
- 9785. *Senotainia* (s.str.) *tricuspis* (Meigen,1838)** (Sarcophagidae) Synonym(s): tricuspis Meigen,1838; pucticornis Zetterstedt,1859; angellozi Séguy,1929; borealis Rohdendorf,1935 Range (in code): ES DE PL CZ CH AT HU RO FR IT YU BG EE MD UA Cc AM AZ KG MN DZ TN TR 33
- 9786. *Senotainia* (s.str.) *turkmenica* Rohdendorf,1935** (Sarcophagidae) Synonym(s): turkmenica Rohdendorf,1935 Range (in code): TM Kp
- 9787. *Senotainia* (Sphixapata) *albifrons* (Rondani,1860)** (Sarcophagidae) Synonym(s): albifrons Rondani,1860 Range (in code): SE DE PL CZ AT DK HU RO ES FR IT YU BG GR LT MD UA Cc AM AZ KG TM UZ KK TJ AF MN CN KP KR DZ TN EG TR 07
- 9788. *Senotainia* (Sphixapata) *pygmaea* (Rondani,1859)** (Sarcophagidae) Synonym(s): pygmaea Rondani,1859 Range (in code): IT UA Cm Cc AM AZ TM UZ TJ
- 9789. *Sphecatoclea excisa* Villeneuve,1909** (Sarcophagidae) Synonym(s): excisa Villeneuve,1909 Range (in code): EG Sn
- 9790. *Sphecatoclea karakumensis* Rohdendorf,1975** (Sarcophagidae) Synonym(s): karakumensis Rohdendorf,1975 Range (in code): TM Mrw
- 9791. *Sphecatoclea mujunkumensis* (Rohdendorf,1925)** (Sarcophagidae) Synonym(s): mujunkumensis Rohdendorf,1925 Range (in code): KG TM UZ
- 9792. *Sphecatodes ornatus* Villeneuve,1912** (Sarcophagidae) Synonym(s): ornatus Villeneuve,1912; #dimorpha Rohdendorf,1937 Range (in code): TN EG AM Cc TM UZ TJ
- 9793. *Sphenometopa bifasciata* (Brauer & Bergenstamm,1891)** (Sarcophagidae) Synonym(s): bifasciata Brauer & Bergenstamm,1891 Range (in code): TR Cc AM RU 16 65
- 9794. *Sphenometopa claripennis* Villeneuve,1933** (Sarcophagidae) Synonym(s): claripennis Villeneuve,1933 Range (in code): TR EG Cc AM KG TM UZ KK TJ 42 50
- 9795. *Sphenometopa fastuosa* (Meigen,1824)** (Sarcophagidae) Synonym(s): fastuosa Meigen,1824; agilis R-D.,1830; festiva R-D.,1830 Range (in code): PL CZ CH AT ES FR IT YU GR UA Cm Cc Da AM YE EG KE IN
- 9796. *Sphenometopa mannii* (Brauer & Bergenstamm,1891)** (Sarcophagidae) Synonym(s): mannii Brauer & Bergenstamm,1891 Range (in code): TR HV Cc AM
- 9797. *Sphenometopa raddei* (Rohdendorf,1967)** (Sarcophagidae) Synonym(s): raddei Rohdendorf,1967 Range (in code): Cc AZ
- 9798. *Sphenometopa satunini* (Rohdendorf,1967)** (Sarcophagidae) Synonym(s): satunini Rohdendorf,1967 Range (in code): Cc AZ
- 9799. *Sphenometopa steinii* (Schiner,1862)** (Sarcophagidae) Synonym(s): steinii Schiner,1862 Range (in code): TR AT 07
- 9800. *Stackelbergeola fedtshenkoi* Rohdendorf,1937** (Sarcophagidae) Synonym(s): fedtshenkoi Rohdendorf,1937 Range (in code): TM Kp AF

- 9801. *Stackelbergeola mehadiensis* (Böttcher,1912)** (Sarcophagidae) Synonym(s): mehadiensis Böttcher,1912 Range (in code): RO FR Cc AZ AM
- 9802. *Stackelbergeola paramonovi* Rohdendorf,1937** (Sarcophagidae) Synonym(s): paramonovi Rohdendorf,1937 Range (in code): Cc AZ Nv Ord
- 9803. *Stackelbergeola zarudnyi* Rohdendorf,1937** (Sarcophagidae) Synonym(s): zarudnyi Rohdendorf,1937 Range (in code): IR TM Kp
- 9804. *Taxigramma heteroneura* (Meigen,1830)** (Sarcophagidae) Synonym(s): heteroneura Meigen,1830 Range (in code): TR
- 9805. *Turkmenisca inornata* Rohdendorf,1975** (Sarcophagidae) Synonym(s): inornata Rohdendorf,1975 Range (in code): TM
- 9806. *Turkmenisca richterae* Verves,1980** (Sarcophagidae) Synonym(s): richterae Verves,1980 Range (in code): AZ Cc
- 9807. *Wohlfahrtia bella* (Macquart,1839)** (Sarcophagidae) Synonym(s): bella Macquart,1839; argentea Macquart,1839; tetripunctata Dufour,1850; maxima Portschinsky,1875; persica Bigot,1880; hispanica Strobl,1906 Range (in code): ES FR TR Arr SY IL Pa EG Sn Cc RU Da AM AZ IR TM UZ TJ KK KG AF CN Ui MN SD TD MA DZ TN Cn Md 04 25 69
- 9808. *Wohlfahrtia fedtschenkoi* Rohdendorf,1956** (Sarcophagidae) Synonym(s): fedtschenkoi Rohdendorf,1956 Range (in code): TM UZ CN Gn MN
- 9809. *Wohlfahrtia ilanramoni* Lehrer,2003** (Sarcophagidae) Synonym(s): ilanramoni Lehrer,2003 Range (in code): IL Pa
- 9810. *Wohlfahrtia indigens* Villeneuve,1928** (Sarcophagidae) Synonym(s): indigens Villeneuve,1928; aethiopica Villeneuve,1928 Range (in code): DZ SO EG SA NG RU IL Pa JO IQ IR AF TM UZ TJ Cn
- 9811. *Wohlfahrtia intermedia* (Portschinsky,1887)** (Sarcophagidae) Synonym(s): intermedia Portschinsky,1887 Range (in code): UA RU GG Cc TM UZ MN CN
- 9812. *Wohlfahrtia magnifica* (Schiner,1862)** (Sarcophagidae) Synonym(s): magnifica Schiner,1862; wohlfahrti Portschinsky,1875 Range (in code): PT ES FR DE PL BY UA CZ SK HU RO MD YU AT IT AL GR BG CY TR IL Pa SY JO EG 25
- 9813. *Wohlfahrtia meigeni* (Schiner,1862)** (Sarcophagidae) Synonym(s): meigeni Schiner,1862; hungarica Brauer & Bergenstamm,1889 Range (in code): AT BE BG CZ DK FR DE HU IT MN CN US PL RO ES CH AZ Cc GG AM TR Sb Us KG EE LT MD UA YU 25 38
- 9814. *Wohlfahrtia nuba* (Wiedemann,1830)** (Sarcophagidae) Synonym(s): nuba Wiedemann,1830; volucris Ségué,1941 Range (in code): AZ AM Cc SD NG SO YE EG IR AF MA TN PK IN
- 9815. *Wohlfahrtia villeneuvei* Salem,1938** (Sarcophagidae) Synonym(s): villeneuvei Salem,1938 Range (in code): DZ LY EG TD IR Ss TM
- 9816. *Wohlfahrtiodes marzinowskyi* Rohdendorf,1962** (Sarcophagidae) Synonym(s): marzinowskyi Rohdendorf,1962 Range (in code): TM Rpt UZ MN
- 9817. *Xeromyia africana* (Rohdendorf,1930)** (Sarcophagidae) Synonym(s): africana Rohdendorf,1930 Range (in code): MA IL Pa
- 9818. *Xeromyia argyrina* (Rohdendorf,1930)** (Sarcophagidae) Synonym(s): argyrina Rohdendorf,1930 Range (in code): TM UZ MN
- 9819. *Xeromyia nana* (Rohdendorf,1925)** (Sarcophagidae) Synonym(s): nana Rohdendorf,1925 Range (in code): TM Mrw TJ
- 9820. *Xeromyia orthogona* (Rohdendorf,1925)** (Sarcophagidae) Synonym(s): orthogona Rohdendorf,1925; oxygona Rohdendorf,1925; linearis Villeneuve,1933; aegyptiaca Rohdendorf,1934 Range (in code): TM Mrw MN KG EG IL Pa
- 9821. *Xeromyia pseudoxygona* (Rohdendorf,1925)** (Sarcophagidae) Synonym(s): pseudoxygona Rohdendorf,1925; cisoxiana Rohdendorf,1927 Range (in code): IR Ss TM Kp AZ Cc KG KK Osh UZ
- 9822. *Xeromyia stenorhina* (Rohdendorf,1934)** (Sarcophagidae) Synonym(s): stenorhina Rohdendorf,1934 Range (in code): EG IL Pa
- 9823. *Xeromyia sulcata* (Villeneuve,1933)** (Sarcophagidae) Synonym(s): sulcata Villeneuve,1933 Range (in code): EG IL Pa
- 9824. *Xeromyia transoxiana* (Rohdendorf,1925)** (Sarcophagidae) Synonym(s): transoxiana Rohdendorf,1925 Range (in code): TM UZ Smk MN KG TJ
- 9825. *Xeromyia xanthopoda* (Rohdendorf,1925)** (Sarcophagidae) Synonym(s): xanthopoda Rohdendorf,1925 Range (in code): IR Ke
- 9826. *Xerophilomyia cyprica* (Rondani,1859)** (Sarcophagidae) Synonym(s): cyprica Rondani,1859; bembicisequax Pandellé,1895 Range (in code): FR CY Co EG Sn GR ES IL Pa
- 9827. *Xerophilomyia nigropicta* Rohdendorf,1934** (Sarcophagidae) Synonym(s): nigropicta Rohdendorf,1934 Range (in code): EG IL Pa
- 9828. *Xerophilomyia oxiana* (Rohdendorf,1930)** (Sarcophagidae) Synonym(s): oxiana Rohdendorf,1930 Range (in code): UZ AF Hr AZ Cc TM KG
- 9829. *Xerophilomyia plumipes* (Villeneuve,1933)** (Sarcophagidae) Synonym(s): plumipes Villeneuve,1933 Range (in code): FR TN EG GR IL Pa MA AE



- 9830. Xerophilomyia zeravshanica Rohdendorf & Verves,1980** (Sarcophagidae) Synonym(s): zeravshanica Rohdendorf & Verves,1980 Range (in code): UZ Smk TM MN
- 9831. Yemeniella suhaylia Lehrer,2006** (Sarcophagidae) Synonym(s): suhaylia Lehrer,2006 Range (in code): YE
- 9832. Yerohama maculata (Meigen,1835)** (Sarcophagidae) Synonym(s): maculata Meigen,1835 Range (in code): DE PL RO ES FR IT YU AL BG RU UA Cc GG AZ AM KG TM UZ KK TJ IL Pa LB TR SY IQ SA IR AF CN MN MA DZ EG Cn Az
- 9833. Cleigastra apicalis (Meigen,1826)** (Scathophagidae) Synonym(s): apicalis Meigen,1826; #kerteszi Szilady,1926 Range (in code): AT BE HV CZ DK EE FI FR DE GB HU IQ Mos IT LT MN NL NO PL RU Ur SK SE CH
- 9834. Coniosternum fluviale (Rondani,1867)** (Scathophagidae) Synonym(s): fluviale Rondani,1867 Range (in code): AT AF IT ES TM
- 9835. Coniosternum mihalyii Sifner,1975** (Scathophagidae) Synonym(s): mihalyii Sifner,1975 Range (in code): MN IQ Bgd
- 9836. Coniosternum moceki Sifner,2004** (Scathophagidae) Synonym(s): moceki Sifner,2004 Range (in code): TR 68
- 9837. Microprosopa hoberlandti Sifner,1981** (Scathophagidae) Synonym(s): hoberlandti Sifner,1981 Range (in code): HU CZ SK IR
- 9838. Norellisoma caucasicum (Ozerov,1993)** (Scathophagidae) Synonym(s): caucasicum Ozerov,1993 Range (in code): RU Cc
- 9839. Norellisoma lesgiae (Becker,1894)** (Scathophagidae) Synonym(s): lesgiae Becker,1894 Range (in code): RU Da Cc
- 9840. Norellisoma montanoprattense (Ozerov,1993)** (Scathophagidae) Synonym(s): montanoprattense Ozerov,1993 Range (in code): RU Cc
- 9841. Norellisoma sp.** (Scathophagidae) Synonym(s): Range (in code): TR 04
- 9842. Phrosia albilabris (Fabricius,1805)** (Scathophagidae) Synonym(s): albilabris Fabricius,1805; scirpi R-D.,1830; albofasciata Gimmerthal,1846 Range (in code): AZ Cc Len B-H IT YU AT DZ BE CZ DK EE FI FR DE HU LT NL PL RO RU SK SE CH
- 9843. Scathophaga lutaria (Fabricius,1794)** (Scathophagidae) Synonym(s): lutaria Fabricius,1794; comito Harris,1780; maculipes Zetterstedt,1846; pallipes Szilady,1926 Range (in code): DZ AT B-H CZ DK EE FI FR DE GB HU IE IL Pa IT LB Bei NL NO PL RU Ur Sb YU SK SS ES SE CH TN TR 07
- 9844. Scathophaga staryi Sifner,2000** (Scathophagidae) Synonym(s): staryi Sifner,2000 Range (in code): IQ Er Shq
- 9845. Scathophaga stercoraria (Linnaeus,1758)** (Scathophagidae) Synonym(s): stercoraria Linnaeus,1758; exilis Harris,1780; merdaria Fabricius,1794; soror Wiedemann,1818; parisiensis R-D.,1830; claripennis R-D.,1830; humilis R-D.,1830; merdivora R-D.,1830; lutipes Wiedemann,1830; hottentota Macquart,1843; helenae Thomson,1868; erythrostoma Holmgren,1883; asticha Szilady,1926; polysticha Szilady,1926; disticha Szilady,1926; nigricans Szilady,1926; alpestre Sack,1937 Range (in code): MA Cn AF AD AT B-H CN HV CZ DK EG EE FR FI DE GB HU IT JP KP KR IE LT MN NO NL PL RO RU Sb Us ES SK SE CH TN TR Cc ZA CA US 34 56 65 70 75
- 9846. Alloxytropus elias Winterton & Kerr,2006** (Scenopinidae) Synonym(s): elias Winterton & Kerr,2006 Range (in code): IL Pa
- 9847. Alloxytropus anomalus Bezzi,1925** (Scenopinidae) Synonym(s): anomalus Bezzi,1925 Range (in code): EG IL Pa
- 9848. Iranotrichia insolita Winterton & Gharali,2011** (Scenopinidae) Synonym(s): insolita Winterton & Gharali,2011 Range (in code): IR Qz
- 9849. Iranotrichia nigra Winterton & Gharali,2011** (Scenopinidae) Synonym(s): nigra Winterton & Gharali,2011 Range (in code): IR Qz
- 9850. Bradysia afghanica Tuomikoski,1960** (Sciaridae) Synonym(s): afghanica Tuomikoski,1960 Range (in code): AF
- 9851. Bradysia devittata Tuomikoski,1959** (Sciaridae) Synonym(s): devittata Tuomikoski,1959 Range (in code): AF Ng Jla
- 9852. Bradysia exigua Tuomikoski,1959** (Sciaridae) Synonym(s): exigua Tuomikoski,1959 Range (in code): AF
- 9853. Bradysia globifera (Lengersdorf,1934)** (Sciaridae) Synonym(s): globifera Lengersdorf,1934; fennica Lengersdorf,1940 Range (in code): FI RU LT IL Pa
- 9854. Bradysia kopetdagica Gerbachevskaja,1986** (Sciaridae) Synonym(s): monticola Antonova,1975 nec Winn.,1867; kopetdagica Gerbachevskaja,1986 Range (in code): TM Kp
- 9855. Bradysia leptocera Tuomikoski,1960** (Sciaridae) Synonym(s): leptocera Tuomikoski,1960 Range (in code): AF
- 9856. Bradysia neoreflex Mohrig & Röschmann,1996** (Sciaridae) Synonym(s): neoreflex Mohrig & Röschmann,1996 Range (in code): GR TR 06
- 9857. Bradysia submarginata Tuomikoski,1959** (Sciaridae) Synonym(s): submarginata Tuomikoski,1959 Range (in code): AF Dja Ng

- 9858. *Bradysia vernalis* (Zetterstedt,1851)** (Sciaridae) Synonym(s): *vernalis* Zetterstedt,1851 Range (in code): SE FI NO DK RU AF
- 9859. *Corynoptera abducera* Mohrig & Rulik,1999** (Sciaridae) Synonym(s): *abducera* Mohrig & Rulik,1999 Range (in code): TR 33
- 9860. *Corynoptera concinna* (Winnertz,1867)** (Sciaridae) Synonym(s): *concinna* Winnertz,1867 Range (in code): BE GB DE RO PL? AF
- 9861. *Corynoptera parvula* (Winnertz,1867)** (Sciaridae) Synonym(s): *parvula* Winnertz,1867 Range (in code): GB RO ?PL AF
- 9862. *Corynoptera saccata* Tuomikoski,1960** (Sciaridae) Synonym(s): *saccata* Tuomikoski,1960 Range (in code): AT CA On CZ FI DK DE GB MA NL RU Cc ES SE CH TR
- 9863. *Corynoptera subpiniphila* Mohrig & Mamaev,1992** (Sciaridae) Synonym(s): *subpiniphila* Mohrig & Mamaev,1992 Range (in code): BG GR TR
- 9864. *Corynoptera syriaca* (Lengersdorf,1934)** (Sciaridae) Synonym(s): *syriaca* Lengersdorf,1934; *lindbergii* Tuomikoski,1959 Range (in code): AF IL Pa Js TM
- 9865. *Corynoptera tridentata* Hondru,1968** (Sciaridae) Synonym(s): *tridentata* Hondru,1968; *pratorum* Fritz,1982 Range (in code): DE IT RU Cc Kr CH TM TR UA CZ HU RO ES SK 32
- 9866. *Corynoptera waltraudis* Mohrig & Mamaev,1987** (Sciaridae) Synonym(s): *waltraudis* Mohrig & Mamaev,1987 Range (in code): FI NO RU Tv Ur SE DE GB TR
- 9867. *Corynoptera Winnertz,1867*** (Sciaridae) Synonym(s): *Corynoptera Winnertz,1867*; *Psilosciara Kieffer,1909*; *Geosciara Kieffer,1919*; *Orinosciara Lengersdorf,1941* Range (in code): TR
- 9868. *Lycoriella (s.str.) ingenua* (Dufour,1839)** (Sciaridae) Synonym(s): *ingenua* Dufour,1839; *mali* Fitch,1856; *bigoti* Laboulbene,1863; *venusta* Winnertz,1867; *velox* Winnertz,1867; *celera* Winnertz,1867; *debilis* Winnertz,1867; *decliva* Winnertz,1867; *flaviventris* Winnertz,1867; *humilis* Winnertz,1867; *segnis* Winnertz,1871; *solani* Winnertz,1871; *pauciseta* Felt,1897; *ramicola* Kieffer,1919; *mycorum* Frey,1948; *flammulinae* Saskawa,1983 Range (in code): TR ES FR CH AT IT DE CZ SK NO SE FI GB BG GR
- 9869. *Lycoriella (s.str.) rufotincta* Tuomikoski,1959** (Sciaridae) Synonym(s): *rufotincta* Tuomikoski,1959 Range (in code): AF
- 9870. *Lycoriella (s.str.) rufula* Tuomikoski,1959** (Sciaridae) Synonym(s): *rufula* Tuomikoski,1959 Range (in code): AF
- 9871. *Lycoriella solani* (Winnertz,1871)** (Sciaridae) Synonym(s): *solani* Winnertz,1871 Range (in code): BE FI GB PL RU UA MN UZ Sb TR 06
- 9872. *Plastosciara (Peyerimhoffia) ambigua* (Lengersdorf,1934)** (Sciaridae) Synonym(s): *ambigua* Lengersdorf,1934 Range (in code): IL Pa
- 9873. *Plastosciara (Peyerimhoffia) latifurcata* (Lengersdorf,1942)** (Sciaridae) Synonym(s): *latifurcata* Lengersdorf,1942 Range (in code): IL Pa Js
- 9874. *Pseudolycoriella brunnea* (Bukowski & Lengersdorf,1936)** (Sciaridae) Synonym(s): *brunnea* Bukowski & Lengersdorf,1936 Range (in code): CH UA TR DE FI
- 9875. *Scatopsiara saproxylla* (Tuomikoski,1960)** (Sciaridae) Synonym(s): *saproxylla* Tuomikoski,1960 Range (in code): AF
- 9876. *Colobaea punctata* (Lundbeck,1923)** (Sciomyzidae) Synonym(s): *punctata* Lundbeck,1923 Range (in code): ES FR GB IE SE FI DK DE BE NL CZ SK HU CH AT IT BY RU Sb MK BG TR KG
- 9877. *Coremacera amoena* (Loew,1853)** (Sciomyzidae) Synonym(s): *amoena* Loew,1853; *trivittata* Loew,1860; *manni* Schiner,1864 Range (in code): DE AT IT B-H RO BG MK GR Rd TR IR 06 16 30 56 73
- 9878. *Coremacera catenata* (Loew,1847)** (Sciomyzidae) Synonym(s): *catenata* Loew,1847 Range (in code): FR DE PL CZ SK UA RU HU RO MK GR BG CH AT IT TR AZ AM GG Cc IR IQ 02 04 14 15 36 47
- 9879. *Coremacera marginata* (Fabricius,1775)** (Sciomyzidae) Synonym(s): *marginata* Fabricius,1775; *tristis* Harris,[1780]; *limbata* Gmelin,1790; *crinicornis* Fallén,1820; *pontica* Elberg,1968 [ssp.] Range (in code): ES FR GB IE NO SE FI EE LT RU UA DK DE BE NL CZ SK HU CH AT IT Si SS HV B-H AL MK GR BG CY TR Cc AZ AM GG IR Cm 13 14
- 9880. *Coremacera obscuripennis* (Loew,1845)** (Sciomyzidae) Synonym(s): *obscuripennis* Loew,1845 Range (in code): GR CY Rd TR 73
- 9881. *Dichetophora obliterata* (Fabricius,1805)** (Sciomyzidae) Synonym(s): *obliterata* Fabricius,1805; *ichneumonea* R-D.,1830; *gracilis* Loew,1845 Range (in code): GB FR DE AT CH CZ HU IT RO CY MA BE NL MA CY TR GR Rd 30 56 65 73
- 9882. *Euthycera chaerophylli* (Fabricius,1798)** (Sciomyzidae) Synonym(s): *variegata* DeGeer,1776 nec Sc.,1863; *chaerophylli* Fabricius,1798; *flavescens* R-D.,1830; *irrorata* Macquart,1835; Range (in code): ES IT Si FR GR EE LV UA RU TR
- 9883. *Euthycera flavostriata* (Villeneuve,1912)** (Sciomyzidae) Synonym(s): *flavostriata* Villeneuve,1912; *hendeli* Mayer,1953 Range (in code): LB TR 05
- 9884. *Euthycera hrabei* Rozkosny,1969** (Sciomyzidae) Synonym(s): *hrabei* Rozkosny,1969 Range (in code): AF Bm Srb

- 9885. Euthycera stictica (Fabricius,1805)** (Sciomyzidae) Synonym(s): stictica Fabricius,1805; prominens Loew,1847; mehadiensis Oldenberg,1923 Range (in code): **FR ES DE CZ BE IT AT SK HU RO RU TN AL MK GR IT Si CY TR 02**
- 9886. Euthycera sticticaria (Mayer,1953)** (Sciomyzidae) Synonym(s): sticticaria Mayer,1953 Range (in code): **IL Pa Jf MK Skj**
- 9887. Hydromya dorsalis (Fabricius,1775)** (Sciomyzidae) Synonym(s): dorsalis Fabricius,1775; punctipennis Fallén,1820; caeruleipennis R-D.,1830; obscuriventris Strobl,1899; infuscata Villeneuve,1912 Range (in code): **MA DZ TN ES PT FR IE GB BE NL DE DK CH IT Co Sa Si AT SK CZ HU SS YU HV MK RO UA RU EE LT LV FI SE NO AL GR BG Cr CY TR IL Pa SY LB Baa IR AF MN JP 25 65 73**
- 9888. Knutsonia (s.str.) albiseta (Scopoli,1763)** (Sciomyzidae) Synonym(s): albiseta Scopoli,1763; crocus Harris,[1780]; aratoria Fabricius,1794; interstincta Fallén,1820; sepedonoidea R-D.,1830; communis R-D.,1830 Range (in code): **SE GB ES FR YU RU KK UZ KG IR MN DZ**
- 9889. Knutsonia (s.str.) truqui (Rondani,1868)** (Sciomyzidae) Synonym(s): truqui Rondani,1868 Range (in code): **SY Dms TR**
- 9890. Knutsonia (s.str.) turcestanica (Hendel,1903)** (Sciomyzidae) Synonym(s): turcestanica Hendel,1903 Range (in code): **YU GR Cc AM KG UZ TJ KK AF PK CN Ui SY TR**
- 9891. Knutsonia (s.str.) unipunctata (Macquart,1849)** (Sciomyzidae) Synonym(s): unipunctata Macquart,1849; plumosula Becker,1907 Range (in code): **MA DZ TN ES FR IT Sa SY Dms TR 02**
- 9892. Limnia unguicornis (Scopoli,1763)** (Sciomyzidae) Synonym(s): unguicornis Scopoli,1763 Range (in code): **ES FR BE NL GB IE NO SE FI EE LT LV RU UA RO PL CZ SK HU CH AT IT Sa Si SS HV B-H YU AL GR BG TR 02 14 25 30 59**
- 9893. Pherbellia cinerella (Fallén,1820)** (Sciomyzidae) Synonym(s): cinerella Fallén,1820; herbarum R-D.,1830; meridionalis Strobl,1898 Range (in code): **MA TN PT ES GB IE NO SE FI EE LT LV RU PL DK DE BE NL CZ SK HU CH AT IT Co Sa Si SS HV B-H RO AL MK GR Cr CY TR IL Pa LB IQ IR AF 02 14 16 25 30 34 35 53 65**
- 9894. Pherbellia dorsata (Zetterstedt,1846)** (Sciomyzidae) Synonym(s): dorsata Zetterstedt,1846 Range (in code): **ES FR GB SE RU DK DE BE NL CZ SK HU RO CH AT IT Sa HV B-H BG TR**
- 9895. Pherbellia griseola (Fallén,1820)** (Sciomyzidae) Synonym(s): griseola Fallén,1820; notata Meigen,1830; fuscipes Macquart,1835; atripedella Boheman,1864; appendiculata Hendel,1902; #ziminae Verbeke,1967 Range (in code): **TN ES FR GB IE NO SE FI RU EE LT DK DE CZ SK HU RO UA CH AT SS HV B-H IT Sa Si GR TR IR MN CN US 25**
- 9896. Pherbellia grisescens (Meigen,1830)** (Sciomyzidae) Synonym(s): grisescens Meigen,1830; nasuta Zetterstedt,1846; brevipes Loew,1856; propinqua Thomson,1869 Range (in code): **EG TR AZ Cc UZ TJ KK TM IR LB AF MN CN**
- 9897. Pherbellia hermonensis Knutson,1983** (Sciomyzidae) Synonym(s): hermonensis Knutson,1983 Range (in code): **IL Pa He**
- 9898. Pherbellia lutheri Rozkosny,1982** (Sciomyzidae) Synonym(s): lutheri Rozkosny,1982 Range (in code): **RU Kr Cc TR 14**
- 9899. Pherbellia nana (Fallén,1820)** (Sciomyzidae) Synonym(s): nana Fallén,1820; villiersi Ségué,1820 Range (in code): **MA DZ ES FR GB IE NO SE FI RU EE LT DK DE BE NL PL CZ SK HU RO CH AT SS HV B-H IT Sa Si GR TR AF TJ CN MN JP US 25**
- 9900. Pherbellia pninae Knutson,1983** (Sciomyzidae) Synonym(s): pninae Knutson,1983 Range (in code): **IL Pa**
- 9901. Pherbellia priscillae Knutson,1983** (Sciomyzidae) Synonym(s): priscillae Knutson,1983 Range (in code): **IL Pa**
- 9902. Pherbellia schoenherri (Fallén,1826)** (Sciomyzidae) Synonym(s): schoenherri Fallén,1826; punctata Fabricius,1794 nec Pd.,1761; monilis Meigen,1830; vernalis R-D.,1830 Range (in code): **ES FR GB IE NO SE FI EE LT LV RU DK DE BE NL PL CZ SK UA RO HU CH AT IT HV B-H GR TR MN 02 36**
- 9903. Pherbellia terminalis (Walker,1858)** (Sciomyzidae) Synonym(s): terminalis Walker,1858; costalis Brunetti,1917; povolnyi Rozkosny,1969 Range (in code): **IN AF**
- 9904. Pherbellia ventralis (Fallén,1820)** (Sciomyzidae) Synonym(s): ventralis Fallén,1820; rufiventris Meigen,1830; fuscimana von Roser,1840 Range (in code): **ES FR GB IE IC NO SE FI RU DK DE PL BE NL CZ SK HU RO BG GR AL HV B-H CH AT IT TR 25 36**
- 9905. Pherbina coryleti (Scopoli,1763)** (Sciomyzidae) Synonym(s): coryleti Scopoli,1763; reticulata Fabricius,1781; obsoleta Fallén,1820 Range (in code): **MA SE IT YU AZ Cc TM KG RU IR AF TR 09**
- 9906. Pherbina intermedia Verbeke,1948** (Sciomyzidae) Synonym(s): intermedia Verbeke,1948 Range (in code): **TR 30 36**
- 9907. Pherbina mediterranea Mayer,1953** (Sciomyzidae) Synonym(s): mediterranea Mayer,1953 Range (in code): **TR IT Si Sa ES An MA 02 14 34 36**
- 9908. Psacadina verbekei Rozkosny,1975** (Sciomyzidae) Synonym(s): verbekei Rozkosny,1975 Range (in code): **ES CZ SK SE GR Cr EE LT LV TR IR 02 36 59**
- 9909. Salticella fasciata (Meigen,1830)** (Sciomyzidae) Synonym(s): fasciata Meigen,1830; saltathrix R-D.,1830; hispanica Meigen,1838; maculipes Rondani,1868 Range (in code): **DZ TN EG TR IR**



- 9910. *Sciomyza testacea* Macquart,1835** (Sciomyzidae) Synonym(s): testacea Macquart,1835 Range (in code): **GB FR BE NL DE CH AT CZ SK B-H YU PL SE RU BG TR**
- 9911. *Sepedon* (s.str.) *sphegea* (Fabricius,1775)** (Sciomyzidae) Synonym(s): sphegea Fabricius,1775; rufipes Panzer,[1798]; dentipes Schellenberg,1803; flavipes Schrank,1803; palustris Latreille,1809; ruficollis Meigen,1818; pseudoacori R-D.,1830 Range (in code): **MA PT ES FR GB IE NO SE FI EE LT LV BY RU UA RO PL CZ SK HU B-H SS YU BG GR IT Si Sa Co CH AT BE NL TR IQ IR AF MN 30 39**
- 9912. *Sepedon* (s.str.) *spinipes* (Scopoli,1763)** (Sciomyzidae) Synonym(s): spinipes Scopoli,1763; haeffneri Fallén,1820; peleterii R-D.,1830; ferrugineus Dufour,1833 Range (in code): **ES FR GB IE NO SE FI EE LT LV BY RU UA RO TR PL CZ SK HU B-H SS YU BG GR IT Si Sa Co CH AT BE NL IR AM Cc KG Cr**
- 9913. *Sepedon aenescens* Wiedemann,1830** (Sciomyzidae) Synonym(s): aenescens Wiedemann,1830 Range (in code): **CN Hw AF KP KR JP TW**
- 9914. *Tetanocera arrogans* Meigen,1830** (Sciomyzidae) Synonym(s): arrogans Meigen,1830; foveolata Rondani,1868 Range (in code): **ES IT TR JP RU Us KG**
- 9915. *Tetanocera elata* (Fabricius,1781)** (Sciomyzidae) Synonym(s): elata Fabricius,1781; nigricosta Rondani,1868 Range (in code): **TR RU MN Us CN JP**
- 9916. *Tetanocera ferruginea* Fallén,1820** (Sciomyzidae) Synonym(s): ferruginea Fallén,1820; stictica R-D.,1830; paludosa R-D.,1830; quadrivittata Von Roser,1840; quinquemaculata Von Roser,1840; brunnipennis Frey,1924 Range (in code): **ES FR DE FI RU Us KG TR MN CN JP CA 20**
- 9917. *Tetanocera montana* Day,1881** (Sciomyzidae) Synonym(s): montana Day,1881; borealis Frey,1924 Range (in code): **FI US Ny Als Wy CA TR UA EE LT LV BE CZ SK HU BY AM Cc MN**
- 9918. *Tetanocera punctifrons* Rondani,1868** (Sciomyzidae) Synonym(s): punctifrons Rondani,1868 Range (in code): **TR 25**
- 9919. *Trypetoptera punctulata* (Scopoli,1763)** (Sciomyzidae) Synonym(s): punctulata Scopoli,1763; hieracii Fabricius,1775; argus Fabricius,1775; nemorum Fallén,1820; gentilis R-D.,1830 Range (in code): **MA PT ES FR GB IE CH AT IT Si SS HV B-H YU MK GR BG RO HU CZ SK DE DK NO DE FI EE LT PL RU TR IR GG AZ AM Cc KG Us 09 65 75**
- 9920. *Meroplus minutus* (Wiedemann,1830)** (Sepsidae) Synonym(s): lutaria Fallén,1820; minutus Wiedemann,1830; stercoraria R-D.,1830; nigrilatera Macquart,1835; rufipes Meigen,1838; coeruleifrons Macquart,1847 CA CN US FI Ny Ut TW NP CN JP Hkk KP KR GG RU Am Cc Us Sh AT BE CZ DK EE FI FR DE GB HU IT LT LV NL NO RO SK ES SE CH TR UA YU EG
- 9921. *Nemopoda nitidula* (Fallén,1820)** (Sepsidae) Synonym(s): cylindrica Fabricius,1794 (preocc.); nitidula Fallén,1820; putris R-D.,1830; viridis Macquart,1835; ruwenzoriensis Vanschuytbroeck,1963 Range (in code): **ZR CA Abt BCo On US Nj Ny Oh JP Hkk KG MN RU At Kmt Om Us Sh To TJ AT BE BG HV CZ DK EE FI FR Co DE GB GR HU RO Ao SK ES SE CH TR UA YU 69**
- 9922. *Nemopoda pectinulata* Loew,1873** (Sepsidae) Synonym(s): pectinulata Loew,1873 Ch TW NP CN Sz JP Hkk KG MN PK GG RU At Am Kmt Us Sh TJ AT BY BE HV CZ EE FI FR DE GB IT LT LV NO PL RO SK SE CH TR UA YU
- 9923. *Saltella nigripes* R-D.,1830** (Sepsidae) Synonym(s): nigripes R-D.,1830; ferruginea R-D.,1830; gagatea R-D.,1830 Range (in code): **AF IL Pa KG GG Cc RU Or Sb TJ TM AL CZ FR Co GR HU IT SK ES CH UA YU TR 25**
- 9924. *Saltella sphondylii* (Schrank,1803)** (Sepsidae) Synonym(s): sphondylii Schrank,1803; scutellaris Fallén,1820; melanocephala Drapiez,1820; analis Meigen,1826; varia Meigen,1826; hemorrhoidalis Meigen,1826; longipes R-D.,1830; nana R-D.,1830; basalis Haliday,1833; scutellata Macquart,1835; ruficoxa Macquart,1835; albipennis Macquart,1835; sellata Haliday,1838; distincta Meigen,1838; analis Roser,1840; humeralis Roser,1840; parmensis Rondani,1874; nigerrima Rondani,1874; Range (in code): **CA MX US Arz Cf Col NMx Tx Ut IR JP Hkk KG MN RU At Am Us Sb TJ TR TM AT BE CZ DK FI FR Co DE GB HU IE IT MK MT LT LV NL NO SE FI PL RO Cc Da SK ES SE CH UA YU 25 26**
- 9925. *Sepsis alana* Ozerov,1999** (Sepsidae) Synonym(s): alana Ozerov,1999 Range (in code): **RU Cc**
- 9926. *Sepsis asiana* Ozerov,1986** (Sepsidae) Synonym(s): asiana Ozerov,1986; freidbergi Ozerov,1987 IL Pa Sn TJ TM Pp
- 9927. *Sepsis barbata* Becker,1907** (Sepsidae) Synonym(s): barbata Becker,1907; chopardi Séguy,1932; pamirensis Enderlein,1934 Range (in code): **YE TW Cn AT SK Sa Si IT RO FR GR TR UZ CN Ui Kml TJ Pm PK AF AM Cc IR IL Pa TM**
- 9928. *Sepsis biflexuosa* Strobl,1893** (Sepsidae) Synonym(s): biflexuosa Strobl,1893; flavipes Goetghebuer & Bastin,1925; desultor Séguy,1932 Range (in code): **Hw CA Abt BCo On MX US Arz Cf Col Ny Oh Tx Ut TW CN AZ IL Pa KG MN GG Cc TR TM AT BE CZ DK FI FR DE GB GR HU IT MD NO PL RO RU SK ES SE CH UA YU Cn MA TN 09 25 46**
- 9929. *Sepsis cynipsea* (Linnaeus,1758)** (Sepsidae) Synonym(s): cynipsea Linnaeus,1758; elongata Müller,1764; hilaris Meigen,1826; barbipes Meigen,1826; vivida R-D.,1830; incisa Strobl,1894 TR AZ AM GG Cc JP Hkk KG KK MN RU At Am Kmt Om Us Sh To SY AT BY BE BG CZ DK EE FI FR Co DE GB HU IT LT LV NO PL RO Da SK ES SE CH UA YU DZ MA
- 9930. *Sepsis dissimilis* Brunetti,1910** (Sepsidae) Synonym(s): dissimilis Brunetti,1910; albolimbata Meijere,1913; albopunctata Lamb,1914; hirtifemur Malloch,1925; acroleucoptera Duda,1926; natalensis Brunetti,1929 ZR ET KE MG NA NG ZA Nta Kzu Wnn SC SZ UG ZW AU QAU NSw PG TW IN Ass Up ID Clb JP MY NP PK PH Luz Mno Neg Pal TH VN

- 9931. Sepsis fissa Becker,1903** (Sepsidae) Synonym(s): fissa Becker,1903 ZA PK IR IL Pa KG LB TM TJ IT Si MT RO SK EG
- 9932. Sepsis fissa Becker,1903** (Sepsidae) Synonym(s): fissa Becker,1903 Range (in code): EG MT IT Si SK RO TR PK 25
- 9933. Sepsis flavimana Meigen,1826** (Sepsidae) Synonym(s): flavimana Meigen,1826 Range (in code): GB IR NO SE PL TR 07 20 22 54
- 9934. Sepsis freidbergi Ozerov,1987** (Sepsidae) Synonym(s): freidbergi Ozerov,1987 Range (in code): EG Sn
- 9935. Sepsis fulgens Meigen,1826** (Sepsidae) Synonym(s): fulgens Meigen,1826; fulgida R-D.,1830; nitida R-D.,1830; atripes R-D.,1830; concinna Walker,1833; communis Frey,1925; tonsa Duda,1926 Range (in code): MA DZ TN SE FI NO RU Us TR LB IL Pa SY JO IR AF Cc AM AZ GG At TJ TM AL AT BY BE BG GR Cr HU IT DE DK PL PT RO MK LT LV EE SK UA YU 20 25 69
- 9936. Sepsis lateralis Wiedemann,1830** (Sepsidae) Synonym(s): lateralis Wiedemann,1830; complicata Wiedemann,1830; in punctata Macquart,1839; hyalipennis Macquart,1851; melitensis Rondani,1874; schembrii Rondani,1874; fragilis Becker,1903 Range (in code): Cn DZ PT MT EG TR CY GR IT ES Az LY Md MA TN BD CN TW IN Ass Hp Meg Ben Up JP MY MM NP PK PH Luz Neg LK TH AO BW CM ZR ET GH KE MG MW MU NA NG ZA CG RE SC SL Hw PG 07
- 9937. Sepsis mediana Iwasa,1989** (Sepsidae) Synonym(s): mediana Iwasa,1989 PK Ch KG TM
- 9938. Sepsis neocynipsea Melander & Spuler,1917** (Sepsidae) Synonym(s): neocynipsea Melander & Spuler,1917 Range (in code): CA MX US AF AM Cc CN Sz JP KK KG MN RU At Am Sb Us TJ UZ AT CZ DE GB IE IT SK ES CH YU TR 25 36
- 9939. Sepsis nigripes Meigen,1826** (Sepsidae) Synonym(s): nigripes Meigen,1826; minima Strobl,1893; tonsa Duda,1925 Range (in code): TR AT DE DK SE NO FI GB FR PL HU AL GR Cr RU Sb Us MN JP Hkk TN DZ
- 9940. Sepsis nitens Wiedemann,1824** (Sepsidae) Synonym(s): nitens Wiedemann,1824 AU QAU PG BD TW IN Ass Ben ID Ja Clb JP NP PK PH Luz Neg Mno Pal LK TH
- 9941. Sepsis orthocnemis Frey,1908** (Sepsidae) Synonym(s): orthocnemis Frey,1908 PK AF AM AZ Cc IL Pa KG KK MN GG RU At Am Kmt To TJ TM UZ AT BY BE BG CZ DK EE FI FR Co DE GB GR HU IT LT LV MK NL NO PL RO SK TR UA SE CH YU DZ
- 9942. Sepsis pamirensis Enderlein,1934** (Sepsidae) Synonym(s): pamirensis Enderlein,1934 PK TJ Pm
- 9943. Sepsis pseudomonostigma Ursu,1969** (Sepsidae) Synonym(s): pseudomonostigma Ursu,1969 TJ TM UZ CZ IT Si LV RO TR
- 9944. Sepsis pseudomonostigma Ursu,1969** (Sepsidae) Synonym(s): pseudomonostigma Ursu,1969 Range (in code): LT CZ IT Sa Si RO TR TM
- 9945. Sepsis punctum (Fabricius,1794)** (Sepsidae) Synonym(s): punctum Fabricius,1794; stigma Panzer,1798; cornuta Meigen,1826; ornata Meigen,1826; pectoralis Macquart,1835; rufocincta Hoffmeister,1844; #zernyi Duda,1926; quadrisetosa Duda,1926; icaria Séguy,1932; meridionalis Séguy,1932 Range (in code): Cn MA DZ TN NL TR EG LB Bei GR RO AT YU AT IT Si DE 06 20 25 35
- 9946. Sepsis richterae Ozerov,1986** (Sepsidae) Synonym(s): richterae Ozerov,1986 CN Ti PK RU
- 9947. Sepsis thoracica (R-D.,1830)** (Sepsidae) Synonym(s): thoracica R-D.,1830; tridens Becker,1903; consanguinea Villeneuve,1920; goetghebueri Frey,1925; idmais Séguy,1932; ino Séguy,1932 Range (in code): FR GB BE EG TR Hw 20 25 31 36 54 69
- 9948. Sepsis violacea Meigen,1826** (Sepsidae) Synonym(s): violacea Meigen,1826; fuscipes Roser,1840; uncta Becker,1913; ciliforceps Duda,1926; schineri Duda,1926 Range (in code): MA TN ES AT DE DK SE NO FI HU PL RU Sb Us MN JP PK TR IR Kh LB IL Pa AF 20 25 36 69
- 9949. Sepsis zuskai Iwasa,1982** (Sepsidae) Synonym(s): zuskai Iwasa,1982 WT ID Ja PK
- 9950. Themira annulipes (Meigen,1826)** (Sepsidae) Synonym(s): annulipes Meigen,1826; brunnica R-D.,1830; varipes Meigen,1838; marginata Hoffmeister,1844; crassisetia Duda,1926; nigra Duda,1926; elegantipes Ouellet,1940 Range (in code): CA Abt BCo On US Als Ny Oh Ut CH KK MN RU At Am Us Sh To UZ AT BE BG CZ DK EE FI FR DE GB GR HU IT LT LV NL NO PL RO SK ES SE CH UA YU TR 25
- 9951. Themira minor (Haliday,1833)** (Sepsidae) Synonym(s): minor Haliday,1833; dentimana Van der Wulp,1864; consobrina Van der Wulp,1871 Range (in code): CA BCo On US Als Cf Col Ny Oh AM Cc JP Hkk KK KG RU Am Om Us Sh To MA DZ TN Md ES TR SY JO MN PK AT BE BG CZ DK FI FR Co DE GB GR HU IT LT MK MD NL NO PL RO SK SE CH UA YU 25
- 9952. Greniera dobyi Beaucournu-Saguez & Braverman,1987** (Simuliidae) Synonym(s): dobyi Beaucournu-Saguez & Braverman,1987 Range (in code): IL Pa Gol SY
- 9953. Greniera nairica Terteryan,1972** (Simuliidae) Synonym(s): nairica Terteryan,1972 Range (in code): Cc AM
- 9954. Levitinia freidbergi Beaucournu-Saguez & Braverman,1987** (Simuliidae) Synonym(s): freidbergi Beaucournu-Saguez & Braverman,1987 Range (in code): SY IL Pa Gol
- 9955. Metacnephia hajotsdzorensis (Terteryan,1962)** (Simuliidae) Synonym(s): hajotsdzorensis Terteryan,1962 Range (in code): AM Cc
- 9956. Metacnephia hajotsdzorensis (Terteryan,1962)** (Simuliidae) Synonym(s): hajotsdzorensis Terteryan,1962 Range (in code): Cc AM

- 9957. *Metacnephia nigra* (Rubtsov,1940)** (Simuliidae) Synonym(s): *nigra* Rubtsov,1940 Range (in code): **AZ Nv Cc RO RU**
- 9958. *Metacnephia nigra* (Rubtsov,1940)** (Simuliidae) Synonym(s): *nigra* Rubtsov,1940; *saxicola* Rubtsov,1956 Range (in code): **Cc AZ Nv RU RO TM**
- 9959. *Metacnephia persica* (Rubtsov,1940)** (Simuliidae) Synonym(s): *persicum* Rubtsov,1940; *hirta* Rubtsov & Terteryan,1954 Range (in code): **IR AZ AM Cc KG RO TM UZ**
- 9960. *Metacnephia persica* (Rubtsov,1940)** (Simuliidae) Synonym(s): *persica* Rubtsov,1940; *hirta* Rubtsov & Terteryan,1954 Range (in code): **IR AM Cc AZ KG RO TM UZ**
- 9961. *Metacnephia slepjani* (Rubtsov,1967)** (Simuliidae) Synonym(s): *slepjani* Rubtsov,1967 Range (in code): **TM**
- 9962. *Metacnephia sorkulensis* Rubtsov,1971** (Simuliidae) Synonym(s): *sorkulensis* Rubtsov,1971 Range (in code): **AF TJ**
- 9963. *Metacnephia subalpina* (Rubtsov,1956)** (Simuliidae) Synonym(s): *subalpina* Rubtsov,1956 Range (in code): **AM AZ Cc GG TR o6 o8 33 62**
- 9964. *Metacnephia terterjani* (Rubtsov,1955)** (Simuliidae) Synonym(s): *terterjani* Rubtsov,1955 Range (in code): **AM Cc TR?**
- 9965. *Metacnephia tetraginata* (Rubtsov,1951)** (Simuliidae) Synonym(s): *tetraginata* Rubtsov,1951 Range (in code): **TM TJ KG**
- 9966. *Prosimulium* (s.str.) *frontatum* Terteryan,1956** (Simuliidae) Synonym(s): *frontatum* Terteryan,1956; *stenopalpe* Rubtsov,1956 Range (in code): **AM AZ Cc**
- 9967. *Prosimulium* (s.str.) *frontatum* Terteryan,1956** (Simuliidae) Synonym(s): *frontatum* Terteryan,1956; *stenopalpe* Rubtsov,1956 Range (in code): **AM AZ Cc**
- 9968. *Prosimulium* (s.str.) *fulvipes* Edwards,1921** (Simuliidae) Synonym(s): *fulvipes* Edwards,1921; *subrufipes* Knoz,1980 Range (in code): **BG CZ HU IT SK TR**
- 9969. *Prosimulium* (s.str.) *gigas* Rubtsov,1956** (Simuliidae) Synonym(s): *gigas* Rubtsov,1956 Range (in code): **RU Cc**
- 9970. *Prosimulium* (s.str.) *gigas* Rubtsov,1956** (Simuliidae) Synonym(s): *gigas* Rubtsov,1956 Range (in code): **Cc RU**
- 9971. *Prosimulium* (s.str.) *rachiliense* Djafarov,1954** (Simuliidae) Synonym(s): *rachiliense* Djafarov,1954; *pronevitschae* Rubtsov,1955 Range (in code): **AZ AM Cc RU TR GR Rd BG RO o1 o6 14 46 62**
- 9972. *Prosimulium* (s.str.) *rufipes* (Meigen,1830)** (Simuliidae) Synonym(s): *rufipes* Meigen,1830; *galli* Edwards,1921; *conistylum* Rubtsov,1956 Range (in code): **DE DZ AD AT B-H BG CZ FR GR HU IT Si LT MA YU PL RO SS SK ES CH TR**
- 9973. *Prosimulium* (s.str.) *tomosvaryi* (Enderlein,1921)** (Simuliidae) Synonym(s): *fuscipes* Roser,1840 (praeocc.); *tomosvaryi* Enderlein,1921; *nigripes* Enderlein,1925; *balcanicum* Enderlein,1929; *canbalicum* Smart,1944; *pseudohirtipes* Smart,1944; *arvernense* Grenier,1947; *duodecimfiliatum* Rubtsov,1955; *maruashvili* Machavariani,1966 Range (in code): **TR AD DE AT Cc AM AZ BE B-H GB BG CZ FR GG GR HU IE IT Si MA PL PT RO YU SK SS ES CH UA 14**
- 9974. *Simulium* (Anasolen) *nili* Gibbins,1934** (Simuliidae) Synonym(s): *nili* Gibbins,1934 Range (in code): **UG ET KE SA As YE**
- 9975. *Simulium* (Boophthora) *erythrocephalum* (De Geer,1776)** (Simuliidae) Synonym(s): *erythrocephalum* De Geer,1776; *sericatum* Meigen,1830; *tenuifrons* Enderlein,1921; *sinense* Enderlein,1934; *mihalyii* Rubtsov,1967; *chelevini* Ivashchenko,1968 Range (in code): **SE AT MY BE GB CN HV CZ DK EE FI FR DE GR HU IE IT Sa KG LT NL NO PL PT RO RU Ur Sb YU SS SK ES CH TR UA MN**
- 9976. *Simulium* (Byssodon) *buxtoni* Austen,1923** (Simuliidae) Synonym(s): *bipunctatum* Austen,1923 (praeocc.); *buxtoni* Austen,1923; *irakae* Smart,1944 Range (in code): **JO IQ**
- 9977. *Simulium* (Byssodon) *heptapotamicum* Rubtsov,1940** (Simuliidae) Synonym(s): *heptapotamicum* Rubtsov,1940 Range (in code): **KG AZ Cc IR TJ TM**
- 9978. *Simulium* (Crosskeyellum) *zagros* (Yankovsky,2010)** (Simuliidae) Synonym(s): *zagros* Yankovsky,2010 Range (in code): **IR**
- 9979. *Simulium* (Eusimulium) *angustipes* Edwards,1915** (Simuliidae) Synonym(s): *angustipes* Edwards,1915; *horvathi* Enderlein,1922; *securiforme* Rubtsov,1956; *latizonum* Rubtsov,1956; *#paludicola* Rivosecchi,1963 Range (in code): **TR GB DZ AM Cc AT BY B-H CN CZ DK FI FR DE HU IE KG LT MK MN MA NL NO PL PT RO RU YU SK ES SE CH TN UA**
- 9980. *Simulium* (Eusimulium) *armeniicum* (Rubtsov,1955)** (Simuliidae) Synonym(s): *armeniicum* Rubtsov,1955 Range (in code): **Cc AM AZ CN**
- 9981. *Simulium* (Eusimulium) *aureum* Fries,1824** (Simuliidae) Synonym(s): *aureum* Fries,1824 Range (in code): **SE AT BY BE GB CN CZ DK EE FI FR DE IS IE IT LT LV NL NO PL RU Sb SK CH UA UZ BG TR IN JP**
- 9982. *Simulium* (Eusimulium) *azerbaidzhanicum* (Djafarov,1953)** (Simuliidae) Synonym(s): *azerbaidzhanicum* Djafarov,1953 Range (in code): **AZ AM Cc**
- 9983. *Simulium* (Eusimulium) *brachyantherum* Rubtsov,1947** (Simuliidae) Synonym(s): *brachyantherum* Rubtsov,1947 Range (in code): **TJ AM Cc RO UZ**



- 9984. Simulium (Eusimulium) maritimum (Rubtsov,1956)** (Simuliidae) Synonym(s): maritimum Rubtsov,1956 Range (in code): RU Cc Kr GG CN
- 9985. Simulium (Eusimulium) nigrofusipes Rubtsov,1947** (Simuliidae) Synonym(s): nigrofusipes Rubtsov,1947 Range (in code): TJ AM Cc
- 9986. Simulium (Eusimulium) nigrofusipes Rubtsov,1947** (Simuliidae) Synonym(s): nigrofusipes Rubtsov,1947 Range (in code): AM Cc TJ
- 9987. Simulium (Eusimulium) paucispis Rubtsov,1947** (Simuliidae) Synonym(s): paucispis Rubtsov,1947 Range (in code): TJ TM UZ IR IQ AM Cc
- 9988. Simulium (Eusimulium) petricolum (Rivosecchi,1963)** (Simuliidae) Synonym(s): petricolum Rivosecchi,1963 Range (in code): IT Sa Si B-H GB CY CZ FR Co GR Rd IE LY Md MA PT YU ES RU UA Cm
- 9989. Simulium (Eusimulium) petricolum (Rivosecchi,1963)** (Simuliidae) Synonym(s): petricolum Rivosecchi,1963 Range (in code): IT Sa Si AT B-H GB CY CZ FR Co GR Rd IE LY Md MA PT YU ES TR RU?
- 9990. Simulium (Eusimulium) reginae Terteryan,1949** (Simuliidae) Synonym(s): reginae Terteryan,1949 Range (in code): TR? AM AZ Cc GG CN Ui
- 9991. Simulium (Eusimulium) velutinum (Santos Abreu,1922)** (Simuliidae) Synonym(s): velutinum Santos Abreu,1922; nigripes Santos Abreu,1922; pseudolatipes Santos Abreu,1922; serbicum Baranov,1925; primum Baranov,1926; secundum Baranov,1926; rubzovianum Sherban,1961; latinum Rubtsov,1962 Range (in code): Cn DZ AD B-H GB CY CZ FI FR Co DE GR Cr Rd HU IE IL Pa IT Sa Si JO LY MK MT MA NO PT RO YU SK SS ES TN TR UA Cm
- 9992. Simulium (Montisimulium) alizadei (Djafarov,1954)** (Simuliidae) Synonym(s): alizadei Djafarov,1954; gviletense Rubtsov,1956; lachense Rubtsov,1962; megrichaense Rubtsov,1962 Range (in code): TR Cc AZ RU CN Sz AM KG 62
- 9993. Simulium (Nevermannia) angustitarse (Lundström,1911)** (Simuliidae) Synonym(s): angustitarse Lundström,1911; melanobranchium Enderlein,1924; mazedonicum Baranov,1926; knochi Enderlein,1929; flavicorne Enderlein,1929; equitarse Rubtsov,1962; dispinum Rubtsov & Carlsson,1965; marrucinum Rivosecchi,1966; celticum Davies,1966; cambriense Davies,1967; brevipes Rubtsov,1967; hungaricum Rubtsov,1967; zaporojiae Pavlichenko,1986 Range (in code): FI DZ AT BY B-H GB CN Yu CZ DK EE FR DE HU MK MA IE IT KK LT LV NL NO PL PT RO RU Sb SK YU SS ES SE CH UA TR
- 9994. Simulium (Nevermannia) codreanui Sherban,1958** (Simuliidae) Synonym(s): codreanui Sherban,1958 Range (in code): AT RO BG TR CZ PL SK UA YU B-H 14
- 9995. Simulium (Nevermannia) costatum Friederichs,1920** (Simuliidae) Synonym(s): costatum Friederichs,1920; incornutum Enderlein,1929; barbativentris Enderlein,1929 Range (in code): TR DE DZ AT B-H GB BG CZ DK FR HU IT LT MA NL NO PL RO SK SS ES SE CH UA 62
- 9996. Simulium (Nevermannia) cryophilum (Rubtsov,1959)** (Simuliidae) Synonym(s): cryophilum Rubtsov,1959; biankoi Rubtsov,1964; courverti Rubtsov,1964; vidanoi Rubtsov,1964; tricrenum Rubtsov & Carlsson,1965 Range (in code): RU DZ AD AM AT Cc BE B-H GB BG CY CZ DK EE FI FR Co DE GR Chi Cr IE IT Sa Si LT LB MA NL NO PL PT YU SK SS ES SE CH TN UA TR
- 9997. Simulium (Nevermannia) djafarovi (Rubtsov,1962)** (Simuliidae) Synonym(s): subcostatum Djafarov,1953 (preocc.); djafarovi Rubtsov,1962 Range (in code): TR AZ AM Cc KG RO 14
- 9998. Simulium (Nevermannia) florum (Djafarov,1954)** (Simuliidae) Synonym(s): florum Djafarov,1954 Range (in code): TR Cc AZ RO 53
- 9999. Simulium (Nevermannia) lundstromi (Enderlein,1921)** (Simuliidae) Synonym(s): lundstromi Enderlein,1921; latigonium Rubtsov,1956 Range (in code): GB DZ AT BY BE BG CN CZ DK EE FI FR DE HU IE IT KG LT LB LV MA NL NO PL PT RU YU SK ES SE CH UA TR
- 10000. Simulium (Nevermannia) vernum Macquart,1826** (Simuliidae) Synonym(s): vernum Macquart,1826; pubiventris Zetterstedt,1838; trabeatum Enderlein,1921; pritzkowi Enderlein,1926; albipilatum Enderlein,1926; schielei Enderlein,1926; wigandi Enderlein,1928; fluminale Rubtsov,1956; hatangense Rubtsov,1956; shutovae Rubtsov,1956; aestivale Rubtsov,1962; meridionale Rivosecchi & Lipparoni,1965; Range (in code): BE B-H GB CN CZ DK EE FI DE HU IS IT Si KG LT FR AD AM AT AZ BY Cc LV MN MA NL NO PL PT RO RU SK SS ES SE CH TN UA TR 46 62
- 10001. Simulium (s.str.) alajense (Rubtsov,1938)** (Simuliidae) Synonym(s): alajense Rubtsov,1938; sbergi Rubtsov,1940 Range (in code): KK AF AM Cc BG CN Ui Ti KG MN PK TJ TM UZ RO? TR
- 10002. Simulium (s.str.) argenteostriatum Strobl,1898** (Simuliidae) Synonym(s): argenteostriatum Strobl,1898; schoenbaueri Enderlein,1921; alternans Enderlein,1921; rupicolum Séguy & Dornier,1936; simici Zivkovitch,1956 Range (in code): AL DZ AD AT B-H BG CZ FR DE IT PL RO YU SK SS ES CH UA TR
- 10003. Simulium (s.str.) argyreatum Meigen,1838** (Simuliidae) Synonym(s): argyreatum Meigen,1838; montanum Enderlein,1921; mehelyi Enderlein,1926; polae Smart,1944; celticum Doby & Rault,1960 Range (in code): DE AD AT B-H GB CZ SK BG FI FR HU IE IT MK NO PL PT RO YU SS ES SE CH TR 14
- 10004. Simulium (s.str.) aureofulgens Terteryan,1949** (Simuliidae) Synonym(s): aureofulgens Terteryan,1949 Range (in code): TR AM AZ Cc 14
- 10005. Simulium (s.str.) baracorne Smart,1944** (Simuliidae) Synonym(s): ruficorne Baranov,1926 (praeocc.); baracorne Smart,1944; ponticum Rubtsov,1956; acutiphallus Rubtsov,1963 Range (in code): UA Cm TR YU BG GR RO SK UZ
- 10006. Simulium (s.str.) bergi Rubtsov,1956** (Simuliidae) Synonym(s): bergi Rubtsov,1956 Range (in code): GG AM Cc TR 06

- 10007. Simulium (s.str.) bezzii (Corti,1914)** (Simuliidae) Synonym(s): bezzii Corti,1914; delphinense Villeneuve,1918; tristrigatum Enderlein,1921; obscurum Enderlein,1924; kondici Baranov,1926; atlas Séguy,1930; crinitum Rubtsov,1956; gorjense Dinulescu,1966; graium Courvert,1967 Range (in code): IT Sa Si DZ AD AT B-H BG TR LB IL Pa IQ IR AZ AM Cc CY FR Co GG DE GR Cr Rd MK MA PL RO YU ES CH UA UZ 08 19 29 44 46 48 53 61 62
- 10008. Simulium (s.str.) bukovskii Rubtsov,1940** (Simuliidae) Synonym(s): bukovskii Rubtsov,1940 Range (in code): TR AM YU RU UA Cm 06 53
- 10009. Simulium (s.str.) coarctatum Rubtsov,1940** (Simuliidae) Synonym(s): coarctatum Rubtsov,1940 Range (in code): CN Ui KG IR UZ TJ MN
- 10010. Simulium (s.str.) consimile Puri,1932** (Simuliidae) Synonym(s): consimile Puri,1932 Range (in code): IN Pj Hp PK LK
- 10011. Simulium (s.str.) crassifilum Rubtsov,1947** (Simuliidae) Synonym(s): crassifilum Rubtsov,1947 Range (in code): TJ PK TM
- 10012. Simulium (s.str.) debacii Terteryan,1952** (Simuliidae) Synonym(s): debacii Terteryan,1952 Range (in code): TR AZ AM Cc RO BG 08 53
- 10013. Simulium (s.str.) degrangei Dorier & Grenier,1960** (Simuliidae) Synonym(s): degrangei Dorier & Grenier,1960; sastcheri Machavariani,1966 Range (in code): FR AT B-H BG GG DE IT YU SK CH UA TR
- 10014. Simulium (s.str.) desertorum Rubtsov,1938** (Simuliidae) Synonym(s): desertorum Rubtsov,1938 Range (in code): CN Ui Ti BG KK KG PK RU Sb TM TJ
- 10015. Simulium (s.str.) ephemerophilum Rubtsov,1947** (Simuliidae) Synonym(s): ephemerophilum Rubtsov,1947; obikumbense Rubtsov,1972 Range (in code): TJ IN Hp KK PK UZ Swa
- 10016. Simulium (s.str.) flavidum Rubtsov,1947** (Simuliidae) Synonym(s): versicolor Rubtsov,1966 (praeocc.); flavidum Rubtsov,1947 Range (in code): TJ CN KG MN RU Sb UZ PK?
- 10017. Simulium (s.str.) fontanum Terteryan,1952** (Simuliidae) Synonym(s): fontanum Terteryan,1952 Range (in code): TR AM AZ Cc RO RU
- 10018. Simulium (s.str.) grisescens Brunetti,1911** (Simuliidae) Synonym(s): grisescens Brunetti,1911 Range (in code): IN Ben Ass Hp BT PK TW
- 10019. Simulium (s.str.) himalayense Puri,1932** (Simuliidae) Synonym(s): himalayense Puri,1932; vega Maskey,1998 Range (in code): IN Ben Hp SI CN Ti NP PK
- 10020. Simulium (s.str.) hispaniola Grenier & Bertrand,1954** (Simuliidae) Synonym(s): hispaniola Grenier & Bertrand,1954; parvifrons Rivoecchi & Cardinali,1975 Range (in code): ES DZ FR PT IT TR 48 53
- 10021. Simulium (s.str.) indicum Becher,1885** (Simuliidae) Synonym(s): indicum Becher,1885; kashmiricum Edwards,1927 Range (in code): IN Ass Meg Hp Ch Up AF BD BT MM CN Ti NP PK
- 10022. Simulium (s.str.) iranicum (Yankovsky,2010)** (Simuliidae) Synonym(s): iranicum (Yankovsky,2010 Range (in code): IR
- 10023. Simulium (s.str.) jani Lewis,1973** (Simuliidae) Synonym(s): jani Lewis,1973 Range (in code): PK Swa
- 10024. Simulium (s.str.) kanchaveli (Machavariani,1966)** (Simuliidae) Synonym(s): kanchaveli Machavariani,1966 Range (in code): Cc GG
- 10025. Simulium (s.str.) kerisorum (Rubtsov,1956)** (Simuliidae) Synonym(s): kerisorum Rubtsov,1956 Range (in code): TR BG AZ KK Cc
- 10026. Simulium (s.str.) kiritshenkoi Rubtsov,1940** (Simuliidae) Synonym(s): kiritshenkoi Rubtsov,1940; caasicum Rubtsov,1940; sevanense Rubtsov & Terteryan,1952; cisalpinum Rubtsov,1956; longicaulis Rubtsov,1956 Range (in code): TR Cc UA IR AM AZ BG CY IQ PK RO TJ 01 19 25 41 46
- 10027. Simulium (s.str.) monticoloides (Rubtsov,1956)** (Simuliidae) Synonym(s): monticoloides Rubtsov,1956 Range (in code): RU Cc BG GG RO UA Cm TR
- 10028. Simulium (s.str.) morsitans Edwards,1915** (Simuliidae) Synonym(s): morsitans Edwards,1915; gerstaecker Enderlein,1916 Range (in code): GB AT BY BE CN IMn CZ DK EE FI FR DE KG LT LV MN NL NO PL RO RU Sb Us SK SS SE TR UA 48
- 10029. Simulium (s.str.) niha Guidicelli & Dia,1986** (Simuliidae) Synonym(s): niha Guidicelli & Dia,1986 Range (in code): LB TR 14 46
- 10030. Simulium (s.str.) noelleri Friederichs,1920** (Simuliidae) Synonym(s): noelleri Friederichs,1920; subornatum Edwards,1920; tenuimanus Enderlein,1921; septentrionale Enderlein,1935; lindneri Enderlein,1943 Range (in code): DE AM AT BY BE B-H GB CA Yuk CN IMn CZ DK EE FI FR HU IE IT KG LT LV MN NL NO PL RO RU Sb YU SK SS SE CH TR UA Als
- 10031. Simulium (s.str.) ornatum Meigen,1818** (Simuliidae) Synonym(s): ornatum Meigen,1818; fasciatum Meigen,1830; crassitarse Macquart,1834; tibiale Macquart,1834; pratorum Friederichs,1920; konsuloffi Enderlein,1924; babici Baranov,1937; borcici Baranov,1937; bartulici Baranov,1937; guelminoi Baranov,1937; nikolici Baranov,1937; anderlicei Baranov,1937; zagrebiense Baranov,1937; barensae Baranov,1939; arensae Baranov,1940; oblimatum Odintsov,1961; amnis Rubtsov,1962; albifrons Rubtsov,1967; curvifila Rivoecchi,1978 Range (in code): DE DZ AD AT BY BE B-H GB BG CN Yu HV CZ DK EE FI FR GR Cr Rd HU IE IL Pa It Sa Si JO KG LT LB LV MK MN YU MA NL NO PL PT RO RU Sb SK SS ES SE CH TN TR UA UZ 48 62
- 10032. Simulium (s.str.) pallidum Puri,1932** (Simuliidae) Synonym(s): pallidum Puri,1932 Range (in code): IN Hp Pj PK

- 10033. *Simulium* (s.str.) *posticatum* Meigen,1838** (Simuliidae) Synonym(s): *posticatum* Meigen,1838; *pseudoreptans* Enderlein,1935 Range (in code): **DE BY AT BE GB CZ DK FI FR LT LV NL NO PL RU Sb SS SE UA TR 48**
- 10034. *Simulium* (s.str.) *pulchripes* Austen,1925** (Simuliidae) Synonym(s): *pulchripes* Austen,1925 Range (in code): **TR 17**
- 10035. *Simulium* (s.str.) *ramosum* Takaoka & Somboon,2008** (Simuliidae) Synonym(s): *ramosum* Takaoka & Somboon,2008 Range (in code): **IN Hp NP PK**
- 10036. *Simulium* (s.str.) *rashidi* Lewis,1973** (Simuliidae) Synonym(s): *rashidi* Lewis,1973 Range (in code): **PK IN Hp**
- 10037. *Simulium* (s.str.) *reptans* (Linnaeus,1758)** (Simuliidae) Synonym(s): *reptans* Linnaeus,1758; *sericeum* Linnaeus,1767; *argyropezum* Meigen,1804; *elegans* Meigen,1818; *varipes* Meigen,1818; *cinctum* Meigen,1830; *pictum* Meigen,1838; *latimanus* Enderlein,1921; *heidenreichi* Enderlein,1921; *heringi* Enderlein,1925; *ornatoides* Baranov,1926; *pseudocolumbacense* Baranov,1937; *tyumanicum* Baranov,1937; *vardaricum* Baranov,1937; *pukovacense* Baranov,1937; *glumovoense* Baranov,1937; *agnatum* Baranov,1937 Range (in code): **AT CZ SK DE DK BE B-H FR GB HU IT NO RO FI SE RU TR UA UZ CH SE ES YU RO Sb CN Ui MK NL**
- 10038. *Simulium* (s.str.) *rufibasis* Brunetti,1911** (Simuliidae) Synonym(s): *rufibasis* Brunetti,1911; *fasciatum* Puri,1932 (praeocc.); *yokotense* Shiraki,1935 Range (in code): **IN Ben Hp SI MM CN Sz Ti Yu JP Hkk KR NP PK TW TH**
- 10039. *Simulium* (s.str.) *schamili* (Rubtsov,1964)** (Simuliidae) Synonym(s): *schamili* Rubtsov,1964 Range (in code): **RU Cc AM**
- 10040. *Simulium* (s.str.) *stenophallum* Terteryan,1952** (Simuliidae) Synonym(s): *stenophallum* Terteryan,1952 Range (in code): **AM Cc TR**
- 10041. *Simulium* (s.str.) *stevensoni* Edwards,1927** (Simuliidae) Synonym(s): *stevensoni* Edwards,1927 Range (in code): **PK Ch**
- 10042. *Simulium* (s.str.) *tarnogradskii* Rubtsov,1940** (Simuliidae) Synonym(s): *tarnogradskii* Rubtsov,1940 Range (in code): **RU Cc AM AZ GG**
- 10043. *Simulium* (s.str.) *trifasciatum* Curtis,1839** (Simuliidae) Synonym(s): *trifasciatum* Curtis,1839; *angustimanus* Enderlein,1921; *wilhelmianum* Enderlein,1921; *nigriperna* Enderlein,1922; *odagmiina* Enderlein,1922; *spinosum* Doby & Deblock,1957 Range (in code): **GB AD AT BE BG CZ DK FR DE GR HU IE IT LT NL PL PT SK SS ES CH TR UA 29 48 61**
- 10044. *Simulium* (s.str.) *tuberosum* (Lundström,1911)** (Simuliidae) Synonym(s): *tuberosum* Lundström,1911 Range (in code): **FI CA Abt BCo NFI On Qb Yuk NO RU Sb Us SE US Als Col FI NMx Ny Oh AD BY BE B-H GB BG TR CZ FR DE IE LT PL PT RO SK SS ES CH UA 08**
- 10045. *Simulium* (s.str.) *variegatum* Meigen,1818** (Simuliidae) Synonym(s): *variegatum* Meigen,1818 Range (in code): **TR LB IR AM Cc 01 08 24 30 41 44 46 48 53 61**
- 10046. *Simulium* (Trichodagnia) *adornatum* (Rubtsov,1956)** (Simuliidae) Synonym(s): *adornatum* Rubtsov,1956 Range (in code): **RU Cc**
- 10047. *Simulium* (Trichodagnia) *albellum* Rubtsov,1947** (Simuliidae) Synonym(s): *albellum* Rubtsov,1947 Range (in code): **TJ AF KG UZ PK**
- 10048. *Simulium* (Trichodagnia) *auricoma* Meigen,1818** (Simuliidae) Synonym(s): *auricoma* Meigen,1818; *syriacum* Roubaud,1909; *djerdapense* Baranov,1937 Range (in code): **AT AD BG CY CZ FR Co DE GR Cr Rd IT Sa Si LB PL PT RO YU SK ES UA TR 08 33 53**
- 10049. *Simulium* (Trichodagnia) *galloprovinciale* Giudicelli,1963** (Simuliidae) Synonym(s): *galloprovinciale* Giudicelli,1963 Range (in code): **MA FR IT ES TR 48**
- 10050. *Simulium* (Trichodagnia) *margaritae* (Rubtsov,1956)** (Simuliidae) Synonym(s): *margaritae* Rubtsov,1956 Range (in code): **AM Cc TR IR 62**
- 10051. *Simulium* (Trichodagnia) *popowae* Rubtsov,1940** (Simuliidae) Synonym(s): *popowae* Rubtsov,1940; *terminasjanæ* Terteryan,1952; *atrofuscum* Rubtsov,1956 Range (in code): **TR? AZ AM Cc BG 53**
- 10052. *Simulium* (Trichodagnia) *transcaspicum* Enderlein,1921** (Simuliidae) Synonym(s): *transcaspicum* Enderlein,1921 Range (in code): **TR TM IR AZ Cc**
- 10053. *Simulium* (Wilhelmia) *balcanicum* (Enderlein,1924)** (Simuliidae) Synonym(s): *balcanicum* Enderlein,1924; *secundum* Baranov,1926; *danubiense* Zivkovitch,1955; *severinense* Dinulescu,1966 Range (in code): **BG AT BY B-H DE GR HU IT MK PL RO RU YU SK SS TR UA Cm 06 38 41**
- 10054. *Simulium* (Wilhelmia) *bravermani* Beaucournu-Saguez,1986** (Simuliidae) Synonym(s): *bravermani* Beaucournu-Saguez,1986 Range (in code): **IL Pa**
- 10055. *Simulium* (Wilhelmia) *buettikeri* Crosskey & Roberts,1994** (Simuliidae) Synonym(s): *buettikeri* Crosskey & Roberts,1994 Range (in code): **OM AE AF?**
- 10056. *Simulium* (Wilhelmia) *dahestanicum* (Rubtsov,1962)** (Simuliidae) Synonym(s): *dahestanicum* Rubtsov,1962 Range (in code): **RU Cc Da IQ**
- 10057. *Simulium* (Wilhelmia) *equinum* (Linnaeus,1758)** (Simuliidae) Synonym(s): *equinum* Linnaeus,1758; *marginatum* Meigen,1818; *cinereum* Macquart,1834; *pubescens* Macquart,1834; *canum* Meigen,1838; *dahlgrueni* Enderlein,1921; *orichalcea* Enderlein,1922; *annulitibia* Enderlein,1922; *begbunaricum* Baranov,1924; *varicolor* Séguy,1925; *tertium* Baranov,1926; *brunettii* Enderlein,1934; *bianchii* Rubtsov,1940; *ivanshentzovi* Rubtsov,1940; *avetjanæ* Rubtsov & Terteryan,1952; *zetlandense* Davies,1966; *sangrense* Rivosecchi,1967 Range (in



- code): **SE AM AT BY BE B-H GB BG CZ CN Ui DK EE FI FR DE HU IE IT Sa KG LT LV MK MA NL NO PL PT RO RU YU Sb Us SK SS ES CH UA TR o6**
- 10058. Simulium (Wilhelmia) golani Beaucournu-Sagues & Braverman,1977** (Simuliidae) Synonym(s): golani Beaucournu-Sagues & Braverman,1977 Range (in code): SY Gol
- 10059. Simulium (Wilhelmia) lineatum (Meigen,1804)** (Simuliidae) Synonym(s): lineatum Meigen,1804; falcula Enderlein,1921; salopiense Edwards,1927; turgaicum Rubtsov,1940 Range (in code): DE AT BY BE B-H BG TR LB IQ IR AM AZ Cc TM AF PK CN Ui CZ DK FR Co HU KG KK LT LV NL PL PT RO SK SS ES SE CH TJ TM UA o8 38 48
- 10060. Simulium (Wilhelmia) lurestanicum (Yankovsky,2010)** (Simuliidae) Synonym(s): lurestanicum Yankovsky,2010 Range (in code): IR Lo
- 10061. Simulium (Wilhelmia) paraequinum Puri,1933** (Simuliidae) Synonym(s): paraequinum Puri,1933; transcaasicum Rubtsov,1956 Range (in code): UA Cm TR LB IL Pa JO IQ IR AM AZ Cc PK o1 41 46
- 10062. Simulium (Wilhelmia) pindiense Khatoon & Hasan,1995** (Simuliidae) Synonym(s): pindiense Khatoon & Hasan,1995 Range (in code): PK
- 10063. Simulium (Wilhelmia) pseudequinum Seguy,1921** (Simuliidae) Synonym(s): pseudequinum Seguy,1921; canariense Séguy,1921; brnizense Baranov,1924; mediterraneum Puri,1925; stylatum Baranov,1926; quartum Baranov,1926; barbaricum Séguy,1930; sulfuricola Rivoecchi,1972; fluminicola Rivoecchi,1972 Range (in code): Cn Sa Si ES PT SS SK YU MA DZ LY TN IT Sa Si GB FR GR Cr Nx Rd Ch CY TR LB IL Pa JO IQ IR AM AZ Cc TM PK IN CN Ui UA Cm UZ TJ o8 19 41 48 61
- 10064. Simulium (Wilhelmia) veltistshevi Rubtsov,1940** (Simuliidae) Synonym(s): veltistshevi Rubtsov,1940 Range (in code): TJ AF AZ Cc IR KG PK CN IMn Ui RO UA Cm TM UZ TR
- 10065. Sulcicnephia undecimata (Rubtsov,1951)** (Simuliidae) Synonym(s): undecimata Rubtsov,1951 Range (in code): KG CN Ui KK TM UZ?
- 10066. Sulcicnephia znoikoi (Rubtsov,1940)** (Simuliidae) Synonym(s): znoikoi Rubtsov,1940 Range (in code): TR AZ Nv Cc AM IR 62
- 10067. Ceroptera aharonii Duda,1938** (Sphaeroceridae) Synonym(s): aharonii Duda,1938 Range (in code): IL Pa
- 10068. Ceroptera algira (Villeneuve,1916)** (Sphaeroceridae) Synonym(s): algira Villeneuve,1916 Range (in code): DZ EG IL Pa
- 10069. Ceroptera alluaudi (Villeneuve,1917)** (Sphaeroceridae) Synonym(s): alluaudi Villeneuve,1917 Range (in code): LY SD IL Pa
- 10070. Ceroptera rubricornis (Duda,1918)** (Sphaeroceridae) Synonym(s): rubricornis Duda,1918 Range (in code): TM TJ AF
- 10071. Ceroptera rufitarsis (Meigen,1830)** (Sphaeroceridae) Synonym(s): rufitarsis Meigen,1830; sacra Meigen,1838; luteipennis Strobl,1902; picta Becker,1913 Range (in code): PT ES GR Cc AM MA TN SY AF
- 10072. Chaetopodella scutellaris (Haliday,1836)** (Sphaeroceridae) Synonym(s): scutellaris Haliday,1836 Range (in code): SE FI GB DE DE PL CZ SK AT HU RO YU BG CH IT ES AF
- 10073. Coproica acutangula (Zetterstedt,1847)** (Sphaeroceridae) Synonym(s): acutangula Zetterstedt,1847 Range (in code): PK RU AF MN TW JP ZR US Hw
- 10074. Coproica coreana Papp,1979** (Sphaeroceridae) Synonym(s): coreana Papp,1979 Range (in code): KP JP TW CN PK NP TH Fn CMa
- 10075. Coproica digitata (Duda,1918)** (Sphaeroceridae) Synonym(s): digitata Duda,1918 Range (in code): MA LB ES FR TN IT SS HV BG IL Pa AF EG PK
- 10076. Coproica ferruginata (Stenhammar,1855)** (Sphaeroceridae) Synonym(s): ferruginata Stenhammar,1855 Range (in code): CG ET GH NG SC ZA TZ TG ZR AU FJ GU Hw NZ WS TO CA Abt BCo On Qb US Arz Cf NMx Ny Oh AR BM BO BS BR CL CO CR JM HN MX SR CN IN Up ID Flo Sbw JP PK LK TH TW AF DZ AD AT Az BE BG Cn CY CZ DK EG FI FR Co DE GB GR Cr HU IE IT IL JP LT LB Md MT MN YU MA TR NL NO PL RO RU SK YU ES SE CH TJ TN AE 32 35
- 10077. Coproica hirticula Collin,1956** (Sphaeroceridae) Synonym(s): hirticula Collin,1956 Range (in code): GR Cr ES IT MT BG IL Pa ZA
- 10078. Coproica hirtula (Rondani,1880)** (Sphaeroceridae) Synonym(s): hirtula Rondani,1880 Range (in code): PK
- 10079. Coproica lugubris (Haliday,1836)** (Sphaeroceridae) Synonym(s): lugubris Haliday,1836 Range (in code): MA TN GR LB AF PK KP KR JP TW CN
- 10080. Coproica pusio (Zetterstedt,1847)** (Sphaeroceridae) Synonym(s): pusio Zetterstedt,1847; pseudolugubris Duda,1924 Range (in code): SE DE RU AF PK JP MN
- 10081. Coproica rufifrons Hayashi,1991** (Sphaeroceridae) Synonym(s): rufifrons Hayashi,1991 Range (in code): PK AF YE HV DE Hw IQ CN IN TH VN TW ET PG
- 10082. Coproica vagans (Haliday,1833)** (Sphaeroceridae) Synonym(s): vagans Haliday,1833; opacula Stenhammar,1854; albipennis Rondani,1880; flava Duda,1918 Range (in code): ET ZA TZ CA US Arz Cf Col Tx NMx AR BO CL MX TW AF DZ AD AT AZ Cc BE BG Cn CY CZ SK DE EG FI FR Co GG GB GR Cr HU IE IC IT Sa IL Pa JP LT MK Md MT MN NL NO PL RO RU ES SE CH TJ TR TN YU SH

- 10083. Copromyza (Borborillus) vitripennis (Meigen,1830)** (Sphaeroceridae) Synonym(s): saniosa Westring,1814; vitripennis Meigen,1830; longipennis Haliday,1836; pilosiventris Zetterstedt,1860 Range (in code): **MA AT BE BG CZ DK EG EE FI FR Co DE GB HU IR IT LT JP LV NL NO PL RO RU SK ES SE CH YU**
- 10084. Copromyza (Crumomyia) glabrifrons (Meigen,1830)** (Sphaeroceridae) Synonym(s): glabrifrons Meigen,1830; limbinervis Rondani,1880 Range (in code): **AT BE CZ FI FR DE HU IL Pa IT NL NO PL RO SK YU BG CY TR GR ES SE CH UA TJ**
- 10085. Copromyza (Crumomyia) nigra (Meigen,1830)** (Sphaeroceridae) Synonym(s): nigra Meigen,1830; tuxeni Collin,1954 Range (in code): **DE RU AF YU BG GR TJ**
- 10086. Copromyza (Lotophila) atra (Meigen,1830)** (Sphaeroceridae) Synonym(s): atra Meigen,1830; modesta Meigen,1830; lugens Meigen,1830; geniculata Macquart,1835; analis von Reser,1840; ferruginea Becker,1908 Range (in code): **DE Md FR RU Cc GG AF MN Cn DZ TN Md LB IL Pa MA TN GR CY**
- 10087. Copromyza (s.str.) pseudostercoraria Papp,1976** (Sphaeroceridae) Synonym(s): pseudostercoraria Papp,1976 Range (in code): **GR ES FR IT CH IL Pa IR**
- 10088. Elachisoma aterrimum (Haliday,1833)** (Sphaeroceridae) Synonym(s): aterrimum Haliday,1833; nigerrimum Haliday,1836 Range (in code): **GB SE FI BE DK DE CZ SK PL HU IT ES RU TJ AF Cn EG**
- 10089. Elachisoma pilosum (Duda,1924)** (Sphaeroceridae) Synonym(s): pilosum (Duda,1924) Range (in code): **GB DE CZ SK PL HU AF**
- 10090. Halidayina spinipennis (Haliday,1836)** (Sphaeroceridae) Synonym(s): spinipennis Haliday,1836; akka Rondani,1880 Range (in code): **IE GB SE FI DE BE DK FR CZ SK AT HU YU BG ES IT RU AF**
- 10091. Ischiolepta pusilla (Fallén,1820)** (Sphaeroceridae) Synonym(s): pusilla Fallén,1820; nigripes Strobl,1900; margaritata Becker,1907 Range (in code): **SE FI ES Cn Md RU AF TN EG CA AU**
- 10092. Ischiolepta scabricula (Haliday,1836)** (Sphaeroceridae) Synonym(s): scabricula Haliday,1836; pallidimana Rondani,1880 Range (in code): **GB FR DE HU IT AF**
- 10093. Ischiolepta vaporariorum (Haliday,1836)** (Sphaeroceridae) Synonym(s): vaporariorum Haliday,1836; parapusilla Duda,1920 Range (in code): **GB RU Ur AF TJ TN**
- 10094. Leptocera (s.str.) caenosa (Rondani,1880)** (Sphaeroceridae) Synonym(s): caenosa Rondani,1880 Range (in code): **RU UZ AF MN Az NZ**
- 10095. Leptocera (s.str.) fontinalis (Fallén,1826)** (Sphaeroceridae) Synonym(s): fontinalis Fallén,1826 Range (in code): **CA Nfi US AF AD AT ?Az BE BG CN HV CY CZ DK EE FO FI FR GG Cc DE GB GR Cr HU IS IE IL Pa IT Sa Si LT LB LV KG MK MT YU MA NL NO PL PT RO RU SK SS ES SE CH TJ TN TR UA UZ 35 48**
- 10096. Leptocera (s.str.) nigra Olivier,1813** (Sphaeroceridae) Synonym(s): nigra Olivier,1813; curvinervis Stenhammar,1854; roralis Rondani,1880 Range (in code): **BW CM CV ET KE ZR MG MW MZ RW BI ZA Cr LB TR GR AF NP JP DZ TN EG Cn FR AM Cc AT Az BE BG PK? HV HU IT Sa Si IR IL Pa JO LT LV MK Md PT RO RU SS Sk CH TJ UZ YU SH**
- 10097. Limosina albinervis Duda,1918** (Sphaeroceridae) Synonym(s): albinervis Duda,1918 Range (in code): **GB DE CZ SK PL HU ES IL Pa AF**
- 10098. Limosina bifrons Stenhammar,1854** (Sphaeroceridae) Synonym(s): bifrons Stenhammar,1854; puerula Rondani,1880 Range (in code): **SE RU TJ AF Az Cn DE**
- 10099. Limosina brevicostata Duda,1918** (Sphaeroceridae) Synonym(s): brevicostata Duda,1918 Range (in code): **B-H ES Cc Md EG TN GB SE FI DE HU YU IL Pa AF NP Cn Az Md**
- 10100. Limosina clunipes (Meigen,1830)** (Sphaeroceridae) Synonym(s): clunipes Meigen,1830; crassimana Haliday,1836; pygmaea Zetterstedt,1838; nigrinervis Dahl,1909 Range (in code): **SE AF RU TN**
- 10101. Limosina dudai Papp,1978** (Sphaeroceridae) Synonym(s): dudai Papp,1978 Range (in code): **AF**
- 10102. Limosina flavipes (Meigen,1830)** (Sphaeroceridae) Synonym(s): flavipes Meigen,1830; minutissima Zetterstedt,1847; retracta Rondani,1880; ventruosella Venturi,1965 Range (in code): **SE FI GB DK DE PL AT CZ SK HU FR YU IT RO BG IR AF**
- 10103. Limosina fungicola Haliday,1836** (Sphaeroceridae) Synonym(s): fungicola Haliday,1836; exigua Rondani,1880 Range (in code): **GB TJ AF?**
- 10104. Limosina ghaznavi Papp,1978** (Sphaeroceridae) Synonym(s): ghaznavi Papp,1978 Range (in code): **AF Gz**
- 10105. Limosina mirabilis Collin,1902** (Sphaeroceridae) Synonym(s): mirabilis Collin,1902 Range (in code): **GB DK DE CZ SK AT HU BG ES IR MN NP**
- 10106. Limosina ochripes (Meigen,1830)** (Sphaeroceridae) Synonym(s): ochripes Meigen,1830; fulviceps Rondani,1880 Range (in code): **DE TJ AF**
- 10107. Limosina parabinervis Papp,1973** (Sphaeroceridae) Synonym(s): parabinervis Papp,1973 Range (in code): **AF MN**
- 10108. Limosina pseudosetaria Duda,1918** (Sphaeroceridae) Synonym(s): pseudosetaria Duda,1918; penetralis Collin,1925 Range (in code): **SE NO BG RO AF**
- 10109. Limosina pteremoides Papp,1973** (Sphaeroceridae) Synonym(s): pteremoides Papp,1973 Range (in code): **AF TJ MN**
- 10110. Limosina rohaceki Papp,1978** (Sphaeroceridae) Synonym(s): rohaceki Papp,1978 Range (in code): **AF Kab**

- 10111. *Limosina silvatica* (Meigen,1830)** (Sphaeroceridae) Synonym(s): *silvatica* Meigen,1830 Range (in code): GR CY ES FR TN IT YU CY IL Pa
- 10112. *Limosina simplicipes* (Duda,1925)** (Sphaeroceridae) Synonym(s): *simplicimana* Duda,1918 (praeocc.); *simplicipes* Duda,1925 Range (in code): DE FR Co TN GR Cr AF
- 10113. *Limosina submaculata* Duda,1938** (Sphaeroceridae) Synonym(s): *submaculata* Duda,1938 Range (in code): Cc AZ Bak
- 10114. *Limosina villosa* Duda,1918** (Sphaeroceridae) Synonym(s): *villosa* Duda,1918 Range (in code): DE HU IT GR Cr IL Pa TN
- 10115. *Limosina vitripennis* Zetterstedt,1847** (Sphaeroceridae) Synonym(s): *vitripennis* Zetterstedt,1847 Range (in code): SE AF MN
- 10116. *Minilimosina (Allolimosina) albinervis* (Duda,1918)** (Sphaeroceridae) Synonym(s): *albinervis* Duda,1918 Range (in code): US On CA AF CZ IE IT DE GB HU IL Pa PL RO SK ES TR
- 10117. *Minilimosina (Allolimosina) alloneura* (Richards,1952)** (Sphaeroceridae) Synonym(s): *alloneura* Richards,1952 Range (in code): ES IT AT CZ GB HU PL SK CH LB
- 10118. *Norrbomia hispanica* (Duda,1923)** (Sphaeroceridae) Synonym(s): *hispanica* Duda,1923 Range (in code): MA ES IT IL Pa
- 10119. *Norrbomia marginatis* (Adams,1905)** (Sphaeroceridae) Synonym(s): *marginatis* Adams,1905 Range (in code): AO CV ET KE MG NA NG ZA TG UG ZR ZW AU FJ WS NH CN Yu IN JP MY Bor NP PK PH LK TW TH Cn CN EG GR IL Pa JP LB Md MT MA TN TR 35
- 10120. *Norrbomia niveipennis* (Duda,1923)** (Sphaeroceridae) Synonym(s): *niveipennis* Duda,1923; *parallelinervis* Duda,1938; *tenuicalcar* Duda,1938 Range (in code): ES IT TN Gf RU TR IL Pa IR Kh AF EG GR LY MA TM TJ 42
- 10121. *Norrbomia sordida* (Zetterstedt,1847)** (Sphaeroceridae) Synonym(s): *sordida* Zetterstedt,1847; *nigritella* Zetterstedt,1847; *bilineatus* Grimshaw,1901; *brevisetus* Malloch,1913; *minutus* Johnson,1913 Range (in code): Hw CA BCo On Qb NfI US Arz Cf Col Fl Ny Oh Tx Wy NMx GT MX BM IN Pj AT Az BE Cn CN Ui DK FI FR DE GB GR HU IL Pa IT JP KG LT MN NO PL RO RU SK ES SE CH TJ TR
- 10122. *Opacifrons coxata* (Stenhammar,1855)** (Sphaeroceridae) Synonym(s): *coxata* Stenhammar,1855 Range (in code): ET MG ZA ZR? AF AD AM AT Cc Az BE BG Cn CY CZ DK EG EE FI FR Co DE GB GR Cr HU IR IE IL Pa IT Sa LT LV LB MK Md MT MN YU MA NL NO PL PT RO RU SK SS ES SE CH TJ TN TR 35
- 10123. *Opacifrons humida* (Haliday,1836)** (Sphaeroceridae) Synonym(s): *humida* Haliday,1836 Range (in code): RU TJ AF MN DZ TN Cn Md
- 10124. *Opacifrons maculifrons* (Becker,1907)** (Sphaeroceridae) Synonym(s): *maculifrons* Becker,1907 Range (in code): MA DZ TN MT CH HU CZ BG IQ
- 10125. *Paralimosina macedonica* (Rohacek,1977)** (Sphaeroceridae) Synonym(s): *macedonica* Rohacek,1977 Range (in code): MK BG IR AF
- 10126. *Philocoprella italica* (Deeming,1964)** (Sphaeroceridae) Synonym(s): *italica* Deeming,1964 Range (in code): CZ SK HU IT AF MN
- 10127. *Puncticorpus cribratum* (Villeneuve,1918)** (Sphaeroceridae) Synonym(s): *cribratum* Villeneuve,1918; *brevipennis* Duda,1918 Range (in code): AD BE CZ CY DK DE FR GB GR HU IL Pa IT Si NL PL RO SK SS SE CH TR
- 10128. *Rachispoda acrosticalis* (Becker,1903)** (Sphaeroceridae) Synonym(s): *acrosticalis* Becker,1903; *zernyi* Duda,1924 Range (in code): ES EG AF Cn CV TR BW MG ZA ZD TZ ZR GR IT Si IL Pa MT
- 10129. *Rachispoda afghanica* (Papp,1978)** (Sphaeroceridae) Synonym(s): *afghanica* Papp,1978 Range (in code): AF Ca
- 10130. *Rachispoda ariana* (Papp,1978)** (Sphaeroceridae) Synonym(s): *ariana* Papp,1978 Range (in code): AF Ca
- 10131. *Rachispoda duodecimseta* (Papp,1973)** (Sphaeroceridae) Synonym(s): *duodecimseta* Papp,1973 Range (in code): TJ AF MN
- 10132. *Rachispoda fuscipennis* (Haliday,1833)** (Sphaeroceridae) Synonym(s): *fuscipennis* Haliday,1833; *oelandica* Stenhammar,1854; *plurisetosa* Strobl,1900; *intermedia* Duda,1918 Range (in code): MG NA SA Sk Hw ZR NZ TW CA BCo GS EC MX AT AZ IL Pa SE ES RU TJ AF MN Az DZ TN EG Cn Md TR IT Sa Si LT JO KK MT MN MA NL NO PL PT RO RU SK ES CH UZ SH
- 10133. *Rachispoda gel* (Papp,1978)** (Sphaeroceridae) Synonym(s): *gel* Papp,1978 Range (in code): TN AF
- 10134. *Rachispoda hostica* (Villeneuve,1917)** (Sphaeroceridae) Synonym(s): *hostica* Villeneuve,1917; *fuscolimosa* Duda,1918 Range (in code): CZ SK HU RO YU IT AL TR IR PL SE RU AF TJ MN
- 10135. *Rachispoda intermedia* (Duda,1918)** (Sphaeroceridae) Synonym(s): *intermedia* Duda,1918 Range (in code): AT FI DE GB HU IR MN RO SK SE TR
- 10136. *Rachispoda kabuli* (Papp,1978)** (Sphaeroceridae) Synonym(s): *kabuli* Papp,1978 Range (in code): TN AF Kab
- 10137. *Rachispoda lutosa* (Stenhammar,1855)** (Sphaeroceridae) Synonym(s): *lutosa* Stenhammar,1855 Range (in code): CA US AT BE BG CZ DK EE LT LV FR GB HU IS IT JP NL KP NO PL RO RU SK SS ES CH SE TR



- 10138. *Rachispoda lutosoidea* (Duda,1938)** (Sphaeroceridae) Synonym(s): lutosoidea Duda,1938 Range (in code): RU Sb TJ AF TN Cn TR DZ AT BE BG Cn CZ DK FI FR DE GB GR HU IR IL Pa IT Sa Si LT MT PL PT RO SK ES MA SE CH YU
- 10139. *Rachispoda meges* (Papp,1978)** (Sphaeroceridae) Synonym(s): meges Papp,1978 Range (in code): AF Kab
- 10140. *Rachispoda micropyga* (Papp,1978)** (Sphaeroceridae) Synonym(s): micropyga Papp,1978 Range (in code): AF
- 10141. *Rachispoda modesta* (Duda,1924)** (Sphaeroceridae) Synonym(s): modesta Duda,1924 Range (in code): DE CZ SK HU RO YU BG GR TR TJ AF TN Cn UZ AM Cc AT BE HV CZ CY IQ IR GB IT Sa Si IL Pa PL SK SS SE
- 10142. *Rachispoda subinctipennis* (Brunetti,1913)** (Sphaeroceridae) Synonym(s): subinctipennis Brunetti,1913 Range (in code): IN Ass EG NP AF Cn CV
- 10143. *Rachispoda varicornis* (Strobl,1900)** (Sphaeroceridae) Synonym(s): varicornis Strobl,1900; halidayi Collin,1902 Range (in code): GB AT HU YU TR ES RU TJ AF TN EG Cn Az DZ BE B-H BG HV FR Cr GR IR IQ IL Pa IT Si MT MA PT RO UZ
- 10144. *Sphaerocera curvipes* Latreille,1805** (Sphaeroceridae) Synonym(s): curvipes Latreille,1805; communis R-D.,1830; merdarium R-D.,1830; stercoraria R-D.,1830; cadaverina R-D.,1830; necrophaga R-D.,1830; obtusa Meigen,1835; opaca Meigen,1835 Range (in code): FR DE RU Cc IR AF MN JP Cn DZ TN EG AU NZ
- 10145. *Terrilimosina racovitzai* (Bezzi,1911)** (Sphaeroceridae) Synonym(s): racovitzai Bezzi,1911 Range (in code): CA On US Ny AF AT BE B-H BG CZ FI FR DE GB HU IT NL PL RU SK ES SE CH TR UA
- 10146. *Thoracochaeta zosteræ* (Haliday,1833)** (Sphaeroceridae) Synonym(s): zosteræ Haliday,1833; fulvipes Meigen,1838; setulosa Zetterstedt,1847; piligera Stenhammar,1854; ciliosa Rondani,1880; sanctipauli Séguy,1940 Range (in code): CA US AR AT BE BG CZ DK EE DK FI FR DE GB GR HU IE IC IT JP LT LB MT NL NO PL RO RU SK SE CH TR YU
- 10147. *Trachypella atoma* (Rondani,1880)** (Sphaeroceridae) Synonym(s): atoma Rondani,1880; eximia Becker,1908 Range (in code): GB DK DE Cn CZ SK AT IT HU RU UA TJ AF Md
- 10148. *Trachypella leucoptera* (Haliday,1836)** (Sphaeroceridae) Synonym(s): leucoptera Haliday,1836 Range (in code): GB SE DK DE HU ES CZ SK AF
- 10149. *Actina chalybea* Meigen,1804** (Stratiomyidae) Synonym(s): chalybea Meigen,1804; femoralis Meigen,1820; nigripes Meigen,1820; flavofemorata Meigen,1820; hirsuta Macquart,1834 Range (in code): ES FR DE CH AT CZ HU RO IT Si YU BG UA RU PL Cc GG AZ AM
- 10150. *Adoxomyia aureovittata* (Bigot,1879)** (Stratiomyidae) Synonym(s): aureovittata Bigot,1879 Range (in code): GR TR 42
- 10151. *Adoxomyia cinerascens* (Loew,1873)** (Stratiomyidae) Synonym(s): cinerascens Loew,1873 Range (in code): IR IL Pa TR KK KG TJ 07 42
- 10152. *Adoxomyia dahlii* (Meigen,1830)** (Stratiomyidae) Synonym(s): dahlii Meigen,1830; schineri Lindner,1937; personata Lindner,1975 Range (in code): ES HV YU GR FR AT IT IL
- 10153. *Adoxomyia obscuripennis* (Loew,1873)** (Stratiomyidae) Synonym(s): obscuripennis Loew,1873; maschouk Pleske,1925 Range (in code): TJ KG UZ RU TR Cc AZ 01 32
- 10154. *Adoxomyia portschinskii* (Pleske,1903)** (Stratiomyidae) Synonym(s): portschinskii Pleske,1903 Range (in code): Cc AM Eri AZ Kir
- 10155. *Adoxomyia ruficornis* (Loew,1873)** (Stratiomyidae) Synonym(s): ruficornis Loew,1873 Range (in code): KK IR TR 38
- 10156. *Adoxomyia sarudnyi* (Pleske,1903)** (Stratiomyidae) Synonym(s): sarudnyi Pleske,1903 Range (in code): AF IR TR 42
- 10157. *Aspidacantha atra* Kertész,1916** (Stratiomyidae) Synonym(s): atra Kertész,1916 Range (in code): IL Pa
- 10158. *Beris clavipes* (Linnaeus,1767)** (Stratiomyidae) Synonym(s): clavipes Linnaeus,1767; nigroptera Geoffroy,1785; nigritarsis Latreille,1805 Range (in code): AT BE CZ DE GB FI EE ES FR IT BG TR RU UA LT LV Cc GG HU IE LT NL NO PL RO SK CH UA 32 38
- 10159. *Beris cypria* James,1970** (Stratiomyidae) Synonym(s): cypria James,1970 Range (in code): CY
- 10160. *Beris kovalevi* Rozkosny & Nartshuk,1980** (Stratiomyidae) Synonym(s): kovalevi Rozkosny & Nartshuk,1980 Range (in code): RU Cc AM GG
- 10161. *Beris schaposchnikowi* Pleske,1926** (Stratiomyidae) Synonym(s): schaposchnikowi Pleske,1926 Range (in code): Cc RU GG Lag AZ
- 10162. *Chloromyia formosa* (Scopoli,1763)** (Stratiomyidae) Synonym(s): formosa Scopoli,1763 Range (in code): MA DZ TN SY Ksb TR RU ES PT SE FR DE DK GB IE NO SE FI EE LT LV PL CZ SK MD RO HU SS HV B-H YU MK UA GR BG CH AT IT Co Sa Si 31 34 75
- 10163. *Chloromyia speciosa* (Macquart,1834)** (Stratiomyidae) Synonym(s): speciosa Macquart,1834; melampogon Zeller,1842; subalpina Strobl,1910; nigripes Pleske,1926 Range (in code): ES FR DE EE LT LV PL CZ SK MD RO HU SS HV B-H YU MK GR BG CH AT IT HU AT UA RU At TR IL Pa CN 65
- 10164. *Chorisops nagatomii* Rozkosny,1979** (Stratiomyidae) Synonym(s): nagatomii Rozkosny,1979 Range (in code): CZ SK IE GB BE NL DE CH AT IT HU RO RU UA Cc GG

- 10165. *Chorisops tibialis* (Meigen,1820)** (Stratiomyidae) Synonym(s): *tibialis* Meigen,1820; *hyaliniventris* A.Costa,1857 Range (in code): ES FR IT Sa Si IE GB FR BE NL DE PL CH AT CZ HU RO YU HV B-H SS BG GR IL
- 10166. *Eupachygaster subtarsalis* Krivosheina,2004** (Stratiomyidae) Synonym(s): *subtarsalis* Krivosheina,2004 Range (in code): AZ Cc IL Pa
- 10167. *Eupachygaster tarsalis* (Zetterstedt,1842)** (Stratiomyidae) Synonym(s): *tarsalis* Zetterstedt,1842 Range (in code): AT BE BG CZ DK GB FR DE HU PL RO RU SK SE CH UA YU TR TM AZ Cc 51
- 10168. *Exochostoma nitidum* Macquart,1842** (Stratiomyidae) Synonym(s): *nitidum* Macquart,1842 Range (in code): FR TR 01
- 10169. *Exochostoma osellai* Mason,1995** (Stratiomyidae) Synonym(s): *osellai* Mason,1995 Range (in code): TR 18
- 10170. *Filipitschenkia sargoides* Pleske,1926** (Stratiomyidae) Synonym(s): *sargoides* Pleske,1926 Range (in code): Cc GG RU
- 10171. *Hermetia illucens* (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *illucens* Linnaeus,1758 Range (in code): PT Cn ES FR CH IT MT HV AL TR 31
- 10172. *Hermionella seguyi* Pleske,1925** (Stratiomyidae) Synonym(s): *seguyi* Pleske,1925 Range (in code): Cc GG Tbl AM
- 10173. *Lasiopa aksarayiensis* Üstüner & Hasbenli,2014** (Stratiomyidae) Synonym(s): *aksarayiensis* Üstüner & Hasbenli,2014 Range (in code): TR 68
- 10174. *Lasiopa aktasii* Üstüner & Hasbenli,2014** (Stratiomyidae) Synonym(s): *aktasii* Üstüner & Hasbenli,2014 Range (in code): TR 38
- 10175. *Lasiopa balius* (Walker,1849)** (Stratiomyidae) Synonym(s): *balius* Walker,1849; *tenuirostris* Loew,1854; *bertoni* Seguy,1932 Range (in code): GR AL FR RO YU BG TR 38
- 10176. *Lasiopa benoisti* Séguy,1930** (Stratiomyidae) Synonym(s): *benoisti* Séguy,1930 Range (in code): TR DZ MA 38
- 10177. *Lasiopa calva* (Meigen,1822)** (Stratiomyidae) Synonym(s): *calva* Meigen,1822 Range (in code): RO TR
- 10178. *Lasiopa caucasica* (Pleske,1901)** (Stratiomyidae) Synonym(s): *caucasica* Pleske,1901; *koenigi* Lichtwardt,1901 Range (in code): AZ GG Cc Bjo Tbl AM TR Pja RU 01 06 08 14 32 33 38 41 42 51 75 80
- 10179. *Lasiopa mannii* Mik,1882** (Stratiomyidae) Synonym(s): *mannii* Mik,1882 Range (in code): IT TN TR 16
- 10180. *Lasiopa pseudovillosa* (Rozkosny,1983)** (Stratiomyidae) Synonym(s): *pseudovillosa* Rozkosny,1983 Range (in code): TR 07 15 42
- 10181. *Lasiopa villosa* (Fabricius,1794)** (Stratiomyidae) Synonym(s): *villosa* Fabricius,1794 Range (in code): HU FR DE PL CZ AT RO IT YU BG TR AL IL Pa IR 46
- 10182. *Microchrysa flaviventris* (Wiedemann,1824)** (Stratiomyidae) Synonym(s): *flaviventris* Wiedemann,1824 Range (in code): RU CN JP MG KM RE SC IN ID Ja Sum MY PK LK TH TW Ij NC PG
- 10183. *Nemotelus* (s.str.) *anchora* Loew,1846** (Stratiomyidae) Synonym(s): *anchora* Loew,1846; *siculus* Jaennicke,1866; *persicus* Pleske,1937 Range (in code): IT Si MT RU IL IR DZ TN
- 10184. *Nemotelus* (s.str.) *argentefer* Loew,1846** (Stratiomyidae) Synonym(s): *argentefer* Loew,1846; *limbatus* Egger,1859 Range (in code): TR IT Si CY ES YU BG GR RU Cc AM IL IR 35 38 48 58 75
- 10185. *Nemotelus* (s.str.) *armeniacus* Pleske,1937** (Stratiomyidae) Synonym(s): *armeniacus* Pleske,1937 Range (in code): TR RU Cc AF 36 38 76
- 10186. *Nemotelus* (s.str.) *atriceps* Loew,1856** (Stratiomyidae) Synonym(s): *atriceps* Loew,1856; *longicornis* Lindner,1937 Range (in code): DZ FR PT ES TN TR 01
- 10187. *Nemotelus* (s.str.) *bipunctatus* Loew,1846** (Stratiomyidae) Synonym(s): *bipunctatus* Loew,1846 Range (in code): RO BG UA TR RU 35 48
- 10188. *Nemotelus* (s.str.) *brachystomus* Loew,1846** (Stratiomyidae) Synonym(s): *brachystomus* Loew,1846; *plagiatus* Schiner,1857; *luteicornis* Egger,1859; *punctiventris* Becker,1902; *aegyptiacus* Lindner,1925; *turcorum* Szilady,1941; *pleskei* Nartshuk,1969 Range (in code): YU HU RO IT BG AL GR TR CY RU Cc IL EG
- 10189. *Nemotelus* (s.str.) *brevirostris* Meigen,1822** (Stratiomyidae) Synonym(s): *brevirostris* Meigen,1822; *globuliceps* Loew,1846; *pseudoglobuliceps* Pleske,1937; *reichardt* Pleske,1937 Range (in code): TR DE AT BG CZ KG HU MN PL RO RU SK YU GR 38
- 10190. *Nemotelus* (s.str.) *curdistanus* Szilady,1941** (Stratiomyidae) Synonym(s): *curdistanus* Szilady,1941 Range (in code): TR 76
- 10191. *Nemotelus* (s.str.) *latiusculus* Loew,1871** (Stratiomyidae) Synonym(s): *latiusculus* Loew,1871 Range (in code): DZ MA ES TN IT IL Pa
- 10192. *Nemotelus* (s.str.) *mersinae* Becker,1915** (Stratiomyidae) Synonym(s): *mersinae* Becker,1915 Range (in code): TR 33
- 10193. *Nemotelus* (s.str.) *notatus* Zetterstedt,1842** (Stratiomyidae) Synonym(s): *notatus* Zetterstedt,1842 Range (in code): TR
- 10194. *Nemotelus* (s.str.) *obscuripes* Loew,1871** (Stratiomyidae) Synonym(s): *obscuripes* Loew,1871; *modestus* Loew,1871 Range (in code): GR IT YU RO BG AL RU UA Cc TR IL IR 65

- 10195. Nemotelus (s.str.) pantherinus (Linnaeus,1758)** (Stratiomyidae) Synonym(s): pantherinus Linnaeus,1758; marginatus Fabricius,1775; marginellus Gmelin,1790; muticus Schrank,1803; nigrinus Meigen,1804; fraternus Loew,1846; gracilis Loew,1846; satunini Pleske,1937; zelleri Pleske,1937; albirostris Szilady,1941; caucasicus Nartshuk,1969; punctirostris Lindner,1974 Range (in code): GB DE FR IT Si HU CY RU Da TR Cc AZ AM Eri IL MA 01 07 15 32 35 38 42 48 58
- 10196. Nemotelus (s.str.) rudifraci (Berezovsky & Nartshuk,1993)** (Stratiomyidae) Synonym(s): rudifraci Berezovsky & Nartshuk,1993 Range (in code): AZ Cc TR 25 38 58 65
- 10197. Nemotelus (s.str.) rufiventris Potschinsky,1887** (Stratiomyidae) Synonym(s): rufiventris Potschinsky,1887 Range (in code): Cc AM
- 10198. Nemotelus (s.str.) signatus Schiner,1855** (Stratiomyidae) Synonym(s): signatus Schiner,1855; varius Loew,1871 Range (in code): HU GR CZ AT RO IT YU BG GR TR RU Cc IL IR MN 76
- 10199. Nemotelus (s.str.) syriacus Lindner,1933** (Stratiomyidae) Synonym(s): syriacus Lindner,1933; aterrimus Szilady,1941 Range (in code): LB Bei IL Hf Pa TR 01
- 10200. Neopachygaster admiranda Krivosheina & Freidberg,2004** (Stratiomyidae) Synonym(s): admiranda Krivosheina & Freidberg,2004 Range (in code): IL Pa
- 10201. Odontomyia angulata (Panzer,[1798])** (Stratiomyidae) Synonym(s): angulata Panzer,[1798]; vulpina Panzer,[1798]; hydropta Meigen,1822; latifasciata Macquart,1834; brevicornis Loew,1840; ruficornis Zetterstedt,1842; hydrophila Loew,1846 Range (in code): SE PL DE ES IT GR RU TR IL IR AF CN MA DZ EG TM Sb TJ KK KG Kmt Sh Krl 07 10 15 20
- 10202. Odontomyia cephalonica Strobl,1898** (Stratiomyidae) Synonym(s): cephalonica Strobl,1898; byzantina Strobl,1902; persica Pleske,1922 Range (in code): GR IT Si BG GR TR UA RU Cc AZ IL IR 01 34 38 44
- 10203. Odontomyia damascena Villeneuve,1912** (Stratiomyidae) Synonym(s): damascena Villeneuve,1912 Range (in code): SY Dms IL
- 10204. Odontomyia discolor Loew,1846** (Stratiomyidae) Synonym(s): discolor Loew,1846; limbata Macquart,1849 nec Meig.,1822 Range (in code): MA DZ FR Co RO ES IT GR TR IL AF
- 10205. Odontomyia flavissima (Rossi,1790)** (Stratiomyidae) Synonym(s): flavissima Rossi,1790; decora Meigen,1822; infuscata Meigen,1830; semiviolacea Brullé,1832; nigripes Macquart,1847; laufferi Strobl,1909 Range (in code): MA DZ TN ES IT AT CZ GR SY TR IL Cc GG AZ 01 33 38
- 10206. Odontomyia hydroleon (Linnaeus,1758)** (Stratiomyidae) Synonym(s): hydroleon Linnaeus,1758; felina Panzer,[1798]; alpina Jaennicke,1866 Range (in code): CH DE AL AT BY BE B-H GB BG SK ES NL UA YU HV HU IT NO RO PL LV CZ DK EE FI FR RU TR IL AF CN MN 01 32 38 42 65
- 10207. Odontomyia ornata (Meigen,1822)** (Stratiomyidae) Synonym(s): ornata Meigen,1822; signaticornis Loew,1846 Range (in code): SE ES IT BG LT TR SY IL Pa RU Mo 38 48 65
- 10208. Oplodontha oasina (Lindner,1925)** (Stratiomyidae) Synonym(s): oasina Lindner,1925 Range (in code): AF EG
- 10209. Oplodontha pulchripes (Loew,1858)** (Stratiomyidae) Synonym(s): pulchripes Loew,1858 Range (in code): ZA IL Pa
- 10210. Oplodontha viridula (Fabricius,1775)** (Stratiomyidae) Synonym(s): viridula Fabricius,1775; canina Panzer,[1798]; jejuna Schrank,1803; dentata Meigen,1804; holosericea Olivier,1812; lunata Olivier,1812; subvittata Meigen,1822; bimaculata Meigen,1835; personata Loew,1846; interrupta Loew,1846; heydeni Jaennicke,1866 Range (in code): DZ CH YU HV DE TR IL Pa MN CN 01 07 15 20 32 38 48 58 65
- 10211. Oxycera (Camptopelta) meigenii Staeger,1844** (Stratiomyidae) Synonym(s): meigenii Staeger,1844; fraterna Loew,1873; caucasica Kertész,1916; turkestanica Kertész,1916; sinica Pleske,1925; transcaspia Pleske,1925; pallidipes Pleske,1925 Range (in code): DK DE AT FR PL GR RU Cc AZ GG AM IR Ke AF MN CN KG KK UA TR YU HU PL RO CH IT 32 38 58 65
- 10212. Oxycera (Camptopelta) nigricornis Olivier,1812** (Stratiomyidae) Synonym(s): nigricornis Olivier,1812 Range (in code): GB TR
- 10213. Oxycera (Camptopelta) nigrinus Fallén,1817** (Stratiomyidae) Synonym(s): nigrinus Fallén,1817; carneus Walker,1849; unicolor Loew,1863; carbonarius Loew,1869 Range (in code): SE RU Cc AZ TR AF MN CN Ti YU UA CH DK EE FI NL GB CA 01 38 58
- 10214. Oxycera analis Meigen,1822** (Stratiomyidae) Synonym(s): analis Meigen,1822 Range (in code): GB FR BE DE PL CH AT CZ RO IT YU RU Cc AM
- 10215. Oxycera fallenii Staeger,1844** (Stratiomyidae) Synonym(s): fallenii Staeger,1844; octomaculata Yaroshevski,1877 Range (in code): SE DK DE IE GB PL AT CZ SK RO IT RU Cc TR 65
- 10216. Oxycera galeata (Lindner,1975)** (Stratiomyidae) Synonym(s): galeata Lindner,1975 Range (in code): IL Pa TR 01 38
- 10217. Oxycera grata Loew,1869** (Stratiomyidae) Synonym(s): grata Loew,1869 Range (in code): GR TR 58
- 10218. Oxycera insolata Kühbandner,1984** (Stratiomyidae) Synonym(s): insolata Kühbandner,1984 Range (in code): TR 73
- 10219. Oxycera limbata Loew,1862** (Stratiomyidae) Synonym(s): limbata Loew,1862 Range (in code): RO GR CY RU UA Cc AZ TR IL LB



- 10220. *Oxycera orientalis* Lindner,1974** (Stratiomyidae) Synonym(s): *orientalis* Lindner,1974 Range (in code): IL Pa
- 10221. *Oxycera pardalina* Meigen,1822** (Stratiomyidae) Synonym(s): *pardalina* Meigen,1822; *amoena* Loew,1857; *engadinica* Jaennicke,1866; *calceata* Loew,1871; *sahunica* Séguy,1934; *oldenbergi* Lindner,1938; *nigrifrons* Szilady,1941; *bohemia* Hrbacek,1945; *armata* Vaillant,1950 Range (in code): DE AL AT BE CZ AM Cc GG FR NL GB IE ES SE CH IT HU PL RO RU SK YU TR 38 58
- 10222. *Oxycera pygmaea* (Fallén,1817)** (Stratiomyidae) Synonym(s): *pygmaea* Fallén,1817; *affinis* Curtis,1833; *nigripes* Verrall,1909; *hungarica* Kertész,1923 Range (in code): DE AT BE CZ DK SE GB EE FR IE CH LT HU PL RO SK TR 16 38
- 10223. *Oxycera quadrilineata* Üstüner & Hasbenli,2007** (Stratiomyidae) Synonym(s): *quadrilineata* Üstüner & Hasbenli,2007 Range (in code): TR 58
- 10224. *Oxycera trilineata* (Linnaeus,1767)** (Stratiomyidae) Synonym(s): *trilineata* Linnaeus,1767; *graeca* Pontoppidan,1763; *hypoleon* Linnaeus,1767; *fasciata* Geoffroy,1785; *proxima* Loew,1873; *collaris* Brunetti,1889; *transfasciata* Pleske,1925; *ferghanensis* Pleske,1925; *ucrainica* Paramonov,1926; *bucheti* Seguy,1930; *angustistomata* Lindner,1938 Range (in code): SE DE FR GB Cc GG Tbl UZ Fe UA RU Sr Ur GR TR IL MN CN MA DZ 01 05 15 16 32 38 58
- 10225. *Oxycera trispila* Bezzi,1909** (Stratiomyidae) Synonym(s): *trispila* Bezzi,1909 Range (in code): SY
- 10226. *Oxycera turcica* Üstüner & Hasbenli,2004** (Stratiomyidae) Synonym(s): *turcica* Üstüner & Hasbenli,2004 Range (in code): TR 38 58
- 10227. *Pachygaster atra* (Panzer,[1798])** (Stratiomyidae) Synonym(s): *atra* Panzer,[1798]; *pachygaster* Fallén,1817 Range (in code): SE PT ES BG UA Cc GG TR IL Pa 41
- 10228. *Pachygaster emerita* Krivosheina & Freidberg,2004** (Stratiomyidae) Synonym(s): *emerita* Krivosheina & Freidberg,2004 Range (in code): IL Pa TR 01
- 10229. *Pachygaster maura* Lindner,1939** (Stratiomyidae) Synonym(s): *maura* Lindner,1939 Range (in code): MA ES PT TR 01
- 10230. *Pycnomalla splendens* (Fabricius,1787)** (Stratiomyidae) Synonym(s): *splendens* Fabricius,1787; *rufitarsis* Macquart,1838; *jordanica* Lindner,1974 Range (in code): ES PT RU Cc AM TR IL Pa MA DZ TN 01 13 70
- 10231. *Sargus cuprarius* (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *cuprarius* Linnaeus,1758; *violaceus* Scopoli,1763; *caeruleicollis* Meigen,1822; *coeruleicollis* Loew,1855; *nubeculosus* Zetterstedt,1842; *minimus* Zetterstedt,1849 Range (in code): ES IT BG RU Cc TR IL Pa MN YU AT SE TJ 32 38
- 10232. *Sargus gemmifer* Walker,1849** (Stratiomyidae) Synonym(s): *gemmifer* Walker,1849 Range (in code): MM ID Clb PK CN MY TH
- 10233. *Sargus maculatus* (Lindner,1936)** (Stratiomyidae) Synonym(s): *maculatus* Lindner,1936 Range (in code): CY IL Pa
- 10234. *Stratiomys armeniaca* Bigot,1879** (Stratiomyidae) Synonym(s): *armeniaca* Bigot,1879; *herzi* Pleske,1901; *potschinskii* Pleske,1901; *#armaniaca* Üstüner,2005 Range (in code): Cc AZ AM GG TR 08 75
- 10235. *Stratiomys cenisia* Meigen,1822** (Stratiomyidae) Synonym(s): *cenisia* Meigen,1822; *flaviventris* Loew,1846; *ahngeri* Pleske,1901; *cypria* Pleske,1902; *kervillei* Villeneuve,1912; *planes* James,1941 Range (in code): FR CY RU TR Cc AM IL SY IR EG MA DZ TN 07 15 32 33 35 38 58 65
- 10236. *Stratiomys chamaeleon* (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *chamaeleon* Linnaeus,1758; *sellata* Sulzer,1761; *spatula* Scopoli,1763; *nigrodentata* Meigen,1804; *rhaetica* Jaennicke,1866; *unguicornis* Becker,1887; *caucasica* Pleske,1899; *kosnakowi* Pleske,1901; *winogradowinikitini* Pleske,1922 Range (in code): CH YU FR RU TR Cc GG AM CN At LT 07 08 15 38 58 65
- 10237. *Stratiomys longicornis* (Scopoli,1763)** (Stratiomyidae) Synonym(s): *longicornis* Scopoli,1763; *tenebricus* Harris,1776; *strigata* Fabricius,1781; *tomentosa* Schrank,1803; *villosa* Meigen,1804; *nubeculosa* Meigen,1804; *thoracica* Fabricius,1805; *hirtuosa* Meigen,1830; *anubis* Meigen,1830; *flavifrons* Macquart,1838; *pallida* Loew,1840; *lambessiana* Bigot,1879; *flavolimbata* A.Costa,1893; *pleskei* Wagner,1903; *segnis* Becker,1906; *eflatouni* Lindner,1925; *surcoufi* Seguy,1930; *palaestinensis* Lindner,1937; *flavoscutella* Lindner,1940 Range (in code): IT DE FR PL YU MT CY TR RU IL IR IQ AF MN UZ Fe CN Shs KP KR MA DZ TN EG 15
- 10238. *Stratiomys nigerrima* (Szilady,1941)** (Stratiomyidae) Synonym(s): *nigerrima* Szilady,1941 Range (in code): TR 26
- 10239. *Stratiomys nobilis* Loew,1871** (Stratiomyidae) Synonym(s): *nobilis* Loew,1871; *fischeri* Wagner,1912 Range (in code): Cc AM IR CN KG UZ
- 10240. *Stratiomys ruficornis* (Macquart,1838)** (Stratiomyidae) Synonym(s): *ruficornis* Macquart,1838; *erythroceras* Egger,1859; *pyrrhocera* Loew,1868 Range (in code): FR PL AT CZ HU RO BG YU AL GR RU TR IQ Bgd LB SY IR Cc AM AZ 06 08 15 16 26 33 38 44 58 65
- 10241. *Stratiomys singularior* (Harris,[1776])** (Stratiomyidae) Synonym(s): *singularior* Harris,[1776]; *furcata* Fabricius,1794; *pantheon* Fallén,1817; *riparia* Meigen,1822; *paludosa* Siebke,1863 Range (in code): GB DE SE NO RU Sb Us KG IR MN CN
- 10242. *Stratiomys viridis* (Paramonov,1926)** (Stratiomyidae) Synonym(s): *viridis* Paramonov,1926; *persica* Torres,1947 Range (in code): Cc AZ Nv Ord IR
- 10243. *Stratiomys vittipennis* (Lindler,1937)** (Stratiomyidae) Synonym(s): *vittipennis* Lindler,1937 Range (in code): IR Elb Dam

- 10244. Stratiomys zarudnyi (Pleske,1899)** (Stratiomyidae) Synonym(s): zarudnyi Pleske,1899; sarudnyi Pleske,1901 Range (in code): IR KG
- 10245. Brachytarsina flavipennis Macquart,1851** (Streblidae) Synonym(s): flavipennis Macquart,1851 Range (in code): MA DZ TN LY EG PT ES FR IT AL GR TR IL Pa JO SY IR IQ TM AF 01 07 10 31 80
- 10246. Arctophila bequaerti (Herve-Bazin,1913)** (Syrphidae) Synonym(s): bequaerti Herve-Bazin,1913 Range (in code): YU AL BG RU Cc TR AM UA 37
- 10247. Arctophila bombiforme (Fallén,1810)** (Syrphidae) Synonym(s): bombiforme Fallén,1810 Range (in code): SE Py IT ES YU Cr TR 37 61
- 10248. Baccha elongata (Fabricius,1775)** (Syrphidae) Synonym(s): elongata Fabricius,1775 Range (in code): TR 18 37 46
- 10249. Brachypalpoides lentus (Meigen,1822)** (Syrphidae) Synonym(s): lentus Meigen,1822; lateralis Szilady,1940 Range (in code): ES FR GB IE NO SE FI DK DE PL EE LT LV BY UA CZ SK HU CH AT IT HV B-H YU RO MK GR Co Si TR 32 48
- 10250. Brachypalpus chrysites Egger,1859** (Syrphidae) Synonym(s): chrysites Egger,1859 Range (in code): AT DE PL CZ FR CH AT YU RO TR 37
- 10251. Brachypalpus laphriformis (Fallén,1816)** (Syrphidae) Synonym(s): laphriformis Fallén,1816 Range (in code): TR
- 10252. Brachypalpus meigeni Schiner,1857** (Syrphidae) Synonym(s): femorata Meigen,1822 (praeocc.); meigeni Schiner,1857 Range (in code): NL BE DE PL CZ SK FR AT YU TR
- 10253. Brachypalpus zugmayeriae Mik,1887** (Syrphidae) Synonym(s): zugmayeriae Mik,1887 Range (in code): Cc AZ Tlh
- 10254. Caliprobola speciosa (Rossi,1790)** (Syrphidae) Synonym(s): speciosa Rossi,1790 Range (in code): TR 06 37
- 10255. Callicera aurata (Rossi,1790)** (Syrphidae) Synonym(s): aurata Rossi,1790 Range (in code): FR GB GR IT NO ES CH TR 07 33
- 10256. Callicera fagesii Guérin-Menéville,1844** (Syrphidae) Synonym(s): fagesii Guérin-Menéville,1844 Range (in code): BE FR NL ES TR 30 31
- 10257. Callicera loewi Verrall,1913** (Syrphidae) Synonym(s): loewi Verrall,1913 Range (in code): CY IT
- 10258. Callicera macquarti Rondani,1844** (Syrphidae) Synonym(s): macquarti Rondani,1844 Range (in code): CY FR IT ES TR 32 34 38
- 10259. Callicera rohdendorfi Zimina,1982** (Syrphidae) Synonym(s): rohdendorfi Zimina,1982 Range (in code): GG Cc Sok UA Cm
- 10260. Callicera zhelochovtsevi Zimina,1982** (Syrphidae) Synonym(s): zhelochovtsevi Zimina,1982 Range (in code): FR YU UA Cm Cc AZ AM
- 10261. Ceriana brunettii (Shannon,1927)** (Syrphidae) Synonym(s): brunettii Shannon,1927 Range (in code): TM UZ TJ PK Bl Qu
- 10262. Ceriana caucasica (Paramonov,1927)** (Syrphidae) Synonym(s): caucasica Paramonov,1927 Range (in code): TM IR AZ Cc Nv Ord
- 10263. Ceriana conopsoides (Linnaeus,1758)** (Syrphidae) Synonym(s): conopsoides Linnaeus,1758; adunata Geoffroy,1785; clavicornis Fabricius,1794; vaginicornis Schrank,1803; uralensis Becker,1921 Range (in code): DZ ES FR BE NL SE FI EE PL DE CZ SK HU CH AT IT Co Si RO YU BG GR TR IR Ab Khy CN RU Ur 06 18 35 46 48 50
- 10264. Ceriana vespiformis (Latreille,1804)** (Syrphidae) Synonym(s): vespiformis Latreille,1804; scutellata Macquart,1842; intricata Saunders,1845 Range (in code): MA DZ EG PT ES FR NL IT Co Sa Si YU HU RO AL GR Cr CY TR 16 17 48
- 10265. Chalcosyrphus eunotus (Loew,1873)** (Syrphidae) Synonym(s): eunotus Loew,1873 Range (in code): TR HU RO GB NL BE PL CZ AM Cc 37
- 10266. Chalcosyrphus nemorum (Fabricius,1805)** (Syrphidae) Synonym(s): nemorum Fabricius,1805; bifasciatus Meigen,1822; pallidipes Stackelberg,1922 Range (in code): TR ES FR BE NL DK DE IE GB NO SE FI BY UA CZ SK CH AT IT Co YU RO Cc GG Btm Aj JP Hkk 48 61
- 10267. Chalcosyrphus piger (Fabricius,1794)** (Syrphidae) Synonym(s): piger Fabricius,1794; haematodes Fabricius,1805; crassipes Wahlberg,1838; fulviventris Bigot,1861; pini Perris,1870; nigerrimus Becker,1910 Range (in code): SE NL BE DE PL ES IT YU RU KG KK CN FR Co TR 37
- 10268. Chalcosyrphus rufipes (Loew,1873)** (Syrphidae) Synonym(s): rufipes Loew,1873 Range (in code): TR RO RU At Tv Us MN HU 46
- 10269. Cheilosia (Eucartosyrphus) rufipes (Preyssler,1793)** (Syrphidae) Synonym(s): rufipes Preyssler,1793; fulvicornis Meigen,1822 Range (in code): SE FI GB DK DE PL CZ SK BE FR CH AT ES IT YU RU JP TR 38 46
- 10270. Cheilosia (Eucartosyrphus) scutellata (Fallén,1817)** (Syrphidae) Synonym(s): scutellata Fallén,1817 Range (in code): TR IR Ab Khy FI ES GR DZ 01 06 14 16 37 42 46 80
- 10271. Cheilosia (Floccocheila) illustrata (Harris,[1780])** (Syrphidae) Synonym(s): illustrata Harris,[1780]; rupestris Panzer,[1798] Range (in code): NO SE FI ES IT YU BG RU PL TR AM Cc 14 18 37 75

- 10272. Cheilosia (Floccocheila) potschinskiana Stackelberg,1960** (Syrphidae) Synonym(s): potschinskiana Stackelberg,1960 Range (in code): TR AM Cc 61
- 10273. Cheilosia (s.str.) aerea Dufour,1848** (Syrphidae) Synonym(s): aerea Dufour,1848 Range (in code): TR 06 37 38 46 48 51 74
- 10274. Cheilosia (s.str.) albitarsis (Meigen,1822)** (Syrphidae) Synonym(s): albitarsis Meigen,1822; vidua Meigen,1822; flavimana Meigen,1838; innupta Zetterstedt,1843 Range (in code): NO SE FI IT YU BG RU TN TR 06 07 14 18 25 32 37 38 50 67 68
- 10275. Cheilosia (s.str.) canicularis (Panzer,1801)** (Syrphidae) Synonym(s): canicularis Panzer,1801; aurata Fabricius,1805; auripila Meigen,1838; nowickii Loew,1871; dilutior Strobl,1897; innominata Becker,1907; montium Szilady,1938; zonata Szilady,1938 Range (in code): DK DE NL PL BE FR CH AT IT YU RO BG RU JP Hkk TR 08 14 18 37 57 61
- 10276. Cheilosia (s.str.) proxima (Zetterstedt,1843)** (Syrphidae) Synonym(s): proxima Zetterstedt,1843; modesta Egger,1860; fuscicornis Rondani,1865 Range (in code): TR SE IT YU BG RU Sb Cc Us IR Ab Khy 14 16 31 37 38
- 10277. Cheilosia (s.str.) schnabli Becker,1894** (Syrphidae) Synonym(s): schnabli Becker,1894 Range (in code): TR B-H YU HU RO GR 61
- 10278. Cheilosia (s.str.) transcaucasica Stackelberg,1960** (Syrphidae) Synonym(s): transcaucasica Stackelberg,1960 Range (in code): TR Cc AZ AM 06 37
- 10279. Cheilosia (s.str.) urbana (Meigen,1822)** (Syrphidae) Synonym(s): urbana Meigen,1822 Range (in code): TR 06 37 38
- 10280. Cheilosia (s.str.) variabilis (Panzer,1798)** (Syrphidae) Synonym(s): variabilis Panzer,1798 Range (in code): DE TR 14 18 25 37 57
- 10281. Cheilosia (Taeniochilosia) armeniaca Stackelberg,1960** (Syrphidae) Synonym(s): armeniaca Stackelberg,1960 Range (in code): Cc AM
- 10282. Cheilosia (Taeniochilosia) bakurianiensis Kuznesov,1987** (Syrphidae) Synonym(s): bakurianiensis Kuznesov,1987 Range (in code): GG Bku Cc
- 10283. Cheilosia antiqua (Meigen,1822)** (Syrphidae) Synonym(s): antiqua Meigen,1822 Range (in code): TR 31
- 10284. Cheilosia bracusi Vujic & Claussen,1994** (Syrphidae) Synonym(s): bracusi Vujic & Claussen,1994 Range (in code): TR 37
- 10285. Cheilosia brunnipennis Becker,1894** (Syrphidae) Synonym(s): brunnipennis Becker,1894 Range (in code): TR 16
- 10286. Cheilosia himantopus (Panzer,1798)** (Syrphidae) Synonym(s): himantopus Panzer,1798 Range (in code): TR 18 37 57
- 10287. Cheilosia laticornis Rondani,1857** (Syrphidae) Synonym(s): laticornis Rondani,1857 Range (in code): TR 06 14 16 18 37 42
- 10288. Cheilosia latifacies Loew,1857** (Syrphidae) Synonym(s): latifacies Loew,1857 Range (in code): PL CZ SK FR CH ES IT YU RO AF DZ IR Ab Khy TR 16
- 10289. Cheilosia latifrons (Zetterstedt,1843)** (Syrphidae) Synonym(s): latifrons Zetterstedt,1843 Range (in code): TR
- 10290. Cheilosia mutabilis (Fallén,1817)** (Syrphidae) Synonym(s): mutabilis Fallén,1817 Range (in code): TR 37 67
- 10291. Cheilosia nigripes (Meigen,1822)** (Syrphidae) Synonym(s): nigripes Meigen,1822 Range (in code): TR 16 37 42
- 10292. Cheilosia pagana (Meigen,1822)** (Syrphidae) Synonym(s): pagana Meigen,1822 Range (in code): TR 14
- 10293. Cheilosia sahlbergi (Becker,1894)** (Syrphidae) Synonym(s): sahlbergi Becker,1894 Range (in code): FI CH NO GB PL CZ SK RO BG RU LV LT Cc IR Ab Khy
- 10294. Cheilosia soror (Zetterstedt,1843)** (Syrphidae) Synonym(s): soror Zetterstedt,1843 Range (in code): TR ES FR BE GB SE FI DK DE PL CZ SK HU CH AT IT SS HV B-H YU MK GR BG RO Si 01 06 07 14 16 18 37 38 46 48 67 68
- 10295. Cheilosia sulcifrons Kaplan & Thompson,1981** (Syrphidae) Synonym(s): sulcifrons Kaplan & Thompson,1981 Range (in code): IL Pa He TR 27
- 10296. Cheilosia vernalis (Fallén,1817)** (Syrphidae) Synonym(s): vernalis Fallén,1817 Range (in code): TR
- 10297. Cheilosia vicina (Zetterstedt,1849)** (Syrphidae) Synonym(s): vicina Zetterstedt,1849 Range (in code): TR 37
- 10298. Cheilosia vulpina (Meigen,1822)** (Syrphidae) Synonym(s): vulpina Meigen,1822 Range (in code): TR 18 37
- 10299. Chrysogaster chalybeatum Meigen,1822** (Syrphidae) Synonym(s): chalybeata Meigen,1822 Range (in code): TR 38 46
- 10300. Chrysogaster coemeteriorum (Linnaeus,1758)** (Syrphidae) Synonym(s): coemeteriorum Linnaeus,1758 Range (in code): TR ES GR IE FR BE NL DK DE NO SE FI EE LV LT PL CZ SK HU RO BG AT IT 06 18 37 38 46 68



- 10301. Chrysogaster macquarti Loew,1843** (Syrphidae) Synonym(s): macquarti Loew,1843 Range (in code): TR 26 46
- 10302. Chrysogaster mediterraneus Vujic,1999** (Syrphidae) Synonym(s): mediterraneus Vujic,1999 Range (in code): TR MK YU 48
- 10303. Chrysogaster simplex Loew,1843** (Syrphidae) Synonym(s): simplex Loew,1843 Range (in code): PT RO GR TR 48
- 10304. Chrysogaster solstitialis (Fallén,1817)** (Syrphidae) Synonym(s): solstitialis Fallén,1817 Range (in code): TR 14 25 37 46
- 10305. Chrysogaster tumescens (Loew,1854)** (Syrphidae) Synonym(s): tumescens Loew,1854 Range (in code): RU TR 25
- 10306. Chrysotoxum arcuatum (Linnaeus,1758)** (Syrphidae) Synonym(s): arcuatum Linnaeus,1758; intersectum Geoffroy,1785; vespiforme Geoffroy,1785; hortense Meigen,1822; scoticum Curtis,1837; alpinum Rondani,1865; nigropilosum Giglio-Tos,1890; angustifasciatum Mik,1897 Range (in code): IE NO SE DK DE IT YU BG RU IR MN JP
- 10307. Chrysotoxum bactrianum Violovitsh,1973** (Syrphidae) Synonym(s): bactrianum Violovitsh,1973 Range (in code): TM UZ TJ
- 10308. Chrysotoxum bicinctum (Linnaeus,1758)** (Syrphidae) Synonym(s): bicinctum Linnaeus,1758 Range (in code): ES FR GB IE NO SE FI DK DE EE LT LV PL CZ SK HU UA CH AT IT Co Sa Si SS HV B-H MK GR BG RO TR Cc RU 18 32 37 42 68 76
- 10309. Chrysotoxum caucasicum Sack,1930** (Syrphidae) Synonym(s): derivatum Becker,1921 nec Wlk.,1849; caucasicum Sack,1930 Range (in code): Cc TJ KG KK TM AF
- 10310. Chrysotoxum cautum (Harris,[1776])** (Syrphidae) Synonym(s): cautum Harris,[1776] Range (in code): SK RU GG Cc AM TR KG 07 14 16 25 33 37 38 48 50 60 63 67 68 70 78
- 10311. Chrysotoxum cisalpinum Rondani,1845** (Syrphidae) Synonym(s): cisalpinum Rondani,1845 Range (in code): IT Cc AM
- 10312. Chrysotoxum elegans Loew,1841** (Syrphidae) Synonym(s): elegans Loew,1841 Range (in code): FE AT CH UA KG CN RU Cc TR IR Ab Khy
- 10313. Chrysotoxum fasciolatum (De Geer,1776)** (Syrphidae) Synonym(s): fasciolatum De Geer,1776 Range (in code): TR 37
- 10314. Chrysotoxum festivum (Linnaeus,1758)** (Syrphidae) Synonym(s): festivum Linnaeus,1758; bipunctatum Müller,1776; imbelles Harris,[1776]; geographicum Geoffroy,1785; annulatum Loew,1840; infuscatum Loew,1840; scutellare Loew,1840; tomentosum Giglio-Tos,1890; japonicum Matsumura,1916 Range (in code): ES FR DE BE NL GB IE NO SE FI EE BY RO PL DK DE CZ SK CH IT AT Si HV B-H YU HU RO MK BG GR RU Sb MN JP TR 06 07 14 18 25 32 37 38 42 65 68 74 75 76 78
- 10315. Chrysotoxum impressum Becker,1921** (Syrphidae) Synonym(s): impressum Becker,1921 Range (in code): IT BG GR TR
- 10316. Chrysotoxum intermedium Meigen,1822** (Syrphidae) Synonym(s): intermedium Meigen,1822; lunulatum Brullé,1832; monticola Schummel,1842; italicum Rondani,1845; graecum Walker,1852; gymnophthalmum Giglio-Tos,1890 Range (in code): MA DZ TN PT ES CH IT DE CZ SK HU RO GR Co Sa Si Cr CY TR AM Cc TM TJ AF 01 06 07 13 14 26 31 32 33 35 37 38 42 46 48 51 60 68 80
- 10317. Chrysotoxum kirghizorum Peck,1974** (Syrphidae) Synonym(s): kirghizorum Peck,1974 Range (in code): TM KK CN Ui
- 10318. Chrysotoxum lessonae (Giglio-Tos,1890)** (Syrphidae) Synonym(s): lessonae Giglio-Tos,1890 Range (in code): IT RO TR 14 18 37
- 10319. Chrysotoxum octomaculatum Curtis,1837** (Syrphidae) Synonym(s): octomaculatum Curtis,1837 Range (in code): TR 25 38
- 10320. Chrysotoxum parmense Rondani,1845** (Syrphidae) Synonym(s): parmense Rondani,1845; holzi Becker,1913 Range (in code): ES FR IT BG Cr TR UZ TM TJ KK IR Ss 01 06 07 13 14 25 32 33 37 38 42 51 60 65 68
- 10321. Chrysotoxum parvulum Violovitsh,1973** (Syrphidae) Synonym(s): parvulum Violovitsh,1973 Range (in code): AM Cc
- 10322. Chrysotoxum robustum Portsichinsky,1886** (Syrphidae) Synonym(s): robustum Portsichinsky,1886 Range (in code): IR Gor AM Cc
- 10323. Chrysotoxum stackelbergi Violovitsh,1953** (Syrphidae) Synonym(s): stackelbergi Violovitsh,1953 Range (in code): KK UZ TM TJ
- 10324. Chrysotoxum stenolomum Violovitsh,1973** (Syrphidae) Synonym(s): stenolomum Violovitsh,1973 Range (in code): RU Da AM Cc
- 10325. Chrysotoxum verae Violovitsh,1973** (Syrphidae) Synonym(s): verae Violovitsh,1973 Range (in code): AM Cc
- 10326. Chrysotoxum vernale Loew,1841** (Syrphidae) Synonym(s): vernale Loew,1841; collinum Rondani,1857; flavipenne Palma,1863; fuscum Giglio-Tos,1890; vernaloides Giglio-Tos,1890 q Range (in code): SE GB DK DE NL PL BE CZ FR CH HU PT ES IT YU RO BG UA RU Cc AM AZ KG TM KK TR IR 25
- 10327. Chrysotoxum verralli Collin,1940** (Syrphidae) Synonym(s): verralli Collin,1940 Range (in code): DK FR GB PL RU Cc Sb At Sj Tv IR Ab Khy GG AM

- 10328. Conosyrphus volucellinus (Portschinsky,1881)** (Syrphidae) Synonym(s): volucellina Portschinsky,1881; guichardi Coe,1966 Range (in code): Cc AM TR GG 18 36 37 61
- 10329. Criorhina berberina (Fabricius,1805)** (Syrphidae) Synonym(s): berberina Fabricius,1805; oxyacanthae Meigen,1822 Range (in code): TR GB 37
- 10330. Criorhina floccosa (Meigen,1822)** (Syrphidae) Synonym(s): floccosa Meigen,1822 Range (in code): TR 37
- 10331. Criorhina portschinskyi (Stackelberg,1955)** (Syrphidae) Synonym(s): portschinskyi Stackelberg,1955 AM GG AZ Cc Kr RU Range (in code): RU GG AZ AM Cc Kr
- 10332. Dasysyrphus albostratus (Fallén,1817)** (Syrphidae) Synonym(s): albostratus Fallén,1817; confusus Egger,1860; carinthiacus Latzel,1876 Range (in code): TR RU Ur Tv Sb Cc YU IT Cr UA Cm KG MN JP DZ IR Ab Khy IN Hp Sml Djl SI Up Ddu 06 26 37
- 10333. Dasysyrphus lunulatus (Meigen,1822)** (Syrphidae) Synonym(s): lunulatus Meigen,1822 Range (in code): TR 38
- 10334. Dasysyrphus pinastri (De Geer,1776)** (Syrphidae) Synonym(s): pinastri De Geer,1776 Range (in code): TR 14 37 38 57
- 10335. Dasysyrphus tricinctus (Fallén,1817)** (Syrphidae) Synonym(s): tricinctus Fallén,1817 Range (in code): TR 37 57
- 10336. Dideoides annandalei (Brunetti,1919)** (Syrphidae) Synonym(s): annandalei Brunetti,1919 Range (in code): IR
- 10337. Doros destillatorius Mik,1885** (Syrphidae) Synonym(s): destillatorius Mik,1885 Range (in code): TR
- 10338. Epistrophe (s.str.) eligans (Harris,1776)** (Syrphidae) Synonym(s): eligans Harris,1776; interrupta Gmelin,1790; bifasciata Fabricius,1794; fulvipes Wiedemann,1822; trifasciata Strobl,1880; nigra Suster & Zilberman,1958 Range (in code): ES FR IE GB NO SE FI LT LV EE BY RU UA DK DE BE NL PL CZ SK HU CH AT IT HV B-H YU RO BG GR MK Cr Co Sa Si TR 01 06 31 33 35 37 38 64
- 10339. Epistrophe (s.str.) grossulariae (Meigen,1822)** (Syrphidae) Synonym(s): grossulariae Meigen,1822 Range (in code): FR GB IE NO SE FI EE LT LV DK DE BE NL CH AT IT HU SS HV YU Co Si RO UA TR 14 37
- 10340. Epistrophe (s.str.) ochrostoma (Zetterstedt,1849)** (Syrphidae) Synonym(s): ochrostoma Zetterstedt,1849 Range (in code): TR 33
- 10341. Episyrphus balteatus (De Geer,1776)** (Syrphidae) Synonym(s): cannabina Scopoli,1763; balteatus De Geer,1776; scitula Harris,1776; alternata Schrank,1781; nectarea Fabricius,1787; nectarina Wiedemann,1830; alternans Macquart,1842; trigilatus Walker,1856 Range (in code): Az Cn Md TR GB AU NL DE NO HU GR Cr RU Ur Sb Cc KG IR Ab Khy AF MN CN IN LK JP DZ Cn IN Pus 01 06 07 13 14 15 16 18 20 25 26 31 32 33 34 35 37 38 42 46 48 56 57 60 65 67 68 78 80
- 10342. Eristalinus (Eristalodes) taeniops (Wiedemann,1818)** (Syrphidae) Synonym(s): taeniops Wiedemann,1818; pulchripes Wiedemann,1822; fasciatus Germar,1845; aegyptius Walker,1849; torridus Walker,1849; completus Santos-Abreu,1924; concinnus Santos-Abreu,1924 Range (in code): MA EG Cn PT ES FR Co IT Sa Si YU AL RO CY TR IR Ab Khy GR Cr Rd LB IL Pa SY EG LY TN MA Cc ZA NP PK IN US Cf FI AE AF ZA 01 06 07 25 31 32 33 35 38 46 48 56 65
- 10343. Eristalinus (Lathyrrophthalmus) aeneus (Scopoli,1763)** (Syrphidae) Synonym(s): aeneus Scopoli,1763; punctatus Müller,1764; macrophthalmus Preysler,1791; taphicus Wiedemann,1830; cuprovittatus Wiedemann,1830; stygius Newman,1835; sincerus Harris,1841; aenescens Macquart,1842; auricalcica Rondani,1865; nigrolineatus Hervé-Bazin,1923 Range (in code): MA DZ TN EG Cn KE TZ MU AU Hw US Tx On Cf CA PT ES FR IE GB BE NL DK DE SE NO FI EE LT LV BY RU UA PL CZ SK HU CH AT IT Sa Co Si SS HV B-H YU BG RO MD MK GR Cr CY TR IR Ab Khy CN MN AE SY AF Hw AU 01 06 07 14 18 26 31 32 33 35 37 38 39 42 46 48 60 65 67 68 78
- 10344. Eristalinus (Lathyrrophthalmus) laetus (Wiedemann,1830)** (Syrphidae) Synonym(s): laetus Wiedemann,1830 Range (in code): AF CN
- 10345. Eristalinus (Lathyrrophthalmus) megacephalus (Rossi,1792)** (Syrphidae) Synonym(s): megacephalus Rossi,1792 Range (in code): PT ES IT FR Co Sa Si MT GR Cr EG ZA TR AE IR Ab Khy 32 38 48 65 73
- 10346. Eristalinus (Lathyrrophthalmus) quinquelineatus (Fabricius,1781)** (Syrphidae) Synonym(s): quinquelineatus Fabricius,1781; fasciatus Meigen,1835; quinquevittatus Macquart,1849 Range (in code): DE FR PT ES BG GR RU TM TJ IR AF MA DZ EG
- 10347. Eristalinus (Lathyrrophthalmus) quinquestriatus (Fabricius,1794)** (Syrphidae) Synonym(s): quinquestriatus Fabricius,1794 Range (in code): JP TH CMa TR 38
- 10348. Eristalinus (s.str.) sepulchralis (Linnaeus,1758)** (Syrphidae) Synonym(s): sepulchralis Linnaeus,1758 Range (in code): PT ES FR IE GB NO SE FI EE LT LV DK DE CH AT IT Co Sa Si SS HV B-H YU MK GR BG RO CZ SK HU UA TR SY IR Ab Khy RU Sb CN JP IN 01 03 06 07 14 18 26 31 35 37 38 42 46 48 68 78
- 10349. Eristalis (Eoseritalis) alpinum (Panzer,[1798])** (Syrphidae) Synonym(s): alpina Panzer,[1798]; caucasica Portschinsky,1892; kamtschatica Violovitsh,1977 Range (in code): ES FR BE NL DE DK SE FI PL BY CZ SK CH AT HU IT HV YU RO MK BG TR Cc KK RU Kmt 18 37 65

- 10350. Eristalis (Eoseritalis) arbustorum (Linnaeus,1758)** (Syrphidae) Synonym(s): arbustorum Linnaeus,1758; nemorum Linnaeus,1758; horticola De Geer,1776; lineole Harris,1776; lyra Harris,1776; deflagrata Preysslser,1793; fumigata Becker,1921; bulgarica Szilady,1934; polonica Szilady,1934; strandi Duda,1940 Range (in code): MA DZ Az IE PT ES FR BE DK SE FI PL EE LT LV BY RU UA GB HU NL DE NO CZ SK CH AT IT Co Si Sa SS HV B-H YU MK BG GR Cr TR IR Ab Khy AF IN US CA 01 03 06 07 12 13 14 15 17 18 22 25 26 31 32 33 37 38 39 42 46 48 56 57 60 65 67 68 73 74 76 78
- 10351. Eristalis (Eoseritalis) horticola (De Geer,1776)** (Syrphidae) Synonym(s): horticola De Geer,1776 Range (in code): TR 06
- 10352. Eristalis (Eoseritalis) jugorum Egger,1858** (Syrphidae) Synonym(s): jugorum Egger,1858; pyrenaica Becker,1921 Range (in code): AT NL BE DE PL CZ SK FR Py AT ES IT YU RO BG RU TR 25 37 60
- 10353. Eristalis (Eoseritalis) pertinax (Scopoli,1763)** (Syrphidae) Synonym(s): pertinax Scopoli,1763; fossarum Meigen,1822; lucorum Meigen,1838; guadelupensis Macquart,1842; flavitarsis Malm,1863; inca Bigot,1880 Range (in code): BE CZ DK FR GB NL NO SE FI ES IT YU BG RU AT DE TR 06 14 18 37 46 78
- 10354. Eristalis (Eoseritalis) rupium Fabricius,1805** (Syrphidae) Synonym(s): rupium Fabricius,1805; hybrida Kanervo,1938; infusata Kanervo,1938; nigrofasciata Kanervo,1938; nigrotarsata Kanervo,1938 Range (in code): NO SE FI ES IT YU BG GR RU Cn MN AT TR 06 18 37
- 10355. Eristalis (Eoseritalis) similis (Fallén,1817)** (Syrphidae) Synonym(s): similis Fallén,1817; pratorum Meigen,1822; nigroantennata Schummel,1844; pasuorum Rondani,1857 Range (in code): PT ES FR BE DK SE FI PL EE LT LV BY RU UA GB HU NL DE NO CZ SK CH AT IT Co Si SS HV B-H YU MK BG GR Cr TR 01 06 07 14 18 26 31 32 33 37 38 46 48 57 78
- 10356. Eristalis (s.str.) tenax (Linnaeus,1758)** (Syrphidae) Synonym(s): tenax Linnaeus,1758; interrupta Poda,1761; vulgaris Scopoli,1763; fuscus Scopoli,1763; porcinus De Geer,1776; arbustorum Schrank,1781; silvaticus Meigen,1822; vulpinus Meigen,1822; sinensis Wiedemann,1824; columbica Macquart,1855; ventralis Thomson,1869; alpina Strobl,1909; claripes Santos Abreu,1924; rubix Violovitsh,1977 Range (in code): Cn Az Hw US Cf PT ES FR RU HU DE NL NO GR Cr TR IR Ab Khy JP Us Md CN AU NZ 01 03 06 07 12 13 14 17 18 25 26 31 32 33 34 35 37 38 39 42 44 46 48 56 60 61 64 65 68 73
- 10357. Eristalis nemorum (Linnaeus,1758)** (Syrphidae) Synonym(s): nemorum Linnaeus,1758 Range (in code): TR 37
- 10358. Eristalis transcaucasica Kuznetsov,1994** (Syrphidae) Synonym(s): transcaucasica Kuznetsov,1994 Range (in code): AM Cc
- 10359. Eumerus ahmadii Barkolov & Gharai,2004** (Syrphidae) Synonym(s): ahmadii Barkolov & Gharai,2004 Range (in code): IR
- 10360. Eumerus amoenus Loew,1848** (Syrphidae) Synonym(s): amoenus Loew,1848 Range (in code): PT ES FR DE CH IT Si HV RO YU MK GR Cr Rd CY UA Cm IR TR 35
- 10361. Eumerus amoenus Loew,1848** (Syrphidae) Synonym(s): amoenus Loew,1848 Range (in code): PT ES FR DE CH IT HV YU MK GR Cr CY RO
- 10362. Eumerus angustifrons Loew,1848** (Syrphidae) Synonym(s): angustifrons Loew,1848 Range (in code): TR RO 07
- 10363. Eumerus argyropus Loew,1848** (Syrphidae) Synonym(s): argyropus Loew,1848 Range (in code): ES FR CH IT Sa HV YU RO BG GR UA Cm Cc RU TR
- 10364. Eumerus armenorum Stackelberg,1960** (Syrphidae) Synonym(s): armenorum Stackelberg,1960 Range (in code): Cc AM TR 65
- 10365. Eumerus arnoldii Stackelberg,1952** (Syrphidae) Synonym(s): arnoldii Stackelberg,1952; pritchardi Hull,1960 Range (in code): TM
- 10366. Eumerus barbarus (Coquebert,1804)** (Syrphidae) Synonym(s): barbarus Coquebert,1804 Range (in code): DZ PT ES IT Co Sa Si TR 35
- 10367. Eumerus basalis Loew,1848** (Syrphidae) Synonym(s): basalis Loew,1848 Range (in code): FR IT Co HV YU RO UA Cm BG Cr GR TR IR 35
- 10368. Eumerus caucasicus Stackelberg,1952** (Syrphidae) Synonym(s): caucasicus Stackelberg,1952 Range (in code): GG Cc
- 10369. Eumerus coeruleus (Becker,1913)** (Syrphidae) Synonym(s): coeruleus Becker,1913 Range (in code): IR
- 10370. Eumerus efflatouni (Curran,1938)** (Syrphidae) Synonym(s): efflatouni Curran,1938 Range (in code): EG CY
- 10371. Eumerus falsus Becker,1922** (Syrphidae) Synonym(s): falsus Becker,1922 Range (in code): TR IR
- 10372. Eumerus funeralis Meigen,1822** (Syrphidae) Synonym(s): funeralis Meigen,1822 Range (in code): ES FR GB IE NO SE FI EE UA RU CZ SK HU RO CH AT IT HV B-H YU MK TR
- 10373. Eumerus graecus Becker,1921** (Syrphidae) Synonym(s): graecus Becker,1921 Range (in code): Si GR TR BG
- 10374. Eumerus hissaricus (Stackelberg,1949)** (Syrphidae) Synonym(s): hissaricus Stackelberg,1949 Range (in code): TJ TR 25
- 10375. Eumerus jacobsoni Becker,1913** (Syrphidae) Synonym(s): jacobsoni Becker,1913 Range (in code): IR
- 10376. Eumerus nudus Loew,1848** (Syrphidae) Synonym(s): nudus Loew,1848 Range (in code): TR



- 10377. Eumerus ornatus Meigen,1822** (Syrphidae) Synonym(s): ornatus Meigen,1822 Range (in code): ES FR GB NO SE DK DE BE NL PL UA CH AT IT Si HU RO YU HV B-H MK TR
- 10378. Eumerus palaestinensis Stackelberg,1949** (Syrphidae) Synonym(s): palaestinensis Stackelberg,1949 Range (in code): IL Pa
- 10379. Eumerus persarum Stackelberg,1961** (Syrphidae) Synonym(s): persarum Stackelberg,1961 Range (in code): IR
- 10380. Eumerus persarum Stackelberg,1961** (Syrphidae) Synonym(s): persarum Stackelberg,1961 Range (in code): IR
- 10381. Eumerus persicus Stackelberg,1949** (Syrphidae) Synonym(s): persicus Stackelberg,1949 Range (in code): IR
- 10382. Eumerus persicus Stackelberg,1949** (Syrphidae) Synonym(s): persicus Stackelberg,1949 Range (in code): IR
- 10383. Eumerus pulchellus Loew,1848** (Syrphidae) Synonym(s): pulchellus Loew,1848 Range (in code): PT ES FR IT Co Sa Si HV YU RO GR Cr CY TR 01 07 33 80
- 10384. Eumerus pusillus Loew,1848** (Syrphidae) Synonym(s): pusillus Loew,1848 Range (in code): PT ES IT Co Si GR Cr CY TR 01 33 80
- 10385. Eumerus rusticus Sack,1932** (Syrphidae) Synonym(s): rusticus Sack,1932 Range (in code): TR RO
- 10386. Eumerus sogdianus Stackelberg,1952** (Syrphidae) Synonym(s): sogdianus Stackelberg,1952 Range (in code): ES FR BE NL DE DK SE EE CZ SK HU RO TR UZ RU YU HV B-H MK CH AT IT Co Sa IR Ab Khy TJ KG UZ MN CN 38
- 10387. Eumerus sogdianus Stackelberg,1952** (Syrphidae) Synonym(s): sogdianus Stackelberg,1952 Range (in code): ES FR BE NL DE DK SE EE RO CZ SK HU CH AT IT Co Sa HV B-H YU MK TR 38
- 10388. Eumerus strigatus (Fallén,1817)** (Syrphidae) Synonym(s): strigatus Fallén,1817 Range (in code): TR 01 07 14 15 18 31 33 37 38 45 57 60 80
- 10389. Eumerus sulcutibius Rondani,1868** (Syrphidae) Synonym(s): sulcutibius Rondani,1868 Range (in code): TR 30
- 10390. Eumerus tadzhicorum Stackelberg,1949** (Syrphidae) Synonym(s): tadzhicorum Stackelberg,1949 Range (in code): TJ IR
- 10391. Eumerus transcaspicus Stackelberg,1952** (Syrphidae) Synonym(s): transcaspicus Stackelberg,1952 Range (in code): TM
- 10392. Eumerus tricolor (Fabricius,1798)** (Syrphidae) Synonym(s): tricolor Fabricius,1798 Range (in code): TR IR 15 37 38 42 46 78
- 10393. Eumerus tuberculatus Rondani,1843** (Syrphidae) Synonym(s): tuberculatus Rondani,1843 Range (in code): IR
- 10394. Eumerus urartorum Stackelberg,1960** (Syrphidae) Synonym(s): urartorum Stackelberg,1960 Range (in code): Cc AM
- 10395. Eumerus urartorum Stackelberg,1960** (Syrphidae) Synonym(s): urartorum Stackelberg,1960 Range (in code): AM Cc
- 10396. Eupeodes bucculatus (Rondani,1857)** (Syrphidae) Synonym(s): bucculatus Rondani,1857 Range (in code): TR 07 33
- 10397. Eupeodes corollae (Fabricius,1794)** (Syrphidae) Synonym(s): consisto Harris,1776; corollae Fabricius,1794; pyrorum Schrank,1803; olitoria Fallén,1817; lacerus Meigen,1822; fulvifrons Macquart,1827; crenatus Macquart,1927; annularis Curtis,1837; octomaculata Curtis,1837; propinquus Macquart,1850; topiarius Walker,1851; berber Bigot,1884 Range (in code): MA TN EG Cn Md DZ GB HU NL DE SE NO TR RU Ur Sb KG Cc IR Ab Khy MN CN IN SI Djl AU TW TA 01 03 06 07 14 15 18 22 25 26 31 32 33 35 37 38 42 46 48 50 57 60 65 67 68 70 74 78 80
- 10398. Eupeodes flaviceps (Rondani,1857)** (Syrphidae) Synonym(s): flaviceps Rondani,1857 Range (in code): TR 01 03 50
- 10399. Eupeodes klapperichi (Dusek & Laska,1980)** (Syrphidae) Synonym(s): klapperichi Dusek & Laska,1980 Range (in code): AF Bd
- 10400. Eupeodes latifasciatus (Macquart,1829)** (Syrphidae) Synonym(s): latifasciatus Macquart,1829; affinis Loew,1840; abbreviatus Zetterstedt,1849; flavipes Rondani,1857; submaculatus Frey,1918 Range (in code): FR RU IT FI Ur Sb Cc KG SY TR AF MN US IN Hp Sml 01 06 14 31 33 35 37 46 48
- 10401. Eupeodes luniger (Meigen,1822)** (Syrphidae) Synonym(s): luniger Meigen,1822; nigrifemoratus Macquart,1829; bucculatus Rondani,1857; maricolor Enderlein,1938; azureus Szilady,1940; transcendens Szilady,1940 Range (in code): HU AT IT HV FR Cn TN MA JP MN AF RU SE ES RU Sb Ur Krl JP IR Ab Khy TR IN Hp Sml 01 06 14 18 35 37 48 78
- 10402. Eupeodes nitens (Zetterstedt,1843)** (Syrphidae) Synonym(s): nitens Zetterstedt,1843; bisinuatus Palma,1863; frequens Matsumura,1917; abbreviatus Kanervo,1934; errans Kanervo,1934 Range (in code): AF MN KP KR JP RU Hkk IT FI
- 10403. Eupeodes nuba (Wiedemann,1830)** (Syrphidae) Synonym(s): nuba Wiedemann,1830; interrumpens Walker,1871; rufinasutus Bigot,1884; novigradensis Coe,1960 Range (in code): SD Cn FR Si IT YU Cr CY LB IL Pa EG MA CH RO Cc UZ KK TJ AF MN ET ZA IR Ab Khy TR 48 63

- 10404. *Eupeodes pseudonitens* (Dusek & Laska,1980)** (Syrphidae) Synonym(s): pseudonitens Dusek & Laska,1980 Range (in code): AF
- 10405. *Eupeodes stackelbergi* (Dusek & Laska,1980)** (Syrphidae) Synonym(s): stackelbergi Dusek & Laska,1980 Range (in code): AF Bd
- 10406. *Eupeodes tjanschanicus* (Peck,1966)** (Syrphidae) Synonym(s): tjanschanicus Peck,1966 Range (in code): KK AF
- 10407. *Ferdinandea cuprea* (Scopoli,1763)** (Syrphidae) Synonym(s): cuprea Scopoli,1763 Range (in code): SS TR 42 46
- 10408. *Helophilus (Anasimyia) transfugus* (Linnaeus,1758)** (Syrphidae) Synonym(s): transfuga Linnaeus,1758 Range (in code): IE GB NO SE FI DK DE BE NL FR CH AT IT PL CZ SK HU RO BG BY EE LT LV UA TR RU Tv 32 46
- 10409. *Helophilus (s.str.) continuus* (Loew,1844)** (Syrphidae) Synonym(s): continuus Loew,1844 Range (in code): RO TR RU Sb KG UZ TJ KK TM Tv Kmt Us MN AF 25 38 60
- 10410. *Helophilus (s.str.) hybridus* Loew,1846** (Syrphidae) Synonym(s): hybridus Loew,1846 Range (in code): FR GB DK DE NO SE FI EE BY RU PL CZ SK HU RO AT CH BG TR 06 14 38 78
- 10411. *Helophilus (s.str.) parallelus* (Harris,[1776])** (Syrphidae) Synonym(s): parallelus Harris,[1776] Range (in code): TR 38 46
- 10412. *Helophilus (s.str.) trivittatus* (Fabricius,1805)** (Syrphidae) Synonym(s): trivittatus Fabricius,1805 Range (in code): ES FR GB BE NL DE DK NO SE FI EE BY PL CZ SK HU CH AT IT Si SS B-H HV YU RO BG MK GR TR IR Ab Khy AF US 01 06 07 13 25 26 31 35 37 38 42 46 48 65 67 68 74 75 78
- 10413. *Heringia brevidens* (Egger,1865)** (Syrphidae) Synonym(s): brevidens Egger,1865 Range (in code): TR 37
- 10414. *Heringia heringi* (Zetterstedt,1843)** (Syrphidae) Synonym(s): heringi Zetterstedt,1843 Range (in code): TR 01 07 14 31 33 37 50 67 68
- 10415. *Lapposyrphus lapponicus* (Zetterstedt,1838)** (Syrphidae) Synonym(s): lapponicus Zetterstedt,1838 Range (in code): SE TR 14 18 37 42 57 78
- 10416. *Lejogaster metallina* (Fabricius,1781)** (Syrphidae) Synonym(s): polita Harris,[1780] nec Linn.,1758; metallina Fabricius,1781; metallica Fabricius,1805; discicornis Meigen,1822; grandicornis Meigen,1822; violacea Meigen,1822; caerulescens Macquart,1829 Range (in code): NO FI SE ES IT YU RO RU KG EG DE AT FR TR AF 25
- 10417. *Lejogaster tarsata* (Meigen,1822)** (Syrphidae) Synonym(s): tarsata Meigen,1822 [line priority]; splendida Meigen,1822; bicolor Macquart,1829; amethystina Macquart,1834; rufitarsis Loew,1840; aurichalcea Becker,1913; longior Becker,1921 Range (in code): SE FI ES AT IT YU Co HU Cc BG RU KG IR Ke Ss AF MN FR Si PL TR 01 03 06 07 14 18 37 38 42 46 48 51 67 68 78
- 10418. *Lejops vittatus* (Meigen,1822)** (Syrphidae) Synonym(s): vittatus Meigen,1822 Range (in code): TR 06 07 38
- 10419. *Leucozona glaucia* (Linnaeus,1758)** (Syrphidae) Synonym(s): glaucia Linnaeus,1758 Range (in code): FR GB IE NO SE FI EE DK DE PL CH AT IT CZ SK HU B-H RO RU TR Sb Sh Kmt Krl JP MN 75
- 10420. *Leucozona laternaria* (Müller,1776)** (Syrphidae) Synonym(s): laternaria Müller,1776 Range (in code): FR GB IE NO SE FI EE PL DK DE CZ SK HU RO YU CH AT IT TR
- 10421. *Mallota bucharica* Stackelberg,1950** (Syrphidae) Synonym(s): bucharica Stackelberg,1950 Range (in code): UZ Br TM
- 10422. *Mallota cimbiciformis* (Fallén,1817)** (Syrphidae) Synonym(s): cimbiciformis Fallén,1817; eristaloides Loew,1856 Range (in code): SE FI GB DK NL BE DE PL FR ES IT YU RO EE LT LV BY RU UA Cm TR IR DZ 14
- 10423. *Mallota fuciformis* (Fabricius,1794)** (Syrphidae) Synonym(s): fuciformis Fabricius,1794 Range (in code): NL BE DE PL FR CZ SK AT ES IT YU RO RU IR
- 10424. *Mallota parvula* Stackelberg,1926** (Syrphidae) Synonym(s): parvula Stackelberg,1926; brevipila Hull,1944 Range (in code): TM UZ Br
- 10425. *Mallota tadzhikorum* Stackelberg,1950** (Syrphidae) Synonym(s): tadzhikorum Stackelberg,1950 Range (in code): TM TJ
- 10426. *Mallota tricolor* Loew,1871** (Syrphidae) Synonym(s): tricolor Loew,1871 Range (in code): RU Sr PL DE Sh Us CN TR
- 10427. *Mallota zarudniana* Stackelberg,1950** (Syrphidae) Synonym(s): zarudniana Stackelberg,1950 Range (in code): IR Kz
- 10428. *Melangyna lasiophthalma* (Zetterstedt,1843)** (Syrphidae) Synonym(s): sexguttata Meigen,1835; lasiophthalma Zetterstedt,1843; saghalinensis Matsumura & Adachi,1917; nikkonensis Matsumura,1918 Range (in code): TR SE FI GB DK DE NL BE PL CZ SK CH AT ES YU RO BG KK MN JP Sh 37
- 10429. *Melangyna metatarsata* (Becker,1921)** (Syrphidae) Synonym(s): metatarsata Becker,1921 Range (in code): TR
- 10430. *Melangyna umbellatum* (Fabricius,1794)** (Syrphidae) Synonym(s): umbellatum Fabricius,1794; amoena Loew,1840 Range (in code): TR FI IE GB DK NL BE DE PL CH IT YU RO BG RU KK MN 37
- 10431. *Melanogaster aerosa* (Loew,1843)** (Syrphidae) Synonym(s): aerosa Loew,1843 Range (in code): TR 01 06 07 18 37 38 46 68 78

- 10432. *Melanogaster hirtella* (Loew,1843)** (Syrphidae) Synonym(s): *hirtella* Loew,1843 Range (in code): TR 25
- 10433. *Melanogaster nuda* (Macquart,1829)** (Syrphidae) Synonym(s): *nuda* Macquart,1829 Range (in code): TR 48 80
- 10434. *Melanostoma mellinum* (Linnaeus,1758)** (Syrphidae) Synonym(s): *mellinum* Linnaeus,1758; *facultas* Harris,1776; *scalare* Panzer,1797; *mellarium* Meigen,1822; *melliturgus* Meigen,1822; *laevigatum* Meigen,1822; *minutum* Macquart,1827; *unicolor* Macquart,1827; *concolor* Walker,1851; *pruinose* Bigot,1884; *nigricorne* Stroble,1893 Range (in code): Cn MA DZ US PT ES FR GB IE IC NO SE FI LT LV EE BY RU Ur Sb UA PL DK DE BE NL CH AT IT Co Sa Si HV B-H YU CZ SK HU MD RO GR MK AL CY SY Cr TR IR Ab Khy AF JP MN 01 06 07 09 14 17 18 22 25 26 31 32 33 35 37 38 39 42 46 48 57 60 67 68 78
- 10435. *Melanostoma scalare* (Fabricius,1794)** (Syrphidae) Synonym(s): *scalare* Fabricius,1794 Range (in code): PT ES FR GB IE IC NO SE FI LT LV EE BY RU UA PL DK DE BE NL CH AT IT Co Sa Si HV B-H YU CZ SK HU MD RO BG GR MK AL CY TR Cc 06 14 37 48 61 78
- 10436. *Meligramma cincta* (Fallén,1817)** (Syrphidae) Synonym(s): *cincta* Fallén,1817 Range (in code): TR
- 10437. *Meligramma euchromum* (Kowarz,1885)** (Syrphidae) Synonym(s): *euchroma* Kowarz,1885 Range (in code): CZ SK FE FR Py ES GB RU Cc Sb Ya IR Ab Khy
- 10438. *Meligramma guttata* (Fallén,1817)** (Syrphidae) Synonym(s): *guttata* Fallén,1817 Range (in code): TR 18
- 10439. *Meliscaeva auricollis* (Meigen,1822)** (Syrphidae) Synonym(s): *auricollis* Meigen,1822; *decora* Meigen,1822; *iris* Meigen,1822; *modesta* Meigen,1822; *macilenta* Meigen,1822; *maculicornis* Zetterstedt,1843; *nigritibia* Rondani,1857; *cinctipes* Zetterstedt,1859; *fusca* Palma,1863; *intermedia* Santos Abreu,1924; *discolor* Santos Abreu,1924 Range (in code): TR AZ Cc AM GG EE MA Cn KG KK LT LV MD UZ TJ TM UA RU 01 06 07 14 18 26 31 33 35 37 38 46 57 78 80
- 10440. *Meliscaeva cinctella* (Zetterstedt,1843)** (Syrphidae) Synonym(s): *cinctella* Zetterstedt,1843 Range (in code): TR 01 14 31 37 57 60
- 10441. *Merodon (nigritarsis-gr.) alagozicus* Paramonov,1925** (Syrphidae) Synonym(s): *alagozicus* Paramonov,1925 Range (in code): Cc AM Eri TR GR 02 06 25 30 36 38 42 44
- 10442. *Merodon (nigritarsis-gr.) angustus* Vujic & Radenkovic,2013** (Syrphidae) Synonym(s): *angustus* Vujic & Radenkovic,2013 Range (in code): IL Pa He Js Jf IR
- 10443. *Merodon (nigritarsis-gr.) crassifemoris* Paramonov,1925** (Syrphidae) Synonym(s): *crassifemoris* Paramonov,1925 Range (in code): UA Cm FR GR TR YU 73
- 10444. *Merodon (nigritarsis-gr.) femoroides* Paramonov,1925** (Syrphidae) Synonym(s): *femoroides* Paramonov,1925 Range (in code): DZ GR UA Cm TR 25 30 36
- 10445. *Merodon (nigritarsis-gr.) hakkariensis* Vujic & Radenkovic,2013** (Syrphidae) Synonym(s): *hakkariensis* Vujic & Radenkovic,2013 Range (in code): TR 13 25 30 65 73
- 10446. *Merodon (nigritarsis-gr.) lucasi* Hurkmans,1993** (Syrphidae) Synonym(s): *lucasi* Hurkmans,1993 Range (in code): TR 25 30 36 42 73
- 10447. *Merodon (nigritarsis-gr.) nigritarsis* Rondani,1845** (Syrphidae) Synonym(s): *nigritarsis* Rondani,1845 Range (in code): ES FR AT GR HU IT YU PL CH TR 02 06 07 14 16 18 25 30 36 37 42 66
- 10448. *Merodon (nigritarsis-gr.) nitidifrons* Hurkmans,1993** (Syrphidae) Synonym(s): *nitidifrons* Hurkmans,1993 Range (in code): TR 73
- 10449. *Merodon (nigritarsis-gr.) quadraticus* Vujic & Radenkovic,2013** (Syrphidae) Synonym(s): *quadraticus* Vujic & Radenkovic,2013 Range (in code): TR IR TM Kp Fyz
- 10450. *Merodon (nigritarsis-gr.) satdagensis* Hurkmans,1993** (Syrphidae) Synonym(s): *satdagensis* Hurkmans,1993 Range (in code): TR 30 73
- 10451. *Merodon (nigritarsis-gr.) schalti* Hurkmans,1993** (Syrphidae) Synonym(s): *schalti* Hurkmans,1993 Range (in code): TR 73
- 10452. *Merodon (nigritarsis-gr.) taniniensis* Hurkmans,1993** (Syrphidae) Synonym(s): *taniniensis* Hurkmans,1993 Range (in code): TR IR Ak Mrd 44 73
- 10453. *Merodon (nigritarsis-gr.) testaceus* Sack,1913** (Syrphidae) Synonym(s): *testaceus* Sack,1913 Range (in code): MK IT GR Ae Le Sms TR AM Cc Eri 02 16 30 73
- 10454. *Merodon (ruficornis-gr.) armipes* Rondani,1843** (Syrphidae) Synonym(s): *armipes* Rondani,1843 Range (in code): FR IT Si DE SS AT HU HV B-H YU MK GR RO BG IL Pa TR IR 14 18 36 37
- 10455. *Merodon (ruficornis-gr.) ilgazense* Vujic et al.,2011** (Syrphidae) Synonym(s): *ilgazense* Vujic et al.,2011 Range (in code): TR 37
- 10456. *Merodon (ruficornis-gr.) lamellatus* Vujic & Radenkovic,2012** (Syrphidae) Synonym(s): *lamellatus* Vujic & Radenkovic,2012 Range (in code): TR 25 58
- 10457. *Merodon (ruficornis-gr.) loewi* Van der Gott,1964** (Syrphidae) Synonym(s): *graecus* Loew,1862 (praeocc.); *loewi* Van der Gott,1964 Range (in code): AM Cc BG YU MD UA TR 06 14 18 25 26 36 37 38 42 46 50 67 68 78
- 10458. *Merodon (ruficornis-gr.) nigripodus* Vujic & Hayat,2012** (Syrphidae) Synonym(s): *nigripodus* Vujic & Hayat,2012 Range (in code): TR 25



- 10459. Merodon (ruficornis-gr.) ovaloides Vujic & Radenkovic,2012** (Syrphidae) Synonym(s): ovaloides Vujic & Radenkovic,2012 Range (in code): **TR 37**
- 10460. Merodon (ruficornis-gr.) papillus Vujic, Radenkovic & Pérez-Banon,2007** (Syrphidae) Synonym(s): papillus Vujic, Radenkovic & Pérez-Banon,2007 Range (in code): **GR Ae Le TR 68**
- 10461. Merodon (ruficornis-gr.) planiceps Loew,1862** (Syrphidae) Synonym(s): planiceps Loew,1862 Range (in code): **IT Rd TR 18 25 28 37 61**
- 10462. Merodon (ruficornis-gr.) ponticus Vujic & Radenkovic,2012** (Syrphidae) Synonym(s): ponticus Vujic & Radenkovic,2012 Range (in code): **TR AZ Cc 28 36**
- 10463. Merodon (ruficornis-gr.) ruficornis (Meigen,1822)** (Syrphidae) Synonym(s): ruficornis Meigen,1822; mucronatus Rondani,1857; recurvus Strobl,1898; strobli Bradescu,1986 Range (in code): **TR 16**
- 10464. Merodon (ruficornis-gr.) trebevicensis Strobl,1900** (Syrphidae) Synonym(s): trebevicensis Strobl,1900; crymensis Paramonov,1925 Range (in code): **UA Cm HV B-H MK GR TR YU SK IT AT BG 37 42**
- 10465. Merodon (ruficornis-gr.) turcicus Vujic & Hayat,2012** (Syrphidae) Synonym(s): turcicus Vujic & Hayat,2012 Range (in code): **TR 08 25 53 61 69**
- 10466. Merodon aberrans Egger,1860** (Syrphidae) Synonym(s): aberrans Egger,1860; obscuripennis Palma,1863; knerii Mik,1883 Range (in code): **MA PT ES DE CZ FR CH AT HU RO UA RU TR Cc AM IT AL GR YU LB Cr 07 12 14 25 30 36 38 46 53 56 73**
- 10467. Merodon albifrons Meigen,1822** (Syrphidae) Synonym(s): albifrons Meigen,1822; grossus Gil Collado,1930 Range (in code): **PT ES FR DZ CH AT Co Sa Si IT YU GR BG RO UA Cm Cc AZ 06 32 42 48 67**
- 10468. Merodon altinosus Hurkmans,1993** (Syrphidae) Synonym(s): altinosus Hurkmans,1993 Range (in code): **TR 73**
- 10469. Merodon ankylogaster Hurkmans,1993** (Syrphidae) Synonym(s): ankylogaster Hurkmans,1993 Range (in code): **IR Fa**
- 10470. Merodon auronitens Hurkmans,1993** (Syrphidae) Synonym(s): auronitens Hurkmans,1993; #auronites Vujic et al.,2011 Range (in code): **IL Pa TR 46**
- 10471. Merodon auronites Hurkmans,1993** (Syrphidae) Synonym(s): auronites Hurkmans,1993 Range (in code): **TR 46**
- 10472. Merodon avidus (Rossi,1790)** (Syrphidae) Synonym(s): avidus Rossi,1790; spinipes Fabricius,1794; rufitibius Rondani,1845; graecus Walker,1852; aurifer Loew,1862; quadrilineatus Lioy,1864 Range (in code): **DZ MA LY PT ES SE RU NL BE DE PL RO CZ CH IT Sa HU AT CY LB TR GR AL YU IR 01 02 06 07 16 25 26 31 37 38 42 44 46 48 51 65 67 68 73 78**
- 10473. Merodon batumicus Paramonov,1926** (Syrphidae) Synonym(s): batumicus Paramonov,1926 Range (in code): **NL Cc TR GG Aj Btm 61 67**
- 10474. Merodon bessarabicus Paramonov,1924** (Syrphidae) Synonym(s): bessarabicus Paramonov,1924 Range (in code): **RO MD TR 37**
- 10475. Merodon biarcuatus Curran,1939** (Syrphidae) Synonym(s): biarcuatus Curran,1939 Range (in code): **MA FR IT GR TR 25 30 62 73**
- 10476. Merodon brevis Paramonov,1925** (Syrphidae) Synonym(s): brevis Paramonov,1925 Range (in code): **Cc AM Eri**
- 10477. Merodon caucasicus Portschinsky,1877** (Syrphidae) Synonym(s): caucasicus Portschinsky,1877 Range (in code): **Cc TR IR**
- 10478. Merodon caudatus Sack,1913** (Syrphidae) Synonym(s): caudatus Sack,1913 Range (in code): **IL Pa Js TR**
- 10479. Merodon chalybeatus Sack,1913** (Syrphidae) Synonym(s): chalybeatus Sack,1913; albonigrum Radenkovic & Simic,1996 Range (in code): **YU HV GR TR 32**
- 10480. Merodon cinereus (Fabricius,1794)** (Syrphidae) Synonym(s): cinereus Fabricius,1794 Range (in code): **TR**
- 10481. Merodon clavipes (Fabricius,1781)** (Syrphidae) Synonym(s): clavipes Fabricius,1781; clauda Villers,1789; gravipes Rossi,1790; canipilus Rondani,1865; senilis Meigen,1822; albus Paramonov,1927; ater Paramonov,1927; niger Paramonov,1927; sacki Paramonov,1937 Range (in code): **MA DZ PT ES FR Co Sa Si IT AT CH SE HU GR Cr YU RO UA TR 30**
- 10482. Merodon clunipes Sack,1913** (Syrphidae) Synonym(s): clunipes Sack,1913 Range (in code): **ES FR CH AT HU IT Si YU BG GR CY TR LB 02 05 06 07 14 16 32 35**
- 10483. Merodon cupreus Hurkmans,1993** (Syrphidae) Synonym(s): cupreus Hurkmans,1993 Range (in code): **TR 30 36**
- 10484. Merodon dimorphus (Szilady,1940)** (Syrphidae) Synonym(s): dimorphus Szilady,1940 Range (in code): **TR 16**
- 10485. Merodon distinctus Palma,1863** (Syrphidae) Synonym(s): distinctus Palma,1863; dimorpha Szilady,1940 Range (in code): **ES FR IT YU GR RU TR 16 65**
- 10486. Merodon eques (Fabricius,1805)** (Syrphidae) Synonym(s): eques Fabricius,1805 Range (in code): **TR**
- 10487. Merodon equestris (Fabricius,1794)** (Syrphidae) Synonym(s): equestris Fabricius,1794 Range (in code): **TR**

- 10488. Merodon erivanicus Paramonov,1925** (Syrphidae) Synonym(s): erivanicus Paramonov,1925; kaloceros Hurkmans,1993 Range (in code): HV MK GR IL Pa TR Cc Eri AM 07 14 25 30 36 65 73
- 10489. Merodon femoratus Sack,1913** (Syrphidae) Synonym(s): femoratus Sack,1913 Range (in code): FR Co GR TR IT 07 42 65 73
- 10490. Merodon flaviventris (Sack,1932)** (Syrphidae) Synonym(s): flaviventris Sack,1932 Range (in code): IL Pa
- 10491. Merodon fractipes Paramonov,1936** (Syrphidae) Synonym(s): fractipes Paramonov,1936 Range (in code): TR 48
- 10492. Merodon fulcratus (Becker,1913)** (Syrphidae) Synonym(s): fulcratus Becker,1913 Range (in code): TR
- 10493. Merodon funestus (Fabricius,1794)** (Syrphidae) Synonym(s): funestus Fabricius,1794 Range (in code): ES FR IT Si YU AL TR BG RO PL IL Pa LY
- 10494. Merodon geniculatus Strobl,1909** (Syrphidae) Synonym(s): geniculatus Strobl,1909 Range (in code): PT ES FR Co IT YU BG TR IL Pa DZ MA MT 35 48
- 10495. Merodon hamifer Sack,1913** (Syrphidae) Synonym(s): hamifer Sack,1913 Range (in code): GR TR 07 32 42
- 10496. Merodon hayati Hurkmans,1997** (Syrphidae) Synonym(s): hayati Hurkmans,1997 Range (in code): TR 25
- 10497. Merodon hikmeti Hurkmans & Hayat,1997** (Syrphidae) Synonym(s): hikmeti Hurkmans & Hayat,1997 Range (in code): TR 06 18 25 37
- 10498. Merodon hirsutus Sack,1913** (Syrphidae) Synonym(s): hirsutus Sack,1913 Range (in code): IL Pa SY JO
- 10499. Merodon hypochrysos Hurkmans,1993** (Syrphidae) Synonym(s): hypochrysos Hurkmans,1993 Range (in code): TR 02 30
- 10500. Merodon italicus Rondani,1845** (Syrphidae) Synonym(s): italicus Rondani,1845; longicornis Sack,1913; affinis Gil Collado,1930 Range (in code): MA DZ ES IT YU GR UA RU LB IL Pa SY TR 02 06 07 14 16 25 32 37 38 46 48 68 73 78
- 10501. Merodon longicornis Sack,1913** (Syrphidae) Synonym(s): longicornis Sack,1913; affinis Gil Collado,1930 Range (in code): ES YU GR TR UA RU LB DZ 46
- 10502. Merodon marginicornis Hurkmans,1993** (Syrphidae) Synonym(s): marginicornis Hurkmans,1993 Range (in code): IR Fa Shr
- 10503. Merodon minutus Strobl,1893** (Syrphidae) Synonym(s): minutus Strobl,1893 Range (in code): TR 48
- 10504. Merodon murinus Sack,1913** (Syrphidae) Synonym(s): murinus Sack,1913 Range (in code): TR 38
- 10505. Merodon nanus (Sack,1913)** (Syrphidae) Synonym(s): nanus Sack,1913 Range (in code): Cc GG AM IQ BG? TR IR 06 14 18 25 26 33 37 38 46 68
- 10506. Merodon natans (Fabricius,1794)** (Syrphidae) Synonym(s): natans Fabricius,1794 Range (in code): ES FR IT YU GR Rd CY Cc BG IL Pa
- 10507. Merodon obscuritarsis Strobl,1909** (Syrphidae) Synonym(s): obscuritarsis Strobl,1909; fuerteventurensis Barkemeyer,2002 Range (in code): ES FR DZ CH AT GR BG UA Cm TR Cc IL Pa
- 10508. Merodon oidipous Hurkmans,1993** (Syrphidae) Synonym(s): oidipous Hurkmans,1993 Range (in code): TR 73
- 10509. Merodon ottomanus Hurkmans,1993** (Syrphidae) Synonym(s): ottomanus Hurkmans,1993 Range (in code): ES TR 07 25 73
- 10510. Merodon persicus Hurkmans,1993** (Syrphidae) Synonym(s): persicus Hurkmans,1993 Range (in code): IR Fa Sse
- 10511. Merodon pruni (Rossi,1790)** (Syrphidae) Synonym(s): pruni Rossi,1790; fulvus Macquart,1834; pallidus Macquart,1842; sicanus Rondani,1845; fuscinervis Röder,1887; obscurus Gil Collado,1929 Range (in code): MA DZ LY FR IT IQ Bgd CY GR IL Pa SY TR IR PK 13 14 35 37 67
- 10512. Merodon quadrinotatus (Sack,1931)** (Syrphidae) Synonym(s): quadrinotatus Sack,1931 Range (in code): IQ TR 30 56 65 73
- 10513. Merodon schachtii Hurkmans,1993** (Syrphidae) Synonym(s): schachtii Hurkmans,1993 Range (in code): TR 30
- 10514. Merodon spinipes (Fabricius,1794)** (Syrphidae) Synonym(s): spinipes Fabricius,1794 Range (in code): TR 06 07 14 15 18 32 37 38 42 46 51 67 68 74 78
- 10515. Merodon spinitarsis Paramonov,1929** (Syrphidae) Synonym(s): spinitarsis Paramonov,1929 Range (in code): TR 06 14 15 16 18 38 46 48
- 10516. Merodon telmateia Hurkmans,1987** (Syrphidae) Synonym(s): telmateia Hurkmans,1987 Range (in code): TR 04 06 18 48
- 10517. Merodon turkestanicus Paramonov,1926** (Syrphidae) Synonym(s): turkestanicus Paramonov,1926 Range (in code): IR Ke TJ

- 10518. Merodon vandergooti Hurkmans,1993** (Syrphidae) Synonym(s): vandergooti Hurkmans,1993; aureotibia Hurkmans,1993 Range (in code): **TR 02 06 32 73**
- 10519. Merodon velox Loew,1869** (Syrphidae) Synonym(s): velox Loew,1869; anathema Paramonov,1925; armeniaca Paramonov,1925 Range (in code): **MK GR Rd TR Cc AM Eri AZ Nv Ord 02 06 07 13 14 15 16 21 25 35 36 37 38 46 48 56 65 67 73 76**
- 10520. Merodon warnckeii Hurkmans,1993** (Syrphidae) Synonym(s): warnckeii Hurkmans,1993 Range (in code): **TR IR Ak Mrd 30 65**
- 10521. Merodon xanthipous Hurkmans,1993** (Syrphidae) Synonym(s): xanthipous Hurkmans,1993 Range (in code): **IR Fa Shr Sse**
- 10522. Mesembrius peregrinus (Loew,1846)** (Syrphidae) Synonym(s): peregrinus Loew,1846 Range (in code): **TR 03 48**
- 10523. Microdon analis (Macquart,1842)** (Syrphidae) Synonym(s): analis Macquart,1842; brevicornis Egger; eggeri Mik,1897 Range (in code): **ES FR GB IE NO SE FI EE LT LV RU BY PL DK DE CZ SK BE NL CH AT IT HU RO YU TR 06**
- 10524. Microdon devius (Linnaeus,1761)** (Syrphidae) Synonym(s): devius Linnaeus,1761 Range (in code): **ES FR BE NL GB SE DK DE EE LT LV PL CZ SK CH AT IT HV B-H YU RO BG TR 31 61**
- 10525. Microdon major Andries,1912** (Syrphidae) Synonym(s): major Andries,1912 Range (in code): **TR 06**
- 10526. Microdon mutabilis (Linnaeus,1758)** (Syrphidae) Synonym(s): mutabilis Linnaeus,1758; auropubescens Latreille,1805 Range (in code): **IE GB ES FR BE NL DK DE NO SE FI LT LV EE BY PL CZ SK HU CH AT IT HV YU RO BG GR UA TR 06**
- 10527. Milesia crabroniformis (Fabricius,1775)** (Syrphidae) Synonym(s): crabroniformis Fabricius,1775; gigas Rossi,1790 Range (in code): **FR PT ES IT YU BG RU Cc GG Md TR 07 16 30 46 48**
- 10528. Milesia semiluctifera (Villers,1789)** (Syrphidae) Synonym(s): semiluctifera Villers,1789; splendida Rossi,1790; fulminans Fabricius,1805 Range (in code): **FR ES IT YU RO BG RU TM TR 07 32 37 46 48 67**
- 10529. Myathropa florea (Linnaeus,1758)** (Syrphidae) Synonym(s): florea Linnaeus,1758; ablecta Harris,1776; atropos Schrank,1776; bigoti Macquart,1850; nigrotarsata Schiner,1862; flavofemorata Strobl,1902; nigrofasciata Becker,1907; auripila Becker,1907; nigrofemorata Santos Abreu,1924; pygmaea Santos Abreu,1924; varifemorata Santos Abreu,1924; nigrolanata Frey,1945 Range (in code): **Cn Az Cc St DZ AT PL FI IT YU BG RU Ur Us TM TJ Sb UA Cm Af SE ES GB Cn TR IR Ab Khy 01 06 07 14 18 26 31 37 38 42 46 48 57 60 67 74 78**
- 10530. Myolepta dubia (Fabricius,1805)** (Syrphidae) Synonym(s): luteola Gmelin,1790; dubia Fabricius,1805; lateralis Fallén,1817 Range (in code): **NL AT BG TR CZ SK FR HV YU AL IT RO 01 14 37 38 46 67**
- 10531. Myolepta mada Reemer & Hauser,2005** (Syrphidae) Synonym(s): mada Reemer & Hauser,2005 Range (in code): **AZ Cc**
- 10532. Myolepta nigratarsis Coe,1957** (Syrphidae) Synonym(s): nigratarsis Coe,1957 Range (in code): **YU MK AT AZ Cc BG HV FR GR IT HU ES TR**
- 10533. Myolepta obscura Becher,1882** (Syrphidae) Synonym(s): obscura Becher,1882 Range (in code): **AT AZ Cc FR IT RO YU**
- 10534. Myolepta potens (Harris,1780)** (Syrphidae) Synonym(s): potens Harris,1780 Range (in code): **GB FR DE YU Cc? TR**
- 10535. Myolepta trojana Reemer & Hauser,2005** (Syrphidae) Synonym(s): trojana Reemer & Hauser,2005 Range (in code): **TR IR AZ Cc 33 48 67**
- 10536. Myolepta vara (Panzer,1798)** (Syrphidae) Synonym(s): vara Panzer,1798; helvetica Wainwright,1911 Range (in code): **CH AZ Cc TR CZ RO YU NL BE ES 14**
- 10537. Neoascia annexa (Müller,1776)** (Syrphidae) Synonym(s): annexa Müller,1776 Range (in code): **ES FR BE NL DK DE SE FI EE PL CZ SK HU UA RO CH AT IT SS HV YU MK Co TR 48**
- 10538. Neoascia dispar (Meigen,1822)** (Syrphidae) Synonym(s): dispar Meigen,1822 Range (in code): **TR**
- 10539. Neoascia interrupta (Meigen,1822)** (Syrphidae) Synonym(s): interrupta Meigen,1822 Range (in code): **FR GB NO SE FI DK DE EE LT LV PL CZ SK HU CH AT YU MD RO BG TR 38**
- 10540. Neoascia monticola Stackelberg,1960** (Syrphidae) Synonym(s): monticola Stackelberg,1960 Range (in code): **Cc AM**
- 10541. Neoascia pavlovskii Stackelberg,1955** (Syrphidae) Synonym(s): pavlovskii Stackelberg,1955 Range (in code): **TR RU Da Cc Af TJ 25**
- 10542. Neoascia podagrica (Fabricius,1775)** (Syrphidae) Synonym(s): podagrica Fabricius,1775; molio Harris,[1780]; tenur Harris,[1780]; crassipes Schrank,1781; elephantopus Gmelin,1790; lanceolata Meigen,1822; maculata Macquart,1829; unifasciata Strobl,1898 Range (in code): **PT ES FR IE GB NO SE FI EE LT LV BY PL DK DE BE NL CH AT IT Co Si HV B-H YU RO BG GR MK Cr CY TR UA RU Sb IR Ab Khy 01 06 07 14 16 18 32 33 37 38 46 48 51 60 68**
- 10543. Neoascia subannexa Claussen,1997** (Syrphidae) Synonym(s): subannexa Claussen,1997 Range (in code): **TR 08 53**
- 10544. Neoascia tenur (Harris,1780)** (Syrphidae) Synonym(s): tenur Harris,1780 Range (in code): **TR**



- 10545. *Orthonevra frontalis* (Loew,1843)** (Syrphidae) Synonym(s): *frontalis* Loew,1843; *venusta* Rondani,1856 Range (in code): **TR IR DE PL FR ES IT YU BG TM UZ KK TJ 06 31 33 38 48 51 68 80**
- 10546. *Orthonevra fumipennis* (Loew,1843)** (Syrphidae) Synonym(s): *fumipennis* Loew,1843 Range (in code): **GR TR BG 35 48**
- 10547. *Orthonevra kozlovi* (Stackelberg,1952)** (Syrphidae) Synonym(s): *kozlovi* Stackelberg,1952 Range (in code): **CN MN AF**
- 10548. *Orthonevra longicornis* (Loew,1843)** (Syrphidae) Synonym(s): *longicornis* Loew,1843 Range (in code): **GR TR ES IT BG RU TJ IR MA DZ**
- 10549. *Orthonevra nobilis* (Fallén,1817)** (Syrphidae) Synonym(s): *nobilis* Fallén,1817; *nigricollis* Meigen,1822; *byzanthina* Strobl,1902; *anomala* Becker,1921 Range (in code): **TR NO SE FI IE GB DK NL BE DE PL CZ SK FR AT IT ES YU RO BG RU KK TJ CN 06 18 32 34 42 48 68**
- 10550. *Orthonevra pilifacies* (Stackelberg,1952)** (Syrphidae) Synonym(s): *pilifacies* Stackelberg,1952 Range (in code): **TJ KK KG AF RU**
- 10551. *Orthonevra regalis* (Violovitsh,1979)** (Syrphidae) Synonym(s): *regalis* Violovitsh,1979 Range (in code): **Cc AZ**
- 10552. *Orthonevra splendens* (Meigen,1822)** (Syrphidae) Synonym(s): *splendens* Meigen,1822 Range (in code): **IE GB NL BE DE PL ES IT YU RO BG RU UA Cm TR DZ TN**
- 10553. *Palumbia* (s.str.) *eristoloides* (Portschinsky,1887)** (Syrphidae) Synonym(s): *eristoloides* Portschinsky,1887; *flavipes* Paramonov,1927 Range (in code): **AZ Nv Ord AM TR 13 25 65**
- 10554. *Paragus* (Pandasyopthalmus) *abrogans* Goeldlin,1971** (Syrphidae) Synonym(s): *abrogans* Goeldlin,1971 Range (in code): **TR 25 48**
- 10555. *Paragus* (Pandasyopthalmus) *coadunatus* Rondani,1847** (Syrphidae) Synonym(s): *coadunatus* Rondani,1847 Range (in code): **IT Cn TR 25**
- 10556. *Paragus* (Pandasyopthalmus) *constrictus* Simic,1986** (Syrphidae) Synonym(s): *constrictus* Simic,1986 Range (in code): **TR 25**
- 10557. *Paragus* (Pandasyopthalmus) *tibialis* (Fallén,1817)** (Syrphidae) Synonym(s): *tibialis* Fallén,1817; *zonatus* Meigen,1822; *femoratus* Meigen,1822; *obscurus* Meigen,1822; *aeneus* Meigen,1822; *geniculatus* Curtis,1837; *trianguliferus* Zetterstedt,1838; *dispar* Schmmel,1842; *dimidiatus* Loew,1843; *varipes* Bigot,1880; *auricaudatus* Bigot,1883; *meridionalis* Becker,1921; *mongolicus* Kanervo,1938 Range (in code): **Cn Md TR DZ TN EG GB HU NL YU DE PL GR Cr IL Pa IR Ab Khy CN Ui Um Hun AF KP KR MN JP 01 06 07 14 18 25 31 32 33 37 38 42 46 48 51 60 67 68 78**
- 10558. *Paragus* (Pandasyopthalmus) *haemorrhous* Meigen,1922** (Syrphidae) Synonym(s): *haemorrhous* Meigen,1922 Range (in code): **TR CN Pkn Ui Yu Ti Hun 25 48**
- 10559. *Paragus* (s.str.) *absidatus* Goeldlin,1971** (Syrphidae) Synonym(s): *absidatus* Goeldlin,1971 Range (in code): **TR 25**
- 10560. *Paragus* (s.str.) *albifrons* (Fallén,1817)** (Syrphidae) Synonym(s): *albifrons* Fallén,1817; *lacerus* Loew,1840; *lavendulae* Rondani,1865; *macularis* Szilady,1940 Range (in code): **ES DE AT SE SS YU TR Cc RU BG GB DK RU IR Ab Khy CN Pkn AF MN 06 37 38 60 65**
- 10561. *Paragus* (s.str.) *altomontanus* van de Weyer,2010** (Syrphidae) Synonym(s): *altomontanus* van de Weyer,2010 Range (in code): **TR 25 70**
- 10562. *Paragus* (s.str.) *antoinettae* Goeldin & Lucas,1981** (Syrphidae) Synonym(s): *antoinettae* Goeldin & Lucas,1981; *bradescui* Stanescu,1981 Range (in code): **TR 25 35**
- 10563. *Paragus* (s.str.) *azureus* Hull,1949** (Syrphidae) Synonym(s): *azureus* Hull,1949; *scrupeus* Stuckenberg,1954 Range (in code): **TR Sk AM Cc IL Pa EG YE Ad**
- 10564. *Paragus* (s.str.) *bicolor* (Fabricius,1794)** (Syrphidae) Synonym(s): *cruentata* Geoffroy,1785; *bicolor* Fabricius,1794; *melonchrysa* Gmelin,1788; *zonatus* Meigen,1822; *arcuatus* Meigen,1822; *ater* Meigen,1822; *taeniatus* Meigen,1822; *testaceus* Meigen,1822; *punctulatus* Zetterstedt,1838; *ruficauda* Zetterstedt,1843; *sexarcuatus* Bigot,1862; *angustifrons* Loew,1863 Range (in code): **TR DZ FR GB HU GR Cr CN Ui Um IR Ab Khy AF 06 07 14 18 25 32 37 38 42 46 48 50 51 60 67 68 78**
- 10565. *Paragus* (s.str.) *bradescui* Stanescu,1981** (Syrphidae) Synonym(s): *bradescui* Stanescu,1981; *antoinettae* Goeldin & Lucas,1981 Range (in code): **IT Co Sa Si Cr Rd GR CZ ES FR TR**
- 10566. *Paragus* (s.str.) *cinctus* Schiner & Egger,1853** (Syrphidae) Synonym(s): *cinctus* Schiner & Egger,1853 Range (in code): **TR 73**
- 10567. *Paragus* (s.str.) *compeditus* Wiedemann,1830** (Syrphidae) Synonym(s): *compeditus* Wiedemann,1830; *aegyptius* Macquart,1857; *nitidissimus* A.Costa,1878; *luteus* Brunetti,1908 Range (in code): **EG TR Cc RU KG AF IR Ab Khy CN Ui Au Um 06 33 35 38 48**
- 10568. *Paragus* (s.str.) *faesi* van de Weyer,2000** (Syrphidae) Synonym(s): *faesi* van de Weyer,2000 Range (in code): **TR 07**
- 10569. *Paragus* (s.str.) *hermonensis* Kaplan,1981** (Syrphidae) Synonym(s): *hermonensis* Kaplan,1981 Range (in code): **IL Pa**
- 10570. *Paragus* (s.str.) *kopdagensis* Hayat & Claussen,1997** (Syrphidae) Synonym(s): *kopdagensis* Hayat & Claussen,1997 Range (in code): **TR 25 69**
- 10571. *Paragus* (s.str.) *majoranae* Rondani,1857** (Syrphidae) Synonym(s): *majoranae* Rondani,1857 Range (in code): **TR 35**

- 10572. Paragus (s.str.) oltenicus Stanescu,1977** (Syrphidae) Synonym(s): oltenicus Stanescu,1977; serratiparamerus Li,1990 Range (in code): RO TR CN Ui o2
- 10573. Paragus (s.str.) pecchiolii Rondani,1857** (Syrphidae) Synonym(s): pecchiolii Rondani,1857 Range (in code): TR 48
- 10574. Paragus (s.str.) pecciolii Rondani,1857** (Syrphidae) Synonym(s): pecciolii Rondani,1857; majoranae Rondani,1857 Range (in code): TR 48
- 10575. Paragus (s.str.) quadrifasciatus Meigen,1822** (Syrphidae) Synonym(s): quadrifasciatus Meigen,1822; concinnus Wiedemann,1822; albifrons Wiedemann,1822; bifasciatus Macquart,1834; pulcherrimus Strobl,1893; variofasciatus Becker,1907; nohirae Matsumura,1916 Range (in code): MA FR PT ES RO GR Cr Rd Cc IR Ab Khy TR RU KG TJ CN Ui Um UZ AF KP KR JP o3 o6 o7 18 26 35 38 42 48 60 65
- 10576. Paragus (s.str.) romanicus Stanescu,1992** (Syrphidae) Synonym(s): romanicus Stanescu,1992 Range (in code): RO TR 25 48
- 10577. Paragus (s.str.) serratus (Fabricius,1805)** (Syrphidae) Synonym(s): serratus Fabricius,1805 Range (in code): IN AF
- 10578. Paragus binominalis Smit & Gutiérrez-Chacon,2008** (Syrphidae) Synonym(s): binominalis Smit & Gutiérrez-Chacon,2008 Range (in code): YE
- 10579. Parasyrphus punctulatus (Verrall,1873)** (Syrphidae) Synonym(s): punctulatus Verrall,1873 Range (in code): TR 37
- 10580. Parhelophilus versicolor (Fabricius,1794)** (Syrphidae) Synonym(s): versicolor Fabricius,1794 Range (in code): TR o3 48
- 10581. Pelecocera pruinomaculata Strobl,1906** (Syrphidae) Synonym(s): pruinomaculata Strobl,1906 Range (in code): TR o1 o7 31
- 10582. Pelecocera scaevoides (Fallén,1817)** (Syrphidae) Synonym(s): scaevoides Fallén,1817 Range (in code): TR 37
- 10583. Pelecocera tricineta Meigen,1822** (Syrphidae) Synonym(s): tricineta Meigen,1822 Range (in code): TR 42 57
- 10584. Pipiza festiva Meigen,1822** (Syrphidae) Synonym(s): festiva Meigen,1822 Range (in code): TR 33
- 10585. Pipiza noctiluca (Linnaeus,1758)** (Syrphidae) Synonym(s): noctiluca Linnaeus,1758; tristor Harris,1780; vana Zetterstedt,1843 Range (in code): TR 37
- 10586. Pipizella annulata (Macquart,1829)** (Syrphidae) Synonym(s): annulata Macquart,1829 Range (in code): FI HU YU AT CH DE NL BE FR ES TR UA Cm 25
- 10587. Pipizella bayburtica Claussen & Hayat,1997** (Syrphidae) Synonym(s): bayburtica Claussen & Hayat,1997 Range (in code): TR 69
- 10588. Pipizella caucasica Skufjin,1976** (Syrphidae) Synonym(s): caucasica Skufjin,1976 Range (in code): Cc RU TR 25 39 65
- 10589. Pipizella curvibibia Stackelberg,1960** (Syrphidae) Synonym(s): curvibibia Stackelberg,1960 Range (in code): TR AZ Cc AM 25 65
- 10590. Pipizella divicoi (Goeldin,1974)** (Syrphidae) Synonym(s): divicoi Goeldin,1974 Range (in code): TR 25 69
- 10591. Pipizella elegantissima Lucas,1976** (Syrphidae) Synonym(s): elegantissima Lucas,1976 Range (in code): IT TR 25
- 10592. Pipizella maculipennis (Meigen,1822)** (Syrphidae) Synonym(s): maculipennis Meigen,1822 Range (in code): TR 14 18 25 37 38 46
- 10593. Pipizella mesasiatica Stackelberg,1952** (Syrphidae) Synonym(s): mesasiatica Stackelberg,1952 Range (in code): RU Cc Da TJ Pm AF AZ AM
- 10594. Pipizella virens (Fabricius,1805)** (Syrphidae) Synonym(s): virens Fabricius,1805; campestris Fallén,1817; interrupta Haliday,1833; morosa Loew,1840; varians Rondani,1847; sacculata Becker,1921 Range (in code): ES IT YU BG TR RU KK IR MN SE GB PL CH o6 18 37
- 10595. Platycheirus albimanus (Fabricius,1781)** (Syrphidae) Synonym(s): albimanus Fabricius,1781; cyaneus Walker,1851; pulchellus Palma,1863; nigrofemoratus Kanervo,1934 Range (in code): TR 14 18 37 38 46 50
- 10596. Platycheirus ambiguus (Fallén,1817)** (Syrphidae) Synonym(s): ambiguus Fallén,1817; monochaetus Loew,1871 Range (in code): TR DE BE BG CZ DK EE FI NL GB IE ES IT IC KK LT UZ PL RU TJ TM UA YU o6 26 37 42
- 10597. Platycheirus angustatus (Zetterstedt,1843)** (Syrphidae) Synonym(s): angustatus Zetterstedt,1843; major Szilady,1940 Range (in code): TR o6
- 10598. Platycheirus aurolateralis Stubbs,2002** (Syrphidae) Synonym(s): aurolateralis Stubbs,2002 Range (in code): TR 18 37
- 10599. Platycheirus clypeatus (Meigen,1822)** (Syrphidae) Synonym(s): clypeatus Meigen,1822; dilatatus Macquart,1834 Range (in code): FI SE ES IT TR MN JP AF
- 10600. Platycheirus discimanus (Loew,1871)** (Syrphidae) Synonym(s): discimanus Loew,1871 Range (in code): NO SE FI IE GB DK NL BE DE PL FR CH CZ SK RO RU KK AF CN MN
- 10601. Platycheirus fulviventris (Macquart,1828)** (Syrphidae) Synonym(s): fulviventris Macquart,1828 Range (in code): TR 48

- 10602. *Platycheirus immaculatus* Ohara,1980** (Syrphidae) Synonym(s): *immaculatus* Ohara,1980 Range (in code): TR 37
- 10603. *Platycheirus manicatus* (Meigen,1822)** (Syrphidae) Synonym(s): *manicatus* Meigen,1822 Range (in code): TR 37
- 10604. *Platycheirus nielseni* Vockeroth,1990** (Syrphidae) Synonym(s): *nielseni* Vockeroth,1990 Range (in code): TR 37
- 10605. *Platycheirus occultus* Goeldlin, Maibach & Speight,1990** (Syrphidae) Synonym(s): *occultus* Goeldlin, Maibach & Speight,1990 Range (in code): TR 37
- 10606. *Platycheirus peltatus* (Meigen,1822)** (Syrphidae) Synonym(s): *peltatus* Meigen,1822 Range (in code): TR 37
- 10607. *Platycheirus rosarum* (Fabricius,1787)** (Syrphidae) Synonym(s): *rosarum* Fabricius,1787 Range (in code): TR 37
- 10608. *Platycheirus scutatus* (Meigen,1822)** (Syrphidae) Synonym(s): *scutatus* Meigen,1822; *quadratus* Macquart,1829; *sexnotatus* Meigen,1838; *pygmaeus* Frey,1907 Range (in code): ES IT YU BG RU Sb MN EE LT LV AZ AM GG Cc UA KK TM MN JP AF TR 37 48
- 10609. *Platycheirus tarsalis* (Schummel,1836)** (Syrphidae) Synonym(s): *tarsalis* Schummel,1836 Range (in code): TR 42
- 10610. *Psarus abdominalis* (Fabricius,1794)** (Syrphidae) Synonym(s): *coalescens* Geoffroy,1785; *abdominalis* Fabricius,1794; *arcuatus* Macquart,1834 Range (in code): SE? BE? FR GB DE RO RU YU TR 38
- 10611. *Rhingia campestris* Meigen,1822** (Syrphidae) Synonym(s): *campestris* Meigen,1822 Range (in code): ES FR GB IE NO SE FI DK DE EE LT BY UA RU PL CZ SK CH AT IT HU HV B-H YU MK RO TR 14 37
- 10612. *Riponnensia insignis* (Loew,1843)** (Syrphidae) Synonym(s): *insignis* Loew,1843 Range (in code): TR 01 06 31 33 48
- 10613. *Riponnensia longicornis* (Loew,1843)** (Syrphidae) Synonym(s): *longicornis* Loew,1843 Range (in code): TR 01 35 48 68
- 10614. *Riponnensia splendens* (Meigen,1822)** (Syrphidae) Synonym(s): *splendens* Meigen,1822 Range (in code): TR 35 37
- 10615. *Scaeva albomaculata* (Macquart,1842)** (Syrphidae) Synonym(s): *albomaculata* Macquart,1842 Range (in code): MA Cn RU Sb Cc CN AF MN GB TR ES IR Ab Khy HU GR Cr 01 06 25 27 31 32 33 37 38 42 46 60 68 80
- 10616. *Scaeva dignota* (Rondani,1857)** (Syrphidae) Synonym(s): *dignota* Rondani,1857 Range (in code): SE DK BE FR GB CZ PT ES DE CH AT YU DZ GR Cr TR 25 30 56 60
- 10617. *Scaeva latimaculata* (Brunetti,1923)** (Syrphidae) Synonym(s): *latimaculata* Brunetti,1923 Range (in code): IR Mha Ab IN Hp Pj
- 10618. *Scaeva pyrastris* (Linnaeus,1758)** (Syrphidae) Synonym(s): *pyrastris* Linnaeus,1758; *melinus* Harris,1776; *rosae* De Geer,1776; *transfugus* Fabricius,1794; *affinis* Say,1823 Range (in code): Cn DZ TR RU Ur Sb Us CN Krl US Cf NMx Als GB HU DE SE NO GR Cr IR Ab Khy AF KG KK UZ TJ MN JP 01 06 07 18 25 26 31 32 33 35 37 38 42 46 60 64 68 80
- 10619. *Scaeva selenitica* (Meigen,1822)** (Syrphidae) Synonym(s): *selenitica* Meigen,1822 Range (in code): FI SE ES RU Ur IE Sb Sh Krl TR 01 06 07 14 18 26 31 33 35 37 46 57 60 80
- 10620. *Sericomyia silentis* (Harris,[1776])** (Syrphidae) Synonym(s): *silentis* Harris,[1776]; *tricincta* Preyssler,1793; *borealis* Fallén,1816; *ciscaucasica* Stackelberg,1927 [ssp.] Range (in code): TR NO SE FI IE GB DK NL BE DE PL CZ SK FR CH AT ES IT YU RO BG JP 14 37
- 10621. *Simosyrphus aegyptius* (Wiedemann,1830)** (Syrphidae) Synonym(s): *aegyptius* Wiedemann,1830; *annulipes* Macquart,1830; *felix* Walker,1852; *brachypterus* Thomson,1869 Range (in code): TR EG SD Md ES IT Cn YE IR Ab Khy 01
- 10622. *Simosyrphus scutellaris* (Fabricius,1805)** (Syrphidae) Synonym(s): *scutellaris* Fabricius,1805; *trochantericus* Sack,1913; *ogasawarensis* Matsumura,1916; *boninensis* Matsumura,1919 Range (in code): IN RU KK KG UZ TJ TM IR TR MN AF JP PG TW UA GR 01 06 31 46
- 10623. *Spazigaster ambulans* (Fabricius,1798)** (Syrphidae) Synonym(s): *ambulans* Fabricius,1798; *coarctata* Schummel,1837; *lugubris* Costa,1857; *schummeli* Loew,1876 Range (in code): TR AZ Cc AM GG CH IT KG MD PL RO RU UA YU 03 06 07 14 15 18 25 26 32 37 38 42 46 48 68
- 10624. *Sphaerophoria laurae* Goeldin,1989** (Syrphidae) Synonym(s): *laurae* Goeldin,1989 Range (in code): TR 57
- 10625. *Sphaerophoria loewi* Zetterstedt,1843** (Syrphidae) Synonym(s): *loewi* Zetterstedt,1843 Range (in code): TR 38
- 10626. *Sphaerophoria rueppelli* Wiedemann,1830** (Syrphidae) Synonym(s): *rueppelli* Wiedemann,1830 Range (in code): TR SD ET NO SE DZ Cn GB GR RU AF IR Ab Khy CN KP KR KE 01 06 07 14 17 18 22 30 31 32 33 35 37 38 39 42 46 48 56 60 65 67 68 71 73 80
- 10627. *Sphaerophoria scripta* (Linnaeus,1758)** (Syrphidae) Synonym(s): *scripta* Linnaeus,1758; *gemmata* Scopoli,1763; *fasciata* Müller,1764; *invisita* Harris,1776; *menthostri* De Geer,1776 Range (in code): Cn TR DZ US GB HU NL DE YU GR Cr RU Ur Sb Cc KG SY AF CN Ui Nra MN Az Md IR Ab Khy NP 01 03 04 06 07 08 13 14 15 18 20 22 25 26 31 32 33 35 36 37 38 42 46 48 56 60 61 65 68 76 78 80



- 10628. Sphaerophoria turkmenica Bankowska,1964** (Syrphidae) Synonym(s): turkmenica Bankowska,1964; #turkmenika Hayat & Alaoğlu,1990 Range (in code): TR TM RO RU AF IR Ab Khy 25 27 38 60
- 10629. Sphegina (Asiosphegina) sibirica Stackelberg,1953** (Syrphidae) Synonym(s): sibirica Stackelberg,1953 Range (in code): TR RU Sb Cc Kmt NO SE FI BE DE PL CZ SK CH AT HU RO 37 61
- 10630. Sphegina (s.str.) alaoglu Hayat,1997** (Syrphidae) Synonym(s): alaoglu Hayat,1997; pontica Mutin,1998 Range (in code): TR RU Cc 08
- 10631. Sphegina (s.str.) clavata (Scopoli,1763)** (Syrphidae) Synonym(s): clavata Scopoli,1763; nigra Meigen,1822 Range (in code): NL BE DE FR Py IT CZ SK CH AT HU ES RO BG YU SS GR TR RU 37
- 10632. Sphegina (s.str.) clunipes (Fallén,1816)** (Syrphidae) Synonym(s): clunipes Fallén,1816 Range (in code): TR Cc RU Sb JP GB NO SE FI DK FR BE NL DE PL CZ SK AT HU AD ES Co Si IT YU MK RO BG Cc UA 08 14 37 38 46
- 10633. Sphegina (s.str.) elegans Schummel,1843** (Syrphidae) Synonym(s): elegans Schummel,1843; kimakowiczi Strobl,1897; germanica Becker,1921; Szilady,1939 Range (in code): TR Cc RU CH AT HU ES YU RO BG GR UA GB NO SE FI DK FR BE NL DE PL CZ SK 37
- 10634. Sphegina (s.str.) negroboli Skufjin,1976** (Syrphidae) Synonym(s): negroboli Skufjin,1976 Range (in code): RU Cc
- 10635. Sphegina (s.str.) spheginea (Zetterstedt,1838)** (Syrphidae) Synonym(s): spheginea Zetterstedt,1838; loewii Zeller,1843; zetterstedti Schiner,1857; rufiventris Strobl,1910; rubripes Becker,1921; sanguinea Becker,1921 Range (in code): SE PL CZ SK FR DE CH AT IT RO RU Cc Sb
- 10636. Sphiximorpha euprosopa (Loew,1869)** (Syrphidae) Synonym(s): euprosopa Loew,1869 Range (in code): TR 35
- 10637. Sphiximorpha subsessilis (Illiger,1807)** (Syrphidae) Synonym(s): subsessilis Illiger,1807 Range (in code): TR NL BE DE CZ SK FR IT YU BG RU 33 48
- 10638. Sphiximorpha worelli (Bradescu,1972)** (Syrphidae) Synonym(s): worelli Bradescu,1972 Range (in code): TR 37
- 10639. Spilomyia digitata (Rondani,1865)** (Syrphidae) Synonym(s): digitata Rondani,1865 Range (in code): TR 06
- 10640. Spilomyia diophthalma (Linnaeus,1758)** (Syrphidae) Synonym(s): diophthalma Linnaeus,1758 Range (in code): DZ NO SE F DE PL IT BG RO LT LV TR KG MN 25
- 10641. Spilomyia graciosa Violovitsh,1985** (Syrphidae) Synonym(s): graciosa Violovitsh,1985 Range (in code): IQ GR TR IR II 30 73
- 10642. Spilomyia gussakovskii Stackelberg,1958** (Syrphidae) Synonym(s): gussakovskii Stackelberg,1958 Range (in code): TJ Cc AM
- 10643. Spilomyia saltuum (Fabricius,1794)** (Syrphidae) Synonym(s): saltuum Fabricius,1794; hybrida Suster & Zilberman,1958; intermedia Suster & Zilberman,1958 Range (in code): AT FR ES DE GR HU IT NL RO RU CH YU TR 06 25 46
- 10644. Spilomyia sulphurea Sack,1910** (Syrphidae) Synonym(s): sulphurea Sack,1910 TJ Pm KG UZ KK AF Range (in code): TJ Pm UZ KK AF
- 10645. Spilomyia triannulata Steenis,2000** (Syrphidae) Synonym(s): triannulata Steenis,2000 Range (in code): FR MK GR HV TR Cc AM IR Qz 25 56 73
- 10646. Syrretta flaviventris Macquart,1842** (Syrphidae) Synonym(s): flaviventris Macquart,1842; nigricornis Macquart,1842; spinigera Loew,1848 Range (in code): ZA DZ EG SN SZ PT ES FR IT Co Sa Si YU BG GR Cr Rd CY TR 07 31 46 48
- 10647. Syrretta pipiens (Linnaeus,1758)** (Syrphidae) Synonym(s): pipiens Linnaeus,1758; proxima Say,1824; obscuripes Strobl,1899; albicincta Santos Abreu,1924; flavicans Szilady,1940; vicina Szilady,1940; tenofemora Dzshafarova,1974 Range (in code): MA DZ Cn Md TR SY IR AF MN CN Cc US PT ES FR IE GB NO SE FI EE LY LV BY RU BE NL DK DE PL CZ SK HU UA MD RO CH AT IT Co Sa Si MT SS HV B-H YU MK GR BG Cr Rd CY IR Ab Khy CN Ui Atp 01 03 06 07 09 13 14 17 18 20 25 26 31 32 33 35 37 38 39 40 42 46 48 57 58 60 65 67 68 74 78 80
- 10648. Syrretta vittata Portschinsky,1857** (Syrphidae) Synonym(s): vittata Portschinsky,1857 Range (in code): UA RU Ao UZ TJ TM
- 10649. Syrphocheilosia claviventris (Strobl,1910)** (Syrphidae) Synonym(s): claviventris Strobl,1910 Range (in code): TR
- 10650. Syrphus ribesii (Linnaeus,1758)** (Syrphidae) Synonym(s): ribesii Linnaeus,1758; blanda Harris,1780 Range (in code): TR GB DE NL SE NO HU RU Ur Sb Krl Als Cc KG AF IR Ab Khy MN KP KR JP US 06 13 14 18 25 32 33 35 37 38 46 57 60 78
- 10651. Syrphus serarius Wiedemann,1830** (Syrphidae) Synonym(s): serarius Wiedemann,1830 Range (in code): IN Hp Kma Pj Mre PK NP Djl SI Ass Meg Khs Coo Slo Pus LK ID Ja CN
- 10652. Syrphus torvus Osten Sacken,1875** (Syrphidae) Synonym(s): topiarius Zetterstedt,1838 nec Mg.; torvus Osten Sacken,1875 Range (in code): TR SE IN Hp Sml
- 10653. Syrphus vitripennis Meigen,1822** (Syrphidae) Synonym(s): vitripennis Meigen,1822; confinis Zetterstedt,1838; akakurensis Matsumura,1917; chujenjianus Matsumura,1917; campestris Matsumura,1918; candidus Matsumura,1918; dubius Matsumura,1918; kitakawae Matsumura,1918; kushirensis Matsumura,1918; shibecheensis

- Matsumura,1918 Range (in code): **DZ TR RU Ur Sb Cc IR Ab Khy MN AF KP KR JP TW US Als Cf AZ BG GG FI ES IT PT TJ TM 01 06 07 14 18 26 32 33 35 37 38 46 56 67 78**
- 10654. Temnostoma vespiforme (Linnaeus,1758)** (Syrphidae) Synonym(s): vespiforme Linnaeus,1758 Range (in code): **TR 37**
- 10655. Trichopsomyia flavitarsis (Meigen,1822)** (Syrphidae) Synonym(s): flavitarsis Meigen,1822 Range (in code): **TR 42**
- 10656. Trichopsomyia lucida (Meigen,1822)** (Syrphidae) Synonym(s): lucida Meigen,1822 Range (in code): **TR 06**
- 10657. Tropidia scita (Harris,[1780])** (Syrphidae) Synonym(s): scita Harris,1780 Range (in code): **NO SE FI FR GB DK NL BE DE PL CZ SK CH AT HU RO YU EE LT LV BY UA MD GG AZ AM KK JP RU Cc TR IR Ab Khy 38**
- 10658. Volucella bombylans (Linnaeus,1758)** (Syrphidae) Synonym(s): bombylans Linnaeus,1758; mystacea Linnaeus,1758; pocopyges Poda,1761; tricolor Poda,1761; pennata Scopoli,1763; melanopyrrha Förster,1771; plumata DeGeer,1776; sonora Müller,1776; plumosa Gmelin,1790; vulpina Meigen,1830; haemorrhoidalis Zetterstedt,1838; alpicola Rondani,1857; variabilis Malm,1863; adulterina Rondani,1865; hybrida Rondani,1865; incestuosa Rondani,1865; spuria Rondani,1865; caucasica Portschinsky,1877; xantholeuca Mik,1887; terrestriiformis Drensky,1934; pyrenaea Doesburg,1951 Range (in code): **FR BG RU YU IT Cc AT GB DE DK NO SE TR MN CN 13 18 37 61 65**
- 10659. Volucella inanis (Linnaeus,1758)** (Syrphidae) Synonym(s): inanis Linnaeus,1758; trifasciata Scopoli,1763; apivora DeGeer,1776; annulata Harris,[1776]; micans Fabricius,1794 Range (in code): **TR SY IR Ab Khy NO FI ES Cr IT YU BG GB Sb MN CN AF TM UZ KK TJ 06 14 33 37 38 46 57 65**
- 10660. Volucella pellucens (Linnaeus,1758)** (Syrphidae) Synonym(s): pellucens Linnaeus,1758; dryaphila Scopoli,1763; fera Harris,[1776]; putescens Schellenberg,1803; japonica Bigot,1875; japonica Matsumura,1916 Range (in code): **TN ES FR BE NL GB IE NO SE FI EE LT LV RU BY DK DE PL CZ SK HU MD RO CH AT IT Co Si SS HV B-H YU MK GR BG TR Cc MN CN KP KR JP Hkk 06 08 18 37 61 75**
- 10661. Volucella zonaria (Poda,1761)** (Syrphidae) Synonym(s): zonaria Poda,1761; bifasciata Scopoli,1763; valentina Müller,1766; inanis Fabricius,1794 nec Linn.; fasciata Herrich-Schäffer,1829; beckeri Van der Goot,1961 Range (in code): **TN PT ES GB NL BE DE FR Co CZ SK CH AT HU RO GR Cr TR PL YU RU Sb MN IR Ab Khy TM UZ KK TJ KG 01 06 07 14 18 25 26 32 33 37 38 42 46 48 56 57 58 64 65 67 68 80**
- 10662. Xanthandrus comtus (Harris,[1780])** (Syrphidae) Synonym(s): comtus Harris,[1780] Range (in code): **ES IT BG GG Cc SE RU Sb AZ AM KG TR MN KP KR JP 07 37 57**
- 10663. Xanthogramma citrofasciatum (DeGeer,1776)** (Syrphidae) Synonym(s): festivum Linnaeus,1758; citrofasciatum DeGeer,1776 Range (in code): **TR YU UA TM 25**
- 10664. Xanthogramma laetum (Fabricius,1794)** (Syrphidae) Synonym(s): laetum Fabricius,1794; udege Violovitsh,1975 Range (in code): **IR**
- 10665. Xanthogramma maculipenne Mik,1887** (Syrphidae) Synonym(s): maculipenne Mik,1887 Range (in code): **Cc AZ Kir IQ IR**
- 10666. Xanthogramma pedissequum (Harris,1776)** (Syrphidae) Synonym(s): pedissequum Harris,1776; ornatum Meigen,1822; pulchrum Meigen,1822; decoratum Zetterstedt,1843; dives Rondani,1857; bilobatum Szilady,1940; flavifrons Szilady,1940; nigripes Szilady,1940; nobilitatum Frey,1946; flavipleura Coe,1957 Range (in code): **AZ Cc RU Sb Ur BG GG AM FI SE NO KG KK UZ PT ES TJ TM EE UA TR FR CH IR Ab Khy 06 14 15 26 32 33 37 38 46 48 57 61 65 68**
- 10667. Xylota ignava (Panzer,1798)** (Syrphidae) Synonym(s): ignava Panzer,1798; basalis Matsumura,1911; inermis Becker,1921 Range (in code): **ES FR Co BE NL DE CZ SK CH AT IT SS YU HU PL RO BY EE SE FI BG MK GR TR RU Sh JP Hkk TM UZ TJ KK KG MN CN Ti KP KR 08 13 37 57**
- 10668. Xylota segnis (Linnaeus,1758)** (Syrphidae) Synonym(s): segnis Linnaeus,1758; maritima Scopoli,1763; fucata Harris,1780; brassicaria Donovan,1796 Range (in code): **SE FI GB ES IT YU BG RU KG CN MA Cn Az Md TR 01 14 18 32 33 37 46 48**
- 10669. Xylota sylvarum (Linnaeus,1758)** (Syrphidae) Synonym(s): sylvarum Linnaeus,1758; longisco Harris,1780; impigra Rossi,1790 Range (in code): **SE FI ES IT YU BG RU KG MN GB TR 06 14 37 46 48 57**
- 10670. Xylota tarda Meigen,1822** (Syrphidae) Synonym(s): tarda Meigen,1822 Range (in code): **TR 14 37**
- 10671. Atylotus agricola (Wiedemann,1826)** (Tabanidae) Synonym(s): agricola Wiedemann,1826; grisescens Szilady,1915 Range (in code): **MA LY EG TR 23 42 66**
- 10672. Atylotus albopruinosus (Szilady,1923)** (Tabanidae) Synonym(s): albopruinosus Szilady,1923 Range (in code): **IQ Bgd**
- 10673. Atylotus austeni (Szilady,1915)** (Tabanidae) Synonym(s): austeni Szilady,1915; trifasciatus Szilady,1915 Range (in code): **TR 25**
- 10674. Atylotus basicallus (Szilady,1926)** (Tabanidae) Synonym(s): basicallus Szilady,1926 Range (in code): **IR Ke**
- 10675. Atylotus farinosus (Szilady,1915)** (Tabanidae) Synonym(s): farinosus Szilady,1915; ouriensis Surcouf,1922 Range (in code): **SA SY IQ IL Pa EG DZ**
- 10676. Atylotus flavoguttatus (Szilady,1915)** (Tabanidae) Synonym(s): flavoguttatus Szilady,1915 Range (in code): **DZ RO AT FR TR 03 04 06 10 17 22 26 32 34 39 40 42 50 59 66**

- 10677. *Atylotus fulvus* (Meigen,1820)** (Tabanidae) Synonym(s): fulvus Meigen,1804; rufipes Meigen,1820; bituberculatus Bigot,1892; auriquammatus Bigot,1892; flavifemur Enderlein,1925; aureus Hauser,1941; transeaucasicus Bogatchev & Samedov,1949 Range (in code): **MA FR DE TR RU Cc AZ Nv 03 16 25 26 30 34 36 43 45 57 67 81**
- 10678. *Atylotus hendrixi* Leclercq,1967** (Tabanidae) Synonym(s): hendrixi Leclercq,1967 Range (in code): **TR 01 03 06 08 15 25 26 30 33 38 42 65 66**
- 10679. *Atylotus kerteszi* (Szilady,1915)** (Tabanidae) Synonym(s): kerteszi Szilady,1915 Range (in code): **TR 01**
- 10680. *Atylotus latistriatus* Brauer,1879** (Tabanidae) Synonym(s): latistriatus Brauer,1879; nigrifacies Gobert,1880 Range (in code): **MA DZ TN GB DE CZ PL ES FR YU RO BG GR UA Cm TR 34 35 52**
- 10681. *Atylotus loewianus* (Villeneuve,1920)** (Tabanidae) Synonym(s): loewianus Villeneuve,1920; znojtkoi Olsufjev,1937 Range (in code): **MA BE DE CZ CH AT HU ES FR IT YU RO BG GR CY RU UA MD AZ Cc Len LB TR 03 11 16 17 22 26 34 39 43 55 57 59 61 67 74 77 78 81**
- 10682. *Atylotus plebeius* (Fallén,1817)** (Tabanidae) Synonym(s): plebeius Fallén,1817; aetherius Bigot,1892 calvus Szilady,1915 Range (in code): **NO SE GB DK DE PL CZ SK CH AT RO RU EE Sb UA TR 42**
- 10683. *Atylotus protidor* (Bogatshev & Samedov,1949)** (Tabanidae) Synonym(s): protidor Bogatshev & Samedov,1949 Range (in code): **TR 25 36**
- 10684. *Atylotus pulchellus* (Loew,1858)** (Tabanidae) Synonym(s): pulchellus Loew,1858; cyprianus Ricardo,1911; karybenthinus Szilady,1915 Range (in code): **TR IT Sa CY RU AZ JO IL Pa IQ IR MZ CN EG DZ 01 07 26 33**
- 10685. *Atylotus quadrifarius* (Loew,1874)** (Tabanidae) Synonym(s): quadrifarius Loew,1874; rufipes Szilady,1915 nec Mg.,1820; lattesica Strand,1925; afghanistanicus Moucha & Chvala,1959 Range (in code): **MA PT ES FR GB RU UA Cc GG AM AZ UZ TM TR IL Pa IQ IR AF Kab MN CN 03 11 25 26 39 42 81**
- 10686. *Atylotus rusticus* (Linnaeus,1767)** (Tabanidae) Synonym(s): rusticus Linnaeus,1767; ruralis Zetterstedt,1838; parallellifrons Szilady,1923; hungaricus Kröber,1925; strobli Kröber,1925; ochraceus Olsufjev & Melnikova,1962 Range (in code): **SE AT HU UA Cm Cc AZ RU TR 06 26**
- 10687. *Atylotus theodori* Abbassian-Lintzen,1964** (Tabanidae) Synonym(s): theodori Abbassian-Lintzen,1964 Range (in code): **IR**
- 10688. *Atylotus venturii* Leclercq,1966** (Tabanidae) Synonym(s): venturii Leclercq,1966 Range (in code): **IT TR 10 43 59**
- 10689. *Chrysops* (Petersenichrysops) *buxtoni* Austen,1922** (Tabanidae) Synonym(s): buxtoni Austen,1922 Range (in code): **IL Pa IQ TR Cc AM 06 23 26 33 40 42 62**
- 10690. *Chrysops* (Petersenichrysops) *compactus* Austen,1924** (Tabanidae) Synonym(s): compactus Austen,1924 Range (in code): **TR IL Pa IQ 03 07 20**
- 10691. *Chrysops* (Petersenichrysops) *hamatus* Loew,1858** (Tabanidae) Synonym(s): hamatus Loew,1858 Range (in code): **BG GR Rd TR 02 03 06 07 18 20 23 26 31 35 48**
- 10692. *Chrysops* (s.str.) *caecutiens* (Linnaeus,1758)** (Tabanidae) Synonym(s): caecutiens Linnaeus,1758; ludens Loew,1858 Range (in code): **PT ES FR IE GB BE NL DK DE EE BY NO SE FI RU PL CZ SK AT HU CH IT Sa Si MT Cr Rd GR YU B-H HV SS AL MK BG RO UA TR 02 03 04 06 07 08 10 11 12 14 15 17 22 25 26 31 33 34 36 39 42 48 49 50 55 58 59 60 67 70 73 74 77 78 81**
- 10693. *Chrysops* (s.str.) *flavipes* Meigen,1804** (Tabanidae) Synonym(s): flavipes Meigen,1804; punctifer Loew,1858; #favipes Kılıç,1999 Range (in code): **TR SY HU PL FR IT RO BG AL GR CY RU LB IL Pa IQ IR AF MA DZ IN 01 02 03 04 06 07 10 11 13 14 16 17 18 20 21 22 23 24 25 26 30 31 33 34 35 36 38 40 42 43 44 45 48 50 51 57 58 59 65 66 67 69 73 74 76 78 81**
- 10694. *Chrysops* (s.str.) *italicus* Meigen,1804** (Tabanidae) Synonym(s): italicus Meigen,1804; nigriventris Loew,1856 Range (in code): **TR ES FR IT Co Sa Si SS HV B-H YU AL MK GR BG HU RO UA RU CY 06 07 10 17 25 35 48**
- 10695. *Chrysops* (s.str.) *mlokosiewiczzi* Bigot,1880** (Tabanidae) Synonym(s): mlokosiewiczzi Bigot,1880; iranensis Bigot,1892; obscura Kröder,1923 Range (in code): **Cc IR TM UZ TJ KK AF CN**
- 10696. *Chrysops* (s.str.) *relictus* Meigen,1820** (Tabanidae) Synonym(s): relictus Meigen,1820; chlorosis Goffe,1931; clarus Goffe,1931; conspicuus Goffe,1931; inconspicuus Goffe,1931 Range (in code): **ES FR IE DK DE BE NL NO SE FI EE RU BY UA RO PL CZ SK HU AT CH IT HV B-H YU AL GR BG TR 39 73**
- 10697. *Chrysops* (s.str.) *sejunctus* Szilady,1917** (Tabanidae) Synonym(s): sejunctus Szilady,1917; interruptus Kröber,1920 nec Meger.,1803 Range (in code): **TR Cc GG AM RU Ao Smt Akh 01 04 25 30 36 53 69**
- 10698. *Chrysops* (s.str.) *viduatus* (Fabricius,1794)** (Tabanidae) Synonym(s): viduatus Fabricius,1794; pictus Meigen,1820 Range (in code): **PT ES FR IE GB BE NL DK DE EE NO SE FI RU PL CZ SK AT HU CH IT MT GR YU B-H HV SS AL MK BG RO UA TR 02 03 14 22 34 38 39 42 55 57 59 74 75**
- 10699. *Dasyrhamphis anthracinus* (Meigen,1820)** (Tabanidae) Synonym(s): anthracinus Meigen,1820; obscurus Loew,1858; atropos Jaennicke,1866 Range (in code): **FR Co IT Sa Si MA DZ TR 16 22**
- 10700. *Dasyrhamphis ater* (Rossi,1790)** (Tabanidae) Synonym(s): ater Rossi,1790; fuscatus Macquart,1826; transiens Walker,1848 Range (in code): **CH HU? PL ES FR IT YU RO BG AL GR TR MA DZ 10 17 25 34 55 59 65**
- 10701. *Dasyrhamphis carbonarius* (Meigen,1820)** (Tabanidae) Synonym(s): carbonarius Meigen,1820; gagates Loew,1858 Range (in code): **TR SY IL Pa TN 05 07 10 11 16 26 30 31 33 46 54 57 78**



- 10702. *Dasyrhamphis insecutor* (Austen,1920)** (Tabanidae) Synonym(s): *insecutor* Austen,1920; *dalei* Austen,1920 Range (in code): TR IL Pa
- 10703. *Dasyrhamphis kuhedenaensis* Jezek,1981** (Tabanidae) Synonym(s): *kuhedenaensis* Jezek,1981 Range (in code): IR
- 10704. *Dasyrhamphis nigritus* (Fabricius,1794)** (Tabanidae) Synonym(s): *nigritus* Fabricius,1794; *alexandrinus* Wiedemann,1830 Range (in code): MA DZ LY TN PT ES FR IT TR IL Pa SY 01 33 38
- 10705. *Dasyrhamphis umbrinus* (Meigen,1820)** (Tabanidae) Synonym(s): *umbrinus* Meigen,1820; *istriensis* Meigen,1820; *maculipennis* Brullé,1832; *atavina* Enderlein,1925 Range (in code): IT Si AT AL YU BG RO GR SY TR IL Pa LB RU 01 03 06 10 11 14 16 17 18 19 22 24 25 26 29 30 31 33 34 35 36 38 39 40 42 43 44 45 49 50 51 55 58 59 64 66 67 74 77 78 80
- 10706. *Glaucops hakkariensis* Schacht,1983** (Tabanidae) Synonym(s): *hakkariensis* Schacht,1983 Range (in code): TR 30 73
- 10707. *Haematopota atropathenica* Abbassian-Lintzen,1964** (Tabanidae) Synonym(s): *atropathenica* Abbassian-Lintzen,1964 Range (in code): IR
- 10708. *Haematopota bactriana* (Olsufjev,1939)** (Tabanidae) Synonym(s): *bactriana* Olsufjev,1939 Range (in code): UZ TJ AF
- 10709. *Haematopota bigoti* Gobert,1881** (Tabanidae) Synonym(s): *bigoti* Gobert,1881; *monspellensis* Villeneuve,1921 Range (in code): GB IE NL DK DE SE PL CZ SK HU PL ES FR IT RO MA DZ TR 02 03 06 17 22 23 25 26 34 35 36 39 42 43 59 66
- 10710. *Haematopota caenofrons* Kröber,1922** (Tabanidae) Synonym(s): *caenofrons* Kröber,1922 Range (in code): TR Cc 76
- 10711. *Haematopota caspica* Abbassian-Lintzen,1960** (Tabanidae) Synonym(s): *caspica* Abbassian-Lintzen,1960; *transcaucasica* Olsufjev,1970 Range (in code): AZ Cc Nv IR Elb Mz
- 10712. *Haematopota coolsi* Leclercq,1966** (Tabanidae) Synonym(s): *coolsi* Leclercq,1966 Range (in code): TR 10 35
- 10713. *Haematopota coronata* Austen,1908** (Tabanidae) Synonym(s): *coronata* Austen,1908 Range (in code): SO YE SA TD IL Pa IR
- 10714. *Haematopota crassicornis* Wahlberg,1848** (Tabanidae) Synonym(s): *crassicornis* Wahlberg,1848; *#grseopunctata* Olsufjev,1977 Range (in code): NO SE GB IE BE NL DK DE PL CZ SK HU CH AT RO FR IT YU Cc GG AZ AM RU TR 01 08 10 11 14 16 17 22 23 25 26 39 42 43 49 50 59
- 10715. *Haematopota delozi* Leclercq,1966** (Tabanidae) Synonym(s): *delozi* Leclercq,1966 Range (in code): TR 35
- 10716. *Haematopota gallica* Szilady,1923** (Tabanidae) Synonym(s): *gallica* Szilady,1923 Range (in code): ES FR IT YU GR TR 22
- 10717. *Haematopota grandis* Macquart,1834** (Tabanidae) Synonym(s): *grandis* Macquart,1834; *fraseri* Austen,1925 Range (in code): SE GB DK DE CZ SK AT CH HU ES FR IT YU RO BG AL GR MD UA IR MA TR 01 03 05 11 17 20 22 25 26 33 34 35 39 43 57 80
- 10718. *Haematopota hennauxi* Leclercq,1967** (Tabanidae) Synonym(s): *hennauxi* Leclercq,1967 Range (in code): TR 03 06 14 19 23 26 42 66
- 10719. *Haematopota innominata* Austen,1920** (Tabanidae) Synonym(s): *innominata* Austen,1920 Range (in code): IL Pa
- 10720. *Haematopota italica* Meigen,1804** (Tabanidae) Synonym(s): *italica* Meigen,1804; *elongata* Lepelletier & Audinet-Serville,1828; *gymnonota* Brullé,1832; *tenuicornis* Macquart,1834; *longicornis* Macquart,1834; *nigricornis* Gobert,1880; *argyrophora* Kröber,1922 Range (in code): TR RU FR GR DE 06 10 13 16 18 21 22 23 24 25 26 29 33 39 43 44 57 59 61 67 74 78 81
- 10721. *Haematopota kemali* Szilady,1923** (Tabanidae) Synonym(s): *kemali* Szilady,1923 Range (in code): TR 03 06 18 20 23 25 26 34 42 50 51 59 62 66
- 10722. *Haematopota lambi* Willeneuve,1921** (Tabanidae) Synonym(s): *lambi* Willeneuve,1921 Range (in code): PT ES FR TR 26 43
- 10723. *Haematopota latebricola* Austen,1925** (Tabanidae) Synonym(s): *latebricola* Austen,1925 Range (in code): TR 17
- 10724. *Haematopota longantennata* Olsufjev,1937** (Tabanidae) Synonym(s): *longantennata* Olsufjev,1937 Range (in code): TR AL GR Cc AZ GG 07 10 17 25 30 35 39 43 57 59 77 78
- 10725. *Haematopota minuscula* Austen,1920** (Tabanidae) Synonym(s): *minuscula* Austen,1920; *siwaynensis* Kröber,1929 Range (in code): IL Pa EG IR
- 10726. *Haematopota minuscularia* Austen,1920** (Tabanidae) Synonym(s): *minuscularia* Austen,1920 Range (in code): IL Pa JO
- 10727. *Haematopota nubilis* Hauser,1960** (Tabanidae) Synonym(s): *nubilis* Hauser,1960 Range (in code): TR AZ Cc Nv 26
- 10728. *Haematopota ocelligera* Kröber,1922** (Tabanidae) Synonym(s): *ocelligera* Kröber,1922; *hispanica* Szilady,1923; *belligera* Austen,1925 Range (in code): PT ES FR IT RO BG AL GR MA DZ TR 03 10 16 20 22 25 35 43 57 74 77

- 10729. *Haematopota pallens* Loew,1871** (Tabanidae) **Synonym(s):** *pallens* Loew,1871; *obscura* Bigot,1880; *obscurata* Bigot,1891; *caucasica* Kröber,1922; *araxis* Szilady,1923 **Range (in code):** **RO RU MD UA TR Cc GG AM AZ KG IQ IR AF UZ 03 06 11 16 21 23 26 33 35 38 42 43 44 62 76**
- 10730. *Haematopota pandazisi* Kröber,1936** (Tabanidae) **Synonym(s):** *variegata* auct.; *pandazisi* Kröber,1936 **Range (in code):** **ES FR IT YU RO BG AL GR MA TN TR 10 16 22 33 34 39 52 57 59 61 67 74 77 78 81**
- 10731. *Haematopota pavlovskii* Hauser,1960** (Tabanidae) **Synonym(s):** *pavlovskii* Hauser,1960 **Range (in code):** **TR AZ Cc Nv IR 31 33 35 42 66**
- 10732. *Haematopota pluvialis* (Linnaeus,1761)** (Tabanidae) **Synonym(s):** *pluvialis* Linnaeus,1761; *sakhalinensis* Shiraki,1918; *ioffi* Olsufjev,1972 **Range (in code):** **TR RU Sb CN Cc GG JP Sh 06 10 11 14 16 17 23 26 34 38 39 42 43 51 58 59 62 66**
- 10733. *Haematopota scutellata* (Olsufjev, Moucha & Chvala,1964)** (Tabanidae) **Synonym(s):** *scutellata* Olsufjev, Moucha & Chvala,1964; *pontica* Olsufjev,1964; *rossica* Olsufjev & Ivanitshuk,1975 **Range (in code):** **TR BE DE PL CZ SK CH AT FR IT RO BG RU UA Cc AZ GG 11 39 43 65**
- 10734. *Haematopota sewelli* Austen,1920** (Tabanidae) **Synonym(s):** *sewelli* Austen,1920 **Range (in code):** **IL Pa IR TR 06 10 18 23 35 42 51 62 66**
- 10735. *Haematopota sobrina* Kröber,1922** (Tabanidae) **Synonym(s):** *sobrina* Kröber,1922 **Range (in code):** **TR**
- 10736. *Haematopota subcylindrica* Pandellé,1883** (Tabanidae) **Synonym(s):** *subcylindrica* Pandellé,1883; *elbrusensis* Abbassian-Lintzen,1960 **Range (in code):** **SE BE NL DK DE PL CZ SK AT HU FR YU RO BG RU IR Elb TR 03 08 10 11 16 22 24 25 34 36 39 43 51 52 61 77**
- 10737. *Haematopota sumelae* Timmer,1984** (Tabanidae) **Synonym(s):** *sumelae* Timmer,1984 **Range (in code):** **TR 61**
- 10738. *Hybomitra acuminata* (Loew,1858)** (Tabanidae) **Synonym(s):** *acuminata* Loew,1858 **Range (in code):** **FR YU AT RU RO TR IR MN CN 02 03 04 07 10 25 35 42**
- 10739. *Hybomitra agnitionalis* (Austen,1922)** (Tabanidae) **Synonym(s):** *agnitionalis* Austen,1922 **Range (in code):** **IL Pa**
- 10740. *Hybomitra bimaculata* (Macquart,1826)** (Tabanidae) **Synonym(s):** *bimaculata* Macquart,1826; *confinis* Zetterstedt,[1838]; *bisignata* Jaennicke,1866; *subguttata* Enderlein,1925; *manchurica* Takagi,1941; *collini* Lyneborg,1959 **Range (in code):** **TR MN CN Mc JP 16 34 39 43 59**
- 10741. *Hybomitra caucasi* (Szilady,1923)** (Tabanidae) **Synonym(s):** *caucasi* Szilady,1923 **Range (in code):** **TR AZ GG AM Cc 02 04 06 17 21 25 30 34 36 39 47 56 59 66 69**
- 10742. *Hybomitra caucasica* (Enderlein,1925)** (Tabanidae) **Synonym(s):** *tetrica* Szilady,1914 nec Mart.1883; *bimaculata* Enderlein,1925 nec Macq.,1846; *caucasica* Enderlein,1925; *palpalis* Kröber,1939; *harettae* Muschamp,1939; *olsoufievi* Philip,1956; *olsoufievi* Philip,1961 **Range (in code):** **DE CH AT ES FR IT Cc AZ GG AM TR IR 07 25 36 43 45 53 77**
- 10743. *Hybomitra ciureai* (Séguy,1937)** (Tabanidae) **Synonym(s):** *ciureai* Séguy,1937; *shineri* Lyneborg,1959 **Range (in code):** **TR RU MN 02 03 07 10 11 14 16 17 25 26 30 31 32 33 34 35 39 42 43 57 81**
- 10744. *Hybomitra cuspidata* (Austen,1924)** (Tabanidae) **Synonym(s):** *cuspidata* Austen,1924 **Range (in code):** **IL Pa**
- 10745. *Hybomitra cyanops* (Brauer,1880)** (Tabanidae) **Synonym(s):** *cyanops* Brauer,1880 **Range (in code):** **SY**
- 10746. *Hybomitra decora* (Loew,1858)** (Tabanidae) **Synonym(s):** *decora* Loew,1858; *defasciata* Szilady,1923; *amani* Szilady,1926 **Range (in code):** **TR IL Pa LB JO IQ SY GR Cr BG 14 21 25 31 34 36 38 47 49 56 59 63**
- 10747. *Hybomitra distinguenda* (Verrall,1909)** (Tabanidae) **Synonym(s):** *distinguenda* Verrall,1909; *rufa* Goffe,1931; *parva* Goffe,1931; *contigua* Olsufjev,1972 **Range (in code):** **GB TR CN 14 26 30 34 39 42**
- 10748. *Hybomitra erberi* (Brauer,1880)** (Tabanidae) **Synonym(s):** *erberi* Brauer,1880; *fuscipennis* Szilady,1926 **Range (in code):** **FR Co IT GR UA RU AZ AM Cc KK UZ TJ TM IR TR MN CN 04 25 30 75**
- 10749. *Hybomitra expollicata* (Pandellé,1883)** (Tabanidae) **Synonym(s):** *expollicata* Pandellé,1883; *andreae* Szilady,1922; *nigrivitta* Olsufjev,1936; *pseuderberi* Philip & Aitken,1958; *orientalis* Olsufjev,1970; *orientalis* Leclercq,1970 **Range (in code):** **SE GB BE NL DK DE CH AT ES FR IT Sa Cc GG TR CN Mc MN RU Sb 03 04 17 26 30 34 38 42**
- 10750. *Hybomitra hunnorum* (Szilady,1923)** (Tabanidae) **Synonym(s):** *hunnorum* Szilady,1923; *pamirensis* Enderlein,1933 **Range (in code):** **KK UZ TJ AF PK Ch CN Ui**
- 10751. *Hybomitra kuehlhorni* Leclercq,1967** (Tabanidae) **Synonym(s):** *kuehlhorni* Leclercq,1967 **Range (in code):** **AF**
- 10752. *Hybomitra mendica* (Villeneuve,1912)** (Tabanidae) **Synonym(s):** *mendica* Villeneuve,1912 **Range (in code):** **TR SY Dms IL Pa IQ 63**
- 10753. *Hybomitra micans* (Meigen,1804)** (Tabanidae) **Synonym(s):** *micans* Meigen,1804; *austriaca* Fabricius,1805; *nigerrima* Gravenhorst,1807; *nigra* Donovan,1813 **Range (in code):** **GB BE NL DK DE PL CZ SK CH AT ES FR IT YU RO RU TR 14**
- 10754. *Hybomitra morgani* (Surcouf,1912)** (Tabanidae) **Synonym(s):** *morgani* Surcouf,1912; *sibirica* Enderlein,1925; *staegeri* Lyneborg,1959 **Range (in code):** **DK RO UA Cc GG AM IR MN CN RU Sb**

- 10755. Hybomitra muehlfeldi (Brauer,1880)** (Tabanidae) Synonym(s): muehlfeldi Brauer,1880; sunorus Surcouf,1924 Range (in code): TR Cc GG RU MN 16 34 39 42 57 59
- 10756. Hybomitra okayi Leclercq,1967** (Tabanidae) Synonym(s): okayi Leclercq,1967 Range (in code): TR 14
- 10757. Hybomitra olsufjeviana (Moucha & Chvala,1959)** (Tabanidae) Synonym(s): olsufjeviana Moucha & Chvala,1959; pseudozonata Moucha & Chvala,1959 Range (in code): AF
- 10758. Hybomitra paulisseni Leclercq,1967** (Tabanidae) Synonym(s): paulisseni Leclercq,1967 Range (in code): AF
- 10759. Hybomitra peculiaris (Szilady,1914)** (Tabanidae) Synonym(s): peculiaris Szilady,1914; inaequata Austen,1923; kroeberi Szilady,1926; kashmiriana Szilady,1926 Range (in code): RO GR TR UA Cc AZ AM UZ KK TM TJ IL Pa IQ IR AF MN CN Ch RU KG Tk 35
- 10760. Hybomitra pilosa (Loew,1858)** (Tabanidae) Synonym(s): lateralis Meigen,1820 nec Fourc.,1785; pilosa Loew,1858 Range (in code): DE CZ SK AT HU FR IT YU RO AL GR TR 10 39 43 57
- 10761. Hybomitra popovi (Olsufjev,1937)** (Tabanidae) Synonym(s): popovi Olsufjev,1937 Range (in code): TR Cc AM GG 25
- 10762. Hybomitra reinigiana (Enderlein,1933)** (Tabanidae) Synonym(s): reinigiana Enderlein,1933 Range (in code): TJ Pm KK AF CN Ui
- 10763. Hybomitra semipollinosa (Olsufjev,1937)** (Tabanidae) Synonym(s): semipollinosa Olsufjev,1937 Range (in code): KG TrA KK UZ TJ AF
- 10764. Hybomitra shnitnikovi (Olsufjev,1937)** (Tabanidae) Synonym(s): shnitnikovi Olsufjev,1937; bouvieri Philip,1959 Range (in code): KG TrA KK UZ TJ IR AF
- 10765. Hybomitra tarandina (Linnaeus,1758)** (Tabanidae) Synonym(s): tarandina Linnaeus,1758; karafutonis Matsumura,1911 Range (in code): PT ES FR GB BE NL DK CH IT Co Sa Si SS HV B-H YU MK AL BG GR TR RO MD UA RU Mo EE LT UA Cm
- 10766. Hybomitra tropica (Linnaeus,1758)** (Tabanidae) Synonym(s): tropica Linnaeus,1758; lateralis Geoffroy,1785; tuxeni Lyneborg,1959; bryanensis Leclercq & French,1966 Range (in code): NO SE BE NL DK DE CZ SK AT ES FR YU RU TR 14
- 10767. Hybomitra tuerkmendagensis Kılıç & Schacht,1995** (Tabanidae) Synonym(s): tuerkmendagensis Kılıç & Schacht,1995 Range (in code): TR 26 43
- 10768. Hybomitra turanica (Olsufjev,1937)** (Tabanidae) Synonym(s): turanica Olsufjev,1937 Range (in code): TM UZ
- 10769. Hybomitra turkestana (Szilady,1923)** (Tabanidae) Synonym(s): turkestana Szilady,1923; minor Szilady,1923; atra Szilady,1923 Range (in code): KK UZ TM CN Ui
- 10770. Hybomitra ukrainica (Olsufjev,1952)** (Tabanidae) Synonym(s): ukrainica Olsufjev,1952 Range (in code): MD RO TR UA 03 42
- 10771. Hybomitra vulpes (Szilady,1923)** (Tabanidae) Synonym(s): vulpes Szilady,1923 Range (in code): IL Pa Js
- 10772. Hybomitra zonata (Szilady,1923)** (Tabanidae) Synonym(s): zonata Szilady,1923; nigrocincta Enderlein,1925 Range (in code): TJ Pm AF UZ Smk
- 10773. Nemorius baghadensis Jezek,1977** (Tabanidae) Synonym(s): baghadensis Jezek,1977 Range (in code): IQ Bgd
- 10774. Nemorius caucasicus (Olsufjev,1937)** (Tabanidae) Synonym(s): caucasicus Olsufjev,1937; molitor Bogatshev & Samedov,1949 Range (in code): AZ Cc Kir Nv Ord TR IR 04 21 25 29 36
- 10775. Nemorius irritans (Ricardo,1901)** (Tabanidae) Synonym(s): irritans Ricardo,1901; unicolor Becker,1913 Range (in code): TR IQ IR AF RU Kh Ss 21 56 58
- 10776. Nemorius oenderi (Jezek,1990)** (Tabanidae) Synonym(s): oenderi Jezek,1990 Range (in code): TR 33 35
- 10777. Nemorius shapuricus (Abbassian-Lintzen,1960)** (Tabanidae) Synonym(s): shapuricus Abbassian-Lintzen,1960 Range (in code): IR Fa
- 10778. Nemorius vitripennis (Meigen,1820)** (Tabanidae) Synonym(s): vitripennis Meigen,1820; fallotii Kriechbaumer,1873; horvathi Szilady,1925 Range (in code): ES FR IT YU RO BG AL Sa Co RU Cc TR IR Fa AF TJ 01 07 10 11 16 18 26 30 34 42 43 56 58 73
- 10779. Pangonius (Melanopangonius) funebris Macquart,1845** (Tabanidae) Synonym(s): funebris Macquart,1845; aterrimus Dufour,1853 Range (in code): DZ YU BG AL TR 54
- 10780. Pangonius (Melanopangonius) haustellatus (Fabricius,1781)** (Tabanidae) Synonym(s): haustellatus Fabricius,1781; mauritanicus Meigen,1804; marginata Fabricius,1805; cellulatus Brullé,1832; tenuipalpis Kröber,1921; medioargentatus Szilady,1923; basiargentatus Szilady,1923 Range (in code): DZ ES FR IT YU AL GR BG TR 16 17 22
- 10781. Pangonius (s. str.) obscuratus Loew,1859** (Tabanidae) Synonym(s): obscuratus Loew,1859 Range (in code): TR BG GR Rd 15 35 42 44 48
- 10782. Pangonius (s.str.) argentatus Szilady,1923** (Tabanidae) Synonym(s): argentatus Szilady,1923 Range (in code): TR 05 26 31
- 10783. Pangonius (s.str.) flavocinctus Szilady,1923** (Tabanidae) Synonym(s): flavocinctus Szilady,1923 Range (in code): TR 42



- 10784. Pangonius (s.str.) fulvipes Loew,1868** (Tabanidae) Synonym(s): fulvipes Loew,1868; sulcata Bezzi,1909; palpalis Kröber,1921 Range (in code): SY Ksb YU GR TR 07 10 16 31 32 33 35 44 47 48
- 10785. Pangonius (s.str.) lucidus Szilady,1923** (Tabanidae) Synonym(s): lucidus Szilady,1923 Range (in code): TR 26
- 10786. Pangonius (s.str.) pyritosus Loew,1859** (Tabanidae) Synonym(s): pyritosus Loew,1859; decipiens Kröber,1921; hirsutipalpis Kröber,1921 Range (in code): TR GR BG MK YU RU 05 06 07 08 13 14 16 17 22 23 24 25 30 31 33 34 35 38 39 41 46 48 55 56 58 65 69 73
- 10787. Pangonius (s.str.) rhynchocephalus Kröber,1921** (Tabanidae) Synonym(s): rhynchocephalus Kröber,1921 Range (in code): TR 34
- 10788. Pangonius (s.str.) variegatus (Fabricius,1805)** (Tabanidae) Synonym(s): variegatus Fabricius,1805; acutipalpis Kröber,1921; brunneipes Szilady,1923 Range (in code): MA IT GR TR 16
- 10789. Philipomyia aprica (Meigen,1820)** (Tabanidae) Synonym(s): aprica Meigen,1820; infuscatus Loew,1858 Range (in code): BE DE PL CZ CH AT HU PT ES FR IT YU RO BG AL GR GG Cc AZ AM TR RU IR 03 06 07 08 10 11 12 16 25 26 30 31 33 34 36 37 39 42 43 49 57 59 67 70 73 74 77 78 81
- 10790. Philipomyia graeca (Fabricius,1794)** (Tabanidae) Synonym(s): graeca Fabricius,1794; ferruginea Meigen,1804; fulvicornis Meigen,1820; segmentaria Brullé,1832; infusa Walker,1850; propinqua Palm,1876 Range (in code): CZ CH AT HU ES FR IT YU RO BG AL GR TR 03 07 09 10 16 17 25 31 33 35 42 51 70 73
- 10791. Philipomyia rohndendorfi (Olsufjev,1937)** (Tabanidae) Synonym(s): rohndendorfi Olsufjev,1937 Range (in code): Cc GG AZ AM TR 08 36 53 61
- 10792. Philipomyia zizaniae (Leclercq,1966)** (Tabanidae) Synonym(s): zizaniae Leclercq,1966 Range (in code): TR 01 33
- 10793. Silvius (Heterosilvius) peculiaris Olsuljev,1971** (Tabanidae) Synonym(s): peculiaris Olsuljev,1971 Range (in code): TR 27
- 10794. Silvius (Heterosilvius) zaitzevi Olsufjev,1941** (Tabanidae) Synonym(s): zaitzevi Olsufjev,1941 Range (in code): Cc GG Smt Bku
- 10795. Silvius (s.str.) algirus Meigen,1930** (Tabanidae) Synonym(s): algirus Meigen,1930; bicolor Bigot,1892 Range (in code): MA DZ FR YU BG AL GR TR 01 02 22 33 34 39 49 59
- 10796. Silvius (s.str.) alpinus (Scopoli,1763)** (Tabanidae) Synonym(s): alpinus Scopoli,1763; italicus Fabricius,1781; vituli Fabricius,1805; alpinus Drapiez,1819; decius Walker,1848; hirtus Loew,1858 Range (in code): MA DZ IT UA RU FR DE PL SS TR 01 08 10 14 16 17 22 33 34 39 43 49 59
- 10797. Silvius (s.str.) caucasicus (Kröber,1921)** (Tabanidae) Synonym(s): caucasicus Kröber,1921; latifrons Olsuljev,1937 Range (in code): TR GR Cc RU Da 08 17 25 36 76
- 10798. Silvius (s.str.) inflaticornis Austen,1925** (Tabanidae) Synonym(s): inflaticornis Austen,1925 Range (in code): TR 17
- 10799. Silvius (s.str.) ochraceus Loew,1858** (Tabanidae) Synonym(s): ochraceus Loew,1858 Range (in code): TR IR 01 07 33 48
- 10800. Silvius (s.str.) variegatus (Fabricius,1805)** (Tabanidae) Synonym(s): variegatus Fabricius,1805; maroccanus Bigot,1892 Range (in code): MA GR TR 10 51
- 10801. Stonemyia caucasia (Kröber,1921)** (Tabanidae) Synonym(s): caucasia Kröber,1921 Range (in code): TR 36
- 10802. Stonemyia tigris (Bigot,1880)** (Tabanidae) Synonym(s): tigris Bigot,1880 Range (in code): TR 36
- 10803. Tabanus accensus Austen,1920** (Tabanidae) Synonym(s): accensus Austen,1920 Range (in code): IL Pa TR 33
- 10804. Tabanus accipiter Szilady,1923** (Tabanidae) Synonym(s): accipiter Szilady,1923 Range (in code): TM Kp TJ UZ R AF
- 10805. Tabanus aidini Kröber,1928** (Tabanidae) Synonym(s): aidini Kröber,1928 Range (in code): TR 09
- 10806. Tabanus albifacies Loew,1856** (Tabanidae) Synonym(s): albifacies Loew,1856; politus Walker,1871 Range (in code): IL Pa IR SA DZ LY SD EG
- 10807. Tabanus alvarengia Schacht,1987** (Tabanidae) Synonym(s): alvarengia Schacht,1987 Range (in code): TR 08 30 47 65 73
- 10808. Tabanus anatolicus Osufjev, Moucha & Chvala,1967** (Tabanidae) Synonym(s): anatolicus Osufjev, Moucha & Chvala,1967 Range (in code): TR 01 02 30 31 36 49
- 10809. Tabanus ansarii Abbassian-Lintzen,1960** (Tabanidae) Synonym(s): ansarii Abbassian-Lintzen,1960; nigrinervis Abbassian-Lintzen,1960; gedrosiae Abbassian-Lintzen,1960 Range (in code): IR TM
- 10810. Tabanus anthrax Olsufjev,1937** (Tabanidae) Synonym(s): anthrax Olsufjev,1937; pfeifferi Kröber,1939 Range (in code): TR Cc AM AZ Nv IR 03 30 42 51 65 73
- 10811. Tabanus arabicus Macquart,1839** (Tabanidae) Synonym(s): arabicus Macquart,1839; tinnunculus Szilady,1923 Range (in code): TR IQ Bgd SA 42
- 10812. Tabanus arenicolor Peus,1980** (Tabanidae) Synonym(s): arenicolor Peus,1980 Range (in code): SY

- 10813. *Tabanus arfaai* Abbassian-Lintzen,1966** (Tabanidae) Synonym(s): arfaai Abbassian-Lintzen,1966 Range (in code): IR Fa
- 10814. *Tabanus armeniacus* (Kröber,1928)** (Tabanidae) Synonym(s): armeniacus Kröber,1928 Range (in code): TR Cc AZ AM GG 10 16 26 43 57 67 77 78 81
- 10815. *Tabanus armenicus* Szilady,1926** (Tabanidae) Synonym(s): armenicus Szilady,1926 Range (in code): AZ Cc
- 10816. *Tabanus atropathenicus* Olsufjev,1937** (Tabanidae) Synonym(s): atropathenicus Olsufjev,1937 Range (in code): TR Cc AM AZ Nv IR TM 11 12 16 24 26 29 30 33 36 43 46 73
- 10817. *Tabanus autumnalis* Linnaeus,1761** (Tabanidae) Synonym(s): autumnalis Linnaeus,1761; bovinus Harris,1776 nec L.,1758; molestans Becker,1914; brunnescens Szilady,1914; guttiventris Enderlein,1925 Range (in code): TR SE RU IQ IR AF CN MN MA DZ TN ES 01 02 03 05 06 08 09 10 11 14 15 16 17 18 21 22 23 24 25 26 30 33 34 35 36 39 42 43 44 45 46 48 49 50 51 53 57 59 62 64 66 67 76 78 81
- 10818. *Tabanus bactrianus* Olsufjev,1937** (Tabanidae) Synonym(s): bactrianus Olsufjev,1937 Range (in code): TJ UZ Fe KK AF IR
- 10819. *Tabanus bifarius* Loew,1858** (Tabanidae) Synonym(s): bifarius Loew,1858; longicornis Enderlein,1932; tauricus Enderlein,1932; simovae Leclercq,1959; mesogaeus Peus,1980 Range (in code): DE CZ SK AT HU ES FR IT YU RO BG AL GR RU UA MD Cc GG AZ AM SY TR IR MA YN 01 03 06 10 11 14 16 17 19 22 24 25 26 29 33 34 35 36 37 38 39 40 42 43 45 46 50 51 55 57 58 59 63 66 67 69 74 77 78 81
- 10820. *Tabanus bovinus* Linnaeus,1758** (Tabanidae) Synonym(s): bovinus Linnaeus,1758; auratus Ghidini,1935 Range (in code): MA DZ IT TR RU 03 08 21 23 30 33 36 42 44 59
- 10821. *Tabanus briani* Leclercq,1962** (Tabanidae) Synonym(s): briani Leclercq,1962 Range (in code): TR 03 06 10 14 39 43 57 59 67 74 78 81
- 10822. *Tabanus bromiolus* Szilady,1923** (Tabanidae) Synonym(s): bromiolus Szilady,1923 Range (in code): TR TM 16
- 10823. *Tabanus bromius* Linnaeus,1758** (Tabanidae) Synonym(s): bromius Linnaeus,1758; maculatus De Geer,1776; scalaris Meigen,1820; glaucus Meigen,1820; connexus Walker,1856; antophilus Loew,1858; glaucescens Schiner,1862; flavofemoratus Strobl,1909; nigricans Szilady,1914; simplex Muschamp,1939 Range (in code): TN ES FR IT DE GR TR RU AF 01 02 03 04 05 06 07 08 09 10 11 12 14 16 17 18 19 20 21 22 23 25 26 28 29 30 31 32 33 35 36 38 39 40 42 43 44 46 49 50 51 52 53 54 55 56 57 58 59 61 65 67 68 69 73 74 77 78 81
- 10824. *Tabanus brunnescens* Szilady,1914 (!)** (Tabanidae) Synonym(s): brunnescens Szilady,1914 Range (in code): TR 01 03 05 07 09 10 16 25 26 31 35
- 10825. *Tabanus camelarius* Austen,1911** (Tabanidae) Synonym(s): camelarius Austen,1911 Range (in code): ?IL Pa SD
- 10826. *Tabanus canipalpis* (Bigot,1892)** (Tabanidae) Synonym(s): canipalpis Bigot,1892 Range (in code): IR AM Cc TR 07 35
- 10827. *Tabanus caucasicus* Kröber,1925** (Tabanidae) Synonym(s): caucasicus Kröber,1925 Range (in code): TR Cc AZ AM 53
- 10828. *Tabanus christophi* Kröber,1928** (Tabanidae) Synonym(s): christophi Kröber,1928 Range (in code): IR
- 10829. *Tabanus cordiger* Meigen,1820** (Tabanidae) Synonym(s): cordiger Meigen,1820; atricornis Meigen,1838; latifrons Zetterstedt,1842; vicinus Egger,1849; braueri Jaennicke,1866; megacephalus Jaennicke,1866; fortunatus Frey,1936 Range (in code): MA SE AT ES TR IR Cn 01 03 06 10 11 14 16 23 25 26 33 39 43 57 66 67 78 81
- 10830. *Tabanus cuculus* Szilady,1923** (Tabanidae) Synonym(s): cuculus Szilady,1923 Range (in code): TR 03 07 10 11 16 17 22 24 25 26 31 32 33 39 42 57 59 74
- 10831. *Tabanus darimonti* Leclercq,1964** (Tabanidae) Synonym(s): darimonti Leclercq,1964 Range (in code): PT ES FR MA TR 26 33 35 48
- 10832. *Tabanus decipiens* (Kröber,1928)** (Tabanidae) Synonym(s): decipiens Kröber,1928 Range (in code): GR TR 07 09 35
- 10833. *Tabanus dorsomaculatus* Macquart,1847** (Tabanidae) Synonym(s): dorsomaculatus Macquart,1847 Range (in code): DZ SY IR
- 10834. *Tabanus dzhafarovi* Khudaverdiev & Dz hafarov,1974** (Tabanidae) Synonym(s): dzhafarovi Khudaverdiev & Dz hafarov,1974 Range (in code): Cc AZ Nv
- 10835. *Tabanus eggeri* Schiner,1868** (Tabanidae) Synonym(s): intermedius Egger,1859 nec Wlk.,1848; eggeri Schiner,1868; luizae Dias,1980 Range (in code): PT ES FR IT YU BG AL MA IL Pa TR IR 01 03 06 07 10 11 16 17 22 23 26 30 31 33 34 35 39 42 43 50 51 57 59 66 74 77 78 81
- 10836. *Tabanus exclusus* Pandellé,1883** (Tabanidae) Synonym(s): exclusus Pandellé,1883 Range (in code): FR CZ SK HU PT ES IT YU RO BG AL GR TR 01 03 06 07 10 11 16 17 20 22 25 26 30 31 33 34 35 38 39 42 43 48 50 55 57 59 67 74 77 78
- 10837. *Tabanus fraseri* Austen,1925** (Tabanidae) Synonym(s): fraseri Austen,1925 Range (in code): BG AL GR TR 01 06 10 11 17 22 26 31 34 39 43 59 78 81
- 10838. *Tabanus fumidus* Austen,1923** (Tabanidae) Synonym(s): fumidus Austen,1923; turpis Bogatchev & Samedov,1949 Range (in code): Cc Ord Nv AZ AM IQ SA IR AF TM UZ

- 10839. *Tabanus glaucopis* Meigen, 1820** (Tabanidae) Synonym(s): ferrugineus Meigen, 1804 nec Ström, 1768; glaucopis Meigen, 1820; lunulatus Meigen, 1820; chlorophthalmus Meigen, 1820; flavicans Zeller, 1842; cognatus Loew, 1858; castellanus Strobl, 1906; rubra Muschamp, 1939 Range (in code): GB DE NL BE PL CZ CH AT HU FR IT YU RO BG AL GR RU TR IR MN CN 06 08 10 11 17 22 26 30 31 33 34 35 36 39 42 43 45 49 51 55 57 59 65 67 74 78 81
- 10840. *Tabanus golovi* Olsufjev, 1936** (Tabanidae) Synonym(s): golovi Olsufjev, 1936; pallidus Olsufjev, 1936; mediaasiaticus Olsufjev, 1970 Range (in code): KG Aa TrA CN AF UZ TJ TU KK TR
- 10841. *Tabanus grandis* Szilady, 1923** (Tabanidae) Synonym(s): grandis Szilady, 1923 Range (in code): TR 01
- 10842. *Tabanus gratus* Loew, 1858** (Tabanidae) Synonym(s): gratus Loew, 1858; tritaeniatus Ricardo, 1908 Range (in code): ZA AO AF IR
- 10843. *Tabanus hashemi* Jezek, 1981** (Tabanidae) Synonym(s): hashemi Jezek, 1981 Range (in code): IR
- 10844. *Tabanus hauseri* Olsufjev, 1967** (Tabanidae) Synonym(s): hauseri Olsufjev, 1967 Range (in code): AZ Nv Ord Cc
- 10845. *Tabanus ilchanii* Jezek, 1981** (Tabanidae) Synonym(s): ilchanii Jezek, 1981 Range (in code): TR IR 30
- 10846. *Tabanus indrae* Hauser, 1939** (Tabanidae) Synonym(s): indrae Hauser, 1939; vappa Bogatchev & Samedov, 1949; montivagus Olsufjev, 1970 Range (in code): ES YU BG UA TR Cc AM AZ Nv GG IR RU UZ TM TJ 10 11 16 17 20 23 26 31 33 42 43 62 67 74 77 78 81
- 10847. *Tabanus infestus* Bogatchev & Samedov, 1949** (Tabanidae) Synonym(s): infestus Bogatchev & Samedov, 1949 Range (in code): AZ Nv Cc
- 10848. *Tabanus karaosus* Timmer, 1984** (Tabanidae) Synonym(s): karaosus Timmer, 1984 Range (in code): TR 53 61
- 10849. *Tabanus kermani* Abbassian-Lintzen, 1961** (Tabanidae) Synonym(s): kermani Abbassian-Lintzen, 1961 Range (in code): IR Ke
- 10850. *Tabanus laeteticinctus* Becker, 1913** (Tabanidae) Synonym(s): laeteticinctus Becker, 1913; sordes Bogatchev & Samedov, 1949; assuetus Hauser, 1960; cinereus Hauser, 1960 Range (in code): TR Cc AZ Nv Ord IR Ss Ke PK BI IQ AF RU 01 06 07 08 09 11 17 18 19 23 25 26 27 29 30 35 38 42 43 50 51 56 58 59 66
- 10851. *Tabanus leclercqi* Abbassian-Lintzen, 1961** (Tabanidae) Synonym(s): leclercqi Abbassian-Lintzen, 1961 Range (in code): IR
- 10852. *Tabanus leleani* Austen, 1920** (Tabanidae) Synonym(s): leleani Austen, 1920; pallidus Olsufjev, 1937 nec P.B., 1809; turkestanicus Olsufjev, 1970 Range (in code): TR RO GR IL Pa CY RU Cc AZ AM GG TM UZ TJ KK JO SA IQ IR AF MN CN PK MA DZ TN 01 02 06 08 10 16 17 23 25 27 29 30 31 35 36 38 42 46 61 74 77 78
- 10853. *Tabanus lunatus* Fabricius, 1794** (Tabanidae) Synonym(s): lunatus Fabricius, 1794; algiricus Thunberg, 1827; wideri Jaennicke, 1866; syriacus Szilady, 1923; rufus Szilady, 1923; politus Szilady, 1923; farinosus Szilady, 1923; algeriensis Peus, 1980; levantinus Peus, 1980 Range (in code): PT ES FR IT YU RO BG AL GR Cc AZ Nv TR SY LB IL Pa IQ IR MA DZ TN EG 03 05 06 07 09 10 11 16 17 20 22 25 26 29 30 31 33 34 35 36 38 39 42 45 47 50 51 57 58 59 66 67 74 77 78 81
- 10854. *Tabanus maculicornis* Zetterstedt, 1842** (Tabanidae) Synonym(s): maculicornis Zetterstedt, 1842 Range (in code): TR 03 08 16 17 22 25 34 39 43 57 59 61 67 74 78 81
- 10855. *Tabanus martinii* Kröber, 1928** (Tabanidae) Synonym(s): martinii Kröber, 1928 Range (in code): TR 03 06 09 22 26 30 42 43
- 10856. *Tabanus mianjanganensis* Jezek, 1981** (Tabanidae) Synonym(s): mianjanganensis Jezek, 1981 Range (in code): TR 73
- 10857. *Tabanus miki* Brauer, 1880** (Tabanidae) Synonym(s): miki Brauer, 1880; velutinus Kröber, 1936; australis Hauser, 1960; postvelutinus Moucha, 1962 Range (in code): AT GR RU TR IR Cc AZ Nv 03 04 06 08 10 11 14 16 17 23 25 26 30 31 33 34 36 38 39 42 50 57 62 66 67 73 74 77 78 81
- 10858. *Tabanus mistshenkoi* Olsufjev, 1937** (Tabanidae) Synonym(s): mistshenkoi Olsufjev, 1937; fasciatus Belanovski, 1950 Range (in code): TJ Pm IR
- 10859. *Tabanus mofidiii* Leclercq, 1960** (Tabanidae) Synonym(s): mofidiii Leclercq, 1960; atrofemoratus Abbassian-Lintzen, 1964 Range (in code): IR Fa
- 10860. *Tabanus mordax* Austen, 1911** (Tabanidae) Synonym(s): mordax Austen, 1911 Range (in code): SD IR
- 10861. *Tabanus mouchai* Leclercq, 1962** (Tabanidae) Synonym(s): mouchai Leclercq, 1962 Range (in code): IR TR 47 73
- 10862. *Tabanus nemoralis* Meigen, 1820** (Tabanidae) Synonym(s): nemoralis Meigen, 1820; barbarus Thunberg, 1827 (praeocc.); batnensis Bigot, 1892; calopis Bigot, 1892; ruficornis Surcouf, 1920; algericus Enderlein, 1931 Range (in code): PT ES FR IT YU CH TR IL Pa IR MA DZ LY TN 14
- 10863. *Tabanus obsolescens* Pandellé, 1883** (Tabanidae) Synonym(s): obsolescens Pandellé, 1883 Range (in code): GR TR 01 07 10 11 17 22 26 31 32 33 39 43 45 48 53 58 67 78
- 10864. *Tabanus olsufjevi* Hauser, 1960** (Tabanidae) Synonym(s): olsufjevi Hauser, 1960 Range (in code): TR Cc AZ Nv Ord IR 30 65



- 10865. *Tabanus oppugnator* Austen,1925** (Tabanidae) Synonym(s): *oppugnator* Austen,1925 Range (in code): TR IR 10 17 18 23 43 57 62 74
- 10866. *Tabanus pallidipes* Austen,1920** (Tabanidae) Synonym(s): *pallidipes* Austen,1920 Range (in code): IL Pa IR
- 10867. *Tabanus paradoxus* Jaennicke,1866** (Tabanidae) Synonym(s): *paradoxus* Jaennicke,1866; *macedonicus* Kröber,1936 Range (in code): DE PL CZ SK GR CH AT HU ES FR IT YU AL TR MK 16 17 57 61
- 10868. *Tabanus perelegans* Olsufjev,1972** (Tabanidae) Synonym(s): *perelegans* Olsufjev,1972 Range (in code): Cc AM
- 10869. *Tabanus polygonus* Walker,1854** (Tabanidae) Synonym(s): *polygonus* Walker,1854; *polyzonatus* Bigot,1892; *strictus* Surcouf,1912 Range (in code): IQ Bgd TR IR AF
- 10870. *Tabanus portschinskii* Olsufjev,1937** (Tabanidae) Synonym(s): *portschinskii* Olsufjev,1937 Range (in code): TR Cc AZ AM GG 10 16 17 26 34 36 39 43 57 59 67 78
- 10871. *Tabanus prometheus* Szilady,1923** (Tabanidae) Synonym(s): *prometheus* Szilady,1923; *capito* Olsufjev,1937 Range (in code): TR Cc AZ Nv Ord AM IR BG 03 09 10 16 17 23 24 25 30 32 39 42 43 45 48 59 69 73 78
- 10872. *Tabanus pulvifer* Walker,1854** (Tabanidae) Synonym(s): *pulvifer* Walker,1854; *persis* Ricardo,1911 Range (in code): IQ Bgd IR AF
- 10873. *Tabanus quatuornatatus* Meigen,1820** (Tabanidae) Synonym(s): *quatuornatatus* Meigen,1820; *labaumeanus* Enderlein,1925; *cherbottae* Muschamp,1939; *araxis* Olsufjev,1972 Range (in code): BE DE PL CZ CH AT HU PT ES FR IT YU RO BG AL GR TR RU UA MD GG Cc AZ AM IR MA TN 01 06 08 11 14 16 17 19 20 25 26 30 33 37 39 42 43 48 51 59 61 67 69 74 78 81
- 10874. *Tabanus rectus* Loew,1858** (Tabanidae) Synonym(s): *rectus* Loew,1858; *ornatus* Jaennicke,1866 Range (in code): ES PT FR IT YU CH TR 48
- 10875. *Tabanus regularis* Jaennicke,1866** (Tabanidae) Synonym(s): *regularis* Jaennicke,1866; *rufus* Szilady,1923 *nec* Scop.,1763; *#regluaris* Kılıç,1999 Range (in code): DZ MA TN PT ES FR IT YU RO GR BG CY IL Pa Js TR RU Cc GG AZ AM IQ IR 01 02 03 06 07 09 10 11 15 16 17 20 22 23 25 26 30 33 34 35 39 42 53 59 66 70 73 77 78 80
- 10876. *Tabanus rupinae* Austen,1920** (Tabanidae) Synonym(s): *rupinae* Austen,1920 Range (in code): IL Pa IR
- 10877. *Tabanus rupium* Brauer,1880** (Tabanidae) Synonym(s): *pusillus* Egger,1859 *nec* Macq.,1839; *rupium* Brauer,1880; *abazus* Bigot,1880; *alazinus* Bigot,1892; *lasios* Surcouf,1924; *hadjinicolaoui* Kröber,1936; *loewi* Muschamp,1939 Range (in code): DE CH AT ES FR IT YU RO AL GR MK RU TR Cc GG AZ AM IR 08 10 11 14 16 17 25 26 30 33 35 39 43 46 48 53 57 78
- 10878. *Tabanus sabuletorum* Loew,1874** (Tabanidae) Synonym(s): *sabuletorum* Loew,1874; *gerkei* Brauer,1880; *lama* Portschinsky,1892; *oculipilosus* Olsufjev,1972; *beshkentica* Baratov,1980 Range (in code): RO UA Cc GG AZ TM TJ UZ SA IR MN CN
- 10879. *Tabanus safavii* Jezek,1981** (Tabanidae) Synonym(s): *safavii* Jezek,1981 Range (in code): IR Oru
- 10880. *Tabanus schiva* Moucha & Chvala,1959** (Tabanidae) Synonym(s): *schiva* Moucha & Chvala,1959 Range (in code): AF
- 10881. *Tabanus semenovi* Olsufjev,1937** (Tabanidae) Synonym(s): *semenovi* Olsufjev,1937 Range (in code): UZ Fe AF IR
- 10882. *Tabanus semiargenteus* Olsufjev,1937** (Tabanidae) Synonym(s): *semiargenteus* Olsufjev,1937 Range (in code): TR Cc AM IR 30 36 65
- 10883. *Tabanus shannonellus* Kröber,1936** (Tabanidae) Synonym(s): *shannonellus* Kröber,1936 Range (in code): YU BG GR TR 11 16 17 22 31 33 39 59
- 10884. *Tabanus shelkovnikovi* Paramanov,1934** (Tabanidae) Synonym(s): *shelkovnikovi* Paramanov,1934; *bouvieri* Philip,1959; *abbassinae* Olsufjev,1977 Range (in code): TR Cc AZ AM IR 02 05 09 10 15 22 25 39 30 46 51 56 73
- 10885. *Tabanus spectabilis* Loew,1858** (Tabanidae) Synonym(s): *lateralis* Brullé,1832 (*praeocc.*); *spectabilis* Loew,1858; *aspahanicus* Rondani,1873 Range (in code): ES FR IT HU YU RO BG AL GR MD Cc AZ AM GG TM UZ TJ TR IQ IR AF MA 02 03 05 06 09 10 11 14 15 17 18 19 22 23 24 25 26 28 30 31 33 35 38 39 42 51 59 66 73
- 10886. *Tabanus spodopteroideus* Olsufjev, Moucha & Chvala,1969** (Tabanidae) Synonym(s): *spodopteroideus* Olsufjev, Moucha & Chvala,1969 Range (in code): ES FR IT MA TR 43
- 10887. *Tabanus spodopterus* Meigen,1820** (Tabanidae) Synonym(s): *spodopterus* Meigen,1820; *ponticus* Olsufjev, Moucha & Chvala,1967 Range (in code): DE PL CZ SK CH AT HU FR IT YU RO BG GR MD TR 03 05 06 07 10 11 14 16 17 20 22 23 25 31 33 34 35 36 39 43 59 62 67 77 78 81
- 10888. *Tabanus strix* Szilady,1923** (Tabanidae) Synonym(s): *strix* Szilady,1923 Range (in code): IQ Bgd
- 10889. *Tabanus subparadoxus* Olsufjev,1937** (Tabanidae) Synonym(s): *morio* Olsufjev,1937 *nec* L.,1767; *subparadoxus* Olsufjev,1937 Range (in code): Cc GG TR 16 24 25 43 61 74
- 10890. *Tabanus subsabuletorum* Olsufjev,1936** (Tabanidae) Synonym(s): *subsabuletorum* Olsufjev,1936 Range (in code): TM TJ UZ KG
- 10891. *Tabanus sudeticus* Zeller,1842** (Tabanidae) Synonym(s): *sudeticus* Zeller,1842 Range (in code): GB RU TR 03 08 16 34 35 39 59 61 67 74 77 81

- 10892. *Tabanus sufis* Jaennicke,1867** (Tabanidae) Synonym(s): *sufis* Jaennicke,1867; *alboventralis* Newstead,1907; *lacteipennis* Becker,1913 Range (in code): **GA SD IL Pa IQ IR Ss Kh IN**
- 10893. *Tabanus swiridowi* Portschiński,1882** (Tabanidae) Synonym(s): *swiridowi* Portschiński,1882 Range (in code): **TR Cc AM AZ 08 25 36 58 65 73 75 76**
- 10894. *Tabanus syriacus* Kröber,1925** (Tabanidae) Synonym(s): *syriacus* Kröber,1925 Range (in code): **IL Pa SY**
- 10895. *Tabanus talyshi* Olsufjev,1972** (Tabanidae) Synonym(s): *talyshi* Olsufjev,1972 Range (in code): **AZ Cc**
- 10896. *Tabanus tergestinus* Egger,1859** (Tabanidae) Synonym(s): *tergestinus* Egger,1859 Range (in code): **DE CZ SK CH AT HU ES FR IT YU BG RO AL GR RU UA MD Cc GG AZ AM TR IR 03 06 07 08 10 16 22 23 25 29 31 33 34 39 57 59 67 74 77 78 81**
- 10897. *Tabanus terterjani* (Andreva & Zeynalova,2002)** (Tabanidae) Synonym(s): *terterjani* Andreva & Zeynalova,2002 Range (in code): **TR Cc AM RU IR UA 08 26 30**
- 10898. *Tabanus tinctus* Walker,1850** (Tabanidae) Synonym(s): *tinctus* Walker,1850; *mixtus* Szilady,1914 Range (in code): **MA DZ TN ES IT YU BG RO AL GR CY RU Cc GG AZ AM TR 03 09 10 14 16 17 20 26 35 45 48 57 67 74 77 78**
- 10899. *Tabanus unifasciatus* Loew,1858** (Tabanidae) Synonym(s): *unifasciatus* Loew,1858; *albescens* Kröber,1928 Range (in code): **CZ DE CH AT HU PT ES FR IT RO BG AL GR RU MD UA GG AZ AM Cc TR SY IL Pa IR 03 04 06 07 10 11 14 16 17 19 22 23 24 25 26 30 33 36 38 39 40 42 43 44 46 50 51 53 57 58 59 60 65 66 81**
- 10900. *Tabanus yasujensis* Jezek,1981** (Tabanidae) Synonym(s): *yasujensis* Jezek,1981 Range (in code): **IR TR 06 13 16 33 58 65 73**
- 10901. *Tabanus zeirii* Jexek,1981** (Tabanidae) Synonym(s): *zeirii* Jexek,1981 Range (in code): **IR**
- 10902. *Tabanus zimini* Olsufjev,1937** (Tabanidae) Synonym(s): *zimini* Olsufjev,1937; *luppovae* Baratov,1961 Range (in code): **AZ Cc UZ TM TJ IQ IR AF**
- 10903. *Therioptectes albicauda* (Olsufjev,1937)** (Tabanidae) Synonym(s): *albicauda* Olsufjev,1937 Range (in code): **AZ Cc Len IR**
- 10904. *Therioptectes carabaghensis* (Potschinsky,1877)** (Tabanidae) Synonym(s): *carabaghensis* Potschinsky,1877; *orientalis* Olsufjev,1977 Range (in code): **Cc AM AZ TR IR Elb Dam Es TM Kp IQ Su Hjo UZ Tas 13 25 30 65 73**
- 10905. *Therioptectes gigas* (Herbst,1787)** (Tabanidae) Synonym(s): *gigas* Herbst,1787; *ignotus* Rossi,1790; *albipes* Fabricius,1794; *grossus* Thunberg,1827; *ursus* Costa,1857 Range (in code): **FR BE NL DE CZ SK HU RO CH AT IT B-H HV YU MK BG GR TR 24 26 43 44 46 54**
- 10906. *Therioptectes griseus* (Enderlein,1925)** (Tabanidae) Synonym(s): *griseus* Enderlein,1925 Range (in code): **TR 68**
- 10907. *Therioptectes kuehlhorni* Moucha & Chvala,1964** (Tabanidae) Synonym(s): *kuehlhorni* Moucha & Chvala,1964 Range (in code): **TR IQ Dk 48**
- 10908. *Therioptectes tricolor* Zeller,1842** (Tabanidae) Synonym(s): *tricolor* Zeller,1842; *ruficauda* Enderlein,1925; *kirchbergi* Moucha & Chvala,1959 Range (in code): **IT GR Si TR Cc UA Cm BG RU RO 04 05 06 10 11 14 16 25 26 29 33 35 36 37 38 42 43 44 50 51 58 59 60 65 75 80**
- 10909. *Therioptectes tunicatus* Szilady,1927** (Tabanidae) Synonym(s): *tunicatus* Szilady,1927 Range (in code): **IT Si B-H HV AL GR RO TR Cc AZ IL Pa 31 33 54**
- 10910. *Acemya acuticornis* (Meigen,1824)** (Tachinidae) Synonym(s): *acuticornis* Meigen,1824 Range (in code): **TR AT BE BG HV CY CZ FR FI DE GR HU IT MK NL PL RO RU SK SS ES SE CH UA 67**
- 10911. *Acemya fishelsoni* Kugler,1968** (Tachinidae) Synonym(s): *fishelsoni* Kugler,1968 Range (in code): **IL Pa TR 63**
- 10912. *Allophorocera ferruginea* (Meigen,1824)** (Tachinidae) Synonym(s): *ferruginea* Meigen,1824 Range (in code): **TR AT BE GB BG CZ DK DE EE FI FR HU IT NL NO PL RO RU Us SK SE CH UA 67**
- 10913. *Athrycia impressa* (van der Wulp,1869)** (Tachinidae) Synonym(s): *impressa* van der Wulp,1869 Range (in code): **ES FR GB DK NO SE RU UA PL CH AT IT YU RO BG GR TR DE MN 25**
- 10914. *Baumhaueria goniaeformis* (Meigen,1824)** (Tachinidae) Synonym(s): *goniaeformis* Meigen,1824 Range (in code): **ES FR BE NL DK DE SE FI RU PL UA CZ SK HU RO IT YU BG MK IR Fa Cc IL Pa**
- 10915. *Baumhaueria montana* Richter,2001** (Tachinidae) Synonym(s): *montana* Richter,2001 Range (in code): **TM**
- 10916. *Besseria lateritia* (Meigen,1824)** (Tachinidae) Synonym(s): *lateritia* Meigen,1824 Range (in code): **TR AT BG HV CZ FR GR HU IT PL PT RO RU Us Si ES UA 37**
- 10917. *Billaea biserialis* (Portschiński,1881)** (Tachinidae) Synonym(s): *biserialis* Portschiński,1881 Range (in code): **RU IR IL Pa**
- 10918. *Billaea intermedia* (Portschiński,1881)** (Tachinidae) Synonym(s): *intermedia* Portschiński,1881 Range (in code): **RU IL Pa**
- 10919. *Billaea zimini* Kolomiets,1966** (Tachinidae) Synonym(s): *zimini* Kolomiets,1966 Range (in code): **RU IR**

- 10920. *Bithia ancyrensis* (Villeneuve,1942)** (Tachinidae) Synonym(s): ancyrensis Villeneuve,1942 Range (in code): TR GR 06
- 10921. *Bithia golanensis* (Kugler,1971)** (Tachinidae) Synonym(s): golanensis Kugler,1971 Range (in code): IL Pa HV GR
- 10922. *Bithia immaculata* (Herting,1971)** (Tachinidae) Synonym(s): immaculata Herting,1971 Range (in code): TR 25
- 10923. *Bithia maculifacies* Tschorsnig & Kara,2002** (Tachinidae) Synonym(s): maculifacies Tschorsnig & Kara,2002 Range (in code): TR 50 60
- 10924. *Bithia modesta* (Meigen,1824)** (Tachinidae) Synonym(s): modesta Meigen,1824; invaria Walker,1849; grisea Perris,1852; vetusa Pandelle,1896 Range (in code): TR IL Pa RU 25
- 10925. *Blepharipa scutellata* (R-D.,1830)** (Tachinidae) Synonym(s): scutellata R-D.,1830 Range (in code): US TR 12
- 10926. *Blondelia nigripes* (Fallén,1810)** (Tachinidae) Synonym(s): nigripes Fallén,1810; agilis Meigen,1824; machairopsis Brauer & Bergenstamm,1889 Range (in code): PT ES IE GB NO SE FI DK DE BE FR NL CH AT IT Co SS YU CZ SK HU EE LT LV BY UA RU ME RO MK BG TR JP 25
- 10927. *Buquetia musca* R-D.,1847** (Tachinidae) Synonym(s): musca R-D.,1847 Range (in code): PT ES CH AT IT DE PL CZ SK HU Si HV RO BG GR CY UA RU
- 10928. *Cadurciella tritaeniata* (Rondani,1859)** (Tachinidae) Synonym(s): tritaeniata Rondani,1859 Range (in code): GB NO SE RU JP TR 05
- 10929. *Carcelia laxifrons* Villeneuve,1912** (Tachinidae) Synonym(s): laxifrons Villeneuve,1912 Range (in code): PT ES FR BE NL GB IE NO SE FI RU EE LT DK DE PL BY UA CZ SK HU CH AT IT Co Sa Si SS HV B-H YU MK GR BG RO MD TR
- 10930. *Ceratochaetops triseta* (Villeneuve,1922)** (Tachinidae) Synonym(s): triseta Villeneuve,1922 Range (in code): ES FR YU RU IL Pa TR MN 60
- 10931. *Cestonia canariensis* Villeneuve,1936** (Tachinidae) Synonym(s): canariensis Villeneuve,1936 Range (in code): Cn IL Pa
- 10932. *Cestonia cineraria* Rondani,1861** (Tachinidae) Synonym(s): cineraria Rondani,1861 Range (in code): FR ES CH IT IL Pa
- 10933. *Cestonia deserticola* Richter,2006** (Tachinidae) Synonym(s): deserticola Richter,2006 Range (in code): TM
- 10934. *Cestonia grisella* Mesnil,1963** (Tachinidae) Synonym(s): grisella Mesnil,1963 Range (in code): TM TJ MN
- 10935. *Chetogena nigrofasciata* (Strobl,1902)** (Tachinidae) Synonym(s): nigrofasciata Strobl,1902; repanda Mesnil,1939 Range (in code): IR Fa TR MA IL Pa MK BG GR YU Cc RU
- 10936. *Clytiomya continua* (Panzer,1798)** (Tachinidae) Synonym(s): continua Panzer,1798 Range (in code): ES GR FR BE NL DE SE PL RU UA MD RO CZ SK HU CH AT SS HV B-H IT BG GR CY
- 10937. *Clytiomya dupuisi* Kugler,1971** (Tachinidae) Synonym(s): dupuisi Kugler,1971 Range (in code): ES IT HV AL GR CY
- 10938. *Clytiomya sola* (Rondani,1861)** (Tachinidae) Synonym(s): sola Rondani,1861 Range (in code): PT ES FR DE CH IT Si HV HU UA BG AL GR CY
- 10939. *Compsilura concinnata* (Meigen,1824)** (Tachinidae) Synonym(s): concinnata Meigen,1824 Range (in code): TR 25 55
- 10940. *Conogaster pruinosa* (Meigen,1824)** (Tachinidae) Synonym(s): pruinosa Meigen,1824 Range (in code): TR 25
- 10941. *Cylindromyia (Calocyptera) intermedia* (Meigen,1824)** (Tachinidae) Synonym(s): intermedia Meigen,1824 Range (in code): PT ES FR BE NL DE PL CZ SK RU UA MD RO CH AT IT Co Sa Si SS HV YU MK GR BG Cr TR 25
- 10942. *Cylindromyia (Conopisoma) rufipes* (Meigen,1824)** (Tachinidae) Synonym(s): rufipes Meigen,1824; nigra Villeneuve,1918 nec Big.,1885 Range (in code): PT ES FR IT Co HV HU YU RO UA AL MK GR BG CY EG PK
- 10943. *Cylindromyia (Neocyptera) hermonensis* Kugler,1974** (Tachinidae) Synonym(s): hermonensis Kugler,1974 Range (in code): Co IT GR BG IL Pa
- 10944. *Cylindromyia (Neocyptera) interrupta* (Meigen,1824)** (Tachinidae) Synonym(s): interrupta Meigen,1824 Range (in code): TR AT BE B-H GB BG Co HV CZ DK DE EE FI FR HU IT LT NL NO PL RO RU Us SK SS ES SE CH UA YU 37
- 10945. *Cylindromyia (s.str.) brassicaria* (Fabricius,1775)** (Tachinidae) Synonym(s): brassicaria Fabricius,1775; boscii R-D.,1830; trinacrina Bigot,1878; sapporensis Matsumura,1916 Range (in code): IE NO SE FI DK DE PT ES FR BE NL PL RU Sb Us UA CZ SK CH AT IT SS HV YU AL MK BG GR Co Sa Si Cr GB TR Md Cn MN CN Ui Ku Pkn Gn Mc Ti Yu JP Hkk 25 65
- 10946. *Cylindromyia montana* Kugler,1974** (Tachinidae) Synonym(s): montana Kugler,1974 Range (in code): TR IL Pa 25
- 10947. *Cylindromyia persica* Tschorsnig,2000** (Tachinidae) Synonym(s): persica Tschorsnig,2000 Range (in code): IR Fa



- 10948. *Cylindromyia rufifrons* (Loew,1844)** (Tachinidae) Synonym(s): rufifrons Loew,1844 Range (in code): PT ES FR NL IT Co Si SK HU HV RO BG GR CY
- 10949. *Cylindromyia scapularis* (Loew,1845)** (Tachinidae) Synonym(s): scapularis Loew,1845 Range (in code): PT ES FR IT Si GR CY
- 10950. *Dinera carinifrons* (Fallén,1817)** (Tachinidae) Synonym(s): carinifrons Fallén,1817 Range (in code): ES FR BE NL GB NO SE FI DK DE EE BY RU UA PL CZ SK MD RO CH AT IT HV B-H YU AL GR BG TR 25
- 10951. *Dinera grisescens* (Fallén,1817)** (Tachinidae) Synonym(s): grisescens Fallén,1817 Range (in code): ES FR BE NL GB NO SE FI DK DE UA PL CZ SK MD RO CH AT IT B-H YU BG Cc RU Sb Us CN Ui CA BCo Arz US NMx
- 10952. *Dinera setifacies* Zhang & Shima,2006** (Tachinidae) Synonym(s): setifacies Zhang & Shima,2006 Range (in code): CN Yu TW NP PK
- 10953. *Drino gilva* (Hartig,1838)** (Tachinidae) Synonym(s): gilva Hartig,1838 Range (in code): TR 25
- 10954. *Drino imberbis* (Wiedemann,1830)** (Tachinidae) Synonym(s): imberbis Wiedemann,1830 Range (in code): TR 25
- 10955. *Drino inconspicua* (Meigen,1830)** (Tachinidae) Synonym(s): inconspicua Meigen,1830 Range (in code): TR 25
- 10956. *Drino vicina* (Zetterstedt,1849)** (Tachinidae) Synonym(s): vicina Zetterstedt,1849 Range (in code): SE TR 25
- 10957. *Ectophasia crassipennis* (Fabricius,1794)** (Tachinidae) Synonym(s): crassipennis Fabricius,1794 Range (in code): TR PT ES FR BE NL DE PL UA RU MD RO CZ SK HU CH AT IT SS B-H HV YU GR BG Si Co 13
- 10958. *Ectophasia leucoptera* (Rondani,1865)** (Tachinidae) Synonym(s): leucoptera Rondani,1865 Range (in code): ES FR NL IT HV Sa Si AL GR Cr BG TR 01
- 10959. *Eliozeta helluo* (Fabricius,1805)** (Tachinidae) Synonym(s): helluo Fabricius,1805 Range (in code): PT ES FR DE EE PL CZ SK MD RO HU CH AT Co Si IT SS HV B-H AL MK GR Cr BG UA RU TR 65
- 10960. *Epicampocera succinta* (Meigen,1824)** (Tachinidae) Synonym(s): succinta Meigen,1824 Range (in code): TR 05
- 10961. *Eriothrix apenninus* (Rondani,1862)** (Tachinidae) Synonym(s): apenninus Rondani,1862; latifrons Brauer,1898 Range (in code): PT ES FR IT AT SK CZ HU HV YU BG RO UA RU IL Pa MA TR 25 38
- 10962. *Eriothrix rufomaculatus* (De Geer,1776)** (Tachinidae) Synonym(s): lateralis Fabricius,1775; rufomaculatus De Geer,1776; demano Harris,1780; tachinaria Fallén,1815 Range (in code): PT ES FR BE NL DK DE NO SE FI EE UA PL IE GB CZ SK HU CH AT IT SS HV B-H YU MK GR BG RO MD RU TR IL Pa 25 65 76
- 10963. *Erycia fasciata* Villeneuve,1924** (Tachinidae) Synonym(s): fasciata Villeneuve,1924; hierosolymitana Kugler,1963 Range (in code): TR IL Pa AT CH YU RU Sb 06
- 10964. *Erythroceria nigripes* (R-D.,1830)** (Tachinidae) Synonym(s): nigripes R-D.,1830; bucentoidea R-D.,1830; cinerea R-D.,1848; rubrifrons Perris,1852; aberrans Egger,1865; induta Pandellé,1896; carinthiaca Strobl,1901 Range (in code): CH DE FR HU RU TR 05
- 10965. *Estheria acuta* (Portschinsky,1881)** (Tachinidae) Synonym(s): acuta Portschinsky,1881 Range (in code): AZ Cc TR
- 10966. *Estheria mesnili* Cerretti & Tschorsnig,2012** (Tachinidae) Synonym(s): mesnili Cerretti & Tschorsnig,2012 Range (in code): IL Pa He
- 10967. *Estheria microcera* (R-D.,1830)** (Tachinidae) Synonym(s): microcera R-D.,1830 Range (in code): ES FR CH IT CZ SK RO UA Cc
- 10968. *Estheria nigripes* (Villeneuve,1920)** (Tachinidae) Synonym(s): nigripes Villeneuve,1920 Range (in code): ES GR TR DZ MA IL Pa TN
- 10969. *Estheria pallicornis* (Loew,1873)** (Tachinidae) Synonym(s): pallicornis Loew,1873 Range (in code): IT RO GR TR IR KK AF CN Ui RU Sb Cc TJ UZ Smk
- 10970. *Estheria picta* (Meigen,1826)** (Tachinidae) Synonym(s): picta Meigen,1826; breviciliata Pandellé,1896 Range (in code): FR IT NL DE PL RU UA CZ SK AT IT Sa B-H HU YU AL GR BG RO TR 25
- 10971. *Exorista (Adenia) rustica* (Fallén,1810)** (Tachinidae) Synonym(s): rustica Fallén,1810; germana R-D.,1830; grisea R-D.,1830; lauta R-D.,1863 Range (in code): PT ES FR GB IE NO SE FI EE RU UA PL DK DE BE NL CH AT CZ SK HU RO SS HV B-H YU AL MK BG GR TR IT 05
- 10972. *Exorista (Podotachina) longicercus* Kugler,1980** (Tachinidae) Synonym(s): longicercus Kugler,1980 Range (in code): IL Pa IR Fa
- 10973. *Exorista (Ptilotachina) deligata* Pandellé,1896** (Tachinidae) Synonym(s): deligata Pandellé,1896 Range (in code): MA IL Pa IR Fa SE FI RU PL ES FR IT Co HV MK GR BG Cc RU Sb
- 10974. *Exorista (s.str.) larvarum* (Linnaeus,1758)** (Tachinidae) Synonym(s): larvarum Linnaeus,1758 Range (in code): ES FR GB BE NL DK DE SE FI RU EE UA BY PL CZ SK HU CH AT IT Sa Si SS HV YU MK GR BG MD RO EG TR CA Yuk On 25 36 75
- 10975. *Exorista kugleri* Mesnil,1960** (Tachinidae) Synonym(s): kugleri Mesnil,1960 Range (in code): Cn IL Pa TN RU
- 10976. *Exorista rossica* Mesnil,1960** (Tachinidae) Synonym(s): rossica Mesnil,1960 Range (in code): MD UA TJ TR 25

- 10977. Exorista segregata (Rondani,1859)** (Tachinidae) Synonym(s): segregata Rondani,1859 Range (in code): PT ES FR AT Co Sa Si IT HV HU UA RO MK BG GR CY TR 25
- 10978. Exorista tessellans Mesnil,1939** (Tachinidae) Synonym(s): tessellans Mesnil,1939 Range (in code): RU IL Pa DZ ZR
- 10979. Fischeria bicolor R-D.,1830** (Tachinidae) Synonym(s): bicolor R-D.,1830 Range (in code): RU IL Pa IR
- 10980. Germaria graeca (Brauer & Bergenstamm,1889)** (Tachinidae) Synonym(s): graeca Brauer & Bergenstamm,1889 Range (in code): GR TR AZ Nv Cc IR Ak Ar 02 73
- 10981. Germaria hermonensis Kugler,1980** (Tachinidae) Synonym(s): hermonensis Kugler,1980 Range (in code): IL Pa TR SY 60
- 10982. Germaria obscuripennis Tschorsnig,2000** (Tachinidae) Synonym(s): obscuripennis Tschorsnig,2000 Range (in code): TR 18 38
- 10983. Gonia atra Meigen,1826** (Tachinidae) Synonym(s): atra Meigen,1826 Range (in code): IL Pa
- 10984. Gonia atrata Bischof,1905** (Tachinidae) Synonym(s): atrata Bischof,1905 Range (in code): IL Pa TR 38
- 10985. Gonia bimaculata Wiedemann,1819** (Tachinidae) Synonym(s): bimaculata Wiedemann,1819 Range (in code): IL Pa CN
- 10986. Gonia foersteri Meigen,1838** (Tachinidae) Synonym(s): foersteri Meigen,1838 Range (in code): IL Pa RU
- 10987. Gonia maculipennis Egger,1862** (Tachinidae) Synonym(s): maculipennis Egger,1862 Range (in code): ES HU UA CY TR IL Pa TM 06 21 49 56 65 73 76
- 10988. Gonia olgae Rhodendorf,1927** (Tachinidae) Synonym(s): olgae Rhodendorf,1927 Range (in code): IL Pa
- 10989. Gonia ornata Meigen,1826** (Tachinidae) Synonym(s): ornata Meigen,1826 Range (in code): TR IL Pa 12 24 25 42
- 10990. Gonia ornata Meigen,1826** (Tachinidae) Synonym(s): ornata Meigen,1826 Range (in code): RU MN IL Pa
- 10991. Gonia picea (R-D.,1830)** (Tachinidae) Synonym(s): fasciata Meigen,1826; picea R-D.,1830 Range (in code): MN CN TW RU JP Sb Cc
- 10992. Gonia secunda Villeneuve,1929** (Tachinidae) Synonym(s): secunda Villeneuve,1929 Range (in code): LB
- 10993. Gonia sricula (R-D.,1830)** (Tachinidae) Synonym(s): sricula R-D.,1830 Range (in code): IT Si IL Pa
- 10994. Gonia umbripennis Herting,1958** (Tachinidae) Synonym(s): umbripennis Herting,1958 Range (in code): IL Pa
- 10995. Graphogaster vestita Rondani,1868** (Tachinidae) Synonym(s): vestita Rondani,1868 Range (in code): TR BG HV GR IT Si ES UA 74
- 10996. Gymnosoma clavatum (Rohdendorf,1947)** (Tachinidae) Synonym(s): clavata Rohdendorf,1947; verbekei Mesnil,1952 Range (in code): RU Cc CY IL Pa TR ES FR BE NL DK DE NO SE FI EE BY UA CZ SK HU CH AT Co Sa Si SS HV AL MK GR BG Cr 25 76
- 10997. Gymnosoma desertorum (Rohdendorf,1947)** (Tachinidae) Synonym(s): desertorum Rohdendorf,1947; plesiomorpha Zimin,1966 Range (in code): RU Cc PL MN UA BG CY
- 10998. Gymnosoma iranica (Zimin,1966)** (Tachinidae) Synonym(s): iranica Zimin,1966 Range (in code): IR
- 10999. Gymnosoma persicum (Mesnil,1952)** (Tachinidae) Synonym(s): persica Mesnil,1952; pulchra Zimin,1966 Range (in code): IR
- 11000. Hypovoria pilibasis (Villeneuve,1922)** (Tachinidae) Synonym(s): pilibasis Villeneuve,1922 Range (in code): TR
- 11001. Leskia aurea (Fallén,1820)** (Tachinidae) Synonym(s): aurea Fallén,1820 Range (in code): TR
- 11002. Leskia erevanica Richter,1974** (Tachinidae) Synonym(s): erevanica Richter,1974 Range (in code): Cc AM Eri TR IL pa 26
- 11003. Leucostoma abbreviata Herting,1971** (Tachinidae) Synonym(s): abbreviata Herting,1971 Range (in code): FR DE AT IL Pa TM Kp
- 11004. Leucostoma tetraptera (Meigen,1824)** (Tachinidae) Synonym(s): tetraptera Meigen,1824 Range (in code): TR AD AT BG CZ FR DE GR HU IT PL PT RU Sa SK ES UA YU 78
- 11005. Linnaemya compta (Fallén,1810)** (Tachinidae) Synonym(s): compta Fallén,1810; compta Meigen,1824; fulgeus Meigen,1824; heraclei R-D.,1830; aestivalis R-D.,1830; borealis R-D.,1830; longipes R-D.,1830; oenanthis R-D.,1830; humeralis R-D.,1863; #campta Doğanlar,1982 Range (in code): FI ES FR GB DK DE BE NL PL CZ SK HU RO CH AT IT Sa Si HV B-H YU MK GR BG UA CA US MX TR SE Cc MN GB RU Ur IL Pa 12 20 21 25 30 60
- 11006. Linnaemya frater (Rondani,1859)** (Tachinidae) Synonym(s): frater Rondani,1859 Range (in code): CH AT CZ SK HU UA RO RU IT SS HV YU BG IL Pa
- 11007. Linnaemya impudica (Rondani,1859)** (Tachinidae) Synonym(s): impudica Rondani,1859 Range (in code): ES FR DE PL CZ SK UA RO BG GR SS HV CH AT IT Co RU TR 12

- 11008. *Linnaemya latigena* Kugler,1968** (Tachinidae) Synonym(s): latigena Kugler,1968 Range (in code): IL Pa
- 11009. *Linnaemya lithosiophaga* (Rondani,1859)** (Tachinidae) Synonym(s): lithosiophaga Rondani,1859 Range (in code): PT ES FR CH IT Sa Si HV YU MK BG PL UA RU IL Pa
- 11010. *Linnaemya neavei* Curran,1934** (Tachinidae) Synonym(s): neavei Curran,1934 Range (in code): GR TR IL Pa JO IR Fa
- 11011. *Linnaemya pentheri* (Bischof,1905)** (Tachinidae) Synonym(s): pentheri Bischof,1905 Range (in code): TR 38
- 11012. *Linnaemya petiolata* Kugler,1971** (Tachinidae) Synonym(s): petiolata Kugler,1971 Range (in code): IL Pa
- 11013. *Linnaemya setifrons* Zimin,1954** (Tachinidae) Synonym(s): setifrons Zimin,1954 Range (in code): RU IL Pa
- 11014. *Linnaemya soror* Zimin,1954** (Tachinidae) Synonym(s): soror Zimin,1954 Range (in code): PT ES FR IT Sa Si HV GR Cr IL Pa
- 11015. *Linnaemya vulpina* (Fallén,1810)** (Tachinidae) Synonym(s): vulpina Fallén,1810 Range (in code): PT ES FR GB IE NO SE FI DK DE BE NL PL UA RU CZ SK CH AT IT SS HV RO BG GR Sa Si UA IL Pa IR Fa
- 11016. *Loewia crassipes* (Mesnil,1953)** (Tachinidae) Synonym(s): crassipes Mesnil,1953 Range (in code): TR 07 31 33
- 11017. *Loewia montivaga* Richter,1996** (Tachinidae) Synonym(s): montivaga Richter,1996 Range (in code): RU Cc AZ
- 11018. *Loewia papei* Cerretti, Giudice & O'hara,2014** (Tachinidae) Synonym(s): papei Cerretti, Giudice & O'hara,2014 Range (in code): TR
- 11019. *Lophosia fasciata* Meigen,1824** (Tachinidae) Synonym(s): fasciata Meigen,1824 Range (in code): RU Mo PT ES IT Sa Si HV B-H GR BG TR CY Cr MD EE LT IE
- 11020. *Macquartia chalconota* (Meigen,1824)** (Tachinidae) Synonym(s): chalconota Meigen,1824; germanica R-D.,1830; major Schiner,1862 Range (in code): Cc TR AT DE HU SE 05
- 11021. *Macquartia praefica* (Meigen,1824)** (Tachinidae) Synonym(s): praefica Meigen,1824; microcera R-D.,1830; olizon Walker,1849; torta Walker,1853; celebs Rondani,1859; atra R-D.,1863; spinicincta Meade,1891; echinalis Pandelle,1895; fuscicularis Pandelle,1895; #preafica Kara,1999 Range (in code): BE DE Cc IL Pa UA GB BG ES RU TR 60
- 11022. *Macquartia tenebricosa* (Meigen,1824)** (Tachinidae) Synonym(s): tenebricosa Meigen,1824; tristis Meigen,1824; nitida R-D.,1830; fumata Zetterstedt,1844; rufipalpis Macquart,1854; umbrosa Zetterstedt,1859; affinis Schiner,1862; carbonaria R-D.,1863; laeta R-D.,1863; villica R-D.,1863; clausicella Rondani,1865 Range (in code): SE GB TR Cc IL Pa MN KG RU 60
- 11023. *Macquartia tessellum* (Meigen,1824)** (Tachinidae) Synonym(s): tessellum Meigen,1824; brevicornis Macquart,1839; occlusa Rondani,1859; brunusquamis R-D.,1863; microcera R-D.,1863; olivaceomaculata Porthinsky,1881; genistae Pandelle,1895 Range (in code): PT ES FR GB NL DE PL SK CH AT IT Co Si B-H BG GR Cr CY Cn IL Pa Cc TJ TR 25 38 60
- 11024. *Masicera cuculliae* (R-D.,1830)** (Tachinidae) Synonym(s): cuculliae R-D.,1830 Range (in code): TR 25
- 11025. *Medina melania* (Meigen,1824)** (Tachinidae) Synonym(s): melania Meigen,1824 Range (in code): AD AT BY CZ FR DE HU IT PL RU SS ES CH TR 74
- 11026. *Medina separata* (Meigen,1824)** (Tachinidae) Synonym(s): separata Meigen,1824 Range (in code): AD AT BY BE GB BG CZ DK FI FR DE GB HU IT NO PL SK SS ES SE CH NL UA TR 25
- 11027. *Meigenia mutabilis* (Fallén,1810)** (Tachinidae) Synonym(s): mutabilis Fallén,1810 Range (in code): TR 25
- 11028. *Mintho compressa* (Fabricius,1787)** (Tachinidae) Synonym(s): compressa Fabricius,1787 Range (in code): ES FR IT Sa Si HV GR BG CY
- 11029. *Mintho rufiventris* (Fallén,1817)** (Tachinidae) Synonym(s): rufiventris Fallén,1817; lacera Rondani,1847 Range (in code): NL GB SE FI RU Sb Us MN IL Pa Cc TR IR Fa 25 38 65
- 11030. *Myxexoristops blondeli* (R-D.,1830)** (Tachinidae) Synonym(s): blondeli R-D.,1830 Range (in code): TR FR CN Pkn Mc Sz Ui Yu 25
- 11031. *Nemoraea pellucida* (Meigen,1824)** (Tachinidae) Synonym(s): pellucida Meigen,1824; neglecta Meigen,1824; rubrica Meigen,1824; affinis R-D.,1830; bombylans R-D.,1830; fulva R-D.,1830; conjuncta Macquart,1848; vicina Macquart,1848; vulnerata Zetterstedt,1849; nupta Rondani,1859; discreta R-D.,1863; sponsa Rondani,1865 Range (in code): DZ ES FR GB NO SE RU UA DK DE BE NL CH AT IT Co Sa Si SS HV B-H HU MD RO BG GR TR JP 12 55
- 11032. *Nemorilla maculosa* (Meigen,1824)** (Tachinidae) Synonym(s): maculosa Meigen,1824 Range (in code): TR 36
- 11033. *Nilea anatolica* Mesnil,1954** (Tachinidae) Synonym(s): anatolica Mesnil,1954 Range (in code): TR 25
- 11034. *Nowickia atripalpis* (R-D.,1863)** (Tachinidae) Synonym(s): atripalpis R-D.,1863 Range (in code): ES FR NL DE PL RU UA CZ SK CH AT IT HV BG TR



- 11035. *Opesia grandis* (Egger,1860)** (Tachinidae) Synonym(s): *grandis* Egger,1860 Range (in code): CZ BG FR DE HU IT UA YU CN JP Hkk RU Sb Us Cc AT
- 11036. *Pales pavid* (Meigen,1824)** (Tachinidae) Synonym(s): *pavida* Meigen,1824 Range (in code): TR 05 25 75
- 11037. *Palesisa nudioculata* Villeneuve,1929** (Tachinidae) Synonym(s): *nudioculata* Villeneuve,1929 Range (in code): TR TM 25
- 11038. *Pandelleia albipennis* Villeneuve,1934** (Tachinidae) Synonym(s): *albipennis* Villeneuve,1934 Range (in code): RU IL Pa Js
- 11039. *Pandelleia* sp.** (Tachinidae) Synonym(s): Range (in code): TR 56
- 11040. *Peleteria rubescens* R-D.,1830** (Tachinidae) Synonym(s): *rubescens* R-D.,1830; *nigricornis* Meigen,1838; *pulverulanata* R-D.,1863 Range (in code): GB ES FR PT FI SE PL DE BG TR UZ MN IL Pa 25 60
- 11041. *Phasia (Hyalomya) pandellei* (Dupuis,1957)** (Tachinidae) Synonym(s): *pandellei* Dupuis,1957 Range (in code): TR PT ES FR DE HU SK B-H CH IT BG GR 37 67 74 78
- 11042. *Phasia (s.str.) obesa* (Fabricius,1798)** (Tachinidae) Synonym(s): *obesa* Fabricius,1798 Range (in code): ES FR GB IE SE NO FI EE RU UA PL DE DK CZ SK HU MD RO BG HV YU B-H SS AT CH IT Co Si GR Cr CY
- 11043. *Phasia mesnili* Draber-Monko,1965** (Tachinidae) Synonym(s): *mesnili* Draber-Monko,1965; *theodori* Draber-Monko,1965 Range (in code): PT ES FR IT Co Si HU UA RU Cr CY
- 11044. *Phryno vetula* (Meigen,1824)** (Tachinidae) Synonym(s): *vetula* Meigen,1824 Range (in code): TR CZ 12
- 11045. *Phryxe caudata* (Rondani,1859)** (Tachinidae) Synonym(s): *caudata* Rondani,1859 Range (in code): PT ES FR CH IT HV GR CY TR
- 11046. *Phryxe magnicornis* (Zetterstedt,1838)** (Tachinidae) Synonym(s): *magnicornis* Zetterstedt,1838 Range (in code): ES FR GB IE NO SE RU Us Sb UA DK DE NL PL CZ SK HU MD CH AT IT YU BG TR Cc MN
- 11047. *Phryxe nemea* (Meigen,1824)** (Tachinidae) Synonym(s): *nemea* Meigen,1824 Range (in code): ES FR GB IE SE FI DK PL UA CZ SK HU RO YU BG GR CH AT IT Sa DE Cc JP Hkk RU Us Sb CN
- 11048. *Phryxe vulgaris* (Fallén,1810)** (Tachinidae) Synonym(s): *vulgaris* Fallén,1810 Range (in code): PT ES FR IE GB NO FI EE LT LV DK DE BE NL UA SE CZ SK HU CH AT IT Si HV SS B-H YU AL GR MD RO BG CN Ui JP Hkk MN RU Sb Us Cc US Cf Nj CA BCo
- 11049. *Pseudogonia rufifrons* (Wiedemann,1830)** (Tachinidae) Synonym(s): *rufifrons* Wiedemann,1830 Range (in code): CZ SK DE FR HU IT RU IL Pa TR MN JP 60
- 11050. *Pseudomintho brevipennis* Brauer & Bergenstamm,1889** (Tachinidae) Synonym(s): *brevipennis* Brauer & Bergenstamm,1889; *minor* Bischof,1905 Range (in code): TR 05 38
- 11051. *Pseudomintho pentheri* Bischof,1905** (Tachinidae) Synonym(s): *pentheri* Bischof,1905 Range (in code): TR 38
- 11052. *Pseudomintho pictipennis* (Brauer & Bergenstamm,1889)** (Tachinidae) Synonym(s): *pictipennis* Brauer & Bergenstamm,1889 Range (in code): TR 16
- 11053. *Pseudomintho rufipes* Bischof,1905** (Tachinidae) Synonym(s): *rufipes* Bischof,1905 Range (in code): TR 38
- 11054. *Rondania cucullata* R-D.,1850** (Tachinidae) Synonym(s): *cucullata* R-D.,1850; *notata* R-D.,1863; *rufitibia* Strobl,1894; *notiventris* Pandelle,1896 Range (in code): FR NL DE CZ SK PL CH AT HU IT HV TR 25
- 11055. *Senometopia separata* (Rondani,1859)** (Tachinidae) Synonym(s): *separata* Rondani,1859 Range (in code): TR IT 12 25
- 11056. *Simoma grahami* Aldrich,1926** (Tachinidae) Synonym(s): *grahami* Aldrich,1926 Range (in code): CN Sz JP MY VN IN TR IL Pa 73
- 11057. *Spallanzania hebes* (Fallén,1820)** (Tachinidae) Synonym(s): *hebes* Fallén,1820; *pansa* Snow,1895 Range (in code): ES FR BE DE PL CZ SK FI BY PL RU UA SS HV YU MD RO IT CH AT Co BG GR CY SE TR IL Pa 25
- 11058. *Spallanzania rectistylum* Macquart,1847** (Tachinidae) Synonym(s): *rectistylum* Macquart,1847 Range (in code): ES Sa Si IT HV MK GR IL Pa
- 11059. *Stomina iners* (Meigen,1838)** (Tachinidae) Synonym(s): *iners* Meigen,1838 Range (in code): TR PT ES FR CZ SK UA HU RO BG AL GR IL Pa 25
- 11060. *Sturmia bella* (Meigen,1824)** (Tachinidae) Synonym(s): *bella* Meigen,1824 Range (in code): IL Pa Js
- 11061. *Tachina (Echinogaster) praeceps* Meigen,1824** (Tachinidae) Synonym(s): *praeceps* Meigen,1824; *argentifrons* Macquart,1835; *pusilla* Macquart,1845; *fuscanipennis* Macquart,1845; *alpicola* Rondani,1861; *tricondyla* Rondani,1868; *roederi* Giglio-Tos,1891; *similis* Giglio-Tos,1891 Range (in code): ES FR DE CH AT Sa Si IT PL CZ SK HU RU UA MD RO MK YU HV BG GR Cr Cc TR TM UZ KK KG AM IR IL Pa 22 25 39 40 50 51 59 60 75
- 11062. *Tachina (Eudoromyia) fera* (Linnaeus,1761)** (Tachinidae) Synonym(s): *fera* Linnaeus,1761; *reccumbo* Harris,1776 Range (in code): PT ES FR GB IE NO SE FI BE NL DK DE EE RU UA PL RO CZ SK HU CH AT IT Co Sa Si HV SS B-H YU BG GR Cr CY TR Cc IL Pa MN JP DZ TJ Pm 12 25 60 65 73 75 76

- 11063. *Tachina (Eudoromyia) magnicornis* Zetterstedt,1844** (Tachinidae) Synonym(s): tessellata Fabricius,1794; magnicornis Zetterstedt,1844; conjugata Rondani,1859; dispersa Giglio-Tos,1891; friedrichi Wachtl,1894; vernalis R-D.; satanas Zimin,1935 Range (in code): ES FR DE SE Cc CZ BG TR IL Pa SY LB MN JP 10 12 30 60
- 11064. *Tachina (Eudoromyia) nupta* (Rondani,1859)** (Tachinidae) Synonym(s): nupta Rondani,1859; micado Kirby,1884; orientalis Zimin,1935; trigonata Villeneuve,1936; nigriventris Zimin,1967; mesnili Zimin,1967; turanica Zimin,1980 Range (in code): FR DE CH CZ UA HU RO YU BG GR Sa Si IT Cc TR UZ MN CN JP KG RU 60
- 11065. *Tachina (s.str.) grossa* (Linnaeus,1758)** (Tachinidae) Synonym(s): grossa Linnaeus,1758 Range (in code): PT ES FR GB IE NO SE FI BE NL DK DE EE RU UA PL RO CZ SK HU CH AT IT Si HV SS B-H YU BG GR TR 26
- 11066. *Tachina (Servillia) lurida* (Fabricius,1781)** (Tachinidae) Synonym(s): lurida Fabricius,1781 Range (in code): PT ES FR GB DE PL RU UA MD RO CZ SK HU CH AT IT Sa Si MT B-H YU BG GR Cr LT TR 13 65
- 11067. *Thelymorpha marmorata* (Fabricius,1805)** (Tachinidae) Synonym(s): marmorata Fabricius,1805 Range (in code): TR 25 75
- 11068. *Townsendiellomyia nidicola* (Townsend,1908)** (Tachinidae) Synonym(s): nidicola Townsend,1908 Range (in code): TR 13 25
- 11069. *Voria ruralis* (Fallén,1810)** (Tachinidae) Synonym(s): ruralis Fallén,1810 Range (in code): PT ES FR GB IE NO SE FI EE LT RU BY PL DK DE BE NL CZ SK HU CH AT IT SS HV B-H YU MD RO UA Cc TR AL GR BG MK IL Pa 53
- 11070. *Wagneria albifrons* Kugler,1977** (Tachinidae) Synonym(s): albifrons Kugler,1977 Range (in code): GR IL Pa
- 11071. *Wagneria cunctans* (Meigen,1824)** (Tachinidae) Synonym(s): cunctans Meigen,1824 Range (in code): ES FR DE PL CZ SK AT HU IT B-H MD RO BG GR IL Pa
- 11072. *Wagneria dilatata* Kugler,1977** (Tachinidae) Synonym(s): dilatata Kugler,1977 Range (in code): IL Pa
- 11073. *Wagneria micropyga* Herting,1987** (Tachinidae) Synonym(s): micropyga Herting,1987 Range (in code): TR
- 11074. *Wagneria theodori* Mesnil,1974** (Tachinidae) Synonym(s): theodori Mesnil,1974 Range (in code): IL Pa
- 11075. *Wardarina kugleri* Herting,1985** (Tachinidae) Synonym(s): kugleri Herting,1985 Range (in code): IL Pa
- 11076. *Wardarina melancholica* Mesnil,1956** (Tachinidae) Synonym(s): melancholica Mesnil,1956 Range (in code): MK TR 47
- 11077. *Weberia digramma* (Meigen,1824)** (Tachinidae) Synonym(s): digramma Meigen,1824 Range (in code): IL Pa
- 11078. *Xysta holocericea* (Fabricius,1805)** (Tachinidae) Synonym(s): holocericea Fabricius,1805 Range (in code): TR BG HV CZ IT MT MD PT RO RU Sa Si SK ES UA YU 67 78
- 11079. *Zaira cinerea* (Fallén,1810)** (Tachinidae) Synonym(s): cinerea Fallén,1810; pacta Meigen,1824; agrestis R-D.,1830; #cinerae Doğanlar,1982 Range (in code): PT ES FR GB IE NO SE FI RU UA DK DE BE NL PL CZ SK HU MD RO CH AT IT Co Sa Si SS HV YU AL BG GR TR MN JP 25
- 11080. *Zeuxia cinerea* Meigen,1826** (Tachinidae) Synonym(s): cinerea Meigen,1826 Range (in code): PT ES FR CH IT AT CZ SK DE PL RU UA MD RO BG GR SS B-H HV YU AL GR TR 38
- 11081. *Zeuxia erythraea* (Egger,1856)** (Tachinidae) Synonym(s): erythraea Egger,1856 Range (in code): IT HV AL GR BG RO MD UA RU TR 25
- 11082. *Zeuxia nudigena* Belanovsky,1951** (Tachinidae) Synonym(s): nudigena Belanovsky,1951 Range (in code): Cc UA TM Kp
- 11083. *Zeuxia zejana* Kolomiets,1971** (Tachinidae) Synonym(s): zejana Kolomiets,1971 Range (in code): IT RU Sb Us TR 36 69
- 11084. *Zophomyia temula* (Scopoli,1763)** (Tachinidae) Synonym(s): temula Scopoli,1763 Range (in code): GB ES FR NO SE FI RU DK DE BE CH AT IT SS HV B-H YU CZ SK RO EE UA MD BG TR GR Si Cc 13 60 65 75 76
- 11085. *Acanthiophilus helianthi* (Rossi,1790)** (Tephritidae) Synonym(s): helianthi Rossi,1790; eluta Meigen,1826 Range (in code): TR IR Ab Oru Elb Th Dam Ar Ak Fa Ha Kz Ss Th Zj Mz Yz Kd AF DE AZ Cc AM GG CZ GB IN IL Pa Cn KG CY KK DZ UZ PK SY Ksb Hms TJ RU TM TH AE SA 01 03 04 06 07 08 09 10 15 16 20 21 22 24 25 26 27 32 33 35 36 38 39 41 42 45 46 48 51 56 58 65 68 69 70 76
- 11086. *Acanthiophilus ramulosus* Loew,1844** (Tephritidae) Synonym(s): ramulosus Loew,1844 Range (in code): DZ Cn FR CY IT Si EG SY TR 47 48
- 11087. *Acinia biflexa* (Loew,1844)** (Tephritidae) Synonym(s): biflexa Loew,1844 Range (in code): FR BE DE AT AL HU CZ SK PL UA MD RU TR KG 24 36 69 76
- 11088. *Aciura afghana* M.Hering,1961** (Tephritidae) Synonym(s): afghana M.Hering,1961 Range (in code): AF

- 11089. *Aciura coryli* (Rossi,1790)** (Tephritidae) Synonym(s): coryli Rossi,1790; rotundiventris Meigen,1826; femoralis R-D.,1830; powelli Seguy,1930 Range (in code): AT AZ CZ AM Cc GG IR IL Pa CH Cn KG KK DZ HU MD UZ RU SY Hms TJ TM UA TR 01 07 26 27 32 35 38 42 46 51 68
- 11090. *Actinoptera discoidea* (Fallén,1814)** (Tephritidae) Synonym(s): discoidea Fallén,1814; aestiva Meigen,1826; gnaphalii Loew,1844 Range (in code): DE SE AZ AM GG TR Cc SY FR EE KG LT MD UA RU YU 07 08 13 25 32 36 46 48 58 66 69 76
- 11091. *Arabodesis reductiseta* Merz & Dawah,2005** (Tephritidae) Synonym(s): reductiseta Merz & Dawah,2005 Range (in code): SA As YE Sna
- 11092. *Bactrocera (Dacus) oleae* (Rossi,1790)** (Tephritidae) Synonym(s): oleae Rossi,1790; flaviventris Guercio,1900; funesta Guercio,1900 Range (in code): TR SY JO ER KE ZA Cn Cc PK IN US Cf 07 48
- 11093. *Bactrocera (s.str.) zonata* (Saunders,1842)** (Tephritidae) Synonym(s): zonata Saunders,1842; magniferae Cotes,1893; persicae Bigot,1890 Range (in code): PK IN LK BD MM TH LA VN MU RE EG IL Pa AE IR YE RE MU SA OM
- 11094. *Campiglossa absinthii* (Fabricius,1805)** (Tephritidae) Synonym(s): absinthii Fabricius,1805; maculata R-D.,1830; elongatula Loew,1862; parvula Loew,1862; ciliicornis M.Hering,1941 Range (in code): TR GB RU Sb CN IL Pa IR Cn 08 34 69
- 11095. *Campiglossa bidentis* (R-D.,1830)** (Tephritidae) Synonym(s): bidentis R-D.,1830 Range (in code): KG IR AF MN CN DZ
- 11096. *Campiglossa difficilis* (Hendel,1927)** (Tephritidae) Synonym(s): difficilis Hendel,1927 Range (in code): FI RU AF
- 11097. *Campiglossa difficilis* (Hendel,1927)** (Tephritidae) Synonym(s): tessellata Zetterstedt,1847 nec Lw.,1844; difficilis Hendel,1927; Range (in code): TR AT FI FR Cc IR AF SY IQ ES SE KK Py NO RO RU SY CN Ui Evl MN 08 25 32 36
- 11098. *Campiglossa grandinata* Rondani,1870** (Tephritidae) Synonym(s): grandinata Rondani,1870; argyrocephala Zetterstedt,1847; borealis Portsichinsky,1875; beckeri Rübsaamen,1910; effingendea Dirlbek & Dirlbek,1971; hebea Dirlbek & Dirlbekova,1971; Range (in code): IR Ab Oru Cc RU Sb BY CN EE IT KG LT MN UA
- 11099. *Campiglossa ignobilis* (Loew,1861)** (Tephritidae) Synonym(s): ignobilis Loew,1861 Range (in code): YE SA ZA Nya Kzu Elo Cto Ec
- 11100. *Campiglossa lederi* (Hendel,1927)** (Tephritidae) Synonym(s): lederi Hendel,1927 Range (in code): TR MN 07 38 39 44
- 11101. *Campiglossa loewiana* (Hendel,1927)** (Tephritidae) Synonym(s): loewiana Hendel,1927 Range (in code): NO MN CN EG TR RU Us JP 22
- 11102. *Campiglossa misella* (Loew,1869)** (Tephritidae) Synonym(s): misella Loew,1869; coei Hardy,1964; pishanica Wang,1996; kunlunica Wang,1996 Range (in code): TR RU Sr KG AF CN Ui Kn NP IR Elb Th 65
- 11103. *Campiglossa producta* (Loew,1844)** (Tephritidae) Synonym(s): producta Loew,1844; insularis Wollaston,1858 Range (in code): Cn Md TR IR Ab Oru Elb Th Ar KuS Fa Kz Lo Th Ak AF CZ CN Mc FI NL IQ GB IL Pa DZ SY Hms JO RU Us KG 01 03 04 06 07 08 15 22 24 25 26 27 29 32 33 35 36 41 42 45 46 48 51 38 48 51 57 58 65 66 69 70 76
- 11104. *Campiglossa punctella* (Fallén,1814)** (Tephritidae) Synonym(s): punctella Fallén,1814; fenestrata Zetterstedt,1847 Range (in code): Cn NO SE FI DK DE PL CZ SK UA CH IT AL BG AF
- 11105. *Campiglossa tesellata* (Loew,1844)** (Tephritidae) Synonym(s): tesellata Loew,1844; producta Loew,1844 Range (in code): TR Rd AZ Cc BY RU CN AM EE GG IL Pa Cn CY DZ LT MN MD UZ UA Cm IR AF 01 04 07 26 35 38 45 48 65
- 11106. *Capitites ramulosa* (Loew,1844)** (Tephritidae) Synonym(s): ramulosa Loew,1844; radiata Macquart,1849; perfecta Becker,1908 [ssp.] Range (in code): PT TR AL IQ FR Cn IL Pa IT CY DZ EG PT SY GR YU 07 08 26 46 48 58
- 11107. *Capitites augur* (Frauenfeld,1857)** (Tephritidae) Synonym(s): augur Frauenfeld,1857; kingi Bezzi,1924; ensina Hendel,1927; rostrata Hendel,1931 Range (in code): CV IR ER? EG Sn EG39 IL Pa SD SA
- 11108. *Capitites ramulosa* (Loew,1844)** (Tephritidae) Synonym(s): ramulosa Loew,1844; radiata Becker,1908 Range (in code): Cn DZ PT SY IL Pa
- 11109. *Capparimyia aenigma* De Meyer & Freidberg,2005** (Tephritidae) Synonym(s): aenigma De Meyer & Freidberg,2005 Range (in code): SA KE TZ
- 11110. *Capparimyia savastani* (Martelli,1911)** (Tephritidae) Synonym(s): savastani Martelli,1911 Range (in code): FR IT Si MT GR DZ TN LY EG Sn IL Pa JO OM PK YE Sna
- 11111. *Carpomyia incompleta* (Becker,1903)** (Tephritidae) Synonym(s): incompleta Becker,1903 Range (in code): IT IL Pa IQ EG SD ET SA
- 11112. *Carpomyia pardalina* (Bigot,1891)** (Tephritidae) Synonym(s): pardalina Bigot,1891; caucasica Zaitzev,1919; #carpalina Fletcher,1920 Range (in code): TR IR Elb Th Bl PK Ss AZ Cc Kir AM TM AF Hr UZ KG EG SA CY SY IQ IL Pa LB IN RU SN 01 06 15 23 31
- 11113. *Carpomyia schineri* (Loew,1856)** (Tephritidae) Synonym(s): schineri Loew,1856 Range (in code): TR AT BY BG CZ EE FR IL Pa Cc KG LT HU MN RU UA 01 07 32 38 42



- 11114. *Carpomya vesuviana* A.Costa,1854** (Tephritidae) Synonym(s): vesuviana A.Costa,1854; buccichi Frauenfeld,1867 Range (in code): IT B-H Cc GG BG TR HV CY RU PK AF IN TH AE IR Elb Th Kh TM UZ TJ BD MU OM 01
- 11115. *Carpomya wiedemanni* (Meigen,1826)** (Tephritidae) Synonym(s): wiedemanni Meigen,1826 Range (in code): AT BE GB FR Co Si DE HU IT RU ES CH NL UA IL Pa
- 11116. *Ceratitis (Ceratalaspis) aliena* (Bezzi,1920)** (Tephritidae) Synonym(s): aliena Bezzi,1920 Range (in code): ZA Ec Grh YE Sna
- 11117. *Ceratitis (Ceratalaspis) quinarya* (Bezzi,1918)** (Tephritidae) Synonym(s): quinarya Bezzi,1918 Range (in code): NA ZW Har YE Ad
- 11118. *Ceratitis (s.str.) capitata* (Wiedemann,1824)** (Tephritidae) Synonym(s): capitata Wiedemann,1824; citriperda Mac Leay,1829; asparagi Bezzi,1924 Range (in code): TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE YE Sna SA Sa Si PT NZ US Tx Cf Fl Hw CA IR Elb Th 01 07 31 33 70
- 11119. *Cesaspheius debkii* (Eflatoun,1924)** (Tephritidae) Synonym(s): debkii Eflatoun,1924; #debreskii Koçak & Kemal,2009 Range (in code): EG IL Pa SA
- 11120. *Chaetellipsis paradoxa* Bezzi,1913** (Tephritidae) Synonym(s): paradoxa Bezzi,1913; judicanda Bezzi,1913; flavostriata M.Hering,1938; occipitalis Zia,1963 Range (in code): PK IN Bi CN Yu MM Kch Kam TH
- 11121. *Chaetorellia acrolophi* White & Marquardt,1989** (Tephritidae) Synonym(s): acrolophi White & Marquardt,1989 Range (in code): ES FR DE CZ CH AT IT HU RU BY UA MD RO BG MK GR TR 32 42 51
- 11122. *Chaetorellia carthami* Stackelberg,1929** (Tephritidae) Synonym(s): carthami Stackelberg,1929 Range (in code): TR CY IL Pa IQ UZ Tas 06 07 08 15 20 24 25 26 27 32 33 36 38 46 58 76 80
- 11123. *Chaetorellia conjuncta* (Becker,1913)** (Tephritidae) Synonym(s): conjuncta Becker,1913 Range (in code): IR Th Elb Ss PK EG KG KK AL TR SY IL Pa JO IQ
- 11124. *Chaetorellia hexacheta* (Loew,1862)** (Tephritidae) Synonym(s): hexacheta Loew,1862; ?australis M.Hering,1940 Range (in code): DZ MD AT HU GR BG TR IR Elb Th PL UA RU
- 11125. *Chaetorellia isais* M.Hering,1937** (Tephritidae) Synonym(s): isais M.Hering,1937 Range (in code): RU Sr KG LB CN
- 11126. *Chaetorellia jaceae* (R-D.,1830)** (Tephritidae) Synonym(s): jaceae R-D.,1830; punctata Loew,1844; #jaceae Hendel,1927 Range (in code): ES FR GB NO SE FI DK DE BE NL EE RU PL CZ SK HU CH AT IT B-H SS MK GR BG RO MD EG IL Pa UA Cm TR IR 01 06 07 10 26 32 35 38 39 43 45 46 50 80
- 11127. *Chaetorellia loricata* (Rondani,1870)** (Tephritidae) Synonym(s): loricata Rondani,1870; holosericea Hendel,1927; caradjai M.Hering,1937; mara M.Hering,1937; septentrionalis M.Hering,1937 Range (in code): ES FR GB CZ SK EE UA MD RO HU CH AT IT MK GR CY DE TR IL Pa KG RU 01 04 07 08 15 20 24 25 27 32 36 38 46 58 68 69 70 76 80
- 11128. *Chaetorellia succinea* (O.Costa,1844)** (Tephritidae) Synonym(s): succinea O.Costa,1844; mellea O.Costa,1844 Range (in code): FR Cr CY IT GR EG TR SY JO UA Cm KG AL HU IR Ss Ab Oru Elb Th Cc IL Pa JO IQ KK AF PK US Cf Org 01 04 07 08 10 15 20 24 25 27 32 33 35 36 38 42 46 48 69 76 80
- 11129. *Chaetostomella cylindrica* (R-D.,1830)** (Tephritidae) Synonym(s): cylindrica R-D.,1830; algira Macquart,1843 Range (in code): ES FR GB IE BE NL NO SE FI DK DE EE PL MD RO CZ SK HU CH AT IT Co Si AL GR BG Cr Rd CY DZ LB JO TR IR Ab Oru Th Elb AF KG MN UA RU Sb At Sj Cc 01 07 08 09 10 15 20 24 25 26 27 32 35 36 38 43 48 58 69
- 11130. *Chaetostomella lurida* (Loew,1844)** (Tephritidae) Synonym(s): lurida Loew,1844; onotrophes Loew,1846 Range (in code): IT Si TR LB 07 56
- 11131. *Chetostoma curvinerve* Rondani,1856** (Tephritidae) Synonym(s): curvinerve Rondani,1856; giraudi Frauenfeld,1864; princeps Costa,1884 Range (in code): ES CH GB AT IT Sa TN IL Pa TR IR Elb Mz Clu UZ 46
- 11132. *Chetostoma ermolenkoi* V.Korneyev,1990** (Tephritidae) Synonym(s): ermolenkoi V.Korneyev,1990 Range (in code): AM Cc Kho
- 11133. *Dacus (didacus) arcuatus* Munro,1939** (Tephritidae) Synonym(s): arcuatus Munro,1939 Range (in code): ZA KE SA
- 11134. *Dacus (Didacus) ciliatus* Loew,1862** (Tephritidae) Synonym(s): ciliatus Loew,1862 Range (in code): AE IR Clu Mz Th Kdj SN SO ZA MG MU RE EG IL Pa
- 11135. *Dacus (Didacus) frontalis* Becker,1922** (Tephritidae) Synonym(s): frontalis Becker,1922 Range (in code): SA SD
- 11136. *Dacus (Didacus) vertebratus* Bezzi,1908** (Tephritidae) Synonym(s): vertebratus Bezzi,1908 Range (in code): MG SA
- 11137. *Dacus (Leptoxyda) longistylus* Wiedemann,1830** (Tephritidae) Synonym(s): longistylus Wiedemann,1830 Range (in code): SA
- 11138. *Dacus (Leptoxyda) obesus* Munro,1948** (Tephritidae) Synonym(s): obesus Munro,1948 Range (in code): KE SA
- 11139. *Dacus (Leptoxyda) persicus* Hendel,1927** (Tephritidae) Synonym(s): persicus Hendel,1927 Range (in code): IQ IR

- 11140. *Dacus (Leptoxyda) semisphaereus* Becker,1903** (Tephritidae) Synonym(s): semisphaereus Becker,1903 Range (in code): SA AE SD ET EG
- 11141. *Dacus yemenensis* White,2006** (Tephritidae) Synonym(s): yemenensis White,2006 Range (in code): YE
- 11142. *Desmella myiopitoides* (Bezzi,1908)** (Tephritidae) Synonym(s): myiopitoides Bezzi,1908 Range (in code): SA OM ZA ZW ER ER01
- 11143. *Dicheniotes angulicornis* (Hendel,1931)** (Tephritidae) Synonym(s): angulicornis Hendel,1931 Range (in code): SD SA YE
- 11144. *Dicheniotes multipunctatus* Merz & Dawah,2005** (Tephritidae) Synonym(s): multipunctatus Merz & Dawah,2005 Range (in code): KE SA TZ YE
- 11145. *Dioxyna bidentis* (R-D.,1830)** (Tephritidae) Synonym(s): bidentis R-D.,1830; elongatula Loew,1844; cheni Zia,1937; chusanica Zia,1937; seguyi Zia,1939; cilicornis M.Hering,1941 Range (in code): Cn TR Cc UA Cm SY Hms JO IQ CN Mc Kgs KwT IL Pa IR Ak Gh Qz Th Elb Ar KuS AF KG 08 16 26 34 46
- 11146. *Dioxyna sororcula* (Wiedemann,1830)** (Tephritidae) Synonym(s): sororcula Wiedemann,1830; vacillans Wollaston,1858; valida Wollaston,1858; variipennis Wulp,1897; bisetosa Enderlein,1911; nigrinotum Enderlein,1911; madeirensis Lindner,1928; Range (in code): Cn ZA Md LK TW AU Hw SA PH
- 11147. *Ensina sonchi* (Linnaeus,1767)** (Tephritidae) Synonym(s): sonchi Linnaeus,1767; obsoloeta Meigen,1826; chrysanthemi R-D.,1830; doronici R-D.,1830; herbarum R-D.,1830; linariae R-D.,1830; pratensis R-D.,1830; scorzonerae R-D.,1830 Range (in code): TR AZ Cc EE ET PH GG Hw GB IR Elb Th Mz IL Pa JP KG LT MD RU IT Si UA RU Sb Us CN Hw PE SA 01 03 05 07 08 10 15 24 32 33 35 36 38 43 45 48 50 69
- 11148. *Euaresta bullans* (Wiedemann,1830)** (Tephritidae) Synonym(s): bullans Wiedemann,1830; tenera Loew,1850 Range (in code): ES FR BG GR Cr DE HU IT YU MK MD RO SK TR IL Pa SY JO UA Cm IR Ar Ak Ab RU CN US Cf PE AR AU ZA 01 03 05 06 07 08 10 15 20 22 24 25 26 27 32 35 36 38 43 45 46 50 51 66 70
- 11149. *Euarestella iphionae* (Eflatoun,1924)** (Tephritidae) Synonym(s): iphionae Eflatoun,1924; #iphioniae Foote,1984 Range (in code): SA IL Pa SD EG Sn IR
- 11150. *Euarestella kugleri* Freidberg,1974** (Tephritidae) Synonym(s): kugleri Freidberg,1974 Range (in code): IL Pa Ngv
- 11151. *Euarestella pninae* Freidberg,1981** (Tephritidae) Synonym(s): pninae Freidberg,1981 Range (in code): IL Pa EG Sn
- 11152. *Euleia heracleii* (Linnaeus,1758)** (Tephritidae) Synonym(s): heracleii Linnaeus,1758; onopordinis Fabricius,1775; centauriae Fabricius,1794; onopordi Schrank,1803; berberidis Schrank,1803 Range (in code): TR IR Elb Th Ab Kz Lo AF AZ EE GG Cc CZ MA DZ GB IL Pa IQ CH KG CY KK LT MD RU TJ TM UZ UA 01 15 32 35 46
- 11153. *Euphranta (s.str.) connexa* (Fabricius,1794)** (Tephritidae) Synonym(s): connexa Fabricius,1794; saxatilis Grossbeck,1905 Range (in code): FR Co BE NL DK DE SE FI PL UA MD CZ SK HU CH AT IT Cc
- 11154. *Freidbergia mirabilis* Merz,2000** (Tephritidae) Synonym(s): mirabilis Merz,2000 Range (in code): KE ET SA
- 11155. *Goniglossum wiedemanni* (Meigen,1826)** (Tephritidae) Synonym(s): wiedemanni Meigen,1826 Range (in code): GB AT IL Pa RU
- 11156. *Goniurellia apicalis* Merz,2002** (Tephritidae) Synonym(s): apicalis Merz,2002 Range (in code): YE
- 11157. *Goniurellia ebejeri* Merz,2002** (Tephritidae) Synonym(s): ebejeri Merz,2002 Range (in code): OM
- 11158. *Goniurellia lacerata* (Becker,1913)** (Tephritidae) Synonym(s): lacerata Becker,1913 Range (in code): EG IR Ss SY Hms JO IQ
- 11159. *Goniurellia longicauda* Freidberg,1980** (Tephritidae) Synonym(s): longicauda Freidberg,1980 Range (in code): MA TN DZ Cn FR EG IL Pa SY Hms LB IQ Bgd TR IR Elb Th Es Fa Ke 07 46
- 11160. *Goniurellia octoradiata* Merz,2002** (Tephritidae) Synonym(s): octoradiata Merz,2002 Range (in code): OM
- 11161. *Goniurellia persignata* Freidberg,1980** (Tephritidae) Synonym(s): persignata Freidberg,1980 Range (in code): MA EG ET CY IL Pa TM CN LK SA
- 11162. *Goniurellia spinifera* Freidberg,1980** (Tephritidae) Synonym(s): spinifera Freidberg,1980 Range (in code): IL Pa SA YE EG SD ER ET
- 11163. *Goniurellia tridens* (Hendel,1910)** (Tephritidae) Synonym(s): tridens Hendel,1910 Range (in code): IL Pa AM Cc SA AE TM UZ IQ Bgd IR Elb Th AF PK IN
- 11164. *Gymnaciura austeni* (Munro,1935)** (Tephritidae) Synonym(s): austeni Munro,1935 Range (in code): SA YE
- 11165. *Hancockius auguralis* (Bezzi,1908)** (Tephritidae) Synonym(s): auguralis Bezzi,1908 Range (in code): ER ZW YE SA
- 11166. *Hendrella winnertzi* (Frauenfeld,1864)** (Tephritidae) Synonym(s): winnertzi Frauenfeld,1864 Range (in code): TR CN KG KK MN MD UZ RU TJ TM UA 06 36
- 11167. *Heringina guttata* (Fallén,1814)** (Tephritidae) Synonym(s): guttata Fallén,1814; gemmata Meigen,1826 Range (in code): SE Cc Arr AZ AT CZ AM EE GG IR Ar Ak CH KG LT HU MD RU UA TR 03 07 08 13 24 25 29 32 36 46 50 65 66 69 76

- 11168. Hyalotephritis complanata (Munro,1929)** (Tephritidae) Synonym(s): complanata Munro,1929 Range (in code): ZA NA SA
- 11169. Hyalotephritis planiscutellata (Becker,1903)** (Tephritidae) Synonym(s): planiscutellata Becker,1903 Range (in code): EG IL Pa ET YE SA
- 11170. Hypenidium graecum Loew,1862** (Tephritidae) Synonym(s): graecum Loew,1862; novakii Strobl,1893; pulchella Tavares,1902; bipartita Séguéy,1930 Range (in code): MA ES PT FR IT Si HU B-H UA Cm BG GR TR IL Pa Cc AZ AM IR 51
- 11171. Hypenidium oculatum (Becker,1913)** (Tephritidae) Synonym(s): oculatum Becker,1913 Range (in code): IR Ss Es
- 11172. Hypenidium roborowskii (Becker,1908)** (Tephritidae) Synonym(s): roborowskii Becker,1908 Range (in code): TR IR Elb Th Kdj Ak Cc TM Kp UZ Tas Smk KG AF Kab KK TJ MN CN Ui Kml SY Hms JO IQ AM Eri AZ Nv Ord 32
- 11173. Hypenidium sp.** (Tephritidae) Synonym(s): Range (in code): TR 65
- 11174. Katonaia aida M.Hering,1938** (Tephritidae) Synonym(s): aida M.Hering,1938; theodori M.Hering,1953 Range (in code): GR IL Pa EG Sn
- 11175. Metasphenisca hazelae (Munro,1947)** (Tephritidae) Synonym(s): hazelae Munro,1947 Range (in code): SA
- 11176. Metasphenisca negeviana (Freidberg,1974)** (Tephritidae) Synonym(s): negeviana Freidberg,1974 Range (in code): EG Sn JO SA IL Pa Neg IR
- 11177. Metasphenisca spathuliniforma Dirlbek & Dirlbek,1968** (Tephritidae) Synonym(s): spathuliniforma Dirlbek & Dirlbek,1968 Range (in code): AF
- 11178. Myoleja korneyevi Han & Kütük,2006** (Tephritidae) Synonym(s): korneyevi Han & Kütük,2006 Range (in code): RU Cc TR 61
- 11179. Myopites apicatus Freidberg,1979** (Tephritidae) Synonym(s): apicatus Freidberg,1979 Range (in code): TR IL Pa IT HU GR Gr AT FR CZ 20 32 42
- 11180. Myopites cypriacus M.Hering,1938** (Tephritidae) Synonym(s): cypriacus M.Hering,1938; shiakidesi Dirlbek,1974 Range (in code): CY Cn TR 07 51
- 11181. Myopites stylatus (Fabricius,1794)** (Tephritidae) Synonym(s): stylatus Fabricius,1794; limbardae Schiner,1864 Range (in code): GB HV IL Pa DZ
- 11182. Myopites varifasciatus Becker,1903** (Tephritidae) Synonym(s): varifasciatus Becker,1903 Range (in code): EG IL Pa
- 11183. Nearomyia flavovaria Becker,1913** (Tephritidae) Synonym(s): flavovaria Becker,1913 Range (in code): IR Kh
- 11184. Neoceratitis efflatouni (Hendel,1931)** (Tephritidae) Synonym(s): efflatouni Hendel,1931 Range (in code): IL Pa SA SD EG
- 11185. Neoceratitis flavoscutellata Merz & Dawah,2005** (Tephritidae) Synonym(s): flavoscutellata Merz & Dawah,2005 Range (in code): SA
- 11186. Noeeta bisetosa Merz,1992** (Tephritidae) Synonym(s): bisetosa Merz,1992 Range (in code): CH TR 33
- 11187. Noeeta crepidis (M.Hering,1936)** (Tephritidae) Synonym(s): crepidis M.Hering,1936 Range (in code): DE CH CZ HU TR 32 36
- 11188. Noeeta pupillata (Fallén,1814)** (Tephritidae) Synonym(s): pupillata Fallén,1814; reticula Schrank,1803; brunica R-D.,1830; lineata Macquart,1835 Range (in code): TR AZ Cc BY RU AM EE GG IT KG LT MN MD UA YU 29 51 66
- 11189. Orellia distans (Loew,1847)** (Tephritidae) Synonym(s): distans Loew,1847; lappae sensu Zetterstedt,1847 Range (in code): FR DE BY CZ FR IT LT HU RU UA TR IR Ab Aja 46 51 58 68
- 11190. Orellia falcata (Scopoli,1763)** (Tephritidae) Synonym(s): falcata Scopoli,1763; abdominalis R-D.,1830; octopunctata Macquart,1835 Range (in code): DE AZ AM Cc FR GR Cr GB MD TR RU Sb IL Pa KG KK IR Ab Sbl 01 04 06 08 15 24 25 32 35 36 38 41 44 51 58 65 68 69 76 80
- 11191. Orellia scorzonerae (R-D.,1830)** (Tephritidae) Synonym(s): scorzonerae R-D.,1830 Range (in code): DZ FR BE DE SE EE LT LV UA HU CH AT IT TR KG AF MN 46 51 58 68
- 11192. Orellia steropea (Rondani,1870)** (Tephritidae) Synonym(s): steropea Rondani,1870 Range (in code): IT TR IR 01 06 07 15 25 32 33 38 42 48 50 51 58 68 70 80
- 11193. Orellia stictica (Gmelin,1790)** (Tephritidae) Synonym(s): punctata Schrank,1781 nec Poda,1761; stictica Gmelin,1790; flavicans R-D.,1830; intermedia Frauenfeld,1857 Range (in code): TR AT HU BG CZ DE FR SE RO CH UA AM AZ Cc SY Hms KG KK RU Sb Us IR Ab Oru Elb Th 01 08 15 24 25 26 32 36 38 40 42 46 48 50 51 58 66 76 80
- 11194. Oxyaciura tibialis R-D.,1830** (Tephritidae) Synonym(s): tibialis R-D.,1830; gagates Loew,1846 Range (in code): AF ET MA IR Elb Th IL Pa KG KK CY DZ MD UZ RU SY Hms TJ TM UA TR SA 07 08 44 65
- 11195. Oxya flavipennis (Loew,1844)** (Tephritidae) Synonym(s): flavipennis Loew,1844; flavescens R-D.,1830; laticauda Walker,1836; parietina Zetterstedt,1847 Range (in code): TR AZ Cc AM GG EE BY LT KG MN RU Sb UA GR 01 04 07 24 25 32 35 38 41 46 51 58 68 69 76



- 11196. *Oxyna guttatofasciata* (Loew,1850)** (Tephritidae) Synonym(s): guttatofasciata Loew,1850 Range (in code): TR CN KG MN RU Sb 68
- 11197. *Oxyna lutulenta* Loew,1869** (Tephritidae) Synonym(s): lutulenta Loew,1869 Range (in code): TR KG MN MD RU UA 66
- 11198. *Oxyna nebulosa* (Wiedemann,1817)** (Tephritidae) Synonym(s): nebulosa Wiedemann,1817; femoralis R-D.,1830; nigrofemorata Meigen,1838; proboscidea Loew,1844; parietina Zetterstedt,1855; cinarae Rondani,1870 Range (in code): TR BY CZ EE IL Pa LT MD RU UA 13 51 66 68
- 11199. *Oxyna superflava* Freidberg,1974** (Tephritidae) Synonym(s): superflava Freidberg,1974 Range (in code): JO IL Pa
- 11200. *Oxyparna diluta* (Becker,1908)** (Tephritidae) Synonym(s): diluta Becker,1908 Range (in code): IQ JO CN Ui
- 11201. *Paraspheniscoides binarius* (Loew,1861)** (Tephritidae) Synonym(s): binarius Loew,1861 Range (in code): YE SA
- 11202. *Psednometopum aldabrense* (Lamb,1914)** (Tephritidae) Synonym(s): aldabrense Lamb,1914 Range (in code): SC KE YE SA Ald
- 11203. *Rhagoletis bagheera* Richter & Kandybina,1997** (Tephritidae) Synonym(s): bagheera Richter & Kandybina,1997 Range (in code): AM Eri Cc GG
- 11204. *Rhagoletis batava* M.Hering,1938** (Tephritidae) Synonym(s): batava M.Hering,1938 Range (in code): SE NL CH ES IT Cc RU Tv TR 01 07 34 42
- 11205. *Rhagoletis berberidis* Jermy,1961** (Tephritidae) Synonym(s): berberidis Jermy,1961 Range (in code): TR AT HU Cc AM AZ GG MD RU SK CH UA IR Elb Th 01 15 16 32 33 38 51 58
- 11206. *Rhagoletis caucasica* Kandybina & Richter,1976** (Tephritidae) Synonym(s): caucasica Kandybina & Richter,1976 Range (in code): Cc RU
- 11207. *Rhagoletis cerasi* (Linnaeus,1758)** (Tephritidae) Synonym(s): cerasi Linnaeus,1758; signata Meigen,1826; liturata R-D.,1830; cerasorum Dufour,1845 Range (in code): PT ES FR Co Sa Si GB BE NL DK DE NO SE FI EE PL UA MD RO BG GR Cr CH AT IT CZ SK HU HV RU Sb KG GG Cc IR Ar Th Elb TR 01 06 15 17 32 35 38 41 45 51
- 11208. *Rhagoletis flavicincta* Enderlein,1934** (Tephritidae) Synonym(s): flavicincta Enderlein,1934 Range (in code): TR IR Th Elb RU Sr UA KG KK TJ UZ 07
- 11209. *Rhagoletis flavigenualis* M.Hering,1958** (Tephritidae) Synonym(s): flavigenualis M.Hering,1958 Range (in code): KG KK TJ TM IR Elb Th TR Cc Kr RU CH 07
- 11210. *Rhochmopterum arcoides* Munro,1935** (Tephritidae) Synonym(s): arcoides Munro,1935 Range (in code): SA KE
- 11211. *Schistopterum moebiusi* Becker,1903** (Tephritidae) Synonym(s): moebiusi Becker,1903 Range (in code): SA YE LB
- 11212. *Spathulina acroleuca* (Schiner,1868)** (Tephritidae) Synonym(s): acroleuca Schiner,1868; undecimguttata Thomson,1869; parceguttata Becker,1803; parca Bezzi,1913; nigrifemorata Meijere,1914; acrosticta Bezzi,1918 Range (in code): SA YE EG EG11 AU Syd NSw IN Ben Clc ID Ja ZA Nta Kzu Dbn PH
- 11213. *Spathulina sicala* Rondani,1856** (Tephritidae) Synonym(s): sicala Rondani,1856; tristis Loew,1869; luisieri Tavares,1901; sepia Becker,1908 Range (in code): ES PT Si IT TR Cn IL Pa 48
- 11214. *Sphaeniscus trifasciatus* Korneyev & J.Dirlbek,2000** (Tephritidae) Synonym(s): trifasciatus Korneyev & J.Dirlbek,2000 Range (in code): JO
- 11215. *Sphenella marginata* (Fallén,1814)** (Tephritidae) Synonym(s): marginata Fallén,1814; linariae R-D.,1830; miranda Wollaston,1858; tenerifensis Bigot,1892; austrina Munro,1957 Range (in code): DE TR RU Sb SY AZ AM GG Cc IR Ar KuS Kd Th AF ES DZ AU ET ER LS MZ ZA Ec Cto GB IL Pa CH Cn Md KE KG KK LT EG SA MD UZ TJ TM UG UA 01 04 07 08 15 20 24 25 27 31 32 35 36 38 46 51 65 69 76
- 11216. *Sphenella setosa* Merz & Dawah,2005** (Tephritidae) Synonym(s): setosa Merz & Dawah,2005 Range (in code): SA As
- 11217. *Stephanotrypeta brevicosta* Hendel,1931** (Tephritidae) Synonym(s): brevicosta Hendel,1931 Range (in code): KE SD SA
- 11218. *Stephanotrypeta vittata* Freidberg,1979** (Tephritidae) Synonym(s): vittata Freidberg,1979 Range (in code): MG SA
- 11219. *Tanaica maculata* Merz & Dawah,2005** (Tephritidae) Synonym(s): maculata Merz & Dawah,2005 Range (in code): SA ET KE Nai
- 11220. *Tanaica pollinosa* Merz & Dawah,2005** (Tephritidae) Synonym(s): pollinosa Merz & Dawah,2005 Range (in code): SA ZA Tva Lpo Spb Ltr
- 11221. *Telaletes ochraceus* (Loew,1861)** (Tephritidae) Synonym(s): ochraceus Loew,1861 Range (in code): KE ZW ZA Ec SA
- 11222. *Tephritis acanthiophilopsis* M.Hering,1937** (Tephritidae) Synonym(s): acanthiophilopsis M.Hering,1937 Range (in code): NL IT CZ SK HU RO TR IR Ab Oru 07 32 46 65 69
- 11223. *Tephritis admissa* M.Hering,1961** (Tephritidae) Synonym(s): admissa M.Hering,1961; conflata K.Dirlbek & J.Dirlbek,1995 Range (in code): AF Kab Hk Bd Shv KK KG TJ UZ

- 11224. *Tephritis angulatofasciata* Portschinsky,1892** (Tephritidae) Synonym(s): angulatofasciata Portschinsky,1892 Range (in code): SY JO IR Shh Kh
- 11225. *Tephritis bardanae* (Schrank,1803)** (Tephritidae) Synonym(s): bardanae Schrank,1803; arvensis R-D.,1830; lappae R-D.,1830 Range (in code): GB ES FR SE NO FI DK DE BE NL PL RU Cc UA CZ SK HU CH AT IT Co Sa GR BG TR IR Elb Dam Ar Th KG 04 08 25 26 36 38 42 51 69
- 11226. *Tephritis bimaculata* Freidberg,1980** (Tephritidae) Synonym(s): bimaculata Freidberg,1980 Range (in code): IL Pa SY He EG Sn TR 32
- 11227. *Tephritis brachyura* Loew,1869** (Tephritidae) Synonym(s): brachyura Loew,1869; nigrofemorata Hendel,1927 [ssp.] Range (in code): TR UA IR RU Sr Cc CN 06
- 11228. *Tephritis cameo* S.Korneyev,2013** (Tephritidae) Synonym(s): cameo S.Korneyev,2013 Range (in code): KK TJ IR Ke AF Bm
- 11229. *Tephritis carmen* M.Hering,1937** (Tephritidae) Synonym(s): carmen M.Hering,1937 Range (in code): ES FR CH AT IT AL GR BG TR 01 06 07 32 38 42 46
- 11230. *Tephritis cometa* (Loew,1840)** (Tephritidae) Synonym(s): cometa Loew,1840; cingulata M.Hering,1936 [ssp.], israelis Freidberg,1974 [ssp.] Range (in code): ES FR GB NO SE FI DK NL BE PL DE CZ SK UA MD RO HU CH AT IT GR BG RU Sb CN Ui MN TR AF KG IL Pa IR Th Ar KuS Cc AM GG SY Hms 01 05 07 15 20 25 26 31 32 36 38 42 46 55 57 58
- 11231. *Tephritis conjuncta* Loew,1862** (Tephritidae) Synonym(s): conjuncta Loew,1862 Range (in code): RU Sb KG IT TR IL Pa 35
- 11232. *Tephritis crinita* M.Hering,1961** (Tephritidae) Synonym(s): crinita M.Hering,1961 Range (in code): AF
- 11233. *Tephritis dioscurea* (Loew,1856)** (Tephritidae) Synonym(s): dioscurea Loew,1856 Range (in code): TR AT EE DE FR Co HU LT LV MD CH SE UA GG Cc AM RU IR Ar KuS KG 01 04 05 08 18 24 25 27 31 33 36 38 46 58 61 69 71 76
- 11234. *Tephritis divisa* Rondani,1871** (Tephritidae) Synonym(s): divisa Rondani,1871 Range (in code): ES FR CH IT Sa Si HU HV GR Cr CY TR 01 05 08 25 32 36 46 50 69 70
- 11235. *Tephritis erdemlii* Kütük,2008** (Tephritidae) Synonym(s): erdemlii Kütük,2008 Range (in code): TR IR Ar KuS 07 32 46
- 11236. *Tephritis fallax* (Loew,1844)** (Tephritidae) Synonym(s): fallax Loew,1844; nesii von Roser,1840 Range (in code): ES FR NL SE RU DE PL UA CZ SK HU CH AT IT RO BG TR 01 11 25 31 33 35 43 45 46 70
- 11237. *Tephritis formosa* (Loew,1844)** (Tephritidae) Synonym(s): formosa Loew,1844 Range (in code): GB PT ES FR BL NL DE PL UA CZ SK HU MD RO CH AT IT Co Sa Si AL GR Cr BG TR Cc IL Pa IR Ar Mz Th CN 01 03 04 07 08 10 11 15 24 25 26 31 32 33 35 36 37 38 41 42 44 46 51 57 58 69 76 80
- 11238. *Tephritis frauenfeldi* Hendel,1927** (Tephritidae) Synonym(s): frauenfeldi Hendel,1927 Range (in code): IT AT SK HU RO AL GR TR 01 16 24 35 46
- 11239. *Tephritis gladius* S.Korneyev,2013** (Tephritidae) Synonym(s): gladius S.Korneyev,2013 Range (in code): KK TJ Pm AF Bm
- 11240. *Tephritis heiseri* Frauenfeld,1865** (Tephritidae) Synonym(s): heiseri Frauenfeld,1865 Range (in code): DZ FR ES AL AT RU KG MN CN Mc TR 38 42
- 11241. *Tephritis heliophila* Hendel,1927** (Tephritidae) Synonym(s): heliophila Hendel,1927 Range (in code): ES FR DE CH AT IT GR TR 33
- 11242. *Tephritis hendeliana* M.Hering,1944** (Tephritidae) Synonym(s): hendeliana M.Hering,1944 Range (in code): ES FR DE CH AT HU IT Si RO UA RU GR TR KG MN 38
- 11243. *Tephritis hurvitzi* Freidberg,1980** (Tephritidae) Synonym(s): hurvitzi Freidberg,1980 Range (in code): TR GR UA Cm AM AZ Cc KG KK UZ CY SY IQ LB JO IL Pa He IR Ab Oru Ar KuS Th 01 07 08 13 15 20 24 25 27 31 32 38 42 46 48 51 56 58 65 66 76
- 11244. *Tephritis hyoscyami* (Linnaeus,1758)** (Tephritidae) Synonym(s): hyoscyami Linnaeus,1758; personatae Loew,1869 Range (in code): PT FR GB NO SE FI EE RU DK DE PL UA CZ SK HU RO CH AT IT AL TR 01 07 08 24 25 26 38 42 46 48 55 70 76
- 11245. *Tephritis jabeliae* Freidberg,1980** (Tephritidae) Synonym(s): jabeliae Freidberg,1980 Range (in code): Sn EG
- 11246. *Tephritis maccus* M.Hering,1937** (Tephritidae) Synonym(s): maccus M.Hering,1937; virgulata M.Hering,1961 [ssp.] Range (in code): ES FR IT HU IR Elb Th KK Ch AF Bd IN
- 11247. *Tephritis mariannae* Merz,1992** (Tephritidae) Synonym(s): mariannae Merz,1992 Range (in code): FR CH TR 01 24 28 29 46 52 61 70
- 11248. *Tephritis matricariae* (Loew,1844)** (Tephritidae) Synonym(s): matricariae Loew,1844 Range (in code): PT ES FR GB BE NL DE CZ SK CH AT IT Co Sa Si AL GR BG Cr Rd CY TR EG IR Ar KuS 01 06 07 08 24 25 31 32 33 35 38 42 46 51 66 68 69 70 76
- 11249. *Tephritis merzi* Freidberg & Kütük,2002** (Tephritidae) Synonym(s): merzi Freidberg & Kütük,2002 Range (in code): TR 07 13 33 65
- 11250. *Tephritis mesopotamica* Korneyev & J.Dirlbek,2000** (Tephritidae) Synonym(s): mesopotamica Korneyev & J.Dirlbek,2000 Range (in code): IQ
- 11251. *Tephritis multiguttata* Becker,1913** (Tephritidae) Synonym(s): multiguttata Becker,1913 Range (in code): SY IQ IR Ss TM

- 11252. *Tephritis mutabilis* Merz,1992** (Tephritidae) Synonym(s): mutabilis Merz,1992 Range (in code): AT CZ DE FR IT PL CH SK TR 01 08 24 25 38 69 70
- 11253. *Tephritis nigricauda* (Loew,1856)** (Tephritidae) Synonym(s): nigricauda Loew,1856; matutina Rondani,1871 Range (in code): DZ PT ES FR DE PL RU CZ CH AT HU RO IT Co Sa Si AL GR BG Cr TR EG SY Hms IQ JO AF 01 06 07 08 15 24 32 33 35 38 42 46 51 64 68 69
- 11254. *Tephritis ochroptera* S.Korneyev,2013** (Tephritidae) Synonym(s): ochroptera S.Korneyev,2013 Range (in code): KK KG TM TJ UZ
- 11255. *Tephritis oligostictica* J.Dirlbek & K.Dirlbek,1971** (Tephritidae) Synonym(s): oligostictica J.Dirlbek & K.Dirlbek,1971 Range (in code): AF
- 11256. *Tephritis ozarlani* Kütük, Bayrak & Hayat,2012** (Tephritidae) Synonym(s): ozarlani Kütük, Bayrak & Hayat,2012 Range (in code): TR 08
- 11257. *Tephritis pallescens* M.Hering,1961** (Tephritidae) Synonym(s): pallescens M.Hering,1961 Range (in code): AF
- 11258. *Tephritis poecilura* Loew,1869** (Tephritidae) Synonym(s): poecilura Loew,1869 Range (in code): ES TR IL Pa AF DZ 01 22 35
- 11259. *Tephritis postica* (Loew,1844)** (Tephritidae) Synonym(s): postica Loew,1844 Range (in code): DZ ES FR Py IT DE CH AT TR GG Cc IR Ab Oru Ar KuS Es Ha Km Kh Se Th Dam Zj Kd Yz IL Pa KG KK CN Ui DZ 01 05 07 09 13 15 20 23 32 35 37 38 43 45 46 50 56 58 65 73
- 11260. *Tephritis praecox* (Loew,1844)** (Tephritidae) Synonym(s): praecox Loew,1844 Range (in code): PT ES FR GB CH IT Co Sa Si AT HU RO UA AL GR Cr BG CY Rd Cn TR SY IQ IL Pa AF IR Th Ar KuS UZ 01 06 32 35 38 46 70
- 11261. *Tephritis pulchra* (Loew,1844)** (Tephritidae) Synonym(s): pulchra Loew,1844 Range (in code): DZ ES FR PL SK HU AT IT Co Sa Si AL GR BG TR UA Cm 01 03 06 07 08 22 24 25 26 32 35 36 38 42 65 69
- 11262. *Tephritis recurrens* Loew,1869** (Tephritidae) Synonym(s): recurrens Loew,1869 Range (in code): ES FR IT AL GR TR KG CN Mc RU Us 06 20 32 42 48 70 71
- 11263. *Tephritis robusta* S.Korneyev,2013** (Tephritidae) Synonym(s): robusta S.Korneyev,2013 Range (in code): AZ Cc Tlh IQ Smr
- 11264. *Tephritis ruralis* (Loew,1844)** (Tephritidae) Synonym(s): ruralis Loew,1844 Range (in code): ES FR GB NO SE FI DK PL UA BE NL Co Si IT CH AT HU CZ SK AL BG DE RU TR 01 08 25 32 35 70
- 11265. *Tephritis sahandi* Mohamadzade, V.Korneyev & Khaganinia,2011** (Tephritidae) Synonym(s): sahandi Mohamadzade, V.Korneyev & Khaganinia,2011 Range (in code): IR Ak Sah Elb Mz Dam
- 11266. *Tephritis sauterina* Merz,1994** (Tephritidae) Synonym(s): sauteri Merz,1992 nec Enderl.,1911; sauterina Merz & Freidberg,1994 Range (in code): CH TR 07 08 25 46 48 69
- 11267. *Tephritis schelkovnikovi* Zaitzev,1945** (Tephritidae) Synonym(s): schelkovnikovi Zaitzev,1945 Range (in code): AM Cc Mig
- 11268. *Tephritis scorzonerae* Merz,1993** (Tephritidae) Synonym(s): scorzonerae Merz,1993 Range (in code): ES IT Si TR 25 32
- 11269. *Tephritis separata* Rondani,1871** (Tephritidae) Synonym(s): separata Rondani,1871; sejuncta Rondani,1871; divisa Rondani,1871 [ssp.] Range (in code): ES FR GB BE NL DE CZ CH AT HU IT Si GR TR IL Pa TJ RU Sb SY IQ KK KG 01 06 24 25 32 38 42 46 51 58 69 70
- 11270. *Tephritis simplex* (Loew,1844)** (Tephritidae) Synonym(s): simplex Loew,1844; fraterna Becker,1907 Range (in code): DZ TN PT ES FR IT Co Sa Si HV GR Cr CY TR IL Pa 01 02 03 07 13 24 25 32 35 45 47 48 70
- 11271. *Tephritis* sp.?n. (det.V.Korneyev)** (Tephritidae) Synonym(s): Range (in code): TR 65
- 11272. *Tephritis stictica* Loew,1862** (Tephritidae) Synonym(s): stictica Loew,1862 Range (in code): ES FR IT Co AL Cr TR 07
- 11273. *Tephritis tatarica* Portschinsky,1892** (Tephritidae) Synonym(s): tatarica Portschinsky,1892 Range (in code): AZ Cc UZ Tas RU Sb KG Aa TrA KuA DsA KK Ax T-S
- 11274. *Tephritis truncata* (Loew,1844)** (Tephritidae) Synonym(s): truncata Loew,1844 Range (in code): TN FR DE CZ SK CH AT IT PL UA BG AL GR RU TR 01 42
- 11275. *Tephritis urelliosomima* Korneyev & Dirlbek,2000** (Tephritidae) Synonym(s): urelliosomima Korneyev & Dirlbek,2000 Range (in code): TM Kp IQ IR Fa Elb Th
- 11276. *Tephritis valida* (Loew,1858)** (Tephritidae) Synonym(s): valida Loew,1858; procera Loew,1869; subvalida Portschinsky,1875 Range (in code): RO MD UA RU TR Cc HU
- 11277. *Tephritis vespertina* (Loew,1844)** (Tephritidae) Synonym(s): vespertina Loew,1844; apicalis Becker,1907 Range (in code): DZ Bsk PT ES FR GB NO DK DE BE NL PL CZ SK HU CH AT IT Co Sa Si AL GR BG Cr RU TR 01 07 18 32 35 38 40 48 64 70
- 11278. *Tephritomyia despoliata* (M.Hering,1956)** (Tephritidae) Synonym(s): despoliata M.Hering,1956 Range (in code): IR Kh Elb Th SA
- 11279. *Tephritomyia lauta* (Loew,1869)** (Tephritidae) Synonym(s): lauta Loew,1869; veliformis Becker,1907 Range (in code): TR GR Cr Rd Nx IL Pa IR TN EG IQ SY Hms IR Ar KuS Th Ab Aja 01 07 08 09 13 15 20 24 25 27 31 32 33 38 39 42 46 48 51 56 58 65 69 70 73
- 11280. *Terellia* (Cerajocera) *armeniaca* (V.Korneyev,1985)** (Tephritidae) Synonym(s): armeniaca V.Korneyev,1985 Range (in code): AM Cc Ved



- 11281. Terellia (Cerajocera) askaleensis** Kütük, Bayrak & Hayat, 2011 (Tephritidae) Synonym(s): askaleensis Kütük, Bayrak & Hayat, 2011 Range (in code): **TR 25 69**
- 11282. Terellia (Cerajocera) ceratocera** Hendel, 1913 (Tephritidae) Synonym(s): cornuta Fabricius, 1794 nec Sc., 1772; ceratocera Hendel, 1913 Range (in code): **FR GB NO SE FI DK DE EE PL BE NL CZ SK CH AT IT RO BG AL TR RU Sb KG 06 07 24 32 38 42 46 58**
- 11283. Terellia (Cerajocera) gynaecochroma** (M. Hering, 1936) (Tephritidae) Synonym(s): gynaecochroma M. Hering, 1936 Range (in code): **CH AT CZ HU RO MD UA B-H AL GR Cr TR CY Cc IL Pa LB IR Ab Oru Elb Th Ar Fa Ke Kd Qz JO SY Hms 04 07 08 15 20 24 25 26 31 32 36 38 46 50 58 65 68 69 76 80**
- 11284. Terellia (Cerajocera) nigronota** (V. Korneyev, 1985) (Tephritidae) Synonym(s): nigronota V. Korneyev, 1985 Range (in code): **RU Mo TR GG Cc AM Di IR Ar KuS Ab 24**
- 11285. Terellia (Cerajocera) plagiata** (Dahlbom, 1850) (Tephritidae) Synonym(s): plagiata Dahlbom, 1850; microceras M. Hering, 1935 Range (in code): **FR GB NO SE DK DE EE PL RU UA CZ SK HU CH AT TR 69**
- 11286. Terellia (Cerajocera) rhapontici** Merz, 1990 (Tephritidae) Synonym(s): rhapontici Merz, 1990 Range (in code): **CH IT TR 01 07 15 20 32 33 38 42 48 51 58 68**
- 11287. Terellia (Cerajocera) tussilaginis** (Fabricius, 1775) (Tephritidae) Synonym(s): tussilaginis Fabricius, 1775; arctii De Geer, 1776; acanthi Schrank, 1803; tanacetii Schrank, 1803 Range (in code): **ES FR GB BE NL NO SE FI EE RU UA PL DK DE CZ SK HU CH AT IT Co YU RO BG TR 04 08 24 25 32 36 38 46 68 69**
- 11288. Terellia (Cerajocera) yukseli** Kütük, 2009 (Tephritidae) Synonym(s): yukseli Kütük, 2009 Range (in code): **TR 51**
- 11289. Terellia (s.str.) colon** (Meigen, 1826) (Tephritidae) Synonym(s): colon Meigen, 1826 Range (in code): **ES FR GB SE DK BE NL DE EE PL CZ SK CH AT HU IT Si MD RO BG GR Cr Rd IR Ab Oru TR KG RU Sb UA DZ 01 07 20 25 32 33 38 40 42 46 51 68**
- 11290. Terellia (s.str.) ermolenkoi** V. Korneyev, 1985 (Tephritidae) Synonym(s): ermolenkoi V. Korneyev, 1985 Range (in code): **AZ Cc**
- 11291. Terellia (s.str.) freidbergi** V. Korneyev et al., 2013 (Tephritidae) Synonym(s): freidbergi V. Korneyev et al., 2013 Range (in code): **IL Pa AM Cc Oru IR Ab Th Elb Kd Snj TR SY 27 30**
- 11292. Terellia (s.str.) fuscicornis** (Loew, 1844) (Tephritidae) Synonym(s): fuscicornis Loew, 1844; #fuscicornis Giray, 1979 Range (in code): **TR ES FR Sa Si IT Cr CY GR IL Pa 35 38 45 46 58**
- 11293. Terellia (s.str.) longicauda** (Meigen, 1838) (Tephritidae) Synonym(s): longicauda Meigen, 1838; acuticornis Loew, 1846 Range (in code): **ES FR GB DE PL UA CZ SK CH AT IT AL BG CY RU Cn DZ TR IR AF 01 03 06 16 26 31 32 33 38 42 48 50 51 68 70**
- 11294. Terellia (s.str.) luteola** (Wiedemann, 1830) (Tephritidae) Synonym(s): luteola Wiedemann, 1830 Range (in code): **TR ES IT Cr LB IL TN EG Sn KG IR Ar 01 15 24 27 31 32 36 38 58 66 69**
- 11295. Terellia (s.str.) nigripalpis** Hendel, 1927 (Tephritidae) Synonym(s): nigripalpis Hendel, 1927 Range (in code): **TR IR 01 04 08 24 25 36 38 51 58 69**
- 11296. Terellia (s.str.) orheana** V. Korneyev, 1990 (Tephritidae) Synonym(s): orheana V. Korneyev, 1990 Range (in code): **MD UA Ode RU Sm IR Oru Ab**
- 11297. Terellia (s.str.) quadratula** (Loew, 1869) (Tephritidae) Synonym(s): quadratula Loew, 1869 Range (in code): **DE GG TR Cc AM Eri AZ Len IL Pa He LB JO IR 04 06 15 24 25 32 38 46 48 51 58 65 69 76**
- 11298. Terellia (s.str.) ruficauda** (Fabricius, 1794) (Tephritidae) Synonym(s): ruficauda Fabricius, 1794; punctata Fallén, 1814 Range (in code): **ES FR GB IE NO SE FI DK DE EE PL UA CZ SK CH AT IT HU RO BG TR IR Ab Oru Th Elb KG CN KK Cc MN RU Sb Us 04 08 15 24 25 26 32 36 38 44 46 58 69**
- 11299. Terellia (s.str.) serratulae** (Linnaeus, 1758) (Tephritidae) Synonym(s): serratulae Linnaeus, 1758; pallens Wiedemann, 1824; palpatula R-D., 1830; luteola R-D., 1830; dentata Loew, 1844 Range (in code): **DE FR TR KG Cc AZ GG AM GR Cr IR Ar Ab Oru Gh Kh Mz Th By CN MN IQ SY IL Pa DZ RU Us 01 04 06 07 08 09 15 20 24 25 26 27 32 36 38 42 48 51 56 58 65 68 69 70 76**
- 11300. Terellia (s.str.) uncinata** White, 1989 (Tephritidae) Synonym(s): uncinata White, 1989 Range (in code): **AL BG TR GR Cr IT IR Ab Oru Kd Ar IQ Slh 06 07 10 15 24 32 33 42 55 66**
- 11301. Terellia (s.str.) virens** (Loew, 1846) (Tephritidae) Synonym(s): virens Loew, 1846; syllibi Rondani, 1870 Range (in code): **MA TN ES FR CH AT IT Co Si DE PL CZ SK HU YU RO AL GR BG UA Cm RU TR AF KG IL Pa He MD IQ IR CA 01 04 06 07 08 15 16 20 24 25 26 27 31 32 35 36 38 40 42 45 48 51 58 68 69 70 76**
- 11302. Terellia (s.str.) virpana** Dirlbek, 1980 (Tephritidae) Synonym(s): virpana Dirlbek, 1980 Range (in code): **IR**
- 11303. Terellia (s.str.) whitei** V. Korneyev & Mohamadzade, 2013 (Tephritidae) Synonym(s): whitei V. Korneyev & Mohamadzade, 2013 Range (in code): **TM IR Ak Kh KG KK**
- 11304. Terellia (s.str.) winthemi** (Meigen, 1826) (Tephritidae) Synonym(s): winthemi Meigen, 1826 Range (in code): **ES FR GB BE NL NO SE FI DE EE PL RU UA TR CZ SK HU CH AT IT AL KG 10 15 35 70**
- 11305. Terellia (s.str.) zerovae** V. Korneyev, 1985 (Tephritidae) Synonym(s): zerovae V. Korneyev, 1985 Range (in code): **TR GR Cr TJ RO IR Ar Oru Ab AF AM Cc AZ KG KK TM UZ Tas 25 38 55 58 61**

- 11306. *Terellia deserta* V.Korneyev,1985** (Tephritidae) Synonym(s): *deserta* V.Korneyev,1985 Range (in code): **TM Rpt**
- 11307. *Terellia korneyevorum* Mohamadzade & Nozari,2011** (Tephritidae) Synonym(s): *korneyevorum* Mohamadzade & Nozari,2011 Range (in code): **IR Yz Kd**
- 11308. *Terellia vilis* (M.Hering,1961)** (Tephritidae) Synonym(s): *vilis* M.Hering,1961 Range (in code): **AF Bd Shv TJ**
- 11309. *Trigonochorium oculatum* Becker,1913** (Tephritidae) Synonym(s): *oculatum* Becker,1913 Range (in code): **IR Ke Ss**
- 11310. *Trupanea amoena* (Frauenfeld,1857)** (Tephritidae) Synonym(s): *amoena* Frauenfeld,1857; *parisiensis* R-D.,1830; *#amonea* Giray,1979 Range (in code): **PT ES GB BE DE PL CZ SK CH AT IT Co Sa Si AL GR Cr BG Rd CY B-H RO MD UA HU FR TR SY Ksb RU IQ Bgd Hms IR Ar Ak Kh Ss Th SA AE ET IN LK PH AU 01 04 07 08 09 16 20 22 24 25 26 27 30 32 33 35 36 38 39 42 48 58 65 69 76**
- 11311. *Trupanea erigeroni* Freidberg,1974** (Tephritidae) Synonym(s): *erigeroni* Freidberg,1974 Range (in code): **IL Pa**
- 11312. *Trupanea lacerata* Becker,1913** (Tephritidae) Synonym(s): *lacerata* Becker,1913 Range (in code): **IR Ss Ke**
- 11313. *Trupanea pseudoamoena* Freidberg,1974** (Tephritidae) Synonym(s): *pseudoamoena* Freidberg,1974 Range (in code): **IL Pa EG Sn Ngv SA**
- 11314. *Trupanea pulcherrima* (Eflatoun,1924)** (Tephritidae) Synonym(s): *pulcherrima* Eflatoun,1924 Range (in code): **EG EG11 IL Pa TN IR SA?**
- 11315. *Trupanea pulcherrimum* (Eflatoun,1924)** (Tephritidae) Synonym(s): *pulcherrimum* Eflatoun,1924; *#pulcherrimum* Korneyev & Dirlbek,2000 Range (in code): **SY Hms IQ JO DZ EG IL Pa**
- 11316. *Trupanea repleta* (Bezzi,1918)** (Tephritidae) Synonym(s): *repleta* Bezzi,1918 Range (in code): **CV ER IL Pa YE SA**
- 11317. *Trupanea richteri* M.Hering,1956** (Tephritidae) Synonym(s): *richteri* M.Hering,1956 Range (in code): **IR Ss**
- 11318. *Trupanea shaula* Dirlbek,1975** (Tephritidae) Synonym(s): *shaula* Dirlbek,1975 Range (in code): **IQ PK**
- 11319. *Trupanea stellata* (Fuesslin,1775)** (Tephritidae) Synonym(s): *stellata* Fuesslin,1775; *radiata* Schrank,1795; *terminata* Fallén,1814; *calcitrapae* R-D.,1830 Range (in code): **IE ES FR NO SE FI DK CZ SK EE HU MD RO AL GR BG Cr Rd CY Sa Si Co CH AT IT TR GB KG RU CN SA IN DZ IR Ar Ke Ss Th Km Ak Ab Aja Kd Yz IQ At UA Cc EG AF MN 01 06 07 08 10 13 15 20 22 24 25 26 27 30 32 35 36 38 42 44 46 48 58 65 69 73 76**
- 11320. *Trupanea tubulata* Munro,1964** (Tephritidae) Synonym(s): *tubulata* Munro,1964 Range (in code): **ZA Tva Lpo ZM NA MZ ZA ZW IL Pa TR 07 48**
- 11321. *Urophora affinis* (Frauenfeld,1857)** (Tephritidae) Synonym(s): *affinis* Frauenfeld,1857 Range (in code): **AF DE AZ Cc GG CZ AM IR Ab IL Pa EG LB CH KG KK US MD UZ RU TJ TM UA Cm TR 01 03 06 07 10 13 15 16 20 21 24 25 26 30 31 32 33 35 38 42 43 46 47 50 51 58 63 66 68 70 80**
- 11322. *Urophora angustifascia* (M.Hering,1956)** (Tephritidae) Synonym(s): *angustifascia* M.Hering,1956 Range (in code): **IR Ss IL Pa AF**
- 11323. *Urophora aprica* (Fallén,1820)** (Tephritidae) Synonym(s): *aprica* Fallén,1820; *centauriae* R-D.,1830; *scutellata* Rondani,1870 Range (in code): **DE AZ Cc GG AM EE FR CZ CH IT LT MD RU UA TR IR Ab Oru 01 07 16 20 31 32 44 46 48 50 51 66 68 80**
- 11324. *Urophora armeniaca* (M.Hering,1937)** (Tephritidae) Synonym(s): *armeniaca* M.Hering,1937 Range (in code): **AM Cc**
- 11325. *Urophora cardui* (Linnaeus,1758)** (Tephritidae) Synonym(s): *cardui* Linnaeus,1758; *flexuosa* Germar,1814; *reaumurii* R-D.,1830 Range (in code): **GB SE RU Sb KG IT BG SY GB FR GR MK US**
- 11326. *Urophora congrua* Loew,1862** (Tephritidae) Synonym(s): *congrua* Loew,1862 Range (in code): **TR 01 07 31 32 46**
- 11327. *Urophora cuspidata* (Meigen,1826)** (Tephritidae) Synonym(s): *cuspidata* Meigen,1826; *solstitialis* Zettstedt,1847 nec Linn.,1758 Range (in code): **TR IR Ab AZ AM Cc GG EE FR GB CH LT MD UZ RU UA 01 07 11 16 27 32 33 35 42 58 70 80**
- 11328. *Urophora doganlari* Kütük,2006** (Tephritidae) Synonym(s): *doganlari* Kütük,2006 Range (in code): **TR 38 58**
- 11329. *Urophora dzieduszyckii* Frauenfeld,1867** (Tephritidae) Synonym(s): *dzieduszyckii* Frauenfeld,1867; *wodzickii* Frauenfeld,1867; *syriaca* Hendel,1927; *pontica* M.Hering,1937; *erichschmidtii* M.Hering,1953; *#dzieduszyckiipontica* White & Korneyev,1989 Range (in code): **TR AT KG MD UA RU IL Pa He LB SY Tru 01 10 27 31 80**
- 11330. *Urophora eriolepidis* (Loew,1856)** (Tephritidae) Synonym(s): *eriolepidis* Loew,1856; *terebrans* Frauenfeld,1857 Range (in code): **TR DE AZ Cc AM GG LT MD RU UA 01 06 07 32 33 38 44 46 50 51 58 66 70 80**
- 11331. *Urophora hani* Kütük,2009** (Tephritidae) Synonym(s): *hani* Kütük,2009 Range (in code): **TR 31**
- 11332. *Urophora heratensis* (Dirlbek & Dirlbek,1968)** (Tephritidae) Synonym(s): *heratensis* Dirlbek & Dirlbek,1968 Range (in code): **AF Hr**

- 11333. *Urophora hermonis* Freidberg,1974** (Tephritidae) Synonym(s): hermonis Freidberg,1974 Range (in code): IL He Pa IQ IR Ak
- 11334. *Urophora iani* Korneyev & Merz,1998** (Tephritidae) Synonym(s): iani Korneyev & Merz,1998 Range (in code): SY Hms TR KG 65
- 11335. *Urophora impicta* (M.Hering,1942)** (Tephritidae) Synonym(s): impicta M.Hering,1942 Range (in code): TR IR Ak Ab AM Cc RU Sr TM AF 65
- 11336. *Urophora jaceana* (M.Hering,1935)** (Tephritidae) Synonym(s): jaceana M.Hering,1935; #jacaena Bayrak & Hayat,2012 Range (in code): TR GB FR NO RU FI FR Py ES Cc Ur US 01 07 15 16 17 20 21 22 25 26 27 31 32 33 35 43 44 45 46 47 38 58 80
- 11337. *Urophora jaculata* Rondani,1870** (Tephritidae) Synonym(s): jaculata Rondani,1870 Range (in code): TR IR Ak IT GR AF CN Ui MN AZ AM 33 38 42 50 70
- 11338. *Urophora ligulipalpis* (M.Hering,1961)** (Tephritidae) Synonym(s): ligulipalpis M.Hering,1961 Range (in code): AF KK
- 11339. *Urophora macrura* (Loew,1855)** (Tephritidae) Synonym(s): macrura Loew,1855; lejura Rondani,1870 Range (in code): TR Cc AZ AM GG IL Pa EG DZ LT RU MD UA GR 01 06 07 11 15 16 20 26 27 31 32 33 35 38 40 41 42 45 46 50 51 58 66 68 70 80
- 11340. *Urophora maura* (Frauenfeld,1857)** (Tephritidae) Synonym(s): maura Frauenfeld,1857 Range (in code): TR CZ CN Ui KK RU UA MD FR Co 68
- 11341. *Urophora mauritanica* Macquart,1851** (Tephritidae) Synonym(s): mauritanica Macquart,1851 Range (in code): MA DZ LY TN ES TR IR Ak AL GB GR Cr CY CZ FR MT IT Sa MK MD RU KG KK TJ UZ IL Pa JO 38 58 65
- 11342. *Urophora melanocera* M.Hering,1938** (Tephritidae) Synonym(s): melanocera M.Hering,1938 Range (in code): IR Es Th Elb AF Adr
- 11343. *Urophora merzi* Namin & Nozari,2011** (Tephritidae) Synonym(s): merzi Namin & Nozari,2011 Range (in code): IR Mz Elb Clu Nss
- 11344. *Urophora neuenschwanderi* Freidberg,1982** (Tephritidae) Synonym(s): neuenschwanderi Freidberg,1982 Range (in code): TR GR Cr IT CN 31
- 11345. *Urophora pauperata* (Zaitzev,1945)** (Tephritidae) Synonym(s): pauperata Zaitzev,1945 Range (in code): AL IR Ab Oru Ak Th Kdv Elb TR GG AZ Nv Len Cc AM TM TJ UZ Smk KG KK SY Hms JO EG 38
- 11346. *Urophora phaeocera* (M.Hering,1961)** (Tephritidae) Synonym(s): phaeocera M.Hering,1961 Range (in code): TR AF IL Pa Cc AZ AM EG SY Hms JO IR Ak Elb Th Ar Yz 01 33 42 46
- 11347. *Urophora phalolepidis* Merz & White,1991** (Tephritidae) Synonym(s): phalolepidis Merz & White,1991 Range (in code): IT Si TR 07 15 20 32 33 46
- 11348. *Urophora pontica* (M.Hering,1937)** (Tephritidae) Synonym(s): pontica M.Hering,1937 Range (in code): FR TR RU Sr KG
- 11349. *Urophora quadrifasciata* (Meigen,1826)** (Tephritidae) Synonym(s): quadrifasciata Meigen,1826; sjumorum Rohdendorf,1934 [ssp.] Range (in code): ES FR GB BE NL CH AT IT Si AL GR BG CY MD RO UA EE BY PL CZ SK HU TR IL Pa IR Ab Oru Ak Ar KuS Th Kd DZ CA AZ RU Cc TM TJ KK KG AM GG IQ MD SY CN PK 01 03 07 10 15 16 20 21 25 27 31 32 33 38 39 42 44 46 48 50 51 56 58 60 65 66 68 70
- 11350. *Urophora repeteki* (Munro,1934)** (Tephritidae) Synonym(s): repeteki Munro,1934; angustifascia M.Hering,1956; ligulipalpis M.Hering,1961; phaeocera M.Hering,1961 Range (in code): TM Rpt Br SY Hms IQ IR Ak Ss CY TR IL Pa KG KK TM UZ TJ AF
- 11351. *Urophora satunini* (F.A.Zaitzev,1945)** (Tephritidae) Synonym(s): satunini F.A.Zaitzev,1945 Range (in code): TR 75
- 11352. *Urophora sirunaseva* (M.Hering,1938)** (Tephritidae) Synonym(s): sirunaseva M.Hering,1938 Range (in code): GR Cr IR Ab Oru Ak IT AZ Cc TR MD UA HU IL Pa 05 55
- 11353. *Urophora solaris* V.Korneyev,1984** (Tephritidae) Synonym(s): solaris V.Korneyev,1984 Range (in code): TR TJ 07 15 16 32 44 46
- 11354. *Urophora solstitialis* (Linnaeus,1758)** (Tephritidae) Synonym(s): solstitialis Linnaeus,1758; dauci Fabricius,1787; leucocanthi Schrank,1803; hastatus Fabricius,1805; pugionata Meigen,1826; reamurii R-D.,1830; sibynata Rondani,1870; sejuncta Becker,1907; #solstitialis Bayrak & Hayat,2012 Range (in code): DZ ES FR BE NL GB SE FI EE PL DK DE CZ SK HU CH AT IT Sa Si AL GR BG RO MD UA RU TR SY Ksb Cc AM AZ KG KK CN Ui Us Ya CA AU NZ LT IR Ab Oru Ak Ar KuS Mz MD UZ 01 04 06 07 13 15 16 21 25 27 31 32 33 35 38 40 43 44 47 50 56 57 58 68 70
- 11355. *Urophora spatiosa* (Becker,1913)** (Tephritidae) Synonym(s): spatiosa Becker,1913 Range (in code): IR Ss
- 11356. *Urophora stalker* V.Korneyev,1984** (Tephritidae) Synonym(s): stalker V.Korneyev,1984 Range (in code): IR Ak KG TJ TM UZ KK
- 11357. *Urophora stylata* (Fabricius,1775)** (Tephritidae) Synonym(s): stylata Fabricius,1775; ciesii Schrank,1803; jacobaeae Panzer,1805; venerabulata Rondani,1870; vulcanica Rondani,1870; pia M.Hering,1938 Range (in code): AF IR Ab Oru Ak TR UA AZ Cc GG AM RU Sb LT EE CZ GB IL Pa Hf CH JP CA KG MD PK IN UA CN Ui At SU AU 01 06 07 16 17 27 32 33 38 45 46 50 51 58 66 68
- 11358. *Urophora tenuior* Hendel,1910** (Tephritidae) Synonym(s): tenuior Hendel,1910; tenuis Hendel,1910 nec Beck.,1908 Range (in code): TR KG UZ TM TJ AF IR Kh 27 46 58



- 11359. Urophora tenuis Becker,1907** (Tephritidae) Synonym(s): tenuis Becker,1907 Range (in code): TR CN Ui KK KG RU UZ TM MN 63
- 11360. Urophora terebrans (Loew,1850)** (Tephritidae) Synonym(s): terebrans Loew,1850; eriolepidis Loew,1856; manni Hendel,1927; approximata M.Hering,1938; satunini Zaitzev,1945 Range (in code): TR DE AT AZ Cc BG CZ FR ES HU MD PL RU GR IR Ak Ar KuS Th Elb AM 01 07 20 31 32 35 41 42 46 51 68 75 76
- 11361. Urophora variabilis Loew,1869** (Tephritidae) Synonym(s): variabilis Loew,1869 Range (in code): TR IR Ak Ab GR MD UA RU GG Cc TM 31
- 11362. Urophora xanthippe (Munro,1934)** (Tephritidae) Synonym(s): xanthippe Munro,1934 Range (in code): UA IR Ab Oru Ak Yz Elb Th TM KG TJ UZ AF
- 11363. Xyphosia conspicua (Loew,1869)** (Tephritidae) Synonym(s): conspicua Loew,1869 Range (in code): RU Cc TR 44
- 11364. Xyphosia laticauda (Meigen,1826)** (Tephritidae) Synonym(s): laticauda Meigen,1826; laticauda Frauenfeld,1857; schaefferi Frauenfeld,1857 Range (in code): FR CH AT HU UA AM Cc
- 11365. Xyphosia miliaria (Schrank,1781)** (Tephritidae) Synonym(s): miliaria Schrank,1781; arcuata Fabricius,1782 nec Linn.,1758; sphaerocephali Schrank,1803; cirsiorum R-D.,1830; meridionalis O.Costa,1854; punctipennis Hendel,1927 [ssp.]; orientalis M.Hering,1936 [ssp.]; balcanica Drensky,1943 Range (in code): ES FR GB IE NO SE FI EE UA PL DK DE CZ SK HU MD RO BG AL GR CH AT IT Sa Si TR KK KG Tk CN Mc RU Us Sb Cc IR Elb Th 03 06 07 08 16 22 24 25 32 38 46 58 65 68
- 11366. Tethina acrostichalis Freidberg & Beschovsky,1996** (Tethinidae) Synonym(s): acrostichalis Freidberg & Beschovsky,1996 Range (in code): IL Pa
- 11367. Tethina canzonieri Munari,1981** (Tethinidae) Synonym(s): canzonieri Munari,1981 Range (in code): TR 01
- 11368. Tethina czernyi (Hendel,1934)** (Tethinidae) Synonym(s): czernyi Hendel,1934 Range (in code): DZ BG TR DE HU MN ES Cc EG Sn FR IL Pa IT PL TN TJ TM UZ 06
- 11369. Tethina grisea (Fallén,1823)** (Tethinidae) Synonym(s): grisea Fallén,1823; latigenis Becker,1907 Range (in code): Az Cn ES BE FR TN GB SE IT BG GR Cr CY TR DK FI IL Pa MT NL NOUA TM
- 11370. Tethina guttata Freidberg & Beschvski,1996** (Tethinidae) Synonym(s): guttata Freidberg & Beschvski,1996 Range (in code): IL Pa TN
- 11371. Tethina incisuralis (Macquart,1851)** (Tethinidae) Synonym(s): incisuralis Macquart,1851; pictipes Becker,1903 Range (in code): Cn CV EG JO DZ ES FR SY GB GR Cr IL Pa IT? MA TN TM
- 11372. Tethina karatasensis Munari,1981** (Tethinidae) Synonym(s): karatasensis Munari,1981 Range (in code): TR 01
- 11373. Tethina longirostris (Loew,1865)** (Tethinidae) Synonym(s): longirostris Loew,1865 Range (in code): DZ Az EG CY GR Cr DE ES IT Si TN IL Pa MT
- 11374. Tethina nigripes Czerny,1928** (Tethinidae) Synonym(s): nigripes Czerny,1928 Range (in code): DE IT LB PL
- 11375. Tethina nigrofemorata Beschovsky,1997** (Tethinidae) Synonym(s): nigrofemorata Beschovsky,1997 Range (in code): DZ EG JO Cn CY GR Cr IL Pa MT FR ES TN
- 11376. Tethina ochracea (Hendel,1913)** (Tethinidae) Synonym(s): ochracea Hendel,1913; canzonieri Munari,1981 Range (in code): SN CV SC ZA AU TW US Tx MX CL EG CY GR IL Pa IT FR Md MT TN TR JO DZ Az Cn ES BG 01
- 11377. Tethina pallipes Loew,1865** (Tethinidae) Synonym(s): pallipes Loew,1865 Range (in code): GR BG TN Cn Az CV FR IL Pa IT?
- 11378. Tethina shalom Freidberg & Beschovsky,1996** (Tethinidae) Synonym(s): shalom Freidberg & Beschovsky,1996 Range (in code): IL Pa
- 11379. Tethina strobliana (Mercier,1923)** (Tethinidae) Synonym(s): strobliana Mercier,1923 Range (in code): IT Az? BG BE DK GB DE GR Cr HU IL Pa IT Sa KG MT PL RU ES TJ TN TM UA UZ
- 11380. Orphnephilina atropatenica (Schmid,1958)** (Thaumaleidae) Synonym(s): atropatenica Schmid,1958 Range (in code): IR
- 11381. Orphnephilina hyrcanica (Schmid,1958)** (Thaumaleidae) Synonym(s): hyrcanica Schmid,1958 Range (in code): IR
- 11382. Thaumalea baltasardi Schmid,1958** (Thaumaleidae) Synonym(s): baltasardi Schmid,1958 Range (in code): IR
- 11383. Thaumalea libanica Edwards,1932** (Thaumaleidae) Synonym(s): libanica Edwards,1932 Range (in code): LB Bsa
- 11384. Thaumalea suzonae Schmid,1958** (Thaumaleidae) Synonym(s): suzonae Schmid,1958 Range (in code): IR
- 11385. Acathrito iskenderia (Zaitzev,1971)** (Therevidae) Synonym(s): iskenderia Zaitzev,1971 Range (in code): TM Kp
- 11386. Acathrito robusta (Kröber,1929)** (Therevidae) Synonym(s): robusta Kröber,1929 Range (in code): IL Pa EG AE
- 11387. Actorthia ahngeri (Frey,1921)** (Therevidae) Synonym(s): ahngeri Frey,1921 Range (in code): TM
- 11388. Actorthia flavipennis (Kröber,1912)** (Therevidae) Synonym(s): flavipennis Kröber,1912 Range (in code): TM

- 11389. *Actorthia kerzhneri* Zaitzev, 1975** (Therevidae) Synonym(s): *kerzhneri* Zaitzev, 1975 Range (in code): MN Cc AM
- 11390. *Actorthia kozlovi* Zaitzev, 1974** (Therevidae) Synonym(s): *kozlovi* Zaitzev, 1974 Range (in code): CN MN Cc AM
- 11391. *Actorthia lacteipennis* (Becker, 1912)** (Therevidae) Synonym(s): *lacteipennis* Becker, 1912 Range (in code): AM Cc UZ TJ TM IR Ss
- 11392. *Actorthia olivierii* (Macquart, 1840)** (Therevidae) Synonym(s): *olivierii* Macquart, 1840 Range (in code): IQ Bgd
- 11393. *Ammothereva lepida* Lyneborg, 1984** (Therevidae) Synonym(s): *lepida* Lyneborg, 1984 Range (in code): TM Kp
- 11394. *Ammothereva lobata* Lyneborg, 1984** (Therevidae) Synonym(s): *mesasiatica* Zaitzev, 1973 nec Zait., 1970; *lobata* Lyneborg, 1984 Range (in code): TM UZ
- 11395. *Ammothereva mesasiatica* (Zaitzev, 1970)** (Therevidae) Synonym(s): *mesasiatica* Zaitzev, 1970 Range (in code): UZ TM
- 11396. *Ammothereva splendida* (Kröber, 1912)** (Therevidae) Synonym(s): *splendida* Kröber, 1912; *caucasica* Zaitzev, 1973 Range (in code): AM Eri Cc TR 01 38 51 58
- 11397. *Baryphora speciosa* Loew, 1844** (Therevidae) Synonym(s): *speciosa* Loew, 1844 Range (in code): GR Rd TR 07 20 32 33 35 42 48
- 11398. *Clorismia flavipes* (Kröber, 1912)** (Therevidae) Synonym(s): *flavipes* Kröber, 1912; *analisis* Kröber, 1912 Range (in code): RO YU TR 01
- 11399. *Euphycus dispar* (Meigen, 1820)** (Therevidae) Synonym(s): *dispar* Meigen, 1820 Range (in code): GR IT FR YU TR
- 11400. *Hoplosathe brevistyla* Lyneborg & Zaitzev, 1980** (Therevidae) Synonym(s): *brevistyla* Lyneborg & Zaitzev, 1980 Range (in code): IR Ss
- 11401. *Hoplosathe capricornis* Lyneborg & Zaitzev, 1980** (Therevidae) Synonym(s): *capricornis* Lyneborg & Zaitzev, 1980 Range (in code): UZ TJ TM
- 11402. *Hoplosathe formosa* (Loew, 1871)** (Therevidae) Synonym(s): *formosa* Loew, 1871 Range (in code): UZ TJ TM MN
- 11403. *Hoplosathe frauenfeldi* (Loew, 1856)** (Therevidae) Synonym(s): *frauenfeldi* Loew, 1856 Range (in code): IL Pa IQ IR EG
- 11404. *Hoplosathe richterae* Lyneborg & Zaitzev, 1980** (Therevidae) Synonym(s): *richterae* Lyneborg & Zaitzev, 1980 Range (in code): AM Cc
- 11405. *Hoplosathe tomentosa* Lyneborg & Zaitzev, 1980** (Therevidae) Synonym(s): *tomentosa* Lyneborg & Zaitzev, 1980 Range (in code): UZ TJ TM MN
- 11406. *Irwiniella palaestinensis* (Kröber, 1932)** (Therevidae) Synonym(s): *palaestinensis* Kröber, 1932 Range (in code): IL Pa
- 11407. *Irwiniella zaitzevi* Lyneborg, 1986** (Therevidae) Synonym(s): *zaitzevi* Lyneborg, 1986 Range (in code): TJ TM
- 11408. *Neotherevella citrina* (Becker, 1902)** (Therevidae) Synonym(s): *citrina* Becker, 1902 Range (in code): EG IL Pa
- 11409. *Phycus insignis* (Loew, 1874)** (Therevidae) Synonym(s): *insignis* Loew, 1874; *appendiculatus* Röder, 1894 Range (in code): AM Cc EG LB Bei SY SA CY IR JO IQ IL Pa AF UZ TN EG
- 11410. *Phycus rufofemoratus* Kröber, 1913** (Therevidae) Synonym(s): *rufofemoratus* Kröber, 1913; *piceus* Becker, 1923; *nigra* Ségué, 1941 Range (in code): JO SD YE CM ET EG EG11 EG21 EG31 MU NE SO
- 11411. *Rueppellia thoracica* (Macquart, 1840)** (Therevidae) Synonym(s): *thoracica* Macquart, 1840; *alexandrinum* Becker, 1912; *frontalis* Kröber, 1912 Range (in code): TN LY EG IL Pa
- 11412. *Salentia asiatica* Zaitzev, 1977** (Therevidae) Synonym(s): *asiatica* Zaitzev, 1977 Range (in code): TJ UZ TM
- 11413. *Salentia fuscipennis* A. Costa, 1857** (Therevidae) Synonym(s): *fuscipennis* A. Costa, 1857; *pomeroyi* Alexander, 1921 Range (in code): TR IT Si IR 01 38 51 58 66 70
- 11414. *Salentia margiana* Zaitzev, 1977** (Therevidae) Synonym(s): *margiana* Zaitzev, 1977 Range (in code): TM Mrw EG Sn
- 11415. *Salentia nigrescens* Becker, 1912** (Therevidae) Synonym(s): *nigrescens* Becker, 1912; *apicalis* Becker, 1912 Range (in code): TJ TM KG IR Ss
- 11416. *Salentia nigripes* (Kröber, 1912)** (Therevidae) Synonym(s): *nigripes* Kröber, 1912 Range (in code): GR TR TM 30
- 11417. *Schoutedenomyia superba* (Kröber, 1912)** (Therevidae) Synonym(s): *superba* Kröber, 1912 Range (in code): GR TR 59
- 11418. *Tabuda superba* (Frey, 1921)** (Therevidae) Synonym(s): *superba* Frey, 1921 Range (in code): TM Kp
- 11419. *Thereva affinis* Kröber, 1913** (Therevidae) Synonym(s): *affinis* Kröber, 1913 Range (in code): Cc AZ AM GG TR 51

- 11420. *Thereva albohirta* Kröber,1912** (Therevidae) Synonym(s): albohirta Kröber,1912; helvetica Kröber,1937 Range (in code): CH TR 33 68
- 11421. *Thereva apicalis* Wiedemann,1821** (Therevidae) Synonym(s): apicalis Wiedemann,1821; bivittata Loew,1840 Range (in code): AT CH CZ DE ES GR HU RO YU UA Cc RU UZ TJ KK TM Kp IQ TR 01 32 38 42 50 51 66 68
- 11422. *Thereva argenteolanata* Frey,1921** (Therevidae) Synonym(s): argenteolanata Frey,1921 Range (in code): TM
- 11423. *Thereva aurantiaca* Becker,1912** (Therevidae) Synonym(s): aurantiaca Becker,1912; athericiformis Kröber,1912 Range (in code): IR Ss KK Ik MN
- 11424. *Thereva aurata* (Loew,1854)** (Therevidae) Synonym(s): aurata Loew,1854; auricincta Egger,1859; corrineae Gosseries,1991 Range (in code): AT CZ GR HU IT RO TR YU IR MN 01 07 14 16 32 38
- 11425. *Thereva binotata* (Loew,1847)** (Therevidae) Synonym(s): binotata Loew,1847 Range (in code): IT Si MT MA TN RU TR UA 25 33 38 58
- 11426. *Thereva brevicornis* (Loew,1847)** (Therevidae) Synonym(s): brevicornis Loew,1847; alpina Egger,1859 Range (in code): MA AT CH FR IT RO YU TR
- 11427. *Thereva bruninervis* Kröber,1913** (Therevidae) Synonym(s): bruninervis Kröber,1913 Range (in code): RU Da Cc
- 11428. *Thereva caucasica* Kröber,1913** (Therevidae) Synonym(s): caucasica Kröber,1913 Range (in code): AZ Cc
- 11429. *Thereva cincta* Meigen,1820** (Therevidae) Synonym(s): cincta Meigen,1820; taenita Meigen,1820; antheracoides Macquart,1840; arcuata Loew,1847 Range (in code): AT AL CH CZ DE DK FR GR HU IT Si PL RO YU UA RU TR LT SY IL Pa 38 51 58 68
- 11430. *Thereva cinifera* Meigen,1830** (Therevidae) Synonym(s): cinifera Meigen,1830; subfasciata Schummel,1839; modesta Becker,1922 Range (in code): GB AT BE CZ DE DK ES FR NO NL PL RO CH FI TR JP 01 70
- 11431. *Thereva claripennis* (Loew,1847)** (Therevidae) Synonym(s): claripennis Loew,1847 Range (in code): TR 20
- 11432. *Thereva conica* Kröber,1913** (Therevidae) Synonym(s): conica Kröber,1913 Range (in code): AZ Kir Cc
- 11433. *Thereva flavescens* (Loew,1847)** (Therevidae) Synonym(s): flavescens Loew,1847 Range (in code): GR TR
- 11434. *Thereva flavipennis* Kröber,1913** (Therevidae) Synonym(s): flavipennis Kröber,1913 Range (in code): TM
- 11435. *Thereva fulva* (Meigen,1804)** (Therevidae) Synonym(s): fulva Meigen,1804; flavilabris Meigen,1820 Range (in code): AT CZ DE ES FR GB PL RU HU IT RO YU TR 01 06 14 15 33 51 58 66 70
- 11436. *Thereva fulvibarba* Kröber,1912** (Therevidae) Synonym(s): fulvibarba Kröber,1912 Range (in code): TR UA RU 51
- 11437. *Thereva glauca* Kröber,1913** (Therevidae) Synonym(s): glauca Kröber,1913; formosana Enderlein,1921 Range (in code): TR
- 11438. *Thereva glaucescens* Kröber,1912** (Therevidae) Synonym(s): glaucescens Kröber,1912 Range (in code): GR TR 38 51
- 11439. *Thereva handlirschi* Kröber,1912** (Therevidae) Synonym(s): handlirschi Kröber,1912; zonata Kröber,1912; angustifrons Kröber,1912; praestans Collin,1948 Range (in code): AT BE CH CZ DE DK FR GB NO NL FI TR 01
- 11440. *Thereva hirta* Kröber,1913** (Therevidae) Synonym(s): hirta Kröber,1913 Range (in code): TR 14 32 33 38 42 51 68
- 11441. *Thereva innotata* Kröber,1912** (Therevidae) Synonym(s): innotata Kröber,1912 Range (in code): TM
- 11442. *Thereva lanata* Zetterstedt,1838** (Therevidae) Synonym(s): lanata Zetterstedt,1838; vetula Zetterstedt,1838; amoena Kowarz,1883 Range (in code): TR CZ DE NO NL PL CH FI RU 32
- 11443. *Thereva marmorata* Kröber,1912** (Therevidae) Synonym(s): marmorata Kröber,1912 Range (in code): RU Cc AM
- 11444. *Thereva neglecta* Kröber,1912** (Therevidae) Synonym(s): neglecta Kröber,1912 Range (in code): GR TR Cc AM IT AT DE TM KG 70
- 11445. *Thereva nitidifrons* Kröber,1913** (Therevidae) Synonym(s): nitidifrons Kröber,1913 Range (in code): TR UA RU Am MN 51
- 11446. *Thereva nova* Kröber,1913** (Therevidae) Synonym(s): nova Kröber,1913 Range (in code): AZ Cc
- 11447. *Thereva obscuripes* Kröber,1913** (Therevidae) Synonym(s): obscuripes Kröber,1913 Range (in code): SY
- 11448. *Thereva ordubadica* Paramonov,1927** (Therevidae) Synonym(s): ordubadica Paramonov,1927 Range (in code): Cc AZ Nv Ord
- 11449. *Thereva pilifrons* Kröber,1912** (Therevidae) Synonym(s): pilifrons Kröber,1912 Range (in code): TR UZ TJ KK TM 46 70



- 11450. *Thereva plebeja* (Linnaeus,1758)** (Therevidae) Synonym(s): plebeja Linnaeus,1758; fasciatus De Geer,1776; monos Haris,1780; lugens Loew,1847; lichtwardti Kröber,1913 Range (in code): AT BE CH CZ DE DK ES FR GB HU GR TR IT NO NL PT PL RO CH FI RU UZ TJ KK TM Sb 06 38 42 51 58 66 70
- 11451. *Thereva semirufa* Kröber,1912** (Therevidae) Synonym(s): semirufa Kröber,1912; arcuata Kröber,1912; freidbergi Lyneborg,1976 Range (in code): IL Pa Jo
- 11452. *Thereva spinulosa* (Loew,1847)** (Therevidae) Synonym(s): spinulosa Loew,1847; didyma Loew,1847; bifasciata Kröber,1913 Range (in code): ES FR IT GR CY GR IL Pa SY MA
- 11453. *Thereva stigmatica* Kröber,1912** (Therevidae) Synonym(s): stigmatica Kröber,1912 Range (in code): MA TN EG IL Pa
- 11454. *Thereva strigata* (Fabricius,1794)** (Therevidae) Synonym(s): strigata Fabricius,1794; latistrigata Kröber,1913; thermophila Trojan,1970 Range (in code): AT CH BE CZ DE DK FR GB GR TR IT PL RO FI YU RU UA MA 06 07 33 38 58 66
- 11455. *Thereva tristis* (Loew,1847)** (Therevidae) Synonym(s): tristis Loew,1847 Range (in code): TR ES PT IT 07 32
- 11456. *Thereva tuberculata* (Loew,1847)** (Therevidae) Synonym(s): tuberculata Loew,1847; subtilis Loew,1847; algerica Kröber,1913 Range (in code): MA DZ TR ES FR IT MT RO 01 38 51 58
- 11457. *Thereva unica* (Harris,1780)** (Therevidae) Synonym(s): unica Harris,1780; lugubris Fabricius,1787; albipennis Meigen,1820; bipunctata Meigen,1820; albilabris Meigen,1820; canescens Zetterstedt,1859; frontata Kröber,1912; vulpina Kröber,1912; hermaphrodita Becker,1922 Range (in code): TR AT BE CH CZ DE DK ES FR GB GR HU PT PL SE FI RO RU Sb 38 58
- 11458. *Thereva valida* (Loew,1847)** (Therevidae) Synonym(s): valida Loew,1847; frontalis Schummel,1839; ursina Wahlberg,1854 Range (in code): TR AT BE CH CZ DE DK FR GB HU IT LX NO NL PL RO SE FI RU 06 58
- 11459. *Xestomyzina aureostriata* Kröber,1912** (Therevidae) Synonym(s): aureostriata Kröber,1912 Range (in code): EG IL Pa Js SY
- 11460. *Xestomyzina melanostoma* (Loew,1856)** (Therevidae) Synonym(s): melanostoma Loew,1856; aegyptiaca Kröber,1924 Range (in code): EG IL Pa
- 11461. *Yemenia flavus* (Lyneborg,1983)** (Therevidae) Synonym(s): flavus Lyneborg,1983 Range (in code): YE
- 11462. *Ctenophora (Cnemoncosis) magnifica* Loew,1869** (Tipulidae) Synonym(s): magnifica Loew,1869 Range (in code): AZ Cc IR
- 11463. *Ctenophora (s.str.) guttata* Meigen,1818** (Tipulidae) Synonym(s): guttata Meigen,1818 Range (in code): TR
- 11464. *Dictenidia bimaculata* (Linnaeus,1760)** (Tipulidae) Synonym(s): maculata Linnaeus,1758; bimaculata Linnaeus,1760; idriensis Scopoli,1763; pectinata Gmelin,1790; paludosa Fabricius,1794; fulvida Bigot,1861 Range (in code): TR Cc AL AT BY BE B-H BG HV CZ DK EE FI FR Co DE GB GR HU IE IT Si LT LV LX MK YU NL NO PL RO SK SS ES SE AZ IR RU Sb Us Kmt Sh Am KG KK MN KP KR CN Sz 08
- 11465. *Dolichocheza (s.str.) hirsuticauda* Savchenko,1968** (Tipulidae) Synonym(s): hirsuticauda Savchenko,1968; schahriari Theowald,1978 Range (in code): TR IR Gh Mz Cc RU Kr GG AZ Nv 14
- 11466. *Dolichocheza (s.str.) nitida* Mik,1874** (Tipulidae) Synonym(s): nitida Mik,1874; graeca Mannheims,1954 Range (in code): FR YU BG GR TR Cc GG 08 25 48 53 61
- 11467. *Nephrotoma aculeata* (Loew,1871)** (Tipulidae) Synonym(s): aculeata Loew,1871; atricauda Alexander,1924 Range (in code): AD AT BY BE B-H BG CZ EE FI FR DE GB GR HU IT LT MK YU NL NO PL RO SK SS ES SE CH UA RU GG AZ AM Cc TR Sh Kmt KG MN JP CN Mc 05 13 25 61 78
- 11468. *Nephrotoma analis* (Schummel,1833)** (Tipulidae) Synonym(s): analis Schummel,1833 Range (in code): TR AD AT BY BE BG GB HV CZ DK EE FI FR Co DE GR HU IE IT LT LX MK NL NO PL RO SK SS ES SE CH UA RU Cc GG AM AZ IR Am KG
- 11469. *Nephrotoma appendiculata* (Pierre,1919)** (Tipulidae) Synonym(s): maculata Meigen,1804; maculosa Meigen,1818; appendiculata Pierre,1919 Range (in code): AL AT BY BE B-H BG HV CZ DK EE FI FR DE GB GR HU IE IT Sa LT LV LX MK YU NL NO PL RO SK SS ES SE CH UA RU GG AM AZ IR TR Cc 03 06 13 37 42 48 49 53
- 11470. *Nephrotoma beckeri* (Mannheims,1951)** (Tipulidae) Synonym(s): beckeri Mannheims,1951 Range (in code): TR
- 11471. *Nephrotoma cornicina* (Linnaeus,1758)** (Tipulidae) Synonym(s): cornicina Linnaeus,1758; flavomaculata De Geer,1776; iridicolor Schummel,1833; sannio Meigen,1838; petiolata Zetterstedt,1838; nigrina Savchenko,1973 Range (in code): CA BC Co AL AD AT BY BE B-H BG HV CZ DK EE FI FR Co DE GB GR HU IE IT Si LT LV LX MK MT NL NO PL PT RO YU SK SS ES SE CH UA RU Sb GG AZ AM CY LB IL Pa IR Sh Krl Us KG TM UZ TJ KK AF MN JP Hkk CN IN PK TR Cc 03 08 25 29 32 36 37 38 42 47 48 51 57
- 11472. *Nephrotoma croceiventris* (Strobl,1909)** (Tipulidae) Synonym(s): croceiventris Strobl,1909 Range (in code): TR 04 06 13 14 30 36 38 42 46 48 49 51 53 58 65
- 11473. *Nephrotoma guestfalica* (Westhoff,1879)** (Tipulidae) Synonym(s): guestfalica Westhoff,1879 Range (in code): TR 35 48
- 11474. *Nephrotoma minuscula* (Mannheims,1951)** (Tipulidae) Synonym(s): minuscula Mannheims,1951 Range (in code): TR

- 11475. *Nephrotoma nasuta* Oosterbroek,1975** (Tipulidae) Synonym(s): *nasuta* Oosterbroek,1975 Range (in code): TR
- 11476. *Nephrotoma nox* (Riedel,1910)** (Tipulidae) Synonym(s): *nox* Riedel,1910; *rossica* Riedel,1920; *kozhevnikovi* Dodonov,1925 Range (in code): TR GG AM Eri AZ Nv Ord Len Cc IR Lo Kd Snj Sqq Elb Th Krr 13 25 30 36 65
- 11477. *Nephrotoma pratensis* (Linnaeus,1758)** (Tipulidae) Synonym(s): *pratensis* Linnaeus,1758 Range (in code): TR
- 11478. *Nephrotoma quadrifaria* (Meigen,1804)** (Tipulidae) Synonym(s): *quadrifaria* Meigen,1804 Range (in code): TR AZ Cc IR Len 48
- 11479. *Nephrotoma scalaris* (Meigen,1818)** (Tipulidae) Synonym(s): *scalaris* Meigen,1818; *imperialis* Meigen,1818 Range (in code): TR Cc UA GG AZ AM AL AD AT BY BE B-H BG HV CZ DE FR DE GR Cr Rd HU IT Si LT MK YU NL PL RO SY LB IR RU Sb Us SK SS ES SE CH KG TM UZ TJ KK AF MN CN IN PK 03 07 09 10 13 16 17 25 28 31 35 38 47 48 49 53 61 65
- 11480. *Nephrotoma schaeuffelei* (Mannheims,1964)** (Tipulidae) Synonym(s): *schaeuffelei* Mannheims,1964 Range (in code): AZ Cc IR
- 11481. *Nephrotoma theowaldi* Oosterbroek,1978** (Tipulidae) Synonym(s): *theowaldi* Oosterbroek,1978 Range (in code): GR TR 07 09 33 35 42 48
- 11482. *Nigrotipula nigra* (Linnaeus,1758)** (Tipulidae) Synonym(s): *nigra* Linnaeus,1758 Range (in code): TR
- 11483. *Tipula (Acutipula) aktashi* Koç, Hasbenli & De Jong,1998** (Tipulidae) Synonym(s): *aktashi* Koç, Hasbenli & De Jong,1998 Range (in code): TR 06 16
- 11484. *Tipula (Acutipula) fulvipennis* De Geer,1776** (Tipulidae) Synonym(s): *fulvipennis* De Geer,1776; *lutescens* Fabricius,1805 Range (in code): TR AD AT BY BE B-H BG HV CZ DK FI FR Co DE GB GR Cr HU IE IT Sa Si LT LV LX MK YU NL NO PL RO YU SK SS ES SE CH UA RU GG AZ AM IR Sb ES KG MN 03 06 08 14 24 25 37 53
- 11485. *Tipula (Acutipula) irrequieta* Alexander,1936** (Tipulidae) Synonym(s): *irrequieta* Alexander,1936; *apoblepta* Alexander,1956 Range (in code): GG AM AZ Cc IR KG TM UZ TJ KK AF Ch
- 11486. *Tipula (Acutipula) isparta* Vermoolen,1983** (Tipulidae) Synonym(s): *isparta* Vermoolen,1983 Range (in code): TR CY 07 09 15 20 32 33 42 48
- 11487. *Tipula (Acutipula) latifurca* Vermoolen,1983** (Tipulidae) Synonym(s): *latifurca* Vermoolen,1983 Range (in code): MK GR BG LB TR 01 03 06 07 13 15 30 32 38 42 48 49 53 61 65
- 11488. *Tipula (Acutipula) macra* Savchenko,1961** (Tipulidae) Synonym(s): *macra* Savchenko,1961 Range (in code): AZ Cc IR
- 11489. *Tipula (Acutipula) nigroantennata* Savchenko,1961** (Tipulidae) Synonym(s): *nigroantennata* Savchenko,1961 Range (in code): TR UA Cm Cc GG AZ AM IR 08 28 29 53
- 11490. *Tipula (Acutipula) transcaucasica* Savchenko,1961** (Tipulidae) Synonym(s): *transcaucasica* Savchenko,1961 Range (in code): GG AZ AM Cc IR TM
- 11491. *Tipula (Beringotipula) unca* Wiedemann,1817** (Tipulidae) Synonym(s): *unca* Wiedemann,1817; *hortensis* Meigen,1818; *longicornis* Schummel,1833 nec Linn.,1758 Range (in code): TR AL AD AT BY BE B-H BG CZ DK EE FI FR DE GB GR HU IT LT LV YU NL NO PL RO YU SK ES SE CH UA RU GG AZ AM Cc KG 25
- 11492. *Tipula (Dendrotipula) flavolineata* Meigen,1804** (Tipulidae) Synonym(s): *flavolineata* Meigen,1804; *longicornis* Curtis,1834 nec Linn.,1758 Range (in code): TR AT BY BE BG HV CZ DK FI FR DE GB HU IT LV NL NO PL RO YU SK SS ES SE CH UA GG AM AZ TM UZ TJ KK 14 53
- 11493. *Tipula (Emodotipula) obscuriventris* Strobl,1900** (Tipulidae) Synonym(s): *obscuriventris* Strobl,1900 Range (in code): AD AT BG CZ DK FI FR Py DE GR IT Si MK YU PL RO SK SS ES SE CH UA RU Cc MA AM IR TR 25 53
- 11494. *Tipula (Lunatipula) acudens* Theischinger,1977** (Tipulidae) Synonym(s): *acudens* Theischinger,1977 Range (in code): TR
- 11495. *Tipula (Lunatipula) adapazariensis* Theischinger,1987** (Tipulidae) Synonym(s): *adapazariensis* Theischinger,1987 Range (in code): TR 54
- 11496. *Tipula (Lunatipula) adusta* Savchenko,1954** (Tipulidae) Synonym(s): *adusta* Savchenko,1954 Range (in code): TR
- 11497. *Tipula (Lunatipula) anthe* Mannheims,1968** (Tipulidae) Synonym(s): *anthe* Mannheims,1968 Range (in code): TR
- 11498. *Tipula (Lunatipula) antilope* Theischinger,1977** (Tipulidae) Synonym(s): *antilope* Theischinger,1977 Range (in code): TR IR 30
- 11499. *Tipula (Lunatipula) arnoldii* Savchenko,1957** (Tipulidae) Synonym(s): *arnoldii* Savchenko,1957 Range (in code): TR
- 11500. *Tipula (Lunatipula) artemis* Theischinger,1977** (Tipulidae) Synonym(s): *artemis* Theischinger,1977 Range (in code): TR
- 11501. *Tipula (Lunatipula) astigma* Savchenko,1968** (Tipulidae) Synonym(s): *astigma* Savchenko,1968 Range (in code): TR

- 11502. *Tipula* (*Lunatipula*) *auriculata* Mannheims,1963** (Tipulidae) Synonym(s): *auriculata* Mannheims,1963 Range (in code): TR
- 11503. *Tipula* (*Lunatipula*) *bimacula* Theowald,1980** (Tipulidae) Synonym(s): *bimacula* Riedel,1913; *bimacula* Theowald,1980 Range (in code): AL GR ES IT Si IR TR 07 09 48
- 11504. *Tipula* (*Lunatipula*) *borysthenica* Savchenko,1954** (Tipulidae) Synonym(s): *borysthenica* Savchenko,1954 Range (in code): TR
- 11505. *Tipula* (*Lunatipula*) *brinki* Theischinger,1987** (Tipulidae) Synonym(s): *brinki* Theischinger,1987 Range (in code): TR
- 11506. *Tipula* (*Lunatipula*) *canakkalensis* Theischinger,1987** (Tipulidae) Synonym(s): *canakkalensis* Theischinger,1987 Range (in code): TR 17
- 11507. *Tipula* (*Lunatipula*) *carens* Theischinger,1987** (Tipulidae) Synonym(s): *carens* Theischinger,1987 Range (in code): TR
- 11508. *Tipula* (*Lunatipula*) *cedrophila* Mannheims,1963** (Tipulidae) Synonym(s): *cedrophila* Mannheims,1963 Range (in code): TR
- 11509. *Tipula* (*Lunatipula*) *chelifera* Savchenko,1964** (Tipulidae) Synonym(s): *chelifera* Savchenko,1964 Range (in code): TR
- 11510. *Tipula* (*Lunatipula*) *christophi* Theischinger,1982** (Tipulidae) Synonym(s): *christophi* Theischinger,1982 Range (in code): TR
- 11511. *Tipula* (*Lunatipula*) *cillibema* Koç,2004** (Tipulidae) Synonym(s): *cillibema* Koç,2004 Range (in code): TR 48
- 11512. *Tipula* (*Lunatipula*) *cinerella* Pierre,1919** (Tipulidae) Synonym(s): *cinerella* Pierre,1919 Range (in code): TR
- 11513. *Tipula* (*Lunatipula*) *cirratula* Oosterbroek,1997** (Tipulidae) Synonym(s): *cirratula* Oosterbroek,1997 Range (in code): TR
- 11514. *Tipula* (*Lunatipula*) *curvata* Theischinger,1977** (Tipulidae) Synonym(s): *curvata* Theischinger,1977 Range (in code): TR
- 11515. *Tipula* (*Lunatipula*) *decolor* Mannheims,1963** (Tipulidae) Synonym(s): *decolor* Mannheims,1963 Range (in code): RO TR 06 16 48 54 67
- 11516. *Tipula* (*Lunatipula*) *dedecor* Loew,1873** (Tipulidae) Synonym(s): *dedecor* Loew,1873 Range (in code): GR TR 06 15 32 48
- 11517. *Tipula* (*Lunatipula*) *didymotes* Theischinger,1977** (Tipulidae) Synonym(s): *didymotes* Theischinger,1977 Range (in code): TR
- 11518. *Tipula* (*Lunatipula*) *dracula* Theischinger,1977** (Tipulidae) Synonym(s): *dracula* Theischinger,1977 Range (in code): GR TR 03 48
- 11519. *Tipula* (*Lunatipula*) *emmahelene* Theischinger,1980** (Tipulidae) Synonym(s): *emmahelene* Theischinger,1980 Range (in code): TR
- 11520. *Tipula* (*Lunatipula*) *franzressli* Theischinger,1982** (Tipulidae) Synonym(s): *franzressli* Theischinger,1982 Range (in code): TR 48
- 11521. *Tipula* (*Lunatipula*) *furcula* Mannheims,1954** (Tipulidae) Synonym(s): *furcula* Mannheims,1954 Range (in code): MK YU GR TR 03 06 09 16 17 35 42 48
- 11522. *Tipula* (*Lunatipula*) *gebze* Koç, Hasbenli & Vogtenhuber,2007** (Tipulidae) Synonym(s): *gebze* Koç, Hasbenli & Vogtenhuber,2007 Range (in code): TR 41
- 11523. *Tipula* (*Lunatipula*) *helvola* Loew,1873** (Tipulidae) Synonym(s): *helvola* Loew,1873 Range (in code): GR BG TR UA IL Pa 07 16 42 48 61
- 11524. *Tipula* (*Lunatipula*) *holzschuhi* Theischinger,1977** (Tipulidae) Synonym(s): *holzschuhi* Theischinger,1977 Range (in code): IR
- 11525. *Tipula* (*Lunatipula*) *horsti* Theischinger,1982** (Tipulidae) Synonym(s): *horsti* Theischinger,1982 Range (in code): TR 07 15 48
- 11526. *Tipula* (*Lunatipula*) *huberti* Theischinger,1982** (Tipulidae) Synonym(s): *huberti* Theischinger,1982 Range (in code): TR 07 48
- 11527. *Tipula* (*Lunatipula*) *iliensis* Mannheims,1965** (Tipulidae) Synonym(s): *iliensis* Mannheims,1965 Range (in code): TR
- 11528. *Tipula* (*Lunatipula*) *istriana* Erhan & Theowald,1961** (Tipulidae) Synonym(s): *istriana* Erhan & Theowald,1961 Range (in code): GR RO BG TR 03 11 15 32 42 48 54
- 11529. *Tipula* (*Lunatipula*) *jaroslavi* Koç,2007** (Tipulidae) Synonym(s): *jaroslavi* Koç,2007 Range (in code): TR
- 11530. *Tipula* (*Lunatipula*) *kerkis* Theischinger,1977** (Tipulidae) Synonym(s): *kerkis* Theischinger,1977 Range (in code): TR
- 11531. *Tipula* (*Lunatipula*) *kreissli* Theischinger,1987** (Tipulidae) Synonym(s): *kreissli* Theischinger,1987 Range (in code): TR
- 11532. *Tipula* (*Lunatipula*) *kumerloevei* Mannheims,1968** (Tipulidae) Synonym(s): *kumerloevei* Mannheims,1968 Range (in code): TR



- 11533. Tipula (Lunatipula) kybele Mannheims,1968** (Tipulidae) Synonym(s): kybele Mannheims,1968  
Range (in code): TR
- 11534. Tipula (Lunatipula) lucasi Theischinger,1987** (Tipulidae) Synonym(s): lucasi Theischinger,1987  
Range (in code): TR
- 11535. Tipula (Lunatipula) macropyga Savchenko,1952** (Tipulidae) Synonym(s): macropyga Savchenko,1952 Range (in code): AM Cc IR
- 11536. Tipula (Lunatipula) mendli Martinovsky,1976** (Tipulidae) Synonym(s): mendli Martinovsky,1976 Range (in code): TR 03 16 20 48
- 11537. Tipula (Lunatipula) micropeliostigma Mannheims,1965** (Tipulidae) Synonym(s): micropeliostigma Mannheims,1965 Range (in code): TR 03 48
- 11538. Tipula (Lunatipula) montifer Theischinger,1977** (Tipulidae) Synonym(s): montifer Theischinger,1977 Range (in code): TR
- 11539. Tipula (Lunatipula) murati Koç,2004** (Tipulidae) Synonym(s): murati Koç,2004 Range (in code): TR 48
- 11540. Tipula (Lunatipula) musensis Theischinger,1987** (Tipulidae) Synonym(s): musensis Theischinger,1987 Range (in code): TR
- 11541. Tipula (Lunatipula) neutra Theischinger,1982** (Tipulidae) Synonym(s): neutra Theischinger,1982 Range (in code): TR
- 11542. Tipula (Lunatipula) nigdeensis Bischof,1905** (Tipulidae) Synonym(s): nigdeensis Bischof,1905  
Range (in code): TR 51
- 11543. Tipula (Lunatipula) oorschotorum Theischinger,1987** (Tipulidae) Synonym(s): oorschotorum Theischinger,1987 Range (in code): TR
- 11544. Tipula (Lunatipula) oosterbroeki Koç,2007** (Tipulidae) Synonym(s): oosterbroeki Koç,2007  
Range (in code): TR
- 11545. Tipula (Lunatipula) ornithogona Theischinger,1982** (Tipulidae) Synonym(s): ornithogona Theischinger,1982 Range (in code): TR 48
- 11546. Tipula (Lunatipula) osmana Mannheims,1963** (Tipulidae) Synonym(s): osmana Mannheims,1963 Range (in code): TR
- 11547. Tipula (Lunatipula) palifera Mannheims,1965** (Tipulidae) Synonym(s): palifera Mannheims,1965 Range (in code): TR
- 11548. Tipula (Lunatipula) paravelox Theischinger,1987** (Tipulidae) Synonym(s): paravelox Theischinger,1987 Range (in code): TR
- 11549. Tipula (Lunatipula) peliostigma Schummel,1833** (Tipulidae) Synonym(s): peliostigma Schummel,1833 Range (in code): TR 03 15 48
- 11550. Tipula (Lunatipula) peteri Theischinger,1979** (Tipulidae) Synonym(s): peteri Theischinger,1979  
Range (in code): TR
- 11551. Tipula (Lunatipula) pseudolunata Theischinger,1980** (Tipulidae) Synonym(s): pseudolunata Theischinger,1980 Range (in code): TR
- 11552. Tipula (Lunatipula) pseudopeliostigma Mannheims,1965** (Tipulidae) Synonym(s): pseudopeliostigma Mannheims,1965 Range (in code): LB IL Pa TR 48
- 11553. Tipula (Lunatipula) pseudowolfi Theischinger,1979** (Tipulidae) Synonym(s): pseudowolfi Theischinger,1979 Range (in code): GR TR 42 48
- 11554. Tipula (Lunatipula) quinquespinis Theischinger,1980** (Tipulidae) Synonym(s): quinquespinis Theischinger,1980 Range (in code): TR 07 15 20 33 42 48
- 11555. Tipula (Lunatipula) renate Theischinger,1982** (Tipulidae) Synonym(s): renate Theischinger,1982 Range (in code): TR
- 11556. Tipula (Lunatipula) rhodolivida Theowald,1972** (Tipulidae) Synonym(s): rhodolivida Theowald,1972 Range (in code): TR
- 11557. Tipula (Lunatipula) rhynchos Theischinger,1977** (Tipulidae) Synonym(s): rhynchos Theischinger,1977 Range (in code): TR 35 48
- 11558. Tipula (Lunatipula) russula Theischinger,1977** (Tipulidae) Synonym(s): russula Theischinger,1977 Range (in code): TR 07 15 32 42 48
- 11559. Tipula (Lunatipula) rutila Savchenko,1952** (Tipulidae) Synonym(s): rutila Savchenko,1952  
Range (in code): TR
- 11560. Tipula (Lunatipula) sciurus Theischinger,1977** (Tipulidae) Synonym(s): sciurus Theischinger,1977 Range (in code): TR 01 07 32 42 48
- 11561. Tipula (Lunatipula) selenis Loew,1873** (Tipulidae) Synonym(s): selenis Loew,1873 Range (in code): TR
- 11562. Tipula (Lunatipula) semipeliostigma Mannheims,1965** (Tipulidae) Synonym(s): semipeliostigma Mannheims,1965 Range (in code): TR
- 11563. Tipula (Lunatipula) sepiaformis Vogtenhuber,2002** (Tipulidae) Synonym(s): sepiaformis Vogtenhuber,2002 Range (in code): TR

- 11564. *Tipula (Lunatipula) soosi* Mannheims,1954** (Tipulidae) Synonym(s): *soosi* Mannheims,1954  
Range (in code): TR 35 48
- 11565. *Tipula (Lunatipula) sternalis* Theischinger,1977** (Tipulidae) Synonym(s): *sternalis* Theischinger,1977 Range (in code): TR
- 11566. *Tipula (Lunatipula) strigosa* Savchenko,1952** (Tipulidae) Synonym(s): *strigosa* Savchenko,1952  
Range (in code): TR
- 11567. *Tipula (Lunatipula) subacuminata* Mannheims,1963** (Tipulidae) Synonym(s): *subacuminata* Mannheims,1963 Range (in code): TR
- 11568. *Tipula (Lunatipula) subbispina* Savchenko,1952** (Tipulidae) Synonym(s): *subbispina* Savchenko,1952 Range (in code): IR
- 11569. *Tipula (Lunatipula) substernalis* Oosterbroek,1997** (Tipulidae) Synonym(s): *substernalis* Oosterbroek,1997 Range (in code): TR
- 11570. *Tipula (Lunatipula) subvelox* Savchenko,1968** (Tipulidae) Synonym(s): *subvelox* Savchenko,1968 Range (in code): TR
- 11571. *Tipula (Lunatipula) suleika* Mannheims,1963** (Tipulidae) Synonym(s): *suleika* Mannheims,1963 Range (in code): GG AM AZ Cc IR
- 11572. *Tipula (Lunatipula) teunissenii* Theischinger,1979** (Tipulidae) Synonym(s): *teunissenii* Theischinger,1979 Range (in code): GR TR 15 35 38 48
- 11573. *Tipula (Lunatipula) theia* Mannheims,1963** (Tipulidae) Synonym(s): *theia* Mannheims,1963  
Range (in code): TR
- 11574. *Tipula (Lunatipula) tibonella* Theischinger,1977** (Tipulidae) Synonym(s): *tibonella* Theischinger,1977 Range (in code): TR
- 11575. *Tipula (Lunatipula) transmarmarensis* Koç, Aktaş & Oosterbroek,1996** (Tipulidae) Synonym(s): *transmarmarensis* Koç, Aktaş & Oosterbroek,1996 Range (in code): TR
- 11576. *Tipula (Lunatipula) trapeza* Theischinger,1982** (Tipulidae) Synonym(s): *trapeza* Theischinger,1982 Range (in code): TR
- 11577. *Tipula (Lunatipula) truncata* Loew,1873** (Tipulidae) Synonym(s): *truncata* Loew,1873 Range (in code): TR
- 11578. *Tipula (Lunatipula) turca* Mannheims,1963** (Tipulidae) Synonym(s): *turca* Mannheims,1963  
Range (in code): TR
- 11579. *Tipula (Lunatipula) turcolivida* Mannheims,1968** (Tipulidae) Synonym(s): *turcolivida* Mannheims,1968 Range (in code): TR
- 11580. *Tipula (Lunatipula) turgida* Oosterbroek,1997** (Tipulidae) Synonym(s): *turgida* Oosterbroek,1997 Range (in code): TR
- 11581. *Tipula (Lunatipula) ulrike* Theischinger,1982** (Tipulidae) Synonym(s): *ulrike* Theischinger,1982 Range (in code): TR
- 11582. *Tipula (Lunatipula) unicornis* Theischinger,1977** (Tipulidae) Synonym(s): *unicornis* Theischinger,1977 Range (in code): TR
- 11583. *Tipula (Lunatipula) ursulae* Mannheims,1965** (Tipulidae) Synonym(s): *ursulae* Mannheims,1965 Range (in code): TR
- 11584. *Tipula (Lunatipula) vermooleni* Theischinger,1987** (Tipulidae) Synonym(s): *vermooleni* Theischinger,1987 Range (in code): GR TR 48
- 11585. *Tipula (Lunatipula) verrucosa* Pierre,1919** (Tipulidae) Synonym(s): *verrucosa* Pierre,1919  
Range (in code): TR
- 11586. *Tipula (Lunatipula) vogtenhuberi* Theischinger,1979** (Tipulidae) Synonym(s): *vogtenhuberi* Theischinger,1979 Range (in code): TR
- 11587. *Tipula (Lunatipula) vulpecula* Theischinger,1979** (Tipulidae) Synonym(s): *vulpecula* Theischinger,1979 Range (in code): TR
- 11588. *Tipula (Lunatipula) zaitzevi* Savchenko,1952** (Tipulidae) Synonym(s): *zaitzevi* Savchenko,1952  
Range (in code): TR
- 11589. *Tipula (Mediotipula) anatoliensis* Theowald,1978** (Tipulidae) Synonym(s): *anatoliensis* Theowald,1978 Range (in code): TR
- 11590. *Tipula (Mediotipula) stigmatella* Schummel,1833** (Tipulidae) Synonym(s): *stigmatella* Schummel,1833 Range (in code): TR
- 11591. *Tipula (Pterelachisus) aspoecki* Vogtenhuber,2004** (Tipulidae) Synonym(s): *aspoecki* Vogtenhuber,2004 Range (in code): TR 14
- 11592. *Tipula (Pterelachisus) luteobasalis* Savchenko,1964** (Tipulidae) Synonym(s): *luteobasalis* Savchenko,1964 Range (in code): RU GG AM Cc IR TR 08 14 28
- 11593. *Tipula (Pterelachisus) varipennis* Meigen,1818** (Tipulidae) Synonym(s): *varipennis* Meigen,1818; *nigricornis* Macquart,1826 nec Schr.,1803; *simplicicornis* Zetterstedt,1838; *obscurinervis* Wahlgren,1905  
Range (in code): TR AD AT BY BE B-H HV CZ DK FI FR DE GB HU IT LT LV MK NL NO PL RO YU SK SS ES SE CH UA RU KG 08 53

- 11594. *Tipula (s.str.) italica* Lackschewitz,1930** (Tipulidae) Synonym(s): *italica* Lackschewitz,1930  
Range (in code): **TR BG HV FR Co GR HU IT Sa Si MK RO GG AM AZ IR 28 32 34 61**
- 11595. *Tipula (s.str.) orientalis* Lackschewitz,1930** (Tipulidae) Synonym(s): *orientalis* Lackschewitz,1930  
Range (in code): **AL AT B-H BG HV CZ FR GR Rd HU IT Si MK MD YU RO SK SS CH EG GG AM AZ Cc TR CY SY LB IL Pa Jo IR SA YE KG TM AF SD 02 03 6 07 08 09 13 15 17 25 32 33 35 38 42 48 49 52 57 58 65**
- 11596. *Tipula (Savtshenkia) obsoleta* Meigen,1818** (Tipulidae) Synonym(s): *obsoleta* Meigen,1818  
Range (in code): **TR**
- 11597. *Tipula (Savtshenkia) pechlaneri* Mannheims & Theowald,1959** (Tipulidae) Synonym(s): *pechlaneri* Mannheims & Theowald,1959  
Range (in code): **AD AT GR CH IR**
- 11598. *Tipula (Savtshenkia) rufina* Meigen,1818** (Tipulidae) Synonym(s): *rufina* Meigen,1818; *guttipennis* Meigen,1818; *consanguinea* Macquart,1838; *parvicauda* Hansen,1881  
Range (in code): **DZ TR AD AT BE B-H HV CZ DK FR Co DE GB GR Cr IE IT Sa LX MK NL NO PL PT RO YU SK SS ES Cn SE CH UA Sb MA GG AM AZ Cc CY LB IL Pa IR TJ 29 30 48**
- 11599. *Tipula (Savtshenkia) serrulifera* Alexander,1942** (Tipulidae) Synonym(s): *serrulifera* Alexander,1942  
Range (in code): **TR**
- 11600. *Tipula (Schummelia) ahrensi* Savchenko,1957** (Tipulidae) Synonym(s): *ahrensi* Savchenko,1957  
Range (in code): **TR**
- 11601. *Tipula (Schummelia) variicornis* Schummel,1833** (Tipulidae) Synonym(s): *variicornis* Schummel,1833  
Range (in code): **TR**
- 11602. *Tipula (Vestiplex) kosswigi* Mannheims,1953** (Tipulidae) Synonym(s): *kosswigi* Mannheims,1953  
Range (in code): **TR**
- 11603. *Tipula (Vestiplex) pallidicosta* Pierre,1924** (Tipulidae) Synonym(s): *pallidicosta* Pierre,1924  
Range (in code): **TR**
- 11604. *Tipula (Vestiplex) semivittata* Savchenko,1960** (Tipulidae) Synonym(s): *semivittata* Savchenko,1960  
Range (in code): **TR**
- 11605. *Tipula (Yamatotipula) caesia* Schummel,1833** (Tipulidae) Synonym(s): *caesia* Schummel,1833  
Range (in code): **Cc TR 03 06 13 15 20 25 42 48 49**
- 11606. *Tipula (Yamatotipula) caucasimontana* Savchenko,1955** (Tipulidae) Synonym(s): *caucasimontana* Savchenko,1955  
Range (in code): **Cc TR**
- 11607. *Tipula (Yamatotipula) guentheri* Oosterbroek,1994** (Tipulidae) Synonym(s): *guentheri* Oosterbroek,1994  
Range (in code): **TR 13 29 30 62 65 68 69 73**
- 11608. *Tipula (Yamatotipula) iranensis* Theowald,1978** (Tipulidae) Synonym(s): *iranensis* Theowald,1978; *subsoltaria* Theowald,1978  
Range (in code): **IR TR TM AF 08 13 25 30 65 73**
- 11609. *Tipula (Yamatotipula) lateralis* Meigen,1804** (Tipulidae) Synonym(s): *lateralis* Meigen,1804; *itermedia* Eiroa,1990  
Range (in code): **AL AD AT BY BE B-H BG HV CZ DK EE FI FR DE GB GR Cr Rd HU IE IT Si LT LV MK YU NL NO PL RO SK SS ES SE CH UA RU CY SY LB IL Pa TM KG Cc GG AM TR 01 03 06 07 09 13 15 16 20 30 32 33 38 42 48 61 65 67**
- 11610. *Tipula (Yamatotipula) submontium* Theowald & Oosterbroek,1981** (Tipulidae) Synonym(s): *submontium* Theowald & Oosterbroek,1981  
Range (in code): **AD FR CH AT CZ SK SS YU AL RO GG AZ AM Cc GR TR IR Elb Mz 01 16 28 29 30 53 68**
- 11611. *Trichocera (Saltrichocera) annulata* Meigen,1818** (Trichoceridae) Synonym(s): *annulata* Meigen,1818; *multicincta* Santos Abreu,1923  
Range (in code): **CA US Cf Ny Nj ES FR BE NL GB SE FI EE LT RU DK DE PL CZ SK HU CH AT Sa IT Si B-H TR ET AU NZ**
- 11612. *Trichocera (Saltrichocera) saltator* (Harris,1776)** (Trichoceridae) Synonym(s): *saltator* Harris,1776; *fusca* Meigen,1818  
Range (in code): **GB SE FI DK DE BE NL PL UA CZ SK HU RO CH IT LT TR 13**
- 11613. *Trixoscelis approximata* (Loew,1865)** (Trixoscelidae) Synonym(s): *approximata* Loew,1865  
Range (in code): **TR HU MK FR IT Si ES TN RU 07**
- 11614. *Trixoscelis deemingi* Woznica,2009** (Trixoscelidae) Synonym(s): *deemingi* Woznica,2009  
Range (in code): **AE**
- 11615. *Trixoscelis discolor* Soos,1977** (Trixoscelidae) Synonym(s): *discolor* Soos,1977  
Range (in code): **AF Hr**
- 11616. *Trixoscelis frontalis* (Fallén,1830)** (Trixoscelidae) Synonym(s): *frontalis* Fallén,1830  
Range (in code): **Cn DZ TN EG TR RU AF MN 07**
- 11617. *Trixoscelis migueli* Woznica,2009** (Trixoscelidae) Synonym(s): *migueli* Woznica,2009  
Range (in code): **AE**
- 11618. *Trixoscelis mongolica* Soos,1977** (Trixoscelidae) Synonym(s): *mongolica* Soos,1977  
Range (in code): **AF MN**
- 11619. *Trixoscelis nigratarsa* Soos,1977** (Trixoscelidae) Synonym(s): *nigratarsa* Soos,1977  
Range (in code): **AF MN**
- 11620. *Trixoscelis obscurella* (Meigen,1830)** (Trixoscelidae) Synonym(s): *obscurella* Meigen,1830  
Range (in code): **RU MN TR 07**



- 11621. *Trixoscelis pedestris* (Loew,1865)** (Trixoscelidae) Synonym(s): pedestris Loew,1865 Range (in code): Cn GR Rd TR 07
- 11622. *Trixoscelis puncticornis* (Becker,1907)** (Trixoscelidae) Synonym(s): puncticornis Becker,1907; phylacis Séguy,1953 Range (in code): AE Az Cn MR TN Gf SA
- 11623. *Trixoscelis stukei* Woznica,2009** (Trixoscelidae) Synonym(s): stukei Woznica,2009 Range (in code): AE
- 11624. *Trixoscelis vanharteni* Woznica,2009** (Trixoscelidae) Synonym(s): vanharteni Woznica,2009 Range (in code): AE
- 11625. *Trixoscelis vikhrevi* Woznica,2007** (Trixoscelidae) Synonym(s): vikhrevi Woznica,2007 Range (in code): TR 07
- 11626. *Ceroxys cinifera* Loew,1846** (Ulidiidae) Synonym(s): cinifera Loew,1846 Range (in code): RU Sr UA Ao KG Tk CN Ui Ti Sb TM Kp
- 11627. *Ceroxys confusa* (Becker,1912)** (Ulidiidae) Synonym(s): confusa Becker,1912 Range (in code): IR Ss
- 11628. *Ceroxys hortulana* (Rossi,1790)** (Ulidiidae) Synonym(s): hortulana Rossi,1790; amurensis Hennig,1939 Range (in code): UA B-H HV MD FR RO TR HU RU Sr Am Cc CN Mc Ti Ui Kml IR Fa Shr 38
- 11629. *Ceroxys robusta* (Loew,1873)** (Ulidiidae) Synonym(s): robusta Loew,1873 Range (in code): TJ Pm CN Ui Ga Yk Ti TM Kp TR
- 11630. *Ceroxys urticae* (Linnaeus,1758)** (Ulidiidae) Synonym(s): urticae Linnaeus,1758; ?baneai Gheorghiu,1994 Range (in code): ES FR IE BE DE DK SE RU UA IT Sa Si GR CZ SK HU FI SE GB FR HU IT KG Tk TM Kp EG CN B-H RO TR IR Ss 65
- 11631. *Dorycera caucasica* Hendel,1910** (Ulidiidae) Synonym(s): caucasica Hendel,1910 Range (in code): Cc AZ Tlh AM RU Der GG Tbl TR 33 38 65
- 11632. *Dorycera graminum* (Fabricius,1794)** (Ulidiidae) Synonym(s): graminum Fabricius,1794; thamnicola R-D.,1830 Range (in code): AT DE HU FR Co HV PT GB IT PL CZ TR RU 13 16 65
- 11633. *Dorycera hybrida* Loew,1862** (Ulidiidae) Synonym(s): hybrida Loew,1862 Range (in code): BG Vrn TR GR Cr FR UA LB Bei RU 34
- 11634. *Dorycera judaea* (Hendel,1908)** (Ulidiidae) Synonym(s): judaea Hendel,1908; subasiatica Becker,1910; limpidipennis Becker,1910 Range (in code): TR LB Bsa SY IL Pa Js 09
- 11635. *Dorycera maculipennis* Macquart,1843** (Ulidiidae) Synonym(s): maculipennis Macquart,1843 Range (in code): ES IT GR Rd CY AM Cc TR 05 16 35
- 11636. *Dorycera melanotica* Hennig,1939** (Ulidiidae) Synonym(s): melanotica Hennig,1939 Range (in code): IR
- 11637. *Dorycera mesopotamica* Hennig,1939** (Ulidiidae) Synonym(s): mesopotamica Hennig,1939; longiceps Hennig,1939 Range (in code): IR TR 44
- 11638. *Dorycera nitida* Hendel,1910** (Ulidiidae) Synonym(s): nitida Hendel,1910 Range (in code): TR 42 50
- 11639. *Dorycera persica* Hennig,1939** (Ulidiidae) Synonym(s): persica Hennig,1939 Range (in code): TR IR
- 11640. *Dorycera pictipennis* Hennig,1939** (Ulidiidae) Synonym(s): pictipennis Hennig,1939 Range (in code): TR 31
- 11641. *Dorycera syriaca* Becker,1910** (Ulidiidae) Synonym(s): syriaca Becker,1910 Range (in code): SY
- 11642. *Euxesta pechumani* Curran,1938** (Ulidiidae) Synonym(s): pechumani Curran,1938; stackelbergi Kirvosheina & Kirvosheina,1995; freyi Kirvosheina & Kirvosheina,1997 Range (in code): HU UA US BG GR Cc TM IL Pa
- 11643. *Herina aartseni* Merz,2002** (Ulidiidae) Synonym(s): aartseni Merz,2002 Range (in code): TR
- 11644. *Herina dimorphica* Morgulis, Freidberg & Kameneva,2013** (Ulidiidae) Synonym(s): dimorphica Morgulis, Freidberg & Kameneva,2013 Range (in code): IL Pa He Gol
- 11645. *Herina lazi* Kameneva & Korneyev,2012** (Ulidiidae) Synonym(s): lazi Kameneva & Korneyev,2012 Range (in code): TR 61
- 11646. *Herina lugubris* (Meigen,1826)** (Ulidiidae) Synonym(s): lugubris Meigen,1826 Range (in code): TR 07 22 48
- 11647. *Herina odnosumi* Kameneva & Pljushtch,2010** (Ulidiidae) Synonym(s): odnosumi Kameneva & Pljushtch,2010 Range (in code): AF
- 11648. *Herina oscillans* (Meigen,1826)** (Ulidiidae) Synonym(s): oscillans Meigen,1826 Range (in code): GB FR IT PL HU GR CY
- 11649. *Herina rajabii* Namin & Kameneva,2013** (Ulidiidae) Synonym(s): rajabii Namin & Kameneva,2013 Range (in code): TR IR Elb 49
- 11650. *Meliera (Hypochra) subapennina* Rondani,1869** (Ulidiidae) Synonym(s): subapennina Rondani,1869 Range (in code): IT AT GR AZ Cc Mç TM TR 76
- 11651. *Meliera (s.str.) picta* (Meigen,1826)** (Ulidiidae) Synonym(s): picta Meigen,1826; quinquemaculata Macquart,1835; quinquenotata Macquart,1838 Range (in code): FR GB BE DK PL CZ SK IT AT HV MD RO BG GR TR DE RU UA CA Als UA 76

- 11652. *Melieria cana* Loew,1858** (Ulidiidae) Synonym(s): *cana* Loew,1858; *egena* Pandelle,1902 Range (in code): ES FR GB BE DK DE IT AT LT GR MD RO RU UA PL KG Tk TM
- 11653. *Melieria limpidipennis* Becker,1907** (Ulidiidae) Synonym(s): *limpidipennis* Becker,1907 Range (in code): IR Ss Ke CN Ui
- 11654. *Melieria nigratarsis* Becker,1903** (Ulidiidae) Synonym(s): *nigratarsis* Becker,1903 Range (in code): UA CN Ui Ga Cho IR Kh EG TN
- 11655. *Melieria parmensis* Rondani,1869** (Ulidiidae) Synonym(s): *parmensis* Rondani,1869 Range (in code): FR DE AT CH Cc
- 11656. *Melieria unicolor* Loew,1854** (Ulidiidae) Synonym(s): *unicolor* Loew,1854 Range (in code): HU ES IT Si KG Tk TM
- 11657. *Myennis octopunctata* (Coquebert,1798)** (Ulidiidae) Synonym(s): *octopunctata* Coquebert,1798; *fasciata* Fabricius,1805 Range (in code): DE GB FR Co IT PL RO RU Sr UA Cm Us HU GR TR CH CZ SK KG Ur NL AD ES Cc AM Eri TJ 42
- 11658. *Myennis tricolor* Hendel,1909** (Ulidiidae) Synonym(s): *tricolor* Hendel,1909 Range (in code): TM
- 11659. *Otites caph* (Loew,1854)** (Ulidiidae) Synonym(s): *caph* Loew,1854 Range (in code): TR LB Bei 16 35
- 11660. *Otites grata* (Loew,1856)** (Ulidiidae) Synonym(s): *grata* Loew,1856 Range (in code): FR HV TR SY 05
- 11661. *Otites ruficeps* (Fabricius,1805)** (Ulidiidae) Synonym(s): *ruficeps* Fabricius,1805 Range (in code): FR BE DE PL IT AT CZ SK HU B-H HV AL GR BG TR RO MD UA RU 65
- 11662. *Otites* sp.n. (sensu Korneyev)** (Ulidiidae) Synonym(s): Range (in code): TR 72 73
- 11663. *Physiphora alceae* (Preyssler,1791)** (Ulidiidae) Synonym(s): *alceae* Preyssler,1791 Range (in code): CA BCo US Cf MX IN AU Hw AT FR RU ES GB Cn Sb IR Fa EG LY TN MA TZ Dss HU BE NL CH HV BG GR TR IT MD RO 76A 76Ac
- 11664. *Physiphora chalybea* (Hendel,1909)** (Ulidiidae) Synonym(s): *chalybea* Hendel,1909 Range (in code): TM
- 11665. *Physiphora demandata* (Fabricius,1798)** (Ulidiidae) Synonym(s): *demandata* Fabricius,1798; *splendida* Fallén,1817; *bicolor* Macquart,1835; *smaragdi* Walker,1849 Range (in code): TR DE FR SE 45
- 11666. *Scioptera vibrans* (Linnaeus,1758)** (Ulidiidae) Synonym(s): *vibrans* Linnaeus,1758; *urticae* R-D.,1830 Range (in code): CA BCo US Col AT UA Cm FR ES GB HV DE NO PL RO SE AL HU RU TR Cc AM Eri CH IT NL LT GR CN Mc Ui To Sb 65
- 11667. *Tetanops* (s.str.) *laticeps* Loew,1868** (Ulidiidae) Synonym(s): *laticeps* Loew,1868 Range (in code): RU Sr IR Kh TM Kp
- 11668. *Timia* (Empylocera) *abstersa* (Loew,1873)** (Ulidiidae) Synonym(s): *abstersa* Loew,1873 Range (in code): RU Or LB UA MD KG TR IR Fa MN Cc TJ
- 11669. *Timia* (Empylocera) *amoena* (Loew,1874)** (Ulidiidae) Synonym(s): *amoena* Loew,1874 Range (in code): IR
- 11670. *Timia* (Empylocera) *anomala* (Becker,1907)** (Ulidiidae) Synonym(s): *anomala* Becker,1907 Range (in code): CN Ti UZ TM
- 11671. *Timia* (Empylocera) *arianica* Gregor,1970** (Ulidiidae) Synonym(s): *arianica* Gregor,1970 Range (in code): AF Hk
- 11672. *Timia* (Empylocera) *danieli* Gregor,1970** (Ulidiidae) Synonym(s): *danieli* Gregor,1970 Range (in code): PK
- 11673. *Timia* (Empylocera) *dimidiata* Becker,1906** (Ulidiidae) Synonym(s): *dimidiata* Becker,1906 Range (in code): CN Ui Ga KG IR TJ TM UZ AM Cc
- 11674. *Timia* (Empylocera) *flaveola* Galinskaya,2011** (Ulidiidae) Synonym(s): *flaveola* Galinskaya,2011 Range (in code): TM Rpt
- 11675. *Timia* (Empylocera) *jakowlewi* Hendel,1908** (Ulidiidae) Synonym(s): *jakowlewi* Hendel,1908 Range (in code): IR TM
- 11676. *Timia* (Empylocera) *libani* Gregor,1970** (Ulidiidae) Synonym(s): *libani* Gregor,1970 Range (in code): LB Bsa
- 11677. *Timia* (Empylocera) *melanorrhina* (Loew,1866)** (Ulidiidae) Synonym(s): *melanorrhina* Loew,1866 Range (in code): GR KG TM RU Sr
- 11678. *Timia* (Empylocera) *nasuta* (Mik,1889)** (Ulidiidae) Synonym(s): *nasuta* Mik,1889 Range (in code): TM Kp KG
- 11679. *Timia* (Empylocera) *nigriceps* (Hendel,1908)** (Ulidiidae) Synonym(s): *nigriceps* Hendel,1908 Range (in code): TM Kp
- 11680. *Timia* (Empylocera) *nitida* (Hendel,1935)** (Ulidiidae) Synonym(s): *nitida* Hendel,1935 Range (in code): Ch PK Krm
- 11681. *Timia* (Empylocera) *paramoena* Hennig,1940** (Ulidiidae) Synonym(s): *paramoena* Hennig,1940 Range (in code): TM Kp

- 11682. *Timia (Empyelocera) persica* Hennig,1965** (Ulidiidae) Synonym(s): *persica* Hennig,1965 Range (in code): IR Ss
- 11683. *Timia (Empyelocera) planiceps* Hendel,1910** (Ulidiidae) Synonym(s): *planiceps* Hendel,1910 Range (in code): TM Kp UZ KG Aa Smk
- 11684. *Timia (Empyelocera) reitteri* Hendel,1908** (Ulidiidae) Synonym(s): *reitteri* Hendel,1908 Range (in code): TM Kp
- 11685. *Timia (Empyelocera) sp.*** (Ulidiidae) Synonym(s): Range (in code): TR 65
- 11686. *Timia (Empyelocera) xanthaspis* (Loew,1868)** (Ulidiidae) Synonym(s): *xanthaspis* Loew,1868 Range (in code): RU Sr TM GR KG IR
- 11687. *Timia (s.str.) testacea* Portschinsky,1892** (Ulidiidae) Synonym(s): *testacea* Portschinsky,1892; *mellina* Becker,1906 Range (in code): CN Ui Ga KG UZ TJ KK TM
- 11688. *Timia albifacies* Gorodkov & Zaitzev,1986** (Ulidiidae) Synonym(s): *albifacies* Gorodkov & Zaitzev,1986 Range (in code): TM
- 11689. *Timia camillae* (Mik,1889)** (Ulidiidae) Synonym(s): *camillae* Mik,1889 Range (in code): KG MN IR
- 11690. *Timia carbonaria* Hendel,1908** (Ulidiidae) Synonym(s): *carbonaria* Hendel,1908 Range (in code): Cc AZ Nv
- 11691. *Timia hirtipes* Hendel,1908** (Ulidiidae) Synonym(s): *hirtipes* Hendel,1908 Range (in code): UZ TM MN
- 11692. *Timia problematica* Hennig,1965** (Ulidiidae) Synonym(s): *problematica* Hennig,1965 Range (in code): IR
- 11693. *Timia pulchra* Röder,1889** (Ulidiidae) Synonym(s): *pulchra* Röder,1889 Range (in code): IR
- 11694. *Ulidia albidipennis* Loew,1845** (Ulidiidae) Synonym(s): *albidipennis* Loew,1845; *atrovirens* Loew,1845 Range (in code): IT GR Rd Cr AL UA SK Cc TR LB IR 48
- 11695. *Ulidia apicalis* Meigen,1826** (Ulidiidae) Synonym(s): *apicalis* Meigen,1826 Range (in code): PT ES HU FR Co IT Si TN MA GR Rd TR 56 65
- 11696. *Ulidia megacephala* Loew,1845** (Ulidiidae) Synonym(s): *megacephala* Loew,1845 Range (in code): ES GR Rd TR SY MA 48
- 11697. *Ulidia melampodia* Loew,1873** (Ulidiidae) Synonym(s): *melampodia* Loew,1873 Range (in code): KG IR
- 11698. *Ulidia omani* Steyskal,1970** (Ulidiidae) Synonym(s): *omani* Steyskal,1970 Range (in code): IL Pa IR Fa MD
- 11699. *Ulidia ruficeps* Becker,1913** (Ulidiidae) Synonym(s): *ruficeps* Becker,1913 Range (in code): IR Ss LB IT RU TM
- 11700. *Ulidia salonikiensis* Hennig,1940** (Ulidiidae) Synonym(s): *salonikiensis* Hennig,1940 Range (in code): IT GR IR
- 11701. *Ulidia wadicola* Steyskal,1968** (Ulidiidae) Synonym(s): *wadicola* Steyskal,1968 Range (in code): EG IL Pa
- 11702. *Ulidiopsis mirabilis* Hennig,1939** (Ulidiidae) Synonym(s): *mirabilis* Hennig,1939 Range (in code): GR TR 01 03 48
- 11703. *Vermileo vermileo* (Linnaeus,1758)** (Vermileonidae) Synonym(s): *vermileo* Linnaeus,1758; *apivora* Fitch,1864 Range (in code): AT BG FR IT YU SY EG DZ Cn
- 11704. *Solva marginata* (Meigen,1820)** (Xylomyidae) Synonym(s): *marginata* Meigen,1820 Range (in code): FR RU Tv ES DK GB UA Cm CN MN TR 42
- 11705. *Xylomya ciscaucasica* (Pleske,1928)** (Xylomyidae) Synonym(s): *ciscaucasica* Pleske,1928 Range (in code): TR Cc RU 06
- 11706. *Xylomya maculata* (Meigen,1804)** (Xylomyidae) Synonym(s): *maculata* Meigen,1804 Range (in code): FR GB PL RO ES DK RU TR 07
- 11707. *Xylomya mlokosiewczy* (Pleske,1925)** (Xylomyidae) Synonym(s): *mlokosiewczy* Pleske,1925 Range (in code): TR Cc GG Lag 32
- 11708. *Xylomya trinotata* (Bigot,1880)** (Xylomyidae) Synonym(s): *trinotata* Bigot,1880 Range (in code): Cc GG IR
- 11709. *Xylophagus caucasicus* Krivosheina & Mamaev,1982** (Xylophagidae) Synonym(s): *caucasicus* Krivosheina & Mamaev,1982 Range (in code): RU Cc
- 11710. *Xylophagus lukjanovtshi* Krivosheina & Mamaev,1972** (Xylophagidae) Synonym(s): *lukjanovtshi* Krivosheina & Mamaev,1972 Range (in code): Cc AZ Len

## Part 4

## Hymenoptera



In Part 4, 6328 species of the 51 families in the order Hymenoptera are given alphabetically according to their families. Additionally, synonyms and distributional information (as range codes) are also mentioned. These families are as follows alphabetically: Agaonidae, Andrenidae, Aphelinidae, Apidae, Argidae, Aulacidae, Bethylidae, Braconidae, Cephidae, Chalcididae, Chrysidae, Cimbicidae, Colletidae, Crabronidae, Cynipidae, Encyrtidae, Eucharidae, Eulophidae, Eupelmidae, Eurytomidae, Evaniidae, Figitidae, Formicidae, Gasteruptiidae, Halictidae, Ibalidae, Ichneumonidae, Leucospidae, Megachilidae, Megalodontesidae, Melittidae, Mutillidae, Mymaridae, Ormyridae, Orussidae, Pamphiliidae, Perilampidae, Pompilidae, Pteromalidae, Sapygidae, Scelionidae, Scoliidae, Signiphoridae, Sphecidae, Tenthredinidae, Tetracampidae, Tiphidae, Torymidae, Trichogrammatidae, Vespidae, and Xyelidae.

- 11711. Apocryptophagus gigas (Mayr,1906)** (Agaonidae) Synonym(s): gigas Mayr,1906 Range (in code): YE
- 11712. Blastophaga psenes (Linnaeus,1758)** (Agaonidae) Synonym(s): psenes Linnaeus,1758; grossorum Gravenhorst,1827; vaidi Joseph,1954 Range (in code): TR IN Up
- 11713. Eukoebelea sycomori Wiebes,1968** (Agaonidae) Synonym(s): sycomori Wiebes,1968 Range (in code): BW ET KE MG MW NA SN ZA TZ YE ZM ZW
- 11714. Eupristina verticillata Waterston,1921** (Agaonidae) Synonym(s): verticillata Waterston,1921 Range (in code): MY Bor Swk AE
- 11715. Otitesella longicauda Van Noort,1997** (Agaonidae) Synonym(s): longicauda Van Noort,1997 Range (in code): CI ZA TZ SA
- 11716. Otitesella rotunda van Noort,1997** (Agaonidae) Synonym(s): rotunda van Noort,1997 Range (in code): CM ET CI MW SA ZA TZ
- 11717. Platyscapa awekei Wiebes,1977** (Agaonidae) Synonym(s): awekei Wiebes,1977 Range (in code): ET TZ ZW BW ZA AE YE
- 11718. Sycophaga sycomori (Linnaeus,1758)** (Agaonidae) Synonym(s): sycomori Linnaeus,1758 Range (in code): IL Pa EG Sn YE AE ER ET KE TZ NA SN ZA
- 11719. Andrena ((Margandrena) sibthorpi Mavromoustakis,1952** (Andrenidae) Synonym(s): sibthorpi Mavromoustakis,1952 Range (in code): CY
- 11720. Andrena (Aciandrena) aciculata Morawitz,1886** (Andrenidae) Synonym(s): aciculata Morawitz,1886 Range (in code): GR Cr Rd CY TR 25
- 11721. Andrena (Aciandrena) janthina Warncke,1975** (Andrenidae) Synonym(s): janthina Warncke,1975 Range (in code): TR IL Pa
- 11722. Andrena (Aciandrena) konyella Warncke,1975** (Andrenidae) Synonym(s): konyella Warncke,1975 Range (in code): TR 25 42
- 11723. Andrena (Aciandrena) lamiana Warncke,1965** (Andrenidae) Synonym(s): lamiana Warncke,1965 Range (in code): TR GR Ae Le Cr CY 24 25 49 62
- 11724. Andrena (Aciandrena) pulicaria Warncke,1975** (Andrenidae) Synonym(s): pulicaria Warncke,1975 Range (in code): TR
- 11725. Andrena (Aciandrena) spolata Warncke,1968** (Andrenidae) Synonym(s): spolata Warncke,1968 Range (in code): IL Pa EG
- 11726. Andrena (Aciandrena) tenuiformis Pittioni,1950** (Andrenidae) Synonym(s): tenuiformis Pittioni,1950 Range (in code): CY TR
- 11727. Andrena (Aciandrena) tenuis Morawitz,1878** (Andrenidae) Synonym(s): tenuis Morawitz,1878 Range (in code): TR
- 11728. Andrena (Aciandrena) yelkouan Warncke,1975** (Andrenidae) Synonym(s): yelkouan Warncke,1975 Range (in code): TR IL Pa JO
- 11729. Andrena (Aeandrena) hystrix Schmiedeknecht,1883** (Andrenidae) Synonym(s): hystrix Schmiedeknecht,1883; rufilata Warncke,1975 Range (in code): TR 25
- 11730. Andrena (Aenandrena) aeneiventris Morawitz,1872** (Andrenidae) Synonym(s): aeneiventris Morawitz,1872 Range (in code): GR EG Sn Rd CY Cr TR IR 25
- 11731. Andrena (Aenandrena) bisulcata Morawitz,1878** (Andrenidae) Synonym(s): bisulcata Morawitz,1878 Range (in code): GR TR IL Pa LB
- 11732. Andrena (Aenandrena) bonasia Warncke,1969** (Andrenidae) Synonym(s): bonasia Warncke,1969; naevia Warncke,1969 Range (in code): TR IL Pa 25 49
- 11733. Andrena (Aenandrena) chaetogastra Pittioni,1950** (Andrenidae) Synonym(s): chaetogastra Pittioni,1950 Range (in code): CY TR IL Pa
- 11734. Andrena (Avandrena) canohirta (Friese,1922)** (Andrenidae) Synonym(s): canohirta Friese,1922 Range (in code): GR TR
- 11735. Andrena (Avandrena) caudata Warncke,1965** (Andrenidae) Synonym(s): caudata Warncke,1965 Range (in code): TR

- 11736. Andrena (Brachyandrena) alisadra Ariana, Scheuchl, Tadauchi & Gusenleitner, 2009** (Andrenidae) Synonym(s): alisadra Ariana, Scheuchl, Tadauchi & Gusenleitner, 2009 Range (in code): **IR Mz Elb Ha Lo**
- 11737. Andrena (Brachyandrena) colletiformis Morawitz, 1874** (Andrenidae) Synonym(s): parvula Morawitz, 1871; colletiformis Morawitz, 1874; sardinica Strand, 1915; #gandzhensis Lebedev, 1933; insulana Pittioni, 1950; subsquamularis Noskiewicz, 1960 Range (in code): **PL SS MK GR Cr BG IT Sa CY TR SY LB IL Pa TM AM Cc AZ Kir 06 09 25 34**
- 11738. Andrena (Brachyandrena) pinguis Ariana, Scheuchl, Tadauchi & Gusenleitner, 2009** (Andrenidae) Synonym(s): pinguis Ariana, Scheuchl, Tadauchi & Gusenleitner, 2009 Range (in code): **TR 05 06 07 15 31 42 56**
- 11739. Andrena (Brachyandrena) punctatissima Morawitz, 1866** (Andrenidae) Synonym(s): punctatissima Morawitz, 1866 Range (in code): **TR**
- 11740. Andrena (Campylogaster) caroli Pérez, 1895** (Andrenidae) Synonym(s): caroli Pérez, 1895 Range (in code): **EG IL Pa TR 65 72**
- 11741. Andrena (Campylogaster) erberi Morawitz, 1872** (Andrenidae) Synonym(s): erberi Morawitz, 1872 Range (in code): **GR Rd Cr TR**
- 11742. Andrena (Campylogaster) incisa Eversmann, 1852** (Andrenidae) Synonym(s): incisa Eversmann, 1852 Range (in code): **GR TR 25**
- 11743. Andrena (Campylogaster) iranella Popov, 1940** (Andrenidae) Synonym(s): iranella Popov, 1940 Range (in code): **IR**
- 11744. Andrena (Campylogaster) lateralis Morawitz, 1876** (Andrenidae) Synonym(s): lateralis Morawitz, 1876 Range (in code): **GE TR IL Pa IR 25 62**
- 11745. Andrena (Campylogaster) pruinosa Erichson, 1835** (Andrenidae) Synonym(s): pruinosa Erichson, 1835 Range (in code): **IL Pa EG**
- 11746. Andrena (Campylogaster) skorikovi Popov, 1940** (Andrenidae) Synonym(s): skorikovi Popov, 1940 Range (in code): **IR**
- 11747. Andrena (Carandrena) aerinifrons Dours, 1873** (Andrenidae) Synonym(s): aerinifrons Dours, 1873 Range (in code): **LY TR IL Pa JO**
- 11748. Andrena (Carandrena) cara Nurse, 1904** (Andrenidae) Synonym(s): cara Nurse, 1904; halictoides Nurse, 1904 nec Smth., 1869; nursei Cockerell, 1913; minor Warncke, 1975; kurdistanica Engel, 2005 Range (in code): **PK Bl Qu TR 30**
- 11749. Andrena (Carandrena) eremobia Guiglia, 1933** (Andrenidae) Synonym(s): eremobia Guiglia, 1933 Range (in code): **EG IL Pa**
- 11750. Andrena (Carandrena) euzona Pérez, 1895** (Andrenidae) Synonym(s): euzona Pérez, 1895 Range (in code): **IL Pa JO EG**
- 11751. Andrena (Carandrena) falcinella Warncke, 1969** (Andrenidae) Synonym(s): falcinella Warncke, 1969 Range (in code): **TR LB IL Pa 25 49**
- 11752. Andrena (Carandrena) hieroglyphica Morawitz, 1876** (Andrenidae) Synonym(s): hieroglyphica Morawitz, 1876 Range (in code): **TR**
- 11753. Andrena (Carandrena) levantina Hedicke, 1938** (Andrenidae) Synonym(s): levantina Hedicke, 1938 Range (in code): **TR**
- 11754. Andrena (Carandrena) nubica Warncke, 1975** (Andrenidae) Synonym(s): nubica Warncke, 1975 Range (in code): **TR IL Pa 25 49**
- 11755. Andrena (Carandrena) pesleria Gusenleitner, 1998** (Andrenidae) Synonym(s): pesleria Gusenleitner, 1998 Range (in code): **EG IL Pa**
- 11756. Andrena (Carandrena) purpureomicans Alfken, 1935** (Andrenidae) Synonym(s): purpureomicans Alfken, 1935 Range (in code): **TR 25 49**
- 11757. Andrena (Carandrena) schlettereri Friese, 1896** (Andrenidae) Synonym(s): schlettereri Friese, 1896 Range (in code): **GR Ae Le TR**
- 11758. Andrena (Carandrena) zostera Warncke, 1975** (Andrenidae) Synonym(s): zostera Warncke, 1975 Range (in code): **TR IL Pa**
- 11759. Andrena (Charitandrena) hattorfiana (Fabricius, 1775)** (Andrenidae) Synonym(s): hattorfiana Fabricius, 1775; dimidiata Brullé, 1832 Range (in code): **SS GR TR 43**
- 11760. Andrena (Chlorandrena) astica Warncke, 1967** (Andrenidae) Synonym(s): astica Warncke, 1967 Range (in code): **GR CY Cr TR IL Pa**
- 11761. Andrena (Chlorandrena) cinerea Brullé, 1832** (Andrenidae) Synonym(s): cinerea Brullé, 1832 Range (in code): **GR Cr TR**
- 11762. Andrena (Chlorandrena) cinereophila Warncke, 1965** (Andrenidae) Synonym(s): cinereophila Warncke, 1965 Range (in code): **GR Rd Cr CY IL Pa TR**
- 11763. Andrena (Chlorandrena) clypella Strand, 1921** (Andrenidae) Synonym(s): clypella Strand, 1921; hasitata Warncke, 1973 Range (in code): **GR Cr TR**
- 11764. Andrena (Chlorandrena) exquisita Warncke, 1975** (Andrenidae) Synonym(s): exquisita Warncke, 1975 Range (in code): **TR 34**

- 11765. Andrena (Chlorandrena) galbula Warncke,1975** (Andrenidae) Synonym(s): galbula Warncke,1975 Range (in code): TR IL Pa
- 11766. Andrena (Chlorandrena) gordia Warncke,1975** (Andrenidae) Synonym(s): gordia Warncke,1975 Range (in code): CY TR
- 11767. Andrena (Chlorandrena) humabilis Warncke,1965** (Andrenidae) Synonym(s): humabilis Warncke,1965 Range (in code): GR Ae Le TR IL Pa
- 11768. Andrena (Chlorandrena) humilis Imhoff,1832** (Andrenidae) Synonym(s): humilis Imhoff,1832; indigena Warncke,1975 Range (in code): SS GR Ae Le Cr TR IL Pa JO 25
- 11769. Andrena (Chlorandrena) isis Schmiedeknecht,1900** (Andrenidae) Synonym(s): isis Schmiedeknecht,1900 Range (in code): JO EG
- 11770. Andrena (Chlorandrena) negevana Gusenleitner & Schuechl,2000** (Andrenidae) Synonym(s): negevana Gusenleitner & Schuechl,2000 Range (in code): IL Pa EG Sn
- 11771. Andrena (Chlorandrena) orientana Warncke,1965** (Andrenidae) Synonym(s): orientana Warncke,1965 Range (in code): GR Ae Le Rd Cr CY TR IL Pa
- 11772. Andrena (Chlorandrena) panurgimorpha Mavromoustakis,1957** (Andrenidae) Synonym(s): panurgimorpha Mavromoustakis,1957 Range (in code): GR Ae Le Cr CY TR LB IL Pa 25 49
- 11773. Andrena (Chlorandrena) pinkeunia Warncke,1969** (Andrenidae) Synonym(s): pinkeunia Warncke,1969 Range (in code): IL Pa JO
- 11774. Andrena (Chlorandrena) sinuata Pérez,1895** (Andrenidae) Synonym(s): sinuata Pérez,1895 Range (in code): LY IL Pa
- 11775. Andrena (Chlorandrena) taduchii Gusenleitner,1998** (Andrenidae) Synonym(s): taduchii Gusenleitner,1998 Range (in code): TR SY LB IL Pa
- 11776. Andrena (Chlorandrena) taraxaci Giraud,1861** (Andrenidae) Synonym(s): taraxaci Giraud,1861 Range (in code): SS GR Ae Le TR EG LY
- 11777. Andrena (Chrysandrena) aegyptiaca Friese,1899** (Andrenidae) Synonym(s): aegyptiaca Friese,1899; comberiana Cockerell,1911; beharica Cockerell,1920cannabina Warncke,1968 Range (in code): Cn EG PK Krc IN
- 11778. Andrena (Chrysandrena) dilleri Gusenleitner,1998** (Andrenidae) Synonym(s): dilleri Gusenleitner,1998 Range (in code): TR
- 11779. Andrena (Chrysandrena) fulvago (Christ,1791)** (Andrenidae) Synonym(s): fulvago Christ,1791 Range (in code): SS GR TR 06
- 11780. Andrena (Chrysandrena) glandaria Warncke,1975** (Andrenidae) Synonym(s): glandaria Warncke,1975 Range (in code): TR IL Pa
- 11781. Andrena (Chrysandrena) henotica Warncke,1975** (Andrenidae) Synonym(s): henotica Warncke,1975 Range (in code): TR JO IL Pa
- 11782. Andrena (Chrysandrena) hesperia Smith,1853** (Andrenidae) Synonym(s): hesperia Smith,1853 Range (in code): SS TR GR Cr Ae Le Sms CY LB IL Pa EG 25
- 11783. Andrena (Chrysandrena) merula Warncke,1969** (Andrenidae) Synonym(s): merula Warncke,1969 Range (in code): TR GR Ae Le Sms Cr CY IL Pa
- 11784. Andrena (Chrysandrena) microcardia Pérez,1895** (Andrenidae) Synonym(s): microcardia Pérez,1895 Range (in code): IL Pa LY
- 11785. Andrena (Chrysandrena) unita Nurse,1904** (Andrenidae) Synonym(s): unita Nurse,1904 Range (in code): PK
- 11786. Andrena (Chrysandrena) urarti Osytsnjuk,1993** (Andrenidae) Synonym(s): urarti Osytsnjuk,1993 Range (in code): AM Cc
- 11787. Andrena (Cnemidandrena) nigriceps (Kirby,1802)** (Andrenidae) Synonym(s): nigriceps Kirby,1802; comata Warncke,1975 Range (in code): GB GR TR 25
- 11788. Andrena (Cordandrena) cordialis Morawitz,1878** (Andrenidae) Synonym(s): cordialis Morawitz,1878 Range (in code): GR Cr TR 25 49 76
- 11789. Andrena (Cordandrena) cypria Pittioni,1950** (Andrenidae) Synonym(s): cypria Pittioni,1950 Range (in code): TR CY IL Pa JO 25 49
- 11790. Andrena (Cordandrena) hedikae Jaeger,1934** (Andrenidae) Synonym(s): hedikae Jaeger,1934; inexpectata Warncke,1975 Range (in code): SS TR 25
- 11791. Andrena (Cordandrena) pagophila Warncke,1975** (Andrenidae) Synonym(s): pagophila Warncke,1975 Range (in code): TR 24 25
- 11792. Andrena (Cordandrena) torda Warncke,1965** (Andrenidae) Synonym(s): torda Warncke,1965 Range (in code): GR Ae Le Rd CY LB IL Pa TR
- 11793. Andrena (Cryptandrena) aruana Warncke,1967** (Andrenidae) Synonym(s): aruana Warncke,1967 Range (in code): IL Pa
- 11794. Andrena (Cryptandrena) brumanensis Friese,1899** (Andrenidae) Synonym(s): brumanensis Friese,1899 Range (in code): GR Cr CY TR IL Pa LB
- 11795. Andrena (Cryptandrena) clypeata Brullé,1832** (Andrenidae) Synonym(s): clypeata Brullé,1832 Range (in code): TR 25 49



- 11796. Andrena (Cryptandrena) monacha Warncke, 1965** (Andrenidae) Synonym(s): monacha Warncke, 1965 Range (in code): GR Ae Le CY TR SY LB
- 11797. Andrena (Cryptandrena) ventricosa Dours, 1873** (Andrenidae) Synonym(s): ventricosa Dours, 1873 Range (in code): SS GR Cr TR SY LB IL Pa CY 25
- 11798. Andrena (Cubiandrena) cubiceps Friese, 1914** (Andrenidae) Synonym(s): cubiceps Friese, 1914 Range (in code): GR IL Pa TR
- 11799. Andrena (Cubiandrena) cubicepsella Warncke, 1975** (Andrenidae) Synonym(s): cubicepsella Warncke, 1975 Range (in code): SY TR
- 11800. Andrena (Didonia) mucida Kriechbaumer, 1873** (Andrenidae) Synonym(s): mucida Kriechbaumer, 1873; julliani Schmiedeknecht, 1883; punica Gribodo, 1894 Range (in code): DZ FR IT SS GR TR LB IL Pa 25 36
- 11801. Andrena (Didonia) nasuta Giraud, 1863** (Andrenidae) Synonym(s): nasuta Giraud, 1863; umbrosa Warncke, 1967 Range (in code): GR TR 25
- 11802. Andrena (Didonia) teunissenii Gusenleitner, 1998** (Andrenidae) Synonym(s): teunissenii Gusenleitner, 1998 Range (in code): TR
- 11803. Andrena (Distantandrena) longibarbis Pérez, 1895** (Andrenidae) Synonym(s): longibarbis Pérez, 1895 Range (in code): IL Pa EG
- 11804. Andrena (Distantandrena) mariana Warncke, 1968** (Andrenidae) Synonym(s): mariana Warncke, 1968 Range (in code): IL Pa EG LY
- 11805. Andrena (Euandrena) allosa Warncke, 1975** (Andrenidae) Synonym(s): allosa Warncke, 1975; canigica Warncke, 1975; pileata Warncke, 1975 Range (in code): GR TR
- 11806. Andrena (Euandrena) alutacea Stoeckhert, 1942** (Andrenidae) Synonym(s): alutacea Stoeckhert, 1942 Range (in code): SS TR
- 11807. Andrena (Euandrena) bicolor Fabricius, 1775** (Andrenidae) Synonym(s): bicolor Fabricius, 1775; #bicolor Özbek, 1976 Range (in code): SS TR GR Cr CY IL Pa 24 25 75
- 11808. Andrena (Euandrena) canuta Warncke, 1975** (Andrenidae) Synonym(s): canuta Warncke, 1975 Range (in code): TR 25 76
- 11809. Andrena (Euandrena) chrysopus Pérez, 1903** (Andrenidae) Synonym(s): chrysopus Pérez, 1903 Range (in code): SS TR 25 36
- 11810. Andrena (Euandrena) glabriventris Alfken, 1935** (Andrenidae) Synonym(s): glabriventris Alfken, 1935 Range (in code): TR 25
- 11811. Andrena (Euandrena) rufitibialis Friese, 1899** (Andrenidae) Synonym(s): rufitibialis Friese, 1899; limosa Warncke, 1969 Range (in code): TR JO 25
- 11812. Andrena (Euandrena) rufula Schmiedeknecht, 1883** (Andrenidae) Synonym(s): rufula Schmiedeknecht, 1883 Range (in code): SS GR TR
- 11813. Andrena (Euandrena) symphyti Schmiedeknecht, 1883** (Andrenidae) Synonym(s): symphyti Schmiedeknecht, 1883; furcata Friese, 1921 Range (in code): SS GR TR 25
- 11814. Andrena (Euandrena) vulpecula Kriechbaumer, 1873** (Andrenidae) Synonym(s): vulpecula Kriechbaumer, 1873 Range (in code): SS GR IL Pa
- 11815. Andrena (Fumandrena) griseigena Warncke, 1975** (Andrenidae) Synonym(s): griseigena Warncke, 1975 Range (in code): TR
- 11816. Andrena (Fumandrena) immaculata Warncke, 1975** (Andrenidae) Synonym(s): immaculata Warncke, 1975 Range (in code): TR IL Pa 25 49
- 11817. Andrena (Fumandrena) kurda Warncke, 1975** (Andrenidae) Synonym(s): kurda Warncke, 1975 Range (in code): TR
- 11818. Andrena (Fumandrena) pandosa Warncke, 1968** (Andrenidae) Synonym(s): pandosa Warncke, 1968 Range (in code): TR LB IL Pa EG LY
- 11819. Andrena (Fumandrena) querquedula Warncke, 1975** (Andrenidae) Synonym(s): querquedula Warncke, 1975 Range (in code): TR
- 11820. Andrena (Fumandrena) tomora Warncke, 1975** (Andrenidae) Synonym(s): tomora Warncke, 1975 Range (in code): GR Ae Le Sms Cr TR
- 11821. Andrena (Graecandrena) butea Warncke, 1966** (Andrenidae) Synonym(s): butea Warncke, 1966; ketupa Warncke, 1975 Range (in code): TR IL Pa 25
- 11822. Andrena (Graecandrena) graecella Warncke, 1965** (Andrenidae) Synonym(s): graecella Warncke, 1965 Range (in code): BG GR IL Pa
- 11823. Andrena (Graecandrena) hyemala Warncke, 1973** (Andrenidae) Synonym(s): hyemala Warncke, 1973; repressa Warncke, 1975 Range (in code): GR Ae Le Rd Cr IL Pa EG Sn TR 25
- 11824. Andrena (Graecandrena) impunctata Pérez, 1895** (Andrenidae) Synonym(s): impunctata Pérez, 1895; contusa Warncke, 1967 Range (in code): SS GR Cr TR IL Pa EG Sn
- 11825. Andrena (Graecandrena) schwarzi Warncke, 1975** (Andrenidae) Synonym(s): schwarzi Warncke, 1975 Range (in code): TR
- 11826. Andrena (Graecandrena) volka Warncke, 1969** (Andrenidae) Synonym(s): volka Warncke, 1969 Range (in code): TR IL Pa

- 11827. Andrena (Holandrena) decipiens** Schenck,1859 (Andrenidae) Synonym(s): decipiens Schenck,1859 Range (in code): GR TR 25 49
- 11828. Andrena (Holandrena) fimbriatoides** Scheuchl,2004 (Andrenidae) Synonym(s): fimbriatoides Scheuchl,2004 Range (in code): IL Pa JO
- 11829. Andrena (Holandrena) forsterella** Osytshnjuk,1978 (Andrenidae) Synonym(s): forsterella Osytshnjuk,1978 Range (in code): GR CY TR LB IL Pa 25 49 62
- 11830. Andrena (Holandrena) labialis** (Kirby,1802) (Andrenidae) Synonym(s): labialis Kirby,1802; megal Warncke,1975 Range (in code): TR SS GR Ae Le Cr SY IR 23 25 36 49 62 69 76
- 11831. Andrena (Holandrena) variabilis** Smith,1853 (Andrenidae) Synonym(s): variabilis Smith,1853 Range (in code): PT ES FR IT Co Sa Si AT CZ SK PL RU UA RO HU SS HV YU AL GR Ae Le Cr CY TR LB IL Pa 25 72 76
- 11832. Andrena (Holandrena) wilhelmi** Schuberth,1995 (Andrenidae) Synonym(s): wilhelmi Schuberth,1995 Range (in code): GR Ae Le Sms CY TR IL Pa
- 11833. Andrena (Hoplendrena) clusia** Warncke,1966 (Andrenidae) Synonym(s): clusia Warncke,1966 Range (in code): GR TR 25 36
- 11834. Andrena (Hoplendrena) ferox** Smith,1847 (Andrenidae) Synonym(s): ferox Smith,1847 Range (in code): SS TR
- 11835. Andrena (Hoplendrena) labergeiella** Gusenleitner,1998 (Andrenidae) Synonym(s): labergeiella Gusenleitner,1998 Range (in code): TR
- 11836. Andrena (Hoplendrena) najadana** Warncke,1975 (Andrenidae) Synonym(s): najadana Warncke,1975 Range (in code): TR
- 11837. Andrena (Hoplendrena) rosae** Panzer,1801 (Andrenidae) Synonym(s): rosae Panzer,1801 Range (in code): SS GR Cr TR 25
- 11838. Andrena (Hoplendrena) schonitzeri** Gusenleitner,1998 (Andrenidae) Synonym(s): schonitzeri Gusenleitner,1998 Range (in code): TR
- 11839. Andrena (Hoplendrena) schuberthi** Gusenleitner,1998 (Andrenidae) Synonym(s): schuberthi Gusenleitner,1998 Range (in code): TR
- 11840. Andrena (Hoplendrena) trimmerana** (Kirby,1802) (Andrenidae) Synonym(s): trimmerana Kirby,1802 Range (in code): GR Ae Le Cr TR 25
- 11841. Andrena (Hyperandrena) bicolorata** (Rossi,1790) (Andrenidae) Synonym(s): bicolorata Rossi,1790 Range (in code): TR LY Cr GR
- 11842. Andrena (Larandrena) larisana** Warncke,1965 (Andrenidae) Synonym(s): larisana Warncke,1965; medioxima Warncke,1975; sculpturata Warncke,1975 Range (in code): GR Ae Le Rd TR
- 11843. Andrena (Larandrena) sericata** Imhoff,1868 (Andrenidae) Synonym(s): sericata Imhoff,1868 Range (in code): GR TR 09
- 11844. Andrena (Larandrena) ventralis** Imhoff,1832 (Andrenidae) Synonym(s): ventralis Imhoff,1832 Range (in code): TR SS GR
- 11845. Andrena (Leimelissa) ispida** Warncke,1966 (Andrenidae) Synonym(s): ispida Warncke,1966 Range (in code): TR 25
- 11846. Andrena (Lepiandrena) tinaria** Gusenleitner,1998 (Andrenidae) Synonym(s): tinaria Gusenleitner,1998 Range (in code): TR
- 11847. Andrena (Lepidandrena) caprimulga** Warncke,1975 (Andrenidae) Synonym(s): caprimulga Warncke,1975 Range (in code): TR 25
- 11848. Andrena (Lepidandrena) curvungula** Thomson,1870 (Andrenidae) Synonym(s): curvungula Thomson,1870 Range (in code): GR Rd TR 25
- 11849. Andrena (Lepidandrena) dorsalis** Brullé,1832 (Andrenidae) Synonym(s): dorsalis Brullé,1832 Range (in code): SS GR TR ET
- 11850. Andrena (Lepidandrena) elisaria** Gusenleitner,1998 (Andrenidae) Synonym(s): elisaria Gusenleitner,1998 Range (in code): TR
- 11851. Andrena (Lepidandrena) flagella** Nurse,1904 (Andrenidae) Synonym(s): flagella Nurse,1904 Range (in code): PK Bl Qu
- 11852. Andrena (Lepidandrena) florivaga** Eversmann,1852 (Andrenidae) Synonym(s): florivaga Eversmann,1852 Range (in code): SS TR 25 49
- 11853. Andrena (Lepidandrena) mocsaryi** Schmiedeknecht,1884 (Andrenidae) Synonym(s): mocsaryi Schmiedeknecht,1884 Range (in code): GR TR
- 11854. Andrena (Lepidandrena) pandellei** Pérez,1895 (Andrenidae) Synonym(s): pandellei Pérez,1895; europaea Warncke,1967 Range (in code): SS GR TR 25
- 11855. Andrena (Lepidandrena) paucisquama** Noskiewicz,1924 (Andrenidae) Synonym(s): paucisquama Noskiewicz,1924; curonica Warncke,1974 Range (in code): SS GR Ae Le Sms TR
- 11856. Andrena (Lepidandrena) statusa** Gusenleitner,1998 (Andrenidae) Synonym(s): statusa Gusenleitner,1998 Range (in code): TR IL Pa
- 11857. Andrena (Leucandrena) argentata** Smith,1844 (Andrenidae) Synonym(s): argentata Smith,1844 Range (in code): GR TR ET

- 11858. Andrena (Leucandrena) barbilabris (Kirby,1802)** (Andrenidae) Synonym(s): barbilabris Kirby,1802 Range (in code): NL DE SS GR TR
- 11859. Andrena (Leucandrena) christineae Dubitzky,2006** (Andrenidae) Synonym(s): christineae Dubitzky,2006 Range (in code): TR IR
- 11860. Andrena (Leucandrena) mistrensis Grünwaldt,2005** (Andrenidae) Synonym(s): mistrensis Grünwaldt,2005 Range (in code): GR Ae Le TR
- 11861. Andrena (Leucandrena) parviceps Kriechbaumer,1873** (Andrenidae) Synonym(s): parviceps Kriechbaumer,1873 Range (in code): GR TR 25 49
- 11862. Andrena (Margandrena) hyacinthina Mavromoustakis,1958** (Andrenidae) Synonym(s): hyacinthina Mavromoustakis,1958 Range (in code): CY TR LB SY IL Pa
- 11863. Andrena (Margandrena) krausiella Gusenleitner,1988** (Andrenidae) Synonym(s): krausiella Gusenleitner,1988 Range (in code): JO
- 11864. Andrena (Margandrena) marginata Fabricius,1776** (Andrenidae) Synonym(s): marginata Fabricius,1776 Range (in code): SS GR TR
- 11865. Andrena (Melanapis) atrocoerulea Giraud,1863** (Andrenidae) Synonym(s): atrocoerulea Giraud,1863 Range (in code): TR
- 11866. Andrena (Melanapis) fuscata Erichson,1835** (Andrenidae) Synonym(s): fuscata Erichson,1835; rutila Spinola,1838; xanthocelis Brullé,1839; dorsalis Lepeletier,1841; lepeletieri Lucas,1849; ruficornis Smith,1853; atrocoerulea Giraud,1863; dagestanica Radoszkowski,1867; turcestanica Morawitz,1876; dilecta Mocsary,1879; aschabadensis Radoszkowski,1893; jucunda Pérez,1895; cleopatra Friese,1899; violaceipennis Cameron,1902; rufifrons Nurse,1904; cyprica Cockerell,1910; flavipennis Friese,1914; pallipes Friese,1914; rufocincta Friese,1914; rubriventris Friese,1922; dorsatula Viereck,1918; ankaræ Alfken,1935; mauritanica Patiny,1997; canariensis Patiny,1997 Range (in code): DZ HU CH TR GR Cr EG CY PK Bl Qu Cn Cc UZ KG IN Ch MR 06 25
- 11867. Andrena (Melanapis) rutila Spinola,1838** (Andrenidae) Synonym(s): rutila Spinola,1838 Range (in code): TR
- 11868. Andrena (Melandrena) albofacies Alfken,1927** (Andrenidae) Synonym(s): albofacies Alfken,1927 Range (in code): EG IL Pa JO LY IQ
- 11869. Andrena (Melandrena) albopunctata (Rossi,1792)** (Andrenidae) Synonym(s): albopunctata Rossi,1792; funebris Panzer,1798 Range (in code): GR EG Sn IL Pa SY TR Cr CY 25
- 11870. Andrena (Melandrena) assimilis Radoszkowski,1876** (Andrenidae) Synonym(s): assimilis Radoszkowski,1876 Range (in code): GR TR 25
- 11871. Andrena (Melandrena) atrotegularis Hedicke,1923** (Andrenidae) Synonym(s): atrotegularis Hedicke,1923 Range (in code): GR SY TR
- 11872. Andrena (Melandrena) cineraria (Linnaeus,1758)** (Andrenidae) Synonym(s): cineraria Linnaeus,1758 Range (in code): GB FI IE ES TR CN 25 65
- 11873. Andrena (Melandrena) cussariensis Morawitz,1886** (Andrenidae) Synonym(s): cussariensis Morawitz,1886 Range (in code): TR 24 25
- 11874. Andrena (Melandrena) danuvia Stoeckhert,1950** (Andrenidae) Synonym(s): danuvia Stoeckhert,1950 Range (in code): TR
- 11875. Andrena (Melandrena) dubiosa Kohl,1905** (Andrenidae) Synonym(s): dubiosa Kohl,1905 Range (in code): GR SY TR
- 11876. Andrena (Melandrena) elmaria Gusenleitner,1998** (Andrenidae) Synonym(s): elmaria Gusenleitner,1998 Range (in code): TR CY SY LB IL Pa JO
- 11877. Andrena (Melandrena) grandilabris Pérez,1903** (Andrenidae) Synonym(s): grandilabris Pérez,1903 Range (in code): TR CY LB IL Pa
- 11878. Andrena (Melandrena) induta Morawitz,1895** (Andrenidae) Synonym(s): induta Morawitz,1895 Range (in code): TR 25
- 11879. Andrena (Melandrena) limata Smith,1853** (Andrenidae) Synonym(s): limata Smith,1853 Range (in code): SS GR Ae Le Cr Rd CY IL Pa TR 25
- 11880. Andrena (Melandrena) magna Warncke,1965** (Andrenidae) Synonym(s): magna Warncke,1965 Range (in code): GR TR
- 11881. Andrena (Melandrena) marmora Nurse,1904** (Andrenidae) Synonym(s): transcaspica Radoszkowski,1893 nec Rad.,1886; radoszkowski Dalla Torre,1896 nec Schmiedek.,1883; marmora Nurse,1904; ducis Cockerell,1907 Range (in code): IL Pa PK Bl Qu
- 11882. Andrena (Melandrena) morio Brullé,1832** (Andrenidae) Synonym(s): morio Brullé,1832 Range (in code): SS GR Ae Le Rd Cr CY SY TR LB EG Sn LY 25
- 11883. Andrena (Melandrena) nigroaenea (Kirby,1802)** (Andrenidae) Synonym(s): nigroaenea Kirby,1802; candiae Strand,1915; aemula Alfken,1926 Range (in code): SS GR Cr Rd TR CY LB IL Pa EG LY 25
- 11884. Andrena (Melandrena) nitida (Müller,1776)** (Andrenidae) Synonym(s): nitida Müller,1776 Range (in code): SS GR CY Cr LB TR 25
- 11885. Andrena (Melandrena) pyropygia Kriechbaumer,1873** (Andrenidae) Synonym(s): pyropygia Kriechbaumer,1873 Range (in code): GR Rd CY TR SY LB IL Pa 25



- 11886. *Andrena (Melandrena) thoracica* (Fabricius,1775)** (Andrenidae) Synonym(s): *thoracica* Fabricius,1775 Range (in code): GB IT FR PT ES BE NL NO SE FI DK DE EE LT BY RU UA MD RO PL CZ SK CH AT Co Sa Si HU SS HV B-H YU AL MK BG GR Rd TR CY 09 25 65
- 11887. *Andrena (Melandrena) vaga* Panzer,1799** (Andrenidae) Synonym(s): *vaga* Panzer,1799 Range (in code): SS GR TR
- 11888. *Andrena (Melittoides) coromanda* Warncke,1975** (Andrenidae) Synonym(s): *coromanda* Warncke,1975 Range (in code): TR
- 11889. *Andrena (Melittoides) curiosa* (Morawitz,1878)** (Andrenidae) Synonym(s): *curiosa* Morawitz,1878 Range (in code): GR TR 25
- 11890. *Andrena (Melittoides) melittoides* Friese,1899** (Andrenidae) Synonym(s): *melittoides* Friese,1899 Range (in code): TR IL Pa JO
- 11891. *Andrena (Melittoides) ramlehiana* Pérez,1903** (Andrenidae) Synonym(s): *ramlehiana* Pérez,1903 Range (in code): TR IL Pa
- 11892. *Andrena (Mellitoides) innesi* Gribodo,1894** (Andrenidae) Synonym(s): *innesi* Gribodo,1894 Range (in code): TR IL Pa EG LY
- 11893. *Andrena (Micrandrena) alfkenella* Perkins,1914** (Andrenidae) Synonym(s): *alfkenella* Perkins,1914; *caneibia* Strand,1915 Range (in code): GR TR 25
- 11894. *Andrena (Micrandrena) alfkenelloides* Warncke,1965** (Andrenidae) Synonym(s): *alfkenelloides* Warncke,1965 Range (in code): TR GR IL Pa JO Cr CY 62
- 11895. *Andrena (Micrandrena) biarmica* Warncke,1975** (Andrenidae) Synonym(s): *biarmica* Warncke,1975 Range (in code): GR TR
- 11896. *Andrena (Micrandrena) calandra* Warncke,1975** (Andrenidae) Synonym(s): *calandra* Warncke,1975 Range (in code): TR
- 11897. *Andrena (Micrandrena) cervina* Warncke,1965** (Andrenidae) Synonym(s): *cervina* Warncke,1965 Range (in code): CY
- 11898. *Andrena (Micrandrena) collata* Nurse,1904** (Andrenidae) Synonym(s): *collata* Nurse,1904 Range (in code): PK Bl Qu
- 11899. *Andrena (Micrandrena) crypta* Warncke,1975** (Andrenidae) Synonym(s): *crypta* Warncke,1975 Range (in code): TR 25
- 11900. *Andrena (Micrandrena) enslinella* Stöckhert,1924** (Andrenidae) Synonym(s): *enslinella* Stöckhert,1924 Range (in code): GR TR
- 11901. *Andrena (Micrandrena) floricola* Eversmann,1852** (Andrenidae) Synonym(s): *floricola* Eversmann,1852 Range (in code): GR TR 25 75
- 11902. *Andrena (Micrandrena) garzetta* Warncke,1975** (Andrenidae) Synonym(s): *garzetta* Warncke,1975 Range (in code): TR
- 11903. *Andrena (Micrandrena) incognita* Warncke,1975** (Andrenidae) Synonym(s): *incognita* Warncke,1975 Range (in code): TR 49
- 11904. *Andrena (Micrandrena) lindbergella* Pittioni,1950** (Andrenidae) Synonym(s): *lindbergella* Pittioni,1950 Range (in code): CY LB
- 11905. *Andrena (Micrandrena) luscini* Warncke,1975** (Andrenidae) Synonym(s): *luscini* Warncke,1975 Range (in code): TR 24 62
- 11906. *Andrena (Micrandrena) magunta* Warncke,1965** (Andrenidae) Synonym(s): *magunta* Warncke,1965 Range (in code): GE Ae Le TR 25
- 11907. *Andrena (Micrandrena) minutula* (Kirby,1802)** (Andrenidae) Synonym(s): *minutula* Kirby,1802; *parvula* Kirby,1802; *nigrifrons* Smith,1853 nec. Ev.,1852; *gilvifrons* Pérez,1903; *lenis* Pérez,1903; *dargia* Warncke,1965; *alga* Warncke,1974; *#minutula* Özbek,1976 Range (in code): DZ FR GB TR SS GR Ae Le Cr CY PK Bl 25 49
- 11908. *Andrena (Micrandrena) minutuloides* Perkins,1914** (Andrenidae) Synonym(s): *minutuloides* Perkins,1914 Range (in code): GR TR 25
- 11909. *Andrena (Micrandrena) niveata* Friese,1887** (Andrenidae) Synonym(s): *niveata* Friese,1887; *bubulca* Warncke,1975 Range (in code): TR 25 49
- 11910. *Andrena (Micrandrena) oedienema* Warncke,1975** (Andrenidae) Synonym(s): *oedienema* Warncke,1975 Range (in code): GR TR
- 11911. *Andrena (Micrandrena) oenas* Warncke,1975** (Andrenidae) Synonym(s): *oenas* Warncke,1975 Range (in code): TR 25
- 11912. *Andrena (Micrandrena) paganettina* Warncke,1965** (Andrenidae) Synonym(s): *paganettina* Warncke,1965 Range (in code): GR Ae Le Cr TR 62
- 11913. *Andrena (Micrandrena) proxima* (Kirby,1802)** (Andrenidae) Synonym(s): *proxima* Kirby,1802 Range (in code): SS TR 25
- 11914. *Andrena (Micrandrena) puffina* Warncke,1975** (Andrenidae) Synonym(s): *puffina* Warncke,1975 Range (in code): TR
- 11915. *Andrena (Micrandrena) rugothorace* Warncke,1965** (Andrenidae) Synonym(s): *rugothorace* Warncke,1965 Range (in code): GR Ae Le Cr TR IL Pa 25

- 11916. Andrena (Micrandrena) rugulosa** Stöckhert,1935 (Andrenidae) Synonym(s): rugulosa Stöckhert,1935 Range (in code): SS GR Ae Le TR 25
- 11917. Andrena (Micrandrena) saxonica** Stöckhert,1935 (Andrenidae) Synonym(s): saxonica Stöckhert,1935 Range (in code): SS GR TR
- 11918. Andrena (Micrandrena) scirpacea** Warncke,1975 (Andrenidae) Synonym(s): scirpacea Warncke,1975 Range (in code): TR SY IL Pa LB
- 11919. Andrena (Micrandrena) sedentaria** Warncke,1975 (Andrenidae) Synonym(s): sedentaria Warncke,1975; #sedentaria Özbek,1976 Range (in code): TR 24
- 11920. Andrena (Micrandrena) sillata** Warncke,1975 (Andrenidae) Synonym(s): sillata Warncke,1975; histrionica Warncke,1975 Range (in code): TR
- 11921. Andrena (Micrandrena) simontornyella** Noskiewicz,1939 (Andrenidae) Synonym(s): simontornyella Noskiewicz,1939 Range (in code): GR TR LB IL Pa
- 11922. Andrena (Micrandrena) spreta** Pérez,1895 (Andrenidae) Synonym(s): spreta Pérez,1895; pseudasuniensis Strand,1921 Range (in code): LY EG Sn IL Pa LB GR
- 11923. Andrena (Micrandrena) stoeckhertella** Pittioni,1948 (Andrenidae) Synonym(s): stoeckhertella Pittioni,1948 Range (in code): TR
- 11924. Andrena (Micrandrena) stolidia** Warncke,1975 (Andrenidae) Synonym(s): stolidia Warncke,1975 Range (in code): TR
- 11925. Andrena (Micrandrena) strepera** Warncke,1975 (Andrenidae) Synonym(s): strepera Warncke,1975 Range (in code): TR 25 75
- 11926. Andrena (Micrandrena) taprobana** Warncke,1975 (Andrenidae) Synonym(s): taprobana Warncke,1975 Range (in code): GR TR 25
- 11927. Andrena (Micrandrena) tkalcui** Gusenleitner & Schwarz,2002 (Andrenidae) Synonym(s): tkalcui Gusenleitner & Schwarz,2002 Range (in code): TR IL Pa
- 11928. Andrena (Micrandrena) triareta** Warncke,1974 (Andrenidae) Synonym(s): triareta Warncke,1974 Range (in code): LB IL Pa EG LY
- 11929. Andrena (Micrandrena) tringa** Warncke,1973 (Andrenidae) Synonym(s): tringa Warncke,1973 Range (in code): GR TR 25 75
- 11930. Andrena (Micrandrena) virgata** Warncke,1975 (Andrenidae) Synonym(s): virgata Warncke,1975 Range (in code): GE Ae Le TR 04 25
- 11931. Andrena (Micrandrena) warnckei** Gusenleitner & Schwarz,2000 (Andrenidae) Synonym(s): warnckei Gusenleitner & Schwarz,2000 Range (in code): TR
- 11932. Andrena (Nobandrena) anatolica** Alfken,1935 (Andrenidae) Synonym(s): anatolica Alfken,1935 Range (in code): RO GR TR SY LB 25
- 11933. Andrena (Nobandrena) asiatica** Friese,1921 (Andrenidae) Synonym(s): asiatica Friese,1921 Range (in code): GR TR SY LB 25
- 11934. Andrena (Nobandrena) athenensis** Warncke,1965 (Andrenidae) Synonym(s): athenensis Warncke,1965 Range (in code): GR TR 25
- 11935. Andrena (Nobandrena) comptaeformis** Gusenleitner & Schwarz,2000 (Andrenidae) Synonym(s): comptaeformis Gusenleitner & Schwarz,2000 Range (in code): TR IR Ak 65
- 11936. Andrena (Nobandrena) flavobila** Warncke,1975 (Andrenidae) Synonym(s): flavobila Warncke,1975 Range (in code): GR TR
- 11937. Andrena (Nobandrena) fratercula** Warncke,1975 (Andrenidae) Synonym(s): fratercula Warncke,1975 Range (in code): TR 25
- 11938. Andrena (Nobandrena) iliaca** Warncke,1969 (Andrenidae) Synonym(s): iliaca Warncke,1969 Range (in code): TR LB JO IL Pa
- 11939. Andrena (Nobandrena) nobilis** Morawitz,1873 (Andrenidae) Synonym(s): nobilis Morawitz,1873 Range (in code): GR Ae Le Cr TR 25
- 11940. Andrena (Nobandrena) probata** Warncke,1972 (Andrenidae) Synonym(s): probata Warncke,1972 Range (in code): GR TR 25
- 11941. Andrena (Notandrena) chrysocles** (Kirby,1802) (Andrenidae) Synonym(s): chrysocles Kirby,1802 Range (in code): TR
- 11942. Andrena (Notandrena) erythrocnemis** Morawitz,1870 (Andrenidae) Synonym(s): erythrocnemis Morawitz,1870 Range (in code): GR LB TR
- 11943. Andrena (Notandrena) langadensis** Warncke,1965 (Andrenidae) Synonym(s): langadensis Warncke,1965; clanga Warncke,1965 Range (in code): GR Ae Le Cr TR IL Pa EG
- 11944. Andrena (Notandrena) leucura** Warncke,1974 (Andrenidae) Synonym(s): leucura Warncke,1974 Range (in code): IL Pa
- 11945. Andrena (Notandrena) nitidiuscula** Schenck,1853 (Andrenidae) Synonym(s): nitidiuscula Schenck,1853; nigellata Pérez,1895 Range (in code): GR TR LB IL Pa EG 25 49
- 11946. Andrena (Notandrena) optata** Warncke,1975 (Andrenidae) Synonym(s): optata Warncke,1975 Range (in code): GR Cr CY TR LB IL Pa

- 11947. Andrena (Notandrena) pontica** Warncke,1972 (Andrenidae) Synonym(s): pontica Warncke,1972 Range (in code): SS TR 25
- 11948. Andrena (Notandrena) recurvirostra** Warncke,1975 (Andrenidae) Synonym(s): recurvirostra Warncke,1975 Range (in code): TR 25 49
- 11949. Andrena (Notandrena) selcuki** Scheuchl & Hazır,2008 (Andrenidae) Synonym(s): selcuki Scheuchl & Hazır,2008 Range (in code): TR 42
- 11950. Andrena (Notandrena) stellaris** Warncke,1966 (Andrenidae) Synonym(s): stellaris Warncke,1966 Range (in code): GR Ae Le TR
- 11951. Andrena (Notandrena) ungeri** Mavromoustakis,1952 (Andrenidae) Synonym(s): ungeri Mavromoustakis,1952 Range (in code): GR Ae Le CY TR SY IL Pa
- 11952. Andrena (Notandrena) urdula** Warncke,1965 (Andrenidae) Synonym(s): urdula Warncke,1965 Range (in code): GR CY TR LB IL Pa
- 11953. Andrena (Opandrena) schencki** Morawitz,1866 (Andrenidae) Synonym(s): schencki Morawitz,1866 Range (in code): SS GR Ae Le SY LB TR IL Pa IR 25
- 11954. Andrena (Orandrena) acrana** Warncke,1967 (Andrenidae) Synonym(s): acrana Warncke,1967 Range (in code): TR 25
- 11955. Andrena (Orandrena) gallinula** Warncke,1975 (Andrenidae) Synonym(s): gallinula Warncke,1975 Range (in code): TR 25
- 11956. Andrena (Orandrena) garrula** Warncke,1965 (Andrenidae) Synonym(s): garrula Warncke,1965; lomvia Warncke,1969 Range (in code): TR GR IL Pa JO 25 49
- 11957. Andrena (Orandrena) gunaca** Warncke,1975 (Andrenidae) Synonym(s): gunaca Warncke,1975 Range (in code): TR
- 11958. Andrena (Orandrena) monilia** Warncke,1967 (Andrenidae) Synonym(s): monilia Warncke,1967 Range (in code): TR IL Pa JO
- 11959. Andrena (Orandrena) oralis** Morawitz,1876 (Andrenidae) Synonym(s): oralis Morawitz,1876 Range (in code): GR TR
- 11960. Andrena (Orandrena) platealea** Warncke,1975 (Andrenidae) Synonym(s): platealea Warncke,1975 Range (in code): TR 25
- 11961. Andrena (Oreomelissa) coitana** (Kirby,1802) (Andrenidae) Synonym(s): coitana Kirby,1802; xema Warncke,1975 Range (in code): SS TR 25 69
- 11962. Andrena (Pallandrena) braunsiana** Friese,1887 (Andrenidae) Synonym(s): braunsiana Friese,1887; detorta Warncke,1975 Range (in code): TR
- 11963. Andrena (Pallandrena) korbella** Grünwaldt,2005 (Andrenidae) Synonym(s): korbella Grünwaldt,2005 Range (in code): TR
- 11964. Andrena (Pallandrena) pallidicincta** Brullé,1832 (Andrenidae) Synonym(s): pallidicincta Brullé,1832 Range (in code): GR Cr TR IL Pa
- 11965. Andrena (Parandrena) wolfi** Gusenleitner & Schwarz,2000 (Andrenidae) Synonym(s): wolfi Gusenleitner & Schwarz,2000 Range (in code): IL Pa
- 11966. Andrena (Parandrenella) bicarinata** Morawitz,1876 (Andrenidae) Synonym(s): bicarinata Morawitz,1876 Range (in code): TR
- 11967. Andrena (Parandrenella) crisa** Warncke,1975 (Andrenidae) Synonym(s): crisa Warncke,1975 Range (in code): TR 25
- 11968. Andrena (Parandrenella) dentiventris** Morawitz,1874 (Andrenidae) Synonym(s): dentiventris Morawitz,1874 Range (in code): TR 25 49
- 11969. Andrena (Parandrenella) figurata** Morawitz,1866 (Andrenidae) Synonym(s): figurata Morawitz,1866 Range (in code): CY TR 25
- 11970. Andrena (Parandrenella) nisoria** Warncke,1969 (Andrenidae) Synonym(s): nisoria Warncke,1969 Range (in code): TR CY LB IL Pa
- 11971. Andrena (Pecilandrena) kilikiae** Warncke,1969 (Andrenidae) Synonym(s): kilikiae Warncke,1969 Range (in code): TR LB IL Pa 33
- 11972. Andrena (Plastandrena) apiformis** Kriechbaumer,1873 (Andrenidae) Synonym(s): apiformis Kriechbaumer,1873 Range (in code): GR TR 07 25 38
- 11973. Andrena (Plastandrena) balucha** Nurse,1904 (Andrenidae) Synonym(s): balucha Nurse,1904 Range (in code): PK Bl Qu
- 11974. Andrena (Plastandrena) bimaculata** (Kirby,1802) (Andrenidae) Synonym(s): bimaculata Kirby,1802 Range (in code): SS GR CY TR IL Pa 09 24 25 49
- 11975. Andrena (Plastandrena) carbonaria** (Linnaeus,1767) (Andrenidae) Synonym(s): carbonaria Linnaeus,1767 Range (in code): TR 12 23 25 29 49 62
- 11976. Andrena (Plastandrena) cypricola** Mavromoustakis,1952 (Andrenidae) Synonym(s): cypricola Mavromoustakis,1952 Range (in code): CY
- 11977. Andrena (Plastandrena) eversmanni** Radoszkowski,1867 (Andrenidae) Synonym(s): eversmanni Radoszkowski,1867 Range (in code): TR



- 11978. Andrena (Plastandrena) hera** Nurse,1904 (Andrenidae) Synonym(s): hera Nurse,1904 Range (in code): PK Bl Qu
- 11979. Andrena (Plastandrena) mongolica** Morawitz,1880 (Andrenidae) Synonym(s): mongolica Morawitz,1880 Range (in code): MN IR TR 38
- 11980. Andrena (Plastandrena) pilipes** Fabricius,1781 (Andrenidae) Synonym(s): pilipes Fabricius,1781; dolorosa Nurse,1904 Range (in code): HU GR Ae Le Rd Cr TR JO IL Pa LY PK 65 76
- 11981. Andrena (Plastandrena) tibialis** (Kirby,1802) (Andrenidae) Synonym(s): tibialis Kirby,1802; vindobonensis Stoeckhert,1950; porzana Warncke,1975; concreta Warncke,1975 Range (in code): GR TR 05 07 25 38 49 75
- 11982. Andrena (Poecilandrena) adjacens** Morawitz,1876 (Andrenidae) Synonym(s): adjacens Morawitz,1876 Range (in code): AM Gyu Srk Cc
- 11983. Andrena (Poecilandrena) bytinskii** Warncke,1969 (Andrenidae) Synonym(s): bytinskii Warncke,1969 Range (in code): IL Pa TR
- 11984. Andrena (Poecilandrena) ciconia** Warncke,1975 (Andrenidae) Synonym(s): ciconia Warncke,1975 Range (in code): TR
- 11985. Andrena (Poecilandrena) crassana** Warncke,1965 (Andrenidae) Synonym(s): crassana Warncke,1965; inka Warncke,1969 Range (in code): GR SY IL Pa TR
- 11986. Andrena (Poecilandrena) hybrida** Warncke,1975 (Andrenidae) Synonym(s): hybrida Warncke,1975; tauriensis Waencke,1975 Range (in code): TR 25 49
- 11987. Andrena (Poecilandrena) labiata** Fabricius,1781 (Andrenidae) Synonym(s): labiata Fabricius,1781 Range (in code): SS GR TR 25 76
- 11988. Andrena (Poecilandrena) laticeps** Morawitz,1877 (Andrenidae) Synonym(s): laticeps Morawitz,1877 Range (in code): TR 24
- 11989. Andrena (Poecilandrena) limassolica** Mauromoustakis,1948 (Andrenidae) Synonym(s): limassolica Mauromoustakis,1948 Range (in code): CY
- 11990. Andrena (Poecilandrena) paradisaea** Warncke,1975 (Andrenidae) Synonym(s): paradisaea Warncke,1975 Range (in code): TR
- 11991. Andrena (Poecilandrena) regina** Friese,1921 (Andrenidae) Synonym(s): regina Friese,1921 Range (in code): TR
- 11992. Andrena (Poecilandrena) rusticola** Warncke,1975 (Andrenidae) Synonym(s): rusticola Warncke,1975 Range (in code): TR
- 11993. Andrena (Poecilandrena) saturata** Warncke,1975 (Andrenidae) Synonym(s): saturata Warncke,1975 Range (in code): TR
- 11994. Andrena (Poecilandrena) seminuda** Friese,1896 (Andrenidae) Synonym(s): seminuda Friese,1896 Range (in code): SS GR Ae Le TR
- 11995. Andrena (Poecilandrena) semirubra** Morawitz,1876 (Andrenidae) Synonym(s): semirubra Morawitz,1876 Range (in code): TR IL Pa 24 25
- 11996. Andrena (Poecilandrena) sphecodimorpha** Hedicke,1942 (Andrenidae) Synonym(s): sphecodimorpha Hedicke,1942 Range (in code): GR Ae Le IL Pa
- 11997. Andrena (Poecilandrena) viridescens** Viereck,1916 (Andrenidae) Synonym(s): viridescens Viereck,1916 Range (in code): SS GR TR
- 11998. Andrena (Poliandrena) caspica** Morawitz,1886 (Andrenidae) Synonym(s): caspica Morawitz,1886; uncinata Friese,1899 Range (in code): GR TR SY LB IL Pa
- 11999. Andrena (Poliandrena) castanea** Warncke,1975 (Andrenidae) Synonym(s): castanea Warncke,1975 Range (in code): TR
- 12000. Andrena (Poliandrena) florea** Fabricius,1793 (Andrenidae) Synonym(s): florea Fabricius,1793 Range (in code): SS GR Cr TR 25
- 12001. Andrena (Poliandrena) guttata** Warncke,1969 (Andrenidae) Synonym(s): guttata Warncke,1969 Range (in code): IL Pa EG Sn
- 12002. Andrena (Poliandrena) hibernica** Warncke,1975 (Andrenidae) Synonym(s): hibernica Warncke,1975; caucasica Warncke,1975 Range (in code): TR
- 12003. Andrena (Poliandrena) limbata** Eversmann,1852 (Andrenidae) Synonym(s): limbata Eversmann,1852; squamea Giraud,1863; dusmeti Warncke,1967 Range (in code): GR Ae Le Rd TR 25
- 12004. Andrena (Poliandrena) melanota** Warncke,1975 (Andrenidae) Synonym(s): melanota Warncke,1975 Range (in code): TR 25
- 12005. Andrena (Poliandrena) mollissima** Warncke,1975 (Andrenidae) Synonym(s): mollissima Warncke,1975 Range (in code): TR
- 12006. Andrena (Poliandrena) ornata** Morawitz,1866 (Andrenidae) Synonym(s): ornata Morawitz,1866 Range (in code): TR
- 12007. Andrena (Poliandrena) polita** Smith,1847 (Andrenidae) Synonym(s): polita Smith,1847 Range (in code): GR Ae Rd Le TR LB IL Pa EG LY 24 25 42 75
- 12008. Andrena (Poliandrena) pyrozonata** Friese,1921 (Andrenidae) Synonym(s): pyrozonata Friese,1921 Range (in code): TR CY

- 12009. Andrena (Poliandrena) toelgiana Friese,1921** (Andrenidae) Synonym(s): toelgiana Friese,1921  
Range (in code): GR Ae Le TR SY LB IL Pa
- 12010. Andrena (Ptilandrena) glidia Warncke,1965** (Andrenidae) Synonym(s): glidia Warncke,1965  
Range (in code): GR Cr CY TR
- 12011. Andrena (Ptilandrena) kornosica Mavromoustakis,1954** (Andrenidae) Synonym(s): kornosica Mavromoustakis,1954 Range (in code): CY
- 12012. Andrena (Ptilandrena) vetula Lepeletier,1841** (Andrenidae) Synonym(s): vetula Lepeletier,1841  
Range (in code): GR CY SY TR LB IL Pa EG LY 25
- 12013. Andrena (s.str.) bulgariensis Warncke,1965** (Andrenidae) Synonym(s): bulgariensis Warncke,1965 Range (in code): TR 36
- 12014. Andrena (s.str.) fucata Smith,1847** (Andrenidae) Synonym(s): fucata Smith,1847 Range (in code): SS GR TR
- 12015. Andrena (s.str.) helvola (Linnaeus,1758)** (Andrenidae) Synonym(s): helvola Linnaeus,1758  
Range (in code): SS DE TR 06
- 12016. Andrena (s.str.) inconstans Morawitz,1877** (Andrenidae) Synonym(s): inconstans Morawitz,1877 Range (in code): TR
- 12017. Andrena (s.str.) praecox (Scopoli,1763)** (Andrenidae) Synonym(s): praecox Scopoli,1763 Range (in code): SS TR
- 12018. Andrena (s.str.) synadelpha Perkins,1914** (Andrenidae) Synonym(s): synadelpha Perkins,1914  
Range (in code): TR
- 12019. Andrena (s.str.) varians (Kirby,1802)** (Andrenidae) Synonym(s): varians Kirby,1802 Range (in code): SS TR
- 12020. Andrena (s.tr.) mitis Schmiedeknecht,1883** (Andrenidae) Synonym(s): mitis Schmiedeknecht,1883 Range (in code): SS GR TR
- 12021. Andrena (Scitandrena) scita Eversmann,1852** (Andrenidae) Synonym(s): scita Eversmann,1852 Range (in code): GR Ae Le Rd Cr TR IR 25
- 12022. Andrena (Simandrena) cinnamonea Warncke,1975** (Andrenidae) Synonym(s): cinnamonea Warncke,1975 Range (in code): TR
- 12023. Andrena (Simandrena) combinata (Christ,1791)** (Andrenidae) Synonym(s): combinata Christ,1791 Range (in code): GR Cr CY LB IL Pa TR 25 76
- 12024. Andrena (Simandrena) congruens Schmiedeknecht,1883** (Andrenidae) Synonym(s): congruens Schmiedeknecht,1883 Range (in code): GR IL Pa TR 25
- 12025. Andrena (Simandrena) dorsata (Kirby,1802)** (Andrenidae) Synonym(s): dorsata Kirby,1802  
Range (in code): SS GR TR LB IL Pa 12 24 25 36 49
- 12026. Andrena (Simandrena) gasparella Patiny,1998** (Andrenidae) Synonym(s): gasparella Patiny,1998 Range (in code): TR 42
- 12027. Andrena (Simandrena) lepida Schenck,1861** (Andrenidae) Synonym(s): lepida Schenck,1861; mecrana Warncke,1975 Range (in code): GR Ae Le CY LB IL Pa TR 25
- 12028. Andrena (Simandrena) mehelyi Alfken,1936** (Andrenidae) Synonym(s): mehelyi Alfken,1936  
Range (in code): TR
- 12029. Andrena (Simandrena) melba Warncke,1966** (Andrenidae) Synonym(s): melba Warncke,1966  
Range (in code): TR JO 04 25 36
- 12030. Andrena (Simandrena) nucleola Warncke,1972** (Andrenidae) Synonym(s): nucleola Warncke,1972 Range (in code): GR TR 25
- 12031. Andrena (Simandrena) selenae Gusenleitner,1994** (Andrenidae) Synonym(s): selenae Gusenleitner,1994 Range (in code): EG Sn
- 12032. Andrena (Simandrena) thomsoni Dücke,1898** (Andrenidae) Synonym(s): thomsoni Dücke,1898 Range (in code): SS GR Cr TR 25
- 12033. Andrena (Simandrena) transitoria Morawitz,1872** (Andrenidae) Synonym(s): transitoria Morawitz,1872 Range (in code): GR CY SY LB IL Pa TR 25 36
- 12034. Andrena (Simandrena) venerabilis Alfken,1935** (Andrenidae) Synonym(s): venerabilis Alfken,1935 Range (in code): TR LB IL Pa
- 12035. Andrena (Suandrena) aegypticola Friese,1922** (Andrenidae) Synonym(s): ?venusta Walker,1871; aegypticola Friese,1922; larnacensis Mavromoustakis,1954 Range (in code): EG CY
- 12036. Andrena (Suandrena) cyanomicans Pérez,1895** (Andrenidae) Synonym(s): cyanomicans Pérez,1895 Range (in code): EG IL Pa
- 12037. Andrena (Suandrena) mirna Warncke,1969** (Andrenidae) Synonym(s): mirna Warncke,1969  
Range (in code): TR
- 12038. Andrena (Suandrena) peridonea Cockerell,1920** (Andrenidae) Synonym(s): peridonea Cockerell,1920 Range (in code): PK Nwf AF
- 12039. Andrena (Suandrena) savignyi Spinola,1838** (Andrenidae) Synonym(s): savignyi Spinola,1838  
Range (in code): EG Sn IL Pa

- 12040. Andrena (Suandrena) sobrina Warncke, 1975** (Andrenidae) Synonym(s): sobrina Warncke, 1975  
Range (in code): TR
- 12041. Andrena (Taeniandrena) gelriae Van der Vecht, 1927** (Andrenidae) Synonym(s): gelriae Van der Vecht, 1927 Range (in code): TR 25
- 12042. Andrena (Taeniandrena) hova Warncke, 1975** (Andrenidae) Synonym(s): hova Warncke, 1975  
Range (in code): TR 25
- 12043. Andrena (Taeniandrena) intermedia Thomson, 1870** (Andrenidae) Synonym(s): intermedia Thomson, 1870 Range (in code): GR TR
- 12044. Andrena (Taeniandrena) lathyri Alfken, 1899** (Andrenidae) Synonym(s): lathyri Alfken, 1899  
Range (in code): SS GR TR 25
- 12045. Andrena (Taeniandrena) leucopsis Warncke, 1967** (Andrenidae) Synonym(s): leucopsis Warncke, 1967; finschii Warncke, 1975 Range (in code): GR TR LB 25 76
- 12046. Andrena (Taeniandrena) morinella Warncke, 1975** (Andrenidae) Synonym(s): morinella Warncke, 1975 Range (in code): TR 33 70
- 12047. Andrena (Taeniandrena) ocreata (Christ, 1791)** (Andrenidae) Synonym(s): ocreata Christ, 1791  
Range (in code): TR 25
- 12048. Andrena (Taeniandrena) ovatula (Kirby, 1802)** (Andrenidae) Synonym(s): ovatula Kirby, 1802; poupillieri Dours, 1872; heliopis Friese, 1914 Range (in code): SS GR Ae Le Cr CY TR IL Pa EG LY 23 25 49 62 69
- 12049. Andrena (Taeniandrena) phoenicura Warncke, 1975** (Andrenidae) Synonym(s): phoenicura Warncke, 1975 Range (in code): TR 25 44
- 12050. Andrena (Taeniandrena) producta Warncke, 1973** (Andrenidae) Synonym(s): producta Warncke, 1973 Range (in code): SS TR
- 12051. Andrena (Taeniandrena) sexguttata Morawitz, 1878** (Andrenidae) Synonym(s): sexguttata Morawitz, 1878 Range (in code): TR
- 12052. Andrena (Taeniandrena) similis Smith, 1849** (Andrenidae) Synonym(s): similis Smith, 1849  
Range (in code): SS GR Ae Le CY LB IL Pa TR
- 12053. Andrena (Taeniandrena) solitaria Warncke, 1975** (Andrenidae) Synonym(s): solitaria Warncke, 1975 Range (in code): TR 25
- 12054. Andrena (Taeniandrena) wilkella (Kirby, 1802)** (Andrenidae) Synonym(s): wilkella Kirby, 1802  
Range (in code): TR SS GR CY 25 36
- 12055. Andrena (Tarsandrena) tarsata Nylander, 1848** (Andrenidae) Synonym(s): tarsata Nylander, 1848 Range (in code): SS GR TR
- 12056. Andrena (Thysandrena) biemarginata Nurse, 1904** (Andrenidae) Synonym(s): biemarginata Nurse, 1904 Range (in code): PK
- 12057. Andrena (Thysandrena) helouanensis Friese, 1899** (Andrenidae) Synonym(s): helouanensis Friese, 1899 Range (in code): EG JO
- 12058. Andrena (Thysandrena) hypopolia Schmiedeknecht, 1883** (Andrenidae) Synonym(s): hypopolia Schmiedeknecht, 1883; albiscopa Warncke, 1967 Range (in code): LY SS GR TR 25
- 12059. Andrena (Thysandrena) lunata Warncke, 1975** (Andrenidae) Synonym(s): lunata Warncke, 1975  
Range (in code): TR 25
- 12060. Andrena (Thysandrena) ranuncolorum Morawitz, 1878** (Andrenidae) Synonym(s): ranuncolorum Morawitz, 1878 Range (in code): TR 25
- 12061. Andrena (Trachandrena) haemorrhoea (Fabricius, 1781)** (Andrenidae) Synonym(s): haemorrhoea Fabricius, 1781 Range (in code): SS GR Ae Le TR 25
- 12062. Andrena (Truncandrena) moricei Friese, 1899** (Andrenidae) Synonym(s): moricei Friese, 1899  
Range (in code): IL Pa
- 12063. Andrena (Truncandrena) mucronata Morawitz, 1871** (Andrenidae) Synonym(s): mucronata Morawitz, 1871; albida Warncke, 1967 Range (in code): TN GR IL Pa
- 12064. Andrena (Truncandrena) noacki Alfken, 1935** (Andrenidae) Synonym(s): noacki Alfken, 1935  
Range (in code): TR
- 12065. Andrena (Troandrena) saettana Warncke, 1975** (Andrenidae) Synonym(s): saettana Warncke, 1975 Range (in code): GR Rd Ae Sms TR CY
- 12066. Andrena (Troandrena) trodica Warncke, 1975** (Andrenidae) Synonym(s): trodica Warncke, 1975  
Range (in code): CY TR
- 12067. Andrena (Truncandrena) albopicta Radoszkowski, 1874** (Andrenidae) Synonym(s): albopicta Radoszkowski, 1874 Range (in code): TR IQ IR 75
- 12068. Andrena (Truncandrena) bassana Warncke, 1969** (Andrenidae) Synonym(s): bassana Warncke, 1969; etesiaca Warncke, 1975 Range (in code): IL Pa LB TR
- 12069. Andrena (Truncandrena) canae Strand, 1915** (Andrenidae) Synonym(s): canae Strand, 1915  
Range (in code): GR Cr CY TR LB
- 12070. Andrena (Truncandrena) citrinella Warncke, 1967** (Andrenidae) Synonym(s): citrinella Warncke, 1967 Range (in code): TR 25



- 12071. Andrena (Truncandrena) delphiensis** Warncke,1965 (Andrenidae) Synonym(s): delphiensis Warncke,1965 Range (in code): GR TR
- 12072. Andrena (Truncandrena) derbentina** Morawitz,1886 (Andrenidae) Synonym(s): derbentina Morawitz,1886 Range (in code): GR Cc TR IL Pa 25
- 12073. Andrena (Truncandrena) fabalis** Warncke,1966 (Andrenidae) Synonym(s): fabalis Warncke,1966 Range (in code): TR
- 12074. Andrena (Truncandrena) fuligula** Warncke,1966 (Andrenidae) Synonym(s): fuligula Warncke,1966 Range (in code): TR JO IL Pa
- 12075. Andrena (Truncandrena) medeninensis** Pérez,1895 (Andrenidae) Synonym(s): medeninensis Pérez,1895; usura Warncke,1967 Range (in code): TR CY EG 44
- 12076. Andrena (Truncandrena) mizorhina** Warncke,1975 (Andrenidae) Synonym(s): mizorhina Warncke,1975 Range (in code): TR IL Pa
- 12077. Andrena (Truncandrena) oulskii** Radoszkowski,1867 (Andrenidae) Synonym(s): oulskii Radoszkowski,1867 Range (in code): TR 25 76
- 12078. Andrena (Truncandrena) paramythensis** Mavromoustakis,1957 (Andrenidae) Synonym(s): paramythensis Mavromoustakis,1957 Range (in code): TR
- 12079. Andrena (Truncandrena) pareklisiae** Kriechbaumer,1873 (Andrenidae) Synonym(s): pareklisiae Kriechbaumer,1873 Range (in code): CY
- 12080. Andrena (Truncandrena) roseotincta** Warncke,1975 (Andrenidae) Synonym(s): roseotincta Warncke,1975 Range (in code): TR
- 12081. Andrena (Truncandrena) rufomaculata** Friese,1921 (Andrenidae) Synonym(s): rufomaculata Friese,1921 Range (in code): GR Ae Le Sms Cr CY TR LB IL Pa
- 12082. Andrena (Truncandrena) schmiedeknehti** Magretti,1883 (Andrenidae) Synonym(s): schmiedeknehti Magretti,1883; flavopilis Warncke,1965 Range (in code): GR Ae Le Cr TR 25 36
- 12083. Andrena (Truncandrena) seitzi** Alfken,1935 (Andrenidae) Synonym(s): seitzi Alfken,1935 Range (in code): TR IL Pa
- 12084. Andrena (Truncandrena) serraticornis** Warncke,1965 (Andrenidae) Synonym(s): serraticornis Warncke,1965 Range (in code): TR GR IL Pa 44
- 12085. Andrena (Truncandrena) truncatilabris** Morawitz,1877 (Andrenidae) Synonym(s): truncatilabris Morawitz,1877 Range (in code): SS GR Ae Le Cr CY TR SY LB IL Pa 25 36 49
- 12086. Andrena (Truncandrena) tscheki** Morawitz,1872 (Andrenidae) Synonym(s): tscheki Morawitz,1872; tritica Warncke,1965 Range (in code): TR SS GR IL Pa JO
- 12087. Andrena (Truncandrena) ulula** Warncke,1969 (Andrenidae) Synonym(s): ulula Warncke,1969 Range (in code): TR LB IL Pa
- 12088. Andrena (Ulandrena) abbreviata** Dours,1873 (Andrenidae) Synonym(s): abbreviata Dours,1873 Range (in code): TR GR IL Pa Cr CY 25
- 12089. Andrena (Ulandrena) acerba** Warncke,1967 (Andrenidae) Synonym(s): acerba Warncke,1967 Range (in code): GR TR 01 23
- 12090. Andrena (Ulandrena) callida** Warncke,1974 (Andrenidae) Synonym(s): callida Warncke,1974 Range (in code): EG JO
- 12091. Andrena (Ulandrena) cantiaa** Warncke,1975 (Andrenidae) Synonym(s): cantiaa Warncke,1975; infusata Warncke,1975 Range (in code): GR TR 25
- 12092. Andrena (Ulandrena) combaella** Warncke,1966 (Andrenidae) Synonym(s): combaella Warncke,1966 Range (in code): GR TR 25
- 12093. Andrena (Ulandrena) concinna** Smith,1853 (Andrenidae) Synonym(s): concinna Smith,1853; crecca Warncke,1965 Range (in code): MK TR 16 25
- 12094. Andrena (Ulandrena) dauma** Warncke,1969 (Andrenidae) Synonym(s): dauma Warncke,1969 Range (in code): TR IL Pa
- 12095. Andrena (Ulandrena) elegans** Giraund,1863 (Andrenidae) Synonym(s): elegans Giraund,1863 Range (in code): TR 25
- 12096. Andrena (Ulandrena) flavofacies** Nurse,1904 (Andrenidae) Synonym(s): flavofacies Nurse,1904 Range (in code): PK BI Qu
- 12097. Andrena (Ulandrena) fulvitaris** Brullé,1832 (Andrenidae) Synonym(s): fulvitaris Brullé,1832 Range (in code): GR TR IL Pa 25
- 12098. Andrena (Ulandrena) glareola** Warncke,1969 (Andrenidae) Synonym(s): glareola Warncke,1969 Range (in code): TR IL Pa
- 12099. Andrena (Ulandrena) heinrichi** Grünwaldt,2005 (Andrenidae) Synonym(s): heinrichi Grünwaldt,2005 Range (in code): GR TR 09
- 12100. Andrena (Ulandrena) isabellina** Warncke,1969 (Andrenidae) Synonym(s): isabellina Warncke,1969 Range (in code): TR IL Pa Js 31 46 47 73 79
- 12101. Andrena (Ulandrena) neocyprica** Mavromoustakis,1956 (Andrenidae) Synonym(s): neocyprica Mavromoustakis,1956 Range (in code): GR Ae Le Rd CY TR

- 12102. Andrena (Ulandrena) osychniukae Radoszkowski,1867** (Andrenidae) Synonym(s): osychniukae Radoszkowski,1867 Range (in code): GR Ae Le Rd TR
- 12103. Andrena (Ulandrena) polemediana Mavromoustakis,1956** (Andrenidae) Synonym(s): polemediana Mavromoustakis,1956 Range (in code): CY TR
- 12104. Andrena (Ulandrena) satellita Nurse,1904** (Andrenidae) Synonym(s): satellita Nurse,1904 Range (in code): PK Bl Qu
- 12105. Andrena (Ulandrena) schulzi Strand,1921** (Andrenidae) Synonym(s): schulzi Strand,1921; alba Warncke,1967 Range (in code): GR Rd Cr Ae Le TR
- 12106. Andrena (Ulandrena) speciosa Friese,1899** (Andrenidae) Synonym(s): speciosa Friese,1899 Range (in code): IL Pa EG LY
- 12107. Andrena (Zoandrena) gazella Friese,1922** (Andrenidae) Synonym(s): gazella Friese,1922; flammea Warncke,1975 Range (in code): TR EG 25
- 12108. Andrena (Zonandrena) chrysopyga Schenck,1853** (Andrenidae) Synonym(s): chrysopyga Schenck,1853 Range (in code): GR TR 25
- 12109. Andrena (Zonandrena) cretica Strand,1915** (Andrenidae) Synonym(s): cretica Strand,1915 Range (in code): Cr IL Pa
- 12110. Andrena (Zonandrena) flavipes Panzer,1799** (Andrenidae) Synonym(s): flavipes Panzer,1799 Range (in code): SS GR EG CY JO TR 23 25 62 76
- 12111. Andrena (Zonandrena) gravida Imhoff,1832** (Andrenidae) Synonym(s): gravida Imhoff,1832 Range (in code): SS GR Ae Le TR
- 12112. Andrena (Zonandrena) hungarica Friese,1887** (Andrenidae) Synonym(s): hungarica Friese,1887; macroura Warncke,1975 Range (in code): HU TR 25
- 12113. Andrena (Zonandrena) lophura Warncke,1975** (Andrenidae) Synonym(s): lophura Warncke,1975; anatoliae Warncke,1975 Range (in code): TR 25
- 12114. Andrena (Zonandrena) quadrimaculata Friese,1921** (Andrenidae) Synonym(s): quadrimaculata Friese,1921 Range (in code): GR TR 25 36
- 12115. Andrena (Zonandrena) sigiella Gusenleitner,1998** (Andrenidae) Synonym(s): sigiella Gusenleitner,1998 Range (in code): SY IL Pa JO IQ
- 12116. Andrena (Zonandrena) soror Dours,1872** (Andrenidae) Synonym(s): soror Dours,1872 Range (in code): TR 25 36 49 69
- 12117. Andrena (Zonandrena) vachali Pérez,1895** (Andrenidae) Synonym(s): vachali Pérez,1895 Range (in code): IL Pa EG Sn LY
- 12118. Andrena biguttata Friese,1922** (Andrenidae) Synonym(s): biguttata Friese,1922 Range (in code): TR
- 12119. Andrena fuscocalcarata Morawitz,1878** (Andrenidae) Synonym(s): fuscocalcarata Morawitz,1878 Range (in code): TR GR IL Pa 25
- 12120. Andrena murrensis Cockerell,1923** (Andrenidae) Synonym(s): murrensis Cockerell,1923 Range (in code): PK Pj Mre
- 12121. Andrena niveobarbata Nurse,1904** (Andrenidae) Synonym(s): niveobarbata Nurse,1904 Range (in code): PK Bl Qu
- 12122. Andrena oxyura Warncke,1975** (Andrenidae) Synonym(s): oxyura Warncke,1975 Range (in code): TR
- 12123. Andrena rotundilabris Morawitz,1878** (Andrenidae) Synonym(s): rotundilabris Morawitz,1878 Range (in code): GR Ae Le TR LB IL Pa 25
- 12124. Andrena tkalcui Gusenleitner & Schwarz,2002** (Andrenidae) Synonym(s): testacea Warncke,1975 nec D.-T.,1877; tkalcui Gusenleitner & Schwarz,2002 Range (in code): TR
- 12125. Camptopoeum (Epimethea) nigrotum (Warncke,1987)** (Andrenidae) Synonym(s): nigrotum Warncke,1987 Range (in code): TR IL Pa
- 12126. Camptopoeum (Epimethea) pictipes (Morawitz,1876)** (Andrenidae) Synonym(s): pictipes Morawitz,1876 Range (in code): TR 30 33 50 56 63
- 12127. Camptopoeum (Epimethea) rubrum (Warncke,1987)** (Andrenidae) Synonym(s): rubrum Warncke,1987 Range (in code): TR
- 12128. Camptopoeum (Epimethea) subflavum (Warncke,1987)** (Andrenidae) Synonym(s): subflavum Warncke,1987 Range (in code): TR 23 56 62
- 12129. Camptopoeum (Epimethea) variegatum (Morawitz,1876)** (Andrenidae) Synonym(s): variegatum Morawitz,1876; kilikiae Warncke,1972 Range (in code): TR
- 12130. Camptopoeum (Epimethea) warncke (Patiny,1999)** (Andrenidae) Synonym(s): warncke Patiny,1999 Range (in code): IR
- 12131. Camptopoeum (s.str.) frontale (Fabricius,1804)** (Andrenidae) Synonym(s): frontale Fabricius,1804; sacrum Alfken,1935; triticum Warncke,1972 Range (in code): GR Ae Le TR
- 12132. Camptopoeum friesei Mocsary,1894** (Andrenidae) Synonym(s): friesei Mocsary,1894; densum Warncke,1972 Range (in code): TR

- 12133. *Camptopoeum negevensis* (Warncke,1972)** (Andrenidae) Synonym(s): *negevensis* Warncke,1972  
Range (in code): IL Pa EG Sn
- 12134. *Clavipanurgus anatolicus* (Warncke,1972)** (Andrenidae) Synonym(s): *anatolicus* Warncke,1972  
Range (in code): TR MK
- 12135. *Clavipanurgus clavatus* (Warncke,1972)** (Andrenidae) Synonym(s): *clavatus* Warncke,1972  
Range (in code): TR
- 12136. *Clavipanurgus eurystylus* Patiny,2002** (Andrenidae) Synonym(s): *eurystylus* Patiny,2002  
Range (in code): Cc GG
- 12137. *Clavipanurgus gusenleitneri* Patiny,2004** (Andrenidae) Synonym(s): *gusenleitneri* Patiny,2004  
Range (in code): SY
- 12138. *Clavipanurgus impressus* (Warncke,1972)** (Andrenidae) Synonym(s): *impressus* Warncke,1972  
Range (in code): IL Pa JO SY TR Cc GG
- 12139. *Clavipanurgus orientalicus* (Warncke,1972)** (Andrenidae) Synonym(s): *orientalicus* Warncke,1972  
Range (in code): IL Pa TR
- 12140. *Clavipanurgus punctiventris* (Morawitz,1876)** (Andrenidae) Synonym(s): *punctiventris* Morawitz,1876  
Range (in code): IL Pa TR Cc GG
- 12141. *Clavipanurgus sculpturatus* (Morawitz,1873)** (Andrenidae) Synonym(s): *sculpturatus* Morawitz,1873  
Range (in code): GR MK BG TR
- 12142. *Clavipanurgus stylus* (Warncke,1987)** (Andrenidae) Synonym(s): *stylus* Warncke,1987  
Range (in code): TR
- 12143. *Gasparinahla megapalpa* Patiny,2001** (Andrenidae) Synonym(s): *megapalpa* Patiny,2001  
Range (in code): IR
- 12144. *Melitturga caucasica* Morawitz,1878** (Andrenidae) Synonym(s): *caucasica* Morawitz,1878  
Range (in code): Cc IR
- 12145. *Melitturga clavicornis* (Latreille,1806)** (Andrenidae) Synonym(s): *clavicornis* Latreille,1806; *taurica* Friese,1926  
Range (in code): ES FR DE EE PL AT SK CZ HU IT GR RU TR IR AZ Cc GG AM UA Cm Elb Mz Th 25
- 12146. *Melitturga kraussi* Schwarz,2003** (Andrenidae) Synonym(s): *kraussi* Schwarz,2003  
Range (in code): IL Pa
- 12147. *Melitturga pictipes* Morawitz,1892** (Andrenidae) Synonym(s): *pictipes* Morawitz,1892; *heinrichi* Tkalcu,1978  
Range (in code): TR IR 25
- 12148. *Melitturga praestans* Giraud,1861** (Andrenidae) Synonym(s): *praestans* Giraud,1861; *caucasica* Morawitz,1878; *syriaca* Friese,1896  
Range (in code): GR Ae Le TR Cc CY SY IR Elb Mz 25
- 12149. *Melitturga spinosa* Morawitz,1892** (Andrenidae) Synonym(s): *spinosa* Morawitz,1892  
Range (in code): GR TR
- 12150. *Melitturga taurica* Friese,1922** (Andrenidae) Synonym(s): *taurica* Friese,1922  
Range (in code): MK BG IR Rd TR 25
- 12151. *Panurginus anatolicus* (Warncke,1972)** (Andrenidae) Synonym(s): *anatolicus* Warncke,1972  
Range (in code): TR
- 12152. *Panurginus brullei* (Lepeletier,1841)** (Andrenidae) Synonym(s): *brullei* Lepeletier,1841; *turcomanus* Popov,1936; *clarus* Warncke,1972  
Range (in code): TR 25
- 12153. *Panurginus cavus* (Warncke,1972)** (Andrenidae) Synonym(s): *cavus* Warncke,1972  
Range (in code): TR
- 12154. *Panurginus clavatus* (Warncke,1972)** (Andrenidae) Synonym(s): *clavatus* Warncke,1972  
Range (in code): TR
- 12155. *Panurginus corpanus* (Warncke,1972)** (Andrenidae) Synonym(s): *corpanus* Warncke,1972  
Range (in code): TR 25
- 12156. *Panurginus labiatus* (Eversmann,1852)** (Andrenidae) Synonym(s): *labiatus* Eversmann,1852  
Range (in code): TR
- 12157. *Panurginus lactipennis* Friese,1897** (Andrenidae) Synonym(s): *lactipennis* Friese,1897  
Range (in code): CY TR JO
- 12158. *Panurginus minustulus* (Warncke,1987)** (Andrenidae) Synonym(s): *minustulus* Warncke,1987  
Range (in code): TR
- 12159. *Panurginus montanus* Giraud,1861** (Andrenidae) Synonym(s): *montanus* Giraud,1861; *tyrolensis* Richards,1932; *ponticus* Warncke,1972  
Range (in code): GR TR
- 12160. *Panurginus orientalicus* (Warncke,1972)** (Andrenidae) Synonym(s): *orientalicus* Warncke,1972  
Range (in code): TR
- 12161. *Panurginus punctiventris* (Morawitz,1876)** (Andrenidae) Synonym(s): *punctiventris* Morawitz,1876  
Range (in code): TR 25
- 12162. *Panurginus sculpturatus* (Morawitz,1872)** (Andrenidae) Synonym(s): *sculpturatus* Morawitz,1872; *magnus* Warncke,1972  
Range (in code): TR 25
- 12163. *Panurginus stylus* (Warncke,1987)** (Andrenidae) Synonym(s): *stylus* Warncke,1987  
Range (in code): TR



- 12164. *Panurgus banksianus* (Kirby,1802)** (Andrenidae) Synonym(s): *banksianus* Kirby,1802 Range (in code): GR TR
- 12165. *Panurgus calcaratus* (Scopoli,1763)** (Andrenidae) Synonym(s): *calcaratus* Scopoli,1763 Range (in code): GR Ae Le TR
- 12166. *Panurgus dentipes* Latreille,1811** (Andrenidae) Synonym(s): *dentipes* Latreille,1811; *oblitus* Warncke,1972; *posticus* Warncke,1972; *sidensis* Warncke,1987 Range (in code): TR SY
- 12167. *Panurgus nigriscopus* Pérez,1895** (Andrenidae) Synonym(s): *nigriscopus* Pérez,1895 Range (in code): IL Pa EG Sn SA DZ
- 12168. *Plesiopanurgus (Zizopanurgus) ibex* Baker,1972** (Andrenidae) Synonym(s): *ibex* Baker,1972 Range (in code): TR
- 12169. *Plesiopanurgus (Zizopanurgus) zizus* (Warncke,1987)** (Andrenidae) Synonym(s): *zizus* Warncke,1987 Range (in code): TR
- 12170. *Plesiopanurgus cinerarius* Cameron,1907** (Andrenidae) Synonym(s): *cinerarius* Cameron,1907 Range (in code): IR
- 12171. *Plesiopanurgus richteri* (Schwammberger,1971)** (Andrenidae) Synonym(s): *richteri* Schwammberger,1971 Range (in code): IR
- 12172. *Ablerus atomon* (Walker,1847)** (Aphelinidae) Synonym(s): *atomon* Walker,1847 Range (in code): AR AT AZ Cc CZ EG FR Co GG DE IR IT PL RU Sb Us SK ES US TR
- 12173. *Ablerus celsus* (Walker,1839)** (Aphelinidae) Synonym(s): *celsus* Walker,1839; *britannicus* Alam,1956 Range (in code): TR GB FR
- 12174. *Ablerus chionaspidis* (Howard,1914)** (Aphelinidae) Synonym(s): *chionaspidis* Howard,1914; *qadrii* Agarwal,1964; *greateadi* Annecke & Insley,1970 Range (in code): EG IN Up IL Pa IT JP CN Fkn ES UG YU
- 12175. *Ablerus perspeciosus* Girault,1916** (Aphelinidae) Synonym(s): *perspeciosus* Girault,1916; *kashmirensis* Narayanan,1961; *bimaculatus* Khan & Shafee,1976 Range (in code): TR IN Up JP
- 12176. *Aphelinus asychis* Walker,1839** (Aphelinidae) Synonym(s): *asychis* Walker,1839; *euthria* Walker,1839; *affinis* Förster,1841; *brevicalcar* Thomson,1876; *dubia* Kurdjumov,1913; *brachyptera* Kurdjumov,1913 Range (in code): TR GB PK IN Hp Ass Ch Meg Up Ben NP
- 12177. *Aphelinus chaonia* Walker,1839** (Aphelinidae) Synonym(s): *chaonia* Walker,1839; *flavicornis* Förster,1841; *transversus* Thomson,1876 Range (in code): TR GB
- 12178. *Aphelinus mali* (Haldeman,1851)** (Aphelinidae) Synonym(s): *mali* Haldeman,1851; *rosae* Ashmead,1886; *varicornis* Girault,1909; *italica* Guercio,1925; *crocicidolomiae* Risbec,1951 Range (in code): TR CY US Fl GB IT SN IN Pj Hp Sml Klu Ch Ass Meg SI Ben Up
- 12179. *Aphelinus semiflavus* Howard,1908** (Aphelinidae) Synonym(s): *semiflavus* Howard,1908; *brevipennis* Girault,1917 Range (in code): US Oh Col TR
- 12180. *Aphelinus varipes* (Förster,1841)** (Aphelinidae) Synonym(s): *varipes* Förster,1841; *nigritus* Howard,1908; *toxopteraphidis* Kurdjumov,1913 Range (in code): TR UA
- 12181. *Aphytis abnormis* (Howard,1881)** (Aphelinidae) Synonym(s): *abnormis* Howard,1881 Range (in code): US TR
- 12182. *Aphytis aonidiae* (Mercet,1911)** (Aphelinidae) Synonym(s): *aonidiae* Mercet,1911; *dubius* De Santis,1948; *intermedius* De Santis,1948; *citrinus* Compere,1955 Range (in code): ES CY TR GG JP AR 32
- 12183. *Aphytis chilensis* Howard,1900** (Aphelinidae) Synonym(s): *chilensis* Howard,1900; *longiclavae* Mercet,1910; *capitis* Rust,1915; *signiphoroides* Brèthes,1916; *riadi* Delucchi,1964 Range (in code): CL US Cf ES TR CY LB AR
- 12184. *Aphytis chrysomphali* (Mercet,1912)** (Aphelinidae) Synonym(s): *chrysomphali* Mercet,1912; *silvestrii* De Gregorio,1914; *quaylei* Rust,1915; *mazandaranica* Kiriukhin,1946 Range (in code): CY TR IR Elb Mz
- 12185. *Aphytis diaspidis* (Howard,1881)** (Aphelinidae) Synonym(s): *diaspidis* Howard,1881; *fuscipennis* Howard,1881; *ovidii* Girault,1919; *opuntiae* Risbec,1952; *madagascariensis* Risbec,1952; *risbeci* Annecke & Insley,1971 Range (in code): US Fl CY TR MG AU QAU
- 12186. *Aphytis hispanicus* (Mercet,1912)** (Aphelinidae) Synonym(s): *hispanicus* Mercet,1912; *argentinus* Brèthes,1916; *bovelli* Malenotti,1918 Range (in code): AR ES TR
- 12187. *Aphytis holoxanthus* DeBach (7)** (Aphelinidae) Synonym(s): Range (in code): CY
- 12188. *Aphytis lepidosaphes* Compere,1955** (Aphelinidae) Synonym(s): *lepidosaphes* Compere,1955 Range (in code): CN CY TR
- 12189. *Aphytis libanicus* Traboulsi,1969** (Aphelinidae) Synonym(s): *libanicus* Traboulsi,1969 Range (in code): LB TR
- 12190. *Aphytis lingnanensis* Compere,1955** (Aphelinidae) Synonym(s): *lingnanensis* Compere,1955 Range (in code): CN CY TR
- 12191. *Aphytis luteus* (Ratzeburg)** (Aphelinidae) Synonym(s): Range (in code): CY
- 12192. *Aphytis maculicornis* (Masi,1911)** (Aphelinidae) Synonym(s): *maculicornis* Masi,1911 Range (in code): IT TR
- 12193. *Aphytis melinus* DeBach,1959** (Aphelinidae) Synonym(s): *melinus* DeBach,1959 Range (in code): CY TR 01

- 12194. Aphytis mytilaspidis (Le Baron,1870)** (Aphelinidae) Synonym(s): albidus Westwood,1837; mytilaspidis Le Baron,1870; variolosum Alam,1956; diaspidioti Chumakova,1957; ficus Traboulsi,1969 Range (in code): GB CY LB TR RU US
- 12195. Aphytis neuter Yasnosh & Myartseva,1971** (Aphelinidae) Synonym(s): neuter Yasnosh & Myartseva,1971 Range (in code): TM TR
- 12196. Aphytis proclia (Walker,1839)** (Aphelinidae) Synonym(s): proclia Walker,1839; zonatus Alam,1956; sugonjaevi Yasnosh,1972; chowdhurii Kaul,1974 Range (in code): GB GG Cc CY TR IN Hp
- 12197. Aphytis riyadhi DeBach (1)** (Aphelinidae) Synonym(s): Range (in code): SA
- 12198. Cales noacki Howard,1907** (Aphelinidae) Synonym(s): noacki Howard,1907; pallidus Brèthes,1914 Range (in code): BR AR TR
- 12199. Coccobius testaceus (Masi,1909)** (Aphelinidae) Synonym(s): testaceus Masi,1909 Range (in code): IT TR
- 12200. Coccophagoides moeris (Walker,1839)** (Aphelinidae) Synonym(s): moeris Walker,1839; janias Walker,1839; similis Masi,1908; ilicis Mercet,1921; parvipennis Ferriere,1955; silwoodensis Alam,1956 Range (in code): TR
- 12201. Coccophagus aterrimus Vikberg,1966** (Aphelinidae) Synonym(s): aterrimus Vikberg,1966; stepanovi Sugonjaev & Pilipyuk,1972 Range (in code): FI TR RU Sh
- 12202. Coccophagus bivittatus Compere,1931** (Aphelinidae) Synonym(s): bivittatus Compere,1931 Range (in code): AR EG IN IT IL Pa ZA
- 12203. Coccophagus ceroplastae (Howard,1895)** (Aphelinidae) Synonym(s): ceroplastae Howard,1895; orientalis Howard,1896; modesta Silvestri,1915; fumosipennis Girault,1915; citri Agarwal,1964; diaspidis Agarwal,1964; delhiensis Subba Rao & Rai,1969 Range (in code): AU NSw QAU BD BJ CU DO FJ FR HT Hw ID Ass Up Ben ID Ja Bli JM IL Pa JP MY NC PK PA CN Fkn Hn Sz Yu PH PR ZA LK TW US Cf VN VI BM
- 12204. Coccophagus cowperi Girault,1917** (Aphelinidae) Synonym(s): cowperi Girault,1917 Range (in code): GR IN Up IL Pa IT MA PG UG ZA US Cf Tx VE
- 12205. Coccophagus differens Yasnosh,1966** (Aphelinidae) Synonym(s): differens Yasnosh,1966 Range (in code): MD TR 32
- 12206. Coccophagus gurneyi Compere,1929** (Aphelinidae) Synonym(s): gurneyi Compere,1929 Range (in code): AU NSw CL GG Cc IT KE NZ PE ZA US Cf RU
- 12207. Coccophagus hawaiiensis Timberlake,1926** (Aphelinidae) Synonym(s): hawaiiensis Timberlake,1926 Range (in code): Hw BM IL Pa JP CN Pkn Fkn Sz Yu TW ZA US Cf
- 12208. Coccophagus insidiator (Dalman,1826)** (Aphelinidae) Synonym(s): insidiator Dalman,1826 Range (in code): SE TR
- 12209. Coccophagus kvavadze Japoshvili & Karaca,2002** (Aphelinidae) Synonym(s): kvavadze Japoshvili & Karaca,2002; kvavadzei Japoshvili & Karaca,2004 Range (in code): TR o6
- 12210. Coccophagus lycimnia (Walker,1839)** (Aphelinidae) Synonym(s): lycimnia Walker,1839; lecanii Fitch,1859; ater Howard,1881; cognatus Howard,1881; vividus Howard,1885; californicus Howard,1889; coccidis Girault,1917; corni Alam,1956; taxi Alam,1956 Range (in code): AR AM Cc AU AZ BE BM BR BG CA BCO On CL CO HV CU CY CZ SK EG FR GG DE GR Hw HU IN ID Ja Bli IL Pa JM JP KG MX MD MA NL CN Pkn Fkn PE PL PT PR RO RU Sb Sh Us ZA SE ES CH TW TT TR UG UA GB US Cf Col Fl Nj NMx Ny Oh Tx UZ YU
- 12211. Coccophagus ochraceus Howard,1895** (Aphelinidae) Synonym(s): ochraceus Howard,1895; bifasciaticorpus Girault,1916 Range (in code): BM CL ER Hw IN Up IL Pa KE MX ZA US Cf
- 12212. Coccophagus palaeolecanii Yasnosh,1957** (Aphelinidae) Synonym(s): palaeolecanii Yasnosh,1957 Range (in code): GG TR
- 12213. Coccophagus piceae Erdös,1956** (Aphelinidae) Synonym(s): piceae Erdös,1956 Range (in code): HU TR
- 12214. Coccophagus proximus Yasnosh,1956** (Aphelinidae) Synonym(s): proximus Yasnosh,1956 Range (in code): MD TR
- 12215. Coccophagus pulvinariae Compere,1931** (Aphelinidae) Synonym(s): pulvinariae Compere,1931; eritreaensis Compere,1931 Range (in code): CL CU ER IL Pa MX NG PE SN ZA SZ TZ US Cf
- 12216. Coccophagus saissetiae (Annecke & Mynhardt,1979)** (Aphelinidae) Synonym(s): saissetiae Annecke & Mynhardt,1979 Range (in code): IT IL Pa ZA US
- 12217. Coccophagus scutellaris (Dalman,1826)** (Aphelinidae) Synonym(s): scutellaris Dalman,1826; australiensis Girault,1917 Range (in code): AR AU BM BR CA BCo Cn Cc CZ DO EG FR GG DE GR HU IR IL Pa IT Si JP LB MX MA CN PL PT PR RU Sb Us Sh ZA ES CH TR UA US Cf Fl Org Nj UY VE YU
- 12218. Coccophagus semicircularis (Förster,1841)** (Aphelinidae) Synonym(s): semicircularis Förster,1841; xanthostictus Ratzeburg,1852; nigrifrons Wollaston,1858; lunulatus Howard,1894 Range (in code): AF AU CZ FR GG Cc DE GR IR IT Si Md SK SS ZA CH US Cf UY YU
- 12219. Coccophagus spartanus Japoshvili & Karaca,2002** (Aphelinidae) Synonym(s): spartanus Japoshvili & Karaca,2002 Range (in code): TR 32
- 12220. Encarsia aspidioticola (Mercet,1929)** (Aphelinidae) Synonym(s): aspidioticola Mercet,1929 Range (in code): TR

- 12221. Encarsia berlesei (Howard,1906)** (Aphelinidae) Synonym(s): berlesei Howard,1906 Range (in code): US TR
- 12222. Encarsia bimaculata Heraty & Polaszek,2000** (Aphelinidae) Synonym(s): bimaculata Heraty & Polaszek,2000 Range (in code): IL Pa IN SD? ID Ja PH TH AU QAU
- 12223. Encarsia citrina (Craw,1891)** (Aphelinidae) Synonym(s): citrina Craw,1891; howardi Brèthes,1914; shoeversi Smits van Burgst,1915; agilior Berlese,1917; severiniellus Ghesquière,1933; cyanophilli Alam,1956; silwoodensis Alam,1956 Range (in code): US Cf AR BR CN Fkn Sz IN LK TW BE EG DE IT ES GB TR
- 12224. Encarsia davidi Viggiani & Mazzone,1980** (Aphelinidae) Synonym(s): davidi Viggiani & Mazzone,1980 Range (in code): IL Pa EG
- 12225. Encarsia formosa Gahan,1924** (Aphelinidae) Synonym(s): formosa Gahan,1924 Range (in code): RE AU FJ PF Hw TO MX US Cf BR CR PR Cn IL Pa GB TR US
- 12226. Encarsia inaron (Walker,1839)** (Aphelinidae) Synonym(s): inaron Walker,1839; idaeus Walker,1839; parthenopea Masi,1909; indifferens Mercet,1929; aleyrodis Mercet,1930; brassicae Shafee & Bela,1984; borealis Hulten,1986 Range (in code): US IN Ass Up PK TW FI BG EG FR GR IL Pa HU ES IT JO TR RU
- 12227. Encarsia lahorensis (Howard,1911)** (Aphelinidae) Synonym(s): lahorensis Howard,1911 Range (in code): US Cf FI CN PK Pj TR GR IL Pa IT EG TW
- 12228. Encarsia leucaspidis (Mercet,1912)** (Aphelinidae) Synonym(s): leucaspidis Mercet,1912; coniferarum Ghesquière,1948 Range (in code): FR HU IT CH ES SE TR
- 12229. Encarsia lounsburyi (Berlese & Paoli,1916)** (Aphelinidae) Synonym(s): lounsburyi Berlese & Paoli,1916 Range (in code): AR CN Sz TW EG IT ES Md TR
- 12230. Encarsia lutea (Masi,1909)** (Aphelinidae) Synonym(s): lutea Masi,1909; sanctus Girault,1928 Range (in code): CY AU QAU TO CN Fkn IN PK TW EG IT RU
- 12231. Encarsia mineoi Viggiani,1982** (Aphelinidae) Synonym(s): mineoi Viggiani,1982 Range (in code): ES LY EG IL Pa SD
- 12232. Encarsia perniciosi (Tower,1913)** (Aphelinidae) Synonym(s): perniciosi Tower,1913; argentina De Santis,1948 Range (in code): AR CN Fkn Mc IN Hp Ch Up Pj TW TR FR CZ DE IT YU RU
- 12233. Encarsia sophia (Girault & Dodd,1915)** (Aphelinidae) Synonym(s): sophia Girault & Dodd,1915; transversana Timberlake,1926; sublutea Silvestri,1931; bemisiae Ishii,1938; flava Shafee,1973; shafeei Hayat,1986 Range (in code): BI CI CV NE SL SO AU QAU PF CN Sz IN ID PK LK TW TH JP TR
- 12234. Encarsia strenua (Silvestri,1927)** (Aphelinidae) Synonym(s): strenua Silvestri,1927 Range (in code): IT SY TR IN CN Fkn US Cf
- 12235. Encarsia tricolor Förster,1878** (Aphelinidae) Synonym(s): tricolor Förster,1878; coniugata Masi,1908 Range (in code): IT TR
- 12236. Encarsia vanharteni Viggiani,1987** (Aphelinidae) Synonym(s): vanharteni Viggiani,1987 Range (in code): YE
- 12237. Eretmocerus debachi Rose & Rosen,1992** (Aphelinidae) Synonym(s): debachi Rose & Rosen,1992 Range (in code): US Cf TR
- 12238. Eretmocerus diversiciliatus Silvestri,1915** (Aphelinidae) Synonym(s): diversiciliatus Silvestri,1915 Range (in code): SD EG IL Pa NG TR
- 12239. Eretmocerus emiratus Zolnerowich & Rose,1998** (Aphelinidae) Synonym(s): emiratus Zolnerowich & Rose,1998 Range (in code): AE
- 12240. Eretmocerus mundus Mercet,1931** (Aphelinidae) Synonym(s): mundus Mercet,1931; longipilus Khan & Shafee,1980 Range (in code): ES CY TR IN Up
- 12241. Eretmocerus nairobi Gerling,1970** (Aphelinidae) Synonym(s): nairobi Gerling,1970 Range (in code): KE Nai IL Pa
- 12242. Marietta leopardina Motschoulsky,1863** (Aphelinidae) Synonym(s): leopardina Motschoulsky,1863; javensis Howard,1907; indi Girault,1932; exitiosa Compere,1936; cheriani Mani,1939; habrolepidis Ghesquière,1960 Range (in code): GA ZR KE MG NA NG ZA ZW RU TR
- 12243. Marietta picta (André,1878)** (Aphelinidae) Synonym(s): picta André,1878; zebra Kurdjumov,1912; zebrata Mercet,1916; anglicus Blood,1929 Range (in code): TR
- 12244. Pteroptrix bicolor (Howard,1898)** (Aphelinidae) Synonym(s): bicolor Howard,1898; caucasicus Yasnosh,1955; callunae Alam,1956; zonatus Alam,1956 Range (in code): FR GB GG TR
- 12245. Pteroptrix lauri (Mercet,1911)** (Aphelinidae) Synonym(s): lauri Mercet,1911 Range (in code): TR
- 12246. Allodape libanensis (Fries,1899)** (Apidae) Synonym(s): libanensis Fries,1899 Range (in code): IL Pa LB TR 30 31 47 62 65 73
- 12247. Amegilla albigena (Lepeletier,1841)** (Apidae) Synonym(s): albigena Lepeletier,1841; albida Dours,1869 Range (in code): TR PK Bl Qu 75
- 12248. Amegilla candida (Smith,1879)** (Apidae) Synonym(s): candida Smith,1879 Range (in code): PK Bl Qu IR
- 12249. Amegilla garrula (Rossi,1790)** (Apidae) Synonym(s): garrula Rossi,1790; bombylans Mocsary,1879 Range (in code): ES FR IT GR SS HU TR 34
- 12250. Amegilla nigricornis (Morawitz,1873)** (Apidae) Synonym(s): nigricornis Morawitz,1873; picicornis Fedtschenko,1875 Range (in code): PK Bl Qu



- 12251. Amegilla quadrata (Cockerell,1911)** (Apidae) Synonym(s): quadrata Cockerell,1911; cyaneotincta Cockerell,1920 Range (in code): IN PK Abb
- 12252. Amegilla quadrifasciata (Villers,1789)** (Apidae) Synonym(s): quadrifasciata Villers,1789; albescens Dours,1869; merwensis Radoszkowski,1893; farinosa Alfken,1926; mediterranea Alfken,1927; teneriffensis Cockerell,1930 Range (in code): TR Cn TM IN LK 25 65 76
- 12253. Amegilla salviae (Morawitz,1876)** (Apidae) Synonym(s): salviae Morawitz,1876 Range (in code): TR 25
- 12254. Amegilla velocissima (Fedtschenko,1875)** (Apidae) Synonym(s): velocissima Fedtschenko,1875 Range (in code): PK Bl Qu
- 12255. Ammobates ancylae (Warncke,1983)** (Apidae) Synonym(s): ancylae Warncke,1983 Range (in code): TR 73
- 12256. Ammobates androstenes Engel,2009** (Apidae) Synonym(s): androstenes Engel,2009 Range (in code): AE SA
- 12257. Ammobates armeniacus Morawitz,1876** (Apidae) Synonym(s): armeniacus Morawitz,1876; atticus Mavromoustakis,1968 nec Mavr.,1963; graecus Warncke,1983 [ssp.]; tassus Warncke,1983 [ssp.] Range (in code): AM Cc Eri TR GR IL Pa 04 42 50
- 12258. Ammobates baueri (Warncke,1983)** (Apidae) Synonym(s): baueri Warncke,1983 Range (in code): TR 27
- 12259. Ammobates biastoides Friese,1895** (Apidae) Synonym(s): biastoides Friese,1895 Range (in code): IL Pa TR 33
- 12260. Ammobates cockerelli Popov,1951** (Apidae) Synonym(s): cockerelli Popov,1951 Range (in code): IR Kh
- 12261. Ammobates depressus Friese,1911** (Apidae) Synonym(s): depressus Friese,1911 Range (in code): TR Cc 23 33 36 42
- 12262. Ammobates globosus Mavromoustakis,1954** (Apidae) Synonym(s): globosus Mavromoustakis,1954 Range (in code): CY
- 12263. Ammobates iranica (Warncke,1983)** (Apidae) Synonym(s): iranica Warncke,1983 Range (in code): IR Ab Mak TR 63
- 12264. Ammobates mavromoustakisi Popov,1944** (Apidae) Synonym(s): mavromoustakisi Popov,1944 Range (in code): CY IL Pa TR UZ 63
- 12265. Ammobates nigrinus Morawitz,1875** (Apidae) Synonym(s): nigrinus Morawitz,1875 Range (in code): UZ TM
- 12266. Ammobates niveatus (Spinola,1838)** (Apidae) Synonym(s): niveatus Spinola,1838 Range (in code): EG Sn IL Pa
- 12267. Ammobates opacus Popov,1951** (Apidae) Synonym(s): opacus Popov,1951 Range (in code): AZ Cc Len BG UA KG
- 12268. Ammobates persicus Mavromoustakis,1968** (Apidae) Synonym(s): persicus Mavromoustakis,1968 Range (in code): IR Abn
- 12269. Ammobates robustus Friese,1896** (Apidae) Synonym(s): robustus Friese,1896; constrictus Mavromoustakis,1954 Range (in code): DZ GR IL Pa
- 12270. Ammobates rostratus Friese,1899** (Apidae) Synonym(s): rostratus Friese,1899; abeillei Pérez,1902; mutinensis Heinrich,1977 Range (in code): TR IL Pa 04 24 33
- 12271. Ammobates rufiventris Latreille,1809** (Apidae) Synonym(s): rufiventris Latreille,1809; rufipes Saunders,1908 Range (in code): DZ ES PT IT Si IL Pa
- 12272. Ammobates sanguineus Friese,1911** (Apidae) Synonym(s): sanguineus Friese,1911; hellenicus Mavromoustakis,1960 Range (in code): GR TR TM 33
- 12273. Ammobates similis Mocsary,1894** (Apidae) Synonym(s): similis Mocsary,1894 Range (in code): IT GR TR 25 55
- 12274. Ammobates solitarius Nurse,1904** (Apidae) Synonym(s): solitarius Nurse,1904 Range (in code): PK Bl Qu
- 12275. Ammobates syriacus Friese,1899** (Apidae) Synonym(s): syriacus Friese,1899; bytinskii Mavromoustakis,1954 Range (in code): DZ IL Pa
- 12276. Ammobates teheranicus Mavromoustakis,1968** (Apidae) Synonym(s): teheranicus Mavromoustakis,1968 Range (in code): IR Th
- 12277. Ammobates vinctus Gerstaecker,1869** (Apidae) Synonym(s): vinctus Gerstaecker,1869; setosus Morawitz,1871 Range (in code): RU UA GR TR 04 30 36 42
- 12278. Ammobatoides (s.str.) abdominalis (Eversmann,1852)** (Apidae) Synonym(s): abdominalis Eversmann,1852; hirsutilus Eversmann,1852; extraneus Förster,1855; rufitarsis Smith,1879; sanguineus Friese,1911; rufus Friese,1911; angarensis Cockerell,1928; marchicus Bischoff,1952; lebanensis Mavromoustakis,1959 Range (in code): LB DE AL RO YU MK TR AM Cc Eri TM RU Sb Or Mo Cm UA MD BY HU IT HV KG Aa AZ TJ KK GG UZ Tas CN Ui 01 05 23 25 42 58 70 73 76
- 12279. Ammobatoides (s.str.) luctuosus (Friese,1911)** (Apidae) Synonym(s): luctuosus Friese,1911 Range (in code): MK TR 06 23 42

- 12280. *Ammobatoides (s.str.) rubescens (Bischoff,1923)*** (Apidae) Synonym(s): *rubescens* Bischoff,1923 Range (in code): TR 35 51 63
- 12281. *Ammobatoides (Schmiedeknechtia) oraniensis (Friese,1896)*** (Apidae) Synonym(s): *oraniensis* Friese,1896; *gussakovskiy* Popov,1934 [ssp.] Range (in code): DZ TN ES An TR UZ 07 33 56 63 73
- 12282. *Ancyla asiatica Friese,1922*** (Apidae) Synonym(s): *asiatica* Friese,1922 Range (in code): LB Bei TR 01
- 12283. *Ancyla cretensis Friese,1902*** (Apidae) Synonym(s): *cretensis* Friese,1902; *kilikia* Warncke,1979 Range (in code): Cr TR 33
- 12284. *Ancyla holtzi Friese,1902*** (Apidae) Synonym(s): *holtzi* Friese,1902; *anatolica* Warncke,1979 Range (in code): GR TR BG CY IQ 06
- 12285. *Ancyla nigricornis Friese,1902*** (Apidae) Synonym(s): *nigricornis* Friese,1902 Range (in code): GR TR 33
- 12286. *Ancyla orientalis Warncke,1979*** (Apidae) Synonym(s): *orientalis* Warncke,1979 Range (in code): SY TR 01
- 12287. *Ancyla stollii Friese,1922*** (Apidae) Synonym(s): *stollii* Friese,1922 Range (in code): LB Bei
- 12288. *Anthophora (Clisodon) furcata (Panzer,1798)*** (Apidae) Synonym(s): *furcata* Panzer,1798; *dumetorum* Panzer,1798; *norvegica* Nylander,1852; *caucasicola* Hedicke,1929; *obscura* Alfken,1926 Range (in code): ES FR GB BE DK DE PL EE FI RU SK HU CH AT IT Si RO TR Cc NO 25K
- 12289. *Anthophora (Lophanthophora) mucida Gribodo,1873*** (Apidae) Synonym(s): *mucida* Gribodo,1873 Range (in code): ES FR CH IT HU RO TR 25
- 12290. *Anthophora (Mystacanthophora) borealis Morawitz,1864*** (Apidae) Synonym(s): *borealis* Morawitz,1864 Range (in code): BE DE PL RU CZ SK AT HU RO TR 25 65
- 12291. *Anthophora (Paramegilla) fulvipes Eversmann,1846*** (Apidae) Synonym(s): *fulvipes* Eversmann,1846 Range (in code): TR 13 25
- 12292. *Anthophora (Paramegilla) lydia Tkalcu,1994*** (Apidae) Synonym(s): *lydia* Tkalcu,1994 Range (in code): TR 09
- 12293. *Anthophora (Paramegilla) prshewalskii Morawitz,1880*** (Apidae) Synonym(s): *prshewalskii* Morawitz,1880 Range (in code): TR 24 36
- 12294. *Anthophora (Paramegilla) syriaca Friese,1922*** (Apidae) Synonym(s): *syriaca* Friese,1922 Range (in code): SY
- 12295. *Anthophora (Petalosternon) crassipes Lepeletier,1841*** (Apidae) Synonym(s): *crassipes* Lepeletier,1841; *quadristrigata* Dours,1869; *denticus* Morawitz,1872; *perplexa* Radoszkowski,1884 Range (in code): ES FR CH AT IT Si DE PL RU TR 13 25
- 12296. *Anthophora (Pyganthophora) aestivalis (Panzer,1801)*** (Apidae) Synonym(s): *aestivalis* Panzer,1801; *intermedia* Lepeletier,1841 Range (in code): ES FR BE DE CZ SK PL RU CH AT SS RO TR 25 42 65 76
- 12297. *Anthophora (Pyganthophora) retusa (Linnaeus,1758)*** (Apidae) Synonym(s): *retusa* Linnaeus,1758; *monacha* Erichson,1849; *meridionalis* Pérez,1879; *baicalensis* Hedicke,1929; *rudolphae* Romankova,2003 Range (in code): FR ES GB DK DE CH AT IT Sa Si SS GR HU CZ SK RO EE RU TR 06 24 25 36 65
- 12298. *Anthophora (s.str.) fulvitaris Brullé,1832*** (Apidae) Synonym(s): *fulvitaris* Brullé,1832 Range (in code): ES FR DE CH IT Co Si RU RO GR TR 25 49
- 12299. *Anthophora (s.str.) plumipes (Pallas,1772)*** (Apidae) Synonym(s): *plumipes* Pallas,1772; *acervorum* Fabricius,1775; *pilipes* Fabricius,1775; *hirsuta* Fabricius,1787; *rufipes* Christ,1791; *sicula* Smith,1853; *soror* Pérez,1905; *lisbonensis* Cockerell,1922; *palaestinensis* Hedicke,1936; *cyprica* Mavromoustakis,1957 Range (in code): PT ES BE FR GB DK DE CZ SK CH AT Sa Si SS HU EE FI IT CY IL Pa TR RU CN JP 25 65 76
- 12300. *Anthophora agama Radoszkowski,1869*** (Apidae) Synonym(s): *agama* Radoszkowski,1869; *kessleri* Fedtschenko,1875 Range (in code): ES FR IT Si GR TR UZ 24 25
- 12301. *Anthophora albigena Lepeletier,1841*** (Apidae) Synonym(s): *albigena* Lepeletier,1841 Range (in code): TR
- 12302. *Anthophora aschabadensis Radoszkowski,1893*** (Apidae) Synonym(s): *aschabadensis* Radoszkowski,1893 Range (in code): TM Kp
- 12303. *Anthophora atroalba Lepeletier,1841*** (Apidae) Synonym(s): *atroalba* Lepeletier,1841; *antiopa* Bingham,1898; *vedettus* Nurse,1904 Range (in code): FR IT Si GR Cr TR 25
- 12304. *Anthophora biciliata Lepeletier,1841*** (Apidae) Synonym(s): *biciliata* Lepeletier,1841; *liturata* Lepeletier,1841; *mucida* Gribodo,1873; *caucasica* Radoszkowski,1874; *hedickei* Alfken,1938 Range (in code): ES FR CH IT Si GR RO Cc TR 24 25
- 12305. *Anthophora crinipes Smith,1854*** (Apidae) Synonym(s): *crinipes* Smith,1854 Range (in code): ES FR CH AT Sa Si CZ SK SS HU RO RU IT TR 25 49
- 12306. *Anthophora orientalis Morawitz,1877*** (Apidae) Synonym(s): *orientalis* Morawitz,1877 Range (in code): TR 25 36
- 12307. *Anthophora pedata Eversmann,1852*** (Apidae) Synonym(s): *pedata* Eversmann,1852 Range (in code): RU TR 25

- 12308. Anthophora plagiata (Illiger,1806)** (Apidae) Synonym(s): parietina Fabricius,1793 (preocc.); plagiata Illiger,1806 Range (in code): ES FR BE DK DE PL CZ SK CH AT HU SS IT RU Cc TR 25 36
- 12309. Anthophora robusta (Klug,1845)** (Apidae) Synonym(s): robusta Klug,1845; oxygona Dours,1869; pamirica Hedicke,1931 Range (in code): ES FR IT RO TR TJ Pm 25
- 12310. Anthophora rogenhoferi Morawitz,1872** (Apidae) Synonym(s): rogenhoferi Morawitz,1872 Range (in code): TR 49
- 12311. Anthophora trochanterica Morawitz,1888** (Apidae) Synonym(s): trochanterica Morawitz,1888 Range (in code): IR TM
- 12312. Apis (Megapis) dorsata Fabricius,1793** (Apidae) Synonym(s): dorsata Fabricius,1793; nigripennis Latreille,1804; bicolor Klug,1807; testacea Smith,1858; laboriosa Smith,1871; binghami Cockerell,1906; sladeni Cockerell,1914; breviligula Maa,1953 Range (in code): PK IN CN Ti NP LK Ass MM TH MY VN ID Sum Ja Bor Clb PH Luz
- 12313. Apis (Micrapis) florea Fabricius,1787** (Apidae) Synonym(s): florea Fabricius,1787; semirufa Hoffmansegg,1818; lobata Smith,1854; rufiventris Friese,1906; #fuscata Enderlein,1906; nursei Cockerell,1911; nasicana Cockerell,1911 Range (in code): SD TR? IL Pa SA AE OM IQ IR PK IN LK Ass MM TH VN CN MY 72?
- 12314. Apis (s.str.) mellifera Linnaeus,1758** (Apidae) Synonym(s): mellifera Linnaeus,1758; mellifica Linnaeus,1761 Range (in code): PT ES FR DE MK BG GR Cr TR Cc AM GG AZ RU KG CN Ui T-S IR IQ SY JO LB IL Pa ZA MA LY TN NG BF MG EG SD UG YE 06 31 34 35 41 56 65 75
- 12315. Bombus (Alpigenobombus) wurfleini Radoszkowski,1859** (Apidae) Synonym(s): wurfleini Radoszkowski,1859 Range (in code): TR
- 12316. Bombus (Cullumanobombus) apollineus Skorikov,1910** (Apidae) Synonym(s): apollineus Skorikov,1910 Range (in code): TR
- 12317. Bombus (Kallobombus) soroeensis (Fabricius,1793)** (Apidae) Synonym(s): soroeensis Fabricius,1793 Range (in code): TR
- 12318. Bombus (Megabombus) argillaceus (Scopoli,1763)** (Apidae) Synonym(s): argillaceus Scopoli,1763; sichelii Radoszkowski,1859 Range (in code): FR IT AT HU TR IR RU Cc ES PL 03 06 07 16 18 25 32 37 38 42 51 65
- 12319. Bombus (Megabombus) armeniacus (Radoszkowski,1877)** (Apidae) Synonym(s): armeniacus Radoszkowski,1877; scythes Skorikov,1925 Range (in code): TR Cc AM IR Ak Th Elb RU RO GR MK UA Cm YU BG PL KG 03 04 06 25 30 36 38 42 65
- 12320. Bombus (Megabombus) humilis (Illiger,1806)** (Apidae) Synonym(s): humilis Illiger,1806; solstitialis Jurine,1807; helferanus Seidl,1837; variabilis Schmiedeknecht,1978 Range (in code): FR TR Cc PL 06 16 18 25 37 49 75
- 12321. Bombus (Megabombus) mesomelas (Gerstaecker,1869)** (Apidae) Synonym(s): mesomelas Gerstaecker,1869; elegans Seidl,1837 Range (in code): BG Cc TR IR PL 04 06 25 53 61 65 75
- 12322. Bombus (Melanobombus) alagesianus Reinig,1930** (Apidae) Synonym(s): alagesianus Reinig,1930 Range (in code): TR AM Cc
- 12323. Bombus (Melanobombus) erzurumensis (Özbek,1990)** (Apidae) Synonym(s): erzurumensis Özbek,1990 Range (in code): TR 25
- 12324. Bombus (Melanobombus) incertus Morawitz,1881** (Apidae) Synonym(s): incertus Morawitz,1881 Range (in code): TR 65
- 12325. Bombus (Melanobombus) lapidarius (Linnaeus,1761)** (Apidae) Synonym(s): lapidarius Linnaeus,1761 Range (in code): DE TR Cc 38
- 12326. Bombus (Mendacibombus) handlirschianus Vogt,1909** (Apidae) Synonym(s): handlirschianus Vogt,1909 Range (in code): TR
- 12327. Bombus (Mendacibombus) shaposhnikovii Skorikov,1910** (Apidae) Synonym(s): shaposhnikovii Skorikov,1910 Range (in code): TR
- 12328. Bombus (Psithyrus) barbutellus (Kirby,1802)** (Apidae) Synonym(s): barbutellus Kirby,1802 Range (in code): TR
- 12329. Bombus (Psithyrus) bohemicus Seidl,1837** (Apidae) Synonym(s): bohemicus Seidl,1837 Range (in code): TR
- 12330. Bombus (Psithyrus) campestris (Panzer,1801)** (Apidae) Synonym(s): campestris Panzer,1801 Range (in code): TR
- 12331. Bombus (Psithyrus) maxillosus Klug,1817** (Apidae) Synonym(s): maxillosus Klug,1817 Range (in code): TR
- 12332. Bombus (Psithyrus) quadricolor (Lepeletier,1832)** (Apidae) Synonym(s): quadricolor Lepeletier,1832 Range (in code): TR
- 12333. Bombus (Psithyrus) rupestris (Fabricius,1793)** (Apidae) Synonym(s): rupestris Fabricius,1793; pyrenaicus Lepeletier,1832; interruptus Lepeletier,1832; armeniacus Reinig,1970 nec Rad.,1877 Range (in code): RO B-H YU AL BG TR AM GG Cc UA Cm 06 14 16 37 25 36 75
- 12334. Bombus (Psithyrus) sylvestris (Lepeletier,1832)** (Apidae) Synonym(s): sylvestris Lepeletier,1832 Range (in code): TR



- 12335. Bombus (Psithyrus) vestalis (Fourcroy,1785)** (Apidae) Synonym(s): vestalis Fourcroy,1785  
Range (in code): TR
- 12336. Bombus (Pyrobombus) brodmannicus Vogt,1909** (Apidae) Synonym(s): brodmannicus Vogt,1909 Range (in code): FR CH IT RU Cc AM GG TR 04 24 25 36 65 75
- 12337. Bombus (Pyrobombus) haematurus Kriechbaumer,1870** (Apidae) Synonym(s): haematurus Kriechbaumer,1870 Range (in code): TR
- 12338. Bombus (Pyrobombus) niveatus (Kriechbaumer,1870)** (Apidae) Synonym(s): niveatus Kriechbaumer,1870 Range (in code): TR Cc IR 06 07 14 19 25 26 38 42 51 65
- 12339. Bombus (Pyrobombus) pratorum (Linnaeus,1761)** (Apidae) Synonym(s): pratorum Linnaeus,1761 Range (in code): TR
- 12340. Bombus (s.str.) lucorum Linnaeus,1761** (Apidae) Synonym(s): lucorum Linnaeus,1761; cryptarum Fabricius,1775; lucocryptarum Ball,1914; magnus Alford,1975 Range (in code): TR GB ES GR Cc PL DK NO SE FI RU YU 06 14 16 25 37 61 76
- 12341. Bombus (s.str.) terrestris Linnaeus,1758** (Apidae) Synonym(s): terrestris Linnaeus,1758; cullumanus Kirby,1802; audax Harris,1870; silantjewei Morawitz,1892; holsaticus Krüger,1954 Range (in code): GB IT ES PT DZ GR Cc PL DK CZ RO TR 01 03 05 06 07 08 09 11 14 15 16 17 18 19 25 26 27 28 29 31 32 33 34 35 37 39 40 42 45 46 48 52 53 55 57 59 60 61 70 77 80
- 12342. Bombus (Sibiricobombus) niveatus Kriechbaumer,1870** (Apidae) Synonym(s): niveatus Kriechbaumer,1870 Range (in code): TR Cc AM AZ GG LB IR 36 76
- 12343. Bombus (Sibiricobombus) sulfureus Friese,1905** (Apidae) Synonym(s): sulfureus Friese,1905  
Range (in code): TR
- 12344. Bombus (Sibiricobombus) vorticosus Gerstaecker,1872** (Apidae) Synonym(s): vorticosus Gerstaecker,1872 Range (in code): TR
- 12345. Bombus (Subterraneobombus) fragrans (Pallas,1771)** (Apidae) Synonym(s): fragrans Pallas,1771 Range (in code): TR AZ Cc RU 04 13 65 76
- 12346. Bombus (Subterraneobombus) melanurus Lepeletier,1836** (Apidae) Synonym(s): melanurus Lepeletier,1836 Range (in code): TR
- 12347. Bombus (Subterraneobombus) subterraneus (Linnaeus,1758)** (Apidae) Synonym(s): subterraneus Linnaeus,1758 Range (in code): TR
- 12348. Bombus (Thoracobombus) brodmanni Vogt,909** (Apidae) Synonym(s): brodmanni Vogt,909  
Range (in code): TR
- 12349. Bombus (Thoracobombus) humilis Illiger,1806** (Apidae) Synonym(s): humilis Illiger,1806  
Range (in code): TR
- 12350. Bombus (Thoracobombus) laesus Morawitz,1875** (Apidae) Synonym(s): laesus Morawitz,1875; sidemii Radoszkowski,1888; #maculidorsis Skorikov,1922; ?tianschanicus Panfilov,1956; ferrugifer Reinig,1971 Range (in code): HU RO YU MK UA Cc RU GG IR TR 65
- 12351. Bombus (Thoracobombus) mesomelas Gerstaecker,1869** (Apidae) Synonym(s): mesomelas Gerstaecker,1869 Range (in code): TR
- 12352. Bombus (Thoracobombus) mlokosievitzi Radoszkowski,1877** (Apidae) Synonym(s): mlokosievitzi Radoszkowski,1877 Range (in code): TR
- 12353. Bombus (Thoracobombus) muscorum (Linnaeus,1763)** (Apidae) Synonym(s): muscorum Linnaeus,1763 Range (in code): TR
- 12354. Bombus (Thoracobombus) pascuorum (Scopoli,1763)** (Apidae) Synonym(s): pascuorum Scopoli,1763 Range (in code): TR
- 12355. Bombus (Thoracobombus) persicus Radoszkowski,1881** (Apidae) Synonym(s): persicus Radoszkowski,1881 Range (in code): IR TR
- 12356. Bombus (Thoracobombus) pomorum (Panzer,1805)** (Apidae) Synonym(s): pomorum Panzer,1805 Range (in code): TR
- 12357. Bombus (Thoracobombus) ruderarius (Müller,1776)** (Apidae) Synonym(s): ruderarius Müller,1776 Range (in code): TR 01 02 03 04 06 08 12 13 20 24 25 32 33 36 38 42 49 51 53 55 58 60 62 65 66 69 70 75 76
- 12358. Bombus (Thoracobombus) sylvarum (Linnaeus,1761)** (Apidae) Synonym(s): sylvarum Linnaeus,1761 Range (in code): TR 01 04 06 07 08 12 13 24 25 29 33 36 38 40 44 49 51 53 58 60 62 65 66 69 75 76
- 12359. Bombus (Thoracobombus) velox Skorikov,1914** (Apidae) Synonym(s): velox Skorikov,1914  
Range (in code): TR
- 12360. Bombus (Thoracobombus) zonatus Smith,1854** (Apidae) Synonym(s): zonatus Smith,1854  
Range (in code): GR MK YU RO UA Cm Cc RU AM AZ IR Ak Ab TR 01 02 04 05 06 07 08 13 11 13 15 16 18 19 20 23 24 25 26 29 30 31 32 33 36 37 38 42 44 49 50 51 58 62 65 66 68 69 70 75 76
- 12361. Bombus hortorum (Linnaeus,1761)** (Apidae) Synonym(s): hortorum Linnaeus,1761 Range (in code): DE TR 06
- 12362. Ceratina acuta Friese,1896** (Apidae) Synonym(s): acuta Friese,1896 Range (in code): SK GR Cr TR IL Pa Cc

- 12363. *Ceratina bifida* Friese,1900** (Apidae) Synonym(s): *bifida* Friese,1900 Range (in code): TR SY LB IL Pa 33
- 12364. *Ceratina bispinosa* Handlirsch,1889** (Apidae) Synonym(s): *bispinosa* Handlirsch,1889 Range (in code): GR Cr HV CY LB Bei TR YU SY JO Dms 30 31 33 48
- 12365. *Ceratina chalcites* Germar,1839** (Apidae) Synonym(s): *aenea* Brullé,1832; *chalcites* Germar,1839; *egregia* Gerstaecker,1896 Range (in code): ES PT IT Co Si GR Ae Nx TR IR 30
- 12366. *Ceratina christellae* Terzo,1998** (Apidae) Synonym(s): *christellae* Terzo,1998 Range (in code): TR AZ Len Cc IR Elb Kdj 07 30 73
- 12367. *Ceratina chrysomalla* Gerstaecker,1869** (Apidae) Synonym(s): *chrysomalla* Gerstaecker,1869; *chrysomallina* Kocourek,1998 Range (in code): GR Rd TR BG 48
- 12368. *Ceratina cucurbitina* (Rossi,1792)** (Apidae) Synonym(s): *cucurbitina* Rossi,1792; *albilabris* Fabricius,1793; *decolorans* Brullé,1832 Range (in code): MA DZ IT GR Cr TR DE CZ SK RO UA Cm
- 12369. *Ceratina cyanea* (Kirby,1802)** (Apidae) Synonym(s): *cyanea* Kirby,1802; *coerulea* Chevrier,1872; *chevrieri* Tournier,1876; *imitatrix* Markowsky,1938 Range (in code): DZ TN PT ES FR GB BE NL DE NO SE EE PL UA RU Ur Cc MD RO CZ SK CH AT IT Co Sa Si HV YU AL MK GR BG Cr TR 65
- 12370. *Ceratina dalyi* Terzo,1998** (Apidae) Synonym(s): *dalyi* Terzo,1998 Range (in code): IR Kh
- 12371. *Ceratina denesi* Terzo,1998** (Apidae) Synonym(s): *denesi* Terzo,1998 Range (in code): TR 33
- 12372. *Ceratina dentiventris* Gerstaecker,1869** (Apidae) Synonym(s): *dentiventris* Gerstaecker,1869 Range (in code): TN PT IT Si LB IL Pa CY RO UZ
- 12373. *Ceratina hakkarica* Kocourek,1998** (Apidae) Synonym(s): *hakkarica* Kocourek,1998 Range (in code): TR 73
- 12374. *Ceratina hladili* Kocourek,1998** (Apidae) Synonym(s): *hladili* Kocourek,1998 Range (in code): TM
- 12375. *Ceratina loewi* Gerstaecker,1869** (Apidae) Synonym(s): *loewi* Gerstaecker,1869 Range (in code): RO GR Ae Kos Cr Cc TR IL Pa 07 48
- 12376. *Ceratina mandibularis* Friese,1896** (Apidae) Synonym(s): *mandibularis* Friese,1896 Range (in code): JO LB IL Pa Hf TR SY CY 33
- 12377. *Ceratina moricei* Friese,1899** (Apidae) Synonym(s): *moricei* Friese,1899 Range (in code): IL Pa JO SY TR LB CY
- 12378. *Ceratina nigroaenea* Gerstaecker,1869** (Apidae) Synonym(s): *nigroaenea* Gerstaecker,1869 Range (in code): UA Cm GR Cr IL Pa Cc TR
- 12379. *Ceratina nigrolabiata* Friese,1896** (Apidae) Synonym(s): *nigrolabiata* Friese,1896 Range (in code): Sa HU CY SK UA Cm IL Pa Cc
- 12380. *Ceratina parvula* Smith,1854** (Apidae) Synonym(s): *parvula* Smith,1854; *pygmaea* Lichtenstein,1872; *scintilla* Cockerell,1931 Range (in code): MA TN EG PT FR AL BG GR TR SY JO IL Pa Kp TM
- 12381. *Ceratina rasmonti* Terzo,1998** (Apidae) Synonym(s): *rasmonti* Terzo,1998 Range (in code): TR 04 65
- 12382. *Ceratina sakagamii* Terzo,1998** (Apidae) Synonym(s): *sakagamii* Terzo,1998 Range (in code): Cr TR IR Kh Mz Elb Th 04 30 33 36 42 50 51 65
- 12383. *Ceratina schwarzi* Kocourek,1998** (Apidae) Synonym(s): *schwarzi* Kocourek,1998 Range (in code): TR BG RO YU IR JO SY 01 06 07 09 23 27 31 33 42 44 46 47 50 58 63 70 73 79
- 12384. *Ceratina schwarziana* Terzo,1998** (Apidae) Synonym(s): *schwarziana* Terzo,1998 Range (in code): TR 30 73
- 12385. *Ceratina tibialis* Morawitz,1895** (Apidae) Synonym(s): *tibialis* Morawitz,1895; *ahngeri* Kokujev,1905; *?corinna* Nurse,1904 Range (in code): TR SY IL Pa IR TM Kp TJ
- 12386. *Ceratina warnckeii* Terzo,1998** (Apidae) Synonym(s): *warnckeii* Terzo,1998 Range (in code): TR 30 46 73
- 12387. *Ceratina zandeni* Terzo,1998** (Apidae) Synonym(s): *zandeni* Terzo,1998 Range (in code): TR GR
- 12388. *Ceratina zwakhalsi* Terzo & Rasmont,1997** (Apidae) Synonym(s): *zwakhalsi* Terzo & Rasmont,1997 Range (in code): TR 13 23 24 30 33 36 46 58 65 73
- 12389. *Cubitalia morio* (Friese,1922)** (Apidae) Synonym(s): *morio* Friese,1922 Range (in code): TR 25
- 12390. *Eucera albofasciata* Friese,1896** (Apidae) Synonym(s): *albofasciata* Friese,1896 Range (in code): RU Cc SY GR Rd
- 12391. *Eucera armeniaca* (Morawitz,1878)** (Apidae) Synonym(s): *armeniaca* Morawitz,1878 Range (in code): AM Cc
- 12392. *Eucera atricollis* Friese,1922** (Apidae) Synonym(s): *atricollis* Friese,1922 Range (in code): TR 35
- 12393. *Eucera caerulescens* Friese,1899** (Apidae) Synonym(s): *caerulescens* Friese,1899 Range (in code): TR 49
- 12394. *Eucera caspica* Morawitz,1873** (Apidae) Synonym(s): *caspica* Morawitz,1873; *nigrita* Friese,1896 Range (in code): GR Ae Nx TR 05 25
- 12395. *Eucera cineraria* Eversmann,1852** (Apidae) Synonym(s): *cineraria* Eversmann,1852 Range (in code): RU TR 25 36
- 12396. *Eucera clypeata* Erichson,1835** (Apidae) Synonym(s): *clypeata* Erichson,1835; *similis* Lepeletier,1841 Range (in code): TR 25 36 38 49 65 69

- 12397. *Eucera cypria* Alfken,1933** (Apidae) Synonym(s): *cypria* Alfken,1933 Range (in code): CY
- 12398. *Eucera dalmatica* Lepeletier,1841** (Apidae) Synonym(s): *dalmatica* Lepeletier,1841 Range (in code): TR 33 75
- 12399. *Eucera excisa* Mocsary,1879** (Apidae) Synonym(s): *excisa* Mocsary,1879 Range (in code): TR 25
- 12400. *Eucera furfurea* Vachal,1907** (Apidae) Synonym(s): *furfurea* Vachal,1907 Range (in code): TR 25 49
- 12401. *Eucera graeca* Radoszkowski,1876** (Apidae) Synonym(s): *graeca* Radoszkowski,1876 Range (in code): GR TR 25
- 12402. *Eucera helvola* Klug,1845** (Apidae) Synonym(s): *helvola* Klug,1845 Range (in code): TR 25
- 12403. *Eucera hispana* Lepeletier,1841** (Apidae) Synonym(s): *hispana* Lepeletier,1841 Range (in code): TR 65
- 12404. *Eucera interrupta* Bär,1850** (Apidae) Synonym(s): *interrupta* Bär,1850 Range (in code): HV DE TR 18 25 36 37 65
- 12405. *Eucera longicornis* (Linnaeus,1758)** (Apidae) Synonym(s): *longicornis* Linnaeus,1758; *linguaria* Fabricius,1775; *dealbator* Christ,1791; *difficilis* Pérez,1879; *cincta* Friese,1895 Range (in code): HU TR 35
- 12406. *Eucera longicornis* (Linnaeus,1758)** (Apidae) Synonym(s): *longicornis* Linnaeus,1758 Range (in code): TR 25 49
- 12407. *Eucera morio* Friese,1922** (Apidae) Synonym(s): *morio* Friese,1922 Range (in code): TR 35
- 12408. *Eucera nigrescens* Pérez,1879** (Apidae) Synonym(s): *nigrescens* Pérez,1879 Range (in code): TR 25
- 12409. *Eucera nigrifacies* Lepeletier,1841** (Apidae) Synonym(s): *nigrifacies* Lepeletier,1841 Range (in code): TR 24 25 49
- 12410. *Eucera nigrilabris* Lepeletier,1841** (Apidae) Synonym(s): *nigrilabris* Lepeletier,1841 Range (in code): TR 25
- 12411. *Eucera nitidiventris* Mocsáry,1879** (Apidae) Synonym(s): *nitidiventris* Mocsáry,1879 Range (in code): TR 25
- 12412. *Eucera palaestinae* Friese,1922** (Apidae) Synonym(s): *palaestinae* Friese,1922 Range (in code): IL Pa
- 12413. *Eucera pollinosa* Smith,1854** (Apidae) Synonym(s): *pollinosa* Smith,1854 Range (in code): TR 25 76
- 12414. *Eucera seminuda* Brullé,1832** (Apidae) Synonym(s): *seminuda* Brullé,1832 Range (in code): GR TR 04 25
- 12415. *Eucera sogdiana* Morawitz,1875** (Apidae) Synonym(s): *sogdiana* Morawitz,1875 Range (in code): TR 49
- 12416. *Eucera squamosa* Lepeletier,1841** (Apidae) Synonym(s): *squamosa* Lepeletier,1841 Range (in code): TR 49
- 12417. *Eucera tegularis* Morawitz,1875** (Apidae) Synonym(s): *tegularis* Morawitz,1875 Range (in code): TR 49
- 12418. *Eucera tuberculata* (Fabricius,1793)** (Apidae) Synonym(s): *tuberculata* Fabricius,1793 Range (in code): TR
- 12419. *Eucera vittulata* Noskiewicz,1934** (Apidae) Synonym(s): *vittulata* Noskiewicz,1934 Range (in code): TR 04 25
- 12420. *Eupavlovskia funeraria* (Smith,1854)** (Apidae) Synonym(s): *funeraria* Smith,1854 Range (in code): IT Si AL MK GG Bjo Cc ES HU RO GR Ae Le TR 25 36 76
- 12421. *Eupavlovskia obscura* (Friese,1855)** (Apidae) Synonym(s): *obscura* Friese,1855 Range (in code): IT Si HV GR Ae Le TR 07 09 10 25 33 46 48 76
- 12422. *Exoneuridia* (Alboneuridia) *oriola* (Warncke,1979)** (Apidae) Synonym(s): *oriola* Warncke,1979 Range (in code): IR
- 12423. *Exoneuridia* (s.str.) *hakkariensis* (Warncke,1983)** (Apidae) Synonym(s): *hakkariensis* Warncke,1983 Range (in code): TR 13 30 31 46 47 56 58 73
- 12424. *Exoneuridia* (s.str.) *libanensis* (Friese,1899)** (Apidae) Synonym(s): *libanensis* Friese,1899 Range (in code): SY LB
- 12425. *Habropoda annae* Schwarz & Gusenleitner,2001** (Apidae) Synonym(s): *annae* Schwarz & Gusenleitner,2001 Range (in code): TR 07 23 30 56
- 12426. *Habropoda hakkariensis* Schwarz & Gusenleitner,2001** (Apidae) Synonym(s): *hakkariensis* Schwarz & Gusenleitner,2001 Range (in code): TR 30
- 12427. *Habropoda schafelneri* Schwarz & Gusenleitner,2001** (Apidae) Synonym(s): *schafelneri* Schwarz & Gusenleitner,2001 Range (in code): TR 36
- 12428. *Habropoda tarsata* (Spinola,1838)** (Apidae) Synonym(s): *tarsata* Spinola,1838 Range (in code): GR Ae Le TR SY IL Pa 25
- 12429. *Habropoda zonatula* Smith,1854** (Apidae) Synonym(s): *zonatula* Smith,1854 Range (in code): GR Ae Le TR SY 25
- 12430. *Melecta albifrons* (Förster,1771)** (Apidae) Synonym(s): *albifrons* Förster,1771; *punctata* Fabricius,1775; *albovaria* Erichson,1840; *armata* Panzer,1799; *pseudoarmata* Radoszkowski,1893; *mediterranea*



- Gribodo,1893; gigantea Friese,1925; minima Friese,1925 Range (in code): DZ MA TN LY Cy EG GB DK PT ES FR BE DE EE PL CZ SK UA RO HU CH AT IT Sa Co Si SS HV YU GR Ae Le Sms Rd Cr BG Cr Rd CY TR AZ Len Cc Kir IR Ha IL Pa Js LB Bsa SY 01 06 25 34 35 37 50 53 60 63 65 70 73
- 12431. Melecta ashabadensis Radoszkowski,1893** (Apidae) Synonym(s): ashabadensis Radoszkowski,1893 Range (in code): TR TM Kp
- 12432. Melecta crassicornis Friese,1921** (Apidae) Synonym(s): crassicornis Friese,1921 Range (in code): TR
- 12433. Melecta cypriaca Schwarz,1999** (Apidae) Synonym(s): cypriaca Schwarz,1999 Range (in code): CY
- 12434. Melecta duodecimmaculata (Rossi,1790)** (Apidae) Synonym(s): duodecimmaculata Rossi,1790; plurinotata Brullé,1832; jakovlewi Radoszkowski,1877 Range (in code): DZ LY Cy PT ES HU YU FR IT Si MT RO GR Ae Le CY TR CN Gn Ui KG Tk Ga RU Ur IQ Bgd IR TM Kp MN UZ Smk 35
- 12435. Melecta excelsa Liefstinck,1980** (Apidae) Synonym(s): excelsa Liefstinck,1980 Range (in code): AF
- 12436. Melecta festiva Liefstinck,1980** (Apidae) Synonym(s): festiva Liefstinck,1980 Range (in code): PT ES FR CH IT YU AL GR Ae Le UA IL Pa TR
- 12437. Melecta fulgida Liefstinck,1980** (Apidae) Synonym(s): fulgida Liefstinck,1980 Range (in code): MK FR BG GR Ae Le Rd TR AM AZ Cc Kir LB Bei IL Pa Js JO Amm 05 06 16 38 42 50 61
- 12438. Melecta guichardi Liefstinck,1980** (Apidae) Synonym(s): guichardi Liefstinck,1980 Range (in code): GR Rd Ae Le TR RO IL Pa Js LB Bei 06 35 50 61
- 12439. Melecta italica Radoszkowski,1876** (Apidae) Synonym(s): italica Radoszkowski,1876 Range (in code): ES FR Co Sa Si SS HU AL GR Rd CY IT Ae Le
- 12440. Melecta luctuosa (Scopoli,1770)** (Apidae) Synonym(s): luctuosa Scopoli,1770 Range (in code): GB SE DK DE EE PL BE NL CZ SK HU FR UA ES CH AT IT Si YU RO AL BG SS GR Ae Le TR Cc 76
- 12441. Melecta sinaitica (Alfken,1937)** (Apidae) Synonym(s): sinaitica Alfken,1937 Range (in code): EG Sn IL Pa
- 12442. Melecta transcaspica Morawitz,1895** (Apidae) Synonym(s): transcaspica Morawitz,1895; caesareae Friese,1925; octomaculata Friese,1925 (praeocc.) Range (in code): TR IL Pa LB Bsa IR UZ TM 06 16 19 20 25 26 33 38 42 51 58 70
- 12443. Melecta tuberculata Liefstinck,1980** (Apidae) Synonym(s): tuberculata Liefstinck,1980 Range (in code): PT ES FR BG Cr Rd CY GR
- 12444. Nomada bicellula Schwarz,1990** (Apidae) Synonym(s): bicellula Schwarz,1990 Range (in code): PK IN LK
- 12445. Nomada caspia Morawitz,1895** (Apidae) Synonym(s): caspia Morawitz,1895; graeca Schwarz,1967 Range (in code): GR TR LB IL Pa
- 12446. Nomada cruenta Schmiedeknecht,1882** (Apidae) Synonym(s): cruenta Schmiedeknecht,1882; sexspinosa Friese,1921; rubescens Lozinski,1922 Range (in code): GR TR Si
- 12447. Nomada curvispinosa Schwarz,1981** (Apidae) Synonym(s): curvispinosa Schwarz,1981 Range (in code): TR IL Pa 04 42 47 50 63
- 12448. Nomada cypricola Mavromoustakis,1955** (Apidae) Synonym(s): cypricola Mavromoustakis,1955 Range (in code): CY
- 12449. Nomada diacantha Schwarz,1981** (Apidae) Synonym(s): diacantha Schwarz,1981 Range (in code): BG GR TR SY Dms 06 17 31 42 50 63
- 12450. Nomada distinguenda Morawitz,1873** (Apidae) Synonym(s): distinguenda Morawitz,1873 Range (in code): AF DZ
- 12451. Nomada emarginata Morawitz,1878** (Apidae) Synonym(s): emarginata Morawitz,1878 Range (in code): Cc RU
- 12452. Nomada fenestrata Lepeletier,1841** (Apidae) Synonym(s): fenestrata Lepeletier,1841 Range (in code): FR AF
- 12453. Nomada glaberrima Schmiedeknecht,1882** (Apidae) Synonym(s): glaberrima Schmiedeknecht,1882; graja Mocsary,1883 Range (in code): LB SY
- 12454. Nomada gracilicornis Morawitz,1895** (Apidae) Synonym(s): gracilicornis Morawitz,1895 Range (in code): TR IL Pa TM Kp
- 12455. Nomada guichardi Schwarz,1981** (Apidae) Synonym(s): guichardi Schwarz,1981 Range (in code): TR IL Pa 05 06
- 12456. Nomada gusenleitneri Schwarz,1981** (Apidae) Synonym(s): gusenleitneri Schwarz,1981 Range (in code): TR 06 30 42 76
- 12457. Nomada imperialis Schmiedeknecht,1882** (Apidae) Synonym(s): imperialis Schmiedeknecht,1882 Range (in code): TR IL Pa SY
- 12458. Nomada kervilleana Pérez,1913** (Apidae) Synonym(s): kervilleana Pérez,1913 Range (in code): TR SY IL Pa 16 25 36 49
- 12459. Nomada kusdasi Schwarz,1981** (Apidae) Synonym(s): kusdasi Schwarz,1981 Range (in code): TR IL Pa Js 07 16 17 33
- 12460. Nomada lateritia Mocsary,1883** (Apidae) Synonym(s): lateritia Mocsary,1883 Range (in code): TR IR

- 12461. *Nomada limassolica* Mavromoustakis,1955** (Apidae) **Synonym(s):** limassolica Mavromoustakis,1955 **Range (in code):** **CY**
- 12462. *Nomada lucidula* Schwarz,1967** (Apidae) **Synonym(s):** lucidula Schwarz,1967 **Range (in code):** **AL GR TR IL Pa**
- 12463. *Nomada mocsaryi* Schmiedeknecht,1882** (Apidae) **Synonym(s):** mocsaryi Schmiedeknecht,1882 **Range (in code):** **TR**
- 12464. *Nomada moravitzii* Radoszkowski,1876** (Apidae) **Synonym(s):** moravitzii Radoszkowski,1876; moravitzii Radoszkowski,1896 **Range (in code):** **RU Cc**
- 12465. *Nomada nausicaa* Schmiedeknecht,1882** (Apidae) **Synonym(s):** nausicaa Schmiedeknecht,1882 **Range (in code):** **TR IL Pa**
- 12466. *Nomada nesiotica* Mavromoustakis,1958** (Apidae) **Synonym(s):** nesiotica Mavromoustakis,1958 **Range (in code):** **CY**
- 12467. *Nomada nobilis* Herrich-Schäffer,1839** (Apidae) **Synonym(s):** nobilis Herrich-Schäffer,1839; aberrans Eversmann,1852; calabra Morawitz,1872; magrettiana Schmiedeknecht,1882 **Range (in code):** **TR IR**
- 12468. *Nomada oculata* Friese,1921** (Apidae) **Synonym(s):** oculata Friese,1921 **Range (in code):** **TR**
- 12469. *Nomada oralis* Schwarz,1981** (Apidae) **Synonym(s):** oralis Schwarz,1981 **Range (in code):** **TR 06 07 16 23 33 38 42 50 51 58 63 68**
- 12470. *Nomada ovaliceps* Schwarz,1981** (Apidae) **Synonym(s):** ovaliceps Schwarz,1981 **Range (in code):** **TR IL Pa Js 16 49 51**
- 12471. *Nomada pallispinosa* Schwarz,1967** (Apidae) **Synonym(s):** pallispinosa Schwarz,1967 **Range (in code):** **TR IL Pa GR IT**
- 12472. *Nomada pesenkoi* Schwarz,1987** (Apidae) **Synonym(s):** pesenkoi Schwarz,1987 **Range (in code):** **TJ TM**
- 12473. *Nomada platythorax* Schwarz,1981** (Apidae) **Synonym(s):** platythorax Schwarz,1981 **Range (in code):** **HU TR 05 06 55**
- 12474. *Nomada pleurosticta* Herrich-Schäffer,1839** (Apidae) **Synonym(s):** pleurosticta Herrich-Schäffer,1839; bicolor Radoszkowski,1876; major Morawitz,1872; morawitzii Pérez,1884 **Range (in code):** **TN TR**
- 12475. *Nomada priscilla* Nurse,1902** (Apidae) **Synonym(s):** priscilla Nurse,1902 **Range (in code):** **PK IN LK**
- 12476. *Nomada pygidialis* Schwarz,1981** (Apidae) **Synonym(s):** pygidialis Schwarz,1981 **Range (in code):** **HU CZ HV BG GR Rd Cc GG Tbl TR 01 05 16 26 33 51 58**
- 12477. *Nomada quadrifasciata* Schwarz,1981** (Apidae) **Synonym(s):** quadrifasciata Schwarz,1981 **Range (in code):** **TR 16**
- 12478. *Nomada quinquefasciata* Schwarz,1981** (Apidae) **Synonym(s):** quinquefasciata Schwarz,1981 **Range (in code):** **TR 06 42**
- 12479. *Nomada rubricollis* Schwarz,1967** (Apidae) **Synonym(s):** rubricollis Schwarz,1967 **Range (in code):** **GR TR SY IL Pa RU Cc Da Der**
- 12480. *Nomada rubriventris* Schwarz,1981** (Apidae) **Synonym(s):** rubriventris Schwarz,1981 **Range (in code):** **TR 06 11 24 42 51 58 70**
- 12481. *Nomada ruficollis* Morawitz,1875** (Apidae) **Synonym(s):** ruficollis Morawitz,1875 **Range (in code):** **TM AF PK**
- 12482. *Nomada sabulosa* Radoszkowski,1876** (Apidae) **Synonym(s):** sabulosa Radoszkowski,1876 **Range (in code):** **DZ EG IL Pa**
- 12483. *Nomada smyrnaensis* Friese,1920** (Apidae) **Synonym(s):** smyrnaensis Friese,1920 **Range (in code):** **TR 35**
- 12484. *Nomada trispinosa* Schmiedeknecht,1882** (Apidae) **Synonym(s):** trispinosa Schmiedeknecht,1882 **Range (in code):** **AT CY CN**
- 12485. *Nomada unispinosa* Schwarz,1981** (Apidae) **Synonym(s):** unispinosa Schwarz,1981 **Range (in code):** **IT TR 24 34**
- 12486. *Nomada xanthopoda* Schwarz,1990** (Apidae) **Synonym(s):** xanthopoda Schwarz,1990 **Range (in code):** **AF PK**
- 12487. *Nomada yarrowi* Schwarz,1981** (Apidae) **Synonym(s):** yarrowi Schwarz,1981 **Range (in code):** **TR 06 38 42 50**
- 12488. *Parammobatodes maroccanus* (Warncke,1983)** (Apidae) **Synonym(s):** maroccanus Warncke,1983 **Range (in code):** **MA IL Pa**
- 12489. *Parammobatodes minutus* (Mocsary,1878)** (Apidae) **Synonym(s):** minutus Mocsary,1878; schmidtii Alfken,1936; atticus Mavromoustakis,1963 **Range (in code):** **HU GR UA RO Cc BG TR 58 63**
- 12490. *Parammobatodes nuristanus* (Warncke,1983)** (Apidae) **Synonym(s):** nuristanus Warncke,1983 **Range (in code):** **AF IL Pa**
- 12491. *Parammobatodes orientanus* (Warncke,1983)** (Apidae) **Synonym(s):** orientanus Warncke,1983; cyprius Warncke,1983 [ssp.] **Range (in code):** **IL Pa Cr CY TR BG 50**
- 12492. *Parammobatodes rozeni* Schwarz,2003** (Apidae) **Synonym(s):** rozeni Schwarz,2003 **Range (in code):** **IL Pa**

- 12493. *Pasites atrorufus* Warncke, 1983** (Apidae) Synonym(s): *atrorufus* Warncke, 1983 Range (in code):  
**TR IL Pa Js 23 30**
- 12494. *Pasites latitarsis* (Fries, 1899)** (Apidae) Synonym(s): *latitarsis* Fries, 1899 Range (in code): **IL Pa TR 10 56**
- 12495. *Pasites maculatus* Jurine, 1807** (Apidae) Synonym(s): *maculatus* Jurine, 1807; *albomaculata* Lucas, 1849; *schottii* Eversmann, 1852; *variegatus* Smith, 1854; *rufiventris* Förster, 1855; *aschabadensis* Radoszkowski, 1893; *brunneus* Fries, 1895; *comptus* Alfken, 1929 Range (in code): **MA DZ TN TR GR BG Cr IQ IL Pa RU TM Kp CN Mc AF Kab 48**
- 12496. *Pasites oraniensis* (Lepeletier, 1841)** (Apidae) Synonym(s): *oraniensis* Lepeletier, 1841; *anatolicus* Warncke, 1983 [ssp.] Range (in code): **MA DZ EG IT Si LY IL Pa AL RO Cm GR Cr TR Cc AM Eri TM 04 09 42 70 73**
- 12497. *Tetralonia alternans* Brullé, 1832** (Apidae) Synonym(s): *alternans* Brullé, 1832 Range (in code):  
**TR 25 65**
- 12498. *Tetralonia compacta* (Morawitz, 1875)** (Apidae) Synonym(s): *compacta* Morawitz, 1875 Range (in code): **TR 65**
- 12499. *Tetralonia hungarica* Fries, 1895** (Apidae) Synonym(s): *hungarica* Fries, 1895 Range (in code):  
**HU TR 25**
- 12500. *Tetralonia julliani* Pérez, 1879** (Apidae) Synonym(s): *julliani* Pérez, 1879 Range (in code): **TR 25**
- 12501. *Tetralonia malvae* (Rossi, 1790)** (Apidae) Synonym(s): *malvae* Rossi, 1790; *macroGLOSSa* Illiger, 1806 Range (in code): **TR CZ SK 25**
- 12502. *Tetralonia persica* Fries, 1895** (Apidae) Synonym(s): *persica* Fries, 1895 Range (in code): **TR IR 49**
- 12503. *Tetralonia ruficollis* (Fries, 1911)** (Apidae) Synonym(s): *ruficollis* Fries, 1911 Range (in code):  
**GR TR 36**
- 12504. *Tetralonia ruficornis* (Fabricius, 1804)** (Apidae) Synonym(s): *ruficornis* Fabricius, 1804 Range (in code): **TR 25 65**
- 12505. *Tetralonia salicariae* (Lepeletier, 1841)** (Apidae) Synonym(s): *salicariae* Lepeletier, 1841 Range (in code): **TR 25**
- 12506. *Tetralonia tricincta* (Erichson, 1835)** (Apidae) Synonym(s): *tricincta* Erichson, 1835 Range (in code): **TR**
- 12507. *Tetralonia vicina* Morawitz, 1876** (Apidae) Synonym(s): *vicina* Morawitz, 1876 Range (in code):  
**TR 13 49 65**
- 12508. *Tetraloniella dentata* (Germar, 1839)** (Apidae) Synonym(s): *dentata* Germar, 1839 Range (in code): **TR CZ SK**
- 12509. *Tetraloniella fulvescens* (Giraud, 1863)** (Apidae) Synonym(s): *fulvescens* Giraud, 1863; *acutangula* Morawitz, 1876 Range (in code): **TR CZ SK 24 25 57 65**
- 12510. *Tetraloniella graja* (Eversmann, 1852)** (Apidae) Synonym(s): *graja* Eversmann, 1852 Range (in code): **RU TR 25**
- 12511. *Tetraloniella inulae* Tkalcu, 1979** (Apidae) Synonym(s): *inulae* Tkalcu, 1979 Range (in code): **TR 25 49**
- 12512. *Tetraloniella nana* (Morawitz, 1874)** (Apidae) Synonym(s): *nana* Morawitz, 1874 Range (in code): **TR**
- 12513. *Thyreomelecta bidentata* (Kirby, 1889)** (Apidae) Synonym(s): *bidentata* Kirby, 1889; *valida* Morawitz, 1895 Range (in code): **IR AF TM UZ**
- 12514. *Thyreomelecta dimidiatipuncta* (Spinola, 1838)** (Apidae) Synonym(s): *dimidiatipuncta* Spinola, 1838; *gibba* Meyer, 1921 Range (in code): **LY Cy EG IQ Bgd**
- 12515. *Thyreomelecta merviensis* (Radoszkowsky, 1893)** (Apidae) Synonym(s): *merviensis* Radoszkowsky, 1893 Range (in code): **TM Mrv KK Ik**
- 12516. *Thyreus aberrans* (Morawitz, 1875)** (Apidae) Synonym(s): *aberrans* Morawitz, 1875 Range (in code): **UZ Cc Tas**
- 12517. *Thyreus affinis* (Morawitz, 1874)** (Apidae) Synonym(s): *affinis* Morawitz, 1874; *transcaspica* Radoszkowski, 1893; *portchinski* Radoszkowski, 1893; *tunensis* Pérez, 1895; *villosa* Meyer, 1921 Range (in code): **PT ES FR HU IT Si HV MA DZ TN RO AL MK YU UA GR CY Rd TR EG IR Ha Cc RU Da Bak AZ CN Ui KG PK BI Qu 06 33 42 59**
- 12518. *Thyreus elegans* (Morawitz, 1877)** (Apidae) Synonym(s): *elegans* Morawitz, 1877; *quadridentata* Saunders, 1908; *brezzii* Guiglia, 1933 Range (in code): **TR Cc DZ TM Kp MN ER LY Cy KK PK BI Qu CY EG Sn SD TN 33 76**
- 12519. *Thyreus fallibilis* (Kohl, 1906)** (Apidae) Synonym(s): *fallibilis* Kohl, 1906 Range (in code): **YE SA**
- 12520. *Thyreus hellenicus* Lieftinck, 1968** (Apidae) Synonym(s): *hellenicus* Lieftinck, 1968 Range (in code): **ES GR Ae Le IL Pa SY TR KG Uk 18**
- 12521. *Thyreus hirtus* (Beaumont, 1939)** (Apidae) Synonym(s): *hirtus* Beaumont, 1939 Range (in code):  
**DZ PT ES FR CH Co Cr TR 25**
- 12522. *Thyreus histrionicus* (Illiger, 1806)** (Apidae) Synonym(s): *histrionicus* Illiger, 1806; *major* Morawitz, 1876; *divisa* Pérez, 1905; *alboscuteLLata* Meyer, 1921; *rimosiscutum* Alfken, 1927 Range (in code): **Cn FR ES**



PT MA DZ LY Cy EG DE AT HU IT Si HV GR Cr Rd CY LB SY TR Arr UZ Tas Sk IR Elb RU Or Sr Cc GG  
Btm KK KG Tk At Ket Ui Ku Ga Cho 05 06 16 31 33 34 76 80

**12523. *Thyreus hyalinatus* (Vachal,1903)** (Apidae) Synonym(s): *hyalinatus* Vachal,1903 Range (in code): EG ER SO SA IR IL Pa

**12524. *Thyreus merviensis* (Radoszkowski,1893)** (Apidae) Synonym(s): *merviensis* Radoszkowski,1893 Range (in code): TM

**12525. *Thyreus orbatus* (Lepeletier,1841)** (Apidae) Synonym(s): *orbatus* Lepeletier,1841 Range (in code): MA DZ TN LY Cy FR EG DE HU BE AT CZ CH ES PT GR IT BG TR 42

**12526. *Thyreus parthenope* Lieftinck,1968** (Apidae) Synonym(s): *parthenope* Lieftinck,1968 Range (in code): YE EG

**12527. *Thyreus praevalens* (Kohl,1905)** (Apidae) Synonym(s): *praevalens* Kohl,1905 Range (in code): TR 05 38

**12528. *Thyreus ramosellus* (Cockerell,1919)** (Apidae) Synonym(s): *ramosellus* Cockerell,1919 Range (in code): IN IL Pa IQ ET

**12529. *Thyreus ramosus* (Lepeletier,1841)** (Apidae) Synonym(s): *ramosus* Lepeletier,1841; *rufa* Radoszkowski,1886; *ashabadensis* Radoszkowski,1893; *albociliata* Meyer,1921; *minor* Friese,1925; *circulata* Alfken,1927 Range (in code): Cn DZ TN MA ES HU CH IT TM UZ SD MT FR EG GR Ae Le CY TR Cc LB Bei IQ Shq IR Elb Bgd AF Kab KG AM Eri CN PK Rw 09 16 34 35 42

**12530. *Thyreus scutellaris* (Fabricius,1781)** (Apidae) Synonym(s): *scutellaris* Fabricius,1781; *crassicornis* Morawitz,1890 Range (in code): YU EG SA TR Cc RU Ur Or Ao Sb MN CN Gn IR Elb Th IL Pa AF Kab KG Tk 76

**12531. *Thyreus sibiricus* (Radoszkowski,1893)** (Apidae) Synonym(s): *sibiricus* Radoszkowski,1893 Range (in code): RU Sb TR Cc MN 76

**12532. *Thyreus tricusps* (Pérez,1883)** (Apidae) Synonym(s): *tricusps* Pérez,1883; *niveicollis* Friese,1925 Range (in code): DZ MA LY Cy EG IL Pa Js

**12533. *Thyreus truncatus* (Pérez,1883)** (Apidae) Synonym(s): *truncatus* Pérez,1883; *mucorea* Friese,1925; *nadigi* Alfken,1934 Range (in code): MA DZ EG AL AT CH MK IT Si HU MA RO ES GR Ae Le TR Cc AZ Kir RU Or Ur UZ IL Pa Js KW IR Elb 38 42 43

**12534. *Xylocopa* (*Ancylocopa*) *parviceps* Morawitz,1895** (Apidae) Synonym(s): *parviceps* Morawitz,1895 Range (in code): AL GR CY MK Cr AZ Cc IR KK TM IL Pa SY IQ TR AF 30 33 35 42 58 65 70 73

**12535. *Xylocopa* (*Copoxyla*) *armeniaca* Warncke,1982** (Apidae) Synonym(s): *armeniaca* Warncke,1982 Range (in code): AM Cc TR 30 36 65 73

**12536. *Xylocopa* (*Copoxyla*) *iris* (Christ,1791)** (Apidae) Synonym(s): *iris* Christ,1791; *nasuta* Christ,1791; *cyanescens* Brullé,1832; *taurica* Erichson,1841; *minuta* Lepeletier,1841; *canuta* Rondani,1874; *virescentis* Strand,1917; *aliceae* Cockerell,1931 Range (in code): ES FR DE RU CZ SK CH AT IT Co Sa Cr SS HU RO GR TR IL Pa IR Elb Th AF TJ TM KG 01 04 06 07 09 24 25 30 33 36 48 51 65 73

**12537. *Xylocopa* (*Ctenoxylocopa*) *fenestrata* (Fabricius,1798)** (Apidae) Synonym(s): *fenestrata* Fabricius,1798; *lunata* Klug,1807 Range (in code): AF IQ IR PK IN MM NP LK CN MG MU RE TR Ch 08 20 25 30 31 36 38 42 51

**12538. *Xylocopa* (*Koptortosoma*) *pubescens* Spinola,1838** (Apidae) Synonym(s): *pubescens* Spinola,1838; *rubida* Gribodo,1884 Range (in code): MA TR IR Ss IL Pa CY SY EG LY SN SD KE TZ MZ YE PK Krc Rw IN Ass NP AE 01 07 31 33 36

**12539. *Xylocopa* (*Proxycopa*) *nitidiventris* Smith,1878** (Apidae) Synonym(s): *nitidiventris* Smith,1878 Range (in code): CN Ui Yk Kn Pm IR Elb Th AF RU At

**12540. *Xylocopa* (*Proxycopa*) *olivieri* Lepeletier,1841** (Apidae) Synonym(s): *olivieri* Lepeletier,1841 Range (in code): ES AL MK GR Cr IL Pa Js IQ Amr Kku Bgd TR IR Ha Kd Ke Ss AF KK TM Kp PK CN Ui 01 04 06 07 08 13 20 24 25 30 31 36 38 42 48 51 56 65 73

**12541. *Xylocopa* (*Proxycopa*) *rufa* Friese,1901** (Apidae) Synonym(s): *rufa* Friese,1901; *erivaniensis* Pérez,1901 Range (in code): AM Eri Cc TR IR Elb Th PK CN Ui IL Pa TM SD KK TJ IN 65

**12542. *Xylocopa* (*s.str.*) *valga* Gerstaecker,1872** (Apidae) Synonym(s): *valga* Gerstaecker,1872; *ramulorum* Rondani,1874; *convexa* Smith,1878 Range (in code): ES FR CH AT IT CZ SK HU PL EE FI RU UA SS TR IR Elb 01 08 12 24 25 26 29 30 31 32 36 38 42 65

**12543. *Xylocopa* (*s.str.*) *varentzowi* Morawitz,1895** (Apidae) Synonym(s): *varentzowi* Morawitz,1895; *afghanica* Hedicke,1938; *convexior* Hedicke,1940 Range (in code): TM AF Pm IR Fa Shr IL Pa TR

**12544. *Xylocopa* (*s.str.*) *violacea* (Linnaeus,1758)** (Apidae) Synonym(s): *violacea* Linnaeus,1758; *insubrica* Müller,1766; *femorata* Fabricius,1804 Range (in code): GB ES FR BE DE PL CZ SK CH AT HU IT RU FI UA GR TR IQ Bgd IR Elb Mz 01 04 07 08 09 13 16 24 25 29 30 31 32 33 36 42 51 55 57 61 65 76

**12545. *Xylocopa hedickei* Özdikmen,2010** (Apidae) Synonym(s): *alticola* Hedicke,1938 *nec* Cock.,1919; *hedickei* Özdikmen,2010 Range (in code): AF

**12546. *Aprosthemina bifurcum* (Klug,1834)** (Argidae) Synonym(s): *bifurcum* Klug,1834 Range (in code): AT SK UA FI TR

- 12547. Aprosthema melanurum (Klug,1814)** (Argidae) Synonym(s): melanurum Klug,1814; cylindricornis Thomson,1871; friesei Konow,1892; alfeni Konow,1895; Range (in code): ES FR GB BE NL DE DK NO SE FI EE RU UA RO CZ SK HU CH AT IT B-H TR IR CN Ui Sb Cc
- 12548. Aprosthema syrmienne (Mocsary,1897)** (Argidae) Synonym(s): syrmienne Mocsary,1897 Range (in code): TR B-H RO
- 12549. Aprosthema tardum (Klug,1814)** (Argidae) Synonym(s): tardum Klug,1814; cylindricorne Thomson,1871; carpentieri Konow,1902 Range (in code): FR DE CZ AT IT HU B-H YU MK UA RU TR IL Pa Cc IR CN Ui Sb 57
- 12550. Arge aurata (Zaddach,1864)** (Argidae) Synonym(s): aurata Zaddach,1864 Range (in code): TR 25 51
- 12551. Arge auripennis Konow,1891** (Argidae) Synonym(s): auripennis Konow,1891 Range (in code): B-H RO Cc SY TR
- 12552. Arge beckeri Tournier,1889** (Argidae) Synonym(s): beckeri Tournier,1889 Range (in code): B-H YU MK HU UA TR 25
- 12553. Arge berberidis (Schränk,1802)** (Argidae) Synonym(s): berberidis Schränk,1802 Range (in code): ES FR BE NL DK DE EE PL UA CZ SK HU MK BG B-H AT CH IT TR Cc 06 25 28 29 33 76
- 12554. Arge carinifrons Enslin,1917** (Argidae) Synonym(s): carinifrons Enslin,1917 Range (in code): Cc
- 12555. Arge caucasica Tournier,1889** (Argidae) Synonym(s): caucasica Tournier,1889 Range (in code): Cc SK RU UA B-H
- 12556. Arge ciliaris (Linnaeus,1767)** (Argidae) Synonym(s): ciliaris Linnaeus,1767 Range (in code): FR GB IE DK SE FI EE LY RU UA PL DE CZ SK CH AT IT HU B-H RO BG TR Cc MN CN Mc Sb Kmt
- 12557. Arge cingulata Jakovlev,1891** (Argidae) Synonym(s): cingulata Jakovlev,1891; turanica Kuznetsov-Ugamskii,1927 Range (in code): TJ CN Ui IR
- 12558. Arge clavicornis (Fabricius,1781)** (Argidae) Synonym(s): clavicornis Fabricius,1781; fuscicornis Lindqvist,1974 Range (in code): ES FR SE DE PL RU Sb DZ TR CA 61
- 12559. Arge cyanocrocea (Forster,1771)** (Argidae) Synonym(s): cyanocrocea Forster,1771; syriaca Mocsary,1880 Range (in code): PT ES FR GB FI EE RU UA RO PL DE NL CH AT CZ SK HU B-H IT Co Si HV YU BG MK GR AL CY TR LB SY Cc IR TM JP 05 07 08 33 34 38 48 53 55 57
- 12560. Arge debilis Konow,1887** (Argidae) Synonym(s): debilis Konow,1887 Range (in code): TR 38
- 12561. Arge enodis (Linnaeus,1767)** (Argidae) Synonym(s): enodis Linnaeus,1767; coeruleipennis Retzius,1783 Range (in code): ES FR GB BE NL DE DK SE FI RU EE PL UA RO CZ SK HU CH AT IT Co Sa Si B-H YU AL MK GR BG TR Cc Sb JP 06
- 12562. Arge frivaldskyi (Tischbein,1852)** (Argidae) Synonym(s): frivaldskyi (Tischbein,1852) Range (in code): SK HU UA RO BG MK GR AL TR Cc 05 06 16
- 12563. Arge fuscipes (Fallén,1808)** (Argidae) Synonym(s): fuscipes Fallén,1808; seljuki Benson,1968 Range (in code): AT DE TR
- 12564. Arge gracilicornis (Klug,1814)** (Argidae) Synonym(s): gracilicornis Klug,1814 Range (in code): ES GB FR BE NL DK DE FI RU UA PL CZ SK HU RO B-H HV AL IT CH AT SS TR Sb IR JP
- 12565. Arge impressifrons Konow,1898** (Argidae) Synonym(s): impressifrons Konow,1898 Range (in code): AZ Cc Tlh
- 12566. Arge melanochna (Gmelin,1790)** (Argidae) Synonym(s): melanochna Gmelin,1790; nigratarsis Klug,1834; fuliginata Konow,1907 Range (in code): PT ES FR GB BE NL DE PL BY UA RO CZ SK HU AT CH IT Si B-H HV YU AL MK BG GR Cr CY TR IR 05 06 07 14 25 28 33 34 38 42 48 57 58 60
- 12567. Arge nigripes (Retzius,1783)** (Argidae) Synonym(s): nigripes Retzius,1783 Range (in code): ES FR GB SE FI RU Sb EE PL RO UA CZ SK DK DE BE NL CH AT HU B-H HV YU IT AL MK GR TR Cc 06 25 28
- 12568. Arge ochropus (Gmelin,1790)** (Argidae) Synonym(s): ochropus Gmelin,1790 Range (in code): PT ES FR BE NL GB NO SE FI RU Sb UA EE LT PL DK DE CZ SK HU AT CH IT Co Sa Si SS B-H HV RO YU MK BG GR AL Cr CY TR EG IL Pa LB Cc IR Ak TM 01 05 06 07 14 16 25 42 55 56 57 60 61 65
- 12569. Arge pagana (Panzer,1798)** (Argidae) Synonym(s): pagana Panzer,1798; flaviventris Fallén,1807; stephensii Leach,1817 Range (in code): GB ES FR BE NL DK DE SE FI RU UA RO BG YU AL MK B-H HU CZ SK PL CH AT IT Sa Si TR Cc Sb Kmt MN CN Mc JP 65
- 12570. Arge pallidinervis Gussakovskii,1935** (Argidae) Synonym(s): pallidinervis Gussakovskii,1935 Range (in code): UA Cc
- 12571. Arge persica Gussakovskii,1935** (Argidae) Synonym(s): persica Gussakovskii,1935 Range (in code): IR
- 12572. Arge pleuritica (Klug,1834)** (Argidae) Synonym(s): pleuritica Klug,1834 Range (in code): B-H HU SK UA RO MK BG TR Cc CN Ui 05 07 09 25 42
- 12573. Arge proxima (André,1881)** (Argidae) Synonym(s): proxima André,1881 Range (in code): TR 07
- 12574. Arge pullata (Zaddach,1859)** (Argidae) Synonym(s): pullata Zaddach,1859 Range (in code): FR FI DK DE NL CH AT IT B-H YU MK RO UA RU BY TR Sb Sh JP
- 12575. Arge pyrenaica (André,1879)** (Argidae) Synonym(s): pyrenaica André,1879 Range (in code): FR ES Py Cc IT Sa TR MA DZ RU Ur Ya TJ Pm MN 25 61

- 12576. *Arge rustica* (Linnaeus,1758)** (Argidae) Synonym(s): *rustica* Linnaeus,1758; *atrata* Forster,1771; *segmentarius* Panzer,1805 Range (in code): ES FR GB DK DE SE PL UA RU Us CZ HU RO CH AT IT Si B-H HV YU MK GR AL BG TR IL Pa 05 06 07 25 28 29 41 51 55 57 58
- 12577. *Arge scita* (Mocsary,1880)** (Argidae) Synonym(s): *scita* Mocsary,1880; *zarudnyi* Gussakovskii,1935 Range (in code): BG GR Cr CY TR LB IL Pa SY IR TM 05 06 16 25 31 33 42 43 46 51
- 12578. *Arge simulatrix* Konow,1887** (Argidae) Synonym(s): *simulatrix* Konow,1887 Range (in code): BG GR SY TR Cc 05 06 07 29 42 51
- 12579. *Arge ustulata* (Linnaeus,1758)** (Argidae) Synonym(s): *ustulata* Linnaeus,1758 Range (in code): PT ES FR GB IE DK BE NL DE NO SE FI EE LT BY RU UA PL CZ SK HU CH AT IT B-H Si YU BG TR
- 12580. *Kokujewia clementi* Zirngiebl,1949** (Argidae) Synonym(s): *clementi* Zirngiebl,1949; *taschevi* Vassilev,1978 Range (in code): GR BG TR 42
- 12581. *Kokujewia ectrapela* Konow,1902** (Argidae) Synonym(s): *ectrapela* Konow,1902; *palestina* Benson,1954 Range (in code): TR IR Oru Cc IL Pa 06
- 12582. *Sterictiphora furcata* (Villers,1789)** (Argidae) Synonym(s): *furcata* Villers,1789; *rubi* Rossi,1790; *rubiidae* Rossi,1790; *inaequalis* Bremi-Wolf,1849; *nigripes* Konow; *bleusei* Pic Range (in code): DZ PT ES FR DE CZ SK AT IT B-H HV YU RO UA MK AL TR RU Ur SY IR 05 06 25 34 57 67
- 12583. *Sterictiphora geminata* (Gmelin,1790)** (Argidae) Synonym(s): *geminata* Gmelin,1790; *costata* Fallén,1808; *pallipes* Leach,1817 Range (in code): ES FR GB IE NO SE FI PL DK DE CZ SK HU CH AT IT B-H RO TR
- 12584. *Pristaulacus barbeyi* (Ferriere,1933)** (Aulacidae) Synonym(s): *barbeyi* Ferriere,1933 Range (in code): DZ MA GR TR
- 12585. *Pristaulacus bimaculatus* Kieffer,1900** (Aulacidae) Synonym(s): *bimaculatus* Kieffer,1900 Range (in code): Cc RU Da DE RO HU MK BG ES
- 12586. *Pristaulacus compressus* (Spinola,1808)** (Aulacidae) Synonym(s): *compressus* Spinola,1808 Range (in code): ES FR AT DE CH IT CZ SK PL RO BG HU YU RU UA IQ MA TR SY LB
- 12587. *Pristaulacus galitae* (Gribodo,1879)** (Aulacidae) Synonym(s): *galitae* Gribodo,1879 Range (in code): ES Cn FR DE AT CZ SK BG HU RO UA IT Sa Si HV YU GR Cr Rd TR MA DZ TN
- 12588. *Pristaulacus gloriator* (Fabricius,1804)** (Aulacidae) Synonym(s): *gloriator* Fabricius,1804; *flagellatus* Nees,1834; *erichsoni* Westwood,1841; *fasciatus* Kriechbaumer,1883 Range (in code): DE RO AT CZ HU RU Sb YU IT TR CZ SK AL GR IR 42
- 12589. *Pristaulacus morawitzi* (Semenov,1892)** (Aulacidae) Synonym(s): *morawitzi* Semenov,1892 Range (in code): TM
- 12590. *Pristaulacus obscuripennis* (Westwood,1841)** (Aulacidae) Synonym(s): *obscuripennis* Westwood,1841; *schlettereri* Kieffer,1904 Range (in code): PL DE HU RO BG YU AT CH IT TR
- 12591. *Moczariella centenaria* Barbosa & Azevedo,2014** (Bethyridae) Synonym(s): *centenaria* Barbosa & Azevedo,2014 Range (in code): AE
- 12592. *Agathis anglica* Marshall,1885** (Braconidae) Synonym(s): *anglica* Marshall,1885; *longicauda* Kokujev,1895; *marshalli* Fahringer,1937; *syriaca* Fischer,1957; *albanica* Fischer,1957; *caucasica* Tobias,1963; *taiwanensis* Chou & Sharkey,1989 Range (in code): AL AM AZ AT Cc BG CN Hph TW HV CY FI FR DE GR Rd Cr HU IR IT KG MK MN MA NL PL RO RU Ao SS ES SE CH SY TJ UA GB YU TR SY Ltk 01 08 21 22 23 24 27 29 31 32 33 39 44 46 50 53 58 61 63 69
- 12593. *Agathis assimilis* Kokujev,1895** (Braconidae) Synonym(s): *assimilis* Kokujev,1895; *propinqua* Kokujev,1895; *jakowlewii* Kokujev,1895; *sibirica* Telenga,1933; *anchisiades* Nixon,1986 Range (in code): AT AZ BG HV FR DE HU IR IT KG KP KR LT MK MD MN NL NO PL RU Am Or Sr CH TJ UA GB UZ YU TR 39
- 12594. *Agathis berkei* Çetin Erdoğan,2010** (Braconidae) Synonym(s): *berkei* Çetin Erdoğan,2010 Range (in code): TR 24 44 62
- 12595. *Agathis breviseta* Nees von Esenbeck,1814** (Braconidae) Synonym(s): *breviseta* Nees von Esenbeck,1814 Range (in code): BE BG GB YU TR 22
- 12596. *Agathis dichroptera* Alexeev,1971** (Braconidae) Synonym(s): *dichroptera* Alexeev,1971 Range (in code): TM
- 12597. *Agathis dzhulpensis* Abdinbekova,1970** (Braconidae) Synonym(s): *dzhulpensis* Abdinbekova,1970 Range (in code): AZ Cc KG
- 12598. *Agathis fischeri* Zettel & Beyarslan,1992** (Braconidae) Synonym(s): *fischeri* Zettel & Beyarslan,1992 Range (in code): TR 02 24
- 12599. *Agathis fulmeki* Fischer,1957** (Braconidae) Synonym(s): *fulmeki* Fischer,1957 Range (in code): TR AT BG FR GR HU MA ES 44
- 12600. *Agathis fuscipennis* (Zetterstedt,1838)** (Braconidae) Synonym(s): *fuscipennis* Zetterstedt,1838 Range (in code): TR AT BG FR DE HU NL PL SE ES TN GB 08 23 44 62
- 12601. *Agathis glabricula* Thomson,1895** (Braconidae) Synonym(s): *glabricula* Thomson,1895 Range (in code): TR 33 39
- 12602. *Agathis glaucoptera* Nees ab Esenbeck,1834** (Braconidae) Synonym(s): *glaucoptera* Nees ab Esenbeck,1834 Range (in code): FR YU TR 25 42



- 12603. *Agathis griseifrons* Thomson,1895** (Braconidae) Synonym(s): *griseifrons* Thomson,1895 Range (in code): TR AL AM Cc AT AZ BG FI YU FR DE GR HU IE IT KG MN NL NO PL RO RU SS SE CH KP KR LT UA 44
- 12604. *Agathis jordanicola* Koçak & Kemal,2013** (Braconidae) Synonym(s): *polita* Nixon,1986 nec Say,1835; *jordanicola* Koçak & Kemal,2013 Range (in code): JO
- 12605. *Agathis lugubris* (Förster,1862)** (Braconidae) Synonym(s): *lugubris* Förster,1862; *minuta* Niezabitowski,1910 Range (in code): TR CZ FI HU PL CH UA GB DE GR Cr IR MN L NO 07 23 44 69
- 12606. *Agathis malvacearum* Latreille,1805** (Braconidae) Synonym(s): *malvacearum* Latreille,1805; *panzeri* Jurine,1807; *irregularis* Fahringer,1937 [ssp.]; *metzneriae* Müsenbeck,1967 Range (in code): AL AM AZ Cc BG CA HV CZ FI FR GG DE GR HU IR IT Sa KG LT LV MK MD MN NL PL RO RU Am Da Kr SK SS ES CH TJ TR US Ny Oh UA GB UZ YU 08 23 33 44 47 61 62 70
- 12607. *Agathis melpomene* Nixon,1986** (Braconidae) Synonym(s): *melpomene* Nixon,1986 Range (in code): TR HU BG IR MN 32 39
- 12608. *Agathis nachitshevanica* Abdinbekova,1970** (Braconidae) Synonym(s): *nachitshevanica* Abdinbekova,1970 Range (in code): AZ Cc Nv
- 12609. *Agathis nigra* Nees von Esenbeck,1814** (Braconidae) Synonym(s): *nigra* Nees von Esenbeck,1814 Range (in code): TR 22 23 29 31 32 33
- 12610. *Agathis persephone* Nixon,1986** (Braconidae) Synonym(s): *persephone* Nixon,1986 FR TR 63
- 12611. *Agathis rubens* Tobias,1963** (Braconidae) Synonym(s): *rubens* Tobias,1963 Range (in code): TR KG
- 12612. *Agathis rufipalpis* Nees von Esenbeck,1814** (Braconidae) Synonym(s): *rufipalpis* Nees von Esenbeck,1814 Range (in code): BE BG FI FR ES SE CH PT TR 07 08 15 22 23 25 31 32 39 44 63
- 12613. *Agathis syngenesiae* Nees von Esenbeck,1814** (Braconidae) Synonym(s): *syngenesiae* Nees von Esenbeck,1814 Range (in code): TR 01 16 22 27 33 34 59 63
- 12614. *Agathis tatarica* Telenga,1933** (Braconidae) Synonym(s): *tatarica* Telenga,1933 Range (in code): TR 44
- 12615. *Agathis taurica* Telenga,1955** (Braconidae) Synonym(s): *taurica* Telenga,1955 Range (in code): TR RU 05
- 12616. *Agathis transcaucasica* Abdinbekova,1970** (Braconidae) Synonym(s): *transcaucasica* Abdinbekova,1970 Range (in code): AZ Cc
- 12617. *Agathis turanica* (Kokujev,1903)** (Braconidae) Synonym(s): *turanica* Kokujev,1903 Range (in code): KG TM UZ
- 12618. *Agathis umbellatarum* Nees von Esenbeck,1814** (Braconidae) Synonym(s): *umbellatarum* Nees von Esenbeck,1814 Range (in code): TR 06 22 23 31 33 34 51 62
- 12619. *Agathis varipes* Thomson,1895** (Braconidae) Synonym(s): *varipes* Thomson,1895 Range (in code): TR 32 62
- 12620. *Apanteles aragatzi* Tobias,1976** (Braconidae) Synonym(s): *aragatzi* Tobias,1976 Range (in code): TR Cc AM CH 10 11 16 54
- 12621. *Apanteles ater* (Ratzeburg,1852)** (Braconidae) Synonym(s): *ater* Ratzeburg,1852 Range (in code): TR Cc AZ 10 17 25 34
- 12622. *Apanteles atreus* Nixon,1973** (Braconidae) Synonym(s): *atreus* Nixon,1973 Range (in code): TR GB DK BG DE IT GR HU 11 16
- 12623. *Apanteles brunnistigma* Abdinbekova,1969** (Braconidae) Synonym(s): *brunnistigma* Abdinbekova,1969 Range (in code): TR Cc AZ GB IT HU 11 17 34 41
- 12624. *Apanteles carpatus* Say,1836** (Braconidae) Synonym(s): *carpatus* Say,1836 Range (in code): TR AR ZR ZA Ec FJ FI GB GH DE Hw JP MY NZ AT PR CH SE US TZ Zz 11 22 44
- 12625. *Apanteles evanidus* Papp,1975** (Braconidae) Synonym(s): *evanidus* Papp,1975 Range (in code): TR CH HU 16 34 59
- 12626. *Apanteles gallerie* Wilkinson,1932** (Braconidae) Synonym(s): *gallerie* Wilkinson,1932 Range (in code): TR US AR MU IN FR HU IL Pa 16
- 12627. *Apanteles hemara* Nixon,1965** (Braconidae) Synonym(s): *hemara* Nixon,1965 Range (in code): TR IN IT MU ZA Nta Kzu SN AT BG 07 10 11 16 17 22 54 59 80
- 12628. *Apanteles ingenuoides* Papp,1971** (Braconidae) Synonym(s): *ingenuoides* Papp,1971 Range (in code): TR FR BG HU MN 10 11 16 39 54
- 12629. *Apanteles kubensis* Abdinbekova,1975** (Braconidae) Synonym(s): *kubensis* Abdinbekova,1975 Range (in code): TR HU Cc AZ 34
- 12630. *Apanteles myron* Nixon,1973** (Braconidae) Synonym(s): *myron* Nixon,1973 Range (in code): TR GB GR AT 11
- 12631. *Apanteles obscurus* (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): *obscurus* Nees ab Esenbeck,1834 Range (in code): TR Cc RU Sb MN 01 07 10 11 15 16 17 22 27 31 32 33 34 39 46 54 59
- 12632. *Aphidius absinthii* Marshall,1896** (Braconidae) Synonym(s): *absinthii* Marshall,1896 TR 05
- 12633. *Aphidius avenae* Haliday,1834** (Braconidae) Synonym(s): *avenae* Haliday,1834 TR 18 37 52 60
- 12634. *Aphidius ervi* Haliday,1834** (Braconidae) Synonym(s): *ervi* Haliday,1834 TR 05 19 37 52 55 57 69

- 12635. *Aphidius funebris* Mackauer,1961** (Braconidae) Synonym(s): funebris Mackauer,1961 [\\_TR 37](#)
- 12636. *Aphidius matricariae* Haliday,1834** (Braconidae) Synonym(s): matricariae Haliday,1834 [\\_TR 19](#)
- 12637. *Aphidius rosae* Haliday,1834** (Braconidae) Synonym(s): rosae Haliday,1834 [\\_TR 57](#)
- 12638. *Aphidius salicis* Haliday,1834** (Braconidae) Synonym(s): salicis Haliday,1834 [\\_TR 08 37](#)
- 12639. *Aphidius transcaspicus* Telenga,1958** (Braconidae) Synonym(s): transcaspicus Telenga,1958 [\\_TR 05 29 52 57 60](#)
- 12640. *Aphidius urticae* Haliday,1834** (Braconidae) Synonym(s): urticae Haliday,1834 [\\_TR 16 22 25 37 55 57 59](#)
- 12641. *Ascogaster armatus* Wesmael,1835** (Braconidae) Synonym(s): armatus Wesmael,1835 [Range \(in code\): TR 07 80](#)
- 12642. *Ascogaster instabilis* Wesmael,1835** (Braconidae) Synonym(s): instabilis Wesmael,1835 [Range \(in code\): RU TR 07 32](#)
- 12643. *Ascogaster rufipes* (Latreille,1809)** (Braconidae) Synonym(s): rufipes Latreille,1809 [Range \(in code\): TR 07 15](#)
- 12644. *Atanycolus denigrator* (Linnaeus,1758)** (Braconidae) Synonym(s): denigrator Linnaeus,1758 [Range \(in code\): CN AT BG HV CZ SK FI FR DE GR HU IL Pa IT KG KP KR MN NE NO PL RU SE CH GB TR](#)
- 12645. *Atanycolus fulviceps* (Kriechbaumer,1898)** (Braconidae) Synonym(s): fulviceps Kriechbaumer,1898 [Range \(in code\): TR 01 06 23 39 44 59](#)
- 12646. *Atanycolus initiator* (Fabricius,1793)** (Braconidae) Synonym(s): initiator Fabricius,1793; genalis Thomson,1892; petiolaris Thomson,1892; flaviceps Ivanov,1896; mongolicus Telenga,1936 [Range \(in code\): CN Mc AT AZ Cc HV CZ SK FI FR DE HU IT JP LT LV MN NO PL RU ES SE CH TR TM UA GB 01 07 31](#)
- 12647. *Atanycolus neesii* (Marshall,1897)** (Braconidae) Synonym(s): neesii Marshall,1897 [Range \(in code\): TR 31 59](#)
- 12648. *Atormus victus* (Haliday,1837)** (Braconidae) Synonym(s): victus Haliday,1837; tarni Papp,1982 [Range \(in code\): AM Cc AT BE BG CZ DK EE FI GG DE HU IT MN NL PL RO RU Us SK SS SE CH GB TR 52 61 74](#)
- 12649. *Baryproctus barypus* (Marshall,1885)** (Braconidae) Synonym(s): barypus Marshall,1885; hungaricus Szépligeti,1901; caucasicus Telenga,1936; apti Györfi,1953 [Range \(in code\): Cc HU TR 06 17 23 24 66](#)
- 12650. *Bassus armeniacus* (Telenga,1955)** (Braconidae) Synonym(s): armeniacus Telenga,1955 [\\_AM Cc TR AT](#)
- 12651. *Bassus beyarslani* Çetin Erdoğan,2005** (Braconidae) Synonym(s): beyarslani Çetin Erdoğan,2005 [Range \(in code\): TR 03](#)
- 12652. *Bassus calculator* (Fabricius,1798)** (Braconidae) Synonym(s): calculator Fabricius,1798 [Range \(in code\): TR 74](#)
- 12653. *Bassus cingulipes* (Nees ab Esenbeck,1814)** (Braconidae) Synonym(s): cingulipes Nees ab Esenbeck,1814 [Range \(in code\): TR 14](#)
- 12654. *Bassus conspicuus* (Wesmael,1837)** (Braconidae) Synonym(s): conspicuus Wesmael,1837 [Range \(in code\): TR BE Cn CN HV FI YU FR DE GR HU IE IT JP KP KR NL PL RU SS ES SE CH 14 44 64](#)
- 12655. *Bassus dimidiator* (Nees von Esenbeck,1834)** (Braconidae) Synonym(s): dimidiator Nees von Esenbeck,1834 [Range \(in code\): TR 55](#)
- 12656. *Bassus graecus* Achterberg,1992** (Braconidae) Synonym(s): graecus Achterberg,1992 [Range \(in code\): GR TR 55](#)
- 12657. *Bassus linguarius* (Nees ab Esenbeck,1814)** (Braconidae) Synonym(s): linguarius Nees ab Esenbeck,1814 [Range \(in code\): TR AM Cc BE BG HV FI YU FR DE HU IT KG MN NL PL SS ES CH GB 62](#)
- 12658. *Bassus rufipes* (Nees ab Esenbeck,1814)** (Braconidae) Synonym(s): rufipes Nees ab Esenbeck,1814 [Range \(in code\): TR](#)
- 12659. *Bassus rugulosus* (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): rugulosus Nees ab Esenbeck,1834 [Range \(in code\): TR 65](#)
- 12660. *Bassus tegularis* (Thomson,1895)** (Braconidae) Synonym(s): tegularis Thomson,1895 [Range \(in code\): TR BG FR YU DE IT NL NO PL SE GB 44](#)
- 12661. *Bassus tumidulus* (Nees von Esenbeck,1814)** (Braconidae) Synonym(s): tumidulus Nees von Esenbeck,1814 [Range \(in code\): TR 07 15 33 44 47 59](#)
- 12662. *Bassus zaykovi* (Nixon,1986)** (Braconidae) Synonym(s): zaykovi Nixon,1986 [Range \(in code\): TR 32 43](#)
- 12663. *Biosteres (Chilotrichia) arenarius* (Stelfox,1959)** (Braconidae) Synonym(s): arenarius Stelfox,1959 [Range \(in code\): TR 58 80](#)
- 12664. *Biosteres (Chilotrichia) blandus* (Haliday,1837)** (Braconidae) Synonym(s): blandus Haliday,1837 [Range \(in code\): TR 06 32 38 51 58](#)
- 12665. *Biosteres (Chilotrichia) brevipalpis* (Thomson,1895)** (Braconidae) Synonym(s): brevipalpis Thomson,1895 [Range \(in code\): TR 08 61](#)
- 12666. *Biosteres (Chilotrichia) haemorrhoeus* (Haliday,1836)** (Braconidae) Synonym(s): haemorrhoeus Haliday,1836 [Range \(in code\): TR 05 29 55](#)

- 12667. *Biosteres (Chilotrichia) rusticus* (Haliday,1837)** (Braconidae) Synonym(s): rusticus Haliday,1837 Range (in code): TR 08 38 52 55 61
- 12668. *Biosteres (Chilotrichia) scabriculus* (Wesmael,1835)** (Braconidae) Synonym(s): scabriculus Wesmael,1835 Range (in code): TR 58
- 12669. *Biosteres (Chilotrichia) ultor* (Förster,1862)** (Braconidae) Synonym(s): ultor Förster,1862 Range (in code): TR 58 62
- 12670. *Biosteres (Chilotrichia) wesmaelii* (Haliday,1835)** (Braconidae) Synonym(s): wesmaelii Haliday,1835 Range (in code): TR 08 52 58
- 12671. *Biosteres (s.str.) carbonarius* (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): carbonarius Nees ab Esenbeck,1834 Range (in code): TR 08 28 37 53 58 61 74
- 12672. *Biosteres (s.str.) kayapinarensis* Fischer & Beyarslan,2005** (Braconidae) Synonym(s): kayapinarensis Fischer & Beyarslan,2005 Range (in code): TR 42
- 12673. *Biosteres (s.str.) longicauda* (Thomson,1895)** (Braconidae) Synonym(s): longicauda Thomson,1895 Range (in code): TR 28 43 52 58
- 12674. *Biosteres (s.str.) remigii* (Fischer,1971)** (Braconidae) Synonym(s): remigii Fischer,1971 Range (in code): TR 32
- 12675. *Biosteres (s.str.) spinaciae* (Thomson,1895)** (Braconidae) Synonym(s): spinaciae Thomson,1895 Range (in code): TR 17 51 55 58 59
- 12676. *Bitomus (s.str.) castus* (Zaykov,1983)** (Braconidae) Synonym(s): castus Zaykov,1983 Range (in code): TR 78
- 12677. *Bitomus (s.str.) valdepusillus* Fischer & Beyarslan,2005** (Braconidae) Synonym(s): valdepusillus Fischer & Beyarslan,2005 Range (in code): TR 51 74
- 12678. *Blacometeorus brevicauda* (Hellén,1958)** (Braconidae) Synonym(s): brevicauda Hellén,1958 TR
- 12679. *Blacometeorus intermedius* Tobias,1976** (Braconidae) Synonym(s): intermedius Tobias,1976 TR
- 12680. *Blacus (Ganychorus) armatulus* (Ruthe,1861)** (Braconidae) Synonym(s): armatulus Ruthe,1861 Range (in code): AT AL CZ DE GB HU FR PL RO SU RU TR Cc AZ CA US KG 22 25 54
- 12681. *Blacus (Ganychorus) capeki* Haeselbarth,1973** (Braconidae) Synonym(s): capeki Haeselbarth,1973 TR 23 44
- 12682. *Blacus (Ganychorus) conformis* Wesmael,1835** (Braconidae) Synonym(s): conformis Wesmael,1835 TR 06 23 44
- 12683. *Blacus (Ganychorus) diversicornis* (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): diversicornis Nees ab Esenbeck,1834; compar Ruth,1861 Range (in code): AL AT BG CZ DE DK GB FI HU FR IE IT PL RO SE RU CH NL YU TR 24 25 39 44
- 12684. *Blacus (Ganychorus) maculipes* Wesmael,1835** (Braconidae) Synonym(s): maculipes Wesmael,1835 Range (in code): AT BE BG CZ DK DE GB FI HU IE IT PL RO RU GB SE CH NL YU TR 11 16 22 23 24 25 34 39 44 54 59
- 12685. *Blacus (Ganychorus) madli* Haeselbarth,1992** (Braconidae) Synonym(s): madli Haeselbarth,1992 Range (in code): TR 06 13
- 12686. *Blacus (Ganychorus) pallipes* Haliday,1835** (Braconidae) Synonym(s): pallipes Haliday,1835 TR
- 12687. *Blacus (Ganychorus) ruficornis* (Nees ab Esenbeck,1811)** (Braconidae) Synonym(s): ruficornis Nees ab Esenbeck,1811 Range (in code): AL AT BE BG CY DK GB DE FI FR GR NL HU IE IT JP MX DZ NO CZ PL RO RU ES SE CH US TN TR YU 10 11 16 17 22 23 24 34 39 44 54 59 62 77
- 12688. *Blacus (Hysterochilus) nixoni* Haeselbarth,1973** (Braconidae) Synonym(s): nixoni Haeselbarth,1973 Range (in code): BG CY TR PT NL KP BR 10 23 59
- 12689. *Blacus (Neoblacus) koenigi* Fischer,1966** (Braconidae) Synonym(s): koenigi Fischer,1966 TR
- 12690. *Blacus (s.str.) bovistae* (Haeselbarth,1973)** (Braconidae) Synonym(s): bovistae Haeselbarth,1973 Range (in code): AT GR HU IT CH TR 06
- 12691. *Blacus (s.str.) errans* (Nees ab Esenbeck,1811)** (Braconidae) Synonym(s): errans Nees ab Esenbeck,1811 Range (in code): AT CZ DK DE GB FI HU IT TR Cc 06 25 34 68
- 12692. *Blacus (s.str.) exilis* (Nees ab Esenbeck,1811)** (Braconidae) Synonym(s): exilis Nees ab Esenbeck,1811; lactucaphis Fitch,1855; pallipes Förster,1862; propallipes Shenefelt,1969; intermedius Janzon,1975 Range (in code): AT BE CZ BG DK DE GB FI SE FR GR IE HU IT KG MN LT RU PT ES CH NL TR Cc AZ IL Pa AF RU Sb KP KR CA US 16 22 23 25 59
- 12693. *Blacus (s.str.) filicornis* (Haeselbarth,1972)** (Braconidae) Synonym(s): filicornis Haeselbarth,1972 Range (in code): AT CZ DK DE GB FI FR HU IE IT LT TR KG RO MN SE 23 40 44 51
- 12694. *Blacus (s.str.) fuscipes* Goureau,1861** (Braconidae) Synonym(s): fuscipes Goureau,1861 TR
- 12695. *Blacus (s.str.) hastatus* (Haliday,1835)** (Braconidae) Synonym(s): hastatus Haliday,1835; terebrator Ruthe,1861 Range (in code): AT CZ DK DE GB FI HU IE SE NL TR YU UA 34 68
- 12696. *Blacus (s.str.) humilis* (Nees ab Esenbeck,1811)** (Braconidae) Synonym(s): humilis Nees ab Esenbeck,1811; trivialis Haliday,1835; wesmaeli Ruthe,1861 Range (in code): AT BE BG CY CZ DK GB FI FR DE HU IE IT LV PL PT SE CH NL YU Cc TR 06



- 12697. Blacus (s.str.) instabilis Ruthe,1861** (Braconidae) Synonym(s): instabilis Ruthe,1861; #petiolatus Haeselbarth,1973 Range (in code): AT BG CZ DK SK DE GB FI HU IE MN NO PL SE CH TR UZ LT TM
- 12698. Blacus (s.str.) interstitialis (Ruthe,1861)** (Braconidae) Synonym(s): interstitialis Ruthe,1861; oscinellae Fischer,1963 Range (in code): AT CZ DK DE SE HU NL TR AF 22 25 59 68
- 12699. Blacus (s.str.) leptostigma Ruthe,1861** (Braconidae) Synonym(s): leptostigma Ruthe,1861 Range (in code): DE IE TR 22
- 12700. Blacus (s.str.) longicaudatus Tobias,1976** (Braconidae) Synonym(s): longicaudatus Tobias,1976 Range (in code): Cc AM
- 12701. Blacus (s.str.) longipennis (Gravenhorst,1807)** (Braconidae) Synonym(s): longipennis Gravenhorst,1807 TR
- 12702. Blacus (s.str.) nigricornis Haeselbarth,1973** (Braconidae) Synonym(s): nigricornis Haeselbarth,1973 Range (in code): GB FR NL HU IE IT CZ SE TR 59
- 12703. Blacus (s.str.) paganus (Haliday,1835)** (Braconidae) Synonym(s): paganus Haliday,1835; brevicornis Ruthe,1861 Range (in code): AT BG TR CZ DK DE FI FR HU IE IT RU MN SE NL 25 38
- 12704. Blacus (s.str.) rufescens Ruthe,1861** (Braconidae) Synonym(s): rufescens Ruthe,1861 Range (in code): AT DK DE NL RO SE YU MD HU TR 10
- 12705. Blacus (s.str.) stelfoxi Haeselbarth,1973** (Braconidae) Synonym(s): stelfoxi Haeselbarth,1973 Range (in code): AT BG TR FR FI DE GR HU MN NL SE 06 10 25 38
- 12706. Bracon (Asiabracon) quadrimaculatus Telenga,1936** (Braconidae) Synonym(s): quadrimaculatus Telenga,1936; amaculatus Beyarslan,1988 Range (in code): GR TR 01 02 09 10 31 33 47 58 59 63
- 12707. Bracon (Cyanopterobracon) armeniacus Telenga,1936** (Braconidae) Synonym(s): armeniacus Telenga,1936 Range (in code): AM Cc TR 44
- 12708. Bracon (Cyanopterobracon) fallax Szépligeti,1901** (Braconidae) Synonym(s): fallax Szépligeti,1901; falsus Kokujev,1913; olgae Telenga,1936; oculatus Tobias,1957 Range (in code): MA IT Si Cc GG RO KG TR DE TJ RU HU 01 02 06 07 17 32 33 38 44 51 58 60 66 69
- 12709. Bracon (Cyanopterobracon) illyricus (Marshall,1888)** (Braconidae) Synonym(s): illyricus Marshall,1888 Range (in code): AL RU YU HU AT TR 01 05 07 08 18 23 26 32 33 46 50 52 57 58 60 66 68 71
- 12710. Bracon (Cyanopterobracon) oculatus Tobias,1957** (Braconidae) Synonym(s): oculatus Tobias,1957 Range (in code): TJ TR 01 07 32 33
- 12711. Bracon (Cyanopterobracon) sabulosus Szépligeti,1896** (Braconidae) Synonym(s): sabulosus Szépligeti,1896 Range (in code): TR 03 06 19 22 26 27 38 40 42 44 47 50 51 57 58 68
- 12712. Bracon (Cyanopterobracon) spectabilis (Telenga,1936)** (Braconidae) Synonym(s): spectabilis Telenga,1936 Range (in code): RU KG Cc GG Tbl TR 01 05 0 15 17 25 26 32 33 38 46 58 60
- 12713. Bracon (Glabrobracon) abbreviator Nees ab Esenbeck,1834** (Braconidae) Synonym(s): abbreviator Nees ab Esenbeck,1834 Range (in code): TR 01
- 12714. Bracon (Glabrobracon) admotus Papp,2000** (Braconidae) Synonym(s): admotus Papp,2000 Range (in code): TR 37
- 12715. Bracon (Glabrobracon) ahngeri Telenga,1936** (Braconidae) Synonym(s): ahngeri Telenga,1936 Range (in code): TR 02 21 23 26 37 42 44 47 55 58 62 63
- 12716. Bracon (Glabrobracon) angustiventris Tobias,1957** (Braconidae) Synonym(s): angustiventris Tobias,1957 Range (in code): TM KG Cc AZ RU TR 01 05 06 20 23 26 33 38 42 55 57 58
- 12717. Bracon (Glabrobracon) anthracinus (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): delibator Haliday,1833; anthracinus Nees ab Esenbeck,1834 Range (in code): CN MN KG TM Cc AZ RU TR GR IT YU HU PL SE AT DE BE ES FR GB 01 05 07 08 10 11 14 15 16 17 19 22 23 24 25 26 27 28 29 31 32 33 34 37 38 39 42 44 46 47 50 51 52 55 57 58 59 60 61 62 63 67 69 78
- 12718. Bracon (Glabrobracon) arcuatus Thomson,1957** (Braconidae) Synonym(s): arcuatus Thomson,1957 Range (in code): TR 23
- 12719. Bracon (Glabrobracon) atrator (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): atrator Nees ab Esenbeck,1834 Range (in code): RU KG YU FI SE HU IT NL BE DE AT FR GB ES TR 01 02 06 07 08 10 11 14 15 16 17 19 20 21 22 23 24 25 27 28 29 32 33 37 38 39 40 42 44 46 47 50 52 53 54 55 57 58 59 60 61 62 63 66 67 68 69 78 81
- 12720. Bracon (Glabrobracon) baseflavus Beyarslan,2002** (Braconidae) Synonym(s): baseflavus Beyarslan,2002 Range (in code): TR 35 59
- 12721. Bracon (Glabrobracon) bilgini Beyarslan,2002** (Braconidae) Synonym(s): bilgini Beyarslan,2002 Range (in code): TR 05 06 19 20 23 25 26 28 29 37 41 43 41 42 44 48 50 52 53 58 60 61 62
- 12722. Bracon (Glabrobracon) brevicaratus Tobias,1957** (Braconidae) Synonym(s): brevicaratus Tobias,1957 Range (in code): TR 19 41 44 52
- 12723. Bracon (Glabrobracon) caudatus Ratzeburg,1848** (Braconidae) Synonym(s): caudatus Ratzeburg,1848 Range (in code): TR 10 54
- 12724. Bracon (Glabrobracon) caudiger Nees ab Esenbeck,1834** (Braconidae) Synonym(s): caudiger Nees ab Esenbeck,1834 Range (in code): TR 10 11 16 17 22 39 54 59

- 12725. Bracon (Glabrobracon) chrysostigma** Greese,1928 (Braconidae) Synonym(s): chrysostigma Greese,1928 Range (in code): TR 05 06 08 18 19 22 23 29 43 44 50 55 58 60 66 70
- 12726. Bracon (Glabrobracon) cingulator** Szépligeti,1901 (Braconidae) Synonym(s): cingulator Szépligeti,1901 Range (in code): TR 08 23 38 44 53 54 55 60 62
- 12727. Bracon (Glabrobracon) ciscaucasicus** Telenga,1936 (Braconidae) Synonym(s): ciscaucasicus Telenga,1936 Range (in code): Cc TR 02 05 23 67
- 12728. Bracon (Glabrobracon) delusorius** Telenga,1936 (Braconidae) Synonym(s): delusorius Telenga,1936 Range (in code): TM TR 07 15 32
- 12729. Bracon (Glabrobracon) delusorius** Telenga,1936 (Braconidae) Synonym(s): delusorius Telenga,1936 Range (in code): TR 01 07 15 32
- 12730. Bracon (Glabrobracon) densipilosus** Tobias,1957 (Braconidae) Synonym(s): densipilosus Tobias,1957 Range (in code): TR 19 51
- 12731. Bracon (Glabrobracon) dersimensis** Beyarslan,2012 (Braconidae) Synonym(s): dersimensis Beyarslan,2012 Range (in code): TR 62
- 12732. Bracon (Glabrobracon) dichromus** (Wesmael,1838) (Braconidae) Synonym(s): dichromus Wesmael,1838; discretus Szepligeti,1901; polonicus Fahringer,1927; pseudopolonicus Strand,1928; velbingeri Fahringer,1951 Range (in code): TR 38 39 64
- 12733. Bracon (Glabrobracon) discoideus** (Wesmael,1838) (Braconidae) Synonym(s): discoideus Wesmael,1838 Range (in code): JP KK TM RU RO YU CZ HU AT NL PL SE BE DE IT FR GB DZ TR 01 07 33 80
- 12734. Bracon (Glabrobracon) dolichurus** Marshall,1897 (Braconidae) Synonym(s): dolichurus Marshall,1897 Range (in code): TR 05 06 17 20 21 23 26 29 37 38 39 42 44 47 50 58 59 66
- 12735. Bracon (Glabrobracon) erzurumiensis** Beyarslan,2002 (Braconidae) Synonym(s): erzurumiensis Beyarslan,2002 Range (in code): TR 20 23 25 39 62
- 12736. Bracon (Glabrobracon) fadiche** Beyarslan,1996 (Braconidae) Synonym(s): fadiche Beyarslan,1996 Range (in code): TR 02 05 06 14 18 19 22 23 26 29 35 37 40 48 55 57 58 59 60 61 66 70 74 78
- 12737. Bracon (Glabrobracon) flavipalpis** Thomson,1892 (Braconidae) Synonym(s): flavipalpis Thomson,1892 Range (in code): TR 44 51 58 60
- 12738. Bracon (Glabrobracon) frater** Tobias,1957 (Braconidae) Synonym(s): frater Tobias,1957 Range (in code): TR 18 19 22 23 24 26 28 38 42 44 51 58 60 61 74 78
- 12739. Bracon (Glabrobracon) fumatus** Szepligeti,1901 (Braconidae) Synonym(s): fumatus Szepligeti,1901; brunneipennis Szepligeti,1901 Range (in code): TR 02 23 32 44
- 12740. Bracon (Glabrobracon) fumipennis** (Thomson,1892) (Braconidae) Synonym(s): fumipennis Thomson,1892 Range (in code): RU YU HU PL SE FI AT FR GB TR 01 32 33 46
- 12741. Bracon (Glabrobracon) helleni** Telenga,1936 (Braconidae) Synonym(s): helleni Telenga,1936 TR 06 19 22 28 34 63
- 12742. Bracon (Glabrobracon) hemiflavus** Szepligeti,1901 (Braconidae) Synonym(s): hemiflavus Szepligeti,1901 TR 07 29 51 55 69
- 12743. Bracon (Glabrobracon) immutator** Nees ab Esenbeck,1834 (Braconidae) Synonym(s): immutator Nees ab Esenbeck,1834; efoveolatus Thomson,1892; hemirugosus Szepligeti,1901; bilecikator Beyarslan,1996; #bilecikator Beyarslan,1996 Range (in code): TR 01 11 14 16 17 37 52 60 69
- 12744. Bracon (Glabrobracon) jaroslavensis** Telenga,1936 (Braconidae) Synonym(s): jaroslavensis Telenga,1936; camellatus Telenga,1936 Range (in code): TR 03 48
- 12745. Bracon (Glabrobracon) jenoï** Beyarslan,2010 (Braconidae) Synonym(s): jenoï Beyarslan,2010 TR 42
- 12746. Bracon (Glabrobracon) kirgisorum** Telenga,1936 (Braconidae) Synonym(s): kirgisorum Telenga,1936 Range (in code): KK TR 02 03 06 29 42 58 62
- 12747. Bracon (Glabrobracon) larvicida** (Wesmael,1838) (Braconidae) Synonym(s): larvicida Wesmael,1838 Range (in code): TR RO YU HU AT BE IT FR GB 07 15
- 12748. Bracon (Glabrobracon) lividus** Telenga,1936 (Braconidae) Synonym(s): lividus Telenga,1936 TR 02 05 06 10 11 14 16 17 18 19 23 24 25 26 28 29 32 37 38 41 44 47 50 51 55 56 57 58 59 60 61 62 63 64 66 68 69
- 12749. Bracon (Glabrobracon) longulus** Thomson,1892 (Braconidae) Synonym(s): longulus Thomson,1892 TR 03 09 20 37 60
- 12750. Bracon (Glabrobracon) maculiger** (Wesmael,1838) (Braconidae) Synonym(s): maculiger Wesmael,1838 Range (in code): JP RU TJ TM RO HU AT BE IT FR TR 01 07 33
- 12751. Bracon (Glabrobracon) negativus** Tobias,1957 (Braconidae) Synonym(s): negativus Tobias,1957 TR 08 55 58 60 74
- 12752. Bracon (Glabrobracon) nigripilosus** Tobias,1957 (Braconidae) Synonym(s): nigripilosus Tobias,1957 TR 03 22 23 29 57
- 12753. Bracon (Glabrobracon) obscurator** Nees ab Esenbeck,1812 (Braconidae) Synonym(s): obscurator Nees ab Esenbeck,1812; claripennis Thomson,1892; fumipennis Thomson,1892; fuscipennis Thomson,1892; pallicarpus Thomson,1892; parvicornis Thomson,1892; thomsoni Marshall,1897; marshalli Szepligeti,1901; rytrensis

- Fahringier,1927;... Range (in code): CN KG RU Sb Cc AZ YU HU RO IT CZ SE FI AT DK PL BE DE ES GB TR 01 02 05 06 07 08 10 11 13 14 15 16 17 18 19 21 22 23 24 28 29 32 37 38 39 40 42 44 46 47 50 52 53 54 55 57 58 59 60 61 63 66 67 68 78 80 81
- 12754. Bracon (Glabrobracon) osculator (Nees ab Esenbeck,1812)** (Braconidae) Synonym(s): osculator Nees ab Esenbeck,1812; bisignatus Wesmael,1838; degenerator Marshall,1885; cingulator Szepligeti,1901; minutus Szepligeti,1901; temporalis Telenga,1936; venustus Telenga,1936 Range (in code): MN Cc AZ RU Sb YU IT RO PL HU SE FI DK AT BE NL DE FR GB TR 05 06 07 08 10 16 17 19 22 23 24 26 29 31 32 33 38 39 40 41 42 44 50 51 52 55 57 58 59 60 61 62 66 67 69 74
- 12755. Bracon (Glabrobracon) otiosus Marshall,1885** (Braconidae) Synonym(s): otiosus Marshall,1885; macrurus Thomson,1892; explorator Szepligeti,1904; pumilionis Roman,1928 TR 08 19 37 38 40 52 55 58 59 60 61 66
- 12756. Bracon (Glabrobracon) pachyceri Quintaret,1912** (Braconidae) Synonym(s): pachyceri Quintaret,1912 TR
- 12757. Bracon (Glabrobracon) parvicornis Thomson,1892** (Braconidae) Synonym(s): parvicornis Thomson,1892; carbonarius Szepligeti,1901 TR 02 05 06 19 21 23 26 29 38 39 42 44 55 58 59 62 66
- 12758. Bracon (Glabrobracon) parvulus (Wesmael,1838)** (Braconidae) Synonym(s): parvulus Wesmael,1838; fuscipennis Thomson,1892; thomsoni Marshall,1897 TR 01 05 07 14 15 32 33 38 44 46 48 57 60 67 74 78 81
- 12759. Bracon (Glabrobracon) pauris Beyarslan,1996** (Braconidae) Synonym(s): pauris Beyarslan,1996 TR 08 22 23 44 52 58 67
- 12760. Bracon (Glabrobracon) pineti Thomson,1892** (Braconidae) Synonym(s): pineti Thomson,1892 TR 03 05 06 08 14 22 23 24 26 28 34 37 38 39 40 42 44 55 58 59 60 68
- 12761. Bracon (Glabrobracon) planinotus Tobias,1957** (Braconidae) Synonym(s): planinotus Tobias,1957 TR 05 06 14 17 22 26 42 44 52 58
- 12762. Bracon (Glabrobracon) popovi Telenga,1936** (Braconidae) Synonym(s): popovi Telenga,1936; prodigiosus Papp,1971 Range (in code): KG RU TR 02 07 05 06 08 14 16 17 18 19 22 23 26 27 28 29 31 32 33 37 38 39 40 42 50 52 57 58 59 60 61 62 66 68 69 78
- 12763. Bracon (Glabrobracon) praecox (Wesmael,1838)** (Braconidae) Synonym(s): praecox Wesmael,1838 Range (in code): TR 42
- 12764. Bracon (Glabrobracon) praetermissus Marshall,1885** (Braconidae) Synonym(s): praetermissus Marshall,1885 TR 08 23 28 29 37 44 58 61 74
- 12765. Bracon (Glabrobracon) tekkensis Telenga,1936** (Braconidae) Synonym(s): tekkensis Telenga,1936 TR 03 19 23 29 37 38 42 44 50 58 59 60 66
- 12766. Bracon (Glabrobracon) terebella (Wesmael,1838)** (Braconidae) Synonym(s): terebella Wesmael,1838; curticaudis Szepligeti,1901 Range (in code): CA On US RU RO AL YU HU IT CH BE FI SE GB TR 06 07 15 18 32 51 58
- 12767. Bracon (Glabrobracon) tshitsherini (Kokoujev,1904)** (Braconidae) Synonym(s): tshitsherini Kokoujev,1904 Range (in code): TR Cc AZ KG RU TM KG RO HU 01 05 06 07 19 24 26 29 33 40 50 58 59 60 66
- 12768. Bracon (Glabrobracon) variator (Nees ab Esenbeck,1812)** (Braconidae) Synonym(s): variator Nees ab Esenbeck,1812; bipartitus Wesmael,1838; dichromus Wesmael,1838; maculiger Wesmael,1838; collinus Szepligeti,1896; breviventris Szepligeti,1901; hemiflavus Szepligeti,1901; hyalinipennis Szepligeti,1901; rotundatus Szepligeti,1901; explorator Szepligeti,1904; rotundulus Szepligeti,1904; biorrhizae Fahringier,1928; pumilionis Roman,1928; collaris Telenga,1936; ornatulus Telenga,1936 Range (in code): CN MN RU Sb UA Cm RO TR IR TJ Pm YU CZ HU FI SE NL BE DE IT PL AT FR ES GB 01 05 06 07 08 10 11 14 15 16 17 18 20 22 23 24 25 26 28 29 32 33 34 37 38 39 41 42 44 46 50 52 53 54 55 57 59 60 61 62 63 65 66 67 68 69 71 74 78 81
- 12769. Bracon (Glabrobracon) zonites Marshall,1897** (Braconidae) Synonym(s): zonites Marshall,1897 Range (in code): TR 58
- 12770. Bracon (Habrobracon) breviradiatus (Tobias,1957)** (Braconidae) Synonym(s): breviradiatus Tobias,1957 TR 03 47
- 12771. Bracon (Habrobracon) didemae Beyarslan,2002** (Braconidae) Synonym(s): didemae Beyarslan,2002 TR 23 26 39 44 57 58
- 12772. Bracon (Habrobracon) flavosignatus (Tobias,1957)** (Braconidae) Synonym(s): flavosignatus Tobias,1957 TR 03 05 21 22 39 44
- 12773. Bracon (Habrobracon) hebetor Say,1835** (Braconidae) Synonym(s): hebetor Say,1835; dorsator Say,1836; brevicornis Wesmael,1838; juglandis Ashmead,1889; brunneus Szepligeti,1901; beneficentior Viereck,1911; breviantennatus De Stefani,1919; asiaticus Telenga,1936; flavus Telenga,1936; turkestanicus Telenga,1936;... TR AU ET CA On US 01 02 05 06 07 10 11 15 16 17 21 22 23 24 25 26 27 31 33 37 38 39 40 42 44 46 47 50 52 55 57 58 59 60 63 65 66 67 79
- 12774. Bracon (Habrobracon) iranicus M.Fischer,1972** (Braconidae) Synonym(s): iranicus M.Fischer,1972 Range (in code): IR
- 12775. Bracon (Habrobracon) kopetdagi (Tobias,1957)** (Braconidae) Synonym(s): kopetdagi Tobias,1957 TM Kp TR 22 23 26 62
- 12776. Bracon (Habrobracon) nigricans (Szepligeti,1901)** (Braconidae) Synonym(s): nigricans Szepligeti,1901; mongolicus Telenga,1936 MN TR 02 05 06 18 19 21 22 23 26 29 33 37 38 42 44 47 51 55 58 60 63 66 69



- 12777. Bracon (Habrobracon) nygmiae (Telenga,1936)** (Braconidae) Synonym(s): nygmiae Telenga,1936 [\\_TR 05 06](#)
- 12778. Bracon (Habrobracon) pillerianae (Fischer,1978)** (Braconidae) Synonym(s): pillerianae Fischer,1978 [\\_TR](#)
- 12779. Bracon (Habrobracon) ponticus Tobias,1986** (Braconidae) Synonym(s): ponticus Tobias,1986 [\\_TR 22](#)
- 12780. Bracon (Habrobracon) radialis (Telenga,1936)** (Braconidae) Synonym(s): radialis Telenga,1936 [\\_TR 22 26 57 59](#)
- 12781. Bracon (Habrobracon) simonovi (Kokujev,1914)** (Braconidae) Synonym(s): simonovi Kokujev,1914; plotnicovi Telenga,1936 [\\_TR 23 25 38 40 66](#)
- 12782. Bracon (Habrobracon) stabilis (Wesmael,1838)** (Braconidae) Synonym(s): stabilis Wesmael,1838; concolor Thomson,1892; concolorans Marshall,1900; opacus Fahringer,1928 [\\_TR US 02 18 21 23 29 44 47 50 58 66](#)
- 12783. Bracon (Habrobracon) telengai (Mulyarskaya,1955)** (Braconidae) Synonym(s): telengai Mulyarskaya,1955 [\\_TR Gk 17](#)
- 12784. Bracon (Habrobracon) viktorovi (Tobias,1936)** (Braconidae) Synonym(s): viktorovi Tobias,1936 [\\_TR 44 52](#)
- 12785. Bracon (Lucobracon) achterbergi Beyarslan,2010** (Braconidae) Synonym(s): achterbergi Beyarslan,2010 [\\_TR 08 28 53 58 61 81](#)
- 12786. Bracon (Lucobracon) aestivalis Szepligeti,1901** (Braconidae) Synonym(s): aestivalis Szepligeti,1901 [\\_TR 22 59](#)
- 12787. Bracon (Lucobracon) brachycerus Thomson,1892** (Braconidae) Synonym(s): brachycerus Thomson,1892; kudsiricus Papp,1965 [\\_TR 62](#)
- 12788. Bracon (Lucobracon) brachypterus Tobias,1959** (Braconidae) Synonym(s): brachypterus Tobias,1959 [\\_TR 06](#)
- 12789. Bracon (Lucobracon) breviradius Beyarslan,2011** (Braconidae) Synonym(s): breviradius Beyarslan,2011 [\\_TR 38 74](#)
- 12790. Bracon (Lucobracon) brevitemporis Tobias,1959** (Braconidae) Synonym(s): brevitemporis Tobias,1959 [\\_TR 05 08 26 29 37 58 60 61 69 70 78](#)
- 12791. Bracon (Lucobracon) byurakanicus Tobias,1976** (Braconidae) Synonym(s): byurakanicus Tobias,1976 [\\_TR 42 58](#)
- 12792. Bracon (Lucobracon) concavus Tobias,1957** (Braconidae) Synonym(s): concavus Tobias,1957 [\\_TR 61](#)
- 12793. Bracon (Lucobracon) crassungula Thomson,1892** (Braconidae) Synonym(s): crassungula Thomson,1892 [\\_TR 08 22 23 33 58 60](#)
- 12794. Bracon (Lucobracon) erraticus (Wesmael,1838)** (Braconidae) Synonym(s): erraticus Wesmael,1838; superciliosus Wesmael,1838; erythrostictus Marshall,1885; exarator Marshall,1885; vectensis Marshall,1885; foveola Thomson,1892; confinis Szepligeti,1901; lagodechianus Telenga,1936; planiceps Telenga,1936; talitzkii Telenga,1936; transcaspicus Telenga,1936; hades Papp,1965 [\\_Cc GG Lag TR 01 02 05 06 07 08 09 10 11 14 16 17 18 19 20 22 23 24 25 26 27 29 33 37 38 39 40 41 42 44 46 47 51 52 53 55 56 57 58 59 60 61 62 63 66 67 69 74 77 78 81](#)
- 12795. Bracon (Lucobracon) femoralis (Brullé,1832)** (Braconidae) Synonym(s): femoralis Brullé,1832; hedwigae Schmiedeknecht,1897; xystus Marshall,1897; palaestinensis Szepligeti,1901; carinatulus Telenga,1936 [\\_TR 22 58 71 79](#)
- 12796. Bracon (Lucobracon) filizae Beyarslan,2002** (Braconidae) Synonym(s): filizae Beyarslan,2002 [\\_TR 22](#)
- 12797. Bracon (Lucobracon) flagellaris Thomson,1892** (Braconidae) Synonym(s): flagellaris Thomson,1892; facialis Thomson,1892; ochraceus Szepligeti,1896; thomsonii Dalla Torre,1898; gracilis Szepligeti,1901; dallatorrei Szepligeti,1901 [\\_TR 05 19 21 29 44 58 60](#)
- 12798. Bracon (Lucobracon) fortipes (Wesmael,1838)** (Braconidae) Synonym(s): fortipes Wesmael,1838; crocatus Schmiedeknecht,1897; curiosus Szepligeti,1901; semirugosus Szepligeti,1901; rytrensis Niezabitowski,1910; halicensis Strand,1928 [\\_TR 06 07 10 22 23 24 26 29 37 38 39 42 44 46 57 58 59 66 67 68 69](#)
- 12799. Bracon (Lucobracon) fumigidus Szepligeti,1901** (Braconidae) Synonym(s): fumigidus Szepligeti,1901 [\\_TR 32 39 59](#)
- 12800. Bracon (Lucobracon) grandiceps Thomson,1892** (Braconidae) Synonym(s): grandiceps Thomson,1892; gallicus Thomson,1892 [\\_TR 05 06 08 11 19 22 24 25 28 29 37 38 47 52 53 55 57 58 59 60 61](#)
- 12801. Bracon (Lucobracon) guttiger (Wesmael,1838)** (Braconidae) Synonym(s): guttiger Wesmael,1838 [\\_TR 04 66](#)
- 12802. Bracon (Lucobracon) humidus Tobias,1976** (Braconidae) Synonym(s): humidus Tobias,1976 [\\_TR 02 14 21 22 37 38 47 48 58 60 63](#)
- 12803. Bracon (Lucobracon) hungaricus (Szepligeti,1896)** (Braconidae) Synonym(s): hungaricus Szepligeti,1896; longiventris Szepligeti,1901; xanthostigma Kokujev,1904 [\\_HU TR 01 02 05 06 11 17 19 21 23 26 27 29 34 38 39 40 44 47 52 55 57 58 59 60 63 66 71 80](#)
- 12804. Bracon (Lucobracon) hylobii Ratzeburg,1848** (Braconidae) Synonym(s): nigriventris Wesmael,1838; hylobii Ratzeburg,1848 [\\_TR 22 37 61 67 74](#)

- 12805. Bracon (Lucobracon) infernalis Telenga,1936** (Braconidae) Synonym(s): infernalis Telenga,1936 [\\_TR 51 58 68](#)
- 12806. Bracon (Lucobracon) isiklericus Beyarslan,2002** (Braconidae) Synonym(s): isiklericus Beyarslan,2002 [\\_TR 59](#)
- 12807. Bracon (Lucobracon) iskilipus Beyarslan & Tobias,2008** (Braconidae) Synonym(s): iskilipus Beyarslan & Tobias,2008 [Range \(in code\): TR 19](#)
- 12808. Bracon (Lucobracon) jakuticus Tobias,1961** (Braconidae) Synonym(s): jakuticus Tobias,1961 [TR 11 52 60](#)
- 12809. Bracon (Lucobracon) kaszabi Papp,1967** (Braconidae) Synonym(s): kaszabi Papp,1967 [\\_TR 02 39 63](#)
- 12810. Bracon (Lucobracon) kuzguni Beyarslan,2011** (Braconidae) Synonym(s): kuzguni Beyarslan,2011 [\\_TR 37](#)
- 12811. Bracon (Lucobracon) larvicida (Wesmael,1838)** (Braconidae) Synonym(s): larvicida Wesmael,1838; crassiusculus Szepligeti,1901 [\\_TR 05 07 09 11 15 18 19 22 26 28 32 37 38 39 52 53 55 57 59 60 61 74 78](#)
- 12812. Bracon (Lucobracon) meyeri Telenga,1936** (Braconidae) Synonym(s): meyeri Telenga,1936; consternatus Papp,1971 [\\_TR 18 29](#)
- 12813. Bracon (Lucobracon) mirus Szepligeti,1901** (Braconidae) Synonym(s): mirus Szepligeti,1901 [TR 06 16 29](#)
- 12814. Bracon (Lucobracon) moczari Papp,1969** (Braconidae) Synonym(s): moczari Papp,1969 [Range \(in code\): GR HU TR 22 39 42 59](#)
- 12815. Bracon (Lucobracon) nigriventris (Wesmael,1838)** (Braconidae) Synonym(s): nigriventris Wesmael,1838; palpebrator Ratzeburg,1844; indubius Szepligeti,1901; lautus Szepligeti,1901; subornatus Szepligeti,1901; laticeps Telenga,1936; lencoranus Telenga,1936; persimilis Telenga,1936; turolus Papp,1984 [\\_TR 05 08 14 19 22 28 29 37 39 52 58 61 74](#)
- 12816. Bracon (Lucobracon) pliginskii Telenga,1936** (Braconidae) Synonym(s): pliginskii Telenga,1936 [\\_TR 06 22](#)
- 12817. Bracon (Lucobracon) punctifer Thomson,1892** (Braconidae) Synonym(s): punctifer Thomson,1892 [\\_TR 44](#)
- 12818. Bracon (Lucobracon) punctithorax Tobias,1959** (Braconidae) Synonym(s): punctithorax Tobias,1959 [\\_TR 37 41 78](#)
- 12819. Bracon (Lucobracon) radiatus Tobias,1957** (Braconidae) Synonym(s): radiatus Tobias,1957 [TR 26](#)
- 12820. Bracon (Lucobracon) semifusus Papp,1965** (Braconidae) Synonym(s): semifusus Papp,1965 [TR 22](#)
- 12821. Bracon (Lucobracon) sphaerocephalus Szepligeti,1901** (Braconidae) Synonym(s): sphaerocephalus Szepligeti,1901 [\\_TR 14 24 39 41 55](#)
- 12822. Bracon (Lucobracon) subhylobii Tobias,1986** (Braconidae) Synonym(s): subhylobii Tobias,1986 [\\_TR 58](#)
- 12823. Bracon (Lucobracon) suchorukovi Telenga,1936** (Braconidae) Synonym(s): suchorukovi Telenga,1936; dobrovolskii Telenga,1936 [\\_TR 05 06 10 17 22 26 29 34 37 38 39 44 58 59 60 62 71 78](#)
- 12824. Bracon (Lucobracon) surucicus Beyarslan,2002** (Braconidae) Synonym(s): surucicus Beyarslan,2002 [\\_TR 63](#)
- 12825. Bracon (Lucobracon) talyshicus Tobias,1976** (Braconidae) Synonym(s): talyshicus Tobias,1976 [TR 22 62](#)
- 12826. Bracon (Lucobracon) thuringiacus Schmiedeknecht,1897** (Braconidae) Synonym(s): thuringiacus Schmiedeknecht,1897 [\\_TR 37 66](#)
- 12827. Bracon (Lucobracon) triangularis Nees ab Esenbeck,1834** (Braconidae) Synonym(s): triangularis Nees ab Esenbeck,1834 [\\_TR 14 19 21 34 42 54 58](#)
- 12828. Bracon (Orthobracon) discoideus (Wesmael,1838)** (Braconidae) Synonym(s): discoideus Wesmael,1838 [\\_TR 01 07 33 80](#)
- 12829. Bracon (Orthobracon) epitriptus Marshall,1885** (Braconidae) Synonym(s): epitriptus Marshall,1885; maculifer Szepligeti,1901; melanogaster Szepligeti,1901; novus Szepligeti,1901; cakili Beyarslan,1996 [TR 03 05 08 18 23 26 29 35 37 40 44 47 54 55 58 59 60 61 67 69 74](#)
- 12830. Bracon (Orthobracon) exhilarator Nees ab Esenbeck,1834** (Braconidae) Synonym(s): exhilarator Nees ab Esenbeck,1834; satanas Wesmael,1838; tibialis Zetterstedt,1838; striolatus Thomson,1892; polonicella Strand,1928 [\\_TR PL 22 37 44 57 63](#)
- 12831. Bracon (Orthobracon) filicornis Thomson,1892** (Braconidae) Synonym(s): filicornis Thomson,1892 [\\_TR 38](#)
- 12832. Bracon (Orthobracon) longigenis Tobias,1957** (Braconidae) Synonym(s): longigenis Tobias,1957 [\\_TR 24](#)
- 12833. Bracon (Orthobracon) malatyensis Beyarslan,2009** (Braconidae) Synonym(s): malatyensis Beyarslan,2009 [\\_TR 38 44 51](#)
- 12834. Bracon (Orthobracon) picticornis (Wesmael,1838)** (Braconidae) Synonym(s): picticornis Wesmael,1838; gallarum Ratzeburg,1852; levigatissimus Dalla Torre,1898; versicolor Szepligeti,1901; laevigatus Fahringer,1927 [\\_TR 05 17 19 22 37 52 55 57 59 60 63 67](#)

- 12835. Bracon (Orthobracon) roberti (Wesmael,1838)** (Braconidae) Synonym(s): roberti Wesmael,1838 [TR 39](#)
- 12836. Bracon (Orthobracon) tenuicornis (Wesmael,1838)** (Braconidae) Synonym(s): tenuicornis Wesmael,1838 [TR 44 59](#)
- 12837. Bracon (Orthobracon) titubans (Wesmael,1838)** (Braconidae) Synonym(s): titubans Wesmael,1838; tarsator Thomson,1892; terebrator Szépligeti,1901; subornatus Szépligeti,1901 [TR 19 52](#)
- 12838. Bracon (Pigeria) piger (Wesmael,1838)** (Braconidae) Synonym(s): piger Wesmael,1838; semiluteus Walker,1874; rotundulus Szépligeti,1904 [Range \(in code\): TR JP KG Cc RU RO CZ HU AT IT BE FR GB 01 03 05 06 07 08 09 15 16 17 18 19 20 22 23 24 25 26 28 29 32 33 35 37 38 39 40 42 43 44 46 50 51 52 53 55 57 58 59 60 61 62 63 66 67 68 69 71 74 78](#)
- 12839. Bracon (Rostrobracon) urinator (Fabricius,1798)** (Braconidae) Synonym(s): urinator Fabricius,1798; comptus Marshall,1897 [Range \(in code\): TR TJ KG RU Sb IR IN RU TR SY GR AL IT HU RO NL DE BE FR ES PT 01 02 05 06 07 10 11 14 16 17 18 19 21 22 24 25 26 27 28 29 31 32 33 37 38 39 40 42 43 44 46 47 48 51 52 55 57 58 59 60 62 63 66 67 78 79](#)
- 12840. Bracon (s.str.) bachtiea Beyarslan,2012** (Braconidae) Synonym(s): bachtiea Beyarslan,2012 [Range \(in code\): TR 37](#)
- 12841. Bracon (s.str.) changrinicus Beyarslan,2002** (Braconidae) Synonym(s): changrinicus Beyarslan,2002 [Range \(in code\): TR 03 05 06 08 16 19 24 26 37 40 42 44 57 58 59 60 62 64](#)
- 12842. Bracon (s.str.) curticornis (Brues,1924)** (Braconidae) Synonym(s): curticornis Brues,1924 [Range \(in code\): ZA TR 39](#)
- 12843. Bracon (s.str.) fulvipes Nees ab Esenbeck,1834** (Braconidae) Synonym(s): fulvipes Nees ab Esenbeck,1834; carinatus Szépligeti,1901; sylvanus Greese,1928; kiritshenkoi Telenga,1936 [Range \(in code\): TR 01 05 06 07 08 10 11 14 15 16 19 22 23 24 26 27 29 31 32 33 34 38 39 40 41 42 44 46 47 50 52 54 55 57 58 59 60 61 66 67 68 74 78 81](#)
- 12844. Bracon (s.str.) gusaricus Telenga,1933** (Braconidae) Synonym(s): gusaricus Telenga,1933; depressus Telenga,1936; pulcherrimus Telenga,1936 [Range \(in code\): TR 27 37 40 44 47 58](#)
- 12845. Bracon (s.str.) intercessor Nees ab Esenbeck,1834** (Braconidae) Synonym(s): intercessor Nees ab Esenbeck,1834; lativentris Cresson,1865; fulvus Szépligeti,1896; fumigatus Szépligeti,1896; hemirugosus Szépligeti,1896; universitatis Dalla Torre,1898; adjectus Szépligeti,1901; bisinuatus Szépligeti,1901; dubiosus Szépligeti,1901; Szépligeti,1901; elegans Szépligeti,1901; fallaciosus Szépligeti,1901; mixtus Szépligeti,1901; mundus Szépligeti,1901; nitidiusculus Szépligeti,1901; rufiscapus Szépligeti,1901; subtilis Szépligeti,1901; suspectus Szépligeti,1901; vigilax Kokujev,1912; rhynchiti Greese,1928; kachetinus Telenga,1933; maslovskii Telenga,1936; segregatus Telenga,1936 [Range \(in code\): TR 01 02 06 07 08 09 10 11 13 14 15 16 17 18 19 21 22 23 24 25 26 27 28 29 31 32 33 34 35 37 39 41 42 43 44 46 50 51 52 53 54 55 57 59 60 61 62 66 67 68 69 71 74 78 79 80 81](#)
- 12846. Bracon (s.str.) kozak Telenga,1936** (Braconidae) Synonym(s): kozak Telenga,1936; ovoides Telenga,1936; shestakovi Telenga,1936 [Range \(in code\): TR 06 23 24 37 40 50 51 55 57 58 62 68 71](#)
- 12847. Bracon (s.str.) kuslitzkyi Tobias,1986** (Braconidae) Synonym(s): kuslitzkyi Tobias,1986 [Range \(in code\): TR 24 68](#)
- 12848. Bracon (s.str.) laetus (Wesmael,1838)** (Braconidae) Synonym(s): laetus Wesmael,1838 [Range \(in code\): BE CN Gn HV CY CZ FR GG Cc DE GR HU IL Pa IT Si PT ES TR TM GB UZ YU 17 39 59](#)
- 12849. Bracon (s.str.) leptus Marshall,1897** (Braconidae) Synonym(s): leptus Marshall,1897 [Range \(in code\): TR 02 03 05 06 23 24 26 29 38 42 48 51 52 55 57 58 59 60 62 68 74 78](#)
- 12850. Bracon (s.str.) longicollis (Wesmael,1838)** (Braconidae) Synonym(s): longicollis Wesmael,1838; subcylindricus Wesmael,1838; fraudator Marshall,1885; brevicauda Thomson,1892; crassicauda Thomson,1892; alutaceus Szépligeti,1901; depressiusculus Szépligeti,1904; pallidalatus Tobias,1957 [Range \(in code\): TR 02 05 06 08 10 14 18 19 22 23 24 26 29 37 38 39 40 42 44 50 51 52 53 55 58 59 60 61 62 66 67 69 74 78](#)
- 12851. Bracon (s.str.) luteator Spinola,1808** (Braconidae) Synonym(s): luteator Spinola,1808 [Range \(in code\): TR 50](#)
- 12852. Bracon (s.str.) luteator Spinola,1808** (Braconidae) Synonym(s): luteator Spinola,1808; maculator Brullé,1832; nigripedator Nees,1834; filicauda Costa,1888; intermedius Szépligeti,1896; hypopygialis Szépligeti,1901; pilosulus Szépligeti,1901 [Range \(in code\): TR 01 02 05 06 07 10 11 14 15 16 17 18 19 21 22 23 24 26 27 29 33 34 37 38 39 40 42 44 47 48 50 51 55 57 58 59 60 62 65 66 68 69 80](#)
- 12853. Bracon (s.str.) mariae Dalla Torre,1898** (Braconidae) Synonym(s): mariae Dalla Torre,1898 [Range \(in code\): TR 01 09 13 14 16 26 32 62 63 66 69](#)
- 12854. Bracon (s.str.) mimutator (Fabricius,1798)** (Braconidae) Synonym(s): mimutator Fabricius,1798; abscissor Nees,1834; oostmaeli Wesmael,1838; regularis Wesmael,1838; trucidator Marshall,1888; thalassinus Schmiedeknecht,1897; sulcatus Szépligeti,1896; rufigaster Szépligeti,1901; subrugosus Szépligeti,1901; tener Szépligeti,1904; pannonicus Szépligeti,1904 [Range \(in code\): TR 01 05 07 08 10 11 14 15 16 17 18 19 21 22 23 25 26 27 32 33 34 37 38 39 40 42 46 51 55 57 58 59 60 61 65 66 67 68 71 78 79 80](#)
- 12855. Bracon (s.str.) murgabensis Tobias,1957** (Braconidae) Synonym(s): murgabensis Tobias,1957; praestans Tobias,1957 [Range \(in code\): TR 06 22 23 50 55 68](#)
- 12856. Bracon (s.str.) nigratus (Wesmael,1838)** (Braconidae) Synonym(s): nigratus Wesmael,1838 [Range \(in code\): TR 05 06 13 18 22 23 24 26 29 37 38 40 42 44 50 52 55 57 58 60 61 68 69 74 78](#)
- 12857. Bracon (s.str.) pectoralis (Wesmael,1838)** (Braconidae) Synonym(s): pectoralis Wesmael,1838; obscuricornis Szépligeti,1896; ochrosus Szépligeti,1896; sulphurator Szépligeti,1896 [Range \(in code\): TR 01 02 05](#)



- 06 07 08 10 11 13 14 15 16 17 18 19 20 22 23 24 26 29 31 32 33 37 38 39 41 42 44 50 51 54 55 57 58 59 60 62  
65 67 69 71 74
- 12858. Bracon (s.str.) spurnensis Hincks,1951** (Braconidae) Synonym(s): rugulosus Szépligeti,1901; depressiusculus Szépligeti,1904; spurnensis Hincks,1951 Range (in code): **TR 61**
- 12859. Bracon (s.str.) subglaber Szépligeti,1901** (Braconidae) Synonym(s): subglaber Szépligeti,1901; quinquemaculatus Szépligeti,1901; subrugosus Szépligeti,1901; tauricus Telenga,1936 Range (in code): **TR 14 37 44 50 55 57 58 59 62 74 78**
- 12860. Bracon (s.str.) trucidator Marshall,1888** (Braconidae) Synonym(s): trucidator Marshall,1888; bilineatus Thomson,1892; hilaris Marshall,1897; subrugosus Szépligeti,1901; pannonicus Szépligeti,1904 Range (in code): **TR 03 05 06 08 10 13 15 16 17 18 19 22 23 24 26 28 29 34 37 38 39 40 42 44 50 52 54 55 57 59 60 61 62 65 66 67 80 81**
- 12861. Bracon (s.str.) variagator Spinola,1808** (Braconidae) Synonym(s): variagator Spinola,1808; melanosoma Szépligeti,1901; micros Szépligeti,1901; nanulus Szépligeti,1901 Range (in code): **TR 01 02 05 10 11 14 15 16 18 22 23 25 26 27 29 32 33 34 38 41 42 46 52 53 55 57 58 59 60 62 63 65 66 69**
- 12862. Camptothrips armeniaca (Telenga,1935)** (Braconidae) Synonym(s): armeniacus Telenga,1935 Range (in code): **AT AZ HU IR IT KG MD CH UA AM Cc TR 06**
- 12863. Ceratobracon stschegolevi (Telenga,1933)** (Braconidae) Synonym(s): stschegolevi Telenga,1933; adaniensis Beyarslan,1987 TR 01 02 05 06 08 10 14 16 17 18 19 21 22 23 26 29 33 37 40 42 44 47 50 51 57 58 60 63 66 67 68 69 70 71
- 12864. Chelonus (Microchelonus) atripes (Thomson,1874)** (Braconidae) Synonym(s): atripes Thomson,1874 Range (in code): **TR 39**
- 12865. Chelonus (Microchelonus) azerbaijdzhanicus Abdinbekova,1971** (Braconidae) Synonym(s): azerbaijdzhanicus Abdinbekova,1971 Range (in code): **AM AZ Cc GR Cr ES**
- 12866. Chelonus (Microchelonus) basalis (Curtis,1837)** (Braconidae) Synonym(s): basalis Curtis,1837 Range (in code): **RU TR IR KG 01 07 15**
- 12867. Chelonus (Microchelonus) cesa Koçak & Kemal,2013** (Braconidae) Synonym(s): asiaticus Telenga,1941 nec Fahr.,1932; cesa Koçak & Kemal,2013 Range (in code): **AM Cc CZ GR Cr HU IR TR KG LT MD MN RU Kr Us SK ES GB UZ 39**
- 12868. Chelonus (Microchelonus) contracta (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): contracta Nees ab Esenbeck,1834 Range (in code): **Cc KG RU Sb TR 27 32 33 46**
- 12869. Chelonus (Microchelonus) exilis (Marshall,1885)** (Braconidae) Synonym(s): exilis Marshall,1885; excavatus Tobias,1972 Range (in code): **AM AZ Cc BG HV CZ FR DE HU IT KG LT LV MD MN NL PL RU SS ES CH GB UZ YU TR 01 15**
- 12870. Chelonus (Microchelonus) fissilis (Tobias,1985)** (Braconidae) Synonym(s): fissilis Tobias,1985 Range (in code): **GG Cc TR 63**
- 12871. Chelonus (Microchelonus) flavoneavulus Abdinbekova,1971** (Braconidae) Synonym(s): flavoneavulus Abdinbekova,1971 Range (in code): **AZ HU MD RU Da Cc TR 39**
- 12872. Chelonus (Microchelonus) hungaricus (Szepligeti,1896)** (Braconidae) Synonym(s): hungarica Szepligeti,1896; palpalis Tobias,1989 Range (in code): **TR AZ Cc CZ HU KG MN SK UA 15**
- 12873. Chelonus (Microchelonus) iranica (Tobias,2001) (homonym)** (Braconidae) Synonym(s): iranica Tobias,2001 nec Tobias,1972 Range (in code): **IR**
- 12874. Chelonus (Microchelonus) kopetdagicus (Tobias,1966)** (Braconidae) Synonym(s): kopetdagica Tobias,1966; caucasicus Abdinbekova,1967; cretensis Tobias,1999 Range (in code): **GR Cr HV HU KG KK MD Kr ES CH TR YU Cc AZ TM Kp 22**
- 12875. Chelonus (Microchelonus) magnifissuralis Abdinbekova,1971** (Braconidae) Synonym(s): magnifissuralis Abdinbekova,1971 Range (in code): **AZ Cc TR ES 39**
- 12876. Chelonus (Microchelonus) microphthalmus Wesmael,1838** (Braconidae) Synonym(s): microphthalmus Wesmael,1838; dilatus Papp,1971 Range (in code): **AL BE BG HV CZ FI FR DE GR HU IT KG KP KR KK MK MN PL RO RU Us Tv SE CH TN TR TM UA UZ YU 22**
- 12877. Chelonus (Microchelonus) nigriritibialis Abdinbekova,1971** (Braconidae) Synonym(s): nigriritibialis Abdinbekova,1971 Range (in code): **AZ MD Cc TR 22 59**
- 12878. Chelonus (Microchelonus) nitens (Reinhard,1867)** (Braconidae) Synonym(s): nitens Reinhard,1867 Range (in code): **TR RU KG 15 46**
- 12879. Chelonus (Microchelonus) rostratus (Tobias,1966)** (Braconidae) Synonym(s): rostratus Tobias,1966 Range (in code): **AM AZ Cc BG CZ HU MD RU SK ES TR TM UA 22**
- 12880. Chelonus (Microchelonus) subcontractus Abdinbekova,1971** (Braconidae) Synonym(s): subcontractus Abdinbekova,1971 Range (in code): **AZ GG Cc GR Cr HU KG LT MD MN PL RO RU Da Kmt Kr Us Sh SK TR UA YU 22 27 33**
- 12881. Chelonus (Microchelonus) sulcatus Jurine,1807** (Braconidae) Synonym(s): sulcatus Jurine,1807; rimulosus Thomson,1874; curvisulcatus Szepligeti,1896; rimatus Szepligeti,1896 Range (in code): **AZ AM Cc BE BG HV CZ EG FI FR DE GR Cr HU IL Pa IT KG LT LV MK MD RU Sb Us MK MD MN MA NL PL Kr Sh SK ES SE CH TR UA GB UZ YU 07 15 22 32 33 46**
- 12882. Chelonus (Microchelonus) turcius (Tobias,2008)** (Braconidae) Synonym(s): turcius Tobias,2008 Range (in code): **TR**

- 12883. Chelonus (s.str.) armeniacus Tobias,1976** (Braconidae) Synonym(s): armeniacus Tobias,1976 Range (in code): AM Cc
- 12884. Chelonus (s.str.) beyarslani Aydoğdu,2008** (Braconidae) Synonym(s): beyarslani Aydoğdu,2008 Range (in code): TR 09
- 12885. Chelonus (s.str.) carbonator Marshall,1885** (Braconidae) Synonym(s): carbonator Marshall,1885; asiaticus Fahringer,1932 Range (in code): TR AT CN Sz HV CZ FI FR DE GR Cr HU IN IR IT KG MD MN PL RO RU Us Sh Sr SS ES CH TJ GN YU 01 33
- 12886. Chelonus (s.str.) erythrogaster Lucas,1846** (Braconidae) Synonym(s): erythrogaster Lucas,1846 Range (in code): DZ RU TR 46
- 12887. Chelonus (s.str.) gravenhorstii (Nees ab Esenbeck,1813)** (Braconidae) Synonym(s): gravenhorstii Nees ab Esenbeck,1813 Range (in code): RU TR 46
- 12888. Chelonus (s.str.) inanitus (Linnaeus,1767)** (Braconidae) Synonym(s): inanitus Linnaeus,1767 Range (in code): DZ RU TR 33
- 12889. Chelonus (s.str.) iranicus Tobias,1972** (Braconidae) Synonym(s): iranicus Tobias,1972 Range (in code): IR
- 12890. Chelonus (s.str.) mucronatus Thomson,1874** (Braconidae) Synonym(s): mucronatus Thomson,1874 Range (in code): SE CZ RU TR 01
- 12891. Chelonus (s.str.) obscurator Herrich-Schäffer,1838** (Braconidae) Synonym(s): obscurator Herrich-Schäffer,1838 Range (in code): DE TR 01 07 15 27 32 33 46
- 12892. Chelonus (s.str.) oculator (Fabricius,1775)** (Braconidae) Synonym(s): oculator Fabricius,1775 ES FR CH GB BE NL DE SE FI LV PL RU UA RO CZ SK AT YU AL GR BG TR Cr Sa 01
- 12893. Chelostes robustus Van Achterberg,1990** (Braconidae) Synonym(s): robustus Van Achterberg,1990 Range (in code): TR 38
- 12894. Chelostes subrobustus Yilmaz & Beyarslan,2009** (Braconidae) Synonym(s): subrobustus Yilmaz & Beyarslan,2009 Range (in code): TR 05 55
- 12895. Chelostes vardzia (Enukidze,1976)** (Braconidae) Synonym(s): vardzia Enukidze,1976 Range (in code): Cc GG
- 12896. Choeras dorsalis (Spinola,1808)** (Braconidae) Synonym(s): dorsalis Spinola,1808 Range (in code): TR Cc AZ AM RU Da GG DZ CY GB SE IT Si RO HU 01 06 07 10 11 16 17 22 33 34 39 54
- 12897. Chorebus anasella (Stelfox,1952)** (Braconidae) Synonym(s): anasella Stelfox,1952 Range (in code): TR 01 07 22 23 25 32 33 39
- 12898. Chorebus aphanthus (Marshall,1895)** (Braconidae) Synonym(s): aphanthus Marshall,1895 Range (in code): TR CN DK DE GB FR AT IE PL RU SE CH 32
- 12899. Chorebus avesta (Nixon,1944)** (Braconidae) Synonym(s): avesta Nixon,1944 Range (in code): TR DE GB AT RU CH ES 23
- 12900. Chorebus cyclops (Nixon,1937)** (Braconidae) Synonym(s): cyclops Nixon,1937 Range (in code): DE GB AT RO CH RU TR ES 01 02 07 15 23 27 32 39 58 79
- 12901. Chorebus diremtus (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): diremtus Nees ab Esenbeck,1834 Range (in code): TR 32 33
- 12902. Chorebus femoratus (Tobias,1962)** (Braconidae) Synonym(s): femoratus Tobias,1962 Range (in code): AZ Cc TR 39
- 12903. Chorebus flavipes Goureau,1851** (Braconidae) Synonym(s): flavipes Goureau,1851 Range (in code): GB DE IE PL FR DK GR TR KG RU Us MN 61
- 12904. Chorebus iridis Griffiths,1968** (Braconidae) Synonym(s): iridis Griffiths,1968 Range (in code): TR IT 15 23
- 12905. Chorebus perkinsi (Nixon,1968)** (Braconidae) Synonym(s): perkinsi Nixon,1968 Range (in code): TR DE GB AT SE CH 15 23 33 39
- 12906. Chorebus varuna (Nixon,1945)** (Braconidae) Synonym(s): varuna Nixon,1945 Range (in code): TR GB PL CH 01 33
- 12907. Clinocentrus vestigator (Haliday,1836)** (Braconidae) Synonym(s): vestigator Haliday,1836 TR 25
- 12908. Coelinidea albimanus (Snellen van Vollenhoven,1873)** (Braconidae) Synonym(s): albimanus Snellen van Vollenhoven,1873 Range (in code): TR NL 01
- 12909. Coelinidea elegans (Curtis,1829)** (Braconidae) Synonym(s): elegans Curtis,1829 Range (in code): TR GB NL IT IE YU PL SE HU 15
- 12910. Coeloides abdominalis (Zetterstedt,1838)** (Braconidae) Synonym(s): abdominalis Zetterstedt,1838 TR
- 12911. Coeloides foersteri Haeselbarth,1967** (Braconidae) Synonym(s): foersteri Haeselbarth,1967 TR 08 16
- 12912. Colastes aciculatus Tobias,1986** (Braconidae) Synonym(s): aciculatus Tobias,1986 TR 24
- 12913. Colastes braconius Haliday,1833** (Braconidae) Synonym(s): braconius Haliday,1833 TR US Nje 14 37 39 61 67
- 12914. Colastes catenator (Haliday,1836)** (Braconidae) Synonym(s): catenator Haliday,1836 TR 52
- 12915. Colastes laevis (Thomson,1892)** (Braconidae) Synonym(s): laevis Thomson,1892 TR 36

- 12916. Colastes lustrator (Haliday,1836)** (Braconidae) Synonym(s): lustrator Haliday,1836 TR 05 11 14 16 25 37 55 68 75
- 12917. Colastes vividus Papp,1975** (Braconidae) Synonym(s): vividus Papp,1975 TR 19
- 12918. Cotesia ancilla (Nixon,1974)** (Braconidae) Synonym(s): ancilla Nixon,1974 Range (in code): TR BG DE IT IL Pa NL JP AT ES CH CZ YU 01 07 10 11 15 16 22 31 32 46 54 59
- 12919. Cotesia brevicornis (Wesmael,1837)** (Braconidae) Synonym(s): brevicornis Wesmael,1837; cleocleridis Marshall,1889 Range (in code): GB FR BE PL SE FI SK HU RU Cc AZ TR 16
- 12920. Cotesia calodetta (Nixon,1974)** (Braconidae) Synonym(s): calodetta Nixon,1974 Range (in code): SE RU At CH TR 11
- 12921. Cotesia cuprea (Lylé,1925)** (Braconidae) Synonym(s): cuprea Lylé,1925 Range (in code): DE FI GB FR ES NL LT HU TR 10 11 16 22 32 41
- 12922. Cotesia geryonis (Marshall,1885)** (Braconidae) Synonym(s): geryonis Marshall,1885 Range (in code): DE BG GB IT CH NL PL SK RO SE RU Sb HU TR 16 22
- 12923. Cotesia glabrata (Telenga,1955)** (Braconidae) Synonym(s): glabrata Telenga,1955 Range (in code): BG Cc HU RU Da GG IL Pa DE TR KG UA 11
- 12924. Cotesia hypantriae (Riley,1887)** (Braconidae) Synonym(s): hypantriae Riley,1887 Range (in code): MX CA US GB DE YU TR CZ NL HU MD UA RU JP 10
- 12925. Cotesia jucunda (Marshall,1885)** (Braconidae) Synonym(s): jucunda Marshall,1885; nigrinervis Thomson,1895 Range (in code): DE Cc AM AT MD CZ FR GB IC SE TR 10 11 16 32 41
- 12926. Cotesia juniperatae (Bouché,1834)** (Braconidae) Synonym(s): juniperatae Bouché,1834 TR GB CH DE HU 48
- 12927. Cotesia kazak (Telenga,1949)** (Braconidae) Synonym(s): kazak Telenga,1949 Range (in code): TR PT ES IT PL RU GR BG 10 11 17
- 12928. Cotesia kurdjumovi (Telenga,1955)** (Braconidae) Synonym(s): kurdjumovi Telenga,1955; laverna Nixon,1974 Range (in code): BG RO MD UA EE HU DE GB RU TR 10 59
- 12929. Cotesia lineola (Curtis,1830)** (Braconidae) Synonym(s): lineola Curtis,1830; gabrielis Gautier & Riel,1919 Range (in code): TR ES GB FI RU HU RO BG CH 10 11 39 59
- 12930. Cotesia melanoscela (Ratzeburg,1844)** (Braconidae) Synonym(s): melanoscela Ratzeburg,1844; solitaria Ratzeburg,1844; creata Balevski,1980 Range (in code): TR CN DK MN CA 01 10 11 16 17 22 40 41 50 51 59
- 12931. Cotesia memnon (Nixon,1974)** (Braconidae) Synonym(s): memnon Nixon,1974 Range (in code): ES Sa TR BG DE PL GB IT YU HU RU 07 11 15 16 17 32 54
- 12932. Cotesia numen (Nixon,1974)** (Braconidae) Synonym(s): numen Nixon,1974 Range (in code): DE DK GB FR CZ HU TR 17
- 12933. Cotesia ofella (Nixon,1974)** (Braconidae) Synonym(s): ofella Nixon,1974 Range (in code): DE BE GB FI NL ES IT CH HU RU RO BG TR 07 10 11 16 22 39 54
- 12934. Cotesia orestes (Nixon,1974)** (Braconidae) Synonym(s): orestes Nixon,1974 Range (in code): CH NL DE FI RU TR IT GB 11 39
- 12935. Cotesia pappi İnanç,2002** (Braconidae) Synonym(s): pappi İnanç,2002 Range (in code): TR 22
- 12936. Cotesia risilis (Nixon,1974)** (Braconidae) Synonym(s): risilis Nixon,1974 TR GB NL IT HU SK YU RO 11
- 12937. Cotesia ruficrus (Haliday,1834)** (Braconidae) Synonym(s): ruficrus Haliday,1834; antipoda Ashmead,1900; manilae Ashmead,1904; sydneyensis Cameron,1911; narangae Viereck,1913 Range (in code): EG Cc AM AZ GG DE GB FR IT CN ID Clb Ja PH Luz TW FJ Hw IN JP SO CM MG SN SD ZA UG IL Pa TR RU PL CH LK MY KP KR TW AU Syd 01 07 10 15 16 17 22 27 31 32 33 34 39 46 54 59
- 12938. Cotesia saltatoria (Balevski,1980)** (Braconidae) Synonym(s): saltatoria Balevski,1980 Range (in code): ES FR DE GB BG YU TR HU MN 10 11 16 22
- 12939. Cotesia setebis (Nixon,1974)** (Braconidae) Synonym(s): setebis Nixon,1974 Range (in code): CH GR BG CZ HU TR CH SE 16 17
- 12940. Cotesia telengai (Tobias,1972)** (Braconidae) Synonym(s): telengai Tobias,1972; amabilis Nixon,1974 Range (in code): DZ ES DE GB TR IR Cc RU AL GR BG NL PL HU MA 01 07 10 11 15 16 22 27 31 33 34 39 46 59 63
- 12941. Cotesia tenebrosa (Wesmael,1837)** (Braconidae) Synonym(s): tenebrosa Wesmael,1837; ?arctica Thomson,1895 Range (in code): ES FR BL NL GB DE FI PL HU YU RO TR 01 07 15 16 32 33 39 46 79 80
- 12942. Cotesia tetrica (Reinhard,1880)** (Braconidae) Synonym(s): tetrica Reinhard,1880 Range (in code): FR GB CH AT IT DE NO SE FI RU PL CZ SK HU YU GR BG TR 11
- 12943. Cotesia tibialis (Curtis,1830)** (Braconidae) Synonym(s): tibialis Curtis,1830 Range (in code): ES FR GB BE NL DE SE FI RU EE PL CZ SK CH AT HU B-H YU RO BG GR IT Cr TR 10 11 16 22 25 34 41 54 59
- 12944. Cotesia vanessae (Reinhard,1880)** (Braconidae) Synonym(s): vanessae Reinhard,1880 Range (in code): ES NL PL FI DE GB FI IT YU BG TR AT RU HU CN AU 15 16 22 25 32 33 39
- 12945. Cotesia villanus Reinhard,1880** (Braconidae) Synonym(s): villanus Reinhard,1880 Range (in code): DE GB FR FI TR MN HU 11 16
- 12946. Cotesia zygaenarum (Marshall,1885)** (Braconidae) Synonym(s): zygaenarum Marshall,1885 TR 11



- 12947. *Cremnops desertor* (Linnaeus,1758)** (Braconidae) **Synonym(s):** desertor Linnaeus,1758; deflagrator Spinola,1808; alternans Enderlen,1920; lemniscatus Enderlein,1920 **Range (in code):** **AZ AM Cc BE BG CA On CN Fkn Kwt Hnn Hph Hun Sz TW Ui HV CZ FI FR DE HU IN ID Sum IT JP KP KR LT LV MD MM NP NL PL RO RU Uu YU SS SK SE CH US UA GB TR 08 33**
- 12948. *Dacnusa evadne* Nixon,1937** (Braconidae) **Synonym(s):** evadne Nixon,1937 **Range (in code):** **TR GB PL RU SE 22 23 32**
- 12949. *Dacnusa gentianae* Griffiths,1967** (Braconidae) **Synonym(s):** gentianae Griffiths,1967 **Range (in code):** **AT DE PL TR 27**
- 12950. *Dendrosoter protuberans* (Nees ab Esenbeck,1834)** (Braconidae) **Synonym(s):** protuberans Nees ab Esenbeck,1834 **TR 22 34 58**
- 12951. *Dendrosotinus ferrugineus* (Marshall,1888)** (Braconidae) **Synonym(s):** ferrugineus Marshall,1888 **TR 10 24 25 36 38 42 48 75 75 76**
- 12952. *Dendrosotinus Telenga*,1941** (Braconidae) **Synonym(s):** Dendrosotinus Telenga,1941 **TR**
- 12953. *Diachasmimorpha* (s.str.) *paeoniae* (Tobias,1980)** (Braconidae) **Synonym(s):** paeoniae Tobias,1980 **Range (in code):** **TR 08 31 52 55**
- 12954. *Dinotrema intermisum* (Fischer,1974)** (Braconidae) **Synonym(s):** intermisum Fischer,1974 **Range (in code):** **TR AT NL 48**
- 12955. *Diolcogaster alvearia* (Fabricius,1798)** (Braconidae) **Synonym(s):** alvearius Fabricius,1798 **Range (in code):** **TR DE CN GB FR AT IT CZ RU KG YU 10 34**
- 12956. *Diolcogaster claritibia* (Papp,1959)** (Braconidae) **Synonym(s):** claritibia Papp,1959 **Range (in code):** **TR DE RU KG Cc AM AZ GG FI Cn YU AT TN SY 10 22 27 33 54 63**
- 12957. *Diolcogaster spreta* (Marshall,1885)** (Braconidae) **Synonym(s):** spreta Marshall,1885 **TR 22**
- 12958. *Diospilus angorensis* Beyarslan,2014** (Braconidae) **Synonym(s):** angorensis Beyarslan,2014 **Range (in code):** **TR 06**
- 12959. *Diospilus belokobylskiji* Beyarslan,2008** (Braconidae) **Synonym(s):** belokobylskiji Beyarslan,2008 **Range (in code):** **TR 02 05 06 18 23 28 33 40 44 50 58**
- 12960. *Diospilus capito* (Nees ab Esenbeck,1834)** (Braconidae) **Synonym(s):** capito Nees ab Esenbeck,1834; fuscipes Kirchner,1867; oleraceus Tobias,1973; filator Papp,1998 **Range (in code):** **TR AZ AM Cc BY BE BG CZ DK EE HU IE IL Pa IT KG LT LV MD MN MA NL NO PL RU SE CH UA GB 03 05 06 07 10 11 14 18 19 21 22 23 26 28 29 32 33 36 37 39 40 41 42 44 52 53 54 55 57 58 59 60 61 62 67 77 78**
- 12961. *Diospilus inflexus* Reinhard,1862** (Braconidae) **Synonym(s):** inflexus Reinhard,1862; ovatus Papp,2002 **Range (in code):** **FI YU FR DE HU IT PL RU SS CH UA GB TR 25 36 52 75**
- 12962. *Diospilus melanoscelus* (Nees ab Esenbeck,1834)** (Braconidae) **Synonym(s):** melanoscelus Nees ab Esenbeck,1834 **Range (in code):** **TR BY RU DE SK 11 16 17 37 41 54 67 78**
- 12963. *Diospilus morosus* Reinhard,1862** (Braconidae) **Synonym(s):** morosus Reinhard,1862 **Range (in code):** **TR CZ FI FR DE GR HU IT KG LT MD PL SE CH UA GB YU 02 03 05 16 28 37 41 42 60 74 80**
- 12964. *Diospilus nigricornis* (Wesmael,1835)** (Braconidae) **Synonym(s):** nigricornis Wesmael,1835; affinis Wesmael,1835; rufipes Reinhard,1862 **Range (in code):** **TR AT AZ Cc CZ FI FR DE HU IT LV NO PL SS CH YU 25 36 61**
- 12965. *Diospilus productus* Marshall,1894** (Braconidae) **Synonym(s):** productus Marshall,1894 **Range (in code):** **TR AM Cc GR HU IT CH UA GB 03 05 19 20 34 43 52**
- 12966. *Disophrys caesa* (Klug,1835)** (Braconidae) **Synonym(s):** caesa Klug,1835; anthracina Kriechbaumer,1898 **Range (in code):** **DZ AM AZ Cc BG HV FR DE HU IR IT Si MA PT RO RU Da YU ES CH TR 02 31 33 39 44 53 61 69**
- 12967. *Dolichogenidea anarsiae* (Faure & Alabouvetle,1924)** (Braconidae) **Synonym(s):** anarsiae Faure & Alabouvetle,1924 **Range (in code):** **TR Cc AZ GG FR IT RO HU 11 17**
- 12968. *Dolichogenidea bilecikensis* İnanç & Çetin Erdoğan,2004** (Braconidae) **Synonym(s):** bilecikensis İnanç & Çetin Erdoğan,2004 **TR 11**
- 12969. *Dolichogenidea breviventris* (Ratzeburg,1848)** (Braconidae) **Synonym(s):** breviventris Ratzeburg,1848 **Range (in code):** **TR EG RU KP KR 16**
- 12970. *Dolichogenidea coleophorae* (Wilkinson,1938)** (Braconidae) **Synonym(s):** coleophorae Wilkinson,1938 **Range (in code):** **TR Cc AZ AT RU FI SE CZ GB 34 41**
- 12971. *Dolichogenidea drusilla* (Nixon,1972)** (Braconidae) **Synonym(s):** drusilla Nixon,1972 **Range (in code):** **TR DE UA BG HU MN IT GB 11 16 17**
- 12972. *Dolichogenidea emarginata* (Nees ab Esenbeck,1834)** (Braconidae) **Synonym(s):** emarginata Nees ab Esenbeck,1834 **AZ AM Cc TR 22**
- 12973. *Dolichogenidea immissus* (Papp,1977)** (Braconidae) **Synonym(s):** immissus Papp,1977 **Range (in code):** **DE HU TR 11**
- 12974. *Dolichogenidea infimus* (Haliday,1834)** (Braconidae) **Synonym(s):** infimus Haliday,1834 **Range (in code):** **TR Cc AZ LT KG RU Sb 11**
- 12975. *Dolichogenidea lacteicolor* (Viereck,1911)** (Braconidae) **Synonym(s):** lacteicolor Viereck,1911 **Range (in code):** **TR US 17 34 41 54**
- 12976. *Dolichogenidea litae* (Nixon,1972)** (Braconidae) **Synonym(s):** litae Nixon,1972 **Range (in code):** **TR 10 22 41 59**

- 12977. Dolichogenidea longicauda (Wesmael,1837)** (Braconidae) Synonym(s): longicauda Wesmael,1837 Range (in code): TR RU 11 22 63
- 12978. Dolichogenidea longipalpis (Reinhard,1880)** (Braconidae) Synonym(s): longipalpis Reinhard,1880 Range (in code): TR DE CN Cc AM RU TJ 16 22
- 12979. Dolichogenidea mycale (Nixon,1972)** (Braconidae) Synonym(s): mycale Nixon,1972 Range (in code): TR BG CH HU 11 22
- 12980. Dolichogenidea sicarius (Marshall,1885)** (Braconidae) Synonym(s): sicarius Marshall,1885 Range (in code): TR US RO 01 07 16 17 22 27 33 39 59 63
- 12981. Dolichogenidea soikai (Nixon,1972)** (Braconidae) Synonym(s): soikai Nixon,1972 Range (in code): TR BG IT HU 11 16 22
- 12982. Dolopsidea indagator (Haliday,1836)** (Braconidae) Synonym(s): indagator Haliday,1836 TR 25 58 76
- 12983. Dolopsidea tatianae (Telenga,1941)** (Braconidae) Synonym(s): tatianae Telenga,1941 TR 58
- 12984. Doryctes leucogaster (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): leucogaster Nees ab Esenbeck,1834 TR 01 05 08 09 17 19 20 22 23 24 25 26 32 36 37 39 53 58 63 59 66
- 12985. Doryctes molorchii Fischer,1971** (Braconidae) Synonym(s): molorchii Fischer,1971 TR 26
- 12986. Doryctes striatellus (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): striatellus Nees ab Esenbeck,1834 TR 23
- 12987. Doryctes undulatus (Ratzeburg,1852)** (Braconidae) Synonym(s): undulatus Ratzeburg,1852 TR 29
- 12988. Ecphylus silesiacus (Ratzeburg,1848)** (Braconidae) Synonym(s): silesiacus Ratzeburg,1848 TR 06 10 23 44 59
- 12989. Ephedrus lacertosus (Haliday,1833)** (Braconidae) Synonym(s): lacertosus Haliday,1833 TR 29
- 12990. Ephedrus persicae Froggatt,1904** (Braconidae) Synonym(s): persicae Froggatt,1904 TR 14 60
- 12991. Ephedrus plagiator (Nees ab Esenbeck,1811)** (Braconidae) Synonym(s): plagiator Nees ab Esenbeck,1811 TR 05 08 14 29 37 52 55 57 60 61
- 12992. Eurytenes (Jucundopius) campanariae (Fischer,1959)** (Braconidae) Synonym(s): campanariae Fischer,1959 Range (in code): TR 69
- 12993. Exotela umbellina (Nixon,1954)** (Braconidae) Synonym(s): umbellina Nixon,1954 Range (in code): TR AT CZ SK DE HU IE PL PT RU Us SE CH GB YU 08 25 53
- 12994. Foesteria longicauda Achterberg,1990** (Braconidae) Synonym(s): longicauda Achterberg,1990 Range (in code): TR 25 65
- 12995. Glyptapanteles antione (Nixon,1973)** (Braconidae) Synonym(s): antione Nixon,1973 Range (in code): AT TR 16
- 12996. Glyptapanteles callidus (Haliday,1834)** (Braconidae) Synonym(s): callidus Haliday,1834 Range (in code): DE AT GB Cc AM GG HU TR 16
- 12997. Glyptapanteles eugeni (Papp,1972)** (Braconidae) Synonym(s): eugeni Papp,1972 Range (in code): DE BG GB FI LT NL AT CH HU TR 11 41
- 12998. Glyptapanteles fulvipes (Haliday,1834)** (Braconidae) Synonym(s): fulvipes Haliday,1834 Range (in code): TR RU Sh Sb JP KG 11 16
- 12999. Glyptapanteles mygdoniae (Nixon,1973)** (Braconidae) Synonym(s): mygdoniae Nixon,1973 TR BG 35
- 13000. Glyptomorpha baetica (Spinola,1843)** (Braconidae) Synonym(s): baetica Spinola,1843 Range (in code): TR MA PT ES GR 01 33
- 13001. Glyptomorpha discolor (Thunberg,1822)** (Braconidae) Synonym(s): discolor Thunberg,1822; rossicus Kokujev,1898 Range (in code): TR Cc UA Cm RO RU 02 10 17 22 24 39 46 59
- 13002. Glyptomorpha elector (Kokujev,1898)** (Braconidae) Synonym(s): elector Kokujev,1898; brevicaudis Shestakov,1932; turkestanica Shestakov,1932 CN Ui TR 38
- 13003. Glyptomorpha exculpta Shestakov,1926** (Braconidae) Synonym(s): exculpta Shestakov,1926 Range (in code): KG TM TR
- 13004. Glyptomorpha gracilis (Szepligeti,1901)** (Braconidae) Synonym(s): gracilis Szepligeti,1901 Range (in code): TR PG HU 10 22 59
- 13005. Glyptomorpha kasparyani Tobias,1976** (Braconidae) Synonym(s): kasparyani Tobias,1976 Range (in code): TR Cc AZ 22 59
- 13006. Glyptomorpha nachitshevanica Tobias,1975** (Braconidae) Synonym(s): nachitshevanica Tobias,1975 Range (in code): AZ Cc Nv
- 13007. Glyptomorpha pectoralis (Brullé,1832)** (Braconidae) Synonym(s): desertor Fabricius,1775; pectoralis Brullé,1832; tuberculosus Brullé,1846; algiricus Lucas,1849; intermedius Szepligeti,1901; smenus Cameron,1904; nursei Cameron,1906; unicolor Cameron,1906; desectus Bradley,1919 Range (in code): DZ TR MY Bor ID PK IN CN Cc TR RU MN KG 01 02 03 05 06 07 08 10 11 15 17 18 19 22 23 24 25 26 29 31 32 33 35 37 38 39 42 44 47 49 55 56 57 58 59 60 62 66 70
- 13008. Glyptomorpha telugosa (Shenefelt,1978)** (Braconidae) Synonym(s): telugosa Shenefelt,1978 Range (in code): Cc AM

- 13009. Hecabalodes radialis Tobias,1962** (Braconidae) Synonym(s): radialis Tobias,1962 [\\_TR 06 09 17 22 23 24 26 44 47 48 50 55 57 59 66 76 78](#)
- 13010. Hellenius semiruber (Hellén,1958)** (Braconidae) Synonym(s): semiruber Hellén,1958 [\\_TR 58](#)
- 13011. Heterospilus cephi Rohwer,1925** (Braconidae) Synonym(s): cephi Rohwer,1925 [\\_TR 06 09 22 23 26 29 34 44 48 59](#)
- 13012. Heterospilus genalis Tobias,1976** (Braconidae) Synonym(s): genalis Tobias,1976 [\\_TR 44](#)
- 13013. Heterospilus hemipterus (Thomson,1892)** (Braconidae) Synonym(s): hemipterus Thomson,1892 [\\_TR 59](#)
- 13014. Heterospilus leptosoma Fischer,1960** (Braconidae) Synonym(s): leptosoma Fischer,1960 [\\_TR 07 34 54 78](#)
- 13015. Heterospilus rubricola Fischer,1968** (Braconidae) Synonym(s): rubricola Fischer,1968 [\\_TR 08 11 29 39 56 74](#)
- 13016. Heterospilus tadhicus Belokobylski,1983** (Braconidae) Synonym(s): tadhicus Belokobylski,1983 [\\_TR 56 67](#)
- 13017. Heterospilus tauricus Telenga,1941** (Braconidae) Synonym(s): tauricus Telenga,1941 [\\_TR 01 06 09 22 23 24 37 39 50 54 55 57 58 59 60 67 74 78](#)
- 13018. Hormius moniliatus (Nees ab Esenbeck,1811)** (Braconidae) Synonym(s): moniliatus Nees ab Esenbeck,1811 [\\_TR 02 06 08 09 10 11 17 18 20 21 22 23 24 25 26 29 32 36 38 39 40 42 43 44 41 48 50 52 55 56 58 60 62 66 68 74 75 76 81](#)
- 13019. Hormius similis Szepligeti,1896** (Braconidae) Synonym(s): similis Szepligeti,1896 [\\_TR 01 05 10 39 60](#)
- 13020. Iconella albinervis (Tobias,1964)** (Braconidae) Synonym(s): albinervis Tobias,1964 [Range \(in code\): TR HU KG Cc AZ 16 22](#)
- 13021. Iconella lacteoides (Nixon,1965)** (Braconidae) Synonym(s): lacteoides Nixon,1965 [Range \(in code\): TR GR CZ CH Cc AM AZ KG MN UA DE GB FI AT HU 10 22](#)
- 13022. Iconella laspeyresiella (Papp,1972)** (Braconidae) Synonym(s): laspeyresiella Papp,1972 [Range \(in code\): AT BG HU RU TR 16](#)
- 13023. Iconella vindicia (Nixon,1965)** (Braconidae) Synonym(s): vindicia Nixon,1965 [Range \(in code\): IT HU BG TR RU Cc Da GG KP KR 16 34 41](#)
- 13024. Illidops butalidis (Marshall,1888)** (Braconidae) Synonym(s): butalidis Marshall,1888 [Range \(in code\): TR DE CH GB BG CZ YU HU TN 16](#)
- 13025. Illidops naso (Marshall,1888)** (Braconidae) Synonym(s): naso Marshall,1888 [Range \(in code\): TR GB BG Cr YU MN RU CH HU 16](#)
- 13026. Illidops szaboi (Papp,1974)** (Braconidae) Synonym(s): szaboi Papp,1974 [Range \(in code\): TR HU BG 16](#)
- 13027. Illidops urgo (Nixon,1965)** (Braconidae) Synonym(s): urgo Nixon,1965 [Range \(in code\): TR Cr Cc AZ MN HU 16](#)
- 13028. Illidops vipio (Reihard,1880)** (Braconidae) Synonym(s): vipio Reinhard,1880 [Range \(in code\): TR DE GB FR YU RU 16](#)
- 13029. Indiopius cretensis Fischer,1983** (Braconidae) Synonym(s): cretensis Fischer,1983 [Range \(in code\): Cr GR CV TR IR](#)
- 13030. Indiopius saigonensis Fischer,1966** (Braconidae) Synonym(s): saigonensis Fischer,1966 [Range \(in code\): VN TR](#)
- 13031. Indiopius turcmenicus Tobias,1989** (Braconidae) Synonym(s): turcmenicus Tobias,1989 [Range \(in code\): TM](#)
- 13032. Indiopius yilmazae Fischer & Beyarslan,2011** (Braconidae) Synonym(s): yilmazae Fischer & Beyarslan,2011 [Range \(in code\): TR](#)
- 13033. Iphiaulax (Euglyptobracon) bicolor (Telenga,1936)** (Braconidae) Synonym(s): bicolor Telenga,1936 [\\_TR 02 16](#)
- 13034. Iphiaulax fastidior (Fabricius,1781)** (Braconidae) Synonym(s): fastidior Fabricius,1781 [\\_TR 26](#)
- 13035. Iphiaulax impeditor (Kokujev,1898)** (Braconidae) Synonym(s): impeditor Kokujev,1898 [\\_TR 27](#)
- 13036. Iphiaulax impostor (Scopoli,1763)** (Braconidae) Synonym(s): impostor Scopoli,1763; coccineus Geoffroy,1785; ignota Christ,1791; incertus Christ,1791; carissimus Shestakov,1927; infuscatus Shestakov,1927; parvulus Shestakov,1927; senex Shestakov,1927; sibiricus Shestakov,1927; pulchellus Telenga,1936 [\\_TR RU Sb 03 16 25](#)
- 13037. Iphiaulax jacobsoni Shestakov,1927** (Braconidae) Synonym(s): jacobsoni Shestakov,1927 [\\_TR 23 24 27 44 60](#)
- 13038. Iphiaulax jakowlewi (Kokujev,1898)** (Braconidae) Synonym(s): jakowlewi Kokujev,1898 [\\_TR 47 63](#)
- 13039. Iphiaulax mactator (Klug,1817)** (Braconidae) Synonym(s): mactator Klug,1817; commiferus Shestakov,1927 [\\_TR 06 44](#)
- 13040. Iphiaulax potanini (Kokujev,1898)** (Braconidae) Synonym(s): potanini Kokujev,1898 [\\_TR 62](#)
- 13041. Iphiaulax tauricus Shestakov,1927** (Braconidae) Synonym(s): incisus Brullé,1846; tauricus Shestakov,1927; incisorus Shenefelt,1978 [\\_TR 06 11 14 21 25 26 37 38 39 52 57 58 59 60](#)



- 13042. Kerorgilus zonator (Szepligeti,1896)** (Braconidae) Synonym(s): zonator Szepligeti,1896 [\\_TR CN DE GR AZ Cc HU KP KR MN RO 33 58](#)
- 13043. Leluthia (Euhebabolodes) asiatica (Tobias,1980)** (Braconidae) Synonym(s): asiatica Tobias,1980 [\\_TR 47](#)
- 13044. Leluthia (Euhebabolodes) ruguloscolyti (Fischer,1962)** (Braconidae) Synonym(s): ruguloscolyti Fischer,1962 [\\_TR 21 23 44](#)
- 13045. Leluthia (Euhebabolodes) transcaucasica (Tobias,1976)** (Braconidae) Synonym(s): transcaucasica Tobias,1976 [\\_TR 56](#)
- 13046. Leluthia (s.str.) paradoxa (Picard,1938)** (Braconidae) Synonym(s): paradoxa Picard,1938 [\\_TR 60](#)
- 13047. Lipolexis gracilis Förster,1862** (Braconidae) Synonym(s): gracilis Förster,1862 [\\_TR 54](#)
- 13048. Meteorus gyrator (Thunberg,1822)** (Braconidae) Synonym(s): gyrator Thunberg,1822; scutellator Nees ab Esenbeck,1834; melanostictus Capron,1887; parvulus Thomson,1895 [Range \(in code\): AT DE SE BG CY FI GB IE NL TR 01](#)
- 13049. Meteorus ictericus (Nees ab Esenbeck,1811)** (Braconidae) Synonym(s): ictericus Nees ab Esenbeck,1811; minutor Thunberg,1822; ephippium Curtis,1832; xanthomelas Wesmael,1835; confinis Ruthe,1862; fallax Ruthe,1862; pleuralis Ruthe,1862; liquis Ruthe,1862; consors Ruthe,1862; crassicus Thomson,1895; lophyrphagus Fahringer,1934; adoxophyes Minamikawa,1954 [Range \(in code\): TR GB DE SE AT CZ SK FI FR HU IE NL JP 01 03](#)
- 13050. Meteorus obsoletus (Wesmael,1835)** (Braconidae) Synonym(s): obsoletus Wesmael,1835; viridanae Johansson,1964 [Range \(in code\): AT BE FR DE GB IE NL SE TR](#)
- 13051. Meteorus politutele Shenefelt,1969** (Braconidae) Synonym(s): politus Telenga,1950 nec Provancher,1886; politutele Shenefelt,1969 [Range \(in code\): TR UZ RU 55 77](#)
- 13052. Meteorus pulchricornis (Wesmael,1835)** (Braconidae) Synonym(s): pulchricornis Wesmael,1835; striatus Thomson,1895; thomsoni Marshall,1899; japonicus Ashmead,1906; nipponensis Viereck,1912; macedonicus M.Fischer,1957; graeffei M.Fischer,1957; tuberculifer M.Fischer,1957 [Range \(in code\): Cc TR RU CY FR DE GB HU IE NL BE PT PL SE JP CH IT MK 01 08 17 23 29 33 39 48 59](#)
- 13053. Meteorus rubens (Nees ab Esenbeck,1811)** (Braconidae) Synonym(s): rubens Nees ab Esenbeck,1811; leviventris Wesmael,1835; islandicus Ruthe,1859; medianus Ruthe,1862; scutatus Costa,1884; heteroneurus Thomson,1895; szechuanensis Fahringer,1935; mesopotamicus M.Fischer,1957 [Range \(in code\): IQ Mos IT BE DE SE CN Sz DZ BG CY DK EG FR GB HU IE IL Pa JP MN TR 01 03 04 06 14 16 17 19 20 21 22 29 33 35 37 39 40 42 44 45 46 47 48 51 53 54 55 57 58 59 60 61 63 65 69 72 80](#)
- 13054. Meteorus unicolor (Wesmael,1835)** (Braconidae) Synonym(s): unicolor Wesmael,1835; chinensis Holmgren,1868 [Range \(in code\): BE DE GB TR 01 33 59](#)
- 13055. Meteorus versicolor (Wesmael,1835)** (Braconidae) Synonym(s): versicolor Wesmael,1835; bimaculatus Wesmael,1835; unicolor Hartig,1838 nec Wesm.,1835; brevicornis Ratzeburg,1844; rugator Ratzeburg,1852; decoloratus Ruthe,1862; camptolomae Watanabe,1939; ikonovovi M.Fischer,1959; hartigi Shenefelt,1969 [Range \(in code\): AT BG FR DE GB HU IE JP MN NL IL Pa PL SE TR 01 02 03 05 09 22 23 31 33 44 48 59 63 65 67](#)
- 13056. Microgaster alebion Nixon,1968** (Braconidae) Synonym(s): alebion Nixon,1968 [Range \(in code\): TR GB CZ FI DE HU IT PL RO RU CH YU 16](#)
- 13057. Microgaster famulus Nixon,1965** (Braconidae) Synonym(s): famulus Nixon,1965 [Range \(in code\): CZ HU RO TR AT HV MD SK CH YU 22](#)
- 13058. Microgaster filizinancae Koçak & Kemal,2013** (Braconidae) Synonym(s): gracilis Inanç,1992 nec Curtis,1830; filizinancae Koçak & Kemal,2013 [Range \(in code\): TR 22 39](#)
- 13059. Microgaster fischeri Papp,1960** (Braconidae) Synonym(s): fischeri Papp,1960 [Range \(in code\): TR AT CZ GB MN HU MD RU Cc Kr Us 22 34 41](#)
- 13060. Microgaster fulvicrus Thomson,1895** (Braconidae) Synonym(s): fulvicrus Thomson,1895; striatoscutellaris Kiss,1927 [Range \(in code\): CZ FI DE HU KP KR MD RO RU Da Cc Us SE GB YU TR 39](#)
- 13061. Microgaster opheltes Nixon,1968** (Braconidae) Synonym(s): opheltes Nixon,1968 [Range \(in code\): YU TR IT MK RO 10](#)
- 13062. Microgaster stictica Ruthe,1858** (Braconidae) Synonym(s): stictica Ruthe,1858; confusa Papp,1971 [Range \(in code\): BG HV CZ FI DE HU IT Si KP KR MN NL PL RO RU Us SK ES SE CH GB YU TR 59](#)
- 13063. Microgaster subcompleta Nees ab Esenbeck,1834** (Braconidae) Synonym(s): subcompleta Nees ab Esenbeck,1834 [Range \(in code\): US Cc TR 16 22 34](#)
- 13064. Microplitis fulvicornis (Wesmael,1837)** (Braconidae) Synonym(s): fulvicornis Wesmael,1837; pallidicornis Marshall,1898 [Range \(in code\): BE HV CZ FI DE HU NL PL RO SK CH YU TR Cc RU 16](#)
- 13065. Microplitis pseudomurina Abdinbekova,1969** (Braconidae) Synonym(s): pseudomurina Abdinbekova,1969 [Range \(in code\): AZ Cc BG GG GR HU KG MD RU Us TR](#)
- 13066. Microptilis cebes Nixon,1970** (Braconidae) Synonym(s): cebes Nixon,1970 [Range \(in code\): GR TR YU AT SE CZ TR MN 11 15 16 22 34 39](#)
- 13067. Microptilis deces Tobias,1964** (Braconidae) Synonym(s): deces Tobias,1964 [Range \(in code\): BE FI KP KR MA RU AT TR DE IT NL HU GB KG 10 11 15 16 17 34 39 41](#)
- 13068. Microptilis decipiens Prell,1925** (Braconidae) Synonym(s): decipiens Prell,1925 [Range \(in code\): DE PL HU TR 10 11 16 22](#)

- 13069. Microptilis deprimator (Fabricius,1798)** (Braconidae) Synonym(s): deprimator Fabricius,1798 Range (in code): TR CY IR MN GR RU 10 11 16 54
- 13070. Microptilis docilis (Telenga,1964)** (Braconidae) Synonym(s): docilis Telenga,1964 Range (in code): BG RU HU CH FI TR 10 16 17 41
- 13071. Microptilis flavipalpis Brullé,1832** (Braconidae) Synonym(s): flavipalpis Brullé,1832 Range (in code): TR BG DE GB FI FR KP KR HU MN TN 17
- 13072. Microptilis fordii Nixon,1970** (Braconidae) Synonym(s): fordii Nixon,1970 Range (in code): TR IL Pa TN MN 10 63
- 13073. Microptilis heterocera Ruthe,1860** (Braconidae) Synonym(s): heterocera Ruthe,1860 Range (in code): DE YU TR RU CZ HU 16
- 13074. Microptilis idia Nixon,1970** (Braconidae) Synonym(s): idia Nixon,1970 Range (in code): DE SE CH TR 16
- 13075. Microptilis mandibularis Thomson,1895** (Braconidae) Synonym(s): mandibularis Thomson,1895 Range (in code): DE TR MN 07 10 11 16 33 34 39 41 54 59
- 13076. Microptilis marshallii Kokujev,1897** (Braconidae) Synonym(s): marshallii Kokujev,1897 Range (in code): Cc AZ AM GG HU TR RO RU 10 11 16
- 13077. Microptilis mediator (Haliday,1834)** (Braconidae) Synonym(s): mediator Haliday,1834 Range (in code): TR DK JP RU Sb Sh Cc KG LT ID Ja 01 07 10 16 17 33
- 13078. Microptilis naenia Nixon,1970** (Braconidae) Synonym(s): naenia Nixon,1970 Range (in code): CZ HU RU TR 16
- 13079. Microptilis scrophulariae Szepligeti,1898** (Braconidae) Synonym(s): scrophulariae Szepligeti,1898 Range (in code): Cc AZ GG FR RO CH HU CZ MN TR 10
- 13080. Microptilis sofron Nixon,1970** (Braconidae) Synonym(s): sofron Nixon,1970 Range (in code): GB IE IT CH Cc AZ DK BG FR GR HU NL TR 16
- 13081. Microptilis spinolae Nees ab Esenbeck,1834** (Braconidae) Synonym(s): spinolae Nees ab Esenbeck,1834 Range (in code): TR Cc AZ AM RU Sb ID Ja 07 10 11 16 17 22 39 54 59
- 13082. Microptilis strenua Reinhard,1880** (Braconidae) Synonym(s): strenua Reinhard,1880 Range (in code): TR AM NL PL HU GB CH CN RU Sb 06 10
- 13083. Microptilis tristis (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): tristis Nees ab Esenbeck,1834 Range (in code): RU KP KR TR 16 22 39
- 13084. Microptilis tuberculifer (Wesmael,1837)** (Braconidae) Synonym(s): tuberculifer Wesmael,1837 Range (in code): FR RU Sb LK MN Cc AZ AM TR JP 10 11 16 34 39 41 54
- 13085. Microptilis varipes Ruthe,1860** (Braconidae) Synonym(s): varipes Ruthe,1860 Range (in code): Cc AZ DE FR YU TR AT PL RU MN Sb SE HU 07 10 11 15 16 17 22 34 39 59
- 13086. Microptilis vidua (Ruthe,1860)** (Braconidae) Synonym(s): vidua Ruthe,1860 Range (in code): Cc AZ RU Da CY DE GR GB TR KG ES CH SE HU YU 10 11
- 13087. Microtypus trigonus (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): trigonus Nees ab Esenbeck,1834 AM AT G CA CZ FR GG TR HU LV MD MN NL PL RU TJ 22 62
- 13088. Microtypus wesmaelii Ratzeburg,1848** (Braconidae) Synonym(s): wesmaelii Ratzeburg,1848 TR BG CA CN CZ DE HU IT NL RU SK US GB 03 23
- 13089. Mirax rufilabris Haliday,1833** (Braconidae) Synonym(s): rufilabris Haliday,1833 Range (in code): TR 37
- 13090. Mirax sculpturator Belokobyski,1989** (Braconidae) Synonym(s): sculpturator Belokobyski,1989 Range (in code): RU Us TR 16
- 13091. Mirax striacus Beyarslan,2009** (Braconidae) Synonym(s): striacus Beyarslan,2009 Range (in code): TR 17
- 13092. Monoctonus crepidis (Haliday,1834)** (Braconidae) Synonym(s): crepidis Haliday,1834 TR 37
- 13093. Oncophanes minutus (Wesmael,1838)** (Braconidae) Synonym(s): minutus Wesmael,1838 TR 08 14 34 39 55
- 13094. Ontsira antica (Wollaston,1858)** (Braconidae) Synonym(s): antica Wollaston,1858 TR 08 22 25
- 13095. Ontsira imperator (Haliday,1836)** (Braconidae) Synonym(s): imperator Haliday,1836 TR 14 32 37 39 50
- 13096. Opius (Agnopius) altimontanus (Fischer,1969)** (Braconidae) Synonym(s): altimontanus Fischer,1969 Range (in code): TR 02 23 52
- 13097. Opius (Agnopius) angelus Fischer,1971** (Braconidae) Synonym(s): angelus Fischer,1971 Range (in code): TR 06
- 13098. Opius (Agnopius) nowakowskii (Fischer,1959)** (Braconidae) Synonym(s): nowakowskii Fischer,1959 Range (in code): TR 23 44 58
- 13099. Opius (Agnopius) rex Fischer,1958** (Braconidae) Synonym(s): rex Fischer,1958 Range (in code): TR AT BG Cr CZ DK DE FI FR HU IT NO PL RO RU SE CH NL YU 19 38 61
- 13100. Opius (Agnopius) rugatus Fischer,1992** (Braconidae) Synonym(s): rugatus Fischer,1992 Range (in code): TR 22
- 13101. Opius (Agnopius) selimbassai Fischer,1992** (Braconidae) Synonym(s): selimbassai Fischer,1992 Range (in code): TR 22 23 39 58

- 13102. Opius (Agnopius) similis Szepligeti,1898** (Braconidae) Synonym(s): *similis* Szepligeti,1898  
Range (in code): TR 02 19 23 52 58
- 13103. Opius (Agnopius) tirolensis Fischer,1958** (Braconidae) Synonym(s): *tirolensis* Fischer,1958  
Range (in code): TR 60 67
- 13104. Opius (Allophlebus) fuscipennis Wesmael,1835** (Braconidae) Synonym(s): *fuscipennis* Wesmael,1835 Range (in code): TR 58 74
- 13105. Opius (Allophlebus) kirkklareliensis Fischer & Beyarslan,2005** (Braconidae) Synonym(s): *kirkklareliensis* Fischer & Beyarslan,2005 Range (in code): TR 39
- 13106. Opius (Allophlebus) singularis Wesmael,1835** (Braconidae) Synonym(s): *singularis* Wesmael,1835 Range (in code): TR 05 08
- 13107. Opius (Allophlebus) staryi Fischer,1958** (Braconidae) Synonym(s): *staryi* Fischer,1958 Range (in code): TR 37 61
- 13108. Opius (Allophlebus) tabificus Papp,1979** (Braconidae) Synonym(s): *tabificus* Papp,1979 Range (in code): TR 23 37 39 44 74
- 13109. Opius (Allotypus) irregularis Wesmael,1835** (Braconidae) Synonym(s): *irregularis* Wesmael,1835 Range (in code): TR 02 05 08 10 28 52 53 55 63 69 74
- 13110. Opius (Allotypus) tuberculatus Fischer,1959** (Braconidae) Synonym(s): *tuberculatus* Fischer,1959 Range (in code): TR 05 38
- 13111. Opius (Apodesmia) aethiops Haliday,1837** (Braconidae) Synonym(s): *aethiops* Haliday,1837  
Range (in code): TR 68
- 13112. Opius (Apodesmia) karesuandensis Fischer,1964** (Braconidae) Synonym(s): *karesuandensis* Fischer,1964 Range (in code): TR 58
- 13113. Opius (Cryptognathopus) uttoisimilis Fischer,1999** (Braconidae) Synonym(s): *uttoisimilis* Fischer,1999 Range (in code): IR RU Sh TR 48
- 13114. Opius (Cryptonastes) ciceris Fischer,1974** (Braconidae) Synonym(s): *ciceris* Fischer,1974  
Range (in code): TR 01 02
- 13115. Opius (Cryptonastes) gracilis Fischer,1957** (Braconidae) Synonym(s): *gracilis* Fischer,1957  
Range (in code): TR 23 44 50 74
- 13116. Opius (Cryptonastes) pygmaeus Fischer,1962** (Braconidae) Synonym(s): *pygmaeus* Fischer,1962 Range (in code): TR 05 08 09 23 38 44 52 58 60 61 67
- 13117. Opius (Cryptonastes) tersus (Förster,1862)** (Braconidae) Synonym(s): *tersus* Förster,1862  
Range (in code): TR 08 37 50 60 63
- 13118. Opius (Gastrosema) caucasi Tobias,1986** (Braconidae) Synonym(s): *caucasi* Tobias,1986 Range (in code): TR 23 38 44 50 51 62 74
- 13119. Opius (Gastrosema) docilis Haliday,1837** (Braconidae) Synonym(s): *docilis* Haliday,1837  
Range (in code): TR 05
- 13120. Opius (Gastrosema) erzurumensis Fischer,2004** (Braconidae) Synonym(s): *erzurumensis* Fischer,2004 Range (in code): TR 05 08 28 61
- 13121. Opius (Gastrosema) paraqvisti Fischer,2004** (Braconidae) Synonym(s): *paraqvisti* Fischer,2004 Range (in code): TR 28 37 53
- 13122. Opius (Hypocynodus) arundinis Fischer,1964** (Braconidae) Synonym(s): *arundinis* Fischer,1964 Range (in code): TR 39 44 51 68
- 13123. Opius (Hypocynodus) bouceki Fischer,1958** (Braconidae) Synonym(s): *bouceki* Fischer,1958  
Range (in code): TR 38 62
- 13124. Opius (Hypocynodus) crassipes Wesmael,1835** (Braconidae) Synonym(s): *crassipes* Wesmael,1835 Range (in code): TR 23 29 44 52
- 13125. Opius (Hypocynodus) kilisanus Fischer & Beyarslan,2005** (Braconidae) Synonym(s): *kilisanus* Fischer & Beyarslan,2005 Range (in code): TR 79
- 13126. Opius (Hypocynodus) lara Fischer,1968** (Braconidae) Synonym(s): *lara* Fischer,1968 Range (in code): TR 44
- 13127. Opius (Hypocynodus) larissa Fischer,1968** (Braconidae) Synonym(s): *larissa* Fischer,1968  
Range (in code): TR 22 23 44
- 13128. Opius (Hypocynodus) sonja Fischer,1968** (Braconidae) Synonym(s): *sonja* Fischer,1968 Range (in code): TR 23
- 13129. Opius (Illicopius) bajariae (Fischer,1989)** (Braconidae) Synonym(s): *bajariae* Fischer,1989  
Range (in code): TR 67
- 13130. Opius (Illicopius) pulchripes (Szepligeti,1898)** (Braconidae) Synonym(s): *pulchripes* Szepligeti,1898 Range (in code): TR 67
- 13131. Opius (Merotrachys) schmidtii Fischer,1960** (Braconidae) Synonym(s): *schmidtii* Fischer,1960  
Range (in code): TR 17 23
- 13132. Opius (Misophthora) adanacola Fischer & Beyarslan,2005** (Braconidae) Synonym(s): *adanacola* Fischer & Beyarslan,2005 Range (in code): TR 01



- 13133. Opius (Misophthora) monilicornis Fischer,1962** (Braconidae) Synonym(s): monilicornis Fischer,1962 Range (in code): TR 03 05 11 23 26 47 63 64
- 13134. Opius (Misophthora) ocellus Telenga,1950** (Braconidae) Synonym(s): ocellus Telenga,1950 Range (in code): TR 23
- 13135. Opius (Misophthora) tenellae Fischer,1969** (Braconidae) Synonym(s): tenellae Fischer,1969 Range (in code): TR 58
- 13136. Opius (Misophthora) wachsmanni Szepliget,1898** (Braconidae) Synonym(s): wachsmanni Szepliget,1898 Range (in code): TR 05 44 69
- 13137. Opius (Nosopaeopus) ochrogaster Wesmael,1835** (Braconidae) Synonym(s): ochrogaster Wesmael,1835 Range (in code): TR 08 16 26 38 50
- 13138. Opius (Nosopoea) cingulatus Wesmael,1835** (Braconidae) Synonym(s): cingulatus Wesmael,1835 Range (in code): TR 05 06 53
- 13139. Opius (Nosopoea) cingulolicus Fischer,1992** (Braconidae) Synonym(s): cingulolicus Fischer,1992 Range (in code): TR 30
- 13140. Opius (Nosopoea) circulator (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): circulator Nees ab Esenbeck,1834 Range (in code): TR 38
- 13141. Opius (Nosopoea) maculipes Wesmael,1835** (Braconidae) Synonym(s): maculipes Wesmael,1835 Range (in code): TR 38 42 51 55 59
- 13142. Opius (Nosopoea) speciosus Fischer,1959** (Braconidae) Synonym(s): speciosus Fischer,1959 Range (in code): TR 37
- 13143. Opius (Odontopoea) connivens Thomson,1895** (Braconidae) Synonym(s): connivens Thomson,1895 Range (in code): TR 28
- 13144. Opius (Odontopoea) metanivens Fischer,1992** (Braconidae) Synonym(s): metanivens Fischer,1992 Range (in code): TR
- 13145. Opius (Odontopoea) rhodopicola Zaykov & Fischer,1986** (Braconidae) Synonym(s): rhodopicola Zaykov & Fischer,1986 Range (in code): TR 31 79
- 13146. Opius (Opiognathus) propeactum Fischer,1984** (Braconidae) Synonym(s): propeactum Fischer,1984 Range (in code): TR 22
- 13147. Opius (Opiognathus) propodealis Fischer,1958** (Braconidae) Synonym(s): propodealis Fischer,1958 Range (in code): TR 29 55 60
- 13148. Opius (Opiostomus) griffithsi Fischer,1962** (Braconidae) Synonym(s): griffithsi Fischer,1962 Range (in code): TR 01 20 22 29 60
- 13149. Opius (Opiothorax) abditus Fischer,1960** (Braconidae) Synonym(s): abditus Fischer,1960 Range (in code): TR 03 26 38 44
- 13150. Opius (Opiothorax) dureseui Fischer,1975** (Braconidae) Synonym(s): dureseui Fischer,1975 Range (in code): TR 42 59
- 13151. Opius (Opiothorax) filicornis Thomson,1895** (Braconidae) Synonym(s): filicornis Thomson,1895 Range (in code): TR 02 05 28 38 40 44 61
- 13152. Opius (Opiothorax) laevis Wesmael,1835** (Braconidae) Synonym(s): laevis Wesmael,1835 Range (in code): TR 08 55 61 69
- 13153. Opius (Opiothorax) latistigma Fischer,1960** (Braconidae) Synonym(s): latistigma Fischer,1960 Range (in code): TR 23 26 38 44
- 13154. Opius (Opiothorax) longicornis Thomson,1895** (Braconidae) Synonym(s): longicornis Thomson,1895 Range (in code): TR 45 61
- 13155. Opius (Opiothorax) lonicerae Fischer,1958** (Braconidae) Synonym(s): lonicerae Fischer,1958 Range (in code): TR 38
- 13156. Opius (Opiothorax) magnicauda Fischer,1958** (Braconidae) Synonym(s): magnicauda Fischer,1958 Range (in code): TR 44
- 13157. Opius (Opiothorax) minusculae Fischer,1967** (Braconidae) Synonym(s): minusculae Fischer,1967 Range (in code): TR 22 44
- 13158. Opius (Opiothorax) mirabilis Fischer,1958** (Braconidae) Synonym(s): mirabilis Fischer,1958 Range (in code): TR 29 69
- 13159. Opius (Opiothorax) neopendulus Fischer,1989** (Braconidae) Synonym(s): neopendulus Fischer,1989 Range (in code): TR 44
- 13160. Opius (Opiothorax) nigricoloratus Fischer,1958** (Braconidae) Synonym(s): nigricoloratus Fischer,1958 Range (in code): TR 37
- 13161. Opius (Opiothorax) opacus Fischer,1968** (Braconidae) Synonym(s): opacus Fischer,1968 Range (in code): TR 01 22 38 44 51 74
- 13162. Opius (Opiothorax) soenderupianus Fischer,1967** (Braconidae) Synonym(s): soenderupianus Fischer,1967 Range (in code): TR 29
- 13163. Opius (Opiothorax) turcicus Fischer,1960** (Braconidae) Synonym(s): turcicus Fischer,1960 Range (in code): TR 22 23 44 58 60 74

- 13164. Opius (Pendopius) pendulus Haliday,1837** (Braconidae) Synonym(s): pendulus Haliday,1837  
Range (in code): TR 02
- 13165. Opius (Phaerotoma) benignus (Papp,1981)** (Braconidae) Synonym(s): benignus Papp,1981  
Range (in code): TR 63 78
- 13166. Opius (Phaerotoma) biroi (Fischer,1960)** (Braconidae) Synonym(s): biroi Fischer,1960  
Range (in code): TR 05 22 29 42 60
- 13167. Opius (Phaerotoma) biroicus Fischer & Beyarslan,2005** (Braconidae) Synonym(s): biroicus Fischer & Beyarslan,2005 Range (in code): TR
- 13168. Opius (Phaerotoma) depeculator Förster,1862** (Braconidae) Synonym(s): depeculator Förster,1862 Range (in code): TR 05 08 19 23 28 42 44 50 60 61 74
- 13169. Opius (Phaerotoma) diversa (Szepligeti,1898)** (Braconidae) Synonym(s): diversa Szepligeti,1898 Range (in code): TR 05 06 08 22 23 31 38 39 44 52 59 60 61 62
- 13170. Opius (Phaerotoma) diversiformis (Fischer,1960)** (Braconidae) Synonym(s): diversiformis Fischer,1960 Range (in code): TR 22 40 44 59
- 13171. Opius (Phaerotoma) exigua (Wesmael,1835)** (Braconidae) Synonym(s): exigua Wesmael,1835  
Range (in code): TR 05 08 21 23 26 29 38 44 47 52 58 60 61 62 67
- 13172. Opius (Phaerotoma) mirabunda (Papp,1982)** (Braconidae) Synonym(s): mirabunda Papp,1982 Range (in code): TR 50
- 13173. Opius (Phaerotoma) pulchriventris (Fischer,1958)** (Braconidae) Synonym(s): pulchriventris Fischer,1958 Range (in code): TR 05 44 50 58 60 66 68
- 13174. Opius (Phaerotoma) scaptomyzae (Fischer,1967)** (Braconidae) Synonym(s): scaptomyzae Fischer,1967 Range (in code): TR 38
- 13175. Opius (Phaerotoma) seiunctus (Fischer,1959)** (Braconidae) Synonym(s): seiunctus Fischer,1959 Range (in code): TR 40
- 13176. Opius (Phaerotoma) variegata (Szepligeti,1896)** (Braconidae) Synonym(s): variegata Szepligeti,1896 Range (in code): TR 06 08 40 61
- 13177. Opius (Rhogadopsis) parvungula Thomson,1895** (Braconidae) Synonym(s): parvungula Thomson,1895 Range (in code): TR 08 28
- 13178. Opius (s.str.) agromyzicola Fischer,1967** (Braconidae) Synonym(s): agromyzicola Fischer,1967  
Range (in code): TR 39 69 74
- 13179. Opius (s.str.) caricivora Fischer,1964** (Braconidae) Synonym(s): caricivora Fischer,1964  
Range (in code): TR 39 44
- 13180. Opius (s.str.) curticornis Fischer,1960** (Braconidae) Synonym(s): curticornis Fischer,1960  
Range (in code): TR 59
- 13181. Opius (s.str.) lugens Haliday,1837** (Braconidae) Synonym(s): lugens Haliday,1837 Range (in code): TR 22 39
- 13182. Opius (s.str.) mendus Papp,1982** (Braconidae) Synonym(s): mendus Papp,1982 Range (in code): TR 44
- 13183. Opius (s.str.) osogovoensis Fischer,1964** (Braconidae) Synonym(s): osogovoensis Fischer,1964  
Range (in code): TR 22 39 40 74
- 13184. Opius (s.str.) pallipes Wesmael,1835** (Braconidae) Synonym(s): pallipes Wesmael,1835 Range (in code): TR 38 44 68 74 78
- 13185. Opius (s.str.) peterseni Fischer,1964** (Braconidae) Synonym(s): peterseni Fischer,1964 Range (in code): TR 58
- 13186. Opius (s.str.) quasipulvis Fischer,1989** (Braconidae) Synonym(s): quasipulvis Fischer,1989  
Range (in code): TR 39 68
- 13187. Opius (Snoflakopius) snoflaki Fischer,1959** (Braconidae) Synonym(s): snoflaki Fischer,1959  
Range (in code): TR 58 70
- 13188. Opius (Utetes) coracinus (Thomson,1895)** (Braconidae) Synonym(s): coracinus Thomson,1895  
Range (in code): TR 18 37 57 74 78
- 13189. Opius (Utetes) magnus Fischer,1958** (Braconidae) Synonym(s): magnus Fischer,1958; sayanicus Tobias,1977; scrutator Tobias,1977 Range (in code): AT FI GG Cc DE HU IT IR KG PL RU Us CH TR UA 48
- 13190. Opius (Utetes) propecoracinum (Fischer,1999)** (Braconidae) Synonym(s): propecoracinum Fischer,1999 Range (in code): TR 28
- 13191. Opius (Utetes) rotundiventris (Thomson,1895)** (Braconidae) Synonym(s): rotundiventris Thomson,1895 Range (in code): TR 25 38 51
- 13192. Opius (Utetes) testaceus (Wesmael,1835)** (Braconidae) Synonym(s): testaceus Wesmael,1835  
Range (in code): TR 60
- 13193. Opius (Utetes) truncatus (Wesmael,1835)** (Braconidae) Synonym(s): truncatus Wesmael,1835  
Range (in code): TR 08 53
- 13194. Opius (Xynobius) aciculatus (Thomson,1895)** (Braconidae) Synonym(s): aciculatus Thomson,1895 Range (in code): TR 14

- 13195. Opius (Xynobius) curtifemur (Fischer,1961)** (Braconidae) Synonym(s): curtifemur Fischer,1961 Range (in code): TR 44
- 13196. Opius (Xynobius) decoratus (Stelfox,1949)** (Braconidae) Synonym(s): decoratus Stelfox,1949 Range (in code): TR 44
- 13197. Opius (Xynobius) macrocerus (Thomson,1895)** (Braconidae) Synonym(s): macrocerus Thomson,1895 Range (in code): TR 61 74
- 13198. Opius (Xynobius) rudis (Wesmael,1835)** (Braconidae) Synonym(s): rudis Wesmael,1835 Range (in code): TR 03 05 14 37 39 42 50 60 66
- 13199. Opius (Xynobius) thomsoni (Fischer,1971)** (Braconidae) Synonym(s): thomsoni Fischer,1971 Range (in code): TR 28
- 13200. Orgilus abbreviator (Ratzeburg,1852)** (Braconidae) Synonym(s): abbreviator Ratzeburg,1852 TR GR HU AM Cc IR 03 05 09 18 20 22 23 24 28 33 34 37 38 40 42 44 48 54 55 58 59 62
- 13201. Orgilus claripennis Ivanov,1899** (Braconidae) Synonym(s): claripennis Ivanov,1899 TR Arr UA 08 11 17 23 34 37 39 46 65 66 74 76 81
- 13202. Orgilus dilleri Beyarslan,1996** (Braconidae) Synonym(s): dilleri Beyarslan,1996 Range (in code): TR 39
- 13203. Orgilus dovnari Tobias,1986** (Braconidae) Synonym(s): dovnari Tobias,1986; ukrainicus Tobias,1986 Range (in code): TR CZ DE HU MN NL RU SK SE UA 22
- 13204. Orgilus elazigensis Beyarslan,2011** (Braconidae) Synonym(s): elazigensis Beyarslan,2011 Range (in code): TR 23
- 13205. Orgilus festivus Papp,1975** (Braconidae) Synonym(s): festivus Papp,1975 HV GR YU TR 29 32 59 62
- 13206. Orgilus grunini Tobias,1986** (Braconidae) Synonym(s): grunini Tobias,1986 Range (in code): TR AT CZ FR DE HU KG NL PL RO 11 16 19 37 39 58 59 62 66 74
- 13207. Orgilus hungaricus Szepligeti,1896** (Braconidae) Synonym(s): hungaricus Szepligeti,1896 TR KG RO SK YU 02 44
- 13208. Orgilus obscurator (Nees ab Esenbeck,1812)** (Braconidae) Synonym(s): obscurator Nees ab Esenbeck,1812; laevigator Nees ab Esenbeck,1812 AM AT Cc AZ FI FR DE IT NL NO PL RU SE TR 05 14 22 25 44 55 60 78
- 13209. Orgilus pimpinellae Niezabitowski,1910** (Braconidae) Synonym(s): pimpinellae Niezabitowski,1910 Range (in code): AF AT BG CZ DE GR Cr HU IR IT KG LT MD MN NO PL RO RU Kmt Us CH UA GB UZ YU TR 08 09 11 15 16 17 22 23 24 25 26 28 29 32 33 34 37 38 39 44 46 51 52 54 57 58 59 61 62 63 65 69 74 78 81
- 13210. Orgilus punctiventris Tobias,1976** (Braconidae) Synonym(s): punctiventris Tobias,1976 TR AM AZ Cc 08 74
- 13211. Orgilus punctulator (Nees ab Esenbeck,1812)** (Braconidae) Synonym(s): punctulator Nees ab Esenbeck,1812 TR AM AZ Cc HV BG CZ DE FR HU IT KG LV MD MN NL PL RU SE CH GB YU 14 23 25 38 40 58 62 66 74
- 13212. Orgilus radialiformis Beyarslan,2011** (Braconidae) Synonym(s): radialiformis Beyarslan,2011 Range (in code): TR 19
- 13213. Orgilus rudolphae Tobias,1976** (Braconidae) Synonym(s): rudolphae Tobias,1976 Range (in code): TR CZ GR HU KG RU Da Cc YU 09 10 15 28 29 48 54 57 60 61
- 13214. Orgilus rufigaster Tobias,1964** (Braconidae) Synonym(s): rufigaster Tobias,1964 TR CN KG MD 03
- 13215. Orgilus rugosus (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): rugosus Nees ab Esenbeck,1834 Range (in code): AD AT BY BG HV CZ FI FR DE HU IT KG LT MK MD PL RO RU Kr Cc SK SS TR UA GB YU 16 74
- 13216. Orgilus similis Szepligeti,1896** (Braconidae) Synonym(s): similis Szepligeti,1896 TR AT BG HV CZ HU IT MD MN RO RU YU 05 09 52 59
- 13217. Orgilus simillimus Taeger,1989** (Braconidae) Synonym(s): simillimus Taeger,1989 Range (in code): TR DE GR IT CH 03 05 08 11 14 16 22 23 28 29 34 38 40 42 51 54 55 57 58 59 61 66 68 69 78
- 13218. Orgilus sticticus Taeger,1989** (Braconidae) Synonym(s): sticticus Taeger,1989 Range (in code): TR AT BG DE HU RO SK SS 16
- 13219. Orgilus temporalis Tobias,1976** (Braconidae) Synonym(s): temporalis Tobias,1976 Range (in code): TR AZ Cc CZ FI DE HU MN RO RU Kr 09 15 17 22 23 25 32 33 38
- 13220. Pachystigmus nitidulus Hellén,1927** (Braconidae) Synonym(s): nitidulus Hellén,1927 TR 26 44 68
- 13221. Pambolus (Phaenodus) pallipes (Förster,1862)** (Braconidae) Synonym(s): pallipes Förster,1862 TR 50 53
- 13222. Phanerotoma (Bracotritoma) atra Snoflak,1951** (Braconidae) Synonym(s): atra Snoflak,1951 Range (in code): TR 17 37 55 60
- 13223. Phanerotoma (Bracotritoma) bilinea Lyle,1924** (Braconidae) Synonym(s): bilinea Lyle,1924 Range (in code): TR 22 55
- 13224. Phanerotoma (Bracotritoma) capeki Achtelberg,1990** (Braconidae) Synonym(s): capeki Achtelberg,1990 Range (in code): CZ TR 06



- 13225. *Phanerotoma (Bracotritoma) gracilisoma* Van Achterberg,1990** (Braconidae) Synonym(s): *gracilisoma* Van Achterberg,1990 Range (in code): TR 22
- 13226. *Phanerotoma (Bracotritoma) intermedia* Achterberg,1990** (Braconidae) Synonym(s): *intermedia* Achterberg,1990 Range (in code): TR 30
- 13227. *Phanerotoma (Bracotritoma) longiradialis* Achterberg,1990** (Braconidae) Synonym(s): *longiradialis* Achterberg,1990 Range (in code): IQ
- 13228. *Phanerotoma (Bracotritoma) parva* Kokujev,1903** (Braconidae) Synonym(s): *parva* Kokujev,1903; *aberrans* Shestakov,1930; *gussakovskii* Shestakov,1930 Range (in code): CY GR TR MN RU KG 10 22
- 13229. *Phanerotoma (Bracotritoma) permixtella* Fischer,1968** (Braconidae) Synonym(s): *permixtella* Fischer,1968; *olearia* Fischer,1968 Range (in code): SY Lat TR 27
- 13230. *Phanerotoma (Bracotritoma) tritoma* (Marshall,1898)** (Braconidae) Synonym(s): *tritoma* Marshall,1898; *antennalis* Snoflak,1951 Range (in code): AT CY CZ GB FR IE IT NL PL ES
- 13231. *Phanerotoma (s.str.) acuminata* Szepligeti,1908** (Braconidae) Synonym(s): *acuminata* Szepligeti,1908 Range (in code): AT CZ GB IT FR NL RO Cc AZ UA Cm DE YU TR 17
- 13232. *Phanerotoma (s.str.) dentata* (Panzer,1805)** (Braconidae) Synonym(s): *dentata* Panzer,1805; *minor* Snoflak,1951 Range (in code): AT BE CZ GB GR IT NL PL ES SE Cc AZ DE TR 22
- 13233. *Phanerotoma (s.str.) leucobasis* Kriechbauer,1894** (Braconidae) Synonym(s): *leucobasis* Kriechbauer,1894 Range (in code): TR 01 09 10 16 22 59
- 13234. *Phanerotoma (s.str.) planifrons* (Nees ab Esenbeck,1816)** (Braconidae) Synonym(s): *planifrons* Nees ab Esenbeck,1816 Range (in code): TR 17
- 13235. *Phanerotoma fracta* Kokujev,1903** (Braconidae) Synonym(s): *fracta* Kokujev,1903 Range (in code): AT CZ FR GR HU IR IT MN ES RU Sb US Cf
- 13236. *Phanerotoma kozlovi* Shestakov,1930** (Braconidae) Synonym(s): *kozlovi* Shestakov,1930 Range (in code): RU Cc MN
- 13237. *Phanerotoma ocularia* Kohl,1906** (Braconidae) Synonym(s): *ocularia* Kohl,1906; *rjabovi* Vojnovskaja-Krieger,1929; *media* Shestakov,1930; *desertorum* Hedwig,1957; *flavitestacea* Fischer,1959 Range (in code): BE CY EG GB FR GR IR IL Pa LY SA Sk ES TR RU YU US Cf
- 13238. *Phanerotomella bisulcata* (Herrich-Schäffer,1838)** (Braconidae) Synonym(s): *bisulcata* Herrich-Schäffer,1838 Range (in code): TR 16 67
- 13239. *Phanerotomella rufa* (Marshall,1898)** (Braconidae) Synonym(s): *rufa* Marshall,1898; *kerteszi* Szepligeti,1900; *graeffei* Fischer,1959 Range (in code): AT GR HU IT TR MD YU 11 16 17 39 52 55 59 80
- 13240. *Polydegmon foveolatus* (Herrich-Schäffer,1838)** (Braconidae) Synonym(s): *foveolatus* Herrich-Schäffer,1838; *marshalli* Szepligeti,1896 Range (in code): TR GR HU RU DE YU Cc UZ KG 50
- 13241. *Polydegmon sinuatus* Förster,1862** (Braconidae) Synonym(s): *sinuatus* Förster,1862; *pillichi* Zilaki-Kiss,1915 Range (in code): DE BG CZ HU TR RU KG UZ AZ GG Cc Sb MK YU 38
- 13242. *Polystenus rugosus* Förster,1862** (Braconidae) Synonym(s): *rugosus* Förster,1862 TR 50
- 13243. *Praon abjectum* (Haliday,1833)** (Braconidae) Synonym(s): *abjectum* Haliday,1833 TR 10 11 16
- 13244. *Praon longicorne* Marshall,1896** (Braconidae) Synonym(s): *longicorne* Marshall,1896 TR 29 37 55 57 60
- 13245. *Praon pubescens* Stary,1961** (Braconidae) Synonym(s): *pubescens* Stary,1961 TR 37
- 13246. *Praon volucre* (Haliday,1833)** (Braconidae) Synonym(s): *volucre* Haliday,1833 TR 05 14 29 52 55 60
- 13247. *Praon yomenae* Takada,1968** (Braconidae) Synonym(s): *yomenae* Takada,1968 TR 60
- 13248. *Protapanteles anchiades* (Nixon,1973)** (Braconidae) Synonym(s): *anchiades* Nixon,1973 Range (in code): TR DE GB SE BG MN IT HU FI NL CH CZ 16
- 13249. *Protodacnusa ruthei* Griffiths,1964** (Braconidae) Synonym(s): *ruthei* Griffiths,1964 Range (in code): DE TR 01 22 23 32 33 39
- 13250. *Protodacnusa tristis* (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): *tristis* Nees ab Esenbeck,1834 Range (in code): TR DE GB FR IE FR RU SE CH TJ 23 31 79
- 13251. *Pseudohormius turkmenus* Tobias & Alexeev,1973** (Braconidae) Synonym(s): *turkmenus* Tobias & Alexeev,1973 TR 23 24 26 36 44 58 62 66
- 13252. *Pseudovipio barchanicus* (Telenga,1936)** (Braconidae) Synonym(s): *barchanicus* Telenga,1936 Range (in code): TR KG TM 55
- 13253. *Pseudovipio castrator* (Fabricius,1798)** (Braconidae) Synonym(s): *cuniculator* Rossi,1792; *castrator* Fabricius,1798; *constantinensis* Strand,1910 Range (in code): TR DZ AL AZ Cc HV CY CZ EG FR GG DE GR Cr HU IL Pa IT Sa Si KG MD MN RO RU Kr SK ES SD CH SY UA YU 01 02 06 07 16 17 22 24 25 26 27 32 33 37 38 39 42 44 47 57 58 59 60 63 67
- 13254. *Pseudovipio gorgoneus* (Marshall,1900)** (Braconidae) Synonym(s): *gorgoneus* Marshall,1900 TR 10 32
- 13255. *Pseudovipio guttiventris* (Thomson,1892)** (Braconidae) Synonym(s): *variegata* Boheman,1853; *guttiventris* Thomson,1892; *biroi* Szepligeti,1896 TR 44 55 65

- 13256. Pseudovipio inscriptor (Nees ab Esenbeck,1834)** (Braconidae) **Synonym(s):** inscriptor Nees ab Esenbeck,1834 Range (in code): **TR AZ Cc HV CY CZ FR Co GG DE GR Cr HU IL Pa IT Si KG MD MN RO RU SK ES UA UZ YU 05 06 10 15 16 18 19 22 23 24 25 26 32 33 37 39 42 44 58 59 62 66 78**
- 13257. Pseudovipio kirmanensis Kokujev,1907** (Braconidae) **Synonym(s):** kirmanensis Kokujev,1907 Range (in code): **AF IR TM**
- 13258. Pseudovipio minutus (Telenga,1936)** (Braconidae) **Synonym(s):** minutus Telenga,1936 **\_TR 10**
- 13259. Pseudovipio sculus (Marshall,1888)** (Braconidae) **Synonym(s):** sculus Marshall,1888 **\_TR 16 22 39 58 59**
- 13260. Pseudovipio tataricus (Kokujev,1898)** (Braconidae) **Synonym(s):** tataricus Kokujev,1898; pusilla Shestakov,1932 Range (in code): **TR 09 42 51**
- 13261. Pseudovipio umbraculator (Nees ab Esenbeck,1834)** (Braconidae) **Synonym(s):** umbraculator Nees ab Esenbeck,1834; anceps Kokujev,1898 **\_CY TR 05 22 23 48 55 60**
- 13262. Psytalia (s.str.) concolor (Szepligeti,1910)** (Braconidae) **Synonym(s):** concolor Szepligeti,1910; fuscitarsis Szepligeti,1913; sicula Monastero,1931 Range (in code): **DZ BG Cn EG FI FR Co GR Cr IL Pa IT Si Sa KE LY MA ZA ES TZ TN TR Hw 26 60 74**
- 13263. Rhaconotus aciculatus Ruthe,1854** (Braconidae) **Synonym(s):** aciculatus Ruthe,1854 **\_TR 05 06 21 22 24 25 48 58 59 76**
- 13264. Rhaconotus asiaticus Belokobylski,1990** (Braconidae) **Synonym(s):** asiaticus Belokobylski,1990 **TR 03 05 06 17 20 21 22 24 25 26 31 37 38 44 50 57 58 69 74**
- 13265. Rhaconotus elegans (Förster,1862)** (Braconidae) **Synonym(s):** elegans Förster,1862 **\_TR 06**
- 13266. Rhaconotus kerzhneri Belokobylski,1985** (Braconidae) **Synonym(s):** kerzhneri Belokobylski,1985 **\_TR 31 33**
- 13267. Rhaconotus longulus Belokobylski,1994** (Braconidae) **Synonym(s):** longulus Belokobylski,1994 **TR 17 59 76**
- 13268. Rhaconotus pictipennis (Reinhard,1885)** (Braconidae) **Synonym(s):** pictipennis Reinhard,1885 **TR 10 23 26 37 62 67 74**
- 13269. Rhoptrocentrus piceus Marshall,1897** (Braconidae) **Synonym(s):** piceus Marshall,1897 **\_TR 05 22**
- 13270. Rhysipolis decorator (Haliday,1836)** (Braconidae) **Synonym(s):** decorator Haliday,1836 **\_TR 03 05 06 08 18 20 23 24 26 29 37 40 44 50 58 60 61 62 69 71 75**
- 13271. Rhysipolis enukidzei Tobias,1976** (Braconidae) **Synonym(s):** enukidzei Tobias,1976 **\_TR 23 36 75 76**
- 13272. Rhysipolis hariolator (Haliday,1836)** (Braconidae) **Synonym(s):** hariolator Haliday,1836 **\_TR 09 20 24 25 26 29 36 38 40 50 51 58 60 62 68 71 75 76**
- 13273. Rhyssalus clavator Haliday,1833** (Braconidae) **Synonym(s):** clavator Haliday,1833 **\_TR 28**
- 13274. Sathon falcatus (Nees ab Esenbeck,1834)** (Braconidae) **Synonym(s):** falcatus Nees ab Esenbeck,1834 Range (in code): **TR ID Ja 16**
- 13275. Schizoprymnus brevicornis (Herrich-Schäffer,1838)** (Braconidae) **Synonym(s):** brevicornis Herrich-Schäffer,1838 Range (in code): **DE RU TR 01 33**
- 13276. Schizoprymnus obscurus (Nees ab Esenbeck,1813)** (Braconidae) **Synonym(s):** obscurus Nees ab Esenbeck,1813 Range (in code): **RU UA Cm IR TR 01 07 27 33**
- 13277. Schizoprymnus ozlemae Beyarslan,1988** (Braconidae) **Synonym(s):** ozlemae Beyarslan,1988 Range (in code): **TR 33**
- 13278. Sigalphus irrorator (Fabricius,1775)** (Braconidae) **Synonym(s):** irrorator Fabricius,1775 Range (in code): **TR 80**
- 13279. Spathiomorpha varinervis Tobias,1976** (Braconidae) **Synonym(s):** varinervis Tobias,1976 **\_TR 55**
- 13280. Spathius curvicaudis Ratzeburg,1844** (Braconidae) **Synonym(s):** curvicaudis Ratzeburg,1844 **TR 22 39 57 80**
- 13281. Spathius erythrocephalus Wesmael,1838** (Braconidae) **Synonym(s):** erythrocephalus Wesmael,1838 **\_TR 55**
- 13282. Spathius exarator (Linnaeus,1758)** (Braconidae) **Synonym(s):** exarator Linnaeus,1758 **\_TR 67**
- 13283. Spathius polonicus Niezabitowski,1910** (Braconidae) **Synonym(s):** polonicus Niezabitowski,1910 **PL TR 21**
- 13284. Spathius radzayanus Ratzeburg,1848** (Braconidae) **Synonym(s):** radzayanus Ratzeburg,1848 **TR 06 16 17 20 54 55 80**
- 13285. Spathius rubidus (Rossi,1794)** (Braconidae) **Synonym(s):** rubidus Rossi,1794 **\_TR 17 25 31 34 35 37 39 60 61**
- 13286. Taphaeus hiator (Thunberg,1824)** (Braconidae) **Synonym(s):** hiator Thunberg,1824; speculator Haliday,1835; irregularis Wesmael,1835; polydrusi Gahan,1916 Range (in code): **TR BG CZ FI FR DE GR HU IE IT KG LT MD MN NL NO PL RU SE CH GB US CA 22 55 58 60**
- 13287. Taphaeus rufocephalus (Telenga,1950)** (Braconidae) **Synonym(s):** rufocephalus Telenga,1950 Range (in code): **TR DE KG RU Us 58**
- 13288. Toxares deltiger (Haliday,1833)** (Braconidae) **Synonym(s):** deltiger Haliday,1833 **\_TR 69**

- 13289. Triaspis caudatus (Nees ab Esenbeck,1813)** (Braconidae) Synonym(s): caudatus Nees ab Esenbeck,1813 Range (in code): TR 01 15 33
- 13290. Triaspis flavipalpis Wesmael,1835** (Braconidae) Synonym(s): flavipalpis Wesmael,1835 Range (in code): TR 33
- 13291. Vipio alpi Beyarslan,2002** (Braconidae) Synonym(s): alpi Beyarslan,2002 Range (in code): TR 06 22 23 24 26 38 39 52 55 57 59
- 13292. Vipio appelator (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): appelator Nees ab Esenbeck,1834; longicauda Boheman,1853; phoenix Marshall,1888; mendax Kokoujev,1898; pseudappellator Kokoujev,1898 Range (in code): TR 32 38 39 51 58
- 13293. Vipio cuniculator (Rossi,1792)** (Braconidae) Synonym(s): tentator Rossi,1790 nec Villers,1789; cuniculator Rossi,1792; geniculator Costa,1885; curticaudis Szépligeti,1896; brevicaudis Szépligeti,1896 Range (in code): DZ AM Cc AZ GG HV CZ FR Co DE GR HU IT Sa Si IL Pa MK KG MD RO RU Da SK ES SY TJ TN UA YU TR 03 20 39 43 46 60 67
- 13294. Vipio filicaudis Szepligeti,1896** (Braconidae) Synonym(s): filicaudis Szepligeti,1896 Range (in code): TR
- 13295. Vipio humerator (Costa,1885)** (Braconidae) Synonym(s): humerator Costa,1885; schlettereri Kriechbaumer,1895; frivaldskyi Szepligeti,1896; marshalli Schmiedeknecht,1896 Range (in code): TR 02 03 05 11 16 17 21 22 24 25 26 32 34 39 43 44 52 57 59 60
- 13296. Vipio illusor (Klug,1817)** (Braconidae) Synonym(s): illusor Klug,1817; maculator Brullé,1832; contractor Nees,1834 Range (in code): TR AT AZ Cc HV FR GR HU IT KG MK MD RU ES TN UA YU 10 25 32 47
- 13297. Vipio insectator Kokoujev,1898** (Braconidae) Synonym(s): insectator Kokoujev,1898 Range (in code): TR 03 22
- 13298. Vipio intermedius Szepligeti,1896** (Braconidae) Synonym(s): intermedius Szepligeti,1896; aegyptiacus Fahringer,1925; szepligetii Fahringer,1925 Range (in code): TR EG 22
- 13299. Vipio lalapasaensis (Beyarslan,1992)** (Braconidae) Synonym(s): lalapasaensis Beyarslan,1992 Range (in code): TR 22
- 13300. Vipio longicauda (Boheman,1853)** (Braconidae) Synonym(s): nominator Fabricius,1793; longicauda Boheman,1853 Range (in code): TR 05 14 17 22 25 26 29 39 52 54 57 58 59 67 74 78
- 13301. Vipio mlokossewiczii Kokoujev,1898** (Braconidae) Synonym(s): mlokossewiczii Kokoujev,1898 Range (in code): TR 03 05 29 44 47 52 66
- 13302. Vipio nomas Kokoujev,1907** (Braconidae) Synonym(s): nomas Kokoujev,1907 Range (in code): TM TR
- 13303. Vipio nomioides Shestakov,1926** (Braconidae) Synonym(s): nomioides Shestakov,1926 Range (in code): TR AZ IR Cc CZ
- 13304. Vipio sareptanus Kawall,1865** (Braconidae) Synonym(s): sareptanus Kawall,1865 Range (in code): TR CN Ui KG KR LT MN RU Am Us UA
- 13305. Vipio shestakovi Telenga,1936** (Braconidae) Synonym(s): shestakovi Telenga,1936 Range (in code): TR 38
- 13306. Vipio simulator Kokoujev,1898** (Braconidae) Synonym(s): simulator Kokoujev,1898 Range (in code): TR RU KG HU CZ 32
- 13307. Vipio tentator (Rossi,1790)** (Braconidae) Synonym(s): tentator Rossi,1790; cuniculator Rossi,1792; geniculator Costa,1885; brevicaudis Szepligeti,1896; curticaudis Szepligeti,1896 TR 03 05 06 14 20 21 22 25 26 37 38 39 43 44 46 47 52 57 58 59 60 62 63
- 13308. Vipio terrefactor (Villers,1789)** (Braconidae) Synonym(s): terrefactor Villers,1789; improvisus Kokoujev,1898; interpellator Kokoujev,1898; neesii Kokoujev,1898; persica Szépligeti,1901 Range (in code): TR IR AM Cc AT AZ GR B-H HV CZ FR DE HU IT Sa Si IL KG LT MK MD RO RU Da Ro SK ES UA GB YU 18 22 30 38
- 13309. Calameuta (s.str.) filiformis (Eversmann,1847)** (Cephidae) Synonym(s): filiformis Eversmann,1847; infernalis Dovnar-Zapolski,1926; amurensis Gussakowski,1935 Range (in code): RU Am Sb Cc TR IR SY LB CN KG KK UZ Tas UA 51 58
- 13310. Calameuta (s.str.) haemorrhoidalis (Fabricius,1781)** (Cephidae) Synonym(s): haemorrhoidalis Fabricius,1781 Range (in code): AT TR Cc RU GR Rd CY SY IL Pa TM 05 06 07 16 18 19 25 34 38 48 51 55 58 65 66 68 71
- 13311. Calameuta (s.str.) idolon (Rossi,1794)** (Cephidae) Synonym(s): idolon Rossi,1794; mittrei Guérin,1844; bellieri Sichel,1860; variegatus Stein,1876; apicicornis Pic,1916 Range (in code): TR RU Cc IR IL Pa LB SY 05 06 18 19 26 38 58 71
- 13312. Calameuta (s.str.) pallipes (Klug,1803)** (Cephidae) Synonym(s): pallipes Klug,1803 Range (in code): UA RU TR 06 26 42 51 55 58 68
- 13313. Calameuta (s.str.) punctata (Klug,1803)** (Cephidae) Synonym(s): punctata Klug,1803 Range (in code): Cc UA TR 06 38 58 68
- 13314. Cephus brachycerus Thomson,1871** (Cephidae) Synonym(s): brachycerus Thomson,1871 Range (in code): UA Cm RU Sb TR 06 26 40 55 58
- 13315. Cephus fumipennis Eversmann,1847** (Cephidae) Synonym(s): fumipennis Eversmann,1847 Range (in code): RU KG TJ CN TR 26 50



- 13316. Cephus nigrinus Thomson,1871** (Cephidae) Synonym(s): nigrinus Thomson,1871 Range (in code): RU SY TR 03 06 18 19 31 40 58 66 71
- 13317. Cephus pulcher Tischbein,1852** (Cephidae) Synonym(s): pulcher Tischbein,1852 Range (in code): AT HU CZ SK Cc KG TR 06 19 51 58 66 68
- 13318. Cephus pygmaeus (Linnaeus,1767)** (Cephidae) Synonym(s): pygmaeus Linnaeus,1767; saltuum Fabricius,1775; abdominalis Latreille,1816; flaviventris Guérin,1834; nigripennis Sichel,1860; notatus Kokujev,1910; nigromaculatus Pic,1917; aegyptiacum Pic,1918; delagrangi Pic,1920; tanaiticus Dovnar-Zapolski,1926 Range (in code): RU LT UA Cm Cc RU Sb TR IR IQ SY IL Pa EG IN CA US 03 06 18 19 26 42 40 50 51 58 60 66 68 70 71
- 13319. Cephus rjabovi Dovnar-Zapolski,1926** (Cephidae) Synonym(s): rjabovi Dovnar-Zapolski,1926 Range (in code): RU Da Cc TR 26 71
- 13320. Cephus sareptanus Dovnar-Zapolski,1928** (Cephidae) Synonym(s): sareptanus Dovnar-Zapolski,1928 Range (in code): RU TR 06 18 26 40 58
- 13321. Cephus spinipes (Panzer,1800)** (Cephidae) Synonym(s): spinipes Panzer,1800 Range (in code): TR UA Cm Cc RU CN 18 58
- 13322. Hartigia linearis (Schrank,1781)** (Cephidae) Synonym(s): linearis Schrank,1781 Range (in code): Cc TR RU Sb KG MN 40 51 58
- 13323. Hartigia nigra (Harris,1776)** (Cephidae) Synonym(s): nigra Harris,1776 Range (in code): Cc TR 06 25
- 13324. Hartigia xanthostoma (Eversmann,1847)** (Cephidae) Synonym(s): xanthostoma Eversmann,1847 Range (in code): RU UA TR 06 40 51
- 13325. Janus compressus (Fabricius,1793)** (Cephidae) Synonym(s): compressus Fabricius,1793 Range (in code): TR Cc RU 34
- 13326. Janus femoratus (Curtis,1830)** (Cephidae) Synonym(s): femoratus Curtis,1830 Range (in code): TR RU
- 13327. Pachycephus (Eversmannella) cruentatus (Eversmann,1847)** (Cephidae) Synonym(s): cruentatus Eversmann,1847 Range (in code): RU Cc UA Cm TR SY IL Pa
- 13328. Pachycephus smyrnensis Stein,1876** (Cephidae) Synonym(s): smyrnensis Stein,1876; aeneovarius Kohl,1905; brevis Ghigi,1915; sanctus Pic,1916; notativentris Pic,1916 Range (in code): AM BG GR TR CY LB MK RO IL Pa Cc 05 26 31 33 35 63
- 13329. Syrsta parreyssii (Spinola,1843)** (Cephidae) Synonym(s): parreyssii Spinola,1843 Range (in code): CY IL Pa TR Cc 05 06 18 25 40 44 51 58 59 68
- 13330. Trachelus judaicus (Konow,1907)** (Cephidae) Synonym(s): judaicus Konow,1907 Range (in code): IL Pa TR 51 63
- 13331. Trachelus libanensis (André,1881)** (Cephidae) Synonym(s): libanensis André,1881; armenius Konow,1896 Range (in code): AM Cc TR CY GG IL Pa SY LB RU 01 31 33 47 56 58 63 65 66
- 13332. Trachelus tabidus (Fabricius,1775)** (Cephidae) Synonym(s): tabidus Fabricius,1775 Range (in code): TR 01 03 06 07 18 19 26 31 33 38 40 42 47 51 58 60 68 70
- 13333. Trachelus troglodytus (Fabricius,1781)** (Cephidae) Synonym(s): troglodytus Fabricius,1781; tenuicornis Konow,1902 Range (in code): TR Cc RU 53 55 58
- 13334. Anachalcis major Boucek,1952** (Chalcididae) Synonym(s): major Boucek,1952 Range (in code): TR
- 13335. Anachalcis rubra Steffan,1951** (Chalcididae) Synonym(s): rubra Steffan,1951 Range (in code): BG Cc GR MK YU TR
- 13336. Antrocephalus hypsopygiae Masi,1928** (Chalcididae) Synonym(s): hypsopygiae Masi,1928 Range (in code): B-H CY
- 13337. Aphasganophora armeniaca (Boucek,1952)** (Chalcididae) Synonym(s): armeniaca Boucek,1952; ensifera Nikolskaya,1952 Range (in code): AM Cc RU TR
- 13338. Belaspidia nigra (Siebold,1856)** (Chalcididae) Synonym(s): nigra Siebold,1856 Range (in code): AT AZ Cc BE CZ FR HU MD ES CH TN TR
- 13339. Belaspidia obscura Masi,1916** (Chalcididae) Synonym(s): obscura Masi,1916; meridionalis Steffan,1951 Range (in code): AT BE Cc HV CZ FR DE GR HU IT IR KG MK MD MA SK ES SY TJ TM UA RU YU TR
- 13340. Brachymeria aegyptiaca Masi,1931** (Chalcididae) Synonym(s): aegyptiaca Masi,1931 Range (in code): CY IQ IL Pa EG
- 13341. Brachymeria albicrus (Klug,1834)** (Chalcididae) Synonym(s): albicrus Klug,1834; amphissa Walker,1846; responsator Walker,1862; indica Mani,1935 Range (in code): EG ET IN NP PG PK SO IL Pa
- 13342. Brachymeria femorata (Panzer,1801)** (Chalcididae) Synonym(s): femorata Panzer,1801; ornatipes Cameron,1906; immaculata Masi,1951 Range (in code): B-H BG Cc HV CY EG FR Co DE IT HU GR TR IN Hp Up Ben Ch ID Ja IL Pa IQ KG MK MD MN PK CN PH PL RO RU Sb Us SK ES SE CH UA GB YU 65
- 13343. Brachymeria inermis (Fonscolombe,1840)** (Chalcididae) Synonym(s): inermis Fonscolombe,1840; punctulata Förster,1859; carbonaria Masi,1951 Range (in code): FR AT HV CZ DE IT GR MK MD RO SK ES SY YU TR IN JP TM 01 24

- 13344. *Brachymeria minuta* (Linnaeus,1767)** (Chalcididae) Synonym(s): *minuta* Linnaeus,1767; *femoralis* Geoffroy,1785; *pusilla* Fabricius,1787; *saltatrix* Cuvier,1833; *brevicornis* Klug,1834; *scrobiculata* Förster,1859; *tricolor* Förster,1859; *fumata* Thomson,1876; *paraplesia* Crawford,1910; *jezoensis* Matsumura,1918... Range (in code): AU QAU B-H BG Cc Cn HV CY SK CZ SE ES FR DE IT Sa HU MD NL PL RO TR EG IN SI Ben Up SY IL Pa RU Sb Us SS CH TH MY UA GB UZ YU KG JP 24
- 13345. *Brachymeria moerens* (Ruschka,1922)** (Chalcididae) Synonym(s): *moerens* Ruschka,1922 Range (in code): AT B-H Cc BG CZ SK FR DE IT MK MD UA YU TR
- 13346. *Brachymeria obtusata* (Förster,1859)** (Chalcididae) Synonym(s): *vicina* Walker,1834; *obtusata* Förster,1859; *walkeri* Dalla Torre,1898 Range (in code): AL AT HV CY CZ SK EG FR DE GR Cr HU IQ IL Pa IT Si MD NL RO SS ES SE TM UA RU YU TR JP
- 13347. *Brachymeria podagrica* (Fabricius,1787)** (Chalcididae) Synonym(s): *podagrica* Fabricius,1787 Range (in code): CY AU
- 13348. *Brachymeria pseudorugosa* Masi,1951** (Chalcididae) Synonym(s): *pseudorugosa* Masi,1951 Range (in code): ES IT CH TR
- 13349. *Brachymeria rugulosa* (Förster,1859)** (Chalcididae) Synonym(s): *rugulosa* Förster,1859 Range (in code): DE AT BG HV CZ SK FR GR HU IT MK MD RO SK SS ES TM YU TR
- 13350. *Brachymeria secundaria* (Ruschka,1922)** (Chalcididae) Synonym(s): *secundaria* Ruschka,1922; *tauriensis* Masi,1929 Range (in code): AT LT B-H BG HV CZ SK FR DE HU IT MD RO SK ES UA RU YU TR IN Hp Ben KG JP
- 13351. *Brachymeria tibialis* (Walker,1834)** (Chalcididae) Synonym(s): *tibialis* Walker,1834; *intermedia* Nees,1834; *cingulata* Walker,1834; *distinguenda* Walker,1834; *rufofemorata* Rosenhauer,1856; *scirropoda* Förster,1859; *boops* Thomson,1876; *quettaensis* Cameron,1906; *turkestanica* Masi,1951; Range (in code): AL DZ AM Cc AZ AT B-H BG CA HV CY CZ SK FR Co DE GR HU IN Ch IR IQ IL Pa IT Sa LB MK KG MD MA NL PL PT RU Us Sb SS ES SE CH SY TN UA GB US Cf Fl NMx Ny Tx TR PK Qu Bl UZ 12
- 13352. *Brachymeria vitripennis* (Förster,1859)** (Chalcididae) Synonym(s): *vitripennis* Förster,1859 Range (in code): BG HV CZ SK DE GR HU IT MK MD RO CH YU TR
- 13353. *Dirhinus auratus* Ashmead,1905** (Chalcididae) Synonym(s): *auratus* Ashmead,1905 Range (in code): IN Up Ben LA MU PK PH LK TW TH VN
- 13354. *Dirhinus cyprius* Masi,1939** (Chalcididae) Synonym(s): *cyprius* Masi,1939 Range (in code): AL IL Pa CY
- 13355. *Dirhinus giffardii* Silvestri,1913** (Chalcididae) Synonym(s): *giffardii* Silvestri,1913 Range (in code): AU NSw QAU BO CV DO EG FJ Hw IL Pa IT MW MX NG PK PE PR RE TT TN US FI
- 13356. *Dirhinus gussakovskii* Nikolskaya,1952** (Chalcididae) Synonym(s): *gussakovskii* Nikolskaya,1952 Range (in code): CY RU
- 13357. *Dirhinus hesperidum* (Rossi,1790)** (Chalcididae) Synonym(s): *hesperidum* Rossi,1790; *cornigera* Jurine,1807; *imperialis* Giraud,1863 Range (in code): AT B-H HV CZ SK FR HU IT MD RO DZ UA TR JP
- 13358. *Dirhinus wohlfahrtiae* Ferrière,1935** (Chalcididae) Synonym(s): *wohlfahrtiae* Ferrière,1935 Range (in code): CY EG IL Pa SA SO SD YE
- 13359. *Euchalcis miegii* Dufour,1861** (Chalcididae) Synonym(s): *miegii* Dufour,1861; *bicolor* Sichel,1866 Range (in code): ES AL AM Cc DZ TN GR IL Pa IT Sa JO TR KK
- 13360. *Euchalcis unicolor* (Lucas,1871)** (Chalcididae) Synonym(s): *unicolor* Lucas,1871; *nuda* Boucek,1952 Range (in code): DZ AM Cc ES IL Pa TR
- 13361. *Haltichella rufipes* (Olivier,1791)** (Chalcididae) Synonym(s): *rufipes* Olivier,1791; *armata* Panzer,1801; *bispinosa* Fabricius,1804; *quadriens* Kieffer,1905 Range (in code): AT Cc HV CZ SK ZR FR DE HU IT Si KG NL MD RO RU ES SE GB YU TR
- 13362. *Hockeria apani* Doğanlar,1990** (Chalcididae) Synonym(s): *apani* Doğanlar,1990 Range (in code): TR 63
- 13363. *Hockeria bifasciata* Walker,1834** (Chalcididae) Synonym(s): *bifasciata* Walker,1834; *albomaculatus* Lucas,1849; *maculipennis* Steffani,1887; *modesta* Silvestri,1907; *erdoesi* Boucek,1952; *nipponica* Habu,1960 Range (in code): DZ AT Cn HV CZ SK FR GR HU IT Si LB SS ES SE YU TR JP
- 13364. *Hockeria brachygaster* Boucek,1956** (Chalcididae) Synonym(s): *brachygaster* Boucek,1956 Range (in code): LY TR IL Pa IN Up
- 13365. *Hockeria karatasensis* Boucek,1952** (Chalcididae) Synonym(s): *karatasensis* Boucek,1952 Range (in code): TR 01
- 13366. *Hockeria magna* Boucek,1952** (Chalcididae) Synonym(s): *magna* Boucek,1952 Range (in code): HV CH CY CZ SK DE HU IL Pa KG MD RO RU ES TR YU UA
- 13367. *Hockeria mengenillarum* (Silvestri,1943)** (Chalcididae) Synonym(s): *mengenillarum* Silvestri,1943 Range (in code): IT TR
- 13368. *Hockeria tamaricis* Boucek,1982** (Chalcididae) Synonym(s): *tamaricis* Boucek,1982 Range (in code): IL Pa SA PK
- 13369. *Hockeria unicolor* Walker,1834** (Chalcididae) Synonym(s): *unicolor* Walker,1834; *pachycera* Förster,1859 Range (in code): DZ AT B-H BG Cn HV CZ SK FR GR HU IT Sa Si KG MD MA NL PL RO SN SS ES SE Cc UA RU Sb YU TR

- 13370. Kriechebaumerella mansues (Nikol'skaya,1952)** (Chalcididae) Synonym(s): mansues Nikol'skaya,1952 Range (in code): HV CY IQ IL Pa Cc UA RU TR
- 13371. Lasiochalcidia dargelasii (Latreille,1805)** (Chalcididae) Synonym(s): dargelasii Latreille,1805; denticornis Fonscolombe,1832 Range (in code): DZ AT HV CZ SK FR HU IN Up IT MD DZ Cc RU Sb YU TR
- 13372. Neochalcis fertoni (Kieffer,1899)** (Chalcididae) Synonym(s): fertoni Kieffer,1899; barbara Benoist,1921; scutellata Boucek,1952 Range (in code): DZ HV CY CZ SK FR Co HU IT KG MK MD MA RU ES Cc TN GB TR
- 13373. Neochalcis hippotoides (Masi,1916)** (Chalcididae) Synonym(s): hippotoides Masi,1916 Range (in code): HU IT IL Pa ES TR
- 13374. Proconura nigripes (Fonscolombe,1832)** (Chalcididae) Synonym(s): nigripes Fonscolombe,1832; nebulosa Fonscolombe,1840; sexdentata Förster,1855; decipiens Masi,1929 Range (in code): AL DZ Cn HV CZ SK FR HU IT Si IR LY KG MK MD SS ES Cc TN UA RU YU TR
- 13375. Psilochalcis benoisti (Steffan,1948)** (Chalcididae) Synonym(s): benoisti Steffan,1948; ferrierei Steffan,1948 Range (in code): CY CZ SK FR DE HU IT KG MA ES Cc UA RU TR
- 13376. Psilochalcis mirabilis (Boucek,1952)** (Chalcididae) Synonym(s): mirabilis Boucek,1952 Range (in code): TR CZ SK HU KG RU US
- 13377. Psilochalcis nigerrima (Masi,1929)** (Chalcididae) Synonym(s): nigerrima Masi,1929 Range (in code): AL Cc HV CY FR GR IL Pa IT KG MK RU TR
- 13378. Psilochalcis nitida (Boucek,1952)** (Chalcididae) Synonym(s): nitida Boucek,1952 Range (in code): TR
- 13379. Psilochalcis rufitarsis (Illiger,1807)** (Chalcididae) Synonym(s): monstrosa Villers,1789; rufitarsis Illiger,1807; vicina Fonscolombe,1832; nigra Walker,1834; frequens Masi,1929 Range (in code): HV CY TR FR HU IT KG MD SK ES SE SY Cc RU UA Sb
- 13380. Psilochalcis subaenea (Masi,1929)** (Chalcididae) Synonym(s): subaenea Masi,1929; aspera Steffan,1951 Range (in code): CZ FR HU IT KG SK ES Cc RU TR GB UA
- 13381. Psilochalcis subarmata (Förster,1855)** (Chalcididae) Synonym(s): subarmata Förster,1855; tarsalis Förster,1859 Range (in code): Cn CZ FR DE GR Cr HU IN Up KG MD SK ES SE RU UA GB Sb TR
- 13382. Cephaloparnops abruptus Semenov,1912** (Chrysididae) Synonym(s): abruptus Semenov,1912 Range (in code): IR Ke Kz
- 13383. Cephaloparnops denticulatus (Spinola,1838)** (Chrysididae) Synonym(s): denticulatus Spinola,1838 Range (in code): EG IR SA
- 13384. Cephaloparnops vareillesi (du Buysson,1900)** (Chrysididae) Synonym(s): vareillesi du Buysson,1900; medus Semenov,1967 Range (in code): DZ IR Srd Se IL Pa SA EG
- 13385. Chrysidea pumila (Klug,1845)** (Chrysididae) Synonym(s): pumila Klug,1845 Range (in code): TR 24 25
- 13386. Chrysidea rebecca Morice,1909** (Chrysididae) Synonym(s): rebecca Morice,1909 Range (in code): TR
- 13387. Chrysis aeraria Mocsary,1914** (Chrysididae) Synonym(s): aeraria Mocsary,1914 Range (in code): TR
- 13388. Chrysis aestiva Dahlbom,1854** (Chrysididae) Synonym(s): aestiva Dahlbom,1854 Range (in code): TR 25
- 13389. Chrysis afghanica Linsenmaier,1968** (Chrysididae) Synonym(s): afghanica Linsenmaier,1968 Range (in code): AF
- 13390. Chrysis albanica Trautmann,1927** (Chrysididae) Synonym(s): albanica Trautmann,1927; alia Linsenmaier,1959 [ssp.] Range (in code): IT AL TR 25 60
- 13391. Chrysis amasina Mocsary,1889** (Chrysididae) Synonym(s): amasina Mocsary,1889 Range (in code): TR 05
- 13392. Chrysis analis Spinola,1808** (Chrysididae) Synonym(s): analis Spinola,1808; flavitarsis Förster,1853; marginalis Schenck,1856; dahlbomi Chevrier,1862; cribrata Gerstaecker,1869; perrisi Radoszkowski,1880 Range (in code): TR 24
- 13393. Chrysis angustifrons Abeille,1878** (Chrysididae) Synonym(s): angustifrons Abeille,1878 Range (in code): TR 24 25
- 13394. Chrysis angustula Schenck,1856** (Chrysididae) Synonym(s): angustula Schenck,1856 Range (in code): TR 08 25
- 13395. Chrysis antakyensis Linsenmaier,1968** (Chrysididae) Synonym(s): antakyensis Linsenmaier,1968 Range (in code): TR 31
- 13396. Chrysis apiata Du Buysson,1900** (Chrysididae) Synonym(s): apiata Du Buysson,1900 Range (in code): TR
- 13397. Chrysis araratica Radoszkowsky,1890** (Chrysididae) Synonym(s): araratica Radoszkowsky,1890 Range (in code): TR
- 13398. Chrysis arrogans Mocsary,1889** (Chrysididae) Synonym(s): arrogans Mocsary,1889 Range (in code): TR



- 13399. Chrysis ashabadensis Radoszkowski,1891** (Chrysididae) Synonym(s): ashabadensis Radoszkowski,1891 Range (in code): TM Kp TR
- 13400. Chrysis atriventris Linsenmaier,1968** (Chrysididae) Synonym(s): atriventris Linsenmaier,1968 Range (in code): TR
- 13401. Chrysis auriceps Mader,1936** (Chrysididae) Synonym(s): auriceps Mader,1936 Range (in code): TR
- 13402. Chrysis aurimaculifrons Linsenmaier,1968** (Chrysididae) Synonym(s): aurimaculifrons Linsenmaier,1968 Range (in code): TR
- 13403. Chrysis batyamensis Linsenmaier,1969** (Chrysididae) Synonym(s): batyamensis Linsenmaier,1969 Range (in code): TR
- 13404. Chrysis berlandi Linsenmaier,1959** (Chrysididae) Synonym(s): berlandi Linsenmaier,1959 Range (in code): TR 24
- 13405. Chrysis bihamata Spinola,1838** (Chrysididae) Synonym(s): bihamata Spinola,1838 Range (in code): TR
- 13406. Chrysis birecikensis Linsenmaier,1968** (Chrysididae) Synonym(s): birecikensis Linsenmaier,1968 Range (in code): TR 63
- 13407. Chrysis breviradialis Linsenmaier,1968** (Chrysididae) Synonym(s): breviradialis Linsenmaier,1968 Range (in code): TR
- 13408. Chrysis bytinskii Linsenmaier,1959** (Chrysididae) Synonym(s): bytinskii Linsenmaier,1959 Range (in code): TR
- 13409. Chrysis castillana Du Buysson,1894** (Chrysididae) Synonym(s): castillana Du Buysson,1894 Range (in code): TR
- 13410. Chrysis caucasiensis Linsenmaier,1959** (Chrysididae) Synonym(s): caucasiensis Linsenmaier,1959 Range (in code): Cc TR 25
- 13411. Chrysis cedarsensis Linsenmaier,1968** (Chrysididae) Synonym(s): cedarsensis Linsenmaier,1968 Range (in code): TR
- 13412. Chrysis centropunctata Linsenmaier,1968** (Chrysididae) Synonym(s): centropunctata Linsenmaier,1968 Range (in code): TR
- 13413. Chrysis cerastes Abeille,1877** (Chrysididae) Synonym(s): cerastes Abeille,1877 Range (in code): TR 25 36 60
- 13414. Chrysis chrysochlora Mocsary,1889** (Chrysididae) Synonym(s): chrysochlora Mocsary,1889; viridans Radoszkowski,1891 Range (in code): TR
- 13415. Chrysis chrysoprasina Förster,1853** (Chrysididae) Synonym(s): chrysoprasina Förster,1853 Range (in code): TR 24
- 13416. Chrysis chrysostigma Mocsary,1889** (Chrysididae) Synonym(s): chrysostigma Mocsary,1889 Range (in code): TR 01
- 13417. Chrysis cingulicornis Förster,1853** (Chrysididae) Synonym(s): cingulicornis Förster,1853; libanoensis Linsenmaier,1968 [ssp.] Range (in code): TR LB
- 13418. Chrysis coerueliventris Abeille,1878** (Chrysididae) Synonym(s): coerueliventris Abeille,1878 Range (in code): TR 07 25
- 13419. Chrysis comparata Lepeletier,1806** (Chrysididae) Synonym(s): comparata Lepeletier,1806; orientica Linsenmaier,1959 [ssp.] Range (in code): TR 01 08 07 24 25 36 42
- 13420. Chrysis comta Förster,1853** (Chrysididae) Synonym(s): comta Förster,1853 Range (in code): TR 07 24 25 26 36 60
- 13421. Chrysis concolor Mocsary,1893** (Chrysididae) Synonym(s): concolor Mocsary,1893; schwarzi Linsenmaier,1968 [ssp.] Range (in code): TR 24 25
- 13422. Chrysis concolor Mocsary,1893** (Chrysididae) Synonym(s): concolor Mocsary,1893 Range (in code): TR 24 25
- 13423. Chrysis coniuncta Linsenmaier,1959** (Chrysididae) Synonym(s): coniuncta Linsenmaier,1959 Range (in code): TR 62
- 13424. Chrysis consanguinea Mocsary,1889** (Chrysididae) Synonym(s): consanguinea Mocsary,1889 Range (in code): TR 10 11 21 24 25 36 60 69
- 13425. Chrysis continentalis Linsenmaier,1959** (Chrysididae) Synonym(s): continentalis Linsenmaier,1959 Range (in code): TR 10 24 25 36
- 13426. Chrysis cuprata Dahlbom,1854** (Chrysididae) Synonym(s): cuprata Dahlbom,1854 Range (in code): TR 36
- 13427. Chrysis cuproprasina Mocsary,1889** (Chrysididae) Synonym(s): cuproprasina Mocsary,1889 Range (in code): TR
- 13428. Chrysis cylindrica Eversmann,1857** (Chrysididae) Synonym(s): cylindrica Eversmann,1857 Range (in code): TR
- 13429. Chrysis cypruscula Linsenmaier,1959** (Chrysididae) Synonym(s): cypruscula Linsenmaier,1959 Range (in code): CY TR

- 13430. Chrysis dahlbomiana Linsenmaier,1968** (Chrysididae) Synonym(s): dahlbomiana Linsenmaier,1968 [Range \(in code\): TR](#)
- 13431. Chrysis daphnis Mocsary,1889** (Chrysididae) Synonym(s): daphnis Mocsary,1889; syriensis Linsenmaier,1959 [ssp.] [Range \(in code\): SY TR](#)
- 13432. Chrysis demaculata Arens,2004** (Chrysididae) Synonym(s): demaculata Arens,2004 [Range \(in code\): TR](#)
- 13433. Chrysis destefanii Mocsary,1889** (Chrysididae) Synonym(s): destefanii Mocsary,1889 [Range \(in code\): TR 12](#)
- 13434. Chrysis diacantha Mocsary,1889** (Chrysididae) Synonym(s): diacantha Mocsary,1889 [Range \(in code\): TR](#)
- 13435. Chrysis distincta Mocsary,1887** (Chrysididae) Synonym(s): distincta Mocsary,1887; thalhammeri Mocsary,1889 [ssp.] [Range \(in code\): TR](#)
- 13436. Chrysis elegans Lepeletier,1806** (Chrysididae) Synonym(s): elegans Lepeletier,1806 [Range \(in code\): TR 11 36](#)
- 13437. Chrysis euterpe Balthasar,1957** (Chrysididae) Synonym(s): euterpe Balthasar,1957 [Range \(in code\): TR 24 25](#)
- 13438. Chrysis facialis Du Buysson,1887** (Chrysididae) Synonym(s): facialis Du Buysson,1887 [Range \(in code\): TR](#)
- 13439. Chrysis fasciata Olivier,1790** (Chrysididae) Synonym(s): fasciata Olivier,1790 [Range \(in code\): TR 25](#)
- 13440. Chrysis filiafacialis Linsenmaier,1959** (Chrysididae) Synonym(s): filiafacialis Linsenmaier,1959 [Range \(in code\): TR](#)
- 13441. Chrysis frivaldskyi Mocsary,1882** (Chrysididae) Synonym(s): frivaldskyi Mocsary,1882 [Range \(in code\): TR 08 11 24 25 36 42 60](#)
- 13442. Chrysis fulgida Linnaeus,1761** (Chrysididae) Synonym(s): fulgida Linnaeus,1761 [Range \(in code\): TR 06 24 25 29 42](#)
- 13443. Chrysis fulvicornis Mocsary,1889** (Chrysididae) Synonym(s): fulvicornis Mocsary,1889 [Range \(in code\): TR](#)
- 13444. Chrysis germari Wesmael,1839** (Chrysididae) Synonym(s): germari Wesmael,1839 [Range \(in code\): TR 24](#)
- 13445. Chrysis gracillima (Förster,1853)** (Chrysididae) Synonym(s): gracillima Förster,1853 [Range \(in code\): TR](#)
- 13446. Chrysis gracillima Förster,1853** (Chrysididae) Synonym(s): gracillima Förster,1853 [Range \(in code\): TR 25](#)
- 13447. Chrysis graelsii Guérin-Ménéville,1842** (Chrysididae) Synonym(s): graelsii Guérin-Ménéville,1842 [Range \(in code\): TR 08 24 25 42](#)
- 13448. Chrysis grohmanni Dahlbom,1854** (Chrysididae) Synonym(s): grohmanni Dahlbom,1854 [Range \(in code\): TR 24 25 36](#)
- 13449. Chrysis gusenleitneri Linsenmaier,1968** (Chrysididae) Synonym(s): gusenleitneri Linsenmaier,1968 [Range \(in code\): TR](#)
- 13450. Chrysis handlirschi Mocsary,1889** (Chrysididae) Synonym(s): handlirschi Mocsary,1889 [Range \(in code\): TR](#)
- 13451. Chrysis hoberlandi Balthasar,1953** (Chrysididae) Synonym(s): hoberlandi Balthasar,1953 [Range \(in code\): TR](#)
- 13452. Chrysis horvathi Mocsary,1912** (Chrysididae) Synonym(s): horvathi Mocsary,1912 [Range \(in code\): TR](#)
- 13453. Chrysis ignicollis Trautmann,1926** (Chrysididae) Synonym(s): ignicollis Trautmann,1926 [Range \(in code\): TR](#)
- 13454. Chrysis ignita Linnaeus,1758** (Chrysididae) Synonym(s): ignita Linnaeus,1758 [Range \(in code\): TR 24 25 36](#)
- 13455. Chrysis inaequalis Dahlbom,1845** (Chrysididae) Synonym(s): inaequalis Dahlbom,1845; sapphirina Semenov,1912 [Range \(in code\): TR 25 36 53](#)
- 13456. Chrysis inambitiosa Linsenmaier,1959** (Chrysididae) Synonym(s): inambitiosa Linsenmaier,1959 [Range \(in code\): TR](#)
- 13457. Chrysis inclinata Linsenmaier,1968** (Chrysididae) Synonym(s): inclinata Linsenmaier,1968 [Range \(in code\): TR](#)
- 13458. Chrysis indigotea Dufour & Perris,1840** (Chrysididae) Synonym(s): indigotea Dufour & Perris,1840 [Range \(in code\): TR 24](#)
- 13459. Chrysis innesi Du Buysson,1891** (Chrysididae) Synonym(s): innesi Du Buysson,1891 [Range \(in code\): TR](#)
- 13460. Chrysis insperata Chevrier,1870** (Chrysididae) Synonym(s): insperata Chevrier,1870 [Range \(in code\): TR](#)

- 13461. Chrysis interjecta Du Buysson,1895** (Chrysididae) Synonym(s): interjecta Du Buysson,1895; rosina Balthasar,1949; hemichlora Linsenmaier,1951; robusta Linsenmaier,1951; mediana Linsenmaier,1987 [Range \(in code\): TR](#)
- 13462. Chrysis interpellator Linsenmaier,1968** (Chrysididae) Synonym(s): interpellator Linsenmaier,1968 [Range \(in code\): TR](#)
- 13463. Chrysis iocosa Linsenmaier,1968** (Chrysididae) Synonym(s): iocosa Linsenmaier,1968 [Range \(in code\): TR](#)
- 13464. Chrysis jaxartis Semenov,1910** (Chrysididae) Synonym(s): jaxartis Semenov,1910 [Range \(in code\): TR 25](#)
- 13465. Chrysis jaxartis Semenov,1910** (Chrysididae) Synonym(s): jaxartis Semenov,1910 [Range \(in code\): TR](#)
- 13466. Chrysis joppensis Buysson,1887** (Chrysididae) Synonym(s): joppensis Buysson,1887 [Range \(in code\): TR 11 24 25](#)
- 13467. Chrysis jucunda Mocsary,1889** (Chrysididae) Synonym(s): jucunda Mocsary,1889 [Range \(in code\): TR](#)
- 13468. Chrysis katheri Du Buysson,1890** (Chrysididae) Synonym(s): katheri Du Buysson,1890 [Range \(in code\): TR](#)
- 13469. Chrysis konyaca Linsemaier,1968** (Chrysididae) Synonym(s): konyaca Linsemaier,1968 [Range \(in code\): TR 42](#)
- 13470. Chrysis lanceolata Linsemaier,1959** (Chrysididae) Synonym(s): lanceolata Linsemaier,1959 [Range \(in code\): TR](#)
- 13471. Chrysis leachii Shuckard,1836** (Chrysididae) Synonym(s): leachii Shuckard,1836 [Range \(in code\): TR](#)
- 13472. Chrysis lepida Mocsary,1889** (Chrysididae) Synonym(s): lepida Mocsary,1889 [Range \(in code\): TR](#)
- 13473. Chrysis leptomandibularis Niehuis,2000** (Chrysididae) Synonym(s): leptomandibularis Niehuis,2000 [Range \(in code\): TR](#)
- 13474. Chrysis longula Abeille,1879** (Chrysididae) Synonym(s): longula Abeille,1879 [Range \(in code\): TR 08 42](#)
- 13475. Chrysis lusitanica Bischoff,1910** (Chrysididae) Synonym(s): lusitanica Bischoff,1910 [Range \(in code\): ES TR](#)
- 13476. Chrysis maculicornis Klug,1865** (Chrysididae) Synonym(s): maculicornis Klug,1865 [Range \(in code\): TR 24 25 33 36](#)
- 13477. Chrysis manicata Dahmlbom,1854** (Chrysididae) Synonym(s): manicata Dahmlbom,1854; chloris Mocsary,1889; matrona Semenov,1954 [Range \(in code\): TR](#)
- 13478. Chrysis marani Balthasar,1953** (Chrysididae) Synonym(s): marani Balthasar,1953 [Range \(in code\): TR](#)
- 13479. Chrysis marginata Mocsary,1889** (Chrysididae) Synonym(s): marginata Mocsary,1889 [Range \(in code\): TR 06 11 23 24 25 44 55](#)
- 13480. Chrysis martinella Du Buysson,1900** (Chrysididae) Synonym(s): martinella Du Buysson,1900 [Range \(in code\): TR](#)
- 13481. Chrysis mediata Linsenmaier,1951** (Chrysididae) Synonym(s): mediata Linsenmaier,1951 [Range \(in code\): TR 08 25 36](#)
- 13482. Chrysis mediata Linsenmaier,1951** (Chrysididae) Synonym(s): mediata Linsenmaier,1951 [Range \(in code\): TR](#)
- 13483. Chrysis millenaris Mocsary,1897** (Chrysididae) Synonym(s): millenaris Mocsary,1897 [Range \(in code\): TR](#)
- 13484. Chrysis mirabilis Radoszkowski,1876** (Chrysididae) Synonym(s): mirabilis Radoszkowski,1876 [Range \(in code\): TR 25 53](#)
- 13485. Chrysis misella Du Buysson,1900** (Chrysididae) Synonym(s): misella Du Buysson,1900 [Range \(in code\): TR](#)
- 13486. Chrysis mutabilis Du Buysson,1887** (Chrysididae) Synonym(s): mutabilis Du Buysson,1887 [Range \(in code\): TR](#)
- 13487. Chrysis mutincisa Linsenmaier,1968** (Chrysididae) Synonym(s): mutincisa Linsenmaier,1968 [Range \(in code\): TR](#)
- 13488. Chrysis mysta Du Buysson,1900** (Chrysididae) Synonym(s): mysta Du Buysson,1900 [Range \(in code\): TR](#)
- 13489. Chrysis nadigorum Bischoff,1935** (Chrysididae) Synonym(s): nadigorum Bischoff,1935 [Range \(in code\): TR 07](#)
- 13490. Chrysis obscuriventris Linsenmaier,1968** (Chrysididae) Synonym(s): obscuriventris Linsenmaier,1968 [Range \(in code\): TR](#)
- 13491. Chrysis obtusidens Dufour & Perris,1840** (Chrysididae) Synonym(s): obtusidens Dufour & Perris,1840 [Range \(in code\): TR 24 25 55](#)



- 13492. Chrysis opulenta Mocsary,1889** (Chrysididae) Synonym(s): opulenta Mocsary,1889 Range (in code): TR 24
- 13493. Chrysis pallidicornis Spinola,1838** (Chrysididae) Synonym(s): pallidicornis Spinola,1838 Range (in code): TR
- 13494. Chrysis peninsularis Du Buysson,1887** (Chrysididae) Synonym(s): peninsularis Du Buysson,1887 Range (in code): TR
- 13495. Chrysis phryne Abeille,1878** (Chrysididae) Synonym(s): phryne Abeille,1878 Range (in code): ES FR IT Si YU GR BG Cm TR
- 13496. Chrysis pilosolateralis Linsenmaier,1959** (Chrysididae) Synonym(s): pilosolateralis Linsenmaier,1959 Range (in code): TR 33
- 13497. Chrysis precipua Linsenmaier,1987** (Chrysididae) Synonym(s): precipua Linsenmaier,1987 Range (in code): TR
- 13498. Chrysis profugax Linsenmaier,1959** (Chrysididae) Synonym(s): profugax Linsenmaier,1959 Range (in code): TR 25
- 13499. Chrysis profugax Linsenmaier,1968** (Chrysididae) Synonym(s): profugax Linsenmaier,1968 Range (in code): TR
- 13500. Chrysis prosuccincta Linsenmaier,1968** (Chrysididae) Synonym(s): prosuccincta Linsenmaier,1968 Range (in code): TR
- 13501. Chrysis provenceana Linsenmaier,1959** (Chrysididae) Synonym(s): provenceana Linsenmaier,1959 Range (in code): TR 07 11 24 25 36 42 60
- 13502. Chrysis pseudoanatolica Linsenmaier,1968** (Chrysididae) Synonym(s): pseudoanatolica Linsenmaier,1968 Range (in code): TR
- 13503. Chrysis pseudoincisa Balthasar,1953** (Chrysididae) Synonym(s): pseudoincisa Balthasar,1953 Range (in code): TR 06 24 25
- 13504. Chrysis pulchella Spinola,1808** (Chrysididae) Synonym(s): pulchella Spinola,1808 Range (in code): TR 08 11 24 25 29 36 42
- 13505. Chrysis pyrrhina Dahlbom,1845** (Chrysididae) Synonym(s): pyrrhina Dahlbom,1845 Range (in code): ES FR IT GR Co Cr CZ BG Si Sa TR CY IR Ak LB IL Pa RU
- 13506. Chrysis ragusae De Stefani,1888** (Chrysididae) Synonym(s): ragusae De Stefani,1888 Range (in code): TR
- 13507. Chrysis rectianalis Linsenmaier,1968** (Chrysididae) Synonym(s): rectianalis Linsenmaier,1968 Range (in code): GR CY TR
- 13508. Chrysis refrigerata Linsenmaier,1959** (Chrysididae) Synonym(s): refrigerata Linsenmaier,1959 Range (in code): TR
- 13509. Chrysis ruddii Shuckard,1836** (Chrysididae) Synonym(s): ruddii Shuckard,1836 Range (in code): TR 25 36
- 13510. Chrysis rufitarsis Brullé,1833** (Chrysididae) Synonym(s): rufitarsis Brullé,1833; progressa Linsenmaier,1959 [ssp.] Range (in code): TR GR AT HU IT YU FR RO RU Cc MA TN KG KK T-S TJ TM UZ IR Fa IL Pa
- 13511. Chrysis rutilans Olivier,1790** (Chrysididae) Synonym(s): rutilans Olivier,1790 Range (in code): TR 08 11 25
- 13512. Chrysis rutiliventris Abeille,1879** (Chrysididae) Synonym(s): rutiliventris Abeille,1879; sertavulensis Linsenmaier,1968 [ssp.] Range (in code): TR 25 53
- 13513. Chrysis sardarica Radoskowsky,1890** (Chrysididae) Synonym(s): sardarica Radoskowsky,1890 Range (in code): TR 76
- 13514. Chrysis schousboei Dahlbom,1854** (Chrysididae) Synonym(s): schousboei Dahlbom,1854 Range (in code): TR 52
- 13515. Chrysis sculpturata Mocsary,1912** (Chrysididae) Synonym(s): sculpturata Mocsary,1912 Range (in code): TR
- 13516. Chrysis scutellaris Fabricius,1794** (Chrysididae) Synonym(s): scutellaris Fabricius,1794 Range (in code): TR 06 24 25 36 42 60
- 13517. Chrysis semiviolacea Mocsary,1889** (Chrysididae) Synonym(s): semiviolacea Mocsary,1889 Range (in code): TR 25
- 13518. Chrysis separata (Trautmann,1926)** (Chrysididae) Synonym(s): separata Trautmann,1926 Range (in code): TR 24 25
- 13519. Chrysis sexdentata Christ,1791** (Chrysididae) Synonym(s): sexdentata Christ,1791 Range (in code): TR 25 36
- 13520. Chrysis smaragdina Trautmann,1926** (Chrysididae) Synonym(s): smaragdina Trautmann,1926 Range (in code): TR
- 13521. Chrysis soror Dahlbom,1854** (Chrysididae) Synonym(s): soror Dahlbom,1854 Range (in code): TR 11 24 25 36
- 13522. Chrysis splendidula Rossi,1790** (Chrysididae) Synonym(s): splendidula Rossi,1790 Range (in code): TR 24

- 13523. Chrysis stigmaticornis Linsenmaier,1968** (Chrysididae) Synonym(s): stigmaticornis Linsenmaier,1968 Range (in code): TR 36
- 13524. Chrysis striatifacialis Linsenmaier,1968** (Chrysididae) Synonym(s): striatifacialis Linsenmaier,1968 Range (in code): TR
- 13525. Chrysis subanalis Linsenmaier,1968** (Chrysididae) Synonym(s): subanalis Linsenmaier,1968 Range (in code): TR
- 13526. Chrysis subaurotecta Linsenmaier,1959** (Chrysididae) Synonym(s): subaurotecta Linsenmaier,1959 Range (in code): TR 24 25
- 13527. Chrysis subincisa Linsenmaier,1959** (Chrysididae) Synonym(s): subincisa Linsenmaier,1959 Range (in code): TR 24 25
- 13528. Chrysis subsinuata Marquet,1879** (Chrysididae) Synonym(s): subsinuata Marquet,1879; fallax Mocsary,1882 Range (in code): TR 24 25
- 13529. Chrysis succincta Linnaeus,1767** (Chrysididae) Synonym(s): succincta Linnaeus,1767 Range (in code): TR 24 25 36
- 13530. Chrysis sultanica Strumia,2007** (Chrysididae) Synonym(s): sultanica Strumia,2007 Range (in code): TR 42
- 13531. Chrysis svetlana Semenov,1954** (Chrysididae) Synonym(s): svetlana Semenov,1954 Range (in code): TR 25
- 13532. Chrysis sybaritoides Linsenmaier,1968** (Chrysididae) Synonym(s): sybaritoides Linsenmaier,1968 Range (in code): TR
- 13533. Chrysis taczanowski Radoskowski,1876** (Chrysididae) Synonym(s): taczanowski Radoskowski,1876 Range (in code): TR 01 07 09
- 13534. Chrysis taurica Mocsary,1889** (Chrysididae) Synonym(s): taurica Mocsary,1889 Range (in code): TR 24 33
- 13535. Chrysis turceyana Linsenmaier,1959** (Chrysididae) Synonym(s): turceyana Linsenmaier,1959 Range (in code): TR
- 13536. Chrysis turcica Du Buysson,1908** (Chrysididae) Synonym(s): turcica Du Buysson,1908 Range (in code): TR
- 13537. Chrysis urfana Linsenmaier,1968** (Chrysididae) Synonym(s): urfana Linsenmaier,1968 Range (in code): TR 63
- 13538. Chrysis valida Mocsary,1912** (Chrysididae) Synonym(s): valida Mocsary,1912 Range (in code): TR 08 25
- 13539. Chrysis varidens Abeille,1878** (Chrysididae) Synonym(s): varidens Abeille,1878; eva Balthazar,1949 Range (in code): PT Sa Si IT ES FR HU HV TR
- 13540. Chrysis verhoeffi Linsenmaier,1959** (Chrysididae) Synonym(s): verhoeffi Linsenmaier,1959 Range (in code): TR
- 13541. Chrysis verna Dahlbom,1854** (Chrysididae) Synonym(s): verna Dahlbom,1854 Range (in code): TR
- 13542. Chrysis viridissima Klug,1845** (Chrysididae) Synonym(s): viridissima Klug,1845; fasciolata Klug,1845 Range (in code): TR IR 76
- 13543. Chrysis viridula Linnaeus,1761** (Chrysididae) Synonym(s): viridula Linnaeus,1761 Range (in code): TR
- 13544. Chrysis wahrmanni Linsenmaier,1959** (Chrysididae) Synonym(s): wahrmanni Linsenmaier,1959 Range (in code): TR
- 13545. Chrysis yildirimi Strumia,2007** (Chrysididae) Synonym(s): yildirimi Strumia,2007 Range (in code): TR 25
- 13546. Chrysis zobeida Du Buysson,1896** (Chrysididae) Synonym(s): zobeida Du Buysson,1896 Range (in code): TR 11 24 62
- 13547. Chrysis zonata Dahlbom,1854** (Chrysididae) Synonym(s): zonata Dahlbom,1854 Range (in code): TR
- 13548. Chrysura anatolica Trautmann,1926** (Chrysididae) Synonym(s): anatolica Trautmann,1926 Range (in code): TR
- 13549. Chrysura arcadiae Arens,2001** (Chrysididae) Synonym(s): arcadiae Arens,2001 Range (in code): TR GR
- 13550. Chrysura austriaca (Fabricius,1804)** (Chrysididae) Synonym(s): austriaca Fabricius,1804 Range (in code): TR
- 13551. Chrysura baccha (Balthazar,1953)** (Chrysididae) Synonym(s): baccha Balthazar,1953 Range (in code): TR GR 25
- 13552. Chrysura baiocchii Rosa,2013** (Chrysididae) Synonym(s): baiocchii Rosa,2013 Range (in code): IR Fa Das
- 13553. Chrysura barbata Du Buysson,1849** (Chrysididae) Synonym(s): barbata Du Buysson,1849 Range (in code): TR 25 36

- 13554. Chrysura barbatula Linsenmaier,1968** (Chrysididae) Synonym(s): barbatula Linsenmaier,1968 Range (in code): TR
- 13555. Chrysura ciliciensis Mocsary,1914** (Chrysididae) Synonym(s): ciliciensis Mocsary,1914 Range (in code): TR
- 13556. Chrysura circe (Mocsary,1889)** (Chrysididae) Synonym(s): circe Mocsary,1889 Range (in code): TR
- 13557. Chrysura cirtana Lucas,1849** (Chrysididae) Synonym(s): cirtana Lucas,1849 Range (in code): TR
- 13558. Chrysura ciscirtana Linsenmaier,1959** (Chrysididae) Synonym(s): ciscirtana Linsenmaier,1959 Range (in code): TR 06 11 21 24 25 60
- 13559. Chrysura cuprea (Rossi,1790)** (Chrysididae) Synonym(s): cuprea Rossi,1790 Range (in code): TR 08 11 24 25 33 35 36 58
- 13560. Chrysura declinanalis Linsenmaier,1968** (Chrysididae) Synonym(s): declinanalis Linsenmaier,1968 Range (in code): TR
- 13561. Chrysura desertorum Du Buysson,1887** (Chrysididae) Synonym(s): desertorum Du Buysson,1887 Range (in code): TR
- 13562. Chrysura dichroa (Dahlbom,1854)** (Chrysididae) Synonym(s): dichroa Dahlbom,1854 Range (in code): IT AT TR Cr IL Pa RU Cc 11 24 25 35 76
- 13563. Chrysura elzeari Du Buysson,1891** (Chrysididae) Synonym(s): elzeari Du Buysson,1891 Range (in code): TR
- 13564. Chrysura erigone Mocsary,1889** (Chrysididae) Synonym(s): erigone Mocsary,1889 Range (in code): TR 07 24 25 36
- 13565. Chrysura filiformis (Mocsary,1889)** (Chrysididae) Synonym(s): filiformis Mocsary,1889 Range (in code): TR
- 13566. Chrysura foveatidorsa Linsenmaier,1968** (Chrysididae) Synonym(s): foveatidorsa Linsenmaier,1968 Range (in code): TR
- 13567. Chrysura graja (Mocsary,1889)** (Chrysididae) Synonym(s): graja Mocsary,1889 Range (in code): TR
- 13568. Chrysura hybrida Lepeletier,1806** (Chrysididae) Synonym(s): hybrida Lepeletier,1806 Range (in code): TR
- 13569. Chrysura ignifrons (Brullé,1833)** (Chrysididae) Synonym(s): ignifrons Brullé,1833 Range (in code): TR 25
- 13570. Chrysura interdichroa Arens,2002** (Chrysididae) Synonym(s): interdichroa Arens,2002 Range (in code): TR
- 13571. Chrysura isabella Trautmann,1926** (Chrysididae) Synonym(s): isabella Trautmann,1926 Range (in code): TR 25
- 13572. Chrysura judith (Balthazar,1953)** (Chrysididae) Synonym(s): judith Balthazar,1953 Range (in code): TR ES HV GR
- 13573. Chrysura krueperi (Mocsary,1889)** (Chrysididae) Synonym(s): krueperi Mocsary,1889; zimmermanni Balthazar,1953 Range (in code): TR GR
- 13574. Chrysura laevigata (Abeille de Perrin,1879)** (Chrysididae) Synonym(s): laevigata Abeille de Perrin,1879 Range (in code): TR
- 13575. Chrysura laodamia (Du Buysson,1900)** (Chrysididae) Synonym(s): laodamia Du Buysson,1900 Range (in code): TR
- 13576. Chrysura longimaculata Linsenmaier,1997** (Chrysididae) Synonym(s): longimaculata Linsenmaier,1997 Range (in code): TR
- 13577. Chrysura lydiae Mocsary,1889** (Chrysididae) Synonym(s): lydiae Mocsary,1889 Range (in code): TR 24 25
- 13578. Chrysura magrettii Du Buysson,1890** (Chrysididae) Synonym(s): magrettii Du Buysson,1890 Range (in code): TR
- 13579. Chrysura mistrasensis Linsenmaier,1968** (Chrysididae) Synonym(s): mistrasensis Linsenmaier,1968 Range (in code): TR 35
- 13580. Chrysura oraniensis (Lucas,1849)** (Chrysididae) Synonym(s): oraniensis Lucas,1849 Range (in code): TR ES DZ GR CY Si Rd
- 13581. Chrysura ottomana (Mocsary,1889)** (Chrysididae) Synonym(s): ottomana Mocsary,1889 Range (in code): TR
- 13582. Chrysura pelopaeicida (Du Buysson,1887)** (Chrysididae) Synonym(s): pelopaeicida Du Buysson,1887 Range (in code): TR
- 13583. Chrysura phrygiensis (Arens,2002)** (Chrysididae) Synonym(s): phrygiensis Arens,2002 Range (in code): TR 33 70
- 13584. Chrysura pilosissima (Bischoff,1910)** (Chrysididae) Synonym(s): pilosissima Bischoff,1910 Range (in code): TR
- 13585. Chrysura pseudodichroa Linsenmaier,1959** (Chrysididae) Synonym(s): pseudodichroa Linsenmaier,1959 Range (in code): TR



- 13586. Chrysura purpureifrons Abeille de Perrin,1878** (Chrysididae) Synonym(s): purpureifrons Abeille de Perrin,1878 Range (in code): TR
- 13587. Chrysura pyrogaster (Brullé,1833)** (Chrysididae) Synonym(s): pyrogaster Brullé,1833; turca Linsenmaier,1997 [ssp.] Range (in code): TR 25 36
- 13588. Chrysura radians (Harris,1776)** (Chrysididae) Synonym(s): radians Harris,1776; pustulosa Abeille,1878 Range (in code): TR 31
- 13589. Chrysura refulgens (Spinola,1806)** (Chrysididae) Synonym(s): refulgens Spinola,1806 Range (in code): TR CY SY IL Pa Cc MT IT FR ES PT HV CH AT Co Si GR Cr Rd 08 21 25
- 13590. Chrysura rufiventris (Dahlbom,1854)** (Chrysididae) Synonym(s): rufiventris Dahlbom,1854 Range (in code): TR
- 13591. Chrysura simplex (Dahlbom,1854)** (Chrysididae) Synonym(s): simplex Dahlbom,1854 Range (in code): TR 25
- 13592. Chrysura simulacra Linsenmaier,1959** (Chrysididae) Synonym(s): simulacra Linsenmaier,1959 Range (in code): TR
- 13593. Chrysura simuldichroa (Linsenmaier,1969)** (Chrysididae) Synonym(s): simuldichroa Linsenmaier,1969 Range (in code): TR
- 13594. Chrysura smyrnensis (Mocsary,1889)** (Chrysididae) Synonym(s): smyrnensis Mocsary,1889 Range (in code): TR 35
- 13595. Chrysura sulcata (Dahlbom,1845)** (Chrysididae) Synonym(s): sulcata Dahlbom,1845 Range (in code): TR 24 25 36
- 13596. Chrysura trimaculata (Förster,1853)** (Chrysididae) Synonym(s): trimaculata Förster,1853 Range (in code): TR
- 13597. Chrysura varicornis (Spinola,1838)** (Chrysididae) Synonym(s): varicornis Spinola,1838 Range (in code): TR
- 13598. Chrysura viridana Dahlbom,1844** (Chrysididae) Synonym(s): viridana Dahlbom,1844 Range (in code): TR
- 13599. Cleptes (Leiocleptes) kudasicus Moczar,1968** (Chrysididae) Synonym(s): kudasicus Moczar,1968 Range (in code): TR 33
- 13600. Cleptes (Zimmermannia) muti Moczar,1968** (Chrysididae) Synonym(s): muti Moczar,1968 Range (in code): TR 33
- 13601. Cleptes aerosus Förster,1853** (Chrysididae) Synonym(s): aerosus Förster,1853; abeillei Buysson,1887 Range (in code): HU GR CH IT Si TR
- 13602. Cleptes affulgens Linsenmaier,1994** (Chrysididae) Synonym(s): affulgens Linsenmaier,1994 Range (in code): IL Pa JO Amm TR
- 13603. Cleptes afra Lucas,1849** (Chrysididae) Synonym(s): afra Lucas,1849; afer Mocsary,1889 Range (in code): MA DZ ES TN TR 05
- 13604. Cleptes anatolensis Moczar,2001** (Chrysididae) Synonym(s): anatolensis Moczar,2001 Range (in code): TR 15 47
- 13605. Cleptes anceyi Du Buysson,1891** (Chrysididae) Synonym(s): anceyi Du Buysson,1891; gurunensis Linsenmaier,1987; #gurunensis Strumia & Yıldırım,2007 Range (in code): DZ MA TN TR 58
- 13606. Cleptes caucasicus Semenov,1920** (Chrysididae) Synonym(s): caucasicus Semenov,1920; hyrcanus Semenov,1920 Range (in code): RU Cc GG TR IR Gor
- 13607. Cleptes collaris Linsenmaier,1959** (Chrysididae) Synonym(s): collaris Linsenmaier,1959 Range (in code): TR
- 13608. Cleptes consimilis Buysson,1887** (Chrysididae) Synonym(s): consimilis Buysson,1887; chyzeri Mocsary,1889 Range (in code): ES FR HU SK HV B-H AT AL GR BG RU TR IL Pa
- 13609. Cleptes dahlbomi Semenov,1920** (Chrysididae) Synonym(s): aurata Dahlbom,1845 nec Panz.,1798; dahlbomi Semenov,1920 Range (in code): TR IL Pa Js JO 34
- 13610. Cleptes femoralis Mocsary,1890** (Chrysididae) Synonym(s): femoralis Mocsary,1890; antakyensis Linsenmaier,1968 Range (in code): GR Cc TR RU 16 31 50
- 13611. Cleptes ignitus (Fabricius,1787)** (Chrysididae) Synonym(s): ignitus Fabricius,1787 Range (in code): HU SK YU UA Cm TR RU Sr AM Cc DZ TN FR CH AT IL Pa 24 50
- 13612. Cleptes jordanicus Linsenmeier,1968** (Chrysididae) Synonym(s): jordanicus Linsenmeier,1968 Range (in code): JO TR ES 31
- 13613. Cleptes maculatus Linsenmeier,1968** (Chrysididae) Synonym(s): maculatus Linsenmeier,1968 Range (in code): CY
- 13614. Cleptes mocsaryi Semenov,1891** (Chrysididae) Synonym(s): mocsaryi Semenov,1891 Range (in code): TR
- 13615. Cleptes nitidulus (Fabricius,1793)** (Chrysididae) Synonym(s): nitidulus Fabricius,1793; fallax Mocsary,1889 Range (in code): IT TR CN Mc HU SK AT CZ DE CH ES DK FR AL TR
- 13616. Cleptes orientalis Dahlbom,1854** (Chrysididae) Synonym(s): orientalis Dahlbom,1854 Range (in code): TR

- 13617. *Cleptes pallipes* Lepeletier,1806** (Chrysididae) **Synonym(s):** *pallipes* Lepeletier,1806; *diana* Mocsary,1889 Range (in code): **ES FR Co IT RU GR NL DE BE SE FI PL HU AT CZ SK UA RO BG B-H Cc TR US ID Sum 47 76**
- 13618. *Cleptes pronigrus* Linsenmaier,1968** (Chrysididae) **Synonym(s):** *pronigrus* Linsenmaier,1968 Range (in code): **TR**
- 13619. *Cleptes putoni* Du Buysson,1886** (Chrysididae) **Synonym(s):** *putoni* Buysson,1886; *saussurei* Mocsary,1889; *buyssoni* Semenov,1892 Range (in code): **RU Sr IT Si YU SS TR AT HU CH FR JO**
- 13620. *Cleptes rugulosus* Linsenmaier,1968** (Chrysididae) **Synonym(s):** *rugulosus* Linsenmaier,1968 Range (in code): **IL Pa SY**
- 13621. *Cleptes schmidtii* Linsenmaier,1968** (Chrysididae) **Synonym(s):** *schmidtii* Linsenmaier,1968 Range (in code): **GR TR 32**
- 13622. *Cleptes scutellaris* Mocsary,1889** (Chrysididae) **Synonym(s):** *scutellaris* Mocsary,1889 Range (in code): **HU SK AT CZ SS GR DZ ES IL Pa**
- 13623. *Cleptes seidenstueckeri* Linsenmaier,1959** (Chrysididae) **Synonym(s):** *seidenstueckeri* Linsenmaier,1959 Range (in code): **TR**
- 13624. *Cleptes semiatrus* Linsenmaier,1968** (Chrysididae) **Synonym(s):** *semiatrus* Linsenmaier,1968 Range (in code): **IL Pa**
- 13625. *Cleptes semiauratus* (Linnaeus,1761)** (Chrysididae) **Synonym(s):** *semiauratus* Linnaeus,1761 Range (in code): **US FR DZ AT HU RO YU CH BG ES PT GB HV DK PL DE IT Si Cc TR RU 47**
- 13626. *Cleptes syriacus* Buysson,1887** (Chrysididae) **Synonym(s):** *syriacus* Buysson,1887 Range (in code): **IL Pa**
- 13627. *Cleptes triestensis* Moczar,2000** (Chrysididae) **Synonym(s):** *triestensis* Moczar,2000 Range (in code): **IT TR 39 62**
- 13628. *Cleptes turceyanus* Linsenmaier,1968** (Chrysididae) **Synonym(s):** *turceyanus* Linsenmaier,1968 Range (in code): **TR 31 33**
- 13629. *Elampus albipennis* Mocsary,1889** (Chrysididae) **Synonym(s):** *albipennis* Mocsary,1889 Range (in code): **TR**
- 13630. *Elampus bidens* (Förster,1853)** (Chrysididae) **Synonym(s):** *bidens* Förster,1853 Range (in code): **PL IT RU Sb TR Cc**
- 13631. *Elampus pyrosomus* (Förster,1853)** (Chrysididae) **Synonym(s):** *pyrosomus* Förster,1853 Range (in code): **TR 25**
- 13632. *Elampus sanzii* (Gogorza,1887)** (Chrysididae) **Synonym(s):** *sanzii* Gogorza,1887 Range (in code): **ES TR SY IT RU 06 24 25 39 68**
- 13633. *Elampus scutellaris* (Panzer,1798)** (Chrysididae) **Synonym(s):** *scutellaris* Panzer,1798 nec Fabr.,1793; *panzeri* Fabricius,1804; *coeruleus* Dahlbom,1854 Range (in code): **TR DE IT CY HU RU 21 24 25**
- 13634. *Elampus soror* (Mocsary,1889)** (Chrysididae) **Synonym(s):** *soror* Mocsary,1889 Range (in code): **IT HU CY**
- 13635. *Elampus spinus* (Lepeletier,1806)** (Chrysididae) **Synonym(s):** *spinus* Lepeletier,1806 Range (in code): **IT Sa Si FR TR 11 21 24 25 35**
- 13636. *Euchroeus doursi* Gribodo,1875** (Chrysididae) **Synonym(s):** *doursi* Gribodo,1875 Range (in code): **TR**
- 13637. *Euchroeus eous* Semenov,1912** (Chrysididae) **Synonym(s):** *eous* Semenov,1912 Range (in code): **TR**
- 13638. *Euchroeus limbatus* (Dahlbom,1854)** (Chrysididae) **Synonym(s):** *limbatus* Dahlbom,1854 Range (in code): **TR 25**
- 13639. *Euchroeus neglectoides* Linsenmaier,1959** (Chrysididae) **Synonym(s):** *neglectoides* Linsenmaier,1959 Range (in code): **TR**
- 13640. *Euchroeus purpuratus* (Fabricius,1787)** (Chrysididae) **Synonym(s):** *purpuratus* Fabricius,1787; *consularis* Du Buysson,1896 Range (in code): **TR 25**
- 13641. *Euchroeus tricoloricornis* Linsenmaier,1968** (Chrysididae) **Synonym(s):** *tricoloricornis* Linsenmaier,1968 Range (in code): **TR**
- 13642. *Hedychridium aheneum* (Dahlbom,1854)** (Chrysididae) **Synonym(s):** *aheneum* Dahlbom,1854; *feritatum* Linsenmaier,1959 Range (in code): **TR 07 24 25 33 39**
- 13643. *Hedychridium ardens* (Coquebert,1801)** (Chrysididae) **Synonym(s):** *ardens* Coquebert,1801 Range (in code): **TR 25**
- 13644. *Hedychridium atratum* Linsenmaier,1968** (Chrysididae) **Synonym(s):** *atratum* Linsenmaier,1968 Range (in code): **TR**
- 13645. *Hedychridium buyssoni* Abeille,1887** (Chrysididae) **Synonym(s):** *buyssoni* Abeille,1887; *#du buyssoni* Strumia & Yıldırım,2007 Range (in code): **TR 25**
- 13646. *Hedychridium bytinskii* Linsenmaier,1959** (Chrysididae) **Synonym(s):** *bytinskii* Linsenmaier,1959 Range (in code): **TR 12 80**
- 13647. *Hedychridium caputaureum* Trautmann,1919** (Chrysididae) **Synonym(s):** *caputaureum* Trautmann,1919 Range (in code): **TR 39**

- 13648. *Hedychridium caucasicum* Trautmann,1926** (Chrysididae) Synonym(s): caucasicum Trautmann,1926; irregulare Linsenmaier,1959 Range (in code): TR 08 11 24 25 36 60 76
- 13649. *Hedychridium chloropygum* Buysson,1888** (Chrysididae) Synonym(s): chloropygum Buysson,1888; berberiacum Linsenmaier,1959; densum Linsenmaier,1959; spatium Linsenmaier,1959 Range (in code): CH FR DZ IT Sa Si AT HU ES Co TR
- 13650. *Hedychridium coriaceum* Dahlbom,1850** (Chrysididae) Synonym(s): coriaceum Dahlbom,1850 Range (in code): TR 25 49
- 13651. *Hedychridium cupratum* (Dahlbom,1854)** (Chrysididae) Synonym(s): cupratum Dahlbom,1854 Range (in code): TR
- 13652. *Hedychridium elegans* Mocsary,1891** (Chrysididae) Synonym(s): elegans Mocsary,1891 Range (in code): TR
- 13653. *Hedychridium femoratum* (Dahlbom,1854)** (Chrysididae) Synonym(s): femoratum Dahlbom,1854; miricolor Morice,1909 Range (in code): TR 11 24 25 51
- 13654. *Hedychridium flavipes* Eversmann,1857** (Chrysididae) Synonym(s): flavipes Eversmann,1857 Range (in code): TR 23 24 25 36
- 13655. *Hedychridium franciscanum* Linsenmaier,1987** (Chrysididae) Synonym(s): franciscanum Linsenmaier,1987 Range (in code): TR
- 13656. *Hedychridium houskai* Balthasar,1953** (Chrysididae) Synonym(s): houskai Balthasar,1953 Range (in code): TR
- 13657. *Hedychridium incrassatum* (Dahlbom,1854)** (Chrysididae) Synonym(s): incrassatum Dahlbom,1854 Range (in code): TR
- 13658. *Hedychridium integrum* Dahlbom,1854** (Chrysididae) Synonym(s): integrum Dahlbom,1854 Range (in code): TR 25
- 13659. *Hedychridium jucundum* (Mocsary,1889)** (Chrysididae) Synonym(s): jucundum Mocsary,1889 Range (in code): TR 39
- 13660. *Hedychridium krajniki* Balthazar,1946** (Chrysididae) Synonym(s): krajniki Balthazar,1946 Range (in code): TR
- 13661. *Hedychridium lampadum* Linsenmaier,1959** (Chrysididae) Synonym(s): lampadum Linsenmaier,1959; limassolense Linsenmaier,1959 [ssp.] Range (in code): TR CY 08 11 24 25 36 55 60 69
- 13662. *Hedychridium lampas* (Christ,1791)** (Chrysididae) Synonym(s): lampas Christ,1791; limassolense Linsenmaier,1959 [ssp.] TR CY 33 42
- 13663. *Hedychridium maculiventre* Linsenmaier,1959** (Chrysididae) Synonym(s): maculiventre Linsenmaier,1959 Range (in code): TR 25
- 13664. *Hedychridium marteni* Linsenmaier,1951** (Chrysididae) Synonym(s): marteni Linsenmaier,1951 Range (in code): TR
- 13665. *Hedychridium monochroum* Du Buysson,1888** (Chrysididae) Synonym(s): monochroum Du Buysson,1888 Range (in code): TR
- 13666. *Hedychridium moricei* Buysson,1904** (Chrysididae) Synonym(s): moricei Buysson,1904 Range (in code): TR 24 42
- 13667. *Hedychridium palestinense* Balthasar,1953** (Chrysididae) Synonym(s): palestinense Balthasar,1953; sculpturatissimum Linsenmaier,1959 Range (in code): IL Pa TR 24 25
- 13668. *Hedychridium perpunctatum* Balthasar,1953** (Chrysididae) Synonym(s): perpunctatum Balthasar,1953 Range (in code): TR
- 13669. *Hedychridium plagiatum* (Mocsary,1883)** (Chrysididae) Synonym(s): plagiatum Mocsary,1883 Range (in code): TR
- 13670. *Hedychridium pulchellum* Mocsary,1892** (Chrysididae) Synonym(s): pulchellum Mocsary,1892 Range (in code): TR
- 13671. *Hedychridium rhodojanthinum* Enslin,1939** (Chrysididae) Synonym(s): rhodojanthinum Enslin,1939 Range (in code): TR
- 13672. *Hedychridium roseum* (Rossi,1790)** (Chrysididae) Synonym(s): roseum Rossi,1790 Range (in code): TR 24 25 34 42 60
- 13673. *Hedychridium rubrum* Linsenmaier,1968** (Chrysididae) Synonym(s): rubrum Linsenmaier,1968 Range (in code): TR
- 13674. *Hedychridium sculpturatum* (Abeille de Perrin,1877)** (Chrysididae) Synonym(s): sculpturatum Abeille de Perrin,1877 Range (in code): TR 25
- 13675. *Hedychridium verhoeffi* Linsenmaier,1959** (Chrysididae) Synonym(s): verhoeffi Linsenmaier,1959 Range (in code): TR 68
- 13676. *Hedychridium viridiscutellare* Arens,2004** (Chrysididae) Synonym(s): viridiscutellare Arens,2004 Range (in code): TR
- 13677. *Hedychridium viridisulcatum* Linsenmaier,1968** (Chrysididae) Synonym(s): viridisulcatum Linsenmaier,1968 Range (in code): TR
- 13678. *Hedychrum aureicolle* Mocsary,1889** (Chrysididae) Synonym(s): aureicolle Mocsary,1889 Range (in code): TR 08 24 25 69



- 13679. *Hedychrum bershebensis* Linsenmaier,1969** (Chrysididae) **Synonym(s):** bershebensis Linsenmaier,1969 **Range (in code):** [TR](#)
- 13680. *Hedychrum coelestinum* Spinola,1838** (Chrysididae) **Synonym(s):** coelestinum Spinola,1838 **Range (in code):** [TR](#)
- 13681. *Hedychrum gerstaeckeri* Chevrier,1869** (Chrysididae) **Synonym(s):** gerstaeckeri Chevrier,1869 **Range (in code):** [TR](#) [06](#) [08](#) [24](#) [25](#) [36](#)
- 13682. *Hedychrum hoberlandi* Balthasar,1953** (Chrysididae) **Synonym(s):** hoberlandi Balthasar,1953; #hoberberlandi Strumia & Yildirim,2007 **Range (in code):** [TR](#)
- 13683. *Hedychrum longicolle* Abeille de Perrin,1877** (Chrysididae) **Synonym(s):** longicolle Abeille de Perrin,1877 **Range (in code):** [TR](#) [25](#) [39](#)
- 13684. *Hedychrum luculentum* Förster,1853** (Chrysididae) **Synonym(s):** luculentum Förster,1853; bytinskii Linsenmaier,1959 **Range (in code):** [TR](#) [08](#) [25](#) [36](#) [69](#)
- 13685. *Hedychrum mavromoustakisi* Trautmann,1929** (Chrysididae) **Synonym(s):** mavromoustakisi Trautmann,1929 **Range (in code):** [TR](#)
- 13686. *Hedychrum micans* Lucas,1849** (Chrysididae) **Synonym(s):** micans Lucas,1849 **Range (in code):** [TR](#) [39](#)
- 13687. *Hedychrum niemelai* Linsenmaier,1959** (Chrysididae) **Synonym(s):** niemelai Linsenmaier,1959 **Range (in code):** [TR](#) [08](#) [25](#) [39](#) [80](#)
- 13688. *Hedychrum nobile* (Scopoli,1763)** (Chrysididae) **Synonym(s):** nobile Scopoli,1763 **Range (in code):** [TR](#) [08](#) [10](#) [11](#) [25](#) [37](#) [39](#) [69](#)
- 13689. *Hedychrum punctigerum* Mocsary,1909** (Chrysididae) **Synonym(s):** punctigerum Mocsary,1909 **Range (in code):** [TR](#)
- 13690. *Hedychrum rutilans* Dahlbom,1854** (Chrysididae) **Synonym(s):** rutilans Dahlbom,1854; viridiauratum Mocsary,1889 [ssp.] **Range (in code):** [TR](#) [50](#) [42](#) [80](#)
- 13691. *Hedychrum rutilans* Dahlbom,1854** (Chrysididae) **Synonym(s):** rutilans Dahlbom,1854; veterinum Mocsary,1914 **Range (in code):** [TR](#) [25](#) [36](#) [42](#)
- 13692. *Hedychrum scutellare* Linsenmaier,1969** (Chrysididae) **Synonym(s):** scutellare Linsenmaier,1969 **Range (in code):** [TR](#)
- 13693. *Hedychrum unicolor* Balthasar,1953** (Chrysididae) **Synonym(s):** unicolor Balthasar,1953 **Range (in code):** [TR](#)
- 13694. *Hedychrum virens* Dahlbom,1854** (Chrysididae) **Synonym(s):** virens Dahlbom,1854 **Range (in code):** [TR](#)
- 13695. *Hedychrum zarudnyi* Semenov,1954** (Chrysididae) **Synonym(s):** zarudnyi Semenov,1954 **Range (in code):** [TR](#)
- 13696. *Holopyga amoenula* Dahlbom,1845** (Chrysididae) **Synonym(s):** amoenula Dahlbom,1845; occidenta Linsenmaier,1959; oriensa Linsenmaier,1959 **Range (in code):** [TR](#) [07](#) [08](#) [24](#) [25](#) [59](#) [60](#)
- 13697. *Holopyga bifigurata* Linsenmaier,1968** (Chrysididae) **Synonym(s):** bifigurata Linsenmaier,1968 **Range (in code):** [TR](#) [24](#) [25](#) [36](#) [42](#) [55](#) [80](#)
- 13698. *Holopyga chrysonota* (Förster,1853)** (Chrysididae) **Synonym(s):** chrysonota Förster,1853 **Range (in code):** [TR](#)
- 13699. *Holopyga chrysonota* (Förster,1853)** (Chrysididae) **Synonym(s):** chrysonota Förster,1853; appliata Linsenmaier,1959 **Range (in code):** [TR](#) [24](#) [25](#) [36](#)
- 13700. *Holopyga crassepuncta* Semenov,1954** (Chrysididae) **Synonym(s):** crassepuncta Semenov,1954 **Range (in code):** [TR](#)
- 13701. *Holopyga cypruscula* Linsenmaier,1959** (Chrysididae) **Synonym(s):** cypruscula Linsenmaier,1959; detrita Linsenmaier,1959 **Range (in code):** [TR](#) [25](#)
- 13702. *Holopyga enslini* Lindenmaier,1959** (Chrysididae) **Synonym(s):** enslini Lindenmaier,1959 **Range (in code):** [TR](#)
- 13703. *Holopyga eroli* Strumia,2007** (Chrysididae) **Synonym(s):** eroli Strumia,2007 **Range (in code):** [TR](#) [04](#)
- 13704. *Holopyga fervida* Dahlbom,1854** (Chrysididae) **Synonym(s):** fervida Dahlbom,1854 **Range (in code):** [TR](#) [11](#) [20](#) [25](#) [33](#) [36](#) [60](#)
- 13705. *Holopyga generosa* (Förster,1853)** (Chrysididae) **Synonym(s):** generosa Förster,1853; crassepunctata Semenov,1954 **Range (in code):** [TR](#) [24](#) [25](#) [36](#) [60](#)
- 13706. *Holopyga ignicollis* Dahlbom,1854** (Chrysididae) **Synonym(s):** ignicollis Dahlbom,1854 **Range (in code):** [TR](#) [06](#) [08](#) [10](#) [11](#) [24](#) [25](#) [36](#) [60](#) [69](#)
- 13707. *Holopyga impressopunctata* Arens,2004** (Chrysididae) **Synonym(s):** impressopunctata Arens,2004 **Range (in code):** [TR](#)
- 13708. *Holopyga inflammata* (Förster,1853)** (Chrysididae) **Synonym(s):** inflammata Förster,1853 **Range (in code):** [TR](#) [24](#) [25](#) [36](#) [60](#)
- 13709. *Holopyga jurinei* Chevrier,1862** (Chrysididae) **Synonym(s):** jurinei Chevrier,1862 **Range (in code):** [TR](#) [24](#) [25](#)

- 13710. Holopyga kuthyana Mocsart,1911** (Chrysididae) Synonym(s): kuthyana Mocsart,1911 Range (in code): TR
- 13711. Holopyga lucida (Lepeletier,1806)** (Chrysididae) Synonym(s): lucida Lepeletier,1806 Range (in code): TR
- 13712. Holopyga lucida (Lepeletier,1806)** (Chrysididae) Synonym(s): lucida Lepeletier,1806 Range (in code): TR 11 12 24 25 36
- 13713. Holopyga mavromoustakisi Enslin,1939** (Chrysididae) Synonym(s): mavromoustakisi Enslin,1939 Range (in code): TR
- 13714. Holopyga minuma Linsenmaier,1959** (Chrysididae) Synonym(s): minuma Linsenmaier,1959 Range (in code): TR 24 25
- 13715. Holopyga miranda Abeille de Perrin,1878** (Chrysididae) Synonym(s): miranda Abeille de Perrin,1878 Range (in code): TR
- 13716. Holopyga mlokosiewitzi (Radoszkowski,1876)** (Chrysididae) Synonym(s): mlokosiewitzi Radoszkowski,1876 Range (in code): TR 24
- 13717. Holopyga punctatissima Dahlbom,1854** (Chrysididae) Synonym(s): punctatissima Dahlbom,1854; reducta Linsenmaier,1959 Range (in code): TR 01 11 24 25 42
- 13718. Holopyga speciosissima Buysson,1893** (Chrysididae) Synonym(s): speciosissima Buysson,1893 Range (in code): TR 25
- 13719. Holopyga vigora Linsenmaier,1959** (Chrysididae) Synonym(s): vigora Linsenmaier,1959 Range (in code): TR
- 13720. Holopyga vigoroidea Arens,2004** (Chrysididae) Synonym(s): vigoroidea Arens,2004 Range (in code): TR
- 13721. Jsadelphus schmiedeknechtii (Mocsary,1899)** (Chrysididae) Synonym(s): schmiedeknechtii Mocsary,1899; zarudnii Semenov,1967 Range (in code): IR Es LB TR EG
- 13722. Omalus aeneus (Fabricius,1787)** (Chrysididae) Synonym(s): aeneus Fabricius,1787 Range (in code): TR 06 08 24 25 76
- 13723. Omalus biaccinctus (Buysson,1893)** (Chrysididae) Synonym(s): biaccinctus Buysson,1893 Range (in code): TR 25
- 13724. Omalus politus Buysson,1887** (Chrysididae) Synonym(s): politus Buysson,1887 Range (in code): TR 21 25
- 13725. Parnopes glasunowi Semenov,1901** (Chrysididae) Synonym(s): glasunowi Semenov,1901 Range (in code): IR Kh Msh TR TJ
- 13726. Parnopes grandior (Pallas,1771)** (Chrysididae) Synonym(s): grandior Pallas,1771; carnea Fabricius,1775; anomala Block; episcopalis Block; doursi Sieb. Range (in code): FR Co Sa IT Si GR TR RU IR Gor 08 13 25
- 13727. Pentachrysis seminigra (Walker,1790)** (Chrysididae) Synonym(s): seminigra Walker,1790 Range (in code): TR 24
- 13728. Philoctetes bidentulus Lepeletier,1806** (Chrysididae) Synonym(s): bidentulus Lepeletier,1806 Range (in code): TR 25 36
- 13729. Philoctetes horvathi Mocsary,1889** (Chrysididae) Synonym(s): horvathi Mocsary,1889 Range (in code): TR 25
- 13730. Philoctetes medanae Buysson,1890** (Chrysididae) Synonym(s): medanae Buysson,1890 Range (in code): TR 42
- 13731. Philoctetes sculpticollis (Abeille,1878)** (Chrysididae) Synonym(s): sculpticollis Abeille,1878 Range (in code): TR 11
- 13732. Pseudomalus auratus (Linnaeus,1758)** (Chrysididae) Synonym(s): auratus Linnaeus,1758 Range (in code): TR 07 08 11 12 21 24 25 29 33 36 42 44 55 60 61 76
- 13733. Pseudomalus bidentulus (Lepeletier,1806)** (Chrysididae) Synonym(s): bidentulus Lepeletier,1806 Range (in code): TR 06 11 24 25 36 42 55 60
- 13734. Pseudomalus bogdanovi (Radoszkowski,1877)** (Chrysididae) Synonym(s): bogdanovi Radoszkowski,1877 Range (in code): TR 08 11 24 25 36 55 76
- 13735. Pseudomalus punctulatus (Dahlbom,1854)** (Chrysididae) Synonym(s): punctulatus Dahlbom,1854 Range (in code): TR 11 25
- 13736. Pseudomalus pusillus (Fabricius,1804)** (Chrysididae) Synonym(s): pusillus Fabricius,1804 Range (in code): TR 36
- 13737. Pseudomalus triangulifer (Abeille,1877)** (Chrysididae) Synonym(s): triangulifer Abeille,1877 Range (in code): TR 25
- 13738. Pseudospinolia humboldti (Dahlbom,1845)** (Chrysididae) Synonym(s): humboldti Dahlbom,1845 Range (in code): TR 24 25
- 13739. Pseudospinolia marqueti (Buysson,1876)** (Chrysididae) Synonym(s): marqueti Buysson,1876 Range (in code): TR 25
- 13740. Pseudospinolia uniformis (Dahlbom,1854)** (Chrysididae) Synonym(s): uniformis Dahlbom,1854 Range (in code): TR 25

- 13741. *Spinolia dournovi* Radoszkowski,1866** (Chrysididae) Synonym(s): dournovi Radoszkowski,1866 Range (in code): TR 25
- 13742. *Spintharia vagans* (Radoszkowski,1887)** (Chrysididae) Synonym(s): vagans Radoszkowski,1887 Range (in code): TR 11 24 25 36 60
- 13743. *Stilbum calens* (Fabricius,1781)** (Chrysididae) Synonym(s): calens Fabricius,1781 Range (in code): TR 25
- 13744. *Stilbum cyanurum* (Förster,1771)** (Chrysididae) Synonym(s): cyanurum Förster,1771 Range (in code): TR 07 24 25 35 61
- 13745. *Trichrysis cyanea* (Linnaeus,1758)** (Chrysididae) Synonym(s): cyanea Linnaeus,1758 Range (in code): TR 08 11 24 25 36
- 13746. *Abia aenea* (Klug,1829)** (Cimbicidae) Synonym(s): aenea Klug,1829; bifida Thomson,1871; bigens Kangas,1946 Range (in code): ES FR GB BE DE CH IT AT CZ HU RO PL SE FI EE LT RU TR Cc UA 61
- 13747. *Abia sericea* (Linnaeus,1767)** (Cimbicidae) Synonym(s): sericea Linnaeus,1767 Range (in code): GB IE FR BE NL DE DK SE FI RU UA PL RO CZ HU AT CH IT Si SS HV B-H BG MK TR Cc 33 55
- 13748. *Cimbex quadrimaculatus* (O.F.Müller,1766)** (Cimbicidae) Synonym(s): quadrimaculatus O.F.Müller,1766; humeralis Geoffroy,1785; axillaris Panzer,1801; scapularia Stein,1876 Range (in code): PT ES CH FR GB BE NL DE HV IT SS AT CZ RO UA MK BG GR SK MK TR IL Pa JO 21 35
- 13749. *Corynis caucasica* (Mocsary,1886)** (Cimbicidae) Synonym(s): caucasica Mocsary,1886 Range (in code): YU BG TR Cc IR 05 22 61
- 13750. *Corynis citrina* (Pérez,1895)** (Cimbicidae) Synonym(s): citrina Pérez,1895 Range (in code): BH DZ LY TN Gf SA
- 13751. *Corynis concinna* (Stein,1876)** (Cimbicidae) Synonym(s): concinna Stein,1876; sarta Kuznetzov-Ugamskii; bleyli Muche,1964 Range (in code): TR Cc 05 18 25 33
- 13752. *Corynis frontina* (Konow,1905)** (Cimbicidae) Synonym(s): frontina Konow,1905 Range (in code): TR Cc 05 06 08 29 33 55
- 13753. *Corynis haematica* Benson,1968** (Cimbicidae) Synonym(s): haematica Benson,1968 Range (in code): IL Pa
- 13754. *Corynis italica* (Lepeletier,1823)** (Cimbicidae) Synonym(s): italica Lepeletier,1823 Range (in code): ES FR HV YU CH UA IT TR 05 16
- 13755. *Corynis krueperi* (Stein,1876)** (Cimbicidae) Synonym(s): krueperi Stein,1876; enslini Maidl,1923 Range (in code): MK AL LY Cy TR 05 16
- 13756. *Corynis lateralis* (Brullé,1832)** (Cimbicidae) Synonym(s): lateralis Brullé,1832 Range (in code): GR TR RU Ur Cc 05 06 08
- 13757. *Corynis obscura* (Fabricius,1775)** (Cimbicidae) Synonym(s): obscura Fabricius,1775; valkanovi Vassilev,1969 Range (in code): FR BE DE CH IT Si CZ AT HU SS RO BG AL MK GR RU UA EE LT SE FI TR Cc 25 53 61
- 13758. *Corynis orientalis* (Konow,1898)** (Cimbicidae) Synonym(s): orientalis Konow,1898 Range (in code): SY LB IL Pa IQ
- 13759. *Corynis reticulata* Benson,1954** (Cimbicidae) Synonym(s): reticulata Benson,1954 Range (in code): TR IL Pa 51
- 13760. *Corynis similis* (Mocsary,1880)** (Cimbicidae) Synonym(s): similis Mocsary,1880 Range (in code): GR Cr CY SY IL Pa
- 13761. *Pseudoclavellaria amerinae* (Linnaeus,1758)** (Cimbicidae) Synonym(s): amerinae Linnaeus,1758 Range (in code): PT ES FR NL DE CH IT AT HU CZ PL SE FI EE LT YU RO MK BG UA TR Cc RU Sb KP KR 29
- 13762. *Colletes (acutus gr.) acutiformis* Noskiewicz,1936** (Colletidae) Synonym(s): acutiformis Noskiewicz,1936 Range (in code): LY IL Pa
- 13763. *Colletes (albomaculatus gr.) albomaculatus* (Lucas,1849)** (Colletidae) Synonym(s): albomaculatus Lucas,1849 Range (in code): GR TR SY JO IR Elb
- 13764. *Colletes (albomaculatus gr.) alfkeni* Noskiewicz,1958** (Colletidae) Synonym(s): alfkeni Noskiewicz,1958 Range (in code): IL Pa SY TR 73
- 13765. *Colletes (albomaculatus gr.) dorsalis* Morawitz,1888** (Colletidae) Synonym(s): dorsalis Morawitz,1888 Range (in code): TR IR Elb
- 13766. *Colletes (albomaculatus gr.) punctatus* Mocsary,1877** (Colletidae) Synonym(s): punctatus Mocsary,1877 Range (in code): GR TR SY IL Pa IR
- 13767. *Colletes (anchusae gr.) anchusae* Noskiewicz,1924** (Colletidae) Synonym(s): anchusae Noskiewicz,1924 Range (in code): TR
- 13768. *Colletes (carinatus gr.) carinatus* Radoszkowski,1891** (Colletidae) Synonym(s): carinatus Radoszkowski,1891 Range (in code): GR TR 25
- 13769. *Colletes (cariniger gr.) cariniger* Pérez,1903** (Colletidae) Synonym(s): cariniger Pérez,1903 Range (in code): GR TR SY JO IL Pa EG LY
- 13770. *Colletes (caspicus gr.) anceps* Radoszkowski,1891** (Colletidae) Synonym(s): anceps Radoszkowski,1891 Range (in code): TR IR 02 65



- 13771. *Colletes (caspicus gr.) idoneus* Cockerell,1922** (Colletidae) Synonym(s): idoneus Cockerell,1922  
Range (in code): TR IR 30
- 13772. *Colletes (caspicus gr.) lebedewi* Noskiewicz,1936** (Colletidae) Synonym(s): lebedewi Noskiewicz,1936 Range (in code): TR 04 56 58 65
- 13773. *Colletes (caspicus gr.) maidli* Noskiewicz,1936** (Colletidae) Synonym(s): maidli Noskiewicz,1936 Range (in code): GR TR CY SY IL Pa EG IR 25
- 13774. *Colletes (caspicus gr.) transitorius* Noskiewicz,1936** (Colletidae) Synonym(s): transitorius Noskiewicz,1936 Range (in code): TR 02 07
- 13775. *Colletes (clypearis gr.) asiaticus* Kuhlmann,1999** (Colletidae) Synonym(s): grisescens Noskiewicz,1936 nec Cock.,1930; asiaticus Kuhlmann,1999 Range (in code): TR IR
- 13776. *Colletes (clypearis gr.) floralis* Eversmann,1852** (Colletidae) Synonym(s): floralis Eversmann,1852 Range (in code): GR TR IR
- 13777. *Colletes (clypearis gr.) radoszkowskii* Noskiewicz,1936** (Colletidae) Synonym(s): radoszkowskii Noskiewicz,1936 Range (in code): TR IR 25 42
- 13778. *Colletes (clypearis gr.) warnckeii* Kuhlmann,2002** (Colletidae) Synonym(s): warnckeii Kuhlmann,2002 Range (in code): TR IR Elb Mz 30 36
- 13779. *Colletes (clypearis gr.) yemenensis* Noskiewicz,1929** (Colletidae) Synonym(s): yemenensis Noskiewicz,1929 Range (in code): YE
- 13780. *Colletes (cunicularius gr.) armeniacus* (Friese,1921)** (Colletidae) Synonym(s): armeniacus Friese,1921 Range (in code): TR 30
- 13781. *Colletes (cunicularius gr.) askanus* (Strand,1919)** (Colletidae) Synonym(s): askanus Strand,1919 Range (in code): GR SY TR JO IR 25
- 13782. *Colletes (cunicularius gr.) cunicularius* (Linnaeus,1761)** (Colletidae) Synonym(s): cunicularius Linnaeus,1761; cinerea Geoffroy,1785; hirtus Lepeletier,1841; pilosus Spinola,1838; tauricus Warncke,1978; khasanensis Osytshnjuk,1995 Range (in code): EG TR GR
- 13783. *Colletes (fodiens gr.) daviesanus* Smith,1846** (Colletidae) Synonym(s): daviesanus Smith,1846  
Range (in code): TR 02 03 12 26 65
- 13784. *Colletes (fodiens gr.) edentulus* Noskiewicz,1936** (Colletidae) Synonym(s): edentulus Noskiewicz,1936 Range (in code): Cc AM TR
- 13785. *Colletes (fodiens gr.) fodiens* (Fourcroy,1785)** (Colletidae) Synonym(s): fodiens Fourcroy,1785  
Range (in code): ES TR IR KK
- 13786. *Colletes (fodiens gr.) glaber* Warncke,1978** (Colletidae) Synonym(s): glaber Warncke,1978  
Range (in code): TR
- 13787. *Colletes (fodiens gr.) similis* Schenck,1853** (Colletidae) Synonym(s): similis Schenck,1853  
Range (in code): GR CY TR SY IL Pa LB JO IR Elb 25
- 13788. *Colletes (fodiens gr.) tuberculatus* Morawitz,1894** (Colletidae) Synonym(s): tuberculatus Morawitz,1894 Range (in code): TR IR GR IL Pa JO 25
- 13789. *Colletes (formosus gr.) formosus* Pérez,1895** (Colletidae) Synonym(s): formosus Pérez,1895  
Range (in code): LY JO IL Pa
- 13790. *Colletes (formosus gr.) rozeni* Kuhlmann,2005** (Colletidae) Synonym(s): rozeni Kuhlmann,2005 Range (in code): IL Pa
- 13791. *Colletes (foveolaris gr.) foveolaris* Pérez,1903** (Colletidae) Synonym(s): foveolaris Pérez,1903  
Range (in code): GR TR LY 11 35
- 13792. *Colletes (foveolaris gr.) judaicus* Noskiewicz,1955** (Colletidae) Synonym(s): judaicus Noskiewicz,1955 Range (in code): IL Pa JO
- 13793. *Colletes (hylaeiformis gr.) hylaeiformis* Eversmann,1852** (Colletidae) Synonym(s): hylaeiformis Eversmann,1852; chobauti Perez,1903 Range (in code): GR CY TR 25
- 13794. *Colletes (lacunatus gr.) lacunatus* Dours,1872** (Colletidae) Synonym(s): lacunatus Dours,1872; braccatus Perez,1895; grandis Perez,1898; nursei Cameron,1907; deesensis Cockerell,1922 Range (in code): IL Pa EG LY
- 13795. *Colletes (marginatus gr.) chengtehensis* Yasumatsu,1935** (Colletidae) Synonym(s): chengtehensis Yasumatsu,1935; tsunekii Yasumatsu,1948 Range (in code): GR IR
- 13796. *Colletes (marginatus gr.) hethiticus* Warncke,1978** (Colletidae) Synonym(s): hethiticus Warncke,1978 Range (in code): TR GR IR Kh 25
- 13797. *Colletes (marginatus gr.) marginatus* Smith,1846** (Colletidae) Synonym(s): marginatus Smith,1846 Range (in code): GR TR 25 30 50 75
- 13798. *Colletes (marginatus gr.) pallescens* Noskiewicz,1936** (Colletidae) Synonym(s): pallescens Noskiewicz,1936 Range (in code): TR 25
- 13799. *Colletes (meyerii gr.) meyerii* Noskiewicz,1936** (Colletidae) Synonym(s): meyerii Noskiewicz,1936  
Range (in code): GR TR
- 13800. *Colletes (mixtus gr.) mixtus* Radoszkowski,1891** (Colletidae) Synonym(s): mixtus Radoszkowski,1891 Range (in code): TR 76

- 13801. *Colletes (nanus gr.) ankarae* Warncke,1978** (Colletidae) Synonym(s): ankarae Warncke,1978 Range (in code): TR o6
- 13802. *Colletes (nanus gr.) arztbergi* Kuhlmann,2003** (Colletidae) Synonym(s): arztbergi Kuhlmann,2003 Range (in code): SY Pmy
- 13803. *Colletes (nanus gr.) fuscicornis* Noskiewicz,1936** (Colletidae) Synonym(s): fuscicornis Noskiewicz,1936 Range (in code): IL Pa
- 13804. *Colletes (nanus gr.) nanaeformis* Noskiewicz,1959** (Colletidae) Synonym(s): nanaeformis Noskiewicz,1959 Range (in code): JO EG
- 13805. *Colletes (nanus gr.) nanus* Friese,1898** (Colletidae) Synonym(s): nanus Friese,1898 Range (in code): SY IL Pa JO EG LY
- 13806. *Colletes (nanus gr.) persicus* Warncke,1979** (Colletidae) Synonym(s): persicus Warncke,1979 Range (in code): IR Ss
- 13807. *Colletes (nanus gr.) pumilus* Morice,1904** (Colletidae) Synonym(s): pumilus Morice,1904 Range (in code): IL Pa JO EG LY
- 13808. *Colletes (nanus gr.) schwarzi* Kuhlmann,2002** (Colletidae) Synonym(s): schwarzi Kuhlmann,2002 Range (in code): TM
- 13809. *Colletes (nasutus gr.) nasutus* Smith,1853** (Colletidae) Synonym(s): nasutus Smith,1853 Range (in code): GR TR SY IR Se Elb 25
- 13810. *Colletes (nigricans gr.) bidentulus* Noskiewicz,1936** (Colletidae) Synonym(s): bidentulus Noskiewicz,1936 Range (in code): TR IR Elb Mz o6 42 50
- 13811. *Colletes (nigricans gr.) cyprius* Noskiewicz,1936** (Colletidae) Synonym(s): cyprius Noskiewicz,1936 Range (in code): CY
- 13812. *Colletes (nigricans gr.) eous* Morice,1904** (Colletidae) Synonym(s): eous Morice,1904; cecrops Morice,1904; porosicus Strand,1921; illyricus Noskiewicz,1936 Range (in code): GR TR IR
- 13813. *Colletes (nigricans gr.) perezi* Morice,1904** (Colletidae) Synonym(s): perezi Morice,1904; resedae Cockerell,1934 Range (in code): GR? IL Pa EG JO LY
- 13814. *Colletes (roborovskyi gr.) roborovskyi* Friese,1913** (Colletidae) Synonym(s): roborovskyi Friese,1913 Range (in code): TR IR
- 13815. *Colletes (senilis gr.) hakkari* Kuhlmann,2002** (Colletidae) Synonym(s): hakkari Kuhlmann,2002 Range (in code): TR IR Elb Ar Mz GG Soc Cc AM Eri 25 30 36 73
- 13816. *Colletes (senilis gr.) hiekeseniori* Kuhlmann,2003** (Colletidae) Synonym(s): hiekeseniori Kuhlmann,2003 Range (in code): TR 65
- 13817. *Colletes (senilis gr.) laevifrons* Morawitz,1894** (Colletidae) Synonym(s): laevifrons Morawitz,1894 Range (in code): IR Elb
- 13818. *Colletes (senilis gr.) mlokoszewiczi* Radoszkowski,1891** (Colletidae) Synonym(s): mlokoszewiczi Radoszkowski,1891 Range (in code): GR TR 25
- 13819. *Colletes (senilis gr.) senilis* (Eversmann,1852)** (Colletidae) Synonym(s): senilis Eversmann,1852 Range (in code): GR TR IR Elb
- 13820. *Colletes (senilis gr.) subnitens* Noskiewicz,1936** (Colletidae) Synonym(s): subnitens Noskiewicz,1936 Range (in code): TR IR Elb
- 13821. *Colletes (squamosus gr.) alfredjohni* Kuhlmann,2002** (Colletidae) Synonym(s): alfredjohni Kuhlmann,2002 Range (in code): IR
- 13822. *Colletes (squamosus gr.) askhabadensis* Radoszkowski,1886** (Colletidae) Synonym(s): askhabadensis Radoszkowski,1886 Range (in code): TM Kp SY
- 13823. *Colletes (squamosus gr.) bytinskii* Noskiewicz,1955** (Colletidae) Synonym(s): bytinskii Noskiewicz,1955 Range (in code): IL Pa
- 13824. *Colletes (squamosus gr.) comatus* Noskiewicz,1936** (Colletidae) Synonym(s): comatus Noskiewicz,1936 Range (in code): TR 58
- 13825. *Colletes (squamosus gr.) cretaceus* Morawitz,1876** (Colletidae) Synonym(s): cretaceus Morawitz,1876; farinosus Morawitz,1878 Range (in code): TR JO IR 44
- 13826. *Colletes (squamosus gr.) elegans* Noskiewicz,1936** (Colletidae) Synonym(s): elegans Noskiewicz,1936 Range (in code): JO IL Pa EG
- 13827. *Colletes (squamosus gr.) guichardi* Kuhlmann,2003** (Colletidae) Synonym(s): guichardi Kuhlmann,2003 Range (in code): SA
- 13828. *Colletes (squamosus gr.) jejunos* Noskiewicz,1936** (Colletidae) Synonym(s): jejunos Noskiewicz,1936 Range (in code): JO EG
- 13829. *Colletes (squamosus gr.) omanus* Kuhlmann,2003** (Colletidae) Synonym(s): omanus Kuhlmann,2003 Range (in code): OM
- 13830. *Colletes (squamosus gr.) ottomanus* Noskiewicz,1958** (Colletidae) Synonym(s): ottomanus Noskiewicz,1958 Range (in code): TR SY
- 13831. *Colletes (squamosus gr.) pseudojejunos* Noskiewicz,1959** (Colletidae) Synonym(s): pseudojejunos Noskiewicz,1959 Range (in code): IL Pa JO EG

- 13832. Colletes (squamosus gr.) rubellus Noskiewicz,1936** (Colletidae) Synonym(s): rubellus Noskiewicz,1936 Range (in code): IL Pa AM Cc TR
- 13833. Colletes (squamosus gr.) squamosus Morawitz,1877** (Colletidae) Synonym(s): squamosus Morawitz,1877 Range (in code): IR Elb Shr Fa
- 13834. Colletes (squamosus gr.) squamulosus Noskiewicz,1936** (Colletidae) Synonym(s): squamulosus Noskiewicz,1936 Range (in code): CY SY IL Pa IR
- 13835. Colletes (squamosus gr.) wahrmani Noskiewicz,1959** (Colletidae) Synonym(s): wahrmani Noskiewicz,1959 Range (in code): TR 42
- 13836. Colletes (succintus gr.) brevigena Noskiewicz,1936** (Colletidae) Synonym(s): brevigena Noskiewicz,1936 Range (in code): GR CY TR
- 13837. Colletes (succintus gr.) hederæ Schmidt & Westrich,1993** (Colletidae) Synonym(s): hederæ Schmidt & Westrich,1993 Range (in code): GB BE FR ES Co Sa IT DE CH SS HV GR TR 35
- 13838. Colletes (succintus gr.) iranicus Noskiewicz,1962** (Colletidae) Synonym(s): iranicus Noskiewicz,1962 Range (in code): TR IR
- 13839. Colletes arabicus Kuhlmann,2002** (Colletidae) Synonym(s): arabicus Kuhlmann,2002 Range (in code): SA
- 13840. Colletes minutissimus Kuhlmann,2002** (Colletidae) Synonym(s): minutissimus Kuhlmann,2002 Range (in code): TM
- 13841. Colletes pseudomirabilis Kuhlmann & Proshchalykin,2014** (Colletidae) Synonym(s): pseudomirabilis Kuhlmann & Proshchalykin,2014 Range (in code): TM
- 13842. Hylaeus acer Dathe,1980** (Colletidae) Synonym(s): acer Dathe,1980 Range (in code): TR
- 13843. Hylaeus adpersus (Alfken,1935)** (Colletidae) Synonym(s): adpersus Alfken,1935 Range (in code): TR
- 13844. Hylaeus alexandrinus (Warncke,1992)** (Colletidae) Synonym(s): alexandrinus Warncke,1992 Range (in code): EG Sn IL Pa
- 13845. Hylaeus alticolus (Warncke,1981)** (Colletidae) Synonym(s): alticolus Warncke,1981 Range (in code): IR Elb
- 13846. Hylaeus angustatus (Schenck,1861)** (Colletidae) Synonym(s): angustatus Schenck,1861 Range (in code): Cr TR JO
- 13847. Hylaeus annularis (Kirby,1802)** (Colletidae) Synonym(s): annularis Kirby,1802; elbursus Warncke,1981 Range (in code): TR IR Elb
- 13848. Hylaeus araxanus (Warncke,1981)** (Colletidae) Synonym(s): araxanus Warncke,1981 Range (in code): TR IR Cc
- 13849. Hylaeus armeniacus (Warncke,1981)** (Colletidae) Synonym(s): armeniacus Warncke,1981 Range (in code): TR Cc IL Pa IR Elb Fa
- 13850. Hylaeus bifasciatus (Jurine,1807)** (Colletidae) Synonym(s): bifasciatus Jurine,1807 Range (in code): GR TR IL Pa AZ Cc
- 13851. Hylaeus bisinuatus Förster,1871** (Colletidae) Synonym(s): bisinuatus Förster,1871 Range (in code): Cr TR IR Kd Ha Th Elb 25
- 13852. Hylaeus brevicornis (Nylander,1852)** (Colletidae) Synonym(s): brevicornis Nylander,1852 Range (in code): IR
- 13853. Hylaeus cervinus (Warncke,1992)** (Colletidae) Synonym(s): cervinus Warncke,1992 Range (in code): TR IR Elb 01 25 36
- 13854. Hylaeus chukar (Warncke,1992)** (Colletidae) Synonym(s): chukar Warncke,1992 Range (in code): TR
- 13855. Hylaeus clusium (Warncke,1981)** (Colletidae) Synonym(s): clusium Warncke,1981 Range (in code): IR Kh
- 13856. Hylaeus communis Nylander,1852** (Colletidae) Synonym(s): communis Nylander,1852 Range (in code): IR Es Mz Elb Cr TR 25
- 13857. Hylaeus cornutus Curtis,1831** (Colletidae) Synonym(s): cornutus Curtis,1831 Range (in code): GR TR Cr IR
- 13858. Hylaeus crassanus Warncke,1972** (Colletidae) Synonym(s): crassanus Warncke,1972 Range (in code): TR
- 13859. Hylaeus crispulus Dathe,1980** (Colletidae) Synonym(s): crispulus Dathe,1980 Range (in code): TR IR Elb IL Pa
- 13860. Hylaeus cypricolus (Warncke,1972)** (Colletidae) Synonym(s): cypricolus Warncke,1972 Range (in code): CY TR EG
- 13861. Hylaeus damascenus (Magretti,1890)** (Colletidae) Synonym(s): damascenus Magretti,1890 Range (in code): SY Dms IL Pa IQ TR IR
- 13862. Hylaeus decaoctus (Warncke,1992)** (Colletidae) Synonym(s): decaoctus Warncke,1992 Range (in code): TR
- 13863. Hylaeus difformis (Eversmann,1852)** (Colletidae) Synonym(s): difformis Eversmann,1852 Range (in code): GR TR IR Elb Mz



- 13864. *Hylaeus dolichocephalus* Morawitz,1876** (Colletidae) **Synonym(s):** dolichocephalus Morawitz,1876 Range (in code): **IR Kh**
- 13865. *Hylaeus duckei* (Alfken,1904)** (Colletidae) **Synonym(s):** duckei Alfken,1904 Range (in code): **GR TR**
- 13866. *Hylaeus elatus* (Warncke,1981)** (Colletidae) **Synonym(s):** elatus Warncke,1981 Range (in code): **EG IL Pa**
- 13867. *Hylaeus euryscapus* Förster,1871** (Colletidae) **Synonym(s):** euryscapus Förster,1871 Range (in code): **GR TR 25**
- 13868. *Hylaeus excelsus* (Alfken,1931)** (Colletidae) **Synonym(s):** excelsus Alfken,1931 Range (in code): **TR IR**
- 13869. *Hylaeus funereus* (Warncke,1992)** (Colletidae) **Synonym(s):** funereus Warncke,1992 Range (in code): **TR**
- 13870. *Hylaeus gibbus* Saunders,1850** (Colletidae) **Synonym(s):** gibbus Saunders,1850 Range (in code): **GR Cr TR IR**
- 13871. *Hylaeus glacialis* (Morawitz,1872)** (Colletidae) **Synonym(s):** glacialis Morawitz,1872; giresunus Warncke,1992 Range (in code): **TR 28**
- 13872. *Hylaeus heliacus* (Warncke,1992)** (Colletidae) **Synonym(s):** heliacus Warncke,1992 Range (in code): **TR**
- 13873. *Hylaeus hungaricus* (Alfken,1905)** (Colletidae) **Synonym(s):** hungaricus Alfken,1905 Range (in code): **HU IR**
- 13874. *Hylaeus hyperpunctatus* (Strand,1909)** (Colletidae) **Synonym(s):** hyperpunctatus Strand,1909 Range (in code): **GR TR**
- 13875. *Hylaeus imparilis* Förster,1871** (Colletidae) **Synonym(s):** imparilis Förster,1871 Range (in code): **GR Cr TR**
- 13876. *Hylaeus iranicus* Dathe,1980** (Colletidae) **Synonym(s):** iranicus Dathe,1980 Range (in code): **TR IR**
- 13877. *Hylaeus irritans* Dathe,1980** (Colletidae) **Synonym(s):** irritans Dathe,1980 Range (in code): **TR IR**
- 13878. *Hylaeus klugii* (Fries,1898)** (Colletidae) **Synonym(s):** klugii Fries,1898 Range (in code): **EG IL Pa IR Ke IQ**
- 13879. *Hylaeus kotschisus* (Warncke,1981)** (Colletidae) **Synonym(s):** kotschisus Warncke,1981 Range (in code): **TR IL Pa IR Kh Elb**
- 13880. *Hylaeus kurdus* (Warncke,1981)** (Colletidae) **Synonym(s):** kurdus Warncke,1981; trochilus Warncke,1992 Range (in code): **TR 30**
- 13881. *Hylaeus laevithorax* (Alfken,1924)** (Colletidae) **Synonym(s):** laevithorax Alfken,1924 Range (in code): **IL Pa IR**
- 13882. *Hylaeus leptcephalus* (Morawitz,1870)** (Colletidae) **Synonym(s):** leptcephalus Morawitz,1870 Range (in code): **TR IR**
- 13883. *Hylaeus lineolatus* (Schenck,1861)** (Colletidae) **Synonym(s):** lineolatus Schenck,1861 Range (in code): **GR Cr CY TR IR**
- 13884. *Hylaeus longimaculus* (Alfken,1936)** (Colletidae) **Synonym(s):** longimaculus Alfken,1936 Range (in code): **GR Cr Rd TR IL Pa LB IR Elb Th Ha EG**
- 13885. *Hylaeus maculatus* (Alfken,1904)** (Colletidae) **Synonym(s):** maculatus Alfken,1904 Range (in code): **IL Pa LB IR**
- 13886. *Hylaeus meridionalis* Förster,1871** (Colletidae) **Synonym(s):** meridionalis Förster,1871 Range (in code): **GR Cr TR IR**
- 13887. *Hylaeus monedulus* (Warncke,1992)** (Colletidae) **Synonym(s):** monedulus Warncke,1992 Range (in code): **TR**
- 13888. *Hylaeus moricei* (Fries,1898)** (Colletidae) **Synonym(s):** moricei Fries,1898 Range (in code): **GR TR IR**
- 13889. *Hylaeus nigrinus* (Fabricius,1798)** (Colletidae) **Synonym(s):** nigrinus Fabricius,1798 Range (in code): **TR 25**
- 13890. *Hylaeus nyrochus* (Warncke,1992)** (Colletidae) **Synonym(s):** nyrochus Warncke,1992 Range (in code): **IQ**
- 13891. *Hylaeus orientalis* (Warncke,1981)** (Colletidae) **Synonym(s):** orientalis Warncke,1981 Range (in code): **IL Pa TR**
- 13892. *Hylaeus oriolus* (Warncke,1981)** (Colletidae) **Synonym(s):** oriolus Warncke,1981 Range (in code): **IR Elb**
- 13893. *Hylaeus pictipes* Nylander,1852** (Colletidae) **Synonym(s):** pictipes Nylander,1852 Range (in code): **TR IL Pa**
- 13894. *Hylaeus planulus* (Warncke,1981)** (Colletidae) **Synonym(s):** planulus Warncke,1981 Range (in code): **TR 30**
- 13895. *Hylaeus punctatus* (Brullé,1832)** (Colletidae) **Synonym(s):** punctatus Brullé,1832 Range (in code): **GR TR CY 25**

- 13896. *Hylaeus punctulatissimus* Smith,1842** (Colletidae) **Synonym(s):** punctulatissimus Smith,1842 **Range (in code):** [GR TR IR Elb](#)
- 13897. *Hylaeus punctus* Förster,1871** (Colletidae) **Synonym(s):** punctus Förster,1871 **Range (in code):** [GR TR](#)
- 13898. *Hylaeus querquedulus* (Warncke,1981)** (Colletidae) **Synonym(s):** querquedulus Warncke,1981 **Range (in code):** [TR IR 30](#)
- 13899. *Hylaeus rubicola* (Saunders,1850)** (Colletidae) **Synonym(s):** rubicola Saunders,1850 **Range (in code):** [GR TR SY LB IL Pa EG](#)
- 13900. *Hylaeus rubosus* (Warncke,1981)** (Colletidae) **Synonym(s):** rubosus Warncke,1981 **Range (in code):** [TR IR](#)
- 13901. *Hylaeus rugicollis* Morawitz,1874** (Colletidae) **Synonym(s):** rugicollis Morawitz,1874 **Range (in code):** [IL Pa IR](#)
- 13902. *Hylaeus scutellaris* Morawitz,1873** (Colletidae) **Synonym(s):** scutellaris Morawitz,1873 **Range (in code):** [TR IR Ke Th Elb](#)
- 13903. *Hylaeus scutellatus* (Spinola,1838)** (Colletidae) **Synonym(s):** scutellatus Spinola,1838 **Range (in code):** [GR TR IL Pa IR Elb](#)
- 13904. *Hylaeus sidensis* (Warncke,1981)** (Colletidae) **Synonym(s):** sidensis Warncke,1981 **Range (in code):** [TR LB IL Pa](#)
- 13905. *Hylaeus signatus* (Panzer,1798)** (Colletidae) **Synonym(s):** signatus Panzer,1798 **Range (in code):** [TR IR 25](#)
- 13906. *Hylaeus sinuatus* (Schenck,1853)** (Colletidae) **Synonym(s):** sinuatus Schenck,1853 **Range (in code):** [GR BG TR IR Ha Mz Elb 25](#)
- 13907. *Hylaeus styriacus* Förster,1871** (Colletidae) **Synonym(s):** styriacus Förster,1871; creccus Warncke,1992 **Range (in code):** [TR](#)
- 13908. *Hylaeus syriacus* (Alfken,1936)** (Colletidae) **Synonym(s):** syriacus Alfken,1936 **Range (in code):** [LB](#)
- 13909. *Hylaeus tardus* (Warncke,1981)** (Colletidae) **Synonym(s):** tardus Warncke,1981 **Range (in code):** [IR Elb Ha Fa](#)
- 13910. *Hylaeus tephronotus* (Warncke,1992)** (Colletidae) **Synonym(s):** tephronotus Warncke,1992 **Range (in code):** [TR](#)
- 13911. *Hylaeus tetrus* Dathe,2000** (Colletidae) **Synonym(s):** tetrus Dathe,2000 **Range (in code):** [TR 32 38](#)
- 13912. *Hylaeus torquatus* (Warncke,1992)** (Colletidae) **Synonym(s):** torquatus Warncke,1992 **Range (in code):** [SY](#)
- 13913. *Hylaeus trifidus* (Alfken,1936)** (Colletidae) **Synonym(s):** trifidus Alfken,1936 **Range (in code):** [GR TR LB](#)
- 13914. *Hylaeus trinotatus* (Pérez,1895)** (Colletidae) **Synonym(s):** trinotatus Pérez,1895 **Range (in code):** [TR GR IQ](#)
- 13915. *Hylaeus tyrolensis* Förster,1871** (Colletidae) **Synonym(s):** tyrolensis Förster,1871 **Range (in code):** [GR TR IL Pa](#)
- 13916. *Hylaeus variegatus* (Fabricius,1798)** (Colletidae) **Synonym(s):** variegatus Fabricius,1798 **Range (in code):** [TR IL Pa IR Cr 25](#)
- 13917. *Hylaeus vulgaris* Morawitz,1876** (Colletidae) **Synonym(s):** vulgaris Morawitz,1876 **Range (in code):** [IR Kh Fa](#)
- 13918. *Alysson ocellatus* De Beaumont,1967** (Crabronidae) **Synonym(s):** ocellatus De Beaumont,1967 **Range (in code):** [TR 05](#)
- 13919. *Alysson ratzeburgi* Dahlbom,1843** (Crabronidae) **Synonym(s):** ratzeburgi Dahlbom,1843 **Range (in code):** [NO RU DE PL SE AT IT FR FI NL CH DK HU RO CZ SK UA JP KP KR CN TR 60](#)
- 13920. *Alysson spinosus* (Panzer,1801)** (Crabronidae) **Synonym(s):** fuscata Panzer,1798; bimaculata Panzer,1798; spinosus Panzer,1801 **Range (in code):** [TR 05 09 31 34 61](#)
- 13921. *Alysson tricolor* Lepeletier & Audinet-Serville,1825** (Crabronidae) **Synonym(s):** tricolor Lepeletier & Audinet-Serville,1825 **Range (in code):** [TR 06](#)
- 13922. *Ammatomus coarctatus* (Spinola,1808)** (Crabronidae) **Synonym(s):** coarctatus Spinola,1808 **Range (in code):** [TR 01 05 06 07 08 16 18 20 24 25 26 31 33 36 42 43 45 46 59 60 63 76](#)
- 13923. *Ammatomus rogenhoferi* (Handlirsch,1888)** (Crabronidae) **Synonym(s):** rogenhoferi Handlirsch,1888 **Range (in code):** [TR 01 05 06 08 11 16 20 25 31 32 33 35 42 43 45 46 51 63](#)
- 13924. *Ammatomus rufonodis* (Radoszkowski,1877)** (Crabronidae) **Synonym(s):** rufonodis Radoszkowski,1877 **Range (in code):** [TR 07 33 63](#)
- 13925. *Ammoplanus denesi* Boucek,2001** (Crabronidae) **Synonym(s):** denesi Boucek,2001 **Range (in code):** [TR 02](#)
- 13926. *Ammoplanus hofferi* Snoflak,1943** (Crabronidae) **Synonym(s):** hofferi Snoflak,1943 **Range (in code):** [TR 13 39 44 58](#)

- 13927. *Ammoplanus kaszabi* Tsuneki,1972** (Crabronidae) Synonym(s): kaszabi Tsuneki,1972 Range (in code): TR 02
- 13928. *Ammoplanus marathroicus* (De Stefani Pérez,1887)** (Crabronidae) Synonym(s): marathroicus De Stefani Pérez,1887 Range (in code): TR 01 02 06 26 44 46 63 65 72
- 13929. *Ammoplanus minutus* Boucek,2001** (Crabronidae) Synonym(s): minutus Boucek,2001 Range (in code): TR 20 50
- 13930. *Ammoplanus monticola* Gussakowski,1952** (Crabronidae) Synonym(s): monticola Gussakowski,1952 Range (in code): TR 36
- 13931. *Ammoplanus perrisi* Giraud,1869** (Crabronidae) Synonym(s): perrisi Giraud,1869 Range (in code): TR 06 26
- 13932. *Ancistromma asiaticum* Gussakowski,1935** (Crabronidae) Synonym(s): asiaticum Gussakowski,1935 Range (in code): TJ TR 76
- 13933. *Argogorytes fargeii* (Shuckard,1837)** (Crabronidae) Synonym(s): fargeii Shuckard,1837 Range (in code): TR 05 07 08 09 16 25 33 36 55 69
- 13934. *Argogorytes mystaceus* (Linnaeus,1761)** (Crabronidae) Synonym(s): mystaceus Linnaeus,1761 Range (in code): TR 16 25 36 42 69
- 13935. *Astata affinis* Vander Linden,1829** (Crabronidae) Synonym(s): affinis Vander Linden,1829 Range (in code): TR 25 31 36 42 80
- 13936. *Astata apostata* Mercet,1910** (Crabronidae) Synonym(s): apostata Mercet,1910 Range (in code): TR 01 25
- 13937. *Astata boops* (Schränk,1781)** (Crabronidae) Synonym(s): boops Schränk,1781 Range (in code): TR 01 03 06 08 09 11 15 16 17 25 26 31 33 35 36 41 42 46 53 60 61
- 13938. *Astata brevitarsis* Pulawski,1958** (Crabronidae) Synonym(s): brevitarsis Pulawski,1958 Range (in code): TR 20 25 76
- 13939. *Astata costae* A.Costa,1867** (Crabronidae) Synonym(s): costae A.Costa,1867 Range (in code): TR 07 25 31 36 43 55
- 13940. *Astata diversipes* Pulawski,1955** (Crabronidae) Synonym(s): diversipes Pulawski,1955 Range (in code): TR 24 31
- 13941. *Astata gallica* De Beaumont,1942** (Crabronidae) Synonym(s): gallica De Beaumont,1942 Range (in code): TR 25
- 13942. *Astata graeca* De Beaumont,1965** (Crabronidae) Synonym(s): graeca De Beaumont,1965 Range (in code): GR TR 06 08 36
- 13943. *Astata jucunda* Pulawski,1959** (Crabronidae) Synonym(s): jucunda Pulawski,1959 Range (in code): TR 06 08 11 24 25 36 42 59
- 13944. *Astata kashmirensis* Nurse,1909** (Crabronidae) Synonym(s): kashmirensis Nurse,1909 Range (in code): Ch TR 05 06 11 20 24 25 31 33 42 60
- 13945. *Astata leila* Pulawski,1967** (Crabronidae) Synonym(s): leila Pulawski,1967 Range (in code): TR 06 38
- 13946. *Astata miegii* Dufour,1861** (Crabronidae) Synonym(s): miegii Dufour,1861 Range (in code): TR 06 11 24 25 35 36 45 50 60 68
- 13947. *Astata minor* Kohl,1885** (Crabronidae) Synonym(s): minor Kohl,1885 Range (in code): TR 06 11 25 29 31 36
- 13948. *Astata quettae* Nurse,1903** (Crabronidae) Synonym(s): quettae Nurse,1903 Range (in code): PK BI Qu TR 25
- 13949. *Astata rufipes* Mocsary,1883** (Crabronidae) Synonym(s): rufipes Mocsary,1883 Range (in code): TR 13
- 13950. *Belomicrus italicus* A.Costa,1871** (Crabronidae) Synonym(s): italicus A.Costa,1871; obscurus Kohl,1892 Range (in code): DZ TN ES PL SK AT HU YU CY IL Pa GR IT Si MT BG TR KG 30? 31 33 48 63
- 13951. *Belomicrus lucifer* Guichard,1991** (Crabronidae) Synonym(s): lucifer Guichard,1991 Range (in code): TR JO 30 66 73
- 13952. *Belomicrus meyeri* Kohl,1924** (Crabronidae) Synonym(s): meyeri Kohl,1924 Range (in code): PK BI Qu
- 13953. *Belomicrus modestus* (Kohl,1892)** (Crabronidae) Synonym(s): modestus Kohl,1892 Range (in code): TR AZ AM Cc Nv 63
- 13954. *Belomicrus odontophorus* (Kohl,1892)** (Crabronidae) Synonym(s): odontophorus Kohl,1892; caesariensis Pate,1931 Range (in code): ML MA DZ TN TR 36
- 13955. *Belomicrus ottomanus* Guichard,1991** (Crabronidae) Synonym(s): ottomanus Guichard,1991 Range (in code): TR 38 42
- 13956. *Belomicrus wouroukatte de Beaumont*,1967** (Crabronidae) Synonym(s): wouroukatte de Beaumont,1967 Range (in code): TR 40 42
- 13957. *Bembecinus acanthomerus* (Morice,1911)** (Crabronidae) Synonym(s): acanthomerus Morice,1911 Range (in code): MA DZ TR LB SY JO IR OM IL Pa ML MR TM 02 13 30 33 42 47 56 63 65 73
- 13958. *Bembecinus adeni* Schmid-Egger,2004** (Crabronidae) Synonym(s): adeni Schmid-Egger,2004 Range (in code): YE Ad



- 13959. *Bembecinus anatolicus* De Beaumont,1968** (Crabronidae) Synonym(s): anatolicus De Beaumont,1968 Range (in code): TR 02 07 27 33 42 63 65
- 13960. *Bembecinus asiaticus* (Gussakowski,1935)** (Crabronidae) Synonym(s): asiaticus Gussakowski,1935 Range (in code): AF UZ TR IR TJ KG UZ 02 13 31 33 63
- 13961. *Bembecinus asiaticus iranicus* Schmid-Egger,2004** (Crabronidae) Synonym(s): iranicus Schmid-Egger,2004 Range (in code): IR Kh Ss TJ KG UZ TR SA IQ Mos PK 02 13 33 63
- 13962. *Bembecinus asphaltites* De Beaumont,1968** (Crabronidae) Synonym(s): asphaltites De Beaumont,1968 Range (in code): IL Pa JO EG Sn
- 13963. *Bembecinus birecikensis* Schmid-Egger,2004** (Crabronidae) Synonym(s): birecikensis Schmid-Egger,2004 Range (in code): TR 47 63 73
- 13964. *Bembecinus bytinskii* De Beaumont,1954** (Crabronidae) Synonym(s): bytinskii De Beaumont,1954 Range (in code): SA IL Pa JO AE YE
- 13965. *Bembecinus cyprius* De Beaumont,1954** (Crabronidae) Synonym(s): cyprius De Beaumont,1954 Range (in code): GR CY IL Pa TR 02 15 27 31 33 48 63
- 13966. *Bembecinus decoratus* Guichard,1980** (Crabronidae) Synonym(s): decoratus Guichard,1980 Range (in code): OM AE
- 13967. *Bembecinus gracilicornis* (Handlirsch,1892)** (Crabronidae) Synonym(s): gracilicornis Handlirsch,1892 Range (in code): IR Ke Cc AZ AM TR TJ TM
- 13968. *Bembecinus guichardi* Schmid-Egger,2004** (Crabronidae) Synonym(s): guichardi Schmid-Egger,2004 Range (in code): TR IR 23 44 47 56
- 13969. *Bembecinus gusenleitneri* De Beaumont,1967** (Crabronidae) Synonym(s): gusenleitneri De Beaumont,1967 Range (in code): TR 07 33 43 51 70
- 13970. *Bembecinus gynandromorphus* (Handlirsch,1892)** (Crabronidae) Synonym(s): gynandromorphus Handlirsch,1892 Range (in code): SY TR IL Pa JO Js 42 45 47 63
- 13971. *Bembecinus hebraeus* De Beaumont,1968** (Crabronidae) Synonym(s): hebraeus De Beaumont,1968 Range (in code): IL Pa
- 13972. *Bembecinus heinrichi* Schmid-Egger,2004** (Crabronidae) Synonym(s): heinrichi Schmid-Egger,2004 Range (in code): TR LB 46 47 63
- 13973. *Bembecinus henseni* Schmid-Egger,2004** (Crabronidae) Synonym(s): henseni Schmid-Egger,2004 Range (in code): TR 47
- 13974. *Bembecinus hungaricus* (Frivaldsky,1876)** (Crabronidae) Synonym(s): hungaricus Frivaldsky,1876 Range (in code): HU B-H HV BG FR DE GR IT Sa RU At SS SK TR UA 07 34 41 55
- 13975. *Bembecinus innocens* De Beaumont,1967** (Crabronidae) Synonym(s): innocens De Beaumont,1967 Range (in code): TR 06 44 56 71
- 13976. *Bembecinus khuzestani* Schmid-Egger,2004** (Crabronidae) Synonym(s): khuzestani Schmid-Egger,2004 Range (in code): IR
- 13977. *Bembecinus meridionalis* A.Costa,1859** (Crabronidae) Synonym(s): meridionalis A.Costa,1859 Range (in code): AL HV GR Rd IL Pa IT JO HV LB SY TR 07 27 33 35 42 47 56 63
- 13978. *Bembecinus niehuisi* Schmid-Egger,2004** (Crabronidae) Synonym(s): niehuisi Schmid-Egger,2004 Range (in code): SY IL Pa
- 13979. *Bembecinus nigrolabrum* Schmid-Egger,2004** (Crabronidae) Synonym(s): nigrolabrum Schmid-Egger,2004 Range (in code): TR Cc 04 50 65
- 13980. *Bembecinus peregrinus* (Smith,1856)** (Crabronidae) Synonym(s): peregrinus Smith,1856; erberi Mocsary,1881; biarmatus Mocsary,1883 Range (in code): AL MK BG TR AM AZ Cc IL Pa JO 01 02 04 05 07 09 13 23 24 25 30 31 33 35 42 44 48 56 63 65 73 80
- 13981. *Bembecinus proximus* Handlirsch,1892** (Crabronidae) Synonym(s): proximus Handlirsch,1892 Range (in code): SA PK IN NP YE
- 13982. *Bembecinus revindicatus* Schulz,1911** (Crabronidae) Synonym(s): schmiedeknechti Handlirsch,1900 nec Handl.,1898; revindicatus Schulz,1911; houskai Balthasar,1954 Range (in code): IL Pa SY Dms JO
- 13983. *Bembecinus rhodius* De Beaumont,1960** (Crabronidae) Synonym(s): rhodius De Beaumont,1960; ceticus De Beaumont,1961 Range (in code): GR Rd Cr TR 07 15 33 42
- 13984. *Bembecinus schwarzi* De Beaumont,1967** (Crabronidae) Synonym(s): schwarzi De Beaumont,1967 Range (in code): TR IQ Mos? 33
- 13985. *Bembecinus tridens* (Fabricius,1781)** (Crabronidae) Synonym(s): tridens Fabricius,1781; cinctus Rossi,1790; repandus Panzer,1801; sinuatus Latreille,1805; satsumanus Sonan,1934; errans De Beaumont,1950 Range (in code): AT B-H BG CZ CY CH HU FR DE GR Cr HV IT PL PT RO SK ES TN MA DZ AM AZ Cc GG Tbl Eri IR IL Pa JO LB MT SY TR UA Cm MN PK IR IQ KK KG TJ TM UZ CN Pkn 02 07 27 15 30 33 36 38 41 51 63 65 73
- 13986. *Bembecinus urfanensis* Schmid-Egger,2004** (Crabronidae) Synonym(s): urfanensis Schmid-Egger,2004 Range (in code): TR 27 63
- 13987. *Bembecinus validior* Gussakowski,1952** (Crabronidae) Synonym(s): validior Gussakowski,1952; diacanthus De Beaumont,1967 Range (in code): TJ TR IL Pa EG OM TM 23 33 47 63

- 13988. *Bembix admirabilis* (Radoszkowski,1893)** (Crabronidae) Synonym(s): *admirabilis* Radoszkowski,1893 Range (in code): TM KG
- 13989. *Bembix arenaria* (Handlirsch,1893)** (Crabronidae) Synonym(s): *arenaria* Handlirsch,1893; *houskai* Balthasar,1954 Range (in code): IL Pa JO SY TN OM SA EG Sn TR 33
- 13990. *Bembix arlettae* De Beaumont,1970** (Crabronidae) Synonym(s): *arlettae* De Beaumont,1970 Range (in code): IR Kz
- 13991. *Bembix bicolor* (Radoszkowski,1877)** (Crabronidae) Synonym(s): *bicolor* Radoszkowski,1877; *femoralis* Radoszkowski,1877; *bipunctata* Radoszkowski,1877; *barbiventris* Morawitz,1889 Range (in code): UZ Sam KG KK AF CN CY IL Pa TR GR IR Kh CZ IT RU BG TJ 01 05 06 07 25 31 33 42
- 13992. *Bembix bidentata* Van der Linden,1829** (Crabronidae) Synonym(s): *bidentata* Van der Linden,1829 Range (in code): TR 03 05 06 07 08 09 10 12 13 15 18 20 24 25 26 28 29 31 32 33 34 35 36 38 42 43 44 48 55 58 60 70
- 13993. *Bembix ciliciensis* De Beaumont,1967** (Crabronidae) Synonym(s): *ciliciensis* De Beaumont,1967 Range (in code): TR 01 33 46
- 13994. *Bembix cinctella* Handlirsch,1893** (Crabronidae) Synonym(s): *cinctella* Handlirsch,1893 Range (in code): TR 06 08 22 25 33 35 38 42
- 13995. *Bembix diversipes* Morawitz,1889** (Crabronidae) Synonym(s): *diversipes* Morawitz,1889 Range (in code): TR 06 24 25 29 36 43 69
- 13996. *Bembix eburnea* Radoszkowski,1877** (Crabronidae) Synonym(s): *eburnea* Radoszkowski,1877 Range (in code): TR 42
- 13997. *Bembix gracilis* Handlirsch,1893** (Crabronidae) Synonym(s): *gracilis* Handlirsch,1893 Range (in code): TR 25
- 13998. *Bembix megerlei* Dahlbom,1845** (Crabronidae) Synonym(s): *megerlei* Dahlbom,1845 Range (in code): TR 16
- 13999. *Bembix oculata* (Panzer,1801)** (Crabronidae) Synonym(s): *oculata* Panzer,1801; *latreillii* Lepeletier,1845; *neglecta* Dahlbom,1845; *ocellata* Dahlbom,1845; *panzeri* Handlirsch,1893; *hispanica* Mercet,1904; *ebusiana* Giner Mari,1934; Range (in code): MA EG Sn PT ES FR CH IT Co Sa Si HV HU RO BG AL GR Cr CY RU TR MN 01 03 07 08 09 10 13 15 17 25 31 33 34 35 47 48 73 76 79
- 14000. *Bembix olivacea* Fabricius,1787** (Crabronidae) Synonym(s): *olivacea* Fabricius,1787; *senilis* Fabricius,1804; *notata* Dahlbom,1845; *mediterranea* Handlirsch,1893; *maroccana* Mercet,1905; *pardoi* Giner Mari,1945 Range (in code): MR MA DZ TN TD SD SO EG ET PT ES FR IT Co Sa Si GR Cr Rd CY BG Cc AZ Len AM RO HU RU Ao TR YE Ad UA Cm TM KG 01 06 07 15 20 31 33 35 36 38 45 47 55 60 61 65 72 76
- 14001. *Bembix omanensis* Guichard,1989** (Crabronidae) Synonym(s): *omanensis* Guichard,1989 Range (in code): OM
- 14002. *Bembix palaestinensis* Lohrmann,1942** (Crabronidae) Synonym(s): *palaestinensis* Lohrmann,1942 Range (in code): IL Pa EG
- 14003. *Bembix pallescens* Priesner,1958 (homonym!)** (Crabronidae) Synonym(s): *pallescens* Priesner,1958 nec Giorna,1791 Range (in code): EG Sn OM AE
- 14004. *Bembix pallida* Radoszkowski,1877** (Crabronidae) Synonym(s): *pallida* Radoszkowski,1877 Range (in code): GR BG TR 01 03 06 25 29 31 33 36 38 59
- 14005. *Bembix portchinskii* Radoszkowski,1884** (Crabronidae) Synonym(s): *portchinskii* Radoszkowski,1884 Range (in code): TR 36
- 14006. *Bembix rostrata* (Linnaeus,1758)** (Crabronidae) Synonym(s): *rostrata* Linnaeus,1758; *armata* Gmelin,1790; *vidua* Lepeletier,1845; *dissecta* Dahlbom,1845; *gallica* Mocsary,1883; *paradoxa* Giner Mari,1943 Range (in code): MA DZ PT ES SE DK DE FR AT CH PL HU BE BG TR UA Cm IT RO RU Sb At KG TJ TM UZ Tas AF CN IMn 10 25 34 35 36 38 48 57 65
- 14007. *Bembix saadensis* Guichard,1989** (Crabronidae) Synonym(s): *saadensis* Guichard,1989 Range (in code): AE
- 14008. *Bembix salina* Lohrmann,1942** (Crabronidae) Synonym(s): *salina* Lohrmann,1942 Range (in code): IL Pa
- 14009. *Bembix saudi* Guichard,1989** (Crabronidae) Synonym(s): *saudi* Guichard,1989 Range (in code): SA
- 14010. *Bembix sinuata* Latreille,1809** (Crabronidae) Synonym(s): *sinuata* Latreille,1809; *bipunctata* Dufour,1861; *julii* Fabre,1879; *occitanica* Mocsary,1883 Range (in code): TR 10 25 35 36 45 48
- 14011. *Bembix spatulata* J.Parker,1929** (Crabronidae) Synonym(s): *spatulata* J.Parker,1929 Range (in code): PK Bl Qu
- 14012. *Bembix turca* Dahlbom,1845** (Crabronidae) Synonym(s): *turca* Dahlbom,1845 *melaena* Smith,1856 Range (in code): TR RU RO BG GR 01 33
- 14013. *Bembix zarudnyi* Gussakowski,1933** (Crabronidae) Synonym(s): *zarudnyi* Gussakowski,1933 Range (in code): IR Ke Ss
- 14014. *Brachystegus incertus* (Radoszkowski,1877)** (Crabronidae) Synonym(s): *incertus* Radoszkowski,1877 Range (in code): TR 33 38 51

- 14015. *Brachystegus scalaris* (Illiger,1807)** (Crabronidae) Synonym(s): *scalaris* Illiger,1807 Range (in code): TR 18 25 38 42 58 76
- 14016. *Brachystegus trichopygus* (de Beaumont,1967)** (Crabronidae) Synonym(s): *trichopygus* de Beaumont,1967 Range (in code): TR 33
- 14017. *Cerceris aerata* Kazenas,1972** (Crabronidae) Synonym(s): *aerata* Kazenas,1972 Range (in code): TR 25
- 14018. *Cerceris albicincta* Klug,1845** (Crabronidae) Synonym(s): *albicincta* Klug,1845; *syrkuti* Dahlbom,1845 Range (in code): MA TD SD IL Pa EG SA AE
- 14019. *Cerceris albicolor* Shestakov,1918** (Crabronidae) Synonym(s): *albicolor* Shestakov,1918 Range (in code): TR 01 06 16 20 25 26 33 36
- 14020. *Cerceris alboatra* Walker,1871** (Crabronidae) Synonym(s): *alboatra* Walker,1871; *zethiformis* Giordani Soika,1942 Range (in code): EG Sn LY OM SA SD
- 14021. *Cerceris albopectoris* Empey,1973** (Crabronidae) Synonym(s): *albopectoris* Empey,1973 Range (in code): YE
- 14022. *Cerceris amakosa* Brauns,1926** (Crabronidae) Synonym(s): *amakosa* Brauns,1926; *vansoni* Arnold,1935; *celaeno* Arnold,1951 Range (in code): ZA ZR OM BW SA ET
- 14023. *Cerceris amathusia* De Beaumont,1958** (Crabronidae) Synonym(s): *amathusia* De Beaumont,1958 Range (in code): CY
- 14024. *Cerceris angustata* Morawitz,1893** (Crabronidae) Synonym(s): *angustata* Morawitz,1893 Range (in code): TR 26 33
- 14025. *Cerceris arenaria* (Linnaeus,1758)** (Crabronidae) Synonym(s): *arenaria* Linnaeus,1758 Range (in code): MA DZ TN AZ AM Cc GG TR RU... 01 05 06 08 09 10 11 16 20 22 24 25 31 33 34 35 36 37 38 42 43 44 45 46 51 54 55 57 58 59 69 76
- 14026. *Cerceris armata* De Beaumont,1959** (Crabronidae) Synonym(s): *armata* De Beaumont,1959 Range (in code): IL Pa
- 14027. *Cerceris baluchistanensis* Cameron,1907** (Crabronidae) Synonym(s): *baluchistanensis* Cameron,1907 Range (in code): PK IN
- 14028. *Cerceris bicincta* Klug,1835** (Crabronidae) Synonym(s): *bicincta* Klug,1835 Range (in code): TR 09 16 25 36 42
- 14029. *Cerceris bolanica* R.Turner,1912** (Crabronidae) Synonym(s): *bolanica* R.Turner,1912 Range (in code): PK BI Qu
- 14030. *Cerceris boysi* R.Turner,1912** (Crabronidae) Synonym(s): *boysi* R.Turner,1912 Range (in code): PK Nwf
- 14031. *Cerceris bracteata* Eversmann,1849** (Crabronidae) Synonym(s): *bracteata* Eversmann,1849 Range (in code): TR 12 25
- 14032. *Cerceris bupresticida* Dufour,1841** (Crabronidae) Synonym(s): *bupresticida* Dufour,1841 Range (in code): TR 03 05 08 10 11 16 20 25 31 33 34 35 36 42 44 46 51 55 60 76
- 14033. *Cerceris cheskesiana* Giner Mari,1945** (Crabronidae) Synonym(s): *cheskesiana* Giner Mari,1945 Range (in code): TR 30 31 33 44 56 63
- 14034. *Cerceris circularis* Schletterer,1887** (Crabronidae) Synonym(s): *circularis* Schletterer,1887 Range (in code): TR 01 07 09 31 33 36 38 76
- 14035. *Cerceris conica* Shestakov,1918** (Crabronidae) Synonym(s): *conica* Shestakov,1918 Range (in code): TR 04 25 27 36 58 65
- 14036. *Cerceris cupes* Shestakov,1918** (Crabronidae) Synonym(s): *cupes* Shestakov,1918 Range (in code): TR 25
- 14037. *Cerceris deserticola* Morawitz,1890** (Crabronidae) Synonym(s): *deserticola* Morawitz,1890 Range (in code): TR 36
- 14038. *Cerceris dispar* Dahlbom,1845** (Crabronidae) Synonym(s): *dispar* Dahlbom,1845 Range (in code): TR 01 05 06 07 16 31 33 35 42 48 60 63
- 14039. *Cerceris dorsalis* Eversmann,1849** (Crabronidae) Synonym(s): *dorsalis* Eversmann,1849 Range (in code): TR 23 33
- 14040. *Cerceris eucharis* Schletterer,1887** (Crabronidae) Synonym(s): *eucharis* Schletterer,1887 Range (in code): TR 04 31 33 42 47 56 63
- 14041. *Cerceris euryanthe* Kohl,1888** (Crabronidae) Synonym(s): *euryanthe* Kohl,1888; *palaestina* De Beaumont,1959 [ssp.] Range (in code): TR 06 23 25 27 31 33 36 40 42 47 50 51 58 59 63 73
- 14042. *Cerceris eversmanni* Shestakov,1915** (Crabronidae) Synonym(s): *eversmanni* Shestakov,1915; *caucasica* Shestakov,1915 [ssp.]; *warnckei* K.Schmidt,2000 Range (in code): TR 25 30
- 14043. *Cerceris fimbriata* (Rossi,1790)** (Crabronidae) Synonym(s): *fimbriata* Rossi,1790 Range (in code): TR 01 02 05 06 07 08 20 31 33 36 42 46
- 14044. *Cerceris flavicornis* Brullé,1833** (Crabronidae) Synonym(s): *flavicornis* Brullé,1833 Range (in code): TR 06 08 20 24 25 29 33 35 42 45 59 63 67
- 14045. *Cerceris flavilabris* (Fabricius,1793)** (Crabronidae) Synonym(s): *flavilabris* Fabricius,1793; *laminata* Eversmann,1849 [ssp.] Range (in code): TR 05 08 11 24 25 31 33 36 37 51 53 76



- 14046. *Cerceris galathea* De Beaumont,1959** (Crabronidae) **Synonym(s):** galathea De Beaumont,1959 **Range (in code):** **TR 36**
- 14047. *Cerceris gusenleitneri* K.Schmidt,2000** (Crabronidae) **Synonym(s):** gusenleitneri K.Schmidt,2000 **Range (in code):** **TR 13 25 30 69**
- 14048. *Cerceris inara* De Beaumont,1967** (Crabronidae) **Synonym(s):** inara De Beaumont,1967 **Range (in code):** **TR 02 07 26 31 33 36 50 68**
- 14049. *Cerceris interrupta* (Panzer,1799)** (Crabronidae) **Synonym(s):** interrupta Panzer,1799 **Range (in code):** **TR 34 35**
- 14050. *Cerceris lunata* A.Costa,1867** (Crabronidae) **Synonym(s):** lunata A.Costa,1867 **Range (in code):** **TR 01 05 06 10 11 16 25 31 33 42 43 55 59 63**
- 14051. *Cerceris maculicrus* De Beaumont,1967** (Crabronidae) **Synonym(s):** maculicrus De Beaumont,1967 **Range (in code):** **TR 03 20 31 45 48**
- 14052. *Cerceris media* Klug,1835** (Crabronidae) **Synonym(s):** media Klug,1835 **Range (in code):** **TR 06 25 33 46**
- 14053. *Cerceris odontophora* Schletterer,1887** (Crabronidae) **Synonym(s):** odontophora Schletterer,1887 **Range (in code):** **TR 07 08 09 30 33 35 38 42**
- 14054. *Cerceris pleurispina* De Beaumont,1959** (Crabronidae) **Synonym(s):** pleurispina De Beaumont,1959 **Range (in code):** **TR 63**
- 14055. *Cerceris quadricinctus* (Panzer,1799)** (Crabronidae) **Synonym(s):** quadricinctus Panzer,1799 **Range (in code):** **TR 01 05 06 07 08 11 12 18 24 25 31 33 34 36 42 43 45 46 48 53 57 59 60 61 76**
- 14056. *Cerceris quadrifasciatus* (Panzer,1799)** (Crabronidae) **Synonym(s):** quadrifasciatus Panzer,1799 **Range (in code):** **TR 06 10 25 33 35 42 45 60**
- 14057. *Cerceris quinquefasciatus* (Rossi,1792)** (Crabronidae) **Synonym(s):** quinquefasciatus Rossi,1792 **Range (in code):** **TR 25 36 42**
- 14058. *Cerceris rhinoceros* Kohl,1888** (Crabronidae) **Synonym(s):** rhinoceros Kohl,1888 **Range (in code):** **TR 02 33**
- 14059. *Cerceris rubida* (Jurine,1807)** (Crabronidae) **Synonym(s):** rubida Jurine,1807 **Range (in code):** **TR 05 06 07 08 09 10 11 17 18 22 24 25 26 30 34 35 36 38 42 48 58 59 60 76**
- 14060. *Cerceris ruficornis* (Fabricius,1793)** (Crabronidae) **Synonym(s):** ruficornis Fabricius,1793 **Range (in code):** **TR 08 16 24 25 34 36 43 54 55**
- 14061. *Cerceris rutila* Giner Mari,1945** (Crabronidae) **Synonym(s):** rutila Giner Mari,1945; mauromoustakisi Giner Mari,1945 [ssp.] **Range (in code):** **GR CY IL Pa TR 07 25 31 33**
- 14062. *Cerceris rybyensis* (Linnaeus,1771)** (Crabronidae) **Synonym(s):** rybyensis Linnaeus,1771; ornatus Fabricius,1790; semicinctus Panzer,1797; hortorum Panzer,1799; variabilis Schrank,1802; biguttatus Thunberg,1815; kashmirensis Nurse,1903 **Range (in code):** **GB NO SE FI DK DE BE NL FR CZ SK AT SS Sa IT MA DZ BG TR Ch 06 18 25 33 34 40 42 45**
- 14063. *Cerceris sabulosa* (Panzer,1799)** (Crabronidae) **Synonym(s):** sabulosa Panzer,1799; emarginatus Panzer,1799; minuta Lepeletier,1845; superba Shestakov,1923 **Range (in code):** **FR BE NL DE AT SS BG Cr Sa TR 01 03 05 06 07 09 10 11 12 16 20 24 25 26 31 33 34 35 36 41 42 43 44 45 46 51 57 59 60 61 63 69 76**
- 14064. *Cerceris seleukos* K.Schmidt,2000** (Crabronidae) **Synonym(s):** seleukos K.Schmidt,2000 **Range (in code):** **TR 07 21 31 33 44 65**
- 14065. *Cerceris spectabilis* Radoszkowski,1886** (Crabronidae) **Synonym(s):** spectabilis Radoszkowski,1886 **Range (in code):** **TR 63**
- 14066. *Cerceris specularis* A.Costa,1867** (Crabronidae) **Synonym(s):** specularis A.Costa,1867; fergusonii De Beaumont,1959 [ssp.] **Range (in code):** **TR 02 06 20 21 24 25 30 31 33 42 58 63**
- 14067. *Cerceris spinaea* De Beaumont,1970** (Crabronidae) **Synonym(s):** spinaea De Beaumont,1970; haladai K.Schmidt,2000 [ssp.] **Range (in code):** **TR 56 63**
- 14068. *Cerceris spinipectus* F.Smith,1856** (Crabronidae) **Synonym(s):** spinipectus F.Smith,1856; spinolica Schletterer,1887 [ssp.] **Range (in code):** **TR 01 06 16 20 31 33 34 61 63**
- 14069. *Cerceris straminea* Dufour,1853** (Crabronidae) **Synonym(s):** straminea Dufour,1853; hebraea De Beaumont,1959 [ssp.] **Range (in code):** **TR AE 31 56**
- 14070. *Cerceris stratiotes* Schletterer,1887** (Crabronidae) **Synonym(s):** stratiotes Schletterer,1887 **Range (in code):** **TR IT HU SK RO YU BG GR 06 07 24 25 33 42 63 76**
- 14071. *Cerceris stratonike* K.Schmidt,2000** (Crabronidae) **Synonym(s):** stratonike K.Schmidt,2000 **Range (in code):** **TR 21 31 47 62 63**
- 14072. *Cerceris tenuivittata* Dufour,1849** (Crabronidae) **Synonym(s):** tenuivittata Dufour,1849; rufipes F.Smith,1856; fuscipennis A.Costa,1869; melanothorax Schletterer,1887 **Range (in code):** **ES FR IT SK HU YU RO BG GR CY SY IL Pa TR 25 63**
- 14073. *Cerceris tuberculata* De Villers,1789** (Crabronidae) **Synonym(s):** tuberculata De Villers,1789; rufipes Fabricius,1787; hispanica Gmelin,1790; major Spinola,1808; dufouriana Fabre,1855; semirufa F.Smith,1856; gemmina Shestakov,1927 [ssp.] **Range (in code):** **PT ES FR IT CZ SK HU RO Co YU AL GR BG Si Cr CY IL Pa TR 01 06 16 25 30 31 34 36 45**
- 14074. *Cerceris vagans* Radoszkowski,1877** (Crabronidae) **Synonym(s):** vagans Radoszkowski,1877 **Range (in code):** **TR 01 07 31 33 36 56**

- 14075. *Crabro alpinus* Imhoff,1863** (Crabronidae) Synonym(s): *alpinus* Imhoff,1863 Range (in code): TR 29 53 61
- 14076. *Crabro cribrarius* (Linnaeus,1758)** (Crabronidae) Synonym(s): *cribrarius* Linnaeus,1758; *patellaria* Schreber,1784; *argus* Christ,1791; *longa* Christ,1791; *lunata* Christ,1791; *palmatum* Panzer,1797; *inornatus* Mocsary,1901; *hypotheticus* Kokujev,1927 Range (in code): SE NO FI DK DE GB PL NL BE ES FR CH AT IT Sa CZ SK HU YU RO BG TR 06 16 25 29 34 36 43 61
- 14077. *Crabro peltarius* (Schreber,1784)** (Crabronidae) Synonym(s): *peltarius* Schreber,1784; *patellatus* Panzer,1797; *dentipes* Panzer,1797; *mediatus* Fabricius,1798; *bilbaoensis* Leclercq,1960 Range (in code): TR 19 34 35 42 50 58 60 65
- 14078. *Crabro pugillator* A.Costa,1871** (Crabronidae) Synonym(s): *pugillator* A.Costa,1871 Range (in code): IT BG GR TR 16 25 28 34 45 53 61 69
- 14079. *Crossocerus* (Ablepharipus) *assimilis* (F.Smith,1856)** (Crabronidae) Synonym(s): *assimilis* F.Smith,1856 Range (in code): TR 06 25 28 50 61
- 14080. *Crossocerus* (Ablepharipus) *podagricus* (Vander Linden,1829)** (Crabronidae) Synonym(s): *podagricus* Vander Linden,1829 Range (in code): TR 05 07 13 25 30 42 58
- 14081. *Crossocerus* (Ablepharipus) *vagabundus* (Panzer,1798)** (Crabronidae) Synonym(s): *vagabundus* Panzer,1798 Range (in code): TR 06 08 13 16 55 61
- 14082. *Crossocerus* (Blepharipus) *annulipes* (Lepeletier & Brullé,1835)** (Crabronidae) Synonym(s): *annulipes* Lepeletier & Brullé,1835 Range (in code): TR 53
- 14083. *Crossocerus* (Blepharipus) *barbipes* (Dahlbom,1845)** (Crabronidae) Synonym(s): *barbipes* Dahlbom,1845 Range (in code): TR 61
- 14084. *Crossocerus* (Blepharipus) *cetratus* (Shuckard,1837)** (Crabronidae) Synonym(s): *cetratus* Shuckard,1837 Range (in code): TR 08 14 25 34 61
- 14085. *Crossocerus* (Blepharipus) *heydeni* Kohl,1880** (Crabronidae) Synonym(s): *heydeni* Kohl,1880 Range (in code): TR 24
- 14086. *Crossocerus* (Blepharipus) *leucostoma* (Linnaeus,1758)** (Crabronidae) Synonym(s): *leucostoma* Linnaeus,1758 Range (in code): TR 08 57 61
- 14087. *Crossocerus* (Blepharipus) *megacephalus* (Rossi,1790)** (Crabronidae) Synonym(s): *megacephalus* Rossi,1790 Range (in code): TR 25 34 61
- 14088. *Crossocerus* (Cuphopteris) *dimidiatus* (Fabricius,1781)** (Crabronidae) Synonym(s): *dimidiatus* Fabricius,1781 Range (in code): TR 25 34
- 14089. *Crossocerus* (Hoplocrabro) *quadrinaculatus* (Fabricius,1793)** (Crabronidae) Synonym(s): *quadrinaculatus* Fabricius,1793 Range (in code): TR 05 16 24 25 30 34 35 65 69
- 14090. *Crossocerus* (Oxycrabro) *acanthophorus* (Kohl,1892)** (Crabronidae) Synonym(s): *acanthophorus* Kohl,1892 Range (in code): HV BG CZ Cr IT SK TR 05 06 30 42 46 50
- 14091. *Crossocerus* (Oxycrabro) *taru* De Beaumont,1967** (Crabronidae) Synonym(s): *taru* De Beaumont,1967 Range (in code): TR 06
- 14092. *Crossocerus* (s.str.) *adhaesus* (Kohl,1915)** (Crabronidae) Synonym(s): *adhaesus* Kohl,1915 Range (in code): TR 31 33 46
- 14093. *Crossocerus* (s.str.) *bispinosus* De Beaumont,1967** (Crabronidae) Synonym(s): *bispinosus* De Beaumont,1967 Range (in code): TR 05 06 42
- 14094. *Crossocerus* (s.str.) *denticrus* Herrich-Schäffer,1841** (Crabronidae) Synonym(s): *denticrus* Herrich-Schäffer,1841 Range (in code): TR 25
- 14095. *Crossocerus* (s.str.) *elongatulus* (Vander Linden,1829)** (Crabronidae) Synonym(s): *elongatulus* Vander Linden,1829; *annulatus* Lepeletier & Brullé,1835 Range (in code): TR 01 05 06 13 14 20 25 30 31 34 42 43 48 61 64 65 73
- 14096. *Crossocerus* (s.str.) *esau* De Beaumont,1967** (Crabronidae) Synonym(s): *esau* De Beaumont,1967 Range (in code): TR 24 30 42 65 73
- 14097. *Crossocerus* (s.str.) *palmipes* (Linnaeus,1767)** (Crabronidae) Synonym(s): *palmipes* Linnaeus,1767 Range (in code): TR 25
- 14098. *Crossocerus* (s.str.) *tarsatus* (Shuckard,1837)** (Crabronidae) Synonym(s): *tarsatus* Shuckard,1837 Range (in code): TR 05 07 16 19 31 42 48 45 63
- 14099. *Crossocerus* (s.str.) *varus* Lepeletier & Brullé,1835** (Crabronidae) Synonym(s): *varus* Lepeletier & Brullé,1835 Range (in code): TR 29 53
- 14100. *Crossocerus* (s.str.) *wesmaeli* (Vander Linden,1829)** (Crabronidae) Synonym(s): *wesmaeli* Vander Linden,1829 Range (in code): TR 30
- 14101. *Didineis crassicornis* Handlirsch,1888** (Crabronidae) Synonym(s): *crassicornis* Handlirsch,1888 Range (in code): TR 25
- 14102. *Didineis latro* (De Beaumont,1967)** (Crabronidae) Synonym(s): *latro* De Beaumont,1967 Range (in code): TR 31
- 14103. *Didineis pannonica* Handlirsch,1888** (Crabronidae) Synonym(s): *pannonica* Handlirsch,1888 Range (in code): TR 25 42

- 14104. *Didineis wuestneii* Handlirsch,1888** (Crabronidae) Synonym(s): wuestneii Handlirsch,1888  
Range (in code): TR 55
- 14105. *Dinetus pictus* (Fabricius,1793)** (Crabronidae) Synonym(s): pictus Fabricius,1793 Range (in code): TR 16 24 25 34 38 42 57 69
- 14106. *Diodontus* (s.str.) *brevilabris* de Beaumont,1967** (Crabronidae) Synonym(s): brevilabris de Beaumont,1967 Range (in code): TR 05 06 30 33 42 48 50 62 63
- 14107. *Diodontus* (s.str.) *luperus* Shuckard,1837** (Crabronidae) Synonym(s): luperus Shuckard,1837  
Range (in code): TR 06 07 33 42 63
- 14108. *Diodontus* (s.str.) *medius* Dahlbom,1844** (Crabronidae) Synonym(s): medius Dahlbom,1844  
Range (in code): TR 34
- 14109. *Diodontus* (s.str.) *minutus* (Fabricius,1793)** (Crabronidae) Synonym(s): minutus Fabricius,1793  
Range (in code): TR 01 05 06 16 19 20 24 25 26 31 33 34 38 42 55 59 61 63
- 14110. *Diodontus* (s.str.) *temporalis* Kohl,1901** (Crabronidae) Synonym(s): temporalis Kohl,1901  
Range (in code): TR 42
- 14111. *Diodontus* (s.str.) *tristis* (Vander Linden,1829)** (Crabronidae) Synonym(s): tristis Vander Linden,1829 Range (in code): TR 05 06 34 42
- 14112. *Dryudella amenartais* (Pulawski,1959)** (Crabronidae) Synonym(s): amenartais Pulawski,1959  
Range (in code): TR 36
- 14113. *Dryudella freygessneri* (Carl,1920)** (Crabronidae) Synonym(s): freygessneri Carl,1920 Range (in code): TR 24 25 43
- 14114. *Dryudella tricolor* (Vander Linden,1829)** (Crabronidae) Synonym(s): tricolor Vander Linden,1829 Range (in code): TR 05 06 08 09 10 25 26 31 33 36 42 50 57
- 14115. *Ectemnius* (Cameronitus) *nigritarsus* (Herrich-Schäffer,1841)** (Crabronidae) Synonym(s): nigritarsus Herrich-Schäffer,1841 Range (in code): TR 34
- 14116. *Ectemnius* (Clytochrysus) *lapidarius* (Panzer,1804)** (Crabronidae) Synonym(s): lapidarius Panzer,1804 Range (in code): TR 25 34 53 55 61
- 14117. *Ectemnius* (Clytochrysus) *ruficornis* (Zetterstedt,1838)** (Crabronidae) Synonym(s): ruficornis Zetterstedt,1838 Range (in code): TR 14 25 36 61
- 14118. *Ectemnius* (Clytochrysus) *sexcinctus* (Fabricius,1775)** (Crabronidae) Synonym(s): sexcinctus Fabricius,1775 Range (in code): TR 04 06 08 24 25 29 34 36 42 46 53 55
- 14119. *Ectemnius* (Hypocrabro) *confinis* (Walker,1871)** (Crabronidae) Synonym(s): confinis Walker,1871 Range (in code): TR 01 06 07 10 11 16 24 25 31 34 36 48 55 57 59 76
- 14120. *Ectemnius* (Hypocrabro) *continuus* (Fabricius,1804)** (Crabronidae) Synonym(s): continuus Fabricius,1804; punctatus Lepeletier & Brullé,1835 Range (in code): TR 01 05 06 07 08 09 13 14 16 24 25 29 33 34 35 36 42 43 44 48 53 55 60 61 65 76
- 14121. *Ectemnius* (Hypocrabro) *hypsae* (De Stefani,1884)** (Crabronidae) Synonym(s): hypsae De Stefani,1884 Range (in code): TR 25
- 14122. *Ectemnius* (Hypocrabro) *meridionalis* (A.Costa,1871)** (Crabronidae) Synonym(s): meridionalis A.Costa,1871 Range (in code): TR 01 02 05 06 07 08 13 16 20 22 24 25 26 31 33 35 42 43 44 46 47 48 55 57 63 65 76
- 14123. *Ectemnius* (Hypocrabro) *persicus* (Kohl,1888)** (Crabronidae) Synonym(s): persicus Kohl,1888  
Range (in code): IR TR 30 36 58 65
- 14124. *Ectemnius* (Hypocrabro) *rubicola* (Dufour & Perris,1840)** (Crabronidae) Synonym(s): rubicola Dufour & Perris,1840 Range (in code): TR 08 13 16 25 30 34 36 69
- 14125. *Ectemnius* (Hypocrabro) *walteri* (Kohl,1889)** (Crabronidae) Synonym(s): walteri Kohl,1889  
Range (in code): TR 25 42
- 14126. *Ectemnius* (Metacrabro) *cephalotes* (Olivier,1792)** (Crabronidae) Synonym(s): cephalotes Olivier,1792 Range (in code): TR 06 08 25 29 32 36 59 66 69
- 14127. *Ectemnius* (Metacrabro) *fossorius* (Linnaeus,1758)** (Crabronidae) Synonym(s): fossorius Linnaeus,1758 Range (in code): TR 08 25 29 34
- 14128. *Ectemnius* (Metacrabro) *kriechbaumeri* (Kohl,1879)** (Crabronidae) Synonym(s): kriechbaumeri Kohl,1879 Range (in code): TR 07 25 30 33 72
- 14129. *Ectemnius* (Metacrabro) *litratus* (Panzer,1805)** (Crabronidae) Synonym(s): lituratus Panzer,1805 Range (in code): TR 16 25 55 76
- 14130. *Ectemnius* (s.str.) *borealis* (Zetterstedt,1838)** (Crabronidae) Synonym(s): borealis Zetterstedt,1838 Range (in code): TR 61
- 14131. *Ectemnius* (s.str.) *dives* (Lepeletier & Brullé,1835)** (Crabronidae) Synonym(s): dives Lepeletier & Brullé,1835 Range (in code): TR 05 08 13 14 25 34 36 55 57 60 61 65
- 14132. *Ectemnius* (s.str.) *rugifer* (Dahlbom,1845)** (Crabronidae) Synonym(s): rugifer Dahlbom,1845  
Range (in code): TR 05 06 07 11 25 38 42 63 65
- 14133. *Ectemnius* (Thyreocerus) *crassicornis* (Spinola,1838)** (Crabronidae) Synonym(s): crassicornis Spinola,1838 Range (in code): TR 01 02 04 05 06 07 08 09 10 11 16 17 20 22 23 24 25 27 30 31 33 35 36 42 43 44 46 48 50 51 58 63 65 71 72 76



- 14134. Ectemnius (Thyreocerus) massiliensis (Kohl,1883)** (Crabronidae) Synonym(s): massiliensis Kohl,1883; #massiliensis Tezcan & Yıldırım,2004 Range (in code): **FR TR 02 06 07 13 25 27 29 30 33 43 45 48 50 51 58 63 65 69 80**
- 14135. Entomognathus brevis (Vander Linden,1829)** (Crabronidae) Synonym(s): brevis Vander Linden,1829 Range (in code): **TR 05 06 07 16 25 34 37 41 42**
- 14136. Entomognathus dentifer (Noskiewicz,1929)** (Crabronidae) Synonym(s): dentifer Noskiewicz,1929 Range (in code): **TR 05 06 31**
- 14137. Entomognathus schmidtii de Beaumont,1967** (Crabronidae) Synonym(s): schmidtii de Beaumont,1967 Range (in code): **TR 11 20 33 42 51**
- 14138. Entomognathus schmiedeknechti (Kohl,1905)** (Crabronidae) Synonym(s): schmiedeknechti Kohl,1905 Range (in code): **TR 01 05 06 25 28 37 43 55 60**
- 14139. Entomosericus concinnus Dahlbom,1845** (Crabronidae) Synonym(s): concinnus Dahlbom,1845 Range (in code): **TR 04 05 06 07 11 14 23 25 32 33 42 43 45 47 48 50 58 63 65 72**
- 14140. Entomosericus hauseri Schmid-Egger,2000** (Crabronidae) Synonym(s): hauseri Schmid-Egger,2000 Range (in code): **TR 07 27 33 46 47 63 72**
- 14141. Gastrosericus funereus Gussakowski,1931** (Crabronidae) Synonym(s): funereus Gussakowski,1931 Range (in code): **TR 33 72**
- 14142. Gastrosericus waltlii Spinola,1839** (Crabronidae) Synonym(s): waltlii Spinola,1839 Range (in code): **TR 06 24 30 33 63**
- 14143. Gorytes albidulus (Lepeletier,1832)** (Crabronidae) Synonym(s): albidulus Lepeletier,1832 Range (in code): **TR 04 08 12 25 36 50 65**
- 14144. Gorytes foveolatus Handlirsch,1888** (Crabronidae) Synonym(s): foveolatus Handlirsch,1888 Range (in code): **TR 07 11 16 27 31 32 34 35 42 45 46 48 63 73**
- 14145. Gorytes hebraeus De Beaumont,1953** (Crabronidae) Synonym(s): hebraeus De Beaumont,1953 Range (in code): **TR 04 06 18 25 32 50**
- 14146. Gorytes kohlii Handlirsch,1888** (Crabronidae) Synonym(s): kohlii Handlirsch,1888 Range (in code): **TR 07 33**
- 14147. Gorytes laticinctus (Lepeletier,1832)** (Crabronidae) Synonym(s): laticinctus Lepeletier,1832 Range (in code): **TR 08 25 53**
- 14148. Gorytes nigrifacies (Mocsary,1879)** (Crabronidae) Synonym(s): nigrifacies Mocsary,1879 Range (in code): **TR 05 09 25 26 33 42 50 60**
- 14149. Gorytes pleuripunctatus (A.Costa,1859)** (Crabronidae) Synonym(s): pleuripunctatus A.Costa,1859 Range (in code): **TR 01 02 05 06 16 20 24 25 31 33 35 36 47 48 50 51 62 63 65 72 73 76**
- 14150. Gorytes procrustes Handlirsch,1888** (Crabronidae) Synonym(s): procrustes Handlirsch,1888 Range (in code): **TR 16 25**
- 14151. Gorytes quaqudrifasciatus (Fabricius,1804)** (Crabronidae) Synonym(s): quaqudrifasciatus Fabricius,1804 Range (in code): **TR 25 34**
- 14152. Gorytes quinquecinctus (Fabricius,1793)** (Crabronidae) Synonym(s): quinquecinctus Fabricius,1793 Range (in code): **TR 02 04 07 08 24 25 26 30 31 34 35 36 37 49 50 57 59 63 65 69 72 76**
- 14153. Gorytes quinquefasciatus (Panzer,1798)** (Crabronidae) Synonym(s): quinquefasciatus Panzer,1798 Range (in code): **TR 06 08 16 25 28 33 37 42 48 60 72**
- 14154. Gorytes schlettereri Handlirsch,1893** (Crabronidae) Synonym(s): schlettereri Handlirsch,1893 Range (in code): **TR 08 14 61 75**
- 14155. Gorytes schmidtii Schmid-Egger,2002** (Crabronidae) Synonym(s): schmidtii Schmid-Egger,2002 Range (in code): **TR 02 30 56**
- 14156. Gorytes schmiedeknechti Handlirsch,1888** (Crabronidae) Synonym(s): schmiedeknechti Handlirsch,1888 Range (in code): **TR 02 05 07 08 16 25 31 33 42 48 51 55 63**
- 14157. Gorytes sulcifrons (A.Costa,1867)** (Crabronidae) Synonym(s): sulcifrons A.Costa,1867 Range (in code): **TR 04 13 25 30 42 50 51 65**
- 14158. Harpactus adventicus (De Beaumont,1967)** (Crabronidae) Synonym(s): adventicus De Beaumont,1967 Range (in code): **TR 51**
- 14159. Harpactus affinis (Spinola,1808)** (Crabronidae) Synonym(s): affinis Spinola,1808 Range (in code): **TR 05 16 24 25 33 34 40**
- 14160. Harpactus coccineus (Balthasar,1954)** (Crabronidae) Synonym(s): coccineus Balthasar,1954 Range (in code): **TR 07 31**
- 14161. Harpactus dimorphus (Pulawski,1979)** (Crabronidae) Synonym(s): dimorphus Pulawski,1979 Range (in code): **TR 63**
- 14162. Harpactus elegans Lepeletier,1832** (Crabronidae) Synonym(s): elegans Lepeletier,1832 Range (in code): **TR 06 08 24 25 32 33 36 42 53 57 63**
- 14163. Harpactus immaculatus (Pulawski,1979)** (Crabronidae) Synonym(s): immaculatus Pulawski,1979 Range (in code): **TR 33**
- 14164. Harpactus morawitzi Radoszkowski,1884** (Crabronidae) Synonym(s): morawitzi Radoszkowski,1884; moravicus Snoflak,1943 Range (in code): **TR 01 05 26 33 38 42 59 61**

- 14165. Harpactus obscurus (De Beaumont,1969)** (Crabronidae) Synonym(s): obscurus De Beaumont,1969 Range (in code): TR 38 42
- 14166. Harpactus osdroene (De Beaumont,1969)** (Crabronidae) Synonym(s): osdroene De Beaumont,1969 Range (in code): TR 63
- 14167. Harpactus tauricus Radoszkowski,1884** (Crabronidae) Synonym(s): tauricus Radoszkowski,1884 Range (in code): RU UA KG TM TJ Cm IT GR HV CZ HU RO IR TR 60
- 14168. Harpactus transiens A.Costa,1887** (Crabronidae) Synonym(s): transiens A.Costa,1887 Range (in code): TR 06 24 33
- 14169. Holotachysphex mochii (de Beaumont,1947)** (Crabronidae) Synonym(s): mochii de Beaumont,1947 Range (in code): TR 33
- 14170. Hoplisoides craverii (A.Costa,1867)** (Crabronidae) Synonym(s): craverii A.Costa,1867 Range (in code): TR 05 06 25 33
- 14171. Hoplisoides latifrons (Spinola,1808)** (Crabronidae) Synonym(s): latifrons Spinola,1808 Range (in code): TR 06 24 36
- 14172. Hoplisoides punctuosus (Eversmann,1849)** (Crabronidae) Synonym(s): punctuosus Eversmann,1849 Range (in code): TR 05 24 25 28 33 43 55 63
- 14173. Larra (s.str.) anathema (Rossi,1790)** (Crabronidae) Synonym(s): anathema Rossi,1790; ichneumoniformis Fabricius,1793; teutonius Fabricius,1804; grandis Chevrier,1872; melanaria Kohl,1880 Range (in code): TR 01 05 06 07 08 09 10 11 15 16 24 25 31 32 33 34 35 36 40 42 44 45 46 51 52 53 55 61 77
- 14174. Lestica (Ptyx) eurypus (Kohl,1898)** (Crabronidae) Synonym(s): eurypus Kohl,1898 Range (in code): TR AM Cc 58
- 14175. Lestica (s.str.) alata (Panzer,1797)** (Crabronidae) Synonym(s): clypeata Schreber,1759; subterranea Fabricius,1775; alata Panzer,1797; camelus Eversmann,1849; pluschtschevskyi F.Morawitz,1891; eurypus Kohl,1898 Range (in code): TR 16
- 14176. Lestica (s.str.) compacta (Kohl,1915)** (Crabronidae) Synonym(s): compacta Kohl,1915 Range (in code): IR
- 14177. Lestica (s.str.) pluschtschevskyi (Morawitz,1891)** (Crabronidae) Synonym(s): pluschtschevskyi Morawitz,1891 Range (in code): TR KG ES 25
- 14178. Lestica (s.str.) subterranea (Fabricius,1775)** (Crabronidae) Synonym(s): subterranea Fabricius,1775 Range (in code): TR 07 15 25 28 29 36 38 42 58 69
- 14179. Lestica (Solenius) camelus (Eversmann,1849)** (Crabronidae) Synonym(s): camelus Eversmann,1849; sapporensis Matsumura,1912 Range (in code): RU Ur Sb Us Sh KP KR TR JP Hkk CN Mc KG MN At 06
- 14180. Lestica (Solenius) clypeata (Schreber,1759)** (Crabronidae) Synonym(s): clypeata Schreber,1759; ovatus Christ,1791; vexillatus Panzer,1797; lapidarius Fabricius,1804; nigridens Herrich-Schäffer,1841; quadrifer Dufour,1841; Range (in code): TR 01 05 06 07 08 09 10 11 14 16 17 23 24 25 28 31 33 34 36 37 42 43 44 46 55 59 63 65 76
- 14181. Lestiphorus bicinctus (Rossi,1794)** (Crabronidae) Synonym(s): bicinctus Rossi,1794 Range (in code): TR 25
- 14182. Lindenius albilabris (Fabricius,1793)** (Crabronidae) Synonym(s): albilabris Fabricius,1793 Range (in code): TR 01 05 08 36 37 42 61 75
- 14183. Lindenius anatolicus Beaumont,1967** (Crabronidae) Synonym(s): anatolicus Beaumont,1967 Range (in code): BG TR IR JO 01 02 05 15 31 38 63 66 72
- 14184. Lindenius aptus Marshakov,1973** (Crabronidae) Synonym(s): aptus Marshakov,1973 Range (in code): TR 25
- 14185. Lindenius crenulifer (Kohl,1905)** (Crabronidae) Synonym(s): crenulifer Kohl,1905 Range (in code): TR JO KK 27 46
- 14186. Lindenius fastidious De Beaumont,1967** (Crabronidae) Synonym(s): fastidious De Beaumont,1967 Range (in code): TR 42
- 14187. Lindenius helleri (Kohl,1915)** (Crabronidae) Synonym(s): helleri Kohl,1915 Range (in code): TR 25
- 14188. Lindenius ibex Kohl,1883** (Crabronidae) Synonym(s): ibex Kohl,1883; syriacus Kohl,1905 Range (in code): BG SK SY TR 02 04 06 07 11 25 33 42 43 44 58 63 65 73
- 14189. Lindenius iranien Leclercq,1975** (Crabronidae) Synonym(s): iranien Leclercq,1975 Range (in code): IR SY JO TR 04 07 24 26 42 46 47 50 63
- 14190. Lindenius laevis A.Costa,1871** (Crabronidae) Synonym(s): laevis A.Costa,1871 Range (in code): TR B-H BG HV HU IT MD UA AT CZ SK 11 34 39 55 65
- 14191. Lindenius latitarsis Marshakov,1973** (Crabronidae) Synonym(s): latitarsis Marshakov,1973 Range (in code): TR 04 25 65
- 14192. Lindenius mesopleuralis (F.Morawitz,1890)** (Crabronidae) Synonym(s): mesopleuralis F.Morawitz,1890 Range (in code): CN KG RO SK TM TR 65
- 14193. Lindenius nitidus de Beaumont,1967** (Crabronidae) Synonym(s): nitidus de Beaumont,1967 Range (in code): TR 38 42

- 14194. *Lindenius panzeri* (Vander Linden,1829)** (Crabronidae) Synonym(s): panzeri Vander Linden,1829 Range (in code): BG TR TM Kp KK KG TJ RU RO IN Ch 04 06 09 31 32 34 65
- 14195. *Lindenius parkanensis* (Zavadil,1948)** (Crabronidae) Synonym(s): parkanensis Zavadil,1948 Range (in code): TR BG RO 26
- 14196. *Lindenius pygmaeus* (Rossi,1794)** (Crabronidae) Synonym(s): pygmaeus Rossi,1794; armatus Vander Linden,1829 Range (in code): TR FR MA KK ES SY TN 04 05 06 10 13 24 30 33 34 42 44 46 50 51 55 58 63 65 72
- 14197. *Lindenius sardashti* Leclercq,1975** (Crabronidae) Synonym(s): sardashti Leclercq,1975 Range (in code): TR 44 73
- 14198. *Lindenius satschouanus* (Kohl,1915)** (Crabronidae) Synonym(s): satschouanus Kohl,1915 Range (in code): TR 36
- 14199. *Lindenius subaeneus* Lepeletier & Brullé,1835** (Crabronidae) Synonym(s): subaeneus Lepeletier & Brullé,1835 Range (in code): TR KG FR 04 07 25 26 36 42 50 58 65
- 14200. *Liris (Leptolarra) festinans* (F.Smith,1858)** (Crabronidae) Synonym(s): festinans F.Smith,1858; praetermissus Richards,1928 Range (in code): TR 09 48
- 14201. *Liris (Leptolarra) micans* (Spinola,1806)** (Crabronidae) Synonym(s): micans Spinola,1806 Range (in code): TR 06
- 14202. *Liris (Leptolarra) niger* (Fabricius,1775)** (Crabronidae) Synonym(s): niger Fabricius,1775 Range (in code): TR 01 06 07 08 09 15 16 19 20 24 25 31 33 34 36 42 44 45 60 63
- 14203. *Liris (Leptolarra) nigricans* (Walker,1871)** (Crabronidae) Synonym(s): nigricans Walker,1871 Range (in code): TR 07 36
- 14204. *Liris inopinatus* Beaumont,1961** (Crabronidae) Synonym(s): inopinatus Beaumont,1961 Range (in code): CY GR IL Pa TR 60
- 14205. *Lithium haladai* Schmid-Egger,2007** (Crabronidae) Synonym(s): haladai Schmid-Egger,2007 Range (in code): TR 44 46
- 14206. *Lithium jacobsi* Schmid-Egger,2007** (Crabronidae) Synonym(s): jacobsi Schmid-Egger,2007 Range (in code): TR 07 27 46
- 14207. *Mellinus arvensis* (Linnaeus,1758)** (Crabronidae) Synonym(s): arvensis Linnaeus,1758 Range (in code): IE GB TR 16 25
- 14208. *Mellinus crabroneus* (Thunberg,1791)** (Crabronidae) Synonym(s): crabroneus Thunberg,1791 Range (in code): TR 16 34
- 14209. *Mimesa aegyptiaca* Radoszkowski,1876** (Crabronidae) Synonym(s): aegyptiaca Radoszkowski,1876 Range (in code): EG YE Sna
- 14210. *Mimesa caucasica* Maidl,1914** (Crabronidae) Synonym(s): caucasica Maidl,1914 Range (in code): AZ Cc Kir HU UA KG CZ TJ CN MN
- 14211. *Mimesa crassipes* (A.Costa,1871)** (Crabronidae) Synonym(s): crochroptera A.Costa,1869; assipes A.Costa,1871; carbonaria A.Costa,1871; costae André,1888; helvetica Tournier,1889; lixivia Tournier,1889; pannonica Maidl,1914 Range (in code): ES CH AT IT Sa DE PT HV HU BG TR CN Ui Au RU KG KK 03 05 06 24 25 26 32 42 44
- 14212. *Mimesa equestris* (Fabricius,1804)** (Crabronidae) Synonym(s): equestris Fabricius,1804 Range (in code): TR 25 36
- 14213. *Mimesa grandii* Maidl,1933** (Crabronidae) Synonym(s): grandii Maidl,1933 Range (in code): TR 25 33 42 50
- 14214. *Mimesa jacobsoni* (Gussakowski,1937)** (Crabronidae) Synonym(s): jacobsoni Gussakowski,1937; transiliensis Budrys,1985 [ssp.] Range (in code): TR TJ Pm KG Aa T-S TrA 25
- 14215. *Mimesa kasparyani* Budrys,1985** (Crabronidae) Synonym(s): kasparyani Budrys,1985 Range (in code): TM
- 14216. *Mimesa leleji* Budrys,1985** (Crabronidae) Synonym(s): leleji Budrys,1985 Range (in code): TM
- 14217. *Mimesa lutaria* (Fabricius,1787)** (Crabronidae) Synonym(s): lutaria Fabricius,1787 Range (in code): TR 13
- 14218. *Mimesa nasuta* Budrys,1985** (Crabronidae) Synonym(s): nasuta Budrys,1985 Range (in code): TR TM KK KG 24 42
- 14219. *Mimesa nigrita* Eversmann,1849** (Crabronidae) Synonym(s): nigrita Eversmann,1849; brevis Maidl,1914 Range (in code): TR RU Sb 16 27 46
- 14220. *Mimesa vindobonensis* Maidl,1914** (Crabronidae) Synonym(s): vindobonensis Maidl,1914; bidentatus Gussakowski,1937 Range (in code): TR KG CN IMn RU Sb 25 36
- 14221. *Mimumesa atratina* (F.Morawitz,1891)** (Crabronidae) Synonym(s): atratina F.Morawitz,1891 Range (in code): TR 25 61
- 14222. *Mimumesa dahlbomi* (Wesmael,1852)** (Crabronidae) Synonym(s): dahlbomi Wesmael,1852 Range (in code): TR 61
- 14223. *Mimumesa unicolor* (Vander Linden,1829)** (Crabronidae) Synonym(s): unicolor Vander Linden,1829 Range (in code): TR 05 09 20 25 31 36 42 45 46 48 53 61 76



- 14224. *Miscophus albufeirae* de Andrade,1952** (Crabronidae) Synonym(s): albufeirae de Andrade,1952; anatolicus de Beaumont,1967; #albufeire Ljubomirov & Yildirim,2008 Range (in code): TR PT ES 33
- 14225. *Miscophus bicolor* Jurine,1807** (Crabronidae) Synonym(s): bicolor Jurine,1807 Range (in code): TR 20 31 42
- 14226. *Miscophus caninus* de Andrade,1953** (Crabronidae) Synonym(s): caninus de Andrade,1953 Range (in code): TR 25 33 42 43 63
- 14227. *Miscophus helveticus* Kohl,1883** (Crabronidae) Synonym(s): helveticus Kohl,1883 Range (in code): TR 06
- 14228. *Miscophus insolitus* de Andrade,1953** (Crabronidae) Synonym(s): insolitus de Andrade,1953 Range (in code): TR 08
- 14229. *Miscophus luctuosus* de Andrade,1960** (Crabronidae) Synonym(s): luctuosus de Andrade,1960 Range (in code): TR 07
- 14230. *Miscophus lusitanicus* de Andrade,1952** (Crabronidae) Synonym(s): lusitanicus de Andrade,1952 Range (in code): TR ES 06 31 33 42
- 14231. *Miscophus mavromoustakisi* de Andrade,1953** (Crabronidae) Synonym(s): mavromoustakisi de Andrade,1953; cappadocicus de Beaumont,1967 Range (in code): TR CY IT Si 05 38
- 14232. *Miscophus merceti* de Andrade,1952** (Crabronidae) Synonym(s): merceti de Andrade,1952; orientalis de Beaumont,1967 Range (in code): TR ES PT 42 43
- 14233. *Miscophus minutus* de Andrade,1953** (Crabronidae) Synonym(s): minutus de Andrade,1953 Range (in code): TR 31
- 14234. *Miscophus pretiosus* Kohl,1884** (Crabronidae) Synonym(s): pretiosus Kohl,1884 Range (in code): TR 06 33
- 14235. *Miscophus venustus* de Beaumont,1969** (Crabronidae) Synonym(s): venustus de Beaumont,1969 Range (in code): TR 63
- 14236. *Nippononyssus inexpectatus* de Beaumont,1967** (Crabronidae) Synonym(s): inexpectatus de Beaumont,1967 Range (in code): TR 05
- 14237. *Nitela fallax* Kohl,1884** (Crabronidae) Synonym(s): fallax Kohl,1884 Range (in code): TR 59
- 14238. *Nitela spinolae* Latreille,1809** (Crabronidae) Synonym(s): spinolae Latreille,1809 Range (in code): TR 37
- 14239. *Nitela truncata* Gayubo & Felton,2000** (Crabronidae) Synonym(s): truncata Gayubo & Felton,2000 Range (in code): FR DE GR IT PT ES TR 60
- 14240. *Nysson fulvipes* A.Costa,1859** (Crabronidae) Synonym(s): fulvipes A.Costa,1859 Range (in code): GR TR 05 08 24 25 42 63
- 14241. *Nysson gerstaeckeri* Handlirsch,1887** (Crabronidae) Synonym(s): gerstaeckeri Handlirsch,1887 Range (in code): TR 06 25 63
- 14242. *Nysson guichardi* de Beaumont,1967** (Crabronidae) Synonym(s): guichardi de Beaumont,1967 Range (in code): TR 06
- 14243. *Nysson inornatus* de Beaumont,1967** (Crabronidae) Synonym(s): inornatus de Beaumont,1967 Range (in code): TR 31
- 14244. *Nysson interruptus* (Fabricius,1798)** (Crabronidae) Synonym(s): interruptus Fabricius,1798 Range (in code): TR 05 09 16 24 25 57 69
- 14245. *Nysson maculosus* (Gmelin,1790)** (Crabronidae) Synonym(s): maculosus Gmelin,1790 Range (in code): TR 05 06 25
- 14246. *Nysson pratensis* Mercet,1909** (Crabronidae) Synonym(s): pratensis Mercet,1909 Range (in code): TR 25
- 14247. *Nysson spinosus* (J.Förster,1771)** (Crabronidae) Synonym(s): spinosus J.Förster,1771 Range (in code): TR 16 25 34 41 61
- 14248. *Nysson tridens* Gerstaecker,1867** (Crabronidae) Synonym(s): tridens Gerstaecker,1867 Range (in code): TR 25
- 14249. *Nysson trimaculatus* (Rossi,1790)** (Crabronidae) Synonym(s): trimaculatus Rossi,1790 Range (in code): TR 16
- 14250. *Nysson variabilis* Chevrier,1867** (Crabronidae) Synonym(s): variabilis Chevrier,1867 Range (in code): TR 24 25
- 14251. *Odontocrabro orthodoxus* Hensen,1989** (Crabronidae) Synonym(s): orthodoxus Hensen,1989 Range (in code): TR 47 63
- 14252. *Oryttus concinnus* (Rossi,1790)** (Crabronidae) Synonym(s): concinnus Rossi,1790; paradisiacus De Beaumont,1967 Range (in code): IT UA Cm TR 35 76
- 14253. *Oryttus infernalis* (Handlirsch,1888)** (Crabronidae) Synonym(s): infernalis Handlirsch,1888 Range (in code): TR 07 16 18 20 33 59
- 14254. *Oxybelus aurantiacus* Mocsary,1883** (Crabronidae) Synonym(s): aurantiacus Mocsary,1883; rufitarsis F.Morawitz,1894 Range (in code): TR YE SA KG BG GR Rd HU JO KK MN MA DZ IT RU YU SK ES SY TJ TM PK 06 09

- 14255. Oxybelus bipunctatus Olivier,1812** (Crabronidae) Synonym(s): bipunctatus Olivier,1812 Range (in code): TR 06 21 24 25 33 43 55 60 66
- 14256. Oxybelus dissectus Dahlbom,1845** (Crabronidae) Synonym(s): dissectus Dahlbom,1845; monachus Gerstaecker,1867; elegans Mocsary,1879 Range (in code): ES TN TR 01 06 09 25 33 35 36 42 55 60
- 14257. Oxybelus haemorrhoidalis Olivier,1812** (Crabronidae) Synonym(s): haemorrhoidalis Olivier,1812 Range (in code): TR 01 06 07 25 31 33 36 42 61
- 14258. Oxybelus lamellatus Olivier,1812** (Crabronidae) Synonym(s): lamellatus Olivier,1812 Range (in code): TR 01 07 09 20 33 34
- 14259. Oxybelus latifrons Kohl,1892** (Crabronidae) Synonym(s): latifrons Kohl,1892 Range (in code): TR 38
- 14260. Oxybelus latro Olivier,1812** (Crabronidae) Synonym(s): latro Olivier,1812 Range (in code): TR 04 06 08 13 24 25 33 35 36 37 38 42 43 45 60 69 76
- 14261. Oxybelus lineatus (Fabricius,1787)** (Crabronidae) Synonym(s): lineatus Fabricius,1787 Range (in code): TR 06 08 13 25 36 49 69 71
- 14262. Oxybelus maculipes F.Smith,1856** (Crabronidae) Synonym(s): maculipes F.Smith,1856 Range (in code): BG TR 05 06 33 42 60
- 14263. Oxybelus mandibularis Dahlbom,1845** (Crabronidae) Synonym(s): mandibularis Dahlbom,1845 Range (in code): TR 25 36
- 14264. Oxybelus mucronatus (Fabricius,1793)** (Crabronidae) Synonym(s): mucronatus Fabricius,1793; pugnax Olivier,1812; bellus Dahlbom,1844; ambiguus Gerstaecker,1867; scutellaris A.Costa,1871; meridionalis Mocsary,1879; nigriventris Tournier,1901; maculiventris Tournier,1901; immaculatus Guiglia,1944; bistillatus Balthasar,1972 Range (in code): DZ LY Cr CY PT ES FR DE CH AT CZ SK PL IT Co Si HU YU GR BG TR 04 06 07 10 13 16 24 25 28 29 33 34 36 37 42 43 60 61 76
- 14265. Oxybelus quatuordecimnotatus Jurine,1807** (Crabronidae) Synonym(s): quatuordecimnotatus Jurine,1807; crassipes Walchenaer,1817; punctatus Walchenaer,1817; parisinus Kittel,1828; quattuordecimguttatus Shuckard,1837; furcatus Lepeletier,1845; raptor Lepeletier,1845; timidus Chevrier,1868; quadrinotatus A.Costa,1883; venustus Sickmann,1894; maritimus Marquet,1896 Range (in code): PT ES FR BE NL DE CH AT CZ SK HU RO EE LT LV Co Sa Si IT YU AL GR Cr CY BG TR 01 03 04 05 06 09 10 16 20 24 25 26 31 33 34 35 36 38 42 43 44 51 55 57 58 60 69
- 14266. Oxybelus subspinosus Klug,1835** (Crabronidae) Synonym(s): subspinosus Klug,1835; fissus Lepeletier,1845 Range (in code): PT ES FR IT Sa Si HU RO BG GR TR 01 04 05 06 07 12 16 20 25 26 31 33 38 40 42 43 55 59 60 63
- 14267. Oxybelus trispinosus (Fabricius,1787)** (Crabronidae) Synonym(s): trispinosus Fabricius,1787 Range (in code): TR 37 53
- 14268. Oxybelus uniglumis (Linnaeus,1758)** (Crabronidae) Synonym(s): uniglumis Linnaeus,1758; punctata Fabricius,1793; tridens Fabriciu,1798; pygmaeus Olivier,1812; quadrinotatus Say,1824; fallax Gerstaecker,1867; hispanicus Giner Mari,1943 Range (in code): NO SE FI GB PT ES FR BE NL DE DK PL CZ SK HU CH AT RO YU IT TR 06 25 38 42 43 63 69
- 14269. Oxybelus variegatus Wesmael,1852** (Crabronidae) Synonym(s): variegatus Wesmael,1852; pulchellus Gerstaecker,1867 Range (in code): PT ES FR DE PL CZ SK CH AT IT HU RO YU IT Co Sa Si BG GR TR UA Cm HV IR KG KK MD TM UZ 06 08 16 25 28 34 36 37 38 43 51 76
- 14270. Palarus beaumonti Bytinski-Salz,1957** (Crabronidae) Synonym(s): beaumonti Bytinski-Salz,1957 Range (in code): TR 01 05 06 08 21 33 44 60
- 14271. Palarus funerarius F.Morawitz,1889** (Crabronidae) Synonym(s): funerarius F.Morawitz,1889 Range (in code): TR 21
- 14272. Palarus variegatus (Fabricius,1781)** (Crabronidae) Synonym(s): variegatus Fabricius,1781 Range (in code): TR 09 16 25 36 38 60 69
- 14273. Parapiagetia genicularis (F.Morawitz,1890)** (Crabronidae) Synonym(s): genicularis F.Morawitz,1890 Range (in code): TR 76
- 14274. Passaloecus corniger Shuckard,1837** (Crabronidae) Synonym(s): corniger Shuckard,1837 Range (in code): TR 05 06 16
- 14275. Passaloecus eremita Kohl,1893** (Crabronidae) Synonym(s): eremita Kohl,1893 Range (in code): TR 06
- 14276. Passaloecus gracilis (Curtis,1834)** (Crabronidae) Synonym(s): gracilis Curtis,1834 Range (in code): TR 02 06 25
- 14277. Passaloecus insignis (Vander Linden,1829)** (Crabronidae) Synonym(s): insignis Vander Linden,1829 Range (in code): TR 61
- 14278. Passaloecus pictus Ribaut,1952** (Crabronidae) Synonym(s): pictus Ribaut,1952 Range (in code): TR 05 06 07 14 31 33 63
- 14279. Passaloecus ribauti Merisuo,1974** (Crabronidae) Synonym(s): ribauti Merisuo,1974 Range (in code): TR 27 33 63
- 14280. Passaloecus singularis Dahlbom,1844** (Crabronidae) Synonym(s): singularis Dahlbom,1844 Range (in code): TR 06 20 65

- 14281. Passaloecus turionum Dahlbom,1844** (Crabronidae) Synonym(s): turionum Dahlbom,1844 Range (in code): TR 05 06 59 61
- 14282. Passaloecus vandeli Ribaut,1952** (Crabronidae) Synonym(s): vandeli Ribaut,1952 Range (in code): TR 02
- 14283. Pemphredon austriaca Kohl,1888** (Crabronidae) Synonym(s): austriaca Kohl,1888 Range (in code): TR 04 06 07 13 16 30 31 35 48 55 59
- 14284. Pemphredon inornata Say,1824** (Crabronidae) Synonym(s): inornata Say,1824 Range (in code): TR 06 14 16 25 30 53 55 60
- 14285. Pemphredon lethifer (Shuckard,1837)** (Crabronidae) Synonym(s): lethifer Shuckard,1837 Range (in code): TR 01 02 04 05 06 07 09 10 11 13 16 19 24 25 28 29 30 31 33 34 36 37 42 45 46 48 50 51 55 57 58 60 61 62 63 65 69 76
- 14286. Pemphredon lugens Dahlbom,1842** (Crabronidae) Synonym(s): lugens Dahlbom,1842 Range (in code): TR 06 16
- 14287. Pemphredon lugubris (Fabricius,1793)** (Crabronidae) Synonym(s): lugubris Fabricius,1793 Range (in code): TR 05 06 13 25 30 34 36 50 61
- 14288. Pemphredon morio Vander Linden,1829** (Crabronidae) Synonym(s): morio Vander Linden,1829 Range (in code): TR 30 65
- 14289. Pemphredon mortifer Valkeila,1972** (Crabronidae) Synonym(s): mortifer Valkeila,1972 Range (in code): TR 31
- 14290. Pemphredon rugifer (Dahlbom,1844)** (Crabronidae) Synonym(s): rugifer Dahlbom,1844 Range (in code): TR 05 06 07 13 16 26 29 30 31 33 34 35 36 42 44 51 55 60 76
- 14291. Philanthinus quattuordecimpunctatus (F.Morawitz,1888)** (Crabronidae) Synonym(s): quattuordecimpunctatus F.Morawitz,1888 Range (in code): TR 06 25 26
- 14292. Philanthus coarctatus Spinola,1839** (Crabronidae) Synonym(s): coarctatus Spinola,1839 Range (in code): TR 31
- 14293. Philanthus coronatus (Thunberg,1784)** (Crabronidae) Synonym(s): coronatus Thunberg,1784; orientalis Bytinski-Salz,1959 [ssp.] Range (in code): TR 25 29 38 43 51 58 63
- 14294. Philanthus decemmaculatus Eversmann,1849** (Crabronidae) Synonym(s): decemmaculatus Eversmann,1849 Range (in code): TR 03
- 14295. Philanthus dufouri Lucas,1849** (Crabronidae) Synonym(s): dufouri Lucas,1849 Range (in code): TR 26 36
- 14296. Philanthus elegantissimus Dalla Torre,1897** (Crabronidae) Synonym(s): elegans F.Smith,1873 nec F.Sm.,1856; elegantissimus Dalla Torre,1897; marikovskii Kazenas,1978 Range (in code): KG PK
- 14297. Philanthus kohlii F.Morawitz,1890** (Crabronidae) Synonym(s): kohlii F.Morawitz,1890 Range (in code): TR 24 44 46
- 14298. Philanthus kokandicus Radoszkowski,1877** (Crabronidae) Synonym(s): kokandicus Radoszkowski,1877 Range (in code): TR 13 25 36
- 14299. Philanthus reinigi Bischoff,1930** (Crabronidae) Synonym(s): reinigi Bischoff,1930 Range (in code): TR 25 36
- 14300. Philanthus triangulum (Fabricius,1775)** (Crabronidae) Synonym(s): ruspatrix Linnaeus,1767; triangulum Fabricius,1775; abdelcader Lepeletier,1845 Range (in code): PT ES FR BE NL GB DE PL SE FI CZ SK CH AT HU RO IT Sa YU AL GR BG CY TR 01 03 05 06 07 08 09 10 12 13 16 24 25 29 33 34 35 36 38 42 43 44 45 51 53 55 57 58 60 61 63 65 76
- 14301. Philanthus variegatus Spinola,1839** (Crabronidae) Synonym(s): variegatus Spinola,1839 Range (in code): TR 25 36
- 14302. Philanthus venustus (Rossi,1790)** (Crabronidae) Synonym(s): venustus Rossi,1790 Range (in code): TR 01 05 06 07 08 16 33 36 38 42 43 45 55 57 60 61
- 14303. Pison fasciatum (Radoszkowski,1876)** (Crabronidae) Synonym(s): fasciatum Radoszkowski,1876 Range (in code): TR 20 33
- 14304. Pison sericeum Kohl,1888** (Crabronidae) Synonym(s): sericeum Kohl,1888 Range (in code): TR 05 06 16 20 22 33
- 14305. Prosopigastra bulgarica Pulawski,1958** (Crabronidae) Synonym(s): bulgarica Pulawski,1958 Range (in code): TR 06 30 71
- 14306. Prosopigastra fumipennis Gussakowski,1952** (Crabronidae) Synonym(s): fumipennis Gussakowski,1952 Range (in code): TR 05 20 21 33 42
- 14307. Prosopigastra handlirschi Morice,1897** (Crabronidae) Synonym(s): handlirschi Morice,1897 Range (in code): TR 33 46
- 14308. Prosopigastra orientalis de Beaumont,1947** (Crabronidae) Synonym(s): orientalis de Beaumont,1947 Range (in code): TR 05 06 24 25 33 42 55 59 71
- 14309. Prosopigastra zalinda de Beaumont,1955** (Crabronidae) Synonym(s): zalinda de Beaumont,1955 Range (in code): TR 05 20 42 46
- 14310. Protostigmus sp.** (Crabronidae) Synonym(s): Range (in code): TR 46



- 14311. Psammaecius punctulatus (Vander Linden,1829)** (Crabronidae) Synonym(s): punctulatus Vander Linden,1829 Range (in code): TR 06 08 10 18 20 24 25 33 35 36 42 43 49
- 14312. Psen ater (Olivier,1792)** (Crabronidae) Synonym(s): ater Olivier,1792 Range (in code): TR 09 10 35 45 48 61
- 14313. Psenulus concolor (Dahlbom,1843)** (Crabronidae) Synonym(s): concolor Dahlbom,1843; intermedius Schenck,1857; ambiguus Schenck,1857 Range (in code): TR 05 19 38 42
- 14314. Psenulus fulvicornis (Schenck,1857)** (Crabronidae) Synonym(s): fulvicornis Schenck,1857 Range (in code): TR DZ BG FR DE GR IT HV ES SY Hms 01 09 43 63
- 14315. Psenulus fuscipennis (Dahlbom,1843)** (Crabronidae) Synonym(s): fuscipennis Dahlbom,1843; nylanderi Dahlbom,1845; dufouri Dahlbom,1845; nigratus Brischke,1862; procerus A.Costa,1867; japonicus Tsuneki,1959 [ssp.] Range (in code): SE DE UA AT CH IT HU FR ES YU RU Us PT CZ RO FI BY BE PL BG EE SK Cc GG KG LT TR JP Hkk 05 06 08 18 41
- 14316. Psenulus laevigatus (Schenck,1857)** (Crabronidae) Synonym(s): laevigatus Schenck,1857 Range (in code): TR 25
- 14317. Psenulus meridionalis De Beaumont,1937** (Crabronidae) Synonym(s): meridionalis De Beaumont,1937 Range (in code): TR 13 16 25 29 31 36 59 63 65
- 14318. Psenulus pallipes (Panzer,1798)** (Crabronidae) Synonym(s): pallipes Panzer,1798 Range (in code): TR 05 06 20 25 31 34 42 50 54 55 63 65
- 14319. Psenulus pan De Beaumont,1967** (Crabronidae) Synonym(s): pan De Beaumont,1967 Range (in code): TR 02 04 06 33 42 44 65
- 14320. Psenulus schencki (Tournier,1889)** (Crabronidae) Synonym(s): schencki Tournier,1889 Range (in code): TR 05 06 35 38 42 44 51 58
- 14321. Rhopalum (Corynopus) coarctatum (Scopoli,1763)** (Crabronidae) Synonym(s): coarctatum Scopoli,1763 Range (in code): TR 25 53
- 14322. Rhopalum (s.str.) beaumonti Moczar,1957** (Crabronidae) Synonym(s): beaumonti Moczar,1957 Range (in code): TR UA Cm KG HU AT DE 65
- 14323. Rhopalum (s.str.) gracile (Wesmael,1852)** (Crabronidae) Synonym(s): gracile Wesmael,1852 Range (in code): TR 44
- 14324. Solierella compedita (Piccioli,1869)** (Crabronidae) Synonym(s): compedita Piccioli,1869 Range (in code): TR 20 31 33 40 42 63
- 14325. Solierella pisonoides (S.Saunders,1873)** (Crabronidae) Synonym(s): pisonoides S.Saunders,1873 Range (in code): TR 06 38
- 14326. Solierella verhoeffi de Beaumont,1964** (Crabronidae) Synonym(s): verhoeffi de Beaumont,1964 Range (in code): TR 31
- 14327. Sphecius antennatus (Klug,1845)** (Crabronidae) Synonym(s): antennatus Klug,1845; aberrans Eversmann,1849; impressus Kokujev,1909 Range (in code): SY TM RU Or Ao UZ Tas KG AL CY GR UA Cm TR IR TJ Pm 05 06 16 18 24 25 31 33 36 38 40 42 58 59
- 14328. Sphecius conicus (Germar,1817)** (Crabronidae) Synonym(s): conicus Germar,1817; syriacus Klug,1845 [ssp.]; percussor Handlirsch,1889; creticus De Beaumont,1965 [ssp.] Range (in code): HV IT RU Or GR Cr TR KG SY UA Cm CN Ui 06 25 65
- 14329. Sphecius lutescens (Radoszkowski,1877)** (Crabronidae) Synonym(s): lutescens Radoszkowski,1877; turanicus Roth,1959 Range (in code): UZ KG TM Kp IR
- 14330. Sphecius nigricornis (Dufour,1838)** (Crabronidae) Synonym(s): nigricornis Dufour,1838 Range (in code): FR DZ RU Sr IT Si ES TR 05 25 33 36 42 58 65
- 14331. Sphecius persa Gussakowsky,1933** (Crabronidae) Synonym(s): persa Gussakowsky,1933 Range (in code): IR AF
- 14332. Sphecius uljanini (Radoszkowski,1877)** (Crabronidae) Synonym(s): uljanini Radoszkowski,1877; terminus Kirby,1889 Range (in code): KG TM IR AF
- 14333. Spilomena mocsaryi Kohl,1898** (Crabronidae) Synonym(s): mocsaryi Kohl,1898 Range (in code): TR 06 16 34 63
- 14334. Spilomena troglodytes (Vander Linden,1829)** (Crabronidae) Synonym(s): troglodytes Vander Linden,1829 Range (in code): TR 06 34
- 14335. Stigmus solskyi A.Morawitz,1864** (Crabronidae) Synonym(s): solskyi A.Morawitz,1864 Range (in code): TR 06 25 42 60
- 14336. Stizoides assimilis (Fabricius,1787)** (Crabronidae) Synonym(s): assimilis Fabricius,1787; fasciata Fabricius,1798; calopteryx Handlirsch,1892; poecilopterus Handlirsch,1892; egregius Gussakovski,1928 Range (in code): MR MA DZ EG IL Pa IR Fa KK IN PK NP Krc Sd SA SN SD SI TJ TM UZ YE Ad Sk
- 14337. Stizoides citrinus (Klug,1845)** (Crabronidae) Synonym(s): citrinus Klug,1845; melanoxantha F.Smith,1856; mellea F.Smith,1856 Range (in code): EG AE IN
- 14338. Stizoides conscriptus (Nurse,1903)** (Crabronidae) Synonym(s): conscriptus Nurse,1903 Range (in code): PK Krc IN

- 14339. Stizoides crassicornis (Fabricius,1787)** (Crabronidae) Synonym(s): crassicornis Fabricius,1787; rufipes Olivier,1789; alienus Fischer v. Waldheim,1843; fulvipes Eversmann,1846 Range (in code): **DZ AZ Cc BG CY EG FR GR IR IL Pa IT KG KK RU ES TR Arr TM Kp UA UZ 16 76**
- 14340. Stizoides cyanopterus (Gussakovski,1928)** (Crabronidae) Synonym(s): cyanopterus Gussakovski,1928 Range (in code): **IR GG Cc Tbl TM UZ**
- 14341. Stizoides klugii (F.Smith,1845)** (Crabronidae) Synonym(s): klugii F.Smith,1845; numidus W.Schulz,1905 Range (in code): **SA DZ YE Ad LY Cy EG Sn IL Pa**
- 14342. Stizoides melanopterus (Dahlbom,1845)** (Crabronidae) Synonym(s): melanopterus Dahlbom,1845; concolor Eversmann,1849 Range (in code): **HV GR Cc AM Rd IQ Bgd TR IL Pa KG LB RU TJ TM UZ Tas 16 33 42 44 48**
- 14343. Stizoides tridentatus (Fabricius,1775)** (Crabronidae) Synonym(s): tridentatus Fabricius,1775; bifasciata Fabricius,1798; unifasciatus Radoszkowski,1877 Range (in code): **PT ES FR MA DZ TN LY Cy EG Cr IL Pa JO CY Sa Si MT IT HU RO UA Cm GR TR Arr AM Eri AZ Kir RU IR Ak Ab Mz Elb Es Kh AF TM Kp Krn UZ Smk Tas TJ KK Ik KG Aa Tk MN 06 07 16 18 23 25 36 48 55 65 67 76**
- 14344. Stizoides verhoeffi Bytinski-Salz,1955** (Crabronidae) Synonym(s): verhoeffi Bytinski-Salz,1955 Range (in code): **IL Pa**
- 14345. Stizus annulatus (Klug,1845)** (Crabronidae) Synonym(s): annulatus Klug,1845 Range (in code): **TR 01 06 16 36 51**
- 14346. Stizus bipunctatus (E.Smith,1856)** (Crabronidae) Synonym(s): bipunctatus E.Smith,1856 Range (in code): **TR 01 16 34 43**
- 14347. Stizus combustus (E.Smith,1856)** (Crabronidae) Synonym(s): combustus E.Smith,1856 Range (in code): **TR 61**
- 14348. Stizus fasciatus (Fabricius,1781)** (Crabronidae) Synonym(s): fasciatus Fabricius,1781; integra Fabricius,1793; terminalis Dahlbom,1845 Range (in code): **TR 4 06 07 10 30 31 33 34 35 38 42 43 45 46 48**
- 14349. Stizus handlirschi Radoszkowski,1893** (Crabronidae) Synonym(s): handlirschi Radoszkowski,1893 Range (in code): **TR 01**
- 14350. Stizus kohlii Mocsary,1883** (Crabronidae) Synonym(s): kohlii Mocsary,1883 Range (in code): **SY TR 33 65 73**
- 14351. Stizus niloticus Handlirsch,1892** (Crabronidae) Synonym(s): niloticus Handlirsch,1892; saharae Roth,1934 [ssp.] Range (in code): **DZ EG Sn IL Pa LY TD OM YE SA AE**
- 14352. Stizus perrisi Dufour,1838** (Crabronidae) Synonym(s): perrisi Dufour,1838 Range (in code): **TR 25 36**
- 14353. Stizus pubescens (Klug,1835)** (Crabronidae) Synonym(s): pubescens Klug,1835 Range (in code): **TR 06 07 20 31 33 38 43 46 51 63 66 72**
- 14354. Stizus ruficornis (J.Forster,1771)** (Crabronidae) Synonym(s): ruficornis J.Forster,1771 Range (in code): **TR 07 08 24 25 33 34 35 36 42 45 48 65**
- 14355. Stizus tricolor Handlirsch,1892** (Crabronidae) Synonym(s): tricolor Handlirsch,1892 Range (in code): **TR 33**
- 14356. Synnevrus decemmaculatus (Spinola,1808)** (Crabronidae) Synonym(s): decemmaculatus Spinola,1808 Range (in code): **TR 01 05 06 20 24 25 31 33 40 42 46 63**
- 14357. Synnevrus epeoliformis (F.Smith,1856)** (Crabronidae) Synonym(s): epeoliformis F.Smith,1856 Range (in code): **TR 06 25 33 42**
- 14358. Synnevrus harveyi (de Beaumont,1967)** (Crabronidae) Synonym(s): harveyi de Beaumont,1967 Range (in code): **TR 38**
- 14359. Synnevrus militaris (Gerstaecker,1867)** (Crabronidae) Synonym(s): militaris Gerstaecker,1867 Range (in code): **TR 06 08 25 33 42**
- 14360. Tachysphex agnus Pulawski,1971** (Crabronidae) Synonym(s): agnus Pulawski,1971 Range (in code): **TR 06**
- 14361. Tachysphex albocinctus Lucas,1849** (Crabronidae) Synonym(s): albocincta Lucas,1849 Range (in code): **ES Cr TR 01 07 33 35**
- 14362. Tachysphex angustatus Pulawski,1967** (Crabronidae) Synonym(s): angustatus Pulawski,1967 Range (in code): **TR GR MN 05 12 42 44 63**
- 14363. Tachysphex argentatus Gussakovski,1952** (Crabronidae) Synonym(s): argentatus Gussakovski,1952 Range (in code): **TR 06 33**
- 14364. Tachysphex bouceki Straka,2005** (Crabronidae) Synonym(s): mongolicus sensu Pulawski,1967; bouceki Straka,2005 Range (in code): **TR 02 38 69 76**
- 14365. Tachysphex brevipennis Mercet,1909** (Crabronidae) Synonym(s): brevipennis Mercet,1909 Range (in code): **TR 07 31 33 34 38 42**
- 14366. Tachysphex brullii (F.Smith,1856)** (Crabronidae) Synonym(s): brullii F.Smith,1856; galileus de Beaumont,1947 Range (in code): **TR 05 06 19 24 25 31 33 36 42 48 51 58**
- 14367. Tachysphex consocius Kohl,1892** (Crabronidae) Synonym(s): consocius Kohl,1892 Range (in code): **TR 06 16 20 21 22 25 30 31 33 34 36 45 58 59 62 80**

- 14368. *Tachysphex costae* (De Stefani,1882)** (Crabronidae) **Synonym(s):** *costae* De Stefani,1882 **Range (in code):** **TR 01 06 07 09 33 35 59**
- 14369. *Tachysphex dignus* Kohl,1889** (Crabronidae) **Synonym(s):** *dignus* Kohl,1889 **Range (in code):** **TR 01 04 06 24 33 35 38 40 42 44 45 51 70**
- 14370. *Tachysphex erythropus* (Spinola,1839)** (Crabronidae) **Synonym(s):** *erythropus* Spinola,1839 **Range (in code):** **TR 07 09 33 35**
- 14371. *Tachysphex euxinus* Pulawski,1958** (Crabronidae) **Synonym(s):** *euxinus* Pulawski,1958 **Range (in code):** **TR 16 34 43**
- 14372. *Tachysphex excelsus* R.Turner,1917** (Crabronidae) **Synonym(s):** *excelsus* R.Turner,1917 **Range (in code):** **TR 25**
- 14373. *Tachysphex ferrugineus* Pulawski,1967** (Crabronidae) **Synonym(s):** *ferrugineus* Pulawski,1967 **Range (in code):** **TR 61**
- 14374. *Tachysphex fugax* (Radoszkowski,1877)** (Crabronidae) **Synonym(s):** *fugax* Radoszkowski,1877 **Range (in code):** **TR 16 34 61 63 75**
- 14375. *Tachysphex fulvitaris* (A.Costa,1867)** (Crabronidae) **Synonym(s):** *fulvitaris* A.Costa,1867 **Range (in code):** **TR 06 07 08 11 25 31 33 38 42 55 57 63**
- 14376. *Tachysphex graecus* Kohl,1883** (Crabronidae) **Synonym(s):** *graecus* Kohl,1883 **Range (in code):** **GR TR 01 06 17 20 24 25 34 35 60**
- 14377. *Tachysphex helveticus* Kohl,1885** (Crabronidae) **Synonym(s):** *helveticus* Kohl,1885 **Range (in code):** **TR 06 31 34 38 75**
- 14378. *Tachysphex incertus* (Radoszkowski,1877)** (Crabronidae) **Synonym(s):** *incertus* Radoszkowski,1877 **Range (in code):** **TR 01 05 07 10 24 25 31 33 34 36 42 46 48 55 63**
- 14379. *Tachysphex julliani* Kohl,1883** (Crabronidae) **Synonym(s):** *julliani* Kohl,1883 **Range (in code):** **TR 06 31 33 44 46 48**
- 14380. *Tachysphex latifrons* Kohl,1884** (Crabronidae) **Synonym(s):** *latifrons* Kohl,1884 **Range (in code):** **TR 06 16 19 25 26 28 31 55**
- 14381. *Tachysphex liriformis* Pulawski,1967** (Crabronidae) **Synonym(s):** *liriformis* Pulawski,1967 **Range (in code):** **TR 13? 33 63**
- 14382. *Tachysphex magnaemontis* Hensen,1987** (Crabronidae) **Synonym(s):** *magnaemontis* Hensen,1987 **Range (in code):** **TR 16**
- 14383. *Tachysphex mediterraneus* Kohl,1883** (Crabronidae) **Synonym(s):** *mediterraneus* Kohl,1883 **Range (in code):** **TR 01 07 17 20 33 34 45 53**
- 14384. *Tachysphex mocsaryi* Kohl,1884** (Crabronidae) **Synonym(s):** *mocsaryi* Kohl,1884 **Range (in code):** **TR 10 38**
- 14385. *Tachysphex morawitzi* Pulawski,1971** (Crabronidae) **Synonym(s):** *morawitzi* Pulawski,1971 **Range (in code):** **TR 24 25 69**
- 14386. *Tachysphex nitidior de Beaumont*,1940** (Crabronidae) **Synonym(s):** *nitidior de Beaumont*,1940 **Range (in code):** **TR 18 25 30 31 36 60**
- 14387. *Tachysphex nitidissimus de Beaumont*,1952** (Crabronidae) **Synonym(s):** *nitidissimus de Beaumont*,1952 **Range (in code):** **TR 01 07 08 09 24 25 27 31 33 42 63 70**
- 14388. *Tachysphex nitidus* (Spinola,1806)** (Crabronidae) **Synonym(s):** *nitidus* Spinola,1806 **Range (in code):** **TR 16**
- 14389. *Tachysphex obscuripennis* (Schenck,1857)** (Crabronidae) **Synonym(s):** *obscuripennis* Schenck,1857 **Range (in code):** **TR 06 08 25**
- 14390. *Tachysphex panzeri* (Vander Linden,1829)** (Crabronidae) **Synonym(s):** *panzeri* Vander Linden,1829 **Range (in code):** **TR 01 05 06 07 16 24 25 31 33 36 59 60**
- 14391. *Tachysphex persa* Gussakowski,1933** (Crabronidae) **Synonym(s):** *persa* Gussakowski,1933; *nigripes* Pulawski,1967 **Range (in code):** **IR Ke KG TR BG TJ GR EG Sn 33 42 43 51**
- 14392. *Tachysphex picnic van Ooijen*,1987** (Crabronidae) **Synonym(s):** *picnic van Ooijen*,1987 **Range (in code):** **TR 16**
- 14393. *Tachysphex plicosus* (A.Costa,1867)** (Crabronidae) **Synonym(s):** *plicosus* A.Costa,1867; *gallicus* Kohl,1883; *striolatus* Cameron,1903; *egregius* Arnold,1924 **Range (in code):** **ES HV FR IT CZ TR EG AL YU BG RU TZ Usa ZA GH IN 07 33 63**
- 14394. *Tachysphex pompiliformis* (Panzer,1805)** (Crabronidae) **Synonym(s):** *pompiliformis* Panzer,1805; *nigripennis* Spinola,1808; *dimidiata* Panzer,1809; *jokischiana* Panzer,1809; *parvula* Cresson,1865; *quebecensis* Provancher,1882; *decorus* W.Fox,1894; *tenuipunctus* W.Fox,1894; *consimilis* W.Fox,1894; *rufoniger* Bingham,1897; *projectus* Nurse,1903; *argyrotrichus* Rohwer,1911; *granulosus* Mickel,1916; *erythraeus* Mickel,1916; *angularis* Mickel,1916 **Range (in code):** **TR CA On 06 08 14 16 24 25 31 37 38 40 42 43 51 53 57 61**
- 14395. *Tachysphex psammobius* (Kohl,1880)** (Crabronidae) **Synonym(s):** *psammobius* Kohl,1880 **Range (in code):** **TR 05 06 07 11 12 19 31 33 36 42 48 61 63**
- 14396. *Tachysphex pulcher* Pulawski,1967** (Crabronidae) **Synonym(s):** *pulcher* Pulawski,1967 **Range (in code):** **TR 04 06 08 12 36 42**



- 14397. *Tachysphex punctipes* Pulawski,1967** (Crabronidae) Synonym(s): *punctipes* Pulawski,1967 Range (in code): TR 08
- 14398. *Tachysphex pusulosus* de Beaumont,1955** (Crabronidae) Synonym(s): *pusulosus* de Beaumont,1955 Range (in code): TR 63
- 14399. *Tachysphex radoszkowskyi* F.Morawitz,1893** (Crabronidae) Synonym(s): *radoszkowskyi* F.Morawitz,1893 Range (in code): TR 25
- 14400. *Tachysphex schmiedeknechti* Kohl,1883** (Crabronidae) Synonym(s): *schmiedeknechti* Kohl,1883 Range (in code): TR 07 33
- 14401. *Tachysphex sericeus* F.Smith,1856** (Crabronidae) Synonym(s): *sericeus* F.Smith,1856 Range (in code): TR 46 63
- 14402. *Tachysphex sordidus* (Dahlbom,1845)** (Crabronidae) Synonym(s): *sordidus* Dahlbom,1845 Range (in code): TR 17 33
- 14403. *Tachysphex subdentatus* F.Morawitz,1893** (Crabronidae) Synonym(s): *subdentatus* F.Morawitz,1893 Range (in code): TR 07 12 42 44 51
- 14404. *Tachysphex tarsinus* (Lepeletier,1845)** (Crabronidae) Synonym(s): *tarsinus* Lepeletier,1845 Range (in code): TR 25 55
- 14405. *Tachysphex tessellatus* (Dahlbom,1845)** (Crabronidae) Synonym(s): *tessellatus* Dahlbom,1845 Range (in code): TR 01 25 31 33 36 44 55
- 14406. *Tachysphex unicolor* (Panzer,1809)** (Crabronidae) Synonym(s): *unicolor* Panzer,1809 Range (in code): TR 06 16 25 31 33 34 38 42 43 63
- 14407. *Tachytes aeneus* E.Saunders,1910** (Crabronidae) Synonym(s): *aeneus* E.Saunders,1910; *eurous* Pulawski,1962 Range (in code): MA DZ IL Pa
- 14408. *Tachytes argenteus* Gussakowski,1933** (Crabronidae) Synonym(s): *argenteus* Gussakowski,1933 Range (in code): TR 31 33
- 14409. *Tachytes etruscus* (Rossi,1790)** (Crabronidae) Synonym(s): *etruscus* Rossi,1790 Range (in code): IT TR 16 25 31 55
- 14410. *Tachytes freygessneri* Kohl,1881** (Crabronidae) Synonym(s): *freygessneri* Kohl,1881 Range (in code): TR 07 08 25 33 48 52
- 14411. *Tachytes levantinus* Pulawski,1962** (Crabronidae) Synonym(s): *levantinus* Pulawski,1962 Range (in code): TR 38
- 14412. *Tachytes matronalis* Dahlbom,1845** (Crabronidae) Synonym(s): *matronalis* Dahlbom,1845 Range (in code): TR 01 06 20 25 33 34 38 42 51 58 59
- 14413. *Tachytes obsoletus* (Rossi,1792)** (Crabronidae) Synonym(s): *obsoletus* Rossi,1792 Range (in code): TR 25 35 38 58
- 14414. *Tachytes panzeri* (Dufour,1841)** (Crabronidae) Synonym(s): *panzeri* Dufour,1841 Range (in code): TR 06 10 31 33 38 42 45 76
- 14415. *Tachytes tarsalis* (Spinola,1839)** (Crabronidae) Synonym(s): *tarsalis* Spinola,1839 Range (in code): TR 31 33
- 14416. *Tracheliodes quinquenotatus* (Jurine,1807)** (Crabronidae) Synonym(s): *quinquenotatus* Jurine,1807 Range (in code): TR 09 44
- 14417. *Trypoxylon albipes* F.Smith,1856** (Crabronidae) Synonym(s): *albipes* F.Smith,1856 Range (in code): ES FR DZ EG IT IL Pa AL GR SY CY TR 30 63 65 76
- 14418. *Trypoxylon attenuatum* F.Smith,1851** (Crabronidae) Synonym(s): *attenuatum* F.Smith,1851 Range (in code): TR 05 08 09 11 16 25 42 45 48 55
- 14419. *Trypoxylon clavicerum* Lepeletier & Audinet-Serville,1838** (Crabronidae) Synonym(s): *clavicerum* Lepeletier & Audinet-Serville,1838 Range (in code): TR 05 08 09 16 34 42
- 14420. *Trypoxylon deceptorium* Antropov,1991** (Crabronidae) Synonym(s): *deceptorium* Antropov,1991 Range (in code): TR 01 02 03 07 11 16 25 33 34 35 36 42 48 55 65 76
- 14421. *Trypoxylon figulus* (Linnaeus,1758)** (Crabronidae) Synonym(s): *figulus* Linnaeus,1758 Range (in code): TR 03 05 06 11 12 20 25 31 34 37 42 43 55 60 61 69
- 14422. *Trypoxylon guichardi* Antropov,1995** (Crabronidae) Synonym(s): *guichardi* Antropov,1995 Range (in code): TR 01
- 14423. *Trypoxylon kolazyi* Kohl,1883** (Crabronidae) Synonym(s): *kolazyi* Kohl,1883 Range (in code): TR 06 25
- 14424. *Trypoxylon latilobatum* Antropov,1991** (Crabronidae) Synonym(s): *latilobatum* Antropov,1991 Range (in code): TR 11 25
- 14425. *Trypoxylon medium* de Beaumont,1945** (Crabronidae) Synonym(s): *medium* de Beaumont,1945 Range (in code): TR 05 07 16 25 31 33 37 41 48 55 61
- 14426. *Trypoxylon megriense* Antropov,1985** (Crabronidae) Synonym(s): *megriense* Antropov,1985 Range (in code): TR 05 23 30
- 14427. *Trypoxylon minus* de Beaumont,1945** (Crabronidae) Synonym(s): *minus* de Beaumont,1945 Range (in code): TR 08 34 55

- 14428. Trypoxylon scutatum** Chevrier,1867 (Crabronidae) Synonym(s): scutatum Chevrier,1867 Range (in code): TR 01 05 06 07 11 16 25 31 42 63
- 14429. Trypoxylon syriacum** Mercet,1906 (Crabronidae) Synonym(s): syriacum Mercet,1906 Range (in code): TR 25
- 14430. Andricus ahmeti** Melika, Mutun & Dinç,2014 (Cynipidae) Synonym(s): ahmeti Melika, Mutun & Dinç,2014 Range (in code): TR 05 38 45 64
- 14431. Andricus amblycerus** (Giraud,1859) (Cynipidae) Synonym(s): amblycerus Giraud,1859 Range (in code): IT Si AT SK CZ HU UA MD RO BG GR TR
- 14432. Andricus amenti** Giraud,1859 (Cynipidae) Synonym(s): amenti Giraud,1859; giraudianus Dalla Torre & Kieffer,1910 Range (in code): ES GB FR DE AT HU IT MD BG GR TR
- 14433. Andricus anatolicus** Melika, Mutun & Dinç,2014 (Cynipidae) Synonym(s): anatolicus Melika, Mutun & Dinç,2014 Range (in code): TR 13 29 49
- 14434. Andricus aries** (Giraud,1859) (Cynipidae) Synonym(s): aries Giraud,1859 Range (in code): GB DE IT AT SK CZ HU HV SS PL UA RO GR TR 13 32 56 65
- 14435. Andricus askewi** Melika & Stone,2001 (Cynipidae) Synonym(s): askewi Melika & Stone,2001 Range (in code): TR 13 29 56 61 65
- 14436. Andricus bakrachus** Melika, Mutun & Dinç,2014 (Cynipidae) Synonym(s): bakrachus Melika, Mutun & Dinç,2014 Range (in code): TR 02 17 23 45 62
- 14437. Andricus bulgaricus** Vassileva & Samnalieva,1977 (Cynipidae) Synonym(s): bulgaricus Vassileva & Samnalieva,1977 Range (in code): BG TR
- 14438. Andricus caliciformis** (Giraud,1859) (Cynipidae) Synonym(s): caliciformis Giraud,1859 Range (in code): IT AT B-H HU YU TR RO MD UA BG
- 14439. Andricus callidoma** (Hartig,1841) (Cynipidae) Synonym(s): callidoma Hartig,1841; cirratus Adler,1881; giraudiWachtl,1882 Range (in code): PT ES FR BE NL BG IE NO SE FI RU UA MD RO PL DK DE SK HU AT SS YU BG TR 15 32
- 14440. Andricus caputmedusae** (Hartig,1843) (Cynipidae) Synonym(s): caputmedusae Hartig,1843; gallaecristatae Henschel,1876 Range (in code): ES FR DE PL SK CZ AT SS HU B-H YU MD RO BG GR IT TR 12 13 15 29 32 56 65
- 14441. Andricus cecconii** Kieffer,1901 (Cynipidae) Synonym(s): cecconii Kieffer,1901 Range (in code): ES IT GR TR AZ Cc IL Pa IR 07 15 32 56 73
- 14442. Andricus chodjii** (Melika,2008) (Cynipidae) Synonym(s): chodjii Melika,2008 Range (in code): TR 29
- 14443. Andricus conglomeratus** (Giraud,1859) (Cynipidae) Synonym(s): conglomeratus Giraud,1859; cincta Hartig,1879 Range (in code): FR IT Si DE PL UA MD HU SK CZ AT B-H BG GR TR 15 20 32
- 14444. Andricus conficus** (Hartig,1843) (Cynipidae) Synonym(s): conficus Hartig,1843; longipes Kieffer,1901; longispinae Kieffer,1901 Range (in code): IT AT HU YU RO BG UA PL TR GR IR 56
- 14445. Andricus coriarius** (Hartig,1843) (Cynipidae) Synonym(s): coriarius Hartig,1843; lusitanicus Kieffer,1900 Range (in code): PT ES FR DE IT AT SK CZ HU B-H HV YU GR BG RO UA TR TN AZ Cc IR 07 13 15 20 29 32 56
- 14446. Andricus coronatus** (Giraud,1859) (Cynipidae) Synonym(s): coronatus Giraud,1859; coronaria Stefani,1898 Range (in code): FR IT AT B-H HU GR BG RO UA TR 07 20 32 48
- 14447. Andricus corruptrix** (Schlechtendal,1870) (Cynipidae) Synonym(s): corruptrix Schlechtendal,1870; ambiguus Trotter,1899 Range (in code): GB FR BE NL DE DK PL UA RO BG GR YU HU SK CZ AT IT TR
- 14448. Andricus curtisii** (Müller,1870) (Cynipidae) Synonym(s): curtisii Müller,1870; mediterraneae Trotter,1901 Range (in code): IT GR TR IR 07 09 20 29 32 56 65 73
- 14449. Andricus curator** Hartig,1840 (Cynipidae) Synonym(s): curator Hartig,1840; axillaris Hartig,1840; collaris Hartig,1840; curvata Förster,1869; dimidiatus Schenck,1863; fasciatus Schenck,1863; perfoliatus Schenck,1863; tegmentorum Schlechtendal,1870; lusitanicus Kieffer,1901 Range (in code): PT ES GB FR BE NL DE DK NO SE UA MD RO PL SK CZ HU CH AT IT SS B-H HV YU MK GR BG TR 09 15 20
- 14450. Andricus cydoniae** Giraud,1859 (Cynipidae) Synonym(s): cydoniae Giraud,1859 Range (in code): GB IT Si B-H AT HU RO BG TR
- 14451. Andricus dentimitratus** (Rejtö,1887) (Cynipidae) Synonym(s): dentimitratus Rejtö,1887; mayri Kieffer,1897; nec Wachtl,1879; gallaeviscosus Benson,1953; viscosus Nieves-Aldrey,1986; floridus Melika & Csoka,1998 Range (in code): PT ES FR IT B-H AT HU MD RO UA BG GR TR 29
- 14452. Andricus foecundatrix** (Hartig,1840) (Cynipidae) Synonym(s): foecundatrix Hartig,1840; gemmarum Lacaze-Duthiers,1853; gemmae Schenck,1863; foecundator Tavares,1918 Range (in code): PT ES FR GB IE BE NL DE DK NO SE FI RU UA PL CZ HU AT IT SS B-H HV GR BG TR
- 14453. Andricus galeatus** (Giraud,1859) (Cynipidae) Synonym(s): galeatus Giraud,1859 Range (in code): IT AT B-H YU GR BG RO HU UA TR
- 14454. Andricus gallaeurnaeformis** (Fonscolombe,1832) (Cynipidae) Synonym(s): gallaeurnaeformis Fonscolombe,1832; urnaeformis Giraud,1859; sufflator Mayr,1882 Range (in code): PT ES FR GB AT IT YU HU UA RO BG GR TR

- 14455. Andricus gemmeus (Giraud,1859)** (Cynipidae) Synonym(s): gemmeus Giraud,1859; kirchbergi Wachtl,1876 Range (in code): PT ES FR DE PL AT HU IT Si B-H MD RO BG GR TR
- 14456. Andricus glutinosus (Giraud,1859)** (Cynipidae) Synonym(s): glutinosus Giraud,1859; tergestensis Kieffer,1905 Range (in code): AT CZ B-H HU UA BG TR
- 14457. Andricus grossulariae Giraud,1859** (Cynipidae) Synonym(s): grossulariae Giraud,1859; mayri Wachtl,1879; panteli Kieffer,1897; fructuum Trotter,1899; intermedius Tavares,1922; gemellus Belizin & Maisuradze,1961 Range (in code): PT ES FR GB DE PL UA CZ AT IT Si HU MD RO YU BG GR TR 07 09 15 20 32 56
- 14458. Andricus hartigi (Hartig,1843)** (Cynipidae) Synonym(s): hartigi Hartig,1843 Range (in code): IT Si AT CZ SK PL UA HU MD RO BG GR TR
- 14459. Andricus hungaricus Hartig,1943** (Cynipidae) Synonym(s): hungaricus Hartig,1943 Range (in code): IT AT CZ B-H HU UA RO BG TR
- 14460. Andricus hystrix Kieffer,1897** (Cynipidae) Synonym(s): hystrix Kieffer,1897 Range (in code): IT HU MD RO BG GR TR
- 14461. Andricus infectorius (Hartig,1843)** (Cynipidae) Synonym(s): infectorius Hartig,1843; nostra Kieffer,1901; tinctorianostras Trotter,1903 Range (in code): FR IT Si AT CZ SK PL HU RO YU GR TR BY 09 15 20 32 48
- 14462. Andricus inflator Hartig,1840** (Cynipidae) Synonym(s): inflator Hartig,1840; globuli Hartig,1840; inflatioides Belizin & Maisuradze,1962 Range (in code): PT FR GB BE NL DE DK NO SE FI PL UA MD RO CZ SK HU AT CH IT SS B-H HV YU BG GR TR
- 14463. Andricus insanus (Westwood,1837)** (Cynipidae) Synonym(s): insanus Westwood,1837 Range (in code): IT AL GR TR IL Pa AZ Cc IR 13 56 65 73
- 14464. Andricus kollari (Hartig,1843)** (Cynipidae) Synonym(s): kollari Hartig,1843; circulans Mayr,1870; indigena Giraud,1909 Range (in code): PT ES FR GB BE NL DE DK PL UA RO MD CZ SK HU BG MK GR YU HV B-H SS IT TR 09 13 15 20 29 32 38 56
- 14465. Andricus lignicolus (Hartig,1840)** (Cynipidae) Synonym(s): lignicolus Hartig,1840; vanheurni Docters van Leuween & Deukhuijzen-Maasland,1958 Range (in code): PT ES FR GB IE BE NL DE PL UA MD RO CZ SK HU AT IT SS B-H HV YU MK BG GR TR 13 15 20 32
- 14466. Andricus lucidus (Hartig,1843)** (Cynipidae) Synonym(s): lucidus Hartig,1843; aestivalis Giraud,1859; lucidoserinaceus Kieffer,1901 Range (in code): GB FR DE IT CZ SK AT HU B-H HV YU AL GR BG RO MD UA PL TR IR 07 13 15 20 29 56 65
- 14467. Andricus malpighi (Adler,1881)** (Cynipidae) Synonym(s): malpighi Adler,1881; nudus Adler,1881 Range (in code): ES FR GB IE BE NL DE DK HU IT BG TR
- 14468. Andricus mayri (Wachtl,1881)** (Cynipidae) Synonym(s): mayri Wachtl,1881 Range (in code): TR 29
- 14469. Andricus megalucidus Melika, Stone, Sadeghi & Pujade-Villar,2004** (Cynipidae) Synonym(s): megalucidus Melika, Stone, Sadeghi & Pujade-Villar,2004 Range (in code): TR IR Kd Ak Lo 13 15 32 56 65 73
- 14470. Andricus megatruncicolus Melika,2008** (Cynipidae) Synonym(s): megatruncicolus Melika,2008 Range (in code): IR Kd Lo TR 25 65
- 14471. Andricus mitratus (Mayr,1870)** (Cynipidae) Synonym(s): mitratus Mayr,1870 Range (in code): IT AT PL UA HU RO BG GR TR
- 14472. Andricus moreae (Graeffe,1905)** (Cynipidae) Synonym(s): moreae Graeffe,1905 Range (in code): GR TR IR 12 24 56 65 73
- 14473. Andricus multiplicatus Giraud,1859** (Cynipidae) Synonym(s): multiplicatus Giraud,1859 Range (in code): IT Si AT CZ SK HU RO YU GR TR 13 56 65 73
- 14474. Andricus polycerus (Giraud,1859)** (Cynipidae) Synonym(s): polycerus Giraud,1859; subterranea Giraud,1859; transversa Kieffer,1897; trinacriae Stefani,1906 Range (in code): IT AT DE PL CZ SK HU RO BG GR TR 13 20 56 65
- 14475. Andricus pseudoaries Melika, Stone, Sadeghi,2008** (Cynipidae) Synonym(s): pseudoaries Melika, Stone, Sadeghi,2008 Range (in code): IR TR 56
- 14476. Andricus quercuscalicis (Burgsdorf,1783)** (Cynipidae) Synonym(s): quercuscalicis Burgsdorf,1783; calicis Hartig,1843; cerri Beyerinck,1895; beyerincki Trotter,1899 Range (in code): FR GB BE NL DE DK BY EE LT UA CZ SK HU RO MD AT CH IT SS B-H HV YU MK BG GR TR 13 29 38 65
- 14477. Andricus quercuscorticis (Linnaeus,1761)** (Cynipidae) Synonym(s): quercuscorticis Linnaeus,1761; corticis Hartig,1840; brevicornis Hartig,1841; gemmatas Adler,1881; krajnovici Tavares,1901 Range (in code): PT ES FR GB IE DE DK SE PL UA MD RO HU TR
- 14478. Andricus quercusradicis (Fabricius,1789)** (Cynipidae) Synonym(s): quercusradicis Fabricius,1789; noduli Hartig,1840; trilineatus Hartig,1840; parasiticus Hartig,1841; rugiscuta Thomson,1877; beirensis Tavares,1902 Range (in code): PT ES FR GB IE DK NO SE FI PL UA MD RO HU B-H TR
- 14479. Andricus quercusramuli (Linnaeus,1761)** (Cynipidae) Synonym(s): quercusramuli Linnaeus,1761; autumnalis Hartig,1840; amentorum Hartig,1843; ramuli Schenck,1863; trifasciata Kieffer,1901 Range (in code): PT ES FR GB IE NO SE FI BE NL DK DE PL UA AT HU ME RO TR



- 14480. Andricus quercustozae (Bosc,1792)** (Cynipidae) Synonym(s): quercustozae Bosc,1792; quercustojae Fabricius,1793; argentea Hartig,1843; rosenhaueri Hartig,1856; kiefferi Cabrera,1897; tozae Kieffer,1898 Range (in code): PT ES FR IT AT HU B-H HV YU AL MK BR GR RO UA TR 09 12 13 15 20 29 32 38 48 56
- 14481. Andricus schroeckingeri Wachtl,1876** (Cynipidae) Synonym(s): schroeckingeri Wachtl,1876 Range (in code): AT HU RO TR
- 14482. Andricus seckendorffi (Wachtl,1879)** (Cynipidae) Synonym(s): seckendorffi Wachtl,1879; magrettii Kieffer,1897 Range (in code): HU AT IT GR TR IR 07 09 12 15 32 35
- 14483. Andricus shuhuti Melika, Mutun & Dinç,2014** (Cynipidae) Synonym(s): shuhuti Melika, Mutun & Dinç,2014 Range (in code): TR 03 17 20 42
- 14484. Andricus solitarius (Fonscolombe,1832)** (Cynipidae) Synonym(s): solitarius Fonscolombe,1832; ferruginea Hartig,1840; occultus Tschek,1871; filigranata Dettmer,1925; villarubiae Tavares,1930 Range (in code): PT ES FR GB IE SE DK DE PL UA CZ SK HU MD RO AT CH IT SS B-H HV YU BG GR TR AZ Cc IR DZ 09 15
- 14485. Andricus stefanii (Kieffer,1897)** (Cynipidae) Synonym(s): stefanii Kieffer,1897; #keszthelyensis Mehes,1953 Range (in code): PT ES IT BG GR TR 20 32
- 14486. Andricus sternlichti Bellido, Pujade-Villar & Melika,2003** (Cynipidae) Synonym(s): sternlichti Bellido, Pujade-Villar & Melika,2003 Range (in code): IL Pa IR Lo TR 13 35 56 65
- 14487. Andricus stonei Melika, Tavakoli & Sadeghi,2006** (Cynipidae) Synonym(s): stonei Melika, Tavakoli & Sadeghi,2006 Range (in code): IR TR
- 14488. Andricus theophrasteus Trotter,1866** (Cynipidae) Synonym(s): theophrasteus Trotter,1866 Range (in code): IT YU TR 29
- 14489. Andricus tomentosus (Trotter,1901)** (Cynipidae) Synonym(s): tomentosus Trotter,1901 Range (in code): HU RO YU BG GR TR 07 13 20 32 48 56 65
- 14490. Andricus truncicola (Giraud,1859)** (Cynipidae) Synonym(s): truncicola Giraud,1859 Range (in code): IT AT HU B-H YU BG RO UA PL TR 13 56 65
- 14491. Andricus turcicus Melika, Mutun & Dinç,2014** (Cynipidae) Synonym(s): turcicus Melika, Mutun & Dinç,2014 Range (in code): TR 02 42 45
- 14492. Aphelonyx cerricola (Giraud,1859)** (Cynipidae) Synonym(s): cerricola Giraud,1859 Range (in code): GB IT AT HU YU RO BG GR TR 09 13 15 20 32 56
- 14493. Aphelonyx kordestanica Melika,2010** (Cynipidae) Synonym(s): kordestanica Melika,2010 Range (in code): IR Kd Bne TR
- 14494. Aphelonyx persica Melika, Stone, Sadeghi & Pujade-Villar,2004** (Cynipidae) Synonym(s): persica Melika, Stone, Sadeghi & Pujade-Villar,2004 Range (in code): JO SY LB IR Kd Km TR 03 13 43 56 64 65
- 14495. Aulacidea acroptilonica Tyurebaev,1979** (Cynipidae) Synonym(s): acroptilonica Tyurebaev,1979 Range (in code): TR IR Ab Oru UA RU KG KK TM TJ UZ
- 14496. Aulacidea irani Melika & Gharaei,2006** (Cynipidae) Synonym(s): irani Melika & Gharaei,2006 Range (in code): IR
- 14497. Aylax hypecoi Trotter,1913** (Cynipidae) Synonym(s): hypecoi Trotter,1913; spirorhynchusii Diakontshuk,1990 Range (in code): DZ LY BG GR TR Cc AM TM
- 14498. Biorhiza pallida (Olivier,1791)** (Cynipidae) Synonym(s): pallida Olivier,1791; aptera Bosc,1791; gallaealveariformis Anthoine,1794; gallaecerebriformis Anthoine,1794; quercusterminalis Fabricius,1798; terminalis Hartig,1840; codinae Tavares,1928; hispanica Tavares,1928; lusitanica Tavares,1928 Range (in code): PT ES FR GB IE BE NL DE DK NO SE FI RU PL UA MD RO HU SK CZ SS B-H HV YU MK BG GR AT IT TR 13 15 20 29 32 38 56
- 14499. Callirhytis glandium (Giraud,1859)** (Cynipidae) Synonym(s): glandium Giraud,1859; girardi Tavares,1902; aestivalis Nieves-Aldrey,1992 Range (in code): PT ES FR GB IT AT B-H HU RO PL UA TR
- 14500. Callirhytis rufescens (Mayr,1882)** (Cynipidae) Synonym(s): rufescens Mayr,1882; villarrubiae Tavares,1930; glandulosa Weld,1930 Range (in code): PT ES FR HU GR TR
- 14501. Chilaspis israeli Sternlicht,1968** (Cynipidae) Synonym(s): israeli Sternlicht,1968 Range (in code): IL Pa IR Lo
- 14502. Chilaspis mayri (Müllner,1901)** (Cynipidae) Synonym(s): mayri Müllner,1901 Range (in code): AT GR HU IL Pa TR
- 14503. Chilaspis nitida (Giraud,1859)** (Cynipidae) Synonym(s): nitida Giraud,1859; loewii Wachtl,1882 Range (in code): AT DE RO HU BG TR
- 14504. Cynips agama Hartig,1840** (Cynipidae) Synonym(s): agama Hartig,1840; mailleti Folliot,1964 Range (in code): ES FR GB IE BE DE AT PL UA HU B-H BG TR 15
- 14505. Cynips cornifex Hartig,1843** (Cynipidae) Synonym(s): cornifex Hartig,1843 Range (in code): IT AT SS HU RO BG GR TR
- 14506. Cynips divisa Hartig,1840** (Cynipidae) Synonym(s): divisa Hartig,1840; verrucosus Schlechtendal,1870 Range (in code): PT ES FR GB IE BE NL DE DK SE FI RU UA MD RO YU HV SS GR IT SI AT CZ SK HU TR 12
- 14507. Cynips korsakovi (Belizin,1961)** (Cynipidae) Synonym(s): korsakovi Belizin,1961 Range (in code): TR 29 56

- 14508. *Cynips quercus* (Fourcroy,1785)** (Cynipidae) Synonym(s): *quercus* Fourcroy,1785; *pubescentis* Mayr,1881; *ilicis* Kieffer,1896; *geminus* Belizin & Maisuradze,1962; *rusanovae* Belizin & Maisuradze,1962 Range (in code): PT ES FR DE UA MD RO YU GR IT AT HU TR MK 09 13 20 29 32 38 65
- 14509. *Cynips quercusfolii* (Linnaeus,1758)** (Cynipidae) Synonym(s): *quercusfolii* Linnaeus,1758; *scutellaris* Olivier,1791; *gallaecerasiformis* Anthoine,1794; *gallaenidoniformis* Anthoine,1794; *folii* Hartig,1840; *flosculi* Giraud,1868; *giraudi* Tschek,1869; *taschenbergi* Schlechtendal,1870 Range (in code): ES FR GB IE BE NL DE DK NO SE FI EE RU CH IT AT CZ SK HU PL UA MD RO BG MK GR YU HV B-H SS TR 07 09 12 13 15 20 29 32 38 48 56 65
- 14510. *Diplolepis eglanteriae* (Hartig,1840)** (Cynipidae) Synonym(s): *eglanteriae* Hartig,1840; *rufipes* Forster,1869 Range (in code): PT ES FR GB NL DE SE PL AT HU RO IT TR
- 14511. *Diplolepis fructuum* (Rübsaamen,1895)** (Cynipidae) Synonym(s): *fructuum* Rübsaamen,1895 Range (in code): TR GG Bku Tbl Cc UA Cm 13 65
- 14512. *Diplolepis mayri* (Schlechtendal,1877)** (Cynipidae) Synonym(s): *mayri* Schlechtendal,1877; *orthopsinae* Beijerinck,1882 Range (in code): ES PT FR GB NL DE SE PL AT IT TR GG Cc Tbl Bjo
- 14513. *Diplolepis rosae* (Linnaeus,1758)** (Cynipidae) Synonym(s): *rosae* Linnaeus,1758; *bedeguaris* Fourcroy,1785 Range (in code): PT ES GB NL DE PL SE AT HU RO IT TR
- 14514. *Diplolepis spinosissimae* (Giraud,1859)** (Cynipidae) Synonym(s): *spinosissimae* Giraud,1859 Range (in code): ES FR GB NL DE AT HU PL SE IT TR
- 14515. *Dryocosmus cerriphilus* Giraud,1859** (Cynipidae) Synonym(s): *cerriphilus* Giraud,1859 Range (in code): IT AT HU RO TR 24
- 14516. *Isocolus beheni* Melika & Karimpour,2008** (Cynipidae) Synonym(s): *beheni* Melika & Karimpour,2008 Range (in code): IR
- 14517. *Isocolus cirsii* Diakontshuk,1987** (Cynipidae) Synonym(s): *cirsii* Diakontshuk,1987 Range (in code): UA IR
- 14518. *Isocolus freidbergi* Melika,2008** (Cynipidae) Synonym(s): *freidbergi* Melika,2008 Range (in code): IL Pa
- 14519. *Isocolus karimpouri* Melika & Tavakoli,2008** (Cynipidae) Synonym(s): *karimpouri* Melika & Tavakoli,2008 Range (in code): IR
- 14520. *Liposthenes kernerii* (Wachtl,1891)** (Cynipidae) Synonym(s): *kernerii* Wachtl,1891 Range (in code): ES IT AT HU RO UA RU TR
- 14521. *Neuroterus albipes* (Schenck,1863)** (Cynipidae) Synonym(s): *albipes* Schenck,1863; *laeviusculus* Schenck,1863; *pezizaeformis* Schlechtendal,1870; *lusitanicus* Tavares,1902; *codinae* Tavares,1928 Range (in code): PT ES FR GB IE DK SE NO RU DE PL CZ HU UA RO MD BG YU B-H SS AT TR
- 14522. *Neuroterus anthracinus* (Curtis,1838)** (Cynipidae) Synonym(s): *anthracinus* Curtis,1838; *ostreus* Giraud,1859; *ostria* Hartig,1840; *pallicornis* Hartig,1840; *furunculus* Bayerinck,1882 Range (in code): PT ES FR BE NL GB IE NO SE EE RU UA PL DE DK CZ SK HU MD RO BG MK GR YU HV B-H SS AT IT TR 65
- 14523. *Neuroterus gyulaigaraiae* Melika,2006** (Cynipidae) Synonym(s): *gyulaigaraiae* Melika,2006 Range (in code): SY
- 14524. *Neuroterus lanuginosus* Giraud,1859** (Cynipidae) Synonym(s): *lanuginosus* Giraud,1859 Range (in code): GB AT IT Si BG B-H GR HU RO YU IL Pa TR Cc AZ GG IR Gh Elb Th Lo Kd Fa SY 09 15 20 32 56
- 14525. *Neuroterus minutulus* Giraud,1859** (Cynipidae) Synonym(s): *minutulus* Giraud,1859 Range (in code): IT AT HU RO BG TR
- 14526. *Neuroterus numismalis* (Fourcroy,1785)** (Cynipidae) Synonym(s): *numismalis* Fourcroy,1785; *reaumurii* Hartig,1840; *defectus* Hartig,1840; *quercustiarae* Curtis,1843; *vesicatrix* Schlechtendal,1870; *vesicator* Hieronymus,1890; *brunneus* Dettmer,1925 Range (in code): PT ES FR BE NL GB IE NO SE UA PL DE DK CZ SK HU MD RO BG MK GR YU HV B-H SS AT CH IT TR 07 09 15 20 32
- 14527. *Neuroterus politus* Hartig,1840** (Cynipidae) Synonym(s): *politus* Hartig,1840; *petioliventrus* Hartig,1840; *nitens* Hartig,1841; *bipunctatus* Hartig,1841; *rubeculus* Hartig,1841; *aprilinus* Giraud,1859; *burgundus* Schlechtendal,1870; *schlechtendali* Mayr,1870 Range (in code): PT ES FR NL GB IE SE UA PL DE HU MD RO BG YU AT IT TR
- 14528. *Neuroterus quercusbaccarum* (Linnaeus,1758)** (Cynipidae) Synonym(s): *quercusbaccarum* Linnaeus,1758; *baccarumquercus* Fourcroy,1785; *flavipes* Fourcroy,1785; *pedunculiquercus* Fourcroy,1785; *lenticularis* Olivier,1791; *longipennis* Fabricius,1793; *gallaelenticulatae* Anthoine,1794; *malpighii* Hartig,1840; *interruptor* Hartig,1841; *interruptrix* Hartig,1841; *baccarum* Blanchard,1849; *pedunculi* Dumeril,1860; *striatus* Schenck,1863; *attenuatus* Schenck,1863; *giraudi* Tschek,1869; *histrio* Kieffer,1901; *hispanicus* Tavares,1916; *intermedius* Tavares,1916 Range (in code): PT ES FR BE NL GB IE NO SE FI EE UA PL DE DK CZ SK HU MD RO BG MK GR RU YU HV B-H SS AT CH IT TR 09 15 32 56 65
- 14529. *Neuroterus tricolor* Hartig,1841** (Cynipidae) Synonym(s): *tricolor* Hartig,1841; *fumipennis* Hartig,1841; *varius* Schenck,1863; *ulisippore* Tavares,1928 Range (in code): PT ES FR BE NL GB IE NO SE FI EE UA PL DE DK SK HU MD RO BG MK GR RU YU HV SS AT CH IT TR
- 14530. *Plagiotrochus csokai* Melika & Pujade-Villar,2009** (Cynipidae) Synonym(s): *csokai* Melika & Pujade-Villar,2009 Range (in code): JO Dib
- 14531. *Plagiotrochus kiefferianus* Tavares,1901** (Cynipidae) Synonym(s): *kiefferianus* Tavares,1901 Range (in code): PT ES FR IT MA AZ Cc IR IL Pa GR

- 14532. *Plagiotrochus quercusilicis* (Fabricius,1798)** (Cynipidae) Synonym(s): quercusilicis Fabricius,1798; cocciferae Lichtenstein,1877; ilicis Lichtenstein,1877; emereyi Mayr,1882; fusifex Mayr,1882; kiefferi Dalla & Torre & Kieffer,1910; niger Dalla & Torre & Kieffer,1910; lichtensteini Dalla & Torre & Kieffer,1910; lusitanicus Tavares,1926 Range (in code): PT ES FR IT TR 20
- 14533. *Pseudoneuroterus macropterus* (Hartig,1843)** (Cynipidae) Synonym(s): macropterus Hartig,1843 Range (in code): IT AT B-H HU RO BG GR TR 09 20
- 14534. *Rhodus cyprius* (Houard,1919)** (Cynipidae) Synonym(s): cyprius Houard,1919; oriundus Quinlan,1968; kezivi Melika,2003 Range (in code): GR Cr Rd SY CY IL Pa
- 14535. *Synergus pallicornis* Hartig,1841** (Cynipidae) Synonym(s): pallicornis Hartig,1841; pallidicornis Dalla Torre,1893 Range (in code): PT ES FR GB NL DE DK SE PL UA RO HU AT CH IT B-H TR
- 14536. *Synophrus politus* Hartig,1843** (Cynipidae) Synonym(s): politus Hartig,1843 Range (in code): PT ES IT Si AT CZ HU B-H HV YU RO BG GR TR 56
- 14537. *Timaspis irani* Tavakoli & Melika,2006** (Cynipidae) Synonym(s): irani Tavakoli & Melika,2006 Range (in code): IR Lo
- 14538. *Timaspis lorestanicus* Tavakoli & Melika,2006** (Cynipidae) Synonym(s): lorestanicus Tavakoli & Melika,2006 Range (in code): IR Lo Ha Elb Th Dam
- 14539. *Trigonaspis synaspis* (Hartig,1841)** (Cynipidae) Synonym(s): synaspis Hartig,1841; megapteropsis Wriese,1900 Range (in code): PT ES DE PL UA MD RO HU AT IT TR
- 14540. *Achalcerinys lindus* (Mercet,1921)** (Encyrtidae) Synonym(s): lindus Mercet,1921 Range (in code): TR AM AZ Cc BG CZ ET FR HU IN Or Up Ben IT MD NL RO SK ES TJ TM UA UZ YU
- 14541. *Adelencyrtus aulacaspidis* (Br  thes,1914)** (Encyrtidae) Synonym(s): aulacaspidis Br  thes,1914 Range (in code): AR Cc AZ BG CL HV CZ FR GG DE HU IT JP KG MG MD NZ CN Fkn RU Da SS ES CH UA GB US Cf YU TR
- 14542. *Adelencyrtus moderatus* (Howard,1897)** (Encyrtidae) Synonym(s): moderatus Howard,1897; femoralis Compere & Annecke,1961; miyarai Tachikawa,1963; mysorensis Hayat, Alam & Agarwai,1975 Range (in code): CU FJ GH IN Nk Ass Up Ben ID Ja MU JP PK TT TZ TM UG US FI
- 14543. *Aenasius advena* Compere,1937** (Encyrtidae) Synonym(s): advena Compere,1937; ianthus Compere,1937; clavus Hayat, Alam & Agarwal,1975 Range (in code): AF AR BD BO BR CG CR ZR FJ Hw IN Nk Up MX PK PA PH PR ZA TH TT US Cf FI VE
- 14544. *Ageniaspis avetianae* Trjapitzin & Herthetvzian,1971** (Encyrtidae) Synonym(s): avetianae Trjapitzin & Herthetvzian,1971 Range (in code): Cc AM
- 14545. *Ageniaspis citricola* Logvinovskaya,1983** (Encyrtidae) Synonym(s): citricola Logvinovskaya,1983 Range (in code): AR AU NSw QAU BR Cn CL CU FR GR IL Pa IT Si JP MX MACN PE PL RE ES TW TH TN US FI Tx VE VN
- 14546. *Ageniaspis fuscicollis* (Dalman,1820)** (Encyrtidae) Synonym(s): fuscicollis Dalman,1820; cyanocephalus Bouch  ,1834; praysincola Silvestri,1907; anchyloperae De Santis,1957 Range (in code): AR AM AZ Cc B-H BG CA On HV CZ FI FR GG DE GR IR IE IL Pa IT Si KG KK KP KR LB LT MD MN MA NL CN PL PT RO RU At Am Us Sb To ES SE TN TM UA GB US UZ YU TR
- 14547. *Ageniaspis kopetdagensis* (Myartseva,1988)** (Encyrtidae) Synonym(s): kopetdagensis Myartseva,1988 Range (in code): TM Kp
- 14548. *Ageniaspis longicornis* Trjapitzin,1968** (Encyrtidae) Synonym(s): longicornis Trjapitzin,1968 Range (in code): SE Cc AM
- 14549. *Anagyrus aligarhensis* Agarwal & Alam,1959** (Encyrtidae) Synonym(s): diversicornis Mercet,1921; opacus Mercet,1921; aligarhensis Agarwal & Alam,1959; punctulatus Agarwal,1965; micans Noyes,2000 Range (in code): TR AM AZ Cn HV CZ FR GG GR HU IN Up ID Clb IR IL Pa IT Md MX MD NP CN Hn PT RO ES RU GB TM US Tx UZ YU
- 14550. *Anagyrus fusciventris* (Girault,1915)** (Encyrtidae) Synonym(s): fusciventris Girault,1915 Range (in code): IR Fa AU CR CU GH Hw ID NZ IT PR CN TT US
- 14551. *Anagyrus kivuensis* Compere,1939** (Encyrtidae) Synonym(s): kivuensis Compere,1939 Range (in code): ZR Kvu GH IN IL Pa CI KE SN ZA UG US Cf
- 14552. *Anagyrus matritensis* (Mercet,1921)** (Encyrtidae) Synonym(s): matritensis Mercet,1921; orbitalis Ruschka,1923 Range (in code): AM AZ AT Cc Cn HV CZ DE HU KG MD MN RO RU TR ES TJ TN TM UA UZ YU
- 14553. *Anagyrus pseudococci* (Girault,1915)** (Encyrtidae) Synonym(s): pseudococci Girault,1915 Range (in code): AR AM AZ BR Cn CL ZR HV CY TR CG EG FR GM GG GH GY Hw HU IN IR IQ IL Pa IT Sa Si KE MD NL NG PK CN Fkn Kwa Hbe Hun She Sha Sz Yu PE PT RU RW SA SN ZA ES SE TJ TW TM UA GB US Cf Tx UY UZ YU
- 14554. *Anagyrus schoenherri* (Westwood,1837)** (Encyrtidae) Synonym(s): schoenherri Westwood,1837; flavus Ishii,1928; alboclavatus Ishii,1928 Range (in code): TR AM AZ Cc BY BG CZ DK DE EE FI FR HU IR IT JP MD MN NL CN Hn She PL RO RU Us SK SE UA GB YU
- 14555. *Anagyrus spaici* Hoffer,1970** (Encyrtidae) Synonym(s): spaici Hoffer,1970 Range (in code): GG Cc GR MK
- 14556. *Anagyrus turkmenicus* (Myartseva,1978)** (Encyrtidae) Synonym(s): turkmenicus Myartseva,1978 Range (in code): TM



- 14557. *Anicetus italicus* (Masi,1917)** (Encyrtidae) **Synonym(s):** italicus Masi,1917; brevicaudatus Subba-Rao,1965 **Range (in code):** **AL DZ EG CY FR GR TR IN Up IT IL Pa YU ZW**
- 14558. *Aphycoides clavellatus* (Dalman,1820)** (Encyrtidae) **Synonym(s):** clavellatus Dalman,1820; corybas Walker,1837; liriopae Walker,1837; ilithyia Walker,1838; mysus Walker,1838; alycoecus Walker,1848; cephalotes Ratzeburg,1852; radialis Thomson,1876; physokermis Girault,1916; merceti Ferriere,1953; viridescens Hoffer,1957 **Range (in code):** **AT BG CA CZ DK EE FI FR GG DE Cc HU JP KG KK MD MN PL RO RU At Kba Us Ya Sb TR SE SK UA GB US Org YU**
- 14559. *Aphycus primus* (Mercet,1917)** (Encyrtidae) **Synonym(s):** primus Mercet,1917 **Range (in code):** **RU ES YU TR**
- 14560. *Aschitus annulatus* Erdős,1957** (Encyrtidae) **Synonym(s):** annulatus Erdős,1957 **Range (in code):** **CZ HU SK SE GB TR**
- 14561. *Blastothrix erythrostetha* (Walker,1847)** (Encyrtidae) **Synonym(s):** erythrostetha Walker,1847; clara Nikolskaya,1952 **Range (in code):** **AM AT Cc BG EG GG FR DE HU IT IL Pa MD PL RO RU ES UA GB TR**
- 14562. *Blastothrix gurselae* Japoshvili & Karaca,2003** (Encyrtidae) **Synonym(s):** gurselae Japoshvili & Karaca,2003 **Range (in code):** **TR 32**
- 14563. *Blastothrix hungarica* Erdős,1959** (Encyrtidae) **Synonym(s):** hungarica Erdős,1959; meridionalis Sugonjaev,1964 **Range (in code):** **AF AZ Cc BG GG DE JP PL UA RU YU HU TR**
- 14564. *Blastothrix longipennis* Howard,1881** (Encyrtidae) **Synonym(s):** longipennis Howard,1881; confusa Erdős,1959 **Range (in code):** **AZ AM Cc GG BG CA BCo On CR CZ FR DE HU IT Si JP TR KK KG MD CN PL RO RU Us Sh SK SS GB US Cf NMx Ny Tx UZ YU**
- 14565. *Blastothrix sericea* (Dalman,1820)** (Encyrtidae) **Synonym(s):** sericea Dalman,1820; saccas Walker,1851; coryli Alam,1961 **Range (in code):** **CA BCo HV CZ FR GG Cc DE GR HU IN Ass Hp IE IT TR PK CN Gn She Ui Yu PL RO RU ES SE UA GB US Cf YU**
- 14566. *Blastothrix turanica* Sugonjaev,1964** (Encyrtidae) **Synonym(s):** turanica Sugonjaev,1964 **Range (in code):** **AF AM Cc AZ GG IR KG PK RU Da UZ TR**
- 14567. *Bothriothorax clavicornis* (Dalman,1820)** (Encyrtidae) **Synonym(s):** clavicornis Dalman,1820; conformis Thomson,1876 **Range (in code):** **AM BY Cc CZ DK FI DE HU IE IT LT MD MN NL NO CN PL RO RU AT To SK SE CH GB UZ YU TR**
- 14568. *Bothriothorax serratellus* (Dalman,1820)** (Encyrtidae) **Synonym(s):** serratellus Dalman,1820 **Range (in code):** **AM Cc CZ DK FI MN NL NO RU Kmt Us Sh To SK SE CH TJ GB YU TR**
- 14569. *Callipteroma sexguttata* Motschulsky,1863** (Encyrtidae) **Synonym(s):** sexguttata Motschulsky,1863; quinqueguttatum Motschulsky,1863; guttatipennis Girault,1915; kiushiuensis Ishii,1928 **Range (in code):** **AM Cc AU QAU AZ BG BF CM HV CZ GM GG GH GR HU IN Up ID Ja IL Pa JP KG MG NG MW MY MN PK PG PT RU Or SG SK ZA ES LK TH TM UA ZM ZW TR**
- 14570. *Cerapterocerus mirabilis* Westwood,1833** (Encyrtidae) **Synonym(s):** mirabilis Westwood,1833; anebus Walker,1837; platiceira Costa,1839; mirabilicornis Förster,1841; maculipennis Ratzeburg,1848; multiradiatus Thomson,1876 **Range (in code):** **ES GB FR RU SE CZ AT DE IT RO EG TR Cc GG Tbl MN 32 35 65**
- 14571. *Cerchysiella planiscutellum* (Mercet,1921)** (Encyrtidae) **Synonym(s):** planiscutellum Mercet,1921; laeviscuta Erdős,1946; vestonicensis Hoffer,1954 **Range (in code):** **AF AD AM AZ Cc GG BG CZ FR HU KG MK NL PT RU ES SE TJ TM UA GB YU TR**
- 14572. *Cerchysius subplanus* (Dalman,1820)** (Encyrtidae) **Synonym(s):** subplanus Dalman,1820; urocus Dalman,1820; stigmatalis Westwood,1832; melanopus Walker,1837; caudatus Förster,1841; **Range (in code):** **AF AM AZ AT Cc Cn HV CZ GG DE HU IN Ass KP LT Md MD MN NL CN PT RO RU Kmt SK SE TH GB Sb TR**
- 14573. *Charitopus fulviventris* Förster,1860** (Encyrtidae) **Synonym(s):** fulviventris Förster,1860; pinicola Mercet,1916 **Range (in code):** **DZ AM AZ GG Cc Cn HV CZ FI DE HU IN KG MD MN CN RO RU Da Us SK ZA ES SE TJ TM UA AE GB YU Sb TR**
- 14574. *Cheiloneurus claviger* Thomson,1876** (Encyrtidae) **Synonym(s):** claviger Thomson,1876; graeffei Ruschka,1923 **Range (in code):** **AM AZ AT Cc GG BG HV CZ EG FR DE GR HU IL Pa IT JP KG MD NL CN Hun She Sz RO RU Us SK SE ES TJ TM UA GB UZ YU TR**
- 14575. *Cheiloneurus paralia* (Walker,1837)** (Encyrtidae) **Synonym(s):** paralia Walker,1837; formosus Boheman,1852; eriococci Alam,1957; brachyptera Hoffer,1957; nigrithorax Hoffer,1957; submacroptera Hoffer,1957; mongolicus Szelényi,1971 **Range (in code):** **AF AM AT AZ GG Cc BG HV CZ DK FR HU IL Pa DE IT KG LT MN NL PL RO RU Us Sh SK ES SE TM UA GB YU TR**
- 14576. *Cheiloneurus quercus* Mayr,1876** (Encyrtidae) **Synonym(s):** quercus Mayr,1876 **Range (in code):** **IT HU TR 32**
- 14577. *Choreia maculata* (Hoffer,1954)** (Encyrtidae) **Synonym(s):** maculata Hoffer,1954 **Range (in code):** **AM AZ GG Cc BG CZ HU IR KG MD RU Da SK TM UA UZ Sb TR**
- 14578. *Coelopencyrtus callidii* (Jansson,1957)** (Encyrtidae) **Synonym(s):** callidii Jansson,1957; cephalotus Hedqvist,1973 **Range (in code):** **DK FI KG MD MN RU SE GB TR**
- 14579. *Comperiella bifasciata* Howard,1906** (Encyrtidae) **Synonym(s):** bifasciata Howard,1906; cerapterocera Mercet,1921; eugeniae Risbec,1952 **Range (in code):** **DZ AR AU QAU NSw AZ BM CL CY CZ EG FJ FR GG Cc GR GU HT Hw HU IN Ass Up Pj ID Ja IL Pa IT Si JP MG MU MD MA NC NZ PK CN Fkn Kwa Hun Sz Yu PH RU Us ZA ES LK SZ TW UA GB US Cf FI Tx YU ZM ZW TR**

- 14580. Copidosoma agrotis (Fonscolombe,1832)** (Encyrtidae) Synonym(s): agrotis Fonscolombe,1832; auricollis Thomson,1876; peregrinus Mercet,1921 Range (in code): AD AM Cc AT HV CZ DK FI FR GG DE HU IT KG MN NO CN Pkn Gn Mc IMn Ti TR RU At Us Sh SK ES SE TM GB YU
- 14581. Copidosoma aithya (Walker,1837)** (Encyrtidae) Synonym(s): aithya Walker,1837; hydramon Walker,1848; phalenarum Thonson,1876; kriechebaumeri Mayr,1876; quercicola Mercet,1921; salicina Erdős,1956 Range (in code): AT BG CZ SK DK FR DE HU PL RU Kmt SK ES SE CH GB TR
- 14582. Copidosoma boucheanum Ratzeburg,1844** (Encyrtidae) Synonym(s): boucheanum Ratzeburg,1844; hilaris Ratzeburg,1852; cultriformis Mayr,1876 Range (in code): AM BY Cc TR CZ FR DE HU KG LT MN NL CN Ui Qz RU SK ES CH GB YU
- 14583. Copidosoma breviclava Hoffer,1970** (Encyrtidae) Synonym(s): breviclava Hoffer,1970 Range (in code): AT BG CZ SK GG Cc GR HU IT MK ES UA YU TR
- 14584. Copidosoma floridanum (Ashmead,1900)** (Encyrtidae) Synonym(s): floridanum Ashmead,1900; japonicum Ashmead,1904; javae Girault,1917; nippon Girault,1917; argentinus Brèthes,1913; calypso Crawford,1914; brasiliensis Brèthes,1920; intermedia Mercet,1921; walshi Mercet,1922; maculata Ishii,1928; brethesi Blanchard,1936; daccaensis Mani,1941; phytometrae Risbec,1951 Range (in code): AR AU AZ Cc BD BY BZ BM BR BG CA Cn CV CU CZ EC GS FR GG DE GR GY Hw HU IN Ch Ben Or Up ID Ja IT CI JM JP KP MY NL NZ CN Pkn Gn Kwa Hn Hun PT RU Kc Ro SN SK ES LK SE TH TT GB US Cf Fl Ny UY VE YU TR
- 14585. Copidosoma hispanicum (Mercet,1921)** (Encyrtidae) Synonym(s): hispanicum (Mercet,1921) Range (in code): AD FR IT PT ES TR
- 14586. Copidosoma koehleri Blanchard,1840** (Encyrtidae) Synonym(s): koehleri Blanchard,1840; uruguayensis Tachikawa,1968 Range (in code): AO AR AU QAU BM BO BR UY Cn CV CL CY ZR GR Hw IN IT JP KE MG MU NZ PE SC ZA SH TZ US Cf VE ZM ZW
- 14587. Copidosoma primulum (Mercet,1921)** (Encyrtidae) Synonym(s): primulum Mercet,1921; obscurum Nikolskaya,1952; nanum Hoffer,1970; heliothis Liao,1987 Range (in code): CZ HU CN SK ES SD TR TM UZ
- 14588. Copidosoma truncatellum (Dalman,1820)** (Encyrtidae) Synonym(s): truncatellum Dalman,1820; aethas Walker,1837; aestivalis Mercet,1921 Range (in code): AD AR AT BR CA BCo CV CL CO CU CZ DE EG FI GG DE GR Hw HU IT Sa Si MK MX NL CN Sz PL PR RO RU Kmt SK SS ES SE CH GB US Arz Cf Fl Ny Nj Tx UY VE YU TR
- 14589. Copidosoma varicorne (Nees ab Esenbeck,1834)** (Encyrtidae) Synonym(s): varicorne Nees ab Esenbeck,1834; sylleptae Risbec,1951; gallaephila Risbec,1951; annulata Nikolskaya,1952; clavellatus Erdős,1960; batorligetensis Erdős,1960 Range (in code): AF AM AZ Cc BG HV CZ SK FR DE HU IN Pj Up Ben IR IL Pa IT CI KG LB MD PK CN Yu Mc PL RO RU At Us Ro SN ZA ES TM UA YU ZW TR
- 14590. Cowperia areolata (Walker,1872)** (Encyrtidae) Synonym(s): longicornis Fonscolombe,1832; areolata Walker,1872; niger Masi,1919 Range (in code): AM Cc BG FR GG HU IT ES UA YU TJ TR
- 14591. Dicarnosis sugonjaevi Myartseva,1977** (Encyrtidae) Synonym(s): sugonjaevi Myartseva,1977 Range (in code): TR
- 14592. Dicarnosis superba Mercet,1921** (Encyrtidae) Synonym(s): superba Mercet,1921 Range (in code): TR
- 14593. Dinocarsis hemiptera (Dalman,1820)** (Encyrtidae) Synonym(s): hemiptera Dalman,1820; submontana Hoffer,1952 Range (in code): TR AZ AM Cc CZ FR DE IT MN NL CN SK ES SE UA GB
- 14594. Discodes aeneus (Dalman,1820)** (Encyrtidae) Synonym(s): aeneus Dalman,1820; melanopterus Nees,1834; statius Walker,1850; obscuricornis Mercet,1921; basihyalinus Hoffer,1954 Range (in code): HV CZ SK FR GG Cc DE HU IL Pa MD NL PL RO RU ES SE CH TR UA GB US Cf YU
- 14595. Discodes coccophagus (Ratzeburg,1848)** (Encyrtidae) Synonym(s): coccophagus Ratzeburg,1848 Range (in code): AM AZ Cc BY BG CZ SK FR GG DE GR HU IL Pa IT KK MD RO RU SE TM TR UA YU
- 14596. Discodes obscuriclavus Myartseva,1985** (Encyrtidae) Synonym(s): obscuriclavus Myartseva,1985 Range (in code): TR TM UZ
- 14597. Discodes trjapitzini Herthveztian,1979** (Encyrtidae) Synonym(s): trjapitzini Herthveztian,1979 Range (in code): AM AT AZ Cc BG CZ SK FR GG MD RU Da Kc UA TR
- 14598. Discodes valentinae Japoshivili & Noyes,2005** (Encyrtidae) Synonym(s): valentinae Japoshivili & Noyes,2005 Range (in code): GG Cc
- 14599. Echthroplexiella aeneiventris Mercet,1921** (Encyrtidae) Synonym(s): aeneiventris Mercet,1921 Range (in code): TR AM Cc AZ CZ GG GR HU MN RU Da Tv SK ES TM UA
- 14600. Encyrtus aurantii (Geoffroy,1785)** (Encyrtidae) Synonym(s): aurantii Geoffroy,1785; lecaniorum Mayr,1876; bicolor Howard,1881; albicoxa Ashmead,1885; hibisci Girault,1915; argenticoxa Girault,1915; argentiscapus Girault,1915; aurantifasciata Girault,1915; mirabilis Brèthes,1916; albiscapus Masi,1917; barbatus Timerlake,1919; cocci Risbec,1951; ceroplastis Agarwal,1965 Range (in code): AR DZ AM Cc AU AZ BD BE CM CA On CV CO HV CY CZ DM EC FI FR PF GG DE GH GR TR Hw IN Nk Ass Up Ben ID Ja Mlc IL Pa IR IT JM MW MY MA MZ NL NC NZ PK PA CN Hun Sz Yu PE PH PL PR RU SN SC SG ZA ES SL SE TJ TM UG UA US Cf Col Fl Nj Ny Oh Tx UZ VN YU ZW
- 14601. Encyrtus infelix (Embleton,1902)** (Encyrtidae) Synonym(s): infelix Embleton,1902; hortensis Girault,1915; proserpinensis Girault,1915; tananarivensis Risbec,1952 Range (in code): DZ AU QAU AT BR Cn CV CO CR CU EC EG TR FJ DE Hw IN Ass Ben IL Pa JM KE MG Md MY MX MA NL NC NZ PE PH PR RU SC LK CH TT GB US Cf Fl Ny Tx VE VN ZW WS DO DM BM

- 14602. Encyrtus infidus (Rossi,1790)** (Encyrtidae) Synonym(s): infidus Rossi,1790; scutellatus Swederus,1795; obscura Dalman,1820; hokkaidonis Tachikawa,1963 Range (in code): AM Cc AZ CA On HV CZ TR FR GG DE GR IT JP KG KK KP KR MD MN MA NL CN Fkn PL RU At Am Kmt Us Sh Ya SK ES SE TM GB US Cf UZ
- 14603. Epitetracnemus intersectus (Fonscolombe,1832)** (Encyrtidae) Synonym(s): intersectus Fonscolombe,1832 Range (in code): TR
- 14604. Ercydnus aeneus Nikol'skaya,1952** (Encyrtidae) Synonym(s): aeneus Nikol'skaya,1952 Range (in code): TR
- 14605. Ercydnus robustior Mercet,1921** (Encyrtidae) Synonym(s): robustior Mercet,1921 Range (in code): TR
- 14606. Eugahania fumipennis (Ratzeburg,1852)** (Encyrtidae) Synonym(s): fumipennis Ratzeburg,1852 Range (in code): TR
- 14607. Ginsiana carpetana (Mercet,1921)** (Encyrtidae) Synonym(s): carpetana Mercet,1921 Range (in code): TR
- 14608. Gyranusoidea indica Shafee, Alam & Agarwal,1975** (Encyrtidae) Synonym(s): indica Shafee, Alam & Agarwal,1975 Range (in code): IN Up IR Fa AU QAU BZ EG GY PR TT Hw CN JP
- 14609. Habrolepis dalmanni (Westwood,1837)** (Encyrtidae) Synonym(s): dalmanni Westwood,1837 Range (in code): TR
- 14610. Habrolepis italicus Delucchi,1965** (Encyrtidae) Synonym(s): italicus Delucchi,1965 Range (in code): IT TR
- 14611. Homalotylus flaminus (Dalman,1820)** (Encyrtidae) Synonym(s): flaminus Dalman,1820 Range (in code): TR
- 14612. Homalotylus nigricornis Mercet,1921** (Encyrtidae) Synonym(s): nigricornis Mercet,1921 Range (in code): TR
- 14613. Homalotylus quaylei Timberlake,1919** (Encyrtidae) Synonym(s): quaylei Timberlake,1919 Range (in code): TR
- 14614. Hoplopsis minuta (Fabricius,1793)** (Encyrtidae) Synonym(s): minuta Fabricius,1793 Range (in code): TR
- 14615. Isodromus flaviscutum Hoffer & Trjapitzin,1978** (Encyrtidae) Synonym(s): flaviscutum Hoffer & Trjapitzin,1978 Range (in code): TR
- 14616. Isodromus niger Ashmead,1900** (Encyrtidae) Synonym(s): niger Ashmead,1900 Range (in code): TR
- 14617. Lamennaisia ambigua (Nees,1834)** (Encyrtidae) Synonym(s): ambigua Nees,1834 Range (in code): TR
- 14618. Leptomastidea abnormis (Girault,1915)** (Encyrtidae) Synonym(s): abnormis Girault,1915 Range (in code): TR IR Fa DZ AR AU AZ Cc BE BR CA Cn CL CR CU CY DO EG FR GG GH GR Hw IT IN JP KE MA MX NL CN PE SN SL ES SE TJ TM GB US RU UZ
- 14619. Leptomastix algerica Trjapitzin,1989** (Encyrtidae) Synonym(s): algerica Trjapitzin,1989 Range (in code): DZ TR
- 14620. Leptomastix dactylopii Howard,1885** (Encyrtidae) Synonym(s): dactylopii Howard,1885 Range (in code): TR
- 14621. Leptomastix flava Mercet,1921** (Encyrtidae) Synonym(s): flava Mercet,1921 Range (in code): TR
- 14622. Mayridia formosula Mercet,1921** (Encyrtidae) Synonym(s): formosula Mercet,1921 Range (in code): TR
- 14623. Mayridia merceti Trjapitzin,1969** (Encyrtidae) Synonym(s): merceti Trjapitzin,1969 Range (in code): TR
- 14624. Mayridia pulchra Mercet,1921** (Encyrtidae) Synonym(s): pulchra Mercet,1921 Range (in code): TR
- 14625. Metanotalia maderensis (Walker,1872)** (Encyrtidae) Synonym(s): maderensis Walker,1872 Range (in code): Md TR
- 14626. Metaphycus anneckei Guerrieri & Noyes,2000** (Encyrtidae) Synonym(s): anneckei Guerrieri & Noyes,2000 Range (in code): AR AU NSw CL CY EG GR Cr Hw IR IL Pa IT MX NZ PE PT ZA ES US Cf UY
- 14627. Metaphycus asterolecanii (Mercet,1923)** (Encyrtidae) Synonym(s): asterolecanii Mercet,1923; variolosus Alam,1957 Range (in code): TR DZ AD AM Cc BG CZ SK DK FI FR GG DE GR HU IT NL PL RU SA ES GB
- 14628. Metaphycus bellae Trjapitzin** (Encyrtidae) Synonym(s): #bellae Trjapitzin Range (in code): TR
- 14629. Metaphycus citricola Annecke & Mynhardt,1971** (Encyrtidae) Synonym(s): citricola Annecke & Mynhardt,1971 Range (in code): ZA PK DZ
- 14630. Metaphycus delos Guerrieri & Noyes,2000** (Encyrtidae) Synonym(s): delos Guerrieri & Noyes,2000 Range (in code): TR FR ES GR DE 48
- 14631. Metaphycus dispar (Mercet,1925)** (Encyrtidae) Synonym(s): dispar Mercet,1925; tamakataigara Tachikawa,1957 Range (in code): TR AM AZ Cc GG Cn CZ FI FR GR HU IT JP KG KK Md MN CN Hun Sz RU At Sh SK ES TJ TM GB US Cf UZ YU



- 14632. *Metaphycus flavus* (Howard,1881)** (Encyrtidae) Synonym(s): *flavus* Howard,1881; *hesperidum* Mercet,1916; *caridei* Brethes,1918; *mauritanicus* Compere,1940 Range (in code): **TR AL AR AU AZ Cc BR Cn CL CR CU CY CZ EG FR GG Hw IN Hp IL Pa IR IT Si JM LB Md MX MA PY PE PT PR ES T-T TN US Cf FI Ny Oh Tx UY YU**
- 14633. *Metaphycus garmon* Guerrieri & Noyes,2000** (Encyrtidae) Synonym(s): *garmon* Guerrieri & Noyes,2000 Range (in code): **TR FR GR IT ES 48**
- 14634. *Metaphycus gennaroi* Guerrieri & Noyes,2000** (Encyrtidae) Synonym(s): *gennaroi* Guerrieri & Noyes,2000 Range (in code): **TR DZ HV GR IT YU 48**
- 14635. *Metaphycus helvolus* (Compere,1926)** (Encyrtidae) Synonym(s): *helvolus* Compere,1926 Range (in code): **TR AR AU NSw QAU WAu BD CL CU CY EC EG ER FR Co GR Hw IN IR IL Pa IT MX MA NA NL PK PE ZA ES SE CH TN GB US Cf RU**
- 14636. *Metaphycus ibericus* (Mercet,1921)** (Encyrtidae) Synonym(s): *ibericus* Mercet,1921 Range (in code): **ES TR MA YU HU 48**
- 14637. *Metaphycus insidiosus* (Mercet,1921)** (Encyrtidae) Synonym(s): *insidiosus* Mercet,1921; *taxi* Alam,1957 Range (in code): **TR AD AM Cc GG AZ AT BG Cn CZ SK DK FI FR DE GR HU IT Si KG MD PL RO RU ES SE CH GB US FI**
- 14638. *Metaphycus inviscus* Compere,1940** (Encyrtidae) Synonym(s): *inviscus* Compere,1940 Range (in code): **AU IL Pa ZA ES US Cf**
- 14639. *Metaphycus lounsburyi* (Howard,1898)** (Encyrtidae) Synonym(s): *lounsburyi* Howard,1898; *bartletti* Annecke & Mynhardt,1972 Range (in code): **ZA AL AR AU WAu CL CY EG ER ET FR Co GR Hw IR IL Pa IT LY KE MX MA NL NZ PE PT ES TZ TN US Cf UY**
- 14640. *Metaphycus luteolus* (Timberlake,1916)** (Encyrtidae) Synonym(s): *luteolus* Timberlake,1916 Range (in code): **AR AU QAU AZ Cc GG Hw IT MX PE RU ES UA US Cf Tx**
- 14641. *Metaphycus melanostomatus* (Timberlake,1916)** (Encyrtidae) Synonym(s): *melanostomatus* Timberlake,1916 Range (in code): **TR AM AZ Cc GG BY BG HV CZ DK FR Co DE GR IR IT JP KG MD NL RU ES SE TJ TM UZ GB US Cf YU 35**
- 14642. *Metaphycus petitus* (Walker,1851)** (Encyrtidae) Synonym(s): *petitus* Walker,1851; *erythraeus* Hoffer,1854 Range (in code): **TR CZ DK FI GG Tbl GR Cc IT MD SK ES GB BG 48**
- 14643. *Metaphycus piceus* Hoffer,1954** (Encyrtidae) Synonym(s): *piceus* Hoffer,1954 Range (in code): **TR BG CZ MD RO SK GB YU 48**
- 14644. *Metaphycus silvestrii* Sugonjaev,1970** (Encyrtidae) Synonym(s): *silvestrii* Sugonjaev,1970 Range (in code): **TR AM Cc GG AZ BY BG HV DE HU IT MD PL RO RU UA YU**
- 14645. *Metaphycus stagnarum* Hoffer,1954** (Encyrtidae) Synonym(s): *stagnarum* Hoffer,1954; *melanus* Sugonjaev,1960 Range (in code): **TR BE CZ DK FI DE IT KG NL PL RO RU Sh SK GB**
- 14646. *Metaphycus stanleyi* Compere,1940** (Encyrtidae) Synonym(s): *stanleyi* Compere,1940 Range (in code): **AR CZ BCo Cn CL CR CU ER ET GR Hw IR IL Pa IT KE MX NA PH PE ZA ES SH UG YS Cf Tx**
- 14647. *Metaphycus subflavus* Timberlake,1927** (Encyrtidae) Synonym(s): *flavus* Ashmead,1901; *subflavus* Timberlake,1927 Range (in code): **EG IL Pa IT ZA**
- 14648. *Metaphycus swirskii* Annecke & Mynhardt,1979** (Encyrtidae) Synonym(s): *swirskii* Annecke & Mynhardt,1979 Range (in code): **ZA TR KE IT IL Pa GR FR**
- 14649. *Microterys bellae* Trjapitzin,1968** (Encyrtidae) Synonym(s): *bellae* Trjapitzin,1968; *eulecanii* Pilipyuk & Sugonjaev,1971 Range (in code): **TR KK KG CN RU Sh**
- 14650. *Microterys cneus* Trjapitzin & Sugonjaev,1976** (Encyrtidae) Synonym(s): *cneus* Trjapitzin & Sugonjaev,1976 Range (in code): **TR RU**
- 14651. *Microterys darevskii* Trjapitzin,1968** (Encyrtidae) Synonym(s): *darevskii* Trjapitzin,1968 Range (in code): **TR AM AZ Cc TM**
- 14652. *Microterys hortulanus* Erdős,1956** (Encyrtidae) Synonym(s): *hortulanus* Erdős,1956 Range (in code): **TR AM AZ Cc GG BG CZ SK DE GR HU IR IT IL Pa KK MD PL RO RU SK ES UA UZ YU GB**
- 14653. *Microterys iranica* Japoshvili & Fallahzadeh,2010** (Encyrtidae) Synonym(s): *iranica* Japoshvili & Fallahzadeh,2010 IR
- 14654. *Microterys lunatus* (Dalman,1820)** (Encyrtidae) Synonym(s): *lunatus* Dalman,1820 Range (in code): **TR AT AZ GG Cc BG HV CZ SK DK EE FI FR DE HU IR IT KG LT MN PL RO RU At Mo Ya SE CH UA GB US Cf Sb YU**
- 14655. *Microterys masii* Silvestri,1919** (Encyrtidae) Synonym(s): *masii* Silvestri,1919 Range (in code): **TR DZ HV CY FR DE GR IR IL Pa IT ES TN UA GB RU YU**
- 14656. *Microterys nietneri* (Motschulsky,1859)** (Encyrtidae) Synonym(s): *nietneri* Motschulsky,1859 Range (in code): **TR**
- 14657. *Microterys tricoloricornis* (De Stefani,1886)** (Encyrtidae) Synonym(s): *tricoloricornis* De Stefani,1886; *consobrinus* Mercet,1921 Range (in code): **TR GG Cc GR IL Pa IT Si MX RU Us ES TM US Cf**
- 14658. *Monodiscodes dimorphus* (Mercet,1921)** (Encyrtidae) Synonym(s): *dimorphus* Mercet,1921 Range (in code): **TR**
- 14659. *Ooencyrtus fecundus* Ferrière & Voegelé,1961** (Encyrtidae) Synonym(s): *fecundus* Ferrière & Voegelé,1961 Range (in code): **TR**

- 14660. *Ooencyrtus kuvanae* (Howard,1910)** (Encyrtidae) Synonym(s): kuvanae Howard,1910 Range (in code): TR
- 14661. *Ooencyrtus masii* (Mercet,1921)** (Encyrtidae) Synonym(s): masii Mercet,1921 Range (in code): TR
- 14662. *Ooencyrtus pityocampae* (Mercet,1921)** (Encyrtidae) Synonym(s): pityocampae Mercet,1921 Range (in code): TR
- 14663. *Ooencyrtus tardus* (Ratzeburg,1844)** (Encyrtidae) Synonym(s): tardus Ratzeburg,1844 Range (in code): TR
- 14664. *Ooencyrtus telenomicida* (Vassiliev,1904)** (Encyrtidae) Synonym(s): telenomicida Vassiliev,1904 Range (in code): TR
- 14665. *Parasauleia trjapitzini* Hoffer,1968** (Encyrtidae) Synonym(s): trjapitzini Hoffer,1968 Range (in code): TR
- 14666. *Pentacladocerus araraticus* (Trjapitzin,1962)** (Encyrtidae) Synonym(s): araraticus Trjapitzin,1962 Range (in code): Cc TR 76
- 14667. *Proleptomastidea enigmatica* (Trjapitzin,1971)** (Encyrtidae) Synonym(s): enigmatica Trjapitzin,1971 Range (in code): TM
- 14668. *Pseudococcobius obenbergeri* (Novickii,1926)** (Encyrtidae) Synonym(s): obenbergeri Novickii,1926 Range (in code): TR
- 14669. *Psilophrys bella* Japoshvili & Noyes,2006** (Encyrtidae) Synonym(s): bella Japoshvili & Noyes,2006 Range (in code): TR 32
- 14670. *Psilophrys ghilarovi* Japoshvili,2005** (Encyrtidae) Synonym(s): ghilarovi Japoshvili,2005 Range (in code): TR 07 32
- 14671. *Psilophrys tenuicornis* Graham,1969** (Encyrtidae) Synonym(s): longicornis Walker,1847 nec Dalm.,1820; tenuicornis Graham,1969 Range (in code): GB AT TR 32
- 14672. *Psyllaephagus caillardiae* Sugonjaev,1968** (Encyrtidae) Synonym(s): caillardiae Sugonjaev,1968 Range (in code): TR
- 14673. *Psyllaephagus elaeagni* Trjapitzin,1967** (Encyrtidae) Synonym(s): elaeagni Trjapitzin,1967 Range (in code): TR
- 14674. *Psyllaephagus euphyllurae* (Masi,1911)** (Encyrtidae) Synonym(s): euphyllurae Masi,1911 Range (in code): TR
- 14675. *Psyllaephagus pistaciae* Ferrière,1961** (Encyrtidae) Synonym(s): pistaciae Ferrière,1961 Range (in code): TR
- 14676. *Psyllaephagus procerus* (Mercet,1921)** (Encyrtidae) Synonym(s): procerus Mercet,1921 Range (in code): TR
- 14677. *Psyllaephagus pulchellus* (Mercet,1921)** (Encyrtidae) Synonym(s): pulchellus Mercet,1921 Range (in code): TR
- 14678. *Psyllaephagus tokgaevi* Myartseva,1979** (Encyrtidae) Synonym(s): tokgaevi Myartseva,1979 Range (in code): TR
- 14679. *Rhopus flavidus* (Mercet,1921)** (Encyrtidae) Synonym(s): flavidus Mercet,1921 Range (in code): TR
- 14680. *Stryphophagus aphidivorus* (Mayr,1876)** (Encyrtidae) Synonym(s): aphidivorus Mayr,1876 Range (in code): TR
- 14681. *Tetracnemus heydeni* (Mayr,1876)** (Encyrtidae) Synonym(s): heydeni Mayr,1876 Range (in code): TR
- 14682. *Tetracnemus terminassianae* Herthvitzian,1978** (Encyrtidae) Synonym(s): terminassianae Herthvitzian,1978 Range (in code): AM AZ Cc GR FR TR
- 14683. *Trechnites flavipes* (Mercet,1921)** (Encyrtidae) Synonym(s): flavipes Mercet,1921 Range (in code): TR AM AZ Cc CZ DK FR HU IT KG MN PL RU Da SK ES
- 14684. *Trechnites psyllae* (Ruschka,1923)** (Encyrtidae) Synonym(s): psyllae Ruschka,1923 Range (in code): TR
- 14685. *Trichomasthus albimanus* Thomson,1876** (Encyrtidae) Synonym(s): albimanus Thomson,1876 Range (in code): AZ AM GG Cc BY BG HV CZ DK FI FR DE HU IT LT MD MN PL PT RU Kb SS ES SE TR US YU
- 14686. *Zaomma astra* Hayat,2014** (Encyrtidae) Synonym(s): astra Hayat,2014 Range (in code): SA
- 14687. *Zaomma lambinus* (Walker,1838)** (Encyrtidae) Synonym(s): lambinus Walker,1838; euryclea Walker,1844; microphagus Mayr,1876; diaspidinarum Howard,1894; pulchricornis Ashmead,1905; mayri Ruschka,1915; aspidioti Girault,1915; britannicus Girault,1915; zonatus Alam,1957; etc. Range (in code): TR DZ AR AM Cc AT AZ BR BG CA On HV CZ DK FI FR GG DE Hw HU IN Ass Up Ben ID Ja IR GB IT JP KP KR LB MU MD MN NL NZ CN Fkn Gn Kwa Hn Hun PE PH PL RO RU Da Mo Sh SK ES SE CH TN UA US Cf FI Ny Ny Oh UZ YU
- 14688. *Eucharis* (*Eucharisca*) *bytinskisalzi* Boucek,1956** (Eucharidae) Synonym(s): bytinskisalzi Boucek,1956 Range (in code): IL Pa
- 14689. *Eucharis* (*Eucharisca*) *intermedia* Ruschka,1924** (Eucharidae) Synonym(s): intermedia Ruschka,1924 Range (in code): TN IL Pa

- 14690. Eucharis (Psilogastrellus) acuminata Ruschka,1924** (Eucharidae) Synonym(s): acuminata Ruschka,1924 Range (in code): RU Da Cc
- 14691. Eucharis (Psilogastrellus) affinis Boucek,1956** (Eucharidae) Synonym(s): affinis Boucek,1956 Range (in code): IL Pa
- 14692. Eucharis (Psilogastrellus) albipennis Boucek,1956** (Eucharidae) Synonym(s): albipennis Boucek,1956 Range (in code): IL Pa
- 14693. Eucharis (Psilogastrellus) anatolica Boucek,1951** (Eucharidae) Synonym(s): anatolica Boucek,1952 Range (in code): TR o6
- 14694. Eucharis (Psilogastrellus) fulviventris Gussakovsky,1940** (Eucharidae) Synonym(s): fulviventris Gussakovsky,1940 Range (in code): AM Cc Eri TM
- 14695. Eucharis (Psilogastrellus) microcephala Boucek,1956** (Eucharidae) Synonym(s): microcephala Boucek,1956 Range (in code): IL Pa
- 14696. Eucharis (Psilogastrellus) nigriventris Boucek,1956** (Eucharidae) Synonym(s): nigriventris Boucek,1956 Range (in code): IL Pa
- 14697. Eucharis (Psilogastrellus) punctata Förster,1859** (Eucharidae) Synonym(s): punctata Förster,1859 Range (in code): DZ AT BG EG TN TR MK HV
- 14698. Eucharis (s.str.) adscendens (Fabricius,1787)** (Eucharidae) Synonym(s): adscendens Fabricius,1787; kollari Förster,1859 Range (in code): AT BY B-H HV CZ DE HU IT KG LT MD RO RU Da Cc SK UA GB YU Sb TR IR Ak Mrd
- 14699. Eucharis (s.str.) carnifera Gussakovsky,1940** (Eucharidae) Synonym(s): carnifera Gussakovsky,1940 Range (in code): KG AM Cc UA UZ YU IR
- 14700. Eucharis (s.str.) cyanella Gussakovsky,1940** (Eucharidae) Synonym(s): cyanella Gussakovsky,1940 Range (in code): RU Cc TM Kp
- 14701. Eucharis (s.str.) nana Gussakovsky,1940** (Eucharidae) Synonym(s): nana Gussakovsky,1940 Range (in code): RU Da Cc
- 14702. Eucharis (s.str.) reticulata Ruschka,1924** (Eucharidae) Synonym(s): reticulata Ruschka,1924 Range (in code): Cc TR RO HU
- 14703. Eucharis (s.str.) rugulosa Gussakovsky,1940** (Eucharidae) Synonym(s): rugulosa Gussakovsky,1940 Range (in code): IR Elb Th UA Cm RU
- 14704. Eucharis (s.str.) specularis Ruschka,1924** (Eucharidae) Synonym(s): specularis Ruschka,1924 Range (in code): TR
- 14705. Eucharis (s.str.) turca Nikolskaya,1952** (Eucharidae) Synonym(s): turca Nikolskaya,1952 Range (in code): TR
- 14706. Eucharis globosa Radoszkowsky,1873** (Eucharidae) Synonym(s): globosa Radoszkowsky,1873 Range (in code): AM Cc Eri
- 14707. Stilbula cyniformis (Rossi,1792)** (Eucharidae) Synonym(s): cyniformis Rossi,1792; tenuicornis Ashmead,1904; nekkensis Ishii,1938; #cynipiformis auct. Range (in code): AT AZ Cc B-H Cc HV CZ FR DE HU IT Si JP KG KP KR MK MD CN RO RU SK TR UA US 16
- 14708. Stilbula tonyi Narendran & Girish Kumar,2004** (Eucharidae) Synonym(s): tonyi Narendran & Girish Kumar,2004 Range (in code): YE
- 14709. Stilbula vitripennis Masi,1934** (Eucharidae) Synonym(s): vitripennis Masi,1934 Range (in code): TR CY IL Pa
- 14710. Stilbula yemenica Narendran & Girish Kumar,2004** (Eucharidae) Synonym(s): yemenica Narendran & Girish Kumar,2004 Range (in code): YE
- 14711. Anaprostocetus acuminatus (Ratzeburg,1848)** (Eulophidae) Synonym(s): acuminatus Ratzeburg,1848 Range (in code): TR AT CA CZ FR DE HU IN IT JP NL SE UA GB
- 14712. Anaprostocetus ankarensis Gençer,2009** (Eulophidae) Synonym(s): ankarensis Gençer,2009 Range (in code): TR o6
- 14713. Aprostocetus agevilleae Graham,1987** (Eulophidae) Synonym(s): agevilleae Graham,1987 Range (in code): CZ SK IT TR
- 14714. Aprostocetus agrus (Walker,1839)** (Eulophidae) Synonym(s): agrus Walker,1839; amynus Walker,1839; conii Erdös,1954; rugosus Erdös,1954 Range (in code): CZ FR GR HU GB IE NL RU Us SK SE TR
- 14715. Aprostocetus beyazus Doğanlar,1992** (Eulophidae) Synonym(s): beyazus Doğanlar,1992 Range (in code): IR
- 14716. Aprostocetus bucculentus (Kostjukov,1978)** (Eulophidae) Synonym(s): bucculentus Kostjukov,1978 Range (in code): AM Cc IR IL Pa TR o1 23 27 31
- 14717. Aprostocetus catius (Walker,1839)** (Eulophidae) Synonym(s): catius Walker,1839 Range (in code): CZ IE GB SE RU Us TR
- 14718. Aprostocetus caudatus Westwood,1833** (Eulophidae) Synonym(s): caudatus Westwood,1833; tristis Nees,1834; phalis Walker,1839; trabea Walker,1839; mutilia Walker,1839; crassicauda Thomson,1878 Range (in code): AT BG CZ FR DE GR HU IE GB IT NL CN RU SK SE YU TR
- 14719. Aprostocetus ceroplastae (Girault,1916)** (Eulophidae) Synonym(s): ceroplastae Girault,1916 Range (in code): AU NSw EG FR IL Pa GR IT LB LY MG MU MA CN Fkn Yu ZA UG US FI TR



- 14720. *Aprostocetus coelarchus* (Graham,1991)** (Eulophidae) Synonym(s): *coelarchus* Graham,1991 Range (in code): TR CZ CN Yu SE GB YU
- 14721. *Aprostocetus cracens* Graham,1987** (Eulophidae) Synonym(s): *cracens* Graham,1987 Range (in code): TR IT GR
- 14722. *Aprostocetus crino* (Walker,1838)** (Eulophidae) Synonym(s): *crino* Walker,1838; *dispar* Silvestri,1920; *oecanthivorus* Gahan,1932; *compar* Gahan,1932; *dubius* Bakkendorf,1955 Range (in code): AD BG HV CZ DK FR DE HU IE GB IT MD NL CN RU SK SE US Tx YU TR
- 14723. *Aprostocetus decrescens* (Graham,1991)** (Eulophidae) Synonym(s): *decrescens* Graham,1991 Range (in code): TR FR GB SE CN Kwa
- 14724. *Aprostocetus eriophyes* (Taylor,1909)** (Eulophidae) Synonym(s): *eriophyes* Taylor,1909 Range (in code): TR
- 14725. *Aprostocetus eurytomae* (Nees ab Esenbeck,1834)** (Eulophidae) Synonym(s): *eurytomae* Nees ab Esenbeck,1834 Range (in code): TR
- 14726. *Aprostocetus forsteri* (Walker,1847)** (Eulophidae) Synonym(s): *forsteri* Walker,1847 Range (in code): TR
- 14727. *Aprostocetus holoxanthus* Graham,1991** (Eulophidae) Synonym(s): *flavus* Graham,1987 *nec* Gir.,1913; *holoxanthus* Graham,1991 Range (in code): TR 25
- 14728. *Aprostocetus invidus* (Domenichini,1966)** (Eulophidae) Synonym(s): *invidus* Domenichini,1966 Range (in code): SY CY IT
- 14729. *Aprostocetus levadiensis* Graham,1987** (Eulophidae) Synonym(s): *levadiensis* Graham,1987 Range (in code): GR TR
- 14730. *Aprostocetus longicauda* (Thomson,1878)** (Eulophidae) Synonym(s): *longicauda* Thomson,1878 Range (in code): GB FR DE CZ SK HU IT GR SE TR
- 14731. *Aprostocetus lycidas* (Walker,1839)** (Eulophidae) Synonym(s): *lycidas* Walker,1839 Range (in code): GR FR NL DE DK SE FI PL CZ SK IT YU TR
- 14732. *Aprostocetus melasomae* (Graham,1991)** (Eulophidae) Synonym(s): *melasomae* Graham,1991 Range (in code): SE CZ TR
- 14733. *Aprostocetus neglectus* (Domenichini,1957)** (Eulophidae) Synonym(s): *neglectus* Domenichini,1957 Range (in code): FR DE IT CZ AT HU MD GR TR
- 14734. *Aprostocetus pausiris* (Walker,1839)** (Eulophidae) Synonym(s): *pausiris* Walker,1839 Range (in code): TR PT ES FR GB NO SE DK DE CZ HU GR
- 14735. *Aprostocetus productus* Graham,1987** (Eulophidae) Synonym(s): *productus* Graham,1987 Range (in code): TR FR
- 14736. *Aprostocetus pygmaeus* (Zetterstedt,1838)** (Eulophidae) Synonym(s): *pygmaeus* Zetterstedt,1838 Range (in code): TR FR GB DK DE NO SE FI UA CZ HU IT GR
- 14737. *Aprostocetus sinope* (Walker,1839)** (Eulophidae) Synonym(s): *sinope* Walker,1839; *agathocles* Walker,1839; *hippis* Walker,1839; *rapo* Walker,1839 Range (in code): TR DZ CA FR DE HU IE IT LT MD NL NZ SE UA GB US Ny YU
- 14738. *Aprostocetus terebrans* Erdős,1954** (Eulophidae) Synonym(s): *terebrans* Erdős,1954 Range (in code): TR GB FR NO SE DE CZ SK HU
- 14739. *Aprostocetus toddaliae* (Risbec,1958)** (Eulophidae) Synonym(s): *toddaliae* Risbec,1958 Range (in code): MG IL Pa TR
- 14740. *Aprostocetus trjapitzini* (Kostjukov,1976)** (Eulophidae) Synonym(s): *trjapitzini* Kostjukov,1976 Range (in code): DE KG MD NL RO RU At Us SE TJ GB UZ TR SE
- 14741. *Aprostocetus tymber* (Walker,1839)** (Eulophidae) Synonym(s): *tymber* Walker,1839 Range (in code): TR GB FR NL SE PL CZ SK YU IT
- 14742. *Aulogymnus skianeuros* (Ratzeburg,1844)** (Eulophidae) Synonym(s): *skianeuros* Ratzeburg,1844; *skianeurus* Ratzeburg,1848 Range (in code): TR AT BE BG HV CZ FR DE HU IT Sa MD NL RO RU ES SE UA GB YU
- 14743. *Baryscapus adalia* (Walker,1839)** (Eulophidae) Synonym(s): *adalia* Walker,1839; *crassinervis* Thomson,1878 Range (in code): TR BG CZ FR DE HU IT RU SE GB YU
- 14744. *Baryscapus babi*yi Doğanlar,1993** (Eulophidae) Synonym(s): *babi*yi Doğanlar,1993 Range (in code): TR
- 14745. *Baryscapus bruchidii* (Erdős,1951)** (Eulophidae) Synonym(s): *bruchidii* Erdős,1951 Range (in code): TR HU MD RU
- 14746. *Baryscapus bruchivorus* (Gahan,1942)** (Eulophidae) Synonym(s): *bruchivorus* Gahan,1942 Range (in code): FR IT ES US Org TR
- 14747. *Baryscapus bruchophagi* (Gahan,1913)** (Eulophidae) Synonym(s): *bruchophagi* Gahan,1913 Range (in code): AR AM Cc AT BE CA On DE HU IN KK MX NZ RU Ro SE TR US Arz Cf Org Ut UY RU UZ
- 14748. *Baryscapus ceroplastophilus* (Domenichini,1965)** (Eulophidae) Synonym(s): *ceroplastophilus* Domenichini,1965 Range (in code): FR GR IT LB TR
- 14749. *Baryscapus cirsiicola* Graham,1991** (Eulophidae) Synonym(s): *cirsiicola* Graham,1991 Range (in code): FR RU GB TR

- 14750. Baryscapus crassicornis (Erdős,1954)** (Eulophidae) Synonym(s): crassicornis Erdős,1954 Range (in code): CZ FR DE HU IL Pa RU ES TR
- 14751. Baryscapus दौरا (Walker,1839)** (Eulophidae) Synonym(s): दौरा Walker,1839; canadensis Ashmead,1888; cirsii Kurdjumov,1913 Range (in code): AR AT BG CA On CL CZ SK FR DE GR HU IT Sa MD NL RU SK ES SE CH GB US Oh TR
- 14752. Baryscapus endemus (Walker,1839)** (Eulophidae) Synonym(s): endemus Walker,1839; decusus Walker,1863; tibialis Kurdjumov,1913; encyrti Ferriere,1926; orchestidis Bukovskii,1938; cioni Erdős,1971; femoralis Erdős,1971 Range (in code): AT BG CZ SK DK FR DE HU IR MD NL PL RU ES SE CH UA YU TR
- 14753. Baryscapus euphorbiae Graham,1991** (Eulophidae) Synonym(s): euphorbiae Graham,1991 Range (in code): NL RU SE TR
- 14754. Baryscapus evonymellae (Bouché,1834)** (Eulophidae) Synonym(s): evonymellae Bouché,1834 Range (in code): TR AZ AM Cc BE B-H BG CZ FR DE HU IR IT KK LT MD NL PL RO RU ES SD SE CH UA GB US Cf YU
- 14755. Baryscapus fossarum Graham,1991** (Eulophidae) Synonym(s): fossarum Graham,1991 Range (in code): CZ FR IT Si NL RU SE GB TR
- 14756. Baryscapus galactopus (Ratzeburg,1844)** (Eulophidae) Synonym(s): galactopus Ratzeburg,1844 Range (in code): AU Az BG CA On Cn CZ DK FI FR DE HU IN Hp TR IT LV MD NL NZ RO RU ES SE CH UA GB US Kan YU
- 14757. Baryscapus garganus (Domenichini,1958)** (Eulophidae) Synonym(s): garganus Domenichini,1958 Range (in code): DE IT TR
- 14758. Baryscapus gaziantepensis Doğanlar,1993** (Eulophidae) Synonym(s): gaziantepensis Doğanlar,1993 Range (in code): TR 27
- 14759. Baryscapus impeditus (Nees,1834)** (Eulophidae) Synonym(s): impeditus Nees,1834 Range (in code): TR AD BG HV CZ FR DE IN Up IT MD NL PK RU Us SK SE YU
- 14760. Baryscapus nigroviolaceus (Nees,1834)** (Eulophidae) Synonym(s): nigroviolaceus Nees,1834 Range (in code): AT BG CZ FR DE HU IR IT MD RU ES SE CH UA GB YU TR
- 14761. Baryscapus pallidae Graham,1991** (Eulophidae) Synonym(s): pallidae Graham,1991 Range (in code): FI FR DE HU IR IT ES SE GB TR
- 14762. Baryscapus protasis Graham,1991** (Eulophidae) Synonym(s): protasis Graham,1991 Range (in code): FR TR
- 14763. Baryscapus servadeii (Domenichini,1965)** (Eulophidae) Synonym(s): servadeii Domenichini,1965 Range (in code): AL DZ BG HV FR DE GR IL Pa IT MA PT RU ES SY TN YU TR
- 14764. Baryscapus spartifoliellae Graham,1991** (Eulophidae) Synonym(s): spartifoliellae Graham,1991 Range (in code): CZ DE NL GB TR
- 14765. Baryscapus turionum (Hartig,1838)** (Eulophidae) Synonym(s): turionum Hartig,1838 Range (in code): TR AT BE BG CA On CZ DE HU IT NL PL RO RU ES SE CH GB US Ny Nj YU
- 14766. Ceraninus antalyacus Triapitsyn,2004** (Eulophidae) Synonym(s): antalyacus Triapitsyn,2004 Range (in code): TR 07
- 14767. Ceraninus bozovaensis (Doğanlar,2003)** (Eulophidae) Synonym(s): bozovaensis Doğanlar,2003 Range (in code): TR 63
- 14768. Ceraninus hirsutus Doğanlar & Triapitsyn,2007** (Eulophidae) Synonym(s): hirsutus Doğanlar & Triapitsyn,2007 Range (in code): TR 63
- 14769. Ceraninus onuri O.Doğanlar,2010** (Eulophidae) Synonym(s): onuri O.Doğanlar,2010 Range (in code): TR 51
- 14770. Ceraninus pacuvius (Walker,1838)** (Eulophidae) Synonym(s): pacuvius Walker,1838; acestor Walker,1839; aculeo Walker,1848; clavicornis Thomson,1878; kuttleri Ferriere,1936 Range (in code): GB TR UA AF AT CZ SK DK DE HU MD SE CH GB YU 21 27 46 63
- 14771. Chrysocharis amarus (Walker,1839)** (Eulophidae) Synonym(s): amarus Walker,1839 Range (in code): DZ BG CZ FR GR HU MD NL PL SK SE GB RU YU TR
- 14772. Chrysocharis debussyi Hansson,1985** (Eulophidae) Synonym(s): debussyi Hansson,1985 Range (in code): TR GR
- 14773. Chrysocharis gemma (Walker,1839)** (Eulophidae) Synonym(s): gemma Walker,1839 Range (in code): TR AT CA BCo Cn CF HV CY FR DE GR Hw IT Si Md MA NL NZ PT RU ES SE CH GB YU
- 14774. Chrysocharis idyia (Walker,1839)** (Eulophidae) Synonym(s): idyia Walker,1839 Range (in code): BG CZ DE HU MD NL PL ES SE CH GB YU TR
- 14775. Chrysocharis laomedon (Walker,1839)** (Eulophidae) Synonym(s): laomedon Walker,1839 Range (in code): TR IR Fa Ke BG HV CZ DK FR DE HU IT JP MD NL SK SE GB US RU YU
- 14776. Chrysocharis latifossa Hansson,1985** (Eulophidae) Synonym(s): latifossa Hansson,1985 Range (in code): CY LB SY TR
- 14777. Chrysocharis liriomyzae Delucchi,1954** (Eulophidae) Synonym(s): liriomyzae Delucchi,1954 Range (in code): BG CA On HV CZ DK FI FR DE HU IT JP KP KR MD NL NO CN Gn Mc PL SK SS GB US Nj Ny Oh YU RU TR

- 14778. Chrysocharis mediana Förster, 1861** (Eulophidae) Synonym(s): mediana Förster, 1861 Range (in code): TR CA On HV CZ DK FI FR DE HU IT NL SK ES SE CH GB YU
- 14779. Chrysocharis nephereus (Walker, 1839)** (Eulophidae) Synonym(s): nephereus Walker, 1839; erigone Walker, 1839; inarus Walker, 1839; matho Walker, 1839; metella Walker, 1839; nautes Walker, 1839; orchestis Ratzeburg, 1844; sauros Walker, 1848; laeta Ratzeburg, 1848; auronitens Ratzeburg, 1852; turcius Fahringer, 1938; gunholdi Delucchi, 1954; laevigata Delucchi, 1954; tadici Delucchi, 1954; cuspidigaster Yoshimoto, 1973; truncatipennis Yoshimoto, 1973; elmaellae Doğanlar, 1980 Range (in code): TR AT B-H BG CA On Qb HV CZ DK FI FR DE GR HU IT Sa Si JP MK NL NO PL RO RU SK ES SE CH UA GB US Arz Col FI NMx Ny Tx YU
- 14780. Chrysocharis pentheus (Walker, 1839)** (Eulophidae) Synonym(s): pentheus Walker, 1839 Range (in code): TR AT BG CA BCo On Cn HV CY CZ SK DK FI FR DE GR HU IL IT Si JP KP MK MY MD NL NO CN Yu Kwa PL RO ES SE CH TW UA GB US Als Cf FI Kan NMx Oh Tx RU YU
- 14781. Chrysocharis phryne (Walker, 1839)** (Eulophidae) Synonym(s): phryne Walker, 1839 Range (in code): TR AT BG CZ DK FI DE HU JP MD NL NO CN PL RU SE CH UA GB YU
- 14782. Chrysocharis polyzo (Walker, 1839)** (Eulophidae) Synonym(s): polyzo Walker, 1839 Range (in code): TR AT BG CA Abt BCo Nfl On HV CZ DK FI FR DE HU IE IT JP KR MK MD MN NL PL RU SK SE GB RU US Als Arz Cf Col Ny Tx
- 14783. Chrysocharis pubicornis (Zetterstedt, 1838)** (Eulophidae) Synonym(s): pubicornis Zetterstedt, 1838 Range (in code): TR AU NSw AT BG CA Abt BCo On HV CY CZ DK FI FR DE GR HU IN IT Si JP JO KR LY MT MD NL NZ NO PK RU SS SK ES CH UA GB US FI Oh YE YU
- 14784. Cirrospilus elongatus Boucek, 1958** (Eulophidae) Synonym(s): elongatus Boucek, 1958 Range (in code): TR 06
- 14785. Cirrospilus lyncus Walker, 1838** (Eulophidae) Synonym(s): lyncus Walker, 1838; unifasciatus Förster, 1841; caudatulus Thomson, 1878 Range (in code): TR AT AZ Cc B-H BG HV CZ DE HU IR IE IL Pa IT JP KP KR LT MD NL CN PL RO RU Us SK ES SE UA GB YU
- 14786. Cirrospilus pictus (Nees, 1834)** (Eulophidae) Synonym(s): pictus Nees, 1834 Range (in code): TR 06
- 14787. Cirrospilus staryi Boucek, 1959** (Eulophidae) Synonym(s): staryi Boucek, 1959 Range (in code): TR DZ AT BG HV CZ FR GG Cc DE IR LB SE YU
- 14788. Cirrospilus variegatus (Masi, 1907)** (Eulophidae) Synonym(s): variegatus Masi, 1907 Range (in code): TR AM Cc AU QAU WAU AZ BG Cn HV CZ ER ET HU IN IT Si KE LY MD MA NZ PK CN Pkn Hn Hpe Sha PE RO RU SK ES CH TZ TM AE UZ YE YU
- 14789. Cirrospilus vittatus Walker, 1838** (Eulophidae) Synonym(s): vittatus Walker, 1838; lineatus Förster, 1841; nigrolineatus Crawford, 1913; sanguinea Girault, 1916; pulcherrimus Mercet, 1916; donatellae Mariani, 1942; hytomysae Ishii, 1953; novickyi Bakkendorf, 1955 Range (in code): TR DZ AT AZ Cc B-H BG CA On Qb Cn HV CZ FR DE GR HU IE IQ IT Sa Si JP JO LT MK MD NL NO CN Pkn She Sha PL RO RU Us SK ES SE CH TN UA GB UA Cf Col YU
- 14790. Closterocerus arvensis (Graham, 1963)** (Eulophidae) Synonym(s): arvensis Graham, 1963 Range (in code): CZ DK FI GR RU SE GB YU TR 06
- 14791. Closterocerus chlorogaster (Erdös, 1966)** (Eulophidae) Synonym(s): chlorogaster Erdös, 1966 Range (in code): HV CZ DK DE HU MD NL SE GB YU TR
- 14792. Closterocerus cuprifrons (Erdös, 1954)** (Eulophidae) Synonym(s): cuprifrons Erdös, 1954 Range (in code): HV CZ FI GR HU MD NL RU SK ES SE GB YU TR
- 14793. Closterocerus formosus Westwood, 1833** (Eulophidae) Synonym(s): formosus Westwood, 1833; phaenna Walker, 1839; lunatus Ratzeburg, 1848; ovulorum Ratzeburg, 1848; fullowayi Crawford, 1913; meridionalis Silvestri, 1914; silvia Girault, 1917; camilli Girault, 1917 Range (in code): AT BG CA Alb On Qb Cn CZ DK ER ET FI FR DE GR GM Hw HU ID IR Th Fa Ss IQ IL Pa IT Si JM JO JP KG MK MY MX MD NL DZ NO CN Gn Yu PL RO RU SK ZA ES SD SE CH TW TR TM UA AE GB US Arz Cf Col FI Ny Tx YE YU 06
- 14794. Closterocerus longiventris (Askew, 1979)** (Eulophidae) Synonym(s): longiventris Askew, 1979 Range (in code): IR Fa BG DK SE GB
- 14795. Closterocerus lyonetiae (Ferrière, 1952)** (Eulophidae) Synonym(s): lyonetiae Ferrière, 1952; fimbriata Erdös, 1956 Range (in code): HV FI DE HU IT JP ES SE CH UA RU YU TR
- 14796. Closterocerus pulcherrimus (Kerrich, 1970)** (Eulophidae) Synonym(s): pulcherrimus Kerrich, 1970; latipennis Khan & Shafee, 1981 Range (in code): IN KE MW MZ OM PK LK AE ZA
- 14797. Closterocerus turkmenicus (Myartseva & Kurashev, 1991)** (Eulophidae) Synonym(s): turkmenicus Myartseva & Kurashev, 1991 Range (in code): TM
- 14798. Colpoclypeus florus (Walker, 1839)** (Eulophidae) Synonym(s): florus Walker, 1839; silvestrii Lucchese, 1941 Range (in code): TR AM AZ Cc BG CA On CZ FR DE HU
- 14799. Crataepus marbis (Walker, 1839)** (Eulophidae) Synonym(s): marbis Walker, 1839; aquisgranensis Förster, 1878; fletcherii Ashmead, 1892 Range (in code): TR AT BG CA On CZ FR DE HU IT MD NL PL RU SK ES SE GB US UZ
- 14800. Dahlbominus fuscipennis (Zetterstedt, 1838)** (Eulophidae) Synonym(s): fuscipennis Zetterstedt, 1838 Range (in code): TR AT BY BE B-H BG CA On Qb HV CZ FI GG Cc DE HU IT MD NL PL RU Us Sb SK SS ES SE GB US Ny YU
- 14801. Derostenus persicus Gomovsky, 2003** (Eulophidae) Synonym(s): persicus Gomovsky, 2003 Range (in code): IR Fa



- 14802. Diglyphus anadolucus Doğanlar,1982** (Eulophidae) Synonym(s): anadolucus Doğanlar,1982 Range (in code): **TR 25**
- 14803. Diglyphus begini (Ashmead,1904)** (Eulophidae) Synonym(s): begini Ashmead,1904 Range (in code): **TR BR CA On Cn CO CZ Hw MX NO CN Gn Ts Ti Yu PE PR SK US Arz Cf Fl Kan NMx Ny Ut YE 48**
- 14804. Diglyphus chabrias (Walker,1838)** (Eulophidae) Synonym(s): chabrias Walker,1838 Range (in code): **BG TR Cn CZ DE HU IR Md NL NO PK RU Us Sh Sb SK ES SE GB 06 17 31 39 48 53 61**
- 14805. Diglyphus crassinervis Erdős,1958** (Eulophidae) Synonym(s): crassinervis Erdős,1958 Range (in code): **Cn BG CZ EG FR HU IR IQ IL Pa IT Si JO MD MA CN Gn Hpe Hun Ui Ti Yu Pkn TR PT SK ES SE GB YE 03 05 06 07 08 17 31 33 41 48 61**
- 14806. Diglyphus isaea (Walker,1838)** (Eulophidae) Synonym(s): isaea Walker,1838; lycophron Walker,1838; medidas Walker,1838; gracilis Goureau,1851; ornatus Förster,1861; bisannulatus Förster,1861; clavicornis Walker,1872; phytomyzae Rondani,1877 Range (in code): **AT AZ Cc BE BG CA On Cn HV CZ DK ER ET FI FR GR HU IE IN Up IR IQ IL Pa IT Sa Si JO JP KP KR LT MK MD MN MA NL NZ DZ NO PK CN Pkn Fkn Gn Kwa Hbe Hun Hpe Yu She Ti Sz PL PT RU Us Sh Sb Ya SK SS ES SE CH SY UA AE GB US Cf YE YU TR 06 07 08 10 16 17 28 33 37 39 41 48 74**
- 14807. Diglyphus minoeus (Walker,1838)** (Eulophidae) Synonym(s): minoeus Walker,1838; abron Walker,1838; deldon Walker,1839; myron Walker,1839; smilis Walker,1839; amelon Walker,1839 Range (in code): **TR BB AT BG HV CZ DE HU IR IT Si JP KP KR MD NL NO PK CN Pkn Gn Ti Sz She Yu RU Mo Mgd SK SE CH TM GB YE 06 08 17 28 33 41 48 61**
- 14808. Diglyphus pachyneurus Graham,1963** (Eulophidae) Synonym(s): pachyneurus Graham,1963 Range (in code): **HV DE IT MD NL CN RU Sh Mag SE GB YE YU TR 02**
- 14809. Diglyphus poppoea Walker,1848** (Eulophidae) Synonym(s): poppoea Walker,1848 Range (in code): **TR Cn CZ FI DE HU IT Si MD MA NL PT RU 48**
- 14810. Diglyphus pusztensis (Erdős & Novicky,1951)** (Eulophidae) Synonym(s): pusztensis Erdős & Novicky,1951; tibiscanus Erdős,1958; fulvipes Erdős,1961 Range (in code): **TR AZ Cc HV CZ DE HU JP PL RU Us SK SE GB YE YU 07 12 41 48**
- 14811. Diglyphus sabulosus Erdős,1951** (Eulophidae) Synonym(s): sabulosus Erdős,1951 Range (in code): **TR CZ SK SE HU RO UA 08**
- 14812. Diglyphus sensilis Yefremova,2011** (Eulophidae) Synonym(s): sensilis Yefremova,2011 Range (in code): **TR 08 15 17 33 37 39 41 48**
- 14813. Diglyphus turcomanica Kurashev,1990** (Eulophidae) Synonym(s): turcomanica Kurashev,1990 Range (in code): **TM**
- 14814. Elachertus azerbaijanicus (Bouceck,1971)** (Eulophidae) Synonym(s): azerbaijanicus Bouceck,1971 Range (in code): **AZ Cc RU**
- 14815. Elachertus fenestratus Nees ab Esenbeck,1834** (Eulophidae) Synonym(s): fenestratus Nees ab Esenbeck,1834; argissa Walker,1839; eurybates Walker,1839; saon Walker,1839; opaculus Thomson,1878; coxalis Howard,1885; viridaeneus Cresson,1887; pini Gahan,1927 Range (in code): **TR AT B-H CA On Qb HV CZ FR DE GR HU IT JP KP KR MX NL CN Pkn Hbe Sz Ti She Sha PL RU Sh Us Kmt Sb SK SE CH TJ TM GB US Arz Cf Oh YU**
- 14816. Elachertus kopetdagensis Efremova & Myartseva,1994** (Eulophidae) Synonym(s): kopetdagensis Efremova & Myartseva,1994 Range (in code): **TM Kp**
- 14817. Elachertus pulcher (Erdős,1961)** (Eulophidae) Synonym(s): pulcher Erdős,1961 Range (in code): **TR AT AZ Cc HV CZ FR GG DE HU Md MD RU Us SK SE TW TM YE YU**
- 14818. Elasmus cyprianus Ferrière,1947** (Eulophidae) Synonym(s): cyprianus Ferrière,1947 Range (in code): **TR ES CY**
- 14819. Elasmus flabellatus (Fonscolombe,1832)** (Eulophidae) Synonym(s): flabellatus Fonscolombe,1832; scutellaris Nees,1834; rhipicerus Förster,1841; giraudi Ferrière,1947 Range (in code): **TR AT B-H HV CZ FR DE GR HU IT Si LB MD MA NL PT RO RU SK ES SE GB YU**
- 14820. Elasmus nudus (Nees ab Esenbeck,1834)** (Eulophidae) Synonym(s): nudus Nees ab Esenbeck,1834; albipennis Thomson,1878 Range (in code): **TR Cc Cn HV CZ FI FR DE HU IT MD PL RU SK ES SE CH TJ TM UA AE GB YE YU**
- 14821. Elasmus orientalis Khokhar, Ahmed & Qadri,1971** (Eulophidae) Synonym(s): orientalis Khokhar, Ahmed & Qadri,1971 Range (in code): **PK**
- 14822. Elasmus phthorimaeae Ferrière,1947** (Eulophidae) Synonym(s): phthorimaeae Ferrière,1947 Range (in code): **TR CY ES TR AE YE**
- 14823. Elasmus platydrae Ferrière,1935** (Eulophidae) Synonym(s): platydrae Ferrière,1935; elongatus Ferrière,1947 Range (in code): **TR AT AM Cc Cn HV CY CZ EG FR GG GR HU IN IT MK Md PT DZ SK ES SE AE US Tx YE YU**
- 14824. Elasmus steffani Viggiani,1967** (Eulophidae) Synonym(s): masii Steffan,1962; steffani Viggiani,1967 Range (in code): **TR HV FR R IL Pa IT ES SY AE**
- 14825. Elasmus unicolor (Rondani,1877)** (Eulophidae) Synonym(s): unicolor Rondani,1877; fumipennis Thomson,1878; vibicellae Ferrière,1947 Range (in code): **TR Cc BG CZ DE HU IT MD SK ES SE**
- 14826. Elasmus westwoodi Giraud,1856** (Eulophidae) Synonym(s): westwoodi Giraud,1856 Range (in code): **AT FI DE GR FR HU IT MD KG ES SE CH TR RU**

- 14827. Entedon abdera Walker,1839** (Eulophidae) Synonym(s): abdera Walker,1839; punctatus Thomson,1878; nigritarsis Erdös,1944 Range (in code): TR BG CZ DE HU IE MK L CN Gn RO RU SK SE UA GB
- 14828. Entedon angorensis Gumovsky,1999** (Eulophidae) Synonym(s): angorensis Gumovsky,1999 Range (in code): TR 06
- 14829. Entedon bakacakicus M.Doğanlar,2013** (Eulophidae) Synonym(s): bakacakicus M.Doğanlar,2013 Range (in code): TR 63
- 14830. Entedon biroi Erdös,1944** (Eulophidae) Synonym(s): biroi Erdös,1944 Range (in code): TR BG CZ HU IR KG MD MN SK UA GB RU Sb UZ US
- 14831. Entedon calcicola Graham,1971** (Eulophidae) Synonym(s): calcicola Graham,1971 Range (in code): TR DE SK SE GB YU
- 14832. Entedon cionobius Thomson,1878** (Eulophidae) Synonym(s): cionobius Thomson,1878; cinereae Erdös,1961; fruticola Gumowsky,1996 Range (in code): TR BG Cn HV FR DE HU NL ES SE UA GB YU
- 14833. Entedon fufius Walker,1846** (Eulophidae) Synonym(s): fufius Walker,1846; montanus Erdös,1951 Range (in code): TR BG HU MN RU ES SE GB
- 14834. Entedon hercyna Walker,1839** (Eulophidae) Synonym(s): hercyna Walker,1839; elongatus Thomson,1878; aselli Erdös,1954 Range (in code): TR BG CZ HU NL NO RU SK SE GB
- 14835. Entedon longus Boucek,1968** (Eulophidae) Synonym(s): longulus Erdös,1944; longus Boucek,1968 Range (in code): TR BG DE HU IL Pa SE GB
- 14836. Entedon pallicrus Erdös,1944** (Eulophidae) Synonym(s): pallicrus Erdös,1944 Range (in code): TR BG CZ GR FR HU KG MD NL RU SK SE UA GB UZ
- 14837. Entedon palvicalcar Thomson,1878** (Eulophidae) Synonym(s): palvicalcar Thomson,1878; subovatus Thomson,1878 Range (in code): TR BG HV CZ DE HU KG MD NL RU Sb ES SE UA GB YU
- 14838. Entedon pinetorum Ratzeburg,1852** (Eulophidae) Synonym(s): pinetorum Ratzeburg,1852 Range (in code): TR DE HU
- 14839. Entedon procioni Erdös,1944** (Eulophidae) Synonym(s): procioni Erdös,1944; molybdaenus Erdös,1944; urticarii Erdös,1951; meliloti Askew,1992 Range (in code): TR BG CZ FR DE HU NL RU SK ES SE UA GB
- 14840. Entedon sparetus Walker,1839** (Eulophidae) Synonym(s): sparetus Walker,1839; longiventris Thomson,1878; longiventrosus Dalla Torre,1898; insignis Erdös,1944; lixi Erdös,1951; mecini Askew,1992 Range (in code): TR AT BG HV CZ FR GG Cc DE GR HU
- 14841. Entedon subpunctatus [n.n.]** (Eulophidae) Synonym(s): #subpunctatus Doğanlar,1985 Range (in code): TR 25
- 14842. Entedon thomsianus Erdös,1944** (Eulophidae) Synonym(s): thomsianus Erdös,1944 Range (in code): TR AZ Cc BG GG FR DE HU GR MK RO RU ES TM UA
- 14843. Entedon zerovae Gumovsky,1995** (Eulophidae) Synonym(s): zerovae Gumovsky,1995 Range (in code): RU Us TJ TM UZ
- 14844. Epomphale menes (Walker,1839)** (Eulophidae) Synonym(s): menes Walker,1839; aculeo Walker,1848; brui Vuillet,1914; auriventris Girault,1915; vinctus Gahan,1932; rubensteina Girault,1934; rosilloi De Santis,1961 Range (in code): AR NSw QAU Wau TA BJ BR BG CA BCo On Cn CL CZ ZR FR DE GR Cr Hw IN Up ID Ja Bli IE IL Pa IT JP KE KP KR MY MX MD NL NZ PG PH RU Mo Us SK ES LK SE CH TW TH GB TR UA Cm YU US Arz Cf Col Fl 02 07 27 31
- 14845. Epomphale planitians (Erdös,1966)** (Eulophidae) Synonym(s): planitians Erdös,1966 Range (in code): CZ SK MD ES GB HU TR UA IL Pa US Cf Tx Ut CA
- 14846. Euderus agrili Boucek** (Eulophidae) Synonym(s): Range (in code): TR
- 14847. Euderus brevicornis Boucek** (Eulophidae) Synonym(s): Range (in code): TR
- 14848. Euderus palustris Erdös** (Eulophidae) Synonym(s): Range (in code): TR
- 14849. Eulophus larvarum (Linnaeus,1758)** (Eulophidae) Synonym(s): larvarum Linnaeus,1758; aeneicoxa Thomson,1878 Range (in code): TR AM Cc BG HV CZ FI FR DE HU IT JP KK KP KR MD NL NO CN PT RU Us Sh SK SE CH TJ GB Sb YU
- 14850. Euplectrus bicolor (Swederus)** (Eulophidae) Synonym(s): Range (in code): TR
- 14851. Euplectrus ceresensis Ferrière** (Eulophidae) Synonym(s): Range (in code): TR
- 14852. Euplectrus flavipes (Fonscolombe)** (Eulophidae) Synonym(s): Range (in code): TR
- 14853. Euplectrus phthorimaeae Ferrière** (Eulophidae) Synonym(s): Range (in code): TR
- 14854. Guelsenia amanosus (M.Doğanlar, Gumovsky & O.Doğanlar,2009)** (Eulophidae) Synonym(s): amanosus M.Doğanlar, Gumovsky & O.Doğanlar,2009 Range (in code): TR 31 38 51
- 14855. Hemiptarsenus varicornis (Grault)** (Eulophidae) Synonym(s): Range (in code): TR
- 14856. Hemiptarsenus zilahisebessi Erdös** (Eulophidae) Synonym(s): Range (in code): TR
- 14857. Hyssopus geniculatus (Hartig)** (Eulophidae) Synonym(s): Range (in code): TR
- 14858. Hyssopus nigritulus (Zetttersstedt)** (Eulophidae) Synonym(s): Range (in code): TR
- 14859. Leptocybe invasa Fisher & La Salle,2004** (Eulophidae) Synonym(s): invasa Fisher & La Salle,2004 Range (in code): FR Co IT GR ES PT IL Pa TR JO SY IR IN TH VN DZ MA ET KE UG TZ KE 01 07 33 35 48

- 14860. Meruacesa arabica Narendran, Hamed & Ahmad,2012** (Eulophidae) Synonym(s): arabica Narendran, Hamed & Ahmad,2012 Range (in code): SA
- 14861. Microlycus erdoesi Boucek** (Eulophidae) Synonym(s): Range (in code): TR
- 14862. Necremnus artynes (Walker)** (Eulophidae) Synonym(s): Range (in code): TR
- 14863. Necremnus croton (Walker)** (Eulophidae) Synonym(s): Range (in code): TR
- 14864. Necremnus leucarthros (Nees)** (Eulophidae) Synonym(s): Range (in code): TR
- 14865. Necremnus tidius (Walker)** (Eulophidae) Synonym(s): Range (in code): TR
- 14866. Neotrichoporoides beyarslani Doğanlar,1993** (Eulophidae) Synonym(s): beyarslani Doğanlar,1993 Range (in code): TR
- 14867. Neotrichoporoides biogradensis Graham** (Eulophidae) Synonym(s): Range (in code): TR
- 14868. Neotrichoporoides cavigena Graham** (Eulophidae) Synonym(s): Range (in code): TR
- 14869. Neotrichoporoides cynodontis (Domenichini)** (Eulophidae) Synonym(s): Range (in code): TR
- 14870. Neotrichoporoides mediterraneus Graham** (Eulophidae) Synonym(s): Range (in code): TR
- 14871. Neotrichoporoides szelenyii (Erdös)** (Eulophidae) Synonym(s): Range (in code): TR
- 14872. Neotrichoporoides tokatensis Doğanlar,1993** (Eulophidae) Synonym(s): tokatensis Doğanlar,1993 Range (in code): TR 60
- 14873. Neotrichoporoides viridimaculatus (Fullaway)** (Eulophidae) Synonym(s): Range (in code): TR
- 14874. Oomyzus scaposus (Thomson)** (Eulophidae) Synonym(s): Range (in code): TR
- 14875. Oomyzus sempronius (Erdös)** (Eulophidae) Synonym(s): Range (in code): TR
- 14876. Pediobius bruchicida (Rondani,1872)** (Eulophidae) Synonym(s): bruchicida Rondani,1872; waterstonii Masi,1929; mundubberae Girault,1915; routensis Erdös,1964; obtusiceps Boucek,1965; pieridis Kerrich,1973 Range (in code): DZ AU NSw CZ SK EG GR HU IN IR IL Pa IT Si TR LB LY MK MD NZ PG RU Ro Cc ES SE TJ TM UA YE YU
- 14877. Pediobius cassidae Erdös,1958** (Eulophidae) Synonym(s): cassidae Erdös,1958 Range (in code): TR IR Bk AT HV CZ FR DE HU IT MK MD NL RU SK SS SE Cc UA GB YE YU
- 14878. Pediobius epigonus (Walker,1839)** (Eulophidae) Synonym(s): epigonus Walker,1839; isomerus Förster,1861; nigripes Lindeman,1887 Range (in code): TR
- 14879. Pediobius illustris (Waterston,1915)** (Eulophidae) Synonym(s): illustris Waterston,1915 Range (in code): IR BG CZ DE GR HU IT KK MD NL PL RU SK SE TJ TR UA
- 14880. Pediobius lysis (Walker,1839)** (Eulophidae) Synonym(s): lysis Walker,1839; corytus Walker,1839; sosarmus Walker,1839; albitarsis Fonscolombe,1840; cyniphidum Ratzeburg,1848; cribrifrons Thomson,1878; naso Erdös,1951 Range (in code): IR GLs HV CZ FR DE HU IT MD NL SK ES SE GB YU
- 14881. Pediobius metallicus (Nees ab Esenbeck,1834)** (Eulophidae) Synonym(s): metallicus Nees ab Esenbeck,1834; acantha Walker,1839; caenus Walker,1839 Range (in code): AT AZ Cc BG CA Cn HV CZ ET DE HU IN IQ IT Si JP JO KP KR Md MD NL NZ PK CN Pkn Gn RU SK SS ES TR UA GB US Cf Ut YE YU o6
- 14882. Pediobius nigratarsis (Thomson,1878)** (Eulophidae) Synonym(s): nigratarsis Thomson,1878; benefica Gahan,1921 Range (in code): CA Abt On CZ FI FR DE HU IN IT NL RU SE CH GB US Ny Oh TR
- 14883. Pediobius pyrgo (Walker,1839)** (Eulophidae) Synonym(s): pyrgo Walker,1839; pyralidum Audouin,1842; complaniusculus Ratzeburg,1852; substrigosa Thomson,1878; nawai Ashmead,1904; chalcidiphagus Szelenyi,1957 Range (in code): TR IR Ke Bu BG CA On Cn CZ FR DE HU IQ IT JP KP KR MD NL PL RU Ro Sb SK ES SE TW UA AE GB US YU
- 14884. Pediobius ropalidiae (Risbec,1958)** (Eulophidae) Synonym(s): ropalidiae Risbec,1958 Range (in code): ZR CG ZA YE
- 14885. Pediobius saulius (Walker,1839)** (Eulophidae) Synonym(s): saulius Walker,1839; linus Walker,1839; obscuripes Ratzeburg,1844; strigiscuta Thomson,1878; gradii Ferriere,1954; laeta Erdös,1956 Range (in code): TR AT BG Cn HV CZ DE GR HU IR IL Pa IT Si JP KG KP KR MD NL PL RO RU SK SE CH TM UA AE GB YE YU
- 14886. Pediobius taylori Kerrich,1973** (Eulophidae) Synonym(s): taylori Kerrich,1973 Range (in code): UG YE
- 14887. Pediobius telenomi (Crawford,1911)** (Eulophidae) Synonym(s): telenomi Crawford,1911 Range (in code): UG YE
- 14888. Platyplectrus bouceki (Erdös)** (Eulophidae) Synonym(s): Range (in code): TR
- 14889. Pnigalio agraulis (Walker,1839)** (Eulophidae) Synonym(s): agraulis Walker,1839; barbarus Förster,1841; tischeriae Rondani,1868; orchesticida Rondani,1877; populifoliellae Erdös,1954 Range (in code): TR AT B-H BG CZ DK EG FR DE GR HU IR IT Si JO MK NL CN Pkn Fkn Gn Ti Yu RU Sh SS ES SE CH UA GB YU
- 14890. Pnigalio longulus (Zetterstedt,1838)** (Eulophidae) Synonym(s): longulus Zetterstedt,1838; pisidice Walker,1839; arcticus Thomson,1878 Range (in code): TR AT BG CZ CA DK FR DE GR HU IT LV NL NO CN Pkn Gn Yu PL RU Kmt Us ES SE CH UA GB YU US
- 14891. Pnigalio pectinicornis (Linnaeus,1758)** (Eulophidae) Synonym(s): pectinicornis Linnaeus,1758; fusciventris Nees,1834; cromus Walker,1839; faustitas Walker,1839; mandron Walker,1839; mania Walker,1839; menyillus Walker,1839; lucumo Walker,1839; coelicus Walker,1839;... Range (in code): AU AT B-H BG Cn HV CZ FR DE GR HU IR IT MK MD NL NZ NO CN Gn Kwa Sz Ui Ti Yu RO RU Us SK SS ES SE CH UA GB YU TR



- 14892. *Pnigalio soemius* (Walker,1839)** (Eulophidae) Synonym(s): soemius Walker,1839; prothernor,1839; meriones Walker,1839; punctiscuta Thomson,1878; flavipes Erdös,1954; nigroaeneus Erdös,1954 Range (in code): TR AT BD BG Cn HV CZ FR DE HU IR IQ IL Pa IT Sa Si Md KP KR MK MD NL NO PK CN RO RU Mo Us SK ES SE CH SY UA GB YU
- 14893. *Pronotalia carlinarum* (Szelényi & Erdös)** (Eulophidae) Synonym(s): Range (in code): TR
- 14894. *Pronotalia erzurumica* Doğanlar,1993** (Eulophidae) Synonym(s): erzurumica Doğanlar,1993 Range (in code): TR 25
- 14895. *Pronotalia fiorii* (Domenichini)** (Eulophidae) Synonym(s): Range (in code): TR
- 14896. *Pronotalia hungarica* (Erdös)** (Eulophidae) Synonym(s): Range (in code): TR
- 14897. *Pronotalia tortumensis* Doğanlar,1993** (Eulophidae) Synonym(s): tortumensis Doğanlar,1993 Range (in code): TR 25
- 14898. *Puklina gelincika* Doğanlar,1993** (Eulophidae) Synonym(s): gelincika Doğanlar,1993 Range (in code): TR
- 14899. *Quadrastichodella nova* Girault,1922** (Eulophidae) Synonym(s): nova Girault,1922; eucalypti Timberlake,1957; obscurata De Santis,1957 Range (in code): AR AU QAU Cn IL Pa IT Sa Si ZA NZ ES US Cf TR 01 31 33 48
- 14900. *Quadrastichus dasineurae* M.Doğanlar, Lasalle, Sertkaya & O.Doğanlar,2009** (Eulophidae) Synonym(s): dasineurae M.Doğanlar, Lasalle, Sertkaya & O.Doğanlar,2009 Range (in code): TR 31
- 14901. *Ratzeburgiola cristatus* (Ratzeburg)** (Eulophidae) Synonym(s): Range (in code): TR
- 14902. *Ratzeburgiola incompleta* Boucek** (Eulophidae) Synonym(s): Range (in code): TR
- 14903. *Rhcnopelte crassicornis* (Nees)** (Eulophidae) Synonym(s): Range (in code): TR
- 14904. *Semielacher petiolata* (Grault)** (Eulophidae) Synonym(s): Range (in code): TR
- 14905. *Sigmophora brevicornis* (Panzer)** (Eulophidae) Synonym(s): Range (in code): TR
- 14906. *Sympiesis acalle* (Walker,1848)** (Eulophidae) Synonym(s): acalle Walker,1848; nubeculatus Ratzeburg,1848; bifasciatus Thomson,1878; bimaculatipennis Girault,1912; bimaculatus Crawford,1913; meteori Girault,1916 Range (in code): TR AZ Cc B-H BG CA On Qb Cn HV CZ DE HU IT JP KK KP KR MD NL RO RU SK ES SE CH TJ TM UA GB US Cf YE YU
- 14907. *Sympiesis albiflava* Fahringer,1944** (Eulophidae) Synonym(s): albiflava Fahringer,1944 Range (in code): TR
- 14908. *Sympiesis euspilapterygis* (Erdös,1958)** (Eulophidae) Synonym(s): euspilapterygis Erdös,1958 Range (in code): TR AT BG CZ DE HU PL SE YU
- 14909. *Sympiesis sericeicornis* (Nees ab Esenbeck,1834)** (Eulophidae) Synonym(s): sericeicornis Nees ab Esenbeck,1834; upupaenellae Bouché,1834; docilis Walker,1839; eneugamus Walker,1839; sithon Walker,1839; laticornis Ratzeburg,1848; punctipleura Thomson,1878; conicus Provancher,1887; nigrifemora Ashmead,1888; massasoit Crawfo fulvipes Györfi,1941 Range (in code): TR AM AZ Cc AT B-H BG CA On Qb Cn HV CZ FR DE GR Cr HU IR IL Pa IT Sa JP KG KP KR MK MD NL NO CN Pkn Gn Hun She Sha Sz Ti Yu PL RO RU Us Sb Kmt SK SS ES SE CH TJ TW UA GB US Cf FI Ny Tx YU
- 14910. *Sympiesis turcica* Fahringer,1938** (Eulophidae) Synonym(s): turcica Fahringer,1938 Range (in code): TR 34
- 14911. *Urfacus adiyamanensis* M.Doğanlar & O.Doğanlar,2013** (Eulophidae) Synonym(s): adiyamanensis M.Doğanlar & O.Doğanlar,2013 TR 02
- 14912. *Urfacus atcanacus* M.Doğanlar & O.Doğanlar,2013** (Eulophidae) Synonym(s): atcanacus M.Doğanlar & O.Doğanlar,2013 TR 01 31
- 14913. *Urfacus bozovaensis* M.Doğanlar & O.Doğanlar,2003** (Eulophidae) Synonym(s): bozovaensis M.Doğanlar & O.Doğanlar,2003 TR 02 21 27 31 46 63
- 14914. *Urfacus karacadagi* M.Doğanlar & O.Doğanlar,2013** (Eulophidae) Synonym(s): karacadagi M.Doğanlar & O.Doğanlar,2013 TR 27 63
- 14915. *Urfacus karkamisus* M.Doğanlar & O.Doğanlar,2013** (Eulophidae) Synonym(s): karkamisus M.Doğanlar & O.Doğanlar,2013 TR 27 31 63
- 14916. *Urfacus komurcukurus* M.Doğanlar & O.Doğanlar,2013** (Eulophidae) Synonym(s): komurcukurus M.Doğanlar & O.Doğanlar,2013 TR 31
- 14917. *Urfacus nizipus* M.Doğanlar & O.Doğanlar,2013** (Eulophidae) Synonym(s): nizipus M.Doğanlar & O.Doğanlar,2013 TR 27 31 46 63 79
- 14918. *Urfacus sekilinsis* M.Doğanlar & O.Doğanlar,2013** (Eulophidae) Synonym(s): sekilinsis M.Doğanlar & O.Doğanlar,2013 TR 27 79
- 14919. *Urfacus sincanus* M.Doğanlar & O.Doğanlar,2013** (Eulophidae) Synonym(s): sincanus M.Doğanlar & O.Doğanlar,2013 TR 31
- 14920. *Wichmannia decorata* Ruschka,1916** (Eulophidae) Synonym(s): decorata Ruschka,1916 Range (in code): TR DZ HV FR Co SS YU
- 14921. *Anastatus bifasciatus* (Geoffroy)** (Eupelmidae) Synonym(s): Range (in code): TR
- 14922. *Calosota aestivalis* Curtis** (Eupelmidae) Synonym(s): Range (in code): TR
- 14923. *Eupelmus annulatus* Nees** (Eupelmidae) Synonym(s): Range (in code): TR
- 14924. *Eupelmus microzonus* Förster** (Eupelmidae) Synonym(s): Range (in code): TR
- 14925. *Eupelmus seculatus* (Ferrière)** (Eupelmidae) Synonym(s): Range (in code): TR

- 14926. Eupelmus urozonus Dalman** (Eupelmidae) Synonym(s): Range (in code): **TR**
- 14927. Eupelmus vesicularis (Retzius)** (Eupelmidae) Synonym(s): Range (in code): **TR**
- 14928. Pentacladia hatayensis Doğanlar,2003** (Eupelmidae) Synonym(s): hatayensis Doğanlar,2003 Range (in code): **TR 31**
- 14929. Bruchophagus astragali Fedoseeva,1954** (Eurytomidae) Synonym(s): astragali Fedoseeva,1954 Range (in code): **IR Ab Oru Bk BG GG DE Cc HU KG MN RO RU SE TM**
- 14930. Bruchophagus gibbus (Boheman,1836)** (Eurytomidae) Synonym(s): gibbus Boheman,1836 Range (in code): **IR Kz AR AU AT AZ Cc BG CA CL FI DE HU IN IQ IT NL NZ CN PE RO RU SE UA GB US**
- 14931. Bruchophagus glycyrrhizae Nikolskaya,1952** (Eurytomidae) Synonym(s): glycyrrhizae Nikolskaya,1952 Range (in code): **Qz IR IN KG**
- 14932. Bruchophagus mutabilis Nikolskaya,1952** (Eurytomidae) Synonym(s): mutabilis Nikolskaya,1952 Range (in code): **IR Qz BG FR KG**
- 14933. Bruchophagus nikolskayae Zerova,1975** (Eurytomidae) Synonym(s): nikolskayae Zerova,1975 Range (in code): **IR Kh KK**
- 14934. Bruchophagus robiniae Zerova,1970** (Eurytomidae) Synonym(s): robiniae Zerova,1970 Range (in code): **IR Th AM Cc BG UA UZ**
- 14935. Bruchophagus roddi Gussakovskiy,1933** (Eurytomidae) Synonym(s): roddi Gussakovskiy,1933 Range (in code): **IR Ak Ab Ha Kd Th Zj Km TR AR AU AT BG CA CL CZ FR DE HU IN IQ IL Pa KG MX MD NL NZ PL PE RO RU SK TR UA US UZ YU**
- 14936. Bruchophagus trjapitzini Zerova,2008** (Eurytomidae) Synonym(s): trjapitzini Zerova,2008 Range (in code): **IR Ab Oru**
- 14937. Eurytoma abdita Zerova,1995** (Eurytomidae) Synonym(s): abdita Zerova,1995 Range (in code): **IR Oru Ab KG RU UA**
- 14938. Eurytoma acroptilae Zerova,1986** (Eurytomidae) Synonym(s): acroptilae Zerova,1986 Range (in code): **IR Ab Ak KG TJ UA UZ**
- 14939. Eurytoma amygdali Enderlein,1907** (Eurytomidae) Synonym(s): amygdali Enderlein,1907 Range (in code): **TR AM AZ Cc B-H BG CY FR GG GR HU IL Pa JO LB MK RU Ao SY UA YU IR Yz 01 21 23 27 31 47**
- 14940. Eurytoma arctica Thomson,1875** (Eurytomidae) Synonym(s): arctica Thomson,1875 Range (in code): **IR AT BE HV CZ DE FI DE HU NO PL RU SK SE CH GB**
- 14941. Eurytoma aspila (Walker,1836)** (Eurytomidae) Synonym(s): aspila Walker,1836 Range (in code): **TR BG Cc HV FR DE GR HU IT KG MD MN ES GB RU YU**
- 14942. Eurytoma blastophagi Hedqvist,1963** (Eurytomidae) Synonym(s): blastophagi Hedqvist,1963 Range (in code): **IR Ak DE NO CN RU SE**
- 14943. Eurytoma brevicoxa Zerova & Çam,2003** (Eurytomidae) Synonym(s): brevicoxa Zerova & Çam,2003 Range (in code): **TR**
- 14944. Eurytoma brunniventris Ratzeburg,1852** (Eurytomidae) Synonym(s): brunniventris Ratzeburg,1852 Range (in code): **IR Kd Km Il Ab AT B-H BG HV CZ FR DE HU IT JP KP KR NL RO RU ES SE UA GB**
- 14945. Eurytoma calicotomae Zerova,2005** (Eurytomidae) Synonym(s): calicotomae Zerova,2005 Range (in code): **IR Oru Ab IL Pa**
- 14946. Eurytoma caninae Lotfalizadeh & Delvare,2007** (Eurytomidae) Synonym(s): caninae Lotfalizadeh & Delvare,2007 Range (in code): **IR Ab Th Elb FR MA**
- 14947. Eurytoma collina Zerova,1984** (Eurytomidae) Synonym(s): collina Zerova,1984 Range (in code): **IR Ak Th Elb TM TJ UZ**
- 14948. Eurytoma curculionum Mayr,1878** (Eurytomidae) Synonym(s): curculionum Mayr,1878 Range (in code): **TR AT B-H FR DE HU IN IT IR MK MA NO SE FI GB RU YU**
- 14949. Eurytoma curta Walker,1832** (Eurytomidae) Synonym(s): curta Walker,1832 Range (in code): **TR AT FR DE HU MD NL SE GB**
- 14950. Eurytoma deserticola Zerova,2002** (Eurytomidae) Synonym(s): deserticola Zerova,2002 Range (in code): **TM TJ**
- 14951. Eurytoma ghazvini Zerova,2004** (Eurytomidae) Synonym(s): ghazvini Zerova,2004 Range (in code): **IR Qz**
- 14952. Eurytoma goidanichi Boucek,1970** (Eurytomidae) Synonym(s): goidanichi Boucek,1970 Range (in code): **IR HV CZ DE IT MD MK RU SK UA TM YU**
- 14953. Eurytoma iranica Narendran & Lotfalizadeh,1999** (Eurytomidae) Synonym(s): iranica Narendran & Lotfalizadeh,1999 Range (in code): **IR Fa**
- 14954. Eurytoma iranicola Zerova,2007** (Eurytomidae) Synonym(s): iranica Zerova,2004 nec Narend. & Lotf.,1999; iranicola Zerova,2007 Range (in code): **IR Ke Bk**
- 14955. Eurytoma kemalpasensis Narendran, Tezcan & Civelek,1995** (Eurytomidae) Synonym(s): kemalpasensis Narendran, Tezcan & Civelek,1995 Range (in code): **TR**
- 14956. Eurytoma lactucae Zerova,2008** (Eurytomidae) Synonym(s): lactucae Zerova,2008 Range (in code): **IR Lo**

- 14957. Eurytoma loboapterae Erdös,1964** (Eurytomidae) Synonym(s): loboapterae Erdös,1964 Range (in code): TR HV FR ES
- 14958. Eurytoma martellii Domenichini,1960** (Eurytomidae) Synonym(s): martellii Domenichini,1960 Range (in code): TR EG FR Co GR IT Sa Si DZ ES SY
- 14959. Eurytoma melikai Zerova & Seryogina,2009** (Eurytomidae) Synonym(s): melikai Zerova & Seryogina,2009 Range (in code): IR
- 14960. Eurytoma morio Boheman,1836** (Eurytomidae) Synonym(s): morio Boheman,1836 Range (in code): IR Ak Es Th Elb Zj AT BE HV CZ DK FI FR DE HU IN IL Pa IT KG LB LT MD MN MA NL NO CN PL RO RU YU SK ES SE CH TM UA GB YE
- 14961. Eurytoma pistaciae Rondani,1877** (Eurytomidae) Synonym(s): pistaciae Rondani,1877; setigera Mayr,1878 Range (in code): TR AT BG HV FR DE HU IT Sa IR Th Elb Ab KP KR JP CN Fkn RO RU ES CH UA GB
- 14962. Eurytoma plotnikovi Nikolskaya,1934** (Eurytomidae) Synonym(s): plotnikovi Nikolskaya,1934 Range (in code): IR Ak Fa Es Ke Kh Se Zj GR IL Pa CN
- 14963. Eurytoma robusta Mayr,1878** (Eurytomidae) Synonym(s): robusta Mayr,1878 Range (in code): TR AT BG CZ DK FR DE GR HU IT MD NL RO SK ES SE CH GB RU YU IR Ab Oru
- 14964. Eurytoma rosae Nees ab Esenbeck,1834** (Eurytomidae) Synonym(s): rosae Nees ab Esenbeck,1834; pubicornis Boheman,1836 Range (in code): TR AD AR AM AT BE BG Cc CZ FI FR Co DE GR HU IR Ak Th Elb IT KG MY NL DZ CN PL RO SK ES SE CH GB RU YU
- 14965. Eurytoma schreineri Schreiner,1908** (Eurytomidae) Synonym(s): schreineri Schreiner,1908 Range (in code): TR AM GG Cc GR MD RO RU Ao Da UA
- 14966. Eurytoma scrophulariae Zerova,1981** (Eurytomidae) Synonym(s): scrophulariae Zerova,1981 Range (in code): IR Fa
- 14967. Eurytoma serratulae (Fabricius,1798)** (Eurytomidae) Synonym(s): serratulae Fabricius,1798; tristis Mayr,1878 Range (in code): TR AT BG CZ FR DE HU IT MD MA NL SE GB RU
- 14968. Eurytoma tokatensis Doğanlar & Çam,1991** (Eurytomidae) Synonym(s): tokatensis Doğanlar & Çam,1991 Range (in code): TR 60
- 14969. Eurytoma turkezia Zerova & Çam,2003** (Eurytomidae) Synonym(s): turkezia Zerova & Çam,2003 Range (in code): TR
- 14970. Exeurytoma anatolica Çam,1998** (Eurytomidae) Synonym(s): anatolica Çam,1998 Range (in code): TR 60
- 14971. Exeurytoma caraganae Burks,1971** (Eurytomidae) Synonym(s): caraganae Burks,1971 Range (in code): IR Elb Th
- 14972. Exeurytoma kebanensis Doğanlar,2005** (Eurytomidae) Synonym(s): kebanensis Doğanlar,2005 Range (in code): TR 23 47
- 14973. Macrorileya femorata (Boucek,1952)** (Eurytomidae) Synonym(s): femorata Boucek,1952 Range (in code): TR HU RU
- 14974. Macrorileya inopinata (Silvestri,1920)** (Eurytomidae) Synonym(s): inopinata Silvestri,1920 Range (in code): TR BG Cc HV CZ GG HU IT KG MX MD DZ RO SK ES TN US Tx RU YU
- 14975. Nikanoria shohadae Zerova,2008** (Eurytomidae) Synonym(s): shohadae Zerova,2008 Range (in code): IR Ab Oru
- 14976. Rileya doganlari Çam,2003** (Eurytomidae) Synonym(s): doganlari Çam,2003 Range (in code): TR 60
- 14977. Sycophila biguttata (Swederus,1795)** (Eurytomidae) Synonym(s): biguttata Swederus,1795; obscura Curtis,1831; cooperi Curtis,1831; fasciatus Fonscolombe,1832; immaculata Walker,1832; semifasciata Walker,1834; signata Nees,1834; inaequalis Thomson,1876; strigifrons Thomson,1876 Range (in code): TR AT BE B-H BG Cc HV FR DE HU IR Ab Ak Th Elb Il Lo Km Kd IT Sa KG MK MD NL DZ PL RO RU Sb SS ES SE UA GB YU 13 56
- 14978. Sycophila binotata (Fonscolombe,1832)** (Eurytomidae) Synonym(s): binotata Fonscolombe,1832 Range (in code): IR Ak Ab BG HV FR IT ES RU
- 14979. Sycophila flavicollis (Walker,1834)** (Eurytomidae) Synonym(s): flavicollis Walker,1834 Range (in code): IR Kd Cc BG HV CZ DE HU NL PL RO SK ES SE GB YU
- 14980. Sycophila iracemae Nieves Aldrey,1984** (Eurytomidae) Synonym(s): iracemae Nieves Aldrey,1984 Range (in code): ES FR IR
- 14981. Sycophila submutica (Thomson,1876)** (Eurytomidae) Synonym(s): submutica Thomson,1876 Range (in code): TR IR AD AT BE B-H BG HV CZ DK FI FR DE HU GR IQ KG MD NL MK RO YU SE ES CH GB
- 14982. Sycophila variegata (Curtis,1831)** (Eurytomidae) Synonym(s): variegata Curtis,1831 Range (in code): TR IR Lo Ak BG HV CZ FR HU IQ IT KP KR JP CN RO SK SE GB
- 14983. Systole albipennis Walker,1832** (Eurytomidae) Synonym(s): albipennis Walker,1832 Range (in code): IR BG CA CL HV CZ FR DE HU IN IT MD YU NL RO SE CH UA GB
- 14984. Systole brunnicornis Zerova & Çam,2003** (Eurytomidae) Synonym(s): brunnicornis Zerova & Çam,2003 Range (in code): TR 60



- 14985. Systole coriandri Gussakovsky,1933** (Eurytomidae) Synonym(s): coriandri Gussakovsky,1933 Range (in code): IR AF AR BR BG CL IN JP MY MD DZ CN RO RU US UZ
- 14986. Systole foeniculi Otten,1941** (Eurytomidae) Synonym(s): foeniculi Otten,1941 Range (in code): IR AF BG NC NZ
- 14987. Systole minima Zerova & Çam,2003** (Eurytomidae) Synonym(s): minima Zerova & Çam,2003 Range (in code): TR 60
- 14988. Systole plana Zerova & Çam,2004** (Eurytomidae) Synonym(s): plana Zerova & Çam,2004 Range (in code): TR 60
- 14989. Systole tokata Zerova & Çam,2004** (Eurytomidae) Synonym(s): tokata Zerova & Çam,2004 Range (in code): TR 60
- 14990. Tetramesa anatolica Zerova & Çam** (Eurytomidae) Synonym(s): Range (in code): TR
- 14991. Tetramesa leucospae Zerova & Madjdzadeh,2005** (Eurytomidae) Synonym(s): leucospae Zerova & Madjdzadeh,2005 Range (in code): IR Elb Mz
- 14992. Tetramesa maderae (Walker,1849)** (Eurytomidae) Synonym(s): maderae Walker,1849 Range (in code): TR CA IT Md MX UA US IR Th Fa
- 14993. Tetramesa persica (Hedicke,1921)** (Eurytomidae) Synonym(s): persica Hedicke,1921 Range (in code): IR Ha
- 14994. Tetramesa tritici (Fitch,1859)** (Eurytomidae) Synonym(s): tritici Fitch,1859 Range (in code): IR Th Elb CA BR RU ES US
- 14995. Evania appendigaster (Linnaeus,1758)** (Evaniidae) Synonym(s): appendigaster Linnaeus,1758 Range (in code): TR 01 07 31 35
- 14996. Evania cibriata Semenov,1892** (Evaniidae) Synonym(s): cibriata Semenov,1892 Range (in code): IR TM TR 37
- 14997. Evania dimidiata Fabricius,1804** (Evaniidae) Synonym(s): dimidiata Fabricius,1804 Range (in code): Cc IR TR TM 01 02 15 27 31 33 44 46 47 51 63 72
- 14998. Evania schlettereri Kohl,1906** (Evaniidae) Synonym(s): schlettereri Kohl,1906 Range (in code): TR Cc IR 44 49
- 14999. Prosevania fuscipes (Illiger,1807)** (Evaniidae) Synonym(s): fuscipes Illiger,1807 Range (in code): TR UA Cm 06 07 09 16 35 48
- 15000. Anacharoides striaticeps Cameron,1904** (Figitidae) Synonym(s): striaticeps Cameron,1904; spinosipes Kieffer,1910; elongaticornis Benoit,1956; eurytergis Benoit,1956; gibbosus Benoit,1956; arcus Quinlan,1979; decellius Quinlan,1979; nigra Quinlan,1979; sanitas Quinlan,1979; suspensus Quinlan,1979 Range (in code): CM ZR ER KE MW NG RW SN ZA Nta Kzu UG ZW YE ET
- 15001. Aspicera abbreviata Belizin,1952** (Figitidae) Synonym(s): abbreviata Belizin,1952 Range (in code): IR KG CN
- 15002. Aspicera blancae Ros-Farré,2013** (Figitidae) Synonym(s): blancae Ros-Farré,2013 Range (in code): TR 01
- 15003. Aspicera hartigi Dalla Torre,1889** (Figitidae) Synonym(s): spinosus Hartig,1843 nec Boy.,1832; hartigi Dalla Torre,1889; brevispina Kieffer,1901; coriacea Kieffer,1901 Range (in code): HV CY TR FR IR Ha IT ES 01 05 06 34
- 15004. Aspicera magdae Ros-Farré & Pujade-Villar,2013** (Figitidae) Synonym(s): magdae Ros-Farré & Pujade-Villar,2013 Range (in code): TN IR
- 15005. Aspicera scutellata (Villers,1789)** (Figitidae) Synonym(s): scutellata Villers,1789; ediogaster Rossi,1790; bicolor Boyer de Fonscolombe,1830; aculeata Boyer de Fonscolombe,1832; ruficollis Kieffer,1907 Range (in code): DZ DE HV HU IT TN GB ES FR YU TR Arr 26 76
- 15006. Aspicera suecica Dalla Torre & Kieffer,1910** (Figitidae) Synonym(s): suecica Dalla Torre & Kieffer,1910; effincta Belizin,1952 Range (in code): ES SE TM
- 15007. Acantholepis frauenfeldi (Mayr,1855)** (Formicidae) Synonym(s): frauenfeldi Mayr,1855 Range (in code): TR 16 22 31 34 35 41 48 56
- 15008. Aenictus arabicus Sharaf & Aldawood,2012** (Formicidae) Synonym(s): arabicus Sharaf & Aldawood,2012 Range (in code): SA
- 15009. Aenictus dluskyi Arnoldi,1968** (Formicidae) Synonym(s): dluskyi Arnoldi,1968 Range (in code): AM Cc IR
- 15010. Aenictus rhodiensis Menozzi,1936** (Formicidae) Synonym(s): rhodiensis Menozzi,1936 Range (in code): GR Rd TR 01
- 15011. Amblyopone denticulatum (Roger,1859)** (Formicidae) Synonym(s): denticulatum Roger,1859 Range (in code): TR 48
- 15012. Anergates atratulus (Schenck,1852)** (Formicidae) Synonym(s): atratulus Schenck,1852; friedlandi Creighton,1934 Range (in code): AL AM AT Cc BY BE GB BG CZ DK FI FR DE GR HU IT Si LT LV MD NL PL RO RU YU SK E SE CH UA TR
- 15013. Anochetus bytinskii Kugler & Ionescu,2007** (Formicidae) Synonym(s): bytinskii Kugler & Ionescu,2007 Range (in code): IL Pa
- 15014. Anochetus evansi Crawley,1922** (Formicidae) Synonym(s): evansi Crawley,1922 Range (in code): IR

- 15015. *Anochetus sedilloti* Emery,1884** (Formicidae) Synonym(s): *sedilloti* Emery,1884; *indicus* Forel,1900 Range (in code): SA TN IN
- 15016. *Anochetus traegaordhi* Mayr,1904** (Formicidae) Synonym(s): *traegaordhi* Mayr,1904; *gracilicornis* Viehmeyer,1923; *silvaticus* Bernard,1953; *angusticornis* Arnold,1946 Range (in code): SA YE
- 15017. *Anoplolepis gracilipes* (F.Smith,1857)** (Formicidae) Synonym(s): *longipes* Jerdon,1851 nec Latr.,1802; *gracilipes* F.Smith,1857; *trifasciata* F.Smith,1858 Range (in code): Az GR TR AE
- 15018. *Aphaenogaster aktaci* Kiran & Tezcan,2008** (Formicidae) Synonym(s): *aktaci* Kiran & Tezcan,2008 Range (in code): TR
- 15019. *Aphaenogaster balcanica* (Emery,1898)** (Formicidae) Synonym(s): *balcanica* Emery,1898; *ionia* Santschi,1933 Range (in code): AL B-H HV GR SS TR
- 15020. *Aphaenogaster burri* (Donisthorpe,1950)** (Formicidae) Synonym(s): *burri* Donisthorpe,1950 Range (in code): TR
- 15021. *Aphaenogaster depressa* Bolton,1995** (Formicidae) Synonym(s): *pergandei* Donisthorpe,1950 nec Myr.,1886; *depressa* Bolton,1995 Range (in code): TR
- 15022. *Aphaenogaster dluskyi* Radchenko & Arakelian,1991** (Formicidae) Synonym(s): *dluskyi* Radchenko & Arakelian,1991 Range (in code): AM Cc
- 15023. *Aphaenogaster epirotes* (Emery,1895)** (Formicidae) Synonym(s): *epiotes* Emery,1895 Range (in code): AL BG HV GR IL Pa MK YU SS TR
- 15024. *Aphaenogaster festae* Emery,1915** (Formicidae) Synonym(s): *festae* Emery,1915 Range (in code): GR IQ TR
- 15025. *Aphaenogaster georgica* Arnoldi,1968** (Formicidae) Synonym(s): *georgica* Arnoldi,1968 Range (in code): AZ GG Cc
- 15026. *Aphaenogaster gibbosa* (Latreille,1798)** (Formicidae) Synonym(s): *gibbosa* Latreille,1798; *striola* Roger,1859; *subterraneostriola* Emery & Forel,1879; *laevior* Forel,1892; *muschtaidica* Emery,1908; *fiorii* Emery,1915; *homonyma* Emery,1921; *barcinensis* Menozzi,1922; *chorassanica* Arnoldi,1968 Range (in code): AL DZ AD AM AZ Cc B-H BG FR Co GG GR IL Pa IR Kh IT Sa Si MK PT ?SA YU ES CH TN TR
- 15027. *Aphaenogaster holtzi* Emery,1898** (Formicidae) Synonym(s): *holtzi* Emery,1898 Range (in code): TR 33 56
- 15028. *Aphaenogaster iranica* Kiran & Alipanah,2013** (Formicidae) Synonym(s): *iranica* Kiran & Alipanah,2013 Range (in code): IR
- 15029. *Aphaenogaster kervillei* Forel,1910** (Formicidae) Synonym(s): *kervillei* Forel,1910 Range (in code): TR 56
- 15030. *Aphaenogaster kervillei* Forel,1910** (Formicidae) Synonym(s): *kervillei* Forel,1910 Range (in code): CY IL Pa LB SY TR
- 15031. *Aphaenogaster kurdica* Ruzsky,1905** (Formicidae) Synonym(s): *kurdica* Ruzsky,1905 Range (in code): AM AZ GG Cc IR RU
- 15032. *Aphaenogaster ledouxi* Tohmé,1969** (Formicidae) Synonym(s): *ledouxi* Tohmé,1969 Range (in code): GR LB
- 15033. *Aphaenogaster lesbica* Forel,1913** (Formicidae) Synonym(s): *lesbica* Forel,1913 Range (in code): CY GR IL Pa YU? Cr
- 15034. *Aphaenogaster maculifrons* Kiran & Aktaç,2008** (Formicidae) Synonym(s): *maculifrons* Kiran & Aktaç,2008 Range (in code): TR
- 15035. *Aphaenogaster simonelli* Emery,1894** (Formicidae) Synonym(s): *simonelli* Emery,1894 Range (in code): TR 34 35 48
- 15036. *Aphaenogaster subterranea* (Latreille,1798)** (Formicidae) Synonym(s): *subterranea* Latreille,1798 Range (in code): TR 07 34 61
- 15037. *Bothriomyrmex communista* (Santschi,1920)** (Formicidae) Synonym(s): *communista* Santschi,1920 Range (in code): TR 56
- 15038. *Camponotus aethiops* (Latreille,1798)** (Formicidae) Synonym(s): *aethiops* Latreille,1798 Range (in code): TR 06 16 34 35 41 48 56 61
- 15039. *Camponotus compressus* (Fabricius,1787)** (Formicidae) Synonym(s): *compressus* Fabricius,1787 Range (in code): TR 06 35 48 56
- 15040. *Camponotus dalmaticus* (Nylander,1848)** (Formicidae) Synonym(s): *dalmaticus* Nylander,1848 Range (in code): TR 34 48
- 15041. *Camponotus fallax* (Nylander,1856)** (Formicidae) Synonym(s): *fallax* Nylander,1856 Range (in code): GR TR HV 33 65
- 15042. *Camponotus festai* Emery,1894** (Formicidae) Synonym(s): *festai* Emery,1894 Range (in code): TR 33 56
- 15043. *Camponotus gestroi* Emery,1878** (Formicidae) Synonym(s): *gestroi* Emery,1878 Range (in code): GR Cr TR 35 56
- 15044. *Camponotus herculeanus* (Linnaeus,1758)** (Formicidae) Synonym(s): *herculeanus* Linnaeus,1758 Range (in code): TR 16 61

- 15045. Camponotus ionius Emery,1901** (Formicidae) Synonym(s): ionius Emery,1901 Range (in code): TR 35 48
- 15046. Camponotus jaliensis Dalla Torre,1893** (Formicidae) Synonym(s): jaliensis Dalla Torre,1893 Range (in code): IQ TR 56
- 15047. Camponotus kiesenwetteri Roger,1859** (Formicidae) Synonym(s): kiesenwetteri Roger,1859 Range (in code): TR 48
- 15048. Camponotus samius Forel,1888** (Formicidae) Synonym(s): samius Forel,1888 Range (in code): TR 34 35 41 48
- 15049. Camponotus sylvaticus (Olivier,1792)** (Formicidae) Synonym(s): sylvaticus Olivier,1792 Range (in code): TR 48
- 15050. Cardiocondyla elegans Emery,1869** (Formicidae) Synonym(s): elegans Emery,1869 Range (in code): TR 06 56
- 15051. Cataglyphis kurdistanicus Pisarski,1965** (Formicidae) Synonym(s): kurdistanicus Pisarski,1965 Range (in code): TR 56
- 15052. Cataglyphis livida André,1881** (Formicidae) Synonym(s): livida André,1881 Range (in code): TR 13 56
- 15053. Cataglyphis nodus (Brullé,1832)** (Formicidae) Synonym(s): nodus Brullé,1832 Range (in code): TR 16 22 27 33 34 35 41 48 56
- 15054. Cataglyphis viaticoides André,1881** (Formicidae) Synonym(s): viaticoides André,1881 Range (in code): TR 35 48 56
- 15055. Crematogaster laestrygon Emery,1869** (Formicidae) Synonym(s): laestrygon Emery,1869 Range (in code): TR 56
- 15056. Crematogaster scutellaris (Olivier,1791)** (Formicidae) Synonym(s): scutellaris Olivier,1791 Range (in code): TR 22 34 35 48
- 15057. Crematogaster sordidula (Nylander,1849)** (Formicidae) Synonym(s): sordidula Nylander,1849 Range (in code): TR 34 41 48
- 15058. Diplorhoptrum fugax (Latreille,1798)** (Formicidae) Synonym(s): fugax Latreille,1798 Range (in code): TR 16 34 36
- 15059. Dorylus (Typhlopone) helvolus (Westwood,1839)** (Formicidae) Synonym(s): helvolus Westwood,1839; oraniensis Lucas,1849 Range (in code): EG Sn DZ
- 15060. Formica cinereofusca Karawajew,1919** (Formicidae) Synonym(s): cinereofusca Karawajew,1919 Range (in code): TR 61
- 15061. Formica cunicularia Latreille,1798** (Formicidae) Synonym(s): cunicularia Latreille,1798 Range (in code): TR 08 16 34 61
- 15062. Formica fusca Linnaeus,1758** (Formicidae) Synonym(s): fusca Linnaeus,1758 Range (in code): TR 16 34 35 61
- 15063. Formica picea Nylander,1846** (Formicidae) Synonym(s): picea Nylander,1846 Range (in code): IT TR 75
- 15064. Formica pressilabris Nylander,1846** (Formicidae) Synonym(s): pressilabris Nylander,1846 Range (in code): TR DE FR ES 75
- 15065. Formica sanguinea Latreille,1798** (Formicidae) Synonym(s): sanguinea Latreille,1798 Range (in code): TR 10 61
- 15066. Lasius alienus (Förster,1850)** (Formicidae) Synonym(s): alienus Förster,1850 Range (in code): TR 06 08 16 34 35 48 56 61
- 15067. Lasius flavus (Fabricius,1781)** (Formicidae) Synonym(s): flavus Fabricius,1781 Range (in code): TR 16 61
- 15068. Lasius niger (Linnaeus,1758)** (Formicidae) Synonym(s): niger Linnaeus,1758; nigerrima Christ,1791; pallens Schenck,1852; alienoniger Forel,1874; emeryi Ruzsky,1905; pinetorum Ruzsky,1907; minimus Kuznetsov-Ugamsky,1928; transylvanica Rösler,1943 AL DZ AD AM Cc AT BY BE B-H GB BG HV CZ DK EE FI FR Co GG GR HU Sa LT LV MK Md MD YU NL NO PL PT RO RU SK SS ES SE CH UA TR
- 15069. Leptothorax muscorum (Nylander,1846)** (Formicidae) Synonym(s): muscorum Nylander,1846 Range (in code): TR 61
- 15070. Liometopum microcephalum (Panzer,1798)** (Formicidae) Synonym(s): microcephalum Panzer,1798 Range (in code): TR 56
- 15071. Manica rubida (Latreille,1802)** (Formicidae) Synonym(s): rubida Latreille,1802 Range (in code): TR 61
- 15072. Messor semirufus (André,1881)** (Formicidae) Synonym(s): semirufus André,1881 Range (in code): TR 07 48 56
- 15073. Messor structor (Latreille,1798)** (Formicidae) Synonym(s): structor Latreille,1798 Range (in code): TR 33 34 48
- 15074. Monomorium dentigerum (Roger,1862)** (Formicidae) Synonym(s): dentigerum Roger,1862 Range (in code): TR 35 48 56
- 15075. Monomorium kusnezowi Santschi,1928** (Formicidae) Synonym(s): kusnezowi Santschi,1928 Range (in code): TR 56



- 15076. *Monomorium minitum* Mayr,1855** (Formicidae) Synonym(s): minitum Mayr,1855 [Range \(in code\): TR 34 35 48](#)
- 15077. *Myrmica afghanica* Radchenko & Elmes,2003** (Formicidae) Synonym(s): afghanica Radchenko & Elmes,2003 [Range \(in code\): AF](#)
- 15078. *Myrmica bergi* Ruzsky,1902** (Formicidae) Synonym(s): bergi Ruzsky,1902 [Range \(in code\): TR 61](#)
- 15079. *Myrmica caucasicola* Arnoldi,1934** (Formicidae) Synonym(s): caucasicola Arnoldi,1934 [Range \(in code\): Cc AZ](#)
- 15080. *Myrmica lacustris* Ruzsky,1905** (Formicidae) Synonym(s): lacustris Ruzsky,1905 [Range \(in code\): CZ UA TM KG AT](#)
- 15081. *Myrmica lobicornis* Nylander,1846** (Formicidae) Synonym(s): lobicornis Nylander,1846 [Range \(in code\): TR 36 61](#)
- 15082. *Myrmica ravasinii* Finzi,1923** (Formicidae) Synonym(s): ravasinii Finzi,1923 [Range \(in code\): AL GR BTR Cc GG Bjo 14 24 37](#)
- 15083. *Myrmica ruginodis* Nylander,1846** (Formicidae) Synonym(s): ruginodis Nylander,1846 [Range \(in code\): TR 61](#)
- 15084. *Myrmica scabrinodis* Nylander,1846** (Formicidae) Synonym(s): scabrinodis Nylander,1846 [Range \(in code\): TR 06 35 61](#)
- 15085. *Myrmica schencki* Viereck,1903** (Formicidae) Synonym(s): schencki Viereck,1903; kutteri Finzi,1926; obscura Finzi,1926; subopaca Arnoldi,1934 [Range \(in code\): SE DK ES FR CH CZ BG TR GG Cc KK KG 37](#)
- 15086. *Myrmica specioides* Bondroit,1918** (Formicidae) Synonym(s): specioides Bondroit,1918 [Range \(in code\): NO DE TR 53](#)
- 15087. *Myrmica sulcinodis* Nylander,1846** (Formicidae) Synonym(s): sulcinodis Nylander,1846 [Range \(in code\): TR 16 61](#)
- 15088. *Myrmica tenuispina* Ruzsky,1905** (Formicidae) Synonym(s): tenuispina Ruzsky,1905 [Range \(in code\): AF TM UZ TJ KK](#)
- 15089. *Pheidole arenarum* Ruzsky,1905** (Formicidae) Synonym(s): arenarum Ruzsky,1905; koshewnikovi Ruzsky,1905 [Range \(in code\): EG TR](#)
- 15090. *Pheidole jordanica* Saulcy,1874** (Formicidae) Synonym(s): jordanica Saulcy,1874; schmitzi Forel,1911 [Range \(in code\): EG JO SA IL Pa](#)
- 15091. *Pheidole orientalis* Emery,1915** (Formicidae) Synonym(s): orientalis Emery,1915 [Range \(in code\): IL Pa SA](#)
- 15092. *Pheidole pallidula* (Nylander,1848)** (Formicidae) Synonym(s): pallidula Nylander,1848 [Range \(in code\): EG TR 06 07 22 41 42 34 35 48 56](#)
- 15093. *Pheidole providens* (Sykes,1835)** (Formicidae) Synonym(s): providens Sykes,1835; indica Mayr,1879; himalayana Forel,1902 [Range \(in code\): Cn EG IL Pa IR SA IN](#)
- 15094. *Pheidole sinaitica* Mayr,1862** (Formicidae) Synonym(s): sinaitica Mayr,1862 [Range \(in code\): EG Sn IL Pa](#)
- 15095. *Plagiolepis pallescens* Forel,1888** (Formicidae) Synonym(s): pallescens Forel,1888 [Range \(in code\): TR 35 48](#)
- 15096. *Plagiolepis pygmaea* (Latreille,1798)** (Formicidae) Synonym(s): pygmaea Latreille,1798 [Range \(in code\): TR 22 27 34 35 41 46 61](#)
- 15097. *Proformica kobachidzei* Arnoldi,1968** (Formicidae) Synonym(s): kobachidzei Arnoldi,1968 [Range \(in code\): TR 61](#)
- 15098. *Tapinoma erraticum* (Latreille,1798)** (Formicidae) Synonym(s): erraticum Latreille,1798 [Range \(in code\): TR 06 07 13 16 27 34 41 58](#)
- 15099. *Tetramorium caespitum* (Linnaeus,1758)** (Formicidae) Synonym(s): caespitum Linnaeus,1758 [Range \(in code\): TR 06 08 16 22 34 35 36 61](#)
- 15100. *Tetramorium lucidula* Emery,1909** (Formicidae) Synonym(s): lucidula Emery,1909 [Range \(in code\): TR 06 56](#)
- 15101. *Tetramorium schmidtii* Forel,1904** (Formicidae) Synonym(s): schmidtii Forel,1904 [Range \(in code\): TR 56](#)
- 15102. *Tetramorium sculptum* Poldi,1975** (Formicidae) Synonym(s): sculptum Poldi,1975 [Range \(in code\): TR 56](#)
- 15103. *Tetramorium semilaeve* André,1883** (Formicidae) Synonym(s): semilaeve André,1883 [Range \(in code\): TR 03 16 27 48](#)
- 15104. *Gasteruption assectator* (Linnaeus,1758)** (Gasteruptionidae) Synonym(s): assectator Linnaeus,1758 [Range \(in code\): TR CN Mc IMn Ui Pkn Ts Ti Hun Sz 24 25](#)
- 15105. *Gasteruption diversipes* (Abeille,1879)** (Gasteruptionidae) Synonym(s): diversipes Abeille,1879 [Range \(in code\): Sa TR](#)
- 15106. *Gasteruption erythrostomum* (Dahlbom,1834)** (Gasteruptionidae) Synonym(s): erythrostomum Dahlbom,1834 [Range \(in code\): TR RU 10 25](#)

- 15107. *Gasteruption freyi* (Tournier,1877)** (Gasteruptiidae) **Synonym(s):** freyi Tournier,1877 **Range (in code):** [TR 25 50](#)
- 15108. *Gasteruption jaculator* (Linnaeus,1758)** (Gasteruptiidae) **Synonym(s):** jaculator Linnaeus,1758 **Range (in code):** [TR 25 42 53](#)
- 15109. *Gasteruption jekylljaechi* (Madl,1987)** (Gasteruptiidae) **Synonym(s):** jekylljaechi Madl,1987 **Range (in code):** [SY Cc TR](#)
- 15110. *Gasteruption opacum* (Tournier,1877)** (Gasteruptiidae) **Synonym(s):** opacum Tournier,1877 **Range (in code):** [TR 11 13](#)
- 15111. *Gasteruption pedemontanum* (Tournier,1877)** (Gasteruptiidae) **Synonym(s):** pedemontanum Tournier,1877 **Range (in code):** [TR 11 25](#)
- 15112. *Gasteruption pyrenaicum* Guérin,1844** (Gasteruptiidae) **Synonym(s):** pyrenaicum Guérin,1844 **Range (in code):** [TR 24 25 33](#)
- 15113. *Gasteruption tibiale* (Schletterer,1885)** (Gasteruptiidae) **Synonym(s):** tibiale Schletterer,1885 **Range (in code):** [RU Sb TR 25](#)
- 15114. *Gasteruption tournieri* (Schletterer,1885)** (Gasteruptiidae) **Synonym(s):** tournieri Schletterer,1885 **Range (in code):** [TR RU 25 31 42](#)
- 15115. *Gasteruption undulatum* (Abeille,1879)** (Gasteruptiidae) **Synonym(s):** undulatum Abeille,1879 **Range (in code):** [TR](#)
- 15116. *Ceylalictus* (Meganomioides) desertorum (Blüthgen,1925)** (Halictidae) **Synonym(s):** desertorum Blüthgen,1925 **Range (in code):** [JO EG](#)
- 15117. *Ceylalictus* (s.str.) punjabensis (Cameron,1907)** (Halictidae) **Synonym(s):** punjabensis Cameron,1907 **Range (in code):** [IL Pa JO IR EG LY](#)
- 15118. *Ceylalictus* (s.str.) variegatus (Olivier,1789)** (Halictidae) **Synonym(s):** variegatus Olivier,1789; pulchella Jurine,1807; ?syrphoides Walker,1871; flavopicta Dours,1873; jucunda Morawitz,1874; fasciatus Friese,1898; intermedius Alfken,1924; simplex Blüthgen,1925; labiatarum Cockerell,1931; nigrita Blüthgen,1934; pseudocerea Blüthgen,1934; nigriventris Blüthgen,1934 **Range (in code):** [PT ES FR IT Sa Si Cn MA DZ TN LY EG Cr Rd MK YU AT HU RO UA Cm CY Sn JO SA As QA OM Dh Cc Da RU GR Ae Le Sms Chi Cr TR IL Pa IR CN MN 07 22 39 59 65](#)
- 15119. *Dufourea* (Afrodufourea) atrata (Warncke,1979)** (Halictidae) **Synonym(s):** atrata Warncke,1979 **Range (in code):** [TR](#)
- 15120. *Dufourea* (Cyprriophites) armenia Ebmer,1987** (Halictidae) **Synonym(s):** armenia Ebmer,1987 **Range (in code):** [TR 25](#)
- 15121. *Dufourea* (Cyprriophites) coeruleocephala Morawitz,1872** (Halictidae) **Synonym(s):** coeruleocephala Morawitz,1872 **Range (in code):** [TR 04](#)
- 15122. *Dufourea* (Cyprriophites) cypria Mavromoustakis,1952** (Halictidae) **Synonym(s):** cypria Mavromoustakis,1952 **Range (in code):** [CY TR SY JO](#)
- 15123. *Dufourea* (Dentirophites) bytinskii Ebmer,1999** (Halictidae) **Synonym(s):** bytinskii Ebmer,1999 **Range (in code):** [IL Pa](#)
- 15124. *Dufourea* (Halictoides) graeca Ebmer,1976** (Halictidae) **Synonym(s):** graeca Ebmer,1976; dubiosa Warncke,1979 **Range (in code):** [GR TR BG 25](#)
- 15125. *Dufourea* (Halictoides) pontica (Warncke,1979)** (Halictidae) **Synonym(s):** pontica Warncke,1979 **Range (in code):** [TR 25 30](#)
- 15126. *Dufourea* (Halictoides) schmiedeknechtii (Kohl,1905)** (Halictidae) **Synonym(s):** schmiedeknechtii Kohl,1905 **Range (in code):** [TR 25 30 38 65 73](#)
- 15127. *Dufourea* (s.str.) caelestis Ebmer,1987** (Halictidae) **Synonym(s):** caelestis Ebmer,1987 **Range (in code):** [TR 65](#)
- 15128. *Dufourea* (s.str.) chagrina (Warncke,1979)** (Halictidae) **Synonym(s):** chagrina Warncke,1979 **Range (in code):** [IL Pa](#)
- 15129. *Dufourea* (s.str.) goeleti Ebmer,1999** (Halictidae) **Synonym(s):** goeleti Ebmer,1999 **Range (in code):** [IL Pa](#)
- 15130. *Dufourea* (s.str.) nodicornis (Warncke,1979)** (Halictidae) **Synonym(s):** nodicornis Warncke,1979 **Range (in code):** [EG LY Cy IL Pa JO SY IQ](#)
- 15131. *Dufourea* (s.str.) quadridentata (Warncke,1979)** (Halictidae) **Synonym(s):** quadridentata Warncke,1979 **Range (in code):** [TR 25](#)
- 15132. *Dufourea* (s.str.) rufiventris Friese,1898** (Halictidae) **Synonym(s):** rufiventris Friese,1898 **Range (in code):** [EG Sn IL Pa](#)
- 15133. *Dufourea* (s.str.) trigonellae Ebmer,1999** (Halictidae) **Synonym(s):** trigonellae Ebmer,1999 **Range (in code):** [IL Pa](#)
- 15134. *Dufourea* (s.str.) wolffi Ebmer,1989** (Halictidae) **Synonym(s):** wolffi Ebmer,1989 **Range (in code):** [GR Ae Le Sms Rd TR 07](#)
- 15135. *Halictus* (Hexataenites) scabiosae (Rossi,1790)** (Halictidae) **Synonym(s):** scabiosae Rossi,1790; alternans Fabricius,1793; zebrus Walckenaer,1817; griseozonatus Dours,1872; powelli Cockerell,1931 **Range (in code):** [GR Ae Le TR 06 16 25 34 36 65 76](#)

- 15136. Halictus (Hexataenites) sexcinctus (Fabricius,1775)** (Halictidae) Synonym(s): sexcinctus Fabricius,1775 Range (in code): GR Ae Le Chi Sms Cr TR IL Pa JO IR
- 15137. Halictus (s.str.) aegyptiacus Friese,1916** (Halictidae) Synonym(s): aegyptiacus Friese,1916 Range (in code): PK EG
- 15138. Halictus (s.str.) aegypticola Strand,1909** (Halictidae) Synonym(s): aegypticola Strand,1909 Range (in code): EG LB TR IL Pa JO
- 15139. Halictus (s.str.) alfkenellus Strand,1909** (Halictidae) Synonym(s): alfkenellus Strand,1909; cedens Strand,1925 Range (in code): GR TR IR LB IL Pa
- 15140. Halictus (s.str.) asperulus Pérez,1895** (Halictidae) Synonym(s): asperulus Pérez,1895 Range (in code): GR Ae Le Sms Chi Rd CY TR SY IL Pa IR
- 15141. Halictus (s.str.) bagirensis Blüthgen,1936** (Halictidae) Synonym(s): bagirensis Blüthgen,1936 Range (in code): IR Kh
- 15142. Halictus (s.str.) berlandi Blüthgen,1936** (Halictidae) Synonym(s): berlandi Blüthgen,1936 Range (in code): IL Pa TR
- 15143. Halictus (s.str.) beytueschepapensis Warncke,1984** (Halictidae) Synonym(s): beytueschepapensis Warncke,1984 Range (in code): TR 73
- 15144. Halictus (s.str.) brunnescens (Eversmann,1852)** (Halictidae) Synonym(s): brunnescens Eversmann,1852; maximus Friese,1916; aegyptiacus Friese,1916 Range (in code): MA TN AT ES CZ GR Ae Le Rd Cr CY TR IL Pa EG LY IR AF Cc AM AZ GG CN Ui IN KK KG PK TM UZ 03 06 20 24 25 26 30 31 34 42 46 58 69
- 15145. Halictus (s.str.) cochlearitarsis (Dours,1872)** (Halictidae) Synonym(s): cochlearitarsis Dours,1872 Range (in code): GR Ae Le Sms Cr TR IL Pa
- 15146. Halictus (s.str.) dschulfensis Blüthgen,1936** (Halictidae) Synonym(s): dschulfensis Blüthgen,1936 Range (in code): TR IR AZ Cc Nv AM 30
- 15147. Halictus (s.str.) duplocinctus Vachal,1902** (Halictidae) Synonym(s): duplocinctus Vachal,1902 Range (in code): IR
- 15148. Halictus (s.str.) eurygnathus Blüthgen,1930** (Halictidae) Synonym(s): eurygnathus Blüthgen,1930 Range (in code): GR TR
- 15149. Halictus (s.str.) falcinellus Warncke,1982** (Halictidae) Synonym(s): falcinellus Warncke,1982 Range (in code): IR TR 13 30 73
- 15150. Halictus (s.str.) fatsensis Blüthgen,1936** (Halictidae) Synonym(s): fatsensis Blüthgen,1936 Range (in code): TR CY JO IQ IL Pa 58 63
- 15151. Halictus (s.str.) funerarius Morawitz,1876** (Halictidae) Synonym(s): funerarius Morawitz,1876 Range (in code): IR
- 15152. Halictus (s.str.) gordius Warncke,1975** (Halictidae) Synonym(s): gordius Warncke,1975 Range (in code): TR
- 15153. Halictus (s.str.) hermon Ebmer,1975** (Halictidae) Synonym(s): hermon Ebmer,1975 Range (in code): IL Pa
- 15154. Halictus (s.str.) humkalensis Blüthgen,1936** (Halictidae) Synonym(s): humkalensis Blüthgen,1936 Range (in code): IR
- 15155. Halictus (s.str.) icarus Ebmer,1978** (Halictidae) Synonym(s): icarus Ebmer,1978 Range (in code): IR Elb
- 15156. Halictus (s.str.) lobatus Ebmer,1978** (Halictidae) Synonym(s): lobatus Ebmer,1978 Range (in code): TR IR
- 15157. Halictus (s.str.) luganicus Blüthgen,1936** (Halictidae) Synonym(s): luganicus Blüthgen,1936 Range (in code): UA AZ GG Cc TR 03 06 17 20 33 38
- 15158. Halictus (s.str.) lunatus Warncke,1975** (Halictidae) Synonym(s): lunatus Warncke,1975 Range (in code): GR TR IR
- 15159. Halictus (s.str.) maculatus Smith,1848** (Halictidae) Synonym(s): maculatus Smith,1848; priesneri Ebmer,1975 Range (in code): GR Ae Le TR IL Pa IR
- 15160. Halictus (s.str.) minor Morawitz,1876** (Halictidae) Synonym(s): minor Morawitz,1876; altaicus Pérez,1903; jarkandensis Strand,1909 Range (in code): CN Ui Yk RU At IR AF PK Ur KG TM UZ KK TJ IN Up MN
- 15161. Halictus (s.str.) nicosiae Blüthgen,1923** (Halictidae) Synonym(s): nicosiae Blüthgen,1923 Range (in code): GR Cr CY
- 15162. Halictus (s.str.) patellatus Morawitz,1873** (Halictidae) Synonym(s): patellatus Morawitz,1873; wagneri Blüthgen,1937; ifranicola Cockerell,1937 Range (in code): AT AZ Cc BE FR IL Pa IT LB MK RU SK SS MA SY TM GR Ae Le Chi Sms TR IR 06 25 30 42 43 46 51 70 75
- 15163. Halictus (s.str.) pentheri Blüthgen,1923** (Halictidae) Synonym(s): pentheri Blüthgen,1923 Range (in code): GR Ae Sms Le TR
- 15164. Halictus (s.str.) ponticus Blüthgen,1934** (Halictidae) Synonym(s): ponticus Blüthgen,1934 Range (in code): GR Ae Le Chi Rd TR



- 15165. Halictus (s.str.) quadricinctoides Blüthgen,1936** (Halictidae) Synonym(s): quadricinctoides Blüthgen,1936 Range (in code): TR
- 15166. Halictus (s.str.) quadricinctus (Fabricius,1776)** (Halictidae) Synonym(s): quadricinctus Fabricius,1776; hortensis Geoffroy,1785; quadristrigatus Latreille,1805; grandis Illiger,1806 Range (in code): FI GR Ae Le TR JO IL Pa IR CN 03 04 06 07 08 13 20 24 25 29 31 34 36 37 42 50 51 55 61 70
- 15167. Halictus (s.str.) resurgens Nurse,1903** (Halictidae) Synonym(s): resurgens Nurse,1903 Range (in code): GR Ae Le Rd Chi Sms Cr CY TR IL Pa JO EG IR
- 15168. Halictus (s.str.) rubicundus (Christ,1791)** (Halictidae) Synonym(s): rubicundus Christ,1791 Range (in code): GR TR 16 34
- 15169. Halictus (s.str.) sajoi Blüthgen,1923** (Halictidae) Synonym(s): sajoi Blüthgen,1923; bifidus Warncke,1975 Range (in code): TR IR 06
- 15170. Halictus (s.str.) scardicus Blüthgen,1936** (Halictidae) Synonym(s): scardicus Blüthgen,1936 Range (in code): GR TR
- 15171. Halictus (s.str.) sefidicus Blüthgen,1936** (Halictidae) Synonym(s): sefidicus Blüthgen,1936 Range (in code): IR
- 15172. Halictus (s.str.) senilis (Eversmann,1852)** (Halictidae) Synonym(s): senilis Eversmann,1852; fucosus Morawitz,1876; albarius Pérez,1895; bivinctus Vachal,1902 Range (in code): ES TR IL Pa IR Kh IQ JO EG LY AF PK Ui 03 04 42 63
- 15173. Halictus (s.str.) simplex Blüthgen,1923** (Halictidae) Synonym(s): simplex Blüthgen,1923 Range (in code): GR TR
- 15174. Halictus (s.str.) squamosus Lebedev,1910** (Halictidae) Synonym(s): squamosus Lebedev,1910 Range (in code): TR IR Elb Kh
- 15175. Halictus (s.str.) submodernus Blüthgen,1936** (Halictidae) Synonym(s): submodernus Blüthgen,1936 Range (in code): TR IR 30 73
- 15176. Halictus (s.str.) tetrazonianellus Strand,1909** (Halictidae) Synonym(s): tetrazonianellus Strand,1909 Range (in code): GR Ae Le Chi Sms Rd Cr CY TR IL Pa IR
- 15177. Halictus (s.str.) tetrazonius (Klug,1817)** (Halictidae) Synonym(s): tetrazonius Klug,1817; furcatus Blüthgen,1925 Range (in code): GR Ae Le Sms TR IL Pa IR
- 15178. Halictus (s.str.) tibialis Walker,1871** (Halictidae) Synonym(s): tibialis Walker,1871 Range (in code): JO IL Pa EG
- 15179. Halictus (Seladonia) cephalicus (Morawitz,1873)** (Halictidae) Synonym(s): cephalicus Morawitz,1873 Range (in code): GR Ae Le Chi Sms Rd CY TR IL Pa IR
- 15180. Halictus (Seladonia) clangulus Warncke,1984** (Halictidae) Synonym(s): clangulus Warncke,1984 Range (in code): TR
- 15181. Halictus (Seladonia) confusus Smith,1853** (Halictidae) Synonym(s): confusus Smith,1853; perkinsi Blüthgen,1926 Range (in code): TR 24
- 15182. Halictus (Seladonia) desertorum Morawitz,1876** (Halictidae) Synonym(s): desertorum Morawitz,1876 Range (in code): TR 36
- 15183. Halictus (Seladonia) gemmeus Dours,1872** (Halictidae) Synonym(s): gemmeus Dours,1872 Range (in code): FR ES Co Sa IT Si DZ TN HV EG GR TR 34
- 15184. Halictus (Seladonia) kessleri Bramson,1879** (Halictidae) Synonym(s): kessleri Bramson,1879 Range (in code): IT Si AT HV FR MK GR Ae Le TR AM Cc Eri HU RU
- 15185. Halictus (Seladonia) kudsasi Ebmer,1975** (Halictidae) Synonym(s): kudsasi Ebmer,1975 Range (in code): TR
- 15186. Halictus (Seladonia) laticephalus Warncke,1984** (Halictidae) Synonym(s): laticephalus Warncke,1984 Range (in code): TR
- 15187. Halictus (Seladonia) leucaheneus Ebmer,1972** (Halictidae) Synonym(s): leucaheneus Ebmer,1972; occipitalis Ebmer,1972 Range (in code): TR
- 15188. Halictus (Seladonia) lucidipennis Smith,1853** (Halictidae) Synonym(s): lucidipennis Smith,1853; vernalis Smith,1853 Range (in code): IN Hp LK PK Mre Pj
- 15189. Halictus (Seladonia) lucidipennis Smith,1853** (Halictidae) Synonym(s): lucidipennis Smith,1853 Range (in code): IL Pa IQ LY EG
- 15190. Halictus (Seladonia) paropamissos Ebmer,1978** (Halictidae) Synonym(s): paropamissos Ebmer,1978 Range (in code): AF
- 15191. Halictus (Seladonia) seladonius (Fabricius,1794)** (Halictidae) Synonym(s): seladonius Fabricius,1794 Range (in code): GR TR IR 06
- 15192. Halictus (Seladonia) smaragdulus Vachal,1895** (Halictidae) Synonym(s): smaragdulus Vachal,1895 Range (in code): GR Ae Le Chi Sms Rd Cr CY TR IL Pa IR
- 15193. Halictus (Seladonia) subauratus (Rossi,1792)** (Halictidae) Synonym(s): subauratus Rossi,1792 Range (in code): GR Ae Le Sms TR IL Pa IR
- 15194. Halictus (Seladonia) tumulorum (Linnaeus,1758)** (Halictidae) Synonym(s): tumulorum Linnaeus,1758 Range (in code): GR TR

- 15195. Halictus (Seladonia) verticalis Blüthgen,1931** (Halictidae) Synonym(s): verticalis Blüthgen,1931  
Range (in code): TR
- 15196. Halictus (Vestitohalictus) aestuans Ebmer,1978** (Halictidae) Synonym(s): aestuans Ebmer,1978 Range (in code): IR
- 15197. Halictus (Vestitohalictus) cupidus Vachal,1902** (Halictidae) Synonym(s): cupidus Vachal,1902  
Range (in code): IL Pa EG IR?
- 15198. Halictus (Vestitohalictus) cypricus Blüthgen,1937** (Halictidae) Synonym(s): cypricus Blüthgen,1937 Range (in code): CY IL Pa JO IR
- 15199. Halictus (Vestitohalictus) indefinitus Blüthgen,1923** (Halictidae) Synonym(s): indefinitus Blüthgen,1923 Range (in code): SY
- 15200. Halictus (Vestitohalictus) morawitzi Vachal,1902** (Halictidae) Synonym(s): morawitzi Vachal,1902 Range (in code): TR IL Pa IR 04
- 15201. Halictus (Vestitohalictus) nasica Morawitz,1876** (Halictidae) Synonym(s): nasica Morawitz,1876 Range (in code): IR
- 15202. Halictus (Vestitohalictus) nigricutis Warncke,1975** (Halictidae) Synonym(s): nigricutis Warncke,1975 Range (in code): TR JO IR
- 15203. Halictus (Vestitohalictus) pici Blüthgen,1895** (Halictidae) Synonym(s): pici Blüthgen,1895; falix Ebmer,2008 Range (in code): IL Pa JO EG
- 15204. Halictus (Vestitohalictus) pollinosus Sichel,1860** (Halictidae) Synonym(s): pollinosus Sichel,1860 Range (in code): GR Ae Le Chi Kos Rd Cr CY IL Pa JO IR TR 06 56 65 76
- 15205. Halictus (Vestitohalictus) pseudomucoreus Ebmer,1975** (Halictidae) Synonym(s): pseudomucoreus Ebmer,1975 Range (in code): TR IR
- 15206. Halictus (Vestitohalictus) pulvereus Morawitz,1874** (Halictidae) Synonym(s): pulvereus Morawitz,1874 Range (in code): GR Ae Le TR JO IL Pa EG IR
- 15207. Halictus (Vestitohalictus) radoszkowskii Vachal,1902** (Halictidae) Synonym(s): radoszkowskii Vachal,1902 Range (in code): IR
- 15208. Halictus (Vestitohalictus) semiticus Blüthgen,1955** (Halictidae) Synonym(s): semiticus Blüthgen,1955 Range (in code): GE Ae Chi Sms Rd TR SY JO IL Pa IR
- 15209. Halictus (Vestitohalictus) solitudinis Ebmer,1975** (Halictidae) Synonym(s): solitudinis Ebmer,1975 Range (in code): TR 42 58
- 15210. Halictus (Vestitohalictus) surabadensis Ebmer,1975** (Halictidae) Synonym(s): surabadensis Ebmer,1975 Range (in code): IR
- 15211. Halictus (Vestitohalictus) tuberculatus Blüthgen,1925** (Halictidae) Synonym(s): tuberculatus Blüthgen,1925 Range (in code): TR SY IL Pa JO IR
- 15212. Halictus determinandus Dalla Torre,1896** (Halictidae) Synonym(s): determinandus Dalla Torre,1896; ebmeri Pesenko,1984 Range (in code): AF
- 15213. Halictus korbi Blüthgen,1929** (Halictidae) Synonym(s): korbi Blüthgen,1929 Range (in code): Cc TR 76
- 15214. Lasioglossum (Ctenonomia) cavernifrons (Blüthgen,1926)** (Halictidae) Synonym(s): cavernifrons Blüthgen,1926 Range (in code): IR
- 15215. Lasioglossum (Ctenonomia) fasciger (Strand,1909)** (Halictidae) Synonym(s): fasciger Strand,1909 Range (in code): IL Pa EG
- 15216. Lasioglossum (Ctenonomia) gibber (Vachal,1892)** (Halictidae) Synonym(s): gibber Vachal,1892 Range (in code): IL Pa EG
- 15217. Lasioglossum (Ctenonomia) vagans (Smith,1858)** (Halictidae) Synonym(s): vagans Smith,1858 Range (in code): TR LB JO IL Pa EG
- 15218. Lasioglossum (Evylaeus) ablenum (Blüthgen,1934)** (Halictidae) Synonym(s): ablenum Blüthgen,1934 Range (in code): MR SD EG AE IN
- 15219. Lasioglossum (Evylaeus) acherontion Ebmer,1978** (Halictidae) Synonym(s): acherontion Ebmer,1978 Range (in code): AF Pag Kab Nu
- 15220. Lasioglossum (Evylaeus) adabaschum (Blüthgen,1931)** (Halictidae) Synonym(s): adabaschum Blüthgen,1931 Range (in code): TM Kp
- 15221. Lasioglossum (Evylaeus) adaliae (Blüthgen,1923)** (Halictidae) Synonym(s): adaliae Blüthgen,1923 Range (in code): TR IL Pa Js Hf JO AM Cc TJ KK 01 07 20 33 42 50 54 58 60
- 15222. Lasioglossum (Evylaeus) aeratum (Kirby,1802)** (Halictidae) Synonym(s): aeratum Kirby,1802; caudatum Warncke,1982 Range (in code): GR TR Ae Le Chi Sms Cr IR
- 15223. Lasioglossum (Evylaeus) aglyphum (Pérez,1895)** (Halictidae) Synonym(s): aglyphum Pérez,1895 Range (in code): IL Pa IR EG
- 15224. Lasioglossum (Evylaeus) ahroundicum (Blüthgen,1937)** (Halictidae) Synonym(s): ahroundicum Blüthgen,1937 Range (in code): CY
- 15225. Lasioglossum (Evylaeus) albipes (Fabricius,1781)** (Halictidae) Synonym(s): albipes Fabricius,1781; abdominalis Panzer,1798; malachurellus Strand,1909; alpicola Blüthgen,1920; rubelloides Blüthgen,1924

- [ssp.]; villosum Ebmer,1995 [ssp.] Range (in code): ES FR BE NLDE CH AT IT GR Ae Le Rd TR IR RU Sb At Sh Us UZ Tas Br JP Hkk 53
- 15226. Lasioglossum (Evylaeus) albitarsoides (Blüthgen,1931) (Halictidae) Synonym(s):** albitarsoides Blüthgen,1931 Range (in code): AF
- 15227. Lasioglossum (Evylaeus) alectore (Warncke,1984) (Halictidae) Synonym(s):** Halictus alectoris Warncke,1984, Linzer biol. Beitr. 16: 281-283. Holotype +: Türkei, Hakkari Prov., Suvari Halil Pass 2800m (LBM). Range (in code): TR IR Elb Mz Clu 30 65
- 15228. Lasioglossum (Evylaeus) alexandrinum Ebmer,1985 (Halictidae) Synonym(s):** alexandrinum Ebmer,1985 Range (in code): TM KK
- 15229. Lasioglossum (Evylaeus) algrim (Blüthgen,1923) (Halictidae) Synonym(s):** algrim Blüthgen,1923 Range (in code): GR TR IR
- 15230. Lasioglossum (Evylaeus) andromeda Ebmer,1978 (Halictidae) Synonym(s):** andromeda Ebmer,1978 Range (in code): IR Elb
- 15231. Lasioglossum (Evylaeus) anellum (Vachal,1905) (Halictidae) Synonym(s):** anellum Vachal,1905; schelkovnikovi Kokujev,1912 Range (in code): GR Ae Le Sms Rd Cr CY TR SY IL Pa JO Cc IR
- 15232. Lasioglossum (Evylaeus) anguliceps (Morawitz,1893) (Halictidae) Synonym(s):** anguliceps Morawitz,1893 Range (in code): AM Eri Cc TJ Dsb KG
- 15233. Lasioglossum (Evylaeus) angusticeps (Perkins,1895) (Halictidae) Synonym(s):** angusticeps Perkins,1895; exetinus Cockerell,1938; indecisus Cockerell,1938 Range (in code): GR Ae Le Chi Cr TR IL Pa IR
- 15234. Lasioglossum (Evylaeus) angustipes Ebmer,1972 (Halictidae) Synonym(s):** angustipes Ebmer,1972 Range (in code): GR Ae Sms Cr TR IL Pa He BG 02 04 06 09 20 25 30 38 42 45 50 63 65 73
- 15235. Lasioglossum (Evylaeus) annulipes (Morawitz,1876) (Halictidae) Synonym(s):** annulipes Morawitz,1876 Range (in code): TR IR
- 15236. Lasioglossum (Evylaeus) apostoli Ebmer,1970 (Halictidae) Synonym(s):** apostoli Ebmer,1970 Range (in code): TR GR
- 15237. Lasioglossum (Evylaeus) apricarium (Warncke,1982) (Halictidae) Synonym(s):** apricarium Warncke,1982 Range (in code): TR 07 08
- 15238. Lasioglossum (Evylaeus) araxanum (Blüthgen,1923) (Halictidae) Synonym(s):** araxanum Blüthgen,1923; araxanellus Blüthgen,1926 Range (in code): Cc AM TR PK 36
- 15239. Lasioglossum (Evylaeus) argaeum (Blüthgen,1931) (Halictidae) Synonym(s):** argaeum Blüthgen,1931 Range (in code): IT GR Cc TR 38 42
- 15240. Lasioglossum (Evylaeus) articulare (Pérez,1895) (Halictidae) Synonym(s):** articulare Pérez,1895; romanetti Blüthgen,1923 Range (in code): Cn ES MA DZ TN LY Cy EG Sn IL Pa
- 15241. Lasioglossum (Evylaeus) aschabadiense (Blüthgen,1923) (Halictidae) Synonym(s):** aschabadiense Blüthgen,1923 Range (in code): TM TJ AF
- 15242. Lasioglossum (Evylaeus) asterium Ebmer,1978 (Halictidae) Synonym(s):** asterium Ebmer,1978 Range (in code): IR
- 15243. Lasioglossum (Evylaeus) atrovirens (Pérez,1903) (Halictidae) Synonym(s):** atrovirens Pérez,1903 Range (in code): GR Cr TR IR
- 15244. Lasioglossum (Evylaeus) barkense (Blüthgen,1930) (Halictidae) Synonym(s):** barkense Blüthgen,1930; villiersi Benoist,1941 Range (in code): MA LY IL Pa TR
- 15245. Lasioglossum (Evylaeus) betomarium (Blüthgen,1925) (Halictidae) Synonym(s):** betomarium Blüthgen,1925 Range (in code): IR
- 15246. Lasioglossum (Evylaeus) bicallosum (Morawitz,1873) (Halictidae) Synonym(s):** bicallosum Morawitz,1873; dmitrijewi Morawitz,1892 Range (in code): GR Ae Chi Cc UA TR IL Pa JO IR
- 15247. Lasioglossum (Evylaeus) bischoffi (Blüthgen,1931) (Halictidae) Synonym(s):** bischoffi Blüthgen,1931 Range (in code): YU CY GR Ae Le TR 07 33 55
- 15248. Lasioglossum (Evylaeus) bluethgeni (Ebmer,1971) (Halictidae) Synonym(s):** hirtipennis Blüthgen,1923 nec Cock.,1922; bluethgeni Ebmer,1971 Range (in code): DZ DE FR AT CZ HU IT SK HV RO GG MK BG GR Ae Sms Le TR 09 42 73
- 15249. Lasioglossum (Evylaeus) brevicorne (Schenck,1868) (Halictidae) Synonym(s):** brevicorne Schenck,1868 Range (in code): GR Ae Chi Le Sms Rd TR Cr
- 15250. Lasioglossum (Evylaeus) buccale (Pérez,1903) (Halictidae) Synonym(s):** buccale Pérez,1903 Range (in code): PT ES FR DE CH IT Si AT SS HU AL MK RO UA GR TR RU Ur KG UZ KK TJ IR
- 15251. Lasioglossum (Evylaeus) calceatum (Scopoli,1763) (Halictidae) Synonym(s):** calceatum Scopoli,1763; cylindricus Fabricius,1793; fulvocincta Kirby,1802; obovata Kirby,1802; vulpina Fabricius,1804 nec Chr.,1791; terebrator Walckenaer,1817; rubellus Eversmann,1852 nec Hal.,1836; bipunctatus Schenck,1853; rubens F.Smith,1854; rufiventris Giraud,1861; rhodostomus Dalla Torre,1877; ulterior Cockerell,1929 Range (in code): GB ES FR BE NL DE CH AT IT B-H HV YU BG GR TR JO CN Ui Bc KG Aa KK UZ Smk RU At Sh Us Sb Mc JP Hkk 65
- 15252. Lasioglossum (Evylaeus) cannabinum (Warncke,1989) (Halictidae) Synonym(s):** cannabinum Warncke,1989 Range (in code): EG Sn



- 15253. Lasioglossum (Evylaeus) catipes (Blüthgen,1926)** (Halictidae) Synonym(s): catipes Blüthgen,1926 Range (in code): PK Pj Mre IN Hp Sml
- 15254. Lasioglossum (Evylaeus) cerambyx Ebmer,1980** (Halictidae) Synonym(s): cerambyx Ebmer,1980 Range (in code): PK
- 15255. Lasioglossum (Evylaeus) cerambyx Ebmer,1980** (Halictidae) Synonym(s): cerambyx Ebmer,1980 Range (in code): PK
- 15256. Lasioglossum (Evylaeus) cinclum (Warncke,1984)** (Halictidae) Synonym(s): cinclus Warncke,1984; cinclellus Warncke,1984 Range (in code): TR 13 24 30 49 65 73
- 15257. Lasioglossum (Evylaeus) cingulatum (Morawitz,1876)** (Halictidae) Synonym(s): cingulatum Morawitz,1876 Range (in code): TM Kp KG TJ PK Bl Qu UZ Tas Smk
- 15258. Lasioglossum (Evylaeus) ciscapum (Blüthgen,1931)** (Halictidae) Synonym(s): ciscapum Blüthgen,1931 Range (in code): TR UZ KK
- 15259. Lasioglossum (Evylaeus) clypeare (Schenck,1853)** (Halictidae) Synonym(s): clypeare Schenck,1853 Range (in code): GR TR IR
- 15260. Lasioglossum (Evylaeus) clypeiferellum (Strand,1909)** (Halictidae) Synonym(s): clypeiferellum Strand,1909; testaceohirtulus Blüthgen,1929 Range (in code): GR Cr Ae Le Sms CY TR IL Pa JO IR TJ AF MN TM
- 15261. Lasioglossum (Evylaeus) convexiusculum (Schenck,1853)** (Halictidae) Synonym(s): convexiusculum Schenck,1853 Range (in code): GR Ae Sms Cr CY TR IR
- 15262. Lasioglossum (Evylaeus) corvinum (Morawitz,1876)** (Halictidae) Synonym(s): corvinum Morawitz,1876 Range (in code): GR TR
- 15263. Lasioglossum (Evylaeus) crassepunctatum (Blüthgen,1923)** (Halictidae) Synonym(s): crassepunctatum Blüthgen,1923 Range (in code): GR CY TR JO IL Pa IR
- 15264. Lasioglossum (Evylaeus) croceipes (Morawitz,1876)** (Halictidae) Synonym(s): croceipes Morawitz,1876; longipes Blüthgen,1923; semicroceipes Ebmer,1972 Range (in code): TR IR Ha Gl Kh TM Kp Cc TJ UZ Smk KG Aa KK 36 58
- 15265. Lasioglossum (Evylaeus) cucullatum (Warncke,1984)** (Halictidae) Synonym(s): cucullatum Warncke,1984 Range (in code): TR 30 56 73
- 15266. Lasioglossum (Evylaeus) cupromicans (Pérez,1903)** (Halictidae) Synonym(s): cupromicans Pérez,1903; pangaeum Warncke,1982; gevriense Warncke,1984 Range (in code): TR GR 30
- 15267. Lasioglossum (Evylaeus) daglariense (Warncke,1984)** (Halictidae) Synonym(s): daglariense Warncke,1984 Range (in code): TR
- 15268. Lasioglossum (Evylaeus) damascenum (Pérez,1910)** (Halictidae) Synonym(s): damascenum Pérez,1910; semitomentosus Blüthgen,1923 Range (in code): GR Ae Le Chi Sms Rd CY TR IL Pa LB IR SY Dms HU AM Cc 31 36 49 76
- 15269. Lasioglossum (Evylaeus) daphne Ebmer,1978** (Halictidae) Synonym(s): daphne Ebmer,1978 Range (in code): IR
- 15270. Lasioglossum (Evylaeus) debile (Morawitz,1893)** (Halictidae) Synonym(s): debile Morawitz,1893 Range (in code): TM AF
- 15271. Lasioglossum (Evylaeus) debilinerve (Cockerell,1911)** (Halictidae) Synonym(s): debilinerve Cockerell,1911 Range (in code): PK
- 15272. Lasioglossum (Evylaeus) debilior (Pérez,1910)** (Halictidae) Synonym(s): debilior Pérez,1910 Range (in code): LB Baa TR IR Elb Kdj Ke Kh IL Pa Cc AZ Nv 06 29 30 33 42 44 50 56 63 65 72
- 15273. Lasioglossum (Evylaeus) denislucum (Strand,1909)** (Halictidae) Synonym(s): denislucum Strand,1909 Range (in code): GR Ae Le TR SY
- 15274. Lasioglossum (Evylaeus) dolichocephalum (Blüthgen,1923)** (Halictidae) Synonym(s): dolichocephalum Blüthgen,1923 Range (in code): GR Ae Le Chi Sms Rd Cr CY TR
- 15275. Lasioglossum (Evylaeus) dolus Ebmer,1974** (Halictidae) Synonym(s): dolus Ebmer,1974 Range (in code): AF IN KK KG UZ TJ
- 15276. Lasioglossum (Evylaeus) dolus Ebmer,1974** (Halictidae) Synonym(s): dolus Ebmer,1974 KK Frz KG Aa UZ Tas TJ AF Bd Shv Nu
- 15277. Lasioglossum (Evylaeus) duckei (Alfken,1909)** (Halictidae) Synonym(s): duckei Alfken,1909 Range (in code): GR Cr Ae Le TR
- 15278. Lasioglossum (Evylaeus) edessae Ebmer,1973** (Halictidae) Synonym(s): edessae Ebmer,1973 Range (in code): TR SY IR Th Fa 23 62 63
- 15279. Lasioglossum (Evylaeus) elegans (Lepeletier,1841)** (Halictidae) Synonym(s): elegans Lepeletier,1841; giraudii Dalla Torre & Friese,1895 Range (in code): ES FR CH IT Si AT HU YU RO MK AL GR Ae Le Rd CY TR IL Pa IR Elb TM Kp
- 15280. Lasioglossum (Evylaeus) enslini Ebmer,1972** (Halictidae) Synonym(s): enslini Ebmer,1972 Range (in code): LB IL Pa
- 15281. Lasioglossum (Evylaeus) epipygiale (Blüthgen,1924)** (Halictidae) Synonym(s): epipygiale Blüthgen,1924; malachuropsis Blüthgen,1931 Range (in code): TR SY Bld IL Pa IR Elb Kdj Fa Cc AM AF Jla PK Bl Qu Zh Nwf Txl Mrn Mre Pj IN Mus Kma NP 30 44 65 73

- 15282. Lasioglossum (Evylaeus) erraticum (Blüthgen,1931)** (Halictidae) Synonym(s): erraticum Blüthgen,1931 Range (in code): GR Ae Chi Sms Rd Cr CY TR AM Cc
- 15283. Lasioglossum (Evylaeus) euboense (Strand,1909)** (Halictidae) Synonym(s): euboense Strand,1909 Range (in code): DZ FR ES AT HU GR Ae Rd TR Arr LB IR Ha RU 04 25 30 42 50 73
- 15284. Lasioglossum (Evylaeus) eurydikae Ebmer,1973** (Halictidae) Synonym(s): eurydikae Ebmer,1973 Range (in code): TR IR 63
- 15285. Lasioglossum (Evylaeus) faustum Ebmer,1978** (Halictidae) Synonym(s): faustum Ebmer,1978 Range (in code): IR Elb Dam TM Kp
- 15286. Lasioglossum (Evylaeus) filipes Ebmer,1972** (Halictidae) Synonym(s): filipes Ebmer,1972 Range (in code): EG Sn IL Pa JO TR TM UZ Smk KK KG Aa Kpt AF Srb 33 63
- 15287. Lasioglossum (Evylaeus) fratellum (Pérez,1903)** (Halictidae) Synonym(s): fratellum Pérez,1903 Range (in code): GR TR KP KR CN RU Us GB FR BE NL DE ES AT IT NO SE FI
- 15288. Lasioglossum (Evylaeus) fulvicorne (Kirby,1802)** (Halictidae) Synonym(s): fulvicorne Kirby,1802 Range (in code): GR AM Cc TR IR RU At Ur MN TW 08 14 53
- 15289. Lasioglossum (Evylaeus) gilenum (Blüthgen,1931)** (Halictidae) Synonym(s): gilenum Blüthgen,1931 Range (in code): IR Fa Ke
- 15290. Lasioglossum (Evylaeus) glabriusculum (Morawitz,1872)** (Halictidae) Synonym(s): glabriusculum Morawitz,1872; leucopygus Pérez,1903; truncatus Alfken,1905 nec Roberts.,1901; granulatus Alfken,1906 Range (in code): MA TN ES IT Si HV B-H AT IR JO BE UA GR Ae Le Chi Rd TR IL Pa 06 42
- 15291. Lasioglossum (Evylaeus) griseolum (Morawitz,1872)** (Halictidae) Synonym(s): griseolum Morawitz,1872; labrosus Vachal,1895 nec Say,1837; misellus Pérez,1903; dubitabilis Saunders,1904; asnicus Cockerell,1937 Range (in code): MA TN SA B-H HV SS AT ES FR DE Co IT Si GR Cr Rd CY TR IL Pa JO IR AF 01 07 34 42 63
- 15292. Lasioglossum (Evylaeus) harputicum Ebmer,1972** (Halictidae) Synonym(s): andrenoides Blüthgen,1923 nec Fries.,1909; amanicus Blüthgen,1925 nec Str.,1919; harputicum Ebmer,1972 Range (in code): TR IR Kd Ha Ke Fa Shr 02 12 20 23 28 30 36 44 56 58 73
- 15293. Lasioglossum (Evylaeus) hecate Ebmer,1986** (Halictidae) Synonym(s): hecate Ebmer,1986 Range (in code): TR
- 15294. Lasioglossum (Evylaeus) hethiticum Ebmer,1970** (Halictidae) Synonym(s): hethiticum Ebmer,1970 Range (in code): GR Ae Sms TR
- 15295. Lasioglossum (Evylaeus) hilare Ebmer,1972** (Halictidae) Synonym(s): hilare Ebmer,1972; makedonicum Ebmer,1974 Range (in code): MK GR Cr TR JO IR Elb AF
- 15296. Lasioglossum (Evylaeus) hyalinipennis (Morawitz,1876)** (Halictidae) Synonym(s): hyalinipennis Morawitz,1876 Range (in code): IR TM TJ AF
- 15297. Lasioglossum (Evylaeus) hyrkanium Ebmer,1978** (Halictidae) Synonym(s): hyrkanium Ebmer,1978 Range (in code): IR
- 15298. Lasioglossum (Evylaeus) ilicum (Blüthgen,1924)** (Halictidae) Synonym(s): ilicum Blüthgen,1924 Range (in code): AF
- 15299. Lasioglossum (Evylaeus) imbecillum Ebmer,1973** (Halictidae) Synonym(s): imbecillum Ebmer,1973; caprimulgus Warncke,1975 Range (in code): BG GR Ae Le TR IL Pa JO Amm 04 05 06 07 13 25 29 30 33 42 46 47 58 65 70
- 15300. Lasioglossum (Evylaeus) intermedium (Schenck,1869)** (Halictidae) Synonym(s): intermedium Schenck,1869; melanoproctus Pérez,1903; servulellus Strand,1909 Range (in code): ES FR NL DE PL AT CH IT RO GR TR IR Elb
- 15301. Lasioglossum (Evylaeus) interruptum (Panzer,1798)** (Halictidae) Synonym(s): interruptum Panzer,1798; trispinosum Alfken,1907 Range (in code): GR Ae Le Sms Cr TR IR
- 15302. Lasioglossum (Evylaeus) israelense Ebmer,1974** (Halictidae) Synonym(s): israelense Ebmer,1974 Range (in code): IL Pa He TR 47
- 15303. Lasioglossum (Evylaeus) ituraeum Ebmer,1972** (Halictidae) Synonym(s): ituraeum Ebmer,1972 Range (in code): TR LB IL Pa JO IR
- 15304. Lasioglossum (Evylaeus) kappadokium Ebmer,1973** (Halictidae) Synonym(s): kappadokium Ebmer,1973 Range (in code): TR 58
- 15305. Lasioglossum (Evylaeus) lactipenne Ebmer,1975** (Halictidae) Synonym(s): lactipenne Ebmer,1975 Range (in code): TR
- 15306. Lasioglossum (Evylaeus) laeve (Kirby,1802)** (Halictidae) Synonym(s): laeve Kirby,1802; convexus Schenck,1853; nigriventris Arnold,1894; kriegeri Alfken,1897 Range (in code): FR BE DE PL GR Ae Le Sms IL Pa He RU Ur At IR Elb AM Cc 04 20 25 30 36 65 75
- 15307. Lasioglossum (Evylaeus) laevadorsum (Blüthgen,1923)** (Halictidae) Synonym(s): laevadorsum Blüthgen,1923 Range (in code): GR Ae Sms Rd TR CY JO IL Pa EG Sn Cr
- 15308. Lasioglossum (Evylaeus) laevinode (Morawitz,1876)** (Halictidae) Synonym(s): laevinode Morawitz,1876; tienschanicus Blüthgen,1934 Range (in code): UZ KK Ax AF Bd T-S

- 15309. Lasioglossum (Evylaeus) laticeps** Schenck, 1870 (Halictidae) Synonym(s): laticeps Schenck, 1870; hellenicum Blüthgen, 1937 Range (in code): BG GR Ae Le Sms Cr CY TR IL Pa JO IR RU Ur Cc AM GG TM Kp
- 15310. Lasioglossum (Evylaeus) leucopymatum** (Dalla Torre, 1896) (Halictidae) Synonym(s): albitarsis Morawitz, 1876 nec Schnk., 1853; leucopymatum Dalla Torre, 1896; albitarsoides Blüthgen, 1931 Range (in code): UZ Tas Smk AF Bd Shv Hr TM Kp K-K Nbt KG Lps Tm
- 15311. Lasioglossum (Evylaeus) limbelloides** (Blüthgen, 1931) (Halictidae) Synonym(s): limbelloides Blüthgen, 1931 Range (in code): GR Cr Rd TR IR
- 15312. Lasioglossum (Evylaeus) limbellum** (Morawitz, 1876) (Halictidae) Synonym(s): limbellum Morawitz, 1876 Range (in code): GR Ae Le Chi Sms Rd Cr CY TR IL Pa IR
- 15313. Lasioglossum (Evylaeus) lineare** (Schenck, 1869) (Halictidae) Synonym(s): lineare Schenck, 1869; sublineare Ebmer, 1974 Range (in code): FR DE GR Cr Le Chi Ae Sms Rd CY TR IL Pa JO IR Cc GG Tbl AM TM Kp K-K
- 15314. Lasioglossum (Evylaeus) lissonatum** (Noskiewicz, 1925) (Halictidae) Synonym(s): lissonatum Noskiewicz, 1925 Range (in code): GR Ae Le Sms Kos TR Cr
- 15315. Lasioglossum (Evylaeus) longirostre** (Morawitz, 1876) (Halictidae) Synonym(s): longirostre Morawitz, 1876 Range (in code): GR Ae Le Chi Sms TR IL Pa IR
- 15316. Lasioglossum (Evylaeus) maculipes** (Morawitz, 1876) (Halictidae) Synonym(s): maculipes Morawitz, 1876 Range (in code): TR IR
- 15317. Lasioglossum (Evylaeus) malachurum** (Kirby, 1802) (Halictidae) Synonym(s): malachurum Kirby, 1802 Range (in code): Az GB DK MA TN SY JO IL Pa TR GR Ae Le Chi Sms Kos Rd Cr Cc GG Btm Aj Tbl AZ Nv CY IR Ak Tbz TM EG
- 15318. Lasioglossum (Evylaeus) mandibulare** (Morawitz, 1866) (Halictidae) Synonym(s): mandibulare Morawitz, 1866; carneivendre Dours, 1872 Range (in code): GR Ae Le Cr CY TR IL Pa EG
- 15319. Lasioglossum (Evylaeus) marginatum** (Brullé, 1832) (Halictidae) Synonym(s): marginatum Brullé, 1832 Range (in code): GR Ae Le Chi Sms Rd Cr CY Cc AZ AM Geg Bak Len Nv TR SY Ttu Ltk LB IL Pa Js He JO Amm Ajl IR TM K-K KK Frz UZ KG Db Tm Tkl Ik TJ Pm Kud Dsb PK Bl Zi Pj Mre Ch
- 15320. Lasioglossum (Evylaeus) masculum** (Pérez, 1895) (Halictidae) Synonym(s): masculum Pérez, 1895 Range (in code): DZ TN JO SY Pmy IL Pa IR EG
- 15321. Lasioglossum (Evylaeus) mesosclerum** (Pérez, 1903) (Halictidae) Synonym(s): mesosclerum Pérez, 1903; rhodosianus Strand, 1909; balneorum Ebmer, 1974; bubulcus Warncke, 1982 Range (in code): ES PT IT Sa Si HU HV SY EG JO Amm LY GR Rd Cr IL Pa Cc GG AM Eri Bak AZ RU UZ Smk TJ FR TR IR Mz Elb Fa Shr Ha Kh TM Kp AF 01 02 04 06 07 08 09 20 25 26 30 31 33 34 36 42 48 49 55 63 65 76
- 15322. Lasioglossum (Evylaeus) mesosclerum** (Pérez, 1903) (Halictidae) Synonym(s): mesosclerum Pérez, 1903; balneorum Ebmer, 1974 Range (in code): GR Ae Le Rd CY TR SY JO EG IR LY
- 15323. Lasioglossum (Evylaeus) mesoviride** Ebmer, 1974 (Halictidae) Synonym(s): mesoviride Ebmer, 1974 Range (in code): AF KK Ik
- 15324. Lasioglossum (Evylaeus) minutissimum** (Kirby, 1802) (Halictidae) Synonym(s): minutissimum Kirby, 1802 Range (in code): GR Cr CY TR IL Pa EG 07
- 15325. Lasioglossum (Evylaeus) minutulum** (Schenck, 1853) (Halictidae) Synonym(s): minutulum Schenck, 1853 Range (in code): GR TR 14
- 15326. Lasioglossum (Evylaeus) montifringillum** (Warncke, 1984) (Halictidae) Synonym(s): montifringillum Warncke, 1984 Range (in code): TR
- 15327. Lasioglossum (Evylaeus) montivolans** Ebmer, 1975 (Halictidae) Synonym(s): montivolans Ebmer, 1975 Range (in code): GR TR IR Elb
- 15328. Lasioglossum (Evylaeus) morio** (Fabricius, 1793) (Halictidae) Synonym(s): morio Fabricius, 1793 Range (in code): GR Ae Le Sms TR SY IL Pa IR
- 15329. Lasioglossum (Evylaeus) mose** Ebmer, 1974 (Halictidae) Synonym(s): mose Ebmer, 1974 Range (in code): EG Sn IL Pa OM AE JO IR
- 15330. Lasioglossum (Evylaeus) muganicum** Ebmer, 1972 (Halictidae) Synonym(s): muganicum Ebmer, 1972 Range (in code): TR IR
- 15331. Lasioglossum (Evylaeus) nabardicum** (Blüthgen, 1931) (Halictidae) Synonym(s): nabardicum Blüthgen, 1931 Range (in code): IL Pa EG Sn
- 15332. Lasioglossum (Evylaeus) nigrilabre** (Morawitz, 1876) (Halictidae) Synonym(s): nigrilabre Morawitz, 1876 Range (in code): IR
- 15333. Lasioglossum (Evylaeus) nigripes** (Lepeletier, 1841) (Halictidae) Synonym(s): nigripes Lepeletier, 1841; orientalis Magretti, 1890 nec Lep., 1841; pharaonis Strand, 1909 [ssp.]; syriacus Pérez, 1910 Range (in code): GR Ae Le Cr Rd TR IR IL Pa LB Ale SY Dms JO EG UA Cm Cc AM Eri GG Tbl Abk Sok RU Kis TM Kp 75
- 15334. Lasioglossum (Evylaeus) nitidiusculum** (Kirby, 1802) (Halictidae) Synonym(s): nitidiusculum Kirby, 1802 Range (in code): GR Cr TR IR Kh
- 15335. Lasioglossum (Evylaeus) nitidulum** (Fabricius, 1804) (Halictidae) Synonym(s): nitidulum Fabricius, 1804 Range (in code): GR Ae Le Chi Sms Cr TR



- 15336. Lasioglossum (Evylaeus) obscuratum (Morawitz,1875)** (Halictidae) Synonym(s): obscuratum Morawitz,1875 Range (in code): **UA Cm AT RO GR Rd CY TR SY Dms Hal Ttu IL PA Js JO Amm Cc AZ Nv IR TM Kp K-K AF KG Fbb KK Tls**
- 15337. Lasioglossum (Evylaeus) opacolumpron Ebmer,1997** (Halictidae) Synonym(s): opacolumpron Ebmer,1997 Range (in code): **AF Kab Hzz**
- 15338. Lasioglossum (Evylaeus) opaconitens (Blüthgen,1931)** (Halictidae) Synonym(s): opaconitens Blüthgen,1931 Range (in code): **IR**
- 15339. Lasioglossum (Evylaeus) ordubadense (Friese,1916)** (Halictidae) Synonym(s): ordubadense Friese,1916 Range (in code): **TR IL Pa Js IR Th Elb Kdj Es IQ AZ Cc Nv Ord 02 23**
- 15340. Lasioglossum (Evylaeus) orion Ebmer,1997** (Halictidae) Synonym(s): orion Ebmer,1997 Range (in code): **AF Jla**
- 15341. Lasioglossum (Evylaeus) orpheopse (Blüthgen,1931)** (Halictidae) Synonym(s): orpheopse Blüthgen,1931 Range (in code): **IR**
- 15342. Lasioglossum (Evylaeus) osiris Ebmer,1986** (Halictidae) Synonym(s): osiris Ebmer,1986 Range (in code): **IR**
- 15343. Lasioglossum (Evylaeus) paleae Ebmer,1972** (Halictidae) Synonym(s): paleae Ebmer,1972 Range (in code): **TR**
- 15344. Lasioglossum (Evylaeus) panagaum Ebmer,1978** (Halictidae) Synonym(s): panagaum Ebmer,1978 Range (in code): **IR**
- 15345. Lasioglossum (Evylaeus) parvulum (Schenck,1853)** (Halictidae) Synonym(s): parvulum Schenck,1853 Range (in code): **GR TR IR**
- 15346. Lasioglossum (Evylaeus) pauperatum (Brullé,1832)** (Halictidae) Synonym(s): pauperatum Brullé,1832 Range (in code): **GR Cr Ae Le Chi Sms TR**
- 15347. Lasioglossum (Evylaeus) pauxillum (Schenck,1853)** (Halictidae) Synonym(s): pauxillum Schenck,1853 Range (in code): **GR Ae Le Chi Rd Cr TR SY IL Pa Cc GG Tbl AM Eri Len AZ JO IR GB RU Ur MA TN ES 30 49 65 75**
- 15348. Lasioglossum (Evylaeus) peregrinum (Blüthgen,1923)** (Halictidae) Synonym(s): peregrinum Blüthgen,1923 Range (in code): **HV GR Ae Sms MK BG TR IR Dam GG Cc Tbl AM IL Pa 10 13 16 20 25 26 30 32 36 38 42 50 60**
- 15349. Lasioglossum (Evylaeus) persicum (Cockerell,1919)** (Halictidae) Synonym(s): persicum Cockerell,1919 Range (in code): **IR Elb Dam Fa Ke TM Kp GG Cc Tbl UZ Smk KG TJ YE**
- 15350. Lasioglossum (Evylaeus) pistorium (Vachal,1902)** (Halictidae) Synonym(s): pistorium Vachal,1902 Range (in code): **TR IR 36**
- 15351. Lasioglossum (Evylaeus) pistorum (Vachal,1902)** (Halictidae) Synonym(s): pistorum Vachal,1902; termesensis Strand,1909 Range (in code): **TM Kp IR AF Bd UZ Br**
- 15352. Lasioglossum (Evylaeus) podolicum (Noskiewicz,1924)** (Halictidae) Synonym(s): podolicum Noskiewicz,1924 Range (in code): **GR TR IR**
- 15353. Lasioglossum (Evylaeus) politum Schenck,1853** (Halictidae) Synonym(s): politum Schenck,1853 Range (in code): **GR Ae Le Chi Sms TR IL Pa JO IQ IR EG**
- 15354. Lasioglossum (Evylaeus) pressithorax Ebmer,1973** (Halictidae) Synonym(s): pressithorax Ebmer,1973 Range (in code): **GR Ae Sms TR IL Pa 31 50**
- 15355. Lasioglossum (Evylaeus) pseudoleptorhynchum (Blüthgen,1931)** (Halictidae) Synonym(s): pseudoleptorhynchum Blüthgen,1931 Range (in code): **TR IR**
- 15356. Lasioglossum (Evylaeus) pseudolittorale (Blüthgen,1923)** (Halictidae) Synonym(s): pseudolittorale Blüthgen,1923 Range (in code): **IL Pa**
- 15357. Lasioglossum (Evylaeus) pseudonigripes (Blüthgen,1934)** (Halictidae) Synonym(s): pseudonigripes Blüthgen,1934; bassanum Warncke,1982 Range (in code): **TR IR**
- 15358. Lasioglossum (Evylaeus) pseudosphecodimorphum (Blüthgen,1923)** (Halictidae) Synonym(s): pseudosphecodimorphum Blüthgen,1923 Range (in code): **TR SY IL Pa JO**
- 15359. Lasioglossum (Evylaeus) pulicarium (Warncke,1975)** (Halictidae) Synonym(s): pulicarium Warncke,1975 Range (in code): **TR**
- 15360. Lasioglossum (Evylaeus) punctatissimum (Schenck,1853)** (Halictidae) Synonym(s): punctatissimum Schenck,1853 Range (in code): **GR Ae Le Chi Sms Rd Cr TR IL Pa JO IR**
- 15361. Lasioglossum (Evylaeus) puncticolle (Morawitz,1872)** (Halictidae) Synonym(s): puncticolle Morawitz,1872 Range (in code): **GR Ae Le Sms Cr TR IR**
- 15362. Lasioglossum (Evylaeus) pygmaeum Schenck,1853** (Halictidae) Synonym(s): pygmaeum Schenck,1853; patulum Vachal,1905 Range (in code): **GR Ae Le Chi Sms Rd Cr CY TR SY IL Pa JO IR**
- 15363. Lasioglossum (Evylaeus) quadrisignatum (Schenck,1853)** (Halictidae) Synonym(s): rufipes Schenck,1853 nec Fabr.,1793; quadrisignatus Schenck,1853; atratulus Schenck,1853; pleuralis Morawitz,1872; nigerrimus Schenck,1875; commixtus Dalla Torre & Friese,1895 Range (in code): **DE CH AT CZ HU ES FR IT B-H BG UA Cm GR TR Cc GG Tbl AZ IR 04 25 30 38 42 51**
- 15364. Lasioglossum (Evylaeus) reinigi Ebmer,1978** (Halictidae) Synonym(s): reinigi Ebmer,1978 Range (in code): **IR Mz Elb Clu**

- 15365. Lasioglossum (Evylaeus) rhynchites (Morawitz,1876)** (Halictidae) Synonym(s): rhynchites Morawitz,1876 Range (in code): TR UZ KG Aa Tas AF Bd 65
- 15366. Lasioglossum (Evylaeus) rufitarse (Zetterstedt,1838)** (Halictidae) Synonym(s): rufitarse Zetterstedt,1838 Range (in code): IR
- 15367. Lasioglossum (Evylaeus) rupestre (Warncke,1984)** (Halictidae) Synonym(s): rupestre Warncke,1984 Range (in code): GR TR 02 24 30 44 73
- 15368. Lasioglossum (Evylaeus) rusticolum (Warncke,1982)** (Halictidae) Synonym(s): rusticolum Warncke,1982 Range (in code): TR IR Elb Fa Shr Ke 30 44 56 73
- 15369. Lasioglossum (Evylaeus) salebrosum (Blüthgen,1934)** (Halictidae) Synonym(s): salebrosum Blüthgen,1934 Range (in code): UZ Tas AF Smk
- 15370. Lasioglossum (Evylaeus) salinum (Morawitz,1875)** (Halictidae) Synonym(s): salinum Morawitz,1875 Range (in code): GR Ae Sms TR IR
- 15371. Lasioglossum (Evylaeus) salutatrix (Cameron,1897)** (Halictidae) Synonym(s): salutatrix Cameron,1897 Range (in code): IN Mus Hp Sml PK Bl Qu Pj
- 15372. Lasioglossum (Evylaeus) samaricum (Blüthgen,1935)** (Halictidae) Synonym(s): samaricum Blüthgen,1935 Range (in code): TR
- 15373. Lasioglossum (Evylaeus) saxatile (Warncke,1984)** (Halictidae) Synonym(s): saxatile Warncke,1984 Range (in code): TR 30
- 15374. Lasioglossum (Evylaeus) schachti (Warncke,1984)** (Halictidae) Synonym(s): schachti Warncke,1984 Range (in code): TR 30
- 15375. Lasioglossum (Evylaeus) scheherezade Ebmer,2000** (Halictidae) Synonym(s): scheherezade Ebmer,2000 Range (in code): IQ
- 15376. Lasioglossum (Evylaeus) schwarzi Ebmer,1985** (Halictidae) Synonym(s): schwarzi Ebmer,1985 Range (in code): TR 56 73
- 15377. Lasioglossum (Evylaeus) semilucens (Alfken,1914)** (Halictidae) Synonym(s): semilucens Alfken,1914 Range (in code): GR TR
- 15378. Lasioglossum (Evylaeus) setulellum (Strand,1909)** (Halictidae) Synonym(s): setulellum Strand,1909 Range (in code): ES FR RU GR IT Si TR SY UA Cm IR Elb Dam Kh 06 15 20 25 36 44 38 57 58 65 70 73
- 15379. Lasioglossum (Evylaeus) siirtense (Warncke,1984)** (Halictidae) Synonym(s): siirtense Warncke,1984; #siirtense Grace,2010 Range (in code): TR SY IR 56
- 15380. Lasioglossum (Evylaeus) skorikovi (Blüthgen,1929)** (Halictidae) Synonym(s): skorikovi Blüthgen,1929; samarkandinum Blüthgen,1931 Range (in code): TM Kp K-K AF Kab TJ IR Fa TR US Smk 23 31 62 73 79
- 15381. Lasioglossum (Evylaeus) sobrinum (Warncke,1982)** (Halictidae) Synonym(s): sobrinum Warncke,1982 Range (in code): TR IR Ha 56 65 73
- 15382. Lasioglossum (Evylaeus) sociorum (Blüthgen,1924)** (Halictidae) Synonym(s): sociorum Blüthgen,1924 Range (in code): CY TR Arr AM Cc IR Th Kdj Fa Lo Ke 01 06 23 25 31 33 36 38 42 65 71 76 80
- 15383. Lasioglossum (Evylaeus) soror (Saunders,1901)** (Halictidae) Synonym(s): soror Saunders,1901; elatum Warncke,1975; livium Warncke,1982 Range (in code): GR Cr Ae Sms Chi TR
- 15384. Lasioglossum (Evylaeus) stelidum (Warncke,1982)** (Halictidae) Synonym(s): stelidum Warncke,1982 Range (in code): TR JO
- 15385. Lasioglossum (Evylaeus) subaenescens (Pérez,1896)** (Halictidae) Synonym(s): subaenescens Pérez,1896; asiaticum Dalla Torre,1896 [ssp.] Range (in code): MK UA Cm BG GR Ae Le Chi Sms Rd Cr TR Arr JO IR Ha Kd Dam Elb Qz Tbz Ak Mak Ab TM Kp UZ Smk EG KK KG TJ CN Ui Bc MN 04 06 07 13 23 26 30 32 33 34 35 38 42 44 50 51 58 65 68 70 76
- 15386. Lasioglossum (Evylaeus) subfulvicorne (Blüthgen,1934)** (Halictidae) Synonym(s): subfulvicorne Blüthgen,1934; austriacum Ebmer,1974 Range (in code): FR GR TR CN Gn MN RU Ya KP KR KG Aa Cc 16
- 15387. Lasioglossum (Evylaeus) talyschense (Blüthgen,1925)** (Halictidae) Synonym(s): talyschense Blüthgen,1925 Range (in code): IR
- 15388. Lasioglossum (Evylaeus) taninense (Warncke,1984)** (Halictidae) Synonym(s): taninense Warncke,1984 Range (in code): TR 73
- 15389. Lasioglossum (Evylaeus) tarsatum (Schenck,1868)** (Halictidae) Synonym(s): tarsatum Schenck,1868 Range (in code): GR Ae Sms TR
- 15390. Lasioglossum (Evylaeus) tauricum Ebmer,1972** (Halictidae) Synonym(s): tauricum Ebmer,1972 Range (in code): TR
- 15391. Lasioglossum (Evylaeus) transitorium (Schenck,1870)** (Halictidae) Synonym(s): transitorium Schenck,1870; uncinum Vachal,1905 Range (in code): LY GR Ae Le Chi Sms Rd Cr CY TR SY JO IL Pa EG
- 15392. Lasioglossum (Evylaeus) trichopygum (Blüthgen,1923)** (Halictidae) Synonym(s): trichopygum Blüthgen,1923 Range (in code): GR TR

- 15393. Lasioglossum (Evyllaesus) tricinctum (Schenck,1874)** (Halictidae) Synonym(s): tricinctum Schenck,1874; muganicum Ebmer,1972 [ssp.] Range (in code): GR Ae Le Chi Cr TR IR Kh CY 06 07 08 24 25 42 50 65
- 15394. Lasioglossum (Evyllaesus) truncaticolle (Morawitz,1877)** (Halictidae) Synonym(s): truncaticolle Morawitz,1877 Range (in code): GR Ae Le Sms Rd Cr CY TR SY IL Pa IR
- 15395. Lasioglossum (Evyllaesus) tschibuklinum (Blüthgen,1931)** (Halictidae) Synonym(s): tschibuklinum Blüthgen,1931 Range (in code): PK
- 15396. Lasioglossum (Evyllaesus) tschibuklinum (Blüthgen,1931)** (Halictidae) Synonym(s): tschibuklinum Blüthgen,1931 Range (in code): GR TR IR
- 15397. Lasioglossum (Evyllaesus) villosulum (Kirby,1802)** (Halictidae) Synonym(s): villosulum Kirby,1802 Range (in code): GR Ae Le Chi Sms Cr CY TR IR
- 15398. Lasioglossum (Evyllaesus) zostaceum (Warncke,1982)** (Halictidae) Synonym(s): zostaceum Warncke,1982 Range (in code): TR 30
- 15399. Lasioglossum (s.str.) acephaloides (Blüthgen,1931)** (Halictidae) Synonym(s): acephaloides Blüthgen,1931 Range (in code): IT GR TR Cc
- 15400. Lasioglossum (s.str.) aegyptiellum (Strand,1909)** (Halictidae) Synonym(s): aegyptiellum Strand,1909; orontis Cockerell,1918; dalmaticum Ebmer,1970 Range (in code): YU GR Ae Le Sms Cr TR IR IQ JO IR EG IL Pa
- 15401. Lasioglossum (s.str.) caspicum (Morawitz,1873)** (Halictidae) Synonym(s): caspicum Morawitz,1873; emesianus Pérez,1911 Range (in code): AF TM IL Pa SY TR AM Cc IR 05 06 25 38 42 47 61 70
- 15402. Lasioglossum (s.str.) chloropus (Morawitz,1893)** (Halictidae) Synonym(s): chloropus Morawitz,1893; tungusicum Ebmer,1978 Range (in code): TR IR Elb 08
- 15403. Lasioglossum (s.str.) cilicium Ebmer,1972** (Halictidae) Synonym(s): cilicium Ebmer,1972 Range (in code): TR IR 04 33 38 47 70
- 15404. Lasioglossum (s.str.) costulatum (Kriechbaumer,1873)** (Halictidae) Synonym(s): costulatum Kriechbaumer,1873; alpestris Morawitz,1877 Range (in code): MA FR DK ES PT Co DE PL MK IL Pa TR GR Ae Sms Cr IR 34 42
- 15405. Lasioglossum (s.str.) cristulum (Pérez,1895)** (Halictidae) Synonym(s): cristulum Pérez,1895; mesoleus Cockerell,1938; donatum Warncke,1975; #cristulam Grace,2010 Range (in code): MA DZ IT YU AL GR Ae Le Chi Sms TR Cc SY IL Pa IR 05 06 07 16 31 34 38 61
- 15406. Lasioglossum (s.str.) discum (Smith,1853)** (Halictidae) Synonym(s): discum Smith,1853; morbillosus Kriechbaumer,1873; glasunovi Cockrell,1924; Range (in code): FR Co Sa IT Si GR Ae IL Pa JO IR TR AF MA DZ TN ES FR 16 35 42
- 15407. Lasioglossum (s.str.) equinum Ebmer,1978** (Halictidae) Synonym(s): equinum Ebmer,1978 Range (in code): TR IL Pa IR
- 15408. Lasioglossum (s.str.) euxanthopus Pesenko,1986** (Halictidae) Synonym(s): euxanthopus Pesenko,1986 Range (in code): GR Ae Le IR
- 15409. Lasioglossum (s.str.) euxinicum Ebmer,1972** (Halictidae) Synonym(s): euxinicum Ebmer,1972 Range (in code): MA IT UA Cm AZ Cc TR IR
- 15410. Lasioglossum (s.str.) fahringeri Friese,1921** (Halictidae) Synonym(s): fahringeri Friese,1921 Range (in code): TR IR 06 25 31 75 76
- 15411. Lasioglossum (s.str.) fallax (Morawitz,1873)** (Halictidae) Synonym(s): fallax Morawitz,1873; melanarium Morawitz,1876 [ssp.]; rhadiourgan Ebner,1980 [ssp.] Range (in code): TR RU Cc Da GG IR TM UZ KG KK TJ AF PK Mre Pj 06 25 42 46
- 15412. Lasioglossum (s.str.) glaciegenitum (Ebmer,1972)** (Halictidae) Synonym(s): glaciegenitum Ebmer,1972 Range (in code): GR Ae Sms IR Elb
- 15413. Lasioglossum (s.str.) haesitans (Blüthgen,1931)** (Halictidae) Synonym(s): haesitans Blüthgen,1931 Range (in code): GR Ae Le TR
- 15414. Lasioglossum (s.str.) iranikum Ebmer,1975** (Halictidae) Synonym(s): iranikum Ebmer,1975 Range (in code): IR
- 15415. Lasioglossum (s.str.) josefi Ebmer,2009** (Halictidae) Synonym(s): josefi Ebmer,2009 Range (in code): IR
- 15416. Lasioglossum (s.str.) korbi (Blüthgen,1929)** (Halictidae) Synonym(s): korbi Blüthgen,1929 Range (in code): TR IR
- 15417. Lasioglossum (s.str.) kotschy Ebmer,1981** (Halictidae) Synonym(s): kotschy Ebmer,1981 Range (in code): CY
- 15418. Lasioglossum (s.str.) kussariense (Blüthgen,1925)** (Halictidae) Synonym(s): kussariense Blüthgen,1925 Range (in code): GR Ae Le Sms Cr TR
- 15419. Lasioglossum (s.str.) laevigatum (Kirby,1802)** (Halictidae) Synonym(s): laevigatum Kirby,1802; lugubris Kirby,1802; semicinctus Förster,1860 Range (in code): GB Ae Le TR RU Ur ES IR
- 15420. Lasioglossum (s.str.) laterale (Brullé,1832)** (Halictidae) Synonym(s): lateralis Brullé,1832; bifasciatus Brullé,1832; ticinensis Frey-Gessner,1903 Range (in code): ES FR CH HU GR Cr TR 07 34



- 15421. Lasioglossum (s.str.) lativentre (Schenck,1853)** (Halictidae) Synonym(s): lativentre Schenck,1853; bisbistrigatus Schenck,1853; bicinctus Schenck,1874; decipiens Perkins,1913; sotschica Blüthgen,1931 Range (in code): ES GR Ae Le Sms Cr TR IR
- 15422. Lasioglossum (s.str.) lativentre (Schenck,1853)** (Halictidae) Synonym(s): lativentre Schenck,1853 Range (in code): GR Ae Le Sms Cr TR IR
- 15423. Lasioglossum (s.str.) leucozonium (Schränk,1781)** (Halictidae) Synonym(s): leucozonium Schränk,1781; leucostoma Schränk,1781; similis Smith,1853; bifasciatellus Schenck,1875; nigrotibialis Dalla Torre,1877; deiphobus Bingham,1908; elusium Warncke,1975; cedri Ebmer,1976 Range (in code): GR Ae Le Chi Sms Cr CY TR IR Elb AF Kab PK 31
- 15424. Lasioglossum (s.str.) pallens (Brullé,1832)** (Halictidae) Synonym(s): pallens Brullé,1832 Range (in code): MA FR ES BE DE CY GR Ae Le Sms TR SY JO IR
- 15425. Lasioglossum (s.str.) perclavipes (Blüthgen,1934)** (Halictidae) Synonym(s): perclavipes Blüthgen,1934 Range (in code): GR Ae Le Chi Cr TR
- 15426. Lasioglossum (s.str.) perclavipes (Blüthgen,1934)** (Halictidae) Synonym(s): perclavipes Blüthgen,1934 Range (in code): IT Si Co GR Ae Le Chi Cr ES MA DZ TR 34 59
- 15427. Lasioglossum (s.str.) picipes (Morawitz,1876)** (Halictidae) Synonym(s): picipes Morawitz,1876 Range (in code): IL Pa IQ IR
- 15428. Lasioglossum (s.str.) prunellum Warncke,1975** (Halictidae) Synonym(s): prunellum Warncke,1975 Range (in code): GR TR 25 61
- 15429. Lasioglossum (s.str.) pseudocaspicum (Blüthgen,1923)** (Halictidae) Synonym(s): pseudocaspicum Blüthgen,1923 Range (in code): GR Ae Le Sms Rd IT HU TR 07 10 16 38
- 15430. Lasioglossum (s.str.) quadrinotatum (Kirby,1802)** (Halictidae) Synonym(s): quadrinotatum Kirby,1802 Range (in code): GB KG RU FI ES IR TR
- 15431. Lasioglossum (s.str.) sexnotatum (Kirby,1802)** (Halictidae) Synonym(s): sexnotatum Kirby,1802 Range (in code): GE Ae Le TR IR
- 15432. Lasioglossum (s.str.) sinistrum (Blüthgen,1934)** (Halictidae) Synonym(s): sinistrum Blüthgen,1934 Range (in code): IR
- 15433. Lasioglossum (s.str.) solitarium (Warncke,1975)** (Halictidae) Synonym(s): solitarium Warncke,1975 Range (in code): TR
- 15434. Lasioglossum (s.str.) subbuteo (Warncke,1982)** (Halictidae) Synonym(s): subbuteo Warncke,1982 Range (in code): TR 30
- 15435. Lasioglossum (s.str.) subequestre (Blüthgen,1931)** (Halictidae) Synonym(s): subequestre Blüthgen,1931 Range (in code): IR
- 15436. Lasioglossum (s.str.) subfasciatum (Imhoff,1832)** (Halictidae) Synonym(s): subfasciatum Imhoff,1832 Range (in code): GR TR IR
- 15437. Lasioglossum (s.str.) tadschicum (Blüthgen,1929)** (Halictidae) Synonym(s): tadschicum Blüthgen,1929 Range (in code): TR IR 65
- 15438. Lasioglossum (s.str.) tardum (Cameron,1896)** (Halictidae) Synonym(s): tardum Cameron,1896; reflexoides Blüthgen,1926 Range (in code): Ld Ch PK IN
- 15439. Lasioglossum (s.str.) tenuiceps (Vachal,1905)** (Halictidae) Synonym(s): tenuiceps Vachal,1905 Range (in code): TR
- 15440. Lasioglossum (s.str.) xanthopum (Kirby,1802)** (Halictidae) Synonym(s): xanthopum Kirby,1802; lativalve Warncke,1984 Range (in code): GR Ae Le Cr TR IR 06
- 15441. Lasioglossum (s.str.) zonulum (Smith,1848)** (Halictidae) Synonym(s): zonulum Smith,1848 Range (in code): GB Ae Le RU Sb TR AZ Cc IR CN Yu Sz
- 15442. Lasioglossum callizonium (Pérez,1895)** (Halictidae) Synonym(s): callizonium Pérez,1895; mogadoricus Cockerell,1937 Range (in code): PT ES FR MA EG IL Pa
- 15443. Lasioglossum eurasicum Ebmer,1972** (Halictidae) Synonym(s): eurasicum Ebmer,1972 Range (in code): YU GR TR 33
- 15444. Lasioglossum sexnotatum Kirby,1802** (Halictidae) Synonym(s): sexnotatum Kirby,1802 Range (in code): TR
- 15445. Lasioglossum solitarium Warncke,1975** (Halictidae) Synonym(s): solitarium Warncke,1975 Range (in code): TR 07 33
- 15446. Lasioglossum subfasciatum Imhoff,1832** (Halictidae) Synonym(s): subfasciatum Imhoff,1832 Range (in code): TR
- 15447. Lasioglossum tinnunculum Warncke,1982** (Halictidae) Synonym(s): tinnunculum Warncke,1982 Range (in code): TR
- 15448. Lasioglossum xanthopum Kirby,1802** (Halictidae) Synonym(s): xanthopum Kirby,1802 Range (in code): TR
- 15449. Lipotriches parca (Kohl,1906)** (Halictidae) Synonym(s): parca Kohl,1906 Range (in code): BH EG
- 15450. Nomia (Austronomia) clavicornis Warncke,1980** (Halictidae) Synonym(s): clavicornis Warncke,1980 Range (in code): IR Elb Th

- 15451. Nomia (Hoplonomia) callichlora (Cockerell,1911)** (Halictidae) Synonym(s): callichlora Cockerell,1911 Range (in code): IR Ss
- 15452. Nomia (Lobonomia) armata Olivier,1811** (Halictidae) Synonym(s): armata Olivier,1811; latipes Morawitz,1880 Range (in code): IR Elb Th Kh Ss
- 15453. Nomia (Lobonomia) flavolobata Cockerell,1911** (Halictidae) Synonym(s): flavolobata Cockerell,1911; iranica Warncke,1979 Range (in code): IR Ss
- 15454. Nomioides (Paranomioides) steinbergi Pesenko,1983** (Halictidae) Synonym(s): steinbergi Pesenko,1983 Range (in code): IR
- 15455. Nomioides (s.str.) bactriensis Pesenko,2004** (Halictidae) Synonym(s): bactriensis Pesenko,2004 Range (in code): AF Ca
- 15456. Nomioides (s.str.) bluthgeni Pesenko,1979** (Halictidae) Synonym(s): bluthgeni Pesenko,1979 Range (in code): SY JO EG
- 15457. Nomioides (s.str.) chalybeatus (Blüthgen,1934)** (Halictidae) Synonym(s): chalybeatus Blüthgen,1934 Range (in code): GR Ae Le TR IR
- 15458. Nomioides (s.str.) deceptor Saunders,1908** (Halictidae) Synonym(s): deceptor Saunders,1908 Range (in code): JO EG LY
- 15459. Nomioides (s.str.) facilis (Smith,1853)** (Halictidae) Synonym(s): facilis Smith,1853 Range (in code): GR TR IL Pa IR
- 15460. Nomioides (s.str.) gussakovskiji Blüthgen,1933** (Halictidae) Synonym(s): gussakovskiji Blüthgen,1933 Range (in code): TR JO
- 15461. Nomioides (s.str.) ino (Nurse,1904)** (Halictidae) Synonym(s): ino Nurse,1904 Range (in code): TR JO IQ IR
- 15462. Nomioides (s.str.) klausi Pesenko,1983** (Halictidae) Synonym(s): klausi Pesenko,1983 Range (in code): IR
- 15463. Nomioides (s.str.) minutissimus (Rossi,1790)** (Halictidae) Synonym(s): minutissimus Rossi,1790; modestus Pesenko,1977 Range (in code): GR Ae Le Rd Cr CY TR IR
- 15464. Nomioides (s.str.) modestus Pesenko,1977** (Halictidae) Synonym(s): modestus Pesenko,1977 Range (in code): TR
- 15465. Nomioides (s.str.) nigriceps Blüthgen,1933** (Halictidae) Synonym(s): nigriceps Blüthgen,1933 Range (in code): IR
- 15466. Nomioides (s.str.) ornatus Pesenko,1983** (Halictidae) Synonym(s): ornatus Pesenko,1983 Range (in code): EG IL Pa
- 15467. Nomioides (s.str.) parviceps Morawitz,1876** (Halictidae) Synonym(s): parviceps Morawitz,1876 Range (in code): TR EG
- 15468. Nomioides (s.str.) rotundiceps Handlirsch,1888** (Halictidae) Synonym(s): rotundiceps Handlirsch,1888 Range (in code): IL Pa JO EG IR
- 15469. Nomioides (s.str.) schwarzi Pesenko,1989** (Halictidae) Synonym(s): schwarzi Pesenko,1989 Range (in code): TR 36
- 15470. Nomioides (s.str.) similis Pesenko,1983** (Halictidae) Synonym(s): similis Pesenko,1983; rugosus Pesenko,1983 Range (in code): TR IR
- 15471. Nomioides (s.str.) squamiger Saunders,1908** (Halictidae) Synonym(s): squamiger Saunders,1908 Range (in code): TR IL Pa EG 33
- 15472. Nomioides (s.str.) turanicus Morawitz,1876** (Halictidae) Synonym(s): turanicus Morawitz,1876 Range (in code): TR IQ IR EG
- 15473. Pseudapis (Crociaspidia) muscatensis Cockerell,1910** (Halictidae) Synonym(s): muscatensis Cockerell,1910 Range (in code): SD OM IR Ke EG
- 15474. Pseudapis (Nomiapis) diversipes (Latreille,1802)** (Halictidae) Synonym(s): diversipes Latreille,1802 Range (in code): IR Ab Oru Elb Mz Ha Th Es Qz Fa Shr Kh Ke
- 15475. Pseudapis (Nomiapis) diversipes (Latreille,1806)** (Halictidae) Synonym(s): diversipes Latreille,1806 Range (in code): TR GR Ae Le Sms Chi Rd Cr CY IL Pa IR EG LY
- 15476. Pseudapis (Nomiapis) equestris Gerstaecker,1872** (Halictidae) Synonym(s): equestris Gerstaecker,1872 Range (in code): GR Ae Le Sms CY TR LB IR Fa Shr
- 15477. Pseudapis (Nomiapis) femoralis (Pallas,1773)** (Halictidae) Synonym(s): femoralis Pallas,1773; valga Gerstaecker,1872 Range (in code): GR Ae Rd RU TR IR Fa Shr AF
- 15478. Pseudapis (Nomiapis) fugax (Morawitz,1878)** (Halictidae) Synonym(s): fugax Morawitz,1878 Range (in code): EG IR Ab Oru Ha Ke
- 15479. Pseudapis (Nomiapis) monstrosa (Costa,1861)** (Halictidae) Synonym(s): monstrosa Costa,1861 Range (in code): IT GR Ae Le Sms CY IL Pa TR
- 15480. Pseudapis (Nomiapis) squamata (Morawitz,1894)** (Halictidae) Synonym(s): squamata Morawitz,1894 Range (in code): IR
- 15481. Pseudapis (Nomiapis) unidentata (Olivier,1811)** (Halictidae) Synonym(s): unidentata Olivier,1811 Range (in code): TR IR Ak Ha Yz Th Ss

- 15482. Pseudapis (Nomiapis) urfana (Warncke,1980)** (Halictidae) Synonym(s): urfana Warncke,1980 Range (in code): TR 63
- 15483. Pseudapis (Nomiapis) valga (Gerstaecker,1872)** (Halictidae) Synonym(s): valga Gerstaecker,1872 Range (in code): GR Ae Le Sms CY TR IL Pa IR
- 15484. Pseudapis (s.str.) anatolica (Warncke,1976)** (Halictidae) Synonym(s): anatolica Warncke,1976 Range (in code): TR
- 15485. Pseudapis (s.str.) bytinski (Warncke,1976)** (Halictidae) Synonym(s): bytinski Warncke,1976 Range (in code): IL Pa EG TR AZ Cc IR
- 15486. Pseudapis (s.str.) dixica (Warncke,1976)** (Halictidae) Synonym(s): dixica Warncke,1976 Range (in code): EG Sn
- 15487. Pseudapis (s.str.) edentata (Morawitz,1876)** (Halictidae) Synonym(s): edentata Morawitz,1876 Range (in code): TR IQ IR EG
- 15488. Pseudapis (s.str.) elegantissima (Popov,1949)** (Halictidae) Synonym(s): elegantissima Popov,1949 Range (in code): IR
- 15489. Pseudapis (s.str.) lobata (Olivier,1811)** (Halictidae) Synonym(s): lobata Olivier,1811 Range (in code): TR IR Ha Th Elb Es Fa Shr 63
- 15490. Pseudapis (s.str.) magretti Gribodo,1884** (Halictidae) Synonym(s): magretti Gribodo,1884 Range (in code): SD IL Pa
- 15491. Pseudapis (s.str.) negevensis (Warncke,1976)** (Halictidae) Synonym(s): negevensis Warncke,1976 Range (in code): IL Pa
- 15492. Pseudapis (s.str.) nilotica (Smith,1875)** (Halictidae) Synonym(s): nilotica Smith,1875; latipes Morawitz,1880 Range (in code): JO IL Pa EG
- 15493. Pseudapis (s.str.) patellata Magretti,1884** (Halictidae) Synonym(s): patellata Magretti,1884; abbassa Warncke,1980 Range (in code): ET IR Ss
- 15494. Pseudapis (s.str.) platula (Warncke,1976)** (Halictidae) Synonym(s): platula Warncke,1976 Range (in code): TR IR Ke Ss Kh AF 27
- 15495. Pseudapis (s.str.) rufescens (Morawitz,1876)** (Halictidae) Synonym(s): rufescens Morawitz,1876 Range (in code): TR 65
- 15496. Rophitoides anaticus Schwammberger,1975** (Halictidae) Synonym(s): anaticus Schwammberger,1975 Range (in code): TR 06 50
- 15497. Rophitoides canus (Eversmann,1852)** (Halictidae) Synonym(s): canus Eversmann,1852; bifoveolatus Sichel,1854; distinguendus Schenck,1861 Range (in code): TR IR 25 30 65
- 15498. Rophites algeris Pérez,1895** (Halictidae) Synonym(s): algeris Pérez,1895; trispinosus Pérez,1903; montanus Ebmer,1978; graecus Warncke,1980 Range (in code): DZ GR TR
- 15499. Rophites caucasicus Morawitz,1875** (Halictidae) Synonym(s): caucasicus Morawitz,1875 Range (in code): Cc TR
- 15500. Rophites clypealis Schwammberger,1976** (Halictidae) Synonym(s): clypealis Schwammberger,1976 Range (in code): TR
- 15501. Rophites foveolatus Friese,1900** (Halictidae) Synonym(s): foveolatus Friese,1900 Range (in code): TR
- 15502. Rophites gusenleitneri Schwammberger,1973** (Halictidae) Synonym(s): gusenleitneri Schwammberger,1973 Range (in code): TR
- 15503. Rophites hartmanni Friese,1902** (Halictidae) Synonym(s): hartmanni Friese,1902 Range (in code): GR Ae Le TR SY IL Pa
- 15504. Rophites heinrichi Schwammberger,1976** (Halictidae) Synonym(s): heinrichi Schwammberger,1976 Range (in code): TR
- 15505. Rophites leclercqi Schwammberger,1971** (Halictidae) Synonym(s): leclercqi Schwammberger,1971 Range (in code): TR
- 15506. Rophites mandibularis Morawitz,1891** (Halictidae) Synonym(s): mandibularis Morawitz,1891 Range (in code): IR
- 15507. Rophites montanus Ebmer,1978** (Halictidae) Synonym(s): montanus Ebmer,1978 Range (in code): IR
- 15508. Rophites morawitzia Friese,1902** (Halictidae) Synonym(s): morawitzia Friese,1902 Range (in code): TR
- 15509. Rophites nigripes Friese,1902** (Halictidae) Synonym(s): nigripes Friese,1902 Range (in code): TR IL Pa
- 15510. Rophites quinquespinosus Spinola,1808** (Halictidae) Synonym(s): quinquespinosus Spinola,1808 Range (in code): GR TR
- 15511. Rophites transitorius Ebmer,1993** (Halictidae) Synonym(s): transitorius Ebmer,1993 Range (in code): TR 30
- 15512. Sphecodes albilabris (Fabricius,1793)** (Halictidae) Synonym(s): albilabris Fabricius,1793 Range (in code): GR Ae Le TR JO



- 15513. *Sphecodes alternatus* Smith,1853** (Halictidae) **Synonym(s):** *alternatus* Smith,1853; *punctiventris* Hagens,1882; *gracilior* Morawitz,1894; *antigae* Tournier,1901; *lindbergi* Pittioni,1950 **Range (in code):** **MA TN ES FR AL GR Ae Le CY TR UZ 01 02 04 06 08 13 20 26 30 33 34 35 36 38 42 50 52 55 65 73**
- 15514. *Sphecodes anatolicus* Warncke,1992** (Halictidae) **Synonym(s):** *anatolicus* Warncke,1992 **Range (in code):** **TR 42 51**
- 15515. *Sphecodes armeniacus* Warncke,1992** (Halictidae) **Synonym(s):** *armeniacus* Warncke,1992 **Range (in code):** **TR TJ 76**
- 15516. *Sphecodes crassus* Thomson,1870** (Halictidae) **Synonym(s):** *crassus* Thomson,1870 **Range (in code):** **GR TR**
- 15517. *Sphecodes cristatus* Hagens,1882** (Halictidae) **Synonym(s):** *cristatus* Hagens,1882 **Range (in code):** **GR Ae Le TR**
- 15518. *Sphecodes croaticus* Meyer,1922** (Halictidae) **Synonym(s):** *croaticus* Meyer,1922; *cypricus* Blüthgen,1938 **Range (in code):** **GR CY TR**
- 15519. *Sphecodes dusmeti* Blüthgen,1924** (Halictidae) **Synonym(s):** *dusmeti* Blüthgen,1924 **Range (in code):** **GR Ae Le TR**
- 15520. *Sphecodes ephippius* (Linnaeus,1767)** (Halictidae) **Synonym(s):** *ephippius* Linnaeus,1767 **Range (in code):** **GR Ae Le TR**
- 15521. *Sphecodes ferruginatus* Hagens,1882** (Halictidae) **Synonym(s):** *ferruginatus* Hagens,1882 **Range (in code):** **GR Ae Le TR**
- 15522. *Sphecodes geoffrellus* (Kirby,1802)** (Halictidae) **Synonym(s):** *geoffrellus* Kirby,1802; *hakkariensis* Warncke,1992 **Range (in code):** **TR 08 13 25 30 73**
- 15523. *Sphecodes gibbus* (Linnaeus,1758)** (Halictidae) **Synonym(s):** *gibbus* Linnaeus,1758; *rufispinosus* Meyer,1920 **Range (in code):** **GR Ae Le CY TR**
- 15524. *Sphecodes intermedius* Blüthgen,1923** (Halictidae) **Synonym(s):** *intermedius* Blüthgen,1923 **Range (in code):** **TR**
- 15525. *Sphecodes longulus* Hagens,1882** (Halictidae) **Synonym(s):** *longulus* Hagens,1882 **Range (in code):** **GR TR**
- 15526. *Sphecodes majalis* Pérez,1903** (Halictidae) **Synonym(s):** *majalis* Pérez,1903; *barbatus* Blüthgen,1923 **Range (in code):** **GR Ae Le TR**
- 15527. *Sphecodes marginatus* Hagens,1882** (Halictidae) **Synonym(s):** *marginatus* Hagens,1882; *biskrensis* Pérez,1903 **Range (in code):** **DZ GR Ae Le Cr TR**
- 15528. *Sphecodes monilicornis* (Kirby,1802)** (Halictidae) **Synonym(s):** *monilicornis* Kirby,1802; *cephalotes* Meyer,1920 **Range (in code):** **CY GR Ae Le TR JO**
- 15529. *Sphecodes olivieri* Lepeletier,1825** (Halictidae) **Synonym(s):** *olivieri* Lepeletier,1825 **Range (in code):** **TR IL Pa**
- 15530. *Sphecodes pellucidus* Smith,1845** (Halictidae) **Synonym(s):** *pellucidus* Smith,1845 **Range (in code):** **CY TR**
- 15531. *Sphecodes pinguiculus* Pérez,1903** (Halictidae) **Synonym(s):** *pinguiculus* Pérez,1903; *sareptensis* Meyer,1922 **Range (in code):** **RU Sr TR IL Pa**
- 15532. *Sphecodes punctipes* Thomson,1870** (Halictidae) **Synonym(s):** *punctipes* Thomson,1870 **Range (in code):** **GR Ae Le CY TR**
- 15533. *Sphecodes reticulatus* Thomson,1870** (Halictidae) **Synonym(s):** *reticulatus* Thomson,1870 **Range (in code):** **GR Ae Le TR**
- 15534. *Sphecodes rubicundus* Hagens,1875** (Halictidae) **Synonym(s):** *rubicundus* Hagens,1875 **Range (in code):** **GR Ae Le TR**
- 15535. *Sphecodes rufiventris* (Panzer,1798)** (Halictidae) **Synonym(s):** *rufiventris* Panzer,1798; *hethiticus* Warncke,1992 **Range (in code):** **CY GR Ae Le TR**
- 15536. *Sphecodes zangherii* Noskiewicz,1931** (Halictidae) **Synonym(s):** *zangherii* Noskiewicz,1931 **Range (in code):** **TR**
- 15537. *Systropha* (s.str.) *androsthenes* Baker,1996** (Halictidae) **Synonym(s):** *androsthenes* Baker,1996 **Range (in code):** **AE**
- 15538. *Systropha* (s.str.) *curvicornis* (Scopoli,1770)** (Halictidae) **Synonym(s):** *curvicornis* Scopoli,1770; *convolvuli* Pallas,1773; *labrosa* Eversmann,1852 **Range (in code):** **SK RU Ur GR Ae Le TR IR**
- 15539. *Systropha* (s.str.) *diacantha* Baker,1996** (Halictidae) **Synonym(s):** *diacantha* Baker,1996 **Range (in code):** **OM AE**
- 15540. *Systropha* (s.str.) *hirsuta* Spinola,1839** (Halictidae) **Synonym(s):** *hirsuta* Spinola,1839; *christae* Warncke,1992 **Range (in code):** **EG IL Pa**
- 15541. *Systropha* (s.str.) *iranica* Popov,1967** (Halictidae) **Synonym(s):** *iranica* Popov,1967 **Range (in code):** **IR Ke**
- 15542. *Systropha* (s.str.) *planidens* Giraud,1861** (Halictidae) **Synonym(s):** *planidens* Giraud,1861; *chrysura* Pérez,1905; *grandimargo* Pérez,1905; *anatolica* Warncke,1977 **Range (in code):** **ES FR AT TR GR IR IL Pa Elb Th 06 13 62**

- 15543. *Systropha* (s.str.) *popovi* Ponomareva,1967** (Halictidae) Synonym(s): *popovi* Ponomareva,1967  
Range (in code): PK TM
- 15544. *Systropha* (s.str.) *ruficornis* Morawitz,1880** (Halictidae) Synonym(s): *ruficornis* Morawitz,1880  
Range (in code): TM
- 15545. *Systropha* (s.str.) *villosa* Ebmer,1978** (Halictidae) Synonym(s): *villosa* Ebmer,1978 Range (in code): IR Ss
- 15546. *Thrincohalictus* *prognathus* (Pérez,1912)** (Halictidae) Synonym(s): *prognathus* Pérez,1912  
Range (in code): GR Ae Le Chi TR LB IL Pa IR
- 15547. *Ibalia* *leucospoides* (Hochenwarth,1785)** (Ibaliidae) Synonym(s): *leucospoides* Hochenwarth,1785 Range (in code): BG TR 81
- 15548. *Acrodactyla* *quadrisculpta* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *quadrisculpta* Gravenhorst,1829 Range (in code): AU TR 67
- 15549. *Acropimpla* *didyma* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *didyma* Gravenhorst,1829 Range (in code): TR
- 15550. *Acroricnus* *seductor* (Scopoli,1786)** (Ichneumonidae) Synonym(s): *seductor* Scopoli,1786; *syriacus* Mocsary,1883 Range (in code): TR GR CY SY LB IL Pa 16 22 32 33 34 46
- 15551. *Acroricnus* *stylator* (Thunberg,1822)** (Ichneumonidae) Synonym(s): *stylator* Thunberg,1822  
Range (in code): TR 34
- 15552. *Agrothereutes* *abbreviatus* (Fabricius,1793)** (Ichneumonidae) Synonym(s): *abbreviatus* Fabricius,1793; *breviator* Thunberg,1822; *incubitor* Gravenhorst,1829; *hopei* Gravenhorst,1829; *marginellus* Gravenhorst,1829; *pygoleucus* Gravenhorst,1829; *tibiator* Gravenhorst,1829; *ocellator* Zetterstedt,1838; *leucomerus* Ratzeburg,1852;... Range (in code): TR AT AZ Cc BE BG CA Abt BCo On Yuk CN CZ DK FI FR Co DE HU IT KP KR LT LV NL NO PL RO RU ES SE US Als Cf Col NMx Ny Oh Ut Wy 37
- 15553. *Agrothereutes* *fumipennis* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *fumipennis* Gravenhorst,1829; *filipendulae* Boie,1855; *zygaenarum* Thomson,1873; *hymotomadum* Rudow,1883; *nigricans* Kiss,1915; *gracilentus* Habermehl,1929 Range (in code): AT AZ Cc BE BG HV CZ DK FI FR DE HU IT LT LV MK NL NO PL RO RU Kmt SS ES SE CH TN UA GB YU TR 25 32 37
- 15554. *Agrothereutes* *hospes* (Tschek,1871)** (Ichneumonidae) Synonym(s): *hospes* Tschek,1871; *solitarius* Tschek,1871; *intermedius* Verhoeff,1890 Range (in code): AT BE BG CZ FI FR Co DE HU IR IT LT MD NO PL RO YU ES SE CH GB TR 32
- 15555. *Agrothereutes* *parvulus* (Habermehl,1926)** (Ichneumonidae) Synonym(s): *parvulus* Habermehl,1926 Range (in code): TR FR BG Co IR ES 32
- 15556. *Agrothereutes* *tunetanus* (Habermehl,1925)** (Ichneumonidae) Synonym(s): *tunetanus* Habermehl,1925 Range (in code): EG IL Pa IT Si MA ES
- 15557. *Agrypon* *debilis* (Wesmael,1849)** (Ichneumonidae) Synonym(s): *debilis* Wesmael,1849 Range (in code): TR 06
- 15558. *Agrypon* *flaveolatum* (Gravenhorst,1807)** (Ichneumonidae) Synonym(s): *flaveolatum* Gravenhorst,1807 Range (in code): TR 06
- 15559. *Agrypon* *flexorium* (Thunberg,1822)** (Ichneumonidae) Synonym(s): *flexorium* Thunberg,1822  
Range (in code): TR 22 25 32 34 69
- 15560. *Agrypon* *gracilipes* (Curtis,1839)** (Ichneumonidae) Synonym(s): *gracilipes* Curtis,1839 Range (in code): TR 06 69
- 15561. *Agrypon* *varitarsum* (Wesmael,1849)** (Ichneumonidae) Synonym(s): *varitarsum* Wesmael,1849  
Range (in code): TR 25 39
- 15562. *Alloplasta* *piceator* (Thunberg,1822)** (Ichneumonidae) Synonym(s): *piceator* Thunberg,1822  
Range (in code): TR Cc RU At 32
- 15563. *Alloplasta* *tomentosa* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *tomentosa* Gravenhorst,1829 Range (in code): TR 25 62
- 15564. *Alomya* *debellator* (Fabricius,1775)** (Ichneumonidae) Synonym(s): *debellator* Fabricius,1775; *ovator* Fabricius,1793 Range (in code): TR 34 77
- 15565. *Amblyjoppa* *fuscipennis* (Wesmael,1845)** (Ichneumonidae) Synonym(s): *fuscipennis* Wesmael,1845; *bimaculata* Constantineau,1954; *raouli* Constantineau,1954 Range (in code): DZ AT AZ Cc BE BG CZ FI FR DE HU IR IE IT Si KG LT MN NL NO PL RO RU Om ES SE CH YU TR GB 08 25 51 76
- 15566. *Amblyteles* *armatorius* (Forster,1771)** (Ichneumonidae) Synonym(s): *armatorius* Forster,1771; *bidentorius* Fabricius,1775; *fasciatorius* Fabricius,1775; *notatorius* Villers,1789; *dimicatorius* Gmelin,1790; *signatorius* Olivier,1792; *diversorius* Stephens,1835; *regius* Tischbein,1868 Range (in code): Cn MA DZ TN PT ES FR BE NL GB IE SE FI RU DE PL CZ CH IT Sa Si SS YU HU RO BG CY AZ Cc Da RU TR CN Ui Gn JP Sh 16 22 59 65
- 15567. *Aneuclis* *anterior* Horstmann,1971** (Ichneumonidae) Synonym(s): *anterior* Horstmann,1971  
Range (in code): BG MD TR RU KG 01 07 35
- 15568. *Aneuclis* *incidens* (Thomson,1889)** (Ichneumonidae) Synonym(s): *incidens* Thomson,1889  
Range (in code): Md Cc RU Sb Us MN MD TR 01 02 03 07 15 22 27 33 37 43 65
- 15569. *Aneuclis* *melanarius* (Holmgren,1860)** (Ichneumonidae) Synonym(s): *melanarius* Holmgren,1860 Range (in code): MD TN TR KG AF Cc RU 06 17 18

- 15570. Anisobas brombacheri Heinrich,1933** (Ichneumonidae) Synonym(s): brombacheri Heinrich,1933; ventouxensis Pic,1936; martinae Riedel,2004 Range (in code): AT HV FR DE GR IT Si KK NO PL ES TR 25 55
- 15571. Anisobas cephalotes Kriechbaumer,1882** (Ichneumonidae) Synonym(s): cephalotes Kriechbaumer,1882 Range (in code): BG HV FR GR HU IT YU ES CH TR TM Kp
- 15572. Anisobas cingulatellus Horstmann,1997** (Ichneumonidae) Synonym(s): cingulatorius Gravenhorst,1820 (praeocc.); cingulatellus Horstmann,1997 Range (in code): ES IT DE CZ TR Cc RU KG IR GB DK BE CZ SK AT IT SS BG AZ Cc IR KG AF UZ TM 01 35 38 42 62
- 15573. Anisobas gusenleitneri Heinrich,1980** (Ichneumonidae) Synonym(s): gusenleitneri Heinrich,1980 Range (in code): TR 42
- 15574. Anisobas hostilis (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): hostilis Gravenhorst,1820; scutelloniger Pic,1897; nigroscutellatus Constantineanu etl al.,1957; maroccanus Heinrich,1980 Range (in code): MA DZ AT BE BG CN Ui HV CZ DK FI FR DE GR HU IT Sa Si TR Cc KG RU KK LT NL PL RO Kr Cc YU SK SS ES SE CH GB 25 59
- 15575. Anisobas rebellis Wesmael,1845** (Ichneumonidae) Synonym(s): rebellis Wesmael,1845 Range (in code): MA DZ TR TM 62
- 15576. Anisobas seyrigi Heinrich,1933** (Ichneumonidae) Synonym(s): seyrigi Heinrich,1933 Range (in code): ES IT Si GR TR
- 15577. Anisobas seyrigi Heinrich,1933** (Ichneumonidae) Synonym(s): seyrigi Heinrich,1933 Range (in code): BG FI FR GR IT Si KG KK RU Sb ES TR 62
- 15578. Anisobas turcator Horstmann,2007** (Ichneumonidae) Synonym(s): turcator Horstmann,2007 Range (in code): TR 03
- 15579. Anomalon cruentatum (Geoffroy,1785)** (Ichneumonidae) Synonym(s): cruentatum Geoffroy,1785 Range (in code): TR IR KG RU Sb 06 07 12 21 24 25 31 32 34 36 38 46 59 62 66 69 76
- 15580. Anomalon foliator (Fabricius,1798)** (Ichneumonidae) Synonym(s): foliator Fabricius,1798 Range (in code): TR KG RU Sb 06 34 38 59 66
- 15581. Apechthis compunctor (Linnaeus,1758)** (Ichneumonidae) Synonym(s): compunctor Linnaeus,1758 Range (in code): TR RU Sb 16
- 15582. Apechthis quadridentata (Thomson,1877)** (Ichneumonidae) Synonym(s): quadridentata Thomson,1877 Range (in code): TR 19
- 15583. Aphanistes armatus (Wesmael,1849)** (Ichneumonidae) Synonym(s): armatus Wesmael,1849 Range (in code): TR
- 15584. Aphanistes bellicosus (Wesmael,1849)** (Ichneumonidae) Synonym(s): bellicosus Wesmael,1849 Range (in code): TR
- 15585. Apophua bipunctaria (Thunberg,1822)** (Ichneumonidae) Synonym(s): bipunctaria Thunberg,1822 Range (in code): TR 32
- 15586. Aptesis cavigena Kolarov & Gürbüz,2009** (Ichneumonidae) Synonym(s): cavigena Kolarov & Gürbüz,2009 Range (in code): TR
- 15587. Aptesis nigrocincta (Gravenhorst,1815)** (Ichneumonidae) Synonym(s): nigrocincta Gravenhorst,1815 Range (in code): TR 62
- 15588. Aptesis senicula (Kriechbaumer,1893)** (Ichneumonidae) Synonym(s): senicula Kriechbaumer,1893 Range (in code): AZ Cc NO BG MD DE TR 62
- 15589. Aritranis buccatus (Tschek,1872)** (Ichneumonidae) Synonym(s): buccatus Tschek,1872 Range (in code): TR 31
- 15590. Aritranis claviventris (Kriechbaumer,1894)** (Ichneumonidae) Synonym(s): claviventris Kriechbaumer,1894 Range (in code): TR 07
- 15591. Aritranis confector (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): confector Gravenhorst,1829 Range (in code): TR 32
- 15592. Aritranis director (Thunberg,1824)** (Ichneumonidae) Synonym(s): director Thunberg,1824 Range (in code): TR 07 32
- 15593. Aritranis fugitivus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): fugitivus Gravenhorst,1829 Range (in code): TR 25 32
- 15594. Aritranis graeffei (Thomson,1896)** (Ichneumonidae) Synonym(s): graeffei Thomson,1896 Range (in code): BG TR 35
- 15595. Aritranis longicauda (Kriechbaumer,1873)** (Ichneumonidae) Synonym(s): longicauda Kriechbaumer,1873 Range (in code): DZ TR 32
- 15596. Aritranis nigrifemur (Szepligeti,1916)** (Ichneumonidae) Synonym(s): nigrifemur Szepligeti,1916 Range (in code): TR 32
- 15597. Aritranis nigripes (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): nigripes Gravenhorst,1829; gracilis Taschenberg,1865 Range (in code): TR 31
- 15598. Aritranis occisor (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): occisor Gravenhorst,1829 Range (in code): TR 32



- 15599. Aritranis odoriferator (Dufour & Perris,1840)** (Ichneumonidae) Synonym(s): odoriferator Dufour & Perris,1840 Range (in code): ES FR DE IT AT BG TR 32
- 15600. Aritranis quadriguttatus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): quadriguttatus Gravenhorst,1829 Range (in code): TR 32
- 15601. Arotes albicinctus Gravenhorst,1829** (Ichneumonidae) Synonym(s): albicinctus Gravenhorst,1829 Range (in code): TR
- 15602. Atrometoides winkleri Fahringer,1922** (Ichneumonidae) Synonym(s): winkleri Fahringer,1922 Range (in code): TR 01
- 15603. Banchopsis crassicornis Rudow,1886** (Ichneumonidae) Synonym(s): crassicornis Rudow,1886 Range (in code): TR RU Cc 06 34
- 15604. Banchus crefeldensis Ulbricht,1916** (Ichneumonidae) Synonym(s): crefeldensis Ulbricht,1916 Range (in code): TR TN
- 15605. Banchus falcatorius (Fabricius,1775)** (Ichneumonidae) Synonym(s): falcatorius Fabricius,1775 Range (in code): TR 34 80
- 15606. Banchus palpalis Ruthe,1859** (Ichneumonidae) Synonym(s): palpalis Ruthe,1859 Range (in code): TR
- 15607. Banchus pictus Fabricius,1798** (Ichneumonidae) Synonym(s): pictus Fabricius,1798 Range (in code): TR TJ Pm
- 15608. Banchus turcator Aubert,1981** (Ichneumonidae) Synonym(s): turcator Aubert,1981 Range (in code): AZ Cc TJ TR 06 07 25 34 50 58 69
- 15609. Banchus volutatorius (Linnaeus,1758)** (Ichneumonidae) Synonym(s): volutatorius Linnaeus,1758 Range (in code): TR KG Aa RU Ya
- 15610. Barichneumon manni (Kriechbaumer,1888)** (Ichneumonidae) Synonym(s): manni Kriechbaumer,1888 Range (in code): TR 16
- 15611. Barycnemis alpina (Strobl,1901)** (Ichneumonidae) Synonym(s): alpina Strobl,1901 Range (in code): SE BD TR 69
- 15612. Barycnemis harpura (Schränk,1802)** (Ichneumonidae) Synonym(s): harpura Schränk,1802 Range (in code): TR 08 25 53 65 75
- 15613. Barylypa amabilis (Tosquinet,1900)** (Ichneumonidae) Synonym(s): amabilis Tosquinet,1900 Range (in code): TR 25 55
- 15614. Barylypa delictor (Thunberg,1822)** (Ichneumonidae) Synonym(s): delictor Thunberg,1822 Range (in code): TR Cc KK KG TJ 22 25 49
- 15615. Barylypa insidiator (Förster,1878)** (Ichneumonidae) Synonym(s): insidiator Förster,1878 Range (in code): TR 53
- 15616. Barylypa torquata Atanasov,1975** (Ichneumonidae) Synonym(s): torquata Atanasov,1975 Range (in code): TR 25
- 15617. Barylypa uniguttata (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): uniguttata Gravenhorst,1829 Range (in code): TN TR Cc AM IR AF RU Sb Us 07 25 62
- 15618. Barytarbes segmentarius (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): segmentarius Gravenhorst,1829; sultanator Aubert,1989 Range (in code): TR 33
- 15619. Barytarbes superbus Schmiedeknecht,1913** (Ichneumonidae) Synonym(s): superbus Schmiedeknecht,1913 Range (in code): TR BG RU IL Pa
- 15620. Bathyplectes algerica (Smit van Burgst,1913)** (Ichneumonidae) Synonym(s): algerica Smit van Burgst,1913 Range (in code): DZ TR IT 34
- 15621. Bathyplectes carinata Horstmann,1974** (Ichneumonidae) Synonym(s): carinata Horstmann,1974 Range (in code): DE HU YU BG TR 07
- 15622. Bathyplectes carthagenensis (Smit van Burgst,1913)** (Ichneumonidae) Synonym(s): carthagenensis Smit van Burgst,1913 Range (in code): TN TR 06 34
- 15623. Bathyplectes curculionis (Thomson,1887)** (Ichneumonidae) Synonym(s): curculionis Thomson,1887 Range (in code): TR 06 34
- 15624. Bathyplectes exiguus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): exiguus Gravenhorst,1829 Range (in code): TR 34
- 15625. Bathyplectes rufipes Horstmann,1974** (Ichneumonidae) Synonym(s): rufipes Horstmann,1974 Range (in code): TR 34
- 15626. Bathyplectes rufiventrorator (Aubert,1979)** (Ichneumonidae) Synonym(s): rufiventrorator Aubert,1979 Range (in code): TR 25
- 15627. Bathythrix claviger (Taschenberg,1865)** (Ichneumonidae) Synonym(s): claviger Taschenberg,1865 Range (in code): TR 34
- 15628. Bathythrix decipiens (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): decipiens Gravenhorst,1829 Range (in code): TR 57
- 15629. Bathythrix lamina (Thomson,1884)** (Ichneumonidae) Synonym(s): lamina Thomson,1884 Range (in code): TR 37

- 15630. Benjaminia horstmanni Wahl,1989** (Ichneumonidae) Synonym(s): horstmanni Wahl,1989  
Range (in code): TR RU 06
- 15631. Blapsidotes vicinus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): vicinus Gravenhorst,1829 Range (in code): TR 37
- 15632. Brachycyrtus ornatus Kriechbaumer,1880** (Ichneumonidae) Synonym(s): ornatus Kriechbaumer,1880 Range (in code): TR MX 78
- 15633. Buathra laborator (Thunberg,1824)** (Ichneumonidae) Synonym(s): laborator Thunberg,1824  
Range (in code): TR 15 32
- 15634. Buathra tarsoleuca (Schränk,1781)** (Ichneumonidae) Synonym(s): tarsoleuca Schränk,1781  
Range (in code): TR 16 25 32
- 15635. Caenocryptus rufiventris (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): rufiventris Gravenhorst,1829 Range (in code): TR 22
- 15636. Campoletis latrator (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): latrator Gravenhorst,1829 Range (in code): TR 25 62
- 15637. Campoplex difformis (Gmelin,1790)** (Ichneumonidae) Synonym(s): difformis Gmelin,1790  
Range (in code): TR 50
- 15638. Campoplex granditor Aubert,1972** (Ichneumonidae) Synonym(s): granditor Aubert,1972 Range (in code): TR 23
- 15639. Campoplex melanostictus Gravenhorst,1829** (Ichneumonidae) Synonym(s): melanostictus Gravenhorst,1829 Range (in code): TR 38
- 15640. Campoplex ramidulus (Brischke,1880)** (Ichneumonidae) Synonym(s): ramidulus Brischke,1880  
Range (in code): TR 06
- 15641. Campoplex tridentator Aubert,1972** (Ichneumonidae) Synonym(s): tridentator Aubert,1972  
Range (in code): TR 33
- 15642. Casinaria tenuiventris (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): tenuiventris Gravenhorst,1829 Range (in code): TR 80
- 15643. Ceratophygadeuon anurus (Thomson,1884)** (Ichneumonidae) Synonym(s): anurus Thomson,1884 Range (in code): TR 65
- 15644. Chirotica decorator (Villers,1789)** (Ichneumonidae) Synonym(s): decorator Villers,1789 Range (in code): TR UA 34
- 15645. Chirotica orientalis Horstmann,1983** (Ichneumonidae) Synonym(s): orientalis Horstmann,1983  
Range (in code): TR 21 27
- 15646. Chirotica ruficeps Horstmann,1983** (Ichneumonidae) Synonym(s): ruficeps Horstmann,1983  
Range (in code): TR IR 36
- 15647. Chirotica terebrator Horstmann,1983** (Ichneumonidae) Synonym(s): terebrator Horstmann,1983 Range (in code): FR IT Si DZ TR IL Pa IR 21 33
- 15648. Chromoplex picticollis (Thomson,1887)** (Ichneumonidae) Synonym(s): picticollis Thomson,1887  
Range (in code): FR IT AT HU HV B-H GR BG UA EG IL Pa TR 17 25 31 35 48 61
- 15649. Clypeocampulum tibiale Gauld,1976** (Ichneumonidae) Synonym(s): tibiale Gauld,1976 Range (in code): TR 01 48 51
- 15650. Coelichneumon biguttorius (Thunberg,1789)** (Ichneumonidae) Synonym(s): biguttorius Thunberg,1789; restaurator Fabricius,1793; serenus Gravenhorst,1820; restitutor Thunberg,1824; rufoapicalis Pic,1914; transsylvanicus Kiss,1924; concolor Heinrich,1949 Range (in code): DE FI FR GR GB IT KK Co MN NO AT PL RO SE CH ES CZ UA TR 04 06
- 15651. Coelichneumon bohemani (Holmgren,1864)** (Ichneumonidae) Synonym(s): bohemani Holmgren,1864; chevrieri Pic,1902 Range (in code): TR AT BE BG HV CZ FI FR DE HU PL RO RU Cc Da SE CH UA GB YU 25
- 15652. Coelichneumon comitator (Linnaeus,1758)** (Ichneumonidae) Synonym(s): comitator Linnaeus,1758; auspex Müller,1776; biguttatus Thunberg,1784; tripunctorius Thunberg,1789; nigrator Fabricius,1793; narrator Fabricius,1804; ferreus Gravenhorst,1829; resturator Gravenhorst,1829; coerulescens Tischbein,1879;...  
Range (in code): TR AF AD AT AZ Cc BY BE HV CZ EE FI FR DE HU IR IL Pa IT Sa Si JP KG KK LT MD NL NO PL PT RO RU Kr Us Sh ES SE CH UA GB YU 06 25 32 62 65
- 15653. Coelichneumon consimilis (Wesmael,1845)** (Ichneumonidae) Synonym(s): consimilis Wesmael,1845; caelareator Tischbein,1881 Range (in code): ES FR GB NO EE RU HU RO BE NL DE CH IT TR 62
- 15654. Coelichneumon dorsosignatus (Berthoumieu,1894)** (Ichneumonidae) Synonym(s): dorsosignatus Berthoumieu,1894; aureipes Berthoumieu,1896; commenticius Kokujev,1908; wormatiensis Habermehl,1916; bessarabiensis Constantineanu,1929 Range (in code): TR DZ AT AZ Cc DE IR KG PL RO RU ES 04 08 13 25 36 65 76
- 15655. Coelichneumon erythromerus (Rudow,1888)** (Ichneumonidae) Synonym(s): erythromerus Rudow,1888; warnckeii Heinrich,1980 Range (in code): BE DE FR GB IT KK NL AT PL SE YU Si CZ TR 04 25
- 15656. Coelichneumon fasciatus (Gmelin,1790)** (Ichneumonidae) Synonym(s): fasciatus Gmelin,1790  
Range (in code): TR 25

- 15657. *Coelichneumon haemorrhoidalis* (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): haemorrhoidalis Gravenhorst,1820; castaneiventris Gravenhorst,1829; castaneicauda Tischbein,1881; truncatulus Thomson,1886; strandi Berthoumieu,1910; binigronotatus Pic,1925; vulcanius Pic,1925; bipunctatus Schmiedeknecht,1928 nec Gm.,1790 Range (in code): **BE DE FI FR GR GB IT NL NO AT PL RU Us SE CH ES CZ HU TR**
- 15658. *Coelichneumon klapperichi* Heinrich,1957** (Ichneumonidae) Synonym(s): klapperichi Heinrich,1957 Range (in code): **AF KG Aa TJ UZ**
- 15659. *Coelichneumon lacrymator* (Fonscolombe,1847)** (Ichneumonidae) Synonym(s): lacrymator Fonscolombe,1847; calararius Costa,1863; orientator Aubert,1966; corsicator Aubert,1969; eversmanni Berthoumieu,1894; impeditus Kokujev,1907; molestus Kokujev,1907; charkovenski Kokujev,1908; peculiaris Kokujev,1908 Range (in code): **RO HU NL IT FR ES Co Sa HV PL UA RU Ur IL Pa TR MN 15 45 62**
- 15660. *Coelichneumon leucocerus* (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): leucocerus Gravenhorst,1820 Range (in code): **TR ES FR GB NO SE FI DE BE NL CH AT IT CZ PL EE RU MD RO YU 25 51**
- 15661. *Coelichneumon longiterebra* Riedel,2008** (Ichneumonidae) Synonym(s): longiterebra Riedel,2008 Range (in code): **PK Gg Ci Sha**
- 15662. *Coelichneumon merula* (Berthoumieu,1894)** (Ichneumonidae) Synonym(s): merula Berthoumieu,1894 Range (in code): **MA TR 25 42 65**
- 15663. *Coelichneumon moestus* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): moestus Gravenhorst,1829; maestus Dalla Torre,1902 Range (in code): **FR TR**
- 15664. *Coelichneumon nigricornis* (Wesmael,1845)** (Ichneumonidae) Synonym(s): nigricornis Wesmael,1845 Range (in code): **TR 25**
- 15665. *Coelichneumon nigritor* Riedel, Çoruh & Özbek,2010** (Ichneumonidae) Synonym(s): nigritor Riedel, Çoruh & Özbek,2010 Range (in code): **TR AZ Tlh Cc 25**
- 15666. *Coelichneumon nudicoxator* Aubert,1966** (Ichneumonidae) Synonym(s): nudicoxator Aubert,1966 Range (in code): **TR IL Pa KG KK 04 25 35**
- 15667. *Coelichneumon oltenensis* Constantineanu, Pirvescu & Mihalache,1979** (Ichneumonidae) Synonym(s): oltenensis Constantineanu, Pirvescu & Mihalache,1979 Range (in code): **RO BG GR GB AT Si TR 43**
- 15668. *Coelichneumon ophiuseae* (Kriechbaumer,1890)** (Ichneumonidae) Synonym(s): ophiuseae Kriechbaumer,1890; tournieri Pic,1899; bodmanorum Heinrich,1950 Range (in code): **AT DE FR IT CH TR 50**
- 15669. *Coelichneumon orbitator* (Thunberg,1822)** (Ichneumonidae) Synonym(s): orbitator Thunberg,1822 Range (in code): **ES FR BE NL GB NO SE DE RO RU TR 25**
- 15670. *Coelichneumon pararudis* Riedel,2008** (Ichneumonidae) Synonym(s): pararudis Riedel,2008 Range (in code): **TR IR KK 04 25 36 65**
- 15671. *Coelichneumon paraviolaceiventris* Riedel,2008** (Ichneumonidae) Synonym(s): paraviolaceiventris Riedel,2008 Range (in code): **TR Cc 04 25 36 65**
- 15672. *Coelichneumon problematicus* Riedel, Çoruh & Özbek,2010** (Ichneumonidae) Synonym(s): problematicus Riedel, Çoruh & Özbek,2010 Range (in code): **IR Th Elb TR 25**
- 15673. *Coelichneumon rudis* (Fonscolombe,1847)** (Ichneumonidae) Synonym(s): rudis Fonscolombe,1847; vicinus Fonscolombe,1847 nec Cuv.,1843; kastneri Taschenberg,1871; dromedarius Rudow,1888; rufipes Rudow,1888 Range (in code): **PT FR DZ GR IT Co HV MA CH ES CY TR**
- 15674. *Coelichneumon ruficauda* (Wesmael,1845)** (Ichneumonidae) Synonym(s): ruficauda Wesmael,1845 Range (in code): **AM Cc BE DE GB IT AT PL RU CH**
- 15675. *Coelichneumon rufigaster* Riedel,2008** (Ichneumonidae) Synonym(s): rufigaster Riedel,2008 Range (in code): **TR 33**
- 15676. *Coelichneumon singularis* (Berthoumieu,1892)** (Ichneumonidae) Synonym(s): singularis Berthoumieu,1892 Range (in code): **UZ TM IR KK KG JO MA**
- 15677. *Coelichneumon subviolaceiventris* (Pic,1908)** (Ichneumonidae) Synonym(s): subviolaceiventris Pic,1908; afghanicus Heinrich,1957 Range (in code): **FR IT TR AF Bd IR KG KK CN MN RU Sb 65**
- 15678. *Collyria coxator* (Villers,1789)** (Ichneumonidae) Synonym(s): coxator Villers,1789; calcitrator Gravenhorst,1829 Range (in code): **TR Cc RU US 06 25 34 42 80**
- 15679. *Colpotrichia cincta* (Scopoli,1763)** (Ichneumonidae) Synonym(s): cincta Scopoli,1763 Range (in code): **TR 62**
- 15680. *Colpotrichia triclitor* (Aubert,1979)** (Ichneumonidae) Synonym(s): triclitor Aubert,1979 Range (in code): **TR 63**
- 15681. *Cosmoconus elongator* (Fabricius,1775)** (Ichneumonidae) Synonym(s): elongator Fabricius,1775 Range (in code): **TR Cc RU At Sb KG Aa 31 33**
- 15682. *Cotihersiarches dirus* (Wesmael,1853)** (Ichneumonidae) Synonym(s): dirus Wesmael,1853 Range (in code): **TR KG 22**
- 15683. *Cratichneumon coruscator* (Linnaeus,1758)** (Ichneumonidae) Synonym(s): coruscator Linnaeus,1758; luridus Gravenhorst,1829 Range (in code): **TR Cc IR 33 34**



- 15684. Cratichneumon fabricator (Fabricius,1793)** (Ichneumonidae) Synonym(s): fabricator Fabricius,1793 Range (in code): **TR 34**
- 15685. Cratichneumon viator (Scopoli,1763)** (Ichneumonidae) Synonym(s): viator Scopoli,1763; nigrarius Gravenhorst,1820 Range (in code): **TR 16**
- 15686. Cremastus bellicosus Gravenhorst,1829** (Ichneumonidae) Synonym(s): bellicosus Gravenhorst,1829; partitus Szepligeti,1899; meridianator Aubert,1960 Range (in code): **AT AZ Cc BE BG Cn CZ FI FR DE HU IT Si LT LV MD MN NO PL RO RU Us YU ES SE CH TR GB 25**
- 15687. Cremastus crassicornis Thomson,1880** (Ichneumonidae) Synonym(s): crassicornis Thomson,1880; dalmatinus Strobl,1903 Range (in code): **YU TR AT BG HV CZ FI DE IT LT MD PL RO RU ES SE 01**
- 15688. Cremastus geminus Gravenhorst,1829** (Ichneumonidae) Synonym(s): geminus Gravenhorst,1829; areolaris Strand,1918 Range (in code): **TR AT BG CN CZ DK FI FR DE HU IT LT LV MK MN NO PL RU YU ZA SE ES CH GB 39**
- 15689. Cremastus inflatipes Roman,1939** (Ichneumonidae) Synonym(s): inflatipes Roman,1939; rufifemur Constantineanu,1945 Range (in code): **BG FI IT LT PL RO YU TR 22**
- 15690. Cremastus lineatus Gravenhorst,1829** (Ichneumonidae) Synonym(s): lineatus Gravenhorst,1829; radialis Thomson,1890 Range (in code): **AT DE GR ES SE UA Cm TR 33**
- 15691. Cremastus petiolaris Kolarov & Beyarslan,1999** (Ichneumonidae) Synonym(s): petiolaris Kolarov & Beyarslan,1999 Range (in code): **TR 01**
- 15692. Cremastus pungens Gravenhorst,1829** (Ichneumonidae) Synonym(s): pungens Gravenhorst,1829; laeviusculus Thomson,1890 Range (in code): **AT BG CZ DK FI FR DE HU IR IT LT LV MN NL PL RO RU YU ES SE TR UA 59**
- 15693. Cremastus tristator Aubert,1970** (Ichneumonidae) Synonym(s): tristator Aubert,1970 Range (in code): **TR 33**
- 15694. Cryptopimpla caligata (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): caligata Gravenhorst,1829; armeniator Aubert,1977 Range (in code): **TR RU KG Cc 75**
- 15695. Cryptus armator Fabricius,1804** (Ichneumonidae) Synonym(s): armator Fabricius,1804; albatorius Tschek,1870 Range (in code): **TR 42**
- 15696. Cryptus diana Gravenhorst,1829** (Ichneumonidae) Synonym(s): diana Gravenhorst,1829 Range (in code): **TR 32**
- 15697. Cryptus leucocheir (Ratzeburg,1844)** (Ichneumonidae) Synonym(s): leucocheir Ratzeburg,1844 Range (in code): **TR TJ 42**
- 15698. Cryptus minator Gravenhorst,1829** (Ichneumonidae) Synonym(s): minator Gravenhorst,1829 Range (in code): **TR 43**
- 15699. Cryptus moschator (Fabricius,1787)** (Ichneumonidae) Synonym(s): moschator Fabricius,1787 Range (in code): **TR 62**
- 15700. Cryptus spinosus Gravenhorst,1829** (Ichneumonidae) Synonym(s): armatorius Fabricius,1804; spinosus Gravenhorst,1829 Range (in code): **TR 01 32**
- 15701. Cryptus spiralis (Geoffroy,1785)** (Ichneumonidae) Synonym(s): spiralis Geoffroy,1785 Range (in code): **TR 25 32 36 69**
- 15702. Cryptus subspinosus Burgst,1913** (Ichneumonidae) Synonym(s): subspinosus Burgst,1913 Range (in code): **TN DZ TR ES FR IT BG IL Pa 32**
- 15703. Cryptus tuberculatus Gravenhorst,1829** (Ichneumonidae) Synonym(s): tuberculatus Gravenhorst,1829 Range (in code): **Cn MA TR TJ 22 59**
- 15704. Cryptus viduatorius Fabricius,1804** (Ichneumonidae) Synonym(s): viduatorius Fabricius,1804 Range (in code): **TR 34 42**
- 15705. Cymodusa (s.str.) longiterebra Dbar,1985** (Ichneumonidae) Synonym(s): longiterebra Dbar,1985 Range (in code): **PL MD UA RU Cc AZ GG AM CY TR 62**
- 15706. Cymodusa (s.str.) propodeata Kolarov & Yurtcan,2008** (Ichneumonidae) Synonym(s): propodeata Kolarov & Yurtcan,2008 Range (in code): **TR 16**
- 15707. Cymodusa (s.str.) yildirimi Kolarov & Çoruh,2008** (Ichneumonidae) Synonym(s): yildirimi Kolarov & Çoruh,2008 Range (in code): **TR 25**
- 15708. Delomerista pfankuchi Brauns,1905** (Ichneumonidae) Synonym(s): pfankuchi Brauns,1905; unicolor Hedwig,1959 Range (in code): **TR**
- 15709. Diadegma apostata (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): apostata Gravenhorst,1829 Range (in code): **Cc AM TR 25**
- 15710. Diadegma armilata (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): armilata Gravenhorst,1829; turcica Fahringer,1944 Range (in code): **TR 06 34**
- 15711. Diadegma chrysostictos (Gmelin,1790)** (Ichneumonidae) Synonym(s): chrysostictos Gmelin,1790 Range (in code): **TR IL Pa EG 09**
- 15712. Diadegma claripennis (Thomson,1887)** (Ichneumonidae) Synonym(s): claripennis Thomson,1887 Range (in code): **TR 06**

- 15713. *Diadegma crassicornis* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): crassicornis Gravenhorst,1829 Range (in code): TR 06 38
- 15714. *Diadegma crataegellae* (Thomson,1877)** (Ichneumonidae) Synonym(s): crataegellae Thomson,1877 Range (in code): TR 06
- 15715. *Diadegma fenestralis* (Holmgren,1860)** (Ichneumonidae) Synonym(s): fenestralis Holmgren,1860 Range (in code): TR 35
- 15716. *Diadegma grisescens* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): grisescens Gravenhorst,1829; hydropota Holmgren,1858 Range (in code): TR 01
- 15717. *Diadegma maculata* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): maculata Gravenhorst,1829 Range (in code): TR 21
- 15718. *Diadegma pulchripes* (Kokujev,1915)** (Ichneumonidae) Synonym(s): pulchripes Kokujev,1915 Range (in code): TR GR Cr AF MN
- 15719. *Diadegma semiclausum* (Hellén,1949)** (Ichneumonidae) Synonym(s): semiclausum Hellén,1949 Range (in code): TR 06 35
- 15720. *Diadegma velox* (Holmgren,1860)** (Ichneumonidae) Synonym(s): velox Holmgren,1860 Range (in code): TR 01 06
- 15721. *Diaglyptellana punctata* (Holmgren,1857)** (Ichneumonidae) Synonym(s): punctata Holmgren,1857; sisyphe Verhoeff,1891 Range (in code): TR 06
- 15722. *Diaparsis* (Nanodiaparsis) *apertus* (Thomson,1889)** (Ichneumonidae) Synonym(s): apertus Thomson,1889 Range (in code): TR Cc 08
- 15723. *Diaparsis* (Nanodiaparsis) *frontella* (Holmgren,1860)** (Ichneumonidae) Synonym(s): frontella Holmgren,1860 Range (in code): KG TR Cc RU Sb 37
- 15724. *Diaparsis* (s.str.) *multiplicator* Aubert,1969** (Ichneumonidae) Synonym(s): multiplicator Aubert,1969 Range (in code): TR 24
- 15725. *Diaparsis* (s.str.) *nitida* Horstmann,1980** (Ichneumonidae) Synonym(s): nitida Horstmann,1980 Range (in code): UA AZ Cc TR KG RU Us 36 55
- 15726. *Diaparsis* (s.str.) *nutritor* (Fabricius,1804)** (Ichneumonidae) Synonym(s): nutritor Fabricius,1804 Range (in code): TR Cc 59
- 15727. *Diaparsis* (s.str.) *rara* (Horstmann,1971)** (Ichneumonidae) Synonym(s): rara Horstmann,1971 Range (in code): AT HU DE LT BY UA RU Cc Sb Us KG TR 37
- 15728. *Diaparsis* (s.str.) *temporalis* Horstmann,1979** (Ichneumonidae) Synonym(s): temporalis Horstmann,1979 Range (in code): TR Cc KG 22
- 15729. *Dicaelotus montanus* (Destefani,1886)** (Ichneumonidae) Synonym(s): montanus Destefani,1886 Range (in code): IT Si Cc TR 26
- 15730. *Dicaelotus morosator* Aubert,1969** (Ichneumonidae) Synonym(s): morosator Aubert,1969 Range (in code): TR 54
- 15731. *Dicaelotus rufilimbatus* (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): rufilimbatus Gravenhorst,1820 Range (in code): TR 51
- 15732. *Dichrogaster diatropa* Townes,1983** (Ichneumonidae) Synonym(s): diatropus Townes,1983 Range (in code): TR 42
- 15733. *Dichrogaster liostyla* (Thomson,1884)** (Ichneumonidae) Synonym(s): liostylus Thomson,1884 Range (in code): TR 55
- 15734. *Dichrogaster modesta* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): modesta Gravenhorst,1829 Range (in code): TR IL Pa 37 57
- 15735. *Dimophora nitens* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): nitens Gravenhorst,1829; robusta Brischke,1880; similis Brischke,1880; arenicola Thomson,1890 Range (in code): AT BY HV CZ DK FI FR DE HU IT LT MK MN NO PL RO YU ES SE CH GB TR 06
- 15736. *Diphyus bagdadensis* (Gregor,1940)** (Ichneumonidae) Synonym(s): bagdadensis Gregor,1940 Range (in code): IQ Bgd
- 15737. *Diphyus elbursicus* (Heinrich,1929)** (Ichneumonidae) Synonym(s): elbursicus Heinrich,1929 Range (in code): IR Elb
- 15738. *Diphyus luctatorius* (Linnaeus,1758)** (Ichneumonidae) Synonym(s): luctatorius Linnaeus,1758; culpatorius Linnaeus,1758 Range (in code): TR 34
- 15739. *Diphyus mercatorius* (Fabricius,1793)** (Ichneumonidae) Synonym(s): mercatorius Fabricius,1793; ponticus Heinrich,1978 Range (in code): TR Cc AM IR 76
- 15740. *Diphyus montivagans* (Berthoumieu,1896)** (Ichneumonidae) Synonym(s): montivagans Berthoumieu,1896 Range (in code): TR 31 58 61
- 15741. *Diphyus ochromelas* (Gmelin,1790)** (Ichneumonidae) Synonym(s): ochromelas Gmelin,1790; negatorius Fabricius,1793 Range (in code): TR Cc KG RU Sb MN 41
- 15742. *Diphyus palliatorius* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): palliatorius Gravenhorst,1829 Range (in code): TR RU Sb KG 16
- 15743. *Diphyus pseudomercator* Heinrich,1978** (Ichneumonidae) Synonym(s): pseudomercator Heinrich,1978; hexaleucos Heinrich,1978; #caucasicus Heinrich,1978 Range (in code): TR Cc AM 25 76

- 15744. *Diphyus quadripunctorius* (Müller,1776)** (Ichneumonidae) **Synonym(s):** quadripunctorius Müller,1776 **Range (in code):** **TR 34**
- 15745. *Diphyus quinquecinctus* (Kriechbaumer,1892)** (Ichneumonidae) **Synonym(s):** quinquecinctus Kriechbaumer,1892; transbaicalicus Heinrich,1978 [ssp.] **Range (in code):** **TR CN Ui AF BG Cn DE KG RO RU ES TM 38**
- 15746. *Diphyus turcomanus* (Schmiedeknecht,1930)** (Ichneumonidae) **Synonym(s):** erythropygus Kriechbaumer,1892 (praeocc.); turcomanus Schmiedeknecht,1930 **Range (in code):** **TM**
- 15747. *Diplazon annulatus* (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** annulatus Gravenhorst,1829 **Range (in code):** **TR 25**
- 15748. *Diplazon laetatorius* (Fabricius,1781)** (Ichneumonidae) **Synonym(s):** laetatorius Fabricius,1781 **Range (in code):** **TR 03 06 08 14 15 24 25 26 32 34 42 50 63**
- 15749. *Diplazon pectoratorius* (Thunberg,1822)** (Ichneumonidae) **Synonym(s):** pectoratorius Thunberg,1822 **Range (in code):** **TR 06**
- 15750. *Diplazon schachti* Diller,1986** (Ichneumonidae) **Synonym(s):** schachti Diller,1986 **Range (in code):** **TR 73**
- 15751. *Diplazon scutatorius* Teunissen,1943** (Ichneumonidae) **Synonym(s):** scutatorius Teunissen,1943 **Range (in code):** **TR 62**
- 15752. *Diplazon tetragonus* Thunberg,1822** (Ichneumonidae) **Synonym(s):** tetragonus Thunberg,1822 **Range (in code):** **TR 34**
- 15753. *Diplazon tibiatorius* (Thunberg,1822)** (Ichneumonidae) **Synonym(s):** tibiatorius Thunberg,1822; albosignatus Gravenhorst,1829 **Range (in code):** **TR 06 07 16 25**
- 15754. *Dolichomitus mesocentrus* (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** mesocentrus Gravenhorst,1829 **Range (in code):** **TR 16 34**
- 15755. *Dolichomitus messor* (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** messor Gravenhorst,1829 **Range (in code):** **TR 34**
- 15756. *Dolichomitus sericeus* (Hartig,1847)** (Ichneumonidae) **Synonym(s):** sericeus Hartig,1847 **Range (in code):** **TR 06 40**
- 15757. *Dolichomitus subglabratus* (Perkins,1843)** (Ichneumonidae) **Synonym(s):** subglabratus Perkins,1843 **Range (in code):** **TR 16**
- 15758. *Dusona falcator* (Fabricius,1775)** (Ichneumonidae) **Synonym(s):** falcator Fabricius,1775 **Range (in code):** **TR 16**
- 15759. *Dusona inermis* (Förster,1868)** (Ichneumonidae) **Synonym(s):** inermis Förster,1868 **Range (in code):** **TR 75**
- 15760. *Dusona inteligator* Aubert,1966** (Ichneumonidae) **Synonym(s):** inteligator Aubert,1966 **Range (in code):** **TR 33**
- 15761. *Dusona nidulator* (Fabricius,1804)** (Ichneumonidae) **Synonym(s):** nidulator Fabricius,1804 **Range (in code):** **TR 62**
- 15762. *Dusona oxyacanthae* (Boie,1855)** (Ichneumonidae) **Synonym(s):** oxyacanthae Boie,1855 **Range (in code):** **TR IL Pa 34**
- 15763. *Dusona stragifex* (Förster,1868)** (Ichneumonidae) **Synonym(s):** stragifex Förster,1868 **Range (in code):** **TR 80**
- 15764. *Dusona tricolorator* Aubert,1970** (Ichneumonidae) **Synonym(s):** tricolorator Aubert,1970 **Range (in code):** **TR 63**
- 15765. *Echthronomas tricineta* (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** tricineta Gravenhorst,1829 **Range (in code):** **FR PL TR 06**
- 15766. *Echthrus reluctator* (Linnaeus,1758)** (Ichneumonidae) **Synonym(s):** reluctator Linnaeus,1758 **Range (in code):** **TR 16**
- 15767. *Enclisis ornaticeps* (Thomson,1885)** (Ichneumonidae) **Synonym(s):** ornaticeps Thomson,1885 **Range (in code):** **DE DK FR IT AT PL YU TR**
- 15768. *Endasys brevis* (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** brevis Gravenhorst,1829 **Range (in code):** **TR**
- 15769. *Endasys erythrogaster* (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** erythrogaster Gravenhorst,1829 **Range (in code):** **TR 06 38**
- 15770. *Endasys parviventris* (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** parviventris Gravenhorst,1829 **Range (in code):** **TR**
- 15771. *Endasys plagiator* (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** plagiator Gravenhorst,1829 **Range (in code):** **TR**
- 15772. *Endasys rubricator* (Thunberg,1822)** (Ichneumonidae) **Synonym(s):** rubricator Thunberg,1822 **Range (in code):** **TR 06**
- 15773. *Enicospilus cerebrator* Aubert,1966** (Ichneumonidae) **Synonym(s):** cerebrator Aubert,1966 **Range (in code):** **ES FR IT Co Si RU TR 50**
- 15774. *Enicospilus cruciator* Victorov,1957** (Ichneumonidae) **Synonym(s):** cruciator Victorov,1957 **Range (in code):** **ES FR IT Co BG TR IR DZ MN KG RU At 20 50**



- 15775. Enicospilus incognitus Izquierdo,1983** (Ichneumonidae) Synonym(s): incognitus Izquierdo,1983  
Range (in code): ES YU TR
- 15776. Enicospilus ramidulus (Linnaeus,1758)** (Ichneumonidae) Synonym(s): ramidulus Linnaeus,1758; merdarius Gravenhorst,1829 Range (in code): ES FR IE GB SE FI DK DE PL BE NL CH AT CZ SK HU Co Sa Si MD RO BG TR Cc RU Sb Us Sh 25 32 38 42 50 62 80
- 15777. Enicospilus repentinus (Holmgren,1858)** (Ichneumonidae) Synonym(s): repentinus Holmgren,1858 Range (in code): PT ES FR BE NL DE PL EE SE FI AT IT HU RO BG TR RU Sb KG 38
- 15778. Enicospilus tournieri (Snellen van Vollenhoven,1879)** (Ichneumonidae) Synonym(s): tournieri Snellen van Vollenhoven,1879 Range (in code): ES FR GB BE NL DE PL UA RU MD RO HU CH IT Co BG TR 50
- 15779. Eremotylus marginatus (Jurine,1807)** (Ichneumonidae) Synonym(s): marginatus Jurine,1807  
Range (in code): Cc TR
- 15780. Eriborus terebrans (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): terebrans Gravenhorst,1829 Range (in code): TR
- 15781. Eridolius pictus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): pictus Gravenhorst,1829  
Range (in code): TR FR GB IT AT BE NL DK DE CZ PL NO SE FI EE LT RU 25
- 15782. Erromenus brunnicans (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): brunnicans Gravenhorst,1829 Range (in code): TR RU 67
- 15783. Erromenus melanotus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): melanotus Gravenhorst,1829; cavigena Thomson,1883 Range (in code): TR 38
- 15784. Eucremastoides angelovi Kolarov,1980** (Ichneumonidae) Synonym(s): angelovi Kolarov,1980  
Range (in code): BG TR 05
- 15785. Eucremastus collaris Narolsky,1990** (Ichneumonidae) Synonym(s): collaris Narolsky,1990  
Range (in code): AZ AM GG Cc TR 33
- 15786. Eucremastus manni (Tschek,1871)** (Ichneumonidae) Synonym(s): manni Tschek,1871 Range (in code): DZ ES GR TR
- 15787. Eudelus simillimus (Taschenberg,1865)** (Ichneumonidae) Synonym(s): simillimus Taschenberg,1865 Range (in code): ES FR GB NL DE SE FI NO PL CZ SK AT IT Co HU RO BG TR UA RU 06
- 15788. Eugalta cinctipes (Kriechbaumer,1899)** (Ichneumonidae) Synonym(s): cinctipes Kriechbaumer,1899 Range (in code): UA Cm TR
- 15789. Euryproctus mundus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): mundus Gravenhorst,1829 Range (in code): TR 33 34
- 15790. Euryproctus numidicus Schmiedeknecht,1900** (Ichneumonidae) Synonym(s): numidicus Schmiedeknecht,1900; tunetanus Habermehl,1925; turcator Aubert,1979 Range (in code): DZ TN IL Pa TR 42
- 15791. Exenterus ictericus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): ictericus Gravenhorst,1829 Range (in code): TR RU Ur 37
- 15792. Exeristes roborator (Fabricius,1793)** (Ichneumonidae) Synonym(s): roborator Fabricius,1793  
Range (in code): TR 06 31 35 38 62
- 15793. Exetastes adpressorius (Thunberg,1822)** (Ichneumonidae) Synonym(s): adpressorius Thunberg,1822; guttatorius Fahringer,1921 Range (in code): TR KG RU Sb CN 62
- 15794. Exetastes curvator Aubert,1977** (Ichneumonidae) Synonym(s): curvator Aubert,1977 Range (in code): TR 75
- 15795. Exetastes femorator Desvignes,1856** (Ichneumonidae) Synonym(s): femorator Desvignes,1856  
Range (in code): TR KG MN RU Sb CN
- 15796. Exetastes illusor Gravenhorst,1829** (Ichneumonidae) Synonym(s): illusor Gravenhorst,1829  
Range (in code): TR Cc KG RU Sb 34
- 15797. Exetastes laevigator (Villers,1789)** (Ichneumonidae) Synonym(s): laevigator Villers,1789 Range (in code): TR RU At Cc CN 34
- 15798. Exochus albicinctus Holmgren,1873** (Ichneumonidae) Synonym(s): albicinctus Holmgren,1873  
Range (in code): TR Cc AM MN 32
- 15799. Exochus castaniventris Brauns,1896** (Ichneumonidae) Synonym(s): castaniventris Brauns,1896  
Range (in code): TR EG KG 01 07 34 46
- 15800. Exochus elegantissimus Schmiedeknecht,1925** (Ichneumonidae) Synonym(s): elegantissimus Schmiedeknecht,1925; #clesantissimus Öncüler,1991 Range (in code): DE BG UA MD TR
- 15801. Exochus erkini Kolarov,1986** (Ichneumonidae) Synonym(s): erkini Kolarov,1986 Range (in code): TR 45
- 15802. Exochus erythronotus (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): erythronotus Gravenhorst,1820 Range (in code): TR 42
- 15803. Exochus mitratus Gravenhorst,1829** (Ichneumonidae) Synonym(s): mitratus Gravenhorst,1829  
Range (in code): TR 06 39
- 15804. Exochus suborbitalis Schmiedeknecht,1924** (Ichneumonidae) Synonym(s): suborbitalis Schmiedeknecht,1924 Range (in code): FR DE HU RO BG LT MD UA TR 07

- 15805. *Exochus thomsoni* Schmiedeknecht, 1924** (Ichneumonidae) Synonym(s): thomsoni Schmiedeknecht, 1924 Range (in code): TR 62
- 15806. *Exyston montanus* Kerrich, 1975** (Ichneumonidae) Synonym(s): montanus Kerrich, 1975 Range (in code): ES CH TR Cc KK 25 53
- 15807. *Exyston subnitidus* (Gravenhorst, 1829)** (Ichneumonidae) Synonym(s): subnitidus Gravenhorst, 1829; phaeorrhaeus Haliday, 1838 Range (in code): TR RU Da Cc
- 15808. *Fileanta flavolaeta* (Berthoumieu, 1892)** (Ichneumonidae) Synonym(s): flavolaeta Berthoumieu, 1892 Range (in code): TR Cc 58 65
- 15809. *Fileanta radoszkowskii* (Berthoumieu, 1892)** (Ichneumonidae) Synonym(s): radoszkowskii Berthoumieu, 1892; cursorius Smith, 1874 Range (in code): TR CN Ui KG
- 15810. *Gambrus incubitor* (Linnaeus, 1758)** (Ichneumonidae) Synonym(s): incubitor Linnaeus, 1758 Range (in code): TR 32
- 15811. *Gambrus inferus* Thomson, 1896** (Ichneumonidae) Synonym(s): inferus Thomson, 1896 Range (in code): TR TJ 34
- 15812. *Gambrus opacus* Szepligeti, 1916** (Ichneumonidae) Synonym(s): opacus Szepligeti, 1916 Range (in code): TR 25
- 15813. *Gambrus tricolor* (Gravenhorst, 1829)** (Ichneumonidae) Synonym(s): tricolor Gravenhorst, 1829 Range (in code): TR 37
- 15814. *Gelis cyanurus* (Förster, 1851)** (Ichneumonidae) Synonym(s): cyanurus Förster, 1851 Range (in code): TR 42
- 15815. *Gelis exareolatus* (Förster, 1851)** (Ichneumonidae) Synonym(s): exareolatus Förster, 1851 Range (in code): TR 06
- 15816. *Gelis instabilis* (Förster, 1851)** (Ichneumonidae) Synonym(s): instabilis Förster, 1851 Range (in code): TR Cc RU Sb
- 15817. *Gelis sculpturator* Aubert, 1977** (Ichneumonidae) Synonym(s): sculpturator Aubert, 1977 Range (in code): TN EG GR TR 06 71
- 15818. *Giraudia gyratoria* (Thunberg, 1824)** (Ichneumonidae) Synonym(s): gyratoria Thunberg, 1824; congruens Gravenhorst, 1829 Range (in code): TR Cc 16
- 15819. *Glyphicnemis profligator* (Fabricius, 1775)** (Ichneumonidae) Synonym(s): profligator Fabricius, 1775 Range (in code): TR 25
- 15820. *Glyphicnemis vagabunda* (Gravenhorst, 1829)** (Ichneumonidae) Synonym(s): vagabunda Gravenhorst, 1829 Range (in code): TR 25
- 15821. *Grasseiteles ciliator* Aubert, 1968** (Ichneumonidae) Synonym(s): ciliator Aubert, 1968 Range (in code): TR FR 01 31
- 15822. *Gravenhorstia* (Erigorgus) *cerinops* (Gravenhorst, 1829)** (Ichneumonidae) Synonym(s): cerinops Gravenhorst, 1829 Range (in code): DZ KK KG MN RU Sb Ya TR 22 25
- 15823. *Gravenhorstia* (Erigorgus) *cubitator* (Aubert, 1960)** (Ichneumonidae) Synonym(s): cubitator Aubert, 1960 Range (in code): TR 25
- 15824. *Gravenhorstia* (Erigorgus) *melanobatus* (Gravenhorst, 1829)** (Ichneumonidae) Synonym(s): melanobatus Gravenhorst, 1829 Range (in code): TR 25
- 15825. *Gravenhorstia* (Kokujewiella) *ibera* (Ceballos, 1957)** (Ichneumonidae) Synonym(s): ibera Ceballos, 1957 Range (in code): ES IL Pa TR
- 15826. *Gravenhorstia* (Kokujewiella) *vicaria* Shestakov, 1926** (Ichneumonidae) Synonym(s): vicaria Shestakov, 1926 Range (in code): TR KG 32
- 15827. *Gravenhorstia* (s.str.) *picta* Boie, 1836** (Ichneumonidae) Synonym(s): picta Boie, 1836 Range (in code): TR AZ Cc KG UZ TJ 59
- 15828. *Habronyx heros* (Wesmael, 1849)** (Ichneumonidae) Synonym(s): heros Wesmael, 1849 Range (in code): TR
- 15829. *Hadradactylus femoralis* (Holmgren, 1855)** (Ichneumonidae) Synonym(s): femoralis Holmgren, 1855 Range (in code): TR
- 15830. *Hadradactylus fugax* (Gravenhorst, 1829)** (Ichneumonidae) Synonym(s): fugax Gravenhorst, 1829 Range (in code): TR
- 15831. *Hadradactylus typhae* (Geoffroy, 1785)** (Ichneumonidae) Synonym(s): typhae Geoffroy, 1785 Range (in code): FR TR 16
- 15832. *Hadrodactylus bidentulus* Thomson, 1883** (Ichneumonidae) Synonym(s): bidentulus Thomson, 1883; orientator Aubert, 1995 Range (in code): SE SK BY UA Kkv Cm RU KG GR TR
- 15833. *Hadrodactylus caucasicus* Kasparyan, 2011** (Ichneumonidae) Synonym(s): caucasicus Kasparyan, 2011 Range (in code): Cc Teb Kc RU AM
- 15834. *Hadrodactylus flavofacialis* Hortsman, 2000** (Ichneumonidae) Synonym(s): flavofacialis Hortsman, 2000 Range (in code): GB NO FI IT BG AZ Cc CN RU Sb To TR UA Kkv Cm Da Kc Kb 25
- 15835. *Hadrodactylus fugax* (Gravenhorst, 1829)** (Ichneumonidae) Synonym(s): fugax Gravenhorst, 1829 Range (in code): RU Sb Cc TR 62

- 15836. Helcostizus restaurator (Fabricius,1775)** (Ichneumonidae) Synonym(s): restaurator Fabricius,1775; turcicus Fahringer,1944 Range (in code): TR 34
- 15837. Hellwigiella nigripennis Szepligeti,1905** (Ichneumonidae) Synonym(s): nigripennis Szepligeti,1905 Range (in code): DZ TR
- 15838. Herpestomus brunnicornis (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): brunnicornis Gravenhorst,1829 Range (in code): TR 06
- 15839. Heterischnus truncator (Fabricius,1798)** (Ichneumonidae) Synonym(s): truncator Fabricius,1798 Range (in code): Cn TR 34
- 15840. Heterocola longipalpis Kolarov & Beyarslan,1994** (Ichneumonidae) Synonym(s): longipalpis Kolarov & Beyarslan,1994 Range (in code): TR 25
- 15841. Heterocola nigrotibialis Horstmann & Kolarov,1988** (Ichneumonidae) Synonym(s): nigrotibialis Horstmann & Kolarov,1988 Range (in code): ES BG TR 18 58
- 15842. Hidryta sordida (Tschek,1871)** (Ichneumonidae) Synonym(s): sordida Tschek,1871 Range (in code): TR 32
- 15843. Himerta anatolica (Schmiedeknecht,1913)** (Ichneumonidae) Synonym(s): anatolica Schmiedeknecht,1913 Range (in code): TR 16
- 15844. Hoplismenus axillatorius (Thunberg,1822)** (Ichneumonidae) Synonym(s): axillatorius Thunberg,1822 Range (in code): TR 62
- 15845. Hoplismenus bidentatus (Gmelin,1790)** (Ichneumonidae) Synonym(s): bidentatus Gmelin,1790 Range (in code): DZ TR IR 62
- 15846. Hoplismenus caucasicus (Clement,1927)** (Ichneumonidae) Synonym(s): caucasicus Clement,1927; albicollis Constantineanu,1956 Range (in code): RO Cc
- 15847. Hoplocryptus bohemani (Holmgren,1856)** (Ichneumonidae) Synonym(s): bohemani Holmgren,1856 Range (in code): TR AT AZ Cc BG Cn CZ FI FR DE HU LT MN NO PL RO RU YU ES SE CH GB
- 15848. Hoplocryptus coxator (Tschek,1871)** (Ichneumonidae) Synonym(s): coxator Tschek,1871; bicolor Szepligeti,1916; coxalis Szepligeti,1916; rubi Habermehl,1919; ruficoxis Habermehl,1926; signatus Habermehl,1926 Range (in code): TR DZ AT BE BG CZ FI FR DE HU IR IT LT MD NO PL PT RP YU SS ES SE CH TM UZ UA
- 15849. Hoplocryptus femoralis (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): femoralis Gravenhorst,1829 Range (in code): TR IL Pa IR KG KK TJ 25 62
- 15850. Hoplocryptus heliophilus (Tschek,1871)** (Ichneumonidae) Synonym(s): heliophilus Tschek,1871; mediterraneus Tschek,1872; meridionalis Szepligeti,1916; semirufus Szepligeti,1916; rufosignator Aubert,1970; africator Aubert,1977; jordanicus Kolarov,1987 Range (in code): DZ AT AZ Cc BG HV CY CZ FI FR Co DE GR Cr HU IR IL Pa IT Sa Si JO KG LT MK MA PL PT RO SK ES CH SY TJ TM UZ YU TR
- 15851. Hoplocryptus quadriguttatus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): quadriguttatus Gravenhorst,1829; cognatus Fonscolombe,1850; mallorcanus Kriechbaumer,1894; enslini Habermehl,1921; larvatus Habermehl,1926; tricolor Constantineanu,1929; hebraicator Aubert,1970; tiloidalis Kolarov & Beyarslan,1994 Range (in code): AF AT AZ Cc BE BG HV IL Pa IT Sa Si GG DE GR HU FI FR Co LT LV MA NO PL RO YU SK SS ES SE TM GB TR 07 22
- 15852. Hyposoter didymator (Thunberg,1822)** (Ichneumonidae) Synonym(s): didymator Thunberg,1822 Range (in code): TR 06 09 26
- 15853. Hyposoter discedens (Schmiedeknecht,1911)** (Ichneumonidae) Synonym(s): discedens Schmiedeknecht,1911 Range (in code): TR 22
- 15854. Hyposoter ebeninus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): ebeninus Gravenhorst,1829; ruficinctus Gravenhorst,1829 Range (in code): TR 01 06 50 51
- 15855. Hyposoter ebenitor Aubert,1972** (Ichneumonidae) Synonym(s): ebenitor Aubert,1972 Range (in code): FR TR IL Pa 71
- 15856. Hyposoter notatus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): notatus Gravenhorst,1829 Range (in code): TR 01
- 15857. Hyposoter vulgaris (Tschek,1871)** (Ichneumonidae) Synonym(s): vulgaris Tschek,1871 Range (in code): TR 26
- 15858. Hypsicera anglicus (Schmiedeknecht,1925)** (Ichneumonidae) Synonym(s): anglicus Schmiedeknecht,1925 Range (in code): GB FR BE CH IT RO TR
- 15859. Hypsicera femoralis (Geoffroy,1785)** (Ichneumonidae) Synonym(s): femoralis Geoffroy,1785 Range (in code): TR AU TW US Hw 07 25 62
- 15860. Ichneumon albicollis Wesmael,1857** (Ichneumonidae) Synonym(s): albicollis Wesmael,1857 Range (in code): Cc TR RU Sb KG
- 15861. Ichneumon alius Tischbein,1879** (Ichneumonidae) Synonym(s): alius Tischbein,1879 Range (in code): TR
- 15862. Ichneumon balteatus Wesmael,1845** (Ichneumonidae) Synonym(s): balteatus Wesmael,1845 Range (in code): TR 25
- 15863. Ichneumon bucculentus Wesmael,1844** (Ichneumonidae) Synonym(s): bucculentus Wesmael,1844 Range (in code): Cc KG TR RU Sb 16 25 34 41



- 15864. Ichneumon cessator Müller, 1776** (Ichneumonidae) Synonym(s): cessator Müller, 1776 Range (in code): TR 25
- 15865. Ichneumon confusor Gravenhorst, 1820** (Ichneumonidae) Synonym(s): confusor Gravenhorst, 1820 Range (in code): TR 36
- 15866. Ichneumon coniger Tischbein, 1876** (Ichneumonidae) Synonym(s): coniger Tischbein, 1876 Range (in code): TR 25
- 15867. Ichneumon erythromerus Wesmael, 1857** (Ichneumonidae) Synonym(s): erythromerus Wesmael, 1857 Range (in code): TR 25
- 15868. Ichneumon exilicornis Wesmael, 1857** (Ichneumonidae) Synonym(s): exilicornis Wesmael, 1857 Range (in code): TR 25
- 15869. Ichneumon extensorius Linnaeus, 1758** (Ichneumonidae) Synonym(s): extensorius Linnaeus, 1758 Range (in code): TR Cc RU Sb 08 33
- 15870. Ichneumon fulvicornis Gravenhorst, 1829** (Ichneumonidae) Synonym(s): fulvicornis Gravenhorst, 1829 Range (in code): TR 25 69
- 15871. Ichneumon gracilentus Wesmael, 1844** (Ichneumonidae) Synonym(s): gracilentus Wesmael, 1844 Range (in code): TR RU Sb 41
- 15872. Ichneumon gracilicornis Gravenhorst, 1829** (Ichneumonidae) Synonym(s): gracilicornis Gravenhorst, 1829 Range (in code): TR Cc RU Sb 25
- 15873. Ichneumon gratus Wesmael, 1855** (Ichneumonidae) Synonym(s): gratus Wesmael, 1855 Range (in code): TR 25
- 15874. Ichneumon haematofemur Heinrich, 1980** (Ichneumonidae) Synonym(s): haematofemur Heinrich, 1980 Range (in code): GR TR YU 69
- 15875. Ichneumon ignobilis Wesmael, 1855** (Ichneumonidae) Synonym(s): ignobilis Wesmael, 1855 Range (in code): TR 25
- 15876. Ichneumon languidus Wesmael, 1845** (Ichneumonidae) Synonym(s): languidus Wesmael, 1845 Range (in code): TR 25
- 15877. Ichneumon lautatorius Desvignes, 1856** (Ichneumonidae) Synonym(s): lautatorius Desvignes, 1856 Range (in code): TR 25 76
- 15878. Ichneumon ligatorius Thunberg, 1822** (Ichneumonidae) Synonym(s): ligatorius Thunberg, 1822 Range (in code): TR
- 15879. Ichneumon minutorius Desvignes, 1856** (Ichneumonidae) Synonym(s): minutorius Desvignes, 1856 Range (in code): Cc TR 08 25
- 15880. Ichneumon ostentator Heinrich, 1978** (Ichneumonidae) Synonym(s): ostentator Heinrich, 1978 Range (in code): TR GR YU 25 58
- 15881. Ichneumon phaeostigmus Wesmael, 1857** (Ichneumonidae) Synonym(s): phaeostigmus Wesmael, 1857 Range (in code): TR 25
- 15882. Ichneumon proletarius Wesmael, 1848** (Ichneumonidae) Synonym(s): proletarius Wesmael, 1848 Range (in code): BG TR Cc IR 08 25 36 65 75
- 15883. Ichneumon sarcitorius Linnaeus, 1758** (Ichneumonidae) Synonym(s): sarcitorius Linnaeus, 1758; caucasicus Meyer, 1926 Range (in code): Cc TR CY IR
- 15884. Ichneumon sarcitorius Linnaeus, 1758** (Ichneumonidae) Synonym(s): sarcitorius Linnaeus, 1758 Range (in code): TR 25 69
- 15885. Ichneumon sexcinctoides Riedel, Çoruh & Özbek, 2010** (Ichneumonidae) Synonym(s): sexcinctoides Riedel, Çoruh & Özbek, 2010 Range (in code): TR 25
- 15886. Ichneumon sexcinctus Gravenhorst, 1829** (Ichneumonidae) Synonym(s): sexcinctus Gravenhorst, 1829 Range (in code): TR 25
- 15887. Ichneumon simulans Tischbein, 1873** (Ichneumonidae) Synonym(s): simulans Tischbein, 1873 Range (in code): TR
- 15888. Ichneumon stramentarius Gravenhorst, 1820** (Ichneumonidae) Synonym(s): stramentarius Gravenhorst, 1820 Range (in code): TR 41 69
- 15889. Ichneumon stramentor Rasnitsin, 1984** (Ichneumonidae) Synonym(s): stramentor Rasnitsin, 1984 Range (in code): TR
- 15890. Ichneumon suspiciosus Wesmael, 1845** (Ichneumonidae) Synonym(s): suspiciosus Wesmael, 1845 Range (in code): TR 25
- 15891. Ichneumon terminatorius Gravenhorst, 1820** (Ichneumonidae) Synonym(s): terminatorius Gravenhorst, 1820 Range (in code): TR Cc 16 24 25 33 80
- 15892. Ichneumon tuberculipes Wesmael, 1848** (Ichneumonidae) Synonym(s): tuberculipes Wesmael, 1848 Range (in code): TR 05
- 15893. Ichneumon vafer Tischbein, 1876** (Ichneumonidae) Synonym(s): vafer Tischbein, 1876; conjugalis Holmgren, 1878; brevicornis Tischbein, 1881; rogenhoferi Kriechbaumer, 1888; quartanus Perkins, 1953 Range (in code): IR Elb TR AD AT AZ Cc BE BG CZ FI FR DE HU IT PL RO ES CH GB 25
- 15894. Ichneumon veressi (Kiss, 1915)** (Ichneumonidae) Synonym(s): veressi Kiss, 1915 Range (in code): TR RU Sb CN

- 15895. Ichneumon xanthorius Forster,1771** (Ichneumonidae) Synonym(s): xanthorius Forster,1771 Range (in code): TR 20
- 15896. Idiolispa analis (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): analis Gravenhorst,1829 Range (in code): TR 15 32 62
- 15897. Ischnus agitator (Olivier,1792)** (Ichneumonidae) Synonym(s): agitator Olivier,1792 Range (in code): TN TR 32
- 15898. Ischnus inquisitorius (Müller,1776)** (Ichneumonidae) Synonym(s): inquisitorius Müller,1776 Range (in code): MX TR 57 62
- 15899. Ischnus migrator (Fabricius,1775)** (Ichneumonidae) Synonym(s): migrator Fabricius,1775 Range (in code): TR 33
- 15900. Itopectis alternans (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): alternans Gravenhorst,1829 Range (in code): TR Cc RU At 52
- 15901. Itopectis maculator (Fabricius,1775)** (Ichneumonidae) Synonym(s): maculator Fabricius,1775 Range (in code): TR DZ Cc Cn 06 26 35 40 45 50 66
- 15902. Itopectis tunetana (Schmiedeknecht,1914)** (Ichneumonidae) Synonym(s): tunetana Schmiedeknecht,1914 Range (in code): DZ TR Cc IR KG RU At Tv MN CN 06 25 34 42 50
- 15903. Itopectis viduata (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): viduata Gravenhorst,1829 Range (in code): TR 25
- 15904. Lagarotis semicaligata (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): semicaligata Gravenhorst,1820 Range (in code): AZ Cc RU Us GG TR 62
- 15905. Lamachus splendor Aubert,1989** (Ichneumonidae) Synonym(s): splendor Aubert,1989 Range (in code): TR 06 36
- 15906. Lathrolestes acinaces Reshchikov,2011** (Ichneumonidae) Synonym(s): acinaces Reshchikov,2011 Range (in code): TR 14
- 15907. Lathrolestes fascialis Reshchikov,2011** (Ichneumonidae) Synonym(s): fascialis Reshchikov,2011 Range (in code): TR 31
- 15908. Lathrolestes unguaricus (Thomson,1883)** (Ichneumonidae) Synonym(s): unguaricus Thomson,1883; citrofrontalis Schmiedeknecht,1912 Range (in code): SE UA MD AZ Cc
- 15909. Lathrolestes zoticus Reshchikov,2011** (Ichneumonidae) Synonym(s): zoticus Reshchikov,2011 Range (in code): TR 31
- 15910. Latibulus argiolus (Rossi,1790)** (Ichneumonidae) Synonym(s): argiolus Rossi,1790 Range (in code): TN TR CY TJ UZ KG KK RU Am Cc 05 06 25 42
- 15911. Linytus exhortator (Fabricius,1793)** (Ichneumonidae) Synonym(s): exhortator Fabricius,1793; dimidiatus Gravenhorst,1829 Range (in code): TR 25 51
- 15912. Liotryphon caudatus (Ratzeburg,1848)** (Ichneumonidae) Synonym(s): caudatus Ratzeburg,1848 Range (in code): TR Cc MN
- 15913. Lissonota (Loxonota) cruentator (Panzer,1809)** (Ichneumonidae) Synonym(s): cruentator Panzer,1809; insignita Gravenhorst,1829; verberans Gravenhorst,1829; insignita Gravenhorst,1829; cruentatrix Schulz,1906; rufifemur Kiss,1926; szepligeti Kiss,1926 Range (in code): AL AT AZ BE Cc HV CZ BG TR DK FI FR Co DE GR HU IT Si LT MD MA NL PL PT RO RU Ao Da Us Sr ES SE CH UA GB YU 22 67
- 15914. Lissonota (Loxonota) flavovariegata (Lucas,1849)** (Ichneumonidae) Synonym(s): flavovariegata Lucas,1849; lineolator Aubert,1972 Range (in code): DZ CH BG ES FR GR IT RO RU YU AM Cc TR IR 14 32 42
- 15915. Lissonota (Loxonota) histrio (Fabricius,1798)** (Ichneumonidae) Synonym(s): histrio Fabricius,1798 Range (in code): TR 15 32
- 15916. Lissonota (Loxonota) mediterranea Seyrig,1927** (Ichneumonidae) Synonym(s): mediterranea Seyrig,1927 Range (in code): TR IR 62
- 15917. Lissonota (Loxonota) perspicillator Gravenhorst,1829** (Ichneumonidae) Synonym(s): perspicillator Gravenhorst,1829; intermedia Szepligeti,1899; perspicillatrix Schulz,1906; hispanica Habermehl,1927 Range (in code): AT BE BG FI FR NL PL RO GB TR DE AT ES HU IT YU MD KG
- 15918. Lissonota (s.str.) accusator (Fabricius,1793)** (Ichneumonidae) Synonym(s): accusator Fabricius,1793 Range (in code): TR 62
- 15919. Lissonota (s.str.) barbator Aubert,1972** (Ichneumonidae) Synonym(s): barbator Aubert,1972 Range (in code): TR 01
- 15920. Lissonota (s.str.) bivittata Gravenhorst,1829** (Ichneumonidae) Synonym(s): bivittata Gravenhorst,1829 Range (in code): DZ IL Pa TR TM MN 62
- 15921. Lissonota (s.str.) clypeator (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): clypeator Gravenhorst,1829 Range (in code): TR 34
- 15922. Lissonota (s.str.) compar Fonscolombe,1854** (Ichneumonidae) Synonym(s): compar Fonscolombe,1854 Range (in code): FR TR RU 32
- 15923. Lissonota (s.str.) culiciformis Gravenhorst,1829** (Ichneumonidae) Synonym(s): culiciformis Gravenhorst,1829 Range (in code): TR 15 32

- 15924. *Lissonota* (s.str.) *fundator* (Thunberg,1822)** (Ichneumonidae) Synonym(s): *fundator* Thunberg,1822 Range (in code): Cc RU Sb TR 15 32 62
- 15925. *Lissonota* (s.str.) *mutator* Aubert,1969** (Ichneumonidae) Synonym(s): *mutator* Aubert,1969 Range (in code): BG TR 06
- 15926. *Lissonota* (s.str.) *nigricoxis* Habermehl,1918** (Ichneumonidae) Synonym(s): *nigricoxis* Habermehl,1918; *orientalis* Hedwig,1959 Range (in code): DE RO TR 34
- 15927. *Lissonota* (s.str.) *parallela* Gravenhorst,1829** (Ichneumonidae) Synonym(s): *parallela* Gravenhorst,1829 Range (in code): TR 34 38
- 15928. *Lissonota* (s.str.) *rufitarsis* Szepligeti,1899** (Ichneumonidae) Synonym(s): *rufitarsis* Szepligeti,1899 Range (in code): TR 15 32 34
- 15929. *Lissonota* (s.str.) *superbator* Aubert,1967** (Ichneumonidae) Synonym(s): *superbator* Aubert,1967 Range (in code): GR TR SY LB 35
- 15930. *Lissonota* (s.str.) *variabilis* Holmgren,1860** (Ichneumonidae) Synonym(s): *variabilis* Holmgren,1860 Range (in code): GG Cc TR 62
- 15931. *Listrodromus* *nycthemerus* (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): *nycthemerus* Gravenhorst,1820; *quinqueguttatus* Gravenhorst,1829 Range (in code): BY BG BE CZ FI FR Co DE IT LT LV NL PL RO RU ES SE GB TR CN 25
- 15932. *Listrognathus* (s.str.) *furax* (Tschek,1871)** (Ichneumonidae) Synonym(s): *furax* Tschek,1871 Range (in code): TR IR Elb Th 32
- 15933. *Listrognathus* *ligator* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *ligator* Gravenhorst,1829 Range (in code): AM Cc GB FR CH AT IT YU TR
- 15934. *Listrognathus* *mactator* (Thunberg,1824)** (Ichneumonidae) Synonym(s): *mactator* Thunberg,1824 Range (in code): IR KK
- 15935. *Listrognathus* *orientalis* Horstmann,1989** (Ichneumonidae) Synonym(s): *orientalis* Horstmann,1989 Range (in code): TR LB 32
- 15936. *Lymantrichneumon* *disparis* (Poda,1761)** (Ichneumonidae) Synonym(s): *disparis* Poda,1761 Range (in code): AT SS TR 33
- 15937. *Lysibia* *nana* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *nana* Gravenhorst,1829; *fulvipes* Gravenhorst,1829; Range (in code): TR 34 35
- 15938. *Magwengiella* *flavescens* Bachmaier & Diller,1985** (Ichneumonidae) Synonym(s): *flavescens* Bachmaier & Diller,1985 Range (in code): TR 30
- 15939. *Meloboris* *collector* (Thunberg,1822)** (Ichneumonidae) Synonym(s): *collector* Thunberg,1822 Range (in code): AZ Cc IL Pa CN ZA TR 06 25
- 15940. *Meringopus* *calescens* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *calescens* Gravenhorst,1829 Range (in code): AZ Cc TR IR MN KK 25
- 15941. *Meringopus* *cyanator* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *cyanator* Gravenhorst,1829 Range (in code): TR 25
- 15942. *Meringopus* *nigerrimus* (Fonscolombe,1850)** (Ichneumonidae) Synonym(s): *nigerrimus* Fonscolombe,1850 Range (in code): TR 25
- 15943. *Meringopus* *pseudonymphus* (Tschek,1872)** (Ichneumonidae) Synonym(s): *pseudonymphus* Tschek,1872 Range (in code): DZ BG TR TJ JO IL Pa 32 34 62
- 15944. *Meringopus* *titilator* (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *titilator* Linnaeus,1758; *orientalis* Szepligeti,1916 Range (in code): SE TR HV GR AM Cc RU Da AZ TM AF IR SY IL Pa JO 07 32 33 70
- 15945. *Mesochorus* *nigripes* Ratzeburg,1852** (Ichneumonidae) Synonym(s): *nigripes* Ratzeburg,1852 Range (in code): TR
- 15946. *Mesochorus* *vittator* (Zetterstedt,1839)** (Ichneumonidae) Synonym(s): *vittator* Zetterstedt,1839 Range (in code): TR 38
- 15947. *Mesoleptus* *filicornis* (Thomson,1884)** (Ichneumonidae) Synonym(s): *filicornis* Thomson,1884 Range (in code): TR 34
- 15948. *Mesoleptus* *laevigatus* (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): *laevigatus* Gravenhorst,1820 Range (in code): TR 25
- 15949. *Mesoleptus* *marginatus* (Thomson,1884)** (Ichneumonidae) Synonym(s): *marginatus* Thomson,1884 Range (in code): TR 34
- 15950. *Mesostenus* *albinotatus* Gravenhorst,1829** (Ichneumonidae) Synonym(s): *albinotatus* Gravenhorst,1829; *notatus* Gravenhorst,1829 Range (in code): TR RU Sb 01 23 32
- 15951. *Mesostenus* *grammicus* Gravenhorst,1829** (Ichneumonidae) Synonym(s): *grammicus* Gravenhorst,1829 Range (in code): TR 32 34
- 15952. *Mesostenus* *transfuga* Gravenhorst,1829** (Ichneumonidae) Synonym(s): *transfuga* Gravenhorst,1829 Range (in code): TR 09 15 32
- 15953. *Metopius* (Ceratopius) *dissectorius* (Panzer,1805)** (Ichneumonidae) Synonym(s): *dissectorius* Panzer,1805 Range (in code): TR CN NP IN 34
- 15954. *Metopius* (Ceratopius) *erythropus* Kirechbaumer,1894** (Ichneumonidae) Synonym(s): *erythropus* Kirechbaumer,1894 Range (in code): HU TR AT YU 35 42



- 15955. Metopius (Peltocarus) croceicornis Thomson,1887** (Ichneumonidae) Synonym(s): croceicornis Thomson,1887 Range (in code): DZ TR Cc KG IR 16 42
- 15956. Metopius (Peltocarus) dentatus (Fabricius,1779)** (Ichneumonidae) Synonym(s): dentatus Fabricius,1779 Range (in code): TR NO RU Sb Cc 34
- 15957. Metopius (Peltocarus) dirus Mocsary,1883** (Ichneumonidae) Synonym(s): dirus Mocsary,1883 Range (in code): TR DZ Cc TJ KG RU 16
- 15958. Metopius (s.str.) fulvicornis Mocsary,1883** (Ichneumonidae) Synonym(s): fulvicornis Mocsary,1883 Range (in code): TR 44
- 15959. Metopius (Tylopius) brevispinus Thomson,1887** (Ichneumonidae) Synonym(s): brevispinus Thomson,1887 Range (in code): SE DE FR AT HU TR 51
- 15960. Metopius (Tylopius) leiopygus Förster,1859** (Ichneumonidae) Synonym(s): leiopygus Förster,1859 Range (in code): TR Cc KG RU Sb
- 15961. Metopius (Tylopius) pinatorius Brullé,1846** (Ichneumonidae) Synonym(s): pinatorius Brullé,1846 Range (in code): TR RU
- 15962. Monoblastus brachyacanthus (Gmelin,1790)** (Ichneumonidae) Synonym(s): brachyacanthus Gmelin,1790 Range (in code): DZ GG Cc RU Sb TR 25
- 15963. Myrmeleonostenus italicus (Gravenhorts,1829)** (Ichneumonidae) Synonym(s): italicus Gravenhorts,1829 Range (in code): IT TR RU Sb 07 32 62 67
- 15964. Narolskyia chorsov (Narolsky,1990)** (Ichneumonidae) Synonym(s): chorsov Narolsky,1990 Range (in code): AM Cc GG
- 15965. Nemeritis specularis Horstmann,1975** (Ichneumonidae) Synonym(s): specularis Horstmann,1975 Range (in code): TR 05 06 08 14 16 17 37 43 55
- 15966. Nemeritis tuitor Aubert,1986** (Ichneumonidae) Synonym(s): tuitor Aubert,1986 Range (in code): TR 36
- 15967. Neotypus melanocephalus (Gmelin,1790)** (Ichneumonidae) Synonym(s): melanocephalus Gmelin,1790 Range (in code): TR RU Sb 34
- 15968. Neoxorides nitens (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): nitens Gravenhorst,1829 Range (in code): TR UA 34
- 15969. Netelia (Bessobates) latungula (Thomson,1888)** (Ichneumonidae) Synonym(s): latungula Thomson,1888 Range (in code): TR 41
- 15970. Netelia (Bessobates) virgata (Fourcroy,1785)** (Ichneumonidae) Synonym(s): virgata Fourcroy,1785 Range (in code): TR IN
- 15971. Netelia (Paropheltes) beschkovi Kolarov,1994** (Ichneumonidae) Synonym(s): beschkovi Kolarov,1994 Range (in code): TR 50
- 15972. Netelia (Paropheltes) caucasica (Kokujev,1899)** (Ichneumonidae) Synonym(s): caucasica Kokujev,1899 Range (in code): Cc BG RO UA RU PL DE AT FR
- 15973. Netelia (s.str.) fuscicornis (Holmgren,1860)** (Ichneumonidae) Synonym(s): fuscicornis Holmgren,1860; gracilipes Thomson,1888 Range (in code): ES PT FR GB BE NL DE SE FI CH AT IT CZ SK PL HU YU RO RU BG GR TR 31 38 42 65
- 15974. Netelia (s.str.) testacea (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): testacea Gravenhorst,1829; opacula Thomson,1888; melanurus Thomson,1888; fuscicarpus Kokujev,1899 Range (in code): ES PT FR Sa Co BE NL GB DK DE AT CZ SK HU RO RU NO SE FI PL UA BG GR CY TR IN 16 31 34 35 48
- 15975. Netelia (s.str.) valvator Aubert,1968** (Ichneumonidae) Synonym(s): valvator Aubert,1968 Range (in code): TR 35
- 15976. Netelia (Toxochiloides) krishtali Tolkanitz,1971** (Ichneumonidae) Synonym(s): krishtali Tolkanitz,1971 Range (in code): BG UA RU TR SY IR Cc 20
- 15977. Netelia arabs (Strand,1911)** (Ichneumonidae) Synonym(s): arabs Strand,1911 Range (in code): DZ Cn EG IR IL Pa KW LY MA SA SO SD TN
- 15978. Netelia armeniaca Tolkanitz,1971** (Ichneumonidae) Synonym(s): armeniaca Tolkanitz,1971 Range (in code): AM AZ Cc IR
- 15979. Obtusodonta equitatoria (Panzer,1786)** (Ichneumonidae) Synonym(s): equitatoria Panzer,1786 Range (in code): TR Cc IR KG 06 34
- 15980. Odontocolon dentipes (Gmelin,1790)** (Ichneumonidae) Synonym(s): dentipes Gmelin,1790 Range (in code): TR KG RU Kmt 16
- 15981. Olesicampe fulviventris (Gmelin,1790)** (Ichneumonidae) Synonym(s): fulviventris Gmelin,1790 Range (in code): TR 62
- 15982. Olesicampe macellator (Thunberg,1822)** (Ichneumonidae) Synonym(s): macellator Thunberg,1822 Range (in code): TR 06
- 15983. Olesicampe proterva (Brischke,1880)** (Ichneumonidae) Synonym(s): proterva Brischke,1880 Range (in code): TR 25
- 15984. Olesicampe radiella (Thomson,1885)** (Ichneumonidae) Synonym(s): radiella Thomson,1885 Range (in code): TR 25

- 15985. *Opheltes glaucopterus* (Linnaeus,1758)** (Ichneumonidae) Synonym(s): glaucopterus Linnaeus,1758 Range (in code): TR 80
- 15986. *Ophion bipictor* Aubert,1980** (Ichneumonidae) Synonym(s): bipictor Aubert,1980 Range (in code): BE TR IL Pa 58
- 15987. *Ophion longigena* Thomson,1888** (Ichneumonidae) Synonym(s): longigena Thomson,1888 Range (in code): ES FR GB NO SE FI BY RU PL CZ BE NL DE AT IT Sa RO BG TR 26 34
- 15988. *Ophion luteus* (Linnaeus,1758)** (Ichneumonidae) Synonym(s): luteus Linnaeus,1758; fulvus Retzius,1783; distans Thomson,1888; slavicki Kriechbaumer,1892; pictus Kokujev,1906; calcaratus Morley,1915 Range (in code): PT ES FR IE GB NO SE FI EE LT BY RU UA PL CZ SK HU AT CH IT Sa MD RO BG GR CY TR 33 34
- 15989. *Ophion minutus* Kriechbaumer,1879** (Ichneumonidae) Synonym(s): minutus Kriechbaumer,1879 Range (in code): ES FR GB SE BE NL DE PL CZ SK RU AT IT Sa HU MD RO BG TR 06
- 15990. *Ophion mirsa* (Shestakov,1926)** (Ichneumonidae) Synonym(s): mirsa Shestakov,1926 Range (in code): TR
- 15991. *Ophion mocsaryi* Brauns,1889** (Ichneumonidae) Synonym(s): mocsaryi Brauns,1889 Range (in code): BG TR IR 32 33
- 15992. *Ophion obscuratus* Fabricius,1798** (Ichneumonidae) Synonym(s): obscuratus Fabricius,1798; obscurus Fabricius,1804 Range (in code): GB ES FR BE NL NO SE FI DE PL EE RU CZ SK HU AT IT Sa Si MD RO BG GR CY TR 34 38 62
- 15993. *Ophion similis* (Szepligeti,1905)** (Ichneumonidae) Synonym(s): similis Szepligeti,1905 Range (in code): DZ TR
- 15994. *Ophion ventricosus* Gravenhorst,1829** (Ichneumonidae) Synonym(s): impressus Thunberg,1822 (preocc.); ventricosus Gravenhorst,1829 Range (in code): GB TR 32 34
- 15995. *Orthocentrus radialis* Thomson,1897** (Ichneumonidae) Synonym(s): radialis Thomson,1897 Range (in code): TR 34
- 15996. *Orthopelma luteolator* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): luteolator Gravenhorst,1829 Range (in code): TR Cc 26
- 15997. *Osprynchotus pulcherrimus* (Kirby,1900)** (Ichneumonidae) Synonym(s): pulcherrimus Kirby,1900 Range (in code): SA YE
- 15998. *Otlophorus inflammator* Aubert,1970** (Ichneumonidae) Synonym(s): inflammator Aubert,1970 Range (in code): FR TR 31
- 15999. *Pantorhaestes xanthostomus* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): xanthostomus Gravenhorst,1829 Range (in code): TR 06
- 16000. *Parania geniculata* (Holmgren,1857)** (Ichneumonidae) Synonym(s): geniculata Holmgren,1857 Range (in code): TR 25 59
- 16001. *Patrocloides sputator* (Fabricius,1793)** (Ichneumonidae) Synonym(s): semiannulatus Schrank,1776; ferruginosus semiannulator Olivier,1792; Gmelin,1790; sputator Fabricius,1793; nigriventris Berthoumieu,1896; solutus Berthoumieu,1896; aterrimus Strobl,1901; rufatus Kiss,1929; apertus Constantineanu,1942; bimaculatus Constantineanu,1954 Range (in code): AT BE BG HV CZ FI FR DE IT HU LT LV MN NL PL RO RU ES CH TJ UA GB TR 34 41 80
- 16002. *Perilissus dissimilitor* Aubert,1987** (Ichneumonidae) Synonym(s): dissimilitor Aubert,1987 Range (in code): TR 01 23
- 16003. *Perilissus filicornis* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): filicornis Gravenhorst,1829 Range (in code): TR RU Sb
- 16004. *Perilissus lutescens* Holmgren,1855** (Ichneumonidae) Synonym(s): lutescens Holmgren,1855 Range (in code): TR
- 16005. *Perilissus rufoniger* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): rufoniger Gravenhorst,1829 Range (in code): TR RU At 65
- 16006. *Perilissus spilonotus* (Stephens,1835)** (Ichneumonidae) Synonym(s): spilonotus Stephens,1835; dissimilis Woldstedt,1877 Range (in code): TR 38
- 16007. *Perilissus tenebrator* Aubert,1987** (Ichneumonidae) Synonym(s): tenebrator Aubert,1987 Range (in code): TR 30
- 16008. *Perilissus variator* (Müller,1776)** (Ichneumonidae) Synonym(s): variator Müller,1776 Range (in code): TR 25
- 16009. *Perithous divinator* (Rossi,1790)** (Ichneumonidae) Synonym(s): divinator Rossi,1790 Range (in code): TR 59
- 16010. *Perithous scurra* (Panzer,1804)** (Ichneumonidae) Synonym(s): scurra Panzer,1804; mediator Fabricius,1804 Range (in code): TR 06
- 16011. *Perithous septemcinctorius* (Thunberg,1822)** (Ichneumonidae) Synonym(s): septemcinctorius Thunberg,1822 Range (in code): TR 25
- 16012. *Phaenolobus araxicola* Kasparyan,1985** (Ichneumonidae) Synonym(s): araxicola Kasparyan,1985 Range (in code): AZ AM Cc IR

- 16013. Phaenolobus areolator (Constantineanu & Constantineanu,1968)** (Ichneumonidae) Synonym(s): areolator Constantineanu & Constantineanu,1968 Range (in code): ES RO TR Cc AZ RU KG 25 36
- 16014. Phaenolobus cornutus Victorov,1962** (Ichneumonidae) Synonym(s): cornutus Victorov,1962 Range (in code): AM Cc TR 21
- 16015. Phaenolobus fulvicornis (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): fulvicornis Gravenhorst,1829 Range (in code): AL AT BY BG HV CZ FR GG DE Cc HU IR IL Pa IT LT LV MA NL PL PT RO RU Ao YU ES CH GB TR DZ 25
- 16016. Phaenolobus hilali Kolarov & Gürbüz,2010** (Ichneumonidae) Synonym(s): hilali Kolarov & Gürbüz,2010 Range (in code): TR
- 16017. Phaenolobus major Szepligeti,1914** (Ichneumonidae) Synonym(s): major Szepligeti,1914 Range (in code): CZ PL HU TR 06
- 16018. Phaenolobus saltans (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): saltans Gravenhorst,1829 Range (in code): AT HV DE GR HU IR IT MK PL PT RO ES YU UA TR 22 24 25
- 16019. Phaenolobus terebrator (Scopoli,1763)** (Ichneumonidae) Synonym(s): terebrator Scopoli,1763; arator Rossi,1790 Range (in code): AL AT BY BE BG HV CZ FI FR GG Cc DE HU IT KG KP KR LT MD MA NL NO PL RO RU YU ES SE CH UA GB UZ TR 25 34
- 16020. Phaenolobus trochanteralis Çoruh & Kolarov,2013** (Ichneumonidae) Synonym(s): trochanteralis Çoruh & Kolarov,2013 Range (in code): TR
- 16021. Phaeogenes aff. rusticatus Wesmael,1844** (Ichneumonidae) Synonym(s): rusticatus Wesmael,1844 Range (in code): TR 16
- 16022. Phaeogenes corcirensis Berthoumieu,1901** (Ichneumonidae) Synonym(s): corcirensis Berthoumieu,1901 Range (in code): BG TR GR Cc RU
- 16023. Phaeogenes nigridens Wesmael,1844** (Ichneumonidae) Synonym(s): nigridens Wesmael,1844 Range (in code): TR 34
- 16024. Phaeogenes planifrons Wesmael,1844** (Ichneumonidae) Synonym(s): planifrons Wesmael,1844 Range (in code): TR 34
- 16025. Phaestacoenitus bidentator Aubert,1979** (Ichneumonidae) Synonym(s): bidentator Aubert,1979 Range (in code): TR 25
- 16026. Phradis brevis (Brischke,1880)** (Ichneumonidae) Synonym(s): brevis Brischke,1880 Range (in code): RU Cc Sb Us KG MN TR 58
- 16027. Phradis decrescens (Thomson,1889)** (Ichneumonidae) Synonym(s): decrescens Thomson,1889 Range (in code): KG TR Cc 65
- 16028. Phradis minutus (Bridgman,1889)** (Ichneumonidae) Synonym(s): minutus Bridgman,1889 Range (in code): TR Cc 32
- 16029. Phradis morionellus (Holmgren,1860)** (Ichneumonidae) Synonym(s): morionellus Holmgren,1860 Range (in code): TN MD Cc TR RU Sb Us KG
- 16030. Phradis nigrutilus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): nigrutilus Gravenhorst,1829 Range (in code): RU KG TR Sb Us MN 33
- 16031. Phradis rufiventris Horstmann,1980** (Ichneumonidae) Synonym(s): rufiventris Horstmann,1980 Range (in code): TR KG 65
- 16032. Pimpla hypochondriaca (Retzius,1783)** (Ichneumonidae) Synonym(s): hypochondriaca Retzius,1783 Range (in code): TR 06 16 33 50
- 16033. Pimpla illecebrator (Villers,1799)** (Ichneumonidae) Synonym(s): illecebrator Villers,1799 Range (in code): TR Cc KG 06 22 33
- 16034. Pimpla spuria Gravenhorst,1829** (Ichneumonidae) Synonym(s): spuria Gravenhorst,1829 Range (in code): TR Cc KG RU At IR 06 25 41 62
- 16035. Pimpla turionellae (Linnaeus,1758)** (Ichneumonidae) Synonym(s): turionellae Linnaeus,1758; examinator Fabricius,1804 Range (in code): TR 06 16 26 42 50
- 16036. Pion crassipes Holmgren,1857** (Ichneumonidae) Synonym(s): crassipes Holmgren,1857 Range (in code): TR
- 16037. Pion fortipes (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): fortipes Gravenhorst,1829 Range (in code): TR 34
- 16038. Pithotomus rufiventris Kriechbaumer,1888** (Ichneumonidae) Synonym(s): rufiventris Kriechbaumer,1888 Range (in code): RO BG TR RU Cc 34
- 16039. Platylabus ponticus Riedel,2008** (Ichneumonidae) Synonym(s): ponticus Riedel,2008 Range (in code): TR 25
- 16040. Pleolophus brachypterus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): brachypterus Gravenhorst,1829 Range (in code): AZ Cc TR 16 62
- 16041. Poemenia hectica (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): hectica Gravenhorst,1829 Range (in code): TR Cc RU 14
- 16042. Polytribax rufipes (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): rufipes Gravenhorst,1829; curvus Gravenhorst,1829 Range (in code): TR



- 16043. Priopoda stictica (Fabricius,1799)** (Ichneumonidae) Synonym(s): stictica Fabricius,1799 Range (in code): TR DZ o6
- 16044. Pristomerus arabicus Horstmann,1990** (Ichneumonidae) Synonym(s): arabicus Horstmann,1990 Range (in code): OM
- 16045. Pristomerus areolaris Narolsky,1987** (Ichneumonidae) Synonym(s): areolaris Narolsky,1987 Range (in code): Cc AZ RU Ao
- 16046. Pristomerus armatus (Lucas,1849)** (Ichneumonidae) Synonym(s): armatus Lucas,1849; cingulatus Szepligeti,1905 Range (in code): DZ SE DE BE FR Co CH IT HU RO BG GR RU Sb DZ TR Cc AM GG 22 39 59
- 16047. Pristomerus herbaicator Aubert,1979** (Ichneumonidae) Synonym(s): herbaicator Aubert,1979 Range (in code): IL Pa
- 16048. Pristomerus kasparyani Narolsky,1986** (Ichneumonidae) Synonym(s): kasparyani Narolsky,1986 Range (in code): FR BG TR UA Cm HU 33
- 16049. Pristomerus mesopotamicus Horstmann,1990** (Ichneumonidae) Synonym(s): mesopotamicus Horstmann,1990 Range (in code): IQ Mos
- 16050. Pristomerus vulnerator (Panzer,1799)** (Ichneumonidae) Synonym(s): vulnerator Panzer,1799; schreineri Ashmead,1904; #marginalis Habermehl,1923 Range (in code): SE GB DE FR Co PL RO HU RU Sb KP KR JP IT Si GR TR IN CN 16 22 38 55
- 16051. Probles (Euporizon) exilis (Holmgren,1860)** (Ichneumonidae) Synonym(s): exilis Holmgren,1860 Range (in code): TR o1
- 16052. Probles (Euporizon) rufipes (Holmgren,1860)** (Ichneumonidae) Synonym(s): rufipes Holmgren,1860 Range (in code): TR RU Sb 61
- 16053. Probles (Microdiaparsis) anatolicus Hortsman,1980** (Ichneumonidae) Synonym(s): anatolicus Hortsman,1980 Range (in code): TR RU Cc Kr GG AM Eri 53 59 61
- 16054. Probles (Microdiaparsis) caudiculatus Khalaim,2007** (Ichneumonidae) Synonym(s): caudiculatus Khalaim,2007 Range (in code): TR 25
- 16055. Probles (Microdiaparsis) neoversutus (Horstmann,1967)** (Ichneumonidae) Synonym(s): neoversutus Horstmann,1967 Range (in code): RU Us TR 37
- 16056. Probles (Rugodiaparsis) sp.** (Ichneumonidae) Synonym(s): Range (in code): TR 38
- 16057. Probles (s.str.) erythrostomus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): erythrostomus Gravenhorst,1829 Range (in code): TR o3 o7
- 16058. Probles (s.str.) flavipes (Szepligeti,1899)** (Ichneumonidae) Synonym(s): flavipes Szepligeti,1899 Range (in code): TR 61
- 16059. Promethes sulcator (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): sulcator Gravenhorst,1829 Range (in code): TR o6
- 16060. Protichneumon coqueberti (Wesmael,1848)** (Ichneumonidae) Synonym(s): coqueberti Wesmael,1848 Range (in code): TR IR 25
- 16061. Protichneumon fusorius (Linnaeus,1761)** (Ichneumonidae) Synonym(s): fusorius Linnaeus,1761; fuscus Linnaeus,1767; italicus Rudow,1888; persicus Morley,1915; obscuratus Habermehl,1916 Range (in code): TR IR o8 25
- 16062. Protichneumon similatorius (Fabricius,1798)** (Ichneumonidae) Synonym(s): similatorius Fabricius,1798 Range (in code): IR
- 16063. Pycnocyrtodes reticulator Aubert,1971** (Ichneumonidae) Synonym(s): reticulator Aubert,1971 Range (in code): CY TR 32
- 16064. Pycnocyrtus claviventris Kriechbaumer,1894** (Ichneumonidae) Synonym(s): claviventris Kriechbaumer,1894 Range (in code): TR 63
- 16065. Pycnocyrtus rarus (Habermehl,1920)** (Ichneumonidae) Synonym(s): rarus Habermehl,1920 Range (in code): TR 14
- 16066. Pygmaeolus turcicus Kolarov,1993** (Ichneumonidae) Synonym(s): turcicus Kolarov,1993; #turicus Kolarov,1993 Range (in code): TR o6
- 16067. Pyracmon nactor Aubert,1986** (Ichneumonidae) Synonym(s): nactor Aubert,1986 Range (in code): TR 30
- 16068. Rhyssa persuasoria (Linnaeus,1758)** (Ichneumonidae) Synonym(s): persuasoria Linnaeus,1758 Range (in code): TR 16 34
- 16069. Scambus (Atelophadnus) rufator Aubert,1963** (Ichneumonidae) Synonym(s): rufator Aubert,1963 Range (in code): FR YU BG TR RU
- 16070. Scambus (Endromopoda) detritus (Holmgren,1960)** (Ichneumonidae) Synonym(s): detritus Holmgren,1960 Range (in code): TR 62
- 16071. Scambus (s.str.) brevicornis (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): brevicornis Gravenhorst,1829 Range (in code): TR TN US MN 34
- 16072. Scambus (s.str.) calobatus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): calobatus Gravenhorst,1829 Range (in code): TN TR RU Ur TR

- 16073. Scambus (s.str.) elegans (Woldstedt,1877)** (Ichneumonidae) Synonym(s): elegans Woldstedt,1877 Range (in code): TR Cc UA Cm 16 35
- 16074. Scambus (s.str.) pomorum (Ratzeburg,1848)** (Ichneumonidae) Synonym(s): pomorum Ratzeburg,1848 Range (in code): TR Cc 35
- 16075. Scolobates nigripennis Sichel,1860** (Ichneumonidae) Synonym(s): nigripennis Sichel,1860 Range (in code): TR UA Cm Cc 80
- 16076. Sinarachna anomala (Holmgren,1860)** (Ichneumonidae) Synonym(s): anomala Holmgren,1860 Range (in code): TR
- 16077. Sinophorus nigritellus (Thomson,1887)** (Ichneumonidae) Synonym(s): nigritellus Thomson,1887 Range (in code): TR
- 16078. Sinophorus pleuralis (Thomson,1887)** (Ichneumonidae) Synonym(s): pleuralis Thomson,1887 Range (in code): TR RU Sb 34
- 16079. Sinophorus sticticale Sanborne,1984** (Ichneumonidae) Synonym(s): sticticale Sanborne,1984 Range (in code): TR KG Aa UZ
- 16080. Sinophorus xanthostomus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): xanthostomus Gravenhorst,1829 Range (in code): DZ TR CY IL Pa JO Cc AM IR SA
- 16081. Spilichneumon occisorius (Fabricius,1793)** (Ichneumonidae) Synonym(s): occisorius Fabricius,1793 Range (in code): ES GB NO DK DE PL RU UA CZ BE NL FR CH IT Si HU MD RO BG TR 65
- 16082. Stenarella domator (Poda,1761)** (Ichneumonidae) Synonym(s): domator Poda,1761; gladiator Fahringer,1922 Range (in code): TR CY 34
- 16083. Stenerella domator (Poda,1761)** (Ichneumonidae) Synonym(s): domator Poda,1761 Range (in code): TR 32
- 16084. Stenomacrus affinator Aubert,1981** (Ichneumonidae) Synonym(s): affinator Aubert,1981 Range (in code): TR 06 34
- 16085. Stilpnus adanensis Kolarov & Beyarslan,1994** (Ichneumonidae) Synonym(s): adanensis Kolarov & Beyarslan,1994 Range (in code): TR 01
- 16086. Strongylopsis abdominalis Kasparyan,1974** (Ichneumonidae) Synonym(s): abdominalis Kasparyan,1974 Range (in code): BG HU RO RU Cc TR 41
- 16087. Sympherta fuscicornis (Gmelin,1790)** (Ichneumonidae) Synonym(s): fuscicornis Gmelin,1790 Range (in code): NL DE SE PL RU TR
- 16088. Synechocryptus mactator (Tschek,1870)** (Ichneumonidae) Synonym(s): mactator Tschek,1870 Range (in code): TR Cc 34
- 16089. Synomelix albipes (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): albipes Gravenhorst,1829 Range (in code): SE FI GB DE FR IT BG TR
- 16090. Syrphoctonus bifoveolatus (Kriechbaumer,1895)** (Ichneumonidae) Synonym(s): bifoveolatus Kriechbaumer,1895 Range (in code): TR 01
- 16091. Syrphoctonus signatus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): signatus Gravenhorst,1829 Range (in code): TR 06
- 16092. Syrphoctonus tarsatorius (Panzer,1809)** (Ichneumonidae) Synonym(s): tarsatorius Panzer,1809 Range (in code): TR 06 35
- 16093. Syrphophilus bizonatus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): bizonatus Gravenhorst,1829 Range (in code): TR 06 25 34 42
- 16094. Syzeuctus tenuifasciatus Schmiedeknecht,1900** (Ichneumonidae) Synonym(s): tenuifasciatus Schmiedeknecht,1900 Range (in code): TR
- 16095. Syzeuctus turcator Aubert,1984** (Ichneumonidae) Synonym(s): turcator Aubert,1984 Range (in code): TR 42
- 16096. Temelucha afghana Sedivy,1968** (Ichneumonidae) Synonym(s): afghana Sedivy,1968 Range (in code): TR AF
- 16097. Temelucha anatolica (Sedivy,1959)** (Ichneumonidae) Synonym(s): anatolica Sedivy,1959 Range (in code): TN TR FR GG Cc IL Pa Da RU TM 01 07 33
- 16098. Temelucha annulata (Szepligeti,1899)** (Ichneumonidae) Synonym(s): annulata Szepligeti,1899; brevicornis Kolarov & Beyarslan,1999 Range (in code): AT BG CZ FR GR MD PL RO YU SE TR 39 58
- 16099. Temelucha arenosa (Szepligeti,1900)** (Ichneumonidae) Synonym(s): arenosa Szepligeti,1900 Range (in code): TR BG CZ FR Co DE HU IR GB LT MK NL PL RO ES SE YU 01 25 27 46
- 16100. Temelucha brevipetiolata Kolarov,1989** (Ichneumonidae) Synonym(s): brevipetiolata Kolarov,1989 Range (in code): BG TR 59
- 16101. Temelucha caudata (Szepligeti,1899)** (Ichneumonidae) Synonym(s): caudata Szepligeti,1899; oculata Szepligeti,1899; gallicator Aubert,1960 Range (in code): AT BG HV CZ FR HU IT IR LT RU Da Cc ES TR 22
- 16102. Temelucha confluens (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): confluens Gravenhorst,1829 Range (in code): TR AT BE BG HV CZ FI FR Co DE HU IL Pa IT Si LT MD NL PL RO RU ES SE YU 25 38 39

- 16103. Temelucha decorata (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): decorata Gravenhorst,1829; ornatus Szepligeti,1900 Range (in code): TR AZ Cc MD DK 01 54
- 16104. Temelucha discoidalis (Szepligeti,1899)** (Ichneumonidae) Synonym(s): discoidalis Szepligeti,1899 Range (in code): BG CZ FR DE HU IR PL RO RU ES TR YU
- 16105. Temelucha genalis (Szepligeti,1899)** (Ichneumonidae) Synonym(s): genalis Szepligeti,1899; rostrata Abidinbekova,1965 Range (in code): AM Cc AZ BG CZ DE HU IT Si LT MD PL ES TR 22 32
- 16106. Temelucha interruptor (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): interruptor Gravenhorst,1829; buoliana Curtis,1854 Range (in code): AT BE B-H BG HV CZ DK FI FR DE IT IR LT LV MK MD MN NL NO PL RO RU YU SE TR UA GB 39
- 16107. Temelucha lucida (Szepligeti,1899)** (Ichneumonidae) Synonym(s): lucida Szepligeti,1899 Range (in code): BG CZ GR HU IT IR MD RO RU At Da Cc TR
- 16108. Temelucha meridionellator Aubert,1981** (Ichneumonidae) Synonym(s): meridionellator Aubert,1981 Range (in code): MT TR IL Pa 36 63
- 16109. Temelucha observator Aubert,1966** (Ichneumonidae) Synonym(s): observator Aubert,1966 Range (in code): TN RO TR IL Pa EG 09
- 16110. Temelucha ophthalmica (Holmgren,1860)** (Ichneumonidae) Synonym(s): ophthalmica Holmgren,1860; macrostigma Thomson,1890 Range (in code): AT BE BG HV CZ FR Co HU IT PL RO SE GB TR 39
- 16111. Temelucha persicator Horstmann & Yu,1999** (Ichneumonidae) Synonym(s): persicator Horstmann & Yu,1999 Range (in code): IR SA
- 16112. Temelucha schoenobia (Thomson,1890)** (Ichneumonidae) Synonym(s): schoenobia Thomson,1890; caucasica Kokujev,1912 Range (in code): Cc BG CZ FI HU IR PL RO RU Us SE TR TM 07
- 16113. Temelucha tricolorata Sedivy,1968** (Ichneumonidae) Synonym(s): tricolorata Sedivy,1968 Range (in code): AF IR TR Cn
- 16114. Temelucha tuberculata (homonym)** (Ichneumonidae) Synonym(s): tuberculata Kolarov & Beyarslan,1999 nec Dasch,1979 Range (in code): TR 23
- 16115. Temelucha turcata Kolarov & Beyarslan,1999** (Ichneumonidae) Synonym(s): turcata Kolarov & Beyarslan,1999 Range (in code): TR 63
- 16116. Temelucha variipes (Szepligeti,1899)** (Ichneumonidae) Synonym(s): variipes Szepligeti,1899 Range (in code): AT B-H BG CZ DK DE HU IT Si LT MD MN RO YU ES SE TR
- 16117. Tersilochus (Gonolochus) caudatus (Holmgren,1860)** (Ichneumonidae) Synonym(s): caudatus Holmgren,1860 Range (in code): TR 22 25
- 16118. Tersilochus (Gonolochus) nitens Horstmann & Kolarov,1988** (Ichneumonidae) Synonym(s): nitens Horstmann & Kolarov,1988 Range (in code): AT BG UA TR Cm Cc Kr RU 24 37
- 16119. Tersilochus (Gonolochus) rugulosus Horstmann,1980** (Ichneumonidae) Synonym(s): rugulosus Horstmann,1980 Range (in code): TR GB IT SS 03
- 16120. Tersilochus (s.str.) cognatus Holmgren,1860** (Ichneumonidae) Synonym(s): cognatus Holmgren,1860 Range (in code): TR KG 22
- 16121. Tersilochus (s.str.) heterocerus (Thomson,1889)** (Ichneumonidae) Synonym(s): heterocerus Thomson,1889 Range (in code): Cc GG TR 16
- 16122. Tersilochus (s.str.) obscurator (Aubert,1959)** (Ichneumonidae) Synonym(s): obscurator Aubert,1959 Range (in code): TR 06 22 25 42
- 16123. Tersilochus (s.str.) triangularis (Gravenhorst,1807)** (Ichneumonidae) Synonym(s): triangularis Gravenhorst,1807 Range (in code): TR 03 22
- 16124. Tersilochus (s.str.) tripartitus (Brischke,1880)** (Ichneumonidae) Synonym(s): tripartitus Brischke,1880 Range (in code): TR 22 25
- 16125. Therion circumflexum (Linnaeus,1758)** (Ichneumonidae) Synonym(s): circumflexum Linnaeus,1758 Range (in code): TR IN CN 06 25 34 36 42
- 16126. Therion tarsatum (Shestakov,1923)** (Ichneumonidae) Synonym(s): tarsatum Shestakov,1923 Range (in code): TR KG 25
- 16127. Theronia atalantae (Poda,1761)** (Ichneumonidae) Synonym(s): atalantae Poda,1761 Range (in code): TR Cc TM 06 33
- 16128. Theroscopus hemipterus (Fabricius,1793)** (Ichneumonidae) Synonym(s): hemipterus Fabricius,1793 Range (in code): TR 42
- 16129. Theroscopus subzonatus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): subzonatus Gravenhorst,1829 Range (in code): TR 06
- 16130. Thibetoides acerbus Victorov,1964** (Ichneumonidae) Synonym(s): acerbus Victorov,1964 Range (in code): TR Cc RU 32
- 16131. Thrybius praedator (Rossi,1792)** (Ichneumonidae) Synonym(s): praedator Rossi,1792; drewseni Thomson,1873 Range (in code): TR 34
- 16132. Trathala hieronchotica (Schmiedeknecht,1910)** (Ichneumonidae) Synonym(s): hieronchotica Schmiedeknecht,1910; europeator Aubert,1964; romanica Sedivy,1965 Range (in code): BG EG FR IR IL Pa MA RO RU Cc Da TR 01



- 16133. *Trematopygus triangulator* Aubert,1981** (Ichneumonidae) Synonym(s): *triangulator* Aubert,1981  
Range (in code): IL Pa TR
- 16134. *Trichomma enecator* (Rossi,1790)** (Ichneumonidae) Synonym(s): *enecator* Rossi,1790 Range (in code): TR 06 40
- 16135. *Triclistus lativentris* Thomson,1887** (Ichneumonidae) Synonym(s): *lativentris* Thomson,1887  
Range (in code): TR Cc 61
- 16136. *Triclistus podagricus* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *podagricus* Gravenhorst,1829 Range (in code): TR 69
- 16137. *Trieces tricarinatus* (Holmgren,1856)** (Ichneumonidae) Synonym(s): *tricarinatus* Holmgren,1856 Range (in code): TR Cc KG 33 61
- 16138. *Triptognathus atripes* (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): *atripes* Gravenhorst,1820; *uniguttatus* Gravenhorst,1829 Range (in code): TR 38
- 16139. *Triptognathus unidentatus* (Berthoumieu,1894)** (Ichneumonidae) Synonym(s): *unidentatus* Berthoumieu,1894 Range (in code): TR 25 51
- 16140. *Tromatobia oculatoria* (Fabricius,1798)** (Ichneumonidae) Synonym(s): *oculatoria* Fabricius,1798 Range (in code): TR 11 25 32
- 16141. *Tromatobia ornata* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *ornata* Gravenhorst,1829  
Range (in code): AZ Cc IL Pa PK KG TR 10 32 62
- 16142. *Tromatobia variabilis* (Holmgren,1856)** (Ichneumonidae) Synonym(s): *variabilis* Holmgren,1856 Range (in code): TR 06 11 32
- 16143. *Trychosis atripes* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *atripes* Gravenhorst,1829  
Range (in code): TR 32
- 16144. *Trychosis legator* (Thunberg,1824)** (Ichneumonidae) Synonym(s): *legator* Thunberg,1824  
Range (in code): TR TJ 15 25 32 62
- 16145. *Trychosis neglecta* (Tschek,1870)** (Ichneumonidae) Synonym(s): *neglecta* Tschek,1870 Range (in code): TR 01 16 32
- 16146. *Trychosis pauper* (Tschek,1871)** (Ichneumonidae) Synonym(s): *pauper* Tschek,1871 Range (in code): TR 25 32 62
- 16147. *Trychosis priesneri* Rossem,1971** (Ichneumonidae) Synonym(s): *priesneri* Rossem,1971 Range (in code): TR FR CH AT PL YU GR 07 32 42
- 16148. *Trychosis trisator* (Tschek,1871)** (Ichneumonidae) Synonym(s): *trisator* Tschek,1871 Range (in code): TR 32 62
- 16149. *Tryphon* (s.str.) *rutilator* (Linnaeus,1761)** (Ichneumonidae) Synonym(s): *rutilator* Linnaeus,1761 Range (in code): TR IR Cc 33 34
- 16150. *Tryphon* (s.str.) *signator* Gravenhorst,1829** (Ichneumonidae) Synonym(s): *signator* Gravenhorst,1829 Range (in code): TR RU Sb Ya 34
- 16151. *Tryphon* (s.str.) *trochanteratus* Holmgren,1855** (Ichneumonidae) Synonym(s): *trochanteratus* Holmgren,1855 Range (in code): Cc KG TR RU Sb 34
- 16152. *Tryphon* (s.str.) *zavreli* Gregor,1939** (Ichneumonidae) Synonym(s): *zavreli* Gregor,1939 Range (in code): HU BG TR Cc KG 06
- 16153. *Tryphon auricularis* Thomson,1883** (Ichneumonidae) Synonym(s): *auricularis* Thomson,1883  
Range (in code): KG TR RU To
- 16154. *Venturia anatolica* Horstmann,1986** (Ichneumonidae) Synonym(s): *anatolica* Horstmann,1986  
Range (in code): TR 08
- 16155. *Venturia canescens* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *canescens* Gravenhorst,1829 Range (in code): TR Cc RU 01
- 16156. *Xenoschesis* (s.str.) *fulvipes* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *fulvipes* Gravenhorst,1829 Range (in code): TR 34
- 16157. *Xorides* (Gonophonus) *annulator* (Fabricius,1804)** (Ichneumonidae) Synonym(s): *annulator* Fabricius,1804 Range (in code): UA Cm TR
- 16158. *Xorides* (Moerophora) *rufipes* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *rufipes* Gravenhorst,1829 Range (in code): TR Cc
- 16159. *Xorides* (s.str.) *filiformis* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *filiformis* Gravenhorst,1829 Range (in code): TR 16 34
- 16160. *Xorides* (s.str.) *fuligator* (Thunberg,1822)** (Ichneumonidae) Synonym(s): *fuligator* Thunberg,1822 Range (in code): Cc Da RU TR BG
- 16161. *Xorides* (s.str.) *gracilicornis* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *gracilicornis* Gravenhorst,1829 Range (in code): TR 32
- 16162. *Xorides* (s.str.) *gravenhorstii* (Curtis,1831)** (Ichneumonidae) Synonym(s): *gravenhorstii* Curtis,1831; *securicornis* Holmgren,1860; *seticornis* Strobl,1902 Range (in code): Cc TR
- 16163. *Xorides* (s.str.) *praecatorius* (Fabricius,1793)** (Ichneumonidae) Synonym(s): *praecatorius* Fabricius,1793 Range (in code): CN TR 78

- 16164. *Xylophrurus angustus* (Dalman,1823)** (Ichneumonidae) Synonym(s): *angustus* Dalman,1823  
Range (in code): TR TN 62
- 16165. *Zabrachypus primus* Cushman,1920** (Ichneumonidae) Synonym(s): *primus* Cushman,1920  
Range (in code): TR 25 62
- 16166. *Zabrachypus tenuiabdominalis* (Uchida,19141)** (Ichneumonidae) Synonym(s): *tenuiabdominalis* Uchida,19141 Range (in code): RU Cc TR JP 14 37 74
- 16167. *Zaglyptus varipes* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *varipes* Gravenhorst,1829  
Range (in code): TR 06
- 16168. *Zaplethocornia procurator* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *procurator* Gravenhorst,1829; *asiaminor* Aubert,1989 Range (in code): TR 25
- 16169. *Zatypota bohemani* (Holmgren,1854)** (Ichneumonidae) Synonym(s): *bohemani* Holmgren,1854  
Range (in code): TR Cc AM KG Aa TJ US 34
- 16170. *Zatypota percontatoria* (Müller,1776)** (Ichneumonidae) Synonym(s): *percontatoria* Müller,1776  
Range (in code): TR 14 37
- 16171. *Leucospis bifasciata* Klug,1814** (Leucospidae) Synonym(s): *bifasciata* Klug,1814; *gibba* Klug,1814  
Range (in code): AL AZ Cc B-H HV CY FR GR IL Pa IT JO LB ES SY TR TJ TM UA RU UZ YU 08 33 42 76
- 16172. *Leucospis biguetina* Jurine,1807** (Leucospidae) Synonym(s): *biguetina* Jurine,1807; *parvicauda* Mocsary,1879 Range (in code): DZ AT B-H HV CZ FR Co HU IL Pa IT Si MA RU SK SS ES CH YU TR 04 08 10 25 44 58 65
- 16173. *Leucospis brevipoda* Fabricius,1804** (Leucospidae) Synonym(s): *brevipoda* Fabricius,1804; *grohmanni* Spinola,1838; *clavata* Westwood,1839; *fabricii* Westwood,1839; *torquata* Costa,1882 Range (in code): DZ IT Sa Si MA TN TR
- 16174. *Leucospis dorsigera* (Fabricius,1775)** (Leucospidae) Synonym(s): *dorsigera* Fabricius,1775; *passaviensis* Schrank,1782; *coelogaster* Hochenwarth,1785; *dubia* Schrank,1802; *dispar* Fabricius,1804; *algorica* Walker,1862; *turkestanica* Radoszkowski,1886 Range (in code): TR AF DZ AT BG Cc HV CY CZ EG FR DE GR HU IR IL Pa IT Si KG MK MD PL RO SK SS ES CH TM UA YU 04 06 08 09 13 16 25 26 30 31 33 39 42 44 46 47 48 50 51 54 55 63 65 76 80
- 16175. *Leucospis elegans* Klug,1834** (Leucospidae) Synonym(s): *elegans* Klug,1834 Range (in code): EG SD SA PK AE OM YE
- 16176. *Leucospis gigas* (Fabricius,1793)** (Leucospidae) Synonym(s): *gigas* Fabricius,1793; *grandis* Klug,1814; *varia* Klug,1814; *shuckardi* Westwood,1834; *rufonotata* Westwood,1839; *quaettaensis* Cameron,1906; *nursei* Cameron,1906 Range (in code): TR AF AT B-H Cc HV CZ FR Co DE GR HU IR IL Pa IT Si JO MK PK Bl Qu RU SS CH SK CH TN UA US Nj 07 08 25 35 36 51 58 63 65 76
- 16177. *Leucospis insularis* Kirby,1900** (Leucospidae) Synonym(s): *insularis* Kirby,1900 Range (in code): Sk YE
- 16178. *Leucospis intermedia* Illiger,1807** (Leucospidae) Synonym(s): *intermedia* Illiger,1807; *aculeata* Klug,1814; *frenata* Klug,1834; *hoplophora* Förster,1851; *sardoa* Costa,1888 Range (in code): TR AT Cc HV CY CZ EG FR DE GR HU IL Pa IT Sa Si SK ES CH UA RU 04 13 25 33 35 43 46 47 50 58 63 65
- 16179. *Leucospis namibica* Boucek,1974** (Leucospidae) Synonym(s): *namibica* Boucek,1974 Range (in code): NA BW YE
- 16180. *Leucospis vanharteni* Schmid-Egger,2010** (Leucospidae) Synonym(s): *vanharteni* Schmid-Egger,2010 Range (in code): AE
- 16181. *Aglaoapis tridentata* (Nylander,1848)** (Megachilidae) Synonym(s): *tridentata* Nylander,1848  
Range (in code): CY TR
- 16182. *Allodioxys schulthessi* (Popov,1936)** (Megachilidae) Synonym(s): *schulthessi* Popov,1936 Range (in code): TR 63
- 16183. *Anthidium (Anthidiellum) breviusculum* Pérez,1890** (Megachilidae) Synonym(s): *breviusculum* Pérez,1890; *troodicum* Mavromoustakis,1949 Range (in code): FR CY GR Rd LB IL Pa Js TR TN 06 09 17 33 42 50 63
- 16184. *Anthidium (Anthidiellum) strigatum* (Panzer,1805)** (Megachilidae) Synonym(s): *strigatum* Panzer,1805; *contractum* Latreille,1809; *frontale* Lepeletier,1841; *minusculum* Nylander,1852; *coronatum* Dufour,1853; *decoratum* Chevrier,1872; *luteum* Friese,1897; *rubellum* Friese,1917; *cyrenaicum* Gribodo,1924; *pauperculum* Cockerell,1928; *crassepunctatum* Popov,1935; *palaestinense* Alfken,1935; *ibericum* Alfken,1936; *judaicum* Alfken,1936; *humale* Alfken,1936 Range (in code): MA TN DZ LY Cy ES FI CH RU Sb Us YU TR GR Cr Nv Ord Cc AZ TM Kp TJ CY IL Pa IQ 06 07 08 09 17 18 25 31 32 33 35 42 45 46 48 50 55 63 70
- 16185. *Anthidium (Archanthidium) forcipatum* Morawitz,1875** (Megachilidae) Synonym(s): *forcipatum* Morawitz,1875; *edentatum* Friese,1931 Range (in code): TJ TR 25 31
- 16186. *Anthidium (Archanthidium) laticeps* Morawitz,1873** (Megachilidae) Synonym(s): *laticeps* Morawitz,1873; *fasciatellum* Friese,1917; *anatolicum* Mavromoustakis,1939 Range (in code): GR Ae Le TR AL DZ YU 06 31 33
- 16187. *Anthidium (Exanthidium) eximium* Giraud,1863** (Megachilidae) Synonym(s): *eximium* Giraud,1863; *excisum* Mocsary,1884 Range (in code): FR IT ES BG Cc AM Eri TR IR 25 36
- 16188. *Anthidium (Exanthidium) wahrmannicum* Mavromoustakis,1933** (Megachilidae) Synonym(s): *wahrmannicum* Mavromoustakis,1933 Range (in code): IL Pa

- 16189. Anthidium (Icteranthidium) abbasi Warncke,1981** (Megachilidae) Synonym(s): abbasi Warncke,1981 Range (in code): IR
- 16190. Anthidium (Icteranthidium) aequabile Morawitz,1896** (Megachilidae) Synonym(s): aequabile Morawitz,1896 Range (in code): Cc AZ Nv Ord TR 63
- 16191. Anthidium (Icteranthidium) angulosum Warncke,1981** (Megachilidae) Synonym(s): angulosum Warncke,1981 Range (in code): IR
- 16192. Anthidium (Icteranthidium) capitum Warncke,1981** (Megachilidae) Synonym(s): capitum Warncke,1981 Range (in code): IR
- 16193. Anthidium (Icteranthidium) cimbiciforme (Smith,1854)** (Megachilidae) Synonym(s): cimbiciforme Smith,1854; bartholomei Radoszkowski,1862 Range (in code): IT Si AL SY LB IR GR Cc TR KG RU DZ 04 06 07 13 24 25 26 30 33 44 50 58 65
- 16194. Anthidium (Icteranthidium) croceum Morawitz,1878** (Megachilidae) Synonym(s): croceum Morawitz,1878 Range (in code): Cc RU
- 16195. Anthidium (Icteranthidium) decoloratum Alfken,1932** (Megachilidae) Synonym(s): decoloratum Alfken,1932; paraequabile Popov,1967 Range (in code): EG IR
- 16196. Anthidium (Icteranthidium) fedtschenkoi Morawitz,1875** (Megachilidae) Synonym(s): fedtschenkoi Morawitz,1875; transcasicum Lebedev,1923; reinigi Alfken,1931; tadjicum Popov,1935 Range (in code): UZ TM LB SY IR TJ Pm
- 16197. Anthidium (Icteranthidium) ferrugineum (Fabricius,1787)** (Megachilidae) Synonym(s): ferrugineum Fabricius,1787; discoidale Latreille,1809 Range (in code): ES EG SA TM MR SY TR IL Pa CY IR 33 38 70
- 16198. Anthidium (Icteranthidium) grohmanni Spinola,1838** (Megachilidae) Synonym(s): grohmanni Spinola,1838; latreillii Lepeletier,1841; rubiginosum Lepeletier,1841; provinciale Lepeletier,1841; comptum Lepeletier,1841; numidum Lepeletier,1841; lepeletieri Fonscolombe,1846; klugi Lucas,1849; coronatum Smith,1854 (praeocc.); obscurum Dusmet,1908 (praeocc.); tergale Pasteels,1969. Range (in code): FR ES DZ AL MA EG FR IT HV CY GR Cr IL Pa LB PT BG TR SY AZ Cc Nv Ord 05 06 07 24 25 38 42 50 63
- 16199. Anthidium (Icteranthidium) hauseri Warncke,1980** (Megachilidae) Synonym(s): hauseri Warncke,1980 Range (in code): TM
- 16200. Anthidium (Icteranthidium) laterale Latreille,1809** (Megachilidae) Synonym(s): laterale Latreille,1809; scutellare Latreille,1809; quadrilobum Lepeletier,1841; auripes Eversmann,1852; annulare Schenck,1868; sexmaculatum Chevrier,1872; perrisii Dours,1873; ifrancium Cockerell,1931; confluens Alfken,1931 Range (in code): MA ES FR AT CH HU UA Ur BG Cc TR IR Elb Dam TM RU Bs At CN Ui 25
- 16201. Anthidium (Icteranthidium) limbiferum Morawitz,1875** (Megachilidae) Synonym(s): limbiferum Morawitz,1875 Range (in code): UZ TR Cc 25 44 63
- 16202. Anthidium (Icteranthidium) nitens Morawitz,1896** (Megachilidae) Synonym(s): nitens Morawitz,1896 Range (in code): TM
- 16203. Anthidium (Icteranthidium) obsoletum Warncke,1981** (Megachilidae) Synonym(s): obsoletum Warncke,1981 Range (in code): IR
- 16204. Anthidium (Icteranthidium) ovasi Warncke,1980** (Megachilidae) Synonym(s): ovasi Warncke,1980 Range (in code): TR 38 65 69
- 16205. Anthidium (Icteranthidium) subangulosum Warncke,1981** (Megachilidae) Synonym(s): subangulosum Warncke,1981 Range (in code): IR
- 16206. Anthidium (Icteranthidium) urfanum Warncke,1980** (Megachilidae) Synonym(s): urfanum Warncke,1980 Range (in code): TR IR Kz Fa Ke 63
- 16207. Anthidium (Mesanthidium) alternans Klug,1832** (Megachilidae) Synonym(s): alternans Klug,1832; karschi Friese,1899; doederlini Friese,1917; dusmeti Mavromoustakis,1947; lividum Benoist,1950; flavissimum Pasteels,1969 Range (in code): DZ MA SA EG IL Pa
- 16208. Anthidium (Mesanthidium) cardueae Morawitz,1876** (Megachilidae) Synonym(s): cardueae Morawitz,1876; controversum Radoszkowski,1886; malacopygum Gribodo,1894; konowi Friese,1897; zonulum Alfken,1935 Range (in code): Cc RU TM TR IL Js Pa BG SY DZ ES 04 06 13 16 24 25 33 38 42 63
- 16209. Anthidium (Mesanthidium) lebanense Mavromoustakis,1955** (Megachilidae) Synonym(s): lebanense Mavromoustakis,1955; nigritum Pasteels,1969 Range (in code): LB IL Pa TR 13 60
- 16210. Anthidium (Mesanthidium) malacopygum (Gribodo,1894)** (Megachilidae) Synonym(s): malacopygum Gribodo,1894 Range (in code): GR Ae Le TR 16 25
- 16211. Anthidium (Mesanthidium) pusillum Morawitz,1895** (Megachilidae) Synonym(s): pusillum Morawitz,1895; mochii Mavromoustakis,1956 Range (in code): TM SY TR Cc LB IL Pa IR EG 30
- 16212. Anthidium (Oxyanthidium) aculeatum Klug,1832** (Megachilidae) Synonym(s): aculeatum Klug,1832; uncatum Mocsary,1887 nec Schr.,1802 Range (in code): SY LB TR IR Elb 08 16 25
- 16213. Anthidium (Paraanthidium) dumerlei Warncke,1980** (Megachilidae) Synonym(s): dumerlei Warncke,1980 Range (in code): GR TR 30 33 42
- 16214. Anthidium (Paraanthidium) interruptum (Fabricius,1781)** (Megachilidae) Synonym(s): interruptum Fabricius,1781; rufipes Fabricius,1787 nec Fabr.,1781; varia Olivier,1789; erythropus Gmelin,1790; flavilabre Latreille,1809; dufouri Lepeletier,1841; liteipes Lepeletier,1841; integrum Eversmann,1852; curvipes Smith,1872;



- melanostomum Costa, 1884; foliivolutor Fertton, 1921 Range (in code): **FR RU CH IT Sa DZ TN GR ES PT MK YU Cc TR 06 07 10 16 17 24 25 26 32 33 36 42 46 50 63 66 73**
- 16215. Anthidium (Proanthidium) anguliventre Morawitz, 1888** (Megachilidae) Synonym(s): anguliventre Morawitz, 1888; arabicum Pasteels, 1969; intermedium Pasteels, 1969 Range (in code): **OM TM PK Qu BI IR IL Pa Js SY TR 63**
- 16216. Anthidium (Proanthidium) eremicum Alfken, 1938** (Megachilidae) Synonym(s): eremicum Alfken, 1938; aleppense Mavromoustakis, 1954 Range (in code): **SY Hal IL Pa**
- 16217. Anthidium (Proanthidium) oblongatum (Illiger, 1806)** (Megachilidae) Synonym(s): oblongatum Illiger, 1806; oblongatum Latreille, 1809; trochantericum Morawitz, 1894; nigrum Friese, 1897; luteum Dusmet, 1915 nec Fr., 1897; xanthurum Cockerell, 1925; australe Alfken, 1937; flavens Moczar, 1956; tornense Tkalcu, 1966; berberum Warncke, 1980 Range (in code): **MA AT PT ES HU IT CZ Cc AZ Len RU Ur Bs TM Kp GR TR IR Elb Mz Ali CN IMn Ui Au 25 42**
- 16218. Anthidium (Proanthidium) pulchellum Klug, 1832** (Megachilidae) Synonym(s): pulchellum Klug, 1832; nitidicollis Friese, 1897; asniense Cockerell, 1931 Range (in code): **EG Sn MA SA**
- 16219. Anthidium (Proanthidium) rotundum Warncke, 1980** (Megachilidae) Synonym(s): rotundum Warncke, 1980 Range (in code): **IR Elb Th LB Bsa TR 30**
- 16220. Anthidium (Proanthidium) undulatifforme Friese, 1917** (Megachilidae) Synonym(s): undulatifforme Friese, 1917 Range (in code): **TR AM Cc ES IL Pa Js GR 20 42 50 63**
- 16221. Anthidium (Proanthidium) undulatum Dours, 1873** (Megachilidae) Synonym(s): undulatum Dours, 1873; littorale Morawitz, 1874; holozonicum Mavromoustakis, 1939; kvakium Mavromoustakis, 1939; wahrmanni Mavromoustakis, 1948 Range (in code): **FR HV GR MK AZ Bak Cc Cr SY LB TR IL Pa IR TJ 21 23 27 33 50 63**
- 16222. Anthidium (Proanthidium) venustum Morawitz, 1878** (Megachilidae) Synonym(s): venustum Morawitz, 1878; morawitzi Dalla Torre, 1896 Range (in code): **Cc RU EG**
- 16223. Anthidium (Pseudoanthidium) alpinum Morawitz, 1874** (Megachilidae) Synonym(s): alpinum Morawitz, 1874 Range (in code): **Cc RU Da RO HU TR 42 50**
- 16224. Anthidium (Pseudoanthidium) arenosum Warncke, 1981** (Megachilidae) Synonym(s): arenosum Warncke, 1981 Range (in code): **IR**
- 16225. Anthidium (Pseudoanthidium) bytinskii Mavromoustakis, 1948** (Megachilidae) Synonym(s): bytinskii Mavromoustakis, 1948 Range (in code): **IL Pa**
- 16226. Anthidium (Pseudoanthidium) cribratum Morawitz, 1875** (Megachilidae) Synonym(s): cribratum Morawitz, 1875; palaesticum Mavromoustakis, 1938 Range (in code): **GR Ae Le Rd TR IL Pa IR**
- 16227. Anthidium (Pseudoanthidium) lituratum (Panzer, 1801)** (Megachilidae) Synonym(s): lituratum Panzer, 1801; scapulare Latreille, 1809; sinuatum Lepeletier, 1841; reptans Eversmann, 1852; floripetum Eversmann, 1852; stigmaticorne Dours, 1873; cribratum Morawitz, 1875; petechiale Morawitz, 1875; nanum Mocsary, 1879; leucostoma Costa, 1883; peregrinum Costa, 1884; eversmanni Radoszkowski, 1886; fraternum Perez, 1895; astilleroi Dusmet, 1915; grandi Alfken, 1937; karakalense Popov, 1952; canariense Mavromoustakis, 1954 Range (in code): **FR RU Ur IT Sa Si AT HU RU TR Cc IR Cr GR UZ TJ TM DZ MA TN Cn 04 06 07 15 25 26 35 36 38 48 58**
- 16228. Anthidium (Pseudoanthidium) melanurum Klug, 1832** (Megachilidae) Synonym(s): melanurum Klug, 1832; nigricollis Morawitz, 1876; dilobum Pérez, 1895; moricei Friese, 1911; royoi Dusmet, 1915; flavicollis Friese, 1917; flaviventris Friese, 1917 Range (in code): **IL Pa SY Cc FR BG TR GG Bjo DZ MA GR IT Sa DE TN 07 25 36**
- 16229. Anthidium (Pseudoanthidium) ochrognatum Alfken, 1932** (Megachilidae) Synonym(s): ochrognatum Alfken, 1932; obscuratum Benoist, 1950 nec Mor., 1875; rubellulum Pasteels, 1969 Range (in code): **IL Pa EG MA**
- 16230. Anthidium (Pseudoanthidium) puncticolle Morawitz, 1888** (Megachilidae) Synonym(s): puncticolle Morawitz, 1888 Range (in code): **IR Fa TM**
- 16231. Anthidium (Pseudoanthidium) reticulatum Mocsary, 1884** (Megachilidae) Synonym(s): reticulatum Mocsary, 1884; tegulare Morawitz, 1886; mocsaryi Friese, 1897; asiaticum Friese, 1917; kindermannii Mavromoustakis, 1954 Range (in code): **ES AZ Cc Len HU DZ IT HV BG GR TR FR LB Bsa IR 06 33 36 42 63**
- 16232. Anthidium (Pseudoanthidium) rhombiferum Friese, 1917** (Megachilidae) Synonym(s): rhombiferum Friese, 1917 Range (in code): **TR IL Pa Jf 63**
- 16233. Anthidium (Rhodanthidium) acuminatum Mocsary, 1884** (Megachilidae) Synonym(s): acuminatum Mocsary, 1884 Range (in code): **GR TR 16 42 70**
- 16234. Anthidium (Rhodanthidium) buteum Warncke, 1980** (Megachilidae) Synonym(s): buteum Warncke, 1980 Range (in code): **TR 73**
- 16235. Anthidium (Rhodanthidium) caturigense Giraud, 1863** (Megachilidae) Synonym(s): caturigense Giraud, 1863; ducale Morawitz, 1876; moreense Friese, 1917; pyrenaicum Alfken, 1927; jerusalemicum Mavromoustakis, 1938 Range (in code): **IT CH ES Py FR GG Bjo Cc TR GR LB IL Pa Js 33 36 42 50**
- 16236. Anthidium (Rhodanthidium) exsectum (Pasteels, 1969)** (Megachilidae) Synonym(s): exsectum Pasteels, 1969 Range (in code): **TR LB Bsa IR 24 30 42 58 73**
- 16237. Anthidium (Rhodanthidium) septemdentatum (Latreille, 1809)** (Megachilidae) Synonym(s): septemdentatum Latreille, 1809; rufiventris Brullé, 1832; quadridentatum Lepeletier, 1841; fuscipenne Lepeletier, 1841; binominatum Smith, 1854; sexlineatum Chevrier, 1872; fasciale Friese, 1917; rufocinctum Alfken, 1930;

- nigrosetosum Stanek,1968 Range (in code): **ES FR CH GR Cr Rd LB IL Pa TR Cc AM Nv AZ Ord IR Ab 05 06 07 09 17 20 24 25 31 33 42 50 70**
- 16238. Anthidium (Rhodanthidium) superbum Radoszkowski,1876** (Megachilidae) Synonym(s): superbum Radoszkowski,1876; christophi Morawitz,1884; grande Friese,1897 Range (in code): **TR AM Cc IR Kh TM 05 06 25 33 36 51 60 65**
- 16239. Anthidium (s.str.) afghanisticum Mavromoustakis,1965** (Megachilidae) Synonym(s): afghanisticum Mavromoustakis,1965 Range (in code): **AF**
- 16240. Anthidium (s.str.) auritum Klug,1832** (Megachilidae) Synonym(s): auritum Klug,1832; fischeri Spinola,1838; rufomaculatum Friese,1899 Range (in code): **MA EG IL Pa**
- 16241. Anthidium (s.str.) caspicum Morawitz,1880** (Megachilidae) Synonym(s): caspicum Morawitz,1880; germabicum Radoszkowski,1893; labrosum Pasteels,1969 Range (in code): **TR TM IR Elb 06 30**
- 16242. Anthidium (s.str.) christianseni Mavromoustakis,1956** (Megachilidae) Synonym(s): christianseni Mavromoustakis,1956 Range (in code): **LB IR Elb Th**
- 16243. Anthidium (s.str.) cingulatum Latreille,1809** (Megachilidae) Synonym(s): cingulatum Latreille,1809 Range (in code): **ES FR CH IT AT CZ SK HU Sa Si SS RU Sb DZ Cc TR IR Ak 04 06 13 24 25 26 33 36 42 50 51 58 65 70 76**
- 16244. Anthidium (s.str.) dalmaticum Mocsary,1884** (Megachilidae) Synonym(s): dalmaticum Mocsary,1884; syriacum Dusmet,1915 Range (in code): **GR Rd TR SY LB IL Pa 06 09 25 31 33 51 63**
- 16245. Anthidium (s.str.) diadema Latreille,1809** (Megachilidae) Synonym(s): diadema Latreille,1809; ornatum Lepeletier,1841; albiventris Lepeletier,1841; radoszkowskyi Mocsary,1887; seraxense Radoszkowski,1893; terminale Morawitz,1894; caucasicum Friese,1897 Range (in code): **DZ ES FR TR RU HU TM CN Ui UZ Cc LY Cy HV GR Cr CY BG IL Pa IQ LB 03 04 05 06 07 08 24 25 26 30 31 34 38 42 49 50 58 63 65 69 70**
- 16246. Anthidium (s.str.) florentinum (Fabricius,1775)** (Megachilidae) Synonym(s): florentinum Fabricius,1775; subspinosum Klug,1832; caucasicum Radoszkowski,1862; hispanicum Mocsary,1884; kissi Alfken,1935; cypriacum Mavromoustakis,1949 Range (in code): **US RU Sb TR SY Cc IR ES FR TM IT KK TJ UZ AM AZ DE YU GR IQ CN IMn Ui 06 07 08 16 20 25 26 32 33 35 36 42 48 66 76**
- 16247. Anthidium (s.str.) gussakowskiji Mavromoustakis,1939** (Megachilidae) Synonym(s): gussakowskiji Mavromoustakis,1939; neosyriacum Mavromoustakis,1956 Range (in code): **TJ TR 63**
- 16248. Anthidium (s.str.) loti Perris,1852** (Megachilidae) Synonym(s): variegata Fabricius,1781 (praecox.); loti Perris,1852; regulare Eversmann,1852; meridionale Giraud,1863; mosaicum Costa,1863; quadriseriatum Kriechbaumer,1873; circumcinctum Kriechbaumer,1873; incisum Friese,1917 Range (in code): **RU Sb KG TR CY IL Pa Js LB TM Kp GR 05 06 09 20 25 26 32 33 35 38 50 63**
- 16249. Anthidium (s.str.) manicatum (Linnaeus,1758)** (Megachilidae) Synonym(s): manicatum Linnaeus,1758; undulatifasciatum Friese,1917 Range (in code): **TR RU Sb Cc Bs DZ BR UY AR IR Elb Mz CN IMn Ui 05 06 08 16 22 24 25 33 36 62 66 70 75**
- 16250. Anthidium (s.str.) neosyriacum Mavromoustakis,1956** (Megachilidae) Synonym(s): neosyriacum Mavromoustakis,1956 Range (in code): **SY TR IL Pa IR 63**
- 16251. Anthidium (s.str.) punctatum Latreille,1809** (Megachilidae) Synonym(s): punctatum Latreille,1809; minus Nylander,1848; senile Eversmann,1852; greyi Radoszkowski,1862; albidulum Chevrier,1872; nigrinum Morawitz,1875; nitidulum Morawitz,1894; mayeti Pérez,1895; albofasciatum Friese,1897; fulvipes Friese,1897; kohlii Friese,1897; bequaerti Alfken,1914; amanusense Dusmet,1915; ariasi Dusmet,1915; nigrilatum Friese,1917; suecicum Alfken,1927 Range (in code): **SE FI RU Sb Ur CH UZ TJ MA DZ ES GR HU Cc AM TR 25 31 36 42 50 58 65**
- 16252. Anthidium (s.str.) septemspinosum Lepeletier,1841** (Megachilidae) Synonym(s): septemspinosum Lepeletier,1841 Range (in code): **TR 25 38**
- 16253. Anthidium (s.str.) soikai Mavromoustakis,1968** (Megachilidae) Synonym(s): soikai Mavromoustakis,1968 Range (in code): **IR**
- 16254. Anthidium (s.str.) spiniventris Friese,1899** (Megachilidae) Synonym(s): spiniventris Friese,1899; melanopygum Friese,1917 Range (in code): **IL Pa LB Cr TR Cc AZ Kir TM Rpt 06 33 42**
- 16255. Anthidium (s.str.) sublustris Warncke,1981** (Megachilidae) Synonym(s): sublustris Warncke,1981 Range (in code): **IR**
- 16256. Anthidium (s.str.) syriacum Pérez,1911** (Megachilidae) Synonym(s): syriacum Pérez,1911 Range (in code): **IL Pa SY LB TR IR AF**
- 16257. Anthidium (s.str.) taeniatum Latreille,1809** (Megachilidae) Synonym(s): taeniatum Latreille,1809; fasciatum Latreille,1809; sulphureum Lepeletier,1841; affine Morawitz,1873; monile Friese,1897; nostrum Radoszkowski,1893 Range (in code): **FR ES IT Si TM MA DZ HV GR Rd TR IL Pa 05 06 24 25 30 34 42 63 70**
- 16258. Anthidium (s.str.) taschenbergii Morawitz,1894** (Megachilidae) Synonym(s): taschenbergii Morawitz,1894; shirazense Mavromoustakis,1968 Range (in code): **IR Fa**
- 16259. Anthidium (s.str.) tessellatum Klug,1832** (Megachilidae) Synonym(s): tessellatum Klug,1832 Range (in code): **LB JO IL Pa EG Sn IQ?**
- 16260. Anthidium (s.str.) trispinosum Friese,1917** (Megachilidae) Synonym(s): trispinosum Friese,1917 Range (in code): **Cc RU TR 06 25 42 50**
- 16261. Anthidium (s.str.) waltlii Spinosa,1838** (Megachilidae) Synonym(s): waltlii Spinosa,1838 Range (in code): **GR TR IR IL Pa EG 08**

- 16262. Anthidium (s.str.) wuestnei Mocsary,1887** (Megachilidae) Synonym(s): wuestnei Mocsary,1887 Range (in code): GR Ae Rd TR LB SY IR Elb 48
- 16263. Anthidium (Trachusa) byssinum (Panzer,1804)** (Megachilidae) Synonym(s): byssina Panzer,1804; resinana Schilling,1829; pyrenaica Lepeletier,1841; rotundiventris Perris,1852; seitzii Cockerell,1925 Range (in code): DE ES FR RU TR Cc 06 34 36
- 16264. Anthidium (Trachusa) pubescens Morawitz,1872** (Megachilidae) Synonym(s): pubescens Morawitz,1872; maximum Friese,1931; verhoeffi Mavromoustakis,1955 Range (in code): UA Cm RU HU GR TM TR Cc SY IL Pa ZA 06 09 25 31 32 38 40 42
- 16265. Anthidium (Turkanthidium) gratum Morawitz,1896** (Megachilidae) Synonym(s): gratum Morawitz,1896 Range (in code): TM
- 16266. Anthidium (Turkanthidium) incertum Morawitz,1895** (Megachilidae) Synonym(s): incertum Morawitz,1895 Range (in code): TM
- 16267. Anthidium (Turkanthidium) politum Morawitz,1895** (Megachilidae) Synonym(s): politum Morawitz,1895 Range (in code): TM
- 16268. Anthidium klapperichi Mavromoustakis,1965** (Megachilidae) Synonym(s): klapperichi Mavromoustakis,1965 Range (in code): AF
- 16269. Chalicodoma (Euchalicodoma) asiaticum (Morawitz,1875)** (Megachilidae) Synonym(s): asiaticum Morawitz,1875 Range (in code): TR 32 33
- 16270. Chalicodoma (Euchalicodoma) montenegrensis (Dours,1873)** (Megachilidae) Synonym(s): montenegrensis Dours,1873 Range (in code): YU TR 07 09 10 13 25 26 31 33 36
- 16271. Chalicodoma (Pseudomegachile) ericetorum (Lepeletier,1841)** (Megachilidae) Synonym(s): ericetorum Lepeletier,1841 Range (in code): DZ Cc AM TR IR Elb Mz RU Bs CN 04 06 10 26
- 16272. Chalicodoma (Pseudomegachile) flavipes (Spinola,1838)** (Megachilidae) Synonym(s): flavipes Spinola,1838; meridionalis Pasteels,1970 Range (in code): TR EG MR ML NE 06 09 20 21 24 25 33 69 76
- 16273. Chalicodoma (Pseudomegachile) sanguinipes (Morawitz,1875)** (Megachilidae) Synonym(s): sanguinipes Morawitz,1875 Range (in code): TR 38 42
- 16274. Chalicodoma (Pseudomegachile) saussurei (Radoszkowski,1874)** (Megachilidae) Synonym(s): saussurei Radoszkowski,1874 Range (in code): TR 04 13 24 25 47 60
- 16275. Chalicodoma (Pseudomegachile) transgrediens (Rebmann,1970)** (Megachilidae) Synonym(s): transgrediens Rebmann,1970 Range (in code): TR
- 16276. Chalicodoma (s.str.) parietina (Geoffroy,1785)** (Megachilidae) Synonym(s): parietina Geoffroy,1785 Range (in code): DZ FR DE PL UA CZ SK HU CH AT SS IT Sa Si GR RU Cc TR IL Pa 13 24 25 36 42 49 65
- 16277. Chelostoma (Foveosmia) bytinskii (Mavromoustakis,1948)** (Megachilidae) Synonym(s): bytinskii Mavromoustakis,1948 Range (in code): TR SY IL Js Pa JO LB 31 46
- 16278. Chelostoma (Foveosmia) campanularum (Kirby,1802)** (Megachilidae) Synonym(s): campanularum Kirby,1802 Range (in code): AT NL BE BG CH CZ DE DK EE FR FI GB GR HV IT Si LT MK PL RO RU SK SS UA DZ TR CA US
- 16279. Chelostoma (Foveosmia) distinctum (Stöckert,1929)** (Megachilidae) Synonym(s): distinctum Stöckert,1929 Range (in code): AT AD BE BG CH CZ DE EE FR FI GR HU HV IT LT MK NL PL RO RU SK SS UA Cc IR TM
- 16280. Chelostoma (Foveosmia) forcipatum (Benoist,1928)** (Megachilidae) Synonym(s): forcipatum Benoist,1928 Range (in code): GR Ae Le TR LB IL Pa 07 33 46 48
- 16281. Chelostoma (Foveosmia) foveolatum (Morawitz,1868)** (Megachilidae) Synonym(s): foveolatum Morawitz,1868 Range (in code): AL AD BG CH DE EE FR GR Ae Le Chi HU HV IT PL RU SK SS UA TR
- 16282. Chelostoma (Foveosmia) galeridum (Warncke,1991)** (Megachilidae) Synonym(s): galeridum Warncke,1991 Range (in code): TR 07 33
- 16283. Chelostoma (Foveosmia) garrulum (Warncke,1991)** (Megachilidae) Synonym(s): garrulum Warncke,1991 Range (in code): TR AM Cc 13 25 30 36 53
- 16284. Chelostoma (Foveosmia) isabellinum (Warncke,1991)** (Megachilidae) Synonym(s): isabellinum Warncke,1991 Range (in code): TR 31 46 73
- 16285. Chelostoma (Foveosmia) josefi Schwarz & Gusenleitner,2000** (Megachilidae) Synonym(s): josefi Schwarz & Gusenleitner,2000 Range (in code): TR 73
- 16286. Chelostoma (Foveosmia) maidli (Benoist,1935)** (Megachilidae) Synonym(s): maidli Benoist,1935; seidenstueckeri Mavromoustakis,1954 Range (in code): TR IL Pa SY Hms 16 30 36 65
- 16287. Chelostoma (Foveosmia) palaestina (Benoist,1935)** (Megachilidae) Synonym(s): palaestina Benoist,1935 Range (in code): IL Pa TR 31
- 16288. Chelostoma (Foveosmia) schlettereri (Friese,1899)** (Megachilidae) Synonym(s): schlettereri Friese,1899; palaestina Benoist,1935; pici Benoist,1935 Range (in code): GR Ae Sms IL Pa JO LB SY TR 07 31 33 46 48 58



- 16289. Chelostoma (Foveosmia) styriacum Schwarz & Gusenleitner,1999** (Megachilidae)  
Synonym(s): styriacum Schwarz & Gusenleitner,1999 Range (in code): AT BG GR RO SS TR
- 16290. Chelostoma (Foveosmia) subnitidum (Benoist,1935)** (Megachilidae) Synonym(s):  
subnitidum Benoist,1935 Range (in code): TR
- 16291. Chelostoma (Foveosmia) torquillum Warncke,1991** (Megachilidae) Synonym(s): torquillum  
Warncke,1991 Range (in code): TR 13 36 38 65 73
- 16292. Chelostoma (Foveosmia) ventrale Schletterer,1889** (Megachilidae) Synonym(s): ventrale  
Schletterer,1889 Range (in code): TR 16
- 16293. Chelostoma (Gyrodromella) handlirschi Schletterer,1889** (Megachilidae) Synonym(s):  
handlirschi Schletterer,1889 Range (in code): IT HU GR TR RO TM
- 16294. Chelostoma (Gyrodromella) hebraeum (Benoist,1935)** (Megachilidae) Synonym(s):  
hebraeum Benoist,1935 Range (in code): IL Pa Js TR
- 16295. Chelostoma (Gyrodromella) orientale Schletterer,1890** (Megachilidae) Synonym(s):  
orientale Schletterer,1890 Range (in code): Cc AM TR
- 16296. Chelostoma (Gyrodromella) proximum Schletterer,1889** (Megachilidae) Synonym(s):  
proximum Schletterer,1889 Range (in code): AZ GG Cc RU UA TM IR TR CN Jn 16 25
- 16297. Chelostoma (Gyrodromella) rapunculi (Lepeletier,1841)** (Megachilidae) Synonym(s):  
rapunculi Lepeletier,1841; nigricornis Nylander,1848; inermis Eversmann,1852; casularum Chevrier,1872; archanensis  
Cockerell,1928; platyodonta Cockerell,1928 Range (in code): AT AD BE BG CH DE DK EE FI FR GG Cc GR HU  
HV LT MK PL RO RU SK SS UA DZ MA KG KK MN TM UZ TR CA US 05 06 16 25 26 68
- 16298. Chelostoma (s.str.) diodon Schletterer,1889** (Megachilidae) Synonym(s): diodon  
Schletterer,1889; cypriacum Mavromoustakis,1951 Range (in code): GR Ae Le Sms TR CY IL Pa JO SY 05
- 16299. Chelostoma (s.str.) dolosum (Benoist,1935)** (Megachilidae) Synonym(s): dolosum Benoist,1935  
Range (in code): TR 16
- 16300. Chelostoma (s.str.) emarginatum (Nylander,1856)** (Megachilidae) Synonym(s): emarginatum  
Nylander,1856; appendiculata Morawitz,1871; angustata Chevrier,1872; intermedia Chevrier,1872; quadrifidum  
Kriechbaumer,1879; incertum Pérez,1890; ursina Benoist,1935 Range (in code): AZ Cc Len BG CH CZ GB FR GR  
Ae Le HU HV IT Si MK PL RO SK SS IR TR
- 16301. Chelostoma (s.str.) florisomnis (Linnaeus,1758)** (Megachilidae) Synonym(s): florisomnis  
Linnaeus,1758; maxillosa Linnaeus,1767; culmorum Lepeletier,1841; parumcinitus Alfken,1932 Range (in code): AT  
AL AM Cc BE BG CH CZ DE DK GB EE FR FI GR HU HV IT LT NL PL RO RU SS SK UA TR 06 25
- 16302. Chelostoma (s.str.) grande (Nylander,1852)** (Megachilidae) Synonym(s): grande Nylander,1852  
Range (in code): GR TR 31
- 16303. Chelostoma (s.str.) lucens (Benoist,1928)** (Megachilidae) Synonym(s): lucens Benoist,1928  
Range (in code): TR CY GR Rd JO IL Pa LB 33
- 16304. Chelostoma (s.str.) mocsaryi Schletterer,1889** (Megachilidae) Synonym(s): mocsaryi  
Schletterer,1889 Range (in code): BG HV FR GR Ae Le IT Si UA Cc TR IL Pa 05 08
- 16305. Chelostoma (s.str.) transversum (Friese,1897)** (Megachilidae) Synonym(s): transversum  
Friese,1897 Range (in code): BG GR TR?
- 16306. Chelostoma (subgen?) ventrale Schletterer,1889** (Megachilidae) Synonym(s): ventrale  
Schletterer,1889; brevifurca Benoist,1935; subnitida Benoist,1935 Range (in code): HU TR AT BG CZ HV RO SK  
SS UA EE FR JO SY TR 16
- 16307. Coelioxys (Allocoelioxys) acanthopyga Alfken,1940** (Megachilidae) Synonym(s): acanthopyga  
Alfken,1940; carinulata Alfken,1940; semicarinata Alfken,1940 Range (in code): CY IL Pa
- 16308. Coelioxys (Allocoelioxys) acanthura (Illiger,1806)** (Megachilidae) Synonym(s): acanthura  
Illiger,1806 Range (in code): GR TR 18 63
- 16309. Coelioxys (Allocoelioxys) afra Lepeletier,1841** (Megachilidae) Synonym(s): afra  
Lepeletier,1841; coronata Förster,1853; mandibularis Chevrier,1872; tunensis Gribodo,1894; erzurumensis Tkalcu  
Range (in code): TN HU TM KK UZ EG TN MA DZ RU GB GR IL Pa TR Arr Cc IR Ab KG Uk 06 07 13 16 18  
24 25 26 30 35 36 42 43 50 51 58 65 68
- 16310. Coelioxys (Allocoelioxys) artemis Schwarz,1991** (Megachilidae) Synonym(s): artemis  
Schwarz,1991; #artemix Özbek & Zanden,1994 Range (in code): TR GR SY JO IR Fa TM KG 13 20 23 27 33 42  
47 50 65
- 16311. Coelioxys (Allocoelioxys) echinata Förster,1853** (Megachilidae) Synonym(s): octodentata  
Lepeletier,1841 nec Say,1824; echinata Förster,1853; rufocaudata Smith,1854 Range (in code): FR MA DZ TR CN Ui  
06 13 16 30 42 65 73
- 16312. Coelioxys (Allocoelioxys) elegantula Alfken,1934** (Megachilidae) Synonym(s): elegantula  
Alfken,1934 Range (in code): DZ EG IL Pa
- 16313. Coelioxys (Allocoelioxys) elsei Schwarz,2001** (Megachilidae) Synonym(s): elsei Schwarz,2001  
Range (in code): TR BG GR JO 12 36 50
- 16314. Coelioxys (Allocoelioxys) emarginata Förster,1853** (Megachilidae) Synonym(s): emarginata  
Förster,1853 Range (in code): HU UZ MA ES FR AT UA AM Cc TR 25
- 16315. Coelioxys (Allocoelioxys) emarginatella Pasteels,1982** (Megachilidae) Synonym(s):  
emarginatella Pasteels,1982 Range (in code): IL Pa

- 16316. Coelioxys (Allocoelioxys) haemorrhoea Förster, 1853** (Megachilidae) Synonym(s): haemorrhoea Förster, 1853; pulchella Morawitz, 1874; coturnix Pérez, 1884; taurus Nurse, 1902 Range (in code): MA DZ EG TR BG FR GR IL Pa IT Si KG KK MT AT PT ES TN TJ TM HU UZ CY RU Cc Da Der CN Ui 06 09 13 24 25 30 35 42 47 50 51 63 73
- 16317. Coelioxys (Allocoelioxys) iranica Warncke, 1992** (Megachilidae) Synonym(s): iranica Warncke, 1992 Range (in code): IR Kz Fa
- 16318. Coelioxys (Allocoelioxys) polycentris Förster, 1853** (Megachilidae) Synonym(s): polycentris Förster, 1853; conspersa Morawitz, 1874; orientalis Friese, 1925 Range (in code): AT CY HU RU Da Cc MN TR?
- 16319. Coelioxys (Allocoelioxys) pulchella Morawitz, 1874** (Megachilidae) Synonym(s): pulchella Morawitz, 1874 Range (in code): RU GR TJ TR 13 50 63
- 16320. Coelioxys (Argcoelioxys) argentea Lepeletier, 1841** (Megachilidae) Synonym(s): argentea Lepeletier, 1841; constricta Förster, 1853; diplotaenia Förster, 1853; transcaspica Radoszkowski, 1886 Range (in code): MA DZ HV TM IL Pa Js TR IR CN Gn Ui 18 30 80
- 16321. Coelioxys (Liothyrapis) decipiens Spinola, 1838** (Megachilidae) Synonym(s): decipiens Spinola, 1838; cretensis Förster, 1853; farinosa Smith, 1854; albofasciata Radoszkowski, 1888; seraxensis Radoszkowski, 1893; aberrans Morawitz, 1895; decemdentata Pérez, 1902; proxima Friese, 1925; proximalata Popov, 1946; sinuata Stanek, 1968 Range (in code): MA TN EG Cr GR TR TM TJ 07 20 31 35 36 42 80
- 16322. Coelioxys (Radoszkowskiana) gusevi Schwarz, 2001** (Megachilidae) Synonym(s): gusevi Schwarz, 2001 Range (in code): SY
- 16323. Coelioxys (Radoszkowskiana) rufiventris (Spinola, 1838)** (Megachilidae) Synonym(s): rufiventris Spinola, 1838; gymnopygia Spinola, 1838; barrei Radoszkowski, 1893; nursei Cockerell, 1922; giovanelli Biegeleben, 1932 Range (in code): EG DZ TR TM UZ TJ IN KG IR Ke Th Tas 24
- 16324. Coelioxys (Radoszkowskiana) tkalcui Schwarz, 2001** (Megachilidae) Synonym(s): tkalcui Schwarz, 2001 Range (in code): TR 13 65
- 16325. Coelioxys (s.str.) aurolimbata Förster, 1853** (Megachilidae) Synonym(s): aurolimbata Förster, 1853; orientalis Warncke, 1992 [ssp.] Range (in code): IR LB AM Geg Cc TJ UZ RU Cc Bs DZ TR TJ UZ KG MN IR CN IMn Ui Tax 06 09 16 22 25 30 42 50 55 56 65 76
- 16326. Coelioxys (s.str.) brevis Eversmann, 1842** (Megachilidae) Synonym(s): brevis Eversmann, 1842 Range (in code): RU TR 24 25 63
- 16327. Coelioxys (s.str.) conoidea (Illiger, 1806)** (Megachilidae) Synonym(s): conoidea Illiger, 1806; vectus Curtis, 1831; punctata Lepeletier, 1841; temporalis Nylander, 1848; ambigua Schenck, 1855; aegyptiaca Radoszkowski, 1876; sipissicauda Pasteels, 1968 Range (in code): DE GB IT FR GR TR 08 13 16 25 30 34 36 42 57
- 16328. Coelioxys (s.str.) elongata Lepeletier, 1841** (Megachilidae) Synonym(s): elongata Lepeletier, 1841; simplex Nylander, 1852; tricuspidata Förster, 1853; denticulata Schenck, 1855; distincta Schenck, 1855; sponsa Schenck, 1855; stigmatica Schenck, 1855; gracilis Schenck, 1859; obscura Schenck, 1859; tridenticulata Schenck, 1859; claripennis Schenck, 1868; kudiana Cockerell, 1924; popovici Friese, 1925 Range (in code): MA DZ TN FR SE DE GB TR RU Sb 16 25 62
- 16329. Coelioxys (s.str.) inermis (Kirby, 1802)** (Megachilidae) Synonym(s): acuminata Christ, 1791 nec Gmel., 1790; inermis Kirby, 1802; divergens Förster, 1853; microdonta Förster, 1853 Range (in code): GB DE MA DZ TR 16 17 26 30
- 16330. Coelioxys (s.str.) mandibularis Nylander, 1848** (Megachilidae) Synonym(s): mandibularis Nylander, 1848; olgae Cockerell, 1924 Range (in code): Cc RO TR RU Sb MN 25 38
- 16331. Coelioxys (s.str.) quadridentata (Linnaeus, 1758)** (Megachilidae) Synonym(s): quadridentata Linnaeus, 1758; conica Linnaeus, 1758; agilis Harris, 1776; acuminata Gmelin, 1790; bidentata Panzer, 1798; acuta Nylander, 1848; fissidens Förster, 1853; fraterna Förster, 1853; convergens Schenck, 1855; truncata Höppner, 1901 Range (in code): SE GB DE RU Ur GR TR 14 25 34 42
- 16332. Coelioxys (s.str.) rufescens Lepeletier, 1825** (Megachilidae) Synonym(s): rufescens Lepeletier, 1825; umbrina Smith, 1843; apiculata Nylander, 1848; hebescent Nylander, 1848; diglypha Förster, 1853; trinacria Förster, 1853; carinata Schenck, 1855 nec Sm., 1854; longiuscula Schenck, 1855; obtusata Schenck, 1855; parvula Schenck, 1855; fallax Mocsary, 1879; agona Alfken, 1912; nigrescens Cockerell, 1924; gigantea Friese, 1925; turkestanica Friese, 1925; oltuensis Tkalcu [ssp.]; anatolica Warncke, 1992 [ssp.] Range (in code): HU DE GB SE FI FR TR Cc AZ AM Geg Nv Ord KG TJ MN RU Sb 06 25 30 35 36 60 75
- 16333. Coelioxys (s.str.) torquata Warncke, 1992** (Megachilidae) Synonym(s): torquata Warncke, 1992 Range (in code): TM
- 16334. Coelioxys alata Förster, 1853** (Megachilidae) Synonym(s): alata Förster, 1853; montandoni Gribodo, 1884 Range (in code): BE DE RO RU Sb FI BG TR 53
- 16335. Coelioxys caudata Spinola, 1838** (Megachilidae) Synonym(s): caudata Spinola, 1838 Range (in code): TR 04 13 24 30 42 51 58
- 16336. Coelioxys elytrura Spinola, 1838** (Megachilidae) Synonym(s): elytrura Spinola, 1838 Range (in code): TR 33
- 16337. Coelioxys obtusa Pérez, 1884** (Megachilidae) Synonym(s): obtusa Pérez, 1884 Range (in code): TR 13
- 16338. Coelioxys rufocaudata Smith, 1854** (Megachilidae) Synonym(s): rufocaudata Smith, 1854 Range (in code): TR 58 76

- 16339. *Coelioxys smithii* Dalla Torre, 1896** (Megachilidae) Synonym(s): *intrudens* Smith, 1861 (praeocc.); *smithii* Dalla Torre, 1896; *cariniscutis* Cameron, 1904; *amboinensis* Dusmet y Alonso, 1915 Range (in code): IN AF
- 16340. *Creightonella (Metamegachile) albisepta* (Klug, 1817)** (Megachilidae) Synonym(s): *albisepta* Klug, 1817 Range (in code): RU DZ Cc TR 07 09 13 24 25 30 33 35 42 49 57 76
- 16341. *Creightonella (Metamegachile) doriae* (Magretti, 1890)** (Megachilidae) Synonym(s): *doriae* Magretti, 1890 Range (in code): TR 06
- 16342. *Creightonella (Metamegachile) heinrichi* Tkalcu, 1979** (Megachilidae) Synonym(s): *heinrichi* Tkalcu, 1979 Range (in code): TR 63
- 16343. *Dioxys ammobius* Mavromoustakis, 1954** (Megachilidae) Synonym(s): *ammobius* Mavromoustakis, 1954 Range (in code): IL Pa
- 16344. *Dioxys cincta* (Jurine, 1807)** (Megachilidae) Synonym(s): *cincta* Jurine, 1807 Range (in code): GR Ae Le TR IL Pa 25 33 38 42 58 63
- 16345. *Dioxys moesta* (Costa, 1883)** (Megachilidae) Synonym(s): *moesta* Costa, 1883 Range (in code): GR Ae Le TR
- 16346. *Dioxys montana* Heinrich, 1977** (Megachilidae) Synonym(s): *montana* Heinrich, 1977 Range (in code): TR 06 33 42
- 16347. *Dioxys pumila* Gerstaecker, 1869** (Megachilidae) Synonym(s): *pumila* Gerstaecker, 1869 Range (in code): GR Ae Le CY TR SY IL Pa IR Elb Fa 20 33 42 50 58 63
- 16348. *Ensliniana bidentata* (Friese, 1899)** (Megachilidae) Synonym(s): *bidentata* Friese, 1899; *anatolica* Heinrich, 1977 Range (in code): SY TR IL Pa 04 25 42
- 16349. *Eoanthidium (Clistanthidium) nasicum* (Friese, 1917)** (Megachilidae) Synonym(s): *nasicum* Friese, 1917; *nasiculum* Pasteels, 1969 Range (in code): IL Pa SY TR 25 33 63
- 16350. *Eoanthidium* (s.str.) *arabicum* Pasteels, 1980** (Megachilidae) Synonym(s): *arabicum* Pasteels, 1980 Range (in code): YE
- 16351. *Eoanthidium* (s.str.) *bakerorum* Engel, 2004** (Megachilidae) Synonym(s): *bakerorum* Engel, 2004 Range (in code): AE OM
- 16352. *Eoanthidium* (s.str.) *clypeare* (Morawitz, 1874)** (Megachilidae) Synonym(s): *clypeare* Morawitz, 1874; *elongatum* Friese, 1897; *hoplostomum* Mavromoustakis, 1945 Range (in code): Cc RU Da GR Rd HV TR IL Pa SY 33 50 73
- 16353. *Eoanthidium* (s.str.) *insulare* (Morawitz, 1873)** (Megachilidae) Synonym(s): *insulare* Morawitz, 1873; *persicolum* Mavromoustakis, 1937; *lemesium* Mavromoustakis, 1937 Range (in code): GR Rd IR TR CY TJ 09 20 31 33 63
- 16354. *Eoanthidium* (s.str.) *judaense* (Mavromoustakis, 1945)** (Megachilidae) Synonym(s): *judaense* Mavromoustakis, 1945; *anale* Pasteels, 1969 Range (in code): AM Cc IL Pa LB TR 09 20 33 70
- 16355. *Eudioxys schwarzi* Mavromoustakis, 1968** (Megachilidae) Synonym(s): *schwarzi* Mavromoustakis, 1968 Range (in code): IR
- 16356. *Haetosmia brachyura* (Morawitz, 1875)** (Megachilidae) Synonym(s): *brachyura* Morawitz, 1875; *altera* Peters, 1974 Range (in code): TM UZ CN Ui AF PK
- 16357. *Haetosmia circumventa* (Peters, 1974)** (Megachilidae) Synonym(s): *circumventa* Peters, 1974 Range (in code): Cn LY EG MA AE SD
- 16358. *Haetosmia vechti* (Peters, 1974)** (Megachilidae) Synonym(s): *vechti* Peters, 1974 Range (in code): IR Elb Th TR IL Pa GR 33 35 38
- 16359. *Heriades (Michenerella) ammodendri* Popov, 1960** (Megachilidae) Synonym(s): *ammodendri* Popov, 1960 Range (in code): TM
- 16360. *Heriades (Michenerella) dalmaticus* Maidl, 1922** (Megachilidae) Synonym(s): *dalmaticus* Maidl, 1922; *troodicus* Mavromoustakis, 1951 Range (in code): HV BG GR Ae Le Rd IT Si MT CY LB IL Pa SY TR
- 16361. *Heriades (Michenerella) hissaricus* Popov, 1955** (Megachilidae) Synonym(s): *hissaricus* Popov, 1955 Range (in code): KG TJ UZ TR 63
- 16362. *Heriades (Michenerella) punctuliferus* Schletterer, 1889** (Megachilidae) Synonym(s): *punctuliferus* Schletterer, 1889; *syriaca* Benoist, 1928 Range (in code): TR GR Ae Le CY SY JO 07
- 16363. *Heriades (Michenerella) shestakovi* Popov, 1960** (Megachilidae) Synonym(s): *shestakovi* Popov, 1960 Range (in code): TM
- 16364. *Heriades (Michenerella) turcomanicus* Popov, 1955** (Megachilidae) Synonym(s): *turcomanicus* Popov, 1955 Range (in code): TM
- 16365. *Heriades (Rhopaloheriades) clavicornis* Morawitz, 1875** (Megachilidae) Synonym(s): *clavicornis* Morawitz, 1875; *armeniacus* Popov, 1956 Range (in code): Cc AM TM CY IL Pa SY TR GR TJ
- 16366. *Heriades* (s.str.) *crenulatus* Nylander, 1856** (Megachilidae) Synonym(s): *crenulatus* Nylander, 1856 Range (in code): AT BG CH CZ DE ES FR GR Cr Ae Le HU HV IT Sa Si MK PT PL RO RU SK SS UA Cc DZ MA TN KG TR 05 06 07 22 34 57 66
- 16367. *Heriades* (s.str.) *hierosolomitius* Benoist, 1935** (Megachilidae) Synonym(s): *hierosolomitius* Benoist, 1935 Range (in code): IL Pa Js



- 16368. Heriades (s.str.) rubicola Pérez,1890** (Megachilidae) Synonym(s): rubicola Pérez,1890; copetica Morawitz,1892; aurantifer Cockerell,1931 Range (in code): MA DZ TN AT BG ES FR GR Ae Le HV IT Sa Si MK PT SK SS KK KG TM CY IL Pa JO SY TR
- 16369. Heriades (s.str.) truncorum (Linnaeus,1758)** (Megachilidae) Synonym(s): truncorum Linnaeus,1758; xanthogastria Schrank,1802; mordax Schletterer,1889 Range (in code): AT AL AM BE BG CH DE DK ES FR FI NL GG Cc GR HU HV IT Sa Si LT MK PL PT RO RU SK SS UA DZ KK KG CY IL Pa SY TR
- 16370. Hofferia schmiedeknechti (Schletterer,1889)** (Megachilidae) Synonym(s): schmiedeknechti Schletterer,1889; tumida Benoist,1928; gibba Benois,1928 Range (in code): BG GR Ae Le MK RO TR IL Pa SY JO 33
- 16371. Hoplitis (Alcidamea) abnormis Zanden,1992** (Megachilidae) Synonym(s): abnormis Zanden,1992 Range (in code): GR IL Pa
- 16372. Hoplitis (Alcidamea) acanthophora (Morawitz,1875)** (Megachilidae) Synonym(s): acanthophora Morawitz,1875 Range (in code): TJ TR 30 44
- 16373. Hoplitis (Alcidamea) acuticornis (Dufour & Perris,1840)** (Megachilidae) Synonym(s): acuticornis Dufour & Perris,1840; dentiventris Morawitz,1877; hispanica Schmiedeknecht,1886; brunneipes Peters,1975; gilva Zanden,1994 Range (in code): AT AL AD AM Cc CH CZ DE ES FR GR Cr Ae Le HU IT Sa Si MK PT RO RU SK S UA DZ Cn Md TN KG TJ TM CY IR JO SY TR 06 25 30 33 36 38 50 62 65 70 73 80
- 16374. Hoplitis (Alcidamea) alexandrina Warncke,1991** (Megachilidae) Synonym(s): alexandrina Warncke,1991 Range (in code): SY IL Pa JO
- 16375. Hoplitis (Alcidamea) antennata (Morawitz,1876)** (Megachilidae) Synonym(s): antennata Morawitz,1876 Range (in code): AM Cc TR 36
- 16376. Hoplitis (Alcidamea) arenivaga Zanden,1996** (Megachilidae) Synonym(s): arenivaga Zanden,1996 Range (in code): JO Amm
- 16377. Hoplitis (Alcidamea) bicallosa (Morawitz,1876)** (Megachilidae) Synonym(s): bicallosa Morawitz,1876 Range (in code): Gg Bjo Cc GR TR 07 36 42 76
- 16378. Hoplitis (Alcidamea) bispinosa Zanden,1992** (Megachilidae) Synonym(s): bispinosa Zanden,1992 Range (in code): TR GR 30
- 16379. Hoplitis (Alcidamea) caucasica (Friese,1920)** (Megachilidae) Synonym(s): caucasica Friese,1920 Range (in code): Cc TR 25 29
- 16380. Hoplitis (Alcidamea) caularis (Morawitz,1875)** (Megachilidae) Synonym(s): caularis Morawitz,1875; proxima Morawitz,1875 nec Cress.,1864; turcestanica Dalla Torre,1896 Range (in code): RU UA KG KK CN TM UZ SY TR 65
- 16381. Hoplitis (Alcidamea) ciliaris (Pérez,1902)** (Megachilidae) Synonym(s): ciliaris Pérez,1902 Range (in code): FR GR HV MK SS IL Pa TR 24 30 42
- 16382. Hoplitis (Alcidamea) claviventris (Thomson,1872)** (Megachilidae) Synonym(s): interrupta Schenck,1861 nec Latr.,1811; claviventris Thomson,1872; foveolata Schenck,1873; columba Warncke,1991 Range (in code): AT AL BE BG CH CZ DE DK ES FR Co FI NL GB GR HU HV IT Sa Si LT MK PT PL RO RU SK SS UA Cc KG MN CN TR 14
- 16383. Hoplitis (Alcidamea) contracta (Walker,1871)** (Megachilidae) Synonym(s): contracta Walker,1871 Range (in code): SA ER
- 16384. Hoplitis (Alcidamea) decaocta (Warncke,1991)** (Megachilidae) Synonym(s): decaocta Warncke,1991 Range (in code): TR 40 65
- 16385. Hoplitis (Alcidamea) fossulata (Mocsary,1883)** (Megachilidae) Synonym(s): fossulata Mocsary,1883 Range (in code): IR
- 16386. Hoplitis (Alcidamea) galbula (Warncke,1991)** (Megachilidae) Synonym(s): galbula Warncke,1991 Range (in code): GR TR 30 73
- 16387. Hoplitis (Alcidamea) garzetta (Warncke,1991)** (Megachilidae) Synonym(s): garzetta Warncke,1991 Range (in code): TR 13 30 42 73
- 16388. Hoplitis (Alcidamea) hoppferi Tkalcu,1977** (Megachilidae) Synonym(s): hoppferi Tkalcu,1977 Range (in code): IL Pa JO OM PK Qu SY AE
- 16389. Hoplitis (Alcidamea) iranica (Warncke,1991)** (Megachilidae) Synonym(s): iranica Warncke,1991 Range (in code): IR Fa
- 16390. Hoplitis (Alcidamea) leucomelaena (Kirby,1802)** (Megachilidae) Synonym(s): leucomelaena Kirby,1802; caulicola Schrank,1802; parvula Dufour & Perris,1840; bidenticulatus Costa,1863 Range (in code): AT AL AM Cc BE BG CH CZ DE DK ES FR Co GB HV IT Si Sa NL LT MK PT PL RO RU SK SS UA DZ KG KK CN TJ TR 06 24 25 30 36 38 50 58 73 76
- 16391. Hoplitis (Alcidamea) limassolica (Mavromoustakis,1937)** (Megachilidae) Synonym(s): limassolica Mavromoustakis,1937 Range (in code): CY IL Pa JO TR 27 31 46 56 63
- 16392. Hoplitis (Alcidamea) mitis (Nylander,1852)** (Megachilidae) Synonym(s): mitis Nylander,1852; montivaga Morawitz,1872 Range (in code): AT AM Cc BE CH CZ ES FR FI GR HU IT PL RU SE SK S KG MN
- 16393. Hoplitis (Alcidamea) mollis Tkalcu,2000** (Megachilidae) Synonym(s): mollis Tkalcu,2000 Range (in code): TR JO SY 25
- 16394. Hoplitis (Alcidamea) ozbeki Tkalcu,2000** (Megachilidae) Synonym(s): ozbeki Tkalcu,2000 Range (in code): Cc TR 25

- 16395. *Hoplitis (Alcidamea) praestans* (Morawitz,1894)** (Megachilidae) Synonym(s): praestans Morawitz,1894; lineola Pérez,1895 Range (in code): AT CH ES FR Co GR HU IT RO RU SK SS UA Cc YU DZ EG MA TN KG TJ UZ IL Pa JO TR 07 30 33 36 73
- 16396. *Hoplitis (Alcidamea) simplicicornis* (Morawitz,1875)** (Megachilidae) Synonym(s): simplicicornis Morawitz,1875 Range (in code): TM KG
- 16397. *Hoplitis (Alcidamea) stellaris* (Warncke,1991)** (Megachilidae) Synonym(s): stellaris Warncke,1991 Range (in code): JO SY TR GR 20 65
- 16398. *Hoplitis (Alcidamea) subbutea* (Warncke,1991)** (Megachilidae) Synonym(s): subbutea Warncke,1991 Range (in code): TR GR KG IL Pa SY 02 30 50 58 73
- 16399. *Hoplitis (Alcidamea) tricolor* (Saunders,1908)** (Megachilidae) Synonym(s): tricolor Saunders,1908 Range (in code): MA DZ JO
- 16400. *Hoplitis (Alcidamea) tridentata* (Dufour & Perris,1840)** (Megachilidae) Synonym(s): tridentata Dufour & Perris,1840; melanoleuca Benoist,1934; asensioi Tkalcu,1975 Range (in code): AT BE AM CH Cc CZ DE ES FR DE GR HU HV IT Si LT PL RU SK S UA DZ EG MA KG UZ SY TR IR 05 06 25 30 36 42 51
- 16401. *Hoplitis (Alcidamea) verruciventris* (Morawitz,1886)** (Megachilidae) Synonym(s): verruciventris Morawitz,1886 Range (in code): Cc AZ TR 40 50
- 16402. *Hoplitis (Alcidamea) xanthoprymna* (Warncke,1991)** (Megachilidae) Synonym(s): xanthoprymna Warncke,1991 Range (in code): TR 42
- 16403. *Hoplitis (Annosmia) annulata* (Latreille,1811)** (Megachilidae) Synonym(s): annulata Latreille,1811; crenulata Morawitz,1871; pruinosa Destefani,1887; corsaria Warncke,1991; cretica Warncke,1991 Range (in code): AM Cc BG ES FR Co GR Cr HV IT Sa Si PT DZ MA TN CY IL Pa SY TR
- 16404. *Hoplitis (Annosmia) aqabaensis* (Warncke,1991)** (Megachilidae) Synonym(s): aqabaensis Warncke,1991 Range (in code): JO TN
- 16405. *Hoplitis (Annosmia) cercomela* (Warncke,1991)** (Megachilidae) Synonym(s): cercomela Warncke,1991 Range (in code): JO
- 16406. *Hoplitis (Annosmia) christae* (Warncke,1991)** (Megachilidae) Synonym(s): christae Warncke,1991 Range (in code): IL Pa
- 16407. *Hoplitis (Annosmia) chukar* (Warncke,1991)** (Megachilidae) Synonym(s): chukar Warncke,1991 Range (in code): TR 30
- 16408. *Hoplitis (Annosmia) elaziga* (Warncke,1991)** (Megachilidae) Synonym(s): elaziga Warncke,1991 Range (in code): TR 06 23
- 16409. *Hoplitis (Annosmia) eremophila* (Warncke,1991)** (Megachilidae) Synonym(s): eremophila Warncke,1991 Range (in code): TR SY 30
- 16410. *Hoplitis (Annosmia) fulica* (Warncke,1991)** (Megachilidae) Synonym(s): fulica Warncke,1991 Range (in code): TR 65
- 16411. *Hoplitis (Annosmia) gentilis* (Warncke,1991)** (Megachilidae) Synonym(s): gentilis Warncke,1991 Range (in code): TR 42
- 16412. *Hoplitis (Annosmia) hierichonica* (Mavromoustakis,1949)** (Megachilidae) Synonym(s): hierichonica Mavromoustakis,1949 Range (in code): MA TN IL Pa JO
- 16413. *Hoplitis (Annosmia) idaensis* (Warncke,1991)** (Megachilidae) Synonym(s): idaensis Warncke,1991 Range (in code): GR Cr TR
- 16414. *Hoplitis (Annosmia) israelica* (Warncke,1991)** (Megachilidae) Synonym(s): israelica Warncke,1991 Range (in code): MA IL Pa JO IR
- 16415. *Hoplitis (Annosmia) leiocephala* (Mavromoustakis,1954)** (Megachilidae) Synonym(s): leiocephala Mavromoustakis,1954 Range (in code): IL Pa
- 16416. *Hoplitis (Annosmia) mutica* (Warncke,1991)** (Megachilidae) Synonym(s): mutica Warncke,1991 Range (in code): TR 42
- 16417. *Hoplitis (Annosmia) parana* (Warncke,1991)** (Megachilidae) Synonym(s): parana Warncke,1991 Range (in code): IL Pa
- 16418. *Hoplitis (Annosmia) segura* (Warncke,1991)** (Megachilidae) Synonym(s): segura Warncke,1991 Range (in code): IL Pa
- 16419. *Hoplitis (Annosmia) sordida* (Benoist,1929)** (Megachilidae) Synonym(s): sordida Benoist,1929 Range (in code): IL Pa EG
- 16420. *Hoplitis (Annosmia) uncaticornis* (Stanek,1969)** (Megachilidae) Synonym(s): uncaticornis Stanek,1969; cursoria Warncke,1991 Range (in code): TR SY 33 42 50 58 63
- 16421. *Hoplitis (Annosmia) verhoeffi* (Mavromoustakis,1954)** (Megachilidae) Synonym(s): verhoeffi Mavromoustakis,1954 Range (in code): IL Pa JO
- 16422. *Hoplitis (Annosmia) zonalis* (Pérez,1895)** (Megachilidae) Synonym(s): zonalis Pérez,1895; undulata Pérez,1902; taprurensis Benoist,1929; bodenheimeri Mavromoustakis,1949 Range (in code): MA DZ TN IL Pa
- 16423. *Hoplitis (Anthocopa) agis* (Benoist,1929)** (Megachilidae) Synonym(s): agis Benoist,1929 Range (in code): GR TR IR 33

- 16424. *Hoplitis (Anthocopa) anipuncta* (Alfken,1935)** (Megachilidae) Synonym(s): *anipuncta* Alfken,1935 Range (in code): GR Cr CY IL Pa JO SY TR 13 25 42 62 65
- 16425. *Hoplitis (Anthocopa) askhabadensis* (Radoszkowski,1886)** (Megachilidae) Synonym(s): *askhabadensis* Radoszkowski,1886 Range (in code): TM Kp
- 16426. *Hoplitis (Anthocopa) batyamae* (Zanden,1986)** (Megachilidae) Synonym(s): *batyamae* Zanden,1986 Range (in code): PT IL Pa EG OM YE
- 16427. *Hoplitis (Anthocopa) bifoveolata* (Alfken,1935)** (Megachilidae) Synonym(s): *bifoveolata* Alfken,1935 Range (in code): IL Pa JO SY TR
- 16428. *Hoplitis (Anthocopa) bipartita* (Friesse,1899)** (Megachilidae) Synonym(s): *bipartita* Friesse,1899 Range (in code): CN Ui KG TR
- 16429. *Hoplitis (Anthocopa) bisulca* (Gerstaecker,1869)** (Megachilidae) Synonym(s): *bisulca* Gerstaecker,1869; *lanosa* Pérez,1879 Range (in code): ES FR Co GR HV IT Si PT DZ LY TN IL Pa JO SY TR
- 16430. *Hoplitis (Anthocopa) brevispina* (Tkalcu,2000)** (Megachilidae) Synonym(s): *brevispina* Tkalcu,2000 Range (in code): TR Cc 25
- 16431. *Hoplitis (Anthocopa) bytinskii* (Mavromoustakis,1948)** (Megachilidae) Synonym(s): *bytinskii* Mavromoustakis,1948 Range (in code): IL Pa
- 16432. *Hoplitis (Anthocopa) cristatula* (Zanden,1990)** (Megachilidae) Synonym(s): *cristatula* Fonscolombe,1846 nec Duf.,1841; *cristatula* Zanden,1990 Range (in code): ES FR Co IT Si DZ MA TN TR CN 25
- 16433. *Hoplitis (Anthocopa) cypriaca* (Mavromoustakis,1938)** (Megachilidae) Synonym(s): *cypriaca* Mavromoustakis,1938; *bayburtensis* Tkalcu,1980 Range (in code): CY IL Pa JO SY TR 69
- 16434. *Hoplitis (Anthocopa) dalmatica* (Morawitz,1871)** (Megachilidae) Synonym(s): *dalmatica* Morawitz,1871 Range (in code): AL AD CH ES FR GR HU HV IT Sa MK SS TR
- 16435. *Hoplitis (Anthocopa) daniana* (Mavromoustakis,1949)** (Megachilidae) Synonym(s): *daniana* Mavromoustakis,1949 Range (in code): IL Pa
- 16436. *Hoplitis (Anthocopa) duckeana* (Kohl,1905)** (Megachilidae) Synonym(s): *duckeana* Kohl,1905 Range (in code): SY TR 38
- 16437. *Hoplitis (Anthocopa) furcula* (Morawitz,1875)** (Megachilidae) Synonym(s): *furcula* Morawitz,1875 Range (in code): KG AM Cc GR Cr TR
- 16438. *Hoplitis (Anthocopa) graeca* (Tkalcu,2000)** (Megachilidae) Synonym(s): *graeca* Tkalcu,2000; *ionica* Tkalcu,2000 Range (in code): GR TR 35
- 16439. *Hoplitis (Anthocopa) grumi* (Morawitz,1894)** (Megachilidae) Synonym(s): *grumi* Morawitz,1894 Range (in code): TJ TR
- 16440. *Hoplitis (Anthocopa) hemisphaerica* (Alfken,1935)** (Megachilidae) Synonym(s): *hemisphaerica* Alfken,1935 Range (in code): IL Pa JO SY
- 16441. *Hoplitis (Anthocopa) idalia* (Mavromoustakis,1948)** (Megachilidae) Synonym(s): *idalia* Mavromoustakis,1948 Range (in code): GR Cr CY JO SY TR
- 16442. *Hoplitis (Anthocopa) jakovlevi* (Radoszkowski,1874)** (Megachilidae) Synonym(s): *jakovlevi* Radoszkowski,1874; *serrilabris* Morawitz,1875; *quadridentata* Fonscolombe,1879 Range (in code): Cc AM FR IT Si DZ TN CN Ui Ku KG KK TJ TM IR TR 25
- 16443. *Hoplitis (Anthocopa) jerichoenis* (Zanden,1996)** (Megachilidae) Synonym(s): *jerichoenis* Zanden,1996 Range (in code): IL Pa
- 16444. *Hoplitis (Anthocopa) mocsaryi* (Friesse,1895)** (Megachilidae) Synonym(s): *mocsaryi* Friesse,1895; *linophila* Westrich,2006 Range (in code): AT AM Cc ES FR Co GR HU RU SK TR
- 16445. *Hoplitis (Anthocopa) murina* (Tkalcu,1992)** (Megachilidae) Synonym(s): *murina* Tkalcu,1992 Range (in code): TM
- 16446. *Hoplitis (Anthocopa) obtusa* (Friesse,1899)** (Megachilidae) Synonym(s): *obtusa* Friesse,1899 Range (in code): TR AL GR Cr HV? IL Pa SY JO 33
- 16447. *Hoplitis (Anthocopa) papaveris* (Latreille,1799)** (Megachilidae) Synonym(s): *papaveris* Latreille,1799; *hyalinipennis* Lepeletier,1841 Range (in code): AT AL BE BG CH CZ DE ES FR GR HU IT Sa Si NL PT RO RU SK UA Cc KG CN Ui TR 35 42 45 50
- 16448. *Hoplitis (Anthocopa) perezi* (Ferton,1895)** (Megachilidae) Synonym(s): *perezi* Ferton,1895; *convolvuli* Duce,1899 Range (in code): AM Cc ES FR Co GR HV IT Si MK UA MA KK KG TJ TM UZ AF TR 25 76
- 16449. *Hoplitis (Anthocopa) picicornis* (Morawitz,1895)** (Megachilidae) Synonym(s): *picicornis* Morawitz,1895 Range (in code): TM KG TJ AF IR TR 24
- 16450. *Hoplitis (Anthocopa) pulchella* (Pérez,1895)** (Megachilidae) Synonym(s): *pulchella* Pérez,1895; *lativentris* Friesse,1899; *albiscopa* Friesse,1899 Range (in code): MA DZ EG TN JO
- 16451. *Hoplitis (Anthocopa) rubricrus* (Friesse,1899)** (Megachilidae) Synonym(s): *rubricrus* Friesse,1899 Range (in code): DZ MA IL Pa PK IN
- 16452. *Hoplitis (Anthocopa) rugidorsis* (Pérez,1895)** (Megachilidae) Synonym(s): *rugidorsis* Pérez,1895; *fasciculata* Alfken,1934 Range (in code): IT Sa DZ MA TR 25
- 16453. *Hoplitis (Anthocopa) saundersi* (Vachal,1891)** (Megachilidae) Synonym(s): *saundersi* Vachal,1891 Range (in code): MA DZ PK IN



- 16454. *Hoplitis (Anthocopa) saxialis* (Zanden,1994)** (Megachilidae) Synonym(s): *saxialis* Zanden,1994  
Range (in code): Cc RU
- 16455. *Hoplitis (Anthocopa) semirubra* (Friese,1899)** (Megachilidae) Synonym(s): *semirubra* Friese,1899 Range (in code): IL Pa JO SY
- 16456. *Hoplitis (Anthocopa) singularis* (Morawitz,1875)** (Megachilidae) Synonym(s): *singularis* Morawitz,1875 Range (in code): KG KK TJ TM UZ IL Pa TR
- 16457. *Hoplitis (Anthocopa) unispina* (Alfken,1935)** (Megachilidae) Synonym(s): *unispina* Alfken,1935  
Range (in code): GR? IL Pa JO SY TR
- 16458. *Hoplitis (Anthocopa) urfensis* (Zanden,1984)** (Megachilidae) Synonym(s): *urfensis* Zanden,1984 Range (in code): SY TR 63
- 16459. *Hoplitis (Anthocopa) villosa* (Schenck,1853)** (Megachilidae) Synonym(s): *villosa* Schenck,1853; *platycera* Gerstaecker,1869 Range (in code): AT AL? AD BE CH CZ DE ES FR IT MK? NL RU SK SS TR?
- 16460. *Hoplitis (Anthocopa) wadicola* (Alfken,1935)** (Megachilidae) Synonym(s): *wadicola* Alfken,1935 Range (in code): IL Pa TR
- 16461. *Hoplitis (Anthocopa) wahrmani* (Mavromoustakis,1948)** (Megachilidae) Synonym(s): *wahrmani* Mavromoustakis,1948 Range (in code): IL Pa
- 16462. *Hoplitis (Anthocopa) yermasoyiae* (Mavromoutakis,1938)** (Megachilidae) Synonym(s): *yermasoyiae* Mavromoutakis,1938; *asiae* Tkalcu,1979; *corcyraea* Tkalcu,1979 Range (in code): AL AM Cc GR CY YU SY TR 25
- 16463. *Hoplitis (Bytinskia) erythrogastra* (Mavromoustakis,1954)** (Megachilidae) Synonym(s): *erythrogastra* Mavromoustakis,1954 Range (in code): IL Pa JO LB
- 16464. *Hoplitis (Bytinskia) negevensis* (Warncke,1991)** (Megachilidae) Synonym(s): *negevensis* Warncke,1991 Range (in code): IL Pa
- 16465. *Hoplitis (Bytinskia) parasitica* (Warncke,1991)** (Megachilidae) Synonym(s): *parasitica* Warncke,1991 Range (in code): TR 30
- 16466. *Hoplitis (Chlidoplitis) heinrichi* Zanden,1980** (Megachilidae) Synonym(s): *heinrichi* Zanden,1980 Range (in code): TR SY IR 63
- 16467. *Hoplitis (Chlidoplitis) illustris* Zanden,1992** (Megachilidae) Synonym(s): *illustris* Zanden,1992  
Range (in code): TR 50
- 16468. *Hoplitis (Chlidoplitis) lysholmi* (Friese,1899)** (Megachilidae) Synonym(s): *lysholmi* Friese,1899 Range (in code): GR Rd IL Pa JO SY LB TR 33
- 16469. *Hoplitis (Chlidoplitis) onychophora* (Mavromoustakis,1939)** (Megachilidae) Synonym(s): *onychophora* Mavromoustakis,1939 Range (in code): IL Pa JO SY TR
- 16470. *Hoplitis (Coloplitis) persica* (Warncke,1991)** (Megachilidae) Synonym(s): *persica* Warncke,1991  
Range (in code): IR Elb Th
- 16471. *Hoplitis (Coloplitis) premordica* Griswold,1998** (Megachilidae) Synonym(s): *premordica* Griswold,1998 Range (in code): PK Bl Qu
- 16472. *Hoplitis (Kumobia) ahrensi* (Popov,1962)** (Megachilidae) Synonym(s): *ahrensi* Popov,1962  
Range (in code): TM
- 16473. *Hoplitis (Kumobia) farabensis* (Popov,1962)** (Megachilidae) Synonym(s): *farabensis* Popov,1962 Range (in code): TM
- 16474. *Hoplitis (Kumobia) tenuicornis* (Morawitz,1875)** (Megachilidae) Synonym(s): *tenuicornis* Morawitz,1875 Range (in code): TM
- 16475. *Hoplitis (Megahoplitis) tigrina* (Morawitz,1871)** (Megachilidae) Synonym(s): *tigrina* Morawitz,1871; *tricuspidata* Sichel,1873; *deserti* Benoist,1934 Range (in code): DZ MA GR TR SY IR
- 16476. *Hoplitis (Megalosmia) fulva* (Eversmann,1852)** (Megachilidae) Synonym(s): *fulva* Eversmann,1852; *grandis* Morawitz,1872 Range (in code): AM Cc AZ HU RO RU Or KG MN CN JO SY TR 05 06 31 38 42 58 62 63 68
- 16477. *Hoplitis (Micreriades) antalyae* Tkalcu,2000** (Megachilidae) Synonym(s): *antalyae* Tkalcu,2000 Range (in code): TR 07
- 16478. *Hoplitis (Micreriades) lebanotica* (Mavromoustakis,1955)** (Megachilidae) Synonym(s): *lebanotica* Mavromoustakis,1955 Range (in code): JO LB TR 25 65 73
- 16479. *Hoplitis (Micreriades) mazzuccoi* (Schwarz & Gusenleitner,2005)** (Megachilidae) Synonym(s): *mazzuccoi* Schwarz & Gusenleitner,2005 Range (in code): AT BG HU SK TR
- 16480. *Hoplitis (Micreriades) pisidiae* Tkalcu,2000** (Megachilidae) Synonym(s): *pisidiae* Tkalcu,2000  
Range (in code): TR 32
- 16481. *Hoplitis (Pentadentoscia) enslini* (Alfken,1935)** (Megachilidae) Synonym(s): *grandior* Alfken,1935 nec Cock.,1897; *enslini* Alfken,1935 Range (in code): IL Pa
- 16482. *Hoplitis (Pentadentoscia) fascicularia* (Radoszkowski,1886)** (Megachilidae) Synonym(s): *fascicularia* Radoszkowski,1886 Range (in code): TM Kp
- 16483. *Hoplitis (Pentadentoscia) gallinula* (Warncke,1991)** (Megachilidae) Synonym(s): *gallinula* Warncke,1991 Range (in code): TR JO SY 63

- 16484. *Hoplitis (Pentadentoscia) helouanensis* (Friese,1899)** (Megachilidae) Synonym(s): *helouanensis* Friese,1899 Range (in code): EG MA IL Pa JO OM AE
- 16485. *Hoplitis (Pentadentoscia) jejuna* Popov,1952** (Megachilidae) Synonym(s): *jejuna* Popov,1952; *argentea* Zanden,1998 Range (in code): TJ UZ IR
- 16486. *Hoplitis (Pentadentoscia) karakalensis* (Popov,1936)** (Megachilidae) Synonym(s): *karakalensis* Popov,1936 Range (in code): TM IR
- 16487. *Hoplitis (Pentadentoscia) laevifrons* (Morawitz,1872)** (Megachilidae) Synonym(s): *laevifrons* Morawitz,1872 Range (in code): AT AM Cc CZ HU IT MK RU SK SS ES CN Ui PK TR IN 25
- 16488. *Hoplitis (Pentadentoscia) meyeri* (Benoist,1934)** (Megachilidae) Synonym(s): *meyeri* Benoist,1934 Range (in code): DZ MA IL Pa
- 16489. *Hoplitis (Pentadentoscia) minor* (Morawitz,1877)** (Megachilidae) Synonym(s): *minor* Morawitz,1877 Range (in code): AM Cc IL Pa JO SY CN Ui
- 16490. *Hoplitis (Pentadentoscia) moricei* (Friese,1899)** (Megachilidae) Synonym(s): *moricei* Friese,1899; *pustinia* Warncke,1991 Range (in code): Cn DZ MA TN IL Pa JO PK AE IN
- 16491. *Hoplitis (Pentadentoscia) nitidula* (Morawitz,1877)** (Megachilidae) Synonym(s): *nitidula* Morawitz,1877; *transcaspica* Morawitz,1888 Range (in code): AM Cc RU KG PK IR
- 16492. *Hoplitis (Pentadentoscia) pomarina* (Warncke,1991)** (Megachilidae) Synonym(s): *pomarina* Warncke,1991 Range (in code): GR MK TR Arr IR 04 30 33 36 65 76
- 16493. *Hoplitis (Pentadentoscia) quinquespinoza* (Friese,1899)** (Megachilidae) Synonym(s): *quinquespinoza* Friese,1899; *consanguinea* Benoist,1929; *neptunea* Benoist,1929 Range (in code): MA DZ TN IL Pa
- 16494. *Hoplitis (Pentadentoscia) ridibunda* (Warncke,1991)** (Megachilidae) Synonym(s): *ridibunda* Warncke,1991 Range (in code): TR 31
- 16495. *Hoplitis (Pentadentoscia) rufopicta* (Morawitz,1875)** (Megachilidae) Synonym(s): *rufopicta* Morawitz,1875; *laeviscutum* Alfken,1935 Range (in code): TJ TM UZ IL Pa IR JO PK TR 30 63
- 16496. *Hoplitis (Pentadentoscia) tringa* (Warncke,1991)** (Megachilidae) Synonym(s): *tringa* Warncke,1991 Range (in code): TR 23
- 16497. *Hoplitis (Platosmia) africana* (Warncke,1990)** (Megachilidae) Synonym(s): *africana* Warncke,1990; *adustus* Zanden,1991 Range (in code): MA DZ IL Pa
- 16498. *Hoplitis (Platosmia) alchata* (Warncke,1990)** (Megachilidae) Synonym(s): *alchata* Warncke,1990 Range (in code): TR 63
- 16499. *Hoplitis (Platosmia) gerofita* (Warncke,1990)** (Megachilidae) Synonym(s): *gerofita* Warncke,1990 Range (in code): IL Pa
- 16500. *Hoplitis (Platosmia) recticauda* (Stanek,1969)** (Megachilidae) Synonym(s): *recticauda* Stanek,1969 Range (in code): TR 07 25 30 33
- 16501. *Hoplitis (Prionohoplitis) brachypogon* (Pérez,1879)** (Megachilidae) Synonym(s): *brachypogon* Pérez,1879; *carsophila* Dücke,1899; *seyrigi* Benoist,1934 Range (in code): AL BG ES FR GR Cr HV IT PT SY TR
- 16502. *Hoplitis (Prionohoplitis) campanularis* (Morawitz,1877)** (Megachilidae) Synonym(s): *campanularis* Morawitz,1877; *sexcinctella* Pérez,1895; *digitata* Friese,1899; *ibericola* Mavromoustakis,1947 Range (in code): AL BG Cc GG GR IT SS MA DZ TR
- 16503. *Hoplitis (Prionohoplitis) curvipes* (Morawitz,1871)** (Megachilidae) Synonym(s): *curvipes* Morawitz,1871 Range (in code): GR AZ Cc BG ES FR IT Si TR
- 16504. *Hoplitis (Prionohoplitis) eburnea* (Warncke,1991)** (Megachilidae) Synonym(s): *eburnea* Warncke,1991 Range (in code): TR IL Pa SY 73
- 16505. *Hoplitis (Prionohoplitis) epeoliformis* (Dücke,1899)** (Megachilidae) Synonym(s): *epeoliformis* Dücke,1899 Range (in code): DZ MA JO
- 16506. *Hoplitis (Prionohoplitis) grossepunctata* (Kohl,1905)** (Megachilidae) Synonym(s): *grossepunctata* Kohl,1905 Range (in code): GR AM Cc TR 38
- 16507. *Hoplitis (s.str.) adunca* (Panzer,1798)** (Megachilidae) Synonym(s): *adunca* Panzer,1798; *spinolae* Lepeletier,1841; *aduncoides* Strand,1910; *contraria* Tkalcu,1974 Range (in code): AT AL AM Cc BE BG CH CZ DE DK ES FR Co GR HU HV IT Sa Si LT NL PT PL RU SK SS UA DZ MA TN LY KG TM TR 06 25 34 42
- 16508. *Hoplitis (s.str.) anthocopoides* (Schenck,1853)** (Megachilidae) Synonym(s): *anthocopoides* Schenck,1853; *caementaria* Gerstaecker,1869; *hybrida* Pérez,1879; *romana* Morice,1901; *algerica* Benoist,1959 Range (in code): Cn AT AM Cc BE BG CH CZ DE DK ES PT PL RO RU SK SS UA DZ MA TN CA US
- 16509. *Hoplitis (s.str.) bombiformis* Zanden,1991** (Megachilidae) Synonym(s): *bombiformis* Zanden,1991 Range (in code): TR 30
- 16510. *Hoplitis (s.str.) brevicornis* (Morawitz,1880)** (Megachilidae) Synonym(s): *brevicornis* Morawitz,1880 Range (in code): TM Krn
- 16511. *Hoplitis (s.str.) carinata* (Stanek,1969)** (Megachilidae) Synonym(s): *carinata* Stanek,1969 Range (in code): AM Cc BG GR MK JO TR SY 25 42
- 16512. *Hoplitis (s.str.) erzurumensis* Tkalcu,2000** (Megachilidae) Synonym(s): *erzurumensis* Tkalcu,2000 Range (in code): TR 25

- 16513. *Hoplitis* (s.str.) *fertoni* (Pérez,1890)** (Megachilidae) Synonym(s): *fertoni* Pérez,1890; *albispina* Pérez,1895; *mecheriana* Pérez,1902 Range (in code): MA DZ TN IL Pa
- 16514. *Hoplitis* (s.str.) *flabellifera* (Morice,1901)** (Megachilidae) Synonym(s): *flabellifera* Morice,1901; *conjuncta* Alfken,1935; *stichi* Alfken,1935 Range (in code): IL Pa JO SY TR AM Cc
- 16515. *Hoplitis* (s.str.) *holmboei* (Mavromoustakis,1948)** (Megachilidae) Synonym(s): *holmboei* Mavromoustakis,1948 Range (in code): GR CY
- 16516. *Hoplitis* (s.str.) *homalocera* Zanden,1991** (Megachilidae) Synonym(s): *homalocera* Zanden,1991 Range (in code): IL Pa JO
- 16517. *Hoplitis* (s.str.) *improceros* Zanden,1998** (Megachilidae) Synonym(s): *improceros* Zanden,1998 Range (in code): IL Pa
- 16518. *Hoplitis* (s.str.) *lapidaria* (Morawitz,1877)** (Megachilidae) Synonym(s): *lapidaria* Morawitz,1877 Range (in code): AM Eri Cc TR
- 16519. *Hoplitis* (s.str.) *libanensis* (Morice,1901)** (Megachilidae) Synonym(s): *libanensis* Morice,1901 Range (in code): LB IL Pa JO SY TR
- 16520. *Hoplitis* (s.str.) *linguaria* (Morawitz,1876)** (Megachilidae) Synonym(s): *linguaria* Morawitz,1876 Range (in code): Cc TR
- 16521. *Hoplitis* (s.str.) *manicata* (Morice,1901)** (Megachilidae) Synonym(s): *manicata* Morice,1901 Range (in code): AT AL BG CZ FR Co GR Cr HV IT MK RO SK UA DZ? TR 05 06 32
- 16522. *Hoplitis* (s.str.) *monstrabilis* Tkalcu,2000** (Megachilidae) Synonym(s): *monstrabilis* Tkalcu,2000 Range (in code): TR JO 25
- 16523. *Hoplitis* (s.str.) *mucida* (Dours,1873)** (Megachilidae) Synonym(s): *mucida* Dours,1873; *chobauti* Pérez,1902; *taorminaensis* Strand,1919; *maroccana* Benoist,1929 Range (in code): CH ES FR IT Si PT DZ MA TN IL Pa JO
- 16524. *Hoplitis* (s.str.) *pallicornis* (Friese,1895)** (Megachilidae) Synonym(s): *pallicornis* Friese,1895 Range (in code): AL GR Cr HV IT MK SS IL Pa JO SY TR
- 16525. *Hoplitis* (s.str.) *pici* (Friese,1899)** (Megachilidae) Synonym(s): *pici* Friese,1899 Range (in code): GR Cr HV RO SY TR
- 16526. *Hoplitis* (s.str.) *quettensis* Tkalcu,2000** (Megachilidae) Synonym(s): *quettensis* Tkalcu,2000 Range (in code): PK Bl Qu
- 16527. *Hoplitis* (s.str.) *semilinguaria* Tkalcu,1992** (Megachilidae) Synonym(s): *semilinguaria* Tkalcu,1992 Range (in code): IR
- 16528. *Hoplitis* (s.str.) *strymonia* Tkalcu,1999** (Megachilidae) Synonym(s): *strymonia* Tkalcu,1999 Range (in code): BG TR
- 16529. *Hoplitis* (s.str.) *subulicornis* (Morawitz,1877)** (Megachilidae) Synonym(s): *subulicornis* Morawitz,1877 Range (in code): AM Cc
- 16530. *Hoplitis* (s.str.) *testaceozonata* (Alfken,1935)** (Megachilidae) Synonym(s): *testaceozonata* Alfken,1935 Range (in code): IL Pa
- 16531. *Hoplitis* (Stenosmia) *aravensis* (Zanden,1992)** (Megachilidae) Synonym(s): *aravensis* Zanden,1992 Range (in code): IL Pa SY
- 16532. *Hoplitis* (Stenosmia) *denticulata* (Zanden,1992)** (Megachilidae) Synonym(s): *denticulata* Zanden,1992 Range (in code): IL Pa
- 16533. *Hoplitis* (Stenosmia) *flavicornis* (Morawitz,1877)** (Megachilidae) Synonym(s): *flavicornis* Morawitz,1877 Range (in code): AM Cc CN Ui TM JO
- 16534. *Hoplitis* (Stenosmia) *hartliebi* (Friese,1899)** (Megachilidae) Synonym(s): *hartliebi* Friese,1899 Range (in code): DZ? EG LY TN IL Pa
- 16535. *Hoplitis* (Stenosmia) *jordanica* (Warncke,1991)** (Megachilidae) Synonym(s): *jordanica* Warncke,1991 Range (in code): MA EG JO AE
- 16536. *Hoplitis* (Stenosmia) *kotschisa* (Warncke,1991)** (Megachilidae) Synonym(s): *kotschisa* Warncke,1991 Range (in code): TR 06
- 16537. *Hoplitis* (Tkalcu) *paralias* (Mavromoustakis,1954)** (Megachilidae) Synonym(s): *paralias* Mavromoustakis,1954 Range (in code): MA TN IL Pa
- 16538. *Lithurgus* *chrysurus* Fonscolombe,1834** (Megachilidae) Synonym(s): *chrysurus* Fonscolombe,1834; *analys* Lepeletier,1841; *haemorrhoidalis* Lepeletier,1841; *monocerus* Morawitz,1873 Range (in code): ES FR DE CH IT Co Sa Si SS HU SK BG RU GR Ae Le Rd CY TR SY LB IL Pa IR 25 38 49
- 16539. *Lithurgus* *cornutus* (Fabricius,1787)** (Megachilidae) Synonym(s): *cornutus* Fabricius,1787; *fuscipennis* Lepeletier,1841; *umbraculatus* Lepeletier,1841; *nasutus* Dufour,1849; *monoceros* Eversmann,1852; *dohrni* Radoszkowski,1862; *maximus* Radoszkowski,1872 [ssp.] Range (in code): ES FR IT SS CZ SK HU GR TR IR Ab Cc Kh Gor KG CN Ui Um JP TW MA RO UZ Smk 65
- 16540. *Lithurgus* *tibialis* Morawitz,1875** (Megachilidae) Synonym(s): *tibialis* Morawitz,1875 Range (in code): ES GR Ae Nx CY TR SY IL Pa JO EG IR 02 07 21 33 63 76
- 16541. *Megachile* (Euricharaea) *inexpectata* Rebmann,1968** (Megachilidae) Synonym(s): *inexpectata* Rebmann,1968 Range (in code): TR 33 63



- 16542. Megachile (Eutricharaea) anatolica** Rebmman,1968 (Megachilidae) Synonym(s): anatolica Rebmman,1968 Range (in code): TR 07 12 20 21 25 33 48 55
- 16543. Megachile (Eutricharaea) apicalis** Spinola,1808 (Megachilidae) Synonym(s): apicalis Spinola,1808 Range (in code): CA DZ Cc TR IR Elb Dam Kh CN IMn 06 26 58
- 16544. Megachile (Eutricharaea) deceptor** Pérez,1890 (Megachilidae) Synonym(s): deceptor Pérez,1890 Range (in code): Cc KG TM TR 06 10 26 38
- 16545. Megachile (Eutricharaea) leachella** Curtis,1828 (Megachilidae) Synonym(s): leachella Curtis,1828 Range (in code): TR 06 07 24 25 33 34 41 42 44 50 63
- 16546. Megachile (Eutricharaea) pilidens** Alfken,1924 (Megachilidae) Synonym(s): pilidens Alfken,1924 Range (in code): Cc TR DZ 06 07 08 10 25 26 33 34 35 38 50 65 68 76
- 16547. Megachile (Eutricharaea) rotundata** (Fabricius,1787) (Megachilidae) Synonym(s): rotundata Fabricius,1787 Range (in code): Cc RU KG CA US NZ 06
- 16548. Megachile (Metamegachile) aurantiaca** Rebmman,1972 (Megachilidae) Synonym(s): aurantiaca Rebmman,1972 Range (in code): IR Ss
- 16549. Megachile (Metamegachile) rhodosiaca** Rebmman,1972 (Megachilidae) Synonym(s): rhodosiaca Rebmman,1972 Range (in code): Rd TR 02 07 21 24 33 46
- 16550. Megachile (Neoeutricharaea) auripubens** Rebmman,1970 (Megachilidae) Synonym(s): auripubens Rebmman,1970 Range (in code): IR Ss
- 16551. Megachile (Neoeutricharaea) babylonica** Rebmman,1970 (Megachilidae) Synonym(s): babylonica Rebmman,1970 Range (in code): IQ
- 16552. Megachile (Neoeutricharaea) basilaris** Mavromoustakis,1952 (Megachilidae) Synonym(s): basilaris Mavromoustakis,1952 Range (in code): TR 63
- 16553. Megachile (Neoeutricharaea) communis** Morawitz,1875 (Megachilidae) Synonym(s): communis Morawitz,1875 Range (in code): TR 06
- 16554. Megachile (Neoeutricharaea) fertoni** Pérez,1896 (Megachilidae) Synonym(s): fertoni Pérez,1896 Range (in code): TR 03 07 09
- 16555. Megachile (Neoeutricharaea) flabellipes** Pérez,1895 (Megachilidae) Synonym(s): flabellipes Pérez,1895 Range (in code): TR 09 34 50
- 16556. Megachile (Neoeutricharaea) iranica** Rebmman,1970 (Megachilidae) Synonym(s): iranica Rebmman,1970 Range (in code): IR Ss
- 16557. Megachile (Neoeutricharaea) leucomella** Gerstaecker,1869 (Megachilidae) Synonym(s): leucomella Gerstaecker,1869 Range (in code): TR 08
- 16558. Megachile (Neoeutricharaea) melanogaster** Eversmann,1852 (Megachilidae) Synonym(s): melanogaster Eversmann,1852 Range (in code): TR 04 25
- 16559. Megachile (Neoeutricharaea) minutissima** Radoszkowski,1876 (Megachilidae) Synonym(s): minutissima Radoszkowski,1876 Range (in code): TR 01
- 16560. Megachile (Neoeutricharaea) picicornis** Morawitz,1878 (Megachilidae) Synonym(s): picicornis Morawitz,1878 Range (in code): TR 07 09 25 55 65
- 16561. Megachile (Neoeutricharaea) rubrimana** Morawitz,1893 (Megachilidae) Synonym(s): rubrimana Morawitz,1893 Range (in code): TR 20 22 55
- 16562. Megachile (Neoeutricharaea) squamosa** Rebmman,1970 (Megachilidae) Synonym(s): squamosa Rebmman,1970 Range (in code): IQ
- 16563. Megachile (Neoeutricharaea) terminata** Morawitz,1875 (Megachilidae) Synonym(s): terminata Morawitz,1875 Range (in code): TR 63
- 16564. Megachile (Neoeutricharaea) villipes** Morawitz,1875 (Megachilidae) Synonym(s): villipes Morawitz,1875 Range (in code): TR 07 49 65
- 16565. Megachile (Pseudomegachile) persica** Rebmman,1972 (Megachilidae) Synonym(s): persica Rebmman,1972 Range (in code): IR AF
- 16566. Megachile (s.str.) alpicola** Alfken,1924 (Megachilidae) Synonym(s): alpicola Alfken,1924 Range (in code): TR 25
- 16567. Megachile (s.str.) armenia** Tkalcu,1992 (Megachilidae) Synonym(s): armenia Tkalcu,1992 Range (in code): TR 25
- 16568. Megachile (s.str.) centuncularis** (Linnaeus,1758) (Megachilidae) Synonym(s): centuncularis Linnaeus,1758 Range (in code): TR 01 06 08 09 24 25 61 75
- 16569. Megachile (s.str.) genalis** Morawitz,1880 (Megachilidae) Synonym(s): genalis Morawitz,1880; tortumensis Tkalcu,1980 Range (in code): TR 25
- 16570. Megachile (s.str.) ligniseca** (Kirby,1802) (Megachilidae) Synonym(s): ligniseca Kirby,1802 Range (in code): TR 08 61
- 16571. Megachile (s.str.) melanopyga** Costa,1863 (Megachilidae) Synonym(s): melanopyga Costa,1863 Range (in code): SS GR TR 07 08 25 30 33
- 16572. Megachile (s.str.) octosignata** Nylander,1852 (Megachilidae) Synonym(s): octosignata Nylander,1852 Range (in code): TR 25 36

- 16573. Megachile (s.str.) pilicrus Morawitz,1878** (Megachilidae) Synonym(s): pilicrus Morawitz,1878  
Range (in code): UA HU DE Cc RU TR IR Elb Dam KK UZ Tas TJ CN Ui 06 25 66
- 16574. Megachile (s.str.) pyrenaea Pérez,1890** (Megachilidae) Synonym(s): pyrenaea Pérez,1890  
Range (in code): FI SE Cc TR 06 25 26 38 75
- 16575. Megachile (s.str.) versicolor Smith,1844** (Megachilidae) Synonym(s): versicolor Smith,1844  
Range (in code): TR 25 26 36
- 16576. Megachile (Xanthosarus) analis Nylander,1852** (Megachilidae) Synonym(s): analis Nylander,1852 Range (in code): TR 25
- 16577. Megachile (Xanthosarus) boops Friese,1921** (Megachilidae) Synonym(s): boops Friese,1921  
Range (in code): TR 31
- 16578. Megachile (Xanthosarus) circumcincta (Kirby,1802)** (Megachilidae) Synonym(s): circumcincta Kirby,1802; bryorum Schrank,1781; ozbeki Tkalcu,1977 Range (in code): TR 16 24 25 29 36 48 65 80
- 16579. Megachile (Xanthosarus) giraudi Gerstaecker,1869** (Megachilidae) Synonym(s): giraudi Gerstaecker,1869; erzurumensis Tkalcu,1980 Range (in code): HU UA DE SK TR 06 07 17 25 26 32
- 16580. Megachile (Xanthosarus) lagopoda (Linnaeus,1761)** (Megachilidae) Synonym(s): lagopoda Linnaeus,1761 Range (in code): TR Cc IR Ab RU Sb Us JP DZ 06 25 26
- 16581. Megachile (Xanthosarus) maritima (Kirby,1802)** (Megachilidae) Synonym(s): maritima Kirby,1802 Range (in code): Cc KG RU Us TR 06 08 18 24 25 26 36 38 75 76
- 16582. Megachile (Xanthosarus) metatarsalis Morawitz,1895** (Megachilidae) Synonym(s): metatarsalis Morawitz,1895 Range (in code): TR 24
- 16583. Megachile (Xanthosarus) nigriventris Schenck,1870** (Megachilidae) Synonym(s): ursula Gerstaecker,1869; nigriventris Schenck,1870; curvicrus Thomson,1872; hasticornis Cockerell,1924 Range (in code): IR Ab
- 16584. Megachile (Xanthosarus) willughbiella (Kirby,1802)** (Megachilidae) Synonym(s): willughbiella Kirby,1802 Range (in code): TR 06 23 24 25 62
- 16585. Megachile albocristata Smith,1853** (Megachilidae) Synonym(s): albocristata Smith,1853 Range (in code): TR 04 19 25 35
- 16586. Megachile albonotata Radoszkowski,1886** (Megachilidae) Synonym(s): albonotata Radoszkowski,1886 Range (in code): TR 50
- 16587. Megachile atratula Rebmann,1968** (Megachilidae) Synonym(s): atratula Rebmann,1968 Range (in code): TR 12 21
- 16588. Megachile bicoloriventris Mocsary,1878** (Megachilidae) Synonym(s): bicoloriventris Mocsary,1878 Range (in code): TR 25
- 16589. Megachile derasa Gerstäcker,1869** (Megachilidae) Synonym(s): derasa Gerstäcker,1869 Range (in code): TR 01 07 20 33
- 16590. Megachile foersteri Gerstäcker,1869** (Megachilidae) Synonym(s): foersteri Gerstäcker,1869  
Range (in code): TR 01 06 07 09 13 24 25 31 35 62 65
- 16591. Megachile hungarica Mocsáry,1877** (Megachilidae) Synonym(s): hungarica Mocsáry,1877 Range (in code): HU TR IL Pa
- 16592. Megachile manicata Giraud,1861** (Megachilidae) Synonym(s): manicata Giraud,1861 Range (in code): TR 25
- 16593. Megachile monstifica Morawitz,1878** (Megachilidae) Synonym(s): monstifica Morawitz,1878  
Range (in code): TR 25 42 65
- 16594. Megachile multispinosa Morawitz,1875** (Megachilidae) Synonym(s): multispinosa Morawitz,1875  
Range (in code): TR 13 24 25
- 16595. Megachile nigrita Radoszkowski,1876** (Megachilidae) Synonym(s): nigrita Radoszkowski,1876  
Range (in code): TR 01 34
- 16596. Megachile pacifica Panzer,1798** (Megachilidae) Synonym(s): pacifica Panzer,1798 Range (in code): TR 25 75
- 16597. Megachile palaestina (Tkalcu,1988)** (Megachilidae) Synonym(s): palaestina Tkalcu,1988 Range (in code): IL Pa
- 16598. Megachile pyrenaica Lepeletier,1841** (Megachilidae) Synonym(s): pyrenaica Lepeletier,1841  
Range (in code): TR ES FR Py 16 23 25 32 38
- 16599. Megachile roeweri (Alfken,1927)** (Megachilidae) Synonym(s): roeweri Alfken,1927 Range (in code): TR 62
- 16600. Megachile thracia Tkalcu,1979 (stat.n.)** (Megachilidae) Synonym(s): sexmaculata Alfken,1942 nec Smith,1868; thracia Tkalcu,1979 Range (in code): BG TR 25 60 65 69
- 16601. Metadioxys formosa (Morawitz,1875)** (Megachilidae) Synonym(s): formosa Morawitz,1875  
Range (in code): IL Pa IR
- 16602. Metadioxys graeca Mavromoustakis,1963** (Megachilidae) Synonym(s): graeca Mavromoustakis,1963 Range (in code): GR TR 42
- 16603. Ochreriades fasciatus (Friese,1899)** (Megachilidae) Synonym(s): fasciatus Friese,1899 Range (in code): IL Pa JO SY

- 16604. Osmia (Allosmia) bischoffi** Atanassov,1938 (Megachilidae) Synonym(s): bischoffi Atanassov,1938 Range (in code): BG GR RO TR
- 16605. Osmia (Allosmia) decorata** Morawitz,1886 (Megachilidae) Synonym(s): decorata Morawitz,1886 Range (in code): RU Cc
- 16606. Osmia (Allosmia) imitatrix** (Tkalcu,1992) (Megachilidae) Synonym(s): imitatrix Tkalcu,1992 Range (in code): TM
- 16607. Osmia (Allosmia) lhotelleriei** Pérez,1887 (Megachilidae) Synonym(s): lhotelleriei Pérez,1887 Range (in code): DZ EG MA LY TN IL Pa JO SY
- 16608. Osmia (Allosmia) melanura** Morawitz,1871 (Megachilidae) Synonym(s): melanura Morawitz,1871 Range (in code): AM Cc BG FR GR IT Si MK UA TR
- 16609. Osmia (Allosmia) nuda** Friese,1899 (Megachilidae) Synonym(s): nuda Friese,1899 Range (in code): BG TR
- 16610. Osmia (Allosmia) rufohirta** Latreille,1811 (Megachilidae) Synonym(s): rufohirta Latreille,1811; spiniventris Giraud,1857; soror Pérez,1896 Range (in code): AT AL AM Cc BE BG CH CZ DE ES FR Co DE GR IT Sa Si MK PT RO RU SK SS UA DZ MA TN CN Ui IL Pa JO SY TR IR Mz Elb 07 09 20
- 16611. Osmia (Allosmia) rufotibialis** Friese,1920 (Megachilidae) Synonym(s): rufotibialis Friese,1920 Range (in code): IL Pa JO
- 16612. Osmia (Allosmia) sybarita** Smith,1853 (Megachilidae) Synonym(s): sybarita Smith,1853; ruficollis Sichel,1873; fossoria Pérez,1890; duckei Friese,1899 Range (in code): AL GR Cr DZ EG TN CY IL Pa JO SY TR 33
- 16613. Osmia (Erythrosmia) andrenoides** Spinola,1808 (Megachilidae) Synonym(s): andrenoides Spinola,1808 Range (in code): AT AL BE BG CH CZ DE FR Cc GG GR Cr HU HV IT Sa Si PT RO RU SK SS UA DZ MA TN CY IL Pa TR
- 16614. Osmia (Erythrosmia) erythrogastra** Ferton,1905 (Megachilidae) Synonym(s): erythrogastra Ferton,1905 Range (in code): FR Co GR IT Sa CY TR
- 16615. Osmia (Helicosmia) adae** Bingham,1897 (Megachilidae) Synonym(s): adae Bingham,1897 Range (in code): PK IN NP
- 16616. Osmia (Helicosmia) aeruginosa** Warncke,1988 (Megachilidae) Synonym(s): aeruginosa Warncke,1988 Range (in code): TR 30
- 16617. Osmia (Helicosmia) alfkeni** Ducke,1899 (Megachilidae) Synonym(s): alfkeni Ducke,1899; crinita Alfken,1942 Range (in code): DZ MA TN EG IL Pa JO
- 16618. Osmia (Helicosmia) aquila** Warncke,1988 (Megachilidae) Synonym(s): aquila Warncke,1988 Range (in code): TR IL Pa JO 42
- 16619. Osmia (Helicosmia) aurulenta** (Panzer,1799) (Megachilidae) Synonym(s): aurulenta Panzer,1799; haematoda Panzer,1801 Range (in code): AT AL AD AM Cc BE CH DE DK ES FR GB GG GR HU IT Sa IE LV LT MK NL NO PT PL RO RU SE FI SK SS UA IR LB TR 06 07 08 13 24 25 31 38 50 62
- 16620. Osmia (Helicosmia) breviata** Warncke,1988 (Megachilidae) Synonym(s): breviata Warncke,1988 Range (in code): TR 42
- 16621. Osmia (Helicosmia) brevipes** Zanden,1994 (Megachilidae) Synonym(s): brevipes Zanden,1994 Range (in code): TR 58
- 16622. Osmia (Helicosmia) caerulescens** (Linneus,1758) (Megachilidae) Synonym(s): caerulescens Linneus,1758; aenea Linnaeus,1761; superbus Harris,1776; muraria Retzius,1783; cuprea Geoffroy,1785; cyanea Fabricius,1793; purpurea Cresson,1864; rustica Cresson,1864 Range (in code): AT AL AM AZ Cc BE BG CZ CH DE DK ES FR FI GB GG GR Cr HU HV IT Sa Si LT MT MK NL PL PT RO RU SK SS UA DZ EG MA TN KK KG CN TJ TM UZ CY IR JO SY TR CA US IN 06 07 08 09 16 24 25 34 36 42 46 57 76
- 16623. Osmia (Helicosmia) carinoclypearis** Wu,1985 (Megachilidae) Synonym(s): carinoclypearis Wu,1985 Range (in code): CN KK TJ TR
- 16624. Osmia (Helicosmia) chrysaetos** Warncke,1988 (Megachilidae) Synonym(s): chrysaetos Warncke,1988 Range (in code): TR 30
- 16625. Osmia (Helicosmia) cinerea** Warncke,1988 (Megachilidae) Synonym(s): cinerea Warncke,1988 Range (in code): TR 30
- 16626. Osmia (Helicosmia) clypearis** Morawitz,1871 (Megachilidae) Synonym(s): clypearis Morawitz,1871; macedonica Tkalcu,1979; acuta Warncke,1988 Range (in code): MK BG ES GR IL Pa JO SY Cc TR 30 36 58
- 16627. Osmia (Helicosmia) damascena** Pérez,1911 (Megachilidae) Synonym(s): damascena Pérez,1911 Range (in code): SY Dms
- 16628. Osmia (Helicosmia) dimidiata** Morawitz,1870 (Megachilidae) Synonym(s): dimidiata Morawitz,1870; taurica Radoszkowski,1874; rossica Friese,1899 Range (in code): AL BG ES FR GR Cr IT Sa Si MK RU UA Cc TM CY IL Pa LB TR IR 06 07 09 30 31 33 36 65 70 73
- 16629. Osmia (Helicosmia) diomedea** Warncke,1988 (Megachilidae) Synonym(s): diomedea Warncke,1988 Range (in code): TR 73
- 16630. Osmia (Helicosmia) dives** Mocsary,1877 (Megachilidae) Synonym(s): dives Mocsary,1877; medanae Magreti,1890; subintegra Pérez,1902; hierosolomita Benoist,1934 Range (in code): GR Cr HU EG? KK UZ CY IL Pa Js JO SY TR



- 16631. *Osmia (Helicosmia) dlabolae* Tkalcu,1978** (Megachilidae) Synonym(s): dlabolae Tkalcu,1978  
Range (in code): TR 44
- 16632. *Osmia (Helicosmia) fasciata* Latreille,1811** (Megachilidae) Synonym(s): fasciata Latreille,1811; atroalba Morawitz,1875; kuznetsovi Cockerell,1930 Range (in code): TJ TM UZ CN Ui AF IL Pa JO OM PK SY SA IN
- 16633. *Osmia (Helicosmia) fulviventris* (Panzer,1798)** (Megachilidae) Synonym(s): fulviventris Panzer,1798 Range (in code): CA Cc KG Cn Az UA Cm TR DZ CY CN Ui 01 07 16 18 30 33 34 36 47 51 54 55 67 70 73
- 16634. *Osmia (Helicosmia) gutturalis* Warncke,1988** (Megachilidae) Synonym(s): gutturalis Warncke,1988 Range (in code): TR IL Pa IR 30
- 16635. *Osmia (Helicosmia) heliaca* Warncke,1988** (Megachilidae) Synonym(s): heliaca Warncke,1988  
Range (in code): TR 30
- 16636. *Osmia (Helicosmia) laticella* Zanden,1986** (Megachilidae) Synonym(s): laticeps Friese,1899 nec Thoms.,1872; laticella Zanden,1986 Range (in code): EG IL Pa
- 16637. *Osmia (Helicosmia) latreillei* (Spinola,1806)** (Megachilidae) Synonym(s): latreillei Spinola,1806; nasidens Latreille,1811; quadricornis Kriechbaumer,1869; friesei Verhoeff,1892; iberoafricana Peters,1975  
Range (in code): CH ES FR Co GR Cr HV IT Sa Si MT MK PT DZ Cn EG LY MA Md TN CY IL Pa JO TR
- 16638. *Osmia (Helicosmia) lazulina* Benoist,1928** (Megachilidae) Synonym(s): lazulina Benoist,1928  
Range (in code): TN DZ MA LY IL Pa
- 16639. *Osmia (Helicosmia) leaiana* (Kirby,1802)** (Megachilidae) Synonym(s): hirta Geoffroy,1785 nec Schr.,1781; leaiana Kirby,1802; confusa Morawitz,1869; solkyi Morawitz,1870; bidens Pérez,1879; forsii Alfken,1924; schachti Warncke,1988 Range (in code): AT AD AM BE BG CH CZ DE DK ES FR FI GB GG GR HU IT Si LT NL MK PL RO RU SK SS UA DZ MA TN KK TR IR 25 75
- 16640. *Osmia (Helicosmia) livida* Tkalcu,1978** (Megachilidae) Synonym(s): livida Tkalcu,1978 Range (in code): TR 69
- 16641. *Osmia (Helicosmia) mediana* Engel,2006** (Megachilidae) Synonym(s): mediana Engel,2006  
Range (in code): IR Elb Th
- 16642. *Osmia (Helicosmia) melanogaster* Spinola,1808** (Megachilidae) Synonym(s): melanogaster Spinola,1808; aterrima Morawitz,1872; carniolica Morawitz,1872; incerta Radoszkowski,1876; subaenea Pérez,1895  
Range (in code): AT AM Cc BG CZ DE ES FR Co GR HU HV IT Si MK RU SK SS UA DZ MA TN LY EG CN Ui CY JO SY TR IR Elb Ali
- 16643. *Osmia (Helicosmia) milenae* Tkalcu,1992** (Megachilidae) Synonym(s): milenae Tkalcu,1992  
Range (in code): TR 49
- 16644. *Osmia (Helicosmia) mirhiji* Mavromoustakis,1957** (Megachilidae) Synonym(s): mirhiji Mavromoustakis,1957 Range (in code): GR LB SY
- 16645. *Osmia (Helicosmia) niveata* (Fabricius,1804)** (Megachilidae) Synonym(s): niveata Fabricius,1804; fulvicornis Latreille,1809; minuta Bramson,1879; sieversi Morawitz,1886; carneiventris Dours,1887; albiscopa Alfken,1914 Range (in code): AT AL AZ Cc BE BG CH CZ DE DK ES FR Co GB GG GR HU HV IT Sa Si LV LT MK PT Az PL RO RU SK SS UA Cm DZ Cn EG LY MA Md TN CN CY IL Pa IR JO LB SY TR
- 16646. *Osmia (Helicosmia) niveocincta* Pérez,1879** (Megachilidae) Synonym(s): niveocincta Pérez,1879; violascens Pérez,1895 Range (in code): ES FR GR IT Sa PT DZ MA IL? Pa?
- 16647. *Osmia (Helicosmia) notata* (Fabricius,1804)** (Megachilidae) Synonym(s): notata Fabricius,1804; decemsignata Radoszkowski,1874; laterefasciata Costa,1885 Range (in code): ES FR Co IT Sa Si MT PT DZ EG LY MA TN IL Pa
- 16648. *Osmia (Helicosmia) ocularis* Warncke,1988** (Megachilidae) Synonym(s): ocularis Warncke,1988 Range (in code): TR 73
- 16649. *Osmia (Helicosmia) onocrotala* Warncke,1988** (Megachilidae) Synonym(s): onocrotala Warncke,1988 Range (in code): TR 36
- 16650. *Osmia (Helicosmia) palmyrae* Zanden,1998** (Megachilidae) Synonym(s): palmyrae Zanden,1998 Range (in code): SY Pmy
- 16651. *Osmia (Helicosmia) pennata* Warncke,1988** (Megachilidae) Synonym(s): pennata Warncke,1988 Range (in code): TR 30 33
- 16652. *Osmia (Helicosmia) peregrina* Warncke,1988** (Megachilidae) Synonym(s): peregrina Warncke,1988 Range (in code): TR 63
- 16653. *Osmia (Helicosmia) prasina* Morawitz,1875** (Megachilidae) Synonym(s): prasina Morawitz,1875  
Range (in code): KK KG TJ TM
- 16654. *Osmia (Helicosmia) saxatilis* Warncke,1988** (Megachilidae) Synonym(s): saxatilis Warncke,1988 Range (in code): TR SY JO 36
- 16655. *Osmia (Helicosmia) signata* Erichson,1835** (Megachilidae) Synonym(s): signata Erichson,1835; jucunda Smith,1853; vidua Gerstaecker,1869; cincta Dours,1873; taurica Radoszkowski,1874; laticincta Pérez,1879; atriventris Costa,1883; costaniana Dalla Torre,1895 Range (in code): AL ES FR Co GR Cr IT Sa Si PT UA Cm DZ EG MA CN Ui TM CY IL Pa IR JO SY TR
- 16656. *Osmia (Helicosmia) simplex* Morawitz,1875** (Megachilidae) Synonym(s): simplex Morawitz,1875 Range (in code): KK KG TJ TM UZ

- 16657. *Osmia (Helicosmia) sogdiana* Morawitz,1875** (Megachilidae) Synonym(s): sogdiana Morawitz,1875; nassonowi Pérez,1902 Range (in code): **KK KG TJ TM UZ AF IL Pa SY TR**
- 16658. *Osmia (Helicosmia) sponsa* Nurse,1904** (Megachilidae) Synonym(s): sponsa Nurse,1904 Range (in code): **PK Qu TM UZ IN**
- 16659. *Osmia (Helicosmia) subaenea* Pérez,1895** (Megachilidae) Synonym(s): subaenea Pérez,1895 Range (in code): **EG TR**
- 16660. *Osmia (Helicosmia) subcornuta* Morawitz,1875** (Megachilidae) Synonym(s): subcornuta Morawitz,1875 Range (in code): **AM Cc GR Cr HV IT MK KK TJ UZ IL Pa JO LB TR 02 30 32 50**
- 16661. *Osmia (Helicosmia) torquata* Warncke,1988** (Megachilidae) Synonym(s): torquata Warncke,1988 Range (in code): **TR 73**
- 16662. *Osmia (Helicosmia) ventralis* (Panzer,1798)** (Megachilidae) Synonym(s): ventralis Panzer,1798 Range (in code): **TR 24 25 36 53**
- 16663. *Osmia (Hemiosmia) chrysolepta* Haeseler,2005** (Megachilidae) Synonym(s): chrysolepta Haeseler,2005 Range (in code): **EG? IL Pa JO**
- 16664. *Osmia (Hemiosmia) difficilis* Morawitz,1875** (Megachilidae) Synonym(s): difficilis Morawitz,1875; falcata Morawitz,1875; alborufa Alfken,1935 Range (in code): **KK KG RU TJ UZ IL Pa TR IR 06 23 25 26 30 36 42 62 65 70 73**
- 16665. *Osmia (Hoplosmia) algae* (Tkalcu,1978)** (Megachilidae) Synonym(s): algae Tkalcu,1978 Range (in code): **BG TR SY**
- 16666. *Osmia (Hoplosmia) bidentata* Morawitz,1876** (Megachilidae) Synonym(s): bidentata Morawitz,1876; affinis Frivaldsky,1877; pallens Tkalcu,1979 Range (in code): **AT AL AM Cc BG CZ ES FR GR HV HU IT MK RU SK SS UA EG DZ? IL Pa JO SY TR 04 06 07 09 10 13 25 26 34 35 38 50 58 65 66 69 75**
- 16667. *Osmia (Hoplosmia) croatica* Friese,1893** (Megachilidae) Synonym(s): croatica Friese,1893 Range (in code): **BG GR HV IT SS TR 25 34**
- 16668. *Osmia (Hoplosmia) distinguenda* (Tkalcu,1974)** (Megachilidae) Synonym(s): distinguenda Tkalcu,1974 Range (in code): **IL Pa Js AM GR Cc JO TR 25**
- 16669. *Osmia (Hoplosmia) elegans* (Tkalcu,1992)** (Megachilidae) Synonym(s): elegans Tkalcu,1992 Range (in code): **GR TR JO 07**
- 16670. *Osmia (Hoplosmia) hermonensis* (Tkalcu,1992)** (Megachilidae) Synonym(s): hermonensis Tkalcu,1992 Range (in code): **IL Pa SY He**
- 16671. *Osmia (Hoplosmia) ligurica* Morawitz,1868** (Megachilidae) Synonym(s): ligurica Morawitz,1868; detrita Pérez,1879 Range (in code): **AT AL AM Cc BG CH ES FR Co GR Cr HU HV IT Sa Si PT MK RO SK S MA CY IL Pa IR JO SY TR**
- 16672. *Osmia (Hoplosmia) padri* (Tkalcu,1974)** (Megachilidae) Synonym(s): padri Tkalcu,1974 Range (in code): **BG GR HV MK SY TR**
- 16673. *Osmia (Hoplosmia) pinguis* Pérez,1895** (Megachilidae) Synonym(s): pinguis Pérez,1895; indivisa Benoist,1928; carbo Zanden,1994 Range (in code): **DZ MA TN IL Pa JO SY**
- 16674. *Osmia (Hoplosmia) scutellaris* Morawitz,1868** (Megachilidae) Synonym(s): scutellaris Morawitz,1868 Range (in code): **AL BG CH ES FR GR Cr HU IT Si MK PT RO RU SK SS UA DZ MA CY IL Pa JO SY TR**
- 16675. *Osmia (Hoplosmia) spinigera* Latreille,1811** (Megachilidae) Synonym(s): spinigera Latreille,1811; clavicula Gerstaecker,1869 Range (in code): **BG GR MK EG IL Pa JO LB SY TR**
- 16676. *Osmia (Hoplosmia) spinulosa* (Kirby,1802)** (Megachilidae) Synonym(s): spinulosa Kirby,1802; euchreiformis Radoszkowski,1882 Range (in code): **AT AD AM Cc BE BG CH CZ DE ES FI FR GB HU HV IT Si LV NL RU SE SK SS UA KK KG TR 25**
- 16677. *Osmia (Hoplosmia) warnckei* (Tkalcu,1992)** (Megachilidae) Synonym(s): warnckei Tkalcu,1992 Range (in code): **TR IR Fa 73**
- 16678. *Osmia (Melanosmia) parietina* Curtis,1828** (Megachilidae) Synonym(s): parietina Curtis,1828; angustula Zetterstedt,1838; vankovitzii Radoszkowski,1887 Range (in code): **AT BE BG BY CH CZ DE DK ES EE FR FI GB GR HU IT LV LT NO NL PL RU SE SK S UA Cc TR 25**
- 16679. *Osmia (Melanosmia) thoracica* Radoszkowsky,1874** (Megachilidae) Synonym(s): thoracica Radoszkowsky,1874; pentheri Kohl,1905 Range (in code): **Cc AM Eri TR 25 38**
- 16680. *Osmia (Metallinella) brevicornis* (Fabricius,1798)** (Megachilidae) Synonym(s): brevicornis Fabricius,1798; atrocaerulea Schilling,1849; panzeri Morawitz,1869; leucogastra Morawitz,1875; subcyanea Alfken,1935 Range (in code): **AT AM Cc BG CH CZ DE DK ES FR GR HU IT LT MK PT PL RO RU SK S UA DZ MA KK KG TJ TM UZ CY IR TR**
- 16681. *Osmia (Monosmia) apicata* Smith,1853** (Megachilidae) Synonym(s): apicata Smith,1853; macroglossa Gerstaecker,1869 Range (in code): **AL AM Cc BG IT GG GR HV MK RU SS IL Pa JO IR SY TR 49**
- 16682. *Osmia (Neosmia) bicolor* (Schränk,1781)** (Megachilidae) Synonym(s): bicolor Schränk,1781; rustica Geoffroy,1785; fusca Christ,1791; hiruinarina Christ,1791; pyrenaea Lepeletier,1841; fusca Gistel,1857; rufitarsis Smith,1879; monachiensis Strand,1917 Range (in code): **AT AL BE BG CH CZ DE ES FR FI GB GG Cc HU IT LT PT PL RO RU SE SK ?TR UA CN Ui ?76**
- 16683. *Osmia (Neosmia) cinnabarina* Pérez,1895** (Megachilidae) Synonym(s): cinnabarina Pérez,1895 Range (in code): **DZ Cn MA TN IL Pa**

- 16684. *Osmia (Neosmia) gracilicornis* Pérez,1895** (Megachilidae) Synonym(s): *gracilicornis* Pérez,1895  
Range (in code): **DZ MA TN IL Pa**
- 16685. *Osmia (Neosmia) jason* Benoist,1929** (Megachilidae) Synonym(s): *jason* Benoist,1929 Range (in code): **GR MK RO IL Pa**
- 16686. *Osmia (Orientosmia) maxillaris* Morawitz,1875** (Megachilidae) Synonym(s): *maxillaris* Morawitz,1875 Range (in code): **KG TJ TM UZ IR TR 25 58**
- 16687. *Osmia (Ozbekosmia) avosetta* Warncke,1988** (Megachilidae) Synonym(s): *avosetta* Warncke,1988 Range (in code): **TR IR 04 07 25 30 44 65 73**
- 16688. *Osmia (Pyrosmia) amathusica* Mavromoustakis,1937** (Megachilidae) Synonym(s): *amathusica* Mavromoustakis,1937 Range (in code): **GR CY IT Si IL Pa JO SY TR 25**
- 16689. *Osmia (Pyrosmia) avedata* Warncke,1992** (Megachilidae) Synonym(s): *avedata* Warncke,1992  
Range (in code): **JO IL Pa**
- 16690. *Osmia (Pyrosmia) cephalotes* Morawitz,1870** (Megachilidae) Synonym(s): *cephalotes* Morawitz,1870; *bacillus* Pérez,1879; *pulsata* Buysson,1899; *longiceps* Morawitz,1876 Range (in code): **AM Cc AZ BG ES FR GG GR HU HV IT Si PT RO RU SS DZ LY TN MA TM CY IL Pa JO SY TR**
- 16691. *Osmia (Pyrosmia) cyanoxantha* Pérez,1879** (Megachilidae) Synonym(s): *cyanoxantha* Pérez,1879; *cyanoxura* Zanden,1991; *elbaba* Warncke,1992 Range (in code): **AM Cc ES FR Co GR IT Si MK PT SS DZ MA TN CY IL Pa JO SY TR**
- 16692. *Osmia (Pyrosmia) dilaticornis* Morawitz,1875** (Megachilidae) Synonym(s): *dilaticornis* Morawitz,1875 Range (in code): **TJ UZ Tas IL Pa JO TR**
- 16693. *Osmia (Pyrosmia) ferruginea* Latreille,1811** (Megachilidae) Synonym(s): *ferruginea* Latreille,1811; *metallica* Lucas,1849; *igneopurpurea* Costa,1882 Range (in code): **ES FR Co IT Sa Si PT MT GR DZ EG LY MA TN CY IL Pa JO SY**
- 16694. *Osmia (Pyrosmia) forticornis* Zanden,1989** (Megachilidae) Synonym(s): *forticornis* Zanden,1989 Range (in code): **AM Cc GR TR**
- 16695. *Osmia (Pyrosmia) gallarum* Spinola,1808** (Megachilidae) Synonym(s): *gallarum* Spinola,1808; *ruborum* Dufour & Perris,1840; *lapidistructor* Ferton,1920 Range (in code): **AT AL BG CH CZ DE ES FR GR HU HV IT MK PT PL RO RU SK SS DZ MA TN TR 49**
- 16696. *Osmia (Pyrosmia) gemmea* Pérez,1896** (Megachilidae) Synonym(s): *purpurea* Pérez,1895 nec Cress.,1864; *gemmea* Pérez,1896; *ligulicornis* Friese,1899 Range (in code): **DZ EG TN MA LY IL Pa**
- 16697. *Osmia (Pyrosmia) hellados* Zanden,1984** (Megachilidae) Synonym(s): *hellados* Zanden,1984  
Range (in code): **AZ Cc BG GG GR Cr IT Si CY IL Pa JO TR**
- 16698. *Osmia (Pyrosmia) hermona* Warncke,1992** (Megachilidae) Synonym(s): *hermona* Warncke,1992 Range (in code): **TJ IL Pa SY TR 30**
- 16699. *Osmia (Pyrosmia) laticauda* Stanek,1969** (Megachilidae) Synonym(s): *laticauda* Stanek,1969; *tichodroma* Warncke,1992 Range (in code): **GR MK TR 33**
- 16700. *Osmia (Pyrosmia) lobata* Friese,1899** (Megachilidae) Synonym(s): *lobata* Friese,1899; *leucopyga* Duche,1899 Range (in code): **ES PT DZ MA TN IL Pa**
- 16701. *Osmia (Pyrosmia) morensis* Zanden,1984** (Megachilidae) Synonym(s): *morensis* Zanden,1984 Range (in code): **GR Rd IL Pa SY TR**
- 16702. *Osmia (Pyrosmia) nana* Morawitz,1874** (Megachilidae) Synonym(s): *nana* Morawitz,1874; *tetrodonta* Benoist,1934 Range (in code): **BG GR Cr HV IT Si RU Da Cc DZ? CN Ui CY IL Pa JO LB SY TR**
- 16703. *Osmia (Pyrosmia) nigricollis* Warncke,1992** (Megachilidae) Synonym(s): *nigricollis* Warncke,1992 Range (in code): **TR 30**
- 16704. *Osmia (Pyrosmia) oramara* Warncke,1992** (Megachilidae) Synonym(s): *oramara* Warncke,1992  
Range (in code): **TR IR 23 30**
- 16705. *Osmia (Pyrosmia) polkruga* Warncke,1992** (Megachilidae) Synonym(s): *polkruga* Warncke,1992  
Range (in code): **JO**
- 16706. *Osmia (Pyrosmia) ramona* Warncke,1992** (Megachilidae) Synonym(s): *ramona* Warncke,1992  
Range (in code): **IL Pa**
- 16707. *Osmia (Pyrosmia) saxicola* Duche,1899** (Megachilidae) Synonym(s): *saxicola* Duche,1899; *caelestina* Benoist,1929; *cypricola* Mavromoustakis,1937; *posti* Mavromoustakis,1956; *riemanni* Warncke,1992 Range (in code): **ES FR GR CY Cr HV IT TJ IL Pa JO LB SY TR**
- 16708. *Osmia (Pyrosmia) submicans* Morawitz,1870** (Megachilidae) Synonym(s): *submicans* Morawitz,1870; *giraudi* Schmiedeknecht,1886; *hebraea* Benoist,1934; *canaria* Mavromoustakis,1957; *lanzarotae* Warncke,1992; *columbina* Zanden,1996 Range (in code): **CH CZ DE ES FR Co GR Cr HU HV IT Sa Si MT MK PT RU SK SS UA DZ Cn EG LY MA TN CY IL Pa Js JO LB SY TR**
- 16709. *Osmia (Pyrosmia) tawildara* Warncke,1992** (Megachilidae) Synonym(s): *tawildara* Warncke,1992 Range (in code): **TJ TR 30**
- 16710. *Osmia (Pyrosmia) teunissenii* Zanden,1981** (Megachilidae) Synonym(s): *teunissenii* Zanden,1981  
Range (in code): **GR HV IT CY IL Pa JO SY TR**



- 16711. *Osmia (Pyrosmia) versicolor* Latreille, 1811** (Megachilidae) Synonym(s): *versicolor* Latreille, 1811; *corrusca* Erichson, 1835; *laeta* Gistel, 1857; *algarbiensis* Strand, 1917; *viricephalica* Warncke, 1992 Range (in code): AL BG DE ES FR Co GG Cc GR Cr HU HV IT Sa Si MK PT RU SS DZ LY MA IL Pa LB SY TR 35
- 16712. *Osmia (Pyrosmia) viridana* Morawitz, 1874** (Megachilidae) Synonym(s): *viridana* Morawitz, 1874; *rufispina* Morawitz, 1875; *angulata* Pérez, 1896; *nicosiana* Mavromoustakis, 1939; *mulleolus* Zanden, 1984 Range (in code): AM Cc BG CH DE ES FR GR Cr HV IT MK RU SS UA DZ TN KK KG TJ UZ TM CY IL Pa JO SY TR 25 50
- 16713. *Osmia (s.str.) ariadne* Peters, 1978** (Megachilidae) Synonym(s): *ariadne* Peters, 1978 Range (in code): GR Cr TR 07
- 16714. *Osmia (s.str.) bicornis* (Linnaeus, 1758)** (Megachilidae) Synonym(s): *bicornis* Linnaeus, 1758; *rufa* Linnaeus, 1758; *globosa* Scopoli, 1763; *agino* Harris, 1776; *cornigera* Rossi, 1790; *fronticornis* Panzer, 1799; *hedera* Smith, 1844; *fracticornis* Pérez, 1895; *borealis* Ducke, 1899 Range (in code): AT AL AM Cc BE BG CH CZ DE DK ES FR Co FI GB GR HU HV IT Sa Si IE LT LV MK NO NL PT PL RO RU SK SS UA DZ MA TN KK KG RU TM CY TR SY IR
- 16715. *Osmia (s.str.) cerinthidis* Morawitz, 1876** (Megachilidae) Synonym(s): *cerinthidis* Morawitz, 1876 Range (in code): AT AM Cc GG Bjo CZ DE FR GR IT Si MK PL RO RU SK SS UA CN Pkn Jn IR Ak Tbz Ke Th TR 05 06 07 08 16 24 25 26 30 36 42 58 73
- 16716. *Osmia (s.str.) cornuta* (Latreille, 1805)** (Megachilidae) Synonym(s): *cornuta* Latreille, 1805; *divergens* Friese, 1920; *neoregaena* Mavromoustakis, 1938; *quasirufa* Peters, 1978 Range (in code): AT AM AD Cc BE CH CZ DE ES FR Co GG GR Cr HU IT Sa Si MK PL PT NL RO RU SK SS UA EG DZ TN TM CN Ui CY IR TR
- 16717. *Osmia (s.str.) fedtschenkoi* Morawitz, 1875** (Megachilidae) Synonym(s): *fedtschenkoi* Morawitz, 1875; *balucha* Nurse, 1904; *usbekistana* Cockerell, 1930 Range (in code): TJ TM UZ AF PK
- 16718. *Osmia (s.str.) longicornis* Morawitz, 1875** (Megachilidae) Synonym(s): *longicornis* Morawitz, 1875 Range (in code): Cc UZ Tas AF
- 16719. *Osmia (s.str.) mustelina* Gerstaecker, 1869** (Megachilidae) Synonym(s): *mustelina* Gerstaecker, 1869; *nigrohirta* Friese, 1899; *griseohirta* Alfken, 1935; *umbrosa* Peters, 1978 Range (in code): AT AM Cc CH CZ DE GG GR HU IT Si MK PL RO RU SK SS UA IL Pa IR LB TR 36
- 16720. *Osmia (s.str.) mutensis* Peters, 1978** (Megachilidae) Synonym(s): *mutensis* Peters, 1978 Range (in code): TR 33
- 16721. *Osmia (s.str.) nigrohirta* Friese, 1899** (Megachilidae) Synonym(s): *nigrohirta* Friese, 1899 Range (in code): AL MK GR TR IR Cc 25
- 16722. *Osmia (s.str.) rufa* (Linnaeus, 1758)** (Megachilidae) Synonym(s): *rufa* Linnaeus, 1758; *cornigera* Rossi, 1790 Range (in code): GR CY TR JO 01 07 16 25
- 16723. *Osmia (Tergosmia) agilis* Morawitz, 1875** (Megachilidae) Synonym(s): *agilis* Morawitz, 1875 Range (in code): KK KG TJ TM UZ
- 16724. *Osmia (Tergosmia) glareola* Warncke, 1988** (Megachilidae) Synonym(s): *glareola* Warncke, 1988 Range (in code): TR 65
- 16725. *Osmia (Tergosmia) pratincola* Warncke, 1988** (Megachilidae) Synonym(s): *pratincola* Warncke, 1988 Range (in code): TR 04 06 23 58
- 16726. *Osmia (Tergosmia) pratincola* Warncke, 1988** (Megachilidae) Synonym(s): *pratincola* Warncke, 1988 Range (in code): TR 04
- 16727. *Osmia (Tergosmia) rhodoensis* (Zanden, 1983)** (Megachilidae) Synonym(s): *rhodoensis* Zanden, 1983 Range (in code): GR Rd TR 07 20 33 42
- 16728. *Osmia (Tergosmia) rhodoensis* (Zanden, 1983)** (Megachilidae) Synonym(s): *rhodoensis* Zanden, 1983; *arcuata* Warncke, 1988; *ferina* Warncke, 1988 Range (in code): AM Cc GR Rd JO TR 53
- 16729. *Osmia (Tergosmia) tergestensis* Ducke, 1897** (Megachilidae) Synonym(s): *tergestensis* Ducke, 1897; *ononidis* Fertton, 1897; *rondoui* Pérez, 1902; *wolhynica* Noskiewicz, 1922; *atlantica* Benoist, 1934; *remota* Tkalcu, 1979 Range (in code): AT BG CH CZ ES FR GR HU IT PL SK SS UA EG MA TR 06 25 42
- 16730. *Paradioxys pannonica* Mocsary, 1877** (Megachilidae) Synonym(s): *pannonica* Mocsary, 1877 Range (in code): TR 01 63
- 16731. *Pararhophites orobinus* (Morawitz, 1876)** (Megachilidae) Synonym(s): *orobinus* Morawitz, 1876 Range (in code): IR Es Se Fa
- 16732. *Pararhophites quadratus* Friese, 1898** (Megachilidae) Synonym(s): *quadratus* Friese, 1898 Range (in code): EG Sn
- 16733. *Prodiexys richardsi* Mavromoustakis, 1954** (Megachilidae) Synonym(s): *richardsi* Mavromoustakis, 1954 Range (in code): IL Pa
- 16734. *Protosmia (Chelostomopsis) longiceps* (Friese, 1899)** (Megachilidae) Synonym(s): *longiceps* Friese, 1899; *depauperata* Benoist, 1928 Range (in code): GR Cr TR IL Pa JO SY LB
- 16735. *Protosmia (Nanosmia) devia* Tkalcu, 1978** (Megachilidae) Synonym(s): *devia* Tkalcu, 1978 Range (in code): PK IN Ch
- 16736. *Protosmia (Nanosmia) limbata* (Benoist, 1935)** (Megachilidae) Synonym(s): *limbata* Benoist, 1935 Range (in code): LB SY TR 30
- 16737. *Protosmia (Nanosmia) pulex* (Benoist, 1935)** (Megachilidae) Synonym(s): *pulex* Benoist, 1935 Range (in code): IL Pa Jf

- 16738. Protosmia (s.str.) exenterata (Pérez,1895)** (Megachilidae) Synonym(s): exenterata Pérez,1895  
Range (in code): ES FR IT Si PT DZ MA TN TR?
- 16739. Protosmia (s.str.) glutinosa (Giraud,1871)** (Megachilidae) Synonym(s): glutinosa Giraud,1871  
Range (in code): BG ES FR GR HV IT RO SS Cc DZ MA CY JO SY TR 08 25
- 16740. Protosmia (s.str.) humeralis (Pérez,1895)** (Megachilidae) Synonym(s): humeralis Pérez,1895  
Range (in code): ES DZ IL Pa JO SY TR 63
- 16741. Protosmia (s.str.) magnicapitis (Stanek,1969)** (Megachilidae) Synonym(s): magnicapitis Stanek,1969 Range (in code): TR 63
- 16742. Protosmia (s.str.) mirabilis (Friese,1899)** (Megachilidae) Synonym(s): mirabilis Friese,1899  
Range (in code): TR 09 32
- 16743. Protosmia (s.str.) monstrosa (Pérez,1895)** (Megachilidae) Synonym(s): monstrosa Pérez,1895; mirabilis Friese,1899 Range (in code): GR DZ CY IL Pa JO LB SY TR
- 16744. Protosmia (s.str.) paradoxa (Friese,1899)** (Megachilidae) Synonym(s): paradoxa Friese,1899  
Range (in code): GR CY IL Pa JO LB SY TR 42
- 16745. Protosmia (s.str.) sideritis Tkalcu,1978** (Megachilidae) Synonym(s): sideritis Tkalcu,1978  
Range (in code): BG GR MK TR 58
- 16746. Protosmia (s.str.) stigmatica (Pérez,1895)** (Megachilidae) Synonym(s): stigmatica Pérez,1895  
Range (in code): ES FR GR MA DZ TR
- 16747. Protosmia (s.str.) tauricola Popov,1961** (Megachilidae) Synonym(s): tauricola Popov,1961  
Range (in code): UA Cm TR BG RU 30
- 16748. Protosmia (s.str.) tiflensis (Morawitz,1876)** (Megachilidae) Synonym(s): tiflensis Morawitz,1876; graeffi Schmiedeknecht,1890 Range (in code): BG GG Tbl Cc GR HV IT MK RU SS UA IL Pa JO TR
- 16749. Protosmia judaica (Mavromoustakis,1948)** (Megachilidae) Synonym(s): judaica Mavromoustakis,1948 Range (in code): IL Pa Js
- 16750. Protosmia megaceps (Kohl,1906)** (Megachilidae) Synonym(s): megaceps Kohl,1906 Range (in code): YE Sk
- 16751. Stelis (s.str.) aculeata Morawitz,1880** (Megachilidae) Synonym(s): aculeata Morawitz,1880  
Range (in code): TR MN CN TJ Pm Ti 06 65
- 16752. Stelis (s.str.) annulata (Lepelletier,1841)** (Megachilidae) Synonym(s): annulata Lepelletier,1841; freygessneri Friese,1885; hispanica Dusmet,1921; hungarica Noskiewicz,1962 Range (in code): DZ HU CH FR IT ES GR Ae Le TR 33 42
- 16753. Stelis (s.str.) breviscula (Nylander,1848)** (Megachilidae) Synonym(s): breviscula Nylander,1848; pygmaea Schenck,1853; paxillorum Chevrier,1872 Range (in code): ES SE EG CH DE GR EG TR RU Bs TM CN Ui 25 58
- 16754. Stelis (s.str.) denticulata Friese,1899** (Megachilidae) Synonym(s): denticulata Friese,1899; wahrmanni Mavromoustakis,1954 Range (in code): IL Pa TR Js 02 04 24 30 42 65
- 16755. Stelis (s.str.) gigantea Friese,1921** (Megachilidae) Synonym(s): gigantea Friese,1921 Range (in code): GR AM Cc TR IR Elb 06 33 44 70 81
- 16756. Stelis (s.str.) iugae Noskiewicz,1962** (Megachilidae) Synonym(s): iugae Noskiewicz,1962 Range (in code): RO HU CZ SK TR 39
- 16757. Stelis (s.str.) minuta Lepelletier & Audinet-Serville,1828** (Megachilidae) Synonym(s): minuta Lepelletier & Audinet-Serville,1828; nana Schenck,1853; minima Schenck,1859; #unicolor Alfken,1944 Range (in code): MA DZ DE FR YU MK RU GR TR LB Cc AZ Nv Ord 06 09 47 61
- 16758. Stelis (s.str.) odontopyga Noskiewicz,1925** (Megachilidae) Synonym(s): odontopyga Noskiewicz,1925 Range (in code): BE UA YU HV FR HU IT ES GR TR 25 34
- 16759. Stelis (s.str.) orientalis Warncke,1992** (Megachilidae) Synonym(s): orientalis Warncke,1992  
Range (in code): GR IR
- 16760. Stelis (s.str.) ornatula (Klug,1807)** (Megachilidae) Synonym(s): ornatula Klug,1807; sexpunctata Stschegloff,1826; octomaculata Smith,1843; sexsignata Costa,1858; immaculata Noskiewicz,1925 Range (in code): MA DZ ES GB DE RU IT YU GR TR 06
- 16761. Stelis (s.str.) phaeoptera (Kirby,1802)** (Megachilidae) Synonym(s): phaeoptera Kirby,1802  
Range (in code): CY Cr IL Pa LY EG 09 25
- 16762. Stelis (s.str.) punctulatissima (Kirby,1802)** (Megachilidae) Synonym(s): punctulatissima Kirby,1802; moravica Tkalcu,1970 Range (in code): MA DE GB CZ SK GR Ae Le Cr Rd TR SY Dms 09
- 16763. Stelis (s.str.) rhodia Mavromoustakis,1959** (Megachilidae) Synonym(s): rhodia Mavromoustakis,1959 Range (in code): GR Ae Le Rd TR 33
- 16764. Stelis (s.str.) ruficornis Morawitz,1872** (Megachilidae) Synonym(s): ruficornis Morawitz,1872; paradoxum Mocsary,1884; lebanensis Mavromoustakis,1963 Range (in code): GR Ae Le Rd TR LB 05 11 16 20 25 73
- 16765. Stelis (s.str.) scutellaris Morawitz,1894** (Megachilidae) Synonym(s): scutellaris Morawitz,1894; inamoena Popov,1932 Range (in code): TJ Cc TM IR Gor AZ Cc AM TR 06 42

- 16766. Stelis (s.str.) signata (Latreille,1809)** (Megachilidae) Synonym(s): signata Latreille,1809 Range (in code): MA DZ TN FR DE HV GR Ae Le Rd TR CY IL Pa LB IQ Cc Nv Ord GG Kir 06 09 35 46
- 16767. Stelis (s.str.) simillima Morawitz,1876** (Megachilidae) Synonym(s): simillima Morawitz,1876; cognata Kohl,1892; genalis Pasteels,1969 Range (in code): MA ES GR LB TR BG RU AM Cc IR IT Si AZ Cc Nv Ord TM Kp GG Kir 13 36
- 16768. Stelis (Stelidomorpha) aegyptiaca (Radoszkowski,1876)** (Megachilidae) Synonym(s): aegyptiaca Radoszkowski,1876; vachali Perez,1895 Range (in code): Cn DZ TN EG IL Pa
- 16769. Stelis (Stelidomorpha) nasuta (Latreille,1809)** (Megachilidae) Synonym(s): nasuta Latreille,1809 Range (in code): MA DZ GR Ae Le Cr TR Arr IL Pa JO SY LB UZ IT Sa 25 36 42 70 76 81
- 16770. Stelis (Stelidomorpha) pentelica Mavromoustakis,1963** (Megachilidae) Synonym(s): pentelica Mavromoustakis,1963; bicornuta Pasteels,1969 Range (in code): GR IL Pa TR 36 42 50 63
- 16771. Stenoheriades asiaticus (Friese,1921)** (Megachilidae) Synonym(s): asiaticus Friese,1921; coelostoma Benoist,1935 Range (in code): TR BG GR HV IL Pa JO LB SY 33
- 16772. Stenoheriades eingeddicus Griswold,1994** (Megachilidae) Synonym(s): eingeddicus Griswold,1994 Range (in code): IL Pa JO OM
- 16773. Stenoheriades hofferi (Tkalcu,1984)** (Megachilidae) Synonym(s): hofferi Tkalcu,1984 Range (in code): BG TR 33
- 16774. Wainia (Caposmia) eremoplana (Mavromoustakis,1949)** (Megachilidae) Synonym(s): eremoplana Mavromoustakis,1949 Range (in code): EG TN? IL Pa JO SY
- 16775. Megalodontes cephalotes (Fabricius,1781)** (Megalodontesidae) Synonym(s): cephalotes Fabricius,1781; klugii Leach,1817; spissicornis Klug,1824; fuscipennis Herrich-Schäffer,1840 Range (in code): AD AT GB BE B-H BG HV CZ FR DE IT LT MK PL RO RU SK SS ES CH YU TR? 16?
- 16776. Megalodontes crassicornis Springate, Burckardt & Springate,2011** (Megalodontesidae) Synonym(s): crassicornis Springate, Burckardt & Springate,2011 Range (in code): TR 04 30 36 65
- 16777. Megalodontes escalerae Konow,1899** (Megalodontesidae) Synonym(s): escalerae Konow,1899 Range (in code): LB IL Pa SY TR IR 01 07 25 27 31 33 51 63
- 16778. Megalodontes eversmanni (Freymuth,1870)** (Megalodontesidae) Synonym(s): eversmanni Freymuth,1870; loewii Stein,1876; multicincta Mocsary,1891 Range (in code): AM AZ GG Cc BG GR RU UA TR 04 06 07 09 16 25 30 36 65
- 16779. Megalodontes fabricii (Leach,1817)** (Megalodontesidae) Synonym(s): fabricii Leach,1817; megacephalus Klug,1824; redimita Klug,1824 Range (in code): AT DE HU HV BG GR CZ MD MK PL RO RU YU SK SS UA TR 05 07 33 38 40 42 58 60
- 16780. Megalodontes flabellicornis Germar,1817** (Megalodontesidae) Synonym(s): flabellicornis Germar,1817; exornatus Zaddach,1866; coronatus Zaddach,1866; albicincta Stein,1876; speciosus Mocsary,1877 Range (in code): B-H YU HV Cc GR MD IT SS TR 08 16 25 51
- 16781. Megalodontes flavicornis Klug,1824** (Megalodontesidae) Synonym(s): flavicornis Klug,1824 Range (in code): AM AT AZ BG CZ GG DE HU IT RU SK TM UA TR Cc IR 04 06 08 21 36 42 60 65
- 16782. Megalodontes jucundus (Mocsary,1891)** (Megalodontesidae) Synonym(s): jucundus Mocsary,1891 Range (in code): TR 06 24 25 33 42 44 50 60 70
- 16783. Megalodontes judaicus (Lepeletier,1823)** (Megalodontesidae) Synonym(s): judaicus Lepeletier,1823; caesariensis Lepeletier,1823; leucostictus Zaddach,1865; punctatus Konow,1898; candidatus Konow,1899 Range (in code): TR SY IL Pa LB 01 21 31 33 63 80
- 16784. Megalodontes laticeps Konow,1897** (Megalodontesidae) Synonym(s): laticeps Konow,1897 Range (in code): B-H BG HV RO IL Pa TR 38 42 51
- 16785. Megalodontes medius Konow,1897** (Megalodontesidae) Synonym(s): medius Konow,1897 Range (in code): GR UA AZ TR Cc RU 05 08 16 19 25 32 33
- 16786. Megalodontes mocsaryi (André,1881)** (Megalodontesidae) Synonym(s): mocsaryi André,1881; anatolicus Mocsary,1883 Range (in code): BG GR RO YU TR 16
- 16787. Megalodontes nitens Freymuth,1870** (Megalodontesidae) Synonym(s): nitens Freymuth,1870; decussatus Konow,1906 Range (in code): KK TJ TM UZ
- 16788. Megalodontes olivieri (Brullé,1846)** (Megalodontesidae) Synonym(s): olivieri Brullé,1846 Range (in code): AM Cc IR IL Pa EG SA MA IQ Bgd TR 76
- 16789. Megalodontes phaenicius (Lepeletier,1823)** (Megalodontesidae) Synonym(s): phoenicius Lepeletier,1823; caucasicus André,1881; imperialis Konow,1897; kohli Konow,1897 Range (in code): AZ BG YU EG GR MD IL Pa SY Cc TR UA Cm IR 01 05 06 07 08 25 32 33 38 42 48 50 55
- 16790. Megalodontes plagioccephalus (Fabricius,1804)** (Megalodontesidae) Synonym(s): plagioccephalus Fabricius,1804; flabellata Eversmann,1847; latialis Manzone,1893; aquilus Konow,1902; nigritegulis Konow,1904; xanthocerus Gussakovski,1935 Range (in code): Cc
- 16791. Megalodontes quinlani Springate, Burckardt & Springate,2011** (Megalodontesidae) Synonym(s): quinlani Springate, Burckardt & Springate,2011 Range (in code): TR 31
- 16792. Megalodontes reitteri (Konow,1894)** (Megalodontesidae) Synonym(s): reitteri Konow,1894 Range (in code): AZ Cc TR 04 30



- 16793. Megalodontes skorniakowii Freymuth,1870** (Megalodontesidae) Synonym(s): skorniakowii Freymuth,1870; lamellata André,1882; victoriosa Jakovlev,1891 Range (in code): KG KK TJ TM UZ
- 16794. Megalodontes turcicus (Mocsary,1881)** (Megalodontesidae) Synonym(s): turcicus Mocsary,1881; orientalis Mocsary,1881 Range (in code): BG TR 05 06 16 19 42 44 60
- 16795. Megalodontes weiffenbachi Springate, Burckardt & Springate,2011** (Megalodontesidae) Synonym(s): weiffenbachi Springate, Burckardt & Springate,2011 Range (in code): TR 32 33 35 38 42
- 16796. Dasypoda (Heterodasypoda) pyrotrichia Förster,1855** (Melittidae) Synonym(s): pyrotrichia Förster,1855; eatoni Saunders,1881; nigra Quilis,1928 Range (in code): ES PT FR BG MK IL Pa GR SY TR 24 25 29 36 38 61 69
- 16797. Dasypoda (Megadasypoda) argentata Panzer,1809** (Melittidae) Synonym(s): argentata Panzer,1809 Range (in code): ES FR AT DE CH IT PL CZ SK HV HU RO LT AM AZ Cc GG SE MK BG UA KG IN IQ SY DZ EG TN GR TR IR 04 12 24 25 29 30 33 36 58 69 73 75
- 16798. Dasypoda (Megadasypoda) aurata Rudow,1881** (Melittidae) Synonym(s): suripes Christ,1791; aurata Rudow,1881; spectabilis Rudow,1881; mixta Radoszkowski,1887; thomsoni Schletterer,1890 Range (in code): CZ SE DK DE AT IT PL SK HU HV MK AL RO BG LT BY UA AM Cc CY TR RU GR Ae Le Rd 09 25 31 33 48
- 16799. Dasypoda (Megadasypoda) braccata Eversmann,1852** (Melittidae) Synonym(s): braccata Eversmann,1852; anatolica Warncke,1973 Range (in code): AL AT BG Cc IT MK YU RU HU PL UA KG GR TR 06 23 24 25 30 36 42 44 46 47 58 69
- 16800. Dasypoda (Megadasypoda) frieseana Schletterer,1890** (Melittidae) Synonym(s): frieseana Schletterer,1890 Range (in code): GR MK Ae TR 69
- 16801. Dasypoda (Megadasypoda) intermedia Michez,2005** (Melittidae) Synonym(s): intermedia Michez,2005 Range (in code): IR Ha
- 16802. Dasypoda (Megadasypoda) longigena Schletterer,1890** (Melittidae) Synonym(s): longigena Schletterer,1890 Range (in code): TR 25
- 16803. Dasypoda (Megadasypoda) patinyi Michez,2002** (Melittidae) Synonym(s): patinyi Michez,2002 Range (in code): TR SY 63
- 16804. Dasypoda (Megadasypoda) spinigera Kohl,1905** (Melittidae) Synonym(s): spinigera Kohl,1905 Range (in code): Cc AM IR BG MK IT RO UA RU GR TR 06 09 13 17 25 33 38 42 50 51 58 59 65
- 16805. Dasypoda (Megadasypoda) toroki Michez,2004** (Melittidae) Synonym(s): toroki Michez,2004 Range (in code): IL Pa SY TR 07 63
- 16806. Dasypoda (Megadasypoda) visnaga Rossi,1790** (Melittidae) Synonym(s): visnaga Rossi,1790 Range (in code): MA DZ TN PT GR Ae Le Cr TR 07
- 16807. Dasypoda (s.str.) albipila Spinola,1838** (Melittidae) Synonym(s): albipila Spinola,1838 Range (in code): IL Pa EG OM
- 16808. Dasypoda (s.str.) gusenleitneri Michez,2004** (Melittidae) Synonym(s): gusenleitneri Michez,2004 Range (in code): JO
- 16809. Dasypoda (s.str.) hirtipes (Fabricius,1793)** (Melittidae) Synonym(s): hirtipes Fabricius,1793; graeca Lepeletier,1841 Range (in code): GR TR EG IR LY MN CN 04 05 06 08 10 11 13 16 24 25 26 34 35 36 37 38 42 43 45 50 55 57 58 60 65 66 75 76
- 16810. Dasypoda (s.str.) litigator Baker,2002** (Melittidae) Synonym(s): litigator Baker,2002 Range (in code): IR Elb
- 16811. Dasypoda (s.str.) pyriformis Radoszkowski,1887** (Melittidae) Synonym(s): pyriformis Radoszkowski,1887; schlettereri Friese,1900 Range (in code): HV MK AL BG GR Ae Le TR SY 05 20 25 36
- 16812. Dasypoda (s.str.) syriensis Michez,2004** (Melittidae) Synonym(s): syriensis Michez,2004 Range (in code): SY
- 16813. Dasypoda (s.str.) tubera Warncke,1973** (Melittidae) Synonym(s): tubera Warncke,1973 Range (in code): TR SY 01 07 11 19 26 30 31 33 35
- 16814. Dasypoda (s.str.) warnckei Michez,2004** (Melittidae) Synonym(s): warnckei Michez,2004 Range (in code): TR 19 20 30 36 38 50 51 76
- 16815. Eremaphanta (Popovapis) dispar (Morawitz,1892)** (Melittidae) Synonym(s): dispar Morawitz,1892 Range (in code): TM KG UZ PK
- 16816. Eremaphanta (s.str.) convolvuli Popov,1940** (Melittidae) Synonym(s): convolvuli Popov,1940 Range (in code): TM
- 16817. Eremaphanta (s.str.) fasciata Popov,1957** (Melittidae) Synonym(s): fasciata Popov,1957 Range (in code): TM UZ
- 16818. Eremaphanta (s.str.) iranica Schwammberger,1971** (Melittidae) Synonym(s): iranica Schwammberger,1971 Range (in code): IR OM
- 16819. Eremaphanta (s.str.) minuta Popov,1957** (Melittidae) Synonym(s): minuta Popov,1957 Range (in code): TM
- 16820. Eremaphanta (s.str.) popovi Michez,2006** (Melittidae) Synonym(s): popovi Michez,2006 Range (in code): TM
- 16821. Eremaphanta (s.str.) turcomanica Popov,1940** (Melittidae) Synonym(s): turcomanica Popov,1940 Range (in code): TM

- 16822. *Macropis (s.str.) frivaldszkyi* Mocsary,1878** (Melittidae) Synonym(s): frivaldszkyi Mocsary,1878  
Range (in code): IT BG KG MK RO HV HU YU RU GR TR SY 06 25 30 42 57 65
- 16823. *Macropis (s.str.) fulvipes* (Fabricius,1804)** (Melittidae) Synonym(s): fulvipes Fabricius,1804  
Range (in code): GG Cc RU DZ TR 08 18 37 53 57 75
- 16824. *Melitta (Cilissa) bicollaris* Warncke,1973** (Melittidae) Synonym(s): bicollaris Warncke,1973  
Range (in code): TR 08 24 25 36
- 16825. *Melitta (Cilissa) budensis* (Mocsary,1878)** (Melittidae) Synonym(s): budensis Mocsary,1878  
Range (in code): AM Eri Cc TR KG RU UA 02 13 14 25 30
- 16826. *Melitta (Cilissa) dimidiata* Morawitz,1875** (Melittidae) Synonym(s): dimidiata Morawitz,1875;  
robusta Radoszkowski,1876; hungaria Mocsary,1883 Range (in code): GB BE AM Cc TR 06 13 25 33 42
- 16827. *Melitta (Cilissa) haemorrhoidalis* (Fabricius,1775)** (Melittidae) Synonym(s): haemorrhoidalis  
Fabricius,1775; dichroa Gmelin,1790; chrysura Kirby,1802 Range (in code): GR AM Eri Cc TR 53
- 16828. *Melitta (Cilissa) melanura* (Nylander,1852)** (Melittidae) Synonym(s): melanura Nylander,1852;  
wankowiczi Radoszkowski,1891 Range (in code): AT BY RU DE LT MN PL RO SK SE UA TR Cc GR Ae Le 36
- 16829. *Melitta (Cilissa) rasmonti* Michez,2007** (Melittidae) Synonym(s): rasmonti Michez,2007 Range (in code): TR 25 73
- 16830. *Melitta (Cilissa) singular* Michez,2012** (Melittidae) Synonym(s): singular Michez,2012 Range (in code): TR 40
- 16831. *Melitta (s.str.) leporina* (Panzer,1799)** (Melittidae) Synonym(s): leporina Panzer,1799; fortipes  
Imhoff,1832; ruthenica Radoszkowski,1891; centaureae Torka,1922; nigrinotum Alfken,1927; sinkiangensis Wu,1978  
Range (in code): DE FI SE TR IR KK MN CN Ui Kun 03 05 08 11 16 24 25 26 35 38 42 43 51 55 57 58 65 66 68 70
- 16832. *Melitta (s.str.) nigricans* Alfken,1905** (Melittidae) Synonym(s): nigricans Alfken,1905 Range (in code): MA PT DE SE PL RU Or TR 10
- 16833. *Melitta* Kirby,1802** (Melittidae) Synonym(s): *Melitta* Kirby,1802; *Cilissa* Leach,1815; *Kirbya*  
Lepeletier,1841; *Pseudocilissa* Radoszkowski,1891; *Brachycephalapis* Viereck,1909; *Dolichochile* Viereck,1909 Range (in code): TR
- 16834. *Melitta maura* (Pérez,1895)** (Melittidae) Synonym(s): maura Pérez,1895; atlantis Vachal,1910;  
eryngii Cockerell,1931; cyrenaicensis Warncke,1973; orientana Warncke,1973 Range (in code): DZ MA LY Cy TN ES IL Pa
- 16835. *Melitta schmiedeknechti* Friese,1896** (Melittidae) Synonym(s): schmiedeknechti Friese,1896;  
tunensis Warncke,1973 Range (in code): MA Cn TN IL Pa JO LY Cy EG
- 16836. *Artiotilla biguttata* (Costa,1858)** (Mutillidae) Synonym(s): biguttata Costa,1858 Range (in code): TR AZ TM IR IL Pa GR CY HV YU MK AL IT 11 36 76
- 16837. *Bischoffitilla afghanica* (Lelej,1980)** (Mutillidae) Synonym(s): afghanica Lelej,1980 Range (in code): AF
- 16838. *Blakeius bipunctatus* (Latreille,1792)** (Mutillidae) Synonym(s): bipunctatus Latreille,1792;  
angusticollis Spinola,1843; tuberculata Lepeletier,1845; bituberculata Smith,1855; erythrothorax Sichel &  
Radoszkowski,1870; cobosi Suarez,1958 Range (in code): FR ES IT GR CY SY MA DZ TN
- 16839. *Ctenotilla caeca* (Radoszkowski,1879)** (Mutillidae) Synonym(s): caeca Radoszkowski,1879;  
pectinifera André,1893; obscura Nonveiller,1959 Range (in code): TR AM AZ GG Cc IR SY GR BG HV YU MK RO UA Cm 01 07 08 14 24 25 30 42 60
- 16840. *Dasylabris (Craspedopyga) mandersternii* (Radoszkowski,1865)** (Mutillidae)  
Synonym(s): mandersternii Radoszkowski,1865; cypria Sichel & Radoszkowski,1870 [ssp.] Range (in code): TR SY CY GR BG AZ AM GG Cc TM IR LB UA Cm RU 01 11 20 21 24 25 27 31 33 35 42 48 65
- 16841. *Dasylabris (Inbaltilla) biblica* Invrea,1950** (Mutillidae) Synonym(s): biblica Invrea,1950 Range (in code): TR IL Pa GR Cr Rd 01 07
- 16842. *Dasylabris (Inbaltilla) scutilla* Skorikov,1935** (Mutillidae) Synonym(s): scutilla Skorikov,1935  
Range (in code): GR AZ AM GG Cc TR 06 24 25 36 42 60
- 16843. *Dasylabris (s.str.) maura* (Linnaeus,1758)** (Mutillidae) Synonym(s): maura Linnaeus,1758  
Range (in code): TR CY GG AM AZ Cc GR BG HV B-H YU MK AL DE HU CH DE CZ SK PL UA Cm IT Si MT FR 06 08 12 24 25 34 36 59
- 16844. *Dentilla curtiventris* (André,1901)** (Mutillidae) Synonym(s): curtiventris André,1901 Range (in code): TR AM AZ Cc SY GR YU MK AL IT Si 06 08 21 24 25 34 36 45 58 60 65
- 16845. *Dentilla dichroa* (Sichel & Radoszkowski,1870)** (Mutillidae) Synonym(s): dichroa Sichel &  
Radoszkowski,1870 Range (in code): IR Hz Fa AF TM IQ IL Pa EG Sn
- 16846. *Dentilla erronea* (André,1902)** (Mutillidae) Synonym(s): erronea André,1902 Range (in code): TR GR BG AL IT DZ 16 25 65
- 16847. *Dentilla irana* Lelej,1985** (Mutillidae) Synonym(s): irana Lelej,1985 Range (in code): IR Hz Fa
- 16848. *Dentilla osteni* Lelej,2004** (Mutillidae) Synonym(s): osteni Lelej,2004 Range (in code): IR Hz
- 16849. *Dentilla persica* (Sichel & Radoszkowski,1869)** (Mutillidae) Synonym(s): persica Sichel &  
Radoszkowski,1869 Range (in code): IR TR AZ AM Cc IL Pa GR 24 30
- 16850. *Dentilla ursina* (Nagy,1972)** (Mutillidae) Synonym(s): ursina Nagy,1972 Range (in code): TR AZ Cc 06

- 16851. *Dentilla zarudnyi* Lelej, 1985** (Mutillidae) Synonym(s): *zarudnyi* Lelej, 1985 Range (in code): AF IR Hz TM
- 16852. *Eotrogaspidia dives* (Smith, 1855)** (Mutillidae) Synonym(s): *dives* Smith, 1855; *fumipennis* Bingham, 1898; *adscripta* Nurse, 1903 Range (in code): IN IR Ss Hz
- 16853. *Ephutomma angustata* (Skorikov, 1935)** (Mutillidae) Synonym(s): *angustata* Skorikov, 1935 Range (in code): IR TJ UZ TM KK KG
- 16854. *Krombeinella aramaea* (Suarez, 1963)** (Mutillidae) Synonym(s): *aramaea* Suarez, 1963 Range (in code): IL Js Pa SY TR IR 21
- 16855. *Krombeinella beaumonti* (Invrea, 1953)** (Mutillidae) Synonym(s): *beaumonti* Invrea, 1953 Range (in code): TR RO IT Si ES PT MA 11 25
- 16856. *Krombeinella gaullei* (Invrea, 1952)** (Mutillidae) Synonym(s): *nigriceps* auct. nec Saunders, 1850; *gaullei* Invrea, 1952 Range (in code): BG TR 11 34
- 16857. *Krombeinella hebraea* (Suarez, 1963)** (Mutillidae) Synonym(s): *hebraea* Suarez, 1963 Range (in code): IL Pa Hf TR
- 16858. *Krombeinella longicollis* (Tournier, 1889)** (Mutillidae) Synonym(s): *longicollis* Tournier, 1889 Range (in code): GR BG TR HV YU MK RO SK UA RU Cc 36 39 55
- 16859. *Krombeinella wolffi* (Invrea, 1963)** (Mutillidae) Synonym(s): *wolffi* Invrea, 1963 Range (in code): YU BG UA TR RU AZ GG Cc 11 25 36 55
- 16860. *Macromyrme binotata* (Radoszkowski, 1879)** (Mutillidae) Synonym(s): *binotata* Radoszkowski, 1879; *aratica* Radoszkowski, 1890 Range (in code): TR Arr IR Cc AM GG AZ 01 76
- 16861. *Macromyrme sinuata* (Olivier, 1811)** (Mutillidae) Synonym(s): *sinuata* Olivier, 1811; *villosa* Klug, 1829 Range (in code): IR SY LB IL Pa CY TR Arr MA 76
- 16862. *Mutilla erschoffii* Sichel & Radoszkowski, 1870** (Mutillidae) Synonym(s): *erschoffii* Sichel & Radoszkowski, 1870; *rugiceps* Morawitz, 1890; *bareyi* Radoszkowski, 1893; *schulthessi* André, 1893 Range (in code): GG AM AZ Cc TM UZ TJ IR AF
- 16863. *Mutilla europaea* Linnaeus, 1758** (Mutillidae) Synonym(s): *europaea* Linnaeus, 1758; *similis* Harris, 1782; *scharfferi* Schrank, 1802; *coerulans* Lepeletier, 1845; *cyanea* Lepeletier, 1845; *panzeri* Lepeletier, 1845; *obscura* Nylander, 1847; *kaschiriensis* Baer, 1848; *laevigata* Sichel & Radoszkowski, 1870; *notomelas* André, 1902; *rufula* Hoffer, 1938; *nigrescens* Hoffer, 1938 nec Andr., 1901; *ruficeps* Hoffer, 1938 Range (in code): TR RU Ur Sb KG SE FI ES DZ 08 25 36 69
- 16864. *Mutilla marginata* BAer, 1848** (Mutillidae) Synonym(s): *marginata* BAer, 1848; *trifasciata* Radoszkowski, 1865 Range (in code): CZ SS DE AT CH HU RO UA BG IT RU Ur GG Cc TR SY
- 16865. *Mutilla quinque maculata* Cyrillo, 1787** (Mutillidae) Synonym(s): *quinque maculata* Cyrillo, 1787 Range (in code): TR SY IL Pa CY GR HV UA Cm IT Sa Si MT FR ES DZ EG 01 07 25
- 16866. *Mutilla richterae* Lelej, 1984** (Mutillidae) Synonym(s): *richterae* Lelej, 1984 Range (in code): AM Cc IQ TR 45
- 16867. *Mutilla saltensis* Radoszkowski, 1885** (Mutillidae) Synonym(s): *saltensis* Radoszkowski, 1885 Range (in code): RU Da Cc AM GG AZ IR IQ
- 16868. *Myrmilla (Eurygnathilla) emiliae* (Dalla Torre, 1897)** (Mutillidae) Synonym(s): *laticeps* Radoszkowski, 1888 nec Blake, 1871; *emiliae* Dalla Torre, 1897; *chusistana* Skorikov, 1927 Range (in code): TR IQ IR Cc AZ AM TM 27
- 16869. *Myrmilla (Eurygnathilla) ephutommatina* Skorikov, 1927** (Mutillidae) Synonym(s): *ephotommatina* Skorikov, 1927 Range (in code): TM UZ TJ
- 16870. *Myrmilla (Pseudomutilla) atalanta* Nagy, 1967** (Mutillidae) Synonym(s): *atalanta* Nagy, 1967 Range (in code): RO TR
- 16871. *Myrmilla (Pseudomutilla) badchysiana* Lelej, 1980** (Mutillidae) Synonym(s): *badchysiana* Lelej, 1980 Range (in code): AF TM TJ
- 16872. *Myrmilla (Pseudomutilla) bytinskii* Invrea, 1965** (Mutillidae) Synonym(s): *bytinskii* Invrea, 1965 Range (in code): IL Pa
- 16873. *Myrmilla (Pseudomutilla) capitata* (Lucas, 1849)** (Mutillidae) Synonym(s): *capitata* Lucas, 1849; *parvicollis* Costa, 1860; *sardiniensis* Costa, 1885; *olcese* Tourneir, 1895; *robustior* André, 1901 [ssp.] Range (in code): HU AT YU BG IT FR ES PT SY MA DZ TN LY EG
- 16874. *Myrmilla (Pseudomutilla) filippovi* Lelej, 1985** (Mutillidae) Synonym(s): *filippovi* Lelej, 1985 Range (in code): TR 33
- 16875. *Myrmilla (Pseudomutilla) glabrata* (Fabricius, 1775)** (Mutillidae) Synonym(s): *glabrata* Fabricius, 1775; *ciliata* Fabricius, 1775; *fraterna* Baer, 1848; *cephalica* Sichel & Radoszkowski, 1869; *sarmatica* Skorikov, 1927; *beljgovskii* Skorikov, 1927 Range (in code): TR KG UZ SY GR BG YU MK AT HU RO UA RU 10 11 26 42
- 16876. *Myrmilla (Pseudomutilla) lagmana* Lelej, 1980** (Mutillidae) Synonym(s): *lagmana* Lelej, 1980 Range (in code): AF
- 16877. *Myrmilla (Pseudomutilla) mavromoustakisi* Hammer, 1950** (Mutillidae) Synonym(s): *mavromoustakisi* Hammer, 1950 Range (in code): CY
- 16878. *Myrmilla (Pseudomutilla) meda* Skorikov, 1927** (Mutillidae) Synonym(s): *meda* Skorikov, 1927; *appropinqua* Skorikov, 1927 Range (in code): RU Cc Da IR AZ TM



- 16879. Myrmilla (Pseudomutilla) skorikovi Lelej,1985** (Mutillidae) Synonym(s): caucasica Skorikov,1927; skorikovi Lelej,1985 Range (in code): **AZ GG Cc**
- 16880. Myrmilla (Pseudomutilla) troodosica Hammer,1950** (Mutillidae) Synonym(s): troodosica Hammer,1950 Range (in code): **CY**
- 16881. Myrmilla (Pseudomutilla) vutshetitshi Skorikov,1927** (Mutillidae) Synonym(s): vutshetitshi Skorikov,1927; kUSDasi Invrea,1965 Range (in code): **TR SY GR BG AT RO UA 06 25 67**
- 16882. Myrmilla (s.str.) anopla Skorikov,1927** (Mutillidae) Synonym(s): anopla Skorikov,1927 Range (in code): **YU TR 24**
- 16883. Myrmilla (s.str.) astrabada Skorikov,1927** (Mutillidae) Synonym(s): astrabada Skorikov,1927 Range (in code): **IR Elb**
- 16884. Myrmilla (s.str.) bilobicornis Skorikov,1927** (Mutillidae) Synonym(s): bilobicornis Skorikov,1927 Range (in code): **IR Gor TM**
- 16885. Myrmilla (s.str.) calva (Villers,1789)** (Mutillidae) Synonym(s): calva Villers,1789; triareolata Spinola,1841; distincta Lepeletier,1845; agrestis Lepeletier,1845; incompleta Lepeletier,1845; hastata Costa,1858; andalusiana Skorikov,1927 Range (in code): **AT CZ SK HU DE CH RO AL SL HV B-H YU MK BG GR Cr IT Si FR ES PT TR MA TN LY EG 06 08 24**
- 16886. Myrmilla (s.str.) caucasica (Kolenati,1846)** (Mutillidae) Synonym(s): caucasica Kolenati,1846; jasonia Skorikov,1927; kiritschenkoi Skorikov,1927 Range (in code): **GR BG TR Cc RU Da GG AM AZ IR UA Cm 11 12 25 29 42 49**
- 16887. Myrmilla (s.str.) corniculata (Sichel & Radoszkowski,1869)** (Mutillidae) Synonym(s): #corniculata Gerstaecker,1862; corniculata Sichel & Radoszkowski,1869 Range (in code): **FR GR SY Cc UA Cm TR IL Pa IR 25**
- 16888. Myrmilla (s.str.) erythrocephala (Latreille,1792)** (Mutillidae) Synonym(s): erythrocephala Latreille,1792; latreillei Meyer,1794; cornuta Olivier,1811; megacephala Costa,1858; bison Costa,1887 Range (in code): **AT CZ SK HU HV YU MK BG GR IT Si FR ES PT CY LB IL Pa TN EG**
- 16889. Myrmilla (s.str.) etschmiadzini (Radoszkowski,1885)** (Mutillidae) Synonym(s): etschmiadzini Radoszkowski,1885; armeniaca Skorikov,1927 Range (in code): **Cc AM AZ Eri**
- 16890. Myrmilla (s.str.) kabulensis Lelej,1980** (Mutillidae) Synonym(s): kabulensis Lelej,1980 Range (in code): **AF Kab**
- 16891. Myrmilla (s.str.) lezginica (Radoszkowski,1885)** (Mutillidae) Synonym(s): lezginica Radoszkowski,1885; subcornuta Morawitz,1893; nigrifrons André,1901 [ssp.]; kokujevi Skorikov,1927; susiana Skorikov,1927 Range (in code): **GR BG MK RO UA RU GG Cc AM AZ TR UZ TM IR SY IL Pa 25 45**
- 16892. Myrmilla (s.str.) menozzii Invrea,1950** (Mutillidae) Synonym(s): menozzii Invrea,1950 Range (in code): **IL Pa**
- 16893. Myrmilla (s.str.) rostriformis Lelej,1980** (Mutillidae) Synonym(s): rostriformis Lelej,1980 Range (in code): **AF**
- 16894. Myrmilla (s.str.) zarundyi Skorikov,1927** (Mutillidae) Synonym(s): zarundyi Skorikov,1927 Range (in code): **IR IN Rj**
- 16895. Myrmosa atra Panzer,1801** (Mutillidae) Synonym(s): melanocephala Fabricius,1793 (praeooc.); atra Panzer,1801; nigra Latreille,1809; bicolor Baer,1848; melanaria Blanchard,1849; #rufomaculata Hoffer,1938; erythrocephala Yarrow,1954 Range (in code): **SE GB IE BE NL DE PL EE BY UA AT CZ SK HU CH FR ES PT IT SL HV B-H YU RO RU Sb Ya TR KG KK IR? 08 25**
- 16896. Nanomutilla parila (Nagy,1970)** (Mutillidae) Synonym(s): parila Nagy,1970 Range (in code): **JO Amm IL Pa**
- 16897. Nanomutilla vaucheri (Tournier,1895)** (Mutillidae) Synonym(s): vaucheri Tournier,1895 Range (in code): **ES SY MA DZ**
- 16898. Nanomutilla yoca (Nagy,1970)** (Mutillidae) Synonym(s): yoca Nagy,1970 Range (in code): **JO IL Pa**
- 16899. Nanomyrme turkmenensis Lelej,1977** (Mutillidae) Synonym(s): turkmenensis Lelej,1977 Range (in code): **TM**
- 16900. Nemka pondicherensis (Sichel & Radoszkowski,1870)** (Mutillidae) Synonym(s): pondicherensis Sichel & Radoszkowski,1870 Range (in code): **IR Hz IN**
- 16901. Nemka viduata (Pallas,1773)** (Mutillidae) Synonym(s): viduata Pallas,1773; bartholomaei Radoszkowski,1865 Range (in code): **TR GG AM AZ Cc RU MN KG KK UZ TM IR CN Ui SY IL Pa BG GR SS HV YU B-H MK AL DE AT HU RO CZ SK UA RU Ur At IT Sa Si MT FR ES 06 07 08 09 10 13 15 22 24 25 33 36 42 48 58 60 69 73**
- 16902. Neotrogaspidia hammeri (Suarez,1959)** (Mutillidae) Synonym(s): hammeri Suarez,1959 Range (in code): **IR Gh TM AZ AM Cc CY**
- 16903. Odontotilla (Conjunctotilla) conjuncta (Klug,1829)** (Mutillidae) Synonym(s): conjuncta Klug,1829 Range (in code): **IL Pa SA YE EG SD TD ET ER NE MR**
- 16904. Paramyrmosa brunnipes (Lepeletier,1845)** (Mutillidae) Synonym(s): brunnipes Lepeletier,1845; cognata Costa,1858 Range (in code): **DE PL BY UA CZ SK AT HU RO BG GR AL SL HV B-H YU MK IT FR ES PT RU Sb Cc AM TR 16**

- 16905. Paramyrmosa myrmillicephala (Skorikov,1935)** (Mutillidae) Synonym(s): myrmillicephala Skorikov,1935 Range (in code): TM Kp UZ TJ MN
- 16906. Paramyrmosa radoszkowskyi (Saussure,1880)** (Mutillidae) Synonym(s): radoszkowskyi Saussure,1880 Range (in code): Cc GG AM AZ TR 08 11 21 25
- 16907. Phyetopoda daghestanica (Radoszkowski,1885)** (Mutillidae) Synonym(s): daghestanica Radoszkowski,1885 Range (in code): TR Cc AM AZ GG RU Da Sb At KG YU GR MK HV DE CZ SK AT CH HU RO UA FR IT Si 25 60
- 16908. Phyetopoda portschinskii (Radoszkowski,1888)** (Mutillidae) Synonym(s): portschinskii Radoszkowski,1888 Range (in code): IR Hz Ke TM KG AZ AM Cc RU
- 16909. Phyetopoda punctata (Latreille,1792)** (Mutillidae) Synonym(s): punctata Latreille,1792 Range (in code): HV HU RO IT Si Sa MT FR ES PT EG TN DZ MA TR 25
- 16910. Phyetopoda scutellaris (Latreille,1792)** (Mutillidae) Synonym(s): scutellaris Latreille,1792 Range (in code): Cc AM AZ TR SS HV YU DE CZ SK AT CH RO HU IT Si FR ES 01 11 06 24 25 36 60 69
- 16911. Phyetopoda similis (Lelej,1984)** (Mutillidae) Synonym(s): similis Lelej,1984 Range (in code): TR AM AZ UA Cm Cc 11 24 25 36 42 53 55 60 69 76
- 16912. Platymyrmyla quinquefasciata (Olivier,1811)** (Mutillidae) Synonym(s): quinquefasciata Olivier,1811 Range (in code): TR GG Cc AM AZ IR IL Pa SY IQ GR BG MK HU RO MD 09 35
- 16913. Pseudomyrmosa minuta (Morawitz,1894)** (Mutillidae) Synonym(s): minuta Morawitz,1894; myrmosina Dalla Torre,1897; gobicola Lelej,1981 Range (in code): CN MN AF UZ KK KG Cc AM
- 16914. Pseudomyrmosa schlettereri (Morawitz,1890)** (Mutillidae) Synonym(s): schlettereri Morawitz,1890 Range (in code): TM
- 16915. Pseudophotopsis aegyptiaca (Bischoff,1920)** (Mutillidae) Synonym(s): aegyptiaca Bischoff,1920 Range (in code): IL Pa EG LY SD TD
- 16916. Pseudophotopsis afghanica Lelej,1980** (Mutillidae) Synonym(s): afghanica Lelej,1980 Range (in code): AF
- 16917. Pseudophotopsis armeniaca (Skorikov,1935)** (Mutillidae) Synonym(s): armeniaca Skorikov,1935; cyprica Hammer,1950 Range (in code): AM Eri Cc CY
- 16918. Pseudophotopsis baktriana (Skorikov,1935)** (Mutillidae) Synonym(s): baktriana Skorikov,1935 Range (in code): TM TJ
- 16919. Pseudophotopsis binghami (Bischoff,1920)** (Mutillidae) Synonym(s): binghami Bischoff,1920; zarudnyi Skorikov,1935 Range (in code): KG UZ TJ KK TM IR Ke AF IN Rj
- 16920. Pseudophotopsis brachythorax (Skorikov,1935)** (Mutillidae) Synonym(s): brachythorax Skorikov,1935 Range (in code): IR Kh AF TM TJ
- 16921. Pseudophotopsis caspica (Radoszkowski,1885)** (Mutillidae) Synonym(s): caspica Radoszkowski,1885; radoszkowskyi Morawitz,1890; selevkida Skorikov,1935 Range (in code): TM Kp UZ KK IR AF
- 16922. Pseudophotopsis caucasica (Radoszkowski,1885)** (Mutillidae) Synonym(s): caucasica Radoszkowski,1885; caucasicola Dalla Torre,1897; Range (in code): Cc GG AM AZ TR IR Elb Fa Shr IL Pa AF TM CY
- 16923. Pseudophotopsis fumata Bischoff,1920** (Mutillidae) Synonym(s): fumata Bischoff,1920 Range (in code): IL Pa LY TN TD EH
- 16924. Pseudophotopsis irana (Skorikov,1935)** (Mutillidae) Synonym(s): irana Skorikov,1935; cithara Skorikov,1935 Range (in code): IR Kh Ke Hz Gor TJ UZ KG AF IN Rj
- 16925. Pseudophotopsis kabakovi Lelej,1980** (Mutillidae) Synonym(s): kabakovi Lelej,1980 Range (in code): AF
- 16926. Pseudophotopsis kermana Skorikov,1935** (Mutillidae) Synonym(s): kermana Skorikov,1935 Range (in code): IR Ke Fa
- 16927. Pseudophotopsis kokpetica (Radoszkowski,1885)** (Mutillidae) Synonym(s): kokpetica Radoszkowski,1885 Range (in code): TM Kp KK KG UZ TJ
- 16928. Pseudophotopsis komarovii (Radoszkowski,1885)** (Mutillidae) Synonym(s): komarovii Radoszkowski,1885; askhabadensis Radoszkowski,1885; oculosa Skorikov,1935; inductrix Skorikov,1935; asiatica Suarez,1965 Range (in code): KG KK UZ TJ TM Kp IR CY EG DZ
- 16929. Pseudophotopsis maura Bischoff,1920** (Mutillidae) Synonym(s): maura Bischoff,1920 Range (in code): IL Pa TN DZ LY EG TD
- 16930. Pseudophotopsis oblitterata (Smith,1855)** (Mutillidae) Synonym(s): oblitterata Smith,1855 Range (in code): AL CY
- 16931. Pseudophotopsis orthophthalma (Skorikov,1935)** (Mutillidae) Synonym(s): orthophthalma Skorikov,1935 Range (in code): KK UZ TN TJ TM
- 16932. Pseudophotopsis pavlovskyi Skorikov,1935** (Mutillidae) Synonym(s): pavlovskyi Skorikov,1935; melanocephala Skorikov,1935 Range (in code): TM Kp IR KK UZ AF
- 16933. Pseudophotopsis schachruda (Skorikov,1935)** (Mutillidae) Synonym(s): schachruda Skorikov,1935; robusta Skorikov,1935; mavromoustakisi Suarez,1959; #schachrudii Özbek et al.,1999; caucasica auct. Range (in code): TM IR TR CY AM Cc IL Pa 01 09 17 23 25

- 16934. Pseudophotopsis syriaca (André,1900)** (Mutillidae) Synonym(s): syriaca André,1900; caspica sensu Özbek et al.,1999 nec Radoszkowski,1885 Range (in code): SY IL Pa TR GR 07 17 32 33 45
- 16935. Ronisia brutia (Petagna,1787)** (Mutillidae) Synonym(s): brutia Petagna,1787; sexmaculata Cyrillo,1787; hungarica Fabricius,1793; confusa Lepeletier,1845; monspeliensis Lepeletier,1845; robusta Smith,1855; torosa Costa,1858; sericeiventris Costa,1864; duplex Radoszkowski,1885; discoidalis Radoszkowski,1885 morawitzii Dalla Torre,1897 Range (in code): TR GG AZ AM Cc IR TM Kp KG GR Cr CY BG HV YU MK DE AT CZ SK UA RU Ur IT Sa Si MT FR 03 11 20 22 24 25 30 33 35 36 42 60 65
- 16936. Ronisia maculosa (Olivier,1811)** (Mutillidae) Synonym(s): maculosa Olivier,1811 Range (in code): LB EG
- 16937. Ronisia marocana (Olivier,1811)** (Mutillidae) Synonym(s): marocana Olivier,1811; novemguttata Klug,1835; octomaculata Spinola,1843; algira Lepeletier,1845; rubricollis Lucas,1849; dorsalis Lucas,1849; humeralis Stichel & Radoszkowski,1870; bodenheimeri Invrea,1950; flavocornuta Invrea,1965 Range (in code): TR SY IL Pa JO IT Si MT FR ES PT MA DZ TN EG 42 46
- 16938. Ronisia parasinuata Invrea,1965** (Mutillidae) Synonym(s): parasinuata Invrea,1965 Range (in code): IL Pa
- 16939. Ronisia wahrmani Invrea,1965** (Mutillidae) Synonym(s): wahrmani Invrea,1965 Range (in code): JO
- 16940. Sigilla dorsata (Fabricius,1798)** (Mutillidae) Synonym(s): dorsata Fabricius,1798; excoriata Lepeletier,1845; spinolae Lepeletier,1845; punctum Lepeletier,1845; affinis Lucas,1849; cognata F.Smith,1855; calcariventris Sichel & Radoszkowski,1870 Range (in code): IT Sa FR Co ES MA DZ TN EG TR
- 16941. Skorikovia anatolica Lelej,2009** (Mutillidae) Synonym(s): anatolica Lelej,2009 Range (in code): TR 06 24
- 16942. Skorikovia elongata (Radoszkowski,1885)** (Mutillidae) Synonym(s): elongata Radoszkowski,1885 Range (in code): RU Cc AZ KG UZ TM IR KK
- 16943. Skorikovia pallipes (Lelej,1985)** (Mutillidae) Synonym(s): pallipes Lelej,1985 Range (in code): IR Hz Kh
- 16944. Skorikovia radoszkowskii (Skorikov,1935)** (Mutillidae) Synonym(s): radoszkowskii Skorikov,1935 Range (in code): AZ GG Cc RU Da TR 24 25 50
- 16945. Skorikovia transcaucasica (Lelej,1985)** (Mutillidae) Synonym(s): transcaucasica Lelej,1985 Range (in code): AZ AM Cc TR 25
- 16946. Smicromyrme (Astomyrme) ausonius Invrea,1950** (Mutillidae) Synonym(s): ausonius Invrea,1950 Range (in code): TR KG TM Kp CY GR UA Cm MD RU Ur IT Si FR Co 01 11 25 53
- 16947. Smicromyrme (Astomyrme) minuta Lelej,1985** (Mutillidae) Synonym(s): minuta Lelej,1985 Range (in code): IR TM UZ KK
- 16948. Smicromyrme (Astomyrme) nikolskajae Lelej,1985** (Mutillidae) Synonym(s): nikolskajae Lelej,1985 Range (in code): KK TJ IR Kh
- 16949. Smicromyrme (Eremotilla) novaki Invrea,1954** (Mutillidae) Synonym(s): novaki Invrea,1954 Range (in code): TR HV RO 12
- 16950. Smicromyrme (Eremotilla) schwarzi Suarez,1975** (Mutillidae) Synonym(s): schwarzi Suarez,1975 Range (in code): TR GG AZ Cc GR UA 06 11 24 25 31
- 16951. Smicromyrme (Eremotilla) tekensis Skorikov,1935** (Mutillidae) Synonym(s): tekensis Skorikov,1935 Range (in code): IR Kh KG KK UZ TM TJ CN Ui MN
- 16952. Smicromyrme (Erimyrme) azerbaijanicus Lelej,1985** (Mutillidae) Synonym(s): azerbaijanicus Lelej,1985 Range (in code): AZ Cc TM TR 24
- 16953. Smicromyrme (Erimyrme) kermanensis (Lelej,1984)** (Mutillidae) Synonym(s): kermanensis Lelej,1984 Range (in code): IR Ke Hz Ss
- 16954. Smicromyrme (Erimyrme) pulawskii Suarez,1975** (Mutillidae) Synonym(s): pulawskii Suarez,1975 Range (in code): TR GR Rd BG 10 11 24 25 42 45 60
- 16955. Smicromyrme (Erimyrme) sicanus (De Stefani,1887)** (Mutillidae) Synonym(s): sicanus De Stefani,1887 Range (in code): TR SY GR HV YU AL AT CZ SK HU RO UA RU Ur At IT Si Sa FR 11 24 25 34
- 16956. Smicromyrme (Erimyrme) standfussorum Lelej,2004** (Mutillidae) Synonym(s): standfussorum Lelej,2004 Range (in code): IR Hz
- 16957. Smicromyrme (s.str.) ruficollis (Fabricius,1793)** (Mutillidae) Synonym(s): ruficollis Fabricius,1793 Range (in code): TR KG RU At GR BG HV YU AT UA IT Si MT FR ES 01 11 24 25 50
- 16958. Smicromyrme (s.str.) rufipes (Fabricius,1787)** (Mutillidae) Synonym(s): rufipes Fabricius,1787 Range (in code): TR KG SS HV B-H YU MK SE FI DE AT CH HU CZ SK UA BY RU Ur At Ya ES IT Si FR 25
- 16959. Smicromyrme (s.str.) turanicus (Morawitz,1893)** (Mutillidae) Synonym(s): turanicus Morawitz,1893 Range (in code): TR GG AZ AM IR 12 25 65 66
- 16960. Spilomutilla perfecta (Sichel & Radoszkowski,1870)** (Mutillidae) Synonym(s): perfecta Sichel & Radoszkowski,1870 Range (in code): IR
- 16961. Stenomutilla (s.str.) acanthosterna Nonveiller,1994** (Mutillidae) Synonym(s): acanthosterna Nonveiller,1994 Range (in code): TR 65



- 16962. *Stenomutilla* (s.str.) *anatolica* Nonveiller,1994** (Mutillidae) Synonym(s): *anatolica* Nonveiller,1994 Range (in code): **TR 58 60**
- 16963. *Stenomutilla* (s.str.) *bizonata* (Smith,1856)** (Mutillidae) Synonym(s): *bizonata* Smith,1856 Range (in code): **AM Cc TR IR SY IL PA LB GR HV AL 01 06 08 25 30 33 36 37 42 44 45 48 58 65**
- 16964. *Stenomutilla* (s.str.) *osellai* Nonveiller,1994** (Mutillidae) Synonym(s): *osellai* Nonveiller,1994 Range (in code): **TR 13 30**
- 16965. *Tricholabiodes* *asiaticus* Radoszkowski,1885** (Mutillidae) Synonym(s): *asiaticus* Radoszkowski,1885 Range (in code): **IR Hz TM UZ TJ KG**
- 16966. *Tricholabiodes* *bactrianus* Suarez,1967** (Mutillidae) Synonym(s): *bactrianus* Suarez,1967 Range (in code): **IR Fa TM**
- 16967. *Trogaspidia* (*Acutitropidia*) *tobiasi* Lelej,2004** (Mutillidae) Synonym(s): *tobiasi* Lelej,2004 Range (in code): **IR Kh Ss Hz**
- 16968. *Trogaspidia* (*Chilotropidia*) *fedtschenkoi* (Radoszkowski,1877)** (Mutillidae) Synonym(s): *fedtschenkoi* Radoszkowski,1877 Range (in code): **IR TM UZ TJ KG KK AZ Cc**
- 16969. *Trogaspidia* *catanensis* (Rossi,1794)** (Mutillidae) Synonym(s): *catanensis* Rossi,1794 Range (in code): **TR KG AM GR HV YU MK HU RO UA Cm RU IT Si DZ 16 25**
- 16970. *Tropidotilla* *griseus* (Lepeletier,1845)** (Mutillidae) Synonym(s): *griseus* Lepeletier,1845; *litoralis* sensu Özbek et al.,1999 nec Petagna,1787 Range (in code): **TR GR BG HV YU MK UA Cm IT Si FR DZ 11 24**
- 16971. *Tropidotilla* *litoralis* (Petagna,1787)** (Mutillidae) Synonym(s): *litoralis* Petagna,1787 Range (in code): **TR GG AZ AM Cc TM Kp IR SY IL Pa GR BG HV YU MK AL BE CH AT HU CZ RO UA RU IT Sa Si FR ES PT MA DZ EG 08 11 12 17 19 24 25 29 30 36 38**
- 16972. *Tropidotilla* *sareptana* (André,1901)** (Mutillidae) Synonym(s): *sareptana* André,1901 Range (in code): **TR Cc AZ AM GR MK RU 24 25 76**
- 16973. *Tropidotilla* *semirufa* (André,1893)** (Mutillidae) Synonym(s): *semirufa* André,1893 Range (in code): **AM AZ Cc IR TR 12**
- 16974. *Anagrus* *atomus* (Linnaeus,1767)** (Mymaridae) Synonym(s): *atomus* Linnaeus,1767 Range (in code): **TR**
- 16975. *Anaphes* *diana* (Girault,1911)** (Mymaridae) Synonym(s): *diana* Girault,1911; *lameerei* Debauche,1948 Range (in code): **TR DZ AU AT BE BG CA FR DE GR Cr IT MD MA NZ RO ES SY GB US**
- 16976. *Gonatocerus* *chrysis* (Debauche,1948)** (Mymaridae) Synonym(s): *chrysis* Debauche,1948; *gracilentus* Hellén,1974 Range (in code): **AR BE GR BG CA On CL FI FR GR Cr RO RU Sh ES SE TR GB US Tx**
- 16977. *Gonatocerus* *litoralis* (Haliday,1833)** (Mymaridae) Synonym(s): *litoralis* Haliday,1833; *radiculatus* Ahlberg,1925; *effusi* Bakkendorf,1934; *paludis* Debauche,1948; *rhacodes* Debauche,1948; *pulchellus* Hellén,1974 Range (in code): **AR AT AU BE GR BG CL CZ DK FI DE GR Cr IE JP MK MX NL NO PL RO SK ES SE TR GB US YU**
- 16978. *Gonatocerus* *longicornis* (Nees,1834)** (Mymaridae) Synonym(s): *longicornis* Nees,1834; *terebrator* Förster,1847; *cidellae* Nikolskaya,1951; *britteni* Hincks,1960; *longiventris* Botoc,1963; *uttarodeccanus* Mani & Saraswat,1973 Range (in code): **AT BG CZ FI FR DE GR IN IT JP KK KP KR NL CN Ui RO RU Us SK SE TH TR GB**
- 16979. *Gonatocerus* *longior* Soyka,1946** (Mymaridae) Synonym(s): *longior* Soyka,1946 Range (in code): **AT BG DE NL ES TR GB**
- 16980. *Gonatocerus* *ovicenatus* Leonhard & Crosby,1915** (Mymaridae) Synonym(s): *ovicenatus* Leonhard & Crosby,1915; *tremulae* Bakkendorf,1934 Range (in code): **DK IR IT NL ES TR GB US Ny**
- 16981. *Gonatocerus* *sulphuripes* (Förster,1847)** (Mymaridae) Synonym(s): *sulphuripes* Förster,1847; *pictosimilis* Soyka,1946; *alecto* Debauche,1948; *crassipes* Debauche,1948; *synaptus* Debauche,1948 Range (in code): **BE BG DK DE JP NO CN Ui PL RO ES SE TR GB**
- 16982. *Gonatocerus* *thyrides* (Debauche,1948)** (Mymaridae) Synonym(s): *thyrides* Debauche,1948 Range (in code): **BE BG RO ES TR GB**
- 16983. *Litus* *cynipseus* Haliday,1833** (Mymaridae) Synonym(s): *cynipseus* Haliday,1833; *krygeri* Kieffer,1913 Range (in code): **AT BE BG CA On CZ DK FI FR DE GR HU IT JP KK KP KR MX MD MA NP NL RO RU Us SS ES SE GB US Tx YU TR**
- 16984. *Polynema* *fennicum* Soyka,1946** (Mymaridae) Synonym(s): *fennicum* Soyka,1946 Range (in code): **BG FI NL TR**
- 16985. *Polynema* *fuscipes* Haliday,1833** (Mymaridae) Synonym(s): *fuscipes* Haliday,1833; *elegans* Förster,1841; *pulla* Förster,1847 Range (in code): **BE BG CL DK DE GR NO SK SE TR GB**
- 16986. *Polynema* *laetum* Förster,1847** (Mymaridae) Synonym(s): *laetum* Förster,1847 Range (in code): **DE RO TR**
- 16987. *Polynema* *ovulorum* (Linnaeus,1758)** (Mymaridae) Synonym(s): *ovulorum* Linnaeus,1758 Range (in code): **AT BE BG FR DE GR Cr RO TR SE GB**
- 16988. *Polynema* *pusillum* Haliday,1833** (Mymaridae) Synonym(s): *pusillum* Haliday,1833 Range (in code): **BG CZ DE NL RO TR GB**
- 16989. *Polynema* *tenue* Soyka,1956** (Mymaridae) Synonym(s): *tenue* Soyka,1956 Range (in code): **PL RO TR**

- 16990. Polynema valkenburgense Soyka,1931** (Mymaridae) Synonym(s): valkenburgense Soyka,1931 Range (in code): BE BG CH NL GB TR RO SE
- 16991. Stephanodes similis (Förster,1847)** (Mymaridae) Synonym(s): similis Förster,1847; elegans Enock,1909; enockii Girault,1911; psecas Girault,1912; isotoma Debauche,1949 Range (in code): AR AT BE BG CA Abt Yuk CV HV CY ZR DK FI FR DE GR Cr HU IT KK MK MD NO PY PL RO RU SS ES SE CH TM UA GB US TR
- 16992. Ormyrus ardahanensis (Doğanlar,1991)** (Ormyridae) Synonym(s): ardahanensis Doğanlar,1991; #ardhanensis Doğanlar,1991 Range (in code): TR 75
- 16993. Ormyrus bingoeliensis (Doğanlar,1991)** (Ormyridae) Synonym(s): bingoeliensis Doğanlar,1991 Range (in code): TR 12
- 16994. Ormyrus diffinis (Fonscolombe,1832)** (Ormyridae) Synonym(s): diffinis Fonscolombe,1832; punctulatus Ratzeburg,1848 Range (in code): BG Cc HV CZ FR DE HU IL Pa KG MK MD RU Kc SK ES TJ TM UA YU TR 25 60
- 16995. Ormyrus graciosus (Förster,1860)** (Ormyridae) Synonym(s): graciosus Förster,1860 Range (in code): AM AZ Cc GG BG CZ FI FR DE HU KG MK NL PL RU Ao SK ES SE CH TM UA GB UZ YU TR 01 25
- 16996. Ormyrus kazovaensis (Doğanlar,1991)** (Ormyridae) Synonym(s): kazovaensis Doğanlar,1991 Range (in code): TR 60
- 16997. Ormyrus longicornis Boucek,1969** (Ormyridae) Synonym(s): longicornis Boucek,1969 Range (in code): BG AZ Cc TR GG RU Da 01
- 16998. Ormyrus nitidulus (Fabricius,1804)** (Ormyridae) Synonym(s): nitidulus Fabricius,1804; tubulosa Fonscolombe,1832; cyanostehus Walker,1847; gallaequercus Dufour,1864; chrysidiformis De Stefani,1868 Range (in code): DZ AT AZ B-H BG Cc HV CZ FR GG DE HU IT Si MK NL RO SK SS ES TR UA GB US YU
- 16999. Ormyrus orientalis Walker,1871** (Ormyridae) Synonym(s): orientalis Walker,1871; indicus Ahmad,1946; hungaricus Erdős,1946; peninsularis Mani & Kaul,1972; fredricki Narendran & Samodan,1990 Range (in code): Cn AF AZ BY BG Cc HV CZ FR GG DE GR HU TR IN Ben Up IR IQ IT MK MD PK RU Da Us SK ES LK TJ TM UA UZ YU
- 17000. Ormyrus tschami (Doğanlar,1991)** (Ormyridae) Synonym(s): tschami Doğanlar,1991 Range (in code): TR 60
- 17001. Ormyrus wachtli Mayr,1904** (Ormyridae) Synonym(s): wachtli Mayr,1904 Range (in code): AT BG HV CZ FR HU IT KG MD RO RU Ao Sb SK ES SE UA YU TR 60
- 17002. Ormyrus yeschilirmaka (Doğanlar,1991)** (Ormyridae) Synonym(s): #yeschilirmaka Doğanlar,1991; yeschilirmaka Doğanlar,1991 Range (in code): TR 60
- 17003. Mocsarya syriaca Benson,1936** (Orussidae) Synonym(s): syriaca Benson,1936 Range (in code): GR TR 31 67
- 17004. Orussus abietinus (Scopoli,1763)** (Orussidae) Synonym(s): abietinus Scopoli,1763; degener Christ,1791; vespertilio Fabricius,1793; coronatus Fabricius,1798; albopunctatus Gimmerthal,1836 Range (in code): CZ SY TR Cc YU DZ KG KP RU Us 33 48
- 17005. Pseudoryssus henshii (Mocsary,1910)** (Orussidae) Synonym(s): henshii Mocsary,1910; emanuelis Guiglia,1956 Range (in code): BG HV DE GR IT IQ Mos MA TR
- 17006. Pseudoryssus niehuisorum Kraus,1998** (Orussidae) Synonym(s): niehuisorum Kraus,1998 Range (in code): IL Pa
- 17007. Acantholyda (Itycorsia) fumata (Enslin,1910)** (Pamphiliidae) Synonym(s): fumata Enslin,1910 Range (in code): TR 33
- 17008. Acantholyda (Itycorsia) hieroglyphica (Christ,1791)** (Pamphiliidae) Synonym(s): hieroglyphica Christ,1791 Range (in code): TR 06
- 17009. Cephalcia hartigii (Bremi-Wolf,1849)** (Pamphiliidae) Synonym(s): hartigii Bremi-Wolf,1849 Range (in code): AT Cc
- 17010. Kelidoptera maculipennis (J.P.E.F.Stein,1876)** (Pamphiliidae) Synonym(s): maculipennis J.P.E.F.Stein,1876 Range (in code): TR 05 06 35
- 17011. Neurotoma fausta (Klug,1808)** (Pamphiliidae) Synonym(s): fausta Klug,1808 Range (in code): TR 16
- 17012. Neurotoma nemoralis (Linnaeus,1758)** (Pamphiliidae) Synonym(s): nemoralis Linnaeus,1758; punctata Fabricius,1798 nec Geoffr.,1785; caprifolii Schrank,1802; lucorum Fallén,1808; drupacearum Nördlinger,1855; maculifrons Snellen van Vollenhoven,1858 Range (in code): SE DK DE IT HU RO Cc RU KG Sb TR 43
- 17013. Neurotoma saltuum (Linnaeus,1758)** (Pamphiliidae) Synonym(s): saltuum Linnaeus,1758 Range (in code): TR 54
- 17014. Onycholyda trigaria (Konow,1897)** (Pamphiliidae) Synonym(s): trigaria Konow,1897 Range (in code): Cc
- 17015. Pamphilius aurantiacus (Giraud,1857)** (Pamphiliidae) Synonym(s): aurantiacus Giraud,1857; neglecta Zaddach,1866 Range (in code): Cc
- 17016. Pamphilius betulae (Linnaeus,1758)** (Pamphiliidae) Synonym(s): betulae Linnaeus,1758 Range (in code): TR 26
- 17017. Pamphilius caucasicus Gussakovskij,1935** (Pamphiliidae) Synonym(s): caucasicus Gussakovskij,1935 Range (in code): RU Cc

- 17018. Pamphilius cilix Konow,1897** (Pamphiliidae) Synonym(s): cilix Konow,1897 Range (in code): TR 01
- 17019. Pamphilius lethierryi (Konow,1887)** (Pamphiliidae) Synonym(s): lethierryi Konow,1887 Range (in code): Cc
- 17020. Pamphilius sylvaticus (Linnaeus,1758)** (Pamphiliidae) Synonym(s): sylvaticus Linnaeus,1758 Range (in code): TR 02
- 17021. Pseudocephaleia praeteritorum (Semenov,1934)** (Pamphiliidae) Synonym(s): praeteritorum Semenov,1934; brachycerus Zirngiebl,1937; pseudoreticulata Zombori,1967 Range (in code): AL AZ Cc CN Ui HV HU IT RO TR 73
- 17022. Pseudocephaleia zuvandica Ermolenko,1993** (Pamphiliidae) Synonym(s): zuvandica Ermolenko,1993 Range (in code): AZ Cc
- 17023. Chrysolampus thenae (Walker,1848)** (Perilampidae) Synonym(s): thenae Walker,1848; obscurus Walker,1874 Range (in code): HV CZ FI FR HU KG MK MD NL PL RU Am Ao Sb SK ES SE UA GB TR YU
- 17024. Chrysomalla roseri Förster** (Perilampidae) Synonym(s): Range (in code): TR
- 17025. Chrysomalla stigmatica Boucek** (Perilampidae) Synonym(s): Range (in code): TR
- 17026. Chrysomalla turcica Boucek** (Perilampidae) Synonym(s): Range (in code): TR
- 17027. Perilampus aeneus (Rossius)** (Perilampidae) Synonym(s): Range (in code): TR
- 17028. Perilampus catilus (Argaman)** (Perilampidae) Synonym(s): Range (in code): TR
- 17029. Agenioideus apicalis (Van der Linden,1827)** (Pompilidae) Synonym(s): apicalis Van der Linden,1827 Range (in code): TR 24 60 63 65
- 17030. Agenioideus ciliatus (Lepeletier,1845)** (Pompilidae) Synonym(s): ciliatus Lepeletier,1845; acrobates Ferton,1911 Range (in code): TR SY JO 05 25 36 42 50 51 58 60 63 65 69 76
- 17031. Agenioideus cinctellus (Spinola,1808)** (Pompilidae) Synonym(s): cinctellus Spinola,1808 Range (in code): TR 05 54
- 17032. Agenioideus dichrous (Brullé,1840)** (Pompilidae) Synonym(s): dichrous Brullé,1840 Range (in code): TR SY JO 07 25 47
- 17033. Agenioideus excisus (Morawitz,1890)** (Pompilidae) Synonym(s): excisus Morawitz,1890; emarginatus Haupt Range (in code): TR JO IQ IR 01 04 06 09 10 23 24 25 30 33 42 44 50 60 63 65
- 17034. Agenioideus nubecula (Costa,1874)** (Pompilidae) Synonym(s): nubecula Costa,1874; tristis Priesner,1965 Range (in code): TR 06 07 09 10 31 33 34 36 45 63 73 76
- 17035. Agenioideus oasis (Haupt,1962)** (Pompilidae) Synonym(s): oasis Haupt,1962 Range (in code): TR LY TN IL Pa ES Cn SY Hms 06
- 17036. Agenioideus rhodosoma (Kohl,1886)** (Pompilidae) Synonym(s): rhodosoma Kohl,1886 Range (in code): TR 33
- 17037. Agenioideus ruficeps (Eversmann,1849)** (Pompilidae) Synonym(s): ruficeps Eversmann,1849 Range (in code): TR 04 06 09 20 24 25 30 33 38 42 50 63 65 71
- 17038. Agenioideus rytiphorus (Kohl,1886)** (Pompilidae) Synonym(s): rytiphorus Kohl,1886 Range (in code): TR SY Hms TM 07 20 25 38 42 45 46 59 76
- 17039. Agenioideus sericeus (Van der Linden,1827)** (Pompilidae) Synonym(s): sericeus Van der Linden,1827 Range (in code): TR JO 06 08 12 20 25 30 33 36 50 65 73 76
- 17040. Agenioideus usurarius (Tournier,1889)** (Pompilidae) Synonym(s): usurarius Tournier,1889 Range (in code): TR 06 08 24 25 33 50 73
- 17041. Agenioideus vesanus (Kohl,1907)** (Pompilidae) Synonym(s): vesanus Kohl,1907 Range (in code): TR SY Dms Hms JO YE 30 65
- 17042. Amblyellus hasdrubal (Kohl,1894)** (Pompilidae) Synonym(s): hasdrubal Kohl,1894 Range (in code): TR 25 38 42 50 58
- 17043. Anoplius aeruginosus (Tournier,1890)** (Pompilidae) Synonym(s): aeruginosus Tournier,1890 Range (in code): TR 50
- 17044. Anoplius caviventris (Aurivillius,1907)** (Pompilidae) Synonym(s): caviventris Aurivillius,1907 Range (in code): TR 30
- 17045. Anoplius concinnus (Dahlbom,1845)** (Pompilidae) Synonym(s): concinnus Dahlbom,1845 Range (in code): TR 08 25 31 33 36 42 50 60 61 64 65 76
- 17046. Anoplius infuscatus (Van der Linden,1827)** (Pompilidae) Synonym(s): infuscatus Van der Linden,1827; meticolus Costa,1882 Range (in code): TR 01 06 07 08 09 11 24 25 31 30 33 34 36 42 44 46 50 52 53 55 58 63 65 70 71 76 78
- 17047. Anoplius nigerrimus (Scopoli,1763)** (Pompilidae) Synonym(s): nigerrimus Scopoli,1763 Range (in code): TR AT SS HV 02 08 21 23 24 25 30 36 53 55 61 73 75
- 17048. Anoplius piliventris (Morawitz,1889)** (Pompilidae) Synonym(s): piliventris Morawitz,1889; pannonicus sensu Priesner,1967 Range (in code): TR 33
- 17049. Anoplius samariensis (Pallas,1771)** (Pompilidae) Synonym(s): samariensis Pallas,1771 Range (in code): RU TR 01 04 06 24 25 30 33 36 38 42 50 51 58 65 69
- 17050. Anoplius schlettereri (Radoszkowski,1888)** (Pompilidae) Synonym(s): schlettereri Radoszkowski,1888; niger Priesner,1967 Range (in code): TR 04 12 16 24 25 27 33 34 42 44 65 69 70 73



- 17051. *Anoplius viaticus* (Linnaeus,1758)** (Pompilidae) Synonym(s): *viaticus* Linnaeus,1758; *fusca* Linnaeus,1761; *paganus* Dahlbom,1843; *propinquus* SWmith,1879; *delatorius* Tournier,1890; *immixtus* Tournier,1890; *macrurus* Tournier,1890; *pleuropicus* Tournier,1890; *tibialis* Tournier,1890; *valesicus* Tournier,1890; *holomelas* Mantero,1905 Range (in code): **PT ES FR GB NO SE RU BY RO PL DK DE CZ SK AT CH HV IT Co Sa Si AL GR BG TR CY 02 05 06 07 08 11 12 13 16 21 22 23 24 25 30 31 32 33 34 35 36 38 39 42 43 46 50 51 53 55 58 60 63 64 65 69 76 80**
- 17052. *Anospilus orbitalis* (Costa,1863)** (Pompilidae) Synonym(s): *orbitalis* Costa,1863 Range (in code): **TR 10 11 16 20 31 32 33 34 35 42 59**
- 17053. *Aporinellus moestus* (Klug,1834)** (Pompilidae) Synonym(s): *moestus* Klug,1834; *sericeomaculatus* Kohl,1888 Range (in code): **TR 06 24 25 31 38 42 44 50 63 76**
- 17054. *Aporinellus sexmaculatus* (Spinola,1805)** (Pompilidae) Synonym(s): *sexmaculatus* Spinola,1805; *asiaticus* Gussakovskii,1935 Range (in code): **TR 07 11 24 25 33 34 36 38 42 43 50 58 63 65**
- 17055. *Aporus bicolor* Spinola,1808** (Pompilidae) Synonym(s): *bicolor* Spinola,1808 Range (in code): **TR 07 30 33**
- 17056. *Aporus pollux* (Kohl,1888)** (Pompilidae) Synonym(s): *pollux* Kohl,1888 Range (in code): **TR 08 25 61**
- 17057. *Arachnospila anceps* (Wesmael,1851)** (Pompilidae) Synonym(s): *anceps* Wesmael,1851; *peninsulana* Wolf,1966 Range (in code): **TR 12 19 25 50 73**
- 17058. *Arachnospila angorana* (Wolf,1990)** (Pompilidae) Synonym(s): *angorana* Wolf,1990 Range (in code): **TR 06 23 42**
- 17059. *Arachnospila ausa* (Tournier,1890)** (Pompilidae) Synonym(s): *ausa* Tournier,1890 Range (in code): **TR 16**
- 17060. *Arachnospila clericalis* (Morawitz,1889)** (Pompilidae) Synonym(s): *clericalis* Morawitz,1889 Range (in code): **TR 25 36 69**
- 17061. *Arachnospila colpostoma* (Kohl,1886)** (Pompilidae) Synonym(s): *colpostoma* Kohl,1886 Range (in code): **TR 16 25 58**
- 17062. *Arachnospila conjungens* (Kohl,1898)** (Pompilidae) Synonym(s): *conjungens* Kohl,1898 Range (in code): **TR 33**
- 17063. *Arachnospila consobrina* (Dahlbom,1843)** (Pompilidae) Synonym(s): *consobrina* Dahlbom,1843; *continentalis* Wolf,1966 Range (in code): **TR 25 36 42 73**
- 17064. *Arachnospila esau* (Kohl,1886)** (Pompilidae) Synonym(s): *esau* Kohl,1886; *vaucheri* Tournier,1890; *rufocincta* Haupt,1933 Range (in code): **TR 06 58 73**
- 17065. *Arachnospila fumipennis* (Zetterstedt,1838)** (Pompilidae) Synonym(s): *fumipennis* Zetterstedt,1838 Range (in code): **TR 08 25 65 75**
- 17066. *Arachnospila fuscomarginata* (Thomson,1870)** (Pompilidae) Synonym(s): *fuscomarginata* Thomson,1870 Range (in code): **TR 25 36 42 60 69 75**
- 17067. *Arachnospila gibbomima* (Haupt,1929)** (Pompilidae) Synonym(s): *gibbomima* Haupt,1929 Range (in code): **TR 24 25 58 60**
- 17068. *Arachnospila hedickei* (Haupt,1929)** (Pompilidae) Synonym(s): *hedickei* Haupt,1929 Range (in code): **TR 25 29 50 65**
- 17069. *Arachnospila holomelas* (Costa,1882)** (Pompilidae) Synonym(s): *holomelas* Costa,1882; *gymnesiae* Dalla Torre,1897; *dissona* Wahis,1974 Range (in code): **TR 01 38 73**
- 17070. *Arachnospila ionica* (Wolf,1964)** (Pompilidae) Synonym(s): *ionica* Wolf,1964 Range (in code): **TR 07 36 42 58 70 73**
- 17071. *Arachnospila minutula* (Dahlbom,1843)** (Pompilidae) Synonym(s): *minutula* Dahlbom,1843; *appenninusurata* Wolf,1970 Range (in code): **TR 10 16 25 26 34 38 42 58 69**
- 17072. *Arachnospila osmana* (Wolf,1999)** (Pompilidae) Synonym(s): *osmana* Wolf,1999 Range (in code): **TR 65**
- 17073. *Arachnospila pamira* (Haupt,1930)** (Pompilidae) Synonym(s): *pamira* Haupt,1930 Range (in code): **TR TJ Pm 72**
- 17074. *Arachnospila rufa* (Haupt,1927)** (Pompilidae) Synonym(s): *rufa* Haupt,1927 Range (in code): **TR 06 24 25 38 65**
- 17075. *Arachnospila silvana* (Kohl,1886)** (Pompilidae) Synonym(s): *silvana* Kohl,1886 Range (in code): **TR 25**
- 17076. *Arachnospila sogdiana* (Morawitz,1893)** (Pompilidae) Synonym(s): *sogdiana* Morawitz,1893; *anatolica* Wolf,1966 Range (in code): **TR 06 25 30 33 35 42 64 70**
- 17077. *Arachnospila spissa* (Schioedte,1837)** (Pompilidae) Synonym(s): *spissa* Schioedte,1837 Range (in code): **TR 06 25 58 60**
- 17078. *Arachnospila trivialis* (Dahlbom,1843)** (Pompilidae) Synonym(s): *trivialis* Dahlbom,1843; *insubrica* Wolf,1965 Range (in code): **TR 24 25 42 51 58 60**
- 17079. *Arachnospila valesabnormis* (Wolf,1965)** (Pompilidae) Synonym(s): *valesabnormis* Wolf,1965; *?anatolica* Wolf,1966 Range (in code): **TR 06 25 69**

- 17080. Arachnotheutes leucurus (Morawitz,1891)** (Pompilidae) Synonym(s): leucurus Morawitz,1891 Range (in code): **TR**
- 17081. Arachnotheutes minor (Priesner,1955)** (Pompilidae) Synonym(s): minor Priesner,1955 Range (in code): **TR**
- 17082. Arachnotheutes rufithorax (Costa,1887)** (Pompilidae) Synonym(s): rufithorax Costa,1887 Range (in code): **TR 04 06 25 26 36 50 60**
- 17083. Arachnotheutes signatipennis (Klug,1834)** (Pompilidae) Synonym(s): signatipennis Klug,1834 Range (in code): **TR 06**
- 17084. Arachnotheutes squalidus (Haupt,1962)** (Pompilidae) Synonym(s): squalidus Haupt,1962 Range (in code): **TR 04 26 38**
- 17085. Arctoclavelia soikai Wolf,1966** (Pompilidae) Synonym(s): soikai Wolf,1966 Range (in code): **TR 06**
- 17086. Auplopus albifrons (Dalman,1823)** (Pompilidae) Synonym(s): albifrons Dalman,1823; obscurus Priesner,1967 Range (in code): **TR 04 06 13 24 25 33 46 50 69**
- 17087. Auplopus carbonarius (Scopoli,1763)** (Pompilidae) Synonym(s): carbonarius Scopoli,1763 Range (in code): **TR HV SS 04 07 08 09 21 24 25 26 27 31 33 38 42 45 50 61 63 65 66**
- 17088. Auplopus rectus (Haupt,1927)** (Pompilidae) Synonym(s): rectus Haupt,1927; ater Haupt,1930 Range (in code): **TR 06 08 11 14 20 22 24 25 29 30 31 33 36 42 47 50 51 52 53 58 60 63 65 73**
- 17089. Batozonellus lacerticida (Pallas,1771)** (Pompilidae) Synonym(s): lacerticida Pallas,1771 Range (in code): **TR 07 09 25 31 33 37 42 60 65**
- 17090. Caliadurgus fasciatellus (Spinola,1808)** (Pompilidae) Synonym(s): fasciatellus Spinola,1808 Range (in code): **TR 25 60 61**
- 17091. Ceropales albicincta (Rossi,1790)** (Pompilidae) Synonym(s): albicincta Rossi,1790; wolffi Moczar,1978 Range (in code): **TR IT 01 04 06 11 23 24 25 30 33 36 42 55 58 65 66**
- 17092. Ceropales bipartita Haupt,1962** (Pompilidae) Synonym(s): bipartita Haupt,1962; flava Moczar,1987 Range (in code): **TR 21 31 44**
- 17093. Ceropales bogdanovi Radoszkowski,1877** (Pompilidae) Synonym(s): bogdanovi Radoszkowski,1877 Range (in code): **TR**
- 17094. Ceropales cribrata Costa,1881** (Pompilidae) Synonym(s): cribrata Costa,1881 Range (in code): **TR 24 25 30 33 50 58 60 63 76**
- 17095. Ceropales helvetica Tournier,1889** (Pompilidae) Synonym(s): helvetica Tournier,1889 Range (in code): **TR 06 07 08 30 31 33 36 42 44 50 51 65**
- 17096. Ceropales maculata (Fabricius,1775)** (Pompilidae) Synonym(s): maculata Fabricius,1775 Range (in code): **TR 08 24 25 36 60 69 75 76**
- 17097. Ceropales maroccana Beaumont,1947** (Pompilidae) Synonym(s): maroccana Beaumont,1947 Range (in code): **MA TR 63**
- 17098. Ceropales ruficornis Gussakowskii,1931** (Pompilidae) Synonym(s): ruficornis Gussakowskii,1931 Range (in code): **TR 06 63**
- 17099. Ceropales seraxensis Radoszkowski,1893** (Pompilidae) Synonym(s): seraxensis Radoszkowski,1893 Range (in code): **TR 63**
- 17100. Ceropales tectigera Moczar,1987** (Pompilidae) Synonym(s): tectigera Moczar,1987 Range (in code): **TR 35**
- 17101. Ceropales variegata (Fabricius,1798)** (Pompilidae) Synonym(s): variegata Fabricius,1798 Range (in code): **TR 11 15 25**
- 17102. Cryptocheilus albosignatus Sustera,1924** (Pompilidae) Synonym(s): albosignatus Sustera,1924 Range (in code): **TR 20 25 42 45 63 73**
- 17103. Cryptocheilus alternatus (Lepeletier,1845)** (Pompilidae) Synonym(s): alternatus Lepeletier,1845; caspius Gussakowskii,1952 Range (in code): **TR 06 24 30 35 38 42 45 50 51 58 63 65 78**
- 17104. Cryptocheilus bequaerti Sustera,1924** (Pompilidae) Synonym(s): bequaerti Sustera,1924 Range (in code): **TR 63**
- 17105. Cryptocheilus confinis Haupt,1926** (Pompilidae) Synonym(s): confinis Haupt,1926 Range (in code): **TR 06 07 27 47**
- 17106. Cryptocheilus discolor (Fabricius,1793)** (Pompilidae) Synonym(s): discolor Fabricius,1793 Range (in code): **TR 06 13 24 25 31 33 35 38 42 50 58 60 65 68**
- 17107. Cryptocheilus egregius (Lepeletier,1845)** (Pompilidae) Synonym(s): egregius Lepeletier,1845 Range (in code): **TR 06 14 16 24 25 30 33 35 36 44 50 51 60 65 78**
- 17108. Cryptocheilus elegans (Spinola,1806)** (Pompilidae) Synonym(s): elegans Spinola,1806 Range (in code): **TR**
- 17109. Cryptocheilus exiguus Sustera,1924** (Pompilidae) Synonym(s): exiguus Sustera,1924 Range (in code): **TR 02 17 31 33 42 58 65**
- 17110. Cryptocheilus fabricii (Van der Linden,1827)** (Pompilidae) Synonym(s): fabricii Van der Linden,1827; meridionalis Junco,1943 Range (in code): **TR 06 08 13 25 30 32 34 36 42 44 50 58 60 65**

- 17111. *Cryptocheilus fischeri* (Spinola,1855)** (Pompilidae) Synonym(s): *fischeri* Spinola,1855 Range (in code): TR 09 20 21 23 24 25 31 33 34 36 42 52 54 55 56 63 73
- 17112. *Cryptocheilus freygessneri* (Kohl,1883)** (Pompilidae) Synonym(s): *freygessneri* Kohl,1883; *differens* Priesner,1967 Range (in code): TR 25 31 42 69
- 17113. *Cryptocheilus gazella* Haupt,1962** (Pompilidae) Synonym(s): *gazella* Haupt,1962 Range (in code): TR 31 53
- 17114. *Cryptocheilus guttulatus* (Costa,1887)** (Pompilidae) Synonym(s): *guttulatus* Costa,1887 Range (in code): TR 11 25 33 47 58 63 70 80
- 17115. *Cryptocheilus hebraeus* Suster,1924** (Pompilidae) Synonym(s): *hebraeus* Suster,1924 Range (in code): TR 33 42 47 63
- 17116. *Cryptocheilus ichneumonoides* (Costa,1874)** (Pompilidae) Synonym(s): *ichneumonoides* Costa,1874 Range (in code): TR 01 04 06 07 09 15 17 31 33 42 43 45 48 64
- 17117. *Cryptocheilus infumatus* (Palma,1869)** (Pompilidae) Synonym(s): *infumatus* Palma,1869 Range (in code): TR 63
- 17118. *Cryptocheilus manchurianus* Yasumatsu,1935** (Pompilidae) Synonym(s): *manchurianus* Yasumatsu,1935 Range (in code): TR 08
- 17119. *Cryptocheilus nigroferrugineus* (Suster,1924)** (Pompilidae) Synonym(s): *nigroferrugineus* Suster,1924 Range (in code): TR 04
- 17120. *Cryptocheilus notatus* (Rossi,1792)** (Pompilidae) Synonym(s): *notatus* Rossi,1792; *affinis* Van der Linden,1827; *melanius* Lepeletier,1845 Range (in code): TR IT 04 06 08 13 24 25 30 33 36 38 45 50 58 63 75
- 17121. *Cryptocheilus octomaculatus* (Rossi,1790)** (Pompilidae) Synonym(s): *octomaculatus* Rossi,1790; *eatonii* Saunders,1901 Range (in code): TR 01 04 06 11 20 23 25 31 34 35 46 47 49 50 62 65 76
- 17122. *Cryptocheilus postscutellabus* Wolf,1998** (Pompilidae) Synonym(s): *postscutellabus* Wolf,1998 Range (in code): TR 47
- 17123. *Cryptocheilus propodeonitens* Wolf,1998** (Pompilidae) Synonym(s): *propodeonitens* Wolf,1998 Range (in code): TR 36
- 17124. *Cryptocheilus pseudonotatus* Suster,1913** (Pompilidae) Synonym(s): *pseudonotatus* Suster,1913 Range (in code): TR 09 63 76
- 17125. *Cryptocheilus richardsi* Moczar,1953** (Pompilidae) Synonym(s): *richardsi* Moczar,1953 Range (in code): TR 25 30 36 63
- 17126. *Cryptocheilus rubellus* (Eversmann,1846)** (Pompilidae) Synonym(s): *rubellus* Eversmann,1846 Range (in code): TR RU 07 13 16 24 31 33 34 36 42 65
- 17127. *Cryptocheilus rufatus* Priesner,1967** (Pompilidae) Synonym(s): *rufatus* Priesner,1967 Range (in code): TR 04 20 25 31 33 42 60 80
- 17128. *Cryptocheilus stygium* Priesner,1967** (Pompilidae) Synonym(s): *stygium* Priesner,1967 Range (in code): TR 24 31 50 65 76
- 17129. *Cryptocheilus susterai* (Haupt,1930)** (Pompilidae) Synonym(s): *susterai* Haupt,1930 Range (in code): TR 31 42
- 17130. *Cryptocheilus tredecimmaculatus* Haupt,1962** (Pompilidae) Synonym(s): *tredecimmaculatus* Haupt,1962 Range (in code): TR 26 31 38 42
- 17131. *Cryptocheilus variabilis* (Rossi,1790)** (Pompilidae) Synonym(s): *variabilis* Rossi,1790; *nigripes* Priesner,1967 Range (in code): TR 01 06 09 11 24 25 27 30 31 33 35 36 42 45 53 55 58 60 78
- 17132. *Cryptocheilus variipennis* Suster,1924** (Pompilidae) Synonym(s): *variipennis* Suster,1924 Range (in code): TR 01 07 09 14 25 26 33 42 48 50 51 60 63 65
- 17133. *Cryptocheilus versicolor* (Scopoli,1763)** (Pompilidae) Synonym(s): *versicolor* Scopoli,1763 Range (in code): TR 07 20 25 34 42 44 46 52 55 58 76
- 17134. *Ctenagenia ozbeki* Wahis,2002** (Pompilidae) Synonym(s): *ozbeki* Wahis,2002 Range (in code): TR AF PK 01 31 32 33 35
- 17135. *Ctenagenia vespiformis* (Klug,1834)** (Pompilidae) Synonym(s): *vespiformis* Klug,1834 Range (in code): SY ET ER DZ CY EG GR IL Pa JO LB TR NE SA SD YE SO 07 35
- 17136. *Cyphononyx flavicornis* (Fabricius,1793)** (Pompilidae) Synonym(s): *flavicornis* Fabricius,1793; *bretonii* Guérin-Meneville,1843 Range (in code): TR 33
- 17137. *Dicyrtomellus argenteus* Wahis,1982** (Pompilidae) Synonym(s): *argenteus* Wahis,1982 Range (in code): TR 01 06 11 14 20 24 25 26 30 32 36 42 45 50 51 58 60 63 69 70
- 17138. *Dicyrtomellus dubitabilis* (Saunders,1901)** (Pompilidae) Synonym(s): *dubitabilis* Saunders,1901 Range (in code): TR 36
- 17139. *Dicyrtomellus tomentosus* (Priesner,1955)** (Pompilidae) Synonym(s): *tomentosus* Priesner,1955 Range (in code): TR 47
- 17140. *Dipogon (Deuteragenia) variegatus* (Linnaeus,1758)** (Pompilidae) Synonym(s): *variegatus* Linnaeus,1758; *erythropus* Kohl,1888 Range (in code): TR 09 25 26 30 31 33 36 48 60 70
- 17141. *Dipogon sinan* Wolf,1998** (Pompilidae) Synonym(s): *sinan* Wolf,1998 Range (in code): TR 50 76
- 17142. *Elaphrosyrus heinrichi* Haupt,1930** (Pompilidae) Synonym(s): *heinrichi* Haupt,1930 Range (in code): TR 73



- 17143.** *Elaphrosyron paglianoi* Wolf,1999 (Pompilidae) Synonym(s): paglianoi Wolf,1999 Range (in code): **TR 65**
- 17144.** *Entomobora crassitarsis* (Costa,1887) (Pompilidae) Synonym(s): crassitarsis Costa,1887 Range (in code): **TR 09 34**
- 17145.** *Entomobora fuscipennis* (Van der Linden,1827) (Pompilidae) Synonym(s): fuscipennis Van der Linden,1827 Range (in code): **TR 35**
- 17146.** *Entomobora vomeriventrtris* (Costa,1863) (Pompilidae) Synonym(s): vomeriventrtris Costa,1863 Range (in code): **TR 07 09 10 11 16 33 34 35 45**
- 17147.** *Eoferreola anatolica* Piesner,1973 (Pompilidae) Synonym(s): anatolica Piesner,1973 Range (in code): **TR HV FR GR IL Pa KG KK MK RU ES TM 13 20 25 31 33 36 38 42 51 65 69 70 76**
- 17148.** *Eoferreola anomala* (Piesner,1955) (Pompilidae) Synonym(s): anomala Piesner,1955 Range (in code): **TR 31**
- 17149.** *Eoferreola cyrenaica* (Guiglia,1941) (Pompilidae) Synonym(s): cyrenaica Guiglia,1941; facilis Priesner,1955 Range (in code): **LY Cy IL Pa EG JO MA ML**
- 17150.** *Eoferreola distincta* (Smith,1855) (Pompilidae) Synonym(s): distincta Smith,1855; syraensis Radoszkowski,1888; schmidtii Priesner,1973; #cinerata Priesner,1973 Range (in code): **DZ IT KG KK UZ TR EG Cr GR Rd AL IR Kz SY 09 25 32 42**
- 17151.** *Eoferreola erythraea* (Pallas,1773) (Pompilidae) Synonym(s): erythraea Pallas,1773; sirdariensis Radoszkowski,1889 Range (in code): **AM Cc IR TM Kp TR KK KG Uk RU Da 31**
- 17152.** *Eoferreola manticata* (Pallas,1771) (Pompilidae) Synonym(s): manticata Pallas,1771; fasciatus Eversmann,1849; variabilis Eversmann,1849 nec Ross.; hellmanni Eversmann,1849; micans Radoszkowski,1877; caucasica Radoszkowski,1889; rossica Radoszkowski,1889; lichtensteini Tournier,1895; claripennis Priesner,1966;... Range (in code): **MA DZ TN FR BG GR HU IT Si KG HV YU SS ES PT UA TR RU IL Pa EG JO LB SY Cc Da AZ IR TM Kp UZ 07 11 13 20 21 25 30 32 36 42 47 50 51 58 60**
- 17153.** *Eoferreola rhombica* (Christ,1791) (Pompilidae) Synonym(s): rhombica Christ,1791; coccineus Fabricius,1804 Range (in code): **CH ES IT DE FR AT HU GR Cc TR 04 06 20 25 30 36 58 60**
- 17154.** *Eoferreola thoracica* (Rossi,1794) (Pompilidae) Synonym(s): thoracica Rossi,1794 Range (in code): **TR 20 25 36**
- 17155.** *Episyron albonotatum* (Van der Linden,1827) (Pompilidae) Synonym(s): albonotatum Van der Linden,1827 Range (in code): **TR 06 08 20 24 25 31 34 36 44 58 60 76**
- 17156.** *Episyron arrogans* (Smith,1873) (Pompilidae) Synonym(s): arrogans Smith,1873 Range (in code): **TR 34**
- 17157.** *Episyron candiotum* Wahis,1966 (Pompilidae) Synonym(s): candiotum Wahis,1966 Range (in code): **TR 08 10 16 17 25 36 42 58 65**
- 17158.** *Episyron coccineipes* (Saunders,1904) (Pompilidae) Synonym(s): coccineipes Saunders,1904 Range (in code): **TR 09 35**
- 17159.** *Episyron funerarium* (Tournier,1889) (Pompilidae) Synonym(s): funerarium Tournier,1889 Range (in code): **TR 60**
- 17160.** *Episyron gallicum* (Tournier,1889) (Pompilidae) Synonym(s): gallicum Tournier,1889; intermedium Haupt,1930 Range (in code): **TR 04 08 24 25 30 33 35 36 42 43 48 50 52 58 65**
- 17161.** *Episyron rufipes* (Linnaeus,1758) (Pompilidae) Synonym(s): rufipes Linnaeus,1758 Range (in code): **TR 07 08 09 10 17 25 33 34 35 36 41 43 46 50 55 58 60 6575**
- 17162.** *Evagetes dubius* (Van der Linden,1827) (Pompilidae) Synonym(s): dubius Van der Linden,1827; obscurodubius Wolf & Diniz,1970 Range (in code): **TR GB ES FR BE NL SE FI DK DE PL CH AT CZ SK HU IT Co Sa Si SS BG GR CY TM 04 07 08 24 25 30 33 36 38 42 43 58 60 65 69 70**
- 17163.** *Evagetes elongatus* Lepeletier,1845 (Pompilidae) Synonym(s): elongatus Lepeletier,1845; infernalis Wolf,1970 Range (in code): **CY PT ES FR CH AT IT Co MA DZ TN HV HU BG GR GG Cc RU TR 20 30 31 33 42**
- 17164.** *Evagetes fabrei* Van der Smissen,2003 (Pompilidae) Synonym(s): fabrei Smissen,2003 Range (in code): **TR IR Elb Th TM Kp 30 42 70**
- 17165.** *Evagetes gibbulus* Lepeletier,1845 (Pompilidae) Synonym(s): gibbulus Lepeletier,1845 Range (in code): **TR BE BG DE FI FR IT YU KG NL AT PL RU SE CH SK CZ UA HU 65**
- 17166.** *Evagetes gusenleitneri* Wolf,1988 (Pompilidae) Synonym(s): gusenleitneri Wolf,1988 Range (in code): **TR 25 42 58**
- 17167.** *Evagetes iconionus* Wolf,1970 (Pompilidae) Synonym(s): iconionus Wolf,1970 Range (in code): **TR BG CN DE GG Cc IT KG KK MA AT RU SK SS HU 42**
- 17168.** *Evagetes pauli* Haupt,1941 (Pompilidae) Synonym(s): pauli Haupt,1941 Range (in code): **TR 06**
- 17169.** *Evagetes paulinus* Wolf,1970 (Pompilidae) Synonym(s): paulinus Wolf,1970 Range (in code): **TR 33**
- 17170.** *Evagetes pectinipes* (Linnaeus,1758) (Pompilidae) Synonym(s): pectinipes Linnaeus,1758; trispinosus Kohl,1886; mediterraneus Wolf,1970 Range (in code): **DZ BE BG DK DE FI FR GR GB IT KG KK HV NL AT PL PT RU SE CH SK ES CZ HU UZ Cr Rd Sa Si CY Co TR 06 08 13 16 25 26 30 31 33 34 42 52 58 60 63 64 73**

- 17171. *Evagetes pontomoravicus* (Sustera,1938)** (Pompilidae) Synonym(s): *pontomoravicus* Sustera,1938; *schwarzi* Priesner,1965; *mavromoustakisi* Wolf,1970 Range (in code): **TR BG GR KG RU SK HU CY TM Cr Kp 25 30 33 42 44 50 58 65 70 73**
- 17172. *Evagetes proximus* (Dahlbom,1843)** (Pompilidae) Synonym(s): *proximus* Dahlbom,1843 Range (in code): **BE DK DE FR GR IR IT NL NO AT PL RU SE CH CZ UA TR 06 07 25 75**
- 17173. *Evagetes siculus* (Lepeletier,1845)** (Pompilidae) Synonym(s): *siculus* Lepeletier,1845; *seitzi* Haupt,1927; *villicus* Tournier,1969 Range (in code): **DZ BE DE FR GR GB IL Pa IT HV MT MA NL AT PL PT CH ES HU CY TR 06 25 30 36 50 78**
- 17174. *Evagetes tumidosus* (Tournier,1890)** (Pompilidae) Synonym(s): *tumidosus* Tournier,1890; *lusaticus* Blüthgen,1944; *sinuatus* Haupt,1969; *tumidinus* Wolf,1970 Range (in code): **BE DE FR PT ES TR 06 13 14 20 25 30 31 33 34 42 44 50 58 60 63 65**
- 17175. *Ferreola diffinis* (Lepeletier,1845)** (Pompilidae) Synonym(s): *diffinis* Lepeletier,1845 Range (in code): **TR 25 80**
- 17176. *Ferreola dimidiata* (Van der Linden,1827)** (Pompilidae) Synonym(s): *dimidiata* Van der Linden,1827 Range (in code): **TR 31**
- 17177. *Ferreola sagax* (Kohl,1886)** (Pompilidae) Synonym(s): *sagax* Kohl,1886 Range (in code): **TR 31**
- 17178. *Hemipepsis brunnea* (Klug,1834)** (Pompilidae) Synonym(s): *brunnea* Klug,1834 Range (in code): **TR 01 35 63**
- 17179. *Hemipepsis mauritanica* (Linnaeus,1767)** (Pompilidae) Synonym(s): *mauritanica* Linnaeus,1767; *barbara* Lepeletier,1845 Range (in code): **DZ TR 31**
- 17180. *Homonotus sanguinolentus* (Fabricius,1793)** (Pompilidae) Synonym(s): *sanguinolentus* Fabricius,1793 Range (in code): **TR 09 11 13 24 25 33 44 50 63 70**
- 17181. *Microphadnus brevicornis* Zonstein,2007** (Pompilidae) Synonym(s): *brevicornis* Zonstein,2007 Range (in code): **IL Pa**
- 17182. *Microphadnus insperatus* Priesner,1967** (Pompilidae) Synonym(s): *insperatus* Priesner,1967 Range (in code): **TR IL Pa 31 63**
- 17183. *Microphadnus pumilus* (Costa,1882)** (Pompilidae) Synonym(s): *pumilus* Costa,1882 Range (in code): **TR IL Pa MN 31 33 42 63**
- 17184. *Nanoclavelia leucoptera* (Dahlbom,1845)** (Pompilidae) Synonym(s): *leucoptera* Dahlbom,1845 Range (in code): **TR 24 50 58 60 68**
- 17185. *Pedinpompilus atatuerki* (Wolf,1960)** (Pompilidae) Synonym(s): *atatuerki* Wolf,1960 Range (in code): **TR 31**
- 17186. *Pedinpompilus obscurus* (Haupt,1962)** (Pompilidae) Synonym(s): *obscurus* Haupt,1962 Range (in code): **TR 42**
- 17187. *Pedinpompilus orbitalis* (Haupt,1962)** (Pompilidae) Synonym(s): *orbitalis* Haupt,1962 Range (in code): **TR 06 33 42 43 70 71**
- 17188. *Pedinpompilus paulinus* (Wolf,1960)** (Pompilidae) Synonym(s): *paulinus* Wolf,1960 Range (in code): **TR 33**
- 17189. *Pedinpompilus wolffi* (Priesner,1965)** (Pompilidae) Synonym(s): *wolffi* Priesner,1965 Range (in code): **TR 25 26 42 43 56 63 71**
- 17190. *Podagenia crassipes* Priesner,1973** (Pompilidae) Synonym(s): *crassipes* Priesner,1973 Range (in code): **TR 25 60 63 73**
- 17191. *Podagenia* Priesner,1973** (Pompilidae) Synonym(s): *Podagenia* Priesner,1973 Range (in code): **TR**
- 17192. *Poecilagenia* Haupt,1926** (Pompilidae) Synonym(s): *Poecilagenia* Haupt,1926 Range (in code): **TR**
- 17193. *Poecilagenia sculpturata* (Kohl,1898)** (Pompilidae) Synonym(s): *sculpturata* Kohl,1898 Range (in code): **TR 53**
- 17194. *Pompilus atripes* Smith,1878** (Pompilidae) Synonym(s): *atripes* Smith,1878 Range (in code): **PK Pj Mre**
- 17195. *Pompilus cinereus* (Fabricius,1787)** (Pompilidae) Synonym(s): *cinereus* Fabricius,1787 Range (in code): **TR 07 09 10 33 34 36 56 57 65**
- 17196. *Priocnemis agilis* (Shuckard,1837)** (Pompilidae) Synonym(s): *agilis* Shuckard,1837; *obtusiventris* Schioedte,1837; *fraterculus* Junco,1946; *moravicus* Wolf,1963; *stigmaticus* Wolf,1963; *subalpinus* Wolf,1963 Range (in code): **DE TR 64 76**
- 17197. *Priocnemis coriacea* Dahlbom,1843** (Pompilidae) Synonym(s): *coriacea* Dahlbom,1843 Range (in code): **TR 25 30 33 44 45 70 80**
- 17198. *Priocnemis costai* Costa,1887** (Pompilidae) Synonym(s): *costai* Costa,1887 Range (in code): **TR**
- 17199. *Priocnemis diversa* Junco,1946** (Pompilidae) Synonym(s): *diversa* Junco,1946 Range (in code): **TR 09 33 42 63**
- 17200. *Priocnemis enslini* Haupt,1927** (Pompilidae) Synonym(s): *enslini* Haupt,1927; *anatolica* Wolf,1963 Range (in code): **DE TR 38**
- 17201. *Priocnemis exaltata* (Fabricius,1775)** (Pompilidae) Synonym(s): *exaltata* Fabricius,1775; *longicornis* Haupt,1927 Range (in code): **DE TR 25 75**

- 17202. Priocnemis fahringeri Wolf,1963** (Pompilidae) Synonym(s): fahringeri Wolf,1963 [Range \(in code\): TR 01 07 25 34 35](#)
- 17203. Priocnemis fallax Verhoeff,1892** (Pompilidae) Synonym(s): fallax Verhoeff,1892 [Range \(in code\): TR 06 07 09 13 14 24 25 30 32 33 34 36 42 43 45 55 60 73](#)
- 17204. Priocnemis fastigiata Haupt,1934** (Pompilidae) Synonym(s): fastigiata Haupt,1934 [Range \(in code\): TR 25 31 42 55](#)
- 17205. Priocnemis fennica Haupt,1927** (Pompilidae) Synonym(s): DE fennica Haupt,1927 [Range \(in code\): TR 25](#)
- 17206. Priocnemis gracilis Haupt,1927** (Pompilidae) Synonym(s): gracilis Haupt,1927 [Range \(in code\): TR 31 55 58 76](#)
- 17207. Priocnemis hankoi Moczar,1944** (Pompilidae) Synonym(s): hankoi Moczar,1944; trigeminus Blüthgen,1944 [Range \(in code\): DE TR 25](#)
- 17208. Priocnemis hyalinata Fabricius,1793** (Pompilidae) Synonym(s): hyalinata Fabricius,1793 [Range \(in code\): DE TR 05](#)
- 17209. Priocnemis massaliensis Soyer,1945** (Pompilidae) Synonym(s): massaliensis Soyer,1945 [Range \(in code\): TR 06](#)
- 17210. Priocnemis minuta (Van der Linden,1827)** (Pompilidae) Synonym(s): minuta Van der Linden,1827; italica Haupt,1934 [Range \(in code\): TR 07 11 25 30 31 32 33 36 42 46 50 58 63 70 76](#)
- 17211. Priocnemis parvula Dahlbom,1845** (Pompilidae) Synonym(s): parvula Dahlbom,1845 [Range \(in code\): DE TR 25 33 55 70](#)
- 17212. Priocnemis perturbator (Harris,1776)** (Pompilidae) Synonym(s): perturbator Harris,1776; serripes Dahlbom,1829; ambulator Lepeletier,1845; sepicola F.Smith,1851; galatica Wolf,1963; ater Wolf,1963 [Range \(in code\): DE TR 34 53 77](#)
- 17213. Priocnemis pillichi Priesner,1960** (Pompilidae) Synonym(s): pillichi Priesner,1960; maura Wolf & Diniz,1970 [Range \(in code\): TR 25 73](#)
- 17214. Priocnemis propinqua (Lepeletier,1847)** (Pompilidae) Synonym(s): propinqua Lepeletier,1847 [Range \(in code\): TR 06 07 33 42 46 63](#)
- 17215. Priocnemis pusilla (Schioedte,1837)** (Pompilidae) Synonym(s): pusilla Schioedte,1837 [Range \(in code\): DE TR 25 36](#)
- 17216. Priocnemis rugosa Sustera,1922** (Pompilidae) Synonym(s): rugosa Sustera,1922 [Range \(in code\): TR 15 32 34](#)
- 17217. Priocnemis schioedtei Haupt,1926** (Pompilidae) Synonym(s): schioedtei Haupt,1926 [Range \(in code\): TR 25 31 36](#)
- 17218. Priocnemis sulci Balthasar,1943** (Pompilidae) Synonym(s): sulci Balthasar,1943; cirrata Haupt,1962 [Range \(in code\): TR 05 30 33 36](#)
- 17219. Priocnemis vulgaris (Dufour,1841)** (Pompilidae) Synonym(s): vulgaris Dufour,1841 [Range \(in code\): TR 01 07 08 13 14 15 24 25 34 36 42 50 53 58 65 73](#)
- 17220. Pseudopompilus humboldti (Dahlbom,1845)** (Pompilidae) Synonym(s): humboldti Dahlbom,1845 [Range \(in code\): TR 24](#)
- 17221. Schistonyx modestus Priesner,1967** (Pompilidae) Synonym(s): modestus Priesner,1967 [Range \(in code\): TR 33](#)
- 17222. Tachyagetes aegyptiacus (Priesner,1955)** (Pompilidae) Synonym(s): aegyptiacus Priesner,1955 [Range \(in code\): TR 13 34 42 50 58 63](#)
- 17223. Tachyagetes alicantus Wolf,1987** (Pompilidae) Synonym(s): alicantus Wolf,1987 [Range \(in code\): TR 50](#)
- 17224. Tachyagetes bytinskii Haupt,1962** (Pompilidae) Synonym(s): bytinskii Haupt,1962 [Range \(in code\): TR 43 50 58 65 76](#)
- 17225. Tachyagetes exortivus Wolf,1987** (Pompilidae) Synonym(s): exortivus Wolf,1987 [Range \(in code\): TR 25 33 42 58 63](#)
- 17226. Tachyagetes filicornis (Tornier,1890)** (Pompilidae) Synonym(s): filicornis Tornier,1890; rubescens Haupt,1929; funebris Priesner,1965; graecus Priesner,1965 [Range \(in code\): TR 04 06 13 20 22 25 31 33 34 38 42 43 44 45 50 55 58 61 63](#)
- 17227. Tachyagetes furvescens Wahis,1970** (Pompilidae) Synonym(s): furvescens Wahis,1970 [Range \(in code\): TR 45](#)
- 17228. Tachyagetes gusenleitneri (Priesner,1973)** (Pompilidae) Synonym(s): gusenleitneri Priesner,1973 [Range \(in code\): TR 33](#)
- 17229. Tachyagetes kebdanus Wolf,1987** (Pompilidae) Synonym(s): kebdanus Wolf,1987 [Range \(in code\): TR 42](#)
- 17230. Tachyagetes konyanus Wolf,1987** (Pompilidae) Synonym(s): konyanus Wolf,1987 [Range \(in code\): TR 19 42 65](#)
- 17231. Tachyagetes kurdasi Priesner,1965** (Pompilidae) Synonym(s): kurdasi Priesner,1965 [Range \(in code\): TR 14 25 34](#)



- 17232. Tachyagetes leucocnemis Haupt,1930** (Pompilidae) Synonym(s): leucocnemis Haupt,1930 Range (in code): TR 06 24 25 31 33 36 42 62 63
- 17233. Tachyagetes navalperalus Wolf,1987** (Pompilidae) Synonym(s): navalperalus Wolf,1987 Range (in code): TR 25
- 17234. Tachyagetes nomadaschwarzi Wolf,1987** (Pompilidae) Synonym(s): nomadaschwarzi Wolf,1987 Range (in code): TR 73
- 17235. Tachyagetes turcoturanicus Wolf,1986** (Pompilidae) Synonym(s): turcoturanicus Wolf,1986 Range (in code): TR 24 42 50 58 65
- 17236. Telostegus cretensis Priesner,1965** (Pompilidae) Synonym(s): cretensis Priesner,1965 Range (in code): Gr Cr TR 50 65
- 17237. Telostegus excisus (Haupt,1930)** (Pompilidae) Synonym(s): excisus Haupt,1930 Range (in code): TR 42 58 65
- 17238. Telostegus fumigatus (Klug,1834)** (Pompilidae) Synonym(s): fumigatus Klug,1834 Range (in code): TR 11 13 16 26 42 44 50 65 76
- 17239. Telostegus imitator Priesner,1955** (Pompilidae) Synonym(s): imitator Priesner,1955 Range (in code): TR 50
- 17240. Telostegus inermis (Brullé,1832)** (Pompilidae) Synonym(s): inermis Brullé,1832; ater Haupt,1930 Range (in code): TR 04 06 07 08 09 13 20 24 25 33 35 36 38 42 44 45 50 51 58 65 73 76
- 17241. Xenaporus schmidtii Priesner,1967** (Pompilidae) Synonym(s): schmidtii Priesner,1967 Range (in code): TR 31 33 36 47 50
- 17242. Anisopteromalus calandrae (Howard,1881)** (Pteromalidae) Synonym(s): calandrae Howard,1881; oryzae Cameron,1891; vandinei Tucker,1910; mollis Ruschka,1912; pratti Crawford,1913; medius Masi,1917; mamezophagus Ishii & Nagasawa,1942; brasiliensis Domenichini,1951 Range (in code): AR AU QAU WAU AT BD BE TR BM BO BW BR Spa BF CO CU CZ SK EG SV FR DE GR GY Hw HU IN Hp Ben Rj Ker ID Ja BliIR IQ IL Pa IT JM JP KG KE KP KR Md MW MY MU ME MD MA MM NZ NG PK PG PE PT PR RO RU SA SC SK SB SE CH SY TW TZ TH TG GB US Arz Cf Fl Nje Ny Tx Ore NMx Knt Dc Kan Iln Lou NCa SCa Vi VE YU
- 17243. Arthrolytus discoideus (Nees,1834)** (Pteromalidae) Synonym(s): discoideus Nees,1834; artembares Walker,1839; punctatus C.G.Thomson,1878 Range (in code): TR 25
- 17244. Asaphes suspensus (Nees ab Esenbeck,1834)** (Pteromalidae) Synonym(s): suspensus Nees ab Esenbeck,1834; altiventris Nees ab Esenbeck,1834; petioliventris Zetterstedt,1838; aphidicola Rondani,1848; lucens Provancher,1887; fletcheri Crawford,1909; rufipes Brues,1909; huebrichi Brethes,1913; americana Girault,1914; bonariensis Brethes,1916; sawraji Sharma & Subba Rao,1959; uniarticulata Mani & Saraswat,1974 Range (in code): AR BE BR CA BCo On Qb Cn CL HV CZ FR DE IN Ch Hp Pj Up IR IL Pa IT JP KG KK KP KR MX MA NP NL NO PK TR CN Fkn Mc Hon Hun She Sz Ui Ti Yu PL PT RO RU SK ES SE CH UA GB US Cf Fl Knt Cnt Ny Msc Tx Vi Oh Ok Wc YU 01 24 25
- 17245. Asaphes vulgaris Walker,1834** (Pteromalidae) Synonym(s): vulgaris Walker,1834; aenea Nees ab Esenbeck,1834; aphidophila Rondani,1848 Range (in code): AR DZ AM Cc AU TA AT BE BR CA BCo On CL HV CZ FI FR DE GR HU IS IN Meg Up Grl IT Sa KG KK KR LT MK MD MA NP NL NO PK TR CN Sz Ti Yu PL PT RO RU SK SS ES SE CH TM UA GB US Cf Kan Msc Nje NMx Oh Vi UZ YU 01 06
- 17246. Caenocrepis arenicola (Thomson,1878)** (Pteromalidae) Synonym(s): arenicola Thomson,1878 Range (in code): TR AT AZ Cc HV CZ FR GG GR HU KG MD RO SK ES SE RU YU
- 17247. Caenocrepis bothynoderi (Gromakov,1940)** (Pteromalidae) Synonym(s): bothynoderi Gromakov,1940 Range (in code): TR AZ Cc IR KK KG RU UA
- 17248. Catolaccus ater (Ratzeburg,1852)** (Pteromalidae) Synonym(s): ater Ratzeburg,1852; cavigena Thomson,1878 Range (in code): TR AM AT Cc Cn HV CZ FR DE HU IT KG KK MD PL RO RU Sb SK ES SE TM UA GB YU
- 17249. Cea pulicaris Walker,1837** (Pteromalidae) Synonym(s): pulicaris Walker,1837; irene Walker,1851 Range (in code): DE TR DZ CZ IT MD RO RU ES SE GB 24
- 17250. Cheiropachus quadrum (Fabricius,1787)** (Pteromalidae) Synonym(s): quadrum Fabricius,1787; bimaculatus Fabricius,1787; maculipennis Curtis,1827; binaevius Ratzeburg,1844; bicaliginosus Ratzeburg,1844; fraxini Ratzeburg,1844; binimbatus Ratzeburg,1844 Range (in code): TR AR AM AT Cc BE B-H CA Abt BCo On Cn CL HV CZ EG FR HU DE IN Hp Ch IR IL Pa IT Sa KG KK LB MK MD MA NL NO PK CN Gn Pkn Mc IMn Ui PL RO RU Mo SK SS ES SE CH TN TM UA GB YU US Cf
- 17251. Chlorocytus diversus (Walker,1836)** (Pteromalidae) Synonym(s): diversus Walker,1836; rhytium Walker,1848; sybritia Walker,1848; laeviusculus Thomson,1878 Range (in code): TR HV YU FR DE KG KK NL SK ES SE GB UZ
- 17252. Chlorocytus phalaridis Graham,1965** (Pteromalidae) Synonym(s): phalaridis Graham,1965 Range (in code): TR BE CZ DE KG NL CN Ts GB
- 17253. Chlorocytus ultonicus Graham,1965** (Pteromalidae) Synonym(s): ultonicus Graham,1965 Range (in code): TR DE NL SE GB
- 17254. Coelopisthia caledonica Askew,1980** (Pteromalidae) Synonym(s): caledonica Askew,1980 Range (in code): FI SE CH GB TR

- 17255. Colotrechnus subcoeruleus Thomson,1878** (Pteromalidae) **Synonym(s):** subcoeruleus Thomson,1878 **Range (in code):** **FR DE HU IN IT KG MD MK RO SK ES SE Cc GB YU TR 24**
- 17256. Colotrechnus viridis (Masi,1921)** (Pteromalidae) **Synonym(s):** viridis Masi,1921 **Range (in code):** **TR AZ Cc Cn HV CZ SK HU KG LY LV MD RO SK ES TM RU UZ 01 25**
- 17257. Conomorium patulum (Walker,1835)** (Pteromalidae) **Synonym(s):** patulum Walker,1835; vitripennis Thomson,1878 **Range (in code):** **TR AM Cc Cn HV CZ SK EG FI FR DE GR HU IR IT Sa Si JP KG KP KR MK MD MA RU Ro SK ES SE CH TM UA GB RU YU 25**
- 17258. Conomorium pityocampae Graham,1992** (Pteromalidae) **Synonym(s):** pityocampae Graham,1992 **Range (in code):** **TR HV CY FR Co GR IT SS ES SE YU**
- 17259. Cyrtogaster vulgaris Walker,1833** (Pteromalidae) **Synonym(s):** vulgaris Walker,1833; cingulipes Walker,1833; rufipes Walker,1833; tenuis Walker,1833; thoracica Walker,1833; viridiaeneus Nees,1834; aquisgranensis Förster,1841; acarnas Walker,1848; degener Walker,1872 **Range (in code):** **AT AZ Cc Az BE CA BCo On Cn HV CZ FR DE HU IS TR IR IT KG LT LV Md MD MA NL NO RO RU SK ES SE CH GB US YU 24**
- 17260. Cyrtoptyx latipes (Rondani,1874)** (Pteromalidae) **Synonym(s):** latipes Rondani,1874; dacicida Masi,1907; virescens Masi,1908; lesbiacus Masi,1922; albicus Masi,1934 **Range (in code):** **AZ Cc HV CY EG ER GR IN IT Si KG LB LY PK CN ES SY YU TR**
- 17261. Cyrtoptyx robustus (Masi,1907)** (Pteromalidae) **Synonym(s):** robustus Masi,1907 **Range (in code):** **IT SE HV TR 12**
- 17262. Dibrachoides dynastes (Förster,1841)** (Pteromalidae) **Synonym(s):** dynastes Förster,1841; transversus Förster,1841; acutus Thomson,1878 **Range (in code):** **TR BE CZ Cc HV CZ SK FR DE HU IT IR KG KK MK MD MA NL RO RU Or SK ES SE GB US Cf Ut YU 25**
- 17263. Dibrachys affinis Masi,1907** (Pteromalidae) **Synonym(s):** affinis Masi,1907 **Range (in code):** **DZ AT BG CZ SK FR DE GR HU IT MA NL PT RO ES CH UA YU GB TR**
- 17264. Dibrachys microgastri (Bouché,1834)** (Pteromalidae) **Synonym(s):** microgastri Bouché,1834; cavus Walker,1835; decedens Walker,1835; perversus Walker,1835; boucheanus Ratzeburg,1844; zelleri Ratzeburg,1848; vesparum Ratzeburg,1852;boarmiae Walker,1863;nigrocyanus Norton,1869;apatelae Ashmead,1893;pimplae Ashmead,1893.. **Range (in code):** **TR AF DZ AR AU AT BY BE B-H BR BG CA BCo Abt On CL HV CY CZ SK DK EG ER FI FR DE GR HU IN Hp Ch IT IR Sa Si KG JP KK KP KR MX MD MA NL NZ PK CN Gn She PE PL PT RO RU SK ZA ES CH SY TJ TN TM UA GB US Als Arz Cf Col Fl NMx Nj Ny Tx Ut UA Sb YU UZ**
- 17265. Dibrachys palandoekenus Doğanlar,1987** (Pteromalidae) **Synonym(s):** palandoekenus Doğanlar,1987 **Range (in code):** **TR 25**
- 17266. Dinarmus acutus (Thomson,1878)** (Pteromalidae) **Synonym(s):** robustus Walker,1847; acutus Thomson,1878; kollari Dalla Torre,1898; mayri Masi,1924; arachnephaga Risbec,1951 **Range (in code):** **TR DZ AT BE BG CA Cc HV CZ FR GM DE GR HU IN IR IQ IL Pa IT CI KG MK MT MD MA NL RO SN SK ES LK SE CH RU GB US Nj YU**
- 17267. Dinarmus italicus (Masi,1922)** (Pteromalidae) **Synonym(s):** italicus Masi,1922 **Range (in code):** **IT TR DZ HV FR KG ES TM UZ RU**
- 17268. Dinocistus eupterus (Walker,1836)** (Pteromalidae) **Synonym(s):** eupterus Walker,1836; dimidiatus Walker,1836; capitatus Förster,1841; lanceolatus Ratzeburg,1848; clypealis Thomson,1878; acutus Provancher,1887; polygraphi Ashmead,1894; ashmeadi Crawford,1912; pityogenis Ishii,1938 **Range (in code):** **GB SE DE TR JP**
- 17269. Dipara claviger (Kieffer,1906)** (Pteromalidae) **Synonym(s):** claviger Kieffer,1906 **Range (in code):** **B-H HV GR IT RO TR**
- 17270. Erdoesina albuannulata (Ratzeburg,1852)** (Pteromalidae) **Synonym(s):** albuannulata Ratzeburg,1852 **Range (in code):** **AZ Cc CZ DE KG PL RO RU SK UZ TR 25**
- 17271. Eunotus areolatus (Ratzeburg,1852)** (Pteromalidae) **Synonym(s):** areolatus Ratzeburg,1852; subcyanus Erdős,1953 **Range (in code):** **TR CZ DK FR DE HU IT KG NL CN RO ES SE RU**
- 17272. Gastrancistrus glabellus (Nees,1834)** (Pteromalidae) **Synonym(s):** glabellus Nees,1834; laeviscuta Thomson,1876 **Range (in code):** **TR CZ DE HU KG NL RO ES SE RU YU GB 25**
- 17273. Gastrancistrus hirtulus Graham,1969** (Pteromalidae) **Synonym(s):** hirtulus Graham,1969 **Range (in code):** **NL SE GB TR 25**
- 17274. Gastrancistrus latifrons (Thomson,1876)** (Pteromalidae) **Synonym(s):** latifrons Thomson,1876 **Range (in code):** **HV HU NL ES SE GB YU TR 25**
- 17275. Goidanichium atrum Boucek,1970** (Pteromalidae) **Synonym(s):** atrum Boucek,1970 **Range (in code):** **TR IT**
- 17276. Gugolzia bademia Doğanlar,2004** (Pteromalidae) **Synonym(s):** bademia Doğanlar,2004 **Range (in code):** **TR 23**
- 17277. Gugolzia harmolitae Delucchi & Steffan,1956** (Pteromalidae) **Synonym(s):** harmolitae Delucchi & Steffan,1956 **Range (in code):** **FR IT TR 01**
- 17278. Gugolzia karadagae M.Doğanlar & O.Doğanlar,2010** (Pteromalidae) **Synonym(s):** karadagae M.Doğanlar & O.Doğanlar,2010 **Range (in code):** **TR 27**
- 17279. Gugolzia melengicia M.Doğanlar & O.Doğanlar,2010** (Pteromalidae) **Synonym(s):** melengicia M.Doğanlar & O.Doğanlar,2010 **Range (in code):** **TR 31**

- 17280. *Halticoptera adanacus* Doğanlar,2006** (Pteromalidae) Synonym(s): *adanacus* Doğanlar,2006  
Range (in code): **TR 01**
- 17281. *Halticoptera aenea* (Walker,1833)** (Pteromalidae) Synonym(s): *aenea* Walker,1833; *cinctipes* Walker,1833; *nigroaenea* Walker,1833; *tristis* Nees,1834; *sophron* Walker,1839; *petiolata* Thomson,1876; *liqueatus* Ashmead,1894; *citripes* Ashmead,1896; *occidentalis* Ashmead,1896; *floridanus* Ashmead,1896; *foersteri* Crawford,1913  
Range (in code): **TR AZ Cc BE Cn CZ FR Co DE HU IR IT KG MX MD NL PR RO RU Sb ES SE CH UA GB US Arz Fl**
- 17282. *Halticoptera circulus* (Walker,1833)** (Pteromalidae) Synonym(s): *circulus* Walker,1833; *fuscicornis* Walker,1833; *tristis* Walker,1833; *brevicornis* Zetterstedt,1838; *palpigerus* Zetterstedt,1838; *suilius* Walker,1839; *lapponicus* Dalla Torre,1898 Range (in code): **AM Cc AT AZ BE CA BCo Cn CL CZ ET FR DE Hw HU IQ IT JP JO KG KP KR MX MD NL NO CN Pkn Fkn Gn Hn IMn Kwa Ti Ui Yu PR RO SK RU TR GB US Arz Cf Fl Org YU 25**
- 17283. *Halticoptera crius* (Walker,1839)** (Pteromalidae) Synonym(s): *crius* Walker,1839; *citritibius* Rondani,1877 Range (in code): **TR CZ DE HU IE IT NL CN Gn IMn Ui Yu RO SE GB 25**
- 17284. *Halticoptera dimidiata* (Förster,1841)** (Pteromalidae) Synonym(s): *dimidiata* Förster,1841; *brevicornis* Thomson,1876 Range (in code): **TR AT BE CZ DE HU IE IT KG NL RO SK SS ES RU GB YU 24**
- 17285. *Halticoptera kemaliyensis* Doğanlar,2006** (Pteromalidae) Synonym(s): *kemaliyensis* Doğanlar,2006 Range (in code): **TR 24**
- 17286. *Halticoptera laevigata* Thomson,1876** (Pteromalidae) Synonym(s): *laevigata* Thomson,1876  
Range (in code): **TR CZ DE KG KK NL CN RU SE CH GB 01**
- 17287. *Halticoptera longipetiolus* Hedqvist,1975** (Pteromalidae) Synonym(s): *longipetiolus* Hedqvist,1975 Range (in code): **TR SE**
- 17288. *Halticoptera patellana* (Dalman,1818)** (Pteromalidae) Synonym(s): *patellana* Dalman,1818; *flavicornis* Curtis,1832; *aeratus* Walker,1839; *similis* Förster,1841 Range (in code): **BE BR CA On Cn CL CZ FR DE Hw IT JP MX NL CN IMn Ui Ti PE RO RU SE CH TW TT TR GB US Arz Cf Col Fl Kan Ny Oh Tx YU 25**
- 17289. *Halticoptera polita* (Walker,1834)** (Pteromalidae) Synonym(s): *polita* Walker,1834; *mandrocles* Walker,1839; *festiva* Thomson,1876 Range (in code): **TR BE CZ DE HU IE NL CN Pkn Gn RO SE GB**
- 17290. *Halticoptera poreia* (Walker,1848)** (Pteromalidae) Synonym(s): *poreia* Walker,1848; *cercaphrus* Walker,1848 Range (in code): **TR BG IT NL CN IMn SE GB YU**
- 17291. *Halticoptera sakipagai* Doğanlar,2006** (Pteromalidae) Synonym(s): *sakipagai* Doğanlar,2006  
Range (in code): **TR**
- 17292. *Halticoptera yoncacus* Doğanlar,2006** (Pteromalidae) Synonym(s): *yoncacus* Doğanlar,2006  
Range (in code): **TR**
- 17293. *Halticopterina moczari* Erdős,1954** (Pteromalidae) Synonym(s): *moczari* Erdős,1954; *penthocoryne* Dzhanokmen,1975 Range (in code): **HU KG RO SK RU TR 25**
- 17294. *Halticopterina triannulata* Erdős,1946** (Pteromalidae) Synonym(s): *triannulata* Erdős,1946  
Range (in code): **AT CZ DE HU KG MD CN Gn RO SK SE RU GB TR 25**
- 17295. *Hobbya stenonota* (Ratzeburg,1848)** (Pteromalidae) Synonym(s): *stenonota* Ratzeburg,1848; *collaris* Thomson,1878 Range (in code): **TR AT BE BG HV CZ FR DE GR HU IR JO NL RO RU SS ES SE UA GB**
- 17296. *Homoporus arestor* (Walker,1848)** (Pteromalidae) Synonym(s): *arestor* Walker,1848; *chlorogaster* Thomson,1878 Range (in code): **TR CZ FR DE HU KG KK MD CN Pkn SK ES SE RU GB**
- 17297. *Homoporus fulviventris* (Walker,1835)** (Pteromalidae) Synonym(s): *fulviventris* Walker,1835; *bicolor* Förster,1841; *bicoloratus* Dalla Torre,1898; *clavicornis* Erdős,1953 Range (in code): **TR BE B-H Cn HV CZ DE HU IR IT KG Md MD NL CN Pkn IMn Ui RO RU SK ES SE GB YU**
- 17298. *Homoporus subniger* (Walker,1835)** (Pteromalidae) Synonym(s): *subniger* Walker,1835; *chalconelas* Walker,1836; *kurdjumovi* Szelenyi,1956; *danuvianus* Delucchi,1957 Range (in code): **TR AT CZ FR DE HU KG NL CN Yu RO SK ES SE RU GB YU**
- 17299. *Ksenoplata quadrata* Boucek,1965** (Pteromalidae) Synonym(s): *quadrata* Boucek,1965 Range (in code): **DZ AZ Cc BG CZ SK MK ES YU TR 25**
- 17300. *Lampoterma viride* (Thomson,1876)** (Pteromalidae) Synonym(s): *viride* Thomson,1876 Range (in code): **SE TR**
- 17301. *Lamprotatus truncatus* (Fonscolombe,1832)** (Pteromalidae) Synonym(s): *truncatus* Fonscolombe,1832; *cerebrosus* Delucchi,1955; *mirabile* Delucchi,1955 Range (in code): **HV FR DE IT KG NL SE RU GB TR 25**
- 17302. *Lariophagus distinguendus* (Förster,1841)** (Pteromalidae) Synonym(s): *distinguendus* Förster,1841; *calamis* Walker,1849; *oryzinus* Rondani,1877; *utibilis* Tucker,1910; *resoluta* Girault,1915; *miltoni* Girault,1929 Range (in code): **TR AR AU QAU AT BE BR BG CA BCo On CL HV CZ EG DE HU IN IL Pa IT JP KG KP KR LB Md MX MA NP NL NZ CN PT RO RU SK LK SE CH TH UA GB US Cf Fl Ny Tx UY YU**
- 17303. *Macroglenes varicornis* (Haliday,1833)** (Pteromalidae) Synonym(s): *varicornis* Haliday,1833; *deplana* Nees,1834 Range (in code): **TR BE HV CZ FR DE HU IE NL CN Sz RO SK ES SE CH GB YU 36**
- 17304. *Merisus splendidus* Walker,1834** (Pteromalidae) Synonym(s): *splendidus* Walker,1834; *spinolae* Förster,1841; *acutangulus* Thomson,1878 Range (in code): **TR BE BG CZ FR DE HU IT KG MK MD NL RO SK ES SE RU GB YU**



- 17305. Mesopolobus diffinis (Walker,1834)** (Pteromalidae) Synonym(s): diffinis Walker,1834 Range (in code): TR
- 17306. Mesopolobus graminum (Hardh,1950)** (Pteromalidae) Synonym(s): graminum Hardh,1950 Range (in code): TR
- 17307. Mesopolobus incultus (Walker,1874)** (Pteromalidae) Synonym(s): incultus Walker,1874 Range (in code): TR
- 17308. Mesopolobus laticornis (Walker,1834)** (Pteromalidae) Synonym(s): laticornis Walker,1834 Range (in code): TR
- 17309. Mesopolobus mediterraneus (Mayr,1903)** (Pteromalidae) Synonym(s): mediterraneus Mayr,1903 Range (in code): TR
- 17310. Mesopolobus morys (Walker,1848)** (Pteromalidae) Synonym(s): morys Walker,1848 Range (in code): TR
- 17311. Mesopolobus nobilis (Walker,1834)** (Pteromalidae) Synonym(s): nobilis Walker,1834 Range (in code): TR
- 17312. Mesopolobus sericeus (Forster,1770)** (Pteromalidae) Synonym(s): sericeus Forster,1770 Range (in code): TR
- 17313. Mesopolobus teliformis (Walker,1834)** (Pteromalidae) Synonym(s): teliformis Walker,1834 Range (in code): TR
- 17314. Miscogaster elegans Walker,1833** (Pteromalidae) Synonym(s): elegans Walker,1833; punctiger Nees,1834; helenor Walker,1846 Range (in code): TR BE CZ DE HU IT NL PL SE GB 25
- 17315. Miscogaster hortensis Walker,1833** (Pteromalidae) Synonym(s): hortensis Walker,1833; gracilipes Thomson,1876; lucens Delucchi,1953 Range (in code): TR BE HU IN KG NL RO ES SE RU GB US 25
- 17316. Miscogaster rufipes Walker,1833** (Pteromalidae) Synonym(s): rufipes Walker,1833; fulgens Delucchi,1953 Range (in code): TR BE HV CZ FR DE IE KF MD NL ES SE RU GB 25
- 17317. Muscidifurax adanacus Doğanlar,2007** (Pteromalidae) Synonym(s): adanacus Doğanlar,2007 Range (in code): TR 01
- 17318. Muscidifurax raptor Girault & Sanders,1910** (Pteromalidae) Synonym(s): raptor Girault & Sanders,1910; perplexa Hedqvist,1973 Range (in code): AR AU NSw QAU BR BE CA Alb CL CO CR CZ DK FR DE Hw HU IL Pa IT JM KG KK KR MU MX MD MA NL NZ CN PE PR RO SK ZA ES SE TT GB US Cf FI Ny Tx UY UZ VE
- 17319. Nasonia vitripennis (Walker,1836)** (Pteromalidae) Synonym(s): vitripennis Walker,1836; muscarum Hartig,1838; pallinervosus Walker,1872; insuetus Walker,1872; pallidinervosus Dalla Torre,1898; brevicornis Ashmead,1904; erausquinii Brethes,1913 Range (in code): TR AR AU NSw QAU AT BE BR CA Abt BCo On CL HV CZ DK EG FR DE Hw IN IL Pa IT JP KG KK KP KR Md NL NC NZ CN PL RO SN SK ZA ES LK SE TJ US Cf FI Nj Ny Arz Ut Tx UY UZ
- 17320. Norbanus calabrus (Masi,1942)** (Pteromalidae) Synonym(s): calabrus Masi,1942; albiventris Boucek,1969 Range (in code): TR AZ Cc BG HV CY CZ FR IT KG SK TJ RU TM UA YU
- 17321. Norbanus cerasiops (Masi,1922)** (Pteromalidae) Synonym(s): cerasiops Masi,1922 Range (in code): TR Cc HV CY CZ FR GR HU IR IT KG Md MD MA CN Hn RO SK ES RU YU
- 17322. Norbanus obscurus (Masi,1922)** (Pteromalidae) Synonym(s): obscurus Masi,1922; erdoesi Szelényi,1974 Range (in code): TR DZ AZ Cc HV CZ FR DE HU IT KG MK RO RU ES SY UA YU
- 17323. Notanisus versicolor Walker,1837** (Pteromalidae) Synonym(s): versicolor Walker,1837 Range (in code): FR CZ YU GG Cc IT ES DZ AZ HV HU IN KG RO SK
- 17324. Oxyglypta rugosa Ruschka,1912** (Pteromalidae) Synonym(s): rugosa Ruschka,1912 Range (in code): TR AT IL Pa
- 17325. Pachycrepoideus vindemmiae (Rondani,1875)** (Pteromalidae) Synonym(s): vindemmiae Rondani,1875; #vindemmiae Doğanlar,1985 Range (in code): AR TR 01
- 17326. Pachyneuron ahlaense Mani & Saraswat,1974** (Pteromalidae) Synonym(s): ahlaense Mani & Saraswat,1974 Range (in code): TR IN Hp
- 17327. Pachyneuron aphidis (Bouché,1834)** (Pteromalidae) Synonym(s): aphidis Bouché,1834; minutissimum Förster,1841; pruni Walker,1850; siphonophorae Ashmead,1886; aphidivora Ashmead,1887; maidaphidis Ashmead,1888; gifuensis Ashmead,1904; argentinus Brethes,1913, etc. Range (in code): TR AR AM Cc AY NSw QAU SAU BE BR BG CA Cn CL CO HV CZ EG FR DE GR Hw HU IN Hp Ch Up IR IQ IL Pa IT JP KG KK KP KR LY MK MX MD MA NL NZ PK CN Pkn Fkn Gn Kwa Hn Mc Hun IMn Ui Yu PE PL PR RO RU RW SK ES SE CH SY TJ TW T-T UA GB US Cf FI Nj Ny Oh Tx Ut UY YE
- 17328. Pachyneuron erzurumicum Doğanlar,1986** (Pteromalidae) Synonym(s): erzurumicum Doğanlar,1986 Range (in code): TR 25
- 17329. Pachyneuron formosum (Walker,1833)** (Pteromalidae) Synonym(s): formosum Walker,1833; amoenus Förster,1841; incubator Förster,1841 Range (in code): TR BE Cn FR DE HU IR IT JP KG KK MA NL CN Pkn Fkn Gn Mc Sz Ui Ti Yu RO ES SE CH TJ RU GB
- 17330. Pachyneuron gibbiscuta Thomson,1878** (Pteromalidae) Synonym(s): gibbiscuta Thomson,1878 Range (in code): TR AT CZ DE CN Kwa Mc SE
- 17331. Pachyneuron groenlandicum (Holmgren,1872)** (Pteromalidae) Synonym(s): groenlandicum Holmgren,1872; mitsukurii Ashmead,1904; karnalensis Mani,1939; umbratus Delucchi,1955; coeruleum Delucchi,1955;

- bakrotus Mani & Saeaswat,1974 Range (in code): **TR BE GrI CZ FR DE IN Hp Ch IR IT JP KG KP KR MD NL CN Pkn Fkn Mc IMn Sz Ui Yu PL RO SK SE CH RU Sb GB YE**
- 17332. Pachyneuron leucopiscida** Mani,1939 (Pteromalidae) Synonym(s): leucopiscida Mani,1939; cremifaniae Delucchi,1953 Range (in code): **TR HV CZ DE IN IR IL Pa KG KK MD SK SE CH GB YE**
- 17333. Pachyneuron muscarum** (Linnaeus,1758) (Pteromalidae) Synonym(s): muscarum Linnaeus,1758 Range (in code): **TR**
- 17334. Pachyneuron nelsoni** Girault,1928 (Pteromalidae) Synonym(s): nelsoni Girault,1928; aeneus Masi,1939; deccanensis Mani & Saraswat,1974; kamathi Mani & Saraswat,1974 Range (in code): **TR AU NSw QAU SAu WAu AZ Cn Cc HV IN Hp Up KG KK LY MD CN Pkn RU ES TJ UZ YE**
- 17335. Platneptis laeta** (Walker,1848) (Pteromalidae) Synonym(s): laeta Walker,1848; maceki Boucek,1961 Range (in code): **CZ SK SE GB TR 25**
- 17336. Pseudocatolaccus nitescens** (Walker,1834) (Pteromalidae) Synonym(s): nitescens Walker,1834; thoracicus Walker,1835; bebryce Walker,1839; elymus Walker,1839; validus Förster,1841; polyphagus Förster,1841; euryops Förster,1841; asphondyliae Ashmead,1908; amegallus Dzhankmen,1989 Range (in code): **TR BE BG Cn HV CY CZ FR DE GR HU IT Si KG MK Md MD MA NL RO RU UA GB YU**
- 17337. Psilocera obscura** Walker,1833 (Pteromalidae) Synonym(s): obscura Walker,1833; atrum Walker,1834 Range (in code): **TR BG HV CZ FR DE IT MD NL RO RU SK SS ES SE GB YU**
- 17338. Psilonotus achaeus** Walker,1848 (Pteromalidae) Synonym(s): achaeus Walker,1848; cyamon Walker,1848; viridulus Thomson,1878; betulae Girault,1917 Range (in code): **TR BE BG CA On CZ DE HU KG NL SE RU UA GB US Ny**
- 17339. Psilonotus adamas** Walker,1834 (Pteromalidae) Synonym(s): adamas Walker,1834; catuli Förster,1856; aureolus Thomson,1878 Range (in code): **TR BE CZ DE HU KG NL RO RU SE UA GB**
- 17340. Psilonotus hortensia** Walker,1846 (Pteromalidae) Synonym(s): hortensia Walker,1846; alticornis Graham,1957 Range (in code): **TR BE DE HU NL SE GB**
- 17341. Psychophagus omnivorus** (Walker,1835) (Pteromalidae) Synonym(s): omnivorus Walker,1835; rotundatus Ratzeburg,1844; processioneae Ratzeburg,1844; antorides Walker,1845; chrysorrhoeae Dalla Torre,1898; caeruleocephalae Dalla Torre,1898 Range (in code): **TR AT AZ BE CA On HV CZ FR DE HU IR MK MD NL PL RO RU Cc SK ES SE UA GB US Col Nj Ny Oh YU**
- 17342. Pteromalus albipennis** Walker,1835 (Pteromalidae) Synonym(s): coeruleus Dalman,1820; albipennis Walker,1835; cingulipes Walker,1835; plenus Walker,1835; zelus Walker,1839; caeno Walker,1848; diomedon Walker,1848; orthagus Walker,1848; priansos Walker,1848; beryllinus Thomson,1878 Range (in code): **TR BE CZ Cn DE HU IT KG MD NL RO SK ES SE CH RU GB YU**
- 17343. Pteromalus apum** (Retzius,1783) (Pteromalidae) Synonym(s): apum Retzius,1783; venustus Walker,1835; planiscutum Thomson,1878 Range (in code): **TR AR BE BG CA Abt On CZ DK FI FR NL RU SK SS ES SE CH GB US Ut Sb YU**
- 17344. Pteromalus bedeguaris** (Thomson,1878) (Pteromalidae) Synonym(s): bedeguaris Thomson,1878 Range (in code): **TR AD AT BE CA BCo On CZ DK FR DE HU IR IT KG KK NL RO RU SK ES SE TJ UA GB US Col UZ YU**
- 17345. Pteromalus bifoveolatus** Förster,1861 (Pteromalidae) Synonym(s): bifoveolatus Förster,1861; saturniae Rudow,1886; mauritanus Masi,1937 Range (in code): **TR HV CZ DE IT Si KG MR MD MA RO SK ES SE CH RU GB YU**
- 17346. Pteromalus chrysos** Walker,1836 (Pteromalidae) Synonym(s): chrysos Walker,1836; inclusus Walker,1836; zipaetes Walker,1839; telon Walker,1839; eucerus Ratzeburg,1848; acutigena Thomson,1878; poecilopus Crawford,1910 Range (in code): **TR DZ AT BE HV CZ FI FR DE HU IT KG MK MD MA NL PL RO RU Cc SK ES SE CH UA GB YU**
- 17347. Pteromalus cionobius** (Erdős,1953) (Pteromalidae) Synonym(s): cionobius Erdős,1953 Range (in code): **TR CZ FR DE HU MD ES SE YU**
- 17348. Pteromalus elevatus** (Walker,1834) (Pteromalidae) Synonym(s): elevatus Walker,1834; boreus Walker,1839; ceropasades Walker,1839; deucetius Walker,1839; dentifer Thomson,1878 Range (in code): **TR AT BE BG CA Nfi CZ DE Hw HU KG KK MK MD NL RO RU ES SE CH TJ UA GB UZ YU**
- 17349. Pteromalus intermedius** (Walker,1834) (Pteromalidae) Synonym(s): intermedius Walker,1834 Range (in code): **TR FR DE IT KG Md NL RO ES SE RU GB Sb**
- 17350. Pteromalus platyphilus** (Walker,1874) (Pteromalidae) Synonym(s): amplus Walker,1836 (preocc.); platyphilus Walker,1874; pappi Szelényi,1982 Range (in code): **TR AF HV CZ DE HU KG KK MK MD NL RU Am ES SE TM GB YU Sb**
- 17351. Pteromalus puparum** (Linnaeus,1758) (Pteromalidae) Synonym(s): puparum Linnaeus,1758 Range (in code): **TR**
- 17352. Pteromalus semotus** (Walker,1834) (Pteromalidae) Synonym(s): semotus Walker,1834; cupreus Walker,1835; lugubris Walker,1835; imbutus Walker,1835; maerens Walker,1836; equestris Walker,1836; thalassinus Walker,1836; pione Walker,1839; variabilis Ratzeburg,1844; glautias Walker,1848, etc. Range (in code): **TR AT BE B-H BG Cn CV Cz DK EG EE FR DE HU IN IT JP KG MX MD NL NZ NO PK CN Pkn PL RO RU Cc Mo SK ES SE CH SY TM UA GB Sb YU**
- 17353. Pteromalus sequester** Walker,1835 (Pteromalidae) Synonym(s): sequester Walker,1835; placidus Walker,1835; infectus Walker,1835; simulans Walker,1836; oroetes Walker,1839; eulimene Walker,1848; leguminum Ratzeburg,1852; insularis Walker,1872; medicaginis Gahan,1914 Range (in code): **TR AU SAu BE BG CA Abt On**

Cn CL CZ FR DE Co Hw HU IN Pj IQ IL Pa KG KK MX NL PL RO RU SK ES SE UA GB US Arz Cf Kan NMx  
Ny Ut Sb YU

**17354. Rhaphitelus maculatus Walker,1834** (Pteromalidae) Synonym(s): maculatus Walker,1834; hecato Walker,1839; subulifer Förster,1841; scolytii Brethes,1913 Range (in code): **TR AR AU BE BG CA Abt CL HV CZ EG FR DE HU IN Ch IL Pa IT Si JP KG KK MD NL NZ CN Pkn Gn Mc IMn Ui Yu PL RO RU Mo SK ES SE TN TM UA GB US Cf Nj Ny Oh UZ YU**

**17355. Rhopalicus guttatus (Ratzeburg,1844)** (Pteromalidae) Synonym(s): guttatus Ratzeburg,1844 Range (in code): **TR CZ FI FR DE HU LT NL CN Yu PT RU ES SE GB YU**

**17356. Rhopalicus tutela (Walker,1836)** (Pteromalidae) Synonym(s): tutela Walker,1836; maculifer Förster,1841; immaculatus Ratzeburg,1844; spinolae Ratzeburg,1844; suspensus Ratzeburg,1844; multicolor Ratzeburg,1848; lunulus Ratzeburg,1848; annellus Thomson,1878 Range (in code): **TR AM AT Cc BY BE BG CA Nfl On HV CZ FI FR DE HU**

**17357. Roptrocerus xylophagorum (Ratzeburg,1844)** (Pteromalidae) Synonym(s): xylophagorum Ratzeburg,1844; eccoptogastris Ratzeburg,1844; rectus Provancher,1887; sulcatus Waterson,1922; karafutoensis Ishii,1938 Range (in code): **TR AU Wau SAu AT BE B-H BG CA BCo Nfl On HV CZ FI FR DE GR GT HU IN Up IL Pa IT JP KG LT MX NL NO CN Fkn Gn Yu PL RO RU Mo SK ES SE CH UA GB US Arz Cf Col Nj Ny Tx**

**17358. Schizonotus sieboldi (Ratzeburg,1848)** (Pteromalidae) Synonym(s): sieboldi Ratzeburg,1848 Range (in code): **TR BG Cc HV CZ FR DE HU IR IT KG LT MK MD NO PK CN RU At TM GB US UZ YU**

**17359. Scutellista caerulea (Fonscolombe,1832)** (Pteromalidae) Synonym(s): caerulea Fonscolombe,1832; cyanea Motschulsky,1859; myrti Costa,1863 Range (in code): **TR AL DZ AR AU NSw SAu AZ Cc BO BR Cn CL CO HV CU CY CZ EG ER ET FR GG GR Hw IN IL Pa IT Si CI JP KE LB MT MX MA NL NZ OM CN PE PR SN ZA ES LK T-T TN UG US Cf FI VE**

**17360. Spalangia fuscipes Nees ab Esenbeck,1834** (Pteromalidae) Synonym(s): fuscipes Nees ab Esenbeck,1834 Range (in code): **TR 25**

**17361. Spalangia subpunctata Förster,1850** (Pteromalidae) Synonym(s): subpunctata Förster,1850 Range (in code): **TR 25**

**17362. Sphegigaster aculeata (Walker,1833)** (Pteromalidae) Synonym(s): aculeata Walker,1833 Range (in code): **TR 25**

**17363. Sphegigaster brevicornis (Walker,1833)** (Pteromalidae) Synonym(s): brevicornis Walker,1833 Range (in code): **TR 24 25**

**17364. Sphegigaster pallicornis (Spinola,1808)** (Pteromalidae) Synonym(s): pallicornis Spinola,1808 Range (in code): **TR 01**

**17365. Sphegigaster pedunculiventris (Spinola,1808)** (Pteromalidae) Synonym(s): pedunculiventris Spinola,1808 Range (in code): **TR CZ**

**17366. Spintherus dubius (Nees ab Esenbeck,1834)** (Pteromalidae) Synonym(s): dubius Nees ab Esenbeck,1834; nigroaeneus Walker,1835; signatus Walker,1836; orbiculatus Walker,1836; caligatus Walker,1836; conterminus Walker,1836; codrus Walker,1839; triqueter Förster,1841; flavitarsis Förster,1841; lutescens Förster,1841; alimentus Walker,1848; Anchinoe Walker,1848; hermachus Walker,1848; obscurus Thomson,1878 Range (in code): **TR BE BG Cc HV CZ FR DE HU KG KK MD NL PL RO RU Am Mo SK ES SE CH UA GB YU**

**17367. Stenomalina communis (Nees ab Esenbeck,1834)** (Pteromalidae) Synonym(s): communis Nees ab Esenbeck,1834; bifrons Walker,1836; continuus Walker,1836; erasippus Walker,1839; nyctimus Walker,1839; cerycus Walker,1848; rugosus Thomson,1878; laetus Ruschka,1912 Range (in code): **TR AT BY HV CZ DE HU KG MD NL RO RU Mo ES SE GB**

**17368. Stenomalina favorinus (Walker,1839)** (Pteromalidae) Synonym(s): favorinus Walker,1839 Range (in code): **TR BE HV CZ DE GB SE RO NL**

**17369. Stenomalina laticeps (Walker,1850)** (Pteromalidae) Synonym(s): laticeps Walker,1850 Range (in code): **TR CZ DE HU KG NL CN ES SE RU GB**

**17370. Syntomopus incisus Thomson,1878** (Pteromalidae) Synonym(s): incisus Thomson,1878 Range (in code): **Cn CZ DE HU GB IT KG NL CN Fkn IMn Sz Yu RO SK ES SE YU TR 25**

**17371. Syntomopus incurvus Walker,1833** (Pteromalidae) Synonym(s): incurvus Walker,1833; dirce Walker,1839; phylander Walker,1848; madizae Rondani,1877 Range (in code): **BE CZ DE IT KG CN SE GB YU TR 25**

**17372. Systasis encyrtoides Walker,1834** (Pteromalidae) Synonym(s): encyrtoides Walker,1834; geniculatus Nees,1834; punctatus Ratzeburg,1852; longicornis Thomson,1876 Range (in code): **TR AT AZ Cc BE Cn HV CZ FR Co DE GR HU IL Pa IT KG MD MA NL CN Pkn Fkn Gn Hn Mc Yu PL PT RO RU SK SS ES SE UA GB US Als Org YU 25**

**17373. Theocolax elegans (Westwood,1874)** (Pteromalidae) Synonym(s): elegans Westwood,1874 Range (in code): **TR**

**17374. Thinodytes cyzicus (Walker,1839)** (Pteromalidae) Synonym(s): cyzicus Walker,1839; #cyzinus Doğanlar,1985 Range (in code): **TR 25**

**17375. Tomicobia promulus (Walker,1840)** (Pteromalidae) Synonym(s): promulus Walker,1840; acrotatus Walker,1845; sublaevis Thomson,1878 Range (in code): **AT BE CZ MK MD RO SK SE GB TR 25**

**17376. Trichilogaster arabica Ferriere,1947** (Pteromalidae) Synonym(s): arabica Ferriere,1947 Range (in code): **SA**



- 17377. Trichomalopsis hemiptera (Walker,1835)** (Pteromalidae) Synonym(s): hemiptera Walker,1835; apicalis Walker,1835; pedestris Förster,1861; nidulans Thomson,1878 Range (in code): AT BE CA BCo CZ FI FR DE HU IE IT JM JP KG KP KR MD MA NL NZ CN PR RU ES SE CH UA GB US Cf YU TR
- 17378. Trichomalopsis littoralis (Graham,1969)** (Pteromalidae) Synonym(s): littoralis Graham,1969 Range (in code): TR NL GB ES SE 25
- 17379. Trichomalopsis peregrina (Graham,1969)** (Pteromalidae) Synonym(s): peregrina Graham,1969 Range (in code): AT CA BCo On CZ FR DE HU IT Sa KG MD NL RO RU SK ES UA GB US TR
- 17380. Trichomalus apertus (Walker,1835)** (Pteromalidae) Synonym(s): apertus Walker,1835 Range (in code): TR DE HU NL ES SE GB 25
- 17381. Trichomalus campestris (Walker,1834)** (Pteromalidae) Synonym(s): campestris Walker,1834; tenuicornis Walker,1834; rufipes Nees,1834; fumipennis Walker,1835; tenuis Walker,1835; redactus Walker,1835; concisus Walker,1836; nubeculosus Förster,1841; coxalis Thomson,1878 Range (in code): TR BE B-H HV CZ FR DE HU IL Pa IT MD NL RO SK ES SE CH UA GB YU 25
- 17382. Trichomalus elongatus Delucchi & Graham,1956** (Pteromalidae) Synonym(s): elongatus Delucchi & Graham,1956; #elengatus Doğanlar,1985 Range (in code): TR AT BE Cn DE KG KK ES SE RU GB 25
- 17383. Trichomalus fulvipes (Walker,1836)** (Pteromalidae) Synonym(s): fulvipes Walker,1836; operosus Förster,1841 Range (in code): TR BE CZ DE HU IL Pa NL RO SK ES SE CH GB 25
- 17384. Trichomalus helvipes (Walker,1834)** (Pteromalidae) Synonym(s): helvipes Walker,1834; famulus Walker,1835; cuprinus Walker,1835; detritus Walker,1835; futilis Walker,1835; obtusus Walker,1835; perpetuus Walker,1835; chrysammos Walker,1836; crocale Walker,1839; janira Walker,1839; delectus Förster,1841; lethargicus Förster,1841; peregrinus Förster,1841; quaesitus Förster,1841; carma Walker,1848; hyrtacina Walker,1848; lebadeia Walker,1848; mese Walker,1848; laticeps Thomson,1878 Range (in code): TR BE CZ FR DE HU NL NO RO ES SE CH GB 25
- 17385. Trichomalus nanus (Walker,1836)** (Pteromalidae) Synonym(s): nanus Walker,1836; lucidus Förster,1841; dipoenos Walker,1848; versutus Förster,1861; speciosus Dalla Torre,1898 Range (in code): TR AT CZ DE HU KG LT MD NL RU SK ES SE CH UA GB 25
- 17386. Trichomalus posticus (Walker,1834)** (Pteromalidae) Synonym(s): posticus Walker,1834; sunides Walker,1845; punctinucha Thomson,1878 Range (in code): TR BE CZ DE KG NL ES SE RU GB 25
- 17387. Trichomalus rufinus (Walker,1835)** (Pteromalidae) Synonym(s): rufinus Walker,1835; inops Walker,1835; confinis Walker,1836; irus Walker,1839; nitefactus Förster,1841; vagans Förster,1841; pedicellaris Thomson,1878; rufimanus Thomson,1878 Range (in code): TR AT BE B-H Cn CZ FR DE GR HU KG LT NL NO RO SK ES SE UA YU 25
- 17388. Trjapitzinia leucomae Dzhankmen,1975** (Pteromalidae) Synonym(s): leucomae Dzhankmen,1975 Range (in code): TR KG
- 17389. Asmisapyga warnckeii Kurzenko,1994** (Sapygidae) Synonym(s): warnckeii Kurzenko,1994 Range (in code): TR SY Bld IL Pa JO TN 30 40 73
- 17390. Fedtschenkia grossa Saussure,1880** (Sapygidae) Synonym(s): grossa Saussure,1880 Range (in code): TR IR TM UZ TJ PK 33
- 17391. Fedtschenkia indigotea Radoszkowski,1886** (Sapygidae) Synonym(s): indigotea Radoszkowski,1886 Range (in code): TM
- 17392. Fedtschenkia libanoi Guiglia,1966** (Sapygidae) Synonym(s): libanoi Guiglia,1966 Range (in code): LB
- 17393. Fedtschenkia palaestinensis Guiglia,1963** (Sapygidae) Synonym(s): palaestinensis Guiglia,1963 Range (in code): IL Pa
- 17394. Monosapyga clavicornis (Linnaeus,1758)** (Sapygidae) Synonym(s): clavicornis Linnaeus,1758; prisma Fabricius,1787; ininterrupta Pic,1920; triinterrupta Pic,1920; theresae Pic,1920 Range (in code): DZ Cc TR 07 25 33 48 55 60
- 17395. Sapyga (Polosapyga) singla Kurzenko,1994** (Sapygidae) Synonym(s): singla Kurzenko,1994 Range (in code): TR 36
- 17396. Sapyga (s.str.) caucasica Radoszkowski,1880** (Sapygidae) Synonym(s): caucasica Radoszkowski,1880 Range (in code): IR TR Cc 08 25 30 36 65
- 17397. Sapyga (s.str.) gusenleitneri Kurzenko,1994** (Sapygidae) Synonym(s): gusenleitneri Kurzenko,1994 Range (in code): TR IL Pa JO 31 48 63
- 17398. Sapyga (s.str.) morawitzi Turner,1911** (Sapygidae) Synonym(s): morawitzi Turner,1911; gussakovskii Kurzenko,1986 Range (in code): TR GR Cr IR 11 21 23 30 33 42 58 63 65 73
- 17399. Sapyga (s.str.) mutica Kurzenko,1994** (Sapygidae) Synonym(s): mutica Kurzenko,1994 Range (in code): TR SY 33 42 50
- 17400. Sapyga (s.str.) pulcherrima Morawitz,1894** (Sapygidae) Synonym(s): pulcherrima Morawitz,1894 Range (in code): TR SY TM UZ 06 33 40 50 58 60 65
- 17401. Sapyga (s.str.) quinquepunctata (Fabricius,1781)** (Sapygidae) Synonym(s): quinquepunctata Fabricius,1781 Range (in code): TR SY Bld CY IL Pa JO MT GR MA TN MA 02 07 13 14 25 30 33 34 42 48 50 51 55 58 63 65 73

- 17402. Sapyga (s.str.) similis (Fabricius,1793)** (Sapygidae) Synonym(s): similis Fabricius,1793; variegata Dahlbom,1844; exornata Gerstraecker,1861; pedestris Gerstraecker,1861; rufipes A.Costa,1864 Range (in code): RU MN CN TR 65
- 17403. Sapygina decemguttata (Jurine,1807)** (Sapygidae) Synonym(s): decemguttata Jurine,1807; millefolii Lepelletier,1825; chelostomae Robineau,1836; panzeri Guérin,1837; cylindricum Schenk,1857; nigra Tournier,1889 Range (in code): TR IL Pa GR Le 02 08 33 42 44 50 80
- 17404. Sapygina maloasiatica Kurzenko,1994** (Sapygidae) Synonym(s): maloasiatica Kurzenko,1994 Range (in code): TR 33
- 17405. Sapygina schwarzi Kurzenko,1994** (Sapygidae) Synonym(s): schwarzi Kurzenko,1994 Range (in code): TR 73
- 17406. Trissolcus djadetshko (Rjachovsky,1959)** (Scelionidae) Synonym(s): djadetshko Rjachovsky,1959 Range (in code): TR 31 40 68
- 17407. Trissolcus grandis (Thomson,1860)** (Scelionidae) Synonym(s): grandis Thomson,1860; frontalis Thomson,1860; nigripes Thomson,1860; nigrinus Thomson,1860; nixomartini Javahery,1968; silwoodensis Javahery,1968 Range (in code): TR 01 02 03 07 09 10 15 16 17 18 19 20 21 22 23 31 32 33 35 38 39 40 42 44 46 47 48 50 54 59 63 66 68 70 73
- 17408. Trissolcus manteroi (Kieffer,1909)** (Scelionidae) Synonym(s): manteroi Kieffer,1909 Range (in code): MD AM Cc RU TR TM 18
- 17409. Trissolcus pseudoturesis (Rjachovsky,1959)** (Scelionidae) Synonym(s): pseudoturesis Rjachovsky,1959; rossicus Rjachovsky,1959 Range (in code): MD RO BG IR MN UA SS LT EE RU TR 03 15 17 31 33 48 59 68
- 17410. Trissolcus rufiventris (Mayr,1908)** (Scelionidae) Synonym(s): rufiventris Mayr,1908; stshepetilnikova Pubstov,1944; rubriventris Szabo,1959 Range (in code): MD IR Cc UA TR AZ AM GG DZ 27 38 40 66
- 17411. Trissolcus semistriatus (Nees ab Esenbeck,1834)** (Scelionidae) Synonym(s): semistriatus Nees ab Esenbeck,1834; grandis sensu Mayr,1897 Range (in code): TR 01 02 03 06 07 09 10 15 16 17 18 19 20 21 22 23 31 33 35 38 40 42 44 46 47 48 50 54 59 63 64 66 68 70
- 17412. Trissolcus simoni (Mayr,1897)** (Scelionidae) Synonym(s): simoni Mayr,1897; scutellaris Masner,1958; vassilievi sensu Viktorov,1960; reticulatus Delucchi,1961 Range (in code): MA SY TR Cc AZ GG 01 03 06 07 09 10 15 16 17 18 19 20 22 31 32 33 35 39 42 46 48 54 59 60 64 66 68 70
- 17413. Trissolcus vassilievi (Mayr,1903)** (Scelionidae) Synonym(s): vassilievi Mayr,1903; rufiventris Rubstov,1944; scutellaris Masner,1958 Range (in code): MD Cc AZ AM GG IR MN UA TR 01 02 18 21 23 31 38 44 46 47 63 68 66 73
- 17414. Campsomeriella thoracica (Fabricius,1787)** (Scoliidae) Synonym(s): thoracica Fabricius,1787; eriophora Khalof,1958 Range (in code): IR Fa Shr Ke Lo Kz Ss Th Elb Cr CY GR IT MT MA Si ES SY TR
- 17415. Colpa (s.str.) sexmaculata (Fabricius,1782)** (Scoliidae) Synonym(s): sexmaculata Fabricius,1782; interrupta Fabricius,1782; sareptana Eversmann,1849 Range (in code): TR DZ 01 06 07 35
- 17416. Colpa interrupta (Fabricius,1781)** (Scoliidae) Synonym(s): interrupta Fabricius,1781 Range (in code): TR 35 41
- 17417. Colpa klugii (Van der Linden,1827)** (Scoliidae) Synonym(s): klugii Van der Linden,1827 Range (in code): TR 10 17 33 34 35
- 17418. Colpa quinquecincta (Fabricius,1775)** (Scoliidae) Synonym(s): villosa Fabricius,1775; quinquecincta Fabricius,1775; abdominalis Spinola,1806; continua Leeletier,1845 Range (in code): IT Sa Si TR 06 07 08 09 16 20 24 25 30 31 33 35 36 39 42 44 45 48 49 50 51 60 63 65 76 80
- 17419. Dasyscolia ciliata (Fabricius,1787)** (Scoliidae) Synonym(s): ciliata Fabricius,1787; araratica Radoskovsky,1890; fastuosa Gribodo,1893 Range (in code): MA PT ES MT GR Rd TR Arr IR Fa Shr Kh Mz Th Elb Ha Es IL Pa Cc IT Sa Si 01 04 06 07 10 24 31 33 35 36 45 48 49 58 65 63 72 76
- 17420. Megascaloria (Regiscolia) maculata (Drury,1773)** (Scoliidae) Synonym(s): maculata Drury,1773; flavifrons Fabricius,1775; haemorrhoidalis Fabricius,1787; insignis Saussure,1858; versicolor Saussure,1859 Range (in code): FR IT Sa Si GR Cr TR AL B-H Cr BG HV HU MK DZ SS RO TM IQ IR Fa Shr Elb Th Ss Lo Mz 05 06 07 09 10 12 17 20 22 23 30 32 33 34 35 45 46 47 48 56 73
- 17421. Proscolia archaica Rasnitsyn,1977** (Scoliidae) Synonym(s): archaica Rasnitsyn,1977 Range (in code): TR Cc 36
- 17422. Proscolia spectator Day,1981** (Scoliidae) Synonym(s): spectator Day,1981 Range (in code): TR GR
- 17423. Scolia (s.str.) anatoliae Osten,2004** (Scoliidae) Synonym(s): anatoliae Osten,2004 Range (in code): TR IR Fa Th GR Cr SY TM UZ
- 17424. Scolia (s.str.) fallax Eversmann,1849** (Scoliidae) Synonym(s): fallax Eversmann,1849; syriacola Betrem,1935; moreana Muche,1962; tricolor Bradley,1972 Range (in code): ES FR IT GR TR UA AM AZ Cc IL Pa LB Bei TM IR Th Elb Ak Ab Fa Kd 01 08 23 25 31 34 35 45 48 60 65
- 17425. Scolia (s.str.) flaviceps Eversmann,1846** (Scoliidae) Synonym(s): flaviceps Eversmann,1846; mangichlakensis Radoszkowski,1879 Range (in code): Cr GR CY LB SY JO IL Pa TR IR Th Elb Ak Fa Mz IQ TJ Cc UZ TM 72

- 17426. *Scolia (s.str.) fuciformis* Scopoli,1786** (Scoliidae) Synonym(s): fuciformis Scopoli,1786; insubrica Scopoli,1786 Range (in code): FR IT TR EG TM 65
- 17427. *Scolia (s.str.) sexmaculata* (Müller,1766)** (Scoliidae) Synonym(s): sexmaculata Müller,1766; biguttata Fabricius,1804; violacea Panzer,1799; syriaca Klug,1832; hispanica Betrem,1935; beirutii Betrem,1935; montana Steinberg,1962; orientalis Steinberg,1962; dionysopolis Tkalcu,1988 Range (in code): IT LB Bei ES TR DE GB IR Fa Shr Ak Ab Th Kh Kd Mz 01 02 04 06 07 08 09 13 15 21 24 25 27 30 34 35 36 38 42 53 65 73 76
- 17428. *Scolia asiella* Betrem,1935** (Scoliidae) Synonym(s): asiella Betrem,1935 Range (in code): TR 33 35
- 17429. *Scolia erivanensis* (Radoszkowski,1876)** (Scoliidae) Synonym(s): erivanensis Radoszkowski,1876 Range (in code): TR Cc AM Eri
- 17430. *Scolia galbula* (Pallas,1771)** (Scoliidae) Synonym(s): galbula Pallas,1771; tricolor Pallas,1771; quadricincta Scopoli,1786; notata Fabricius,1787; bifasciata Rossi,1790; tridens Fabricius,1793; elisabethae Muche,1962 Range (in code): FR IT Si YU HU UA BG GR CY Cc TR EG 04 06 07 08 16 20 24 25 31 35 36 42 45 63 76
- 17431. *Scolia hirta* (Schränk,1781)** (Scoliidae) Synonym(s): hirta Schränk,1781; bicincta Scopoli,1786; unifasciata Cyrillo,1787; alutus Nagy,1967; mongolina Nagy,1970 Range (in code): IT Sa Si TR PT ES MT CY FR Co CY KG 06 07 08 09 11 15 24 25 30 31 32 33 35 36 38 45 46 48 51 65 76
- 17432. *Scolia insubrica* (Scopoli,1786)** (Scoliidae) Synonym(s): insubrica Scopoli,1786; fuciformis Scopoli,1786; amabilis Eversmann,1849 Range (in code): IT YU EG TR RU 06 08 09
- 17433. *Scolia turkestanica* Betrem,1935** (Scoliidae) Synonym(s): turkestanica Betrem,1935 Range (in code): TR
- 17434. *Chartocerus novitzkyi* (Domenichini)** (Signiphoridae) Synonym(s): Range (in code): TR
- 17435. *Chartocerus subaeneus* (Förster)** (Signiphoridae) Synonym(s): Range (in code): TR
- 17436. *Thysanus ater* Walker** (Signiphoridae) Synonym(s): Range (in code): TR
- 17437. *Ammophila afghanica* Balthasar,1957** (Sphecidae) Synonym(s): afghanica Balthasar,1957 Range (in code): AF
- 17438. *Ammophila arabica* W.F.Kirby,1900** (Sphecidae) Synonym(s): arabica W.F.Kirby,1900 Range (in code): YE YE47
- 17439. *Ammophila areolata* Walker,1871** (Sphecidae) Synonym(s): areolata Walker,1871 Range (in code): EG Sn
- 17440. *Ammophila assimilis* Kohl,1901** (Sphecidae) Synonym(s): assimilis Kohl,1901 Range (in code): SY IL Pa Js TR AF KG JO 07 33
- 17441. *Ammophila barbara* Lepeletier,1845** (Sphecidae) Synonym(s): barbara Lepeletier,1845; semota De Beaumont,1967 [ssp.] Range (in code): MA DZ TN LY EG IL Pa TR OM NE 06 42
- 17442. *Ammophila campestris* Latreille,1809** (Sphecidae) Synonym(s): campestris Latreille,1809; retusus Gistel,1848; neoxenus F.Smith,1856; ? striaticollis Morawitz,1889; ?nigrina Morawitz,1889; slovacica Zavadil,1937 Range (in code): TR ... 06 14 16 25 29 33 36 38 46 58 61
- 17443. *Ammophila gracillima* Taschenberg,1869** (Sphecidae) Synonym(s): gracillima Taschenberg,1869 Range (in code): SD DZ LY Cy MA EG Sn KG CN Mc Aa IR Ss AF UZ AE OM TJ TM T-S RU Sr Sb MN
- 17444. *Ammophila haimatosoma* Kohl,1884** (Sphecidae) Synonym(s): haimatosoma Kohl,1884 Range (in code): CY DZ TN IL Pa MA TD LY IQ IR Kz Ke SA EG Sn SA AE PK Krc
- 17445. *Ammophila heydeni* Dahlbom,1845** (Sphecidae) Synonym(s): heydeni Dahlbom,1845; iberica André,1886 Range (in code): TR Cc AM KK RU Sr Ao Or IT HV FR Si DE BG HU AT UA Cm AZ Cc Ur DZ LY TN KG PT SK CZ IR Co Sa CH ES RO GR TM AF 01 03 05 06 07 08 09 11 12 13 16 18 19 22 24 25 29 31 33 34 36 37 38 40 42 43 44 46 49 50 51 54 57 58 59 60 63 65 69 76
- 17446. *Ammophila honorei* Alfieri,1946** (Sphecidae) Synonym(s): honorei Alfieri,1946 Range (in code): EG Sn JO
- 17447. *Ammophila hungarica* Mocsary,1883** (Sphecidae) Synonym(s): hungarica Mocsary,1883; turcica Mocsary,1883; hispanica Mocsary,1883; fallax Kohl,1884 Range (in code): HU BE ES PT CY JO YU UZ Tas AT TR IT BG GR CZ SK KG Aa IR Kz AF 05 06 09 16 25 33 34 48
- 17448. *Ammophila induta* Kohl,1901** (Sphecidae) Synonym(s): induta Kohl,1901 Range (in code): TM KG Aa
- 17449. *Ammophila insignis* F.Smith,1856** (Sphecidae) Synonym(s): insignis F.Smith,1856; egregia Mocsary,1881 [ssp.] Range (in code): GM YE Ad ZR NE AO ZA Tva Lpo ZW CF LB Bei LY EG Sn TD OM SA AE
- 17450. *Ammophila mitlaensis* Alfieri,1961** (Sphecidae) Synonym(s): mitlaensis Alfieri,1961 Range (in code): EG Sn
- 17451. *Ammophila occipitalis* Morawitz,1890** (Sphecidae) Synonym(s): occipitalis Morawitz,1890 Range (in code): TM RU Ao Sb IQ Amr IR KG TJ T-S
- 17452. *Ammophila poecilocnemis* Morice,1900** (Sphecidae) Synonym(s): poecilocnemis Morice,1900 Range (in code): MA EH DZ TN TD SA AE
- 17453. *Ammophila producticollis* Morice,1900** (Sphecidae) Synonym(s): producticollis Morice,1900; divina Kohl,1901; argentina Gussakowski,1930 Range (in code): DZ TN NE EG Sn TD KG SA RU Sb TM Kp UZ
- 17454. *Ammophila pseudonasuta* Bytinski-Salz,1946** (Sphecidae) Synonym(s): pseudonasuta Bytinski-Salz,1946 Range (in code): IL Pa EG Sn



- 17455. *Ammophila pubescens* Curtis,1836** (Sphecidae) Synonym(s): pubescens Curtis,1836 Range (in code): TR 25
- 17456. *Ammophila quadraticollis* A.Costa,1893** (Sphecidae) Synonym(s): quadraticollis A.Costa,1893 Range (in code): TN DZ LY Cy EG Sn
- 17457. *Ammophila sabulosa* (Linnaeus,1758)** (Sphecidae) Synonym(s): sabulosa Linnaeus,1758 Range (in code): TR 05 06 07 08 11 14 16 18 24 25 26 33 34 36 41 42 43 45 46 49 53 61 67 69
- 17458. *Ammophila sabulosa* (Linnaeus,1758)** (Sphecidae) Synonym(s): sabulosa Linnaeus,1758 Range (in code): TR 06 07 08 09 10 11 14 16 18 24 25 26 34 35 36 41 42 43 45 46 49 53 61 67 69
- 17459. *Ammophila sareptana* Kohl,1894** (Sphecidae) Synonym(s): sareptana Kohl,1894 Range (in code): TR 06 18 33 58 59
- 17460. *Ammophila sinensis* Sickmann,1894** (Sphecidae) Synonym(s): sinensis Sickmann,1894 Range (in code): CN TR 24 25
- 17461. *Ammophila striata* Mocsary,1878** (Sphecidae) Synonym(s): striata Mocsary,1878 Range (in code): TR 42 43 46 58 65
- 17462. *Ammophila terminata* F.Smith,1856** (Sphecidae) Synonym(s): terminata F.Smith,1856; mocsaryi Frivaldsky,1877 [ssp.] Range (in code): TR 06 07 16 25 34
- 17463. *Chilosphex argyrius* (Brullé,1833)** (Sphecidae) Synonym(s): argyrius Brullé,1833 Range (in code): TR 16 20 25 31 36
- 17464. *Chilosphex pseudargyrius* (Roth,1967)** (Sphecidae) Synonym(s): pseudargyrius Roth,1967 Range (in code): TR 33
- 17465. *Eremochares dives* (Brullé,1833)** (Sphecidae) Synonym(s): dives Brullé,1833 Range (in code): TR 06 20 33 42 51
- 17466. *Hoplammophila anatolica* (de Beaumont,1960)** (Sphecidae) Synonym(s): anatolica de Beaumont,1960 Range (in code): TR 07 33
- 17467. *Hoplammophila armata* (Illiger,1807)** (Sphecidae) Synonym(s): armata Illiger,1807 Range (in code): TR 08 33 42 55
- 17468. *Hoplammophila clypeata* (Mocsary,1883)** (Sphecidae) Synonym(s): clypeata Mocsary,1883 Range (in code): TR 33 59
- 17469. *Isodontia paludosa* (Rossi,1790)** (Sphecidae) Synonym(s): paludosa Rossi,1790 Range (in code): TR 06 08 16 24 25 36 42
- 17470. *Isodontia splendidula* (A.Costa,1858)** (Sphecidae) Synonym(s): splendidula A.Costa,1858 Range (in code): TR 06 31
- 17471. *Palmodes melanarius* (Mocsary,1883)** (Sphecidae) Synonym(s): melanarius Mocsary,1883; anaticus Kohl,1888; picicornis F.Morawitz,1890 Range (in code): TR Cc GG Tbl TM LY ES KK KG TJ GR MA DZ SY UA Cm RU Ro 06 20 35
- 17472. *Palmodes minor* (F.Morawitz,1890)** (Sphecidae) Synonym(s): minor F.Morawitz,1890 Range (in code): TR TM KG KK UZ T-S TJ 05 42 51
- 17473. *Palmodes occitanicus* (Lepeletier & Audinet-Serville,1828)** (Sphecidae) Synonym(s): occitanicus Lepeletier & Audinet-Serville,1828; syriacus Mocsary,1881; puncticollis Kohl,1888 Range (in code): TR 05 06 07 16 19 20 25 31 33 34 36 42 63
- 17474. *Palmodes parvulus* (Roth,1967)** (Sphecidae) Synonym(s): parvulus Roth,1967 Range (in code): TR 06
- 17475. *Palmodes strigosus* (A.Costa,1861)** (Sphecidae) Synonym(s): strigosus A.Costa,1861 Range (in code): TR 05 06 11 12 16 34 38 42 51 63
- 17476. *Parapsammophila caspica* (Gussakowski,1930)** (Sphecidae) Synonym(s): caspica Gussakowski,1930 Range (in code): TR 33
- 17477. *Podalonia affinis* (W.Kirby,1798)** (Sphecidae) Synonym(s): affinis W.Kirby,1798 Range (in code): TR 05 06 07 08 16 25 33 36 38 58 61 75
- 17478. *Podalonia alpina* (Kohl,1888)** (Sphecidae) Synonym(s): alpina Kohl,1888 Range (in code): TR 29 33 36 38
- 17479. *Podalonia ebenina* (Spinola,1839)** (Sphecidae) Synonym(s): ebenina Spinola,1839 Range (in code): TR 06 12 14 25 38 40 42 51 58
- 17480. *Podalonia fera* (Lepeletier,1845)** (Sphecidae) Synonym(s): fera Lepeletier,1845 Range (in code): TR 05 06 08 16 20 25 26 33 38 42 43 51 53
- 17481. *Podalonia harveyi* (de Beaumont,1967)** (Sphecidae) Synonym(s): harveyi de Beaumont,1967 Range (in code): TR 06 33
- 17482. *Podalonia hirsuta* (Scopoli,1763)** (Sphecidae) Synonym(s): hirsuta Scopoli,1763 Range (in code): TR SS 01 05 06 08 09 11 12 13 14 16 19 21 23 24 25 28 29 31 33 34 35 36 37 38 42 43 45 46 48 51 53 55 58 61 64 65 69 75
- 17483. *Podalonia luffii* (E.Saunders,1903)** (Sphecidae) Synonym(s): luffii E.Saunders,1903 Range (in code): TR 25
- 17484. *Podalonia rothi* (de Beaumont,1951)** (Sphecidae) Synonym(s): rothi de Beaumont,1951 Range (in code): TR 38 42 45

- 17485. Podalonia tydei (Le Guillou,1841)** (Sphecidae) Synonym(s): tydei Le Guillou,1841 Range (in code): **TR 01 06 07 08 09 10 16 23 24 25 33 34 36 42 44 55 76**
- 17486. Prionyx crudelis (F.Smith,1856)** (Sphecidae) Synonym(s): crudelis F.Smith,1856 Range (in code): **TR 33 45 46**
- 17487. Prionyx guichardi (de Beaumont,1967)** (Sphecidae) Synonym(s): guichardi de Beaumont,1967 Range (in code): **TR 38 40**
- 17488. Prionyx kirbii (Vander Linden,1827)** (Sphecidae) Synonym(s): kirbii Vander Linden,1827 Range (in code): **TR 01 03 05 06 07 16 18 25 33 35 36 38 43 55**
- 17489. Prionyx lividocincta (A.Costa,1861)** (Sphecidae) Synonym(s): lividocincta A.Costa,1861 Range (in code): **TR 06 07 16 20 33 38 63**
- 17490. Prionyx niveatus (Dufour,1854)** (Sphecidae) Synonym(s): niveatus Dufour,1854 Range (in code): **TR 06 36**
- 17491. Prionyx nudatus (Kohl,1885)** (Sphecidae) Synonym(s): nudatus Kohl,1885 Range (in code): **TR 06 07 08 16 18 24 25 34 36 42 58**
- 17492. Prionyx songaricus (Eversmann,1849)** (Sphecidae) Synonym(s): songaricus Eversmann,1849 Range (in code): **TR 07 33 42 63**
- 17493. Prionyx subfuscatus (Dahlbom,1845)** (Sphecidae) Synonym(s): subfuscatus Dahlbom,1845 Range (in code): **TR 16 34**
- 17494. Prionyx Vander Linden,1827** (Sphecidae) Synonym(s): Prionyx Vander Linden,1827 Range (in code): **TR**
- 17495. Prionyx viduatus (Christ,1791)** (Sphecidae) Synonym(s): viduatus Christ,1791 Range (in code): **TR 05 06 18 20 24 25 26 32 33 36 51**
- 17496. Prionyx vittatus (Kohl,1884)** (Sphecidae) Synonym(s): vittatus Kohl,1884 Range (in code): **TR 18**
- 17497. Sceliphron (Hensenia) funestum Kohl,1918** (Sphecidae) Synonym(s): funestum Kohl,1918 Range (in code): **GR Cr Rd TR 07 09 14 33 35 48**
- 17498. Sceliphron (s.str.) arabs (Lepeletier,1845)** (Sphecidae) Synonym(s): arabs Lepeletier,1845; caucasicus André,1888 Range (in code): **Cc AZ SY Hal TR IQ Bgd IR Ke 01 07 21 31 33 44 49**
- 17499. Sceliphron (s.str.) destillatorium (Illiger,1807)** (Sphecidae) Synonym(s): flavipes Christ,1791 nec Fabr.,1781; destillatorium Illiger,1807; pensilis Illiger,1807; sardonius Lepeletier,1845; sardous Caruccio,1872; trinacriensis De Stefani Perez,1889 Range (in code): **PL DE HV CZ RU Aa Or Ur IT AT UA Cm Sa Si HU GR PT ES CH BG MA RO TN FR AL IL Pa DZ TR Cr TM MT Cc CN Ui Ga Pkn KG 01 03 05 06 07 08 09 15 20 16 25 26 28 31 34 36 37 42 45 46 54 61 63 65 80**
- 17500. Sceliphron (s.str.) madraspatanum (Fabricius,1781)** (Sphecidae) Synonym(s): madraspatanum Fabricius,1781; interruptus Palisot de Beauvois,1806; bilineatus F.Smith,1852; separatus F.Smith,1852 Range (in code): **IT PT ES FR GR Cr IQ TR UA Cm IN Up TJ TH ZR BD KG ID Clb Amb JP MY CN Ti Sz PH Bas TW Ass Ja OM AF PK 05 06 07 16 20 33 42 46 48**
- 17501. Sceliphron (s.str.) pietschmanni Kohl,1918** (Sphecidae) Synonym(s): pietschmanni Kohl,1918 Range (in code): **IQ IR Mz Elb**
- 17502. Sceliphron (s.str.) pulchellum Gussakovsky,1933** (Sphecidae) Synonym(s): pulchellum Gussakovsky,1933 Range (in code): **IR PK IN AE**
- 17503. Sceliphron (s.str.) seistaniensis Jha & Farooqi,1995** (Sphecidae) Synonym(s): seistaniensis Jha & Farooqi,1995 Range (in code): **IR AF**
- 17504. Sceliphron (s.str.) sprifex (Linnaeus,1758)** (Sphecidae) Synonym(s): sprifex Linnaeus,1758; aegyptius Linnaeus,1758; atra Scopoli,1786; aegyptiacum Dalla Torowe,1897 Range (in code): **NG ST GR Cn DZ CZ HV GA AT MZ EG ET IT IN AO SD ET ES TN MG FR Si SO CM ZA Cap Tva Lpo TZ MT AL MR ER CI LR CY IL Pa MA YU Cr PT Co BG MA KG OM CF GH TR 01 07 09 10 16 31 33 34 35 45 46 48 61**
- 17505. Spheex (Fernaldina) melanocnemis Kohl,1885** (Sphecidae) Synonym(s): melanocnemis Kohl,1885 Range (in code): **TR 06 16 18 20 33 42**
- 17506. Spheex (s.str.) atropilosus Kohl,1885** (Sphecidae) Synonym(s): atropilosus Kohl,1885 Range (in code): **TR 25**
- 17507. Spheex (s.str.) flavipennis Fabricius,1793** (Sphecidae) Synonym(s): flavipennis Fabricius,1793; rufocinctus Brullé,1833; bicolor Dahlbom,1845; cinereorufocinctus Dahlbom,1845; sellae Gribodo,1873; rufodorsatus DeStefani,1887 Range (in code): **HU IT Si Sa GR Rd Cr CY BG TR IL Pa IR Kh AF AE TM TJ UZ KG 01 03 04 06 07 10 15 16 18 19 20 24 25 28 33 35 36 42 43 45 46 48 49 55 59 66 72**
- 17508. Spheex (s.str.) fumicatus Christ,1791** (Sphecidae) Synonym(s): fumicatus Christ,1791 Range (in code): **TR 07 33 36**
- 17509. Spheex (s.str.) funerarius Gussakowski,1934** (Sphecidae) Synonym(s): funerarius Gussakowski,1934 Range (in code): **TR 01 06 07 08 09 10 13 16 18 20 24 25 26 28 29 31 33 34 35 36 38 42 43 45 48 53 65 76**
- 17510. Spheex (s.str.) leuconotus Brullé,1833** (Sphecidae) Synonym(s): leuconotus Brullé,1833 Range (in code): **TR 08 25 26 31 36 42 49 76**
- 17511. Spheex (s.str.) oxianus Gussakowski,1928** (Sphecidae) Synonym(s): oxianus Gussakowski,1928 Range (in code): **TR 06 08 63**

- 17512. *Sphex (s.str.) pruinus* Germar, 1817** (Sphecidae) **Synonym(s):** pruinus Germar, 1817 **Range (in code):** **TR 01 06 07 08 10 13 25 33 42 46 49 61 71 76**
- 17513. *Aglaostigma aucupariae* (Klug, 1817)** (Tenthredinidae) **Synonym(s):** aucupariae Klug, 1817; lacteore Benson, 1968 **Range (in code):** **GR YU MK Cc TR 42**
- 17514. *Allantus balteatus* (Klug, 1818)** (Tenthredinidae) **Synonym(s):** balteatus Klug, 1818; bucculentus Tischbein, 1846; fulvocinctus Rudow, 1872 **Range (in code):** **CY TR Cc RU Sb IR 03 25 29 69**
- 17515. *Allantus basalis* (Klug, 1818)** (Tenthredinidae) **Synonym(s):** basalis Klug, 1818; togatus Stephens, 1835 nec Panz., 1801; caledonicus Benson, 1945 **Range (in code):** **TR RU Sb MN CN JP CA 16 24 25 55**
- 17516. *Allantus cinctus* (Linnaeus, 1758)** (Tenthredinidae) **Synonym(s):** cinctus Linnaeus, 1758; cordigera Geoffroy, 1785; togata Zetterstedt, 1840; varipes Audinet-Serville, 1840; neglectus Zaddach, 1859 **Range (in code):** **Cc TR UA Cm IR KG MN CA 05 08 25 29**
- 17517. *Allantus cingulatus* (Scopoli, 1763)** (Tenthredinidae) **Synonym(s):** cingulatus Scopoli, 1763; tenuis Audinet-Serville, 1823; elegans Costa, 1859 **Range (in code):** **TR Cc RU Sb 24 25 29**
- 17518. *Allantus didymus* (Klug, 1818)** (Tenthredinidae) **Synonym(s):** didymus Klug, 1818; testaceipes Audinet-Serville, 1823; nigratarsis Brullé, 1832; proximus Costa, 1859; ruficrus Mocsary, 1880; fumatus André, 1880 **Range (in code):** **TR Cc IR KG RU 01 05 06 08 14 24 25 29 33 36 51 60**
- 17519. *Allantus togatus* (Panzer, 1801)** (Tenthredinidae) **Synonym(s):** togatus Panzer, 1801; succincta Klug, 1817; steini Schmiedeknecht, 1881 **Range (in code):** **RU Sb TR JP 25**
- 17520. *Allantus viennensis* (Schränk, 1781)** (Tenthredinidae) **Synonym(s):** viennensis Schränk, 1781; uberius Enslin, 1914; nigracoxis De Stefani, 1883; medinae Konow, 1894 **Range (in code):** **TR Cc RU Sb 24 25 29 36**
- 17521. *Ametastegia carpinii* (Hartig, 1837)** (Tenthredinidae) **Synonym(s):** carpinii Hartig, 1837 **Range (in code):** **GR BG TR**
- 17522. *Ametastegia glabrata* (Fallén, 1808)** (Tenthredinidae) **Synonym(s):** glabrata Fallén, 1808; fulvipes Costa, 1882; agilis Klug, 1817; rufipes Audinet-Serville, 1823; nigrisoma Norton, 1862; abnormis Provancher, 1885; potulenta MacGillivray, 1923 **Range (in code):** **RU Sb UA Cm TR Cc KG DZ MN CA 25 33**
- 17523. *Ametastegia pallipes* (Spinola, 1808)** (Tenthredinidae) **Synonym(s):** pallipes Spinola, 1808; grossulariae Klug, 1818; lapponica Zetterstedt, 1838; pallipes Provancher, 1878 nec Spin., 1808; leucopodus Audinet-Serville, 1823; canadense Kirby, 1882; pallidipes Dalla Torre, 1894; cavata MacGillivray, 1911; cetaria MacGillivray, 1921 **Range (in code):** **TR Cc IR RU Sb CA**
- 17524. *Apethymus apicalis* (Klug, 1818)** (Tenthredinidae) **Synonym(s):** apicalis Klug, 1818; serotinus Müller, 1776; filiformis Klug, 1818 **Range (in code):** **TR RU Cc 36**
- 17525. *Athalia ahngerii* Kokujev, 1909** (Tenthredinidae) **Synonym(s):** ahngerii Kokujev, 1909 **Range (in code):** **IL Pa TR Cc TM UZ AF 29 51**
- 17526. *Athalia bicolor* Audinet-Serville, 1823** (Tenthredinidae) **Synonym(s):** bicolor Audinet-Serville, 1823 **Range (in code):** **UA Cm TR Cc DZ RU 08 11 12 16 22 24 25 29 36 55 61 64 69**
- 17527. *Athalia circularis* (Klug, 1815)** (Tenthredinidae) **Synonym(s):** circularis Klug, 1815; lineolata Audinet-Serville, 1823; bolivari Dusmet, 1896; libertoides Priesner, 1928; longifoliae Kontuniemi, 1951; alpina Chevin, 1969 **Range (in code):** **UA Cm TR RU MN CA CN TM Kp AF TJ Pm RU Sb At JP 05 08 14 19 24 25 29 33 34 36 48 53 55 60 61 67**
- 17528. *Athalia cordata* Audinet-Serville, 1823** (Tenthredinidae) **Synonym(s):** cordata Audinet-Serville, 1823; suessionensis Audinet-Serville, 1823; blanchardi Brullé, 1846 **Range (in code):** **UA Cm TR GR Cr CY RU BY MD Cc GG AM AZ Cn DZ IL Pa 08 09 12 14 16 25 28 36 43 48 53 55 61**
- 17529. *Athalia cornubiae* Benson, 1931** (Tenthredinidae) **Synonym(s):** cornubiae Benson, 1931 **Range (in code):** **TR IR 14 61**
- 17530. *Athalia cuspidata* Benson, 1954** (Tenthredinidae) **Synonym(s):** cuspidata Benson, 1954 **Range (in code):** **IL Pa**
- 17531. *Athalia dimidiata* Konow, 1891** (Tenthredinidae) **Synonym(s):** dimidiata Konow, 1891 **Range (in code):** **TR**
- 17532. *Athalia liberta* (Klug, 1815)** (Tenthredinidae) **Synonym(s):** liberta Klug, 1815; immaculata Konow, 1884 **Range (in code):** **RU TR IR UZ KK Cc Sb IN CN JP 05 08 09 15 24 25 29 34 36 53 55 61 76**
- 17533. *Athalia maculata* Mocsary, 1879** (Tenthredinidae) **Synonym(s):** maculata Mocsary, 1879 **Range (in code):** **HU Cc TR 05 14 25 29 36 55 69**
- 17534. *Athalia paradoxa* Konow, 1886** (Tenthredinidae) **Synonym(s):** paradoxa Konow, 1886 **Range (in code):** **CH FR MK GR TR IT HU AT 16 25 29 61**
- 17535. *Athalia pavli* Mocsary, 1879** (Tenthredinidae) **Synonym(s):** pavli Mocsary, 1879 **Range (in code):** **TR**
- 17536. *Athalia rosae* (Linnaeus, 1758)** (Tenthredinidae) **Synonym(s):** rosae Linnaeus, 1758; spinarum Fabricius, 1775; salicis Schränk, 1781 nec Linn., 1758; colibri Christ, 1791; centifoliae Panzer, 1798 **Range (in code):** **TR IL Pa IR RU Cc Sb CN 01 04 06 08 10 12 25 29 31 32 33 34 36 42 43 48 53 55 61 64 69**
- 17537. *Athalia rufoscutellata* Mocsary, 1879** (Tenthredinidae) **Synonym(s):** rufoscutellata Mocsary, 1879; maculata Mocsary, 1879; maritima Kirby, 1884; mocsaryi Konow, 1892; nigroscutellata Konow, 1892; pleuralis Konow, 1898; obscurata Konow, 1904 **Range (in code):** **AL AT B-H BG CN HV CZ FR DE GR HU IT MK NL RO RU SK ES CH TR UA Cm YU 06 08 12 14 16 19 25 29 36 38 55**



- 17538. Caliroa cerasi (Linnaeus,1758)** (Tenthredinidae) Synonym(s): cerasi Linnaeus,1758 Range (in code): TR Cc RU AU NZ CA 25 55
- 17539. Cladius pectinicornis (Geoffroy,1785)** (Tenthredinidae) Synonym(s): pectinicornis Geoffroy,1785 Range (in code): TR 65
- 17540. Cuneala amasiensis (Kriechbaumer,1869)** (Tenthredinidae) Synonym(s): amasiensis Kriechbaumer,1869 Range (in code): TR 05 06 09 16 19 20 35
- 17541. Cuneala confinis (Konow,1886)** (Tenthredinidae) Synonym(s): confinis Konow,1886; koehleri sensu Puls,1870 nec Klug,1817; atratus André,1883; confinis Konow,1886; parviceps Konow,1898. Range (in code): TR 08 14 18 25 29 37 38 53 61
- 17542. Cuneala koehleri Klug,1817** (Tenthredinidae) Synonym(s): koehleri Klug,1817 Range (in code): TR 08 25 53
- 17543. Dolerus germanicus (Fabricius,1775)** (Tenthredinidae) Synonym(s): abietis Linnaeus,1761 nec Linn.,1758; germanicus Fabricius,1775; melanocephala Geoffroy,1785; analis Fabricius,1793; pedestris Panzer,1801; eglanteriae Klug,1818; bajulus Audinet-Serville,1823; xanthopus Stephens,1835; quadricincta Zetterstedt,1838 Range (in code): TR UA Cc RU Sb 05 08 12 24 25 29 32 36 53 61 69
- 17544. Dolerus haematodes (Schränk,1781)** (Tenthredinidae) Synonym(s): haematodes Schrank,1781 Range (in code): TR 25 29 55 61
- 17545. Dolerus puncticollis C.G.Thomson,1871** (Tenthredinidae) Synonym(s): puncticollis C.G.Thomson,1871; croaticus Konow,1890 Range (in code): TR HV RU UA Cc IR IL Pa DZ 12 25 29 36 53 55 75 76
- 17546. Dolerus triplicatus (Klug,1818)** (Tenthredinidae) Synonym(s): triplicatus Klug,1818 Range (in code): TR 06 08 22 24 25 29 36 69
- 17547. Elinora asiatica Enslin,1910** (Tenthredinidae) Synonym(s): asiatica Enslin,1910 Range (in code): TR 25 32 36 48 69 76
- 17548. Elinora baetica Spinola,1843** (Tenthredinidae) Synonym(s): baetica Spinola,1843; fulviventris Mocsary,1880; dusmeti Konow,1894; antiquae Zirngiebl,1937 Range (in code): TR 25 36
- 17549. Elinora ornata André,1881** (Tenthredinidae) Synonym(s): ornata André,1881; discolor Konow,1890; ornatus André,1881; mocsaryi Enslin,1910; baja Enslin,1912; camilla Enslin,1912 Range (in code): TR 36
- 17550. Eriocampa ovata (Linnaeus,1761)** (Tenthredinidae) Synonym(s): ovata Linnaeus,1761 Range (in code): TR Cc RU US 08 22 34 39 53 60 61
- 17551. Eriocampa umbratica (Klug,1816)** (Tenthredinidae) Synonym(s): umbratica Klug,1816; nigrita Fallén,1829 Range (in code): TR 08 53 61
- 17552. Eutomostethus ephippium (Panzer,1798)** (Tenthredinidae) Synonym(s): ephippium Panzer,1798 Range (in code): TR RU Cc IN US 61
- 17553. Fenusa pusilla Lepeletier,1823** (Tenthredinidae) Synonym(s): pusilla Lepeletier,1823 Range (in code): RO Cc RU TR MN US 25
- 17554. Macrophya albicincta (Schränk,1776)** (Tenthredinidae) Synonym(s): albicincta Schrank,1776; leucopoda Palma,1861; melasoma Rudow,1871; albipes Geoffroy,1785; fera Fallen,1808 nec Scop.,1786; lugubris Audinet-Serville,1823; luctuosa Audinet-Serville,1823 nec Schr.,1802 Range (in code): TR 08 14 16 28 53 55 61 67
- 17555. Macrophya annulata Geoffroy,1785** (Tenthredinidae) Synonym(s): annulata Geoffroy,1785; ligata Müller,1776; similis Spinola,1808; neglecta Klug,1817; abietis Audinet-Serville,1823 nec Linn.,1758 Range (in code): TR 06 29 53 55
- 17556. Macrophya blanda Fabricius,1775** (Tenthredinidae) Synonym(s): blanda Fabricius,1775; solitaria Schrank,1781 nec Scop.,1763; ligustrina Geoffroy,1785; cylindrica Fabricius,1804; lacrymosa Audinet-Serville,1823; cognata Fallén,1829; nyctea Fischer de Waldheim,1843 Range (in code): TR 02 05 06 08 24 25 28 29 31 33 36 42 53 55 61 64 69
- 17557. Macrophya crassula (Klug,1817)** (Tenthredinidae) Synonym(s): crassula Klug,1817; maculosa Audinet-Serville,1823; klugii Snellen van Vollenhoven,1869; cora Kirby,1886 Range (in code): TR 08 16 33 55 57 61
- 17558. Macrophya cyrus Benson,1954** (Tenthredinidae) Synonym(s): cyrus Benson,1954 Range (in code): TR 03 05 06 12 13 23 24 25 29 36 42 51 65 69
- 17559. Macrophya diversipes (Schränk,1782)** (Tenthredinidae) Synonym(s): diversipes Schrank,1782; flavipes Tischbein,1852; haematopus Costa,1866; eximia Mocsary,1877; caucasica André,1881; rubripes André,1881; saundersi Kirby,1886; sanguinipes Mocsary,1891; dalmatina Gasparini,1891; haematopus Villers,1789; ochreatea Panzer, Range (in code): TR 08 12 24 25 29 36 53 65 69
- 17560. Macrophya duodecimpunctata (Linnaeus,1758)** (Tenthredinidae) Synonym(s): duodecimpunctata Linnaeus,1758; signata Scopoli,1763; fera Scopoli,1786; melanoleuca Gmelin,1789; albamacula Audinet-Serville,1823; idriensis Lepeletier,1823; dolens Eversmann,1847; curvipes Gimmerthal,184 novemguttata Costa,1859; luridicarpa Costa,1894; Range (in code): TR 25 55 69
- 17561. Macrophya erythrocnema A.Costa,1859** (Tenthredinidae) Synonym(s): erythrocnema A.Costa,1859; femoralis Kawall,1864 nec Stephens,1835 Range (in code): TR 08 25 53 61 69
- 17562. Macrophya militaris Klug,1817** (Tenthredinidae) Synonym(s): militaris Klug,1817; lepeletieri Costa,1859; analis Spinola,1808 nec Fabr.,1793; schaefferi Audinet-Serville,1823 nec Klug,1817 Range (in code): TR 08 25

- 17563. *Macrophya montana* (Scopoli,1763)** (Tenthredinidae) Synonym(s): *montana* Scopoli,1763  
Range (in code): TR 03 05 25 32 53 55 58 69
- 17564. *Macrophya ottomana* Mocsary,1881** (Tenthredinidae) Synonym(s): *ottomana* Mocsary,1881  
Range (in code): TR Cc AM IR IL Pa JO LB SY RU 05
- 17565. *Macrophya postica* Brullé,1832** (Tenthredinidae) Synonym(s): *postica* Brullé,1832; *ratzeburgii* Tischbein,1852; *histrionica* Snellen,1878 Range (in code): TR 01 03 05 06 07 08 09 10 12 14 21 24 25 29 33 35 36 48 52 53 55 57 69 80
- 17566. *Macrophya rufipes* Linnaeus,1758** (Tenthredinidae) Synonym(s): *rufipes* Linnaeus,1758; *pavida* Fabricius,1775; *dumetorum* Geoffroy,1785; *strigosa* Fabricius,1798; *citreipes* Audinet-Serville,1823 Range (in code): TR 08 10 12 25 29 36 69
- 17567. *Macrophya suberba* Tischbein,1852** (Tenthredinidae) Synonym(s): *erythropus* Brullé,1832; *suberba* Tischbein,1852; *flavipennis* Kriechbaumer,1891 Range (in code): TR 03 05 06 08 10 18 24 25 29 36 41 45 51 65 69
- 17568. *Macrophya teutonia* Panzer,1799** (Tenthredinidae) Synonym(s): *teutonia* Panzer,1799; *marginata* Mocsary,1881; *aureatensis* Schrank,1802 Range (in code): TR 24 25 36
- 17569. *Messa hortulana* (Klug,1818)** (Tenthredinidae) Synonym(s): *hortulana* Klug,1818; *doederleini* De Stefani,1883; *ticinensis* Magretti,1886 Range (in code): TR 25
- 17570. *Monophadnoides punctipes* (Konow,1886)** (Tenthredinidae) Synonym(s): *punctipes* Konow,1886 Range (in code): TR RU Sb 25
- 17571. *Monophadnus pallescens* (Gmelin,1790)** (Tenthredinidae) Synonym(s): *pallescens* Gmelin,1790  
Range (in code): TR RU Cc KG US 53 61
- 17572. *Pachyprotasis rapae* Linne,1767** (Tenthredinidae) Synonym(s): *rapae* Linne,1767; *scripta* Gmelin,1790; *luctuosa* Schrank,1802; *floricola* Gravenhorst,1807; *nigrofasciata* Eschscholtz,1822; *ornega* Norton,1867; *sayi* Rohwer,1908 Range (in code): TR 08 25 28 53 61
- 17573. *Rhogogaster auctor* Weiffenbach,1967** (Tenthredinidae) Synonym(s): *auctor* Weiffenbach,1967  
Range (in code): AT BE BG HV FR DE GB IT MD NL SK CH TR 06 51
- 17574. *Rhogogaster chambersi* Benson,1947** (Tenthredinidae) Synonym(s): *chambersi* Benson,1947  
Range (in code): AT IT BE MD BG NL HV SK FR CH DE GB TR
- 17575. *Rhogogaster chlorosoma* (Benson,1943)** (Tenthredinidae) Synonym(s): *scalaris* auct.; *chlorosoma* Benson,1943; *podkumokensis* Muche,1973 Range (in code): AT EE LT PL UA BY FI RO YU BE FR MK RU Cc BG DE MD SK CN GB MN ES HV HU NL CH CZ IT NO TR 06 08 12 25 29 34 53 60 69
- 17576. *Rhogogaster dryas* (Benson,1943)** (Tenthredinidae) Synonym(s): *dryas* Benson,1943; *similis* Lindqvist,1959 Range (in code): AT BG DE RU HV GB CH IT CZ EE FI NL NO FR PL TR
- 17577. *Rhogogaster naias* Benson,1965** (Tenthredinidae) Synonym(s): *naias* Benson,1965 Range (in code): TR CN
- 17578. *Rhogogaster picta* (Klug,1817)** (Tenthredinidae) Synonym(s): *picta* Klug,1817; *breviuscula* Costa,1859 Range (in code): AL CZ LT RO UA AT FR MK RU YU BY DE MD SK BE NL SS B-H GR ES BG HU PL CH HV IT PT TR
- 17579. *Rhogogaster punctulata* (Klug,1817)** (Tenthredinidae) Synonym(s): *punctulata* Klug,1817; *idriensis* Giraud,1857 Range (in code): AL ZC GR PL CH AT DK IT RO BE EE LT RU UA B-H FI SK BG FR MN SS CN DE NL ES HV GB NO SE TR
- 17580. *Sciapteryx circassica* Dovnar-Zapolski,1930** (Tenthredinidae) Synonym(s): *circassica* Dovnar-Zapolski,1930 Range (in code): TR 25 29 61
- 17581. *Sciapteryx laeta* Konow,1891** (Tenthredinidae) Synonym(s): *laeta* Konow,1891; *laeta* Muche,1973  
Range (in code): TR 25 29
- 17582. *Selandria serva* (Fabricius,1793)** (Tenthredinidae) Synonym(s): *serva* Fabricius,1793 Range (in code): TR 58
- 17583. *Seljukia tenebrosa* Benson,1966** (Tenthredinidae) Synonym(s): *tenebrosa* Benson,1966 Range (in code): TR 07 32 33
- 17584. *Stethomostus fuliginosus* (Schrank,1781)** (Tenthredinidae) Synonym(s): *fuliginosus* Schrank,1781 Range (in code): TR 06 14 51 53
- 17585. *Tenthredo (Cephalodo) bifasciata* O.Müller,1766** (Tenthredinidae) Synonym(s): *bifasciata* O.Müller,1766; *vidua* Spinola,1806; *palestina* Pic,1948 Range (in code): GR TR IL Pa 65 76
- 17586. *Tenthredo (Cephalodo) caucasica* Eversmann,1847** (Tenthredinidae) Synonym(s): *caucasica* Eversmann,1847; *moestus* Mocsary,1883 Range (in code): TR 25 29 32 53 61
- 17587. *Tenthredo (Cephalodo) costata* Klug,1817** (Tenthredinidae) Synonym(s): *costata* Klug,1817; *sareptana* Eversmann,1847; *subcostatus* Jakovlev,1888; *graecus* Konow,1888; *parnasius* Konow,1888; *violaceipennis* Costa,1890 Range (in code): TR 05 06 08 12 13 23 24 25 28 29 42 51 58 69
- 17588. *Tenthredo (Cephalodo) excellens* Konow,1886** (Tenthredinidae) Synonym(s): *annulata* Klug,1817 *nec* Geoffr.,1785; *excellens* Konow,1888; *mandibularis* Enslin,1910; *caja* Enslin,1912 Range (in code): TR 05 06 10 24 25 33 36 38 58 69
- 17589. *Tenthredo (Elinora) amasiensis* (Kriechbaumer,1869)** (Tenthredinidae) Synonym(s): *amasiensis* Kriechbaumer,1869 Range (in code): BG TR 05

- 17590. *Tenthredo (Elinora) parvula* (Kriechbaumer,1869)** (Tenthredinidae) Synonym(s): *parvula* Kriechbaumer,1869 Range (in code): **TR SY 05**
- 17591. *Tenthredo (s.str.) scrophulariae* Linnaeus,1758** (Tenthredinidae) Synonym(s): *scrophulariae* Linnaeus,1758; *branensis* Pic,1926; *joannis* Pic,1926; *morvandicus* Pic,1926; *repartitus* Pic,1926 Range (in code): **AL HV GB MK SK YU CZ GR NL SS AT DK HU NO ES BY EE IR PL SE BE FI IT PT CH B-H FR LT RO BG DE UA TR RU Cc 08 14 24 25 53 58 60 69 76**
- 17592. *Tenthredo (Zonuledo) flavipennis* (Brullé,1832)** (Tenthredinidae) Synonym(s): *flavipennis* Brullé,1832; *frivaldszkyi* Mocsary,1879; *lautus* Konow,1891 Range (in code): **TR 02 24 25 29 36 65 69**
- 17593. *Tenthredo (Zonuledo) zonula* Klug,1817** (Tenthredinidae) Synonym(s): *fasciata* Scopoli,1763 nec Linn.,1758; *bifasciata* Geoffroy,1785 nec Müll.,1766; *bicictaflava* Christ,1791; *zonula* Klug,1817; *similis* Mocsary,1880; *nazarensis* André; *serena* Konow; *calcaratus* André,1881; *scutellaris* Konow,1898 Range (in code): **TR RU UA IR MD Cc AM IL SY LB 01 02 03 05 06 07 08 09 12 13 14 16 19 21 24 25 29 31 32 33 34 35 36 41 42 48 50 51 57 58 63 65 69 80**
- 17594. *Tenthredo acerrima* Benson,1952** (Tenthredinidae) Synonym(s): *acerrima* Benson,1952; *nitidior* (Konow,1888); *marginella* Panzer,1804, nec Fabricius,1793; *aegra* Enslin,1912; *sulphuripes* (Kriechbaumer,1869); *arcuatus* Zirngiebl,1937 Range (in code): **TR 08 25 29 53 61 75**
- 17595. *Tenthredo albiventris* Mocsary,1880** (Tenthredinidae) Synonym(s): *albiventris* Mocsary,1880; *trivittata* André,1881; *lederi* Konow,1890; *albiventris* Enslin,1912; *pallidula* Benson,1930; *kerketa* Dovnar-Zapolskij,1930 Range (in code): **TR 29**
- 17596. *Tenthredo albopicta* Puls,1870** (Tenthredinidae) Synonym(s): *albopicta* Puls,1870; *nigroclypeata* Mocsary,1909 Range (in code): **TR 08 61**
- 17597. *Tenthredo arcuata* Forster,1771** (Tenthredinidae) Synonym(s): *arcuata* Forster,1771; *labiata* Geoffroy,1785; *virgata* Geoffroy,1785; *viminalis* Schrank,1796; *marginella* Panzer,1804,nec Fabricius,1793,p.p.; *melanotus* Rudow,1872; *dispar* Rudow,1872,nec Klug,1817; *clpealis* Konow,1888 Range (in code): **TR 08 25 53**
- 17598. *Tenthredo caligator* Eversmann,1847** (Tenthredinidae) Synonym(s): *caligator* Eversmann,1847; *nigritarsis* Puls,1870; *morawitzi* Jakovlev,1888 Range (in code): **TR 25 53 61**
- 17599. *Tenthredo colon* Klug,1817** (Tenthredinidae) Synonym(s): *colon* Klug,1817; *obscura* Panzer,1805 nec Gmel.,1790; *rudowi* André,1881; *nigricollis* Kirby,1882; *jocosa* Provancher,1882; *punctulata* Konow,1887; *nigriventris* Enslin,1912 Range (in code): **TR 08 43 61**
- 17600. *Tenthredo discophora* Konow,1896** (Tenthredinidae) Synonym(s): *discophora* Konow,1896; *pullata* Konow,1898; *bigemmis* Konow,1903 Range (in code): **TR 14 29 53 61**
- 17601. *Tenthredo frauenfeldii* Giraud,1857** (Tenthredinidae) Synonym(s): *frauenfeldii* Giraud,1857; *helveticus* Konow,1898; *merceti* Konow; *montanus* Enslin; *dilleri* Taeger,1991 Range (in code): **TR 08 25 29 53 55**
- 17602. *Tenthredo hyrcana* Benson,1968** (Tenthredinidae) Synonym(s): *hyrcana* Benson,1968 Range (in code): **AM TR 05 06 08 24 25**
- 17603. *Tenthredo liturata* (Mocsary,1886)** (Tenthredinidae) Synonym(s): *liturata* Mocsary,1886; *egregia* Enslin,1914; *reitteri* Konow,1886 Range (in code): **TR 08 18 25 29 43 53 61**
- 17604. *Tenthredo livida* Linnaeus,1758** (Tenthredinidae) Synonym(s): *livida* Linnaeus,1758; *dubia* Ström,1768; *lurida* Müller,1775; *pellucida* Müller,1776; *bipunctata* Müller,1776; *annularis* Schrank,1776; *albicornis* Geoffroy,1785; *maura* Fabricius,1793; *carpini* Panzer,1799; *atterimus* Stephens,1835 Range (in code): **TR 25 53 69 67**
- 17605. *Tenthredo luteipennis* Eversmann,1847** (Tenthredinidae) Synonym(s): *luteipennis* Eversmann,1847; *fallax* Mocsary,1880 nec Smith,1878 nec Audinet-Serville,1823; *mocsaryi* André,1882; *menetriesi* Kirby,1882; *obscuraria* Enslin,1913 Range (in code): **TR Cc Pm 25 53 61**
- 17606. *Tenthredo maculata* Geoffroy,1785** (Tenthredinidae) Synonym(s): *maculata* Geoffroy,1785; *unifasciata* Geoffroy,1785; *zonta* Christ,1791; *equestris* Panzer,1809; *latizona* Audinet-Serville,1823; *andréi* Mocsary,1883; *maculata* Enslin,1912 Range (in code): **TR Cc RU Sb JP 25 29 61**
- 17607. *Tenthredo marginella* Fabricius,1793** (Tenthredinidae) Synonym(s): *marginella* Fabricius,1793; *fuscipennis* Konow,1886 [ssp.]; *hakkariensis* Blank,1991 [ssp.] Range (in code): **YU BG GR TR AZ Cc Kir 30 65 76**
- 17608. *Tenthredo mesomelas* Linnaeus,1758** (Tenthredinidae) Synonym(s): *mesomelas* Linnaeus,1758; *viridis* Klug,1817 nec Linn.,1758; *bernardi* Konow,1888; *mesomelaena* Konow,1905; *montana* Pasteels,1946; *mesopleuralis* Enslin,1912; *atramentaria* Enslin,1912 Range (in code): **TR 14 25 29 53 61 67**
- 17609. *Tenthredo notha* Klug,1817** (Tenthredinidae) Synonym(s): *notha* Klug,1817; *perkinsi* Morice,1919; *niger* Zirngiebl,1937 Range (in code): **TR 25**
- 17610. *Tenthredo omissa* Förster,1844** (Tenthredinidae) Synonym(s): *omissa* Förster,1844; *vienensis* sensu Panzer,1799; *marginella* sensu Thomson,1871; *melanoceraea* Enslin,1912 Range (in code): **TR Cc RU Sb 14 25**
- 17611. *Tenthredo propinqua* Klug,1817** (Tenthredinidae) Synonym(s): *propinqua* Klug,1817 Range (in code): **TR RU UA Cc 08 18 25 37 53**
- 17612. *Tenthredo thompsoni* Curtis,1839** (Tenthredinidae) Synonym(s): *thompsoni* Curtis,1839; *basanalis* Enslin,1912; *marginella* sensu Chevin,1983; *semifasciatus* Rudow,1872 Range (in code): **TR Cc RU KG 16 24 25 29 61**
- 17613. *Tenthredo vespa* Retzius,1783** (Tenthredinidae) Synonym(s): *vespa* Retzius,1783; *multifasciata* Geoffroy,1785; *sexannulata* Schrank,1802; *tricincta* Fabricius,1804 nec Christ,1791; *quadricincta* Fallén,1808;



- vespiformis Audinet-Serville,1823; multicinctus Rudow,1872; nigrilabris Frivaldszky,1877 Range (in code): **TR RU Cc Sb CN MN 25 53 61 65**
- 17614. Tenthredo vespiformis Schrank,1781** (Tenthredinidae) Synonym(s): vespiformis Schrank,1781 Range (in code): **TR RU UA 24 25 36**
- 17615. Tenthredopsis albonotata (Brullé,1832)** (Tenthredinidae) Synonym(s): albonotata Brullé,1832; propinqua Mocsary,1880 nec Klug,1817 Range (in code): **TR LB SY IL 21 23 31**
- 17616. Tenthredopsis festiva Konow,1890** (Tenthredinidae) Synonym(s): festiva Konow,1890 Range (in code): **TR Cc 25 29 36 69**
- 17617. Tenthredopsis harveyi Benson,1968** (Tenthredinidae) Synonym(s): harveyi Benson,1968 Range (in code): **TR 14 25**
- 17618. Tenthredopsis nassata Linnaeus,1767** (Tenthredinidae) Synonym(s): nassata Linnaeus,1767; albomaculatus Cameron,1881; dorsivittatus Cameron,1881; lividiventris Cameron,1881; alneti Schrank,1781; palmata Geoffroy,1785; perlata Geoffroy,1785; apicaris Geoffroy,1785; subulata Gmelin,1790; melanorrhoea Gmelin,1790; Range (in code): **TR 05 06 08 18 25 61**
- 17619. Tenthredopsis nigella Konow,1891** (Tenthredinidae) Synonym(s): nigella Konow,1891 Range (in code): **TR 25**
- 17620. Tenthredopsis sordida Klug,1817** (Tenthredinidae) Synonym(s): sordida Klug,1817 Range (in code): **TR 25**
- 17621. Tenthredopsis tessellata Klug,1817** (Tenthredinidae) Synonym(s): tessellata Klug,1817; alboplagiata Konow,1890; ischiadica Eversmann,1847; cylindrica Rudow,1871 Range (in code): **TR RU Cc Sb MN CN IR 16 25 55**
- 17622. Tomostethus nigrinus (Fabricius,1804)** (Tenthredinidae) Synonym(s): nigrinus Fabricius,1804; brevicornis Klug,1816; nigerrima Klug,1816; fraxini Audinet-Serville,1823 Range (in code): **RU Cc Sb TR 36**
- 17623. Epiclerus alahanensis Doğanlar,2003** (Tetracampidae) Synonym(s): alahanensis Doğanlar,2003 Range (in code): **TR**
- 17624. Epiclerus guemenekus Doğanlar,2003** (Tetracampidae) Synonym(s): guemenekus Doğanlar,2003 Range (in code): **TR**
- 17625. Epiclerus panyas (Walker)** (Tetracampidae) Synonym(s): Range (in code): **TR**
- 17626. Epiclerus tokatus Doğanlar,2003** (Tetracampidae) Synonym(s): tokatus Doğanlar,2003 Range (in code): **TR 60**
- 17627. Eremocampe choresmiana Sugonjaev** (Tetracampidae) Synonym(s): Range (in code): **TR**
- 17628. Foersterella seyhanensis Doğanlar,2003** (Tetracampidae) Synonym(s): seyhanensis Doğanlar,2003 Range (in code): **TR 01**
- 17629. Platynocheilus cuprifrons (Nees ab Esenbeck)** (Tetracampidae) Synonym(s): Range (in code): **TR**
- 17630. Platynocheilus karsensis Doğanlar,2003** (Tetracampidae) Synonym(s): karsensis Doğanlar,2003 Range (in code): **TR 36**
- 17631. Icronatha caucasica (Mocsary,1883)** (Tiphidae) Synonym(s): caucasica Mocsary,1883 Range (in code): **Cc TR 01 12 25 35 36 45 55 58 65 66**
- 17632. Ludita fulvipennis (Smith,1879)** (Tiphidae) Synonym(s): fulvipennis Smith,1879 Range (in code): **TR 01 02 04 06 08 13 20 25 30 32 33 34 35 37 39 42 43 47 55 58 65 66**
- 17633. Ludita villosa (Fabricius,1793)** (Tiphidae) Synonym(s): villosa Fabricius,1793 Range (in code): **TR 12 13 25 32 33 58 65**
- 17634. Meria anatolica Bartalucci,2004** (Tiphidae) Synonym(s): anatolica Bartalucci,2004 Range (in code): **TR 07**
- 17635. Meria arabica Guérin-Ménéville,1837** (Tiphidae) Synonym(s): arabica Guérin-Ménéville,1837 Range (in code): **IR**
- 17636. Meria askhabadensis Radoszkowski,1886** (Tiphidae) Synonym(s): askhabadensis Radoszkowski,1886 Range (in code): **TR TM Kp 06 07 10 15 24 36 51**
- 17637. Meria aurantiaca Guérin-Ménéville,1837** (Tiphidae) Synonym(s): aurantiaca Guérin-Ménéville,1837; paradisiaca Boni Bartalucci,1992 Range (in code): **TR GR Rd 07 15 17 20 45 51**
- 17638. Meria dorsalis (Fabricius,1804)** (Tiphidae) Synonym(s): dorsalis Fabricius,1804 Range (in code): **TR 01 04 06 08 10 11 13 15 17 20 24 25 26 32 33 35 36 42 43 45 51 60 69**
- 17639. Meria geniculata (Brullé,1832)** (Tiphidae) Synonym(s): geniculata Brullé,1832; graeca Saunders,1850; swanetiae Radoszkowski,1861; nigriceps Mocsary,1883; picta Schulthess,1893; nigrigena Guiglia,1966 Range (in code): **TR GR RU Cc GG 04 06 10 15 17 24 25 32 35 36 45 51**
- 17640. Meria nitidula Klug,1810** (Tiphidae) Synonym(s): nitidula Klug,1810 Range (in code): **TR 32 35 36**
- 17641. Meria orotaura Elçin, Bağrıaçık & Bartalucci,2013** (Tiphidae) Synonym(s): orotaura Elçin, Bağrıaçık & Bartalucci,2013 TR 51
- 17642. Meria thoracica Guérin-Ménéville,1838** (Tiphidae) Synonym(s): thoracica Guérin-Ménéville,1838 Range (in code): **SA**

- 17643. Meria tripunctata (Rossi,1790)** (Tiphidae) Synonym(s): tripunctata Rossi,1790; sexfasciata Rossi,1792; verhoeffi Guiglia,1961 Range (in code): AT IT Co Sa Si FR ES DE PL Md HU AL RU TR IL Pa EG MA DZ
- 17644. Mesa palestinella Guiglia,1963** (Tiphidae) Synonym(s): palestinella Guiglia,1963 Range (in code): IL Pa TR Rd 13 25
- 17645. Methocha articulata (Latreille,1792)** (Tiphidae) Synonym(s): articulata Latreille,1792; formicaria Latreille,1792; ichneumonides Latreille,1805; mutillaria Latreille,1806; sanvitali Latreille,1809; italica Costa,1858 articulata Latreille,1792 Range (in code): DZ AT BY BE BG HV CZ DK GB EE FI FR DE GR HU IT LT KG NL NO PL RO RU Sb Us PT SK ES SE CH TR TJ UA TM 24 25 48 80
- 17646. Poecilotiphia melaena Bartalucci,2013** (Tiphidae) Synonym(s): melaena Bartalucci,2013 TR 65
- 17647. Poecilotiphia parvula (Smith,1855)** (Tiphidae) Synonym(s): parvula Smith,1855 Range (in code): TR 15 36 42 45
- 17648. Silifka fatima Argaman & Özbek,1992** (Tiphidae) Synonym(s): fatima Argaman & Özbek,1992 Range (in code): TR 07 33
- 17649. Tamerlanella kurnubiensis (Guiglia,1963)** (Tiphidae) Synonym(s): kurnubiensis Guiglia,1963 Range (in code): IL Pa JO
- 17650. Tamerlanella radialis (Saussure,1880)** (Tiphidae) Synonym(s): radialis Saussure,1880; tartara Saussure,1880; tamerlanella Saussure,1880 Range (in code): TM UZ KG
- 17651. Tiphia bahattini Yıldırım,2009** (Tiphidae) Synonym(s): bahattini Yıldırım,2009 Range (in code): TR 21
- 17652. Tiphia bituberculata Yıldırım,2009** (Tiphidae) Synonym(s): bituberculata Yıldırım,2009 Range (in code): TR 76
- 17653. Tiphia femorata Fabricius,1775** (Tiphidae) Synonym(s): femorata Fabricius,1775 Range (in code): TR 01 02 06 07 08 09 10 11 13 15 16 17 20 24 25 26 29 31 32 33 35 36 39 42 43 45 46 47 50 52 55 58 60 65 69 76
- 17654. Tiphia minuta Van der Linden,1827** (Tiphidae) Synonym(s): minuta Van der Linden,1827 Range (in code): TR 02 04 12 13 15 20 24 25 31 35 36 42 45 46 47 50 58 63 65
- 17655. Tiphia persica Turner,1908** (Tiphidae) Synonym(s): persica Turner,1908 Range (in code): TR IR Fa 01 02 04 06 07 12 21 25 27 29 31 32 33 36 42 43 46 47 50 55 58 63 65 66 80
- 17656. Tiphia ruficornis Klug,1810** (Tiphidae) Synonym(s): ruficornis Klug,1810 Range (in code): PL RU TR 32
- 17657. Adontomerus amygdali (Boucek,1958)** (Torymidae) Synonym(s): amygdali Boucek,1958 Range (in code): TR JO RU 01 21 31
- 17658. Adontomerus confusus Askew,2000** (Torymidae) Synonym(s): confusus Askew,2000 Range (in code): Cn IR
- 17659. Adontomerus crassipes (Boucek,1982)** (Torymidae) Synonym(s): crassipes Boucek,1982 Range (in code): DZ ES IR
- 17660. Adontomerus impolitus (Askew & Nieves-Aldrey,1988)** (Torymidae) Synonym(s): impolitus Askew & Nieves-Aldrey,1988 Range (in code): ES TR UZ IR Ak
- 17661. Adontomerus nesterovi Zerova,1985** (Torymidae) Synonym(s): nesterovi Zerova,1985 Range (in code): TM
- 17662. Cryptopristus salviae Zerova,2008** (Torymidae) Synonym(s): salviae Zerova,2008 Range (in code): IR Ak
- 17663. Exoprystoides dentatus Boucek,1982** (Torymidae) Synonym(s): dentatus Boucek,1982 Range (in code): TR TN Gf 06
- 17664. Exoprystoides hypecoi Zerova & Stojanova,2004** (Torymidae) Synonym(s): hypecoi Zerova & Stojanova,2004 Range (in code): IR Ab Oru BG
- 17665. Exoprystus trigonomerus (Masi,1916)** (Torymidae) Synonym(s): trigonomerus Masi,1916 Range (in code): B-H HV CZ FR GR HU IT MK MD MN DZ RO SK ES Cc UA RU TR IR Ab Oru 15
- 17666. Glyphomerus aylax Stojanova,2008** (Torymidae) Synonym(s): aylax Stojanova,2008 Range (in code): BG IR Ab Oru
- 17667. Glyphomerus flavabdomen Zerova,2008** (Torymidae) Synonym(s): flavabdomen Zerova,2008 Range (in code): IR Oru Ab
- 17668. Glyphomerus stigma (Fabricius,1793)** (Torymidae) Synonym(s): stigma Fabricius,1793 Range (in code): TR IR Ak Th Elb AD AT BG CA HV CZ FR DE GR HU IT JP KK NL RO RU YU SK ES SE CH GB US
- 17669. Glyphomerus tibialis Förster,1856** (Torymidae) Synonym(s): tibialis Förster,1856 Range (in code): AT HV CZ FI FR DE GR JO MK MD MN NL SK ES SE Cc GB RU YU TR
- 17670. Idiomacromerus pannonicus (Ruschka,1923)** (Torymidae) Synonym(s): pannonicus Ruschka,1923 Range (in code): TR
- 17671. Idiomacromerus papaveris (Förster,1856)** (Torymidae) Synonym(s): papaveris Förster,1856; akdenizeus Doğanlar,1989 Range (in code): TR AD AT HV CZ FR DE HU IL Pa IT MK MD ES YU IR Ab Oru Qz 01

- 17672. Idiomacromerus perplexus (Gahan,1914)** (Torymidae) Synonym(s): perplexus Gahan,1914  
Range (in code): IR Qz AM Cc AR CA CL HU MX RO RU YU US UY UZ
- 17673. Idiomacromerus terebrator (Masi,1916)** (Torymidae) Synonym(s): terebrator Masi,1916 Range (in code): IR Ab AM BG HV CZ FR DE HU IT MD NZ MK RO RU SK UA US UZ
- 17674. Megastigmus aculeatus (Swederus,1795)** (Torymidae) Synonym(s): aculeatus Swederus,1795  
Range (in code): IR Elb Th AM Cc AT B-H BG HV CZ DK ET FI FR DE GR HU IR IQ IT JP KG MD YU MA NL NZ CN PL RO RU SK ES SO ZA SE CH TJ TM UA GB US
- 17675. Megastigmus almusiensis Doğanlar,1989** (Torymidae) Synonym(s): almusiensis Doğanlar,1989  
Range (in code): TR IR 60
- 17676. Megastigmus bipunctatus (Swederus,1795)** (Torymidae) Synonym(s): bipunctatus Swederus,1795 Range (in code): IR Qz AT BG CZ EE FI FR DE HU IT KG YU MA NL PL RO RU SK SS ES SE CH UA GB UZ
- 17677. Megastigmus dorsalis (Fabricius,1798)** (Torymidae) Synonym(s): dorsalis Fabricius,1798; bohemanii Ratzeburg,1848; xanthopygus Förster,1859 Range (in code): FR GB IE SE EE UA DE CZ SK HU RO YU HV B-H MK Co IT TR IR Lo Kd Ab BG DK IN MD NL CN RU
- 17678. Megastigmus dunicola Boucek,1982** (Torymidae) Synonym(s): dunicola Boucek,1982 Range (in code): IR FR ES
- 17679. Megastigmus juniperi Nikol'skaya,1952** (Torymidae) Synonym(s): juniperi Nikol'skaya,1952  
Range (in code): TR
- 17680. Megastigmus pistaciae Walker,1871** (Torymidae) Synonym(s): pistaciae Walker,1871; ballestrerii Rondani,1877 Range (in code): ES FR IT Si YU B-H UA GR CY TR IR Ab Ak Fa Ha Es Kh Se Th Elb Zj Qz AF DZ AU BG HV IL Pa MA MX CN PT TN TM UA UZ US
- 17681. Megastigmus rosae Boucek,1971** (Torymidae) Synonym(s): rosae Boucek,1971; kondaricus Zerova & Seregina,1994 Range (in code): DE CH AT CZ UA TR IR Ab AM Cc AZ BG GG KG RU TJ TM
- 17682. Megastigmus schimitscheki Novicky,1954** (Torymidae) Synonym(s): schimitscheki Novicky,1954  
Range (in code): TR
- 17683. Megastigmus stigmatizans (Fabricius,1798)** (Torymidae) Synonym(s): stigmatizans Fabricius,1798 Range (in code): IR Lo Kd AT B-H BG HV CZ FR DE HU IT RU YU SK SS SE UA GB
- 17684. Megastigmus suspectus Borries,1895** (Torymidae) Synonym(s): suspectus Borries,1895; piceae Seitner,1916; bornmuelleriana Hussey,1957 Range (in code): GB IE FR DK DE CZ SK AT UA YU RO SE FI TR
- 17685. Megastigmus wachtli Seitner,1916** (Torymidae) Synonym(s): wachtli Seitner,1916 Range (in code): PT DZ FR IT SS B-H GR Cr TR
- 17686. Microdontomerus annulatus (Spinola,1808)** (Torymidae) Synonym(s): annulatus Spinola,1808  
Range (in code): IR Elb Th AT BG HV CZ EG DE HU IT LY MD YU PK RO SK ES SE TR GB
- 17687. Monodontomerus aeneus (Fonscolombe,1832)** (Torymidae) Synonym(s): aeneus Fonscolombe,1832 Range (in code): IR AT AZ Cc CA CL HV CZ FR GG DE HU IT KG RO RU ES SE UA GB US
- 17688. Monodontomerus aereus Walker,1834** (Torymidae) Synonym(s): aereus Walker,1834 Range (in code): TR IR Ab Qz AM Cc AT B-H BG CA HV CZ FR GG DE GR HU IT IN JP KG MD NL PL MK RO DZ SK YU CH UA GB US
- 17689. Monodontomerus obscurus Westwood,1833** (Torymidae) Synonym(s): obscurus Westwood,1833 Range (in code): TR IR Az BG CA CL HV CZ DK EG FR DE HU IL Pa IN IT KG LB MD NL PK MK RU SK ES SE CH TM UA GB US
- 17690. Monodontomerus vicicellae (Walker,1847)** (Torymidae) Synonym(s): vicicellae Walker,1847  
Range (in code): IR Elb Th Mz AT HV CZ FI FR DE HU IT MD MN NL MK RU YU SK ES UA GB
- 17691. Oopristus turkestanicus (Skriptshinsky,1929)** (Torymidae) Synonym(s): turkestanicus Skriptshinsky,1929; safavii Steffan,1968 Range (in code): UZ PK IQ IR Elb Th TR 01
- 17692. Podagrion bouceki Delvare,2005** (Torymidae) Synonym(s): bouceki Delvare,2005 Range (in code): IR Ke BJ BF CM GM GN CI FR MA PT OM ES SN SO ZA
- 17693. Podagrion pachymerum (Walker,1833)** (Torymidae) Synonym(s): pachymerum Walker,1833  
Range (in code): IR Yz DZ AT BG HV CZ FR DE HU IN IT Md MD PL RO SK ES SY UA
- 17694. Podagrion splendens Spinola,1811** (Torymidae) Synonym(s): splendens Spinola,1811 Range (in code): TR
- 17695. Podagrionella caudata Narendran,1994** (Torymidae) Synonym(s): caudata Narendran,1994  
Range (in code): IR Ss IN
- 17696. Podagrionella eremiaphilae O.Doğanlar & M.Doğanlar,2009** (Torymidae) Synonym(s): eremiaphilae O.Doğanlar & M.Doğanlar,2009 Range (in code): TR 63
- 17697. Podagrionella konyaensis O.Doğanlar & M.Doğanlar,2009** (Torymidae) Synonym(s): konyaensis O.Doğanlar & M.Doğanlar,2009 Range (in code): TR 42
- 17698. Podagrionella lichtensteini (Picard,1933)** (Torymidae) Synonym(s): lichtensteini Picard,1933  
Range (in code): IR Ak Cn FR KG ES
- 17699. Pseuderimerus irani Zerova & Seryogina,2008** (Torymidae) Synonym(s): irani Zerova & Seryogina,2008 Range (in code): IR Lo



- 17700. *Pseudotorymus euphorbiae* Zerova & Seryogina,1999** (Torymidae) Synonym(s): euphorbiae Zerova & Seryogina,1999 Range (in code): IR UA
- 17701. *Pseudotorymus medicaginis* (Mayr,1874)** (Torymidae) Synonym(s): medicaginis Mayr,1874 Range (in code): IR Ak AT CZ MN RO SE UA GB
- 17702. *Pseudotorymus militaris* (Boheman,1834)** (Torymidae) Synonym(s): militaris Boheman,1834; parellinus Boheman,1834 Range (in code): DE SE CZ UA TR IR Ab Oru
- 17703. *Pseudotorymus pannonicus* (Mayr,1874)** (Torymidae) Synonym(s): pannonicus Mayr,1874 Range (in code): HU UA TR
- 17704. *Pseudotorymus regalis* Askew,2006** (Torymidae) Synonym(s): regalis Askew,2006 Range (in code): IR Lo
- 17705. *Pseudotorymus sapphyrinus* (Fonscolombe,1832)** (Torymidae) Synonym(s): sapphyrinus Fonscolombe,1832; mongolicus Szelenyi,1973 Range (in code): FR DE CZ SK HU B-H YU MD TR MN
- 17706. *Pseudotorymus stachidis* (Mayr,1874)** (Torymidae) Synonym(s): stachidis Mayr,1874 Range (in code): IR Fa AT HU SE
- 17707. *Torymoides dispar* (Masi,1916)** (Torymidae) Synonym(s): dispar Masi,1916 Range (in code): TR IT SK HU B-H YU AL MK
- 17708. *Torymoides kiesenwetteri* (Mayr,1874)** (Torymidae) Synonym(s): kiesenwetteri Mayr,1874; longicauda Masi,1916 Range (in code): ES FR GB DE PL CZ SK HU IT B-H YU BG MK GR TR
- 17709. *Torymoides yumurtalikiensis* (Doğanlar,1989)** (Torymidae) Synonym(s): #yumurtalikiensis Doğanlar,1989; yumurtalikiensis Doğanlar,1989; #yamurtalikiensis Noyes,2010 Range (in code): TR 01
- 17710. *Torymus arcella* Graham & Gijswijt,1998** (Torymidae) Synonym(s): arcella Graham & Gijswijt,1998 Range (in code): TR UA KG 76
- 17711. *Torymus auratus* (Müller,1764)** (Torymidae) Synonym(s): auratus Müller,1764 Range (in code): IR Ak Kd AT BG CZ FR GG Cc DE HU MD NL RO SK SE UA GB US
- 17712. *Torymus bedeguaris* (Linnaeus,1758)** (Torymidae) Synonym(s): bedeguaris Linnaeus,1758; viridis Geoffroy,1785; aurata Christ,1791; elegans Boheman,1834; forsteri Ratzeburg,1844; divisus Walker,1871; rosarum Hoffmeyer,1929 Range (in code): AD AM Cc AZ GG BE BG CA On HV CZ DK FR GR HU IR Kd IT KK KG MD NL RO RU Da SK ES SE CH TJ TR TM UA GB US Arz Cf Col Or Ut YU
- 17713. *Torymus cultratus* Graham & Gijswijt,1998** (Torymidae) Synonym(s): cultratus Graham & Gijswijt,1998 Range (in code): UA TR 43
- 17714. *Torymus cultriventris* Ratzeburg,1844** (Torymidae) Synonym(s): cultriventris Ratzeburg,1844 Range (in code): BE HV CZ DE HU NL PL SK TR UA GB YU
- 17715. *Torymus cyprianus* Graham & Gijswijt,1998** (Torymidae) Synonym(s): cyprianus Graham & Gijswijt,1998 Range (in code): CY
- 17716. *Torymus erucarum* (Schrank,1781)** (Torymidae) Synonym(s): erucarum Schrank,1781 Range (in code): IR Ab AT HV CZ FR DE HU IT MK MD NL PL PT RU YU SK ES SE UA GB
- 17717. *Torymus geranii* (Walker,1833)** (Torymidae) Synonym(s): geranii Walker,1833 Range (in code): IR Lo AZ Cc BE HV FR DE JP KP NL CN PL PT RU YU SK SE UA GB
- 17718. *Torymus lapsanae* (Hoffmeyer,1930)** (Torymidae) Synonym(s): lapsanae Hoffmeyer,1930 Range (in code): IR Fa Elb Th HU FR UA SE
- 17719. *Torymus nitidulus* (Walker,1833)** (Torymidae) Synonym(s): nitidulus Walker,1833; pallidicornis Boheman,1834; nanulus Walker,1874 Range (in code): CZ DE HU MN CA NL CN RO RU Am Kmt Sb SE TR UA GB US Mon
- 17720. *Torymus rubi* (Schrank,1781)** (Torymidae) Synonym(s): rubi Schrank,1781; macropterum Walker,1833; splendidus Förster,1841 Range (in code): AT AZ Cc BE BG Cc HV CZ DK FR DE HU IT KG KK MD NL PL RO RU Sh Kmt SK ES SE CH TR YU B-H MK
- 17721. *Aphelinoidea anatolica* Novicki,1936** (Trichogrammatidae) Synonym(s): anatolica Novicki,1936 Range (in code): TR
- 17722. *Bloodiella andalusica* Nowicki** (Trichogrammatidae) Synonym(s): Range (in code): TR
- 17723. *Chaetostricha steineri* (Nowicki)** (Trichogrammatidae) Synonym(s): Range (in code): TR
- 17724. *Monorthochaeta adanaensis* Doğanlar,2002** (Trichogrammatidae) Synonym(s): adanaensis Doğanlar,2002 Range (in code): TR 01
- 17725. *Monorthochaeta galatica* Nowicki,1935** (Trichogrammatidae) Synonym(s): galatica Nowicki,1935 Range (in code): TR
- 17726. *Oligosita collina* Walker** (Trichogrammatidae) Synonym(s): Range (in code): TR
- 17727. *Oligosita foersteri* Girault** (Trichogrammatidae) Synonym(s): Range (in code): TR
- 17728. *Oligosita pallida* Kryger** (Trichogrammatidae) Synonym(s): Range (in code): TR
- 17729. *Pseudoligosita gracilior* (Nowicki,1935)** (Trichogrammatidae) Synonym(s): gracilior Nowicki,1935 Range (in code): TR
- 17730. *Pseudoligosita paphlagonica* (Nowicki,1935)** (Trichogrammatidae) Synonym(s): paphlagonica Nowicki,1935 Range (in code): TR
- 17731. *Pterandrophysalis levantina* Nowicki,1935** (Trichogrammatidae) Synonym(s): levantina Nowicki,1935 Range (in code): TR

- 17732. *Trichogramma brassicae* Bezdenko** (Trichogrammatidae) Synonym(s): Range (in code): **TR**
- 17733. *Trichogramma buluti* Bulut & Kılınçer,1991** (Trichogrammatidae) Synonym(s): buluti Bulut & Kılınçer,1991 Range (in code): **TR 06**
- 17734. *Trichogramma cacaeciae* Marchal,1927** (Trichogrammatidae) Synonym(s): cacaeciae Marchal,1927 Range (in code): **TR**
- 17735. *Trichogramma dendrolimi* Matsumura,1926** (Trichogrammatidae) Synonym(s): dendrolimi Matsumura,1926 Range (in code): **TR 06**
- 17736. *Trichogramma embryophagum* (Hartig,1838)** (Trichogrammatidae) Synonym(s): embryophagum Hartig,1838 Range (in code): **TR 06**
- 17737. *Trichogramma evanescens* Westwood,1833** (Trichogrammatidae) Synonym(s): evanescens Westwood,1833 Range (in code): **TR**
- 17738. *Trichogramma kilinceri* Bulut & Kılınçer,1991** (Trichogrammatidae) Synonym(s): kilinceri Bulut & Kılınçer,1991 Range (in code): **TR 06**
- 17739. *Trichogramma pintoï* Voegelé,1982** (Trichogrammatidae) Synonym(s): pintoï Voegelé,1982 Range (in code): **TR**
- 17740. *Trichogramma turkeiensis* Bulut & Kılınçer,1991** (Trichogrammatidae) Synonym(s): turkeiensis Bulut & Kılınçer,1991 Range (in code): **TR 06**
- 17741. *Trichogramma turkestanicum* Meyer,1940** (Trichogrammatidae) Synonym(s): turkestanicum Meyer,1940 Range (in code): **TR**
- 17742. *Ufens similis* (Kryger)** (Trichogrammatidae) Synonym(s): Range (in code): **TR**
- 17743. *Ufensia foersteri* (Kryger)** (Trichogrammatidae) Synonym(s): Range (in code): **TR**
- 17744. *Uscana johnstoni* (Waterston)** (Trichogrammatidae) Synonym(s): Range (in code): **TR**
- 17745. *Acanthodynerus giordani* Gusenleitner,1969** (Vespidae) Synonym(s): giordanii Gusenleitner,1969 Range (in code): **TR 07 33 42 63 70**
- 17746. *Alastor (Megalastor) esfandiarîi* Giordani Soika,1970** (Vespidae) Synonym(s): esfandiarîi Giordani Soika,1970 Range (in code): **TR IR 21**
- 17747. *Alastor (Megalastor) mediomaculatus* Giordani Soika,1952** (Vespidae) Synonym(s): mediomaculatus Giordani Soika,1952; iconius Blüthgen,1955; graecus Gusenleitner,1970 Range (in code): **IL Pa JO TR GR 06 25 36 42**
- 17748. *Alastor (s.str.) mocsaryi* (André,1884)** (Vespidae) Synonym(s): mocsaryi André,1884; bieglebeni Giordani Soika,1942; pannonicus Blüthgen,1956 Range (in code): **IT AT HV B-H YU AL MK GR BG Cr CZ SK HU UA RU TR 05 06 08 24 25 33 34**
- 17749. *Alastor (s.str.) pentheri* Kohl,1905** (Vespidae) Synonym(s): pentheri Kohl,1905 Range (in code): **TR 05 08 11 25 38 42**
- 17750. *Alastor ardens* Kostylev,1935** (Vespidae) Synonym(s): ardens Kostylev,1935 Range (in code): **TM TR 47**
- 17751. *Alastor ruficornis* Gusenleitner,2001** (Vespidae) Synonym(s): ruficornis Gusenleitner,2001 Range (in code): **TR 23**
- 17752. *Alastor schwarzi* Gusenleitner,1967** (Vespidae) Synonym(s): schwarzi Gusenleitner,1967 Range (in code): **TR 33 58 63**
- 17753. *Alastor thymbrinus* Blüthgen,1956** (Vespidae) Synonym(s): thymbrinus Blüthgen,1956 Range (in code): **TR 06**
- 17754. *Allodynerus delphinalis* (Giraud,1866)** (Vespidae) Synonym(s): delphinalis Giraud,1866 Range (in code): **TR 01 05 06 08 11 25 35**
- 17755. *Allodynerus floricola* (Saussure,1853)** (Vespidae) Synonym(s): floricola Saussure,1853 Range (in code): **TR 07 09 25 42**
- 17756. *Allodynerus nigricornis* (Morawitz,1885)** (Vespidae) Synonym(s): nigricornis Morawitz,1885 Range (in code): **TR 06**
- 17757. *Allodynerus rossii* (Lepeletier,1841)** (Vespidae) Synonym(s): rossii Lepeletier,1841 Range (in code): **TR 05 06 08 25 31 34 76**
- 17758. *Ancistrocerus antelope* (Panzer,1789)** (Vespidae) Synonym(s): antelope Panzer,1789 Range (in code): **TR 50 61**
- 17759. *Ancistrocerus auctus* (Fabricius,1793)** (Vespidae) Synonym(s): auctus Fabricius,1793 Range (in code): **FR IQ IL Pa JO Pet Amm TR 01 05 06 07 08 09 16 20 24 25 26 29 31 32 33 34 36 43 57 60 76**
- 17760. *Ancistrocerus biphaleratus* Saussure,1852** (Vespidae) Synonym(s): biphaleratus Saussure,1852; palaestinicus Giordani Soika,1952 Range (in code): **PT EG Sn JO Pet IL Pa SA YE**
- 17761. *Ancistrocerus claripennis* Thomson,1874** (Vespidae) Synonym(s): claripennis Thomson,1874; ponticus Giordani Soika,1970 Range (in code): **TR 08 25 35 42 53**
- 17762. *Ancistrocerus dusmetiolus* (Strand,1914)** (Vespidae) Synonym(s): dusmetiolus Strand,1914 Range (in code): **TR 06**
- 17763. *Ancistrocerus gazella* (Panzer,1798)** (Vespidae) Synonym(s): gazella Panzer,1798 Range (in code): **DE TR PK Swa AF 06**

- 17764. *Ancistrocerus longispinosus* (Saussure,1855)** (Vespidae) **Synonym(s):** longispinosus Saussure,1855 **CY**
- 17765. *Ancistrocerus nigricornis* (Curtis,1826)** (Vespidae) **Synonym(s):** nigricornis Curtis,1826 **Range (in code): TR 06 16**
- 17766. *Ancistrocerus oviventris* (Wesmael,1836)** (Vespidae) **Synonym(s):** oviventris Wesmael,1836 **Range (in code): TR 05 06 24 25 29 34 38 65 69**
- 17767. *Ancistrocerus parietinus* (Linnaeus,1761)** (Vespidae) **Synonym(s):** parietinus Linnaeus,1761 **Range (in code): TR 05 06 25**
- 17768. *Ancistrocerus parietum* (Linnaeus,1758)** (Vespidae) **Synonym(s):** parietum Linnaeus,1758 **Range (in code): TR 06 09 10 11 25 35 36 43 45 46 48 68 76 78**
- 17769. *Ancistrocerus scoticus* (Curtis,1826)** (Vespidae) **Synonym(s):** scoticus Curtis,1826 **Range (in code): GB TR 16 35 75**
- 17770. *Antepipona albosignata* Gusenleitner,1986** (Vespidae) **Synonym(s):** albosignata Gusenleitner,1986 **Range (in code): TR 06 11 30 42 50 73**
- 17771. *Antepipona cribrata* (Morawitz,1885)** (Vespidae) **Synonym(s):** cribrata Morawitz,1885 **Range (in code): AM Cc TR 65**
- 17772. *Antepipona deflenda* (Saunders,1853)** (Vespidae) **Synonym(s):** deflenda Saunders,1853 **Range (in code): TR 06**
- 17773. *Antepipona dentella* Gusenleitner,1991** (Vespidae) **Synonym(s):** dentella Gusenleitner,1991 **Range (in code): SY Dms JO**
- 17774. *Antepipona iconia* (Blüthgen,1951)** (Vespidae) **Synonym(s):** iconia Blüthgen,1951 **Range (in code): TR 06**
- 17775. *Antepipona insana* (Giordani Soika,1943)** (Vespidae) **Synonym(s):** insana Giordani Soika,1943; calva Gusenleitner,1988 [ssp.] **Range (in code): TR 06 08 25 65**
- 17776. *Antepipona laevigata* (Blüthgen,1951)** (Vespidae) **Synonym(s):** laevigata Blüthgen,1951 **Range (in code): TR 06**
- 17777. *Antepipona orbitalis* (Herrich-Schäffer,1839)** (Vespidae) **Synonym(s):** orbitalis Herrich-Schäffer,1839; ballioni Morawitz,1867 **Range (in code): TR 06 16 24 25 36 38 42 51 58**
- 17778. *Antepipona osmania* Gusenleitner,1986** (Vespidae) **Synonym(s):** osmania Gusenleitner,1986 **Range (in code): TR 30 33 62 73**
- 17779. *Antepipona tenuis* Gusenleitner,1988** (Vespidae) **Synonym(s):** tenuis Gusenleitner,1988 **Range (in code): TR 06**
- 17780. *Anterhynchium flavomarginatum* (Smith,1852)** (Vespidae) **Synonym(s):** flavomarginatum Smith,1852 **Range (in code): CN KP KR MN PK PJ**
- 17781. *Antodynerus incomparabilis* Giordani Soika,1970** (Vespidae) **Synonym(s):** incomparabilis Giordani Soika,1970 **Range (in code): TR IR Kh 30**
- 17782. *Belonogaster adenensis* Giordani Soika,1957** (Vespidae) **Synonym(s):** adenensis Giordani Soika,1957 **Range (in code): YE Ad SO**
- 17783. *Belonogaster arabica* Giordani Soika,1958** (Vespidae) **Synonym(s):** arabica Giordani Soika,1958 **Range (in code): YE**
- 17784. *Belonogaster saussurei* Kirby,1881** (Vespidae) **Synonym(s):** saussurei Kirby,1881 **Range (in code): YE**
- 17785. *Brachydynerus chloroticus* Gusenleitner,2004** (Vespidae) **Synonym(s):** chloroticus Gusenleitner,2004 **Range (in code): TR 36**
- 17786. *Brachydynerus kopetdagicus* (Kostylev,1940)** (Vespidae) **Synonym(s):** kopetdagicus Kostylev,1940 **Range (in code): TM Kp TR 11**
- 17787. *Brachydynerus kurdasi* Gusenleitner,1967** (Vespidae) **Synonym(s):** kurdasi Gusenleitner,1967 **Range (in code): TR 06 25 33**
- 17788. *Brachydynerus quadrimaculatus* (André,1884)** (Vespidae) **Synonym(s):** quadrimaculatus André,1884 **Range (in code): TR 06**
- 17789. *Brachypipona orientalis* Gusenleitner,2004** (Vespidae) **Synonym(s):** orientalis Gusenleitner,2004 **Range (in code): TR IR 58**
- 17790. *Brachypipona schlaeflei* Gusenleitner,2001** (Vespidae) **Synonym(s):** schlaeflei Gusenleitner,2001 **Range (in code): JO Pet IL Pa**
- 17791. *Brachypipona schmidtii* (Gusenleitner,1967)** (Vespidae) **Synonym(s):** schmidtii Gusenleitner,1967 **Range (in code): TR 42 46**
- 17792. *Celonites* (Eucelonites) *clarus* Gusenleitner,1973** (Vespidae) **Synonym(s):** clarus Gusenleitner,1973 **Range (in code): IR Th Elb**
- 17793. *Celonites* (Eucelonites) *cyprius* Saussure,1854** (Vespidae) **Synonym(s):** cyprius Saussure,1854 **Range (in code): CY TR GR Rd IL Pa SY LB Cc AM IR 35**
- 17794. *Celonites* (Eucelonites) *foveolatus* Kostylev,1935** (Vespidae) **Synonym(s):** foveolatus Kostylev,1935 **Range (in code): TR IL Pa TM 30 73**



- 17795. Celonites (Eucelonites) hamanni Gusenleitner,1973** (Vespidae) Synonym(s): hamanni Gusenleitner,1973; #hammani Yıldırım & Özbek,1997 Range (in code): SY JO TR 33
- 17796. Celonites (Eucelonites) rothschildi Du Buysson,1906** (Vespidae) Synonym(s): rothschildi Du Buysson,1906 Range (in code): IR? KE
- 17797. Celonites (Eucelonites) rugiceps Bischoff,1928** (Vespidae) Synonym(s): rugiceps Bischoff,1928 Range (in code): HV YU BG GR Cr CY TR
- 17798. Celonites (Eucelonites) syriacus Gusenleitner,2012** (Vespidae) Synonym(s): syriacus Gusenleitner,2012 SY Hms Ttu JO
- 17799. Celonites (Eucelonites) tenebricosus Gusenleitner,2012** (Vespidae) Synonym(s): tenebricosus Gusenleitner,2012 TR 30 73
- 17800. Celonites (Eucelonites) yemenensis Girdani Soika,1957** (Vespidae) Synonym(s): yemenensis Girdani Soika,1957 Range (in code): YE ET
- 17801. Celonites (s.str.) abbreviatus (Villers,1789)** (Vespidae) Synonym(s): abbreviatus Villers,1789; dubia Rossi,1790; vespiformis Olivier,1790; apiformis Fabricius,1793; hungaricus Mocsary,1877; engadinensis Schulthess,1923; tauricus Kostylev,1935 Range (in code): DE AT HU CH FR ES PT IT HV AL BG GR UA Cm CY TR IL Pa MA
- 17802. Celonites (s.str.) phlomis Gusenleitner,1973** (Vespidae) Synonym(s): phlomis Gusenleitner,1973; #phleomis Gusenleitner,1973 Range (in code): TR 63
- 17803. Celonites (s.str.) pictus Richards,1962** (Vespidae) Synonym(s): pictus Richards,1962 Range (in code): IR SN MA SA OM
- 17804. Celonites (s.str.) spinosus Gusenleitner,1966** (Vespidae) Synonym(s): spinosus Gusenleitner,1966; invitus Gusenleitner,1973 Range (in code): TR Cc AM 09 58
- 17805. Celonites crenulatus Morawitz,1888** (Vespidae) Synonym(s): crenulatus Morawitz,1888 Range (in code): IR TM
- 17806. Celonites discretus Gusenleitner,1973** (Vespidae) Synonym(s): discretus Gusenleitner,1973 Range (in code): IR Fa
- 17807. Celonites fischeri Spinola,1838** (Vespidae) Synonym(s): fischeri Spinola,1838; ? savignyi Saussure,1855 Range (in code): DZ TN LY EG CY IL Pa SA
- 17808. Celonites jousseaumei Du Buysson,1906** (Vespidae) Synonym(s): jousseaumei Du Buysson,1906; asrensis Giordani Soika,1957; senegalensis Richards,1962 Range (in code): DZ SD DJ SA IL Pa YE Sna OM AE QA SN ML
- 17809. Celonites laetus Panfilov,1968** (Vespidae) Synonym(s): laetus Panfilov,1968 Range (in code): AZ Cc Nv
- 17810. Celonites longipilis Gusenleitner,1973** (Vespidae) Synonym(s): longipilis Gusenleitner,1973 Range (in code): IR Fa
- 17811. Celonites nursei Dover,1925** (Vespidae) Synonym(s): nursei Dover,1925 Range (in code): PK BI Qu
- 17812. Celonites osseus Morawitz,1888** (Vespidae) Synonym(s): osseus Morawitz,1888 Range (in code): AM Cc TM
- 17813. Celonites persicus Richards,1962** (Vespidae) Synonym(s): persicus Richards,1962 Range (in code): IR
- 17814. Celonites rudesculptus Kostylev,1935** (Vespidae) Synonym(s): rudesculptus Kostylev,1935 Range (in code): AM Cc
- 17815. Celonites semenovi Kostylev,1935** (Vespidae) Synonym(s): semenovi Kostylev,1935 Range (in code): IR
- 17816. Cephalochilus draco Giordani Soika,1970** (Vespidae) Synonym(s): draco Giordani Soika,1970 Range (in code): TR SY 06 09 16 35 47 63 65 73
- 17817. Ceramius bureschi Atanassov,1938** (Vespidae) Synonym(s): bureschi Atanassov,1938; lycaonius Blüthgen,1952 Range (in code): BG TR GR
- 17818. Ceramius caucasicus André,1884** (Vespidae) Synonym(s): caucasicus André,1884 Range (in code): Cc AM IR TR 25 30 65 76
- 17819. Ceramius palaestinensis Giordani Soika,1957** (Vespidae) Synonym(s): palaestinensis Giordani Soika,1957; #palaestinensis Yıldırım & Özbek,1997 Range (in code): IL Pa SY TR 12 21
- 17820. Chlorodynerus ypsilon (Kostylev,1929)** (Vespidae) Synonym(s): ypsilon Kostylev,1929; rhodius Blüthgen,1954 Range (in code): TR 06
- 17821. Cyrtolabulus iranensis (Giordani Soika,1968)** (Vespidae) Synonym(s): iranensis Giordani Soika,1968 Range (in code): TR IR 47
- 17822. Cyrtolabulus zarudnyi (Kostylev,1939)** (Vespidae) Synonym(s): zarudnyi Kostylev,1939 Range (in code): IR TR 63
- 17823. Delta dimidiatipenne (Saussure,1852)** (Vespidae) Synonym(s): dimidiatipenne Saussure,1852; transcaspicus Morawitz,1895 Range (in code): Cn ES DZ EG JO Pet TR AF PK Msr Dir Pes Nwf Pj NP IN ET IR SA MG IL Pa SO SY YE ZA Tva Lpo NG ET SO Sk MR TD ER DJ UG 65
- 17824. Delta esuriens (Fabricius,1787)** (Vespidae) Synonym(s): esuriens Fabricius,1787 Range (in code): PK Dir Swa Msr Pj IN ID IR IQ MM PH SA LK TH

- 17825. *Delta hottentottus* (Saussure,1852)** (Vespidae) Synonym(s): hottentottus Saussure,1852; elegans Saussure,1852 Range (in code): SA JO Pet IL Pa EG Sn IR
- 17826. *Delta lepeleterii* (Saussure,1852)** (Vespidae) Synonym(s): lepeleterii Saussure,1852; #lepeleterii Saussure,1854; granti Kirby,1900; janseii Cameron,1910; meruensis Cameron,1910; Range (in code): AO MG MZ SN SC SD ZR TZ ZA Nta Kzu Tva Lpo SO EG YE JO SY CY ET SA Sk SC OM
- 17827. *Delta pyriforme* (Fabricius,1775)** (Vespidae) Synonym(s): pyriforme Fabricius,1775 Range (in code): PK Pes Pj Nwf BT KH CN Hw IN ID MY Mlc MM NP PG LK TW TH VN
- 17828. *Delta unguiculatum* (Villers,1789)** (Vespidae) Synonym(s): unguiculatum Villers,1789; coangustata Rossi,1790; cursor Christ,1791; lapidica Christ,1791; infundibuliformis Olivier,1791; dumetorum Panzer,1799; olivieri Lepeletier,1841; huberti Saussure,1852; sporadense Schulthess,1929 Range (in code): PT ES DZ EG FR CH AT IT DE SS HV HU RO BG ML GR Si AL Cr Rd TR CY 01 06 07 08 09 11 13 17 25 27 30 31 32 35 42 45 48 56
- 17829. *Delta viatrix* (Nurse,1903)** (Vespidae) Synonym(s): viatrix Nurse,1903 Range (in code): TR Ch PK Asr 30 33 47 73
- 17830. *Discoelius dufourii* Lepeletier,1841** (Vespidae) Synonym(s): dufourii Lepeletier,1841 Range (in code): TR IR 12
- 17831. *Dolichovespula adulterina* (Du Buysson,1905)** (Vespidae) Synonym(s): borealis Lewis,1897 nec Kby.,1837; adulterina Du Buysson,1905; arctica Rohwer,1916; colchica Birula,1930; montivaga Yamane,1982 Range (in code): NO SE FI BE FR CH IT PL RU Sb Cc GG Sh Us Btm TR MN TW JP CA US Nfl On Org Cf Arz Wy NMx Oh Ny
- 17832. *Dolichovespula asiatica* Archer,1981** (Vespidae) Synonym(s): intermedia Birula,1930 nec Buys.,1905; asiatica Archer,1981 Range (in code): UZ KG TM AF PK Sst Asr Bt IN Ch MN CN Ui Gn
- 17833. *Dolichovespula media* (Retzius,1783)** (Vespidae) Synonym(s): media Retzius,1783; geerii Lepeletier,1836; crassa Herrich-Schaeffer,1841; similis Schenck,1853; rufoscutellata Schenck,1853; flavicincta Schenck,1853; lineolata Pérez,1910; #lugubris Birula,1927; conjugens Paul,1943; sugare Ishikawa,1969; borealis Lee,1986 Range (in code): NO SE FI DK FR ES DE AT IT PL BG RU Sb Sh MN CN Mc KP KR JP TR 39
- 17834. *Dolichovespula norvegica* (Fabricius,1781)** (Vespidae) Synonym(s): norvegica Fabricius,1781; norvegica Olivier,1792; britannica Leach,1814; marginata Kirby,1837; borealis Zetterstedt,1838 nec Kby.,1837; albida Sladen,1918; arctica Friese,1919; zetterstedti Blüthgen,1937 Range (in code): GB DE FR ES IT Sa SE RU BG TR KG MN CN Ui Sb Sh CA Als Us Nfl 08 29
- 17835. *Dolichovespula omissa* (Bischoff,1931)** (Vespidae) Synonym(s): tripunctata Schenk,1861 nec Fabr.,1787; #ingrica Birula,1930; omissa Bischoff,1931 Range (in code): NO SE FI BE FR ES DE CH AT IT PL CZ SK RU IR DK BG TR KG 08 24 25
- 17836. *Dolichovespula saxonica* (Fabricius,1793)** (Vespidae) Synonym(s): saxonica Fabricius,1793; bavaria Schrank,1802; tridens Schenck,1853; #monticola Birula,1930; nipponica Yamane,1975; kamtschatkensis Eck,1983; nigrescens Eck,1983 Range (in code): NO SE FI DK BE FR ES DE CH AT PL SK BG RU Kmt Cc Krl Sh TR MN CN Gn Ui Sz KP KR JP Hkk
- 17837. *Dolichovespula sylvestris* (Scopoli,1763)** (Vespidae) Synonym(s): sylvestris Scopoli,1763; parietum Harris,1776 nec Linn.,1758; holsatica Fabricius,1793; frontalis Latreille,1802; campanaria Fowler,1833; pilosella Costa,1858; sumptuosa Du Buysson,1905; xinjiangensis Lee,1986 Range (in code): MA ES Md GB NO SE FI DK IE DE BE FR AT SS IT PL SK BG DZ TN TR EG IL Pa AM Cc IR AF PK Swa IN Ch MN CN Ui Gn Fkn MN RU Sb Us 01 06 07 08 14 24 25 29 32 36 42 48 52 65 69 76
- 17838. *Eumenes coarctatus* (Linnaeus,1758)** (Vespidae) Synonym(s): coarctatus Linnaeus,1758; lunulatus Fabricius,1804 Range (in code): TR CY IL Pa KG 06 07 08 11 24 25 33 35 36 42 55 76
- 17839. *Eumenes coronatus* (Panzer,1799)** (Vespidae) Synonym(s): coronatus Panzer,1799; detonsus Blüthgen,1943 Range (in code): TR 05 06 07 08 10 24 25 30 35 36 42 45 50 51 73
- 17840. *Eumenes dubius* Saussure,1852** (Vespidae) Synonym(s): dubius Saussure,1852 Range (in code): CY TR RU IL Pa LB SY IR 01 02 05 06 07 08 10 24 25 29 31 33 35 36 42 45 49 59 78
- 17841. *Eumenes jarkandensis* Blüthgen,1938** (Vespidae) Synonym(s): jarkandensis Blüthgen,1938; turanicus Blüthgen,1943 Range (in code): TR CN Ui MN 01 06 11 25 31 33 36 42 46 50
- 17842. *Eumenes lunulatus* (Fabricius,1804)** (Vespidae) Synonym(s): lunulatus Fabricius,1804 Range (in code): TR 02 07 08 10 11 16 17 24 25 33 35 42 44 46 75
- 17843. *Eumenes mediterraneus* (Kriechbaumer,1879)** (Vespidae) Synonym(s): mediterraneus Kriechbaumer,1879; housaki Giordani Soika,1952; anatolicus Giordani Soika,1952 Range (in code): TR JO IL Pa OM MN 01 06 07 08 10 24 25 31 35 36 42 44 60 63 65 76 77
- 17844. *Eumenes papillarius* (Christ,1791)** (Vespidae) Synonym(s): papillarius Christ,1791 Range (in code): TR MN 06 07 11 24 25 36 44 48 53 75 76
- 17845. *Eumenes pedunculatus* (Panzer,1799)** (Vespidae) Synonym(s): pedunculatus Panzer,1799 Range (in code): TR 07 08 25 69
- 17846. *Eumenes pomiformis* (Fabricius,1781)** (Vespidae) Synonym(s): pomiformis Fabricius,1781; turcicus Giordani Soika,1952 Range (in code): MT TR UA Cm LB TN 06 08 09 10 11 20 24 25 33 35 36 43 45 50 58
- 17847. *Eumenes punctaticlypeus* Giordani Soika,1943** (Vespidae) Synonym(s): punctaticlypeus Giordani Soika,1943; kostylevi Kurzenko,1976 Range (in code): TR 06 25

- 17848. Eumenes sareptanus André,1884** (Vespidae) Synonym(s): sareptanus André,1884; insolanus Müller,1923 Range (in code): RU Sr TR 06 11 25
- 17849. Eumenes subpomiformis Blüthgen,1938** (Vespidae) Synonym(s): subpomiformis Blüthgen,1938 Range (in code): TR 06 07 08 25 31 36 75
- 17850. Euodynerus (Pareuodynerus) notatus (Jurine,1807)** (Vespidae) Synonym(s): notatus Jurine,1807 Range (in code): TR 06 24 25 42
- 17851. Euodynerus (Pareuodynerus) posticus (Herrich-Schäffer,1841)** (Vespidae) Synonym(s): posticus Herrich-Schäffer,1841 Range (in code): TR 09 10 25 35 48
- 17852. Euodynerus (Pareuodynerus) quadrifasciatus (Fabricius,1793)** (Vespidae) Synonym(s): quadrifasciatus Fabricius,1793; rufipes Gusenleitner,1984; rubrosignatus Gusenleitner,1984 Range (in code): TR LY Cy 25 36
- 17853. Euodynerus (s.str.) clatratus Blüthgen,1951** (Vespidae) Synonym(s): clatratus Blüthgen,1951 Range (in code): TR 42 65
- 17854. Euodynerus (s.str.) curictensis Blüthgen,1940** (Vespidae) Synonym(s): curictensis Blüthgen,1940; comosellus Gusenleitner,1971 Range (in code): TR JO Pet IR 05 06 07 08 25 31 42 45 51 65 73
- 17855. Euodynerus (s.str.) dantici (Rossi,1790)** (Vespidae) Synonym(s): dantici Rossi,1790 Range (in code): IT TR 06 63
- 17856. Euodynerus (s.str.) disconotatus (Lichtenstein,1884)** (Vespidae) Synonym(s): disconotatus Lichtenstein,1884 Range (in code): TR KG 02 06 07 09 10 20 25 31 33 35 36 45 63
- 17857. Euodynerus (s.str.) fastidiosus (Saussure,1853)** (Vespidae) Synonym(s): fastidiosus Saussure,1853 Range (in code): TR 06
- 17858. Euodynerus (s.str.) maxmillianus Gusenleitner,1998** (Vespidae) Synonym(s): maxmillianus Gusenleitner,1998 Range (in code): TR 72
- 17859. Euodynerus (s.str.) niloticus (Saussure,1855)** (Vespidae) Synonym(s): niloticus Saussure,1855; esaudita Giordani Soika,1957 OM SD EG
- 17860. Euodynerus (s.str.) salzi (Giordani Soika,1952)** (Vespidae) Synonym(s): salzi Giordani Soika,1952 JO
- 17861. Euodynerus (s.str.) semisaecularis Dalla Torre,1889** (Vespidae) Synonym(s): semisaecularis Dalla Torre,1889 Range (in code): TR 06 08 24 25 26
- 17862. Euodynerus (s.str.) velutinus Blüthgen,1951** (Vespidae) Synonym(s): velutinus Blüthgen,1951 Range (in code): TR 06 25
- 17863. Euodynerus diversus (Walker,1871)** (Vespidae) Synonym(s): diversus Walker,1871 Range (in code): JO Amm EG IL Pa SA
- 17864. Euodynerus hellenicus Blüthgen,1942** (Vespidae) Synonym(s): hellenicus Blüthgen,1942 Range (in code): GR TR 13 35
- 17865. Eustenancistrocerus (Parastenancistrocerus) amadanensis (Saussure,1855)** (Vespidae) Synonym(s): amadanensis Saussure,1855; turca Saussure,1863; transitorius Morawitz,1867; lobatus André,1883; iranensis Giordani Soika,1943; flavellus Giordani Soika,1952; hoberlandti Giordani Soika,1952 Range (in code): PT ES HU Si MK CY TR IR 06 08 10 11 16 24 25 31 33 80
- 17866. Eustenancistrocerus (s.str.) israelensis Giordani Soika,1938** (Vespidae) Synonym(s): israelensis Giordani Soika,1938; #israilensis Bağrıaçık & Tüzün,2005 Range (in code): GR BG UA RU IL Pa TR 06 07 24 25 33
- 17867. Eustenancistrocerus jerichoensis Bytinski-Salz,1956** (Vespidae) Synonym(s): jerichoensis Bytinski-Salz,1956; iconius Blüthgen,1957 Range (in code): IL Pa TR 06
- 17868. Gymnomerus laevipes (Shuckard,1837)** (Vespidae) Synonym(s): laevipes Shuckard,1837; cognatus Dufour,1839; rubicola Dufour,1839; simplicipes Herrich-Schäffer,1839 Range (in code): ES FR GB DK DE PL BY RU Sb NO SE FI EE LT LV UA CZ SK HU CH AT IT Co Si SS HV B-H YU AL MK GR BG Cr TR Ce 06 08 11 14 16 25 29 34 36
- 17869. Hemipterochilus aberrans (Morawitz,1885)** (Vespidae) Synonym(s): aberrans Morawitz,1885 Range (in code): BG GR TR 06 21 25 33 42
- 17870. Hemipterochilus bembeciformis (Morawitz,1867)** (Vespidae) Synonym(s): bembeciformis Morawitz,1867; terricola Mocsary,1883; sinuatofascius Costa,1888; rubromaculatus Bialynicki-Birula,1926; circensis Giordani Soika,1942 Range (in code): ES IT Sa AT CZ UA RU HV B-H MK GR BG Cr TR 06 25
- 17871. Hemipterochilus bicoloricornis (Giordani Soika,1952)** (Vespidae) Synonym(s): bicoloricornis Giordani Soika,1952 Range (in code): IL Pa JO Amm TR 07
- 17872. Ischnogasteroides picteti (Saussure,1852)** (Vespidae) Synonym(s): picteti Saussure,1852; tenuis Morawitz,1888 Range (in code): TR TM 06 25
- 17873. Ischnogasteroides zarudnyi (Kostylev,1939)** (Vespidae) Synonym(s): zarudnyi Kostylev,1939 Range (in code): IR TR 30 63 73
- 17874. Jucancistrocerus citreodecoratus Giordani Soika,1970** (Vespidae) Synonym(s): citreodecoratus Giordani Soika,1970 Range (in code): TR IR 63
- 17875. Jucancistrocerus jucundus (Mocsary,1883)** (Vespidae) Synonym(s): jucundus Mocsary,1883 Range (in code): TR 06



- 17876. *Jugurtia escalerae* Meade-Waldo,1910** (Vespidae) Synonym(s): *escalerae* Meade-Waldo,1910 Range (in code): IR TR 30 65 73
- 17877. *Jugurtia eurycara* Kostylev,1935** (Vespidae) Synonym(s): *eurycara* Kostylev,1935 Range (in code): TR Cc AM Eri IR 30 42 58 70 73
- 17878. *Jugurtia irana* Kostylev,1935** (Vespidae) Synonym(s): *irana* Kostylev,1935 Range (in code): IR
- 17879. *Jugurtia jemenensis* Kostylev,1935** (Vespidae) Synonym(s): *jemenensis* Kostylev,1935; *hoggarica* Giordani Soika,1954 Range (in code): DZ IL Pa SA OM AE
- 17880. *Jugurtia zarudnyi* Kostylev,1935** (Vespidae) Synonym(s): *zarudnyi* Kostylev,1935 Range (in code): IR
- 17881. *Katamenes dimidiatus* (Brullé,1832)** (Vespidae) Synonym(s): *dimidiatus* Brullé,1832 Range (in code): TR GR 06
- 17882. *Katamenes flavigularis* (Blüthgen,1951)** (Vespidae) Synonym(s): *flavigularis* Blüthgen,1951 Range (in code): TR 06 08 24 25 30 33 38 42 65
- 17883. *Katamenes sichelii* (Saussure,1852)** (Vespidae) Synonym(s): *sichelii* Saussure,1852; *tauriae* Giordani-Soika,1960 Range (in code): GR TR TM 06 07 25 33 35 42 46 48
- 17884. *Katamenes tauricus* (De Saussure,1855)** (Vespidae) Synonym(s): *#sesquicinctus* Lichtstein,1796; *tauricus* De Saussure,1855; *baicalensis* Kokuyev,1927; *viratus* Giordani Soika,1949 Range (in code): UA IR RU Tv MN AF CN Ui Hph
- 17885. *Knemodrynerus euodryneroides* Gusenleitner,1997** (Vespidae) Synonym(s): *euodryneroides* Gusenleitner,1997 Range (in code): TR 50
- 17886. *Knemodrynerus familiaris* (Giordani Soika,1939)** (Vespidae) Synonym(s): *familiaris* Giordani Soika,1939 OM
- 17887. *Knemodrynerus sinaicus* (Giordani Soika,1939)** (Vespidae) Synonym(s): *sinaicus* Giordani Soika,1939 Range (in code): IL Pa
- 17888. *Leptochilus* (*Euleptochilus*) *limbiferus* (Morawitz,1867)** (Vespidae) Synonym(s): *limbiferus* Morawitz,1867; *anatolicus* Blüthgen,1955; *achaeus* Gusenleitner,1970 Range (in code): IT HV B-H YU AL MK GR BG RO UA RU TR 06 08 11 25 33 55
- 17889. *Leptochilus* (*Lionotulus*) *aegineticus* Gusenleitner,1970** (Vespidae) Synonym(s): *aegineticus* Gusenleitner,1970; *globosus* Gusenleitner,1997 Range (in code): TR GR 63
- 17890. *Leptochilus* (*Lionotulus*) *alpestris* (Saussure,1855)** (Vespidae) Synonym(s): *minutus* Herrich-Schäffer,1839; *alpestris* Saussure,1855; *grandii* Giordani Soika,1947; *bulsanensis* Blüthgen,1953 Range (in code): PT ES FR DE CZ SK CH AT HV IT Si MK GR BG TR TM JO 22 24 25 34 69
- 17891. *Leptochilus* (*Lionotulus*) *hethiticus* Gusenleitner,1985** (Vespidae) Synonym(s): *hethiticus* Gusenleitner,1985 Range (in code): TR 25 33 42 58 70
- 17892. *Leptochilus* (*Lionotulus*) *membranaceus* (Morawitz,1867)** (Vespidae) Synonym(s): *membranaceus* Morawitz,1867 Range (in code): IL Pa IT HV MK GR BG UA RU Cc AM IR TR KG 06 21 25 38 40 42
- 17893. *Leptochilus* (*Lionotulus*) *mimulus* Gusenleitner,1970** (Vespidae) Synonym(s): *mimulus* Gusenleitner,1970; *turcicus* Gusenleitner,1971 Range (in code): CY AL MK GR Cr TR 06
- 17894. *Leptochilus* (*Lionotulus*) *osmanicus* Gusenleitner,1988** (Vespidae) Synonym(s): *osmanicus* Gusenleitner,1988 Range (in code): TR 73
- 17895. *Leptochilus* (*Lionotulus*) *ressli* Gusenleitner,1985** (Vespidae) Synonym(s): *ressli* Gusenleitner,1985 Range (in code): IR TR 73
- 17896. *Leptochilus* (*Lionotulus*) *tarsatellus* Giordani Soika,1970** (Vespidae) Synonym(s): *tarsatellus* Giordani Soika,1970 Range (in code): TR LB 30
- 17897. *Leptochilus* (*Neoleptochilus*) *regulus* Saussure,1855** (Vespidae) Synonym(s): *regulus* Saussure,1855; *gallicus* Saussure,1855; *calabricus* Gribodo,1881; *siculus* De Stefani,1883; *costae* Costa,1884; *buyssoni* Medina,1891; *pauli* Medina,1892; *perforatus* Dusmet,1903; *obtusidentatus* Maidl,1922; *wuczetici* Kostylev,1928 Range (in code): PT ES FR CH AT IT Co Sa Si CZ SK UA RU HU SS HV B-H MK GR BG Cr CY TR 02 06 07 08 10 17 20 25 31 33 35 55 76 80
- 17898. *Leptochilus bellus* Blüthgen,1955** (Vespidae) Synonym(s): *bellus* Blüthgen,1955 Range (in code): EG Sn IL Pa JO
- 17899. *Leptochilus fuscipes* Gusenleitner,1985** (Vespidae) Synonym(s): *fuscipes* Gusenleitner,1985 Range (in code): IR Qz TR 02
- 17900. *Leptochilus gemma* Giordani Soika,1970** (Vespidae) Synonym(s): *gemma* Giordani Soika,1970 Range (in code): IL Pa JO IR
- 17901. *Leptochilus gusenleitneri* Yıldırım & Özbek,1995** (Vespidae) Synonym(s): *gusenleitneri* Yıldırım & Özbek,1995 Range (in code): TR 24
- 17902. *Leptochilus jordaneus* Gusenleitner,1994** (Vespidae) Synonym(s): *jordaneus* Gusenleitner,1994 Range (in code): JO IL Pa
- 17903. *Leptochilus kemali* Gusenleitner,1977** (Vespidae) Synonym(s): *kemali* Gusenleitner,1977 Range (in code): TR 31 33 42 50 58

- 17904. Leptochilus neutraliformis** Gusenleitner,1977 (Vespidae) Synonym(s): neutraliformis Gusenleitner,1977 Range (in code): TR 33 58 63
- 17905. Leptochilus neutralis** (Giordani Soika,1943) (Vespidae) Synonym(s): neutralis Giordani Soika,1943 Range (in code): TR 06
- 17906. Leptochilus nigroclypeus** Gusenleitner,1985 (Vespidae) Synonym(s): nigroclypeus Gusenleitner,1985 Range (in code): TR 50 58
- 17907. Leptochilus ornatulus** Gusenleitner,1977 (Vespidae) Synonym(s): ornatulus Gusenleitner,1977 Range (in code): TR JO 63
- 17908. Leptochilus palandokenicus** Yıldırım & Özbek,1995 (Vespidae) Synonym(s): palandokenicus Yıldırım & Özbek,1995 Range (in code): TR 25
- 17909. Leptochilus tarsatiformis** (Giordani Soika,1943) (Vespidae) Synonym(s): tarsatiformis Giordani Soika,1943 Range (in code): TR 06 23 58
- 17910. Leptochilus tussaci** Giordani Soika,1986 (Vespidae) Synonym(s): tussaci Giordani Soika,1986 Range (in code): IL Pa JO MA
- 17911. Leptochilus villosus** Gusenleitner,2001 (Vespidae) Synonym(s): villosus Gusenleitner,2001 Range (in code): JO
- 17912. Leptodynerus arabicus** Giordani Soika,1970 (Vespidae) Synonym(s): arabicus Giordani Soika,1970 Range (in code): IL Pa
- 17913. Masaris aegytiacus** Meade-Waldo,1911 (Vespidae) Synonym(s): aegytiacus Meade-Waldo,1911 Range (in code): EG IL Pa JO SA
- 17914. Masaris carli** Schulthess,1921 (Vespidae) Synonym(s): carli Schulthess,1921; smirnovi Kostylev,1925 Range (in code): KG UZ IR
- 17915. Masaris longicornis** (Kuznetzov,1923) (Vespidae) Synonym(s): longicornis Kuznetzov,1923 Range (in code): AF UZ KK
- 17916. Microdynerus (Alastoryneus) microdynerus** (Dalla Torre,1889) (Vespidae) Synonym(s): alastoroides Morawitz,1885 (praeocc.); microdynerus Dalla Torre,1889; tridentatus Kostylev,1935 Range (in code): SS HU RO BG GR MK TR JO IR KG Aa 06
- 17917. Microdynerus (Pseudomicrodynerus) eurasius** Blüthgen,1938 (Vespidae) Synonym(s): eurasius Blüthgen,1938 Range (in code): GR BG TR 05 06 11 25 33 42 50 58
- 17918. Microdynerus (Pseudomicrodynerus) parvulus** (Herrich-Schäffer,1838) (Vespidae) Synonym(s): parvulus Herrich-Schäffer,1838; helveticus Saussure,1855; bifidus Morawitz,1885 Range (in code): FR CH AT DE PL CZ SK HU BY RU UA IT SS HV YU RO BG GR TR 08 25 33 42 50 58 63
- 17919. Microdynerus (s.str.) abdelkader** Saussure,1856 (Vespidae) Synonym(s): abdelkader Saussure,1856; leopoldi Dusmet,1917; pharaonum Giordani Soika,1960 Range (in code): DZ PT ES EG TR 05 48
- 17920. Microdynerus (s.str.) appenninicus** Giordani Soika,1960 (Vespidae) Synonym(s): appenninicus Giordani Soika,1960 Range (in code): IT Si GR Cr BG RO JO TR 06 27 29 33 35 42 50
- 17921. Microdynerus (s.str.) atriceps** Morawitz,1895 (Vespidae) Synonym(s): atriceps Morawitz,1895 Range (in code): Cc AZ Kir TR IL Pa IR Qz 05
- 17922. Microdynerus (s.str.) confinis** Gusenleitner,1979 (Vespidae) Synonym(s): confinis Gusenleitner,1979 Range (in code): RO BG TR 06 25 33 42 44 45 50 70
- 17923. Microdynerus (s.str.) longicollis** Morawitz,1895 (Vespidae) Synonym(s): longicollis Morawitz,1895; patagiatus Schulthess,1897 Range (in code): FR ES DE CZ CH AT HU Co RO YU MK GR BG IT Si TR 05
- 17924. Microdynerus (s.str.) mirandus** (Giordani Soika,1947) (Vespidae) Synonym(s): mirandus Giordani Soika,1947 Range (in code): TR IT Si Co HV YU GR BG RO UA 06 07 33 41
- 17925. Microdynerus (s.str.) nugundensis** (Saussure,1855) (Vespidae) Synonym(s): nugundensis Saussure,1855 Range (in code): CH YU MK BG AL GR TR 01 06 33
- 17926. Microdynerus (s.str.) urdunus** Gusenleitner,2004 (Vespidae) Synonym(s): urdunus Gusenleitner,2004 Range (in code): JO SY Dms
- 17927. Microdynerus anatolicus** (Blüthgen,1938) (Vespidae) Synonym(s): anatolicus Blüthgen,1938 Range (in code): IL Pa TR 63
- 17928. Microdynerus curdistanicus** Gusenleitner,1988 (Vespidae) Synonym(s): curdistanicus Gusenleitner,1988 Range (in code): TR 30 50 58 73
- 17929. Microdynerus erzincanensis** Yıldırım & Özbek,1995 (Vespidae) Synonym(s): erzincanensis Yıldırım & Özbek,1995 Range (in code): TR 24
- 17930. Microdynerus latro** Blüthgen,1955 (Vespidae) Synonym(s): latro Blüthgen,1955 Range (in code): SY Dms IL Pa
- 17931. Microdynerus saundersi** Blüthgen,1955 (Vespidae) Synonym(s): saundersi Blüthgen,1955 Range (in code): IL Pa DZ
- 17932. Odynerus (s.str.) femoratus** Saussure,1856 (Vespidae) Synonym(s): femoratus Saussure,1856; duskei Morawitz,1895 Range (in code): PT ES FR CH AT HU PL UA RU IT SS HV B-H MK BG GR Cr Co Sa Si TR 06 08 11 22 25 48 55 69

- 17933. Odynerus (s.str.) melanocephalus (Gmelin,1790)** (Vespidae) Synonym(s): melanocephalus Gmelin,1790; dentipes Herrich-Schäffer,1839; serripes Taschenberg,1866; sareptanus André,1884; armeniacus Morawitz,1885; combinata Blüthgen,1940; luxuriosa Blüthgen,1955; cypriacus Eck,1971 Range (in code): PT ES FR GB NO SE FI RU BY PL UA DK DE NL CZ SK HU RO CH AT HV YU MK AL IT Sa Si BG GR TR CY 06 07 09 11 19 21 24 25 29 31 33 36 42 50 51 57 63 69 73 80
- 17934. Odynerus (s.str.) poecilus Saussure,1856** (Vespidae) Synonym(s): poecilus Saussure,1856; ruficornis Rudow,1876 Range (in code): FR DE CH AT IT HV HU RO BG GR TR 06 25 37
- 17935. Odynerus (s.str.) spinipes (Linnaeus,1758)** (Vespidae) Synonym(s): spinipes Linnaeus,1758; quinquefasciata Fabricius,1793; muticus Zetterstedt,1838; #flaviscapus Mader,1936; scutellaris Buthgen,1940 Range (in code): ES FR GB NL DK DE NO SE FI RU LT LV EE BY UA PL CZ SK CH AT HU IT SS HV B-H YU MK BG TR 53
- 17936. Odynerus (Spinicoxa) albopictus Saussure,1856** (Vespidae) Synonym(s): albopictus Saussure,1856; calcaratus Morawitz,1885; rufospinosus Morawitz,1895; argivus Schulthess,1924 Range (in code): PT ES FR IT Si MK GR BG TR Cr 21 24 25 50
- 17937. Odynerus (Spinicoxa) simillimus Morawitz,1967** (Vespidae) Synonym(s): simillimus Morawitz,1967; dentifer Drogoszewski,1934 Range (in code): GB DE CH AT SS HU PL RU UA Cc RO TR 25
- 17938. Odynerus alexandrinus Saussure,1853** (Vespidae) Synonym(s): alexandrinus Saussure,1853; cauponalis Giordani Soika,1977 Range (in code): SA EG IL Pa JO Amm Pet
- 17939. Odynerus palaestinensis Gusenleitner,1972** (Vespidae) Synonym(s): palaestinensis Gusenleitner,1972 Range (in code): IL Pa
- 17940. Onychopterocheilus grandiceps (Blüthgen,1955)** (Vespidae) Synonym(s): grandiceps Blüthgen,1955 Range (in code): JO
- 17941. Onychopterocheilus hellenicus (Morawitz,1885)** (Vespidae) Synonym(s): hellenicus Morawitz,1885; syriacus Blüthgen,1952 Range (in code): GR TR SY 06
- 17942. Onychopterocheilus mena (Giordani Soika,1943)** (Vespidae) Synonym(s): mena Giordani Soika,1943 Range (in code): JO Pet
- 17943. Onychopterocheilus rothi (Dusmet,1928)** (Vespidae) Synonym(s): rothi Dusmet,1928 Range (in code): MA DZ TN IL Pa JO
- 17944. Paragymnomerus amitinorum Blüthgen,1938** (Vespidae) Synonym(s): amitinorum Blüthgen,1938 Range (in code): TR 05 06 25 31 45 58
- 17945. Parapolybia escalerae (Meade-Waldo,1911)** (Vespidae) Synonym(s): escalerae Meade-Waldo,1911 Range (in code): IR TR PK Nwf Ci 30 73
- 17946. Paravespa mimetica (Schulthess,1924)** (Vespidae) Synonym(s): mimetica Schulthess,1924 Range (in code): TR 63
- 17947. Paravespa quadricolor (Morawitz,1885)** (Vespidae) Synonym(s): quadricolor Morawitz,1885; komarowi Radoszkowski,1886 Range (in code): Cc
- 17948. Pareumenes enslini (Schulthess,1931)** (Vespidae) Synonym(s): enslini Schulthess,1931 Range (in code): IL Pa
- 17949. Pareumenes laminatus (Kriechbaumer,1879)** (Vespidae) Synonym(s): laminatus Kriechbaumer,1879 Range (in code): TR 06 07 33 34
- 17950. Parodontodynerus ephippium (Klug,1817)** (Vespidae) Synonym(s): ephippium Klug,1817 Range (in code): TR 01 06 08 09 20 25 31 42 43 49
- 17951. Polistes (Gyrostoma) olivaceus (DeGeer,1773)** (Vespidae) Synonym(s): olivaceus DeGeer,1773; hebraea Fabricius,1787; undata Olivier,1792; macaensis Fabricius,1793; ?flavipennis Saussure,1853 Range (in code): MG RE MU TZ Zz SC EG SA OM IR AF PK Ngr Nar Pj IN Ch Ass Hp Meg SI Up Ben LK NP MM TH CN JP PH VN LA KH MY SG ID Sum Bor NC FJ TO WS Mq CL Hw AU NZ
- 17952. Polistes (Gyrostoma) rothneyi Cameron,1900** (Vespidae) Synonym(s): rothneyi Cameron,1900; rufolineatus Cameron,1900 Range (in code): PK Dir Abb Pes Pj Nwf Ch IN Up Ben Meg Ass NP MM TH VN MY SI CN Ti JP Ri AU GU SB
- 17953. Polistes (Gyrostoma) wattii Cameron,1900** (Vespidae) Synonym(s): wattii Cameron,1900 Range (in code): AF IR IQ SA AE OM MU PK Hu Gg Cls Abb Msr Mrn Pes Sd IN Hp Pj Ben Ass Meg CN
- 17954. Polistes (Polistella) fastidiosus Saussure,1853** (Vespidae) Synonym(s): fastidiosus Saussure,1853 Range (in code): SN CI BF NG SD SO SA YE KE TZ Zz ZM MZ ZA Tva Lpo Spb Mdk
- 17955. Polistes (Polistella) stigma (Fabricius,1793)** (Vespidae) Synonym(s): stigma Fabricius,1793 Range (in code): IN PK SdS TH MY SG ID Sum Ja Bli Lb TW IN Ben Hp LK AU QAU NSW Kai Nk PG NBr Nlr PH Luz Ley Aru Amb Pal
- 17956. Polistes (s.str.) associus Kohl,1898** (Vespidae) Synonym(s): associus Kohl,1898 Range (in code): IT FR GR AT HU SK YU TR Cc AZ Kir IL Pa IN CN Ch 05 06 07 08 09 10 24 25 26 29 31 32 33 34 35 39 42 45 46 48 52 53 55 60
- 17957. Polistes (s.str.) atrimandibularis (Zimmermann,1930)** (Vespidae) Synonym(s): atrimandibularis Zimmermann,1930; albidus Blüthgen,1957 Range (in code): TR IR AM Cc EG 16 21 25 36
- 17958. Polistes (s.str.) badius Gerstaecker,1871** (Vespidae) Synonym(s): badius Gerstaecker,1871 Range (in code): SN GM TG GA CG TZ Zz KE SO ET SD YE



- 17959. Polistes (s.str.) biglumis (Linnaeus,1758)** (Vespidae) Synonym(s): biglumis Linnaeus,1758; alpium Blüthgen,1957 Range (in code): Cc TR RU Ur Sb Am Us KG MN IR 06 07 08 16 25 29 31 36 60 65 69 75 76
- 17960. Polistes (s.str.) bischoffi (Weyrauch,1937)** (Vespidae) Synonym(s): bischoffi Weyrauch,1937 Range (in code): MT TR 30
- 17961. Polistes (s.str.) dominula (Christ,1791)** (Vespidae) Synonym(s): dominulus Christ,1791; bucharensis Erichson,1949; muchei Gusenleitner,1976 Range (in code): TN IT FR BE DK CZ DZ YU TR Cc RU Sb Ur KG JP GB DK SE UZ Br AF PK IR AM Cc IL Pa JO MN CN CA AU CL US 01 02 05 06 07 08 09 10 13 17 20 21 24 25 26 31 32 33 34 35 36 41 42 44 45 46 47 48 49 53 55 56 59 60 63 65 76 78
- 17962. Polistes (s.str.) gallicus (Linnaeus,1767)** (Vespidae) Synonym(s): gallicus Linnaeus,1767; foederatus Kohl,1898; omissus Weyrauch,1939 Range (in code): ES YU MK TR FR IT GR AL DZ UA Cc AZ Kir AM IL Pa JO DZ AF PK Skd IR CN MN ET 01 02 06 07 08 09 10 13 20 21 22 23 24 25 26 31 32 33 34 35 36 40 42 44 45 46 47 53 55 63 65 73 75 76 77 78
- 17963. Polistes (s.str.) indicus Stofla,1934** (Vespidae) Synonym(s): indicus Stofla,1934 Range (in code): IN AF IQ IR PK Hu Cls Pj Sd AE OM
- 17964. Polistes (s.str.) iranans Guiglia,1977** (Vespidae) Synonym(s): iranans Guiglia,1977 Range (in code): IR
- 17965. Polistes (s.str.) marginalis (Fabricius,1775)** (Vespidae) Synonym(s): marginalis Fabricius,1775; arabicus Giordani Soika,1957 Range (in code): ET SO KE TZ SA YE Ad BF ZA Tva Lpo Fs Kzu Nta LS
- 17966. Polistes (s.str.) nimphus (Christ,1791)** (Vespidae) Synonym(s): nimpha Christ,1791; opinabilis Kohl,1898; moltonii Guiglia,1944; irakensis Gusenleitner,1976 Range (in code): DE FR IT YU RO BG GR ES DZ DK GB BE NL CZ TR IL Pa IQ AZ Cc PK Swa IN Ch Hp MN CN 01 05 06 07 08 11 20 23 25 33 35 36 44 45 46 48 55 65 66 69 77 78
- 17967. Polistes (s.str.) semenowi Morawitz,1889** (Vespidae) Synonym(s): semenowi Morawitz,1889 Range (in code): GR YU TR IR Fa Shr Cc AF TM Kp 05
- 17968. Polistes (s.str.) sulcifer (Zimmermann,1930)** (Vespidae) Synonym(s): sulcifer Zimmermann,1930; simulator Zirngiebl,1955 Range (in code): Md ES TR DZ EG IL IR 06 16 24 25 36 45 50 53 60 69
- 17969. Pseudepipona (Deuterepipona) ankarensis Giordani Soika,1970** (Vespidae) Synonym(s): ankarensis Giordani Soika,1970 Range (in code): TR 06 42 65 70
- 17970. Pseudepipona (Deuterepipona) ionia (Saussure,1855)** (Vespidae) Synonym(s): ionia Saussure,1855 Range (in code): TR 06 25 42 46
- 17971. Pseudepipona (s.str.) lativentris (Saussure,1855)** (Vespidae) Synonym(s): lativentris Saussure,1855 Range (in code): TR 06
- 17972. Pseudepipona (s.str.) pseudominuta Gusenleitner,1972** (Vespidae) Synonym(s): pseudominuta Gusenleitner,1972 Range (in code): IL Pa JO Amm TR 58
- 17973. Pseudepipona herrichii (Saussure,[1856])** (Vespidae) Synonym(s): herrichii Saussure,[1856] Range (in code): TR 06 30
- 17974. Pseudepipona tricolor Gusenleitner,1976** (Vespidae) Synonym(s): tricolor Gusenleitner,1976 Range (in code): KG RU Cc Da
- 17975. Pseudosymmorphus adnexus (Gusenleitner,1969)** (Vespidae) Synonym(s): adnexus Gusenleitner,1969 Range (in code): SY TR 63
- 17976. Pseudosymmorphus moricei (Schulthess,1925)** (Vespidae) Synonym(s): moricei Schulthess,1925 Range (in code): IL Pa
- 17977. Pseudosymmorphus prophetus (Giordani Soika,1952)** (Vespidae) Synonym(s): prophetus Giordani Soika,1952; asiaticus Giordani Soika,1970 Range (in code): SY JO IL Pa TR 63
- 17978. Psiliglossa anatolica Giordani Soika,1979** (Vespidae) Synonym(s): anatolica Giordani Soika,1979 Range (in code): TR 04 25 65
- 17979. Psiliglossa odyneroides (Saunders,1872)** (Vespidae) Synonym(s): odyneroides Saunders,1872 Range (in code): TR 06 07 11 80
- 17980. Pterocheilus atrohirtus Morawitz,1885** (Vespidae) Synonym(s): atrohirtus Morawitz,1885 Range (in code): TR Cc 07 36
- 17981. Pterocheilus coccineus André,1884** (Vespidae) Synonym(s): coccineus André,1884 Range (in code): IL Pa JO TN DZ Cn
- 17982. Pterocheilus fausti Morawitz,1873** (Vespidae) Synonym(s): fausti Morawitz,1873; aurantiopictus Giordani Soika,1970 Range (in code): TR SA 04 50
- 17983. Pterocheilus mavromoustakisi Giordani Soika,1979** (Vespidae) Synonym(s): mavromoustakisi Giordani Soika,1979 Range (in code): TR 25 36 38 58
- 17984. Pterocheilus multimaculatus Gusenleitner,2004** (Vespidae) Synonym(s): multimaculatus Gusenleitner,2004 Range (in code): TR 50
- 17985. Pterocheilus tenebricosus Gusenleitner,1998** (Vespidae) Synonym(s): tenebricosus Gusenleitner,1998 Range (in code): IR Fa

- 17986. *Quartinia araxana* Giordani Soika,1960** (Vespidae) Synonym(s): araxana Giordani Soika,1960; soika Richards,1962 Range (in code): GR TR IR Elb Cc AM
- 17987. *Quartinia atrata* Gusenleitner,1998** (Vespidae) Synonym(s): atrata Gusenleitner,1998 Range (in code): IR Fa
- 17988. *Quartinia candida* Gusenleitner,1997** (Vespidae) Synonym(s): candida Gusenleitner,1997 Range (in code): IL Pa
- 17989. *Quartinia irana* Gusenleitner,2012** (Vespidae) Synonym(s): irana Gusenleitner,2012 IR
- 17990. *Quartinia popovi* Gussakovskii,1936** (Vespidae) Synonym(s): popovi Gussakovskii,1936 Range (in code): TR 65
- 17991. *Quartinia separata* Gusenleitner,1997** (Vespidae) Synonym(s): separata Gusenleitner,1997 Range (in code): SY Hms TR 30 33 60
- 17992. *Raphiglossa eumenoides* Saunders,1850** (Vespidae) Synonym(s): eumenoides Saunders,1850; caucasica Giordani Soika,1970 Range (in code): Cc TR 06 50 63
- 17993. *Rhynchium oculatum* (Fabricius,1781)** (Vespidae) Synonym(s): oculatum Fabricius,1781; lefebri Lepelletier,1841; leviscutis Cameron,1908; distinguendum Buysson,1913; hebraeum Giordani Soika,1952; adenense Giordani Soika,1952; ibericum Giordani Soika,1966 Range (in code): Cn PT ES FR MT IT Si GR Cr TR OM IR SA EG JO YE Ad IL Pa CY 01 06 07 09 11 16 24 26 31 33 35 42 45 48 55 61
- 17994. *Ropalidia brevita* Das & Gupta,1989** (Vespidae) Synonym(s): Ropalidia brevita Das & Gupta,1989 Range (in code): IN PK Msr Abb
- 17995. *Ropalidia cyathiformis* (Fabricius,1804)** (Vespidae) Synonym(s): cyathiformis Fabricius,1804 Range (in code): PK Swa IN ID MY NP PH LK MM
- 17996. *Ropalidia fasciata* (Fabricius,1804)** (Vespidae) Synonym(s): fasciata Fabricius,1804 Range (in code): PK Mre Pj
- 17997. *Ropalidia spatulata* Van der Vecht,1962** (Vespidae) Synonym(s): spatulata Van der Vecht,1962 Range (in code): PK Pj Mre Rw
- 17998. *Stenodynerus aequisculptus* (Kostylev,1940)** (Vespidae) Synonym(s): aequisculptus Kostylev,1940 Range (in code): Cr TR 06 08 25 31 34 42
- 17999. *Stenodynerus bluethgeni* Van der Vecht,1971** (Vespidae) Synonym(s): bluethgeni Van der Vecht,1971 Range (in code): TR 06 19 24 25 59 69
- 18000. *Stenodynerus chevrieranus* (Saussure,1855)** (Vespidae) Synonym(s): chevrieranus Saussure,1855 Range (in code): TR 05 06 08 11 19 24 25 26 31 33 34 59 76 80
- 18001. *Stenodynerus chitgarensis* Giordani Soika,1970** (Vespidae) Synonym(s): chitgarensis Giordani Soika,1970 Range (in code): TR
- 18002. *Stenodynerus claviger* Gusenleitner,1981** (Vespidae) Synonym(s): claviger Gusenleitner,1981 Range (in code): TR 04 13
- 18003. *Stenodynerus fastidiosissimus* (Saussure,1855)** (Vespidae) Synonym(s): fastidiosissimus Saussure,1855; difficilis Morawitz,1867 Range (in code): TR 06
- 18004. *Stenodynerus orenburgensis* (André,1884)** (Vespidae) Synonym(s): orenburgensis André,1884 Range (in code): RU Or TR 25 69
- 18005. *Stenodynerus pannosus* Gusenleitner,1985** (Vespidae) Synonym(s): pannosus Gusenleitner,1985 Range (in code): TR 25 30
- 18006. *Stenodynerus simulatus* Gusenleitner,1981** (Vespidae) Synonym(s): simulatus Gusenleitner,1981 Range (in code): TR 06 08 24 25 33 42 50 70
- 18007. *Symmorphus bifasciatus* (Linnaeus,1761)** (Vespidae) Synonym(s): bifasciatus Linnaeus,1761 Range (in code): TR 06 14 25 36 53 61
- 18008. *Symmorphus connexus* (Curtis,1826)** (Vespidae) Synonym(s): connexus Curtis,1826 Range (in code): GB TR 46
- 18009. *Symmorphus crassicornis* (Panzer,1798)** (Vespidae) Synonym(s): crassicornis Panzer,1798 Range (in code): TR DE 06 25 26 28 60
- 18010. *Symmorphus gracilis* (Brullé,1832)** (Vespidae) Synonym(s): gracilis Brullé,1832 Range (in code): TR 06 09 24 25 29 33 60 70 73
- 18011. *Symmorphus murarius* (Linnaeus,1758)** (Vespidae) Synonym(s): murarius Linnaeus,1758; nidulator Saussure,1856 Range (in code): TR 24 25 29 51
- 18012. *Syneuodynerus egregius* (Herrich-Schäffer,1839)** (Vespidae) Synonym(s): egregius Herrich-Schäffer,1839 Range (in code): TR JO Amm IL Pa 06 24 25 31 33 42 45
- 18013. *Syneuodynerus erichi* Gusenleitner,1967** (Vespidae) Synonym(s): erichi Gusenleitner,1967 Range (in code): TR 25 30 33 47 63
- 18014. *Syneuodynerus fouadi* (Giordani Soika,1939)** (Vespidae) Synonym(s): fouadi Giordani Soika,1939 OM Dh JO
- 18015. *Syneuodynerus siegberti* (Gusenleitner,1967)** (Vespidae) Synonym(s): siegberti Gusenleitner,1967 Range (in code): TR 07 56 63
- 18016. *Tachyancistrocerus cyprius* (Pittioni,1950)** (Vespidae) Synonym(s): cyprius Pittioni,1950 Range (in code): CY

- 18017. Tachyancistrocerus komarowi (Morawitz,1885)** (Vespidae) Synonym(s): komarowi Morawitz,1885 Range (in code): **TR TM AF IR 01 21 63**
- 18018. Tachyancistrocerus rhodensis (Saussure,1855)** (Vespidae) Synonym(s): rhodensis Saussure,1855; sulcatus André,1883 Range (in code): **TR Si GR BG 01 06 07 08 09 10 20 25 31 32 33 34 42 45 46**
- 18019. Tachyancistrocerus schmidtii (Kokujev,1912)** (Vespidae) Synonym(s): schmidtii Kokujev,1912 Range (in code): **TR 10 21 24 25 36 46**
- 18020. Tachyancistrocerus syriacus Giordani Soika,1970** (Vespidae) Synonym(s): syriacus Giordani Soika,1970 Range (in code): **TR 36**
- 18021. Tropidodryinus interruptus (Brullé,1832)** (Vespidae) Synonym(s): interruptus Brullé,1832 Range (in code): **GR TR 06**
- 18022. Vespa analis Fabricius,1775** (Vespidae) Synonym(s): analis Fabricius,1775; sphinx Christ,1791; tyrannica Smith,1857; japonica Smith,1868; parallela André,1884; insularis Dalla Torre,1894; tridentata Cameron,1903; nigrans Du Buysson,1903; biroi Du Buysson,1905; tenebrosa Du Buysson,1905; barbouri Bequaert, 1939; kuangsiana Bequaert,1939; eisa Yamane,1987; nagatomii Yamane,1987 Range (in code): **IN Ch Up Ben Meg Ass PK Rw SI NP CN Sz Yu Hn Fjn Hbe Mc MM TH LA MY SG ID Sum Lb Ja Bli TW KP KR JP Ri RU Am Us Vv**
- 18023. Vespa auraria Smith,1852** (Vespidae) Synonym(s): auraria Smith,1852; pruthii Va der Vecht,1959 Range (in code): **PK Clc Ch IN AF Hp Pj Up Ben Meg Ass SI NP MM TH LA CN Yu MY YE**
- 18024. Vespa basalis Smith,1852** (Vespidae) Synonym(s): basalis Smith,1852; oblitterata Smith,1852 Range (in code): **PK Abb Pj IN Hp Ben Meg Ass SI NP CN Sz Yu Fkn TW MM TH LA VN ID Sum**
- 18025. Vespa crabro Linnaeus,1758** (Vespidae) Synonym(s): crabro Linnaeus,1758; germana Christ,1791 Range (in code): **PT ES FR GB NO SE FI DK DE BE NL CZ SK CH AT IT Sa Si HU MD UA RO YU AL BG GR TR Cc IR TM KG MN CN KP KR JP RU Ur Sb Am Us Sh CA US GT 06 08 10 11 16 24 25 33 34 35 36 37 42 45 52 53 55 59 60 61 67 70 73 75 78**
- 18026. Vespa orientalis Linnaeus,1771** (Vespidae) Synonym(s): orientalis Linnaeus,1771; turcica Drury,1773; quadripunctata Forskal,1775; fusca Christ,1791; aegyptiaca Vallot,1802; nilotica Vallot,1802; jurinei Saussure,1854; zavattarii Guiglia & Capra,1933; somalica Giordani Soika,1934; arabica Giordani Soika,1957 Range (in code): **IT Si MT AL BG Cr Rd CY RO GR TR JO IR Cc SY LB IQ IL Pa SA BH YE OM AE DZ LY EG ET SO RU TM UZ TJ IR AF KK PK IN Ch Pj Up Ben NP Ui MG MX 01 06 07 08 09 10 11 15 16 20 21 24 25 27 30 31 33 35 36 42 44 45 46 47 48 49 56 63 65 70 73 76**
- 18027. Vespa tropica (Linnaeus,1758)** (Vespidae) Synonym(s): tropica Linnaeus,1758; cincta Fabricius,1775; tenebrionis Christ,1791; deusta Lepeletier,1836; unicolor Smith,1863; eulemoides Du Buysson,1905; trisignata Pérez,1910; rubricans Pérez,1910; anthracina Bequaert,1936; haematodes Bequaert,1936; leefmansi Van der Vecht,1957; trimeres Van der Vecht,1957; cebuana Kojima & Reyes,1984 Range (in code): **AF PK Abb Pj Pes Nwf IN Hp Ben SI Ass Meg Adm Nk LK NP BT CN Yu MM TH LA KH VN MY Bor Swk ID Sum Nia Egg Ja Bli Lb Sbw Flo Tim Clb Obi Amb Crm Wg Aru Ij PG NBr PH Luz Mdo Sam Ley Pan Neg Ceb Pal Mno Bas**
- 18028. Vespa velutina Lepeletier,1836** (Vespidae) Synonym(s): velutina Lepeletier,1836; immaculata Morawitz,1889; fruhstorferi Stadelmann,1894; ardens Du Buysson,1905; nigrithorax Du Buysson,1905; celebensis Pérez,1910; megei Pérez,1910; divergens Pérez,1910; flavitarsus Sonan,1929; sumbana Van der Vecht,1957; variana Van der Vecht,1957; karnyi Van der Vecht,1957; timorensis Van der Vecht,1957; floresiana Van der Vecht,1957 Range (in code): **PK Gg Dir Swa Abb Pj IN Ben SI Djl Ass Meg BT CN Sz Hbe Gn TW MM TH CMa LA VN MY ID Sum Ja Bli Lb Sbw Flo Tim Clb**
- 18029. Vespa austriaca (Panzer,1799)** (Vespidae) Synonym(s): austriaca Panzer,1799; borealis Smith,1843; nec Kby.,1837; arborea Smith,1849; biloba Schilling,1850; infernalis Saussure,1854; tripunctata Packard,1870 Range (in code): **NO SE FI DK IE GB BE FR ES DE CH AT IT PL CZ BG TR GG Cc RU Kmt Us Am PK IN Ch MN Ui CN Hbe KP KR JP CA BCo On Nfl US Org Cf Ut Col Arz NMx Ny Nj**
- 18030. Vespa flaviceps (Smith,1870)** (Vespidae) Synonym(s): flaviceps Smith,1870 Range (in code): **PK Swa IN CN MM JP KP KR NP RU Us TW TH**
- 18031. Vespa germanica (Fabricius,1793)** (Vespidae) Synonym(s): germanica Fabricius,1793 Range (in code): **Cn Az MA TN DZ TR Cc SY JO IR AF PK Bl Hu Dir Swa Ci Abb Msr Psu Cls Qu IN Ch KG Uk MN CN Ui Mc RU Ur Sb Am Us Sh KP KR AU NZ ZA CA US CL AR 05 06 07 08 09 10 12 13 15 16 17 20 21 29 31 32 33 34 35 36 38 40 41 42 44 45 46 47 48 49 50 52 56 60 63 64 65 66 69 73 77 78**
- 18032. Vespa nursei Archer,1981** (Vespidae) Synonym(s): nursei Archer,1981 Range (in code): **PK Dir IN CN PH**
- 18033. Vespa rufa (Linnaeus,1758)** (Vespidae) Synonym(s): rufa Linnaeus,1758; schrenckii Radoszkowski,1861; sibirica André,1884; intermedia Buysson,1905; grahami Archer,1981; obscura Lee,1986; yichunensis Lee,1986 Range (in code): **NO SE FI DK DE IE GB NL BE FR ES IT CH AT PL CZ HV AL BG UA RU Us Sh GG Cc UZ MN TR Ui Ti CN Sz Yu Mc NP TW KP KR JP CA BCo On Nfl US 08 24 25 29**
- 18034. Vespa vulgaris (Linnaeus,1758)** (Vespidae) Synonym(s): vulgaris Linnaeus,1758; sexcincta Panzer,1799; communis Saussure,1857; nec Schr.,1785; alascensis Packard,1870; westwoodii Shipp,1893; pseudogermanica Stofa,1932 Range (in code): **BE GB SE TR Cc MN IR IN Ch KK KG CN KP KR JP Hkk Hw AU NZ RU Ur Sb Us Am Sh Krl 02 05 06 08 13 16 17 24 25 28 29 32 33 35 36 38 42 43 44 48 53 61 64 69**
- 18035. Xyela curva Benson,1938** (Xyelidae) Synonym(s): curva Benson,1938 Range (in code): **TR 07 15**
- 18036. Xyela graeca Stein,1876** (Xyelidae) Synonym(s): graeca Stein,1876 Range (in code): **GR TR 06 07 15 42**



- 18037. *Xyela julii* (Brébisson,1818)** (Xyelidae) Synonym(s): *julii* Brébisson,1818 Range (in code): **TR 58**  
**18038. *Xyela menelaus* Benson,1960** (Xyelidae) Synonym(s): *menelaus* Benson,1960 Range (in code): **TR 07 15**

## Part 5

### Coleoptera

In Part 5, 8073 species of the 52 families in the order Coleoptera are given alphabetically according to their families. Additionally, synonyms and distributional information (as range codes) are also mentioned. These families are as follows alphabetically: Anthicidae, Anthribidae, Apionidae, Attelabidae, Bostrichidae, Brachyceridae, Brentidae, Bruchidae, Buprestidae, Byturidae, Cantharidae, Carabidae, Cebrionidae, Cerambycidae, Chrysomelidae, Cleridae, Coccinellidae, Curculionidae, Dermestidae, Dytiscidae, Elateridae, Georissidae, Geotrupidae, Glaphyridae, Gyrinidae, Haliplidae, Helophoridae, Histeridae, Hydraenidae, Hydrochidae, Hydrophilidae, Korynetidae, Lampyridae, Leiodidae, Lucanidae, Meloidae, Melyridae, Mordellidae, Nitidulidae, Noteridae, Oedemeridae, Phengodidae, Pyrochroidae, Ripiphoridae, Scarabaeidae, Scirtidae, Silphidae, Spercheidae, Staphylinidae, Tenebrionidae, Thanerocleridae, and Trogidae.

- 18039. *Endomia concolor* (Desbrochers,1875)** (Anthicidae) Synonym(s): *concolor* Desbrochers,1875 Range (in code): **TR IR 45**  
**18040. *Formicomus ionicus* LaFerté & Sénectere,1847** (Anthicidae) Synonym(s): *ionicus* LaFerté & Sénectere,1847 Range (in code): **DZ BG GR IT CY TR IR 35 45**  
**18041. *Hirticomus hispidus* (Rossi,1792)** (Anthicidae) Synonym(s): *hispidus* Rossi,1792 Range (in code): **Cn DZ LT SE RU AF KG Sb TR 01 35 45**  
**18042. *Microhoria terminata* (Schmidt,1842)** (Anthicidae) Synonym(s): *terminata* Schmidt,1842 Range (in code): **TR RU UA Cc TM 35 45**  
**18043. *Notoxus anatolicus* Heberdey,1936** (Anthicidae) Synonym(s): *anatolicus* Heberdey,1936 Range (in code): **TR 42**  
**18044. *Notoxus angustulus* Krekich & Strassoldo,1919** (Anthicidae) Synonym(s): *angustulus* Krekich & Strassoldo,1919 Range (in code): **Cc AM AZ GR TR IR TM 35 45**  
**18045. *Notoxus appendicinus* Desbr.,1875** (Anthicidae) Synonym(s): *appendicinus* Desbr.,1875 Range (in code): **Co Sa HV YU MK AL GR BG RU Cc AZ Kir Bak Cc Da IL Pa LB Bei TR IR Elb TM AF UZ Smk KK Ik 01 35 42 55**  
**18046. *Notoxus brachycerus* Faldermann,1837** (Anthicidae) Synonym(s): *brachycerus* Faldermann,1837 Range (in code): **TR**  
**18047. *Notoxus eurycerus* Kiesenwetter,1861** (Anthicidae) Synonym(s): *eurycerus* Kiesenwetter,1861 Range (in code): **TR GR**  
**18048. *Notoxus simulans* Heberdey,1935** (Anthicidae) Synonym(s): *simulans* Heberdey,1935 Range (in code): **B-H Cc AZ RU UZ Fe KG Tk CN Ui Au T-S Ch MN TR**  
**18049. *Choragus sheppardi* Kirby,1818** (Anthribidae) Synonym(s): *sheppardi* Kirby,1818; *bostrichoides* Müller,1821; *niger* Stephens,1830; *pygmaeus* Robert,1832; *galeazzii* Villa,1833; *caucasicus* Motschoulsky,1873; *nitidipennis* Gerhard,1901 Range (in code): **TR Cc**  
**18050. *Choragus vittatus* Reitter,1885** (Anthribidae) Synonym(s): *vittatus* Reitter,1885 Range (in code): **TR Cc**  
**18051. *Noxius curtirostris* (Mulsant,1861)** (Anthribidae) Synonym(s): *curtirostris* Mulsant,1861 Range (in code): **AT IT ES FR TR**  
**18052. *Opanthribus tessellatus* (Boheman,1829)** (Anthribidae) Synonym(s): *tessellatus* Boheman,1829; *fallax* Perris,1875; *brunneipennis* Reitter,1916 Range (in code): **DE TR RU JP**  
**18053. *Phaenotheriolum hispidum* Frieser,1978** (Anthribidae) Synonym(s): *hispidum* Frieser,1978 Range (in code): **TR**  
**18054. *Phaenotheriolum steindachneri* (Frivaldsky,1883)** (Anthribidae) Synonym(s): *steindachneri* Frivaldsky,1883 Range (in code): **LB IL Pa TR**  
**18055. *Phaenotheriolum villosum* Frieser,1978** (Anthribidae) Synonym(s): *villosum* Frieser,1978 Range (in code): **TR LB JO**  
**18056. *Phaenotherion bodemeyeri* Wolfrum,1956** (Anthribidae) Synonym(s): *bodemeyeri* Wolfrum,1956 Range (in code): **TR Cc**  
**18057. *Phaenotheriosoma adducta* Frieser,1980** (Anthribidae) Synonym(s): *adducta* Frieser,1980 Range (in code): **TR**  
**18058. *Phaenotheriosoma besucheti* Frieser,1978** (Anthribidae) Synonym(s): *besucheti* Frieser,1978 Range (in code): **LB**

- 18059. Phaenotheriosoma complanata Frieser,1980** (Anthribidae) Synonym(s): complanata Frieser,1980 Range (in code): TR
- 18060. Phaenotheriosoma latifolia Frieser,1980** (Anthribidae) Synonym(s): latifolia Frieser,1980 Range (in code): TR
- 18061. Phaenotheriosoma loebli Frieser,1978** (Anthribidae) Synonym(s): loebli Frieser,1978 Range (in code): LB
- 18062. Phaenotheriosoma pselaphoides Frieser,1980** (Anthribidae) Synonym(s): pselaphoides Frieser,1980 Range (in code): TR
- 18063. Tropiderinus interruptus (Reitter,1889)** (Anthribidae) Synonym(s): interruptus Reitter,1889 Range (in code): Cc TR AM JO
- 18064. Alocentron (s.str.) curvirostre (Gyllenhal,1833)** (Apionidae) Synonym(s): curvirostre Gyllenhal,1833 Range (in code): TR 10 31 35 42 50 65 74
- 18065. Apion (s.str.) frumentarium (Linnaeus,1758)** (Apionidae) Synonym(s): frumentarium Linnaeus,1758 Range (in code): TR 01 02 08 10 11 13 17 21 25 35 43 48 53 54 55 60 61
- 18066. Apion (s.str.) haematodes (W.Kirby,1808)** (Apionidae) Synonym(s): haematodes W.Kirby,1808 Range (in code): TR 22 35 53 57 80
- 18067. Apion aestimatum Faust,1891** (Apionidae) Synonym(s): aestimatum Faust,1891 Range (in code): TR 01 14 18 19 25 27 37 46
- 18068. Apion aestivum Germar,** (Apionidae) Synonym(s): Range (in code): TR 01 07 33 46
- 18069. Apion arrogans (Wencker,1858)** (Apionidae) Synonym(s): arrogans Wencker,1858 Range (in code): TR 27 46 47 63
- 18070. Apion cruentatum Walton,1844** (Apionidae) Synonym(s): cruentatum Walton,1844 Range (in code): TR 29 58
- 18071. Apion flavipes Herbst,1797** (Apionidae) Synonym(s): flavipes Herbst,1797 Range (in code): TR 01 07 08 13 35 38 45 46 48 52 55
- 18072. Apion rubens Stephens,1839** (Apionidae) Synonym(s): rubens Stephens,1839 Range (in code): TR 22
- 18073. Aspidapion (Koestlinia) aeneum (Fabricius,1775)** (Apionidae) Synonym(s): aeneum Fabricius,1775 Range (in code): TR 07 10 39 47 59 81
- 18074. Aspidapion (s.str.) radiolus (Marsham,1802)** (Apionidae) Synonym(s): radiolus Marsham,1802 Range (in code): TR 35 47 66
- 18075. Catapion brulerieri (Desbrochers,1875)** (Apionidae) Synonym(s): brulerieri Desbrochers,1875; tauricum Schubert,1963 nec Desb.,1902; schuberti Alonso Zarazaga,1986 Range (in code): LB Bei TR 33
- 18076. Catapion burdigalense (Wencker,1859)** (Apionidae) Synonym(s): burdigalense Wencker,1859 Range (in code): TR 27 30 33 47 71
- 18077. Catapion corsicum (Desbrochers,1888)** (Apionidae) Synonym(s): corsicum Desbrochers,1888 Range (in code): TR 37
- 18078. Catapion curtulum (Desbrochers,1870)** (Apionidae) Synonym(s): curtulum Desbrochers,1870 Range (in code): TR 35 48 55 64
- 18079. Catapion cyanellum (Desbrochers,1896)** (Apionidae) Synonym(s): cyanellum Desbrochers,1896 Range (in code): TR 30
- 18080. Catapion lodosi Hoffmann,1954** (Apionidae) Synonym(s): lodosi Hoffmann,1954 Range (in code): TR 27 43
- 18081. Catapion pubescens (W.Kirby,1811)** (Apionidae) Synonym(s): pubescens W.Kirby,1811 Range (in code): TR 10 17 35 56
- 18082. Catapion seniculus (W.Kirby,1808)** (Apionidae) Synonym(s): seniculus W.Kirby,1808 Range (in code): TR 07 08 09 10 14 17 21 24 27 38 45 55 63
- 18083. Ceratapion (Acanephodus) onopordi (W.Kirby,1808)** (Apionidae) Synonym(s): onopordi W.Kirby,1808 Range (in code): TR 03 04 08 09 21 23 24 25 26 30 35 38 44 47 63
- 18084. Ceratapion (Angustapion) beckeri (Desbrochers,1875)** (Apionidae) Synonym(s): beckeri Desbrochers,1875 Range (in code): TR 25 35 38 47 79
- 18085. Ceratapion (Angustapion) macrorrhynchum (Eppelsheim,1888)** (Apionidae) Synonym(s): macrorrhynchum Eppelsheim,1888 Range (in code): TR 65
- 18086. Ceratapion (Echinostroma) basicorne (Illiger,1807)** (Apionidae) Synonym(s): allariae Herbst,1797 (praeocc.); basicorne Illiger,1807; simillium Desbrochers,1891; spathula Desbrochers,1894; subcavifrons Desbrochers,1894; tauricum Desbrochers,1902; atripenne Desbrochers,1902 Range (in code): Cc TR 01 06 12 23 38 40 42 46 47 57 66 71
- 18087. Ceratapion (Echinostroma) penetrans (Germar,1817)** (Apionidae) Synonym(s): penetrans Germar,1817 Range (in code): TR 69
- 18088. Ceratapion (Echinostroma) scalptum (Mulsant & Rey,1858)** (Apionidae) Synonym(s): scalptum Mulsant & Rey,1858 Range (in code): TR 08 09 14 21 24 26 27 43 46 47 48 55 56 58 61 63 66
- 18089. Ceratapion (s.str.) carduorum (W.Kirby,1808)** (Apionidae) Synonym(s): carduorum W.Kirby,1808 Range (in code): TR 01 05 07 11 14 23 24 26 27 31 33 35 37 45 46 64 78 80

- 18090. Ceratapion gibbifrons (Hustache,1932)** (Apionidae) Synonym(s): gibbifrons Hustache,1932; cystocephalus Bajtenov & Lodos,1978 Range (in code): LB SY TR IR 02 23
- 18091. Cyanapion (Bothryorrhynchapion) gyllenhalii (W.Kirby,1808)** (Apionidae) Synonym(s): gyllenhalii W.Kirby,1808 Range (in code): TR 04 11 65
- 18092. Diplapion confluens (W.Kirby,1808)** (Apionidae) Synonym(s): confluens W.Kirby,1808 Range (in code): TR 10 12 14 21 22 27 35 36 41 44 48 57 60 63 73 76 81
- 18093. Diplapion detritum (Mulsant & Rey,1858)** (Apionidae) Synonym(s): detritum Mulsant & Rey,1858 Range (in code): TR 33
- 18094. Eutrichapion (Cnemapion) gribodoi (Desbrochers,1896)** (Apionidae) Synonym(s): gribodoi Desbrochers,1896 Range (in code): TR 16 35
- 18095. Eutrichapion (Cnemapion) vorax (Herbst,1797)** (Apionidae) Synonym(s): vorax Herbst,1797 Range (in code): TR 09 10 16 20 35 46 65
- 18096. Eutrichapion (Psilocalymma) facetum (Gyllenhal,1839)** (Apionidae) Synonym(s): facetum Gyllenhal,1839 Range (in code): TR 01 04 16 24 25 27 35 44 48 55
- 18097. Eutrichapion (Psilocalymma) punctiger (Paykull,1792)** (Apionidae) Synonym(s): punctiger Paykull,1792 Range (in code): TR 09 20 21 22 49
- 18098. Eutrichapion (s.str.) viciae (Paykull,1800)** (Apionidae) Synonym(s): viciae Paykull,1800 Range (in code): TR 09 11 19 20 32 35 46 41 43 58 59
- 18099. Hemitrichapion (Dimesomyops) pavidum (Germar,1817)** (Apionidae) Synonym(s): pavidum Germar,1817 Range (in code): TR 08
- 18100. Hemitrichapion (Tinocyba) insidiosum (Desbrochers,1875)** (Apionidae) Synonym(s): insidiosum Desbrochers,1875 Range (in code): TR 13
- 18101. Hemitrichapion (Tinocyba) reflexum (Gyllenhal,1833)** (Apionidae) Synonym(s): reflexum Gyllenhal,1833 Range (in code): TR 35
- 18102. Holotrichapion (Apiops) pisi (Fabricius,1801)** (Apionidae) Synonym(s): pisi Fabricius,1801 Range (in code): TR 08 10 13 14 21 30 35 55 64
- 18103. Holotrichapion (Apiops) pullum (Gyllenhal,1833)** (Apionidae) Synonym(s): pullum Gyllenhal,1833 Range (in code): TR 21 24 25 38 44 47 48 49 55 62 63 68 74 80
- 18104. Holotrichapion (Legaricapion) gracilicolle (Gyllenhal,1839)** (Apionidae) Synonym(s): gracilicolle Gyllenhal,1839 Range (in code): TR 35 45
- 18105. Ischnopterapion (s.str.) loti (W.Kirby,1808)** (Apionidae) Synonym(s): loti W.Kirby,1808 Range (in code): TR 04 14
- 18106. Ischnopterapion (s.str.) modestum (Germar,1817)** (Apionidae) Synonym(s): modestum Germar,1817 Range (in code): TR 74
- 18107. Lepidapion argentatum (Gerstaecker,1854)** (Apionidae) Synonym(s): argentatum Gerstaecker,1854; sardoum Schatzmayr,1934 Range (in code): FR IT Sa Si TR 19
- 18108. Loborhynchapion amethystinum (Miller,1857)** (Apionidae) Synonym(s): amethystinum Miller,1857 Range (in code): DE CZ SK AT HU BG UA RU TR 14 38
- 18109. Mesotrichapion armeniacum (Desbrochers,1896)** (Apionidae) Synonym(s): armeniacum Desbrochers,1896 Range (in code): GG Cc Tbl AM TR 38
- 18110. Omphalapion dispar (Germar,1817)** (Apionidae) Synonym(s): dispar Germar,1817 Range (in code): TR 01 27 31 35 43 63
- 18111. Omphalapion hookeri (W.Kirby,1808)** (Apionidae) Synonym(s): hookeri W.Kirby,1808 Range (in code): TR 35
- 18112. Omphalapion laevigatum (Paykull,1792)** (Apionidae) Synonym(s): laevigatum Paykull,1792 Range (in code): TR 43
- 18113. Oxystoma cerdo (Gerstaecker,1854)** (Apionidae) Synonym(s): cerdo Gerstaecker,1854 Range (in code): TR 19
- 18114. Oxystoma craccae (Linnaeus,1767)** (Apionidae) Synonym(s): craccae Linnaeus,1767 Range (in code): TR 07 16 64
- 18115. Oxystoma ochropus (Germar,1818)** (Apionidae) Synonym(s): ochropus Germar,1818 Range (in code): TR 04 35 53 55 66
- 18116. Oxystoma pomonae (Fabricius,1798)** (Apionidae) Synonym(s): pomonae Fabricius,1798 Range (in code): TR 52 57
- 18117. Perapion (s.str.) affine (W.Kirby,1808)** (Apionidae) Synonym(s): affine W.Kirby,1808 Range (in code): TR 16 35
- 18118. Perapion (s.str.) hydrolapathi (Marsham,1802)** (Apionidae) Synonym(s): hydrolapathi Marsham,1802 Range (in code): TR 07
- 18119. Perapion (s.str.) oblongum (Gyllenhal,1839)** (Apionidae) Synonym(s): oblongum Gyllenhal,1839 Range (in code): TR 08
- 18120. Perapion (s.str.) violaceum (W.Kirby,1808)** (Apionidae) Synonym(s): violaceum W.Kirby,1808 Range (in code): TR 16 48



- 18121. *Perapion marchicum* (Herbst,1797)** (Apionidae) Synonym(s): marchicum Herbst,1797 Range (in code): TR 01 31
- 18122. *Perapion violaceum* (Kirby,1808)** (Apionidae) Synonym(s): violaceum Kirby,1808 Range (in code): TR 01 31
- 18123. *Phrissotrichum* (s.str.) *tubiferum* (Gyllenhal,1833)** (Apionidae) Synonym(s): tubiferum Gyllenhal,1833 Range (in code): TR 09 11 17 35 48 51 61 74
- 18124. *Protapion apricans* (Herbst,1797)** (Apionidae) Synonym(s): apricans Herbst,1797 Range (in code): TR 01 06 35 38 40 42 46 57 66 71
- 18125. *Protapion assimile* (W.Kirby,1808)** (Apionidae) Synonym(s): assimile W.Kirby,1808 Range (in code): TR 25 29
- 18126. *Protapion brenskiei* (Desbrochers,1895)** (Apionidae) Synonym(s): brenskiei Desbrochers,1895 Range (in code): TR 01 07 10 12 16 33 35 45 46 48 70
- 18127. *Protapion dentipes* (Gerstaecker,1854)** (Apionidae) Synonym(s): dentipes Gerstaecker,1854 Range (in code): TR 35 45
- 18128. *Protapion dissimile* (Germar,1817)** (Apionidae) Synonym(s): dissimile Germar,1817; heterocerum C.G.Thomson,1865; adjectum Desbrochers,1893; tereticolle Desbrochers,1897 Range (in code): TR GB DK DE SE EE PL RU UA MD RO BE NL CH AT CZ SK HU HV FR ES Sa Co Si IT BG 01 08 09 17 21 22 30 33 36 47 48 55 57 63 73
- 18129. *Protapion fulvipes* (Geoffroy,1785)** (Apionidae) Synonym(s): fulvipes Geoffroy,1785 Range (in code): TR 01 07 08 09 13 16 17 35 37 45 46 48 52 54 55 75
- 18130. *Protapion interjectum* (Desbrochers,1895)** (Apionidae) Synonym(s): interjectum Desbrochers,1895 Range (in code): TR 08 09 29 35
- 18131. *Protapion laevicolle* (W.Kirby,1811)** (Apionidae) Synonym(s): laevicolle W.Kirby,1811 Range (in code): TR 12 45
- 18132. *Protapion nigrিতarse* (W.Kirby,1808)** (Apionidae) Synonym(s): nigrিতarse W.Kirby,1808 Range (in code): TR 09 35 36 65
- 18133. *Protapion ononidis* (Gyllenhal,1827)** (Apionidae) Synonym(s): ononidis Gyllenhal,1827 Range (in code): TR 14 42 57
- 18134. *Protapion ruficrus* (Germar,1817)** (Apionidae) Synonym(s): ruficrus Germar,1817 Range (in code): TR 75
- 18135. *Protapion schoenherri* (Boheman,1839)** (Apionidae) Synonym(s): schoenherri Boheman,1839 Range (in code): TR 52 73
- 18136. *Protapion trifolii* (Linnaeus,1758)** (Apionidae) Synonym(s): trifolii Linnaeus,1758 Range (in code): TR 04 09 10 12 13 16 21 25 27 30 34 35 40 41 43 45 47 48 49 55 56 71 71 72
- 18137. *Protapion truquii* (Reiche & Saulcy,1858)** (Apionidae) Synonym(s): truquii Reiche & Saulcy,1858 Range (in code): TR 08 10 11 12 13 21 22 25 30 35 36 41 45 47 48 49 55 56 63 65 72 73
- 18138. *Protapion varipes* (Germar,1817)** (Apionidae) Synonym(s): varipes Germar,1817 Range (in code): TR 06 08 09 24
- 18139. *Pseudoperapion brevirostre* (Herbst,1797)** (Apionidae) Synonym(s): brevirostre Herbst,1797; interstitialis Boheman,1839; pedicellare C.G.Thomson,1865 Range (in code): GB FR BE NL DE DK PL CZ SK CH AT IT Co Sa Si HV HU MD RO BG TR 07 33 42 46
- 18140. *Pseudoprotapion astragali* (Paykull,1800)** (Apionidae) Synonym(s): astragali Paykull,1800 Range (in code): TR 45
- 18141. *Pseudoprotapion elegantulum* (Germar,1818)** (Apionidae) Synonym(s): elegantulum Germar,1818 Range (in code): TR 01 07 55
- 18142. *Stenopterapion* (s.str.) *tenue* (W.Kirby,1808)** (Apionidae) Synonym(s): tenue W.Kirby,1808 Range (in code): TR 08 10 21 30 35 36 38 55 57 61 76
- 18143. *Apoderus coryli* (Linnaeus,1758)** (Attelabidae) Synonym(s): coryli Linnaeus,1758; collaris Scopoli,1863; avellanae Linnaeus,1767; dauricus Laxmann,1770; excoriatoruber De Geer,1775; denigratus Gmelin,1790 Range (in code): DE BG CN FR IT GB JP Cc KG TR KP KR MN RU Sb GR 34
- 18144. *Attelabus nitens* (Scopoli,1763)** (Attelabidae) Synonym(s): nitens Scopoli,1763; curculionoides Linnaeus,1767; coryli Müller,1776; maculipes Rondani,1833 Range (in code): DE BG FR NL GB IR ES Cc KG Co RU IT Sa Si TR TM 01 07 08 09 11 13 16 31 33 34 62 65 80
- 18145. *Attelabus sulcifrons* (Argod,1895)** (Attelabidae) Synonym(s): sulcifrons Argod,1895 Range (in code): DE BG GG Cc TR IQ MK GR 31 33 42 44 45 60
- 18146. *Attelabus suturalis* Jekel,1860** (Attelabidae) Synonym(s): suturalis Jekel,1860 Range (in code): TR SY? 06 31 33 42
- 18147. *Auletobius politus* Voss,1934** (Attelabidae) Synonym(s): politus Voss,1934 Range (in code): BG HV AM Cc FR IL Pa Cr GR ES UA Cm Co LB GR Rd IT Sa Si SY TR JO 01 07 10 11 14 15 17 18 31 33 35 37 41 43 45 46 54 59 60 64
- 18148. *Auletobius pubescens* (Kiesenwetter,1852)** (Attelabidae) Synonym(s): pubescens Kiesenwetter,1852; cisticola Fairmaire,1859; subplumbeus Chevrolat,1860 Range (in code): DZ FR ES Co PT IT Sa GR TR 20 35

- 18149. Byctiscus betulae (Linnaeus,1758)** (Attelabidae) **Synonym(s):** betulae Linnaeus,1758; violaceus Poda,1761; unispinosus Müller,1776; inermis Müller,1776; unispinus Müller,1776; bispinus Müller,1776; alni Müller,1776; viridis Geoffroy,1785; betuleti Fabricius,1792; populi Paykull,1792; violacea Donovan,1794 **Range (in code):** **BG CN FI FR GB Cc HU KP KR MK RU Sb TR SY TM KG 03 10 16 20 22 24 34 39 41 52 54 55 57 59 61**
- 18150. Byctiscus populi (Linnaeus,1758)** (Attelabidae) **Synonym(s):** populi Linnaeus,1758; auratus Fourcroy,1785 **Range (in code):** **DE BG CN HV FR GB IT KG KK MN PL RU Sb TR 39 41**
- 18151. Chonostropheus tristis (Fabricius,1794)** (Attelabidae) **Synonym(s):** tristis Fabricius,1794; seminiger Reitter,1880 **Range (in code):** **DE AT BE BG CZ FR IT Cc TR HU RO UA YU 14**
- 18152. Coenorrhinus aeneovirens (Marsham,1802)** (Attelabidae) **Synonym(s):** minutus Herbst,1797; aeneovirens Marsham,1802; punctatus Olivier,1807; obscurus Gyllenhal,1833 **Range (in code):** **DE BG DZ FR GB JP Cc MK TR 11 33 43**
- 18153. Coenorrhinus aequatus (Linnaeus,1767)** (Attelabidae) **Synonym(s):** aequatus Linnaeus,1767; purpureus Goeze,1777; ruber Geoffroy,1785; bicolor Rossi,1790; rufipes Sturm,1826; ruber Fairmaire,1859; paykulli Schilsky,1903 **Range (in code):** **DE BG FR GB IR Cc KG UA Cm MK SY TR TM 02 03 06 07 09 10 11 14 16 18 20 22 23 24 26 29 31 32 33 35 38 39 41 42 43 44 45 46 47 48 51 53 54 56 58 59 60 63 64 66 67 70 73 80**
- 18154. Coenorrhinus cribripennis Desbrochers,1869** (Attelabidae) **Synonym(s):** cribripennis Desbrochers,1869 **Range (in code):** **RU GR Cr IT CY FR Co TR LB Sa 07 09 10 16 17 18 32 33 35 44 45 46 48 80**
- 18155. Coenorrhinus cribrum (Desbrochers,1875)** (Attelabidae) **Synonym(s):** cribrum Desbrochers,1875; italicus Voss,1929 **Range (in code):** **FR GR Cr IT LB SY TR 07 11 14 15 32 33 35 42 43 45 48 60 64**
- 18156. Coenorrhinus germanicus (Herbst,1797)** (Attelabidae) **Synonym(s):** germanicus Herbst,1797; rugipennis Stephens,1831; minutus C.G.Thomson,1865 nec Herbst.; fauconetti Pic,1926 **Range (in code):** **DE BG FR GB KG MN RU Sb YU TR 14 31 33 35 54**
- 18157. Coenorrhinus interpunctatus (Stephens,1831)** (Attelabidae) **Synonym(s):** interpunctatus Stephens,1831; alliariae Gyllenhal,1821 **Range (in code):** **DE BE BG DZ FR SE Cc KG RU Sb IT Si 07 11 14 33**
- 18158. Coenorrhinus pauxillus (Germar,1824)** (Attelabidae) **Synonym(s):** pauxillus Germar,1824; persicus Gyllenhal,1839; pauculus Voss,1933 **Range (in code):** **DE BG FR IN IR SE UA Cm Cc TR KG 06 08 52 54**
- 18159. Deporaus betulae (Linnaeus,1758)** (Attelabidae) **Synonym(s):** betulae Linnaeus,1758; populi Scopoli,1763; fagi Scopoli,1763; femoratus Olivier,1789; populneus Gmelin,1790; femoralis Latreille,1804 **Range (in code):** **DE DZ BG FR GB Cc TR KG MK MN RU Sb 07 14 16 33 46**
- 18160. Lasiorrhynchites cavifrons (Gyllenhal,1833)** (Attelabidae) **Synonym(s):** cavifrons Gyllenhal,1833 **Range (in code):** **DE BG DZ DK FR GB ES IT Cc HU MK TR 11 31**
- 18161. Lasiorrhynchites praeustus (Boheman,1845)** (Attelabidae) **Synonym(s):** praeustus Boheman,1845; kindermanni Desbrochers,1845; syriacus Desbrochers,1868 **Range (in code):** **AT BG HV DZ FR IT Si RO GR TR SY JO 07 10 17 27 31 33 46 80**
- 18162. Lasiorrhynchites sericeus (Herbst,1797)** (Attelabidae) **Synonym(s):** sericeus Herbst,1797; ophthalmicus Stephens,1831; similis Curtis,1837; splendidulus Kiesenwetter,1861 **Range (in code):** **DE BG DZ DK AM Cc TR FR GB 11 31 33 43 46**
- 18163. Pselaphorhynchites nanus (Paykull,1792)** (Attelabidae) **Synonym(s):** nanus Paykull,1792; planirostris Fabricius,1801; cylindricus Stephens,1831; angustifrons Voss,1932 **Range (in code):** **DE FR GB Cc KG TM RU Sb TR 11 18**
- 18164. Pselaphorhynchites tomentosus (Gyllenhal,1839)** (Attelabidae) **Synonym(s):** tomentosus Gyllenhal,1839; coeruleus Fabricius,1798 **Range (in code):** **TR DE BG DZ FR GB SE Cc KG KK UA Cm RU Sb 11 35 69**
- 18165. Rhynchites aereipennis Desbrochers,1895** (Attelabidae) **Synonym(s):** aereipennis Desbrochers,1895 **Range (in code):** **LB SY TR 06 25 31 33 35**
- 18166. Rhynchites auratus (Scopoli,1763)** (Attelabidae) **Synonym(s):** auratus Scopoli,1763; aurifer Olivier,1790; rectirostris Gyllenhal,1833; theresae Pic,1926; angorensis Pic,1926; ferghanensis Newskij,1929; armeniacus Zaitzev,1937 **Range (in code):** **AF DE AZ Cc AM GG BG FR IQ GB IR KK KG UA Cm Co LB MK UZ RU Sb SY TJ YU GR TR 05 06 08 10 11 16 17 21 22 24 25 26 27 29 31 35 38 39 43 45 46 58 59**
- 18167. Rhynchites bacchus (Linnaeus,1758)** (Attelabidae) **Synonym(s):** bacchus Linnaeus,1758; laetus Germar,1824; circassicus Voss,1938 **Range (in code):** **DE BG DZ FR GB IR ES IL Pa Cc KG UA Cm TR HU UZ RO RU Sb IT Si TM YU 06 07 15 16 20 22 24 26 29 34 35 38 39 40 41 43 46 51 54 55 58 59 64**
- 18168. Rhynchites coeruleus (De Geer,1775)** (Attelabidae) **Synonym(s):** coeruleus De Geer,1775; alliararia Fabricius,1775; pubescens Rossi,1790; nanus Marshall,1802; conicus Illiger,1807; ussuriensis Voss,1930 **Range (in code):** **DE BG DK FR SE GB IR Cc TR JP RU Sb Us 11 39 41 52 53**
- 18169. Rhynchites giganteus Krynický,1832** (Attelabidae) **Synonym(s):** giganteus Krynický,1832 **Range (in code):** **BG AM Cc TR FR IR IT UA Cm UZ IT Si RU Sb GR 07 10 11 16 20 22 31 35 43 45 61 68**
- 18170. Rhynchites hajastanicus Ter-Minacian,1965** (Attelabidae) **Synonym(s):** hajastanicus Ter-Minacian,1965 **Range (in code):** **TR AM Cc TJ 02 27 30**
- 18171. Rhynchites hungaricus (Herbst,1784)** (Attelabidae) **Synonym(s):** hungaricus Herbst,1784; marginatus Schrank,1798; ursus Gebler,1830; anatolicus Schilsky,1903; marginicollis Schilsky,1903; maculicollis

- Reitter,1916; suturifer Reitter,1916 Range (in code): **BG AM Cc HU IR MK RU Sb SY TR GR 01 02 03 05 06 07 09 10 11 12 13 15 16 18 19 20 23 24 25 26 27 30 31 32 33 34 35 37 42 45 46 47 48 55 57 60 64 65 66 70 80**
- 18172. Rhynchites lenaeus Faust,1891** (Attelabidae) Synonym(s): lenaeus Faust,1891; asiaticus Desbrochers,1908; subviolaceus Pic,1926 Range (in code): **BG AM Cc MK GR TR SY IL Pa 01 07 09 10 11 13 15 73 32 35 43 48 64 80**
- 18173. Rhynchites lodosi Voss,1973** (Attelabidae) Synonym(s): lodosi Voss,1973 Range (in code): **TR 07 10 15 20 33 35 43 48 64**
- 18174. Rhynchites purpureipennis Voss,1973** (Attelabidae) Synonym(s): purpureipennis Voss,1973 Range (in code): **TR 01 07 09 10 11 13 15 27 32 35 43 46 60 64**
- 18175. Rhynchites smyrnensis Desbrochers,1869** (Attelabidae) Synonym(s): smyrnensis Desbrochers,1869 Range (in code): **AM Cc TR IR TM JO SY 06 07 10 11 16 21 22 23 31 32 33 35 39 40 43 44 47 58 59 64**
- 18176. Rhynchites trojanus Gyllenhal,1839** (Attelabidae) Synonym(s): trojanus Gyllenhal,1839; maximus Desbrochers,1869; minor Schilsky,1903 Range (in code): **RU TR GR 09 17 33 35 59**
- 18177. Amphicerus (Caenophrada) bimaculatus (Olivier,1790)** (Bostrichidae) Synonym(s): bimaculatus Olivier,1790; aurita Frivaldsky,1835 Range (in code): **ES DZ TR Cc TM**
- 18178. Bostrichus capucinus (Linnaeus,1758)** (Bostrichidae) Synonym(s): capucinus Linnaeus,1758; ruber Geoffroy,1785; luctuosus Olivier,1790; nigriventris Lucas,1843; rubriventris Zoufal,1894 Range (in code): **PT ES FR GB NO SE FI EE BY RU At BE NL DE CZ SK PL CH AT HV IT Co Sa Si BG GR Cr CY TR 65**
- 18179. Botrychoplites normandi (Lesne,1897)** (Bostrichidae) Synonym(s): normandi Lesne,1897; yemenensis Lesne,1934 Range (in code): **SA YE TR**
- 18180. Calopertha truncatula (Ancey,1881)** (Bostrichidae) Synonym(s): truncatula Ancey,1881 Range (in code): **SO SA IR IN Pj**
- 18181. Lyctus pubescens Panzer,1793** (Bostrichidae) Synonym(s): pubescens Panzer,1793 ; bicolor Comolli,1837; caucasicus Tournier,1874 Range (in code): **CY Cc TR RU Sb**
- 18182. Paraxylogenes pistaciae Damoiseau,1968** (Bostrichidae) Synonym(s): pistaciae Damoiseau,1968 Range (in code): **IQ IR PK**
- 18183. Phonapate nitidipennis (Waterhouse,1881)** (Bostrichidae) Synonym(s): uncinata Karsch,1881 nec Germ.,1824; nitidipennis Waterhouse,1881; ganglbaueri Zoufal,1894; arabs Lesne,1909; moghrebica Lesne,1934; africana Vrydagh,1961 Range (in code): **CY SA IQ IR AF PK**
- 18184. Psoa viennensis Herbst,1797** (Bostrichidae) Synonym(s): viennensis Herbst,1797; grandis Motschulsky,1845 Range (in code): **Cc TR**
- 18185. Sinoxylon muricatum (Linnaeus,1767)** (Bostrichidae) Synonym(s): muricatum Linnaeus,1767; sexdentatus Olivier,1790; chalcographus Panzer,1794; bidens Fabricius,1798 Range (in code): **Cc TR**
- 18186. Sinoxylon perforans (Schränk,1789)** (Bostrichidae) Synonym(s): perforans Schränk,1789; bispinosus Olivier,1790 Range (in code): **Cc TR**
- 18187. Stenomera assyria Lesne,1895** (Bostrichidae) Synonym(s): assyria Lesne,1895 Range (in code): **TR SY IQ IR**
- 18188. Xylogenes dilatatus (Reitter,1889)** (Bostrichidae) Synonym(s): dilatatus Reitter,1889 Range (in code): **AZ Cc IR IQ TM**
- 18189. Xylogenes mesopotamicus Lesne,1937** (Bostrichidae) Synonym(s): mesopotamicus Lesne,1937 Range (in code): **SY IQ AM Cc**
- 18190. Xylogenes sindicola Lesne,1936** (Bostrichidae) Synonym(s): sindicola Lesne,1936 Range (in code): **PK**
- 18191. Xylomedes cornifrons (Baudi di Selve,1873)** (Bostrichidae) Synonym(s): cornifrons Baudi di Selve,1873 Range (in code): **CY IL Pa LB TR SY**
- 18192. Xylomedes turcica Lesne,1941** (Bostrichidae) Synonym(s): turcica Lesne,1941 Range (in code): **TR SY IQ**
- 18193. Brachycerus quadrisulcatus Fischer v.Waldheim,1830** (Brachyceridae) Synonym(s): quadrisulcatus Fischer v.Waldheim,1830; difformis Faldermann,1837 Range (in code): **TR SY Cc AM 21 27 31 44 49 65**
- 18194. Brachycerus algirus Latreille,1807** (Brachyceridae) Synonym(s): algirus Latreille,1807; muricatus Olivier,1790; planirostris Gyllenhal,1833; sulcifrons Gyllenhal,1833; cirrosus Gyllenhal,1840; perodiosus Gyllenhal,1840; semiaeneus Desbrochers,1871; carinula Rey,1894; exemptus Rey,1894; attenuatus Vit.,1903 Range (in code): **DZ MA TN ES FR Co IT Si Sa MT YU GR Cr Rd TR 07 11 23 34 35**
- 18195. Brachycerus argillaceus Reiche,1857** (Brachyceridae) Synonym(s): argillaceus Reiche,1857; nodulosus Reiche,1857; aegyptiacus Bedel,1874 Range (in code): **TR CY SY LB IL Pa Rd EG 01 06 09 11 34 35**
- 18196. Brachycerus cribrarius Olivier,1807** (Brachyceridae) Synonym(s): cribrarius Olivier,1807; ornatus Reiche,1857; fimbriatus Desbrochers,1871 Range (in code): **TR LB IL Pa 21**
- 18197. Brachycerus foveicollis Gyllenhal,1833** (Brachyceridae) Synonym(s): foveicollis Gyllenhal,1833 Range (in code): **AT HU RO BG GR TR 06 11 14 16 26 32 35 42 43**
- 18198. Brachycerus foveifrons Bedel,1874** (Brachyceridae) Synonym(s): foveifrons Bedel,1874 Range (in code): **TR SY IL Pa 21 27 47 63**



- 18199. *Brachycerus freyi* Zumpt,1937** (Brachyceridae) Synonym(s): *freyi* Zumpt,1937 Range (in code): TR 11 16 33
- 18200. *Brachycerus junix* Herbst,1797** (Brachyceridae) Synonym(s): *junix* Herbst,1797; *incertus* Desbrochers,1871; *olivieri* Desbrochers,1871 Range (in code): GR Cr TR SY LB IL Pa EG 35
- 18201. *Brachycerus lutosus* Gyllenhal,1833** (Brachyceridae) Synonym(s): *lutosus* Gyllenhal,1833; *cinereus* Bedel,1874; *graecus* Zumpt,1937 Range (in code): FR IT YU GR TR 34 35
- 18202. *Brachycerus orbipennis* Reiche,1857** (Brachyceridae) Synonym(s): *orbipennis* Reiche,1857 Range (in code): IT Si GR TR RU Cc IL Pa SY EG 06
- 18203. *Brachycerus plicatus* Gyllenhal,1833** (Brachyceridae) Synonym(s): *plicatus* Gyllenhal,1833 Range (in code): DZ TN MA LY Cn ES Si IT GR Rd TR 35
- 18204. *Brachycerus sinuatus* Olivier,1807** (Brachyceridae) Synonym(s): *psifernus* Thunberg,1799; *sinuatus* Olivier,1807; *lutulentus* Gyllenhal,1833 Range (in code): RU RO YU IT Si GR TR CY 01 03 04 05 09 21 26 32 35 42
- 18205. *Brachycerus undatus* Fabricius,1798** (Brachyceridae) Synonym(s): *undatus* Fabricius,1798 Range (in code): DZ ES FR IT Si Sa Co YU GR Cr TR 34 35
- 18206. *Amorphocephala coronata* (Germar,1817)** (Brentidae) Synonym(s): *coronata* Germar,1817 Range (in code): PT ES FR IT Sa Si HV B-H YU AL MK BG GR CY TR 56 73 80
- 18207. *Acanthobruchidius spiniger* (Baudi di Selve,1886)** (Bruchidae) Synonym(s): *spiniger* Baudi di Selve,1886 Range (in code): IL Pa JO IQ Ssa TR Sa IT Le GR
- 18208. *Acanthoscelides obtectus* (Say,1831)** (Bruchidae) Synonym(s): *obtectus* Say,1831 Range (in code): TR
- 18209. *Acanthoscelides pallidipennis* (Motschulsky,1874)** (Bruchidae) Synonym(s): *pallidipennis* Motschulsky,1874 Range (in code): HU YU BG AM Cc Eri KP KR
- 18210. *Bruchidius albolineatus* (Blanchard,1844)** (Bruchidae) Synonym(s): *albolineatus* Blanchard,1844 Range (in code): TR
- 18211. *Bruchidius albopictus* (Allard,1883)** (Bruchidae) Synonym(s): *albopictus* Allard,1883 Range (in code): GR IL Pa SY LB TR RU CY 65
- 18212. *Bruchidius annulicornis* (Allard,1868)** (Bruchidae) Synonym(s): *annulicornis* Allard,1868 Range (in code): TR
- 18213. *Bruchidius anobioides* (Baudi di Selve,1886)** (Bruchidae) Synonym(s): *anobioides* Baudi di Selve,1886 Range (in code): TR
- 18214. *Bruchidius apicipennis* (Heyden,1892)** (Bruchidae) Synonym(s): *apicipennis* Heyden,1892 Range (in code): IR Elb
- 18215. *Bruchidius arabicus* Decelle,1979** (Bruchidae) Synonym(s): *arabicus* Decelle,1979 SA
- 18216. *Bruchidius armeniacus* Ter-Minassian,1969** (Bruchidae) Synonym(s): *armeniacus* Ter-Minassian,1969 Range (in code): AM Cc TR
- 18217. *Bruchidius asiricus* Decelle,1979** (Bruchidae) Synonym(s): *asiricus* Decelle,1979 SA As
- 18218. *Bruchidius astragali* (Boheman,1829)** (Bruchidae) Synonym(s): *astragali* Boheman,1829 Range (in code): IR II Elb Cm Cc
- 18219. *Bruchidius bagdassarjani* Lukjanowitch & Ter-Minassian,1954** (Bruchidae) Synonym(s): *bagdassarjani* Lukjanowitch & Ter-Minassian,1954 Range (in code): AM Cc
- 18220. *Bruchidius biguttatus* (Olivier,1895)** (Bruchidae) Synonym(s): *biguttatus* Olivier,1895; *fulvipennis* Germar,1824; *misellus* Kraatz,1868; *mendicans* Weise,1891; *palaestinus* Pic,1904; *juvenilis* Schilsky,1905 Range (in code): IL Pa JO TR 07 33 80
- 18221. *Bruchidius bimaculatus* (Olivier,1795)** (Bruchidae) Synonym(s): *bimaculatus* Olivier,1795; *variegatus* Germar,1824 Range (in code): PT ES FR GB DK DE BE NL CH AT IT Co Sa Si SS B-H YU MK AL GR BG CZ SK PL EE LT LV EE BY RU FI UA RO MD Cr Rd CY TR CY IL Pa JO Amm IQ Bgd Shq 65
- 18222. *Bruchidius bituberculatus* Schilsky,1905** (Bruchidae) Synonym(s): *bituberculatus* Schilsky,1905 Range (in code): IL Pa Js JO LB CY GR TR 35
- 18223. *Bruchidius borowieci* Anton,1998** (Bruchidae) Synonym(s): *borowieci* Anton,1998 Range (in code): TR
- 18224. *Bruchidius bythinocerus* (Reitter,1890)** (Bruchidae) Synonym(s): *bythinocerus* Reitter,1890 Range (in code): TR IR Th AM Cc
- 18225. *Bruchidius calabrensis* (Blanchard,1844)** (Bruchidae) Synonym(s): *calabrensis* Blanchard,1844 Range (in code): TR
- 18226. *Bruchidius canescens* (Motschulsky,1874)** (Bruchidae) Synonym(s): *canescens* Motschulsky,1874 Range (in code): TR
- 18227. *Bruchidius caninus* (Kraatz,1869)** (Bruchidae) Synonym(s): *caninus* Kraatz,1869 Range (in code): TR
- 18228. *Bruchidius canus* (Germar,1824)** (Bruchidae) Synonym(s): *canus* Germar,1824 Range (in code): TR IR Th 51
- 18229. *Bruchidius cinerascens* (Gyllenhal,1833)** (Bruchidae) Synonym(s): *cinerascens* Gyllenhal,1833 Range (in code): IL Pa JO Amm IR Th TR

- 18230. *Bruchidius cisti* (Fabricius,1775)** (Bruchidae) Synonym(s): *cisti* Fabricius,1775 Range (in code): TR
- 18231. *Bruchidius dilutus* (Motschulsky,1874)** (Bruchidae) Synonym(s): *dilutus* Motschulsky,1874 Range (in code): TR
- 18232. *Bruchidius dispar* (Gyllenhal,1833)** (Bruchidae) Synonym(s): *dispar* Gyllenhal,1833 Range (in code): DZ LB Bei IQ Cc TR
- 18233. *Bruchidius fischeri* (Hummel,1827)** (Bruchidae) Synonym(s): *fischeri* Hummel,1827 Range (in code): TR
- 18234. *Bruchidius foveolatus* (Gyllenhal,1833)** (Bruchidae) Synonym(s): *foveolatus* Gyllenhal,1833 Range (in code): JO TR
- 18235. *Bruchidius fulvescens* (Baudi di Selve,1886)** (Bruchidae) Synonym(s): *fulvescens* Baudi di Selve,1886 Range (in code): TR
- 18236. *Bruchidius holosericeus* (Schoenherr,1832)** (Bruchidae) Synonym(s): *holosericeus* Schoenherr,1832 Range (in code): TR
- 18237. *Bruchidius imbricornis* (Panzer,1795)** (Bruchidae) Synonym(s): *imbricornis* Panzer,1795 Range (in code): TR
- 18238. *Bruchidius kieneri* Zampetti,1992** (Bruchidae) Synonym(s): *kieneri* Zampetti,1992 Range (in code): TR
- 18239. *Bruchidius koenigi* Schilsky,1906** (Bruchidae) Synonym(s): *koenigi* Schilsky,1906 Range (in code): TR
- 18240. *Bruchidius lateobscurus* (Pic,1904)** (Bruchidae) Synonym(s): *lateobscurus* Pic,1904 Range (in code): TR
- 18241. *Bruchidius lineatus* (Allard,1868)** (Bruchidae) Synonym(s): *lineatus* Allard,1868 Range (in code): LB Bei IT HV BG GR TR
- 18242. *Bruchidius lividimanus* (Gyllenhal,1833)** (Bruchidae) Synonym(s): *lividimanus* Gyllenhal,1833 Range (in code): LB IL Pa JO TR
- 18243. *Bruchidius loebli* Boroviec,1985** (Bruchidae) Synonym(s): *loebli* Boroviec,1985 Range (in code): TR
- 18244. *Bruchidius longulus* Schilsky,1905** (Bruchidae) Synonym(s): *longulus* Schilsky,1905 Range (in code): JO TR
- 18245. *Bruchidius lucifugus* (Boheman,1833)** (Bruchidae) Synonym(s): *lucifugus* Boheman,1833 Range (in code): TR
- 18246. *Bruchidius lutescens* (Blanchard,1844)** (Bruchidae) Synonym(s): *lutescens* Blanchard,1844 Range (in code): TR
- 18247. *Bruchidius marginalis* (Fabricius,1776)** (Bruchidae) Synonym(s): *marginalis* Fabricius,1776 Range (in code): TR
- 18248. *Bruchidius martinezi* (Allard,1868)** (Bruchidae) Synonym(s): *martinezi* Allard,1868 Range (in code): JO Amm IR Lo AF Hr TR
- 18249. *Bruchidius monstrosicornis* (Pic,1904)** (Bruchidae) Synonym(s): *monstrosicornis* Pic,1904 Range (in code): TR
- 18250. *Bruchidius mordelloides* (Baudi di Selve,1886)** (Bruchidae) Synonym(s): *mordelloides* Baudi di Selve,1886 Range (in code): IL Pa JO GR TR 07 33 80
- 18251. *Bruchidius mulsanti* (Brisout de Barneville,1863)** (Bruchidae) Synonym(s): *mulsanti* Brisout de Barneville,1863 Range (in code): HU Cc JO Amm TR 01 07 31 33 80
- 18252. *Bruchidius murinus* (Boheman,1829)** (Bruchidae) Synonym(s): *murinus* Boheman,1829 Range (in code): TR
- 18253. *Bruchidius nanus* (Germar,1824)** (Bruchidae) Synonym(s): *nanus* Germar,1824 Range (in code): TR
- 18254. *Bruchidius nudus* (Allard,1868)** (Bruchidae) Synonym(s): *nudus* Allard,1868 Range (in code): JO IL Pa DZ TR
- 18255. *Bruchidius obscuripes* (Gyllenhal,1839)** (Bruchidae) Synonym(s): *obscuripes* Gyllenhal,1839 Range (in code): TR
- 18256. *Bruchidius ochraceus* (Baudi di Selve,1886)** (Bruchidae) Synonym(s): *ochraceus* Baudi di Selve,1886 Range (in code): TR
- 18257. *Bruchidius olivaceus* (Germar,1824)** (Bruchidae) Synonym(s): *olivaceus* Germar,1824 Range (in code): TR
- 18258. *Bruchidius pauper* (Boheman,1839)** (Bruchidae) Synonym(s): *pauper* Boheman,1839 Range (in code): JO IL Pa Js
- 18259. *Bruchidius picipes* (Germar,1824)** (Bruchidae) Synonym(s): *picipes* Germar,1824 Range (in code): TR IR AF Kab Cc
- 18260. *Bruchidius poecilus* (Germar,1824)** (Bruchidae) Synonym(s): *poecilus* Germar,1824 Range (in code): TR JO

- 18261. *Bruchidius poupillieri* (Allard,1868)** (Bruchidae) Synonym(s): poupillieri Allard,1868 [Range \(in code\): JO TR](#)
- 18262. *Bruchidius pubicornis* Lukjanovitch & Ter-Minassian,1957** (Bruchidae) Synonym(s): pubicornis Lukjanovitch & Ter-Minassian,1957 [Range \(in code\): TR](#)
- 18263. *Bruchidius pusillus* (Germar,1824)** (Bruchidae) Synonym(s): pusillus Germar,1824 [Range \(in code\): TR JO IQ Dk IR Elb](#)
- 18264. *Bruchidius pygmaeus* (Boheman,1833)** (Bruchidae) Synonym(s): pygmaeus Boheman,1833; perparvulus Boheman,1839; anxius Fahraeus,1839 [Range \(in code\): TR JO Amm Cc TR 07 15 32 33](#)
- 18265. *Bruchidius quinqueguttatus* (Olivier,1795)** (Bruchidae) Synonym(s): quinqueguttatus Olivier,1795 [Range \(in code\): GR EG Cr AM Cc TR CY LB Bei IL Pa JO IQ Su IR Th 65](#)
- 18266. *Bruchidius reitteri* Schilsky,1906** (Bruchidae) Synonym(s): reitteri Schilsky,1906 [Range \(in code\): TR AM Cc IR Elb](#)
- 18267. *Bruchidius richteri* Lukjanovitch & Ter-Minassian,1954** (Bruchidae) Synonym(s): richteri Lukjanovitch & Ter-Minassian,1954 [Range \(in code\): IR Elb AM Cc TR](#)
- 18268. *Bruchidius robustus* Lukjanovitch & Ter-Minassian,1957** (Bruchidae) Synonym(s): robustus Lukjanovitch & Ter-Minassian,1957 [Range \(in code\): TR](#)
- 18269. *Bruchidius rufisurus* (Allard,1883)** (Bruchidae) Synonym(s): rufisurus Allard,1883 [Range \(in code\): TR IL Pa JO Amm IQ](#)
- 18270. *Bruchidius scutulatus* (Baudi di Selve,1890)** (Bruchidae) Synonym(s): scutulatus Baudi di Selve,1890 [Range \(in code\): IR Th AF Nu](#)
- 18271. *Bruchidius seminarius* (Linnaeus,1767)** (Bruchidae) Synonym(s): seminarius Linnaeus,1767 [Range \(in code\): LB Bei IL Pa JO TR IQ Bgd IR Kd Mrv](#)
- 18272. *Bruchidius sericatus* (Germar,1824)** (Bruchidae) Synonym(s): sericatus Germar,1824 [Range \(in code\): TR IL Pa JO Amm](#)
- 18273. *Bruchidius serraticornis* (Fabricius,1775)** (Bruchidae) Synonym(s): serraticornis Fabricius,1775 [Range \(in code\): TR IL Pa AM Cc](#)
- 18274. *Bruchidius siliquastris* Delobel,2007** (Bruchidae) Synonym(s): siliquastris Delobel,2007 [Range \(in code\): TR](#)
- 18275. *Bruchidius sivasensis* Zampetti,1984** (Bruchidae) Synonym(s): sivasensis Zampetti,1984 [Range \(in code\): TR 58](#)
- 18276. *Bruchidius steveni* (Gyllenhal,1839)** (Bruchidae) Synonym(s): steveni Gyllenhal,1839 [Range \(in code\): TR](#)
- 18277. *Bruchidius talychensis* Ter-Minassian,1969** (Bruchidae) Synonym(s): talychensis Ter-Minassian,1969 [Range \(in code\): AZ Cc TR](#)
- 18278. *Bruchidius terrenus* (Sharp,1886)** (Bruchidae) Synonym(s): terrenus Sharp,1886 [Range \(in code\): TR](#)
- 18279. *Bruchidius tibialis* (Boheman,1829)** (Bruchidae) Synonym(s): tibialis Boheman,1829 [Range \(in code\): TR LB Bei JO IL Pa Amm](#)
- 18280. *Bruchidius trifolii* (Motschulsky,1874)** (Bruchidae) Synonym(s): trifolii Motschulsky,1874 [Range \(in code\): TR IL Pa JO HV GR](#)
- 18281. *Bruchidius tuberculatus* (Hochhut,1847)** (Bruchidae) Synonym(s): tuberculatus Hochhut,1847 [Range \(in code\): TR CY LB SY Dms IL Pa JO Amm IQ Dk IR Th AF Ca](#)
- 18282. *Bruchidius unicolor* (Olivier,1795)** (Bruchidae) Synonym(s): unicolor Olivier,1795 [Range \(in code\): TR](#)
- 18283. *Bruchidius varipictus* (Motschulsky,1874)** (Bruchidae) Synonym(s): varipictus Motschulsky,1874 [Range \(in code\): TR 07](#)
- 18284. *Bruchidius varius* (Olivier,1795)** (Bruchidae) Synonym(s): varius Olivier,1795 [Range \(in code\): LB Bei IL Pa Cc TR](#)
- 18285. *Bruchidius villosus* (Fabricius,1792)** (Bruchidae) Synonym(s): villosus Fabricius,1792 [Range \(in code\): TR](#)
- 18286. *Bruchidius virgatoides* Lukjanovitch & Ter-Minassian,1957** (Bruchidae) Synonym(s): virgatoides Lukjanovitch & Ter-Minassian,1957 [Range \(in code\): TR](#)
- 18287. *Bruchidius virgatus* (Fahraeus,1839)** (Bruchidae) Synonym(s): virgatus Fahraeus,1839 [Range \(in code\): TR](#)
- 18288. *Bruchus affinis* J.A.Frölich,1799** (Bruchidae) Synonym(s): affinis J.A.Frölich,1799 [Range \(in code\): TR](#)
- 18289. *Bruchus altaicus* Fahraeus,1839** (Bruchidae) Synonym(s): altaicus Fahraeus,1839 [Range \(in code\): RU At TR](#)
- 18290. *Bruchus anatolicus* Anton,1999** (Bruchidae) Synonym(s): anatolicus Anton,1999 [Range \(in code\): TR 07](#)
- 18291. *Bruchus atomarius* (Linnaeus,1760)** (Bruchidae) Synonym(s): atomarius Linnaeus,1760 [Range \(in code\): TR](#)



- 18292. *Bruchus brachialis* Fahraeus,1839** (Bruchidae) Synonym(s): brachialis Fahraeus,1839 Range (in code): TR
- 18293. *Bruchus dentipes* (Baudi di Selve,1886)** (Bruchidae) Synonym(s): dentipes Baudi di Selve,1886 Range (in code): TR IR Th AF
- 18294. *Bruchus emarginatus* Allard,1868** (Bruchidae) Synonym(s): emarginatus Allard,1868 Range (in code): IL Pa Cm Cc TR
- 18295. *Bruchus ervi* J.A.Frölich,1799** (Bruchidae) Synonym(s): ervi J.A.Frölich,1799 Range (in code): LB Bei JO Amm IQ Bgd IL Pa TR
- 18296. *Bruchus hamatus* Miller,1881** (Bruchidae) Synonym(s): hamatus Miller,1881 Range (in code): TR
- 18297. *Bruchus laticollis* Boheman,1833** (Bruchidae) Synonym(s): laticollis Boheman,1833 Range (in code): TR
- 18298. *Bruchus lentis* J.A.Frölich,1799** (Bruchidae) Synonym(s): lentis J.A.Frölich,1799 Range (in code): JO TR
- 18299. *Bruchus libanensis* Zampetti,1993** (Bruchidae) Synonym(s): libanensis Zampetti,1993 Range (in code): LB TR
- 18300. *Bruchus loti* Paykull,1800** (Bruchidae) Synonym(s): loti Paykull,1800 Range (in code): TR
- 18301. *Bruchus lugubris* Fahraeus,1839** (Bruchidae) Synonym(s): lugubris Fahraeus,1839 Range (in code): AM RU Da Cc IR AF TR
- 18302. *Bruchus luteicornis* Illiger,1794** (Bruchidae) Synonym(s): luteicornis Illiger,1794 Range (in code): TR
- 18303. *Bruchus pisorum* (Linnaeus,1758)** (Bruchidae) Synonym(s): pisorum Linnaeus,1758 Range (in code): CY IR AF TR
- 18304. *Bruchus rufimanus* Boheman,1833** (Bruchidae) Synonym(s): rufimanus Boheman,1833 Range (in code): JO Amm TR IR Th Cn KP KR JP
- 18305. *Bruchus rufipes* Herbst,1783** (Bruchidae) Synonym(s): rufipes Herbst,1783 Range (in code): Cn Cc TR 34
- 18306. *Bruchus sibiricus* Germar,1824** (Bruchidae) Synonym(s): sibiricus Germar,1824 Range (in code): RU Sb TR
- 18307. *Bruchus signaticornis* Gyllenhal,1833** (Bruchidae) Synonym(s): signaticornis Gyllenhal,1833 Range (in code): TR
- 18308. *Bruchus tetragonius* (Baudi di Selve,1886)** (Bruchidae) Synonym(s): tetragonius Baudi di Selve,1886 Range (in code): TR
- 18309. *Bruchus tristiculus* Fahraeus,1839** (Bruchidae) Synonym(s): tristiculus Fahraeus,1839 Range (in code): TR
- 18310. *Bruchus tristis* Boheman,1833** (Bruchidae) Synonym(s): tristis Boheman,1833 Range (in code): TR
- 18311. *Bruchus ulicis* Mulsant & Rey,1858** (Bruchidae) Synonym(s): ulicis Mulsant & Rey,1858 Range (in code): JO Amm TR
- 18312. *Bruchus venustus* Fahraeus,1839** (Bruchidae) Synonym(s): venustus Fahraeus,1839 Range (in code): TR
- 18313. *Bruchus viciae* Olivier,1795** (Bruchidae) Synonym(s): viciae Olivier,1795 Range (in code): TR AF Nu Cc
- 18314. *Callosobruchus analis* (Fabricius,1781)** (Bruchidae) Synonym(s): analis Fabricius,1781 Range (in code): TR
- 18315. *Callosobruchus chinensis* (Linnaeus,1758)** (Bruchidae) Synonym(s): chinensis Linnaeus,1758 Range (in code): CN TR
- 18316. *Callosobruchus maculatus* (Fabricius,1775)** (Bruchidae) Synonym(s): maculatus Fabricius,1775 Range (in code): TR
- 18317. *Caryedon angeri* (Semenov,1896)** (Bruchidae) Synonym(s): angeri Semenov,1896; palaestenicus Southgate,1976; #palaestenicus Yücel,1994 Range (in code): DZ TD SD EG CY IL Pa LB SY TR IQ JO SA OM IR TM AF PK 31 56 63
- 18318. *Caryedon germari* (Küster,1845)** (Bruchidae) Synonym(s): germari Küster,1845 Range (in code): TR
- 18319. *Caryedon halperini* Anton & Delobel,2004** (Bruchidae) Synonym(s): #akdamaricus Decelle & Lodos,1989; halperini Anton & Delobel,2004 Range (in code): TR IL Pa 65
- 18320. *Caryedon nongoniermai* Anton & Delobel,2004** (Bruchidae) Synonym(s): #sahelicus Decelle,1979; nongoniermai Anton & Delobel,2004 Range (in code): MR MA SN BF ML LY EG IL Pa JO OM SA YE
- 18321. *Caryedon yemenensis* Decelle,1979** (Bruchidae) Synonym(s): yemenensis Decelle,1979 Range (in code): YE
- 18322. *Mimosestes mimosae* (Fabricius,1781)** (Bruchidae) Synonym(s): mimosae Fabricius,1781 Range (in code): TR

- 18323. Palaeoacanthoscelides gilvodes (Lukjanovitch & Ter-Minassian,1957)** (Bruchidae)  
Synonym(s): gilvodes Lukjanovitch & Ter-Minassian,1957 [Range \(in code\): TR](#)
- 18324. Palaeoacanthoscelides gilvus (Gyllenhal,1839)** (Bruchidae) Synonym(s): gilvus Gyllenhal,1839  
[Range \(in code\): TR AF Pag](#)
- 18325. Palaeobruchidius plagiatus (Reiche & Sauley,1857)** (Bruchidae) Synonym(s): plagiatus Reiche & Sauley,1857 [Range \(in code\): TR](#)
- 18326. Pseudopachymerina spinipes (Erichson,1833)** (Bruchidae) Synonym(s): spinipes Erichson,1833 [Range \(in code\): TR](#)
- 18327. Rhaebus mannerheimi Motschulsky,1845** (Bruchidae) Synonym(s): mannerheimi Motschulsky,1845 [Range \(in code\): TR](#)
- 18328. Salviabruchus retusus (Baudi di Selve,1886)** (Bruchidae) Synonym(s): retusus Baudi di Selve,1886 [Range \(in code\): LB Bei TR](#)
- 18329. Spermothagus calystegiae (Lukjanovitch & Ter-Minassian,1957)** (Bruchidae) Synonym(s): calystegiae Lukjanovitch & Ter-Minassian,1957 [Range \(in code\): TR](#)
- 18330. Spermothagus canus Baudi di Selve,1887** (Bruchidae) Synonym(s): canus Baudi di Selve,1887  
[Range \(in code\): IR Fa](#)
- 18331. Spermothagus caricus Decelle,1982** (Bruchidae) Synonym(s): caricus Decelle,1982 [Range \(in code\): TR](#)
- 18332. Spermothagus caucasicus Baudi di Selve,1886** (Bruchidae) Synonym(s): caucasicus Baudi di Selve,1886 [Range \(in code\): Cc TR](#)
- 18333. Spermothagus confusus Borowiec,1986** (Bruchidae) Synonym(s): confusus Borowiec,1986  
[Range \(in code\): TR](#)
- 18334. Spermothagus kuesteri Schilsky,1905** (Bruchidae) Synonym(s): kuesteri Schilsky,1905 [Range \(in code\): TR](#)
- 18335. Spermothagus lukjanovitchi Savitsky,2000** (Bruchidae) Synonym(s): lukjanovitchi Savitsky,2000 [Range \(in code\): TR](#)
- 18336. Spermothagus pubiventris Baudi di Selve,1886** (Bruchidae) Synonym(s): pubiventris Baudi di Selve,1886 [Range \(in code\): TR](#)
- 18337. Spermothagus sericeus (Geoffroy,1785)** (Bruchidae) Synonym(s): sericeus Geoffroy,1785  
[Range \(in code\): TR](#)
- 18338. Zabrotes subfasciatus (Boheman,1833)** (Bruchidae) Synonym(s): subfasciatus Boheman,1833  
[Range \(in code\): TR](#)
- 18339. Acmaeodera (Acmaeotethya) acaciae Mayet,1887** (Buprestidae) Synonym(s): acaciae Mayet,1887 [Range \(in code\): MA DZ TN EG Sn](#)
- 18340. Acmaeodera (Acmaeotethya) batelkai Volkovitsh,2011** (Buprestidae) Synonym(s): batelkai Volkovitsh,2011 [Range \(in code\): AE](#)
- 18341. Acmaeodera (Acmaeotethya) bernardi Descarpentries,1949** (Buprestidae) Synonym(s): bernardi Descarpentries,1949 [Range \(in code\): ET IL Pa EG Sn DZ TD](#)
- 18342. Acmaeodera (Acmaeotethya) biseriata Reitter,1890** (Buprestidae) Synonym(s): biseriata Reitter,1890 [Range \(in code\): IL Pa He TR IR SY](#)
- 18343. Acmaeodera (Acmaeotethya) bodoani Kerremans,1911** (Buprestidae) Synonym(s): bodoani Kerremans,1911 [Range \(in code\): IR TR](#)
- 18344. Acmaeodera (Acmaeotethya) coluber Abeille de Perrin,1904** (Buprestidae) Synonym(s): coluber Abeille de Perrin,1904 [Range \(in code\): IR](#)
- 18345. Acmaeodera (Acmaeotethya) crinita Spinola,1838** (Buprestidae) Synonym(s): crinita Spinola,1838; reichei Abeille de Perrin,1891; abigail Obenberger,1946 [ssp.] [Range \(in code\): AL BG HV HU IT SY YU GR TR GG Cc CY EG IL Pa He JO PT ES TN MA DZ 07 17 33 35](#)
- 18346. Acmaeodera (Acmaeotethya) degener (Scopoli,1763)** (Buprestidae) Synonym(s): degener Scopoli,1763 [Range \(in code\): HU BG TR GG IR IQ TM Cc AM AZ Kr RU](#)
- 18347. Acmaeodera (Acmaeotethya) hoberlandti Bily,1983** (Buprestidae) Synonym(s): hoberlandti Bily,1983 [Range \(in code\): IR Fa](#)
- 18348. Acmaeodera (Acmaeotethya) instabilis Cobos,1966** (Buprestidae) Synonym(s): instabilis Cobos,1966 [Range \(in code\): TM AF](#)
- 18349. Acmaeodera (Acmaeotethya) kachetica Semenov,1896** (Buprestidae) Synonym(s): kachetica Semenov,1896 [Range \(in code\): GG AM AZ Cc](#)
- 18350. Acmaeodera (Acmaeotethya) kerremansi Stebbing,1914** (Buprestidae) Synonym(s): kerremansi Stebbing,1914 [Range \(in code\): PK](#)
- 18351. Acmaeodera (Acmaeotethya) mirabilis Volkovitsh,1990** (Buprestidae) Synonym(s): mirabilis Volkovitsh,1990 [Range \(in code\): AF](#)
- 18352. Acmaeodera (Acmaeotethya) ottomana (Frivaldsky,1837)** (Buprestidae) Synonym(s): ottomana Frivaldsky,1837; incognita Kerremans,1898 [Range \(in code\): LY IL Pa He JO GR CY YU BG MK AL AM TR SY LB AZ Cc IR 07 10 27 33 35 48](#)

- 18353. Acmaeodera (Acmaeotethya) pallidepicta Reitter,1895** (Buprestidae) Synonym(s): pallidepicta Reitter,1895 Range (in code): IR TM
- 18354. Acmaeodera (Acmaeotethya) patricki Brechtel,1998** (Buprestidae) Synonym(s): patricki Brechtel,1998 Range (in code): OM YE
- 18355. Acmaeodera (Acmaeotethya) pseudonivetecta Volkovitsh,2011** (Buprestidae) Synonym(s): pseudonivetecta Volkovitsh,2011 Range (in code): AE IR Fa
- 18356. Acmaeodera (Acmaeotethya) quadrifasciata (Rossi,1790)** (Buprestidae) Synonym(s): quadrifasciata Rossi,1790 Range (in code): FR IT Co Sa ES DZ TR
- 18357. Acmaeodera (Acmaeotethya) quadrizonata Abeille de Perrin,1891** (Buprestidae) Synonym(s): quadrizonata Abeille de Perrin,1891 Range (in code): MA DZ TN ES IT GR YU BG SY IL Pa LB TR 09 35 48
- 18358. Acmaeodera (Acmaeotethya) rufoguttata Reitter,1890** (Buprestidae) Synonym(s): rufoguttata Reitter,1890; necatrix Abeille de Perrin,1893; truculenta Abeille de Perrin,1900 Range (in code): GG Cc AZ IR TR
- 18359. Acmaeodera (Acmaeotethya) saxicola Spinola,1838** (Buprestidae) Synonym(s): saxicola Spinola,1838; guttifera Marseul,1865; spilophora Marseul,1869; cisti Baudi di Selve,1870; cisticola Obenberger,1940 Range (in code): GR TR SY LB IL Pa JO IQ IR 01 07 13 17 27 30 31 33 35 46 48 62 73
- 18360. Acmaeodera (Acmaeotethya) simulans Abeille de Perrin,1891** (Buprestidae) Synonym(s): simulans Abeille de Perrin,1891; deborah Obenberger,1946; deprivata Volkovitsh,1983 Range (in code): IL Pa SY LB IQ TR
- 18361. Acmaeodera (Acmaeotethya) truquii Abeille de Perrin,1891** (Buprestidae) Synonym(s): truquii Abeille de Perrin,1891; fusa Abeille de Perrin,1900 Range (in code): TR CY IL Pa Cr IR
- 18362. Acmaeodera (Acmaeotethya) undulata Abeille de Perrin,1891** (Buprestidae) Synonym(s): undulata Abeille de Perrin,1891 Range (in code): TR LB IL Pa He IR
- 18363. Acmaeodera (Acmaeotethya) uvarovi Obenberger,1928** (Buprestidae) Synonym(s): uvarovi Obenberger,1928 Range (in code): IN AF PK
- 18364. Acmaeodera (Acmaeotethya) vanharteni Volkovitsh,2011** (Buprestidae) Synonym(s): vanharteni Volkovitsh,2011 Range (in code): AE
- 18365. Acmaeodera (Acmaeotethya) virgo Boheman,1860** (Buprestidae) Synonym(s): virgo Boheman,1860; triangularis Marseul,1867; triangularum Thomson,1878; suaveola Péringuey,1892; fahrei Kerremans,1909; divinula Obenberger,1917; nigribasis Obenberger,1928; soudana Marseul,1867 [ssp.] Range (in code): EG YE SD
- 18366. Acmaeodera (Loepotethya) ocellata Abeille de Perrin,1891** (Buprestidae) Synonym(s): ocellata Abeille de Perrin,1891; kheili Obenberger,1924; hetita Obenberger,1925; hauseri Théry,1936 Range (in code): SY TR IQ IR 12 27 31 33 62
- 18367. Acmaeodera (Palaeotethya) anatolica Volkovitsh & Bily,1979** (Buprestidae) Synonym(s): anatolica Volkovitsh & Bily,1979 Range (in code): TR
- 18368. Acmaeodera (Palaeotethya) bipunctata (Olivier,1790)** (Buprestidae) Synonym(s): bipunctata Olivier,1790 Range (in code): IT ES FR PT BG TN DZ MA AL B-H BG GR TR YU IL Pa LB SY 01 07 33 35 43 46 48 66
- 18369. Acmaeodera (Palaeotethya) lugubris Spinola,1838** (Buprestidae) Synonym(s): lugubris Spinola,1838 Range (in code): Cn PT ES MA DZ TN LY EG IL Pa Cr GR
- 18370. Acmaeodera (Palaeotethya) macchabaea Abeille de Perrin,1891** (Buprestidae) Synonym(s): macchabaea Abeille de Perrin,1891 Range (in code): IL Pa JO SY
- 18371. Acmaeodera (Palaeotethya) quadrifaria Baudi di Selve,1870** (Buprestidae) Synonym(s): quadrifaria Baudi di Selve,1870 Range (in code): TR CY GR SY
- 18372. Acmaeodera (Palaeotethya) rubromaculata Lucas,1844** (Buprestidae) Synonym(s): rubromaculata Lucas,1844 Range (in code): IL Pa Cr Sn EG LY TN DZ ES MA
- 18373. Acmaeodera (Paracmaeodera) aurifera Laporte & Gory,1835** (Buprestidae) Synonym(s): aurifera Laporte & Gory,1835; varicolor Kerremans,1888; scintillans Kerremans,1892; hoscheki Obenberger,1916; proteus Obenberger,1916 Range (in code): IN Bba NP PK Up
- 18374. Acmaeodera (Paracmaeodera) elevata (Klug,1829)** (Buprestidae) Synonym(s): elevata Klug,1829; gibba Laporte & Gory,1835; ovis Gory,1840; semicostata Kerremans,1907; costulipennis Obenberger,1916; nubica Obenberger,1936; luteipilis Obenberger,1940; lomii Obenberger,1940; gridellii Obenberger,1940 Range (in code): IL Pa EG Sn SA LY DZ MA ET SO SD KE TZ TD NG YE OM
- 18375. Acmaeodera (Ptychomus) arabica Gory,1840** (Buprestidae) Synonym(s): arabica Gory,1840 Range (in code): IL Pa SA ET
- 18376. Acmaeodera (Ptychomus) polita (Klug,1829)** (Buprestidae) Synonym(s): polita Klug,1829; klugii Saunders,1870; monodi Théry,1930; hedjazensis Théry,1931; viridipennis Théry,1931 Range (in code): IL Pa EG Sn SA ET SO SN SD TZ TD ZA
- 18377. Acmaeodera (s.str.) brevipes Kiesenwetter,1858** (Buprestidae) Synonym(s): brevipes Kiesenwetter,1858; praecox Marseul,1865; saducaea Obenberger,1946 [ssp.] Range (in code): IL Pa He SY JO IQ TR 02 05 07 33 35 45 48



- 18378. Acmaeodera (s.str.) brunneipennis Kerremans,1906** (Buprestidae) Synonym(s): brunneipennis Kerremans,1906; elater Théry,1930 Range (in code): TN EG IQ Bgd
- 18379. Acmaeodera (s.str.) cecropia Kiesenwetter,1858** (Buprestidae) Synonym(s): cecropia Kiesenwetter,1858; rhodica Obenberger,1935 Range (in code): GR CY IL Pa TR 07 33 48
- 18380. Acmaeodera (s.str.) cerasina Marseul,1865** (Buprestidae) Synonym(s): cerasina Marseul,1865 Range (in code): GR TR
- 18381. Acmaeodera (s.str.) chalcithorax Obenberger,1935** (Buprestidae) Synonym(s): chalcithorax Obenberger,1935 Range (in code): AZ Cc IR IQ TM TR
- 18382. Acmaeodera (s.str.) cylindrica (Fabricius,1775)** (Buprestidae) Synonym(s): cylindrica Fabricius,1775 Range (in code): FR ES MA PT DZ IT TN GR TR SY YU LB
- 18383. Acmaeodera (s.str.) damasensis Pic,1936** (Buprestidae) Synonym(s): damasensis Pic,1936 Range (in code): SY IL Pa
- 18384. Acmaeodera (s.str.) distigma Volkovitsh,1983** (Buprestidae) Synonym(s): distigma Volkovitsh,1983 Range (in code): SY TR 33
- 18385. Acmaeodera (s.str.) eckweileri Volkovitsh,1983** (Buprestidae) Synonym(s): eckweileri Volkovitsh,1983 Range (in code): IR Fa
- 18386. Acmaeodera (s.str.) edmundi Obenberger,1935** (Buprestidae) Synonym(s): edmundi Obenberger,1935; irrorata Reitter,1890; sycophanta Abeille de Perrin,1900; afghanica Volkovitsh,1990 [ssp.] Range (in code): BG GR TR IR AZ Cc AF Kuna PK
- 18387. Acmaeodera (s.str.) flavolineata Laporte & Gory,1835** (Buprestidae) Synonym(s): flavolineata Laporte & Gory,1835; dorsalis Spinola,1838; sturalis Gory,1840; bivitis Frivaldsky,1912; krueperi Obenberger,1926 Range (in code): TR AZ GG AM Cc BG IQ IL Pa CY LB SY JO GR 07 08 12 27 31 33 35 62 65 70 80
- 18388. Acmaeodera (s.str.) ghilarovi Volkovitsh,1988** (Buprestidae) Synonym(s): ghilarovi Volkovitsh,1988 Range (in code): AM Cc TM
- 18389. Acmaeodera (s.str.) guichardi Levey & Volkovitsh,1996** (Buprestidae) Synonym(s): guichardi Levey & Volkovitsh,1996 Range (in code): OM AE
- 18390. Acmaeodera (s.str.) holzschuhi Volkovitsh & Bily,1979** (Buprestidae) Synonym(s): holzschuhi Volkovitsh & Bily,1979 Range (in code): TR 07
- 18391. Acmaeodera (s.str.) kabakovi Volkovitsh,1990** (Buprestidae) Synonym(s): kabakovi Volkovitsh,1990 Range (in code): PK AF
- 18392. Acmaeodera (s.str.) lucida Volkovitsh,1983** (Buprestidae) Synonym(s): lucida Volkovitsh,1983 Range (in code): IR Lo
- 18393. Acmaeodera (s.str.) pici Obenberger,1924** (Buprestidae) Synonym(s): pici Obenberger,1924 Range (in code): SA
- 18394. Acmaeodera (s.str.) pilosellae (Bonelli,1812)** (Buprestidae) Synonym(s): pilosellae Bonelli,1812; discoidea Olivier,1790; persica Mannerheim,1837 [ssp.]; araxicola Reitter,1890; polyxantha Semenov,1895; syriaca Abeille de Perrin,1900 [ssp.]; dayremi Théry,1930 Range (in code): IL Pa He SY JO IQ TR IR TM Kp AM AZ AL Cc B-H BG HV FR IT MK HU RO SS ES YU DZ 07 12 30 33
- 18395. Acmaeodera (s.str.) planidorsis Semenov,1895** (Buprestidae) Synonym(s): planidorsis Semenov,1895 Range (in code): AM AZ Cc IR
- 18396. Acmaeodera (s.str.) pulchra (Fabricius,1794)** (Buprestidae) Synonym(s): pulchra Fabricius,1794 Range (in code): PT ES MA DZ TN IL Pa TR
- 18397. Acmaeodera (s.str.) rufocincta Baudi di Selve,1870** (Buprestidae) Synonym(s): rufocincta Baudi di Selve,1870 Range (in code): CY
- 18398. Acmaeodera (s.str.) transcaucasica Semenov,1895** (Buprestidae) Synonym(s): transcaucasica Semenov,1895 Range (in code): AZ AM GG Cc TR 08
- 18399. Acmaeodera (s.str.) wethloi Obenberger,1940** (Buprestidae) Synonym(s): wethloi Obenberger,1940 Range (in code): IR IQ TR
- 18400. Acmaeodera (s.str.) xanthelytra Obenberger,1940** (Buprestidae) Synonym(s): xanthelytra Obenberger,1940 Range (in code): SY TR IR
- 18401. Acmaeodera bushirensis Obenberger,1940** (Buprestidae) Synonym(s): bushirensis Obenberger,1940 Range (in code): IR
- 18402. Acmaeoderella (Carininota) christophi (Obenberger,1935)** (Buprestidae) Synonym(s): christophi Obenberger,1935 Range (in code): TM Krn
- 18403. Acmaeoderella (Carininota) crucifera (Abeille de Perrin,1904)** (Buprestidae) Synonym(s): crucifera Abeille de Perrin,1904 Range (in code): IR IQ Su TR 12
- 18404. Acmaeoderella (Carininota) farinosa (Reiche,1856)** (Buprestidae) Synonym(s): farinosa Reiche,1856; lisa Bellamy,1998 Range (in code): TR BR SY JO LB IL Pa CY 07 32 33 35 51 62 70
- 18405. Acmaeoderella (Carininota) flavofasciata (Piller & Mitterpacher,1783)** (Buprestidae) Synonym(s): flavofasciata Piller & Mitterpacher,1783; taeniata Fabricius,1787; hirta Villiers,1789; deorum Obenberger,1940 Range (in code): MA DZ TN DE AL AT AM AZ Cc BG DZ CZ Da RU MA FR GG IR ES CH IT KG CY HU PT RO SK SY TN UA Cm YU GR Cr TR MN TJ 06 08 12 13 14 19 22 25 43 55 68 81

- 18406. *Acmaeoderella* (Carininota) *glasunovi* (Semenov,1895)** (Buprestidae) Synonym(s): *glasunovi* Semenov,1895; *judinae* Stepanov,1954; *varsobica* Stepanov,1958 Range (in code): TM UZ TJ T-S
- 18407. *Acmaeoderella* (Carininota) *impunctata* (Abeille de Perrin,1891)** (Buprestidae) Synonym(s): *impunctata* Abeille de Perrin,1891 Range (in code): IR IQ SY JO Amm TR 01
- 18408. *Acmaeoderella* (Carininota) *mimonti* (Boieldieu,1865)** (Buprestidae) Synonym(s): *mimonti* Boieldieu,1865; *arenicola* Csiki,1905; *latisquammis* Obenberger,1914 Range (in code): AZ Cc TR BG AM GG IQ IR IT KG KK HU UZ RO RU Sb TJ TM Kp YU GR 16 22 25
- 18409. *Acmaeoderella* (Carininota) *repetekensis* (Obenberger,1934)** (Buprestidae) Synonym(s): *repetekensis* Obenberger,1934; *solskyi* Kostin,1973 Range (in code): KG TM Rpt UZ
- 18410. *Acmaeoderella* (Carininota) *troniceki* (Obenberger,1935)** (Buprestidae) Synonym(s): *troniceki* Obenberger,1935; *albifrons* Volkovitsh,1977 Range (in code): TM TJ UZ KG
- 18411. *Acmaeoderella* (Carininota) *zarudniana* Volkovitsh,1977** (Buprestidae) Synonym(s): *zarudniana* Volkovitsh,1977 Range (in code): TM Kp IR Ss PK
- 18412. *Acmaeoderella* (Euacmaeoderella) *adamantina* (Reitter,1890)** (Buprestidae) Synonym(s): *adamantina* Reitter,1890; *tamerlani* Obenberger,1934 Range (in code): UZ TM IR Kh JO SY TJ
- 18413. *Acmaeoderella* (Euacmaeoderella) *ballioni* (Ganglbauer,1888)** (Buprestidae) Synonym(s): *ballioni* Ganglbauer,1888; *xerxes* Obenberger,1916 Range (in code): TJ KG IR Ss AF
- 18414. *Acmaeoderella* (Euacmaeoderella) *brandti* Volkovitsh,1981** (Buprestidae) Synonym(s): *brandti* Volkovitsh,1981 Range (in code): IR Lo Fa Kd TR 31
- 18415. *Acmaeoderella* (Euacmaeoderella) *canescens* (Semenov,1895)** (Buprestidae) Synonym(s): *canescens* Semenov,1895 Range (in code): TM Kp TJ IR UZ
- 18416. *Acmaeoderella* (Euacmaeoderella) *chusistanica* (Obenberger,1934)** (Buprestidae) Synonym(s): *chusistanica* Obenberger,1934 Range (in code): IR Kz
- 18417. *Acmaeoderella* (Euacmaeoderella) *coelestina* Volkovitsh,1977** (Buprestidae) Synonym(s): *coelestina* Volkovitsh,1977 Range (in code): TM Kp
- 18418. *Acmaeoderella* (Euacmaeoderella) *dubia* (Ballion,1870)** (Buprestidae) Synonym(s): *dubia* Ballion,1870; *cuprinula* Reitter,1890; *krali* Obenberger,1923; *pamirigena* Obenberger,1940; *chalcopracta* Obenberger,1940; *chloe* Obenberger,1940; *steppicola* Obenberger,1940 Range (in code): KG AF KK TM TJ UZ
- 18419. *Acmaeoderella* (Euacmaeoderella) *gibbulosa* (Ménétriés,1832)** (Buprestidae) Synonym(s): *gibbulosa* Ménétriés,1832; *inamoena* Faldermann,1835; *lugens* Gory,1840; *cuprinula* Reitter,1890; *tenuifrons* Obenberger,1924; *lederi* Obenberger,1934; *araxigena* Obenberger,1940 Range (in code): AZ Cc BG CN AM GG IQ IR IL Pa KG CY GR LB MN RU SY TR TM JO YU 01 05 06 07 20 25 27 31 33 34 35 36 46 63 70 81
- 18420. *Acmaeoderella* (Euacmaeoderella) *hamadanica* Volkovitsh,1983** (Buprestidae) Synonym(s): *hamadanica* Volkovitsh,1983 Range (in code): IR Ha TR
- 18421. *Acmaeoderella* (Euacmaeoderella) *iranica* (Obenberger,1934)** (Buprestidae) Synonym(s): *iranica* Obenberger,1934; *lencotricha* Obenberger,1940 Range (in code): AF Hr IR Se TM Kp KG
- 18422. *Acmaeoderella* (Euacmaeoderella) *jezeki* Bily,1983** (Buprestidae) Synonym(s): *jezeki* Bily,1983 Range (in code): IR
- 18423. *Acmaeoderella* (Euacmaeoderella) *judeorum* (Obenberger,1914)** (Buprestidae) Synonym(s): *judeorum* Obenberger,1914 Range (in code): SY IL Pa JO Amm
- 18424. *Acmaeoderella* (Euacmaeoderella) *kubani* Volkovitsh,1987** (Buprestidae) Synonym(s): *kubani* Volkovitsh,1987 Range (in code): TM TJ UZ
- 18425. *Acmaeoderella* (Euacmaeoderella) *lanuginosa* (Gyllenhal,1817)** (Buprestidae) Synonym(s): *lanuginosa* Gyllenhal,1817 Range (in code): ES FR MA DZ EG TN SY TR IL Pa
- 18426. *Acmaeoderella* (Euacmaeoderella) *leucotricha* (Obenberger,1940)** (Buprestidae) Synonym(s): *leucotricha* Obenberger,1940 Range (in code): TM
- 18427. *Acmaeoderella* (Euacmaeoderella) *obscura* (Reitter,1889)** (Buprestidae) Synonym(s): *obscura* Reitter,1889; *cyaniventris* Reitter,1890; *kalalae* Obenberger,1935; *nigroopaca* Cobos,1963 Range (in code): AZ Cc AM GG IQ IR IL Pa LB SY SA TM TR 01 12 21 30 31 36 47 62 65
- 18428. *Acmaeoderella* (Euacmaeoderella) *olivacea* (Abeille de Perrin,1904)** (Buprestidae) Synonym(s): *olivacea* Abeille de Perrin,1904 Range (in code): IR
- 18429. *Acmaeoderella* (Euacmaeoderella) *pellitula* (Reitter,1890)** (Buprestidae) Synonym(s): *pellitula* Reitter,1890 Range (in code): AM AZ Cc
- 18430. *Acmaeoderella* (Euacmaeoderella) *personata* (Semenov,1896)** (Buprestidae) Synonym(s): *personata* Semenov,1896 Range (in code): TM KG MN UZ
- 18431. *Acmaeoderella* (Euacmaeoderella) *safavii* Volkovitsh,1981** (Buprestidae) Synonym(s): *safavii* Volkovitsh,1981 Range (in code): IR Lo TR 12 24 63
- 18432. *Acmaeoderella* (Euacmaeoderella) *squamosa* (Théry,1912)** (Buprestidae) Synonym(s): *squamosa* Théry,1912; *squamidorsis* Obenberger,1927; *cheopsis* Obenberger,1934; *isis* Obenberger,1934 Range (in code): TN EG IQ IL Pa SA SY
- 18433. *Acmaeoderella* (Euacmaeoderella) *staudingeri* (Abeille de Perrin,1900)** (Buprestidae) Synonym(s): *staudingeri* Abeille de Perrin,1900; *ganglbaueri* Obenberger,1940 Range (in code): TM KK KG AF Gz

- 18434. Acmaeoderella (Euacmaeoderella) strandi (Obenberger,1918)** (Buprestidae) Synonym(s): strandi Obenberger,1918 Range (in code): **TM Kp**
- 18435. Acmaeoderella (Euacmaeoderella) subcyanea (Reitter,1890)** (Buprestidae) Synonym(s): subcyanea Reitter,1890; jakowlewi Semenov,1890; laticornis Abeille de Perrin,1900 Range (in code): **AF Kab AM GG AZ Cc Tbl IR Lo TM TR GR BG**
- 18436. Acmaeoderella (Euacmaeoderella) theryana (Abeille de Perrin,1900)** (Buprestidae) Synonym(s): theryana Abeille de Perrin,1900 Range (in code): **IR**
- 18437. Acmaeoderella (Euacmaeoderella) tragacanthae Volkovitsh,1984** (Buprestidae) Synonym(s): tragacanthae Volkovitsh,1984 Range (in code): **AZ AM Cc TM Kp**
- 18438. Acmaeoderella (Euacmaeoderella) vetusta (Ménétriés,1832)** (Buprestidae) Synonym(s): vetusta Ménétriés,1832; cuprifera Castelnau & Gory,1835; producta Castelnau & Gory,1835; olivacea Abeille de Perrin,1904 Range (in code): **AZ Cc BG AM GG IQ IR IL Pa CY LB SY RU TM JO GR TR 01 05 06 21 24 25 27 30 31 33 35 36 41 42 44 46 62 63 73**
- 18439. Acmaeoderella (Euacmaeoderella) villosula (Steven,1830)** (Buprestidae) Synonym(s): villosula Steven,1830; boryi Brullé,1832; steveni Faldermann,1838 Range (in code): **AF AZ Cc AM GG IQ Su IR IL Pa ES CY LB EG PT RU SY TJ TM JO GR TR 01 05 06 07 08 09 10 16 20 24 25 27 30 31 33 35 36 46 48 50**
- 18440. Acmaeoderella (Liogastria) chrysanthemi (Chevrolat,1854)** (Buprestidae) Synonym(s): chrysanthemi Chevrolat,1854; tonstrix Reitter,1895; klapaleki Obenberger,1924; syriaca Obenberger,1924; levantina Obenberger,1934; syriacae Obenberger,1936; noemi Obenberger,1940; rudepilosa Obenberger,1940 Range (in code): **AZ Nv Cc BG AM IQ IR IL Pa CY EG SY RU JO TR GR 01 06 07 20 24 25 27 30 31 33 35 42 43 46 48 49 50 63 73**
- 18441. Acmaeoderella (Liogastria) jonica (Obenberger,1934)** (Buprestidae) Synonym(s): jonica Obenberger,1934 Range (in code): **AL TR GR Ae SY IL Pa LB 07 48**
- 18442. Acmaeoderella (Omphalothorax) adspersula (Illiger,1803)** (Buprestidae) Synonym(s): adspersula Illiger,1803; dermestoides Solier,1833; suturalis Pic,1895 Range (in code): **MA DZ GR YU EG Sn BG FR ES IT Si Sa Co TR 07 27 33 35**
- 18443. Acmaeoderella (Omphalothorax) arabica Cobos,1963** (Buprestidae) Synonym(s): arabica Cobos,1963; sheherezad Pochon,1971 Range (in code): **IL Pa OM IR IQ Mos SA**
- 18444. Acmaeoderella (Omphalothorax) argentea Volkovitsh,2011** (Buprestidae) Synonym(s): argentea Volkovitsh,2011 Range (in code): **AE IR OM**
- 18445. Acmaeoderella (Omphalothorax) densisquamis (Abeille de Perrin,1904)** (Buprestidae) Synonym(s): densisquamis Abeille de Perrin,1904 Range (in code): **TR LB SY JO IL Pa**
- 18446. Acmaeoderella (Omphalothorax) despecta (Baudi di Selve,1870)** (Buprestidae) Synonym(s): despecta Baudi di Selve,1870; reflexangula Reitter,1890; polygonalis Obenberger,1916 Range (in code): **SY IL Pa CY TR AM Cc IR IQ EG**
- 18447. Acmaeoderella (Omphalothorax) longissima (Abeille de Perrin,1904)** (Buprestidae) Synonym(s): longissima Abeille de Perrin,1904; akbesiana Escalera,1904; amanicola Pic,1905; fatima Pochon,1971 Range (in code): **IR IQ TR IL Pa GR CY 31**
- 18448. Acmaeoderella (Omphalothorax) marcaisi Descimon & Maten,1967** (Buprestidae) Synonym(s): marcaisi Descimon & Maten,1967; pectinata Bily,1973 Range (in code): **DZ TD ET YE IL Pa**
- 18449. Acmaeoderella (Omphalothorax) nanorrhopsicola Volkovitsh & Bily,1979** (Buprestidae) Synonym(s): nanorrhopsicola Volkovitsh & Bily,1979 Range (in code): **IR Ss OM**
- 18450. Acmaeoderella (Omphalothorax) pharao (Obenberger,1920)** (Buprestidae) Synonym(s): pharao Obenberger,1920 Range (in code): **EG Sn TN LY**
- 18451. Acmaeoderella (s.str.) alfieri (Théry,1929)** (Buprestidae) Synonym(s): alfieri Théry,1929 Range (in code): **EG OM**
- 18452. Acmaeoderella (s.str.) angorana (Obenberger,1940)** (Buprestidae) Synonym(s): angorana Obenberger,1940 Range (in code): **TR 06**
- 18453. Acmaeoderella (s.str.) carolusi Volkovitsh,1989** (Buprestidae) Synonym(s): carolusi Volkovitsh,1989 Range (in code): **TR**
- 18454. Acmaeoderella (s.str.) caspica (Ganglbauer,1888)** (Buprestidae) Synonym(s): caspica Ganglbauer,1888 Range (in code): **KG AF Hr IR Kh TM Kp TJ UZ**
- 18455. Acmaeoderella (s.str.) cinerea Volkovitsh,1982** (Buprestidae) Synonym(s): cinerea Volkovitsh,1982 Range (in code): **TM IR KG KK UZ**
- 18456. Acmaeoderella (s.str.) circassica (Reitter,1890)** (Buprestidae) Synonym(s): circassica Reitter,1890; hellenica Obenberger,1914; faldermanni Obenberger,1934; kubanica Obenberger,1934; macedonica Obenberger,1934 Range (in code): **RU UA GR AM AZ Cc RO BG MK YU IT TR KG**
- 18457. Acmaeoderella (s.str.) cypriota (Obenberger,1940)** (Buprestidae) Synonym(s): cypriota Obenberger,1940 Range (in code): **CY GR TR 07 32**
- 18458. Acmaeoderella (s.str.) elbursi (Obenberger,1924)** (Buprestidae) Synonym(s): elbursi Obenberger,1924; aramea Obenberger,1934; damasica Obenberger,1940 Range (in code): **IR Elb SY Dms IL Pa JO TR CY Cr GR**
- 18459. Acmaeoderella (s.str.) fulvinaeva (Reitter,1890)** (Buprestidae) Synonym(s): fulvinaeva Reitter,1890; iphigenia Obenberger,1934 Range (in code): **TR Arr AM A IL Pa LB 76**



- 18460. *Acmaeoderella* (s.str.) *levantina* (Obenberger,1934)** (Buprestidae) Synonym(s): *levantina* Obenberger,1934 Range (in code): BG MK GR TR YU
- 18461. *Acmaeoderella* (s.str.) *nivetecta* Volkovitsh,1976** (Buprestidae) Synonym(s): *nivetecta* Volkovitsh,1976 Range (in code): TJ IR AF
- 18462. *Acmaeoderella* (s.str.) *oresitropha* (Obenberger,1924)** (Buprestidae) Synonym(s): *oresitropha* Obenberger,1924 Range (in code): GR AZ Cc Nv IR TM Kp AM KK TJ UZ
- 18463. *Acmaeoderella* (s.str.) *plavilscikovi* (Obenberger,1936)** (Buprestidae) Synonym(s): *plavilscikovi* Obenberger,1936 Range (in code): RU AZ AM Cc GG TM KK UZ UA KG
- 18464. *Acmaeoderella* (s.str.) *pseudonivetecta* Volkovitsh,2011** (Buprestidae) Synonym(s): *pseudonivetecta* Volkovitsh,2011 Range (in code): IR OM AE
- 18465. *Acmaeoderella* (s.str.) *serricornis* (Abeille de Perrin,1900)** (Buprestidae) Synonym(s): *serricornis* Abeille de Perrin,1900; *erinaceiformis* Obenberger,1922; *staneki* Obenberger,1934; *beduina* Cobos,1963 Range (in code): AM AZ Cc IR Fa TR RU 27 63 79
- 18466. *Acmaeoderella* (s.str.) *stricta* (Abeille de Perrin,1895)** (Buprestidae) Synonym(s): *stricta* Abeille de Perrin,1895 Range (in code): BG AM GR TR Cc IR IL Pa SY
- 18467. *Acmaeoderella* (s.str.) *volkovitshi* Bily,1987** (Buprestidae) Synonym(s): *volkovitshi* Bily,1987 Range (in code): SA
- 18468. *Agrilus* (Anambus) *ater* (Linnaeus,1767)** (Buprestidae) Synonym(s): *ater* Linnaeus,1767 Range (in code): AT CZ FI FR RO RU UA LT TR 24
- 18469. *Agrilus* (Anambus) *buresi* Obenberger,1935** (Buprestidae) Synonym(s): *buresi* Obenberger,1935 Range (in code): DE AL AT BE BG DZ CZ DK EE FO FR Cc GG Tbl NL ES SE IT KG LT NL HU NO PL RO RU YU GR TR 07 08 11 25 29 42
- 18470. *Agrilus* (Anambus) *derasofasciatus* Lacordaire,1835** (Buprestidae) Synonym(s): *derasofasciatus* Lacordaire,1835 Range (in code): TR DE AL AT Cc AZ BG DZ CZ AM MA FR Cr GR GG IR ES CH LB HU PL RO RU SK SY TN UA YU 01 06 07 08 09 15 23 25 27 30 31 33 35 43 47 48 56 59 64 70
- 18471. *Agrilus* (Anambus) *obscuricollis* Kiesenwetter,1857** (Buprestidae) Synonym(s): *obscuricollis* Kiesenwetter,1857 Range (in code): TR DE AL AT DZ BG CZ FR ES CH Co IT HU RO RU UA YU GR 07 08 11 17 27 29 33 34 80
- 18472. *Agrilus* (Anambus) *roscidus* Kiesenwetter,1857** (Buprestidae) Synonym(s): *roscidus* Kiesenwetter,1857 Range (in code): DE AL AT Cc AZ BG DZ AM MA FR IR CH IT CY EG RO SK SY YU GR TR 01 02 06 07 08 09 10 11 12 14 15 16 17 18 19 20 21 22 25 26 28 31 33 35 38 42 43 46 47 48 56 57 58 59 60 62 63 80
- 18473. *Agrilus* (Anambus) *sericans* Kiesenwetter,1857** (Buprestidae) Synonym(s): *cuprescens* Castelnau & Gory,1837; *sericans* Kiesenwetter,1857; *auripubis* Obenberger,1936; *nigridorsis* Obenberger,1936; *sareptanus* Obenberger,1936 Range (in code): AT AZ Cc BG CZ SK RU Da AM GG IQ IR TR IT KK HU RO MN UA YU GR 06 17 25 42 58 65
- 18474. *Agrilus* (s.str.) *aurichalceus* Redtenbacher,1849** (Buprestidae) Synonym(s): *aurichalceus* Redtenbacher,1849 Range (in code): DE AL AT BG CZ FI FR Cc GG Tbl ES SE IT PL PT RO RU YU GR TR 07 09 15 21 26 29 33 46
- 18475. *Agrilus* (s.str.) *hyperici* (Creutzer,1799)** (Buprestidae) Synonym(s): *hyperici* Creutzer,1799 Range (in code): AL DE BE BG DZ CZ FR EE Cc GG Tbl PL PT RO RU UA Cm YU GR TR 10 11 17 25 29 35 39 45 48 54 58
- 18476. *Agrilus* (s.str.) *lineolus* Redtenbacher,1849** (Buprestidae) Synonym(s): *lineolus* Redtenbacher,1849 Range (in code): DE AL AT Cc AZ BG CZ AM FR Gg IR CH IT HU RO RU SK UA YU GR TR 07 15 21 25 30 35 37 38 43 62 66
- 18477. *Agrilus* *kutahyanus* Krolík,2002** (Buprestidae) Synonym(s): *kutahyanus* Krolík,2002 Range (in code): TR 43
- 18478. *Agrilus* *rhoos* Krolík & Niehuis,2003** (Buprestidae) Synonym(s): *rhoos* Krolík & Niehuis,2003 Range (in code): TR 07 12 14 33 62 80
- 18479. *Anthaxia* (Cratomerus) *diadema* Fischer,1824** (Buprestidae) Synonym(s): *diadema* Fischer,1824 Range (in code): BG CY GR IL Pa SY LB TR UA 01 06 07 09 19 30 32 33 35 42 45 64 80
- 18480. *Anthaxia* (Cratomerus) *eugeniae* Ganglbauer,1885** (Buprestidae) Synonym(s): *eugeniae* Ganglbauer,1885 Range (in code): GR TR 05 07 10 13 33 35 38 47 58
- 18481. *Anthaxia* (Cratomerus) *farinigera* Kraatz,1882** (Buprestidae) Synonym(s): *farinigera* Kraatz,1882 Range (in code): AF IR KK TJ UZ TR
- 18482. *Anthaxia* (Cratomerus) *hungarica* (Scopoli,1772)** (Buprestidae) Synonym(s): *hungarica* Scopoli,1772; *trochilus* Fabricius,1776; *cyanicornis* Fabricius,1781; *elegantula* Schrank,1781; *stephanelli* Petagna,1787; *femorata* Villers,1789; *exaltata* Fabricius,1798 Range (in code): DZ AT YU Cr GR CZ CH FR DE IT HU MA PT RU SK ES UA TR DE AT BE AL Cc GG Tbl MK IR SY 08 25 37 39 42
- 18483. *Anthaxia* (Cratomerus) *krueperi* Ganglbauer,1885** (Buprestidae) Synonym(s): *krueperi* Ganglbauer,1885; *duo* Semenov,1898 Range (in code): AM GG Cc TR 07 31 35 64
- 18484. *Anthaxia* (Cratomerus) *meda* Baiocchi,2011** (Buprestidae) Synonym(s): *meda* Baiocchi,2011 Range (in code): IR

- 18485. Anthaxia (Cratomerus) mirabilis Zicharev,1918** (Buprestidae) Synonym(s): mirabilis Zicharev,1918 Range (in code): AM AZ Cc TR 30 44 49
- 18486. Anthaxia (Cratomerus) nupta Kiesenwetter,1857** (Buprestidae) Synonym(s): nupta Kiesenwetter,1857 Range (in code): AM GG Cc TR SY 07 09 35 65
- 18487. Anthaxia (Cratomerus) paphia Novak & Makris,2002** (Buprestidae) Synonym(s): paphia Novak & Makris,2002 Range (in code): CY
- 18488. Anthaxia (Cratomerus) pochoni Herman,1969** (Buprestidae) Synonym(s): pochoni Herman,1969 Range (in code): IR
- 18489. Anthaxia (Cratomerus) scorzonerae (Frivaldski,1838)** (Buprestidae) Synonym(s): scorzonerae Frivaldski,1838; euphrosyne Ganglbauer,1885; artemis Daniel,1905 Range (in code): BG Cr GR TR 10 35
- 18490. Anthaxia (Cratomerus) sponsa Kiesenwetter,1857** (Buprestidae) Synonym(s): sponsa Kiesenwetter,1857 Range (in code): AM AZ Cc GG TR BG GR IL Pa SY LB IR 01 06 07 09 13 24 25 32 33 35 38 48 58 64 65
- 18491. Anthaxia (Cratomerus) violacea Bily,1977** (Buprestidae) Synonym(s): violacea Bily,1977 Range (in code): IL Pa JO
- 18492. Anthaxia (Haplanthaxia) abdita Bily,1982** (Buprestidae) Synonym(s): abdita Bily,1982 Range (in code): SA IL Pa JO OM
- 18493. Anthaxia (Haplanthaxia) adenensis Bily,1973** (Buprestidae) Synonym(s): adenensis Bily,1973 Range (in code): YE Ad
- 18494. Anthaxia (Haplanthaxia) aladin Obenberger,1928** (Buprestidae) Synonym(s): aladin Obenberger,1928 Range (in code): IR
- 18495. Anthaxia (Haplanthaxia) angustipennis Klug,1829** (Buprestidae) Synonym(s): angustipennis Klug,1829; stupida Marseul,1865 Range (in code): MA DZ TN TD NE LY EG IQ IR IL Pa SY
- 18496. Anthaxia (Haplanthaxia) armeniaca Obenberger,1929** (Buprestidae) Synonym(s): armeniaca Obenberger,1929 Range (in code): AM AZ Cc TR IQ IR 02 27 47 56 63
- 18497. Anthaxia (Haplanthaxia) aspera Bily,1977** (Buprestidae) Synonym(s): aspera Bily,1977 Range (in code): IQ IR
- 18498. Anthaxia (Haplanthaxia) astoreth Obenberger,1928** (Buprestidae) Synonym(s): astoreth Obenberger,1928 Range (in code): SY IL Pa LB TR
- 18499. Anthaxia (Haplanthaxia) beloudjistana Bily,1983** (Buprestidae) Synonym(s): beloudjistana Bily,1983 Range (in code): IR Ss
- 18500. Anthaxia (Haplanthaxia) bettagi Niehuis,1983** (Buprestidae) Synonym(s): bettagi Niehuis,1983 Range (in code): GR TR 07 11
- 18501. Anthaxia (Haplanthaxia) bosdaghenensis Obenberger,1938** (Buprestidae) Synonym(s): bosdaghenensis Obenberger,1938 Range (in code): TR 16 38
- 18502. Anthaxia (Haplanthaxia) caudipennis Bily,1983** (Buprestidae) Synonym(s): caudipennis Bily,1983 Range (in code): IR
- 18503. Anthaxia (Haplanthaxia) cavazzutii Bily,1980**<sup>4</sup> (Buprestidae) Synonym(s): cavazzutii Bily,1980 Range (in code): TR 29 62
- 18504. Anthaxia (Haplanthaxia) cichorii (Olivier,1790)** (Buprestidae) Synonym(s): cichorii Olivier,1790; auripennis Strum,1826; chamomillae Mannerheim,1837; gibbicollis Rey,1891; azurea Abeille de Perrin,1909; parthica Obenberger,1914; turcomanica Obenberger,1938 Range (in code): ES FR IT CH DE AT CZ AL B-H BG BY HV MK MD PL RO SK SS YU HU UA AM AZ GG Cc BE Cr GR CY IL Pa TR IR TM 01 06 07 08 09 13 21 24 25 22 27 30 31 33 35 44 45 47 48 55 58 73 74 80 81
- 18505. Anthaxia (Haplanthaxia) congregata Klug,1829** (Buprestidae) Synonym(s): congregata Klug,1829; arabs Marseul,1865; obockiana Fairmaire,1892; encaustiventris Abeille de Perrin,1907; cairensis Obenberger,1920 Range (in code): MA DZ TN LY EG TD ML SD ET SO SA IL Pa AY IQ IR
- 18506. Anthaxia (Haplanthaxia) crotonivora Bily,2005** (Buprestidae) Synonym(s): crotonivora Bily,2005 Range (in code): YE
- 18507. Anthaxia (Haplanthaxia) cupriventris Marseul,1865** (Buprestidae) Synonym(s): cupriventris Marseul,1865 Range (in code): SY
- 18508. Anthaxia (Haplanthaxia) curlettii Magnani,1993** (Buprestidae) Synonym(s): curlettii Magnani,1993 Range (in code): CY TR
- 18509. Anthaxia (Haplanthaxia) cylindrica Abeille,1900** (Buprestidae) Synonym(s): cylindrica Abeille,1900 Range (in code): TR LB SY 07 33
- 18510. Anthaxia (Haplanthaxia) dechambrei Bily,1991** (Buprestidae) Synonym(s): dechambrei Bily,1991 Range (in code): PK

<sup>4</sup> Two days ago, I received an important publication by Baiocchi. As the text of this article has been completed, new synonyms proposed by Baiocchi are indicated here externally. Thence, cavazzutii Bily,1980 is considered as junior synonym of A. bozdaghensis Obenberger,1938. See also coming footnotes.  
Ref.: Baiocchi,D., 2015, Taxonomic notes on the genus Anthaxia Eschscholtz,1829 (Coleoptera, Buprestidae, Anthaxiini) I. – Zootaxa 3941 (3): 339-357, figs.

- 18511. Anthaxia (Haplanthaxia) denesi Svoboda,2000** (Buprestidae) Synonym(s): denesi Svoboda,2000 Range (in code): TR
- 18512. Anthaxia (Haplanthaxia) elaeagni Rikhter,1949** (Buprestidae) Synonym(s): elaeagni Rikhter,1949 Range (in code): IR TM AF TJ UZ
- 18513. Anthaxia (Haplanthaxia) farah Bily,1983** (Buprestidae) Synonym(s): farah Bily,1983 Range (in code): IR
- 18514. Anthaxia (Haplanthaxia) fedtschenkoi Semenov,1895** (Buprestidae) Synonym(s): fedtschenkoi Semenov,1895 Range (in code): IR TM AF UZ TJ
- 18515. Anthaxia (Haplanthaxia) flavicomis Abeille,1900** (Buprestidae) Synonym(s): flavicomis Abeille,1900; erivana Obenberger,1913; #flavicomis Ulay & Tezcan,1998 Range (in code): AM Eri Cc TR IR IQ 30 58
- 18516. Anthaxia (Haplanthaxia) gedrosiana Bily,1983** (Buprestidae) Synonym(s): gedrosiana Bily,1983 Range (in code): IR
- 18517. Anthaxia (Haplanthaxia) houskai Obenberger,1946** (Buprestidae) Synonym(s): houskai Obenberger,1946 Range (in code): SY LB IL Pa JO
- 18518. Anthaxia (Haplanthaxia) iranica Rikhter,1949** (Buprestidae) Synonym(s): iranica Rikhter,1949 Range (in code): IR
- 18519. Anthaxia (Haplanthaxia) israelita Abeille de Perrin,1882** (Buprestidae) Synonym(s): israelita Abeille de Perrin,1882; bernardettae Herman,1966 Range (in code): SY LB IL Pa JO
- 18520. Anthaxia (Haplanthaxia) iveta Svoboda,2003** (Buprestidae) Synonym(s): iveta Svoboda,2003 Range (in code): IR PK
- 18521. Anthaxia (Haplanthaxia) jordanensis Bily,1984** (Buprestidae) Synonym(s): jordanensis Bily,1984 Range (in code): IL Pa JO SY
- 18522. Anthaxia (Haplanthaxia) kabateki Bily,2005** (Buprestidae) Synonym(s): kabateki Bily,2005 Range (in code): YE
- 18523. Anthaxia (Haplanthaxia) kalalae Baiocchi & Magnani,2010** (Buprestidae) Synonym(s): kalalae Baiocchi & Magnani,2010 Range (in code): IR
- 18524. Anthaxia (Haplanthaxia) karsanthiana Pic,1917** (Buprestidae) Synonym(s): karsanthiana Pic,1917 Range (in code): TR CY 01 11
- 18525. Anthaxia (Haplanthaxia) kaszabi Cobos,1966** (Buprestidae) Synonym(s): kaszabi Cobos,1966 Range (in code): AF
- 18526. Anthaxia (Haplanthaxia) kiesenwetteri Marseul,1865** (Buprestidae) Synonym(s): kiesenwetteri Marseul,1865; melancholica Kraatz,1862; cupriventris Marseul,1865; rambousekii Obenberger,1912 Range (in code): RO MK YU BG GR GG Cc IL Pa SY LB TR 01 80
- 18527. Anthaxia (Haplanthaxia) klessi Niehuis,1991** (Buprestidae) Synonym(s): klessi Niehuis,1991 Range (in code): IL Pa
- 18528. Anthaxia (Haplanthaxia) kneuckeri Obenberger,1920** (Buprestidae) Synonym(s): kneuckeri Obenberger,1920 Range (in code): SA IL Pa Sn JO OM YE
- 18529. Anthaxia (Haplanthaxia) kollari Marseul,1865** (Buprestidae) Synonym(s): kollari Marseul,1865; starkei Ganglbauer,1886 Range (in code): IQ
- 18530. Anthaxia (Haplanthaxia) laticeps Abeille,1900** (Buprestidae) Synonym(s): laticeps Abeille,1900; minerva Obenberger,1913; navratili Bily,1984 Range (in code): TR Cr GR CY SY 01
- 18531. Anthaxia (Haplanthaxia) lyciae Magnani,1996** (Buprestidae) Synonym(s): lyciae Magnani,1996 Range (in code): TR
- 18532. Anthaxia (Haplanthaxia) magnanii Baiocchi,2011** (Buprestidae) Synonym(s): magnanii Baiocchi,2011 Range (in code): IR
- 18533. Anthaxia (Haplanthaxia) mannaea Baiocchi,2011** (Buprestidae) Synonym(s): mannaea Baiocchi,2011 Range (in code): IR
- 18534. Anthaxia (Haplanthaxia) marani Obenberger,1938** (Buprestidae) Synonym(s): marani Obenberger,1938 Range (in code): CY
- 18535. Anthaxia (Haplanthaxia) marginifera Abeille de Perrin,1907** (Buprestidae) Synonym(s): marginifera Abeille de Perrin,1907 Range (in code): DZ SA IL Pa OM
- 18536. Anthaxia (Haplanthaxia) martinhauseri Niehuis,1996** (Buprestidae) Synonym(s): martinhauseri Niehuis,1996 Range (in code): IL Pa OM
- 18537. Anthaxia (Haplanthaxia) maximilliani Brechtel,2000** (Buprestidae) Synonym(s): maximilliani Brechtel,2000 Range (in code): YE
- 18538. Anthaxia (Haplanthaxia) medvedevorum Alexeev,1978** (Buprestidae) Synonym(s): medvedevorum Alexeev,1978 Range (in code): TM
- 18539. Anthaxia (Haplanthaxia) millefolii (Fabricius,1801)** (Buprestidae) Synonym(s): millefolii Fabricius,1801; chlorocephala Lucas,1849 Range (in code): AT YU CY BG CZ HU IT SK TR UA 01 06 08 09 19 22 25 27 31 32 35 37 41 58 67 80
- 18540. Anthaxia (Haplanthaxia) moises Obenberger,1921** (Buprestidae) Synonym(s): moises Obenberger,1921 Range (in code): SY IL Pa LB JO



- 18541. Anthaxia (Haplanthaxia) mundula Kiesenwetter, 1857** (Buprestidae) Synonym(s): mundula Kiesenwetter, 1857 Range (in code): TR 01 02 06 07 09 10 15 21 31 33 35 45 46 47 48 56 80
- 18542. Anthaxia (Haplanthaxia) nasheri Bily, 2008** (Buprestidae) Synonym(s): nasheri Bily, 2008 Range (in code): YE
- 18543. Anthaxia (Haplanthaxia) naviauxi Bily, 1995** (Buprestidae) Synonym(s): naviauxi Bily, 1995 Range (in code): IR
- 18544. Anthaxia (Haplanthaxia) niehuisi Brandl, 1987** (Buprestidae) Synonym(s): niehuisi Brandl, 1987 Range (in code): TR 07 25 35
- 18545. Anthaxia (Haplanthaxia) olympica Kiesenwetter, 1880** (Buprestidae) Synonym(s): olympica Kiesenwetter, 1880 Range (in code): AT AZ Cc BG MK PL RO SK RU SY YU GR AM CZ GG HU TR UA 22 24 25 35 56 58
- 18546. Anthaxia (Haplanthaxia) ovaciki Novak, 1994** (Buprestidae) Synonym(s): ovaciki Novak, 1994 Range (in code): TR 62
- 18547. Anthaxia (Haplanthaxia) palaestinensis Obenberger, 1946** (Buprestidae) Synonym(s): palaestinensis Obenberger, 1946 Range (in code): SY IL Pa JO
- 18548. Anthaxia (Haplanthaxia) parapleurialis Obenberger, 1929** <sup>5</sup> (Buprestidae) Synonym(s): parapleurialis Obenberger, 1929 Range (in code): TR
- 18549. Anthaxia (Haplanthaxia) parvula Baiocchi & Mangani, 2006** (Buprestidae) Synonym(s): parvula Baiocchi & Mangani, 2006 Range (in code): IR
- 18550. Anthaxia (Haplanthaxia) pinda Bily & Baiocchi, 2009** (Buprestidae) Synonym(s): pinda Bily & Baiocchi, 2009 Range (in code): IL Pa OM
- 18551. Anthaxia (Haplanthaxia) praeclara Mannerheim, 1837** (Buprestidae) Synonym(s): praeclara Mannerheim, 1837 Range (in code): DZ GR IL Pa IT PT ES SY TR 01 07 09 31 33 35 48 79 80
- 18552. Anthaxia (Haplanthaxia) prepsli Bily, 1995** (Buprestidae) Synonym(s): prepsli Bily, 1995 Range (in code): PK
- 18553. Anthaxia (Haplanthaxia) puella Bily, 1980** (Buprestidae) Synonym(s): puella Bily, 1980 Range (in code): IQ TR 47 62
- 18554. Anthaxia (Haplanthaxia) pumila Klug, 1829** (Buprestidae) Synonym(s): pumila Klug, 1829; nephthys Obenberger, 1916; strandi Obenberger, 1919 Range (in code): IL Pa SD EG LY TN TD NE MA DZ
- 18555. Anthaxia (Haplanthaxia) rossica Daniel, 1903** (Buprestidae) Synonym(s): rossica Daniel, 1903; horvathi Kaszab, 1940 Range (in code): RU YU BG GR HU RO TR UA MK 06 25 35 39
- 18556. Anthaxia (Haplanthaxia) roxana Bily, 1983** (Buprestidae) Synonym(s): roxana Bily, 1983 Range (in code): IR PK
- 18557. Anthaxia (Haplanthaxia) sagartiana Baiocchi & Mangani, 2010** (Buprestidae) Synonym(s): sagartiana Baiocchi & Mangani, 2010 Range (in code): IR
- 18558. Anthaxia (Haplanthaxia) schah Abeille de Perrin, 1904** (Buprestidae) Synonym(s): schah Abeille de Perrin, 1904; lokayi Obenberger, 1925 Range (in code): IR IQ SY
- 18559. Anthaxia (Haplanthaxia) semiramis Obenberger, 1913** (Buprestidae) Synonym(s): semiramis Obenberger, 1913 Range (in code): IQ SY IL Pa
- 18560. Anthaxia (Haplanthaxia) serena Daniel, 1903** (Buprestidae) Synonym(s): serena Daniel, 1903 Range (in code): TR 33
- 18561. Anthaxia (Haplanthaxia) truncata Abeille de Perrin, 1900** (Buprestidae) Synonym(s): truncata Abeille de Perrin, 1900 Range (in code): TR IQ SY 25
- 18562. Anthaxia (Haplanthaxia) turana Obenberger, 1914** (Buprestidae) Synonym(s): turana Obenberger, 1914 Range (in code): TM TJ IR Kh
- 18563. Anthaxia (Haplanthaxia) umbellatarum (Fabricius, 1787)** (Buprestidae) Synonym(s): umbellatarum Fabricius, 1787; inculta Germar, 1817 Range (in code): DZ MA TN AL B-H BY HV DE MK MT SS RO CH AM Cc AT Cr GR FR HU IQ IT PT SK ES SY TR UA 09 17 35 45 48
- 18564. Anthaxia (Haplanthaxia) ursulae Niehuis, 1989** (Buprestidae) Synonym(s): ursulae Niehuis, 1989 Range (in code): TR IR IQ 11 12 13 30 49 62 73
- 18565. Anthaxia (Haplanthaxia) wethloi Obenberger, 1940** (Buprestidae) Synonym(s): wethloi Obenberger, 1940 Range (in code): IR IQ AM Cc
- 18566. Anthaxia (Haplanthaxia) winkleri Obenberger, 1929** (Buprestidae) Synonym(s): winkleri Obenberger, 1929 Range (in code): TR AM AZ Cc IR Fa TJ TM UZ
- 18567. Anthaxia (Melanthaxia) bilyi Curletti, 1984** (Buprestidae) Synonym(s): bilyi Curletti, 1984 Range (in code): TR 07 46
- 18568. Anthaxia (Melanthaxia) caucasica Abeille de Perrin, 1900** (Buprestidae) Synonym(s): caucasica Abeille de Perrin, 1900; obenbergeri Roubal, 1913; parysatis Obenberger, 1913; vigens Holynski, 1996 Range (in code): IR Cc AM AZ GG TR 25
- 18569. Anthaxia (Melanthaxia) corinthia Reiche & Saulcy, 1856** (Buprestidae) Synonym(s): corinthia Reiche & Saulcy, 1856 Range (in code): CY IL Pa LB SY TR 01 07 20 33 45 46

<sup>5</sup> parapleurialis Obenberger, 1929 is considered as junior synonym of A. (H.) pleuralis Fairmaire, 1883 (Baiocchi, op. cit.)

- 18570. Anthaxia (Melanthaxia) godeti Gory & Laporte, 1839** (Buprestidae) Synonym(s): godeti Gory & Laporte, 1839; granulata Küster, 1850; cupricolor Abeille, 1909; frankenbergeri Obenberger, 1914; submontana Obenberger, 1930; balcanica Obenberger, 1938; spaethi Obenberger, 1938; scheerpeltzi Obenberger, 1938; raclinae Baudon, 1959 Range (in code): DE AT BG DZ CZ FR ES CH HU PL PT RU SY AM AZ GG Cc TR 06 10 25 29 36 78
- 18571. Anthaxia (Melanthaxia) masculina Bily, 1984** (Buprestidae) Synonym(s): masculina Bily, 1984 Range (in code): SY TR 01 06 07 17 33 35 48 60 70
- 18572. Anthaxia (Melanthaxia) meregallii Curletti & Magnali, 1985** (Buprestidae) Synonym(s): meregallii Curletti & Magnali, 1985 Range (in code): TR 01 07 11 46
- 18573. Anthaxia (Melanthaxia) misteriosa Obenberger, 1917** (Buprestidae) Synonym(s): misteriosa Obenberger, 1917 Range (in code): GR Cr TR 33 70
- 18574. Anthaxia (Melanthaxia) negrei Cobos, 1953** (Buprestidae) Synonym(s): negrei Cobos, 1953 Range (in code): SY TR 01 07 32 33
- 18575. Anthaxia (Melanthaxia) nigrojubata Roubal, 1913** (Buprestidae) Synonym(s): nigrojubata Roubal, 1913; incognita Bily, 1974 Range (in code): BG AM GG Cc HU RO RU AT YU CZ FR DE IT SK ES CH TR UA SY GR 06 08 14 15 18 25 35 36
- 18576. Anthaxia (Melanthaxia) obesa Abeille, 1900** (Buprestidae) Synonym(s): obesa Abeille, 1900 Range (in code): TR GR 07 31 33 35
- 18577. Anthaxia (Melanthaxia) pinguis Kiesenwetter, 1880** (Buprestidae) Synonym(s): pinguis Kiesenwetter, 1880 Range (in code): IL Pa SY TR 07 31 32 33 42 80
- 18578. Anthaxia (Melanthaxia) quadripunctata (Linnaeus, 1758)** (Buprestidae) Synonym(s): quadripunctata Linnaeus, 1758; punctata Ponza, 1805; angulicollis Küster, 1850; angulata Küster, 1850; quadrifoveolata Obenberger, 1918 Range (in code): TR AM Cc RU Sb 01 33 80
- 18579. Anthaxia (Melanthaxia) rugicollis Lucas, 1846** (Buprestidae) Synonym(s): rugicollis Lucas, 1846; tassii Herman, 1966 Range (in code): TR GR 33
- 18580. Anthaxia (Melanthaxia) scurra Bily & Brodsky, 1982** (Buprestidae) Synonym(s): scurra Bily & Brodsky, 1982 Range (in code): TR 31 33
- 18581. Anthaxia (Melanthaxia) sternalis (Abeille, 1895)** (Buprestidae) Synonym(s): sternalis Abeille, 1895 Range (in code): TR 31
- 18582. Anthaxia (Melanthaxia) tauricola Magnani, 2002** (Buprestidae) Synonym(s): tauricola Magnani, 2002 Range (in code): TR 33
- 18583. Anthaxia (Melanthaxia) tenella Kiesenwetter, 1858** (Buprestidae) Synonym(s): tenella Kiesenwetter, 1858; insularis Obenberger, 1914; virgo Bily, 1980 Range (in code): TR 01 33 46
- 18584. Anthaxia (Melanthaxia) truncata Abeille, 1900** (Buprestidae) Synonym(s): truncata Abeille, 1900 Range (in code): SY TR 25
- 18585. Anthaxia (s.str.) adiyamana Svoboda, 1994** (Buprestidae) Synonym(s): adiyamana Svoboda, 1994 Range (in code): TR IL Pa 02
- 18586. Anthaxia (s.str.) amasina Daniel, 1903** (Buprestidae) Synonym(s): amasina Daniel, 1903 Range (in code): TR Cc GR IR IQ YU 05 35 42
- 18587. Anthaxia (s.str.) anatolica Chevrolat, 1837** (Buprestidae) Synonym(s): anatolica Chevrolat, 1837; auriceps Ménétériés, 1848; hilaris Mulsant & Godart, 1855; mulsanti Marseul, 1865; gerneti Morawitz, 1867; apollonii Ballion, 1871 Range (in code): TR AM AZ Cc IL Pa CY IQ JO LB SY GG BG GR IR TM 20 35 45 64
- 18588. Anthaxia (s.str.) berytensis Abeille, 1895** (Buprestidae) Synonym(s): berytensis Abeille, 1895 Range (in code): IL Pa SY LB Bei TR 01 21 27 45 47 63 64
- 18589. Anthaxia (s.str.) bicolor Faldermann, 1835** (Buprestidae) Synonym(s): nitidula Schoenherr, 1817; bicolor Faldermann, 1835; taurica Mannerheim, 1837 Range (in code): AM AZ GG Cc BG RO UZ RU GR YU TR IR IQ IL Pa SY TM UA 01 07 08 09 25 33 35 46 65 73
- 18590. Anthaxia (s.str.) brevis Gory & Laporte, 1839** (Buprestidae) Synonym(s): brevis Gory & Laporte, 1839 Range (in code): Cr GR TR CY IL Pa SY UA Cm 01 07 11 27 33
- 18591. Anthaxia (s.str.) candiota Obenberger, 1938** (Buprestidae) Synonym(s): candiota Obenberger, 1938 Range (in code): Cr TR
- 18592. Anthaxia (s.str.) carmelita Abeille de Perrin, 1900** (Buprestidae) Synonym(s): carmelita Abeille de Perrin, 1900 Range (in code): SY IL Pa
- 18593. Anthaxia (s.str.) cashmirensis Obenberger, 1938** (Buprestidae) Synonym(s): cashmirensis Obenberger, 1938 Range (in code): PK
- 18594. Anthaxia (s.str.) chaerodrys Szallies, 2001** (Buprestidae) Synonym(s): chaerodrys Szallies, 2001 Range (in code): TR 33
- 18595. Anthaxia (s.str.) chevrieri Gory & Laporte, 1839** (Buprestidae) Synonym(s): chevrieri Gory & Laporte, 1839; bannatica Gory, 1841; aenescens Abeille de Perrin, 1909; alpina Obenberger, 1914; aeneomicans Obenberger, 1930 Range (in code): AT B-H BG BY HV RU CZ FR GG HU IT MK PL RO SK SS ES CH TR UA YU KG
- 18596. Anthaxia (s.str.) cypraea Abeille de Perrin, 1900** (Buprestidae) Synonym(s): cypraea Abeille de Perrin, 1900 Range (in code): CY

- 18597. *Anthaxia* (s.str.) *deaurata* (Gmelin,1788)** (Buprestidae) Synonym(s): *deaurata* Gmelin,1788; *senicula* Schrank,1789 Range (in code): Cc TR YU 06 11 35
- 18598. *Anthaxia* (s.str.) *discicollis* Gory & Laporte,1839** (Buprestidae) Synonym(s): *discicollis* Gory & Laporte,1839; *kanaanita* Obenberger,1912 Range (in code): B-H IL Pa RU TM YU AM AZ GG Cc TR BG MK GR SY 01 02 07 08 25 31 33 35 39 48 64
- 18599. *Anthaxia* (s.str.) *ephippiata* Redtenbacher,1850** <sup>6</sup> (Buprestidae) Synonym(s): *ephippiata* Redtenbacher,1850; *maschelli* Kiesenwetter,1880; *edithae* Reitter,1890 Range (in code): AM IR IQ GG Cc AZ SY TR 73
- 18600. *Anthaxia* (s.str.) *fritschii* Heyden,1887** (Buprestidae) Synonym(s): *fritschii* Heyden,1887; *nigrofusca* Obenberger,1913 Range (in code): DZ EG LY MA IL Pa
- 18601. *Anthaxia* (s.str.) *fulgurans* (Schrank,1789)** (Buprestidae) Synonym(s): *fulgurans* Schrank,1789 Range (in code): AM AT CZ Cc DE HU IT SK ES CH UA TR 06 07 34 35 42 48
- 18602. *Anthaxia* (s.str.) *funerula* (Illiger,1803)** (Buprestidae) Synonym(s): *funerula* Illiger,1803 Range (in code): AM AT CZ GG FR Cc HU IT PR SK ES CH UA TR
- 18603. *Anthaxia* (s.str.) *ghazi* Obenberger,1938** (Buprestidae) Synonym(s): *ghazi* Obenberger,1938 Range (in code): IL Pa SY TR 01 07 15 21 27 31 63
- 18604. *Anthaxia* (s.str.) *hackeri* Frivalsky,1884** (Buprestidae) Synonym(s): *hackeri* Frivalsky,1884 Range (in code): AT BG TR CZ HU RO SK
- 18605. *Anthaxia* (s.str.) *herbertschmidi* Novak,1992** (Buprestidae) Synonym(s): *herbertschmidi* Novak,1992 Range (in code): CY TR 07
- 18606. *Anthaxia* (s.str.) *hypomelaena* (Illiger,1803)** (Buprestidae) Synonym(s): *hypomelaena* Illiger,1803; *nitdicollis* Gory,1841; *annulicollis* Sturm,1843 Range (in code): AL B-H HV BG DE MK MD RO SS CH DZ YU GR Cr FR IT Si LY MA PT ES RU Cc TR TM 06 10 11 22 24 25 31 35 40 46 50 72
- 18607. *Anthaxia* (s.str.) *irregularis* Abeille,1909** (Buprestidae) Synonym(s): *irregularis* Abeille,1909 Range (in code): SY TR 01 07
- 18608. *Anthaxia* (s.str.) *kervillei* Thery,1939** (Buprestidae) Synonym(s): *kervillei* Thery,1939 Range (in code): TR 35
- 18609. *Anthaxia* (s.str.) *kurdistan* Obenberger,1912** (Buprestidae) Synonym(s): *kurdistan* Obenberger,1912; *adanensis* Obenberger,1913 Range (in code): IQ TR 01
- 18610. *Anthaxia* (s.str.) *lgockii* Obenberger,1917** <sup>7</sup> (Buprestidae) Synonym(s): *lgockii* Obenberger,1917 Range (in code): AM AZ Cc IR TR
- 18611. *Anthaxia* (s.str.) *lucens* Küster,1852** (Buprestidae) Synonym(s): *lucens* Küster,1852; *phoenica* Ganglbauer,1882 Range (in code): Cr GR TR IT SY 02 09 10 11 17 20 21 32 33 35 45
- 18612. *Anthaxia* (s.str.) *manca* (Linnaeus,1767)** (Buprestidae) Synonym(s): *manca* Linnaeus,1767 Range (in code): DZ MA SE Cc AM TR
- 18613. *Anthaxia* (s.str.) *mendizabali* Cobos,1965** (Buprestidae) Synonym(s): *mendizabali* Cobos,1965 Range (in code): PT ES FR IT CH DE HV GR SS DZ MA TN SY TR
- 18614. *Anthaxia* (s.str.) *midas* Kiesenwetter,1857** (Buprestidae) Synonym(s): *midas* Kiesenwetter,1857; *spatuligera* Obenberger,1924; *muelleri* Obenberger,1925 Range (in code): MA DZ FR ES IT B-H HV YU GR BG MK RO TR
- 18615. *Anthaxia* (s.str.) *muliebris* Obenberger,1918** (Buprestidae) Synonym(s): *muliebris* Obenberger,1918 Range (in code): BG AZ AM Cc TR IR IL Pa SY 07 08 24 25 35 38 42 43 46 48 50 51 70
- 18616. *Anthaxia* (s.str.) *myrmidon* Abeille,1891** (Buprestidae) Synonym(s): *myrmidon* Abeille,1891 Range (in code): IL Pa SY LB TR 01 07 31 35 48
- 18617. *Anthaxia* (s.str.) *nigricollis* Abeille de Perrin,1904** (Buprestidae) Synonym(s): *nigricollis* Abeille de Perrin,1904 Range (in code): TR 01 07 08 24 25 31 32 33 35 46 48
- 18618. *Anthaxia* (s.str.) *novickii* Obenberger,1938** (Buprestidae) Synonym(s): *novickii* Obenberger,1938 Range (in code): SY TR 07
- 18619. *Anthaxia* (s.str.) *olivieri* Gory & Laporte,1839** (Buprestidae) Synonym(s): *olivieri* Gory & Laporte,1839 Range (in code): TR GR Rd 07 33
- 18620. *Anthaxia* (s.str.) *passerini* (Pecchioli,1837)** (Buprestidae) Synonym(s): *passerini* Pecchioli,1837 Range (in code): AM AZ Cc TR TM 01 34
- 18621. *Anthaxia* (s.str.) *perrini* Obenberger,1918** (Buprestidae) Synonym(s): *perrini* Obenberger,1918 Range (in code): CY TR?
- 18622. *Anthaxia* (s.str.) *platysoma* Abeille,1891** (Buprestidae) Synonym(s): *platysoma* Abeille,1891 Range (in code): TR 33 48
- 18623. *Anthaxia* (s.str.) *plicata* Kiesenwetter,1859** (Buprestidae) Synonym(s): *plicata* Kiesenwetter,1859 Range (in code): YU SK UA TR 03 07 16 17 20 33 35 43 46 48 64

<sup>6</sup> *kreuzbergi* Richter,1944 is considered as junior synonym of *ephippiata* Redtenbacher,1850 (Baiocchi, op. cit.).

<sup>7</sup> *lgockii* Obenberger,1917 is considered as junior synonym of *A.(H.) truncata* Abeille,1900. Furthermore, *talyshensis* Bily,1991 and *adiyamana* Svoboda,1994 are also junior synonyms of *A.(H.) truncata* Abeille,1900 (Baiocchi, op. cit.).



- 18624. *Anthaxia* (s.str.) *podolica* Mannerheim,1837** (Buprestidae) Synonym(s): *podolica* Mannerheim,1837 Range (in code): AT YU CZ FR DE HU IT SK UA TR 33 35 70
- 18625. *Anthaxia* (s.str.) *pontica* Kwast,2011** (Buprestidae) Synonym(s): *pontica* Kwast,2011 Range (in code): TR
- 18626. *Anthaxia* (s.str.) *pseudonitidula* Svoboda,2007** (Buprestidae) Synonym(s): *pseudonitidula* Svoboda,2007 Range (in code): TR
- 18627. *Anthaxia* (s.str.) *pyrosoma* Bily,2006** (Buprestidae) Synonym(s): *pyrosoma* Bily,2006 Range (in code): TR
- 18628. *Anthaxia* (s.str.) *rutilipennis* Abeille,1891** (Buprestidae) Synonym(s): *rutilipennis* Abeille,1891 Range (in code): TR 01 46
- 18629. *Anthaxia* (s.str.) *salicis* (Fabricius,1776)** (Buprestidae) Synonym(s): *salicis* Fabricius,1776 Range (in code): DZ TN MA ES PT FR IT CH DE AT CZ SK UA HU TR AL AZ Cc B-H BG BY HV SS GR GG MK MD PL RO YU IL Pa SY IR 03 42 67 78
- 18630. *Anthaxia* (s.str.) *semicuprea* Küster,1851** (Buprestidae) Synonym(s): *semicuprea* Küster,1851 Range (in code): AT YU CZ FR DE HU IT RU SK ES CH UA TR 35 42
- 18631. *Anthaxia* (s.str.) *shirasensis* Obenberger,1940** (Buprestidae) Synonym(s): *shirasensis* Obenberger,1940 Range (in code): IR TR Fa 12
- 18632. *Anthaxia* (s.str.) *signaticollis* (Krynicky,1832)** (Buprestidae) Synonym(s): *signaticollis* Krynicky,1832; *vandykeana* Obenberger,1936 Range (in code): YU HU SK SY TR UA 05 08 11 16 19 24 25 28 35 37 38 39 41 42 43 55 57 60 61
- 18633. *Anthaxia* (s.str.) *togata* Abeille,1882** (Buprestidae) Synonym(s): *togata* Abeille,1882 Range (in code): IL Pa LB SY TR
- 18634. *Anthaxia* (s.str.) *tractata* Abeille de Perrin,1901** (Buprestidae) Synonym(s): *tractata* Abeille de Perrin,1901; *uniformis* Abeille de Perrin,1900; *araxana* Jakobson,1913 Range (in code): AM Cc GG IR IQ TR
- 18635. *Anthaxia* (s.str.) *turcica* Svoboda,1994** (Buprestidae) Synonym(s): *turcica* Svoboda,1994 Range (in code): TR 07
- 18636. *Anthaxia* (s.str.) *turcomanica* Obenberger,1937** (Buprestidae) Synonym(s): *turcomanica* Obenberger,1937 Range (in code): TR 24 47 48
- 18637. *Anthaxia* (s.str.) *winckleri* Obenberger,1914** (Buprestidae) Synonym(s): *winckleri* Obenberger,1914 Range (in code): SY TR 02 27 46 47 56 63
- 18638. *Capnodis carbonaria* (Klug,1829)** (Buprestidae) Synonym(s): *carbonaria* Klug,1829; *lefebvrei* Laporte & Gory,1836; *cribricollis* Abeille,1904; *abeillei* Obenberger,1926 Range (in code): YU GR BG TR UA Cm Cc GG AM CY EG IL Pa SY JO LB IR 44 50
- 18639. *Capnodis cariosa* (Pallas,1776)** (Buprestidae) Synonym(s): *cariosa* Pallas,1776; *bruttia* Petagna,1787 Range (in code): HU AT AL GR YU BG TR Cc AZ BG CZ AM Eri IL Pa GG IQ IR IT CY RU SY JO 01 02 05 07 08 09 11 16 17 20 21 25 26 27 30 31 33 34 35 48 55
- 18640. *Capnodis excisa* Ménétériés,1849** (Buprestidae) Synonym(s): *excisa* Ménétériés,1849 Range (in code): TR Cc 76
- 18641. *Capnodis henningii* (Faldermann,1835)** (Buprestidae) Synonym(s): *henningii* Faldermann,1835 Range (in code): TR
- 18642. *Capnodis marquardtii* Reitter,1913** (Buprestidae) Synonym(s): *marquardtii* Reitter,1913 Range (in code): TR 12 56 65
- 18643. *Capnodis miliaris* (Klug,1829)** (Buprestidae) Synonym(s): *miliaris* Klug,1829; *daedalea* Stephens,1830; *albisparsa* Faldermann,1830; *aurata* Abeille,1914; *mysteriosa* Obenberger,1917; *nonfriedi* Obenberger,1934 Range (in code): AF Cc AZ AM Eri GR SY JO IT TR IQ IR IL Pa CY LB PK RU CN 01 06 07 08 09 10 11 16 21 23 24 30 31 33 35 44 45 46 63 80
- 18644. *Capnodis porosa* (Klug,1829)** (Buprestidae) Synonym(s): *porosa* Klug,1829; *hypocrita* Géhin,1855 Range (in code): AL BG Cc AZ GG Tbl TR IL Pa IQ IR CY LB JO PK RU SY GR 01 02 06 07 08 10 11 17 20 25 27 29 30 31 33 34 35 42 45 46 47 48 50 70
- 18645. *Capnodis semisuturalis* Marseul,1865** (Buprestidae) Synonym(s): *semisuturalis* Marseul,1865; *perrini* Thery,1936 Range (in code): TR
- 18646. *Capnodis tenebricosa* (Olivier,1790)** (Buprestidae) Synonym(s): *tenebricosa* Olivier,1790; *dorsata* Voet,1806; *lugens* Küster,1846; *semisuturalis* Marseul,1865; *aurosparsa* Abeille,1891; *anomala* Fairmaire,1895; *simulatrix* Obenberger,1916; *atronida* Obenberger,1945; *olcese* Obenberger,1945; *morio* Obenberger,1945 Range (in code): DZ MA FR ES IT DE AL BG TR DZ YU RO Cc IR AF GG Tbl IQ IL Pa SY CY KG KK UZ TJ LB MD RO UA Cm RU 01 03 04 06 07 10 11 13 16 17 18 22 23 25 27 30 31 33 34 35 42 46 47 48 50 56 58 63 65 73 78
- 18647. *Capnodis tenebrionis* (Linnaeus,1761)** (Buprestidae) Synonym(s): *tenebrionis* Linnaeus,1761; *variegata* Goeze,1777; *tenebrioides* Pallas,1782; *naevia* Gmelin,1788; *moluccensis* Voet.,1806; *moerens* Mannerheim,1837; *aerea* Castelnau & Gory,1836; *aequicollis* Obenberger,1917; *deglabrata* Obenberger,1917; *undulata* Fleischer,1917 Range (in code): DE AL AT Cc AZ BG TR DZ MA CZ AM GG FR Co ES IL Pa IR CH SE IT KG CY LB MK HU MD RO PT UZ TJ TM UA YU GR SK RU 01 02 03 06 07 08 09 14 16 17 20 21 22 23 24 27 31 32 33 34 35 44 45 46 48 55 58 65 66 70 73 80

- 18648. Chalcophora mariana (Linnaeus,1758)** (Buprestidae) Synonym(s): mariana Linnaeus,1758; deaurata Voet,1806 Range (in code): DE AL AT BG CZ DK FI FR GG Tbl Cc NL SE SE CH IT NO PL RO RU SS TR YU GR 06 11 36 57 60 78 81
- 18649. Chalcophorella (Rossiella) fabricii (Rossi,1792)** (Buprestidae) Synonym(s): fabricii Rossi,1792; semiviridis Pic,1916; stigmaticoides Obenberger,1936; syriaca Obenberger,1942 Range (in code): SY
- 18650. Chalcophorella (s.str.) stigmatica (Schoenherr,1817)** (Buprestidae) Synonym(s): stigmatica Schoenherr,1817; quadrinotata Klug,1829; lefebvrei Laporte & Gory,1836; quadrimaculata Redtenbacher,1850; marseuli Garbiglietti,1867; biimpressa Pic,1916; balcanica Obenberger,1936; smoliki Obenberger,1936 Range (in code): AL HV Sa CY GR TR SY LB IL Pa JO EG GG Cc IQ Mos Shq Su Er Dk 02 21 35
- 18651. Chalcophorella (Stigmatophorella) quadrioculata (Redtenbacher,1843)** (Buprestidae) Synonym(s): quadrioculata Redtenbacher,1843; akbesiana Cobos,1957 Range (in code): TR SY IQ Er Mos Dk Su 31 56
- 18652. Chalcophorella bagdadensis (Laporte & Gory,1836)** (Buprestidae) Synonym(s): bagdadensis Laporte & Gory,1836; amarensis Obenberger,1942; aureoscripta Mandl & Pochon,1957; berhauti Mandl & Pochon,1957 Range (in code): IQ Bgd Mos Dk Su IR
- 18653. Chalcophorella morgani Théry,1925** (Buprestidae) Synonym(s): morgani Théry,1925 Range (in code): IQ
- 18654. Chrysobothris affinis (Fabricius,1794)** (Buprestidae) Synonym(s): affinis Fabricius,1794; congener Paykull,1799; tetragramma Ménétris,1832; hexastigma Mannerheim,1837; assimulans Schreiber,1843; aeruginosa Fügner,1891; heliophila Abeille,1893; inaequalis Reitter,1895; reitteri Kerremans,1900; tristis Abeille,1900; adusta Abeille,1901; carinithorax Obenberger,1916; heterochroa Obenberger,1916; laticollis Obenberger,1916; leonhardi Obenberger,1916; sibirica Obenberger,1916; reinecki Schirmer,1918; eurythorax Obenberger,1934; nevstyi Richter,1944 Range (in code): DE AL AT BE BG GR YU TN DZ CZ DK Cc AM EE FR MA NL IR ES SE CH IT LT HU EG NO UZ PL PT RO RU Sb TR 08 22 25 34 35 48
- 18655. Chrysobothris chrysostigma (Linnaeus,1758)** (Buprestidae) Synonym(s): chrysostigma Linnaeus,1758; quadraticollis Abeille,1893; kerremansi Abeille,1894 Range (in code): DE AT BG CZ CN DK EE FI FR Cc GG Tbl GB SE CH IT JP HU NO PL RO RU TR YU 08
- 18656. Chrysobothris solieri Laporte & Gory,1837** (Buprestidae) Synonym(s): solieri Laporte & Gory,1837; consentacea Dejean,1836; multipunctata Campanyo,1863; quadridens Rey,1890; bedeli Pic,1930 Range (in code): DE AT BG DZ CZ FR Cc GG Tbl ES CH IT Co HU PL PT RO RU TR UA YU GR 07 25 34 35
- 18657. Coraebus elatus (Fabricius,1787)** (Buprestidae) Synonym(s): elatus Fabricius,1787; sinuatus Panzer,1796; aeruginosus Latreille,1804; lapsanae Bonelli,1812; metallicus Gory & Laporte,1839; pruinosis Kuster,1846; comari Marseul,1866; repletus Abeille de Perrin,1893; cylindraceus Abeille de Perrin,1896; lampsanae Reitter,1906; bicolor Obenberger,1935; caucasicola Obenberger,1935; protensulus Obenberger,1935; azureus Obenberger,1935 Range (in code): Cc TR PT ES FR DE PL RU UA MD RO CH AT IT Sa Co Si SS HV B-H YU AL MK GR BG Cr Rd CY CZ SK HU 65
- 18658. Coraebus rubi (Linnaeus,1767)** (Buprestidae) Synonym(s): rubi Linnaeus,1767; nebulosus Scopoli,1772 Range (in code): PT ES FR Co Sa Si IT CH AT DE PL RU UA MD RO SS HV B-H YU AL MK GR BG CZ SK HU Cr Rd CY TR 65
- 18659. Dicerca chlorostigma Mannerheim,1837** (Buprestidae) Synonym(s): chlorostigma Mannerheim,1837 Range (in code): AZ Da Cc RU TR AM Eri GG UA Cm RO 08
- 18660. Eurythyrea austriaca (Linnaeus,1767)** (Buprestidae) Synonym(s): austriaca Linnaeus,1767 Range (in code): AT HV GR TR PL 12
- 18661. Eurythyrea oxiana Semenov,1885** (Buprestidae) Synonym(s): oxiana Semenov,1885 Range (in code): TM TJ
- 18662. Julodella globithorax (Steven,1830)** (Buprestidae) Synonym(s): globithorax Steven,1830 Range (in code): AM Cc TR 36
- 18663. Julodis abeillei (Thery,1893)** (Buprestidae) Synonym(s): abeillei Thery,1893 Range (in code): TR 27
- 18664. Julodis aequinoctialis (Olivier,1790)** (Buprestidae) Synonym(s): aequinoctialis Olivier,1790 Range (in code): IL Pa
- 18665. Julodis andreae (Olivier,1790)** (Buprestidae) Synonym(s): andreae Olivier,1790; sovitzii Steven,1830; setosa Steven,1830; lineigera Marseul,1865; ampliata Marseul,1865; stevensii Saunders,1871; hampei Thomson,1878; lineata Kerremans,1886; subviolacea Abeille de Perrin,1904; tenuelineata Abeille de Perrin,1904; derasa Abeille de Perrin,1904; costifera Obenberger,1919 Range (in code): TR IL Pa SY IR Ak Ab AM Cc 07 13 31 46 49 56 65 76
- 18666. Julodis armeniaca Marseul,1865** (Buprestidae) Synonym(s): armeniaca Marseul,1865; intricata Marseul,1865; orientalis Kerremans,1899; cyrus Obenberger,1923 Range (in code): AM CY SY Cc TR IR GG AZ 33
- 18667. Julodis balucha Obenberger,1923** (Buprestidae) Synonym(s): balucha Obenberger,1923 Range (in code): AF PK BI
- 18668. Julodis caillaudi (Latreille,1823)** (Buprestidae) Synonym(s): caillaudi Latreille,1823 Range (in code): SD DZ SN LY EG ET ER DJ SA IR
- 18669. Julodis cloueti Buquet,1843** (Buprestidae) Synonym(s): cloueti Buquet,1843 Range (in code): DJ Sk YE ER

- 18670. *Julodis ehrenbergi* Laporte,1835** (Buprestidae) Synonym(s): ehrenbergi Laporte,1835; syriaca Laporte & Gory,1835 (praeocc.); pubescens Laporte & Gory,1835; bohemani Mannerheim,1837 Range (in code): GR AL BG CY TR SY IL Pa EG 21
- 18671. *Julodis escalerae* Abeille de Perrin,1904** (Buprestidae) Synonym(s): escalerae Abeille de Perrin,1904 Range (in code): IR Fa
- 18672. *Julodis euphratica* (Laporte & Gory,1835)** (Buprestidae) Synonym(s): euphratica Laporte & Gory,1835; beludjistana Obenberger,1924 Range (in code): TJ AF IQ IR Hz SA OM TM PK BI
- 18673. *Julodis faldermanni* Mannerheim,1837** (Buprestidae) Synonym(s): faldermanni Mannerheim,1837; araratica Semenov,1893 Range (in code): AM Cc TR Arr 76
- 18674. *Julodis intricata* Redtenbacher,1843** (Buprestidae) Synonym(s): intricata Redtenbacher,1843 Range (in code): SY TR Sn CY IQ IR 31
- 18675. *Julodis iris* Castelnau & Gory,1835** (Buprestidae) Synonym(s): iris Castelnau & Gory,1835 Range (in code): Sn SA SY IL Pa LB JO IQ IR
- 18676. *Julodis kabakovi* Alexeev,1990** (Buprestidae) Synonym(s): kabakovi Alexeev,1990 Range (in code): AF
- 18677. *Julodis laevicostata* Gory,1840** (Buprestidae) Synonym(s): laevicostata Gory,1840 Range (in code): IQ IR Es
- 18678. *Julodis mathiesseni* Reitter,1905** (Buprestidae) Synonym(s): mathiesseni Reitter,1905 Range (in code): IR Fa
- 18679. *Julodis peregrina* (Chevrolat,1838)** (Buprestidae) Synonym(s): peregrina Chevrolat,1838 Range (in code): IL Pa
- 18680. *Julodis pietzschmanni* Kerremans,1914** (Buprestidae) Synonym(s): pietzschmanni Kerremans,1914 Range (in code): IQ Mos IR AF
- 18681. *Julodis rothi* (Sturm,1843)** (Buprestidae) Synonym(s): rothi Sturm,1843 Range (in code): IL Pa JO SY LB SA
- 18682. *Julodis speculifera* Laporte & Gory,1835** (Buprestidae) Synonym(s): speculifera Laporte & Gory,1835 Range (in code): IL Pa TR SY IQ SA
- 18683. *Julodis syriaca* (Olivier,1790)** (Buprestidae) Synonym(s): syriaca Olivier,1790 Range (in code): SY Hms Pmy IL Pa JO EG TR IQ 56
- 18684. *Julodis variolaris* (Pallas,1773)** (Buprestidae) Synonym(s): variolaris Pallas,1773; kirghisica Marseul,1865; oberthuri Kerremans,1898; seminata Abeille de Perrin,1904; amurensis Abeille de Perrin,1904 Range (in code): TJ AF Bd UZ Br TM Kp KK KG IR Yz Ke Ss CN Gn RU Am IN
- 18685. *Julodis zoufali* (Obenberger,1914)** (Buprestidae) Synonym(s): zoufali Obenberger,1914 Range (in code): IL Pa
- 18686. *Lamprodila gloriosa* (Marseul,1865)** (Buprestidae) Synonym(s): gloriosa Marseul,1865; cupraria Obenberger,1921; chariessa Obenberger,1924; chalcas Obenberger,1930 Range (in code): B-H BG AM Cc Eri IQ IR IL Pa IT MK SY TR YU GR 25 48
- 18687. *Melanophila cuspidata* (Klug,1829)** (Buprestidae) Synonym(s): nigrata Fabricius,1798; regalis Fabricius,1801; cuspidata Klug,1829; aequalis Mannerheim,1837; oxyura Marquet,1874; aerata Costa,1882; acutespina Reitter,1893; jakovlevi Semenov,1900; hungarica Csiki,1905 Range (in code): AL AZ Cc AM DZ MA FR GG IR ES IT KG EG UZ RU HU SY TJ TN TR YU GR 08 33 35
- 18688. *Melanophila picta* (Pallas,1773)** (Buprestidae) Synonym(s): picta Pallas,1773; decastigma Fabricius,1787; silphoides Schrank,1788; quattuordecimpunctata Olivier,1790; chrysostigma Fabricius,1793; consobrina Chevrolat,1854; anatolica Pic,1898; atomosparsa Obenberger,1917;quadrinotata Pic,1918;meridionalis Pic,1918; multinotata Pic,1918; subjuncta Pic,1918; henoni Bedel,1921; parvipunctata Obenberger,1921; difficilis Vitale,1930; completa Obenberger,1931; erivana Obenberger,1931; fascigera Obenberger,1931; gaudens Obenberger,1931; octogonifera Obenberger,1931; rolandi Obenberger,1931;caucasica Obenberger,1944;chtaura Obenberger,1944;gratioula Obenberger,1944;hofferi Obenberger,1944; insignis Obenberger,1944; karavajevi Obenberger,1944;kavani Obenberger,1944;lebedevi Obenberger,1944;libanonica Obenberger,1944, Range (in code): DE AL AT BG DZ CZ AM Eri MA FR GB IR ES CH IT PT RO RU Cc UA Cm SY TN TR YU GR 08 10 24 25 44
- 18689. *Meliboeus adlbaueri* Niehuis,1989** (Buprestidae) Synonym(s): adlbaueri Niehuis,1989 Range (in code): IL Pa SY TR IR 25 27
- 18690. *Meliboeus amethystinus* (Olivier,1790)** (Buprestidae) Synonym(s): amethystinus Olivier,1790 Range (in code): DZ LY Cy DE RU Cc Da AM Eri MA FR GB GG Tbl ES CH IT Sa Si CY KK HU UZ PT RU SS SY TJ TN TM UA YU GR TR 35 36
- 18691. *Meliboeus parvulus* Küster,1852** (Buprestidae) Synonym(s): parvulus Küster,1852; aurifluus Obenberger,1916 Range (in code): BG Da Cc RU Cr TR IR RO UA GR TM 25 35
- 18692. *Meliboeus reitteri* Semenov,1889** (Buprestidae) Synonym(s): reitteri Semenov,1889; caucasicus Abeille de Perrin,1896 Range (in code): AF AZ Cc AM GG IR TR KK KG UZ TJ RU 08
- 18693. *Meliboeus robustus* (Küster,1852)** (Buprestidae) Synonym(s): robustus Küster,1852; obscurus Zhicharev,1915; centaureicolor Obenberger,1935 Range (in code): RU AM Eri AZ GG Tbl IQ IR TR KG Cc 25 35 36 65
- 18694. *Meliboeus violaceus* (Kiesenwetter,1857)** (Buprestidae) Synonym(s): violaceus Kiesenwetter,1857 Range (in code): AZ Bak Cc TR AL BG Cr GG Tbl IT HU RO RU YU GR 06 08 24 25 35 36



- 18695. Perotis chloranus (Laporte & Gory,1836)** (Buprestidae) Synonym(s): chloranus Laporte & Gory,1836; gossypiatius Reiche,1854; viriditarsis Schaufuss,1879 Range (in code): Cr IR IL Pa CY LB SY TR JO GR 07 08 32 33 48 51
- 18696. Perotis cupratus (Klug,1829)** (Buprestidae) Synonym(s): cupratus Klug,1829; orientalis Laporte & Gory,1836; cupreus Hampe,1852; capnodiformis Reitter,1883; lableri Obenberger,1935; viridans Théry,1936 Range (in code): AZ AM Cc IQ IR IL Pa SY TR 02 06 13 25 30 36 44 62 63
- 18697. Perotis susannae (Novak,1983)** (Buprestidae) Synonym(s): susannae Novak,1983 Range (in code): CY
- 18698. Perotis xerxes (Marseul,1865)** (Buprestidae) Synonym(s): xerxes Marseul,1865 Range (in code): TR 33
- 18699. Phaenops cyanea (Fabricius,1775)** (Buprestidae) Synonym(s): cyanea Fabricius,1775; chalybaea Villers,1789; azurea Olivier,1790; tarda Fabricius,1794; clypeata Paykull,1799; aerea Ganglbauer,1886 Range (in code): DE AL AT B-H BG DZ CZ CN DK EE MA FI FR GB NL ES SE CH IT Co KG LT HU NO MN PL PT RO RU Sb SK UA YU GR TR 06 08 10 26
- 18700. Poecilnota variolosa (Paykull,1799)** (Buprestidae) Synonym(s): variolosa Paykull,1799; conspersa Gyllenhal,1808; plebeja Gory & Laporte,1837; aspersa Rosenhauer,1856; dicercides Reitter,1888; populiabae Richard,1889; lugdunensis Rey,1890; setulosa Fleischer,1896; tremulae Abeille de Perrin,1896 Range (in code): DE AT BG DZ CZ EE MA FI FR NL ES IT SE KG LT LV HU NO PL RO RU TN TR YU GR 25 36
- 18701. Polycatesis johanidesi Bily,1997** (Buprestidae) Synonym(s): johanidesi Bily,1997 Range (in code): TR
- 18702. Ptosima undecimmaculata (Herbst,1784)** (Buprestidae) Synonym(s): novemmaculata Fabricius,1775; undecimmaculata Herbst,1784; sexpunctata Villers,1789; flavoguttata Illiger,1803; istria Voet,1806; aegyptiaca Pic,1909; adanensis Pic,1919; libanensis Pic,1919; taurusiensis Pic,1920 Range (in code): DE SA AL AT BG DZ CZ MA FR IQ IR ES IL Pa CH IT CY LY HU EG PT RO RU SY TN TR JO GR 01 02 03 07 12 21 24 25 27 31 35 33 38 47 56 63
- 18703. Sphenoptera (Chilostetha) basalis Morawitz,1861** (Buprestidae) Synonym(s): basalis Morawitz,1861; pygmaea Jakovlev,1908; chariessa Obenberger,1920; arethusa Obenberger,1952; sublica Obenberger,1952; hero Obenberger,1952; elisa Obenberger,1952; laevigatula Obenberger,1952; sareptana Obenberger,1952; diffusa Obenberger,1952; vernalis Obenberger,1952; phyllis Obenberger,1952; aestivalis Obenberger,1952; urania Obenberger,1952; phoebia Obenberger,1952; carinivertex Obenberger,1952; persephone Obenberger,1952; permixta Obenberger,1952; chankae Obenberger,1952; arcas Obenberger,1952; nogaica Obenberger,1952 Range (in code): TR FR B-H BG YU RU Sr 24 25
- 18704. Sphenoptera (Deudora) sculpticollis Heyden,1886** (Buprestidae) Synonym(s): sculpticollis Heyden,1886 Range (in code): AZ Cc AM Eri GG LB SY TR 24
- 18705. Sphenoptera (Hoplitura) mesopotamica Marseul,1866** (Buprestidae) Synonym(s): pelletii Mulsant & Rey,1863; mesopotamica Marseul,1866; fairmairei Marseul,1866; turkestanica Jakovlev,1885; fulgurans Obenberger,1920; deserti Obenberger,1920; sartica Obenberger,1927; namanganensis Obenberger,1927 Range (in code): AM Cc UZ Nmg Eri AZ GG AF IQ IR KG UZ TJ TR TM 25
- 18706. Sphenoptera (s.str.) antiqua (Illiger,1803)** (Buprestidae) Synonym(s): antiqua Illiger,1803; inaequalis Steven,1830; dianthi Steven,1830; litigiosa Mannerheim,1837; iridiventris Gory & Laporte,1839; variolosa Kerremans,1898; serena Jakovlev,1900; quercii Leoni,1911; georgica Obenberger,1916; lineigera Obenberger,1920; melitta Obenberger,1927; oreophila Obenberger,1927; danaica Obenberger,1927; helladicola Obenberger,1927; korbi Obenberger,1927; ausonica Obenberger,1927; earo Obenberger,1927 Range (in code): AT B-H BG DZ CZ MA FR Cc GG Tbl AM Eri GB IQ ES IT HU PT RO RU SK UA GR YU TR 25 31 42 44 47
- 18707. Sphenoptera (s.str.) hypocrita Mannerheim,1837** (Buprestidae) Synonym(s): hypocrita Mannerheim,1837; sieversi Jakovlev,1887; torrida Jakovlev,1898; ixion Kerremans,1912; orbadensis Obenberger,1916; funebris Obenberger,1927; erdshmiadzini Obenberger,1927; turkmenica Obenberger,1927; glabricollis Obenberger,1929; levantina Obenberger,1929; dlabolai Obenberger,1955 Range (in code): AZ Nv Ord Cc TR IR TM 08 25
- 18708. Sphenoptera (s.str.) lapidaria Brullé,1832** (Buprestidae) Synonym(s): lapidaria Brullé,1832; carcelii Gory & Laporte,1838; hellenica Obenberger,1913; cyanina Obenberger,1927; caucasicola Obenberger,1927; ogloblini Obenberger,1927 Range (in code): Cc GR AZ AM GG GB Cr ES EG SY TR 25
- 18709. Sphenoptera (s.str.) tragacanthae (Klug,1929)** (Buprestidae) Synonym(s): tragacanthae Klug,1929; glabrata Ménétries,1832; derugata Redtenbacher,1850; mniszechii Marseul,1866; elamita Marseul,1866; lobicolis Marseul,1866; encausta Marseul,1866; exasciata Jakovlev,1886; sordida Jakovlev,1887; prolongata Jakovlev,1887; signaticollis Jakovlev,1887; christophi Jakovlev,1887; modesta Jakovlev,1887; speciosa Jakovlev,1887; adusta Jakovlev,1887; maura Jakovlev,1902; morosa Jakovlev,1907; obnubila Jakovlev,1908; luristana Kerremans,1909; prometheus Obenberger,1916; gigas Obenberger,1916; maledicta Obenberger,1920; parsa Obenberger,1920; nominanda Obenberger,1920; zarathustra Obenberger,1920; kulpensis Obenberger,1927; perglabra Obenberger,1927; cilicica Obenberger,1927; radigigena Obenberger,1927; armenigena Obenberger,1927; artaxerxes Range (in code): TR AF AZ AM Eri GG IQ IR LB RU SY TM IR Lo 25 33 35 76
- 18710. Sphenoptera aeneomicans Kraatz,1882** (Buprestidae) Synonym(s): aeneomicans Kraatz,1882 Range (in code): TJ AF
- 18711. Sphenoptera cyanea Jakovlev,1898** (Buprestidae) Synonym(s): cyanea Jakovlev,1898 Range (in code): AF Bm

- 18712. *Sphenoptera fallatrix* Obenberger,1927** (Buprestidae) Synonym(s): *fallatrix* Obenberger,1927; *hyrcas* Obenberger,1927 Range (in code): AM Cc
- 18713. *Sphenoptera pseudounidentata* Alexeev,1991** (Buprestidae) Synonym(s): *pseudounidentata* Alexeev,1991 Range (in code): AF Bm
- 18714. *Sphenoptera scovitzii* (Faldernmann,1835)** (Buprestidae) Synonym(s): Range (in code): AM Cc TJ
- 18715. *Sphenoptera tamarisci* Gory & Laporte,1839** (Buprestidae) Synonym(s): Range (in code): TJ AF TM Kp
- 18716. *Trachys minuta* (Linnaeus,1758)** (Buprestidae) Synonym(s): *minuta* Linnaeus,1758; *mandjurica* Obenberger,1917; *reflexiformis* Obenberger,1917 Range (in code): PT ES GB FR Co BE NL DE DK NO FI BY SE PL YU MK MD CH AT IT SS HV B-H AL GR BG RO HU UA EE RU TR CN Mc 13
- 18717. *Trachys troglodytes* Gyllenhal,1817** (Buprestidae) Synonym(s): *troglodytes* Gyllenhal,1817; *laevicollis* Kiesenwetter,1857; *puncticeps* Abeille de Perrin,1900; *carinthiaca* Obenberger,1918 Range (in code): ES GB FR BE NL DE DK SE PL CH AT IT Si SS HV B-H AL GR BG Cr RO HU UA EE RU IL Pa TR
- 18718. *Xantheremia flavipennis* (Klug,1829)** (Buprestidae) Synonym(s): *flavipennis* Klug,1829 Range (in code): DZ MA EG Sn
- 18719. *Xantheremia jelineki* Bily,1983** (Buprestidae) Synonym(s): *jelineki* Bily,1983 Range (in code): IR
- 18720. *Xantheremia kaplini* Volkovitsh,1984** (Buprestidae) Synonym(s): *kaplini* Volkovitsh,1984 Range (in code): TM Rpt
- 18721. *Xantheremia koenigi* (Ganglbauer,1888)** (Buprestidae) Synonym(s): *koenigi* Ganglbauer,1888; *chalcocanthia* Brancsek,1900 Range (in code): AM IR Cc AF KG TM TJ UZ
- 18722. *Xantheremia niehuisi* Volkovitsh,2011** (Buprestidae) Synonym(s): *niehuisi* Volkovitsh,2011 Range (in code): TR 30
- 18723. *Xantheremia pantherina* (Bily,1979)** (Buprestidae) Synonym(s): *pantherina* Bily,1979 Range (in code): SA IQ IL Pa SY
- 18724. *Xantheremia philistina* (Marseul,1865)** (Buprestidae) Synonym(s): *philistina* Marseul,1865 Range (in code): IL Pa SY SA
- 18725. *Xantheremia prepsli* Volkovitsh,2011** (Buprestidae) Synonym(s): *prepsli* Volkovitsh,2011 Range (in code): AE OM IR SA
- 18726. *Xantheremia volkovitshi* Bily,1983** (Buprestidae) Synonym(s): *volkovitshi* Bily,1983 Range (in code): IR Ke
- 18727. *Xerasia punica* Goodrich & Springer,1988** (Byturidae) Synonym(s): *punica* Goodrich & Springer,1988 Range (in code): TR LB SY IL Pa
- 18728. *Ancistrorycha erichsoni* Bach,1852** (Cantharidae) Synonym(s): *erichsoni* Bach,1852 Range (in code): TR AT CZ FR DE HU IT PL RO SK SS CH UA 01 07 08 33 38 42 51
- 18729. *Boveycantharis akschehirensis* Wittmer,1969** (Cantharidae) Synonym(s): *akschehirensis* Wittmer,1969 Range (in code): TR 42
- 18730. *Boveycantharis deserticola* Wittmer,1969** (Cantharidae) Synonym(s): *deserticola* Wittmer,1969 Range (in code): IL Pa JO SY TR 31
- 18731. *Boveycantharis dimidiatipes* (Reiche & Saulcy,1857)** (Cantharidae) Synonym(s): *dimidiatipes* Reiche & Saulcy,1857; *varicolor* Wittmer,1969 Range (in code): LB Bei TR SY 31 33
- 18732. *Boveycantharis hetitica* Wittmer,1969** (Cantharidae) Synonym(s): *hetitica* Wittmer,1969 Range (in code): TR 07 80
- 18733. *Boveycantharis holzschuhi* Svihla,1999** (Cantharidae) Synonym(s): *holzschuhi* Svihla,1999 Range (in code): TR 73
- 18734. *Boveycantharis malatiensis* (Heyden,1886)** (Cantharidae) Synonym(s): *malatiensis* Heyden,1886 Range (in code): TR 02 44
- 18735. *Boveycantharis mersinensis* Svihla,1999** (Cantharidae) Synonym(s): *mersinensis* Svihla,1999 Range (in code): TR 33
- 18736. *Boveycantharis phoeniciensis* Wittmer,1969** (Cantharidae) Synonym(s): *phoeniciensis* Wittmer,1969 Range (in code): TR 31
- 18737. *Boveycantharis rufimana* (Ménétriés,1832)** (Cantharidae) Synonym(s): *rufimana* Ménétriés,1832 Range (in code): TR AZ Cc GG AM RU 08 25 29 53 60 75
- 18738. *Boveycantharis rufimanoides* Wittmer,1969** (Cantharidae) Synonym(s): *rufimanoides* Wittmer,1969 Range (in code): TR 06
- 18739. *Boveycantharis tatvanensis* Wittmer,1997** (Cantharidae) Synonym(s): *tatvanensis* Wittmer,1997 Range (in code): TR 13
- 18740. *Boveycantharis tauricola* Svihla,1999** (Cantharidae) Synonym(s): *tauricola* Svihla,1999 Range (in code): TR 07 33
- 18741. *Boveycantharis tokatensis* (Pic,1898)** (Cantharidae) Synonym(s): *tokatensis* Pic,1898 Range (in code): TR 14 16 25 32 60 69

- 18742. *Cantharis (Cyrtomoptila) cogina* Reitter,1902** (Cantharidae) Synonym(s): *cogina* Reitter,1902  
Range (in code): **TR 31**
- 18743. *Cantharis (Cyrtomoptila) lateralis* Linnaeus,1758** (Cantharidae) Synonym(s): *lateralis* Linnaeus,1758; *afghana* Svihla,1992 Range (in code): **TR AT BE B-H BY HV RU CZ DK EE FI FR GB DE GG AM AZ Cc MK PL SK SS ES CH UA YU MA AF KK KG MN 01 06 07 14 25 33 38 42 51 58 66 69 70**
- 18744. *Cantharis (Cyrtomoptila) lucida* Pic,1906** (Cantharidae) Synonym(s): *lucida* Pic,1906 Range (in code): **TJ AF**
- 18745. *Cantharis (Cyrtomoptila) mongolica* Pic,1906** (Cantharidae) Synonym(s): *mongolica* Pic,1906  
Range (in code): **KG MN AF IN**
- 18746. *Cantharis (Cyrtomoptila) pygmaea* Ménétériés,1832** (Cantharidae) Synonym(s): *pygmaea* Ménétériés,1832; *inforticornis* Pic,1913; *mongolica* Pic,1906 [ssp.]; *himalaica* Wittmer,1979 Range (in code): **AZ Kir Cc IR TM UZ AF MN KG Ch**
- 18747. *Cantharis (s.str.) annularis* Ménétériés,1836** (Cantharidae) Synonym(s): *annularis* Ménétériés,1836; *nigrolabrus* Pic,1915 Range (in code): **GR TR AL BG HV RU CZ DK FR DE AZ AM GG Cc MK RO SK ES CH UA YU IR KG MN IL Pa 01 06 07 24 25 32 33 38 42 51 66 69**
- 18748. *Cantharis (s.str.) basithorax* Pic,1902** (Cantharidae) Synonym(s): *basithorax* Pic,1902; *bulgarica* Svihla,1983 Range (in code): **BG TR 14 16 29 61**
- 18749. *Cantharis (s.str.) bilunata* (Marseul,1864)** (Cantharidae) Synonym(s): *bilunata* Marseul,1864; *dilutipes* Pic,1906; *distincticollis* Pic,1906 Range (in code): **SY TR IL Pa 01 05 12 27 31 33 46 62**
- 18750. *Cantharis (s.str.) boroveci* Svihla,1999** (Cantharidae) Synonym(s): *boroveci* Svihla,1999 Range (in code): **Cc AM Svn**
- 18751. *Cantharis (s.str.) brevipennis* Faldermann,1835** (Cantharidae) Synonym(s): *brevipennis* Faldermann,1835; *akbesiana* Pic,1906; *abbreviata* Pic,1906 nec Fabr.,1801; *brachyptera* Holdhaus,1920 Range (in code): **GR Rd TR SY IR Cc 31**
- 18752. *Cantharis (s.str.) cedricola* Wittmer,1971** (Cantharidae) Synonym(s): *cedricola* Wittmer,1971; *cyprogenia* Svihla,1983 Range (in code): **CY TR SY IL Pa**
- 18753. *Cantharis (s.str.) ciliciensis* Bourgeois,1900** (Cantharidae) Synonym(s): *ciliciensis* Bourgeois,1900 Range (in code): **TR AZ Cc IR Elb 25 33 69 75**
- 18754. *Cantharis (s.str.) delagrangei* Delkeskamp,1939** (Cantharidae) Synonym(s): *delagrangei* Delkeskamp,1939; *ottoi* Delkeskamp,1939; *trisinaticollis* Delkeskamp,1939 Range (in code): **BG GR TR 06 10 22 39 42 58**
- 18755. *Cantharis (s.str.) kfkai* Svihla,1999** (Cantharidae) Synonym(s): *kfkai* Svihla,1999 Range (in code): **IR Elb**
- 18756. *Cantharis (s.str.) kervillei* Pic,1932** (Cantharidae) Synonym(s): *kervillei* Pic,1932; *muelleri* Hicker,1955 Range (in code): **TR CZ SK PL AT HU RO 06**
- 18757. *Cantharis (s.str.) livida* Linnaeus,1758** (Cantharidae) Synonym(s): *livida* Linnaeus,1758 Range (in code): **TR AZ AM GG Cc RU AL AT BE B-H HV BY BG GR RU Ur EE LT FI FR DE GB HU IT MK PL PT RO SK SS ES SE CH UA YU MA IL Pa US 01 05 06 07 08 13 17 19 21 24 25 31 32 33 36 41 42 44 51 53 60 62 66 68 70 75 76**
- 18758. *Cantharis (s.str.) marginiventris* (Reiche & Saulcy,1857)** (Cantharidae) Synonym(s): *marginiventris* Reiche & Saulcy,1857; *funebis* Marseul,1864 [ssp.]; *bloudana* Pic,1915; *postarcuata* Delkeskamp,1939; *insignatithorax* Delkeskamp,1939 Range (in code): **TR IR Lo Elb Km SY Hms Dms Hal Bld LB Bei JO Gol IL Pa Js Amm 01 05 06 11 12 20 32 33 35 42 43 45 48 62 66 73**
- 18759. *Cantharis (s.str.) melaspis* (Chevrolat,1854)** (Cantharidae) Synonym(s): *melaspis* Chevrolat,1854 Range (in code): **IR Kh TM TR SY LB IQ GG AM Cc 24 25 69 76**
- 18760. *Cantharis (s.str.) melaspoides* Wittmer,1971** (Cantharidae) Synonym(s): *melaspoides* Wittmer,1971 Range (in code): **SY Dms IL Pa LB**
- 18761. *Cantharis (s.str.) nigra* (De Geer,1774)** (Cantharidae) Synonym(s): *nigra* De Geer,1774; *discotestacea* Pic,1905 Range (in code): **TR AT BE BY HV RU CZ AM GG AZ Cc EE FI FR GB DE GR HU IT PL RO SK SE CH ES UA 07 08 25 41 48 58 66**
- 18762. *Cantharis (s.str.) nigricans* (Müller,1776)** (Cantharidae) Synonym(s): *nigricans* Müller,1776 Range (in code): **TR IT RO BG RU UA GG Cc AM 14 16**
- 18763. *Cantharis (s.str.) pamphylica* Wittmer,1971** (Cantharidae) Synonym(s): *pamphylica* Wittmer,1971 Range (in code): **TR IQ 30**
- 18764. *Cantharis (s.str.) prusiensis* (Marseul,1864)** (Cantharidae) Synonym(s): *prusiensis* Marseul,1864; *anatolica* Bourgeois,1900; *eurynota* Bourgeois,1900; *atrocapitata* Pic,1903 Range (in code): **BG TR 06 09 11 14 20 26 35 60**
- 18765. *Cantharis (s.str.) pulicaria* Fabricius,1781** (Cantharidae) Synonym(s): *pulicaria* Fabricius,1781; *detectiventris* Pic,1904; *curticollis* Pic,1906 Range (in code): **TR AL AT BG HV CZ FR DE GR NO HU IT LT MK PL IT SK ES SE CH UA 05 07 15 18 19 20 35 42 60**
- 18766. *Cantharis (s.str.) quadripunctata* (Müller,1776)** (Cantharidae) Synonym(s): *quadripunctata* Müller,1776 Range (in code): **GR Le AM Cc IR Ke TR GR BG RO B-H RU**



- 18767. *Cantharis (s.str.) rustica* Fallén,1807** (Cantharidae) Synonym(s): *rustica* Fallén,1807; *albanica* Pic,1947 Range (in code): **AL AT BE B-H BG BY HV RU Sb DK EE FR GB DE GR HU IT LT PL RO SS SE ES CH UA YU SY TR 12 14 18 29 43 61 78**
- 18768. *Cantharis (s.str.) smyrnensis* (Marseul,1864)** (Cantharidae) Synonym(s): *smyrnensis* Marseul,1864; *rufocapitatus* Gemminger,1870; *hellenica* Heyden,1883; *morfini* Pic,1901; *eduardi* Pic,1914; *graecoturca* Wittmer,1986; *#smyrnensis* Silkin,2008 Range (in code): **TR AL BG GR LB SY Hal Ltk IL Pa Gol 06 07 14 18 32 33 35 51 60 70**
- 18769. *Cantharis (s.str.) terminata* Faldermann,1835** (Cantharidae) Synonym(s): *terminata* Faldermann,1835; *melanoscelis* Kolenati,1846; *sudetica* Letzner,1846; *fissicollis* Fairmaire,1884; *vesubiella* Bourgeois,1893; *dahlgreni* Wittmer,1984 Range (in code): **GB ES GR FR IT AT CZ SK BG TR RU LB IR GG AM AZ Cc 69**
- 18770. *Cantharis (s.str.) ziganadagensis* Wittmer,1971** (Cantharidae) Synonym(s): *ziganadagensis* Wittmer,1971 Range (in code): **TR 61**
- 18771. *Cantharis flavilabris* Fallén,1807** (Cantharidae) Synonym(s): *flavilabris* Fallén,1807 Range (in code): **TR AM AZ GG Cc BE BY AT CZ EE FR FI GB DE GR HU IT LT PL RO SK SS UA 01 33 38 51 64**
- 18772. *Cantharis longicollis* (Kiesenwetter,1859)** (Cantharidae) Synonym(s): *longicollis* Kiesenwetter,1859 Range (in code): **AT SK SS UA HU PL RO HV MK IT AL GR TR 33**
- 18773. *Cantharis rufa* Linnaeus,1758** (Cantharidae) Synonym(s): *rufa* Linnaeus,1758 Range (in code): **TR AT BE BG BY RU CZ DK EE FI FR GB DE YU HU IT GR PL RO SK ES SE CH UA AF KK KG MN KP KR CN Ui Mc TJ UZ 32 33 51**
- 18774. *Cordicantharis acutangula* (Fairmaire,1884)** (Cantharidae) Synonym(s): *acutangula* Fairmaire,1884; *amanicola* Pic,1903 Range (in code): **TR 31**
- 18775. *Cordicantharis bodemeyeri* (Bourgeois,1900)** (Cantharidae) Synonym(s): *bodemeyeri* Bourgeois,1900 Range (in code): **TR 62**
- 18776. *Cordicantharis caspica* (Reitter,1898)** (Cantharidae) Synonym(s): *caspica* Reitter,1898 Range (in code): **IR Elb**
- 18777. *Cordicantharis cordicollis* (Küster,1854)** (Cantharidae) Synonym(s): *cordicollis* Küster,1854 Range (in code): **TR GG AM AZ Cc Tlh RU 08**
- 18778. *Cordicantharis diabolica* (Reitter,1895)** (Cantharidae) Synonym(s): *diabolica* Reitter,1895 Range (in code): **TR 31**
- 18779. *Cordicantharis iliaca* (Marseul,1864)** (Cantharidae) Synonym(s): *iliaca* Marseul,1864; *pontica* Pic,1904; *chehirensis* Pic,1918 Range (in code): **TR 05 06 07 14 16 20 25 28 32 35 41 42 43 53 61**
- 18780. *Cordicantharis similis* Svihla,1999** (Cantharidae) Synonym(s): *similis* Svihla,1999 Range (in code): **TR 12 13**
- 18781. *Cordicantharis talyschensis* (Pic,1900)** (Cantharidae) Synonym(s): *talyschensis* Pic,1900 Range (in code): **AZ Cc Tlh**
- 18782. *Cordicantharis wittmeri* Svihla,1999** (Cantharidae) Synonym(s): *wittmeri* Svihla,1999 Range (in code): **LB**
- 18783. *Islamocantharis (s.str.) cyanipennis* (Faldermann,1835)** (Cantharidae) Synonym(s): *cyanipennis* Faldermann,1835; *auroraensis* Kazantsev,1989 Range (in code): **AM Cc AZ Nv Ord IR Mz Elb**
- 18784. *Islamocantharis (s.str.) diffusa* Wittmer & Magis,1978** (Cantharidae) Synonym(s): *diffusa* Wittmer & Magis,1978 Range (in code): **IR Fa IQ Pjw Su TR 30**
- 18785. *Islamocantharis (s.str.) orientalis* Wittmer & Magis,1978** (Cantharidae) Synonym(s): *orientalis* Wittmer & Magis,1978 Range (in code): **AM Cc IR TR 25**
- 18786. *Islamocantharis (Unicantharis) cilicia* (Pic,1904)** (Cantharidae) Synonym(s): *cilicia* Pic,1904; *inceptorialis* Pic,1908 Range (in code): **TR 01 06 33 62**
- 18787. *Islamocantharis (Unicantharis) johanidesi* Svihla,2004** (Cantharidae) Synonym(s): *johanidesi* Svihla,2004 Range (in code): **TR 30**
- 18788. *Macrocerus oculatus* Motschulsky,1845** (Cantharidae) Synonym(s): *oculatus* Motschulsky,1845; *circassicus* Reitter,1889; *rosti* Pic,1900; *similis* Barovski,1927 Range (in code): **RU UA TR**
- 18789. *Malthinus alemdagensis* Wittmer,1974** (Cantharidae) Synonym(s): *alemdagensis* Wittmer,1974 Range (in code): **TR 34**
- 18790. *Malthinus alicae* Svihla,1990** (Cantharidae) Synonym(s): *aliceae* Svihla,1990 Range (in code): **AZ Cc**
- 18791. *Malthinus anatolicus* Wittmer,1974** (Cantharidae) Synonym(s): *anatolicus* Wittmer,1974 Range (in code): **TR 80**
- 18792. *Malthinus artvinensis* Wittmer,1978** (Cantharidae) Synonym(s): *artvinensis* Wittmer,1978 Range (in code): **TR 08**
- 18793. *Malthinus bezdeki* Svihla,2002** (Cantharidae) Synonym(s): *bezdeki* Svihla,2002 Range (in code): **TR**
- 18794. *Malthinus brancuccii* Wittmer,1978** (Cantharidae) Synonym(s): *brancuccii* Wittmer,1978 Range (in code): **TR**

- 18795. *Malthinus byzantinus* Wittmer,1974** (Cantharidae) Synonym(s): byzantinus Wittmer,1974 Range (in code): TR 09
- 18796. *Malthinus ciraliensis* Svihla,2009** (Cantharidae) Synonym(s): ciraliensis Svihla,2009 Range (in code): TR 07
- 18797. *Malthinus complexus* Wittmer,1993** (Cantharidae) Synonym(s): complexus Wittmer,1993 Range (in code): TR
- 18798. *Malthinus conspicuus* Kiesenwetter,1852** (Cantharidae) Synonym(s): conspicuus Kiesenwetter,1852 Range (in code): TR IR IL Pa JO LB SY 01 33 38 45 51 64 70
- 18799. *Malthinus cornutus* Wittmer,1974** (Cantharidae) Synonym(s): cornutus Wittmer,1974 Range (in code): TR 33
- 18800. *Malthinus corylicus* Wittmer,1974** (Cantharidae) Synonym(s): corylicus Wittmer,1974 Range (in code): TR 52
- 18801. *Malthinus crenaticeps* Wittmer,1974** (Cantharidae) Synonym(s): crenaticeps Wittmer,1974 Range (in code): TR 42
- 18802. *Malthinus elbursensis* Wittmer,1978** (Cantharidae) Synonym(s): elbursensis Wittmer,1978 Range (in code): IR Elb
- 18803. *Malthinus evidentissimus* Wittmer,1974** (Cantharidae) Synonym(s): evidentissimus Wittmer,1974 Range (in code): Cc AM
- 18804. *Malthinus flaveoloides* Svihla,1997** (Cantharidae) Synonym(s): flaveoloides Svihla,1997 Range (in code): GG Abk Cc
- 18805. *Malthinus frantiseki* Svihla,2002** (Cantharidae) Synonym(s): frantiseki Svihla,2002 Range (in code): SY
- 18806. *Malthinus freyi* Wittmer,1974** (Cantharidae) Synonym(s): freyi Wittmer,1974 Range (in code): TR 27 46
- 18807. *Malthinus furcatus* Wittmer,1974** (Cantharidae) Synonym(s): furcatus Wittmer,1974 Range (in code): TR 07
- 18808. *Malthinus hetiticus* Wittmer,1974** (Cantharidae) Synonym(s): hetiticus Wittmer,1974 Range (in code): TR 31
- 18809. *Malthinus hulai* Svihla,2009** (Cantharidae) Synonym(s): hulai Svihla,2009 Range (in code): TR 07
- 18810. *Malthinus interruptus* Wittmer,1974** (Cantharidae) Synonym(s): interruptus Wittmer,1974 Range (in code): TR 07
- 18811. *Malthinus jordanicus* Wittmer,1974** (Cantharidae) Synonym(s): jordanicus Wittmer,1974 Range (in code): JO
- 18812. *Malthinus kadleci* Svihla,2002** (Cantharidae) Synonym(s): kadleci Svihla,2002 Range (in code): SY
- 18813. *Malthinus kafkai* Svihla,2002** (Cantharidae) Synonym(s): kafkai Svihla,2002 Range (in code): CY
- 18814. *Malthinus kaszabi* Wittmer,1974** (Cantharidae) Synonym(s): kaszabi Wittmer,1974 Range (in code): TR 61
- 18815. *Malthinus lasistanicus* Wittmer,1974** (Cantharidae) Synonym(s): lasistanicus Wittmer,1974 Range (in code): TR 53
- 18816. *Malthinus libenae* Svihla,2002** (Cantharidae) Synonym(s): libenae Svihla,2002 Range (in code): SY
- 18817. *Malthinus lundbergi* Svihla,1994** (Cantharidae) Synonym(s): lundbergi Svihla,1994 Range (in code): TR
- 18818. *Malthinus magisi* Wittmer,1974** (Cantharidae) Synonym(s): magisi Wittmer,1974 Range (in code): TR 01
- 18819. *Malthinus malinkai* Svihla,2009** (Cantharidae) Synonym(s): malinkai Svihla,2009 Range (in code): TR 47
- 18820. *Malthinus marashensis* Wittmer,1974** (Cantharidae) Synonym(s): marashensis Wittmer,1974 Range (in code): TR 46
- 18821. *Malthinus medianus* Wittmer,1974** (Cantharidae) Synonym(s): medianus Wittmer,1974 Range (in code): TR
- 18822. *Malthinus mediterraneus* Wittmer,1974** (Cantharidae) Synonym(s): mediterraneus Wittmer,1974 Range (in code): TR 07
- 18823. *Malthinus mesopotamicus* Wittmer,1974** (Cantharidae) Synonym(s): mesopotamicus Wittmer,1974 Range (in code): TR 44
- 18824. *Malthinus muehlei* Svihla,1990** (Cantharidae) Synonym(s): muehlei Svihla,1990 Range (in code): SY
- 18825. *Malthinus nabataeicus* Wittmer,1974** (Cantharidae) Synonym(s): nabataeicus Wittmer,1974 Range (in code): JO

- 18826. Malthinus pamphylicus Wittmer,1974** (Cantharidae) Synonym(s): pamphylicus Wittmer,1974 Range (in code): TR 33
- 18827. Malthinus petraensis Wittmer,1971** (Cantharidae) Synonym(s): petraensis Wittmer,1971 Range (in code): JO
- 18828. Malthinus prudeki Svihla,2002** (Cantharidae) Synonym(s): prudeki Svihla,2002 Range (in code): TR
- 18829. Malthinus pseudoflaveolus Wittmer,1974** (Cantharidae) Synonym(s): pseudoflaveolus Wittmer,1974 Range (in code): TR 08
- 18830. Malthinus pseudointerruptus Wittmer,1974** (Cantharidae) Synonym(s): pseudointerruptus Wittmer,1974 Range (in code): TR 07
- 18831. Malthinus rauschi Wittmer,1978** (Cantharidae) Synonym(s): rauschi Wittmer,1978 Range (in code): IR
- 18832. Malthinus ressli Wittmer,1978** (Cantharidae) Synonym(s): ressli Wittmer,1978 Range (in code): TR
- 18833. Malthinus rydhi Wittmer,1993** (Cantharidae) Synonym(s): rydhi Wittmer,1993 Range (in code): TR
- 18834. Malthinus samsunicus Wittmer,1974** (Cantharidae) Synonym(s): samsunicus Wittmer,1974 Range (in code): TR 55
- 18835. Malthinus stanislavi Svihla,2004** (Cantharidae) Synonym(s): stanislavi Svihla,2004 Range (in code): TR 47
- 18836. Malthinus strangulatus Wittmer,1974** (Cantharidae) Synonym(s): strangulatus Wittmer,1974 Range (in code): TR 80
- 18837. Malthinus walteri Svihla,2002** (Cantharidae) Synonym(s): walteri Svihla,2002 Range (in code): TR
- 18838. Malthinus wittmeri Svihla,1998** (Cantharidae) Synonym(s): wittmeri Svihla,1998 Range (in code): TR 33
- 18839. Malthinus zahradniki Svihla,2002** (Cantharidae) Synonym(s): zahradniki Svihla,2002 Range (in code): TR
- 18840. Malthodes adjaricus Wittmer,1992** (Cantharidae) Synonym(s): adjaricus Wittmer,1992 Range (in code): GG Aj Cc
- 18841. Malthodes akbesianus Pic,1901** (Cantharidae) Synonym(s): akbesianus Pic,1901 Range (in code): TR 31
- 18842. Malthodes amasiae Wittmer,1971** (Cantharidae) Synonym(s): amasiae Wittmer,1971 Range (in code): TR 05
- 18843. Malthodes anadyomenae Svihla,2009** (Cantharidae) Synonym(s): anadyomenae Svihla,2009 Range (in code): CY
- 18844. Malthodes andreasi Svihla,2009** (Cantharidae) Synonym(s): andreasi Svihla,2009 Range (in code): TR 07
- 18845. Malthodes aphroditae Svihla,2009** (Cantharidae) Synonym(s): aphroditae Svihla,2009 Range (in code): CY
- 18846. Malthodes balfourbrownei Wittmer,1996** (Cantharidae) Synonym(s): balfourbrownei Wittmer,1996 Range (in code): TR GG Cc Btm Aj
- 18847. Malthodes berytensis Reiche,1857** (Cantharidae) Synonym(s): berytensis Reiche,1857; thoracica Sahlberg,1902; grypopygus Pic,1912 Range (in code): LB Bei CY
- 18848. Malthodes besucheti Wittmer,1970** (Cantharidae) Synonym(s): besucheti Wittmer,1970 Range (in code): TR 27
- 18849. Malthodes bourgeoisi (Reitter,1888)** (Cantharidae) Synonym(s): bourgeoisi Reitter,1888; raphidostylus Pic,1912 Range (in code): RU GG Cc TR IR
- 18850. Malthodes bucakensis Wittmer,1970** (Cantharidae) Synonym(s): bucakensis Wittmer,1970 Range (in code): TR 07 60
- 18851. Malthodes crassicornis (Maeklin,1846)** (Cantharidae) Synonym(s): crassicornis Maeklin,1846 Range (in code): RU UA GG Cc TR IR
- 18852. Malthodes cyprogenius Svihla,2009** (Cantharidae) Synonym(s): cyprogenius Svihla,2009 Range (in code): CY
- 18853. Malthodes denizlianus Wittmer,1970** (Cantharidae) Synonym(s): denizlianus Wittmer,1970 Range (in code): TR GR 20 35 48
- 18854. Malthodes dimidiaticollis (Rosenhauer,1847)** (Cantharidae) Synonym(s): dimidiaticollis Rosenhauer,1847; auritus Motschulsky,1853; signaticollis Barovski,1929 Range (in code): RU UA KG TR
- 18855. Malthodes flagellatus Svihla,2009** (Cantharidae) Synonym(s): flagellatus Svihla,2009 Range (in code): TR 73
- 18856. Malthodes fritzlari Svihla,2009** (Cantharidae) Synonym(s): fritzlari Svihla,2009 Range (in code): CY



- 18857. *Malthodes gibbiceps* (Reitter,1889)** (Cantharidae) Synonym(s): gibbiceps Reitter,1889 [Range \(in code\): AZ Cc](#)
- 18858. *Malthodes gillerforsi* Wittmer,1993** (Cantharidae) Synonym(s): gillerforsi Wittmer,1993 [Range \(in code\): TR](#)
- 18859. *Malthodes halabensis* Svihla,2002** (Cantharidae) Synonym(s): halabensis Svihla,2002 [Range \(in code\): SY Hal](#)
- 18860. *Malthodes heinertzi* Wittmer,1979** (Cantharidae) Synonym(s): heinertzi Wittmer,1979 [Range \(in code\): TR](#)
- 18861. *Malthodes jaromiri* Svihla,2002** (Cantharidae) Synonym(s): jaromiri Svihla,2002 [Range \(in code\): GG Cc](#)
- 18862. *Malthodes kirisensis* Svihla,2004** (Cantharidae) Synonym(s): kirisensis Svihla,2004 [Range \(in code\): TR 07](#)
- 18863. *Malthodes kopecky* Svihla,2002** (Cantharidae) Synonym(s): kopecky Svihla,2002 [Range \(in code\): TR](#)
- 18864. *Malthodes kopetzi* Svihla,2002** (Cantharidae) Synonym(s): kopetzi Svihla,2002 [Range \(in code\): TR](#)
- 18865. *Malthodes ligulastylus* Wittmer,1960** (Cantharidae) Synonym(s): ligulastylus Wittmer,1960 [Range \(in code\): GG Cc](#)
- 18866. *Malthodes lycicus* Svihla,2009** (Cantharidae) Synonym(s): lycicus Svihla,2009 [Range \(in code\): TR 07](#)
- 18867. *Malthodes lycosensis* Svihla,2009** (Cantharidae) Synonym(s): lycosensis Svihla,2009 [Range \(in code\): CY](#)
- 18868. *Malthodes malickyi* Wittmer,1980** (Cantharidae) Synonym(s): malickyi Wittmer,1980 [Range \(in code\): CY](#)
- 18869. *Malthodes malinkorum* Svihla,2009** (Cantharidae) Synonym(s): malinkorum Svihla,2009 [Range \(in code\): TR 47](#)
- 18870. *Malthodes mushensis* Wittmer,1997** (Cantharidae) Synonym(s): mushensis Wittmer,1997 [Range \(in code\): TR 49](#)
- 18871. *Malthodes nyholmi* Wittmer,1970** (Cantharidae) Synonym(s): nyholmi Wittmer,1970 [Range \(in code\): TR RU Cc GG](#)
- 18872. *Malthodes olympicus* Svihla,2004** (Cantharidae) Synonym(s): olympicus Svihla,2004 [Range \(in code\): TR 07](#)
- 18873. *Malthodes ordubadensis* Reitter,1889** (Cantharidae) Synonym(s): ordubadensis Reitter,1889 [Range \(in code\): AZ Cc AM Ord TR](#)
- 18874. *Malthodes orientalicus* Wittmer,1970** (Cantharidae) Synonym(s): orientalicus Wittmer,1970 [Range \(in code\): RU TR](#)
- 18875. *Malthodes paveli* Svihla,2009** (Cantharidae) Synonym(s): paveli Svihla,2009 [Range \(in code\): IR Lo](#)
- 18876. *Malthodes pergensis* Wittmer,1993** (Cantharidae) Synonym(s): pergensis Wittmer,1993 [Range \(in code\): TR 07](#)
- 18877. *Malthodes pseudobesucheti* Wittmer,1970** (Cantharidae) Synonym(s): pseudobesucheti Wittmer,1970 [Range \(in code\): RU TR](#)
- 18878. *Malthodes pumilus* Brebisson,1835** (Cantharidae) Synonym(s): pumilus Brebisson,1835; atomus Thomson,1864 [Range \(in code\): UA TR IR](#)
- 18879. *Malthodes rauschorum* Wittmer,1997** (Cantharidae) Synonym(s): rauschorum Wittmer,1997 [Range \(in code\): TR 08](#)
- 18880. *Malthodes rolciki* Svihla,1998** (Cantharidae) Synonym(s): rolciki Svihla,1998 [Range \(in code\): TR 37](#)
- 18881. *Malthodes ruziclai* Svihla,2002** (Cantharidae) Synonym(s): ruziclai Svihla,2002 [Range \(in code\): TR](#)
- 18882. *Malthodes rydhi* Svihla,1994** (Cantharidae) Synonym(s): rydhi Svihla,1994 [Range \(in code\): TR](#)
- 18883. *Malthodes sulphuribasis* Reitter,1888** (Cantharidae) Synonym(s): sulphuribasis Reitter,1888 [Range \(in code\): AM Cc](#)
- 18884. *Malthodes tordi* Wittmer,1970** (Cantharidae) Synonym(s): tordi Wittmer,1970 [Range \(in code\): TR GG Cc](#)
- 18885. *Malthodes turcicus* Kiesenwetter,1872** (Cantharidae) Synonym(s): turcicus Kiesenwetter,1872 [Range \(in code\): TR 34](#)
- 18886. *Malthodes vavrai* Svihla,1998** (Cantharidae) Synonym(s): vavrai Svihla,1998 [Range \(in code\): TR 14](#)
- 18887. *Malthodes walteri* Svihla,2002** (Cantharidae) Synonym(s): walteri Svihla,2002 [Range \(in code\): TR](#)
- 18888. *Malthodes weigeli* Svihla,2004** (Cantharidae) Synonym(s): weigeli Svihla,2004 [Range \(in code\): TR 07](#)

- 18889. *Malthodes zahradni* Svihla,1998** (Cantharidae) Synonym(s): zahradni Svihla,1998 Range (in code): TR 07
- 18890. *Malthodes zdeneki* Svihla,2009** (Cantharidae) Synonym(s): zdeneki Svihla,2009 Range (in code): TR 33
- 18891. *Malthodes zurcheri* Pic,1911** (Cantharidae) Synonym(s): zurcheri Pic,1911 Range (in code): CY
- 18892. *Metacantharis araxicola* (Reitter,1891)** (Cantharidae) Synonym(s): araxicola Reitter,1891; disparipennis Bourgeois,1900 Range (in code): TR AM Cc IR 07 25 33 42 51
- 18893. *Metacantharis clypeata* (Illiger,1798)** (Cantharidae) Synonym(s): clypeata Illiger,1798 Range (in code): TR AL AM Cc AT BG HV RU CZ FR GB DE GG GR HU IT LT MK PL RO SK SS SE CH UA UY DZ IR 06 25 69
- 18894. *Metacantharis fulvoides* (Pic,1904)** (Cantharidae) Synonym(s): fulvoides Pic,1904; kostali Wittmer,1997 Range (in code): SY TR 13 47
- 18895. *Metacantharis raptor* (Ballion,1870)** (Cantharidae) Synonym(s): raptor Ballion,1870; submarginalis Ballion,1870; samarkandensis Pic,1913 Range (in code): KG TJ TM UZ AF Smk
- 18896. *Metacantharis rosinae* (Pic,1902)** (Cantharidae) Synonym(s): rosinae Pic,1902 Range (in code): TR 24 25 36 58 65 69 76
- 18897. *Metacantharis taurigrada* Bourgeois,1900** (Cantharidae) Synonym(s): taurigrada Bourgeois,1900; angorensis Pic,1903 Range (in code): SY TR 01 06 18 31 32 33 62
- 18898. *Metacantharis torosensis* Svihla,1999** (Cantharidae) Synonym(s): torosensis Svihla,1999 Range (in code): TR 42 70
- 18899. *Metacantharis walteri* Svihla,1999** (Cantharidae) Synonym(s): walteri Svihla,1999 Range (in code): TR 07 25 35 43
- 18900. *Metacantharis wittmeri* Svihla,1992** (Cantharidae) Synonym(s): wittmeri Svihla,1992 Range (in code): PK
- 18901. *Occathemus tarsalis* (Mulsant,1862)** (Cantharidae) Synonym(s): tarsalis Mulsant,1862 Range (in code): TR 07 32 41
- 18902. *Pakabsidia heinzi* Wittmer,1978** (Cantharidae) Synonym(s): heinzi Wittmer,1978 Range (in code): TR
- 18903. *Pakabsidia kaganensis* Wittmer,1981** (Cantharidae) Synonym(s): kaganensis Wittmer,1981 Range (in code): PK Kag
- 18904. *Pakabsidia olexai* Svihla,1983** (Cantharidae) Synonym(s): olexai Svihla,1983 Range (in code): GG Cc
- 18905. *Pakabsidia swatensis* Wittmer,1972** (Cantharidae) Synonym(s): swatensis Wittmer,1972 Range (in code): PK Swa
- 18906. *Pakabsidia testaceitincta* Wittmer,1979** (Cantharidae) Synonym(s): testaceitincta Wittmer,1979 Range (in code): AF
- 18907. *Pakabsidia thomasi* Wittmer,1981** (Cantharidae) Synonym(s): thomasi Wittmer,1981 Range (in code): PK
- 18908. *Rhagonycha adanensis* Dahlgren,1968** (Cantharidae) Synonym(s): adanensis Dahlgren,1968 Range (in code): TR 01
- 18909. *Rhagonycha alagoesa* (Reitter,1893)** (Cantharidae) Synonym(s): alagoesa Reitter,1893 Range (in code): AM Cc TR 25
- 18910. *Rhagonycha aliena* Dahlgren,1972** (Cantharidae) Synonym(s): aliena Dahlgren,1972 Range (in code): DZ GR CY TR IQ SY LB 11 24 25 31 42 63 69
- 18911. *Rhagonycha anatolica* Dahlgren,1968** (Cantharidae) Synonym(s): anatolica Dahlgren,1968 Range (in code): TR
- 18912. *Rhagonycha antennata* Svihla,2004** (Cantharidae) Synonym(s): antennata Svihla,2004 Range (in code): TR 02
- 18913. *Rhagonycha benedikti* Svihla,2002** (Cantharidae) Synonym(s): benedikti Svihla,2002 Range (in code): SY
- 18914. *Rhagonycha brancuccii* Svihla,1993** (Cantharidae) Synonym(s): brancuccii Svihla,1993 Range (in code): TR
- 18915. *Rhagonycha carolusi* Svihla,1993** (Cantharidae) Synonym(s): carolusi Svihla,1993 Range (in code): TR
- 18916. *Rhagonycha catei* Svihla,1993** (Cantharidae) Synonym(s): catei Svihla,1993 Range (in code): TR
- 18917. *Rhagonycha caucasica* Wittmer,1972** (Cantharidae) Synonym(s): caucasica Wittmer,1972 Range (in code): Cc
- 18918. *Rhagonycha chtaaurana* Svihla,1977** (Cantharidae) Synonym(s): chtaaurana Svihla,1977 Range (in code): LB
- 18919. *Rhagonycha curvipes* Svihla,2005** (Cantharidae) Synonym(s): curvipes Svihla,2005 Range (in code): TR 07
- 18920. *Rhagonycha dahlgreni* Wittmer,1972** (Cantharidae) Synonym(s): dahlgreni Wittmer,1972 Range (in code): TR

- 18921. Rhagonycha delagrangei (Pic,1898)** (Cantharidae) Synonym(s): delagrangei Pic,1898; #delagrauei Yıldırım, Kopetz & Bulak,2011 Range (in code): IQ IR Elb TR SY 25
- 18922. Rhagonycha duplicata Dahlgren,1968** (Cantharidae) Synonym(s): duplicata Dahlgren,1968 Range (in code): TR 01 07 32 33 42 51 70
- 18923. Rhagonycha dvoraki Svihla,1995** (Cantharidae) Synonym(s): dvoraki Svihla,1995 Range (in code): TR
- 18924. Rhagonycha erevanensis Dahlgren,1985** (Cantharidae) Synonym(s): erevanensis Dahlgren,1985 Range (in code): Cc AM Eri
- 18925. Rhagonycha fulva (Scopoli,1763)** (Cantharidae) Synonym(s): fulva Scopoli,1763 Range (in code): TR AZ AL BE B-H BG BY HV RU CZ DK EE AM GG Cc FR GB DE GR HU IT LT MK PL NL PT RO SK SS SE ES CH UA MA SY IR TM 01 25 27 29 33 38 39 41 46 51 61 66 68 70 80
- 18926. Rhagonycha fulvaliena Svihla,1995** (Cantharidae) Synonym(s): fulvaliena Svihla,1995 Range (in code): GR TR 07 26 28 42
- 18927. Rhagonycha ghilanensis Dahlgren,1985** (Cantharidae) Synonym(s): ghilanensis Dahlgren,1985 Range (in code): IR Elb AM Cc
- 18928. Rhagonycha gillerforsi Svihla,1993** (Cantharidae) Synonym(s): gillerforsi Svihla,1993 Range (in code): TR
- 18929. Rhagonycha gruziana Wittmer,1972** (Cantharidae) Synonym(s): gruziana Wittmer,1972 Range (in code): GG Cc
- 18930. Rhagonycha hetitica Wittmer,1972** (Cantharidae) Synonym(s): hetitica Wittmer,1972 Range (in code): TR
- 18931. Rhagonycha hyrcana Svihla,2002** (Cantharidae) Synonym(s): hyrcana Svihla,2002 Range (in code): IR
- 18932. Rhagonycha icelica Svihla,1995** (Cantharidae) Synonym(s): icelica Svihla,1995 Range (in code): TR 33
- 18933. Rhagonycha intermedia Wittmer,1972** (Cantharidae) Synonym(s): intermedia Wittmer,1972 Range (in code): TR
- 18934. Rhagonycha iranica Wittmer,1972** (Cantharidae) Synonym(s): iranica Wittmer,1972 Range (in code): IR
- 18935. Rhagonycha kadleci Svihla,2002** (Cantharidae) Synonym(s): kadleci Svihla,2002 Range (in code): TR
- 18936. Rhagonycha karsensis Svihla,1995** (Cantharidae) Synonym(s): karsensis Svihla,1995 Range (in code): TR 36
- 18937. Rhagonycha kiesenwetteri Marseul,1864** (Cantharidae) Synonym(s): kiesenwetteri Marseul,1864 Range (in code): TR GR CY 01 07 33 42 51 70
- 18938. Rhagonycha kronbladi Svihla,1993** (Cantharidae) Synonym(s): kronbladi Svihla,1993 Range (in code): TR 25
- 18939. Rhagonycha kuleghana (Marseul,1868)** (Cantharidae) Synonym(s): kuleghana Marseul,1868 Range (in code): TR 33
- 18940. Rhagonycha kurdistan Svihla,1983** (Cantharidae) Synonym(s): kurdistan Svihla,1983 Range (in code): IQ
- 18941. Rhagonycha lencoranica Kazantsev,1992** (Cantharidae) Synonym(s): lencoranica Kazantsev,1992 Range (in code): AZ Cc Len
- 18942. Rhagonycha lundbergi Svihla,1993** (Cantharidae) Synonym(s): lundbergi Svihla,1993 Range (in code): TR
- 18943. Rhagonycha luristana Svihla,1995** (Cantharidae) Synonym(s): luristana Svihla,1995 Range (in code): IR Lo
- 18944. Rhagonycha lutea (O.F.Müller,1764)** (Cantharidae) Synonym(s): lutea O.F.Müller,1764 Range (in code): TR AL AT BE B-H BG HV CZ DK GB DE GR FR HU IE IT NO PL RO SK SS ES SE CH UA YU 01
- 18945. Rhagonycha maceki Svihla,1983** (Cantharidae) Synonym(s): maceki Svihla,1983 Range (in code): IQ
- 18946. Rhagonycha morvani Wittmer,1974** (Cantharidae) Synonym(s): morvani Wittmer,1974 Range (in code): IR Fa
- 18947. Rhagonycha nurdagensis Wittmer,1972** (Cantharidae) Synonym(s): nurdagensis Wittmer,1972 Range (in code): TR 31
- 18948. Rhagonycha osellai Svihla,1993** (Cantharidae) Synonym(s): osellai Svihla,1993 Range (in code): TR
- 18949. Rhagonycha osmana (Wittmer,1972)** (Cantharidae) Synonym(s): osmana Wittmer,1972 Range (in code): TR
- 18950. Rhagonycha paflagonica Svihla,2004** (Cantharidae) Synonym(s): paflagonica Svihla,2004 Range (in code): TR 37
- 18951. Rhagonycha pamphylica Wittmer,1972** (Cantharidae) Synonym(s): pamphylica Wittmer,1972 Range (in code): TR



- 18952. Rhagonycha peyroni Marseul,1864** (Cantharidae) Synonym(s): peyroni Marseul,1864 Range (in code): TR
- 18953. Rhagonycha pseudorossica Kazantsev,1992** (Cantharidae) Synonym(s): pseudorossica Kazantsev,1992 Range (in code): TR
- 18954. Rhagonycha rassouli Wittmer,1981** (Cantharidae) Synonym(s): rassouli Wittmer,1981 Range (in code): IQ SY Hal TR
- 18955. Rhagonycha ruzickai Svihla,1993** (Cantharidae) Synonym(s): ruzickai Svihla,1993 Range (in code): SY TR 25
- 18956. Rhagonycha rydhi Svihla,1993** (Cantharidae) Synonym(s): rydhi Svihla,1993 Range (in code): TR
- 18957. Rhagonycha schneideri Svihla,2006** (Cantharidae) Synonym(s): schneideri Svihla,2006 Range (in code): TR
- 18958. Rhagonycha stanislavi Svihla,2002** (Cantharidae) Synonym(s): stanislavi Svihla,2002 Range (in code): TR
- 18959. Rhagonycha syriaca Dahlgren,1968** (Cantharidae) Synonym(s): syriaca Dahlgren,1968 Range (in code): SY IL Pa LB JO TR 49
- 18960. Rhagonycha talyschensis Khnzoryan,1962** (Cantharidae) Synonym(s): talyschensis Khnzoryan,1962 Range (in code): AZ Cc Tlh
- 18961. Rhagonycha tbilisiana Svihla,1977** (Cantharidae) Synonym(s): tbilisiana Svihla,1977 Range (in code): GG Tbl Cc
- 18962. Rhagonycha turcica Wittmer,1972** (Cantharidae) Synonym(s): turcica Wittmer,1972 Range (in code): TR
- 18963. Rhagonycha vartiani Svihla,1993** (Cantharidae) Synonym(s): vartiani Svihla,1993 Range (in code): SY
- 18964. Rhagonycha vicina Baudi di Selve,1871** (Cantharidae) Synonym(s): vicina Baudi di Selve,1871 Range (in code): TR
- 18965. Rhagonycha walteri Svihla,1993** (Cantharidae) Synonym(s): walteri Svihla,1993 Range (in code): TR
- 18966. Sinometa besucheti Wittmer,1969** (Cantharidae) Synonym(s): Sinometa besucheti Wittmer,1969 Range (in code): TR 14
- 18967. Themus (Haplothemus) pakistanus Wittmer,1973** (Cantharidae) Synonym(s): pakistanus Wittmer,1973 Range (in code): PK
- 18968. Themus (s.str.) glasunovi Barovski,1909** (Cantharidae) Synonym(s): glasunovi Barovski,1909 Range (in code): TJ KK AF PK IN
- 18969. Themus (s.str.) kabakovi Wittmer,1979** (Cantharidae) Synonym(s): kabakovi Wittmer,1979 Range (in code): AF
- 18970. Themus (s.str.) safedkohensis Wittmer,1973** (Cantharidae) Synonym(s): safedkohensis Wittmer,1973 Range (in code): AF Sfk
- 18971. Trypheredium nuristanicus (Wittmer,1956)** (Cantharidae) Synonym(s): nuristanicus Wittmer,1956; lopatini Medvedev,1964 Range (in code): TJ AF Nu PK
- 18972. Abacetes quadripustulatus Peyron,1858** (Carabidae) Synonym(s): quadripustulatus Peyron,1858 Range (in code): AZ Cc TR EG SA SY YE
- 18973. Abax (Abacopercus) carinatus (Duftschmid,1812)** (Carabidae) Synonym(s): carinatus Duftschmid,1812 Range (in code): AL AT BE B-H BG HV CZ FR DE HU IT MD PL RO SK SL CH TR UA NL
- 18974. Acinopus ammophilus Dejean,1829** (Carabidae) Synonym(s): ammophilus Dejean,1829 Range (in code): AZ AM Cc BE GG GR HU IT MK MD RO RU TR UA IR KG TM
- 18975. Acinopus megacephalus (P.Rossi,1794)** (Carabidae) Synonym(s): megacephalus P.Rossi,1794 Range (in code): AZ AL AM Cc BG HV FR GG GR IT MK RU SL TR CY IR IQ IL Pa SY TM
- 18976. Agonum angustatum Dejean,1828** (Carabidae) Synonym(s): angustatum Dejean,1828 Range (in code): AL B-H BG Cc GG TR GR IR HV AT RO SK UA HU 13 14 38 48 53
- 18977. Agonum antennarium (Duftschmid,1812)** (Carabidae) Synonym(s): antennarium Duftschmid,1812 Range (in code): AT B-H BG FR GR HU IT MD PL RO SK SL CH TR UA
- 18978. Agonum chalconotum Ménétériés,1832** (Carabidae) Synonym(s): chalconotum Ménétériés,1832 Range (in code): GB LA TR AF KK KG TJ UZ CN MN
- 18979. Agonum extensum Ménétériés,1849** (Carabidae) Synonym(s): extensum Ménétériés,1849 Range (in code): GR IT MD TR UA KG
- 18980. Agonum gisellae Csiki,1931** (Carabidae) Synonym(s): gisellae Csiki,1931 Range (in code): AL AT B-H BG HV GG Cc GR HU MD RO RU SK TR UA IR
- 18981. Agonum gracile Sturm,1824** (Carabidae) Synonym(s): gracile Sturm,1824 Range (in code): AT BE BG CZ DK EN FI FR GB DE HU IE IT LT MD NO PL RU SK SL ES SE CH TR UA DZ JP NL
- 18982. Agonum hypocrita (Apfelbeck,1904)** (Carabidae) Synonym(s): hypocrita Apfelbeck,1904 Range (in code): Cc AZ AT B-H BG HV CZ DK FI FR DE GR HU IT MA MD PL RU SK SL ES SE TR UA 34

- 18983. Agonum longicorne Chaudoir,1846** (Carabidae) Synonym(s): longicorne Chaudoir,1846 Range (in code): Cc AZ AL AT B-H BG HV FR DE GR HU IT LA MD RO RU SK TR UA
- 18984. Agonum lugens (Duftschmid,1812)** (Carabidae) Synonym(s): lugens Duftschmid,1812; longipenne Mannerheim,1844 Range (in code): Cc AZ AT BE B-H BG HV CZ DK EN FI FR DE GG GR HU IE IT LT MD PL PT RO RU SK ES SE CH TR UA MA TN IR KG
- 18985. Agonum marginatum (Linnaeus,1758)** (Carabidae) Synonym(s): marginatum Linnaeus,1758 Range (in code): AT Cc AZ BE B-H BG HV CZ DK EN FI FR GB DE GR HU IE IT LT MD NO PL PT RU SK SL ES SE CH TR UA CI MA MR o6
- 18986. Agonum monachum (Duftschmid,1812)** (Carabidae) Synonym(s): monachum Duftschmid,1812 Range (in code): AT B-H BG HV CZ FR DE GR HU IT MD PL RU SK ES CH TR UA KG
- 18987. Agonum muelleri (Herbst,1784)** (Carabidae) Synonym(s): muelleri Herbst,1784 Range (in code): AL AT AZ BE B-H BG HV CZ DK EN FI FR GB DE HU IE IT LS LT MA MD NO PL PT RU SK SL ES SE CH TR UA NL
- 18988. Agonum nigrum Dejean,1828** (Carabidae) Synonym(s): nigrum Dejean,1828 Range (in code): AT HV FR GB DE GR HU IE IT PT RU ES CH TR MA KG TM NL
- 18989. Agonum rugicolle Chaudoir,1846** (Carabidae) Synonym(s): rugicolle Chaudoir,1846 Range (in code): AM Cc BG RO RU TR IR SY
- 18990. Agonum sexpunctatum (Linnaeus,1758)** (Carabidae) Synonym(s): sexpunctatum Linnaeus,1758 Range (in code): AT BE B-H BG HV CZ DK EN FI FR GB DE HU IT LS LT MA MD NO PL PT RU SK SL ES SE CH TR UA KG NL
- 18991. Agonum sordidum Dejean,1828** (Carabidae) Synonym(s): sordidum Dejean,1828 Range (in code): BE HV GR IT SL TR UA LY SY
- 18992. Agonum thoreyi Dejean,1828** (Carabidae) Synonym(s): thoreyi Dejean,1828 Range (in code): AL AT BE B-H BG HV CZ DK EN FI FR GB DE IE IT LT MD NO PL RU SK SL ES SE CH TR UA KG NL US
- 18993. Agonum viridicupreum (Goeze,1777)** (Carabidae) Synonym(s): viridicupreum Goeze,1777 Range (in code): TR o6 65
- 18994. Amara ((Curtonotus) propinqua Ménétriés,1832** (Carabidae) Synonym(s): propinqua Ménétriés,1832; bistriata Putzeys,1866 Range (in code): AZ AM Cc BG GG MD RO RU TR UA IR KK KG TJ TM UZ MN
- 18995. Amara (Amarocelia) erratica (Duftschmid,1812)** (Carabidae) Synonym(s): erratica Duftschmid,1812; gracula Heer,1837; affinis Motschoulsky,1850; nivina Gistel,1857; rugulosa Gistel,1857; trophina Gistel,1857; xenechthum Gistel,1857; obscuricornis Motschoulsky,1859; caucasicola Lutschnik,1935 Range (in code): AZ AL AD AM Cc AT B-H BG HV CZ FI FR DE GG GR IT LS MK NO PL RO RU SK SL ES SE CH TR UA KK KG US CN Ui JP
- 18996. Amara (Amathitis) abdominalis (Motschoulsky,1844)** (Carabidae) Synonym(s): abdominalis Motschoulsky,1844; badiola Bates,1878; latiuscula Poppius,1908; nigriventris Lutschnik,1927; chivensis Lutschnik,1928; tratnikovi Lutschnik,1928; pamiricola Lutschnik,1930; gisellae Csiki,1929 Range (in code): AZ AM Cc GG RU TR UA AF IR KK KG TJ Pm TM UZ CN Pkn Gn Ui Sz MN
- 18997. Amara (Bradytus) apricaria (Paykull,1790)** (Carabidae) Synonym(s): apricaria Paykull,1790; analis Fabricius,1792; petri Hummel,1825; rhaetica Heer,1837; armena Motschoulsky,1844; parallela Chaudoir,1842; putzeysi Horn,1875; baschkirica Schweiger,1966; paphlagoniensis Schweiger,1966; uludagensis Schweiger,1966 Range (in code): AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IC IE IT LT LU MK MD NO PL PT RO RU SK SS ES SE CH TJ TM TR UA UZ CN Gn Mc Ui Ti Qz 16 37
- 18998. Amara (Bradytus) consularis (Duftschmid,1812)** (Carabidae) Synonym(s): consularis Duftschmid,1812; crassa Stephens,1828; nigra Chaudoir,1837; uralensis Motschoulsky,1844; regismontium Schweiger,1966 Range (in code): AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IE IT LA LT LU MK MD NO PL RO RU Ur SK SL ES SE CH TR UA CN Ui
- 18999. Amara (Bradytus) fulva (O.F.Müller,1776)** (Carabidae) Synonym(s): fulva O.F.Müller,1776; concolor Olivier,1795; iridipennis Heer,1837 Range (in code): AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IE IT LA LT LU MK NO PL PT RO RU SK SL ES SE CH TR UA KG
- 19000. Amara (Bradytus) majuscula (Chaudoir,1850)** (Carabidae) Synonym(s): majuscula Chaudoir,1850 Range (in code): AT BE BG BY CZ DK EN FI FR DE HU LA LT NO PL RO RU SK SL SE CH TR UA IR KK KG NL UZ CN Pkn Gn Mc Sz Ui JP MN NC
- 19001. Amara (Celia) aberrans Baudi di Selva,1864** (Carabidae) Synonym(s): aberrans Baudi di Selva,1864; syriaca Putzeys,1866; palaestina Putzeys,1870; gridellii Baliani,1928 Range (in code): GR MK MT TR CY IR IL Pa JO LB SY
- 19002. Amara (Celia) arenaria (Putzeys,1865)** (Carabidae) Synonym(s): arenaria Putzeys,1865; diversa Putzeys,1865; croatica Ganglbauer,1891; hispanica Csiki,1929 Range (in code): AT B-H BG HV FR DE GR IT MK RO SL ES TR
- 19003. Amara (Celia) bifrons (Gyllenhal,1810)** (Carabidae) Synonym(s): oricalcica O.F.Müller,1776; bifrons Gyllenhal,1810; discrepans Stephens,1828; zimmermanni Heer,1837; longiceps Seidlitz,1887; kleini Schuler,1964 Range (in code): Cc AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MK MD NO PL PT RO RU SK SL SZ TR UA CY IR KK KG TJ NL UZ CN Ui

- 19004. Amara (Celia) montana Dejean,1828** (Carabidae) Synonym(s): montana Dejean,1828; distincta Rambur,1838; corsica Putzeys,1866; collina Putzeys,1867; burdigalenis Schuler,1964 Range (in code): **AL HV FR Co GR IT MA SL ES TR DZ CY SY**
- 19005. Amara (Celia) praetermissa (Sahlberg,1827)** (Carabidae) Synonym(s): pallens Sturm,1825; praetermissa Sahlberg,1827; rufocincta Sahlberg,1827; grandicollis C.Zimmermann,1832; oreophila C.Zimmermann,1832; solitaria Gistel,1857; indivisa Putzeys,1871; transcaucasica Lutshnik,1935; monticusta Jablokoff & Khnzorian,1957 Range (in code): **AZ AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT NO PL RO RU SK SL ES SE CH UA TR**
- 19006. Amara (Curtonotus) aulica (Panzer,1796)** (Carabidae) Synonym(s): aulica Panzer,1796; caucasica Motschoulsky,1844; lithuanica Motschoulsky,1844; abruzzensis Schaubberger,1923 Range (in code): **AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IE IT LS LT MK MD NO PL RO RU SK SL ES SE CH TJ TM TR UA UZ CN Ui**
- 19007. Amara (Curtonotus) muchei Jedlicka,1962** (Carabidae) Synonym(s): muchei Jedlicka,1962 Range (in code): **TR 06**
- 19008. Amara (Euderocycla) abnormis Tschitscherine,1894** (Carabidae) Synonym(s): abnormis Tschitscherine,1894; fleischeri Tschitscherine,1897; harpaloides Fleischer,1897 Range (in code): **TR**
- 19009. Amara (Paracelia) cyrenaica Baliani,1928** (Carabidae) Synonym(s): cyrenaica Baliani,1928 Range (in code): **LY Cy TR**
- 19010. Amara (Paracelia) monochroa Hieke,2004** (Carabidae) Synonym(s): monochroa Hieke,2004 Range (in code): **TR 48**
- 19011. Amara (Percosia) equestris (Duftschmid,1812)** (Carabidae) Synonym(s): equestris Duftschmid,1812 Range (in code): **AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LT LU MK NO PL PT RO RU SK SL ES SE CH TM TR UA UZ CN Ui**
- 19012. Amara (radytus) crenata Dejean,1828** (Carabidae) Synonym(s): crenata Dejean,1828; crenatostrata Chaudoir,1846 Range (in code): **AZ AM Cc AT BE BG HV CZ DK FI FR DE GG GR HU IT LA MK MD PL RO RU SK SL ES SE TR UA IR TM**
- 19013. Amara (s.str.) aenea (De Geer,1774)** (Carabidae) Synonym(s): aenea De Geer,1774; trivialis Gyllenhal,1810; atra Stephens,1828; persica Chaudoir,1842; maculipes Grimmer,1841; palustris Gistel,1857; sororcula Tschitscherine,1895; vogesiaca Bourgeois,1898; devincta Casey,1918; palanda Jedlicka,1957; thisbe Antoine,1951 Range (in code): **Md MA Cn Az DZ AL AD AM Cc AZ GG AF AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LS LT LU MK MD NO PL PT RO RU SK CY EG IN Hp Up IQ IR IL Pa JO Ch KK KG LY LB MT MK MD MN NL NP SE CH TJ TM TR TN UA UZ**
- 19014. Amara (s.str.) anthobia A.Villa & G.B.Villa,1833** (Carabidae) Synonym(s): anthobia A.Villa & G.B.Villa,1833; krekichi Schtzmair,1919 Range (in code): **AZ AL AM Cc AT BE B-H BG HV CZ DK FR GB DE GG GR HU IT LU MK MD PL PT RO RU SK SL ES SE CH SY TR UA DZ**
- 19015. Amara (s.str.) convexior Stephens,1828** (Carabidae) Synonym(s): convexior Stephens,1828; obtusa Stephens,1828; puncticollis Rylands,1841; continua Thomson,1873 Range (in code): **AL AD AM Cc AT BE B-H BG HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LS LT LU MK MD PL RO RU SK SL ES SE CH TR KG NL UZ**
- 19016. Amara (s.str.) curta Dejean,1828** (Carabidae) Synonym(s): curta Dejean,1828; brunnicornis Heer,1837; aeruginosa Kolenati,1845; cyanocnamis Thomson,1857; ovalis Mulsant & Rey,1861 Range (in code): **AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LS LT LU MK MD NO PL RO RU SK SL ES SE CH TR UA KG NL**
- 19017. Amara (s.str.) eurynota (Panzer,1796)** (Carabidae) Synonym(s): eurynota Panzer,1796; acuminata Paykull,1898; aerata Stephens,1828; exculpta Hassmann,1866; raymondi Putzeys,1870 Range (in code): **AZ AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MA MK MD NO PL PT RO RU SK ES SE SY CH TJ TN TR UA CN Ui**
- 19018. Amara (s.str.) famelica C.Zimmermann,1832** (Carabidae) Synonym(s): famelica C.Zimmermann,1832; bibula Antoine,1944 Range (in code): **AM Cc AT BE B-H BG BY CZ DK EN FI FR GB DE GG HU IT LA LT LU NO PL PT RO RU SK ES SE TR UA MA AF KK KG NL CN Ui MN**
- 19019. Amara (s.str.) familiaris (Duftschmid,1812)** (Carabidae) Synonym(s): familiaris Duftschmid,1812; cursor Sturm,1825; levis Sturm,1825; perplexa Dejean,1828; elegans Rylands,1841; humilis Casey,1918 Range (in code): **AZ AL AD AM Cc AT BE B-H BG BY CZ DK EN FI FR GB DE GG GR HU IC IE IT LS LT LU MK MD TR IR RU TJ TM UA UZ CN Pkn Gn Sz Ui 08 75**
- 19020. Amara (s.str.) littorea Thomson,1857** (Carabidae) Synonym(s): dubia Motschoulsky,1844; ovata Motschoulsky,1844; littorea Thomson,1857; motschoulskyi Heyden,1880; wuki Matcha,1922; bogatshevi Lutshnik,1934; kodymi Jedlicka,1936; tockoensis Jedlicka,1936 Range (in code): **AZ AM Cc AT B-H BG BY HV CZ DK EN FI FR DE GG HU IT LA LT NO PL RU SK SL ES CH TR UA KG TJ UZ**
- 19021. Amara (s.str.) lucida (Duftschmid,1812)** (Carabidae) Synonym(s): lucida Duftschmid,1812; erythropha Stephens,1828; gemina C.Zimmermann,1832; septentrionalis Curtis,1840; heydeni Schatzmayr,1909; chobauti Puel,1924 Range (in code): **LA LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA DZ MA TN IR IQ KG NL 16**
- 19022. Amara (s.str.) lukasi Hejkal,2002** (Carabidae) Synonym(s): lukasi Hejkal,2002 Range (in code): **TR 06 19 26 66**



- 19023. Amara (s.str.) morio Ménétériés, 1832** (Carabidae) Synonym(s): morio Ménétériés, 1832 Range (in code): **AZ AL AM Cc AT BG FR GG IT RO RU CH TR CH**
- 19024. Amara (s.str.) ovata (Fabricius, 1792)** (Carabidae) Synonym(s): ovata Fabricius, 1792; trivialis Duftschmid, 1812; pratensis Sturm, 1825; incisa Germar, 1841; adamantina Kolenati, 1845; audax Gistel, 1857; sarsi Munster, 1927; melanochlora Lutschnik, 1933; similatoides Jedlicka, 1934; aequatorialis Baliani, 1939 Range (in code): **AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR IE IT LS LT LU MK MD NO PL PT RO RU SK SL ES SE SY CH TJ TM TR UA UZ CN Gn Mc She Sz Ti Ui Yu**
- 19025. Amara (Xenocelia) ambulans C.Zimmermann, 1832** (Carabidae) Synonym(s): ambulans C.Zimmermann, 1832; inderiensis Motschoulsky, 1850; dagestana Jedlicka, 1962 Range (in code): **AZ AM Cc GG RO RU Da TR UA AF IR KG TJ TM UZ CN Gn Ui MN**
- 19026. Amara (Xenocelia) cursitans C.Zimmermann, 1832** (Carabidae) Synonym(s): cursitans C.Zimmermann, 1832; properans C.Zimmermann, 1832; ousburgeri Heer, 1837; oculata Helliesen, 1912; arnoldi Lutschnik, 1934; bernhardti Schuler, 1965; cerdanica Aubry, 1970 Range (in code): **AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LU NO PL RO RU SK SL ES SE CH TR NL**
- 19027. Amara (Xenocelia) fusca Dejean, 1828** (Carabidae) Synonym(s): fusca Dejean, 1828; complanata Dejean, 1828; mesatlantica Antoine, 1853; theryi Antoine, 1853 Range (in code): **AZ AL AM Cc AT B-H BG BY HV CZ DK FR GB DE GG GR IT MK MD PL RO RU ES SE CH TR DZ MA TN IR SY TM NL**
- 19028. Amara (Xenocelia) fusgenua Hieke, 1999** (Carabidae) Synonym(s): fusgenua Hieke, 1999 Range (in code): **TR IR KG TJ TM UZ CN Ui**
- 19029. Amara (Xenocelia) ingenua (Duftschmid, 1812)** (Carabidae) Synonym(s): ingenua Duftschmid, 1812; liberta Duftschmid, 1812; subaenea Sturm, 1825; ruficornis Dejean, 1828 Range (in code): **AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR DE GG GR HU IT LA LT MK MD NO PL RO RU SK SL ES SE CH TR UA UA CN Ui TJ TM**
- 19030. Amara (Xenocelia) municipalis (Duftschmid, 1812)** (Carabidae) Synonym(s): municipalis Duftschmid, 1812 Range (in code): **AZ AL AD AM Cc AT BE BG BY HV CZ DK EN FI FR DE GG GR HU IT LA LT MD NO PL RO RU SK ES SE CH TR UA UZ CN Ui TJ TM**
- 19031. Amara (Zezea) chaudiroiri Schaum, 1858** (Carabidae) Synonym(s): chaudiroiri Schaum, 1858; incognita Fassati, 1946 Range (in code): **AL AM Cc AT B-H BG BY HV CZ DE GG GR HU IT MK MD PL RO RU SK SL TR UA KK KG TM UZ**
- 19032. Amara (Zezea) fulvipes (Audinet-Serville, 1821)** (Carabidae) Synonym(s): fulvipes Audinet-Serville, 1821; striatopunctatata Dejean, 1828; valida Fairmaire, 1859 Range (in code): **AL AT BE B-H BG HV FR DE GR HU IT LU MK PL PT RO SK SL ES CH TR UA**
- 19033. Amara (Zezea) plebeja (Gyllenhal, 1810)** (Carabidae) Synonym(s): plebeja Gyllenhal, 1810; lapidicola Heer, 1837; lenticularis Schiodte, 1837; cylindrella Schiodte, 1837; varicolor Heer, 1838; tridens Morawitz, 1862; noctivaga Hochhuth, 1871; barnevillei Croissandeau, 1893; brisouti Csiki, 1929; punctibasis Jedlicka, 1957 Range (in code): **AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MD NO PL RO RU SK SL ES SE CH TR UA KG NL CN Mc**
- 19034. Anillidius (s.str.) byzantinus Casale, M.Elonti & Giachino, 1992** (Carabidae) Synonym(s): byzantinus Casale, M.Elonti & Giachino, 1992 Range (in code): **TR**
- 19035. Anillidius (s.str.) coiffaiti Jeannel, 1955** (Carabidae) Synonym(s): coiffaiti Jeannel, 1955 Range (in code): **TR**
- 19036. Anillidius (s.str.) hobhousae Jaannel, 1930** (Carabidae) Synonym(s): hobhousae Jaannel, 1930 Range (in code): **TR**
- 19037. Anillidius (s.str.) pisidicus Jeannel, 1937** (Carabidae) Synonym(s): pisidicus Jeannel, 1937 Range (in code): **TR**
- 19038. Anillidius (s.str.) tauricus Jeannel, 1930** (Carabidae) Synonym(s): tauricus Jeannel, 1930 Range (in code): **TR**
- 19039. Anillidius (s.str.) turcicus J.Frivaldszky, 1880** (Carabidae) Synonym(s): turcicus J.Frivaldszky, 1880 Range (in code): **TR**
- 19040. Anillidius (s.str.) uludagensis Schweiger, 1965** (Carabidae) Synonym(s): uludagensis Schweiger, 1965 Range (in code): **TR 16**
- 19041. Apotomus ctypeonitens J.Müller, 1943** (Carabidae) Synonym(s): ctypeonitens J.Müller, 1943 Range (in code): **AZ BG FR GG IT ES TR MA TN IL Pa oi**
- 19042. Apotomus rufithorax Pecchioli, 1837** (Carabidae) Synonym(s): rufithorax Pecchioli, 1837 Range (in code): **AZ AL AM Cc FR GR IT PT RU ES TR DZ MA TN CY IR IQ IL Pa**
- 19043. Apotomus testaceus Dejean, 1825** (Carabidae) Synonym(s): testaceus Dejean, 1825 Range (in code): **AZ AM Cc BG IT RU TR UA IQ KG TJ TM MN**
- 19044. Aptinus cordicollis Chaudoir, 1843** (Carabidae) Synonym(s): cordicollis Chaudoir, 1843; ponticus Apfelbeck, 1904 Range (in code): **BG TR GR Cr**
- 19045. Asaphidion (Asaphidion) flavicorne (Solsky, 1874)** (Carabidae) Synonym(s): flavicorne Solsky, 1874 Range (in code): **AM Cc BG GR TR CY IR KK KG TJ UZ**
- 19046. Asaphidion (Asaphidion) ganglbaueri J.Müller, 1921** (Carabidae) Synonym(s): ganglbaueri J.Müller, 1921 Range (in code): **TR**

- 19047. Asaphidion (Asaphidion) nebulosum (P.Rossi,1792)** (Carabidae) Synonym(s): nebulosum P.Rossi,1792 Range (in code): TR
- 19048. Asaphidion (Asaphidion) weiratheri Netolitzky,1935** (Carabidae) Synonym(s): weiratheri Netolitzky,1935 Range (in code): TR
- 19049. Atranopsis bolognai Casale & Vigna Taglianti,1984** (Carabidae) Synonym(s): bolognai Casale & Vigna Taglianti,1984 Range (in code): TR
- 19050. Atranus ruficollis Gautier des Cottés,1858** (Carabidae) Synonym(s): ruficollis Gautier des Cottés,1858 Range (in code): BG FR GR HU IT RU SK SL TR
- 19051. Badister bullatus (Schränk,1798)** (Carabidae) Synonym(s): bullatus Schränk,1798 Range (in code): AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IT LT LU NO PL RO RU SK SL SE CH TR UA IR IQ KG NL UZ
- 19052. Bembidion (Chlorodius) splendidum Sturm,1825** (Carabidae) Synonym(s): splendidum Sturm,1825 Range (in code): AZ Cc GG IQ AZ AM Cc AT B-H CZ DE GG GR HU IT MK MD PL RO RU SK SL TR UA SY YU
- 19053. Bembidion (Diplocampa) assimile Gyllenhal,1810** (Carabidae) Synonym(s): assimile Gyllenhal,1810 Range (in code): AT BE B-H BY HV CZ DK EN FI FR GB DE HU IE IT LA LT LU MK MD NO RO RU SK SL ES SE CH TR UA MA NL JP
- 19054. Bembidion (Diplocampa) fumigatum (Duftschmid,1812)** (Carabidae) Synonym(s): fumigatum Duftschmid,1812 Range (in code): AT BE B-H BG HV CZ DK FR GB DE GR HU IE IT LU MD RO RU SK SL ES SE CH TR UA KG NL
- 19055. Bembidion (Diplocampa) skoraszewskyi Korge,1971** (Carabidae) Synonym(s): skoraszewskyi Korge,1971 Range (in code): TR
- 19056. Bembidion (Emphanes) tenellum Erichson,1837** (Carabidae) Synonym(s): tenellum Erichson,1837 Range (in code): AT BE B-H HV CZ DK FR GB DE GR HU IT LA MK MD PT RO RU SK SL ES SE TR UA KK KG NL YU
- 19057. Bembidion (Euperyphus) combustum Ménétériés,1832** (Carabidae) Synonym(s): combustum Ménétériés,1832 Range (in code): AZ AL AM Cc B-H BG GR MK RU TR CY IR LB YU
- 19058. Bembidion (Euperyphus) fluviatile Dejean,1831** (Carabidae) Synonym(s): fluviatile Dejean,1831 Range (in code): TR MA TN AF IQ
- 19059. Bembidion (Euperyphus) parallelipenne Chaudoir,1850** (Carabidae) Synonym(s): parallelipenne Chaudoir,1850 Range (in code): AZ AM Cc GG RU TR IR
- 19060. Bembidion (Metallina) bodenheimeri Netolitzky,1935** (Carabidae) Synonym(s): bodenheimeri Netolitzky,1935 Range (in code): TR IL Pa
- 19061. Bembidion (Metallina) lampros (Herbst,1784)** (Carabidae) Synonym(s): lampros Herbst,1784 Range (in code): AZ AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LS LT LU MK MD NO PT RO RU SK SL ES SE CH TR UA MA TN KK KG TJ NL UZ
- 19062. Bembidion (Metallina) properans (Stephens,1828)** (Carabidae) Synonym(s): properans Stephens,1828 Range (in code): AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LS LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA IR IQ KK KG TJ TM NL UZ
- 19063. Bembidion (Microserrullula) apicale Ménétériés,1832** (Carabidae) Synonym(s): apicale Ménétériés,1832 Range (in code): AZ AM Cc GG TR IR
- 19064. Bembidion (Microserrullula) quadricolle (Motschoulsky,1844)** (Carabidae) Synonym(s): quadricolle Motschoulsky,1844 Range (in code): AZ AM Cc BG GG GR MD RU SL TR UA AF IR IQ KG TJ TM UZ
- 19065. Bembidion (Neja) leucoscelis Chaudoir,1850** (Carabidae) Synonym(s): leucoscelis Chaudoir,1850 Range (in code): AZ AM Cc GG GR RU TR TN CY IR IQ IL Pa SY
- 19066. Bembidion (Neja) sporadicum Sahlberg,1903** (Carabidae) Synonym(s): sporadicum Sahlberg,1903 Range (in code): GR TR SY
- 19067. Bembidion (Neja) torosum Marggi & Huber,1999** (Carabidae) Synonym(s): torosum Marggi & Huber,1999 Range (in code): TR
- 19068. Bembidion (Nepha) caucasicum (Motschoulsky,1844)** (Carabidae) Synonym(s): caucasicum Motschoulsky,1844 Range (in code): AZ AM Cc B-H BG GG GR MK RU TR LB YU
- 19069. Bembidion (Nepha) hauserianum Netolitzky,1918** (Carabidae) Synonym(s): hauserianum Netolitzky,1918 Range (in code): AM Cc TR IR IQ TJ TM
- 19070. Bembidion (Nepha) menetriesii (Kolenati,1845)** (Carabidae) Synonym(s): menetriesii Kolenati,1845 Range (in code): AM Cc RU TR IR KK KG UZ
- 19071. Bembidion (Nepha) pinkeri Netolitzky,1935** (Carabidae) Synonym(s): pinkeri Netolitzky,1935 Range (in code): GG RU TR Cc
- 19072. Bembidion (Nepha) retipenne J.Müller,1918** (Carabidae) Synonym(s): retipenne J.Müller,1918 Range (in code): BG GR MK TR IR LY SY YU
- 19073. Bembidion (Nepha) rufimacula J.Müller,1918** (Carabidae) Synonym(s): rufimacula J.Müller,1918 Range (in code): AZ BG GR MK TR IR YU

- 19074. Bembidion (Nepha) staneki Maran,1932** (Carabidae) Synonym(s): staneki Maran,1932 Range (in code): TR
- 19075. Bembidion (Nepha) tetragrammum Chaudoir,1846** (Carabidae) Synonym(s): tetragrammum Chaudoir,1846 Range (in code): AZ AM Cc GG RU TR UA IR
- 19076. Bembidion (Nepha) turcicum Gemminger & Harold,1868** (Carabidae) Synonym(s): versicolor Jacquelin du Val,1852 nec LeConte,1848; turcicum Gemminger & Harold,1868 nec Ganglb.,1891 Range (in code): AZ AM Cc GR TR
- 19077. Bembidion (Nepha) vseteckai Maran,1936** (Carabidae) Synonym(s): vseteckai Maran,1936 Range (in code): GR TR 01
- 19078. Bembidion (Notaphemphanes) ephippium (Marsham,1802)** (Carabidae) Synonym(s): ephippium Marsham,1802 Range (in code): AT BE BG DK FR GB DE GR HU IT MD RO RU SK SL ES TR UA MA TN NL
- 19079. Bembidion (Notaphocampa) niloticum Dejean,1831** (Carabidae) Synonym(s): niloticum Dejean,1831 Range (in code): AZ AM Cc BG GG GR TR EG AF AP CY IR IQ KK KG TM UZ NP
- 19080. Bembidion (Notaphus) semipunctatum (Donovan,1806)** (Carabidae) Synonym(s): semipunctatum Donovan,1806 Range (in code): AT BE B-H BG BY HV CZ DK EN FI FR GB DE HU IT LA LT MD NO RO RU SK SL SE CH TR UA KG NL JP MN YU
- 19081. Bembidion (Notaphus) varium (Olivier,1795)** (Carabidae) Synonym(s): varium Olivier,1795 Range (in code): AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GR HU IE IT LA LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA DZ CI EG MA TN AF CY IR IL Pa KK KG TM NL UZ CN
- 19082. Bembidion (Ocydromus) atlanticum Wollaston,1854** (Carabidae) Synonym(s): atlanticum Wollaston,1854 Range (in code): AZ AM Cc BG GG GR MD RU TR UA DZ EG MA TN CY IR IQ IL Pa KK KG SA TJ TM UZ YE
- 19083. Bembidion (Ocydromus) cordicolle Jacquelin du Val,1852** (Carabidae) Synonym(s): cordicolle Jacquelin du Val,1852; veldkampii Kirschenhofer,1994 Range (in code): BG GR Cr TR 07 17 33 35 42 48
- 19084. Bembidion (Ocydromus) decorum (Panzer,1799)** (Carabidae) Synonym(s): decorum Panzer,1799 Range (in code): BG GR MK AZ AM Cc GG RU TR
- 19085. Bembidion (Ocydromus) ispartanum Netolitzky,1930** (Carabidae) Synonym(s): ispartanum Netolitzky,1930 Range (in code): AM Cc TR IR 32
- 19086. Bembidion (Ocydromus) nemrutdagi Toledano & Rébl,2006** (Carabidae) Synonym(s): nemrutdagi Toledano & Rébl,2006 Range (in code): TR 02
- 19087. Bembidion (Ocydromus) siculum Dejean,1831** (Carabidae) Synonym(s): siculum Dejean,1831 Range (in code): TR 35
- 19088. Bembidion (Ocyturanus) argaeicola Ganglbauer,1905** (Carabidae) Synonym(s): argaeicola Ganglbauer,1905 Range (in code): TR
- 19089. Bembidion (Ocyturanus) balcanicum Apfelbeck,1899** (Carabidae) Synonym(s): balcanicum Apfelbeck,1899 Range (in code): TR IR
- 19090. Bembidion (Ocyturanus) culminicola Piochard,1876** (Carabidae) Synonym(s): culminicola Piochard,1876 Range (in code): TR LB SY
- 19091. Bembidion (Ocyturanus) heinzi Korge,1971** (Carabidae) Synonym(s): heinzi Korge,1971 Range (in code): TR
- 19092. Bembidion (Ocyturanus) parsorum Natolitzky,1934** (Carabidae) Synonym(s): parsorum Natolitzky,1934 Range (in code): AM Cc TR IR KK TJ UZ
- 19093. Bembidion (Ocyturanus) praeustum Dejean,1831** (Carabidae) Synonym(s): praeustum Dejean,1831 Range (in code): AL B-H BG HV FR GR IT MA MK RU SL TR UA EG LY CY
- 19094. Bembidion (Ocyturanus) signatipenne Jacquelin du Val,1852** (Carabidae) Synonym(s): signatipenne Jacquelin du Val,1852 Range (in code): BG GR MK TR
- 19095. Bembidion (Ocyturanus) tauricum J.Müller,1918** (Carabidae) Synonym(s): tauricum J.Müller,1918 Range (in code): TR
- 19096. Bembidion (Ocyturanus) viduum Netolitzky,1910** (Carabidae) Synonym(s): viduum Netolitzky,1910 Range (in code): TR IR
- 19097. Bembidion (Odontium) striatum (Fabricius,1792)** (Carabidae) Synonym(s): striatum Fabricius,1792 Range (in code): AT B-H BG BY HV CZ DK EN FI FR DE HU IT LA LT MD PT RO RU SK SL ES CH TR UA NC NL
- 19098. Bembidion (Omoperyphus) caricum Sahlberg,1908** (Carabidae) Synonym(s): caricum Sahlberg,1908 Range (in code): TR CY IL Pa
- 19099. Bembidion (Omoperyphus) semibraccatum Netolitzky,1911** (Carabidae) Synonym(s): semibraccatum Netolitzky,1911 Range (in code): B-H BG HV TR YU
- 19100. Bembidion (Peryphanes) castaneipenne Jacquelin du Val,1852** (Carabidae) Synonym(s): castaneipenne Jacquelin du Val,1852 Range (in code): B-H BG GR TR IL Pa LB SY
- 19101. Bembidion (Peryphanes) dalmatinum Dejean,1831** (Carabidae) Synonym(s): dalmatinum Dejean,1831 Range (in code): AL AT B-H BG HV CZ GR HU MK MD RO RU SK SL TR UA YU AZ AM Cc IR SY



- 19102. Bembidion (Peryphanes) grandipenne** Schaum,1862 (Carabidae) Synonym(s): grandipenne Schaum,1862 Range (in code): TR IR IL Pa LB Cc GG
- 19103. Bembidion (Peryphanes) kulzeri** Netolitzky,1935 (Carabidae) Synonym(s): kulzeri Netolitzky,1935 Range (in code): TR
- 19104. Bembidion (Peryphanes) lacrimans** Netolitzky,1935 (Carabidae) Synonym(s): lacrimans Netolitzky,1935 Range (in code): TR IR
- 19105. Bembidion (Peryphanes) stephensii** Crotch,1866 (Carabidae) Synonym(s): stephensii Crotch,1866 Range (in code): AT BE B-H BY CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MK MD NO RO RU SK SL ES SE CH TR UA NL
- 19106. Bembidion (Peryphanes) weiratherianum** Netolitzky,1932 (Carabidae) Synonym(s): weiratherianum Netolitzky,1932 Range (in code): TR 33
- 19107. Bembidion (Peryphiolus) monticola** Sturm,1825 (Carabidae) Synonym(s): monticola Sturm,1825 Range (in code): AM Cc GG RU TR
- 19108. Bembidion (Peryphus) abbreviatum** Solsky,1874 (Carabidae) Synonym(s): abbreviatum Solsky,1874 Range (in code): TR AF IR KK TJ UZ
- 19109. Bembidion (Peryphus) distinguendum** Jacquelin du Val,1852 (Carabidae) Synonym(s): distinguendum Jacquelin du Val,1852 Range (in code): AZ AM Cc GG TR IR
- 19110. Bembidion (Peryphus) femoratum** Sturm,1825 (Carabidae) Synonym(s): femoratum Sturm,1825 Range (in code): AT BE BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MK MD NO RO SK SL ES SE CH UA IR KG NL YU AZ AM Cc GG RU TR
- 19111. Bembidion (Peryphus) persicum** Ménétériés,1832 (Carabidae) Synonym(s): persicum Ménétériés,1832 Range (in code): AZ AM Cc GG MD RU TR IR KK TJ UZ
- 19112. Bembidion (Peryphus) tetracolum** Say,1823 (Carabidae) Synonym(s): tetracolum Say,1823 Range (in code): AT BE B-H BY HV CZ DK EN FI FR GB DE HU IE IT LS LU MK MD NO PT RO RU SK SL ES SE CH TR UA DZ MA TN NL YU
- 19113. Bembidion (Philochthus) lunulatum** Geoffroy,1785 (Carabidae) Synonym(s): lunulatum Geoffroy,1785 Range (in code): AT BE B-H BG BY HV CZ DK EN FR GB DE GR HU IE IT LA LT LU MA MD PL PT RO RU SK SL ES SE CH TR UA MA TN IR NL
- 19114. Bembidion (Phyla) liliputanum** (J.Sahlberg,1908) (Carabidae) Synonym(s): liliputanum J.Sahlberg,1908 Range (in code): GR TR IL Pa LB SY
- 19115. Bembidion (Phyla) phoeniceum** Huber & Marggi,1997 (Carabidae) Synonym(s): phoeniceum Huber & Marggi,1997 Range (in code): CY IL Pa LB TR GR Cr
- 19116. Bembidion (Princidium) punctulatum** Drapiez,1820 (Carabidae) Synonym(s): punctulatum Drapiez,1820 Range (in code): AZ AM Cc AT BE B-H BY HV CZ EN FI FR GB DE GG GR HU IE IT LA LT LU MK MD PL PT RO RU SK SL ES CH TR UA DZ MA TN IR
- 19117. Bembidion (s.str.) humerale** Sturm,1825 (Carabidae) Synonym(s): humerale Sturm,1825 Range (in code): TR
- 19118. Bembidion (s.str.) quadripustulatum** Audinet-Serville,1821 (Carabidae) Synonym(s): quadripustulatum Audinet-Serville,1821 Range (in code): AZ AM Cc AT BE B-H BY HV CZ FR GB DE GG GR HU IT LA LT LU MK MD PL PT RO RU SK SL ES SE CH TR UA CY IQ IL Pa KK KG TJ TM NL UZ CN YU
- 19119. Bembidion (Talanus) subfasciatum** Chaudoir,1850 (Carabidae) Synonym(s): subfasciatum Chaudoir,1850 Range (in code): BG HV CZ GR IT MD RO RU TR UA
- 19120. Bembidion (Testediolum) armeniacum** Chaudoir,1846 (Carabidae) Synonym(s): armeniacum Chaudoir,1846; glabricolle Motschoulsky,1846; olympicum De Monte,1946; coiffaiti De Wailly,1954; colasi Schuler,1961; davatchii Morvan,1971; damavandense Marggi & Huber,1999 Range (in code): AZ AM Cc GG RU TR IR Elb Dam LB AF KK KG TJ UZ
- 19121. Bembidion (Testedium) bipunctatum** (Linnaeus,1761) (Carabidae) Synonym(s): bipunctatum Linnaeus,1761 Range (in code): AZ AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE GG GR HU IC IE IT LA LS LT MK MD NO PT RO RU SK SL ES SE CH TR UA MA IR KK KG TJ NL UZ
- 19122. Bembidion (Trepanes) octomaculatum** (Goeze,1777) (Carabidae) Synonym(s): octomaculatum Goeze,1777 Range (in code): AZ AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IT LA LT LU MK MD PT RO RU SK SL ES SE CH TR UA DZ MA TN IL Pa KK KG TJ TM NL UZ JP YU
- 19123. Bembidion concoeruleum** Netolitzky,1943 (Carabidae) Synonym(s): concoeruleum Netolitzky,1943 Range (in code): AL B-H BG HV GR IT MK RO TR YU
- 19124. Bembidion tibiale** (Duftschmid,1812) (Carabidae) Synonym(s): tibiale Duftschmid,1812 Range (in code): AZ AM Cc AT BE BG BY HV CZ FR GB DE GG GR HU IE IT LA LT LU MK MD NO PL PT RO RU SK SL ES CH TR UA NL
- 19125. Brachinus (Aploa) nobilis** (Dejean,1831) (Carabidae) Synonym(s): nobilis Dejean,1831 Range (in code): TR
- 19126. Brachinus (Brachynidius) ankarensis** Jedlicka,1962 (Carabidae) Synonym(s): ankarensis Jedlicka,1962 Range (in code): TR 06
- 19127. Brachinus (Brachynidius) bodemeyeri** Apfelbeck,1904 (Carabidae) Synonym(s): bodemeyeri Apfelbeck,1904; fulviventris Jeannel,1962 nec Mtsch.,1864 Range (in code): AZ AL AM Cc BE FR GG GR PT RU ES TR UA DZ MA IR IQ SY TJ TM UZ

- 19128. *Brachinus (Brachynidius) brevicollis* Motschoulsky,1844** (Carabidae) Synonym(s): brevicollis Motschoulsky,1844; peregrinus Apfelbeck,1904 Range (in code): **AZ AL AM Cc BG HV GG GR IT MD RU TR UA AF IQ KK KG SY TJ TM UZ**
- 19129. *Brachinus (Brachynidius) explodens* (Duftschmid,1812)** (Carabidae) Synonym(s): explodens Duftschmid,1812 Range (in code): **AZ AL AM Cc AT BE BG BY HV CZ EN FR DE GG GR HU IT LT LU MD PL PT RO RU SK SL ES TR UA IR IQ IL Pa KK KG**
- 19130. *Brachinus (Brachynidius) nigricornis* Gebler,1829** (Carabidae) Synonym(s): nigricornis Gebler,1829; incertus Brullé,1834 Range (in code): **AZ AL AM Cc BE FR GG GR HU IT RU SK ES TR UA KK KG TJ UZ**
- 19131. *Brachinus (Brachynidius) sclopeta* (Fabricius,1792)** (Carabidae) Synonym(s): sclopeta Fabricius,1792 Range (in code): **TR**
- 19132. *Brachinus (Cnecostolus) bayardi* Dejean,1831** (Carabidae) Synonym(s): bayardi Dejean,1831 Range (in code): **TR**
- 19133. *Brachinus (Cnecostolus) bipustulatus* (Quensel,1806)** (Carabidae) Synonym(s): bipustulatus Quensel,1806 Range (in code): **TR**
- 19134. *Brachinus (Cnecostolus) cruciatus* (Quensel,1806)** (Carabidae) Synonym(s): cruciatus Quensel,1806 Range (in code): **TR**
- 19135. *Brachinus (Cnecostolus) exhalans* (Rossi,1792)** (Carabidae) Synonym(s): exhalans Rossi,1792 Range (in code): **TR**
- 19136. *Brachinus (Cnecostolus) hamatus* Fischer von Waldheim,1828** (Carabidae) Synonym(s): hamatus Fischer von Waldheim,1828 Range (in code): **AZ AM Cc GG RU TR KK KG TJ TM UZ MN**
- 19137. *Brachinus (s.str.) alexandri* F.Battoni,1984** (Carabidae) Synonym(s): plagiatus Jablonkoff & Khnzorian,1973 nec Reiche,868; alexandri F.Battoni,1984 Range (in code): **AZ AL AM Cc BG GR RU TR UA**
- 19138. *Brachinus (s.str.) berytensis* Reiche & Saulcy,1855** (Carabidae) Synonym(s): berytensis Reiche & Saulcy,1855 Range (in code): **AZ AM Cc BG TR IL Pa SY**
- 19139. *Brachinus (s.str.) crepitans* (Linnaeus,1758)** (Carabidae) Synonym(s): crepitans Linnaeus,1758 Range (in code): **AZ AL AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MD PL PT RO RU SK SL ES SE CH TR UA CY IR**
- 19140. *Brachinus (s.str.) ejaculans* Fischer von Waldheim,1828** (Carabidae) Synonym(s): ejaculans Fischer von Waldheim,1828 Range (in code): **AZ AL AM Cc B-H BG HV GG GR HU MD RO RU TR UA AF IR IQ KK KG SY TJ TM UZ**
- 19141. *Brachinus (s.str.) ganglbaueri* Apfelbeck,1904** (Carabidae) Synonym(s): ganglbaueri Apfelbeck,1904 Range (in code): **TR**
- 19142. *Brachinus (s.str.) psophia* Audinet-Serville,1821** (Carabidae) Synonym(s): psophia Audinet-Serville,1821; elegans Chaudoir,1842 Range (in code): **AZ AM Cc B-H BG HV CZ FR GG GR HU IT MD RO RU SK SL ES TR UA MA IR IQ KG**
- 19143. *Brachinus (subg.) bagdatensis* Pic,1902** (Carabidae) Synonym(s): bagdatensis Pic,1902; richteri Jedlicka,1961 Range (in code): **IQ Bgd TR**
- 19144. *Brachinus immaculicornis* Dejean,1826** (Carabidae) Synonym(s): immaculicornis Dejean,1826 Range (in code): **BE HV FR IT ES TR DZ MA TN IR IL Pa SY**
- 19145. *Callisthenes (s.str.) brevisculus* (Mannerheim,1830)** (Carabidae) Synonym(s): brevisculus Mannerheim,1830; araraticus Chaudoir,1846 Range (in code): **TR 76**
- 19146. *Callisthenes (s.str.) ewersmanni* (Chaudoir,1850)** (Carabidae) Synonym(s): ewersmanni Chaudoir,1850 Range (in code): **TR**
- 19147. *Callisthenes (s.str.) peksi* (Heinz & Pavesi,1994)** (Carabidae) Synonym(s): peksi Heinz & Pavesi,1994 Range (in code): **TR**
- 19148. *Callisthenes (s.str.) persicus* (Géhin,1885)** (Carabidae) Synonym(s): persicus Géhin,1885; adehinotus Lassale,1992 Range (in code): **TR IR**
- 19149. *Callisthenes (s.str.) pesarinii* (Heinz & Pavesi,1994)** (Carabidae) Synonym(s): pesarinii Heinz & Pavesi,1994 Range (in code): **TR**
- 19150. *Callist (s.str.) lunatus* (Fabricius,1775)** (Carabidae) Synonym(s): lunatus Fabricius,1775 Range (in code): **AZ AL AD AM Cc AT BE B-H BG BY HV CZ FR GB DE GG HU IT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA MR IQ KK KG SY TJ TM NL UZ**
- 19151. *Calosoma adehinotus* Lassale,1992** (Carabidae) Synonym(s): adehinotus Lassale,1992 Range (in code): **TR**
- 19152. *Calosoma auropunctatum* Herbst,1784** (Carabidae) Synonym(s): auropunctatum Herbst,1784 Range (in code): **AT BE B-H BG HV CZ DK EN FR GR RO RU TR AF KA KK KG CN MN**
- 19153. *Calosoma brevisculus* Mannerheim,1830** (Carabidae) Synonym(s): brevisculus Mannerheim,1830 Range (in code): **AM Cc TR**
- 19154. *Calosoma ewersmanni* Chaudoir,1850** (Carabidae) Synonym(s): ewersmanni Chaudoir,1850 Range (in code): **TR SY**
- 19155. *Calosoma inquisitor* (Linnaeus,1758)** (Carabidae) Synonym(s): inquisitor Linnaeus,1758; punctiventris Reiche & Saulcy,1855; viridulum Kraatz,1877; cupreofulgens Chapman,1922 Range (in code): **AL BE B-**

**H BG HV CZ DK EN FI GB DE GR HU IE IT LT MK MD NO PL PT RO RU SK SL ES SE CH TR UA MA IR SY NL**

**19156. Calosoma maderae Fabricius,1775** (Carabidae) **Synonym(s):** maderae Fabricius,1775 **Range (in code):** **AZ AM Cc HV FR GG GR IT RU ES TR DZ Cn MA MR TN IR**

**19157. Calosoma peksi Heinz & Pavesi,1995** (Carabidae) **Synonym(s):** peksi Heinz & Pavesi,1995 **Range (in code):** **TR**

**19158. Calosoma persicus Gehin,1885** (Carabidae) **Synonym(s):** persicus Gehin,1885 **Range (in code):** **TR**

**19159. Calosoma pesarinii Heinz & Pavesi,1995** (Carabidae) **Synonym(s):** pesarinii Heinz & Pavesi,1995 **Range (in code):** **TR**

**19160. Calosoma sycophanta (Linnaeus,1758)** (Carabidae) **Synonym(s):** sycophanta Linnaeus,1758; severum Chaudoir,1850 **Range (in code):** **AZ AL AM Cc AT BE B-H BG HV CZ DK EN FR GB DE GR HU IT LT MK MD PL PT RO SK SL ES SE CH TR UA MA TN CY IR KK KG SY 06 61 65**

**19161. Caminara olivieri (Dejean,1831)** (Carabidae) **Synonym(s):** olivieri Dejean,1831 **Range (in code):** **TR**

**19162. Campalita auropunctatum (Herbst,1782)** (Carabidae) **Synonym(s):** auropunctatum Herbst,1782 **Range (in code):** **TR**

**19163. Carabus (Archicarabus) gotschii Chaudoir,1846** (Carabidae) **Synonym(s):** gotschii Chaudoir,1846 **Range (in code):** **TR**

**19164. Carabus (Archicarabus) victor Fischer von Waldheim,1836** (Carabidae) **Synonym(s):** victor Fischer von Waldheim,1836 **Range (in code):** **TR**

**19165. Carabus (Archicarabus) wiedemanni Ménéttriés,1836** (Carabidae) **Synonym(s):** wiedemanni Ménéttriés,1836; bythinus Lapouge,1908; winklerianus Breuning,1933 **Range (in code):** **TR 14 16 37 81**

**19166. Carabus (Cechenochilus) boeberi Adams,1817** (Carabidae) **Synonym(s):** boeberi Adams,1817 **Range (in code):** **AZ GG RU TR Cc**

**19167. Carabus (Cechenochilus) lazorumi Belousov & Zamotajlov,1999** (Carabidae) **Synonym(s):** lazorumi Belousov & Zamotajlov,1999 **Range (in code):** **TR**

**19168. Carabus (Heterocarabus) marietti De Cristoforis & Jan,1837** (Carabidae) **Synonym(s):** marietti De Cristoforis & Jan,1837; ativsengueni Schweiger,1962; petrovitzi Mandl,1964; pseudomariettii Schweiger,1962; charetianus Auvray,1992 **Range (in code):** **TR 54**

**19169. Carabus (Ischnocarabus) cychropalpus Peyron,1858** (Carabidae) **Synonym(s):** cychropalpus Peyron,1858; cychropalpus Mandl,1955 **Range (in code):** **TR**

**19170. Carabus (Ischnocarabus) tenuitarsis Kraatz,1877** (Carabidae) **Synonym(s):** tenuitarsis Kraatz,1877 **Range (in code):** **TR 06 18**

**19171. Carabus (Lamprostus) calleyi Fischer von Waldheim,1823** (Carabidae) **Synonym(s):** calleyi Fischer von Waldheim,1823 **Range (in code):** **AZ AM Cc GG TR IR 65**

**19172. Carabus (Lamprostus) erenleriensis Schweiger,1966** (Carabidae) **Synonym(s):** erenleriensis Schweiger,1966; kaynasliensis Machard,1975 **Range (in code):** **TR 14 67**

**19173. Carabus (Lamprostus) hemprichi Dejean,1826** (Carabidae) **Synonym(s):** hemprichi Dejean,1826 **Range (in code):** **TR IL Pa LB SY**

**19174. Carabus (Lamprostus) rabaroni Breuning,1964** (Carabidae) **Synonym(s):** rabaroni Breuning,1964 **Range (in code):** **TR 28**

**19175. Carabus (Lamprostus) robustus Deyrolle,1869** (Carabidae) **Synonym(s):** robustus Deyrolle,1869 **Range (in code):** **TR**

**19176. Carabus (Lamprostus) spinolai Cristoforis & Jan,1837** (Carabidae) **Synonym(s):** spinolai Cristoforis & Jan,1837 **Range (in code):** **TR 55 57**

**19177. Carabus (Lamprostus) torosus Frivaldsky,1835** (Carabidae) **Synonym(s):** torosus Frivaldsky,1835 **Range (in code):** **BG TR 18**

**19178. Carabus (Limnocarabus) clatratus Linnaeus,1761** (Carabidae) **Synonym(s):** clatratus Linnaeus,1761 **Range (in code):** **TR**

**19179. Carabus (Lipaster) gorgus Reitter,1898** (Carabidae) **Synonym(s):** gorgus Reitter,1898 **Range (in code):** **TR**

**19180. Carabus (Lipaster) stjernvalli Mannerheim,1830** (Carabidae) **Synonym(s):** stjernvalli Mannerheim,1830 **Range (in code):** **TR 75**

**19181. Carabus (Mimocarabus) maurus Adams,1817** (Carabidae) **Synonym(s):** maurus Adams,1817 **Range (in code):** **TR**

**19182. Carabus (Mimocarabus) pumilio Küster,1846** (Carabidae) **Synonym(s):** pumilio Küster,1846; araratensis Kraatz,1896 **Range (in code):** **TR 76**

**19183. Carabus (Morphocarabus) scabriusculus Olivier,1795** (Carabidae) **Synonym(s):** scabriusculus Olivier,1795 **Range (in code):** **TR BG**

**19184. Carabus (Oreocarabus) cribratus Quensel,1806** (Carabidae) **Synonym(s):** cribratus Quensel,1806 **Range (in code):** **TR 62**



- 19185. Carabus (Oreocarabus) porrectangulus Géhin,1885** (Carabidae) Synonym(s): porrectangulus Géhin,1885; ? farineli Machard,1975 Range (in code): TR
- 19186. Carabus (Oxycarabus) saphyrinus De Cristofis & Jan,1837** (Carabidae) Synonym(s): saphyrinus De Cristofis & Jan,1837 Range (in code): TR 14 18 54
- 19187. Carabus (Pachycarabus) roseri Faldermann,1835** (Carabidae) Synonym(s): roseri Faldermann,1835 Range (in code): TR
- 19188. Carabus (Pachystus) ganymed Heinz,1975** (Carabidae) Synonym(s): ganymed Heinz,1975 Range (in code): TR
- 19189. Carabus (Pachystus) graecus Dejean,1826** (Carabidae) Synonym(s): graecus Dejean,1826 Range (in code): GR TR
- 19190. Carabus (Pachystus) irmasanus Heinz & Korge,1967** (Carabidae) Synonym(s): felix Heinz & Korge,1967 nec Semen. & Znojko,1931; irmasanus Heinz & Korge,1967 Range (in code): TR
- 19191. Carabus (Pachystus) pisidicus Peyron,1854** (Carabidae) Synonym(s): pisidicus Peyron,1854 Range (in code): TR
- 19192. Carabus (Procerus) caucasicus Adams,1817** (Carabidae) Synonym(s): caucasicus Adams,1817 Range (in code): Cc TR 25 69
- 19193. Carabus (Procerus) scabrosus Olivier,1795** (Carabidae) Synonym(s): scabrosus Olivier,1795 Range (in code): TR 61
- 19194. Carabus (Procerus) sommeri Mannerheim,1844** (Carabidae) Synonym(s): sommeri Mannerheim,1844; brevisculus Kraatz,1876; uludagensis Schweiger,1964; basoglui Schweiger,1964 Range (in code): TR 05 14 16 17 62
- 19195. Carabus (Procerus) syriacus Kollar,1843** (Carabidae) Synonym(s): syriacus Kollar,1843; daphnensis Korell,1985 Range (in code): TR IL Pa LB SY
- 19196. Carabus (Procerus) transversalis Csiki,1927** (Carabidae) Synonym(s): transversalis Csiki,1927; laticollis Kraatz,1876 Range (in code): TR 31 51
- 19197. Carabus (Procrustes) anatolicus Chaudoir,1857** (Carabidae) Synonym(s): anatolicus Chaudoir,1857; cypricus Roeschke,1915 Range (in code): TR CY 07 32 33
- 19198. Carabus (Procrustes) chevrolati Cristoforis & Jan,1837** (Carabidae) Synonym(s): chevrolati Cristoforis & Jan,1837; assimilis Cristoforis & Jan,1837; persimilis Csiki,1927 Range (in code): GG TR Cc 13 18 65
- 19199. Carabus (Procrustes) clypeatus Adams,1817** (Carabidae) Synonym(s): clypeatus Adams,1817 Range (in code): AM Cc GG RU TR IR 08
- 19200. Carabus (Procrustes) coriaceus Linnaeus,1758** (Carabidae) Synonym(s): coriaceus Linnaeus,1758 Range (in code): AL AT BE B-H BY HV CZ DK EN FR GB DE GR HU IE IT LA LS LT LU MK MD NO PL RO RU SL CH TR UA SY NL 16 31
- 19201. Carabus (Procrustes) impressus Klug,1832** (Carabidae) Synonym(s): impressus Klug,1832 Range (in code): TR EG IQ IL Pa JO LY SY 63
- 19202. Carabus (Procrustes) mulsantianus Morawitz,1886** (Carabidae) Synonym(s): mulsantianus Morawitz,1886 Range (in code): TR SY 31
- 19203. Carabus (Procrustes) payapha White,1845** (Carabidae) Synonym(s): payapha White,1845; pseudoacuticollis Catlos & Moravec,1999 Range (in code): TR 07 33
- 19204. Carabus (Procrustes) piochardi Géhin,1883** (Carabidae) Synonym(s): piochardi Géhin,1883 Range (in code): TR IL Pa LY SY
- 19205. Carabus (Procrustes) punctatus Castelnau,1835** (Carabidae) Synonym(s): punctatus Castelnau,1835; antakyae Korell,1985 Range (in code): TR LB SY 31
- 19206. Carabus (s.str.) granulatus Linnaeus,1758** (Carabidae) Synonym(s): granulatus Linnaeus,1758 Range (in code): AZ AL AD AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LS LT LU MD NO PL RO RU SK SL ES SE CH TR UA KK KG NL JP
- 19207. Carabus (Sphodristocarabus) biroi Csiki,1927** (Carabidae) Synonym(s): biroi Csiki,1927 Range (in code): TR
- 19208. Carabus (Sphodristocarabus) coruhnehriensis Cavazzuti,1990** (Carabidae) Synonym(s): coruhnehriensis Cavazzuti,1990 Range (in code): TR 08
- 19209. Carabus (Sphodristocarabus) enigmaticus Heinz,1980** (Carabidae) Synonym(s): enigmaticus Heinz,1980 Range (in code): TR
- 19210. Carabus (Sphodristocarabus) georgia Cavazzuti,1984** (Carabidae) Synonym(s): georgia Cavazzuti,1984 Range (in code): TR
- 19211. Carabus (Sphodristocarabus) giachinoi Cavazzuti,1991** (Carabidae) Synonym(s): giachinoi Cavazzuti,1991 Range (in code): TR
- 19212. Carabus (Sphodristocarabus) gilnickii Deyrolle,1869** (Carabidae) Synonym(s): gilnickii Deyrolle,1869 Range (in code): TR
- 19213. Carabus (Sphodristocarabus) heinzi Breuning,1964** (Carabidae) Synonym(s): heinzi Breuning,1964 Range (in code): TR
- 19214. Carabus (Sphodristocarabus) kurdicus Heinz,1975** (Carabidae) Synonym(s): kurdicus Heinz,1975 Range (in code): TR

- 19215. Carabus (Sphodristocarabus) macrogonus Chaudoir,1847** (Carabidae) Synonym(s): macrogonus Chaudoir,1847 Range (in code): TR
- 19216. Carabus (Sphodristocarabus) pavesii Cavazzuti,1992** (Carabidae) Synonym(s): pavesii Cavazzuti,1992 Range (in code): TR
- 19217. Carabus (Sphodristocarabus) scovitzii Faldermann,1835** (Carabidae) Synonym(s): scovitzii Faldermann,1835 Range (in code): GG TR Cc
- 19218. Carabus (Sphodristocarabus) tokatensis Roeschke,1898** (Carabidae) Synonym(s): tokatensis Roeschke,1898 Range (in code): TR 60
- 19219. Carabus (Sphodristocarabus) varians Fischer von Waldheim,1827** (Carabidae) Synonym(s): varians Fischer von Waldheim,1827 Range (in code): AM Cc GG RU TR
- 19220. Carabus (Tomocarabus) convexus Fabricius,1775** (Carabidae) Synonym(s): convexus Fabricius,1775 Range (in code): TR 14 42 61
- 19221. Carabus (Tomocarabus) decolor Fischer von Waldheim,1823** (Carabidae) Synonym(s): decolor Fischer von Waldheim,1823 Range (in code): TR
- 19222. Carabus (Tomocarabus) rumelicus Chaudoir,1867** (Carabidae) Synonym(s): rumelicus Chaudoir,1867 Range (in code): TR 33 58
- 19223. Carabus (Tomocarabus) scabripennis Chaudoir,1867** (Carabidae) Synonym(s): scabripennis Chaudoir,1867 Range (in code): TR 07
- 19224. Carabus (Tomocarabus) simardianus Deuve,1990** (Carabidae) Synonym(s): simardianus Deuve,1990 Range (in code): TR
- 19225. Carabus intricatus Linnaeus,1761** (Carabidae) Synonym(s): intricatus Linnaeus,1761 Range (in code): AL AT BE B-H BG BY HV CZ DK FR DE GR HU IT LU MK MD PL RO RU SK ES CH TR UA
- 19226. Carabus legrandi Deuve,1991** (Carabidae) Synonym(s): legrandi Deuve,1991 Range (in code): TR
- 19227. Carabus marietti Cristoforis & Jan,1837** (Carabidae) Synonym(s): marietti Cristoforis & Jan,1837 Range (in code): BG TR
- 19228. Carabus maurus Adams,1817** (Carabidae) Synonym(s): maurus Adams,1817 Range (in code): AM Cc GG TR CY IR IQ IL Pa LY SY TM
- 19229. Carabus merdeniki Cavazzuti & Korell,1992** (Carabidae) Synonym(s): merdeniki Cavazzuti & Korell,1992 Range (in code): TR
- 19230. Carabus montivagus Palliardi,1825** (Carabidae) Synonym(s): montivagus Palliardi,1825 Range (in code): AL B-H BG HV GR MK RO SK TR
- 19231. Carabus omphreodes Reitter,1898** (Carabidae) Synonym(s): omphreodes Reitter,1898 Range (in code): TR
- 19232. Carabus pisidicus Peyron,1854** (Carabidae) Synonym(s): pisidicus Peyron,1854 Range (in code): TR
- 19233. Carabus pseudodepressus Machard,1988** (Carabidae) Synonym(s): pseudodepressus Machard,1988 Range (in code): TR
- 19234. Carabus pumilio Kuster,1846** (Carabidae) Synonym(s): pumilio Kuster,1846 Range (in code): AM Cc GG TR
- 19235. Carabus puschkini Adams,1817** (Carabidae) Synonym(s): puschkini Adams,1817 Range (in code): AZ AM Cc GG TR
- 19236. Carabus roseri Faldermann,1835** (Carabidae) Synonym(s): roseri Faldermann,1835 Range (in code): GG Cc TR
- 19237. Carabus saphyrinus Cristoforis & Jan,1837** (Carabidae) Synonym(s): saphyrinus Cristoforis & Jan,1837 Range (in code): TR
- 19238. Cephalota (s.str.) turcica (Schaum,1859)** (Carabidae) Synonym(s): turcica Schaum,1859 Range (in code): MK GR TR BG 10 16 22 34 35
- 19239. Cephalota (Taenidia) circumdata (Dejean,1822)** (Carabidae) Synonym(s): circumdata Dejean,1822 Range (in code): ES DZ TN IT Sa Si FR TR GR Cr BG 06 09 10 17 19 22 35 40 48 66
- 19240. Cephalota (Taenidia) deserticola (Faldermann,1836)** (Carabidae) Synonym(s): deserticola Faldermann,1836 Range (in code): TR MN CN Ui AF IR RU Ur Cc 36
- 19241. Cephalota (Taenidia) eiselti (Mandl,1967)** (Carabidae) Synonym(s): eiselti Mandl,1967 Range (in code): TR 06 18 38 58 68
- 19242. Chlaenius (Chlaeniellus) differens Peyron,1858** (Carabidae) Synonym(s): differens Peyron,1858 Range (in code): TR SY
- 19243. Chlaenius (Chlaeniellus) kindermanni Chaudoir,1856** (Carabidae) Synonym(s): kindermanni Chaudoir,1856 Range (in code): ST UA TJ UZ AZ AM Cc GG KG ST KG TR
- 19244. Chlaenius (Chlaeniellus) nigricornis (Fabricius,1787)** (Carabidae) Synonym(s): nigricornis Fabricius,1787 Range (in code): AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE GG HU IE IT LA LS LT LU MA MK MD NO PL RO RU SL ES SE CH TR UA KG NL
- 19245. Chlaenius (Chlaeniellus) nitidulus (Schränk,1781)** (Carabidae) Synonym(s): nitidulus Schränk,1781 Range (in code): AL AD AT BE B-H BG BY HV CZ DK EN FA FR GB DE HU IE IT LS LU MA MK MD PL RU SK SL ES CH TR UA MR KG NL

- 19246. Chlaenius (Chlaeniellus) tristis (Schaller,1783)** (Carabidae) Synonym(s): tristis Schaller,1783  
Range (in code): **AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR DE GG HU IT LA LS LT LU MA MK MD NO PL RU SK SL ES SE CH TR UA MR KG TM NL UZ**
- 19247. Chlaenius (Chlaeniellus) vestitus (Paykull,1790)** (Carabidae) Synonym(s): vestitus Paykull,1790  
Range (in code): **AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE RU TR MR IR IQ**
- 19248. Chlaenius (Chlaenites) spoliatus (P.Rossi,1792)** (Carabidae) Synonym(s): spoliatus P.Rossi,1792  
Range (in code): **AZ AL AD AM Cc AT B-H BG BY HV CZ FR GG GR HU IT MA MK MD RO RU SK SL ES TR UA DZ CI EG LY MA MR AF CY IR IQ IL Pa KK KG LB SY TJ TM UZ CN JP MN KR KP**
- 19249. Chlaenius aeneocephalus Dejean,1826** (Carabidae) Synonym(s): aeneocephalus Dejean,1826  
Range (in code): **AZ AM Cc B-H BG HV HU RO TR UA IR KG SY TJ TM UZ**
- 19250. Chlaenius circumscriptus Duftschmid,1812** (Carabidae) Synonym(s): circumscriptus Duftschmid,1812  
Range (in code): **AZ AL AM Cc B-H BG HV FR GG GR HU IT PT RO RU SK ES TR UA EG KG TJ TM UZ**
- 19251. Chlaenius cruralis Fischer von Waldheim,1829** (Carabidae) Synonym(s): cruralis Fischer von Waldheim,1829  
Range (in code): **AZ AL AM Cc B-H BG GG GR MK MD RO RU TR UA IR IQ IL Pa JO KG SY TJ TM UZ**
- 19252. Chlaenius decipiens L.Dufour,1820** (Carabidae) Synonym(s): decipiens L.Dufour,1820  
Range (in code): **AZ AL AM Cc B-H BG HV FR DE GG GR HU IT MK MD PT RO RU SK ES TR UA DZ MA TN KG**
- 19253. Chlaenius festivus (Panzer,1796)** (Carabidae) Synonym(s): festivus Panzer,1796  
Range (in code): **AZ AL AM Cc AT B-H BG BY HV CZ FR GG HU IT LT MK MD RO RU SK SL TR UA EG LY TN AF IR IQ KG SY TJ UZ**
- 19254. Chlaenius viridis Ménétériés,1832** (Carabidae) Synonym(s): viridis Ménétériés,1832  
Range (in code): **AZ AM Cc B-H GG RU TR IR KG UZ**
- 19255. Cicindela asiatica Audouin & Brullé,1839** (Carabidae) Synonym(s): asiatica Audouin & Brullé,1839  
Range (in code): **TR SY IR Qz AM AZ Nv Ord Cc TM Kp 01 12 13 23 30 31 46 49 56 62 63 65**
- 19256. Cicindela campestris Linnaeus,1758** (Carabidae) Synonym(s): campestris Linnaeus,1758  
Range (in code): **SE HV AL BG GR Rd Cr MA DZ TN IT Si Co Sa Md CY TR 05 06 07 11 14 15 16 17 19 26 29 32 34 35 37 41 42 45 48 52 60 64**
- 19257. Cicindela desertorum Dejean,1825** (Carabidae) Synonym(s): desertorum Dejean,1825  
Range (in code): **TR RU Ur GG AZ AM 08 13 28 29 52 53 61 65 73 75 76**
- 19258. Cicindela herbacea Klug,1832** (Carabidae) Synonym(s): herbacea Klug,1832; persana Dokhtouroff,1885  
Range (in code): **LB Bei TR IL Pa SY AM 01 05 07 09 27 31 32 33 46 70**
- 19259. Cicindela sylvatica Linnaeus,1758** (Carabidae) Synonym(s): sylvatica Linnaeus,1758  
Range (in code): **TR 16 34 58**
- 19260. Cicindela turkestanicoides W.Horn,1938** (Carabidae) Synonym(s): turkestanicoides W.Horn,1938  
Range (in code): **TR IR Elb Th Mz 12 13 24 30 44 49 62 65**
- 19261. Cylindera (Cicindina) arenaria (Fuessli,1775)** (Carabidae) Synonym(s): arenaria Fuessli,1775  
Range (in code): **DE PL AT CZ SK HU RO GR RU Ur Sb BG TR Cc GG 18 19 20 25 29 38 43 50 52 60 61**
- 19262. Cylindera (Cicindina) pygmaea (Dejean,1825)** (Carabidae) Synonym(s): pygmaea Dejean,1825  
Range (in code): **TR SY IR Ss IQ 01 27 33 47 57 60 63**
- 19263. Cylindera (Cicindina) sublacerata (Solsky,1874)** (Carabidae) Synonym(s): sublacerata Solsky,1874  
Range (in code): **TM KG IR AF PK Ch MN CN Ui Cc RU Da AZ GG AM TR 04 76**
- 19264. Cylindera (Cicindina) trisignata (Dejean,1822)** (Carabidae) Synonym(s): trisignata Dejean,1822  
Range (in code): **MA DZ PT ES IT Sa Si MT TN LY Co NL FR GR BG RO TR UA Cm RU Ur 01 07 34 48 52 55**
- 19265. Cylindera (s.str.) germanica (Linnaeus,1758)** (Carabidae) Synonym(s): germanica Linnaeus,1758  
Range (in code): **Cc AM AZ GG SY IR MN TR NL CH PL LT RU UA ES FR GB BE DE AT IT CZ SK HU YU GR BG RO MN UZ TM 08 15 18 25 35 36 53 61**
- 19266. Cymbionotum (s.str.) mandli (Jedlicka,1963)** (Carabidae) Synonym(s): mandli Jedlicka,1963  
Range (in code): **IR Ss**
- 19267. Cymbionotum (s.str.) microphthalmum (Chaudoir,1876)** (Carabidae) Synonym(s): microphthalmum Chaudoir,1876  
Range (in code): **ET NE YE SN KE Trk**
- 19268. Cymbionotum (s.str.) pictulum (Bates,1874)** (Carabidae) Synonym(s): pictulum Bates,1874; transcaucasica Chaudoir,1874; signata Semenov,1889  
Range (in code): **AF TM IR Ss IQ Bgd UZ Tas Cc Da RU TR SA SD**
- 19269. Cymbionotum (s.str.) schueppelii (Dejean,1825)** (Carabidae) Synonym(s): schueppelii Dejean,1825; rufofasciatum Basilewsky,1948  
Range (in code): **IL Pa AO CMCf TD CG ZR GM ET KE MR NG SN SA SO SD UG**
- 19270. Cymbionotum (s.str.) semelederi (Chaudoir,1861)** (Carabidae) Synonym(s): semelederi Chaudoir,1861; alginus Chaudoir,1876; funerula Fairmaire,1885; luniferum Andrewes,1935; houskai Jedlicka,1951  
Range (in code): **TD NE SA SO SD YE AF DZ AM AZ Cc CY EG IQ Bgd IR Fa JO KW KG MA MR PK IL Pa SY Hal TN TR TM Kp 07**



- 19271. Cymbionotum (s.str.) semirubricum (Reitter,1914)** (Carabidae) Synonym(s): semirubricum Reitter,1914; aethiopicus Alluaud,1923; airense Basilewsky,1950 Range (in code): LB SA NE ET IQ PK TR
- 19272. Cymbionotum (s.str.) striatum (Reitter,1894)** (Carabidae) Synonym(s): striatum Reitter,1894 Range (in code): AF Hr PK Qu BI
- 19273. Cymbionotum (s.str.) subcaecum Ball & Shpeley,2005** (Carabidae) Synonym(s): subcaecum Ball & Shpeley,2005 Range (in code): PK Qu BI
- 19274. Cymbionotum (s.str.) transcaspicum (Semenov,1891)** (Carabidae) Synonym(s): transcaspicum Semenov,1891; rufotestaceus Pic,1904 nec Fairm.,1893; mesopotamicus Csiki,1929 Range (in code): Cc AZ EG IG Bgd TJ TM
- 19275. Harpalus (Artabas) kadleci (Kataev & Wrase,1995)** (Carabidae) Synonym(s): kadleci Kataev & Wrase,1995 Range (in code): TR
- 19276. Harpalus (Artabas) petri (Tschitschérine,1902)** (Carabidae) Synonym(s): petri Tschitschérine,1902 Range (in code): TR
- 19277. Harpalus (Artabas) punctatostriatus (Dejean,1829)** (Carabidae) Synonym(s): punctatostriatus Dejean,1829 Range (in code): TR
- 19278. Harpalus (Artabas) suturangulus (Reitter,1887)** (Carabidae) Synonym(s): suturangulus Reitter,1887 Range (in code): TR
- 19279. Harpalus (Artabas) szalliesi (Kataev & Wrase,1995)** (Carabidae) Synonym(s): szalliesi Kataev & Wrase,1995 Range (in code): TR
- 19280. Harpalus (Harpalophonus) circumpunctatus (Chaudoir,1846)** (Carabidae) Synonym(s): circumpunctatus Chaudoir,1846; anatolicus K.Daniel,1904 (praeocc.) Range (in code): TR
- 19281. Harpalus (Harpalophonus) hospes (Sturm,1818)** (Carabidae) Synonym(s): hospes Sturm,1818; sturmi Dejean,1829 Range (in code): TR
- 19282. Harpalus (Harpalophonus) kagyzmanicus Kataev,1984** (Carabidae) Synonym(s): kagyzmanicus Kataev,1984 Range (in code): TR 36
- 19283. Harpalus (s.str.) affinis (Schränk,1781)** (Carabidae) Synonym(s): aeneus Fabricius,1775; affinis Schränk,1781; bifoveolatus Kuster,1846; paganettii Flach,1907 Range (in code): PT ES FR BE NL GB IE SE NO FI DE DK EE LT LV MY RU Cc UA CZ SK SS HU IT AT CH SS YU MK GR BG RO TR Co Sa AL CY 65
- 19284. Harpalus (s.str.) albanicus Reitter,1900** (Carabidae) Synonym(s): albanicus Reitter,1900 Range (in code): AL TR
- 19285. Harpalus (s.str.) anatolicus Tschitschérine,1898** (Carabidae) Synonym(s): anatolicus Tschitschérine,1898 Range (in code): TR
- 19286. Harpalus (s.str.) angulatus Putzeys,1878** (Carabidae) Synonym(s): angulatus Putzeys,1878; polychromus Apfelbeck,1904 Range (in code): TR
- 19287. Harpalus (s.str.) anxioides Kataev,1991** (Carabidae) Synonym(s): anxioides Kataev,1991 Range (in code): TR
- 19288. Harpalus (s.str.) anxius (Duftschmid,1812)** (Carabidae) Synonym(s): anxius Duftschmid,1812; pumilus Dejean,1829 nec Sturm,1818 Range (in code): TR
- 19289. Harpalus (s.str.) araraticus Mlynar,1979** (Carabidae) Synonym(s): araraticus Mlynar,1979 Range (in code): TR 04
- 19290. Harpalus (s.str.) atratus Latreille,1804** (Carabidae) Synonym(s): atratus Latreille,1804 Range (in code): TR
- 19291. Harpalus (s.str.) attenuatus Stephens,1828** (Carabidae) Synonym(s): attenuatus Stephens,1828 Range (in code): TR
- 19292. Harpalus (s.str.) autumnalis (Duftschmid,1812)** (Carabidae) Synonym(s): autumnalis Duftschmid,1812 Range (in code): TR
- 19293. Harpalus (s.str.) brachypterus Tschitschérine,1908** (Carabidae) Synonym(s): brachypterus Tschitschérine,1908 Range (in code): TR
- 19294. Harpalus (s.str.) caspius Steven,1806** (Carabidae) Synonym(s): caspius Steven,1806 Range (in code): TR
- 19295. Harpalus (s.str.) compressus Motschoulsky,1844** (Carabidae) Synonym(s): compressus Motschoulsky,1844; amator Reitter,1900 Range (in code): TR
- 19296. Harpalus (s.str.) cupreus Dejean,1829** (Carabidae) Synonym(s): cupreus Dejean,1829; fastuosus Faldermann,1835 Range (in code): TR
- 19297. Harpalus (s.str.) dimidiatus (Rossi,1790)** (Carabidae) Synonym(s): dimidiatus Rossi,1790 Range (in code): TR
- 19298. Harpalus (s.str.) distinguendus (Duftschmid,1812)** (Carabidae) Synonym(s): distinguendus Duftschmid,1812; psittacinus Reitter,1900 Range (in code): TR
- 19299. Harpalus (s.str.) euchlorus Ménétériés,1836** (Carabidae) Synonym(s): euchlorus Ménétériés,1836 Range (in code): TR
- 19300. Harpalus (s.str.) flavicornis Dejean,1829** (Carabidae) Synonym(s): flavicornis Dejean,1829 Range (in code): TR

- 19301. Harpalus (s.str.) fuscicornis Ménériés,1832** (Carabidae) Synonym(s): fuscicornis Ménériés,1832 [Range \(in code\): TR](#)
- 19302. Harpalus (s.str.) fuscipalpis Sturm,1818** (Carabidae) Synonym(s): fuscipalpis Sturm,1818 [Range \(in code\): TR](#)
- 19303. Harpalus (s.str.) honestus (Duftschmid,1812)** (Carabidae) Synonym(s): honestus Duftschmid,1812; demelti Korge,1962 [Range \(in code\): TR](#)
- 19304. Harpalus (s.str.) kazanensis Jedlicka,1958** (Carabidae) Synonym(s): kazanensis Jedlicka,1958 [Range \(in code\): TR 06](#)
- 19305. Harpalus (s.str.) latus (Linnaeus,1758)** (Carabidae) Synonym(s): latus Linnaeus,1758 [Range \(in code\): TR](#)
- 19306. Harpalus (s.str.) metallinus Ménériés,1836** (Carabidae) Synonym(s): metallinus Ménériés,1836 [Range \(in code\): TR](#)
- 19307. Harpalus (s.str.) murzini Kataev,2008** (Carabidae) Synonym(s): murzini Kataev,2008 [Range \(in code\): IR Elb Gh](#)
- 19308. Harpalus (s.str.) oblitus Dejean,1829** (Carabidae) Synonym(s): oblitus Dejean,1829 [Range \(in code\): TR](#)
- 19309. Harpalus (s.str.) pulvinatus Ménériés,1848** (Carabidae) Synonym(s): pulvinatus Ménériés,1848; lubricus Reitter,1900 [Range \(in code\): TR](#)
- 19310. Harpalus (s.str.) pygmaeus Dejean,1829** (Carabidae) Synonym(s): pygmaeus Dejean,1829 [Range \(in code\): TR](#)
- 19311. Harpalus (s.str.) quadratus Chaudoir,1846** (Carabidae) Synonym(s): quadratus Chaudoir,1846; polychromus Tschitschérine,1897 [Range \(in code\): TR](#)
- 19312. Harpalus (s.str.) quadripunctatus Dejean,1829** (Carabidae) Synonym(s): quadripunctatus Dejean,1829 [Range \(in code\): TR](#)
- 19313. Harpalus (s.str.) quasianxius Kataev,1989** (Carabidae) Synonym(s): quasianxius Kataev,1989 [Range \(in code\): TR](#)
- 19314. Harpalus (s.str.) reflexus Putzeys,1878** (Carabidae) Synonym(s): reflexus Putzeys,1878; ciliciensis Mlynar,1979; anadoluensis Kataev,1993 [Range \(in code\): TR 33](#)
- 19315. Harpalus (s.str.) rubripes Duftschmid,1812** (Carabidae) Synonym(s): rubripes Duftschmid,1812; sobrinus Dejean,1829; serdicanus Apfelbeck,1904 [Range \(in code\): PT ES FR BE NL GB IE SE NO FI DE DK EE LT LV MY RU Cc UA CZ SK SS HU IT Si AT CH SS YU MK GR Cr BG RO TR Co Sa AL CY 36 65](#)
- 19316. Harpalus (s.str.) rufipalpis Sturm,1818** (Carabidae) Synonym(s): rufitarsis Duftschmid,1812 nec Ill.,1802; rufipalpis Sturm,1818 [Range \(in code\): TR](#)
- 19317. Harpalus (s.str.) saxicola Dejean,1829** (Carabidae) Synonym(s): saxicola Dejean,1829 [Range \(in code\): TR](#)
- 19318. Harpalus (s.str.) serripes (Quensel,1806)** (Carabidae) Synonym(s): serripes Quensel,1806 [Range \(in code\): TR](#)
- 19319. Harpalus (s.str.) smaragdinus (Duftschmid,1812)** (Carabidae) Synonym(s): smaragdinus Duftschmid,1812 [Range \(in code\): TR](#)
- 19320. Harpalus (s.str.) smyrnensis Heyden,1888** (Carabidae) Synonym(s): smyrnensis Heyden,1888; bulgharensis Jedlicka,1958; boluensis Jedlicka,1962; dagliari Jedlicka,1962; ilgadsensis Jedlicka,1962 [Range \(in code\): TR 14 33 35 37](#)
- 19321. Harpalus (s.str.) subcylindricus Dejean,1829** (Carabidae) Synonym(s): subcylindricus Dejean,1829 [Range \(in code\): TR](#)
- 19322. Harpalus (s.str.) subtruncatus Chaudoir,1846** (Carabidae) Synonym(s): subtruncatus Chaudoir,1846 [Range \(in code\): TR](#)
- 19323. Harpalus (s.str.) sulphuripes Germar,1824** (Carabidae) Synonym(s): sulphuripes Germar,1824 [Range \(in code\): TR](#)
- 19324. Harpalus (s.str.) taciturnus Dejean,1829** (Carabidae) Synonym(s): taciturnus Dejean,1829 [Range \(in code\): TR 05](#)
- 19325. Harpalus (s.str.) tardus (Panzer,1797)** (Carabidae) Synonym(s): tardus Panzer,1797 [Range \(in code\): TR](#)
- 19326. Harpalus (s.str.) torosensis Jedlicka,1961** (Carabidae) Synonym(s): torosensis Jedlicka,1961 [Range \(in code\): TR](#)
- 19327. Harpalus (s.str.) trichophorus Tschitschérine,1897** (Carabidae) Synonym(s): trichophorus Tschitschérine,1897 [Range \(in code\): TR](#)
- 19328. Harpalus (s.str.) tristis Tschitschérine,1898** (Carabidae) Synonym(s): tristis Tschitschérine,1898 [Range \(in code\): TR](#)
- 19329. Harpalus (s.str.) xanthopus Gemminger & Harold,1868** (Carabidae) Synonym(s): xanthopus Gemminger & Harold,1868; ?winckleri Schauburger,1923 [Range \(in code\): TR](#)
- 19330. Harpalus (s.str.) zabroides Dejean,1829** (Carabidae) Synonym(s): zabroides Dejean,1829 [Range \(in code\): TR](#)

- 19331. Homodela ismenia (Gory,1833)** (Carabidae) **Synonym(s):** ismenia Gory,1833 Range (in code):  
**GR TR 01 05 06 07 11 12 13 20 31 32 33 35 37 38 40 42 44 46 48 49 55 60 67**
- 19332. Laemostenus (Pristonychus) amasiae Semenov,1891** (Carabidae) **Synonym(s):** amasiae  
Semenov,1891 Range (in code): **TR 05**
- 19333. Laemostenus (Pristonychus) asiaminoris Casale,1988** (Carabidae) **Synonym(s):** asiaminoris  
Casale,1988 Range (in code): **TR**
- 19334. Laemostenus (Pristonychus) capitatus Chaudoir,1854** (Carabidae) **Synonym(s):** capitatus  
Chaudoir,1854 Range (in code): **TR**
- 19335. Laemostenus (Pristonychus) cimmerius (Fischer von Waldheim,1823)** (Carabidae)  
**Synonym(s):** cimmerius Fischer von Waldheim,1823; weirathei J.Müller,1932 Range (in code): **AL AM Cc TR GR BG IT IL Pa**
- 19336. Laemostenus (Pristonychus) conspicuus (Waltl,1838)** (Carabidae) **Synonym(s):** conspicuus  
Waltl,1838; grandicollis Sturm,1843; grandis Motschoulsky,1950; nitidus Motschoulsky,1865 Range (in code): **CY GR TR Rd**
- 19337. Laemostenus (Pristonychus) elburzensis Morvan,1981** (Carabidae) **Synonym(s):** elburzensis  
Morvan,1981 Range (in code): **IR Elb**
- 19338. Laemostenus (Pristonychus) gratus (Faldermann,1836)** (Carabidae) **Synonym(s):** gratus  
Faldermann,1836; angustatus Faldermann,1838; caucasicus Chaudoir,1846 Range (in code): **AZ AM GG Cc**
- 19339. Laemostenus (Pristonychus) lederi (Reitter,1885)** (Carabidae) **Synonym(s):** lederi  
Reitter,1885 Range (in code): **Cc GG TR AM**
- 19340. Laemostenus (Pristonychus) mannerheimi (Kolenati,1845)** (Carabidae) **Synonym(s):**  
mannerheimi Kolenati,1845; armeniacus Casale,1988; transcaucasicus Casale,1988; araratensis Casale,1988 Range (in code): **TR Cc AM 04**
- 19341. Laemostenus (Pristonychus) pakistanus (Jedlicka,1962)** (Carabidae) **Synonym(s):**  
pakistanus Jedlicka,1962 Range (in code): **PK**
- 19342. Laemostenus (Pristonychus) piceus (Motschulsky,1850)** (Carabidae) **Synonym(s):** piceus  
Motschulsky,1850 Range (in code): **Cc GG AM**
- 19343. Laemostenus (Pristonychus) pisidicus J.Müller,1932** (Carabidae) **Synonym(s):** pisidicus  
J.Müller,1932 Range (in code): **TR**
- 19344. Laemostenus (Pristonychus) ponticus Casale,1988** (Carabidae) **Synonym(s):** ponticus  
Casale,1988; kurdistanus Casale,1988; subponticus Casale,1988; caesareae Casale,1988 Range (in code): **TR**
- 19345. Laemostenus (Pristonychus) pretiosus (Faldermann,1837)** (Carabidae) **Synonym(s):**  
pretiosus Faldermann,1837; amoenus Fischer von Waldheim,1844 Range (in code): **AM RU Cc TR**
- 19346. Laemostenus (Pristonychus) rigrevanensis (Coiffait,1962)** (Carabidae) **Synonym(s):**  
rigrevanensis Coiffait,1962; dahanensis Coiffait,1962; djalrezi Coiffait,1962; kaboulensis Coiffait,1962 Range (in code):  
**AF Kab**
- 19347. Laemostenus (Pristonychus) sciakyi Casale & Vigna Taglianti,1999** (Carabidae)  
**Synonym(s):** sciakyi Casale & Vigna Taglianti,1999 Range (in code): **TR**
- 19348. Laemostenus (Pristonychus) sericeus (Fischer von Waldheim,1824)** (Carabidae)  
**Synonym(s):** sericeus Fischer von Waldheim,1824; tauricus Dejean,1828; hepaticus Faldermann,1836 Range (in code):  
**UA RU Da AM Cc TR GG**
- 19349. Leistus (Pogonophorus) hermonis Piochard,1875** (Carabidae) **Synonym(s):** hermonis  
Piochard,1875 Range (in code): **LB TR 46**
- 19350. Leistus (Pogonophorus) montanus Stephens,1828** (Carabidae) **Synonym(s):** montanus  
Stephens,1828; adanensis Maran,1941; richteri Shilenkov,1999 Range (in code): **TR 01**
- 19351. Leistus (Pogonophorus) noesskei Banninger,1932** (Carabidae) **Synonym(s):** noesskei  
Banninger,1932 Range (in code): **TR**
- 19352. Leistus (Pogonophorus) parvicollis Chaudoir,1869** (Carabidae) **Synonym(s):** parvicollis  
Chaudoir,1869 Range (in code): **TR**
- 19353. Leistus (Pogonophorus) rufomarginatus (Duftschmid,1812)** (Carabidae) **Synonym(s):**  
rufomarginatus Duftschmid,1812; ottomanus Schweiger,1970 Range (in code): **TR**
- 19354. Leistus (Pogonophorus) spinibarbis (Fabricius,1775)** (Carabidae) **Synonym(s):** spinibarbis  
Fabricius,1775 Range (in code): **TR IT TR CY AL B-H HV BG GR Cr HU IT Sa Si MK SL YU 46**
- 19355. Leistus (s.str.) caucasicus Chaudoir,1867** (Carabidae) **Synonym(s):** caucasicus Chaudoir,1867  
Range (in code): **UA Cm TN CY IL Pa TR SY 46**
- 19356. Leistus (s.str.) chaudiiri Perrault,1986** (Carabidae) **Synonym(s):** chaudiiri Perrault,1986  
Range (in code): **TR**
- 19357. Leistus (s.str.) femoralis Chaudoir,1846** (Carabidae) **Synonym(s):** femoralis Chaudoir,1846  
Range (in code): **TR**
- 19358. Leistus (s.str.) fulvibarbis Dejean,1826** (Carabidae) **Synonym(s):** fulvibarbis Dejean,1826  
Range (in code): **TR**
- 19359. Leistus (s.str.) fulvus Chaudoir,1846** (Carabidae) **Synonym(s):** fulvus Chaudoir,1846 Range (in code): **TR**



- 19360. *Leistus* (s.str.) *ledouxii* Perrault,1986** (Carabidae) Synonym(s): *ledouxii* Perrault,1986 Range (in code): TR
- 19361. *Leistus* (s.str.) *ovitensis* Perrault,1974** (Carabidae) Synonym(s): *ovitensis* Perrault,1974 Range (in code): TR
- 19362. *Lophyridia aphrodisia* (Baudi,1864)** (Carabidae) Synonym(s): *aphrodisia* Baudi,1864 Range (in code): CY SY IT SI TR 01 07
- 19363. *Lophyridia caucasica* (Adams,1817)** (Carabidae) Synonym(s): *caucasica* Adams,1817 Range (in code): Cc AM IQ TR SY IR Ab Ak 01 05 21 23 24 27 30 33 36 38 42 44 47 50 60 63 70 72
- 19364. *Lophyridia concolor* (Dejean,1822)** (Carabidae) Synonym(s): *concolor* Dejean,1822 Range (in code): TR Cr Rd GR SY 01 07 09 31 33 48
- 19365. *Lophyridia fischeri* (Adams,1817)** (Carabidae) Synonym(s): *fischeri* Adams,1817 Range (in code): AM AZ Cc GG Tbl IR TR BG GR CY Rd IQ TM PK Bl TJ AF OM 01 02 07 12 16 18 19 20 21 23 24 25 27 29 30 31 33 35 36 38 43 44 46 47 48 50 56 58 60 62 63 65 72 80
- 19366. *Lophyridia hilariola* (Bates,1874)** (Carabidae) Synonym(s): *hilariola* Bates,1874 Range (in code): TR IQ IR Mos Bgd 27 63
- 19367. *Lophyridia littoralis* (Fabricius,1787)** (Carabidae) Synonym(s): *littoralis* Fabricius,1787 Range (in code): TR 01 06 07 09 15 16 18 20 22 23 25 27 31 32 33 34 35 38 40 42 47 48 50 51 52 54 55 58 59 60 61 63 65 72
- 19368. *Megacephala euphratica* Dejean,1822** (Carabidae) Synonym(s): *euphratica* Dejean,1822 Range (in code): IR AF PK AM TR ES MA MR SA OM YE DJ IL Pa JO SY IQ KW Cr Rd GR CY 33
- 19369. *Myriochile* (Monelica) *orientalis* (Dejean,1825)** (Carabidae) Synonym(s): *orientalis* Dejean,1825 Range (in code): TR SY IQ IR AM AZ RU Da TM TJ 63
- 19370. *Myriochile* (s.str.) *melancholica* (Fabricius,1798)** (Carabidae) Synonym(s): *melancholica* Fabricius,1798 Range (in code): MG IN IT GR Cr Rd PT ES Co Sa CY TR SY IQ IR IL Pa SA OM YE AF PK TM UZ TJ KG 01 06 07 09 20 27 31 33 35 44
- 19371. *Nebria* (Eunebria) *jarrigei* Ledoux & Roux,1991** (Carabidae) Synonym(s): *jarrigei* Ledoux & Roux,1991 Range (in code): GG TR Cc
- 19372. *Nebria* (Eunebria) *merkliana* Apfelbeck,1904** (Carabidae) Synonym(s): *merkliana* Apfelbeck,1904 Range (in code): BG TR
- 19373. *Nebria* (Eunebria) *nigerrima* Chaudoir,1846** (Carabidae) Synonym(s): *nigerrima* Chaudoir,1846 Range (in code): AZ AM Cc TR IR
- 19374. *Nebria* (Eunebria) *pivicornis* (Fabricius,1801)** (Carabidae) Synonym(s): *pivicornis* Fabricius,1801 Range (in code): AT BE CZ FR DE IT PL SK ES CH TR UA IR
- 19375. *Nebria* (Eurynebria) *complanata* (Linnaeus,1767)** (Carabidae) Synonym(s): *complanata* Linnaeus,1767 Range (in code): FR GB IT PT ES TR DZ MA TN IR
- 19376. *Nebria* (s.str.) *adjarica* Shilenkov,1983** (Carabidae) Synonym(s): *adjarica* Shilenkov,1983 Range (in code): TR Cc GG
- 19377. *Nebria* (s.str.) *alpicola* Motschoulsky,1865** (Carabidae) Synonym(s): *alpicola* Motschoulsky,1865 Range (in code): TR
- 19378. *Nebria* (s.str.) *araschinica* Reitter,1892** (Carabidae) Synonym(s): *araschinica* Reitter,1892 Range (in code): AM Cc TR 25
- 19379. *Nebria* (s.str.) *arcensis* Ledoux & Roux,1990** (Carabidae) Synonym(s): *arcensis* Ledoux & Roux,1990 Range (in code): TR
- 19380. *Nebria* (s.str.) *bonellii* M.F. Adams,1817** (Carabidae) Synonym(s): *bonellii* M.F. Adams,1817 Range (in code): GG RU Cc TR 08
- 19381. *Nebria* (s.str.) *crassiceps* Bates,1874** (Carabidae) Synonym(s): *crassiceps* Bates,1874 Range (in code): TR
- 19382. *Nebria* (s.str.) *defreinai* Kirschenhofer,1981** (Carabidae) Synonym(s): *defreinai* Kirschenhofer,1981 Range (in code): TR
- 19383. *Nebria* (s.str.) *deuveiana* Ledoux & Roux,1990** (Carabidae) Synonym(s): *deuveiana* Ledoux & Roux,1990 Range (in code): TR
- 19384. *Nebria* (s.str.) *elliptipennis* Bates,1874** (Carabidae) Synonym(s): *elliptipennis* Bates,1874 Range (in code): TR
- 19385. *Nebria* (s.str.) *finissima* Ledoux & Roux,1990** (Carabidae) Synonym(s): *finissima* Ledoux & Roux,1990 Range (in code): TR
- 19386. *Nebria* (s.str.) *fischeri* Faldermann,1836** (Carabidae) Synonym(s): *fischeri* Faldermann,1836 Range (in code): GG Cc TR 08
- 19387. *Nebria* (s.str.) *glacialis* Ledoux & Roux,1999** (Carabidae) Synonym(s): *glacialis* Ledoux & Roux,1999 Range (in code): TR
- 19388. *Nebria* (s.str.) *glacilicola* Ledoux & Roux,2001** (Carabidae) Synonym(s): *glacilicola* Ledoux & Roux,2001 Range (in code): TR
- 19389. *Nebria* (s.str.) *gotschii* Chaudoir,1846** (Carabidae) Synonym(s): *gotschii* Chaudoir,1846 Range (in code): AM Cc TR

- 19390. *Nebria* (s.str.) *hemprichi* Klug,1832** (Carabidae) **Synonym(s):** *hemprichi* Klug,1832 **Range (in code):** [TR IR IL Pa SY](#)
- 19391. *Nebria* (s.str.) *irregularis* Jedlicka,1965** (Carabidae) **Synonym(s):** *irregularis* Jedlicka,1965 **Range (in code):** [TR](#)
- 19392. *Nebria* (s.str.) *korgei* Jedlicka,1965** (Carabidae) **Synonym(s):** *korgei* Jedlicka,1965 **Range (in code):** [TR](#)
- 19393. *Nebria* (s.str.) *mandibularis* Bates,1872** (Carabidae) **Synonym(s):** *mandibularis* Bates,1872 **Range (in code):** [TR 30](#)
- 19394. *Nebria* (s.str.) *mirabilis* Ledoux & Roux,1990** (Carabidae) **Synonym(s):** *mirabilis* Ledoux & Roux,1990 **Range (in code):** [TR](#)
- 19395. *Nebria* (s.str.) *pontica* Ledoux & Roux,1990** (Carabidae) **Synonym(s):** *pontica* Ledoux & Roux,1990 **Range (in code):** [TR](#)
- 19396. *Nebria* (s.str.) *sinuosa* Ledoux & Roux,1990** (Carabidae) **Synonym(s):** *sinuosa* Ledoux & Roux,1990 **Range (in code):** [TR](#)
- 19397. *Nebria* (s.str.) *thonitida* Ledoux & Roux,1990** (Carabidae) **Synonym(s):** *thonitida* Ledoux & Roux,1990 **Range (in code):** [TR](#)
- 19398. *Nebria* (s.str.) *turcica* Chaudoir,1843** (Carabidae) **Synonym(s):** *turcica* Chaudoir,1843 **Range (in code):** [TR](#)
- 19399. *Nebria* (s.str.) *walterheinzi* Ledoux & Roux,1990** (Carabidae) **Synonym(s):** *walterheinzi* Ledoux & Roux,1990 **Range (in code):** [TR](#)
- 19400. *Nebria* (s.str.) *wiedemanni* Fischer von Waldheim,1844** (Carabidae) **Synonym(s):** *wiedemanni* Fischer von Waldheim,1844 **Range (in code):** [TR 18](#)
- 19401. *Nebria* (Tyrrhenia) *coiffaiti* Ledoux,1983** (Carabidae) **Synonym(s):** *coiffaiti* Ledoux,1983 **Range (in code):** [TR](#)
- 19402. *Nebria* (Tyrrhenia) *oramarensis* Shilenkov & Heinz,1984** (Carabidae) **Synonym(s):** *oramarensis* Shilenkov & Heinz,1984 **Range (in code):** [TR 30](#)
- 19403. *Nebria* (Tyrrhenia) *testacea* Olivier,1811** (Carabidae) **Synonym(s):** *testacea* Olivier,1811 **Range (in code):** [GR TR](#)
- 19404. *Nebria* (Tyrrhenia) *uluderensis* Shilenkov & Heinz,1984** (Carabidae) **Synonym(s):** *uluderensis* Shilenkov & Heinz,1984 **Range (in code):** [TR 73](#)
- 19405. *Neoblemus* (s.str.) *gillerforsi* Jeannel,1996** (Carabidae) **Synonym(s):** *gillerforsi* Jeannel,1996 **Range (in code):** [TR](#)
- 19406. *Notiophilus* *aestuans* Dejean,1826** (Carabidae) **Synonym(s):** *aestuans* Dejean,1826 **Range (in code):** [AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LT MD NO PL RU SK SL ES SE CH TR UA IR SY NL](#)
- 19407. *Notiophilus* *biguttatus* (Fabricius,1779)** (Carabidae) **Synonym(s):** *biguttatus* Fabricius,1779 **Range (in code):** [AM Cc AT BE B-H BY HV CZ DK EN FA FI FR GB DE GG HU IC IE IT LA LS LT MK MD NO PL SK SL ES SE CH TR UA NL](#)
- 19408. *Notiophilus* *danieli* Reitter,1897** (Carabidae) **Synonym(s):** *danieli* Reitter,1897 **Range (in code):** [B-H BG HV GR MK TR IR IL Pa SY](#)
- 19409. *Notiophilus* *germinyi* Fauvel,1863** (Carabidae) **Synonym(s):** *germinyi* Fauvel,1863 **Range (in code):** [AZ AT BE B-H BG BY HV CZ DK EN FI FR GB DE HU IE IT LA LT MD NO PL RU SK SL ES SE CH TR CI KG NL](#)
- 19410. *Notiophilus* *interstitialis* Reitter,1889** (Carabidae) **Synonym(s):** *interstitialis* Reitter,1889 **Range (in code):** [BG GR MD TR UA SY](#)
- 19411. *Notiophilus* *laticollis* Chaudoir,1850** (Carabidae) **Synonym(s):** *laticollis* Chaudoir,1850 **Range (in code):** [AZ AM Cc AT B-H BG CZ DE HU MK MD PL RO RU SK TR UA](#)
- 19412. *Notiophilus* *rufipes* Curtis,1829** (Carabidae) **Synonym(s):** *rufipes* Curtis,1829 **Range (in code):** [AZ AM Cc AT BE B-H BG HV CZ DK FR GB GG GR HU IT LS MK MD NO PL PT RU SK SL ES SE CH TR NL](#)
- 19413. *Notiophilus* *substriatus* C.R.Waterhouse,1833** (Carabidae) **Synonym(s):** *substriatus* C.R.Waterhouse,1833 **Range (in code):** [AT BE B-H BG HV FR GB DE HU IE IT MK SL ES CH TR UA MA NL](#)
- 19414. *Oodes* (s.str.) *gracilis* A.Villa & GB.Villa,1833** (Carabidae) **Synonym(s):** *gracilis* A.Villa & GB.Villa,1833 **Range (in code):** [AT B-H BG HV CZ EN FR DE GR HU IT LA MD PL RO RU SK SL ES SE TR UA TM](#)
- 19415. *Oodes* (s.str.) *helopioides* Fabricius,1792** (Carabidae) **Synonym(s):** *helopioides* Fabricius,1792 **Range (in code):** [AL AT BE B-H BG HV CZ DK EN FI FR GB DE GR HU IT LA LS LT MD NO PL RO SK SL ES SE CH TR MA KG TJ NL UZ JP](#)
- 19416. *Ophonus* (*Hesperophonus*) *azureus* (Fabricius,1775)** (Carabidae) **Synonym(s):** *azureus* Fabricius,1775; *konienensis* Schaubberger,1927 **Range (in code):** [TR 24 42](#)
- 19417. *Ophonus* (s.str.) *sabulicola* (Panzer,1796)** (Carabidae) **Synonym(s):** *sabulicola* Panzer,1796 **Range (in code):** [ES TR 24](#)
- 19418. *Parvocaecus* (*Parvocaecus*) *anatolicus* (Coiffait,1956)** (Carabidae) **Synonym(s):** *anatolicus* Coiffait,1956 **Range (in code):** [TR](#)

- 19419. Parvocaecus (Parvocaecus) tokatensis (Vigna Taglianti,1976)** (Carabidae) Synonym(s): tokatensis Vigna Taglianti,1976 Range (in code): TR 60
- 19420. Parvocaecus (Parvocaecus) turcicus (Coiffait,1956)** (Carabidae) Synonym(s): turcicus Coiffait,1956 Range (in code): TR
- 19421. Paussus (Cochliopaussus) turcicus Frivaldszky,1835** (Carabidae) Synonym(s): turcicus Frivaldszky,1835 Range (in code): AZ AM Cc BG GG GR MK TR IR JO KK KG LY SY TJ TM UZ
- 19422. Perileptus areolatus (Creutzer,1799)** (Carabidae) Synonym(s): areolatus Creutzer,1799 Range (in code): AZ AL AM Cc AT B-H BG BY HV CZ GB DE GG GR HU IE IT LA MK MD NO PL PT RO RU SK SL ES SE CH TR UA IR IL Pa SA SY
- 19423. Pogonistes convexicollis Chaudoir,1871** (Carabidae) Synonym(s): convexicollis Chaudoir,1871 Range (in code): BE GR RU TR UA KG
- 19424. Pogonistes liliputanus Apfelbeck,1904** (Carabidae) Synonym(s): liliputanus Apfelbeck,1904 Range (in code): GR TR
- 19425. Pogonistes rufoaeneus Dejean,1828** (Carabidae) Synonym(s): rufoaeneus Dejean,1828 Range (in code): BE GR RO RU TR UA KG
- 19426. Pseudoophonus rufipes (DeGeer,1774)** (Carabidae) Synonym(s): rufipes DeGeer,1774; pubescens O.F.Müller,1776 Range (in code): TR 04
- 19427. Siagona (Siagona) europaea Dejean,1826** (Carabidae) Synonym(s): europaea Dejean,1826 Range (in code): AZ AL AM Cc BG HV GG GR IT MK PT RU ES TR DZ EG LY MA TN AF CY
- 19428. Sinechostictus (s.str.) effluviator (Peyron,1858)** (Carabidae) Synonym(s): effluviator Peyron,1858 Range (in code): TR
- 19429. Sinechostictus (s.str.) elongatus (Dejean,1831)** (Carabidae) Synonym(s): elongatus Dejean,1831 Range (in code): AT BE B-H HV DE HU IT LU PT RO RU ES CH TR IR IL Pa NL YU
- 19430. Stenolophus abdominalis Gène,1836** (Carabidae) Synonym(s): abdominalis Gène,1836 Range (in code): AZ AF DZ AM Cc BG HV EG FR GG GR HU IR IQ IL Pa IT KK MK MD PT RO RU ES SY TJ TM TR TN UA UZ PK
- 19431. Stenolophus mixtus (Herbst,1784)** (Carabidae) Synonym(s): mixtus Herbst,1784 Range (in code): AZ Cc DZ AL AT AM BE B-H CH BG BY HV CZ DE FI FR GB DK GG GR HU IR IT KK KG LT MK MD NL PL PT RO RU SK SS ES TR UA UZ
- 19432. Stenolophus skrimshirani Stephens,1828** (Carabidae) Synonym(s): skrimshirani Stephens,1828 Range (in code): AZ Cc DZ AL AT BE B-H BG BY HV CY CZ DK FR GB DE GG GR HU IT MD NL PL RU SK SS ES SY TR UA UZ SE CH
- 19433. Synuchus (Synuchus) vivalis Illiger,1798** (Carabidae) Synonym(s): vivalis Illiger,1798 Range (in code): AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE HU IE IT LA LS LT LU NO PL PT RU SK SL ES SE CH TR UA IL Pa KG NL UZ
- 19434. Tachys (Eotachys) bistriatus (Duftschmid,1812)** (Carabidae) Synonym(s): bistriatus Duftschmid,1812 Range (in code): AZ AM Cc AT BE BG CZ DK EN FI FR GB DE GG GR HU IT LT LU MK NO PL PT RO RU SK ES SE CH TR UA DZ CI EG MA MR TN IR KG PA SY TJ TM NL UZ
- 19435. Tachys (Eotachys) fulvicollis (Dejean,1831)** (Carabidae) Synonym(s): fulvicollis Dejean,1831 Range (in code): AZ AM Cc BE BG HV CZ FR DE GG HU IT LU MK PT RO RU SK ES CH TR DZ KG SY TJ TM UZ
- 19436. Tachys (Eotachys) jeannei Coulon,2004** (Carabidae) Synonym(s): jeannei Coulon,2004 Range (in code): TR
- 19437. Tachys (Eotachys) micros (Fischer von Waldheim,1828)** (Carabidae) Synonym(s): micros Fischer von Waldheim,1828 Range (in code): AZ AM Cc AT BE BG BY HV CZ FR GB DE GG HU IE IT LT LU MK PL PT RO RU SK ES CH TR UA EG MA TN AF CY IR KA KK KG TJ TM NL UZ CN JP KP
- 19438. Tachys (Eotachys) transcaasicus Coulon,2004** (Carabidae) Synonym(s): transcaasicus Coulon,2004 Range (in code): GG Cc TR IQ
- 19439. Tachys (Eotachys) trechoderus Coulon,2004** (Carabidae) Synonym(s): trechoderus Coulon,2004 Range (in code): TR
- 19440. Taphoxenus (Lychnifugus) cellarum Adams,1817** (Carabidae) Synonym(s): cellarum Adams,1817 Range (in code): AZ AM Cc GG IR IQ JO SY TR
- 19441. Taphoxenus (Lychnifugus) cerberus Ganglbauer,1905** (Carabidae) Synonym(s): cerberus Ganglbauer,1905 Range (in code): TR
- 19442. Trechus (s.str.) austriacus Dejean,1831** (Carabidae) Synonym(s): austriacus Dejean,1831 Range (in code): AT B-H BG BY HV CZ FR DE GR HU IT LT MD PL RO RU SK SL TR UA
- 19443. Trechus (s.str.) crucifer Piochard,1876** (Carabidae) Synonym(s): crucifer Piochard,1876 Range (in code): BG GR TR CY IL Pa JO LB SY
- 19444. Trechus (s.str.) ilgazicus Pawlowski,1976** (Carabidae) Synonym(s): ilgazicus Pawlowski,1976 Range (in code): TR 18
- 19445. Trechus (s.str.) kackardagi Pawlowski,1978** (Carabidae) Synonym(s): kackardagi Pawlowski,1978 Range (in code): TR



- 19446. Trechus (s.str.) machardi** Jeanne,1976 (Carabidae) Synonym(s): machardi Jeanne,1976 Range (in code): TR
- 19447. Trechus (s.str.) melanocephalus** Kolenati,1845 (Carabidae) Synonym(s): melanocephalus Kolenati,1845 Range (in code): AZ AM Cc RU TR IR
- 19448. Trechus (s.str.) michaeli** Pawlowski,1978 (Carabidae) Synonym(s): michaeli Pawlowski,1978 Range (in code): TR
- 19449. Trechus (s.str.) obtusus** Erichson,1837 (Carabidae) Synonym(s): obtusus Erichson,1837 Range (in code): AL AT BE B-H BG HV CZ DK EN FA FR GB DE HU IC IE IT LA MK NO PL PT RO SK SL ES SE CH TR DZ MA MR TN NL
- 19450. Trechus (s.str.) osmanilis** K.Daniel & J.Daniel,1902 (Carabidae) Synonym(s): osmanilis K.Daniel & J.Daniel,1902 Range (in code): TR
- 19451. Trechus (s.str.) pamphylicus** Jeanne,1996 (Carabidae) Synonym(s): pamphylicus Jeanne,1996 Range (in code): TR
- 19452. Trechus (s.str.) quadristriatus** (Schrank,1781) (Carabidae) Synonym(s): quadristriatus Schrank,1781 Range (in code): AZ AL AM Cc AT BE B-H BG BY HV DK EN FI FR GB DE GG GR HU IE IT LA LT LU MA MK MD NO PL PT RO SK SL ES SE CH TR UA DZ EG MA AF CY IR IQ IL Pa JO KK KG LB SY TJ TM NL UZ
- 19453. Trechus (s.str.) sauleyanus** Csiki,1928 (Carabidae) Synonym(s): sauleyanus Csiki,1928 Range (in code): TR CY IL Pa JO LB SY
- 19454. Trechus (s.str.) ulrichi** Pawlowski,1976 (Carabidae) Synonym(s): ulrichi Pawlowski,1976 Range (in code): TR
- 19455. Trechus (s.str.) urartaeus** Pavesi & Sciaky,1994 (Carabidae) Synonym(s): urartaeus Pavesi & Sciaky,1994 Range (in code): TR
- 19456. Trechus (s.str.) witkowski** Pawlowski,1978 (Carabidae) Synonym(s): witkowski Pawlowski,1978 Range (in code): TR
- 19457. Trechus (s.str.) ziganensis** Jeanne,1976 (Carabidae) Synonym(s): ziganensis Jeanne,1976 Range (in code): TR 61
- 19458. Troglocimmerites (s.str.) pasquinii** Vigna Taglianti,1977 (Carabidae) Synonym(s): pasquinii Vigna Taglianti,1977 Range (in code): GG TR Cc
- 19459. Turkanillus (Turkanillus) strinatii** Coiffait,1956 (Carabidae) Synonym(s): strinatii Coiffait,1956 Range (in code): TR
- 19460. Xenion ignitum** (Kraatz,1875) (Carabidae) Synonym(s): ignitum Kraatz,1875 Range (in code): BG MK RO TR
- 19461. Zabrus aciculatus** Schaum,1864 (Carabidae) Synonym(s): aciculatus Schaum,1864 Range (in code): AM Cc TR
- 19462. Zabrus aurichalceus** M.F.Adams,1817 (Carabidae) Synonym(s): aurichalceus M.F.Adams,1817 Range (in code): Cc GG TR AM
- 19463. Zabrus chalceus** Faldermann,1836 (Carabidae) Synonym(s): chalceus Faldermann,1836 Range (in code): AM Cc TR
- 19464. Zabrus morio** Mandrias,1832 (Carabidae) Synonym(s): morio Mandrias,1832 Range (in code): AZ AM Cc GG TR AF IR KG PA SY TM UZ
- 19465. Zabrus spinipes** (Fabricius,1798) (Carabidae) Synonym(s): spinipes Fabricius,1798 Range (in code): AT BE CZ GR HU PL SK SE TR YU
- 19466. Zabrus tenebrioides** (Goeze,1777) (Carabidae) Synonym(s): tenebrioides Goeze,1777 Range (in code): AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MK MD PL RO RU SK SL ES SE CH TR UA CY IR
- 19467. Cebrion nigricollis** Laporte,1838 (Cebrionidae) Synonym(s): nigricollis Laporte,1838 Range (in code): TR
- 19468. Aeolesthes sarta** (Solsky,1871) (Cerambycidae) Synonym(s): sarta Solsky,1871 Range (in code): IR AF PK IN TJ
- 19469. Agapanthia (Agapanthiopia) coeruleipennis** Frivaldsky,1878 (Cerambycidae) Synonym(s): coeruleipennis Frivaldsky,1878; brevis Pic,1891 Range (in code): TR IR SY 02 07 12 25 30 31 32 44 46 47 62 63 65
- 19470. Agapanthia (Chionosticta) niveisparsa** Holzschuh,1981 (Cerambycidae) Synonym(s): niveisparsa Holzschuh,1981 Range (in code): PK
- 19471. Agapanthia (Drosotrichia) annularis** (Olivier,1795) (Cerambycidae) Synonym(s): annularis Olivier,1795 Range (in code): ES PT LY DZ EGMA TN TR
- 19472. Agapanthia (Epopetes) angelicae** Reitter,1898 (Cerambycidae) Synonym(s): angelicae Reitter,1898; latior Pic,1898; hauseri Reitter,1901; subnuda Reitter,1905; jacobsoni Plavilstshikov,1915 Range (in code): TM IR Elb Mz
- 19473. Agapanthia (Epopetes) asphodeli** (Latreille,1804) (Cerambycidae) Synonym(s): asphodeli Latreille,1804; spencii Gyllenhal,1817; insularis Gautier,1870; reyi Mulsant & Godart,1870; mimica Pic,1927 Range (in code): AZ AL Cc AM GG B-H BG HV FR GR IT MK MD MT PT ES RO YU KG TR

- 19474. Agapanthia (Epopetes) cynarae (Germar,1817)** (Cerambycidae) Synonym(s): cynarae Germar,1817; decora Krynicki,1834; diversicornis Pic,1927 Range (in code): **AZ Cc AL AM GG B-H HV ES DE SS RO YU IT BG GR Cr TR**
- 19475. Agapanthia (Epopetes) dahli (Richter,1821)** (Cerambycidae) Synonym(s): dahli Richter,1821 Range (in code): **RU Cc KG SK**
- 19476. Agapanthia (Epopetes) detrita Kraatz,1882** (Cerambycidae) Synonym(s): detrita Kraatz,1882; bucharica Pic,1901 Range (in code): **UZ KK TJ KG TR**
- 19477. Agapanthia (Epopetes) kindermanni Pic,1905** (Cerambycidae) Synonym(s): kindermanni Pic,1905; amicula Holzschuh,1989 Range (in code): **TR 01 33**
- 19478. Agapanthia (Epopetes) lateralis Ganglbauer,1884** (Cerambycidae) Synonym(s): lateralis Ganglbauer,1884; orientalis Pic,1901; bilateralis Pic,1927 Range (in code): **TR AM Cc SY 33**
- 19479. Agapanthia (Epopetes) nicosiensis Pic,1927** (Cerambycidae) Synonym(s): nicosiensis Pic,1927 Range (in code): **CY**
- 19480. Agapanthia (Epopetes) nigriventris Waterhouse,1889** (Cerambycidae) Synonym(s): nigriventris Waterhouse,1889 Range (in code): **AF TM**
- 19481. Agapanthia (Epopetes) persica Semenov,1893** (Cerambycidae) Synonym(s): persica Semenov,1893 Range (in code): **IR Kh**
- 19482. Agapanthia (Epopetes) pustulifera Pic,1905** (Cerambycidae) Synonym(s): pustulifera Pic,1905 Range (in code): **IL Pa SY LB**
- 19483. Agapanthia (Epopetes) salviae Holzschuh,1975** (Cerambycidae) Synonym(s): salviae Holzschuh,1975 Range (in code): **IR**
- 19484. Agapanthia (Epopetes) schmidti Holzschuh,1975** (Cerambycidae) Synonym(s): schmidti Holzschuh,1975 Range (in code): **TR**
- 19485. Agapanthia (Epopetes) simplicicornis Reitter,1898** (Cerambycidae) Synonym(s): simplicicornis Reitter,1898 Range (in code): **TR SY IL Pa 49**
- 19486. Agapanthia (Epopetes) subchalybaea Reitter,1898** (Cerambycidae) Synonym(s): subchalybaea Reitter,1898; subacuta Pic,1909 Range (in code): **AZ Cc GG TR**
- 19487. Agapanthia (Epopetes) subflavida Pic,1903** (Cerambycidae) Synonym(s): subflavida Pic,1903 Range (in code): **TR**
- 19488. Agapanthia (Epopetes) verecunda Chevrolat,1882** (Cerambycidae) Synonym(s): verecunda Chevrolat,1882; delangrangei Pic,1894 Range (in code): **SY**
- 19489. Agapanthia (Epopetes) villosoviridescens (De Geer,1775)** (Cerambycidae) Synonym(s): villosoviridescens De Geer,1775 Range (in code): **TR RU Cc KG 21**
- 19490. Agapanthia (Epopetes) walteri (Reitter,1898)** (Cerambycidae) Synonym(s): walteri Reitter,1898; erivanica Pic,1900; theryi Pic,1908 Range (in code): **TR AM Eri Cc AZ GG IR 05 12 13 25 30 36 47 62 65**
- 19491. Agapanthia (s.str.) amitina Holzschuh,1989** (Cerambycidae) Synonym(s): amitina Holzschuh,1989 Range (in code): **IR Qz**
- 19492. Agapanthia (s.str.) cardui (Linnaeus,1767)** (Cerambycidae) Synonym(s): cardui Linnaeus,1767; coerulescens Petagna,1786; trilineata Schoenherr,1817; marginalis Mulsant,1839; nigroaenea Mulsant,1839; consobrina Chevrolat,1840; peragalii Mulsant,1863; grossa Pic,1891; pannonica Kratochvil,1985 Range (in code): **AL AT BE BG HV CZ FR DE GR HU IT KG MK PT PL RO SK SS ES CH UA YU TR**
- 19493. Agapanthia (s.str.) fallax Holzschuh,1974** (Cerambycidae) Synonym(s): fallax Holzschuh,1974 Range (in code): **TR 49**
- 19494. Agapanthia (s.str.) gemella Holzschuh,1989** (Cerambycidae) Synonym(s): gemella Holzschuh,1989 Range (in code): **CY**
- 19495. Agapanthia (s.str.) persicola Reitter,1894** (Cerambycidae) Synonym(s): persicola Reitter,1894; violaceipennis Pic,1904 Range (in code): **TR TM AZ AM GG Cc IR Kh**
- 19496. Agapanthia (s.str.) suturalis (Fabricius,1787)** (Cerambycidae) Synonym(s): suturalis Fabricius,1787; annulata Fabricius,1792; velox Gistel,1857; subacutalis Chevrolat,1882; ruficornis Pic,1918; rufofemoralis Pic,1946 Range (in code): **PT MA DZ Cn LY TN ES LY IT Si TR Cc AZ AM GG CY IR IL Pa JO IQ SY LB KG 24 27 30 31 33 42 44 58 62 71 73 79 80**
- 19497. Agapanthia (Smaragdula) frivaldskyi Ganglbauer,1884** (Cerambycidae) Synonym(s): frivaldskyi Ganglbauer,1884 Range (in code): **BG RO TR SY IL Pa IQ IR JO 13 49**
- 19498. Agapanthia (Smaragdula) lais Reiche,1858** (Cerambycidae) Synonym(s): lais Reiche,1858 Range (in code): **SY IL Pa JO LB TR GR**
- 19499. Agapanthia (Smaragdula) osmanlis Reiche & Saulcy,1858** (Cerambycidae) Synonym(s): osmanlis Reiche & Saulcy,1858 Range (in code): **RO BG HU TR SY**
- 19500. Agapanthia (Smaragdula) violacea (Fabricius,1775)** (Cerambycidae) Synonym(s): violacea Fabricius,1775; micans Fuessly,1775; cyanea Herbst,1784; janthina Gmelin,1790; coerulea Schönherr,1817; smaragdina Krynicki,1832; chalybaea Mulsant,1839 Range (in code): **RU Cc AZ GG Sb TR KG GR 01 03 06 11 14 16 19 20 22 24 27 31 32 33 34 35 38 39 40 41 42 45 46 48 50 51 65 67 71 78 80 81**

- 19501. Agapanthia (Stichodera) irrorata (Fabricius,1787)** (Cerambycidae) Synonym(s): irrorata Fabricius,1787; rorida Gmelin,1790; pubiventris Mulsant,1863; granulosa Chevrolat,1881; integra Chevrolat,1882 Range (in code): Co MA DZ TN ES PT IT Sa TR
- 19502. Agapanthia (Synthapsia) kirbyi (Gyllenhal,1817)** (Cerambycidae) Synonym(s): kirbyi Gyllenhal,1817; latipennis Mulsant,1862; zawadskyi Fairmaire,1866 Range (in code): ES FR IT SK HU Cc UA MD RO YU AL MK GR BG Cr RU TR IL Pa SY IR 01 03 04 05 06 07 11 13 15 16 19 22 24 25 32 33 35 36 38 40 42 44 45 46 51 56 60 65 68 80
- 19503. Agapanthiola leucaspis (Steven,1817)** (Cerambycidae) Synonym(s): leucaspis Steven,1817; cyanella Dalman,1817; pectoralis Eschscholtz,1818; euterpe Ganglbauer,1900 Range (in code): SK HU YU RU Cc AZ AM GG AT B-H BG CZ HU MK MD RO SK UA YU TR GR TM KK KG MN UZ TJ
- 19504. Alosterna anatolica Adlbauer,1992** (Cerambycidae) Synonym(s): anatolica Adlbauer,1992 Range (in code): TR 07
- 19505. Alosterna scapularis (Heyden,1878)** (Cerambycidae) Synonym(s): scapularis Heyden,1878 Range (in code): AZ Cc TR IR
- 19506. Alosterna tabacicolor (De Geer,1775)** (Cerambycidae) Synonym(s): tabacicolor De Geer,1775 Range (in code): RU Cc KG IR SK CZ
- 19507. Anaglyptus arabicus (Küster,1847)** (Cerambycidae) Synonym(s): arabicus Küster,1847 Range (in code): Cc GG AZ AM TR IR
- 19508. Anaglyptus ganglbaueri Reitter,1886** (Cerambycidae) Synonym(s): ganglbaueri Reitter,1886 Range (in code): Cc AZ TR IR
- 19509. Anaglyptus mysticus (Linnaeus,1758)** (Cerambycidae) Synonym(s): mysticus Linnaeus,1758 Range (in code): DZ ES FR IT SS MK AL GR BG Cc TR RO HU AT CH BE NL DK DE GB CZ PL NO EE LT BY UA Cm MD
- 19510. Anastrangalia dubia (Scopoli,1763)** (Cerambycidae) Synonym(s): dubia Scopoli,1763 Range (in code): Cc IR TR DZ CZ SK
- 19511. Anastrangalia montana (Mulsant & Rey,1863)** (Cerambycidae) Synonym(s): montana Mulsant & Rey,1863 Range (in code): SY TR GR Cr 32
- 19512. Anastrangalia sanguinolenta (Linnaeus,1761)** (Cerambycidae) Synonym(s): sanguinolenta Linnaeus,1761 Range (in code): TR Cc 75
- 19513. Anoplistes chodjii (Holzschuh,1974)** (Cerambycidae) Synonym(s): chodjii Holzschuh,1974 Range (in code): IR Kh
- 19514. Anoplodera rufipes (Schaller,1783)** (Cerambycidae) Synonym(s): rufipes Schaller,1783 Range (in code): Cc TR IR CZ
- 19515. Anoplodera sexguttata (Fabricius,1775)** (Cerambycidae) Synonym(s): sexguttata Fabricius,1775 Range (in code): DZ Cc DE CZ
- 19516. Arhopalus ferus (Pic,1891)** (Cerambycidae) Synonym(s): ferus Pic,1891 Range (in code): HV TR
- 19517. Arhopalus rusticus (Linnaeus,1758)** (Cerambycidae) Synonym(s): rusticus Linnaeus,1758 Range (in code): CZ TR 06 07 08 10 14 15 20 31 34 43 48 52 53 57 60 61 69 80
- 19518. Arhopalus syriacus (Reitter,1895)** (Cerambycidae) Synonym(s): syriacus Reitter,1895 Range (in code): TR 01 07 08 27 31 33 35 48 50 63 80
- 19519. Aromia moschata (Linnaeus,1758)** (Cerambycidae) Synonym(s): moschata Linnaeus,1758 Range (in code): Cc TR IR CZ SE 02 36 65
- 19520. Asemum tenuicorne Kraatz,1879** (Cerambycidae) Synonym(s): tenuicorne Kraatz,1879 Range (in code): TR 06 31
- 19521. Axinopalpis gracilis (Krynicky,1832)** (Cerambycidae) Synonym(s): gracilis Krynicky,1832 Range (in code): RU Cc CZ GR
- 19522. Batocera rufomaculata (DeGeer,1775)** (Cerambycidae) Synonym(s): rufomaculata DeGeer,1775 Range (in code): IN MU MG RE EG Sn IL Pa TR 33
- 19523. Blepisanis vittipennis (Reich,1877)** (Cerambycidae) Synonym(s): vittipennis Reich,1877 Range (in code): TR BG Cc 02
- 19524. Calamobius filum (Rossi,1790)** (Cerambycidae) Synonym(s): filum Rossi,1790 Range (in code): GR Cc TR SK CZ FR
- 19525. Calchaenesthes oblongomaculatus (Guérin,1844)** (Cerambycidae) Synonym(s): oblongomaculatus Guérin,1844 Range (in code): GR TR 33
- 19526. Callergates akbesianus (Pic,1900)** (Cerambycidae) Synonym(s): akbesianus Pic,1900 Range (in code): TR 07 31 42
- 19527. Callergates gaillardoti (Chevrolat,1854)** (Cerambycidae) Synonym(s): gaillardoti Chevrolat,1854 Range (in code): Rd Sms CY TR SY Ltk LB 01 07 09 33 48 80
- 19528. Callimoxys gracilis (Brullé,1832)** (Cerambycidae) Synonym(s): gracilis Brullé,1832 Range (in code): Cc RU Kr AZ B-H BG HV GG GR HU MK RO SK SS UA YU TR IR TM
- 19529. Callimus (Lampropterus) femoratus (Germar,1824)** (Cerambycidae) Synonym(s): femoratus Germar,1824 Range (in code): Cc TR IR 33 65



- 19530. Callimus (Procallimus) distinctipes (Pic,1906)** (Cerambycidae) Synonym(s): distinctipes Pic,1906 Range (in code): SY JO
- 19531. Callimus (Procallimus) egregius (Mulsant & Rey,1863)** (Cerambycidae) Synonym(s): egregius Mulsant & Rey,1863 Range (in code): TR GR UA Cm 33
- 19532. Callimus (Procallimus) khorasanii Holzschuh,2006** (Cerambycidae) Synonym(s): khorasanii Holzschuh,2006 Range (in code): IR Kh
- 19533. Callimus (Procallimus) rapillyi Villiers,1973** (Cerambycidae) Synonym(s): rapillyi Villiers,1973 Range (in code): IR
- 19534. Callimus (s.str.) abdominalis (Olivier,1795)** (Cerambycidae) Synonym(s): abdominalis Olivier,1795 Range (in code): ES FR Co IT Si B-H HV TR? 35
- 19535. Callimus (s.str.) akbesianus (Pic,1892)** (Cerambycidae) Synonym(s): akbesianus Pic,1892 Range (in code): TR SY IL Pa 31 33
- 19536. Callimus (s.str.) angulatus (Schränk,1789)** (Cerambycidae) Synonym(s): angulatus Schränk,1789 Range (in code): Cc GR Cc TR IR CZ
- 19537. Cardoria scutellata (Fabricius,1792)** (Cerambycidae) Synonym(s): scutellata Fabricius,1792 Range (in code): SK CZ AT HU RO TR Cc AM
- 19538. Carlandrea syriaca (Pic,1891)** (Cerambycidae) Synonym(s): syriaca Pic,1891 Range (in code): SY TR 33
- 19539. Cerambyx (Microcerambyx) scopoli Fuessly,1775** (Cerambycidae) Synonym(s): scopoli Fuessly,1775; nitidus Pic,1892 Range (in code): PT ES FR BE NL DK DE NO SE RU EE LT LV BY PL CZ SK HU MD RO CH AT SS HV B-H YU AL MK GR BG Cr IT Sa Si Co Cc TR 07 08 12 14 22 31 32 33 34 36 39 51 53 54 55 57 60 61 80
- 19540. Cerambyx (s.str.) carinatus Küster,1846** (Cerambycidae) Synonym(s): carinatus Küster,1846 Range (in code): IT B-H HV GR Cr MK TR
- 19541. Cerambyx (s.str.) cerdo Linnaeus,1758** (Cerambycidae) Synonym(s): cerdo Linnaeus,1758; acuminatus Motschulsky,1852; pfisteri Stierlin,1864 Range (in code): GB SE BE NL DE EE BY UA PL CZ SK PT ES FR Co Sa Si IT CH AT HU MD RO SS HV B-H YU AL MK BG GR TR 01 02 06 07 08 16 17 20 31 33 34 35 37 38 39 42 46 48 51 54 55 57 62 73 78
- 19542. Cerambyx (s.str.) dux (Faldermann,1837)** (Cerambycidae) Synonym(s): dux Faldermann,1837 Range (in code): BG MK GR TR UA Cm IR 01 02 06 07 11 12 15 16 20 23 24 25 27 31 32 33 34 35 36 37 38 39 42 44 46 48 49 51 60 62 65 80
- 19543. Cerambyx (s.str.) elbursi Jurecek,1924** (Cerambycidae) Synonym(s): elbursi Jurecek,1924 Range (in code): IR Elb
- 19544. Cerambyx (s.str.) heinzianus Demelt,1976** (Cerambycidae) Synonym(s): heinzianus Demelt,1976 Range (in code): TR 12 13 49
- 19545. Cerambyx (s.str.) miles Bonelli,1812** (Cerambycidae) Synonym(s): miles Bonelli,1812 Range (in code): ES FR CH AT SS HV B-H SK HU UA RO BG MK GR IT Si TR 01 02 03 07 13 20 21 22 32 33 34 42 46 51 64 80
- 19546. Cerambyx (s.str.) multiplicatus Motschulsky,1857** (Cerambycidae) Synonym(s): multiplicatus Motschulsky,1857 Range (in code): IR Kh AZ
- 19547. Cerambyx (s.str.) nodulosus Germar,1817** (Cerambycidae) Synonym(s): nodulosus Germar,1817 Range (in code): IT SS HV B-H YU AL MK GR RO UA BG TR 01 02 07 08 12 13 16 24 25 32 33 34 35 42 45 46 47 48 64 80
- 19548. Cerambyx (s.str.) welensii (Küster,1846)** (Cerambycidae) Synonym(s): velutinus Brullé,1832; welensii Küster,1846 Range (in code): UA PT ES FR IT SS HV B-H SK HU RO BG GR TR Si Cr CY 02 07 33 34 42 46 70 80
- 19549. Certallum ebulinum (Linnaeus,1767)** (Cerambycidae) Synonym(s): ebulinum Linnaeus,1767; ruficollis Fabricius,1787; monspeliense Gmelin,1790; tricolor Chevrolat,1882; nigricolle Pic,1891 Range (in code): Cn CY PT ES FR IT Si MT BG GR Cr Cc AZ AM GG TR UA Cm RU IL Pa IQ IR JO LB DZ EG LY TN MA 01 02 05 06 07 09 10 11 16 24 27 31 32 33 34 35 41 42 45 46 51 57 61 63 68 70 73 80
- 19550. Certallum thoracicum Sharp,1880** (Cerambycidae) Synonym(s): thoracicum Sharp,1880; laevicolle Pic,1895; diversipes Pic,1928 Range (in code): TR IL Pa JO LB SY IR Ab Ak IQ SA 27 35
- 19551. Chlorophorus adeli Holzschuh,1974** (Cerambycidae) Synonym(s): adeli Holzschuh,1974 Range (in code): IR Lo Fa
- 19552. Chlorophorus aegyptiacus (Fabricius,1775)** (Cerambycidae) Synonym(s): aegyptiacus Fabricius,1775; nigripes Brullé,1832 Range (in code): GR Cr TR BG MK
- 19553. Chlorophorus dinae Rapuzzi & Sama,1999** (Cerambycidae) Synonym(s): dinae Rapuzzi & Sama,1999 Range (in code): TR SY
- 19554. Chlorophorus dominici Sama,1996** (Cerambycidae) Synonym(s): dominici Sama,1996 Range (in code): TR 60
- 19555. Chlorophorus figuratus (Scopoli,1763)** (Cerambycidae) Synonym(s): figuratus Scopoli,1763 Range (in code): PT ES FR IT CZ TR MK AL GR BG RO HU AT CH DE SK PL EE LT BY RU UA Cm MD KG
- 19556. Chlorophorus gratiosus Marseul,1868** (Cerambycidae) Synonym(s): gratiosus Marseul,1868 Range (in code): SY TR 33

- 19557. Chlorophorus nivipictus (Kraatz,1879)** (Cerambycidae) Synonym(s): nivipictus Kraatz,1879 Range (in code): TR 01 07 12 13 33 42 49 51 62 65 80
- 19558. Chlorophorus robustior (Pic,1900)** (Cerambycidae) Synonym(s): robustior Pic,1900 Range (in code): TR 04 05 11 24 25 29 42 57 60
- 19559. Chlorophorus sartor (O.F.Müller,1766)** (Cerambycidae) Synonym(s): sartor O.F.Müller,1766 Range (in code): Cc TR IR IT 60
- 19560. Chlorophorus trifasciatus (Fabricius,1781)** (Cerambycidae) Synonym(s): trifasciatus Fabricius,1781 Range (in code): TR DZ 31
- 19561. Chlorophorus varius (O.F.Müller,1766)** (Cerambycidae) Synonym(s): varius O.F.Müller,1766; damascenus Chevrolat,1854 [ssp.] Range (in code): Cc TR SY Dms IR SK HV 01 07 12 30 33 49 62 80
- 19562. Chlorophorus wewalkai Holzschuch,1969** (Cerambycidae) Synonym(s): wewalkai Holzschuch,1969 Range (in code): TR 06 62
- 19563. Clytus arietis (Linnaeus,1758)** (Cerambycidae) Synonym(s): arietis Linnaeus,1758 Range (in code): Cc TR IR RU
- 19564. Clytus arietis lederi Ganglbauer,1881** (Cerambycidae) Synonym(s): lederi Ganglbauer,1881 Range (in code): TR IR Cc
- 19565. Clytus ciliciensis Chevrolat,1863** (Cerambycidae) Synonym(s): ciliciensis Chevrolat,1863 Range (in code): TR 33
- 19566. Clytus gulekanus Pic,1904** (Cerambycidae) Synonym(s): gulekanus Pic,1904 Range (in code): TR 33
- 19567. Clytus kabateki Sama,1997** (Cerambycidae) Synonym(s): kabateki Sama,1997 Range (in code): SY
- 19568. Clytus kumalariensis Johanides,2001** (Cerambycidae) Synonym(s): kumalariensis Johanides,2001 Range (in code): TR 03
- 19569. Clytus rhamni Germar,1817** (Cerambycidae) Synonym(s): rhamni Germar,1817 Range (in code): RU Cc IR TR GR
- 19570. Clytus schneideri Kiesenwetter,1879** (Cerambycidae) Synonym(s): schneideri Kiesenwetter,1879 Range (in code): TR Cc
- 19571. Clytus taurusiensis (Pic,1903)** (Cerambycidae) Synonym(s): taurusiensis Pic,1903 Range (in code): TR 33
- 19572. Coptosia antoniae Reitter,1889** (Cerambycidae) Synonym(s): antoniae Reitter,1889 Range (in code): AM Cc
- 19573. Coptosia bithynensis Pic,1900** (Cerambycidae) Synonym(s): bithynensis Pic,1900 Range (in code): TR Cc 02
- 19574. Coptosia ganglbaueri (Pic,1951)** (Cerambycidae) Synonym(s): ganglbaueri Pic,1951 Range (in code): CY TR 02 65
- 19575. Coptosia sancta Sama,2001** (Cerambycidae) Synonym(s): sancta Sama,2001 Range (in code): SY Ltk
- 19576. Crossotus katbeh Sama,2000** (Cerambycidae) Synonym(s): katbeh Sama,2000 Range (in code): JO IL Pa Neg SA
- 19577. Crossotus strigifrons (Fairmaire,1886)** (Cerambycidae) Synonym(s): strigifrons Fairmaire,1886; arabicus Heyrovsky,1954 Range (in code): EG Sn IL Pa JO SA SO SD ET
- 19578. Crossotus xanthoneurus Sama,2000** (Cerambycidae) Synonym(s): #palaestinensis Breuning; xanthoneurus Sama,2000 Range (in code): IL Pa JO
- 19579. Derolus iranensis Pic,1956** (Cerambycidae) Synonym(s): iranensis Pic,1956; iranensis Lepesme & Breuning,1958 Range (in code): IR PK IN
- 19580. Diorthus cinereus (Fabricius,1792)** (Cerambycidae) Synonym(s): cinereus Fabricius,1792 Range (in code): IR Hz PK SA IN MM MU LK TH ID Ja
- 19581. Dissopachys pulvinata Reitter,1886** (Cerambycidae) Synonym(s): pulvinata Reitter,1886 Range (in code): IR Kh
- 19582. Dorcadion (Carinatodorcadion) aethiops (Scopoli,1763)** (Cerambycidae) Synonym(s): aethiops Scopoli,1763; morio Fabricius,1787; majoripenne Pic,1926; tomentosulum Breuning,1946; kudlai Heyrovsky,1951 Range (in code): AL AT CZ HU RO BG GR MK YU TR SS SK UA 22 26
- 19583. Dorcadion (Carinatodorcadion) boluense Breuning,1962** (Cerambycidae) Synonym(s): boluense Breuning,1962; nigrobasipenne Breuning,1962 Range (in code): TR 14
- 19584. Dorcadion (Carinatodorcadion) carinatum (Pallas,1771)** (Cerambycidae) Synonym(s): carinatum Pallas,1771; pigra Schönherr,1817; cinereopubescens Breuning,1946 Range (in code): RU Ur Cc UA Cm KG TR 05
- 19585. Dorcadion (Carinatodorcadion) ingeae (Peks,1993)** (Cerambycidae) Synonym(s): ingeae Peks,1993 Range (in code): TR 22
- 19586. Dorcadion (Cribridorcadion) abstersum Holzschuh,1982** (Cerambycidae) Synonym(s): abstersum Holzschuh,1982 Range (in code): TR 30
- 19587. Dorcadion (Cribridorcadion) accola (Heyden,1894)** (Cerambycidae) Synonym(s): accola Heyden,1894; delagrangae Pic,1894; mardinense Pic,1900; fuscopubescens Pic,1900 Range (in code): TR 47

- 19588. Dorcadion (Cribridorcadion) afflictum** Pesarini & Sabbadini, 1999 (Cerambycidae) Synonym(s): afflictum Pesarini & Sabbadini, 1999 Range (in code): TR
- 19589. Dorcadion (Cribridorcadion) albolineatum** (Küster, 1847) (Cerambycidae) Synonym(s): albolineatum Küster, 1847; byzantinum Kraatz, 1869; abbreviatolineatum Breuning, 1946 Range (in code): TR
- 19590. Dorcadion (Cribridorcadion) albonotatum** (Pic, 1895) (Cerambycidae) Synonym(s): albonotatum Pic, 1895 Range (in code): TR 13
- 19591. Dorcadion (Cribridorcadion) amanense** (Breuning, 1943) (Cerambycidae) Synonym(s): amanense Breuning, 1943 Range (in code): TR 31
- 19592. Dorcadion (Cribridorcadion) anatolicum** Pic, 1900 (Cerambycidae) Synonym(s): anatolicum Pic, 1900; medioterruptum Pic, 1901; brevipenne Pic, 1902; chehirense Pic, 1902; subuniforme Pic, 1902; ... Range (in code): TR 42
- 19593. Dorcadion (Cribridorcadion) apicerufum** Breuning, 1943 (Cerambycidae) Synonym(s): sanguinolentum Thomson, 1865; apicerufum Breuning, 1943; lineiferum Breuning, 1946 Range (in code): AM Cc GG AZ IR TR
- 19594. Dorcadion (Cribridorcadion) arcivagum** (Thomson, 1868) (Cerambycidae) Synonym(s): arcivagum Thomson, 1868; cilicium Pic, 1904 Range (in code): TR 33
- 19595. Dorcadion (Cribridorcadion) ardashense** Breuning, 1975 (Cerambycidae) Synonym(s): ardashense Breuning, 1975 Range (in code): TR 75
- 19596. Dorcadion (Cribridorcadion) auratum** (Tournier, 1872) (Cerambycidae) Synonym(s): auratum Tournier, 1872; lederi Kraatz, 1878; ... Range (in code): Cc GG
- 19597. Dorcadion (Cribridorcadion) bangi** Heyden, 1894 (Cerambycidae) Synonym(s): bangi Heyden, 1894; sanguinimembre Breuning, 1946; heinzorum Braun, 1975 Range (in code): TR 37
- 19598. Dorcadion (Cribridorcadion) banjkovskyi** (Plavilstshikov, 1958) (Cerambycidae) Synonym(s): banjkovskyi Plavilstshikov, 1958 Range (in code): TR 25
- 19599. Dorcadion (Cribridorcadion) beckeri** (Kraatz, 1873) (Cerambycidae) Synonym(s): beckeri Kraatz, 1873 Range (in code): Cc AZ RU AM TR 05 65
- 19600. Dorcadion (Cribridorcadion) berytense** (Breuning, 1964) (Cerambycidae) Synonym(s): berytense Breuning, 1964 Range (in code): LB Bei
- 19601. Dorcadion (Cribridorcadion) biforme** (Kraatz, 1873) (Cerambycidae) Synonym(s): biforme Kraatz, 1873; dorsomaculatum Breuning, 1946; subnudum Breuning, 1946 Range (in code): IR
- 19602. Dorcadion (Cribridorcadion) bisignatum** (Jakovlev, 1900) (Cerambycidae) Synonym(s): bisignatum Jakovlev, 1900 Range (in code): Cc
- 19603. Dorcadion (Cribridorcadion) bistriatum** Pic, 1898 (Cerambycidae) Synonym(s): bistriatum Pic, 1898 Range (in code): AZ AM TR Cc
- 19604. Dorcadion (Cribridorcadion) bithyniense** Chevrolat, 1856 (Cerambycidae) Synonym(s): bithyniense Chevrolat, 1856; dorsoplagiatum Breuning, 1946 Range (in code): TR 16
- 19605. Dorcadion (Cribridorcadion) blanchardi** Mulsant & Rey, 1863 (Cerambycidae) Synonym(s): blanchardi Mulsant & Rey, 1863 Range (in code): TR IR
- 19606. Dorcadion (Cribridorcadion) blandulum** Holzschuh, 1977 (Cerambycidae) Synonym(s): blandulum Holzschuh, 1977 Range (in code): TR
- 19607. Dorcadion (Cribridorcadion) bodemeyeri** Daniel, 1900 (Cerambycidae) Synonym(s): bodemeyeri Daniel, 1900; rubricolle Breuning, 1946 Range (in code): TR 05 06 26 35
- 19608. Dorcadion (Cribridorcadion) boucardi** (Pic, 1942) (Cerambycidae) Synonym(s): boucardi Pic, 1942 Range (in code): SY
- 19609. Dorcadion (Cribridorcadion) bouilloni** Breuning & Ruspoli, 1975 (Cerambycidae) Synonym(s): bouilloni Breuning & Ruspoli, 1975 Range (in code): TR 52
- 19610. Dorcadion (Cribridorcadion) bozdaghense** (Fairmaire, 1866) (Cerambycidae) Synonym(s): bozdaghense Fairmaire, 1866 Range (in code): TR 35
- 19611. Dorcadion (Cribridorcadion) bremeri** Breuning, 1981 (Cerambycidae) Synonym(s): bremeri Breuning, 1981 Range (in code): TR 06
- 19612. Dorcadion (Cribridorcadion) breuningi** Heyrovsky, 1943 (Cerambycidae) Synonym(s): breuningi Heyrovsky, 1943 Range (in code): GR TR
- 19613. Dorcadion (Cribridorcadion) bruneicolle** (Kraatz, 1873) (Cerambycidae) Synonym(s): bruneicolle Kraatz, 1873; jakovlei Semenov, 1905; ... Range (in code): IR Fa Shr
- 19614. Dorcadion (Cribridorcadion) brunoi** (Breuning, 1964) (Cerambycidae) Synonym(s): brunoi Breuning, 1964 Range (in code): LB Bei
- 19615. Dorcadion (Cribridorcadion) bulgharmaadense** Breuning, 1946 (Cerambycidae) Synonym(s): bulgharmaadense Breuning, 1946 Range (in code): TR 51
- 19616. Dorcadion (Cribridorcadion) cacinno** Thomson, 1868 (Cerambycidae) Synonym(s): cacinno Thomson, 1868; immersum Tournier, 1872; fuscoclavum Breuning, 1946 Range (in code): TR
- 19617. Dorcadion (Cribridorcadion) caprai** (Breuning, 1951) (Cerambycidae) Synonym(s): caprai Breuning, 1951 Range (in code): IR



- 19618. Dorcadion (Cribridorcadion) carinipenne (Pic,1900)** (Cerambycidae) Synonym(s): carinipenne Pic,1900 Range (in code): SY
- 19619. Dorcadion (Cribridorcadion) carolisturanii Breuning & Ruspoli,1971** (Cerambycidae) Synonym(s): carolisturanii Breuning & Ruspoli,1971; baiburtense Breuning,1975 Range (in code): TR 28 69
- 19620. Dorcadion (Cribridorcadion) caspiense (Breuning,1956)** (Cerambycidae) Synonym(s): caspiense Breuning,1956 Range (in code): TM
- 19621. Dorcadion (Cribridorcadion) chopardi (Breuning,1948)** (Cerambycidae) Synonym(s): chopardi Breuning,1948 Range (in code): IR
- 19622. Dorcadion (Cribridorcadion) cinctellum Fairmaire,1866** (Cerambycidae) Synonym(s): cinctellum Fairmaire,1866 Range (in code): TR
- 19623. Dorcadion (Cribridorcadion) cinerarium (Fabricius,1787)** (Cerambycidae) Synonym(s): cinerarium Fabricius,1787; tricolor Fischer von Waldheim,1806; caucasicum Küster,1847; micans Thomson,1867; sericatum Kraatz,1873; amasinum Pic,1898; corallicornie Pic,1904; macropoides Plavilstshikov,1932; perroudi Pic,1942; paracinerarium Breuning,1974 Range (in code): AZ Cc IR Ak TR UA Cm 05 06 16 18 19 38 58 70
- 19624. Dorcadion (Cribridorcadion) cineriferum (Suvorov,1909)** (Cerambycidae) Synonym(s): cineriferum Suvorov,1909 Range (in code): Cc
- 19625. Dorcadion (Cribridorcadion) cingulatoides (Breuning,1946)** (Cerambycidae) Synonym(s): cingulatoides Breuning,1946 Range (in code): IR
- 19626. Dorcadion (Cribridorcadion) cingulatum (Ganglbauer,1883)** (Cerambycidae) Synonym(s): cingulatum Ganglbauer,1883; invicinium Pic,1902; persianum Breuning,1943 Range (in code): IR
- 19627. Dorcadion (Cribridorcadion) ciscaucasicum (Jakovlev,1900)** (Cerambycidae) Synonym(s): ciscaucasicum Jakovlev,1900; borodini Suvorov,1915 Range (in code): Cc RU
- 19628. Dorcadion (Cribridorcadion) coiffaiti Breuning,1962** (Cerambycidae) Synonym(s): coiffaiti Breuning,1962 Range (in code): TR 10
- 19629. Dorcadion (Cribridorcadion) complanatum (Ganglbauer,1883)** (Cerambycidae) Synonym(s): complanatum Ganglbauer,1883 Range (in code): IR
- 19630. Dorcadion (Cribridorcadion) condensatum Küster,1852** (Cerambycidae) Synonym(s): condensatum Küster,1852; punctatissimum Ganglbauer,1883; adampolum Pic,1917 Range (in code): BG TR 34 41
- 19631. Dorcadion (Cribridorcadion) culminicola Thomson,1868** (Cerambycidae) Synonym(s): culminicola Thomson,1868 Range (in code): TR 33
- 19632. Dorcadion (Cribridorcadion) daratshitshagi (Suvorov,1915)** (Cerambycidae) Synonym(s): daratshitshagi Suvorov,1915 Range (in code): Cc AM Dar
- 19633. Dorcadion (Cribridorcadion) demodikovi (Suvorov,1915)** (Cerambycidae) Synonym(s): demodikovi Suvorov,1915 Range (in code): Cc
- 19634. Dorcadion (Cribridorcadion) deyrollei Ganglbauer,1883** (Cerambycidae) Synonym(s): deyrollei Ganglbauer,1883 Range (in code): TR 13 65
- 19635. Dorcadion (Cribridorcadion) dimidiatum Motschoulsky,1838** (Cerambycidae) Synonym(s): dimidiatum Motschoulsky,1838; erivanicum Pic,1901 Range (in code): Cc AM Eri TR Arr 76
- 19636. Dorcadion (Cribridorcadion) discodivisum Pic,1939** (Cerambycidae) Synonym(s): discodivisum Pic,1939 Range (in code): IR
- 19637. Dorcadion (Cribridorcadion) discomaculatum (Pic,1905)** (Cerambycidae) Synonym(s): discomaculatum Pic,1905 Range (in code): IR
- 19638. Dorcadion (Cribridorcadion) divisum Germar,1839** (Cerambycidae) Synonym(s): divisum Germar,1839 Range (in code): GR TR 01 02 06 10 15 17 26 32 35 42 45 47 51 58
- 19639. Dorcadion (Cribridorcadion) drusoides Breuning,1962** (Cerambycidae) Synonym(s): drusoides Breuning,1962 Range (in code): TR 31
- 19640. Dorcadion (Cribridorcadion) drusum (Chevrolat,1870)** (Cerambycidae) Synonym(s): drusum Chevrolat,1870; libanoticum Kraatz,1873; forcipiferum Bodenheimer,1937 Range (in code): LB IL Pa
- 19641. Dorcadion (Cribridorcadion) elbursense (Breuning,1943)** (Cerambycidae) Synonym(s): elbursense Breuning,1943 Range (in code): IR Elb
- 19642. Dorcadion (Cribridorcadion) enricisturanii Breuning & Ruspoli,1971** (Cerambycidae) Synonym(s): enricisturanii Breuning & Ruspoli,1971 Range (in code): TR 19
- 19643. Dorcadion (Cribridorcadion) ferruginipes Ménétériés,1836** (Cerambycidae) Synonym(s): ferruginipes Ménétériés,1836; thracicum Küster,1846 Range (in code): TR
- 19644. Dorcadion (Cribridorcadion) formosum Kraatz,1870** (Cerambycidae) Synonym(s): formosum Kraatz,1870; ponticum Breuning,1964 Range (in code): TR
- 19645. Dorcadion (Cribridorcadion) frustator (Plavilstshikov,1958)** (Cerambycidae) Synonym(s): frustator Plavilstshikov,1958 Range (in code): Cc AZ
- 19646. Dorcadion (Cribridorcadion) gallipolitanum Thomson,1867** (Cerambycidae) Synonym(s): gallipolitanum Thomson,1867 Range (in code): TR 17 34
- 19647. Dorcadion (Cribridorcadion) gebzeense Breuning,1974** (Cerambycidae) Synonym(s): gebzeense Breuning,1974 Range (in code): TR 41

- 19648. Dorcadion (Cribridorcadion) glabricolle (Breuning,1943)** (Cerambycidae) Synonym(s): glabricolle Breuning,1943 [Range \(in code\): SY](#)
- 19649. Dorcadion (Cribridorcadion) glaucum Faldermann,1837** (Cerambycidae) Synonym(s): glaucum Faldermann,1837 [Range \(in code\): AM Cc IR Elb Kdv Tbz Ak](#)
- 19650. Dorcadion (Cribridorcadion) griseipenne (Breuning,1943)** (Cerambycidae) Synonym(s): griseipenne Breuning,1943 [Range \(in code\): AM Cc](#)
- 19651. Dorcadion (Cribridorcadion) haemorrhoidale (Hampe,1852)** (Cerambycidae) Synonym(s): haemorrhoidale Hampe,1852 [Range \(in code\): Cc AM Eri TR 06](#)
- 19652. Dorcadion (Cribridorcadion) halepense Kraatz,1873** (Cerambycidae) Synonym(s): halepense Kraatz,1873; pseudomardinense Breuning,1946; akbesianum Breuning,1946;... [Range \(in code\): SY Hal TR 31](#)
- 19653. Dorcadion (Cribridorcadion) hampei Mulsant & Rey,1963** (Cerambycidae) Synonym(s): hampei Mulsant & Rey,1963 [Range \(in code\): TR](#)
- 19654. Dorcadion (Cribridorcadion) heinzi (Breuning,1964)** (Cerambycidae) Synonym(s): heinzi Breuning,1964 [Range \(in code\): TR 28](#)
- 19655. Dorcadion (Cribridorcadion) hellmanni (Ganglbauer,1883)** (Cerambycidae) Synonym(s): hellmanni Ganglbauer,1883 [Range \(in code\): AM Cc IR](#)
- 19656. Dorcadion (Cribridorcadion) holtzi Pic,1905** (Cerambycidae) Synonym(s): holtzi Pic,1905 [Range \(in code\): TR 33](#)
- 19657. Dorcadion (Cribridorcadion) holzschuhi Breuning,1974** (Cerambycidae) Synonym(s): holzschuhi Breuning,1974 [Range \(in code\): TR 49](#)
- 19658. Dorcadion (Cribridorcadion) hypocritellum (Breuning,1958)** (Cerambycidae) Synonym(s): hypocrita Plavilstshikov,1937; hypocritellum Breuning,1958 [Range \(in code\): Cc](#)
- 19659. Dorcadion (Cribridorcadion) iconiense Daniel,1901** (Cerambycidae) Synonym(s): iconiense Daniel,1901; semisetosum Jakovlev,1901; fulvovestitum Pic,1903; albicollis Breuning,1943; muchei Breuning,1962; parescherichi Breuning,1966 [Range \(in code\): TR 18 19 40](#)
- 19660. Dorcadion (Cribridorcadion) impressicollis Kraatz,1873** (Cerambycidae) Synonym(s): impressicollis Kraatz,1873; tokatense Pic,1901; diversipes Breuning,1946 [Range \(in code\): TR SY 60](#)
- 19661. Dorcadion (Cribridorcadion) impressicorne (Tournier,1872)** (Cerambycidae) Synonym(s): impressicorne Tournier,1872; kurda Suvorov,1913;... [Range \(in code\): AM Cc TR](#)
- 19662. Dorcadion (Cribridorcadion) indutum (Faldermann,1837)** (Cerambycidae) Synonym(s): indutum Faldermann,1837 [Range \(in code\): Cc](#)
- 19663. Dorcadion (Cribridorcadion) infernale Mulsant & Rey,1863** (Cerambycidae) Synonym(s): infernale Mulsant & Rey,1863 [Range \(in code\): TR 05 06 11 26 35 46](#)
- 19664. Dorcadion (Cribridorcadion) iranicum (Breuning,1947)** (Cerambycidae) Synonym(s): iranicum Breuning,1947 [Range \(in code\): IR](#)
- 19665. Dorcadion (Cribridorcadion) ispartense Breuning,1962** (Cerambycidae) Synonym(s): ispartense Breuning,1962 [Range \(in code\): TR 32](#)
- 19666. Dorcadion (Cribridorcadion) jacobleviellum (Plavilstshikov,1951)** (Cerambycidae) Synonym(s): jacobleviellum Plavilstshikov,1951 [Range \(in code\): AM Cc](#)
- 19667. Dorcadion (Cribridorcadion) janatai Kadlec,2006** (Cerambycidae) Synonym(s): janatai Kadlec,2006 [Range \(in code\): TR 62](#)
- 19668. Dorcadion (Cribridorcadion) janczyki (Breuning,1963)** (Cerambycidae) Synonym(s): janczyki Breuning,1963 [Range \(in code\): TM](#)
- 19669. Dorcadion (Cribridorcadion) kagyzmanicum Suvorov,1915** (Cerambycidae) Synonym(s): kagyzmanicum Suvorov,1915 [Range \(in code\): TR Cc 36](#)
- 19670. Dorcadion (Cribridorcadion) karsense Suvorov,1915** (Cerambycidae) Synonym(s): karsense Suvorov,1915 [Range \(in code\): Cc TR 36](#)
- 19671. Dorcadion (Cribridorcadion) kasikoparanum Pic,1902** (Cerambycidae) Synonym(s): kasikoparanum Pic,1902 [Range \(in code\): Cc TR 76](#)
- 19672. Dorcadion (Cribridorcadion) kindermanni Waltl,1838** (Cerambycidae) Synonym(s): kindermanni Waltl,1838; griseum Waltl,1838 [Range \(in code\): TR](#)
- 19673. Dorcadion (Cribridorcadion) kollari Kraatz,1873** (Cerambycidae) Synonym(s): linderi Tournier,1872; kollari Kraatz,1873; henrici Pic,1905; dorsoimmaculipenne Breuning,1966 [Range \(in code\): TR 19 60](#)
- 19674. Dorcadion (Cribridorcadion) komarovi (Jakovlev,1887)** (Cerambycidae) Synonym(s): komarovi Jakovlev,1887 [Range \(in code\): TM](#)
- 19675. Dorcadion (Cribridorcadion) kryzhanovskii (Plavilstshikov,1958)** (Cerambycidae) Synonym(s): kryzhanovskii Plavilstshikov,1958 [Range \(in code\): TM](#)
- 19676. Dorcadion (Cribridorcadion) kubanicum (Plavilstshikov,1934)** (Cerambycidae) Synonym(s): kubanicum Plavilstshikov,1934 [Range \(in code\): Cc GG RU](#)
- 19677. Dorcadion (Cribridorcadion) kurdistanum Breuning,1944** (Cerambycidae) Synonym(s): kurdistanum Breuning,1944; rufulipes Breuning,1963 [Range \(in code\): TR](#)
- 19678. Dorcadion (Cribridorcadion) laeve Faldermann,1837** (Cerambycidae) Synonym(s): laeve Faldermann,1837 [Range \(in code\): AM Cc TR IR](#)

- 19679. Dorcadion (Cribridorcadion) lameeri** Thery,1896 (Cerambycidae) Synonym(s): lameeri Thery,1896 [Range \(in code\): TR 37](#)
- 19680. Dorcadion (Cribridorcadion) ledouxi** Breuning,1974 (Cerambycidae) Synonym(s): ledouxi Breuning,1974 [Range \(in code\): TR](#)
- 19681. Dorcadion (Cribridorcadion) libanoticum (Kraatz,1873)** (Cerambycidae) Synonym(s): libanoticum Kraatz,1873; apicale Chevrolat,1873; perrini Fairmaire,1881; tarabuliense Ganglbauer,1888; claresuturatum Breuning,1946 [Range \(in code\): LB](#)
- 19682. Dorcadion (Cribridorcadion) lineatopunctatum (Breuning,1944)** (Cerambycidae) Synonym(s): lineatopunctatum Breuning,1944 [Range \(in code\): IR](#)
- 19683. Dorcadion (Cribridorcadion) lodosi Sabbadini & Pesarini,1992** (Cerambycidae) Synonym(s): lodosi Sabbadini & Pesarini,1992 [Range \(in code\): TR 70](#)
- 19684. Dorcadion (Cribridorcadion) longulum (Breuning,1943)** (Cerambycidae) Synonym(s): longulum Breuning,1943 [Range \(in code\): TR](#)
- 19685. Dorcadion (Cribridorcadion) luctuosum (Suvorov,1913)** (Cerambycidae) Synonym(s): luctuosum Suvorov,1913 [Range \(in code\): Cc](#)
- 19686. Dorcadion (Cribridorcadion) lugubre Kraatz,1873** (Cerambycidae) Synonym(s): lugubre Kraatz,1873 [Range \(in code\): BG GR MK TR 05](#)
- 19687. Dorcadion (Cribridorcadion) marandense Holzschuh,2007** (Cerambycidae) Synonym(s): marandense Holzschuh,2007 [Range \(in code\): IR Ab](#)
- 19688. Dorcadion (Cribridorcadion) merkli Ganglbauer,1883** (Cerambycidae) Synonym(s): merkli Ganglbauer,1883 [Range \(in code\): TR](#)
- 19689. Dorcadion (Cribridorcadion) mesopotamicum Breuning,1944** (Cerambycidae) Synonym(s): mesopotamicum Breuning,1944; submardinense Breuning,1946 [Range \(in code\): TR 47](#)
- 19690. Dorcadion (Cribridorcadion) mnischevi Kraatz,1873** (Cerambycidae) Synonym(s): mnischevi Kraatz,1873; rugulosum Breuning,1946 [Range \(in code\): AM Svn Cc TR Arr IR 04 25 36 58 65 76](#)
- 19691. Dorcadion (Cribridorcadion) multimaculatum Pic,1932** (Cerambycidae) Synonym(s): multimaculatum Pic,1932 [Range \(in code\): TR](#)
- 19692. Dorcadion (Cribridorcadion) nigrostriatum Adlbauer,1982** (Cerambycidae) Synonym(s): nigrostriatum Adlbauer,1982 [Range \(in code\): TR 62](#)
- 19693. Dorcadion (Cribridorcadion) nitidum Motschoulsky,1838** (Cerambycidae) Synonym(s): nitidum Motschoulsky,1838 [Range \(in code\): Cc AM TR 75](#)
- 19694. Dorcadion (Cribridorcadion) niveisparsum (Thomson,1865)** (Cerambycidae) Synonym(s): niveisparsum Thomson,1865 [Range \(in code\): AM Cc IR](#)
- 19695. Dorcadion (Cribridorcadion) nobile (Hampe,1852)** (Cerambycidae) Synonym(s): nobile Hampe,1852 [Range \(in code\): AM Cc](#)
- 19696. Dorcadion (Cribridorcadion) nurense Danilevsky & Murzin,2009** (Cerambycidae) Synonym(s): nurense Danilevsky & Murzin,2009 [Range \(in code\): IR Ar](#)
- 19697. Dorcadion (Cribridorcadion) obsoletum Kraatz,1873** (Cerambycidae) Synonym(s): obsoletum Kraatz,1873; obsoletoides Breuning,1946 [Range \(in code\): GR TR](#)
- 19698. Dorcadion (Cribridorcadion) obtusum Breuning,1944** (Cerambycidae) Synonym(s): obtusum Breuning,1944; marashense Breuning,1948 [Range \(in code\): TR 46](#)
- 19699. Dorcadion (Cribridorcadion) olympicum Ganglbauer,1882** (Cerambycidae) Synonym(s): subalpinum Kraatz,1873; olympicum Ganglbauer,1882; oreophilum Ganglbauer,1883; beieri Pic,1932; brussense Breuning,1946 [Range \(in code\): TR 16](#)
- 19700. Dorcadion (Cribridorcadion) paraladikense (Breuning,1977)** (Cerambycidae) Synonym(s): paraladikense Breuning,1977 [Range \(in code\): TR 55](#)
- 19701. Dorcadion (Cribridorcadion) parcepunctatum (Breuning,1948)** (Cerambycidae) Synonym(s): parcepunctatum Breuning,1948 [Range \(in code\): IR](#)
- 19702. Dorcadion (Cribridorcadion) pasquieri (Breuning,1974)** (Cerambycidae) Synonym(s): pasquieri Breuning,1974 [Range \(in code\): IR Gor](#)
- 19703. Dorcadion (Cribridorcadion) pedestre (Poda,1761)** (Cerambycidae) Synonym(s): pedestre Poda,1761; suturalis Voet,1778; rufipes Fabricius,1792;... [Range \(in code\): AL AT BG CZ HU IT RO Ur SK UA YU TR 34 65](#)
- 19704. Dorcadion (Cribridorcadion) piochardi Kraatz,1873** (Cerambycidae) Synonym(s): piochardi Kraatz,1873; pelops Jakovlev,1901 [Range \(in code\): TR 05 19 55 66](#)
- 19705. Dorcadion (Cribridorcadion) pluto Thomson,1867** (Cerambycidae) Synonym(s): pluto Thomson,1867 [Range \(in code\): TR 05 25 26 54](#)
- 19706. Dorcadion (Cribridorcadion) poleti Breuning,1948** (Cerambycidae) Synonym(s): poleti Breuning,1948 [Range \(in code\): TR](#)
- 19707. Dorcadion (Cribridorcadion) preissi Heyden,1894** (Cerambycidae) Synonym(s): preissi Heyden,1894 [Range \(in code\): TR 37](#)
- 19708. Dorcadion (Cribridorcadion) pseudarcivagum Breuning,1943** (Cerambycidae) Synonym(s): pseudarcivagum Breuning,1943 [Range \(in code\): TR](#)



- 19709. Dorcadion (Cribridorcadion) pseudinfernale (Breuning,1943)** (Cerambycidae)  
Synonym(s): pseudinfernale Breuning,1943 [Range \(in code\): SY](#)
- 19710. Dorcadion (Cribridorcadion) pseudobithyniense Breuning,1962** (Cerambycidae)  
Synonym(s): pseudobithyniense Breuning,1962 [Range \(in code\): TR 10](#)
- 19711. Dorcadion (Cribridorcadion) pseudocinctellum Breuning,1943** (Cerambycidae)  
Synonym(s): pseudocinctellum Breuning,1943 [Range \(in code\): TR](#)
- 19712. Dorcadion (Cribridorcadion) pseudoholosericeum Breuning,1962** (Cerambycidae)  
Synonym(s): pseudoholosericeum Breuning,1962 [Range \(in code\): TR 57](#)
- 19713. Dorcadion (Cribridorcadion) pseudonobile (Breuning,1946)** (Cerambycidae) Synonym(s):  
pseudonobile Breuning,1946; tabrisense Breuning,1946 [Range \(in code\): IR Ak Tbz](#)
- 19714. Dorcadion (Cribridorcadion) pseudopreissi Breuning,1962** (Cerambycidae) Synonym(s):  
pseudopreissi Breuning,1962 [Range \(in code\): TR 57](#)
- 19715. Dorcadion (Cribridorcadion) punctipenne (Küster,1852)** (Cerambycidae) Synonym(s):  
punctipenne Küster,1852; distinguendum Pic,1931 [Range \(in code\): TR 34](#)
- 19716. Dorcadion (Cribridorcadion) pygmaeum (Breuning,1947)** (Cerambycidae) Synonym(s):  
pygmaeum Breuning,1947 [Range \(in code\): TR](#)
- 19717. Dorcadion (Cribridorcadion) quadripustulatum (Kraatz,1873)** (Cerambycidae)  
Synonym(s): quadripustulatum Kraatz,1873 [Range \(in code\): TR](#)
- 19718. Dorcadion (Cribridorcadion) regulare (Pic,1931)** (Cerambycidae) Synonym(s): regulare  
Pic,1931 [Range \(in code\): GR TR BG](#)
- 19719. Dorcadion (Cribridorcadion) reitteri (Ganglbauer,1883)** (Cerambycidae) Synonym(s):  
reitteri Ganglbauer,1883 [Range \(in code\): Cc](#)
- 19720. Dorcadion (Cribridorcadion) ressi Holzschuh,2007** (Cerambycidae) Synonym(s): ressi  
Holzschuh,2007 [Range \(in code\): IR Ab](#)
- 19721. Dorcadion (Cribridorcadion) rigattii (Breuning,1966)** (Cerambycidae) Synonym(s): rigattii  
Breuning,1966 [Range \(in code\): TR 58](#)
- 19722. Dorcadion (Cribridorcadion) rizeanum (Breuning & Villers,1967)** (Cerambycidae)  
Synonym(s): rizeanum Breuning & Villers,1967 [Range \(in code\): TR 53](#)
- 19723. Dorcadion (Cribridorcadion) robustum (Ganglbauer,1883)** (Cerambycidae) Synonym(s):  
robustum Ganglbauer,1883 [Range \(in code\): TR](#)
- 19724. Dorcadion (Cribridorcadion) rufoapicipenne Breuning,1946** (Cerambycidae) Synonym(s):  
rufoapicale Breuning,1943 nec Pic,1942; rufoapicipenne Breuning,1946 [Range \(in code\): TR](#)
- 19725. Dorcadion (Cribridorcadion) saucyi (Thomson,1865)** (Cerambycidae) Synonym(s): saucyi  
Thomson,1865; mersinense Breuning,1946 [Range \(in code\): TR 33](#)
- 19726. Dorcadion (Cribridorcadion) scabricolle (Dalman,1817)** (Cerambycidae) Synonym(s):  
scabricolle Dalman,1817 [Range \(in code\): TR 51](#)
- 19727. Dorcadion (Cribridorcadion) schultzei (Heyden,1894)** (Cerambycidae) Synonym(s):  
schultzei Heyden,1894 [Range \(in code\): TR](#)
- 19728. Dorcadion (Cribridorcadion) scrobicolle (Kraatz,1873)** (Cerambycidae) Synonym(s):  
scrobicolle Kraatz,1873 [Range \(in code\): TR KG Aa KK CN Ui](#)
- 19729. Dorcadion (Cribridorcadion) semiargentatum Pic,1905** (Cerambycidae) Synonym(s):  
semiargentatum Pic,1905; shiita Plavilstshkov,1951; descampsi Villers,1967 [Range \(in code\): IR Ab Ak](#)
- 19730. Dorcadion (Cribridorcadion) semilineatum (Fairmaire,1866)** (Cerambycidae)  
Synonym(s): semilineatum Fairmaire,1866 [Range \(in code\): TR](#)
- 19731. Dorcadion (Cribridorcadion) semilucens (Kraatz,1873)** (Cerambycidae) Synonym(s):  
semilucens Kraatz,1873; mesmini Pic,1903 [Range \(in code\): Cc](#)
- 19732. Dorcadion (Cribridorcadion) seminudum (Kraatz,1873)** (Cerambycidae) Synonym(s):  
seminudum Kraatz,1873; impuncticollis Breuning,1946; nachycevanicum Breuning,1953 [Range \(in code\): AZ Nv AM Cc TR](#)
- 19733. Dorcadion (Cribridorcadion) semivelutinum (Kraatz,1873)** (Cerambycidae) Synonym(s):  
semivelutinum Kraatz,1873 [Range \(in code\): TR](#)
- 19734. Dorcadion (Cribridorcadion) septemlineatum (Waltl,1838)** (Cerambycidae) Synonym(s):  
septemlineatum Waltl,1838; apicale Thomson,1865; rufoapicale Pic,1962 [Range \(in code\): BG TR](#)
- 19735. Dorcadion (Cribridorcadion) serouensis Kadlec,2006** (Cerambycidae) Synonym(s):  
serouensis Kadlec,2006 [Range \(in code\): IR Ab Oru](#)
- 19736. Dorcadion (Cribridorcadion) shirvanicum Bogatchev,1934** (Cerambycidae) Synonym(s):  
shirvanicum Bogatchev,1934 [Range \(in code\): AZ Cc](#)
- 19737. Dorcadion (Cribridorcadion) sinopense (Breuning,1962)** (Cerambycidae) Synonym(s):  
sinopense Breuning,1962 [Range \(in code\): TR 57](#)
- 19738. Dorcadion (Cribridorcadion) sinuatevittatum (Pic,1937)** (Cerambycidae) Synonym(s):  
sinuatevittatum Pic,1937; brevemediolineatum Pic,1942 [Range \(in code\): TR](#)

- 19739. Dorcadion (Cribridorcadion) smyrnensis (Linnaeus,1758)** (Cerambycidae) Synonym(s): smyrnensis Linnaeus,1758; crux Billberg,1817; graecum Waltl,1838; cruciator Gistel,1848; bifidum Chevrolat,1882;... Range (in code): TR GR 35
- 19740. Dorcadion (Cribridorcadion) sodale (Hampe,1852)** (Cerambycidae) Synonym(s): sodale Hampe,1852; rosti Pic,1900 Range (in code): Cc TR 25
- 19741. Dorcadion (Cribridorcadion) spectabile (Kraatz,1873)** (Cerambycidae) Synonym(s): spectabile Kraatz,1873 Range (in code): IR
- 19742. Dorcadion (Cribridorcadion) spinense (Breuning,1962)** (Cerambycidae) Synonym(s): spinense Breuning,1962 Range (in code): TR 57
- 19743. Dorcadion (Cribridorcadion) striolatum (Kraatz,1873)** (Cerambycidae) Synonym(s): striolatum Kraatz,1873; obesum Tournier,1872; suramense Breuning,1946 Range (in code): AZ Cc AM GG TR IR?
- 19744. Dorcadion (Cribridorcadion) subatritarse (Breuning,1966)** (Cerambycidae) Synonym(s): subatritarse Breuning,1966 Range (in code): TR 19
- 19745. Dorcadion (Cribridorcadion) subcinctellum (Breuning,1962)** (Cerambycidae) Synonym(s): subcinctellum Breuning,1962 Range (in code): TR 38
- 19746. Dorcadion (Cribridorcadion) subcorpulentum (Breuning,1946)** (Cerambycidae) Synonym(s): subcorpulentum Breuning,1946 Range (in code): IR
- 19747. Dorcadion (Cribridorcadion) subinterruptum (Pic,1900)** (Cerambycidae) Synonym(s): subinterruptum Pic,1900; indivisum Pic,1900 Range (in code): TR
- 19748. Dorcadion (Cribridorcadion) subsericatum (Pic,1901)** (Cerambycidae) Synonym(s): subsericatum Pic,1901; paphlagoniense Breuning,1944 Range (in code): TR 37
- 19749. Dorcadion (Cribridorcadion) subvestitum (Daniel,1900)** (Cerambycidae) Synonym(s): subvestitum Daniel,1900 Range (in code): TR 05 06 26 35 42 51
- 19750. Dorcadion (Cribridorcadion) sulcipenne (Küster,1847)** (Cerambycidae) Synonym(s): sulcipenne Küster,1847 Range (in code): AM Cc GG TR
- 19751. Dorcadion (Cribridorcadion) syriense (Breuning,1943)** (Cerambycidae) Synonym(s): syriense Breuning,1943 Range (in code): TR 31
- 19752. Dorcadion (Cribridorcadion) talyschense Ganglbauer,1883** (Cerambycidae) Synonym(s): talyschense Ganglbauer,1883; posticeinterruptum Pic,1900; morgani Pic,1905 Range (in code): AZ Cc IR
- 19753. Dorcadion (Cribridorcadion) tebrasicum Plavilstshikov,1951** (Cerambycidae) Synonym(s): tebrasicum Plavilstshikov,1951 Range (in code): IR Ak TbZ
- 19754. Dorcadion (Cribridorcadion) theophilei (Pic,1898)** (Cerambycidae) Synonym(s): theophilei Pic,1898; costiferum Pic,1898 Range (in code): TR
- 19755. Dorcadion (Cribridorcadion) tuerki (Ganglbauer,1883)** (Cerambycidae) Synonym(s): tuerki Ganglbauer,1883; curtulum Pic,1906; lundbladi Breuning,1947 Range (in code): IR
- 19756. Dorcadion (Cribridorcadion) turcicum (Breuning,1963)** (Cerambycidae) Synonym(s): turcicum Breuning,1963 Range (in code): TR
- 19757. Dorcadion (Cribridorcadion) urmianum (Plavilstshikov,1937)** (Cerambycidae) Synonym(s): urmianum Plavilstshikov,1937 Range (in code): IR Ab
- 19758. Dorcadion (Cribridorcadion) variegatum (Ganglbauer,1883)** (Cerambycidae) Synonym(s): variegatum Ganglbauer,1883 Range (in code): TR SY
- 19759. Dorcadion (Cribridorcadion) wagneri (Küster,1846)** (Cerambycidae) Synonym(s): wagneri Küster,1846 Range (in code): Cc TR 65
- 19760. Dorcadion (Cribridorcadion) weyersi (Fairmaire,1866)** (Cerambycidae) Synonym(s): weyersi Fairmaire,1866; aolense Pic,1942 Range (in code): TR
- 19761. Dorcadion (Maculatodorcadion) triste Frivaldsky,1845** (Cerambycidae) Synonym(s): triste Frivaldsky,1845 Range (in code): TR 10 16 35
- 19762. Dorcadion (Megalodorcadion) dombilicoides Özdikmen,2013** (Cerambycidae) Synonym(s): dombilicoides Özdikmen,2013 Range (in code): TR 19
- 19763. Dorcadion (Megalodorcadion) escherichi Ganglbauer,1897** (Cerambycidae) Synonym(s): escherichi Ganglbauer,1897; angorense Ganglbauer,1897; obliquesignatum Pic,1900; posticedisjunctum Pic,1909; cappadocium Breuning,1946 Range (in code): TR 06
- 19764. Dorcadion (Megalodorcadion) glabrofasciatum Daniel,1901** (Cerambycidae) Synonym(s): glabrofasciatum Daniel,1901; imparivittatum Daniel,1901 Range (in code): TR
- 19765. Dorcadion (Megalodorcadion) ledereri Thomson,1865** (Cerambycidae) Synonym(s): ledereri Thomson,1865 Range (in code): TR
- 19766. Dorcadion (Megalodorcadion) parallelum Küster,1847** (Cerambycidae) Synonym(s): parallelum Küster,1847 Range (in code): TR SY
- 19767. Dorcadion (Megalodorcadion) walteri Holzschuh,1991** (Cerambycidae) Synonym(s): walteri Holzschuh,1991 Range (in code): TR 14
- 19768. Dorcadion (s.str.) apicale Thomson,1865** (Cerambycidae) Synonym(s): apicale Thomson,1865; rufoapicale Pic,1942 Range (in code): TR

- 19769. Dorcadion (s.str.) faldermanni Ganglbauer,1884** (Cerambycidae) Synonym(s): faldermanni Ganglbauer,1884 Range (in code): IR
- 19770. Dorcadion (s.str.) kharpuensis Danilevsky,1998** (Cerambycidae) Synonym(s): kharpuensis Danilevsky,1998 Range (in code): IR
- 19771. Dorcadion (s.str.) nodicorne Tournier,1872** (Cerambycidae) Synonym(s): nodicorne Tournier,1872 Range (in code): TR GR
- 19772. Dorcadion (s.str.) quadrimaculatum Küster,1848** (Cerambycidae) Synonym(s): quadrimaculatum Küster,1848 Range (in code): TR GR 35
- 19773. Dorcadion (s.str.) serotinum Thomson,1865** (Cerambycidae) Synonym(s): serotinum Thomson,1865 Range (in code): TR 35
- 19774. Drymochares starcki Ganglbauer,1888** (Cerambycidae) Synonym(s): starcki Ganglbauer,1888 Range (in code): TR GG Cc 08 28 29 37 52 55 57 60 67
- 19775. Ergates faber (Linnaeus,1761)** (Cerambycidae) Synonym(s): faber Linnaeus,1761; ferox Voet,1778; portior Schrank,1781; bulzanensis Laicharting,1784; serratus Panzer,1793; obscurus Olivier,1795; crenatus Fabricius,1801; grandiceps Tournier,1872; hartigi Demelt,1952; alkani Demelt,1968 Range (in code): PT ES FR Co IT Si AL SS HV B-H YU GR BG HU AT CH NL DE CZ SK PL SE LT LV BY UA Cm RU DZ MA Cc SY TR 06 08 14 16 37 41 46 61 81
- 19776. Etorofus pubescens (Fabricius,1787)** (Cerambycidae) Synonym(s): pubescens Fabricius,1787 Range (in code): SK TR
- 19777. Fallacia elegans (Faldermann,1837)** (Cerambycidae) Synonym(s): elegans Faldermann,1837 Range (in code): Cc AM AZ TR IR
- 19778. Helladia adelpha (Ganglbauer,1884)** (Cerambycidae) Synonym(s): adelpha Ganglbauer,1884 Range (in code): TR 33
- 19779. Helladia armeniaca Frivaldsky,1878** (Cerambycidae) Synonym(s): armeniaca Frivaldsky,1878; testaceovittata Pic,1934; iranica Villers,1960; natali Lobanov,1994; holzschuchi Özdikmen,2008. Range (in code): TR AM Cc IR Oru 13 49 65
- 19780. Helladia circumdata (Kraatz,1882)** (Cerambycidae) Synonym(s): circumdata Kraatz,1882 Range (in code): KG UZ AF
- 19781. Helladia diademata (Faldermann,1837)** (Cerambycidae) Synonym(s): diademata Faldermann,1837 Range (in code): AM Eri Cc AZ Kir IR TR 30 49
- 19782. Helladia fatima (Ganglbauer,1884)** (Cerambycidae) Synonym(s): fatima Ganglbauer,1884 Range (in code): AM Cc AZ IR TR 30 47 56 63 72 73
- 19783. Helladia ferrugata (Ganglbauer,1884)** (Cerambycidae) Synonym(s): ferrugata Ganglbauer,1884 Range (in code): SY LB
- 19784. Helladia humeralis (Waltl,1828)** (Cerambycidae) Synonym(s): humeralis Waltl,1828 Range (in code): TR IR CY 02 35 73
- 19785. Helladia imperialis Sama & Rejzek,2001** (Cerambycidae) Synonym(s): imperialis Sama & Rejzek,2001 Range (in code): IR Ab Oru
- 19786. Helladia millefolii (Adams,1817)** (Cerambycidae) Synonym(s): millefolii Adams,1817 Range (in code): UA Cm Cc TR IR CY 02 07 25 32 36 37 41 42 65
- 19787. Helladia plasoni Ganglbauer,1884** (Cerambycidae) Synonym(s): plasoni Ganglbauer,1884 Range (in code): TR Cc IR 12 49
- 19788. Helladia praetextata (Steven,1817)** (Cerambycidae) Synonym(s): praetextata Steven,1817 Range (in code): BG RO TR UA Cm Cc AM SY 14 76
- 19789. Helladia pretiosa (Faldermann,1837)** (Cerambycidae) Synonym(s): pretiosa Faldermann,1837; nigroapicalis Breuning,1944; ninives Sama,1994 Range (in code): AM Cc AZ IR IQ Bgd Mos
- 19790. Herophila tristis (Linnaeus,1767)** (Cerambycidae) Synonym(s): tristis Linnaeus,1767 Range (in code): FR Co IT CH AT SS MK AL GR Cr BG TR RO HU
- 19791. Hybometopia starcki Ganglbauer,1889** (Cerambycidae) Synonym(s): starcki Ganglbauer,1889 Range (in code): Cc TR 08
- 19792. Icosium tomentosum Lucas,1854** (Cerambycidae) Synonym(s): tomentosum Lucas,1854 Range (in code): DZ FR IT Sa GR TR
- 19793. Isotomus comptus (Mannerheim,1825)** (Cerambycidae) Synonym(s): comptus Mannerheim,1825 Range (in code): UA Cm Cc TR SY IR
- 19794. Isotomus speciosus (Schneider,1787)** (Cerambycidae) Synonym(s): speciosus Schneider,1787 Range (in code): Cc CZ
- 19795. Jebusaea hammerschmidtii Reiche,1877** (Cerambycidae) Synonym(s): hammerschmidtii Reiche,1877 Range (in code): IR IQ SA
- 19796. Lamia textor (Linnaeus,1758)** (Cerambycidae) Synonym(s): textor Linnaeus,1758 Range (in code): ES FR IT CH AL GR BG TR RO HU AT BE NL DE GB CZ SK PL NO SE FI LT EE BY UA MD RU KG
- 19797. Leptura quadrifasciata Linnaeus,1758** (Cerambycidae) Synonym(s): quadrifasciata Linnaeus,1758 Range (in code): SK TR Cc IR



- 19798. Mallosia (Anatolomallosia) nonnigra Özdikmen & Aytar,2012** (Cerambycidae) Synonym(s): nonnigra Özdikmen & Aytar,2012 Range (in code): TR 33
- 19799. Mallosia (Eumallosia) armeniaca Pic,1897** (Cerambycidae) Synonym(s): armeniaca Pic,1897; caucasica Pic,1898; haiastanica Danilevsky,2007 Range (in code): Cc AM TR IR 49
- 19800. Mallosia (Eumallosia) brevipes Pic,1897** (Cerambycidae) Synonym(s): brevipes Pic,1897; cribratofasciata K.Daniel,1904 Range (in code): IR AM TR Cc
- 19801. Mallosia (Eumallosia) costata Pic,1898** (Cerambycidae) Synonym(s): costata Pic,1898; kurdistan Breuning,1970 Range (in code): IR TR
- 19802. Mallosia (Eumallosia) herminae (Reitter,1890)** (Cerambycidae) Synonym(s): herminae Reitter,1890; gobustanica Danilevsky,1990 Range (in code): AZ AM Cc TR IR 12 65 76
- 19803. Mallosia (Eumallosia) imperatrix Abeille de Perrin,1885** (Cerambycidae) Synonym(s): imperatrix Abeille de Perrin,1885 Range (in code): SY LB TR IQ IR 02 12 13 25 30 31 65 80
- 19804. Mallosia (Eusemnosia) interrupta (Pic,1905)** (Cerambycidae) Synonym(s): interrupta Pic,1905 Range (in code): TR IR 13 56 65
- 19805. Mallosia (Eusemnosia) mirabilis (Faldermann,1837)** (Cerambycidae) Synonym(s): mirabilis Faldermann,1837; kotschy Hampe,1852; anglbaueri Kraatz,1884; bitlisiensis Pic,1902; delangrangei Pic,1902; multimaculata Pic,1902; semirubra Pic,1905 Range (in code): TR IR Mz Elb Fa IQ 13 30 44 46 65 73
- 19806. Mallosia (Eusemnosia) tristis (Reitter,1888)** (Cerambycidae) Synonym(s): tristis Reitter,1888; angelicae Reitter,1890; lederi Pic,1908 Range (in code): AZ Len IR Cc TR
- 19807. Mallosia (Semnosia) galinae (Danilevsky,1990)** (Cerambycidae) Synonym(s): galinae Danilevsky,1990 Range (in code): AZ Cc
- 19808. Mallosia (Semnosia) scovitzii (Faldermann,1837)** (Cerambycidae) Synonym(s): scovitzii Faldermann,1837; semilimbata Pic,1900; atricornis Pic,1915 Range (in code): TR GG AM Cc Nv AZ IR 04 13 25 36 44 61 65 73 76
- 19809. Micromallosia heinzorum Holzschuh,1991** (Cerambycidae) Synonym(s): heinzorum Holzschuh,1991 Range (in code): TR 70
- 19810. Micromallosia heydeni (Ganglbauer,1888)** (Cerambycidae) Synonym(s): heydeni Ganglbauer,1888 Range (in code): TR 02
- 19811. Micromallosia theresae Pic,1900** (Cerambycidae) Synonym(s): theresae Pic,1900 Range (in code): TR 73
- 19812. Monocladum iranum Villiers,1961** (Cerambycidae) Synonym(s): iranum Villiers,1961 Range (in code): IR
- 19813. Morimus funereus Mulsant,1863** (Cerambycidae) Synonym(s): funereus Mulsant,1863 Range (in code): HU CZ SS HV BE DE MD RO YU B-H SK UA BG TR 06 81
- 19814. Morimus orientalis Reitter,1894** (Cerambycidae) Synonym(s): orientalis Reitter,1894 TR 25 34 54 81
- 19815. Morimus verecundus (Faldermann,1836)** (Cerambycidae) Synonym(s): verecundus Faldermann,1836 Range (in code): UA Cm TR Cc IR 08 61
- 19816. Musaria affinis (Harrer,1784)** (Cerambycidae) Synonym(s): affinis Harrer,1784; nigripes Voet,1778 Range (in code): GR RU Cc
- 19817. Musaria anatolica (Fuchs & Breuning,1971)** (Cerambycidae) Synonym(s): anatolica Fuchs & Breuning,1971 Range (in code): TR 49
- 19818. Musaria astarte (Ganglbauer,1885)** (Cerambycidae) Synonym(s): astarte Ganglbauer,1885 Range (in code): TR SY Dms LB 02 65 80
- 19819. Musaria kurdistan (Ganglbauer,1884)** (Cerambycidae) Synonym(s): kurdistan Ganglbauer,1884 Range (in code): AM Cc TR IR 13 30 65
- 19820. Musaria puncticollis (Faldermann,1837)** (Cerambycidae) Synonym(s): puncticollis Faldermann,1837 Range (in code): TR IR Ab AM Cc 13 56 65
- 19821. Musaria volgensis (Kraatz,1883)** (Cerambycidae) Synonym(s): volgensis Kraatz,1883 Range (in code): Cc TR 61
- 19822. Neodorcadion bilineatum (Germar,1824)** (Cerambycidae) Synonym(s): bilineatum Germar,1824 Range (in code): GR TR
- 19823. Neodorcadion exornatoides Breuning,1962** (Cerambycidae) Synonym(s): exornatoides Breuning,1962 Range (in code): TR 10
- 19824. Neodorcadion exornatum (Fivaldsky,1835)** (Cerambycidae) Synonym(s): exornatum Fivaldsky,1835; labyrinthicum Thomson,1865; balcanicum Tournier,1872;... Range (in code): BG UA Cm TR
- 19825. Neodorcadion laqueatum (Waltl,1838)** (Cerambycidae) Synonym(s): laqueatum Waltl,1838; interruptum Mulsant & Rey,1863; sparsum Mulsant & Rey,1863; abeillei Tournier,1872; bulgaricum Pic,1913;... Range (in code): BG GR TR
- 19826. Neodorcadion orientale Ganglbauer,1883** (Cerambycidae) Synonym(s): orientale Ganglbauer,1883; flaschneri Pic,1889; merkli Pic,1892; dispar Pic,1892; eduardi Pic,1900 Range (in code): TR
- 19827. Neodorcadion pelleti (Mulsant & Rey,1863)** (Cerambycidae) Synonym(s): pelleti Mulsant & Rey,1863; segne Mulsant & Rey,1863; disjunctum Pic,1907; credulum Pic,1917 Range (in code): GR TR

- 19828. Neomusaria balcanica (Frivaldsky,1835)** (Cerambycidae) Synonym(s): balcanica Frivaldsky,1835 Range (in code): BG TR
- 19829. Neomusaria merkli (Ganglbauer,1884)** (Cerambycidae) Synonym(s): merkli Ganglbauer,1884 Range (in code): TR 02
- 19830. Neomusaria salvicola (Holzschuh,1989)** (Cerambycidae) Synonym(s): salvicola Holzschuh,1989 Range (in code): TR 23
- 19831. Neomusaria suworovi (Pic,1906)** (Cerambycidae) Synonym(s): suworovi Pic,1906 Range (in code): Cc TR 49
- 19832. Neomusaria waltli Sama,1991** (Cerambycidae) Synonym(s): waltli Sama,1991 Range (in code): SY TR 33
- 19833. Neoplacionotus bobelayei (Brullé,1832)** (Cerambycidae) Synonym(s): speciosus Adams,1817; bobelayei Brullé,1832 Range (in code): BG TR MK GR RO UA RU AM Cc SY JO IR 33 56 65
- 19834. Neoplacionotus scalaris (Brullé,1832)** (Cerambycidae) Synonym(s): scalaris Brullé,1832 Range (in code): MA DZ TN IT Si YU AL MK GR BG TR 76
- 19835. Neoplocaederus scapularis (Fischer von Waldheim,1821)** (Cerambycidae) Synonym(s): scapularis Fischer von Waldheim,1821 Range (in code): IR Lo AF
- 19836. Nothorhina muricata (Dalman,1817)** (Cerambycidae) Synonym(s): muricata Dalman,1817 Range (in code): TR 29 31 60
- 19837. Nothorhina punctata (Fabricius,1798)** (Cerambycidae) Synonym(s): punctata Fabricius,1798 Range (in code): SK TR
- 19838. Oberea erythrocephala (Schrank,1776)** (Cerambycidae) Synonym(s): erythrocephala (Schrank,1776 Range (in code): TR
- 19839. Oberea linearis (Linnaeus,1761)** (Cerambycidae) Synonym(s): linearis Linnaeus,1761 Range (in code): CZ GR TR Cc RU
- 19840. Oberea oculata (Linnaeus,1758)** (Cerambycidae) Synonym(s): oculata Linnaeus,1758 Range (in code): PT ES FR IT SS MK AL GR BG TR RO HU AT CH BE NL DK DE GB CZ SK PL NO SE FI LT GB UA MD RU KG
- 19841. Opsilia coerulescens (Scopoli,1763)** (Cerambycidae) Synonym(s): coerulescens Scopoli,1763 Range (in code): DZ FR SS HV GR TR 13 44 65 76
- 19842. Osphranteria coerulescens Redtenbacher,[1849]** (Cerambycidae) Synonym(s): coerulescens Redtenbacher,[1849] Range (in code): IR TR SY IQ 30 56 65 72 73
- 19843. Osphranteria lata Pic,1956** (Cerambycidae) Synonym(s): lata Pic,1956; richteri Heyrovsky,1959 Range (in code): IR
- 19844. Oxylia argentata (Ménétriés,1832)** (Cerambycidae) Synonym(s): argentata Ménétriés,1832 Range (in code): AZ Cc TR SY 02 13
- 19845. Pachytodes cerambyciformis (Schrank,1781)** (Cerambycidae) Synonym(s): cerambyciformis Schrank,1781 Range (in code): Cc TR CZ
- 19846. Pachytodes erraticus (Dalman,1817)** (Cerambycidae) Synonym(s): erraticus Dalman,1817 Range (in code): CZ Cc TR IR 49 65
- 19847. Paraclitus raddei (Ganglbauer,1881)** (Cerambycidae) Synonym(s): raddei Ganglbauer,1881 Range (in code): AZ Cc IR
- 19848. Paraclitus reitteri (Ganglbauer,1881)** (Cerambycidae) Synonym(s): reitteri Ganglbauer,1881 Range (in code): AZ Cc IR
- 19849. Paraclitus sexguttatus (Adams,1817)** (Cerambycidae) Synonym(s): sexguttatus Adams,1817 Range (in code): Cc AZ TR IR BG 14
- 19850. Paracorymbia excisipes (Ménétriés,1832)** (Cerambycidae) Synonym(s): excisipes Ménétriés,1832 Range (in code): TR 33
- 19851. Paracorymbia fulva (De Geer,1775)** (Cerambycidae) Synonym(s): fulva De Geer,1775 Range (in code): HV TR
- 19852. Paracorymbia maculicornis (De Geer,1775)** (Cerambycidae) Synonym(s): maculicornis De Geer,1775 Range (in code): Cc CZ
- 19853. Paracorymbia sambucicola (Holzschuh,1982)** (Cerambycidae) Synonym(s): sambucicola Holzschuh,1982 Range (in code): SY TR
- 19854. Paracorymbia tonsa (K.Daniel & J.Daniel,1891)** (Cerambycidae) Synonym(s): tonsa K.Daniel & J.Daniel,1891 Range (in code): Cc TR IR
- 19855. Paraplagionotus floralis (Pallas,1773)** (Cerambycidae) Synonym(s): floralis Pallas,1773 Range (in code): ES FR CH IT AT PL CZ SK HU SS HV YU AL RO BG GR UA RU SY IL Pa IQ KG TR Cc IR 46 13 65
- 19856. Podostrangalia emmipoda (Mulsant,1863)** (Cerambycidae) Synonym(s): emmipoda Mulsant,1863 Range (in code): GR TR AM Cc 02 13
- 19857. Podostrangalia kurda Sama,1996** (Cerambycidae) Synonym(s): kurda Sama,1996 Range (in code): TR

- 19858. *Pedostrangalia raggii* Sama,1992** (Cerambycidae) Synonym(s): raggii Sama,1992 Range (in code): **CY**
- 19859. *Pedostrangalia revestita* (Linnaeus,1767)** (Cerambycidae) Synonym(s): revestita Linnaeus,1767 Range (in code): **Cc CZ TR**
- 19860. *Pedostrangalia riccardoi* Holzschuh,1984** (Cerambycidae) Synonym(s): riccardoi Holzschuh,1984 Range (in code): **IL Pa SY JO Dms TR**
- 19861. *Pedostrangalia tokatensis* Sama,1996** (Cerambycidae) Synonym(s): tokatensis Sama,1996 Range (in code): **TR 60**
- 19862. *Pedostrangalia verticenigra* (Pic,1892)** (Cerambycidae) Synonym(s): verticenigra Pic,1892; erinnys Daniel,1904 Range (in code): **TR**
- 19863. *Penichroa fasciata* (Stephens,1831)** (Cerambycidae) Synonym(s): fasciata Stephens,1831; eggeri Adlbauer,2006 Range (in code): **FR CH GR TM TJ US**
- 19864. *Phytoecia* (Blepisanis) *magnanii* (Sama,2007)** (Cerambycidae) Synonym(s): magnanii Sama,2007 Range (in code): **IR Fa**
- 19865. *Phytoecia* (Blepisanis) *povolnyi* Heyrovsky,1971** (Cerambycidae) Synonym(s): povolnyi Heyrovsky,1971 Range (in code): **AF Kab**
- 19866. *Phytoecia* (Blepisanis) *samai* Özdikmen & Turgut,2008** (Cerambycidae) Synonym(s): samai Özdikmen & Turgut,2008 Range (in code): **TR 80**
- 19867. *Phytoecia* (Blepisanis) *vittipennis* Reiche,1877** (Cerambycidae) Synonym(s): vittipennis Reiche,1877; pallidior Pic,1901; tokatensis Pic,1933 Range (in code): **BG GR SY TR Cc AM 01 02 06 07 15 20 24 25 33 35 38 42 45 46 51 60 66 76? 80**
- 19868. *Phytoecia* (Blepisanis) *volkovitshi* Danilevsky,2010** (Cerambycidae) Synonym(s): volkovitshi Danilevsky,2010 Range (in code): **TR 63**
- 19869. *Phytoecia* (Metallidia) *alinae* Kasatkin,2011** (Cerambycidae) Synonym(s): alinae Kasatkin,2011 Range (in code): **TR 49**
- 19870. *Phytoecia* (Pilemia) *hirsutula* (Frölich,1793)** (Cerambycidae) Synonym(s): hirsutula Frölich,1793 Range (in code): **BG UA RU AM AZ Cc TR IR TM 33**
- 19871. *Phytoecia* (Pilemia) *konyaensis* Danilevsky,2010** (Cerambycidae) Synonym(s): konyaensis Danilevsky,2010 Range (in code): **TR 68**
- 19872. *Phytoecia* (s.str.) *bialookii* Danilevsky,2010** (Cerambycidae) Synonym(s): bialookii Danilevsky,2010 Range (in code): **TR 13 49**
- 19873. *Phytoecia* (s.str.) *croceipes* Reiche & Saulcy,1858** (Cerambycidae) Synonym(s): croceipes Reiche & Saulcy,1858 Range (in code): **AZ Cc TR SY**
- 19874. *Phytoecia* (s.str.) *geniculata* Mulsant,1862** (Cerambycidae) Synonym(s): geniculata Mulsant,1862 Range (in code): **GR BG TR SY IL Pa Hf 16 33 34**
- 19875. *Phytoecia* (s.str.) *kartalensis* Danilevsky,2010** (Cerambycidae) Synonym(s): kartalensis Danilevsky,2010 Range (in code): **TR 26**
- 19876. *Phytoecia* *achilleae* Holzschuh,1971** (Cerambycidae) Synonym(s): achilleae Holzschuh,1971 Range (in code): **TR Cc 49**
- 19877. *Phytoecia* *behen* Sama & Rejzek,1999** (Cerambycidae) Synonym(s): behen Sama & Rejzek,1999 Range (in code): **TR 24**
- 19878. *Phytoecia* *caerulea* (Scopoli,1772)** (Cerambycidae) Synonym(s): caerulea Scopoli,1772 Range (in code): **AL AM AT B-H BG BY HV CZ GG HU IT MK MD PT RO SK SS YU TR Cc IR GR IL Pa SY LB KG TJ TM UZ 31**
- 19879. *Phytoecia* *geniculata* Mulsant,1863** (Cerambycidae) Synonym(s): geniculata Mulsant,1863 Range (in code): **GR BG CY TR**
- 19880. *Phytoecia* *icterica* (Schaller,1783)** (Cerambycidae) Synonym(s): icterica Schaller,1783 Range (in code): **TR Cc RU SK 49**
- 19881. *Phytoecia* *kabateki* Sama,1996** (Cerambycidae) Synonym(s): kabateki Sama,1996 Range (in code): **SY LB**
- 19882. *Phytoecia* *katarinae* Holzschuh,1974** (Cerambycidae) Synonym(s): katarinae Holzschuh,1974 Range (in code): **TR 49**
- 19883. *Phytoecia* *nepheloides* Sama,1997** (Cerambycidae) Synonym(s): nepheloides Sama,1997 Range (in code): **SY TR 01**
- 19884. *Phytoecia* *nigricornis* (Fabricius,1781)** (Cerambycidae) Synonym(s): nigricornis Fabricius,1781 Range (in code): **RU Cc CZ**
- 19885. *Phytoecia* *pustulata* (Schrank,1776)** (Cerambycidae) Synonym(s): pustulata Schrank,1776 Range (in code): **TR Cc KG SK 31**
- 19886. *Phytoecia* *rufipes* (Olivier,1795)** (Cerambycidae) Synonym(s): rufipes Olivier,1795 Range (in code): **FR AT DZ TR SY**
- 19887. *Phytoecia* *virgula* (Charpentier,1825)** (Cerambycidae) Synonym(s): virgula Charpentier,1825 Range (in code): **GR SK TR Cc RU KG 01 13 29 43 50 55 62 65 69**



- 19888. *Plagionotus arcuatus* (Linnaeus,1758)** (Cerambycidae) Synonym(s): arcuatus Linnaeus,1758  
Range (in code): CZ DZ Cc TR IR 08 12 17 32 34 37 49 55 60 61 65 80 81
- 19889. *Plagionotus bartholomaei* (Motschoulsky,1859)** (Cerambycidae) Synonym(s): bartholomaei Motschoulsky,1859 Range (in code): Cc AZ IR Kh
- 19890. *Plagionotus detritus* (Linnaeus,1758)** (Cerambycidae) Synonym(s): detritus Linnaeus,1758  
Range (in code): CZ RU Cc KG IR
- 19891. *Plagionotus lugubris* (Ménétriés,1832)** (Cerambycidae) Synonym(s): lugubris Ménétriés,1832  
Range (in code): Cc IR Kh TR
- 19892. *Pogonarthron minutum* (Pic,1905)** (Cerambycidae) Synonym(s): minutum Pic,1905; obenbergeri Heyrovsky,1939; loeffleri Fuchs,1956 Range (in code): IR
- 19893. *Prionus (Mesoprionus) batelkai* (Slama,1996)** (Cerambycidae) Synonym(s): batelkai Slama,1996 Range (in code): Cr GR ?TR
- 19894. *Prionus (Mesoprionus) besicanus* (Fairmaire,1855)** (Cerambycidae) Synonym(s): besicanus Fairmaire,1855; ?lefevrei Marsham,1856; ?schaufussi Jakovlev,1887 Range (in code): AL B-H MK GR CY SY JO LB YU HV TR IQ IR 02 06 07 15 16 17 25 31 34 35 42 46 50 56 80
- 19895. *Prionus (Mesoprionus) henkei* (Schaufuss,1879)** (Cerambycidae) Synonym(s): henkei Schaufuss,1879 Range (in code): IQ
- 19896. *Prionus (Mesoprionus) lesnei* (Semenov,1933)** (Cerambycidae) Synonym(s): lesnei Semenov,1933 Range (in code): IR
- 19897. *Prionus (Mesoprionus) persicus* (Redtenbacher,[1849])** (Cerambycidae) Synonym(s): persicus Redtenbacher,[1849] Range (in code): IR Fa
- 19898. *Prionus (Mesoprionus) petrovitzi* (Holzschuh,1981)** (Cerambycidae) Synonym(s): petrovitzi Holzschuh,1981 Range (in code): IR
- 19899. *Prionus (s.str.) coriarius* (Linnaeus,1758)** (Cerambycidae) Synonym(s): coriarius Linnaeus,1758; tridentatus Linnaeus,1758; prionus DeGeer,1775; ballista Voet,1778; germanicus Voet,1778; hussarus Voet,1778; vicinus Jakovlev,1887 Range (in code): PT ES FR Co IT Si AL SS HV B-H YU GR BG CZ RO HU AT CH BE NL DK DE GB SK NO PL SE FI EE LT LV BY UA Cm MD RU KG TN DZ Sb IR TR Cc 06 07 08 09 10 14 15 31 37 39 41 42 46 57 61 71 80
- 19900. *Prionus (s.str.) komiyai* Lorenc,1999** (Cerambycidae) Synonym(s): komiyai Lorenc,1999 Range (in code): SY TR
- 19901. *Pseudosphegesthes brunnea* (Pic,1897)** (Cerambycidae) Synonym(s): brunnea Pic,1897 Range (in code): Cc GG Tbl
- 19902. *Pseudosphegesthes longitarsus* Holzschuh,1974** (Cerambycidae) Synonym(s): longitarsus Holzschuh,1974 Range (in code): TR 02
- 19903. *Pseudosphegesthes samai* Danilevsky,2000** (Cerambycidae) Synonym(s): samai Danilevsky,2000 Range (in code): TR 60
- 19904. *Pseudovadonia livida* (Fabricius,1777)** (Cerambycidae) Synonym(s): livida Fabricius,1777; pecta K.Daniel & J.Daniel,1891 Range (in code): RU Cc TR IR DE CZ 31 52
- 19905. *Pteromallosia albolineata* (Hampe,1852)** (Cerambycidae) Synonym(s): albolineata Hampe,1852  
Range (in code): TR GG AM AZ Cc IR 02 13 65
- 19906. *Purpuricenens apicalis* Pic,1905** (Cerambycidae) Synonym(s): apicalis Pic,1905; tommasoi Sama,2001 Range (in code): TR IR Fa IQ Mos Pjw 30 56 47 65
- 19907. *Purpuricenens bitlisiensis* Pic,1902** (Cerambycidae) Synonym(s): bitlisiensis Pic,1902 Range (in code): TR 12 13 49 62
- 19908. *Purpuricenens budensis* (Götz,1783)** (Cerambycidae) Synonym(s): budensis Götz,1783 Range (in code): GR SK HU Cc TR SY IR 01 02 03 05 06 07 08 09 10 12 14 15 16 17 19 20 22 25 27 29 31 32 33 34 35 41 42 45 46 48 49 51 53 55 56 57 60 62 66 70 80
- 19909. *Purpuricenens caucasicus* Pic,1902** (Cerambycidae) Synonym(s): caucasicus Pic,1902 Range (in code): Cc TR 14
- 19910. *Purpuricenens cornifrons* Sabbadini & Pesarini,1992** (Cerambycidae) Synonym(s): cornifrons Sabbadini & Pesarini,1992 Range (in code): TR 02 12 27 47 49 62 65
- 19911. *Purpuricenens dalmatinus* Sturm,1843** (Cerambycidae) Synonym(s): dalmatinus Sturm,1843  
Range (in code): HV TR SY 02 07 09 12 31 33 35 45 46 48 49 56 62 80
- 19912. *Purpuricenens desfontainei* (Fabricius,1792)** (Cerambycidae) Synonym(s): desfontainei Fabricius,1792 Range (in code): GR TR
- 19913. *Purpuricenens deyrollei* Thomson,1867** (Cerambycidae) Synonym(s): deyrollei Thomson,1867  
Range (in code): IR Kh
- 19914. *Purpuricenens indus* Semenov,1908** (Cerambycidae) Synonym(s): haussknechti Gahan,1906 nec Witte,1872; indus Semenov,1908 Range (in code): AF PK Pj Ch
- 19915. *Purpuricenens kaehlerii* (Linnaeus,1758)** (Cerambycidae) Synonym(s): kaehlerii Linnaeus,1758  
Range (in code): GR Cc TR IR
- 19916. *Purpuricenens longevittatus* Pic,1941** (Cerambycidae) Synonym(s): longevittatus Pic,1941 Range (in code): TR SY 32

- 19917. *Purpuricen* nabateus Sama,1998** (Cerambycidae) Synonym(s): nabateus Sama,1998 Range (in code): JO
- 19918. *Purpuricen* nicocles Schaufuss,1871** (Cerambycidae) Synonym(s): nicocles Schaufuss,1871 Range (in code): CY
- 19919. *Purpuricen* nigronotatus Pic,1907** (Cerambycidae) Synonym(s): nigronotatus Pic,1907; konradi Bernhauer,1976 Range (in code): TR 33
- 19920. *Purpuricen* nudicollis Demelt,1968** (Cerambycidae) Synonym(s): nudicollis Demelt,1968 Range (in code): CY TR 33
- 19921. *Purpuricen* sasanus Kadlec,2006** (Cerambycidae) Synonym(s): sasanus Kadlec,2006 Range (in code): IR
- 19922. *Purpuricen* talyshensis Reitter,1914** (Cerambycidae) Synonym(s): talyshensis Reitter,1914 Range (in code): IR Elb Mz AZ Cc
- 19923. *Purpuricen* wachanrui Levrat,1858** (Cerambycidae) Synonym(s): wachanrui Levrat,1858; aleppensis Witte,1872; haussknechti Witte,1872; atricolor Pic,1912; diversipennis Pic,1915 Range (in code): Cc AM TR IR IQ CY AZ SY Hal 01 02 12 13 21 44 49 62 65
- 19924. *Rutpela* maculata (Poda,1761)** (Cerambycidae) Synonym(s): maculata Poda,1761; irmasanica Sama,1996 Range (in code): PT ES FR Co IT SS MK AL GR BG TR RO HU AT CH DE BE DK NL GB CZ SK PL NO SE FI EE LT UA Cm MD RU KG 07 13 65
- 19925. *Saperda* maculosa Ménétériés,1832** (Cerambycidae) Synonym(s): maculosa Ménétériés,1832 Range (in code): IR Cc AZ
- 19926. *Saperda* quercus Charpentier,1825** (Cerambycidae) Synonym(s): quercus Charpentier,1825; ocellata Abeille de Perrin,1895 Range (in code): SY TR 80
- 19927. *Saperda* scalaris (Linnaeus,1758)** (Cerambycidae) Synonym(s): scalaris Linnaeus,1758 Range (in code): DZ TR CZ
- 19928. *Spondylis* buprestoides (Linnaeus,1758)** (Cerambycidae) Synonym(s): buprestoides Linnaeus,1758 Range (in code): TR 06 08 14 16 31 34 36 57 61 78 80
- 19929. *Stenopterus* adlbaueri Sama,1995** (Cerambycidae) Synonym(s): adlbaueri Sama,1995 Range (in code): TR 12 30 62
- 19930. *Stenopterus* ater (Linnaeus,1767)** (Cerambycidae) Synonym(s): ater Linnaeus,1767; praeustus Fabricius,1792; ustulatus Mulsant,1839; auriventris Küster,1851; nigripes A.Costa,1855; flavipes Pic,1892; subhumeralis Pic,1905; theryi Pic,1918; biskrensis Dayrem,1922 Range (in code): B-H HV FR GG Cc GR IT MK PT SK SS YU DZ LY MA TN UA Cm
- 19931. *Stenopterus* atricornis Pic,1891** (Cerambycidae) Synonym(s): atricornis Pic,1891 Range (in code): GR TR LB 07 33 37 42 62
- 19932. *Stenopterus* flavicornis Küster,1846** (Cerambycidae) Synonym(s): flavicornis Küster,1846; procerus A.Costa,1855 Range (in code): AL AT BG HV CZ GR HU IT MK SK SS TR UA YU IL Pa JO SY
- 19933. *Stenopterus* kraatzi (Pic,1892)** (Cerambycidae) Synonym(s): kraatzi Pic,1892 Range (in code): TR 02
- 19934. *Stenopterus* rufus (Linnaeus,1767)** (Cerambycidae) Synonym(s): rufus Linnaeus,1767; attenuatus Geoffroy,1785 Range (in code): AT BE B-H BG HV CZ FR DE HU IT MT MD PL SK SS ES CH UA Cn Cc IR FR HV TR SY LB JO IL Pa IR TM 07 13 31 33 49 52 62 65 80
- 19935. *Stenopterus* similatus Holzschuh,1979** (Cerambycidae) Synonym(s): similatus Holzschuh,1979 Range (in code): YU RO BG Cr GR CY TR HU
- 19936. *Stenurella* bifasciata (O.F.Müller,1776)** (Cerambycidae) Synonym(s): bifasciata O.F.Müller,1776 Range (in code): RU Cc TR IR DE 56 75
- 19937. *Stenurella* melanura (Fabricius,1792)** (Cerambycidae) Synonym(s): melanura Fabricius,1792 Range (in code): RU Cc TR IR DE CZ
- 19938. *Stictoleptura* cordigera (Fuesslin,1775)** (Cerambycidae) Synonym(s): cordigera Fuesslin,1775 Range (in code): HV TR Cc IR 02 06 07 08 10 12 13 14 15 17 20 22 24 27 29 31 32 33 34 35 39 41 42 45 46 48 50 51 56 59 62 65 68 72 73 77 80
- 19939. *Stictoleptura* deyrollei (Pic,1895)** (Cerambycidae) Synonym(s): deyrollei Pic,1895 Range (in code): GG Cc TR IR 61
- 19940. *Stictoleptura* erythroptera (Hagenbach,1822)** (Cerambycidae) Synonym(s): erythroptera Hagenbach,1822 Range (in code): TR Cc IR CZ
- 19941. *Stictoleptura* heydeni (Ganglbauer,1889)** (Cerambycidae) Synonym(s): ustulata Ménétériés,1832; heydeni Ganglbauer,1889 Range (in code): TR Cc AZ IR 33
- 19942. *Stictoleptura* rufa (Brullé,1832)** (Cerambycidae) Synonym(s): rufa Brullé,1832; dimidiata J.Daniel,1891 Range (in code): IT GR TR Cc IR Lo 24 30 62
- 19943. *Stictoleptura* tesserula (Charpentier,1825)** (Cerambycidae) Synonym(s): tesserula Charpentier,1825 Range (in code): CZ SK PL YU TR Cc
- 19944. *Stictoleptura* tripartita (Heyden,1889)** (Cerambycidae) Synonym(s): tripartita Heyden,1889 Range (in code): SY TR IR 02 12 13 24 25 30 36 38 44 46 53 56 62 65 66

- 19945. *Strangalia attenuata* (Linnaeus,1758)** (Cerambycidae) Synonym(s): *attenuata* Linnaeus,1758 Range (in code): ES FR Co IT SS MK AL BG GR TR RO HU AT CH DE BE NL DK CZ SK PL NO SE FI EE LT BY GB UA MD RU KG
- 19946. *Tetrops praeustus* (Linnaeus,1758)** (Cerambycidae) Synonym(s): *praeustus* Linnaeus,1758; *ustulatus* Hagenbach,1822; *inapicalis* Pic,1891; *angorensis* Pic,1918; *mesmini* Pic,1928; *vicinus* Pic,1928; *anatolicus* Özdikmen & Turgut,2008 Range (in code): DZ PT ES FR BE NL DE DK GB NO SE FI RU Sb EE LT LV BY PL UA Cm CZ SK CH AT HU SS HV B-H YU MD RO MK BG GR MT IT AL Si Sa TR Cc SY KG MN CA 06 07 11 18 33 34 42 51 54 55 57 80
- 19947. *Tetrops warncke* Holzschuh,1977** (Cerambycidae) Synonym(s): *warncke* Holzschuh,1977 Range (in code): TR 33
- 19948. *Theophilea cylindricollis* Pic,1895** (Cerambycidae) Synonym(s): *cylindricollis* Pic,1895; *erzurumensis* Önalp,1974 Range (in code): TR AZ GG AM Cc IR 12 13 25 29 35 36 41 69
- 19949. *Trichoferus antonioui* Sama,1994** (Cerambycidae) Synonym(s): *antonioui* Sama,1994 Range (in code): CY
- 19950. *Trichoferus fissitarsis* Sama, Fallahzadeh & Rapuzzi,2005** (Cerambycidae) Synonym(s): *fissitarsis* Sama, Fallahzadeh & Rapuzzi,2005 Range (in code): IR TR 56
- 19951. *Trichoferus griseus* (Fabricius,1792)** (Cerambycidae) Synonym(s): *griseus* Fabricius,1792 Range (in code): GR TR 01 07 09 27 31 33 35 42 45 80
- 19952. *Trichoferus kotschy* Ganglbauer,1883** (Cerambycidae) Synonym(s): *kotschy* Ganglbauer,1883 Range (in code): TR 33
- 19953. *Trichoferus lunatus* (Szallies,1994)** (Cerambycidae) Synonym(s): *lunatus* Szallies,1994 Range (in code): TR IR 47 73
- 19954. *Trichoferus pallidus* (Olivier,1790)** (Cerambycidae) Synonym(s): *pallidus* Olivier,1790 Range (in code): UA Cm Cc RU
- 19955. *Trichoferus preissi* (Heyden,1894)** (Cerambycidae) Synonym(s): *preissi* Heyden,1894 Range (in code): TR IR SY 01 07 33 63
- 19956. *Trichoferus samai* Kadlec & Rejzek,2001** (Cerambycidae) Synonym(s): *samai* Kadlec & Rejzek,2001 Range (in code): TR
- 19957. *Turanoclytus ilamensis* (Holzschuh,1979)** (Cerambycidae) Synonym(s): *ilamensis* Holzschuh,1979 Range (in code): IR Km Lo Ab TR 30
- 19958. *Turanoclytus namaganensis* (Heyden,1885)** (Cerambycidae) Synonym(s): *namaganensis* Heyden,1885 Range (in code): UZ AF
- 19959. *Turanoclytus sieversi* (Ganglbauer,1890)** (Cerambycidae) Synonym(s): *sieversi* Ganglbauer,1890; *deyrollei* Pic,1897 Range (in code): TR 12 29 31 46 61 62 76
- 19960. *Vadonia bicolor* Redtenbacher,1850** (Cerambycidae) Synonym(s): *bicolor* Redtenbacher,1850; *tuerki* Heyden,1878 Range (in code): AZ Cc TR IR
- 19961. *Vadonia bisignata* (Brullé,1832)** (Cerambycidae) Synonym(s): *bisignata* Brullé,1832 Range (in code): GR BG TR
- 19962. *Vadonia bitlisiensis* (Chevrolat,1882)** (Cerambycidae) Synonym(s): *bitlisiensis* Chevrolat,1882; *cribricollis* Pic,1889; *bistigmata* Pic,1893; *armeniaca* Pic,1903 Range (in code): AM Cc AZ TR IR 11 13 24 25 29 49 62 65
- 19963. *Vadonia bolognai* Sama,1982** (Cerambycidae) Synonym(s): *bolognai* Sama,1982 Range (in code): TR 55
- 19964. *Vadonia ciliciensis* Daniel & Daniel,1891** (Cerambycidae) Synonym(s): *ciliciensis* Daniel & Daniel,1891 Range (in code): TR
- 19965. *Vadonia danielorum* Holzschuh,1984** (Cerambycidae) Synonym(s): *danielorum* Holzschuh,1984 Range (in code): TR
- 19966. *Vadonia eckweileri* Holzschuh,1998** (Cerambycidae) Synonym(s): *eckweileri* Holzschuh,1998 Range (in code): PK
- 19967. *Vadonia frater* Holzschuh,1981** (Cerambycidae) Synonym(s): *frater* Holzschuh,1981 Range (in code): TR 80
- 19968. *Vadonia instigmata* (Pic,1889)** (Cerambycidae) Synonym(s): *instigmata* Pic,1889 Range (in code): TR 02 13 49
- 19969. *Vadonia ispirensis* Holzschuh,1993** (Cerambycidae) Synonym(s): *ispirensis* Holzschuh,1993 Range (in code): TR 25
- 19970. *Vadonia moesiaca* (K.Daniel & J.Daniel,1891)** (Cerambycidae) Synonym(s): *moesiaca* K.Daniel & J.Daniel,1891 Range (in code): BG TR
- 19971. *Vadonia monostigma* (Ganglbauer,1882)** (Cerambycidae) Synonym(s): *monostigma* Ganglbauer,1882 Range (in code): TR
- 19972. *Vadonia soror* Holzschuh,1981** (Cerambycidae) Synonym(s): *soror* Holzschuh,1981 Range (in code): TR 07
- 19973. *Vadonia unipunctata* (Fabricius,1787)** (Cerambycidae) Synonym(s): *unipunctata* Fabricius,1787 Range (in code): DZ TR Cc IR KG SK ES FR IT GR BG AT CZ SK PL MD UA Cm RU 13 24 62 65



- 19974. *Xenopachys matthiesseni* (Reitter,1907)** (Cerambycidae) Synonym(s): matthiesseni Reitter,1907 Range (in code): IR Fa Das TM AF TJ
- 19975. *Xylotrechus antilope* (Schönherr,1817)** (Cerambycidae) Synonym(s): antilope Schönherr,1817 Range (in code): DZ CZ Cc IR
- 19976. *Xylotrechus arvicola* (Olivier,1795)** (Cerambycidae) Synonym(s): arvicola Olivier,1795 Range (in code): CZ GR Cc DZ IR TR RU KG
- 19977. *Xylotrechus ilamensis* Holzschuh,1979** (Cerambycidae) Synonym(s): ilamensis Holzschuh,1979 Range (in code): IR
- 19978. *Xylotrechus pantherinus* (Savenius,1825)** (Cerambycidae) Synonym(s): pantherinus Savenius,1825 Range (in code): RU KG Cc CZ
- 19979. *Xylotrechus rusticus* (Linnaeus,1758)** (Cerambycidae) Synonym(s): rusticus Linnaeus,1758 Range (in code): Cc TR IR CZ RU 65
- 19980. *Xylotrechus sieversi* Ganglbauer,1890** (Cerambycidae) Synonym(s): sieversi Ganglbauer,1890 Range (in code): TR Cc 31
- 19981. *Zoodes compressus* (Fabricius,1787)** (Cerambycidae) Synonym(s): compressus Fabricius,1787; soraya Breuning & Villiers,1974 Range (in code): IR Hz SA IN CN Ti
- 19982. *Zoodes liturifer* Walker,1871** (Cerambycidae) Synonym(s): liturifer Walker,1871; denticollis Fairmaire,1891; hirsutum Jordan,1894; picicornis Distant,1904 Range (in code): NA AO ZA Tva Lpo Kru Spb Mdk MZ ZW SN SD TZ Zz SA
- 19983. *Altica ancyrensis* (Weise,1897)** (Chrysomelidae) Synonym(s): ancyrensis Weise,1897 Range (in code): TR AM Cc IL Pa 06 15 25 42 50 60
- 19984. *Altica bicarinata* (Kutschera,1860)** (Chrysomelidae) Synonym(s): bicarinata Kutschera,1860; ciliciensis Weise,1897 Range (in code): TR IR EG 01 07 11 26 31 33 38 50 55 61
- 19985. *Altica brevicollis* Foudras,1860** (Chrysomelidae) Synonym(s): brevicollis Foudras,1860 Range (in code): TR Cc IR KG 02 16 25 34 53 60
- 19986. *Altica bulgharensis* Kral,1969** (Chrysomelidae) Synonym(s): bulgharensis Kral,1969 Range (in code): TR 33
- 19987. *Altica carduorum* (Guérin-Ménéville,1858)** (Chrysomelidae) Synonym(s): carduorum Guérin-Ménéville,1858 Range (in code): TR Cc KG 06 08 18 19 25 38 42 52 58 66
- 19988. *Altica cornivorax* Kral,1969** (Chrysomelidae) Synonym(s): cornivorax Kral,1969 Range (in code): TR 34
- 19989. *Altica deserticola* (Weise,1889)** (Chrysomelidae) Synonym(s): deserticola Weise,1889 Range (in code): TR RU KG Cc AF MN KP KR TW 03 04 05 06 08 21 25 31 32 36 44 49 51 54 56 60 65 68 72 76 81
- 19990. *Altica globicollis* (Weise,1889)** (Chrysomelidae) Synonym(s): globicollis Weise,1889 Range (in code): TR Cc IR 25 33 34
- 19991. *Altica graeca* Kral,1966** (Chrysomelidae) Synonym(s): graeca Kral,1966 Range (in code): GR TR 60
- 19992. *Altica hamperi* (Allard,1867)** (Chrysomelidae) Synonym(s): hamperi Allard,1867; khnozorani Kral,1969 Range (in code): Cc TR 05 06 25
- 19993. *Altica impressicollis* (Reiche,1862)** (Chrysomelidae) Synonym(s): impressicollis Reiche,1862; #impressicoilis Aslan et al,1999 Range (in code): TR Cc 07 08 11 25 34 38 41 55
- 19994. *Altica jarmilae* Kral,1979** (Chrysomelidae) Synonym(s): jarmilae Kral,1979 Range (in code): TR GR G IL Pa Cc GG 06 16 25 31 33 35
- 19995. *Altica lythri* Aubé,1843** (Chrysomelidae) Synonym(s): lythri Aubé,1843 Range (in code): TR 25 61
- 19996. *Altica oleracea* (Linnaeus,1758)** (Chrysomelidae) Synonym(s): oleracea Linnaeus,1758 Range (in code): TR Cc KG KP KR JP 06 15 25 36 38 42 50 53 58 60 69
- 19997. *Altica palustris* (Weise,1888)** (Chrysomelidae) Synonym(s): palustris Weise,1888 Range (in code): TR Cc IR AF KG DZ 25 38 42 69 77
- 19998. *Altica pontica* (Ogloblin,1925)** (Chrysomelidae) Synonym(s): pontica Ogloblin,1925 Range (in code): TR 25 61
- 19999. *Altica quercetorum* Foudras,1860** (Chrysomelidae) Synonym(s): quercetorum Foudras,1860 Range (in code): TR Cc 34
- 20000. *Altica tamaricis* Schrank,1785** (Chrysomelidae) Synonym(s): tamaricis Schrank,1785 Range (in code): TR 22 34 52 53 61
- 20001. *Anthobiodes turcicus* (Medvedev,1975)** (Chrysomelidae) Synonym(s): turcicus Medvedev,1975 Range (in code): GR Rd TR 07
- 20002. *Antipa macropus* (Illiger,1800)** (Chrysomelidae) Synonym(s): macropus Illiger,1800 Range (in code): BG GR TR CY RU TN ES RU IR SY 08 17 25 35 42 48
- 20003. *Aphthona abdominalis* (Duftschmid,1825)** (Chrysomelidae) Synonym(s): abdominalis Duftschmid,1825; finitima Ogloblin,1927 Range (in code): TR Cc IR AF KG
- 20004. *Aphthona alanyensis* Fritzlar,2004** (Chrysomelidae) Synonym(s): alanyensis Fritzlar,2004 Range (in code): TR 07

- 20005. *Aphthona atrovirens* (Förster,1849)** (Chrysomelidae) Synonym(s): atrovirens Förster,1849 Range (in code): TR Cc
- 20006. *Aphthona bergealoides* Fritzlar,2004** (Chrysomelidae) Synonym(s): bergealoides Fritzlar,2004 Range (in code): TR 07
- 20007. *Aphthona bonvouloiri* Allard,1861** (Chrysomelidae) Synonym(s): bonvouloiri Allard,1861; tauricola Pic,1910 Range (in code): IT GR Rd CY TR BG EG IR 01 11 25 26 33 34 42
- 20008. *Aphthona crassicornis* Lopatin,1990** (Chrysomelidae) Synonym(s): crassicornis Lopatin,1990 Range (in code): TR 65
- 20009. *Aphthona euphorbiae* (Schränk,1781)** (Chrysomelidae) Synonym(s): euphorbiae Schränk,1781 Range (in code): Cc TR RU Sb KG 01 05 06 19 25 33 34 38
- 20010. *Aphthona flava* Guillebeau,1894** (Chrysomelidae) Synonym(s): flava Guillebeau,1894 Range (in code): TR 25
- 20011. *Aphthona flaviceps* Allard,1859** (Chrysomelidae) Synonym(s): flaviceps Allard,1859 Range (in code): Cc TR DZ KG 01 06 07 25 33 34
- 20012. *Aphthona franzi* Heikertinger,1944** (Chrysomelidae) Synonym(s): franzi Heikertinger,1944 Range (in code): Cc TR SY IL Pa 05 06 24 25 36 38
- 20013. *Aphthona fuentei* Reitter,1901** (Chrysomelidae) Synonym(s): fuentei Reitter,1901 Range (in code): TR IL Pa IR DZ ZR 01 33
- 20014. *Aphthona gracilis* Faldermann,1837** (Chrysomelidae) Synonym(s): gracilis Faldermann,1837 Range (in code): TR Cc RU KG 25 69
- 20015. *Aphthona kuntzei* Roubal,1931** (Chrysomelidae) Synonym(s): kuntzei Roubal,1931 Range (in code): TR 06 25 36
- 20016. *Aphthona lutescens* (Gyllenhal,1808)** (Chrysomelidae) Synonym(s): lutescens Gyllenhal,1808 Range (in code): TR Cc RU Sb KG MN YE 07 25 26 34 42
- 20017. *Aphthona maculata* Allard,1876** (Chrysomelidae) Synonym(s): maculata Allard,1876 Range (in code): TR Cc RU KG 01 07 27 35
- 20018. *Aphthona nigriceps* (Redtenbacher,1842)** (Chrysomelidae) Synonym(s): nigriceps Redtenbacher,1842 Range (in code): DZ TR Cc 14 22 25
- 20019. *Aphthona nigriscutis* Foudras,1860** (Chrysomelidae) Synonym(s): nigriscutis Foudras,1860 Range (in code): TR Cc RU IR KG 06 25 33 36 50
- 20020. *Aphthona nonstriata* (Goeze,1777)** (Chrysomelidae) Synonym(s): nonstriata Goeze,1777 Range (in code): TR Cc IR KG 34 39 42 55
- 20021. *Aphthona ovata* Foudras,1860** (Chrysomelidae) Synonym(s): ovata Foudras,1860 Range (in code): Cc TR 34
- 20022. *Aphthona pygmaea* Kutschera,1861** (Chrysomelidae) Synonym(s): pygmaea Kutschera,1861 Range (in code): TR Cc EG LY YE 01 07 24 25 33 35 54
- 20023. *Aphthona rugipennis* Ogloblin,1926** (Chrysomelidae) Synonym(s): rugipennis Ogloblin,1926 Range (in code): RU Cc TR 25
- 20024. *Aphthona semicyanea* Allard,1859** (Chrysomelidae) Synonym(s): semicyanea Allard,1859 Range (in code): TR Cc KG RU 06 16 18 19 25 50 66
- 20025. *Aphthona syriaca* Heikertinger,1944** (Chrysomelidae) Synonym(s): syriaca Heikertinger,1944 Range (in code): TR 35 36
- 20026. *Aphthona valachica* Heikertinger,1944** (Chrysomelidae) Synonym(s): valachica Heikertinger,1944 Range (in code): RO TR 07
- 20027. *Aphthona venustula* Kutschera,1861** (Chrysomelidae) Synonym(s): venustula Kutschera,1861 Range (in code): TR Cc 25 26
- 20028. *Batophila dogueti* Doeberl,1994** (Chrysomelidae) Synonym(s): dogueti Doeberl,1994 Range (in code): AZ Cc IR
- 20029. *Batophila fallax* Weise,1888** (Chrysomelidae) Synonym(s): fallax Weise,1888 Range (in code): Cc TR IR 08 14 25 26 28 34 52 53 55
- 20030. *Batophila olexai* Kral,1964** (Chrysomelidae) Synonym(s): olexai Kral,1964 Range (in code): GR BG GG Cc TR 28
- 20031. *Cassida algerica* Lucas,1849** (Chrysomelidae) Synonym(s): algerica Lucas,1849 Range (in code): DZ TR 52 65
- 20032. *Cassida atrata* Fabricius,1787** (Chrysomelidae) Synonym(s): atrata Fabricius,1787 Range (in code): TR Cc IT 06 14 16 22 26 33
- 20033. *Cassida bella* Faldermann,1837** (Chrysomelidae) Synonym(s): bella Faldermann,1837 Range (in code): TR Cc 08 33 35 54
- 20034. *Cassida brevis* Weise,1834** (Chrysomelidae) Synonym(s): brevis Weise,1834 Range (in code): TR GR AF 02 03 05 33 49 56
- 20035. *Cassida hablitzae* Motschoulsky,1838** (Chrysomelidae) Synonym(s): hablitzae Motschoulsky,1838 Range (in code): TR Cc KG 34 61

- 20036. *Cassida margaritacea* Schaller,1783** (Chrysomelidae) Synonym(s): margaritacea Schaller,1783 Range (in code): TR Cc 01 08 14 21 38 42 61
- 20037. *Cassida palaestina* Reiche,1858** (Chrysomelidae) Synonym(s): palaestina Reiche,1858 Range (in code): TR IL Pa Cc 01 16 21 27 31 33 35 80
- 20038. *Cassida pannonica* Suffrian,1844** (Chrysomelidae) Synonym(s): pannonica Suffrian,1844 Range (in code): TR 06 07 10 11 16 30 33 35 42 48 49 51 62 80
- 20039. *Cassida parvula* Boheman,1854** (Chrysomelidae) Synonym(s): parvula Boheman,1854 Range (in code): TR 07 42
- 20040. *Cassida persica* Spaeth,1926** (Chrysomelidae) Synonym(s): persica Spaeth,1926 Range (in code): TR IR
- 20041. *Cassida prasina* Illiger,1798** (Chrysomelidae) Synonym(s): prasina Illiger,1798 Range (in code): TR 07 09 10 11 14 20 27 28 31 33 35 38 39 42 45 46 54 60 62 67
- 20042. *Cassida rubiginosa* Müller,1776** (Chrysomelidae) Synonym(s): rubiginosa Müller,1776 Range (in code): TR CA 01 03 06 10 14 16 19 22 26 28 32 33 35 37 39 42 43 45 54 55 58 59 80
- 20043. *Cassida sanguinolenta* Müller,1776** (Chrysomelidae) Synonym(s): sanguinolenta Müller,1776 Range (in code): TR KK 11 35 43 49 57
- 20044. *Cassida saucia* Weise,1889** (Chrysomelidae) Synonym(s): saucia Weise,1889 Range (in code): TR AM AZ Cc IR 05 06 10 19 27 38 57
- 20045. *Cassida seraphina* Ménétériés,1836** (Chrysomelidae) Synonym(s): seraphina Ménétériés,1836 Range (in code): TR Cc GR 05 06 07 10 11 14 15 16 18 19 25 26 34 35 37 43 55 58 60 64
- 20046. *Cassida strejceki* Sekerka,2006** (Chrysomelidae) Synonym(s): strejceki Sekerka,2006 Range (in code): TR 49 65
- 20047. *Cassida transcaucasica* Borowiec & Swietojanska,2001** (Chrysomelidae) Synonym(s): transcaucasica Borowiec & Swietojanska,2001 Range (in code): Cc AM GG AZ IR
- 20048. *Cassida undecimnotata* Gebler,1841** (Chrysomelidae) Synonym(s): undecimnotata Gebler,1841 Range (in code): IR TM Kp UZ AF Hr KG KK Ax TJ CN Ui Ku
- 20049. *Cassida vibex* Linnaeus,1767** (Chrysomelidae) Synonym(s): vibex Linnaeus,1767 Range (in code): TR 33 55
- 20050. *Cassida viridis* Linnaeus,1758** (Chrysomelidae) Synonym(s): viridis Linnaeus,1758 Range (in code): TR 06 10 18 21 25 35 37 38 40 42 49 60 61 62 63 80
- 20051. *Chaetocnema arenacea* (Allard,1860)** (Chrysomelidae) Synonym(s): arenacea Allard,1860 Range (in code): TR DZ Cc 01 06 22 25 29 50 51 58 66
- 20052. *Chaetocnema aridula* (Gyllenhal,1827)** (Chrysomelidae) Synonym(s): aridula Gyllenhal,1827 Range (in code): TR Cc KG RU Sb DZ 06 22 25 34 45 58 66
- 20053. *Chaetocnema breviscula* (Faldermann,1884)** (Chrysomelidae) Synonym(s): breviscula Faldermann,1884 Range (in code): TR Cc KG RU Sb KP KR 01 25 26 34 58 60
- 20054. *Chaetocnema chlorophana* (Duftschmid,1825)** (Chrysomelidae) Synonym(s): chlorophana Duftschmid,1825 Range (in code): TR Cc IQ IL Pa SY DZ 01 25 34 39 42 59 60
- 20055. *Chaetocnema concinna* (Marsham,1802)** (Chrysomelidae) Synonym(s): concinna Marsham,1802 Range (in code): TR Cc KG RU Sb MN KP KR TW MA 05 06 25 26 41 55 69
- 20056. *Chaetocnema conducta* (Motschoulsky,1838)** (Chrysomelidae) Synonym(s): conducta Motschoulsky,1838 Range (in code): TR Cc RU KG ZR 01 06 25 26 39 58
- 20057. *Chaetocnema confusa* (Boheman,1851)** (Chrysomelidae) Synonym(s): confusa Boheman,1851 Range (in code): TR Cc 06 25 38 51 69
- 20058. *Chaetocnema coyei* (Allard,1863)** (Chrysomelidae) Synonym(s): coyei Allard,1863 Range (in code): TR Cc IQ IR 01 02 06 25 26 38 39 40 42 55 58 60 66
- 20059. *Chaetocnema hortensis* (Geoffroy,1785)** (Chrysomelidae) Synonym(s): hortensis Geoffroy,1785 Range (in code): Az RU Us TR SD 01 06 25 35 38 42 58 60 69
- 20060. *Chaetocnema laevicollis* (Thomson,1866)** (Chrysomelidae) Synonym(s): laevicollis Thomson,1866 Range (in code): TR Cc IR KG RU Sb MN CN Mc KP KR 78
- 20061. *Chaetocnema major* (Jaquelin du Val,1852)** (Chrysomelidae) Synonym(s): major Jaquelin du Val,1852 Range (in code): TR Cc IR KG RU 01 06 22 25 26 76
- 20062. *Chaetocnema mannerheimi* (Gyllenhal,1827)** (Chrysomelidae) Synonym(s): mannerheimi Gyllenhal,1827 Range (in code): TR Cc RU Sb KG 06 22 26
- 20063. *Chaetocnema montenegrina* Heikertinger,1912** (Chrysomelidae) Synonym(s): montenegrina Heikertinger,1912 Range (in code): YU TR IR AF 01 06 07 25 42
- 20064. *Chaetocnema obesa* (Boieldieu,1859)** (Chrysomelidae) Synonym(s): obesa Boieldieu,1859 Range (in code): TR Cc IQ KG CN Ti DZ MN RU Sb 06 19 22 24 25 26 39 42 51 58 60
- 20065. *Chaetocnema orientalis* (Bauduer,1874)** (Chrysomelidae) Synonym(s): orientalis Bauduer,1874 Range (in code): TR Cc IR TM 01 33 34 39
- 20066. *Chaetocnema procerula* (Rosenhauer,1856)** (Chrysomelidae) Synonym(s): procerula Rosenhauer,1856 Range (in code): TR DZ 06 10 25 38 40 39 58 66 68



- 20067. Chaetocnema sahlbergi** (Gyllenhal,1859) (Chrysomelidae) Synonym(s): sahlbergi Gyllenhal,1859 Range (in code): TR Cc RU Sb MN 06 25
- 20068. Chaetocnema scheffleri** (Kutschera,1864) (Chrysomelidae) Synonym(s): scheffleri Kutschera,1864 Range (in code): TR Cc IQ IR IL Pa DZ 06 25 35 42
- 20069. Chaetocnema semicoerulea** (Koch,1803) (Chrysomelidae) Synonym(s): semicoerulea Koch,1803 Range (in code): TR Cc KG RU Sb 05 06 18
- 20070. Chaetocnema tibialis** (Illiger,1807) (Chrysomelidae) Synonym(s): tibialis Illiger,1807 Range (in code): TR Cc IR AF KG DZ RU Sb 06 16 24 25 26 35 36 41 42 55 60 68
- 20071. Chaetocnema turhalus** Iyriboz,1934 (?) (Chrysomelidae) Synonym(s): turhalus Iyriboz,1934 Range (in code): TR 54 60
- 20072. Cheilotoma beldei** Kasap,1984 (Chrysomelidae) Synonym(s): beldei Kasap,1984 Range (in code): TR JO
- 20073. Cheilotoma erythrostoma** Faldermann,1837 (Chrysomelidae) Synonym(s): erythrostoma Faldermann,1837 Range (in code): IT BG RO UA Cm Cc RU
- 20074. Cheilotoma fulvicollis** Sahlberg,1913 (Chrysomelidae) Synonym(s): fulvicollis Sahlberg,1913 Range (in code): SY
- 20075. Cheilotoma musciformis** (Goeze,1777) (Chrysomelidae) Synonym(s): musciformis Goeze,1777 Range (in code): FR UA PL Cc
- 20076. Cheilotoma voriseki** Medvedev & Kantner,2003 (Chrysomelidae) Synonym(s): voriseki Medvedev & Kantner,2003 Range (in code): TR 02
- 20077. Chrysolina adzharica** Lopatin,1988 (Chrysomelidae) Synonym(s): adzharica Lopatin,1988 Range (in code): Cc GG TR
- 20078. Chrysolina aeneipennis** (Reiche,1858) (Chrysomelidae) Synonym(s): aeneipennis Reiche,1858 Range (in code): EG IL Pa SY TR 05 70
- 20079. Chrysolina amasiensis** (Weise,1894) (Chrysomelidae) Synonym(s): amasiensis Weise,1894 Range (in code): TR 05 06
- 20080. Chrysolina americana** (Linnaeus,1758) (Chrysomelidae) Synonym(s): americana Linnaeus,1758 Range (in code): BE Md TR 07 35 45
- 20081. Chrysolina anatolica** (Dahlgren,1984) (Chrysomelidae) Synonym(s): anatolica Dahlgren,1984 Range (in code): TR BG 05 51
- 20082. Chrysolina anceyi** (Marseul,1868) (Chrysomelidae) Synonym(s): anceyi Marseul,1868; winkleri Breit,1919; pluscula Bechyne,1950 Range (in code): IL Pa IQ SY
- 20083. Chrysolina armeniaca** (Faldermann,1837) (Chrysomelidae) Synonym(s): armeniaca Faldermann,1837; persica Jakob,1960 nec Jolivet,1951; iranica Medvedev,1975 nec Jacob,1954 Range (in code): Cc IR AM TM AF
- 20084. Chrysolina bodemeyeri** (Weise,1910) (Chrysomelidae) Synonym(s): bodemeyeri Weise,1910 Range (in code): IR TR TM 25
- 20085. Chrysolina brunneli** (Demaissin,1896) (Chrysomelidae) Synonym(s): brunneli Demaissin,1896 Range (in code): TR 38 58 60
- 20086. Chrysolina cerealis** (Linnaeus,1767) (Chrysomelidae) Synonym(s): cerealis Linnaeus,1767 Range (in code): Cc TR KG RU Sb MN 55
- 20087. Chrysolina chalcites** (Germar,1824) (Chrysomelidae) Synonym(s): chalcites Germar,1824; festiva Ménéttriés,1832 Range (in code): EG IL Pa Cc RU Da IR GR Rd CY SY AF 05 08 16 21 25 34 35 55
- 20088. Chrysolina coerulans** (Scriba,1791) (Chrysomelidae) Synonym(s): coerulans Scriba,1791; angelica Reiche & Saulcy,1858; splendorifera Motschoulsky,1860; subfastuosa Motschoulsky,1860; bella Jacoby,1890; uzbekorum Bechyne,1950; iranica Jakob,1954; piffli Lopatin,1967 Range (in code): FR IT Cc TR AZ SY IN PK CN Ui AF IR RU TM UZ IQ 06 08 24 25 31 33 75
- 20089. Chrysolina compuncta** (Weise,1898) (Chrysomelidae) Synonym(s): compuncta Weise,1898 Range (in code): TR CY SY IL Pa
- 20090. Chrysolina cuprina** (Duftschmid,1825) (Chrysomelidae) Synonym(s): cuprina Duftschmid,1825; staneki Bechyne,1949 Range (in code): DE AT HU PL RO HV TR 25
- 20091. Chrysolina didymata** (Scriba,1791) (Chrysomelidae) Synonym(s): didymata Scriba,1791; syriaca Weise,1884 Range (in code): SY TR IL Pa IR TM 01 03 05 06 07 33 35 42 47 58
- 20092. Chrysolina dohrnii** (Fairmaire,1865) (Chrysomelidae) Synonym(s): dohrnii Fairmaire,1865; libanicola Marseul,1868; peyroni Ancey,1876 Range (in code): LB
- 20093. Chrysolina fastuosa** (Scopoli,1763) (Chrysomelidae) Synonym(s): fastuosa Scopoli,1763 Range (in code): Cc TR AF RU Sb
- 20094. Chrysolina geminata** (Paykull,1799) (Chrysomelidae) Synonym(s): geminata Paykull,1799 Range (in code): DE BG CZ FR IT NO RO YU Cc TR 25 61
- 20095. Chrysolina graminis** (Linnaeus,1758) (Chrysomelidae) Synonym(s): graminis Linnaeus,1758 Range (in code): TR RU Sb Us CN 20 35

- 20096. *Chrysolina gypsophilae* (Küster,1845)** (Chrysomelidae) Synonym(s): *gypsophilae* Küster,1845; *lucidicollis* Küster,1845 Range (in code): **TR Cc TM KK KG SY IL Pa Cn Si Sa AM IR DZ 06 08 11 16 25 26 33 40 42 51 65 70**
- 20097. *Chrysolina haemoptera* (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *haemoptera* Linnaeus,1758 Range (in code): **FR Cc TR IR 34 39**
- 20098. *Chrysolina halysa* Bechyne,1950** (Chrysomelidae) Synonym(s): *porphyrea* Fairmaire,1865 nec Falderm.,1837; *halysa* Bechyne,1950; *ayrica* Bechyne,1950; *intercalaria* Bechyne,1950 Range (in code): **TR CY Cc IR IQ AZ**
- 20099. *Chrysolina herbacea* (Duftschmidt,1825)** (Chrysomelidae) Synonym(s): *herbacea* Duftschmidt,1825; *alacris* Bechyne,1950 Range (in code): **TR Cc RU Sb IN KG 06 08 11 16 18 19 20 22 24 25 32 33 34 35 38 39 40 42 46 49 50 51 55 57 58 61 66 69 81**
- 20100. *Chrysolina hyperici* (Forster,1771)** (Chrysomelidae) Synonym(s): *hyperici* Forster,1771 Range (in code): **Cc TR IR RU Sb UZ IT Si 05 07 16 25 34 55**
- 20101. *Chrysolina hyrcana* (Weise,1884)** (Chrysomelidae) Synonym(s): *hyrcana* Weise,1884 Range (in code): **Cc TR IR AF KG 24 25**
- 20102. *Chrysolina imperfecta* (Breit,1920)** (Chrysomelidae) Synonym(s): *imperfecta* Breit,1920; *kaltenbachi* Jakob,1954 Range (in code): **Cc IR TM AF**
- 20103. *Chrysolina kamali* Abdullah & Qureshi,1969** (Chrysomelidae) Synonym(s): *kamali* Abdullah & Qureshi,1969 Range (in code): **PK**
- 20104. *Chrysolina karachia* Maulik,1926** (Chrysomelidae) Synonym(s): *karachia* Maulik,1926 Range (in code): **PK Krc Sd**
- 20105. *Chrysolina kataevi* Lopatin,2000** (Chrysomelidae) Synonym(s): *kataevi* Lopatin,2000 Range (in code): **TR 53**
- 20106. *Chrysolina kulzeri* Bechyne,1950** (Chrysomelidae) Synonym(s): *kulzeri* Bechyne,1950 Range (in code): **TR Cc 75**
- 20107. *Chrysolina limbata* (Fabricius,1775)** (Chrysomelidae) Synonym(s): *limbata* Fabricius,1775 Range (in code): **Cc TR RU Sb KG 75**
- 20108. *Chrysolina lurida* (Linnaeus,1767)** (Chrysomelidae) Synonym(s): *lurida* Linnaeus,1767; *diluta* Joakimov,1904 Range (in code): **RU Sb Cc TR 06 08 25 36 51 66**
- 20109. *Chrysolina marginata* (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *marginata* Linnaeus,1758; *unificans* Bechyne,1950 Range (in code): **TR Cc IR AF RU Sb MN CN DZ KG 04 07 08 24 25 26 32 36 42 46 50 58 60 65 69 75**
- 20110. *Chrysolina orientalis* (Olivier,1807)** (Chrysomelidae) Synonym(s): *orientalis* Olivier,1807; *campicola* Gistel,1857; *palaestina* Bechyne,1950; *thraeissa* Bechyne,1950 Range (in code): **TR SY IL Pa GR Rd CY Cc IR IQ TN 01 03 05 06 09 11 14 16 21 23 25 31 32 33 34 35 38 42 43 46 50 51 52 55 56 57 58 60 65 66 67 78 80**
- 20111. *Chrysolina palmyrensis* Bechyne,1955** (Chrysomelidae) Synonym(s): *palmyrensis* Bechyne,1955; *assurensis* Bechyne,1955 Range (in code): **EG JO IL PA SY LB TR IR IQ 27**
- 20112. *Chrysolina peregrina* (Herrich-Schäffer,1839)** (Chrysomelidae) Synonym(s): *peregrina* Herrich-Schäffer,1839; *erythromera* Lucas,1849; *oberndorferi* Brenske,1890; *schotti* Suffrian,1851; *impavida* Bechyne,1949 Range (in code): **IL Pa JO TR GR Rd**
- 20113. *Chrysolina planicollis* (Breit,1919)** (Chrysomelidae) Synonym(s): *planicollis* Breit,1919 Range (in code): **TR CY 61 69**
- 20114. *Chrysolina polita* (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *polita* Linnaeus,1758 Range (in code): **TR IL Pa SY RU Sb Cc 05 08 25 33 34 35 39 47 53 55 61**
- 20115. *Chrysolina punjabiensis* Abdullah & Qureshi,1969** (Chrysomelidae) Synonym(s): *punjabiensis* Abdullah & Qureshi,1969 Range (in code): **PK Pj**
- 20116. *Chrysolina reitteri* (Weise,1884)** (Chrysomelidae) Synonym(s): *reitteri* Weise,1884; *pseudolurida* Roubal,1917; *bakuensis* Bechyne,1952; *jailensis* Bechyne,1952 Range (in code): **FR IT B-H HU BG RO UA Cm TR Cc RU Sb KG GG AM AZ Bak 05 06 08 11 25 26 33 36 42 51 60 66 69 75**
- 20117. *Chrysolina ruffoi* (Dacchordi,1971)** (Chrysomelidae) Synonym(s): *ruffoi* Dacchordi,1971; *benjaminica* Dacchordi,1971 Range (in code): **LY IL Pa**
- 20118. *Chrysolina sahlbergi* (Ménétriés,1832)** (Chrysomelidae) Synonym(s): *sahlbergi* Ménétriés,1832; *cupreopunctata* Reiche,1858; *venefica* Weise,1884 Range (in code): **TR SY CY Cc LB IL Pa EG IR 01 05 06 11 21 23 25 26 31 32 33 35 40 42 43 50 51 55 58 60 66**
- 20119. *Chrysolina salviae* (Germar,1824)** (Chrysomelidae) Synonym(s): *salviae* Germar,1824; *sculptipennis* Faldermann,1837 Range (in code): **HU Cc TR 03 05 06 11 35**
- 20120. *Chrysolina sanguinolenta* (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *sanguinolenta* Linnaeus,1758; *marginalis* Duftschmidt,1825 Range (in code): **TR Cn FI KG RU Sb MN 17 34 64 65 70**
- 20121. *Chrysolina sellata* (Weise,1894)** (Chrysomelidae) Synonym(s): *sellata* Weise,1894; *cilissa* Jacobson,1924 Range (in code): **IQ TR 01 05 33 38 42**
- 20122. *Chrysolina staphylea* (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *staphylea* Linnaeus,1758 Range (in code): **TR Cc KG CN MN KP KR 06 25**

- 20123. Chrysolina trapezicollis Bechyné,1952** (Chrysomelidae) Synonym(s): trapezicollis Bechyné,1952 Range (in code): TR Cc o8
- 20124. Chrysolina turca (Fairmaire,1865)** (Chrysomelidae) Synonym(s): turca Fairmaire,1865 Range (in code): BG TR 16 34
- 20125. Chrysolina varians (Schaller,1783)** (Chrysomelidae) Synonym(s): varians Schaller,1783 Range (in code): DZ TR RU Sb
- 20126. Chrysolina vernalis (Brullé,1836)** (Chrysomelidae) Synonym(s): vernalis Brullé,1836; ottomana Weise,1906 Range (in code): ES B-H HV AL TR IR Cc BG MK GR o8 17 20 32 34 35 59
- 20127. Chrysolina wittmeri Medvedev,1975** (Chrysomelidae) Synonym(s): wittmeri Medvedev,1975; guichardi Gruev,1976 Range (in code): TR 61
- 20128. Chrysomela collaris Linnaeus,1758** (Chrysomelidae) Synonym(s): collaris Linnaeus,1758 Range (in code): TR Cc KG MN RU Sb CN 25 38
- 20129. Chrysomela populi Linnaeus,1758** (Chrysomelidae) Synonym(s): populi Linnaeus,1758 Range (in code): GR TR Cc IN CN JP o5 o6 o8 o9 11 13 19 20 24 25 34 35 41 50 55 57 58 61 65 68
- 20130. Chrysomela saliceti (Weise,1884)** (Chrysomelidae) Synonym(s): saliceti Weise,1884; #salceti Arslan & Özbek,1999 Range (in code): GR TR IR KG RU Sb MN o6 18 24 25 42 50 58 66
- 20131. Chrysomela tremulae Fabricius,1787** (Chrysomelidae) Synonym(s): tremulae Fabricius,1787 Range (in code): TR JP o6 14 16 17 22 23 26 29 34 37 41 48 57 61 67
- 20132. Chrysomela vigintipunctata (Scopoli,1763)** (Chrysomelidae) Synonym(s): vigintipunctata Scopoli,1763 Range (in code): TR Cc UA Cm RU Sb CN MN JP KP KR 11 17 34 41 67
- 20133. Clytra (Clytraria) atraphaxidis (Pallas,1773)** (Chrysomelidae) Synonym(s): atraphaxidis Pallas,1773; deficiens Weise,1900 Range (in code): ES HU BG Cc KG RU Sb GR TR IR MN KP KR o5 o6 o8 o9 20 22 25 26 32 33 35 37 42 45 50 51 60 65
- 20134. Clytra (Clytraria) novempunctata Olivier,1808** (Chrysomelidae) Synonym(s): novempunctata Olivier,1808; elata Weise,1881; persica Pic,1920 Range (in code): IT Si RO UA BG TR Cc SY IQ IR RU o5 o6 o8 o9 19 20 25 27 28 33 35 38 42 45 47 48 51 56 58 60 64 65 66
- 20135. Clytra (Clytraria) valeriana Ménétriés,1832** (Chrysomelidae) Synonym(s): valeriana Ménétriés,1832; tetrastigma Schmidt,1841; #valerianae Aydın & Kismali,1990 Range (in code): YU GR BG TR AM Cc UA Cm IT Si RU IR o6 o7 o9 24 25 26 33 35 38 42 45 50 51 58 64 65 66 68 76
- 20136. Clytra (Coptocephala) babylonica Medvedev,1961** (Chrysomelidae) Synonym(s): babylonica Medvedev,1961 Range (in code): CY
- 20137. Clytra (Coptocephala) chalybaea (Germar,1824)** (Chrysomelidae) Synonym(s): chalybaea Germar,1824; apicalis Lacordaire,1848 Range (in code): SK UA Cm Cc RU KG
- 20138. Clytra (Coptocephala) crassipes Lefevre,1876** (Chrysomelidae) Synonym(s): crassipes Lefevre,1876; leprieuri Pic,1897; rungsi Pic,1953; kocheri Pic,1953; vavilovi Lopatin,1966; iranica Medvedev,1971 Range (in code): MA DZ IR AF CN Ti
- 20139. Clytra (Coptocephala) destinoi Fairmaire,1884** (Chrysomelidae) Synonym(s): destinoi Fairmaire,1884 Range (in code): TR o1 o6 o7 o9 10 15 18 22 25 26 29 31 32 33 35 37 38 42 46 48 58 80
- 20140. Clytra (Coptocephala) fallaciosa Fairmaire,1884** (Chrysomelidae) Synonym(s): fallaciosa Fairmaire,1884 Range (in code): TR 31
- 20141. Clytra (Coptocephala) furthi Medvedev,1992** (Chrysomelidae) Synonym(s): furthi Medvedev,1992 Range (in code): IL Pa
- 20142. Clytra (Coptocephala) gebleri Gebler,1841** (Chrysomelidae) Synonym(s): quadrimaculatus Fabricius,1792 nec Linn.,1767; gebleri Gebler,1841; amasiensis Weise,1889; inundata Reitter,1905 Range (in code): GR BG AL MK TR Cc RU KG UA RO o1 o5 o6 21 25 33 36 53 60 65
- 20143. Clytra (Coptocephala) jaechi Warchalowski,1991** (Chrysomelidae) Synonym(s): jaechi Warchalowski,1991 Range (in code): IL Pa
- 20144. Clytra (Coptocephala) judaea Medvedev,1992** (Chrysomelidae) Synonym(s): judaea Medvedev,1992 Range (in code): IL Pa
- 20145. Clytra (Coptocephala) rubicunda (Laicharting,1781)** (Chrysomelidae) Synonym(s): rubicunda Laicharting,1781; tetradya Küster,1845; massiliensis Pic,1914; dalmatina Pic,1918; vittata Petri,1926; rossica Medvedev,1977 Range (in code): GR TR SK HV RU
- 20146. Clytra (Coptocephala) simillima Lodewyckx,1995** (Chrysomelidae) Synonym(s): simillima Lodewyckx,1995 Range (in code): TR 25
- 20147. Clytra (Coptocephala) unifasciata (Scopoli,1763)** (Chrysomelidae) Synonym(s): unifasciata Scopoli,1763; femoralis Küster,1845... Range (in code): TR BG KG RU Sb SY GR o1 o3 o5 o6 o7 o9 10 17 18 24 25 31 32 33 35 37 38 42 46 48 50 51 58 74 78 80
- 20148. Clytra (Ovoclytra) binominata Monros,1953** (Chrysomelidae) Synonym(s): binominata Monros,1953 Range (in code): GR Rd TR 35 45
- 20149. Clytra (Ovoclytra) bodemeyeri Weise,1900** (Chrysomelidae) Synonym(s): bodemeyeri Weise,1900 Range (in code): TR IQ CY o6 o7 11 25 27 31 32 33 42 48 51 65 80
- 20150. Clytra (Ovoclytra) laticollis Weise,1889** (Chrysomelidae) Synonym(s): laticollis Weise,1889 Range (in code): Rd TR 35 45



- 20151. Clytra (Ovoclytra) nigrocincta (Lacordaire,1848)** (Chrysomelidae) Synonym(s): nigrocincta Lacordaire,1848 Range (in code): TR SY IQ Cc IR 31
- 20152. Clytra (Ovoclytra) ovata (Lacordaire,1848)** (Chrysomelidae) Synonym(s): ovata Lacordaire,1848 Range (in code): CY TR
- 20153. Clytra (s.str.) aliena Weise,1897** (Chrysomelidae) Synonym(s): aliena Weise,1897 Range (in code): TR 06 37 58 65
- 20154. Clytra (s.str.) laeviuscula (Ratzeburg,1837)** (Chrysomelidae) Synonym(s): fasciata Ratzeburg,1837 nec Fabr.,1801; laeviuscula Ratzeburg,1837 Range (in code): BG Cc FR RU At Sb TR JP 03 06 18 20 24 25 32 35 38 42 46 54 65 78
- 20155. Clytra (s.str.) quadripunctata (Linnaeus,1758)** (Chrysomelidae) Synonym(s): quadripunctata Linnaeus,1758; appendicina Lacordaire,1848 Range (in code): ES MN RU TR 06 14 25
- 20156. Clytra appendicina Lacordaire,1848** (Chrysomelidae) Synonym(s): appendicina Lacordaire,1848 Range (in code): FR IT TR
- 20157. Clytra cingulata Weise,1898** (Chrysomelidae) Synonym(s): cingulata Weise,1898 Range (in code): TR 46 65
- 20158. Clytra rotundata Medvedev,1961** (Chrysomelidae) Synonym(s): rotundata Medvedev,1961 Range (in code): CY
- 20159. Colaphus apicalis (Ménétriés,1849)** (Chrysomelidae) Synonym(s): apicalis Ménétriés,1849 Range (in code): TR SY IL Pa IR KG
- 20160. Colaphus hoefti (Ménétriés,1832)** (Chrysomelidae) Synonym(s): hoefti Ménétriés,1832 Range (in code): TR Cc RU KG
- 20161. Colaphus sophiae (Schaller,1783)** (Chrysomelidae) Synonym(s): sophiae Schaller,1783; amasiae Machatschke,1954 Range (in code): TR 05 06 17 21 22 25 34 35 38 42 50 66 68
- 20162. Crepidodera aurata (Marsham,1802)** (Chrysomelidae) Synonym(s): aurata Marsham,1802; pulchella Stephens,1834; versicolor Kutschera,1860; unicolor Wethhoff,1881; subunicolor Pic,1918 Range (in code): MA TR KP KR RU 05 06 07 10 11 18 19 22 24 25 26 29 38 40 41 42 50 58 60 61 66
- 20163. Crepidodera aurea (Geoffroy,1785)** (Chrysomelidae) Synonym(s): aurea Geoffroy,1785; cyanea Marsham,1802; metallica Duftschmidt,1825; gaudens Stephens,1831; laeta Weise,1886; splendens Weise,1886; purpurascens Pic,1918; syriaca Pic,1918 Range (in code): SY TR Cc RU Sb KG 06 25 26 31 34
- 20164. Crepidodera fulvicornis (Fabricius,1792)** (Chrysomelidae) Synonym(s): fulvicornis Fabricius,1792; smaragdina Foundras,1860; picicornis Weise,1886; jucunda Weise,1886; lapponica Heikertinger,1950 Range (in code): FI TR Cc IR KG RU Sb MN CN 25 55
- 20165. Crepidodera lamina (Bedel,1901)** (Chrysomelidae) Synonym(s): lamina Bedel,1901; sapphirina Weise,1886; aeruginosa Weise,1886; cuprea Weise,1886 Range (in code): IT TR Cc GG 06 60 69
- 20166. Crepidodera nigricoxis Allard,1878** (Chrysomelidae) Synonym(s): nigricoxis Allard,1878 Range (in code): AL YU MK BG RO GR Cc
- 20167. Crepidodera nitidula (Linnaeus,1758)** (Chrysomelidae) Synonym(s): nitidula Linnaeus,1758 Range (in code): TR RU Sb Sj
- 20168. Crepidodera plutus (Latreille,1804)** (Chrysomelidae) Synonym(s): plutus Latreille,1804; chloris Foundras,1860; foundrasi Weise,1886; punctatithorax Pic,1918; melanocera Everts,1919 Range (in code): TR KP KR 07 08 55
- 20169. Crioceris asparagi (Linnaeus,1758)** (Chrysomelidae) Synonym(s): asparagi Linnaeus,1758; campestris Linnaeus,1767; pupillata Ahrens,1812; maculipes Gebler,1834 Range (in code): TR 05 35 36 38 68 78
- 20170. Crioceris bicrucata (Sahlberg,1823)** (Chrysomelidae) Synonym(s): bicrucata Sahlberg,1823; merkli Pic,1909 Range (in code): GR BG TR Cc 09 35 36 76
- 20171. Crioceris duodecimguttata (Linnaeus,1758)** (Chrysomelidae) Synonym(s): duodecimguttata Linnaeus,1758; dodecastigma Suffrian,1841 Range (in code): TR KP KR 05 06 25 35 36 38 42 51 55 68 76
- 20172. Crioceris paracentesis (Linnaeus,1767)** (Chrysomelidae) Synonym(s): paracentesis Linnaeus,1767 Range (in code): TR GR 36
- 20173. Crioceris quatuordecimpunctata (Scopoli,1763)** (Chrysomelidae) Synonym(s): quatuordecimpunctata Scopoli,1763; sibirica Weise,1887 Range (in code): RU Sb TR 36
- 20174. Crioceris sokolowi Jacobson,1894** (Chrysomelidae) Synonym(s): sokolowi Jacobson,1894 Range (in code): TR Cc RU 06 42 51
- 20175. Cryptocephalus amasiensis Weise,1894** (Chrysomelidae) Synonym(s): amasiensis Weise,1894 Range (in code): TR Cc 05
- 20176. Cryptocephalus angorensis Pic,1908** (Chrysomelidae) Synonym(s): angorensis Pic,1908 Range (in code): TR 06
- 20177. Cryptocephalus anticus Suffrian,1848** (Chrysomelidae) Synonym(s): anticus Suffrian,1848; octacosmus Bedel,1891 Range (in code): RU Sb AL BG UA Cm TR PL YU GR Cc KK KG CN UZ 01 06 07 11 14 16 18 21 25 26 29 32 39 41 45 47 49 50 51 54 55 58 59 60 62 67 69
- 20178. Cryptocephalus araxidis Weise,1898** (Chrysomelidae) Synonym(s): araxidis Weise,1898 Range (in code): Cc AM TR 76

- 20179. *Cryptocephalus astracanicus* Suffrian,1847** (Chrysomelidae) Synonym(s): astracanicus Suffrian,1847 Range (in code): Cc KG
- 20180. *Cryptocephalus atriplicis* Lopatin,1967** (Chrysomelidae) Synonym(s): atriplicis Lopatin,1967 Range (in code): Cc KG
- 20181. *Cryptocephalus augustalisi* Pic,1913** (Chrysomelidae) Synonym(s): augustalisi Pic,1913 Range (in code): SY IQ
- 20182. *Cryptocephalus ayvazi* Gök & Sassi,2002** (Chrysomelidae) Synonym(s): ayvazi Gök & Sassi,2002 Range (in code): TR
- 20183. *Cryptocephalus bicolor* Eschscholtz,1818** (Chrysomelidae) Synonym(s): bicolor Eschscholtz,1818; concinnus Suffrian,1853 Range (in code): UA Cm BG TR Cc IR FR
- 20184. *Cryptocephalus bidorsalis* Marseul,1875** (Chrysomelidae) Synonym(s): bidorsalis Marseul,1875; morfini Pic,1914 Range (in code): LB
- 20185. *Cryptocephalus biguttatus* (Scopoli,1763)** (Chrysomelidae) Synonym(s): biguttatus Scopoli,1763 Range (in code): FR IT RO TR 14
- 20186. *Cryptocephalus biledjekensis* Pic,1909** (Chrysomelidae) Synonym(s): biledjekensis Pic,1909 Range (in code): TR BG 06 11 29 32 35 42 56
- 20187. *Cryptocephalus bilineatus* (Linnaeus,1767)** (Chrysomelidae) Synonym(s): bilineatus Linnaeus,1767; armeniacus Faldermann,1837; moestus Weise,1882; partitus Jacobson,1885; bisbilineatus Pic,1904 Range (in code): GB AM Cc RU JP
- 20188. *Cryptocephalus bipunctatus* (Linnaeus,1758)** (Chrysomelidae) Synonym(s): bipunctatus Linnaeus,1758; dispar Paykull,1799 Range (in code): ES PT RU Sb AL BG UA Cm PL YU Cc KG KP KR DZ CN GR AZ TR 05 06 08 14 16 19 24 25 32 33 35 36 39 42 43 45 58 60 65 66 67
- 20189. *Cryptocephalus concolor* Suffrian,1847** (Chrysomelidae) Synonym(s): concolor Suffrian,1847 Range (in code): Cc RU TR BG TM AZ IR 05 06 07 08 11 13 14 16 19 24 25 28 29 32 33 35 36 37 42 57 58 61 62 66
- 20190. *Cryptocephalus connexus* Olivier,1808** (Chrysomelidae) Synonym(s): connexus Olivier,1808 Range (in code): AT HU RO RU AL BG UA Cm PL YU TM Cc KG BG TR IR IL Pa JO 02 06 08 11 14 16 25 28 29 31 32 35 37 38 41 45 52 54 55 56 58 59 60 61 66 67
- 20191. *Cryptocephalus curda* Jacobson,1897** (Chrysomelidae) Synonym(s): curda Jacobson,1897 Range (in code): TR Cc
- 20192. *Cryptocephalus dahdah* Marseul,1869** (Chrysomelidae) Synonym(s): dahdah Marseul,1869 Range (in code): LB IL Pa JO
- 20193. *Cryptocephalus dinae* Lopatin & Chikatunov,2000** (Chrysomelidae) Synonym(s): dinae Lopatin & Chikatunov,2000 Range (in code): IL Pa
- 20194. *Cryptocephalus duplicatus* Suffrian,1847** (Chrysomelidae) Synonym(s): duplicatus Suffrian,1847 Range (in code): AZ Cc AM BG IL Pa JO GR TR 01 05 06 07 08 11 13 14 16 18 19 24 25 26 28 29 30 32 33 35 36 37 39 41 42 43 45 46 50 52 54 55 56 57 58 59 60 61 62 65 66 67
- 20195. *Cryptocephalus elegantulus* Gravenhorst,1807** (Chrysomelidae) Synonym(s): elegantulus Gravenhorst,1807... Range (in code): FR KP KR TR 28
- 20196. *Cryptocephalus ergenensis* Morawitz,1863** (Chrysomelidae) Synonym(s): ergenensis Morawitz,1863 Range (in code): Cc RU Ur KG
- 20197. *Cryptocephalus flavipes* Fabricius,1781** (Chrysomelidae) Synonym(s): flavipes Fabricius,1781 Range (in code): RU Sb AL AZ BG AM Cc UA Cm PL TR YU KG CN GR IR IL Pa 05 06 08 09 14 16 17 19 26 27 32 33 34 36 37 44 52 55 57 58 60 61 62 66
- 20198. *Cryptocephalus fulvus* (Goeze,1777)** (Chrysomelidae) Synonym(s): fulvus Goeze,1777 Range (in code): RU Sb AL BG PL YU TR JO IL Pa DZ SA UA 06 07 24 25 29 32 33 35 45 48 60
- 20199. *Cryptocephalus hypochoeridis* (Linnaeus,1758)** (Chrysomelidae) Synonym(s): hypochoeridis Linnaeus,1758; similis Stephens,1834; rugulipennis Suffrian,1853 Range (in code): AL AT B-H HV CZ GB FI FR DE GR HU IT MK PL RU YU SS SK SE CH TR Cc 08 53
- 20200. *Cryptocephalus imperialis* Laicharting,1781** (Chrysomelidae) Synonym(s): imperialis Laicharting,1781 Range (in code): AL BG YU GR Cc IR TR 05 25 32 42 64
- 20201. *Cryptocephalus janthinus* Germar,1824** (Chrysomelidae) Synonym(s): janthinus Germar,1824 Range (in code): RU Sb Cc KG AZ AM GG UA IR TR 17 26 33 39
- 20202. *Cryptocephalus labiatus* (Linnaeus,1761)** (Chrysomelidae) Synonym(s): labiatus Linnaeus,1761; exilis Stephens,1834; diagrammus Suffrian,1848; ocularis Heyden,1863 Range (in code): GB TR 25
- 20203. *Cryptocephalus moehringi* Weise,1884** (Chrysomelidae) Synonym(s): moehringi Weise,1884 Range (in code): TR GR AL CY JO SY 05 06 11 14 16 18 19 26 32
- 20204. *Cryptocephalus moraei* (Linnaeus,1758)** (Chrysomelidae) Synonym(s): moraei Linnaeus,1758 Range (in code): RU Sb AL BG PL UA Cm YU Cc IR TR JO 01 03 06 08 11 13 14 16 21 24 25 28 30 32 33 35 36 37 39 42 48 53 54 55 58 60 61 62 67
- 20205. *Cryptocephalus ocellatus* Drapiez,1819** (Chrysomelidae) Synonym(s): ocellatus Drapiez,1819 Range (in code): AL AZ AM Cc TR BG UA Cm PL GR RU Sb KG IR 02 05 06 08 10 11 14 16 17 19 21 24 25 26 29 30 32 33 34 36 37 38 43 47 50 51 52 53 55 58

- 20206. *Cryptocephalus octomaculatus* Rossi,1790** (Chrysomelidae) **Synonym(s):** octomaculatus Rossi,1790 **Range (in code):** **FR UA TR 42**
- 20207. *Cryptocephalus paphlagonius* Sassi & Kismali,2000** (Chrysomelidae) **Synonym(s):** paphlagonius Sassi & Kismali,2000 **Range (in code):** **TR 05 06 08 11 24 25 26 33 36 37 42 43 46 50 58 65 78**
- 20208. *Cryptocephalus parvulus* Müller,1776** (Chrysomelidae) **Synonym(s):** parvulus Müller,1776 **Range (in code):** **PL RU Sb Cc KG AZ IR TR 15 16 32 42 55**
- 20209. *Cryptocephalus peyroni* Marseul,1875** (Chrysomelidae) **Synonym(s):** peyroni Marseul,1875 **Range (in code):** **LB IL Pa SY JO TR 08 60**
- 20210. *Cryptocephalus populi* Suffrian,1848** (Chrysomelidae) **Synonym(s):** populi Suffrian,1848 **Range (in code):** **DE ES Cc KG RU BG PL TR 32**
- 20211. *Cryptocephalus prusias* Suffrian,1853** (Chrysomelidae) **Synonym(s):** prusias Suffrian,1853 **Range (in code):** **TR BG GR AZ AM Cc JO SY YU 01 05 06 11 14 16 18 25 26 29 32 33 34 42 43 49 58 60**
- 20212. *Cryptocephalus pygmaeus* Fabricius,1792** (Chrysomelidae) **Synonym(s):** pygmaeus Fabricius,1792 **Range (in code):** **DE ES BG PL Cc TR 03 32 41**
- 20213. *Cryptocephalus schaefferi* Schrank,1789** (Chrysomelidae) **Synonym(s):** schaefferi Schrank,1789 **Range (in code):** **DE RU Sb FR IT AZ AM Cc BG TR UA Cm PL KG GR 22 25 39 60**
- 20214. *Cryptocephalus sericeus* (Linnaeus,1758)** (Chrysomelidae) **Synonym(s):** sericeus Linnaeus,1758 **Range (in code):** **TR 06 08 10 16 17 19 25 32 35 36 37 39 42 50 55 75**
- 20215. *Cryptocephalus sexpunctatus* (Linnaeus,1758)** (Chrysomelidae) **Synonym(s):** sexpunctatus Linnaeus,1758 **Range (in code):** **ES FR BE NL IE NO SE FI BY EE LT LV UA PL DK DE CZ SK CH AT SS B-H IT HV HU MD RO BG MK GR AL GB RU Sb JP TR 25 60 75**
- 20216. *Cryptocephalus signatifrons* Suffrian,1847** (Chrysomelidae) **Synonym(s):** signatifrons Suffrian,1847 **Range (in code):** **FR IE CH AT IT CZ SK DE PL EE UA MD RO BG AL YU B-H HV SS HU TR 13**
- 20217. *Cryptocephalus sultani* Pic,1920** (Chrysomelidae) **Synonym(s):** sultani Pic,1920 **Range (in code):** **TR**
- 20218. *Cryptocephalus transcaucasicus* Jakobson,1898** (Chrysomelidae) **Synonym(s):** transcaucasicus Jakobson,1898 **Range (in code):** **TR Cc 06 07 08 11 14 24 25 33 37 38 39 45 53**
- 20219. *Cryptocephalus trimaculatus* (Rossi,1790)** (Chrysomelidae) **Synonym(s):** trimaculatus Rossi,1790 **Range (in code):** **FR BG HU TR 04**
- 20220. *Cryptocephalus tshorumae* Tomov,1984** (Chrysomelidae) **Synonym(s):** tshorumae Tomov,1984 **Range (in code):** **TR 19**
- 20221. *Cryptocephalus turcicus* Suffrian,1847** (Chrysomelidae) **Synonym(s):** turcicus Suffrian,1847; pistaciae Suffrian,1853 **Range (in code):** **HV FR Co GR TR AL BG GR SY JO 06 07 11 15 16 18 26 32 42 58 61**
- 20222. *Cryptocephalus variceps* Weise,1884** (Chrysomelidae) **Synonym(s):** variceps Weise,1884 **Range (in code):** **BG TR Cc 01 25 34 35 41 60**
- 20223. *Cryptocephalus violaceus* Laicharting,1781** (Chrysomelidae) **Synonym(s):** violaceus Laicharting,1781 **Range (in code):** **AL AZ BG Cc PL YU GR UA BG TR 08 25 52 60**
- 20224. *Cyrtanastes confusus* Berti & Daccordi,1974** (Chrysomelidae) **Synonym(s):** confusus Berti & Daccordi,1974 **Range (in code):** **TR**
- 20225. *Cyrtanastes grandis* Lopatin,1994** (Chrysomelidae) **Synonym(s):** grandis Lopatin,1994 **Range (in code):** **TR 33**
- 20226. *Cyrtanastes seriatopus* Fairmaire,1880** (Chrysomelidae) **Synonym(s):** seriatopus Fairmaire,1880 **Range (in code):** **GR TR 32**
- 20227. *Derocrepis anatolica* Heikertinger,1922** (Chrysomelidae) **Synonym(s):** anatolica Heikertinger,1922 **Range (in code):** **TR 07 42**
- 20228. *Derocrepis caucasica* Weise,1886** (Chrysomelidae) **Synonym(s):** caucasica Weise,1886 **Range (in code):** **Cc GG Tbl RU Da**
- 20229. *Derocrepis delangrei* Pic,1903** (Chrysomelidae) **Synonym(s):** delangrei Pic,1903 **Range (in code):** **TR 31**
- 20230. *Derocrepis laterufa* Pic,1909** (Chrysomelidae) **Synonym(s):** laterufa Pic,1909; obscuricolor Pic,1911 **Range (in code):** **Cc TR GG**
- 20231. *Derocrepis ossetica* Heikertinger,1922** (Chrysomelidae) **Synonym(s):** ossetica Heikertinger,1922 **Range (in code):** **GG Cc RU**
- 20232. *Derocrepis pubipennis* Reitter,1882** (Chrysomelidae) **Synonym(s):** pubipennis Reitter,1882 **Range (in code):** **Cc AZ**
- 20233. *Derocrepis rufipes* (Linnaeus,1758)** (Chrysomelidae) **Synonym(s):** rufipes Linnaeus,1758; ruficornis Fabricius,1792; obscura Weise,1886; latithorax Pic,1911 **Range (in code):** **IT TR Cc RU Sb Sj 16**
- 20234. *Derocrepis serbica* (Kutschera,1860)** (Chrysomelidae) **Synonym(s):** serbica Kutschera,1860; strangulata Allard,1860; bicolor Weise,1886 **Range (in code):** **HV YU RO BG GR UA Cm TR 16 34 60**
- 20235. *Derocrepis whiteheadi* Warchalowski,1998** (Chrysomelidae) **Synonym(s):** whiteheadi Warchalowski,1998 **Range (in code):** **TR 48**



- 20236. *Dibolia carpathica* Weise,1893** (Chrysomelidae) Synonym(s): *carpathica* Weise,1893; *transcaucasica* Khnzorian,1968 Range (in code): TR Cc AM RU KG BG HU RO SK UA IL Pa 01 25 69
- 20237. *Dibolia chevrolati* Allard,1861** (Chrysomelidae) Synonym(s): *chevrolati* Allard,1861 Range (in code): IT Si ES An GR Rd SY IL Pa EG TN DZ
- 20238. *Dibolia cryptocephala* (Koch,1803)** (Chrysomelidae) Synonym(s): *cryptocephala* Koch,1803 Range (in code): TR Cc RU Sb KG 25 36
- 20239. *Dibolia cynoglossi* (Koch,1803)** (Chrysomelidae) Synonym(s): *cynoglossi* Koch,1803; *paludina* Foudras,1860; *marrubii* Hering,1924 Range (in code): TR Cc AM 02 25
- 20240. *Dibolia depressiuscula* (Letzner,1847)** (Chrysomelidae) Synonym(s): *depressiuscula* Letzner,1847; *laevicollis* Foudras,1860 Range (in code): TR Cc RU Sb MN KG 06 08 25 42 50
- 20241. *Dibolia femoralis* Redtenbacher,1849** (Chrysomelidae) Synonym(s): *femoralis* Redtenbacher,1849; *aurichalcea* Förster,1849; *erythrogaster* Allard,1861; *theresae* Pic,1909 Range (in code): TR Cc GR Rd 02
- 20242. *Dibolia foersteri* Bach,1859** (Chrysomelidae) Synonym(s): *foersteri* Bach,1859; *buglossi* Foudras,1860; *foudrasi* Mulsant & Rey,1874 Range (in code): GR Cc AM
- 20243. *Dibolia kralii* Mohr,1981** (Chrysomelidae) Synonym(s): *kralii* Mohr,1981 Range (in code): TR IR 25 69
- 20244. *Dibolia numidica* Doguet,1971** (Chrysomelidae) Synonym(s): *numidica* Doguet,1971 Range (in code): DZ TN TR
- 20245. *Dibolia occultans* (Koch,1803)** (Chrysomelidae) Synonym(s): *occultans* Koch,1803; *menthae* Hering,1924 Range (in code): TR Cc IR DZ MA Cn 01 08 25 40 58
- 20246. *Dibolia phoenicia* Allard,1866** (Chrysomelidae) Synonym(s): *phoenicia* Allard,1866 Range (in code): TR HU Cc GG YU BG LB JO IL Pa 10
- 20247. *Dibolia rufofemorata* Reitter,1896** (Chrysomelidae) Synonym(s): *rufofemorata* Reitter,1896 Range (in code): TR CY SY IL Pa JO 25 31 42
- 20248. *Dibolia rugulosa* Redtenbacher,1849** (Chrysomelidae) Synonym(s): *rugulosa* Redtenbacher,1849 Range (in code): AT TR Cc 25
- 20249. *Dibolia schillingii* (Letzner,1847)** (Chrysomelidae) Synonym(s): *schillingii* Letzner,1847; *punctillata* Foudras,1860; *ciliciensis* Heikertinger,1911 Range (in code): TR Cc KG IT YU 01 25 33 42
- 20250. *Dibolia timida* (Illiger,1807)** (Chrysomelidae) Synonym(s): *timida* Illiger,1807; *eryngii* Bach,1859; *oranensis* Pic,1909 Range (in code): DZ ES TR
- 20251. *Dibolia tricolor* Reitter,1899** (Chrysomelidae) Synonym(s): *tricolor* Reitter,1899 Range (in code): TR Cc AM 25
- 20252. *Dibolia weisei* Mohr,1981** (Chrysomelidae) Synonym(s): *weisei* Mohr,1981 Range (in code): GG Cc
- 20253. *Dibolia zangezurica* Khnzorian,1968** (Chrysomelidae) Synonym(s): *zangezurica* Khnzorian,1968 Range (in code): TR Cc AM IR
- 20254. *Diorhabda carinata* (Faldermann,1837)** (Chrysomelidae) Synonym(s): *carinata* Faldermann,1837 Range (in code): Cc AZ Nv Ord AM GG SY Hal UA GR TR IQ IR PK TJ KK UZ AF Kab TM KG CN Ui Ku US Tx 04 08 25 56 76
- 20255. *Diorhabda carinulata* (Desbrochers,1870)** (Chrysomelidae) Synonym(s): *carinulata* Desbrochers,1870 Range (in code): Cc AM AZ RU IR CN Ui KK MN TJ TM UZ KG
- 20256. *Diorhabda elongata* (Brullé,1832)** (Chrysomelidae) Synonym(s): *elongata* Brullé,1832; *costalis* Mulsant & Wachanru,1852 Range (in code): DZ MA TN LY PT ES IT AL B-H HV CY GR Cr BG MK EG LB Bei TR SY Cc AZ Da RU MN 01 07 22 26 32 33 35 44 45 64 66 US Cf Tx
- 20257. *Diorhabda fischeri* (Faldermann,1837)** (Chrysomelidae) Synonym(s): *fischeri* Faldermann,1837 Range (in code): TR Cc
- 20258. *Diorhabda meridionalis* Berti & Rapilly,1973** (Chrysomelidae) Synonym(s): *meridionalis* Berti & Rapilly,1973 Range (in code): IR PK SY Hal
- 20259. *Diorhabda nigrifrons* Laboissiere,1914** (Chrysomelidae) Synonym(s): *nigrifrons* Laboissiere,1914 Range (in code): Cc
- 20260. *Diorhabda octocostata* Gahan,1896** (Chrysomelidae) Synonym(s): *octocostata* Gahan,1896 Range (in code): SY IQ
- 20261. *Diorhabda persica* (Faldermann,1837)** (Chrysomelidae) Synonym(s): *persica* Faldermann,1837 Range (in code): SY IR
- 20262. *Diorhabda sublineata* (Lucas,1849)** (Chrysomelidae) Synonym(s): *sublineata* Lucas,1849 Range (in code): MA DZ TN ES PT EG IQ SN YE
- 20263. *Entomoscelis adonidis* (Pallas,1771)** (Chrysomelidae) Synonym(s): *adonidis* Pallas,1771; *dorsalis* Fabricius,1777; *hammarstroemi* Jacobson,1901; *abdominalis* Netolitzki,1912; Range (in code): FR TR SY UA RU Sb CN IR KG CA MN PK Cc SY 03 05 06 20 21 25 26 27 35 38 42 50 58 66 70 75
- 20264. *Entomoscelis pilula* Lopatin,1967** (Chrysomelidae) Synonym(s): *pilula* Lopatin,1967 Range (in code): Cc RU

- 20265. Entomoscelis sacra (Linnaeus,1758)** (Chrysomelidae) Synonym(s): sacra Linnaeus,1758; melanostoma Gmelin,1790; berytensis Reiche & Saulcy,1858 Range (in code): AT HU LB Bei SY IL Pa TR EG RO 26 35 65
- 20266. Entomoscelis suturalis Weise,1882** (Chrysomelidae) Synonym(s): suturalis Weise,1882 Range (in code): RO BG UA AZ Cc IL Pa TR GG IQ IR CN 01 05 06 07 13 14 19 25 32 33 37 40 42 46 50 51 59 60 65 66 67 68
- 20267. Epitrix abeillei (Bauduer,1874)** (Chrysomelidae) Synonym(s): abeillei Bauduer,1874 Range (in code): TR IQ IR Cc KG 01
- 20268. Epitrix atropae Foudras,1860** (Chrysomelidae) Synonym(s): atropae Foudras,1860 Range (in code): DZ TR Cc 25 48
- 20269. Epitrix caucasica (Heitertinger,1950)** (Chrysomelidae) Synonym(s): caucasica Heitertinger,1950 Range (in code): TR Cc IR RU KG IN 24 25
- 20270. Epitrix dieckmanni (Mohr,1968)** (Chrysomelidae) Synonym(s): dieckmanni Mohr,1968 Range (in code): TR IL Pa JO IR SA TM
- 20271. Epitrix hirtipennis (Melsheimer,1847)** (Chrysomelidae) Synonym(s): hirtipennis Melsheimer,1847 Range (in code): TR GR BG IT US 35
- 20272. Epitrix intermedia Foudras,1860** (Chrysomelidae) Synonym(s): intermedia Foudras,1860 Range (in code): TR ES IT SK UA HU YU Cc 24 25 28 55
- 20273. Epitrix ogloblini (Khnzorian,1960)** (Chrysomelidae) Synonym(s): ogloblini Khnzorian,1960 Range (in code): AM Cc
- 20274. Epitrix priesneri (Heikertinger,1950)** (Chrysomelidae) Synonym(s): priesneri Heikertinger,1950 Range (in code): EG SA OM YE IR
- 20275. Epitrix pubescens (Koch,1803)** (Chrysomelidae) Synonym(s): pubescens Koch,1803; ferruginea Weise,1886; suturalis Bedel,1897; lenkorana Pic,1903 Range (in code): Cc AZ Len TR KK Az KG IR RU Sb 10 11 25 26 34 39 60
- 20276. Galeruca (Emarhopa) maculaticeps Pic,1920** (Chrysomelidae) Synonym(s): maculaticeps Pic,1920 Range (in code): SY
- 20277. Galeruca (Emarhopa) rufa Germar,1824** (Chrysomelidae) Synonym(s): rufa Germar,1824; reticulata Küster,1844 Range (in code): AZ Cc AL AT B-H BG CZ FR GR HU IT MK RO SK ES UA YU TR
- 20278. Galeruca (Haptoscelis) melanocephala (Ponza,1805)** (Chrysomelidae) Synonym(s): melanocephala Ponza,1805; aptera Bonelli,1812; haematidia Germar,1824; kubanensis Formanek,1900; baltica Wqaise,1904 Range (in code): AT BY CZ DK FI FR DE HU IT RU SK UA TR
- 20279. Galeruca (s.str.) armeniaca Weise,1886** (Chrysomelidae) Synonym(s): armeniaca Weise,1886; fulvimargo Reitter,1901 Range (in code): IR RU Ao AM Cc KK KG TJ TM TR UZ 03 25 32 36 65 76
- 20280. Galeruca (s.str.) circassica Reitter,1889** (Chrysomelidae) Synonym(s): circassica Reitter,1889 Range (in code): AR GG Cc TR 06 07 18 25 30 37 58 60 69 75
- 20281. Galeruca (s.str.) dahlii (Joannis,1865)** (Chrysomelidae) Synonym(s): dahlii Joannis,1865 Range (in code): TR 25
- 20282. Galeruca (s.str.) hyrcana L.N.Medvedev & Mirzoeva,1969** (Chrysomelidae) Synonym(s): hyrcana L.N.Medvedev & Mirzoeva,1969 Range (in code): AZ Cc
- 20283. Galeruca (s.str.) impressicollis Pic,1934** (Chrysomelidae) Synonym(s): impressicollis Pic,1934 Range (in code): TR
- 20284. Galeruca (s.str.) impressicollis Pic,1934** (Chrysomelidae) Synonym(s): impressicollis Pic,1934 Range (in code): TR
- 20285. Galeruca (s.str.) interrupta Illiger,1802** (Chrysomelidae) Synonym(s): interrupta Illiger,1802; hungarica Frivaldsky,1876 Range (in code): BE BY HU FR IT SK ES MA SY TR 05 06 07 19 21 25 26 32 33 42 58
- 20286. Galeruca (s.str.) jucunda (Faldermann,1837)** (Chrysomelidae) Synonym(s): jucunda Faldermann,1837 Range (in code): AZ AT B-H BG HV CZ DE DK FR GR HU LT PL RO SK CH GB YU AF MN SY TR CN Ti Cc 06
- 20287. Galeruca (s.str.) littoralis Fabricius,1787** (Chrysomelidae) Synonym(s): littoralis Fabricius,1787; fuliginosa Joannis,1865 Range (in code): TR
- 20288. Galeruca (s.str.) nigrolineata Mannerheim,1825** (Chrysomelidae) Synonym(s): nigrolineata Mannerheim,1825 Range (in code): AF KK KG TJ CN UI
- 20289. Galeruca (s.str.) planiuscula Laboissiere,1937** (Chrysomelidae) Synonym(s): planiuscula Laboissiere,1937 Range (in code): IR
- 20290. Galeruca (s.str.) pomonae (Scopoli,1763)** (Chrysomelidae) Synonym(s): pomonae Scopoli,1763 Range (in code): GR Cr TR AT HU AZ AL BE BG BY CZ DK FI FR DE IT LT NL NO PL RO RU SK UA YU KG MN TJ 03 06 07 08 14 17 18 19 25 28 32 35 37 38 42 46 50 51 53 67 68 80
- 20291. Galeruca (s.str.) spectabilis (Faldermann,1837)** (Chrysomelidae) Synonym(s): spectabilis Faldermann,1837 Range (in code): AZ Cc RU Sh CN Ui Ti TR IR TM IL Pa SY 06 07 08 25 33 36 37 38 40 42 50 51 57 61 65 68 69 75

- 20292. *Galeruca (s.str.) tanaceti* (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *tanaceti* Linnaeus,1758  
Range (in code): **AZ Cc AL AM BE BG TR BY CZ DK FI FR GB DE GR HU IT KG LT NL NO PL RO RU SK ES CH UA YU DZ MA TN JP KK KG SY 06 19 25 26 32 36 37 52 57**
- 20293. *Galeruca (s.str.) tripoliana* (Chevrolat,1873)** (Chrysomelidae) Synonym(s): *tripoliana* Chevrolat,1873 Range (in code): **SY**
- 20294. *Gastrophysa polygoni* (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *polygoni* Linnaeus,1758  
Range (in code): **TR Cc IR SY IL Pa PK CN KG KP KR RU Sb MN DZ CA 06 08 21 22 24 25 34 36 38 50 55 61 75**
- 20295. *Gastrophysa viridula* (DeGeer,1775)** (Chrysomelidae) Synonym(s): *viridula* DeGeer,1775; *caucasica* Jolivet,1951 Range (in code): **RU KG Cc TR SY IL Pa CA 08 25 61**
- 20296. *Gonioctena fornicata* (Brüggemann,1873)** (Chrysomelidae) Synonym(s): *fornicata* Brüggemann,1873; *sexpunctata* Joakimov,1904 Range (in code): **TR SY RO PL YU UA RU Cc 01 06 08 11 18 21 24 25 27 35 42 47 50 54 56 66 68**
- 20297. *Gonioctena linnaeana* (Schrank,1781)** (Chrysomelidae) Synonym(s): *linnaeana* Schrank,1781; *decastigma* Dftschmidt,1825; *triandrae* Suffrian,1851 Range (in code): **ES NO TR KG MN RU Sh 12 13 25 69**
- 20298. *Gonioctena rufipes* (DeGeer,1775)** (Chrysomelidae) Synonym(s): *rufipes* DeGeer,1775 Range (in code): **TR Cc RU Sb KG MN CN Ti JP CA 10 34 36**
- 20299. *Hermaeophaga mercurialis* (Fabricius,1792)** (Chrysomelidae) Synonym(s): *mercurialis* Fabricius,1792 Range (in code): **TR Cc JO 52**
- 20300. *Hermaeophaga ruficollis* (Lucas,1849)** (Chrysomelidae) Synonym(s): *ruficollis* Lucas,1849  
Range (in code): **ES FR Co IT MK GR TR Cc KG NG SD SA LK 01 07 14**
- 20301. *Hippuriphila modeeri* (Linnaeus,1761)** (Chrysomelidae) Synonym(s): *modeeri* Linnaeus,1761; *chrysopygis* Beck,1817; *mancula* Leconte,1861; *bimaculata* Weise,1886; *chalybaea* Weise,1886; *praescutellaris* Pic,1909; *laevicollis* Hellen,1933 Range (in code): **TR MN RU Sb 34**
- 20302. *Hispa atra* Linnaeus,1767** (Chrysomelidae) Synonym(s): *atra* Linnaeus,1767; *cariosa* Reiche & Saulcy,1858; *algira* Motschoulsky,1860; *aptera* Motschoulsky,1860; *minuta* Balbi,1892; *balbii* Donckier,1899 Range (in code): **DZ PT ES FR BE NL DE DK SE BY PL CZ CH AT IT HU Co Sa Si SS YU AL GR MK BG MD UA RO TR Cr Cc RU MN CN 65**
- 20303. *Hydrothassa flavocincta* (Brullé,1832)** (Chrysomelidae) Synonym(s): *flavocincta* Brullé,1832  
Range (in code): **GB IT HV B-H YU AL BG GR TR 34**
- 20304. *Hydrothassa glabra* (Herbst,1783)** (Chrysomelidae) Synonym(s): *glabra* Herbst,1783; *aucta* Fabricius,1787; *egena* Suffrian,1851 nec Gyll.,1827; *umhangi* Wehncke,1866 Range (in code): **PT ES FR GB IE NO SE FI EE DK DE PL CZ SK UA MD RO CH AT SS IT B-H BG GR Si RU Sb MA TR 25**
- 20305. *Hypocassida subferruginea* (Schrank,1776)** (Chrysomelidae) Synonym(s): *subferruginea* Schrank,1776 Range (in code): **TR CN 01 05 06 07 09 10 11 13 14 15 16 17 18 19 20 22 24 25 26 31 33 34 35 37 38 41 42 43 45 49 53 54 55 56 57 58 63 66 67 80**
- 20306. *Ischyronota desertorum* (Gebler,1833)** (Chrysomelidae) Synonym(s): *desertorum* Gebler,1833  
Range (in code): **TR UA RU SY IR PK CN Ui MN 04 18 35 38 76**
- 20307. *Labidostomis (Chlorostola) centromaculata* Gén  ,1839** (Chrysomelidae) Synonym(s): *quadrinotata* Olivier,1791 nec Fabr.,1787; *centromaculata* Gén  ,1839; *syriaca* Lacordaire,1848 Range (in code): **FR Co Sa SY**
- 20308. *Labidostomis (s.str.) asiatica* Faldermann,1837** (Chrysomelidae) Synonym(s): *asiatica* Faldermann,1837 Range (in code): **TR Cc IR SY 01 03 05 06 09 10 11 23 25 26 33 35 38 42 45 48 61**
- 20309. *Labidostomis (s.str.) basanica* Sahlberg,1913** (Chrysomelidae) Synonym(s): *basanica* Sahlberg,1913 Range (in code): **SY TR**
- 20310. *Labidostomis (s.str.) beckeri* Weise,1882** (Chrysomelidae) Synonym(s): *beckeri* Weise,1882  
Range (in code): **UA Cc RU At KG TR 25**
- 20311. *Labidostomis (s.str.) brevipennis* Faldermann,1837** (Chrysomelidae) Synonym(s): *brevipennis* Faldermann,1837; *armeniaca* Lacordaire,1848; *taurica* Lacordaire,1848 Range (in code): **TR Cc AM IR**
- 20312. *Labidostomis (s.str.) cyanicornis* Germar,1822** (Chrysomelidae) Synonym(s): *cyanicornis* Germar,1822; *fulvipennis* Lacordaire,1848; *dimidiaticornis* Lacordaire,1848; *hungarica* Lacordaire,1848; *salicis* Lacordaire,1848; Range (in code): **RO HU YU BG TR UA RU 42 81**
- 20313. *Labidostomis (s.str.) dallipennis* (Gebler,1830)** (Chrysomelidae) Synonym(s): *dallipennis* Gebler,1830; *chalybeicornis* Brull  ,1832; *longipennis* Gebler,1841; *distinguenda* Rosenhauer,1847; *elongata* Lacordaire,1848; *pilicollis* Lacordaire,1848; *sicula* Kraatz,1872 Range (in code): **IT Si TR MN CN RU Am KP KR**
- 20314. *Labidostomis (s.str.) damavendenis* Rapilly,1984** (Chrysomelidae) Synonym(s): *damavendenis* Rapilly,1984 Range (in code): **IR Elb**
- 20315. *Labidostomis (s.str.) decipiens* Faldermann,1837** (Chrysomelidae) Synonym(s): *decipiens* Faldermann,1837; *lineola* Redtenbacher,1843 Range (in code): **CY TR Cc SY IR RU 01 05 06 35 42 44 63**
- 20316. *Labidostomis (s.str.) diversifrons* Lefebvre,1876** (Chrysomelidae) Synonym(s): *diversifrons* Lefebvre,1876; *speculifrons* Kraatz,1872; *attenuata* Pic,1897 Range (in code): **IL Pa LB SY TR IR 25**
- 20317. *Labidostomis (s.str.) elegans* Lefebvre,1876** (Chrysomelidae) Synonym(s): *elegans* Lefebvre,1876; *reitteri* Weise,1885 Range (in code): **Cc IR**



- 20318. Labidostomis (s.str.) harazensis Rapilly,1984** (Chrysomelidae) Synonym(s): harazensis Rapilly,1984 Range (in code): IR
- 20319. Labidostomis (s.str.) hebraea (Lacordaire,1848)** (Chrysomelidae) Synonym(s): hebraea Lacordaire,1848; limbata Lacordaire,1848; jota Reiche,1854; posticejuncta Pic,1912; bijuncta Pic,1912; bisbijuncta Pic,1912 Range (in code): TR IL Pa LB SY
- 20320. Labidostomis (s.str.) humeralis (Schneider,1792)** (Chrysomelidae) Synonym(s): humeralis Schneider,1792; impressihumera Lacordaire,1848 Range (in code): FR SE TR RU 35
- 20321. Labidostomis (s.str.) karamanica Weise,1900** (Chrysomelidae) Synonym(s): karamanica Weise,1900; cyprius Lopatin,1962 Range (in code): CY TR SY 70
- 20322. Labidostomis (s.str.) korbi Weise,1901** (Chrysomelidae) Synonym(s): korbi Weise,1901 Range (in code): TR 42
- 20323. Labidostomis (s.str.) longimana (Linnaeus,1761)** (Chrysomelidae) Synonym(s): longimana Linnaeus,1761; pallida Fourcroy,1785; tridentata Panzer,1793; dalmatina Lacordaire,1848; uralensis Lacordaire,1848; glycyrrhizae Becher,1880; caucasica Medvedev,1962 Range (in code): ES FR MN RU Sb Cc TR 06 10 25 32 38 50 55 56 58 66
- 20324. Labidostomis (s.str.) lucida (Germar,1824)** (Chrysomelidae) Synonym(s): lucida Germar,1824; fulgida Lacordaire,1848; albipennis Lacordaire,1848; axillaris Lacordaire,1848; laticollis Lacordaire,1848; sareptana Kraatz,1872 Range (in code): IT YU PL BG ES SK RU TR KG 25
- 20325. Labidostomis (s.str.) maculipennis Lefebvre,1870** (Chrysomelidae) Synonym(s): maculipennis Lefebvre,1870; kindermanni Kraatz,1872 Range (in code): TR Cc LB RU IR 05 06 07 25 35 38 42 50 51 58 65
- 20326. Labidostomis (s.str.) martensi Medvedev,1983** (Chrysomelidae) Synonym(s): martensi Medvedev,1983 Range (in code): IR
- 20327. Labidostomis (s.str.) medvedevi Warchalowski,1985** (Chrysomelidae) Synonym(s): montana Medvedev,1970 nec Cobos,1954; medvedevi Warchalowski,1985 Range (in code): IR
- 20328. Labidostomis (s.str.) mesopotamica Heyden,1886** (Chrysomelidae) Synonym(s): mesopotamica Heyden,1886; escherichi Weise,1897; frontalis Weise,1900; iconiensis Weise,1900 Range (in code): TR SY 06 11 16 20 24 25 26 33 35 41 42 44 47 48 51 58 66
- 20329. Labidostomis (s.str.) metallica Lefebvre,1872** (Chrysomelidae) Synonym(s): metallica Lefebvre,1872 Range (in code): TR Cc RU MN CN IR TM KG UZ Ui AF
- 20330. Labidostomis (s.str.) nuristanica Reineck,1937** (Chrysomelidae) Synonym(s): nuristanica Reineck,1937 Range (in code): AF Kab PK
- 20331. Labidostomis (s.str.) oertzeni Weise,1889** (Chrysomelidae) Synonym(s): oertzeni Weise,1889; heteromalla Lefebvre,1889; villosula Weise,1900 Range (in code): BG GR TR MK 05 25 35 39 45 47 48
- 20332. Labidostomis (s.str.) peregrina Weise,1900** (Chrysomelidae) Synonym(s): peregrina Weise,1900 Range (in code): UA Cm Cc RU TM TR GG AZ IR 24 25
- 20333. Labidostomis (s.str.) propinqua Faldermann,1837** (Chrysomelidae) Synonym(s): propinqua Faldermann,1837; binotata Waltl,1838; steveni Waltl,1848; arnoldii Medvedev,1962 Range (in code): RO BG GR TR Cc IR 01 05 06 14 21 24 25 29 33 34 35 38 41 54 55 58 61
- 20334. Labidostomis (s.str.) rufa (Waltl,1838)** (Chrysomelidae) Synonym(s): rufa Waltl,1838 Range (in code): YU BG GR TR SY IQ IR 01 03 05 06 11 20 24 25 34 35
- 20335. Labidostomis (s.str.) senicula Kraatz,1872** (Chrysomelidae) Synonym(s): senicula Kraatz,1872; nitida Ballion,1878; albida Jacobson,1894; turcomanica Lopatin,1954 Range (in code): TR UA Cm KG MN RU Ao TM Cc Da Der GG 65 76
- 20336. Labidostomis (s.str.) shirazica Lopatin,1979** (Chrysomelidae) Synonym(s): shirazica Lopatin,1979 Range (in code): IR Fa Shr
- 20337. Labidostomis (s.str.) subfasciata Weise,1885** (Chrysomelidae) Synonym(s): subfasciata Weise,1885; trigemina Weise,1898 Range (in code): TR Cc IR RU 30 65
- 20338. Labidostomis (s.str.) sulcicollis (Lacordaire,1848)** (Chrysomelidae) Synonym(s): sulcicollis Lacordaire,1848; kaszabi Medvedev,1962 Range (in code): TR Cc
- 20339. Labidostomis (s.str.) testaceipes Pic,1904** (Chrysomelidae) Synonym(s): testaceipes Pic,1904; delagrangi Pic,1904; robusta Reineck,1911 Range (in code): TR Cc AM SY
- 20340. Labidostomis kantneri Warchalowski,2004** (Chrysomelidae) Synonym(s): kantneri Warchalowski,2004 Range (in code): IR Fa
- 20341. Labidostomis laeta Medvedev,1992** (Chrysomelidae) Synonym(s): laeta Medvedev,1992 Range (in code): IL Pa
- 20342. Labidostomis pallidipennis (Gebler,1830)** (Chrysomelidae) Synonym(s): pallidipennis Gebler,1830; chalybeicornis Brullé,1832; longipennis Gebler,1848; sicala Kraatz,1872 Range (in code): ES CN RU TR BG Cc KG 06 08 25 34
- 20343. Lachnaia cerealis (Olivier,1808)** (Chrysomelidae) Synonym(s): cerealis Olivier,1808 Range (in code): DZ IL Pa SY
- 20344. Lachnaia sexpunctata (Scopoli,1763)** (Chrysomelidae) Synonym(s): sexpunctata Scopoli,1763; longipes Fabricius,1775 Range (in code): FR TR DE SK

- 20345. *Leptinotarsa decemlineata* (Say,1824)** (Chrysomelidae) Synonym(s): *decemlineata* Say,1824  
Range (in code): **FR GB SE FI EE RU DK UA PL CZ SK CH AT IT Si RO BG MK GR YU AL DE TR CN Ui Atp CA US 06 08 17 22 24 25 26**
- 20346. *Liliocercis faldermanni* (Guérin-Ménéville,1829)** (Chrysomelidae) Synonym(s): *faldermanni* Guérin-Ménéville,1829; *cornuta* Faldermann,1837 Range (in code): **TR Cc SY**
- 20347. *Longitarsus absynthii* Kutschera,1862** (Chrysomelidae) Synonym(s): *absynthii* Kutschera,1862  
Range (in code): **TR Cc TM KG MN RU 06 42**
- 20348. *Longitarsus aeneicollis* (Faldermann,1837)** (Chrysomelidae) Synonym(s): *suturalis* Marsham,1802 nec Fabr.,1775; *aeneicollis* Faldermann,1837; *nigricollis* Foudras,1860; *rubenticollis* Allard,1860; *similis* Weise,1893; *cribripennis* Abeille,1909 Range (in code): **TR AZ GG Cc AF IR KG RU 01 07 24 25 33 36 58 60 75 76**
- 20349. *Longitarsus albineus* (Foudras,1860)** (Chrysomelidae) Synonym(s): *albineus* Foudras,1860  
Range (in code): **TR Cc AZ JO IR AF 07 25 33 38 42 51**
- 20350. *Longitarsus albus* (Allard,1866)** (Chrysomelidae) Synonym(s): *albus* Allard,1866 Range (in code): **MA DZ IL Pa**
- 20351. *Longitarsus alfieri* (Pic,1923)** (Chrysomelidae) Synonym(s): *alfieri* Pic,1923; *anteneae* Peyerimhoff,1929; *klapperichi* Mohr,1962; *furthi* Gruev,1982 Range (in code): **MA DZ TR IL Pa JO IR AF BG GR Cr MK YU ES UA Cm Cc GG 07 25**
- 20352. *Longitarsus allotrophus* Furth,1979** (Chrysomelidae) Synonym(s): *allotrophus* Furth,1979  
Range (in code): **IL Pa**
- 20353. *Longitarsus anatolicus* Weise,1900** (Chrysomelidae) Synonym(s): *anatolicus* Weise,1900 Range (in code): **TR IL Pa Cc AZ R 01 06 13 19 21 24 25 32 33 38 41 42 44 46 49 56 58 65 66 68 70**
- 20354. *Longitarsus anchusae* (Paykull,1799)** (Chrysomelidae) Synonym(s): *anchusae* Paykull,1799; *punctatissimus* Weise,1888 Range (in code): **TR Cc IR KG RU Sb 01 25 33 37 60 75**
- 20355. *Longitarsus angelikae* Fritzlar,2001** (Chrysomelidae) Synonym(s): *angelikae* Fritzlar,2001  
Range (in code): **TR 07**
- 20356. *Longitarsus angorensis* Gruev & Kasap,1985** (Chrysomelidae) Synonym(s): *angorensis* Gruev & Kasap,1985 Range (in code): **TR 06**
- 20357. *Longitarsus apicalis* (Beck,1817)** (Chrysomelidae) Synonym(s): *apicalis* Beck,1817; *analys* Duftschmidt,1825; *praticola* Sahlberg,1834; *fischeri* Zetterstedt,1838; *quadrimaculatus* Weise,1888 Range (in code): **FR GR TM**
- 20358. *Longitarsus aramaicus* Leonardi,1979** (Chrysomelidae) Synonym(s): *aramaicus* Leonardi,1979  
Range (in code): **TR IL Pa JO 06**
- 20359. *Longitarsus artvinus* Gruev & Aslan,1998** (Chrysomelidae) Synonym(s): *artvinus* Gruev & Aslan,1998 Range (in code): **TR 08**
- 20360. *Longitarsus atricillus* (Linnaeus,1761)** (Chrysomelidae) Synonym(s): *atricillus* Linnaeus,1761; *declivis* Weise,1893 Range (in code): **DZ TN TR Cc IR TM 25 69**
- 20361. *Longitarsus auboaorum* Biondi,1997** (Chrysomelidae) Synonym(s): *auboaorum* Biondi,1997  
Range (in code): **TR 06**
- 20362. *Longitarsus audisioi* Biondi,1992** (Chrysomelidae) Synonym(s): *audisioi* Biondi,1992 Range (in code): **TR 61**
- 20363. *Longitarsus ballotae* (Marsham,1802)** (Chrysomelidae) Synonym(s): *ballotae* Marsham,1802; *canescens* Foudras,1860; *septorum* Buysson,1908; *#caligans* Kral,1945 Range (in code): **TR Cc IR MN YE**
- 20364. *Longitarsus barbarae* Doguet & Bergeal,2002** (Chrysomelidae) Synonym(s): *barbarae* Doguet & Bergeal,2002 Range (in code): **GR TR 07**
- 20365. *Longitarsus bertii* Leonhardi,1973** (Chrysomelidae) Synonym(s): *bertii* Leonhardi,1973 Range (in code): **TR Cc IR TM T HU AT 25 29 68**
- 20366. *Longitarsus brachypterus* Weise,1890** (Chrysomelidae) Synonym(s): *brachypterus* Weise,1890  
Range (in code): **Cc AZ**
- 20367. *Longitarsus brisouti* Heikertinger,1912** (Chrysomelidae) Synonym(s): *brisouti* Heikertinger,1912  
Range (in code): **DE BE IT SK YU BG RU TR 24 25**
- 20368. *Longitarsus bytinskii* Furth,1979** (Chrysomelidae) Synonym(s): *bytinskii* Furth,1979 Range (in code): **AM Cc IL Pa TR 25**
- 20369. *Longitarsus callidus* Warchalowski,1967** (Chrysomelidae) Synonym(s): *callidus* Warchalowski,1967 Range (in code): **Cc AZ TR FR IT AT HU PL CZ SK IR TN**
- 20370. *Longitarsus celticus* Leonhardi,1975** (Chrysomelidae) Synonym(s): *celticus* Leonhardi,1975  
Range (in code): **AT MA ES FR CH IT DE CZ SK YU UA TR**
- 20371. *Longitarsus cerinthes* (Schrank,1798)** (Chrysomelidae) Synonym(s): *cerinthes* Schrank,1798; *nervosa* Wollaston,1854; *pectoralis* Foudras,1860 Range (in code): **GR TR Cn**
- 20372. *Longitarsus corpulentus* Weise,1887** (Chrysomelidae) Synonym(s): *corpulentus* Weise,1887  
Range (in code): **TR KG TM UZ TJ**
- 20373. *Longitarsus debernardii* Leonhardi,1979** (Chrysomelidae) Synonym(s): *debernardii* Leonhardi,1979 Range (in code): **IL Pa Hf**

- 20374. Longitarsus dlabolai Kral,1964** (Chrysomelidae) Synonym(s): dlabolai Kral,1964 Range (in code): Cc GG
- 20375. Longitarsus echii (Koch,1803)** (Chrysomelidae) Synonym(s): echii Koch,1803; tibialis Duftschmidt,1825; excurvus Wollaston,1854; flavipes Allard,1860; coerulescens Weise,1888; nigrescens Weise,1888; peregrinus Weise,1888; kulikovskii Jacobson,1895 Range (in code): PL AF Cn TR
- 20376. Longitarsus emarginatus Weise,1890** (Chrysomelidae) Synonym(s): emarginatus Weise,1890 Range (in code): IL Pa JO
- 20377. Longitarsus emarginatus Furth,1979** (Chrysomelidae) Synonym(s): emarginatus Furth,1979 Range (in code): IL Pa LB SY
- 20378. Longitarsus eminus Warchalowski,1967** (Chrysomelidae) Synonym(s): eminus Warchalowski,1967 Range (in code): IL Pa TR IQ IR AF
- 20379. Longitarsus exoletus (Linnaeus,1758)** (Chrysomelidae) Synonym(s): exoletus Linnaeus,1758; femoralis Marsham,1802; boppardiensis Bach,1856; rufula Foudras,1860; megaloleuca Allard,1860; lividus Fauvel,1888; arctulus Weise,1893 Range (in code): TR TJ Cc CY SY 06 16 25 29 38 42 46
- 20380. Longitarsus fallax Weise,1888** (Chrysomelidae) Synonym(s): dimidiata Allard,1866 nec Stph.,1834; fallax Weise,1888; nitens Khnzorian,1968; cynoglossi Palij,1970 nec Marshm.,1802 Range (in code): FR IT HV BG IL Pa TR Cc IR IQ AF TJ KG 06 08 24 25 34 45 58
- 20381. Longitarsus foudrasi Weise,1893** (Chrysomelidae) Synonym(s): foudrasi Weise,1893 Range (in code): TR RU Sb Cc DZ 25
- 20382. Longitarsus fuscoaeus Redtenbacher,1859** (Chrysomelidae) Synonym(s): fuscoaeus Redtenbacher,1859 Range (in code): TR Cc 01 06 25 33 38
- 20383. Longitarsus ganglbaueri Haikertinger,1912** (Chrysomelidae) Synonym(s): ganglbaueri Haikertinger,1912 Range (in code): TR RU Sb MN Cc 25
- 20384. Longitarsus hittita Biondi,1995** (Chrysomelidae) Synonym(s): hittita Biondi,1995 Range (in code): TR 06 24 38 42
- 20385. Longitarsus iconiensis Weise,1900** (Chrysomelidae) Synonym(s): iconiensis Weise,1900; angorensis Gruev & Kasap,1985 Range (in code): TR 06 42
- 20386. Longitarsus jacobaeae (Waterhouse,1858)** (Chrysomelidae) Synonym(s): jacobaeae Waterhouse,1858 Range (in code): TR Cc RU Sb MN KK KG 25 69
- 20387. Longitarsus jailensis Heikertinger,1913** (Chrysomelidae) Synonym(s): jailensis Heikertinger,1913 Range (in code): UA Cm BG TR 26 34
- 20388. Longitarsus juncicola (Foudras,1860)** (Chrysomelidae) Synonym(s): juncicola Foudras,1860 Range (in code): DZ TR Cc 25 26 31 61
- 20389. Longitarsus karlheini Warchalowski,1972** (Chrysomelidae) Synonym(s): karlheini Warchalowski,1972 Range (in code): TR IL Pa IR UA Cm 07 32
- 20390. Longitarsus kopdagiensis Gruev & Aslan,1998** (Chrysomelidae) Synonym(s): kopdagiensis Gruev & Aslan,1998 Range (in code): TR 60 69
- 20391. Longitarsus kutscherae (Rey,1892)** (Chrysomelidae) Synonym(s): kutscherae Rey,1892 Range (in code): DZ TR Cc RU Sb KP KR CN 25
- 20392. Longitarsus lateripunctatus Rosenhauer,1856** (Chrysomelidae) Synonym(s): lateripunctatus Rosenhauer,1856; personatus Weise,1893 Range (in code): Cc TR
- 20393. Longitarsus ledouxi Doguet,1979** (Chrysomelidae) Synonym(s): ledouxi Doguet,1979 Range (in code): Cc TR 53
- 20394. Longitarsus lewisii (Baly,1874)** (Chrysomelidae) Synonym(s): lewisii Baly,1874 Range (in code): Cc TR IR AF RU Sb MN CN VN JP 08 53
- 20395. Longitarsus linnaei (Duftschmidt,1825)** (Chrysomelidae) Synonym(s): linnaei Duftschmidt,1825 Range (in code): TR Cc IR 01 08 21 25 26 34 60
- 20396. Longitarsus longipennis Kutschera,1836** (Chrysomelidae) Synonym(s): longipennis Kutschera,1836 Range (in code): TR Cc RU Sb KG 07 25
- 20397. Longitarsus luridus (Scopoli,1763)** (Chrysomelidae) Synonym(s): luridus Scopoli,1763 Range (in code): Cc TR RU Sb MN KG 06 07 08 25 26 34 40 58 66
- 20398. Longitarsus lycopi (Foudras,1860)** (Chrysomelidae) Synonym(s): lycopi Foudras,1860 Range (in code): Cc TR IR SA RU Sb KG YE 01 06 08 10 16 24 25 26 28 31 33 39 60
- 20399. Longitarsus melanocephalus (De Geer,1775)** (Chrysomelidae) Synonym(s): melanocephalus De Geer,1775 Range (in code): Cc TR IR AF KG IL Pa RU Sb 06 08 24 25 26 34 69 76
- 20400. Longitarsus membranaceus (Foudras,1860)** (Chrysomelidae) Synonym(s): membranaceus Foudras,1860 Range (in code): TR Cc IR 33
- 20401. Longitarsus minusculus (Foudras,1860)** (Chrysomelidae) Synonym(s): minusculus Foudras,1860 Range (in code): Cc TR DZ
- 20402. Longitarsus niger (Koch,1803)** (Chrysomelidae) Synonym(s): niger Koch,1803 Range (in code): TR Cc 25 26 34
- 20403. Longitarsus nigrofasciatus (Goeze,1777)** (Chrysomelidae) Synonym(s): nigrofasciatus Goeze,1777 Range (in code): TR Cc IR AF RU Sb KG DZ 06 16 25 26 33 60



- 20404. Longitarsus nimrodi Furth,1979** (Chrysomelidae) Synonym(s): nimrodi Furth,1979 Range (in code): TR AT IT BG SS IL Pa 25 61
- 20405. Longitarsus obliteratus (Rosenhauer,1847)** (Chrysomelidae) Synonym(s): obliteratus Rosenhauer,1847; meridionalis Cziki & Heikertinger,1940 Range (in code): TR Cc IR 01 07 15 25 31 34
- 20406. Longitarsus ochroleucus (Marsham,1802)** (Chrysomelidae) Synonym(s): ochroleucus Marsham,1802 Range (in code): TR Cc DZ 24 33 35 38
- 20407. Longitarsus parvulus (Paykull,1799)** (Chrysomelidae) Synonym(s): parvulus Paykull,1799 Range (in code): TR Cc RU Sb DZ 25 36
- 20408. Longitarsus pellucidus (Foudras,1860)** (Chrysomelidae) Synonym(s): pellucidus Foudras,1860 Range (in code): TR Cc IR AF RU MN KG 01 05 08 24 25 29 35 36 58 60 76
- 20409. Longitarsus picicollis Weise,1900** (Chrysomelidae) Synonym(s): picicollis Weise,1900 Range (in code): TR Cc IR AF KG RU 06 25 35 46 60
- 20410. Longitarsus pinguis Weise,1888** (Chrysomelidae) Synonym(s): pinguis Weise,1888 Range (in code): TR Cc DE SY RU 34
- 20411. Longitarsus pratensis (Panzer,1794)** (Chrysomelidae) Synonym(s): pratensis Panzer,1794 Range (in code): TR Cc IR AF KG IL Pa DZ 06 08 24 25 26 34 37 39 42 53 58
- 20412. Longitarsus quadriguttatus (Pontoppidan,1765)** (Chrysomelidae) Synonym(s): quadriguttatus Pontoppidan,1765 Range (in code): TR Cc 10 21 25
- 20413. Longitarsus rectilineatus (Foudras,1860)** (Chrysomelidae) Synonym(s): rectilineatus Foudras,1860 Range (in code): TR Cc IR AF DZ KG 06 25 34 60
- 20414. Longitarsus reichei (Allard,1860)** (Chrysomelidae) Synonym(s): reichei Allard,1860 Range (in code): TR Cc IR 25 60
- 20415. Longitarsus salviae Gruev,1975** (Chrysomelidae) Synonym(s): salviae Gruev,1975 Range (in code): RU Cc TR 25 29
- 20416. Longitarsus scutellaris (Rey,1874)** (Chrysomelidae) Synonym(s): scutellaris Rey,1874 Range (in code): TR Cc 08 25
- 20417. Longitarsus succineus (Foudras,1860)** (Chrysomelidae) Synonym(s): succineus Foudras,1860 Range (in code): TR Cc RU Sb KG DZ MN KP KR JP 25 33 34 60
- 20418. Longitarsus suturellus (Duftschmid,1825)** (Chrysomelidae) Synonym(s): suturellus Duftschmid,1825 Range (in code): TR 24 25 63
- 20419. Longitarsus tabidus (Fabricius,1775)** (Chrysomelidae) Synonym(s): tabidus Fabricius,1775 Range (in code): TR Cc DE IR KG DZ MN 07 16 25 36 60
- 20420. Longitarsus trepidus Warchalowski,1973** (Chrysomelidae) Synonym(s): trepidus Warchalowski,1973 Range (in code): TR IR Cc AF 01 06 07 25 32 33 36 38 42 44 65 75
- 20421. Longitarsus truncatellus Weise,1890** (Chrysomelidae) Synonym(s): truncatellus Weise,1890 Range (in code): TR GR JO IL Pa 35
- 20422. Longitarsus violentus Weise,1893** (Chrysomelidae) Synonym(s): violentus Weise,1893 Range (in code): TR Cc IR AF KG RU Sb MN CN Ui
- 20423. Luperus armeniacus Kiesenwetter,1878** (Chrysomelidae) Synonym(s): armeniacus Kiesenwetter,1878 Range (in code): AM Cc
- 20424. Luperus caucasicus Weise,1879** (Chrysomelidae) Synonym(s): caucasicus Weise,1879 Range (in code): Cc
- 20425. Luperus discolor Faldermann,1837** (Chrysomelidae) Synonym(s): discolor Faldermann,1837 Range (in code): Cc
- 20426. Luperus floralis Faldermann,1837** (Chrysomelidae) Synonym(s): floralis Faldermann,1837 Range (in code): Cc
- 20427. Luperus margaritae Lopatin,1990** (Chrysomelidae) Synonym(s): margaritae Lopatin,1990 Range (in code): AM Cc GR
- 20428. Luperus orientalis Faldermann,1837** (Chrysomelidae) Synonym(s): orientalis Faldermann,1837 Range (in code): Cc
- 20429. Luperus perlucidus Khnzorian,1956** (Chrysomelidae) Synonym(s): perlucidus Khnzorian,1956 Range (in code): AM Cc
- 20430. Luperus turcicus Medvedev,1975** (Chrysomelidae) Synonym(s): turcicus Medvedev,1975 Range (in code): TR
- 20431. Macrocoma brunnipes (Olivier,1808)** (Chrysomelidae) Synonym(s): brunnipes Olivier,1808 Range (in code): TR 01
- 20432. Macrocoma delagrangei (Pic,1898)** (Chrysomelidae) Synonym(s): delagrangei Pic,1898 Range (in code): TR 21 32 33
- 20433. Macrocoma doboszi Borowiec,2005** (Chrysomelidae) Synonym(s): doboszi Borowiec,2005 Range (in code): TR 39 47
- 20434. Macrocoma fortidens (Berti & Rapilly,1973)** (Chrysomelidae) Synonym(s): fortidens Berti & Rapilly,1973 Range (in code): TR 21 31 65

- 20435. *Macrocoma korbi* (Pic,1901)** (Chrysomelidae) Synonym(s): korbi Pic,1901 Range (in code): TR 33 42 51
- 20436. *Macrocoma rubripes* (Schaufuss,1862)** (Chrysomelidae) Synonym(s): rubripes Schaufuss,1862 Range (in code): TR 01 06 07 17 25 27 32 33 35 38 42 51
- 20437. *Macrocoma substriata* Weise,1904** (Chrysomelidae) Synonym(s): substriata Weise,1904 Range (in code): TR 21
- 20438. *Macrolenes dentipes* (Olivier,1808)** (Chrysomelidae) Synonym(s): bimaculatus Rossi,1790 nec Fabr.,1781; ruficollis Fabricius,1792 nec Fabr.,1775; dentipes Olivier,1808 Range (in code): IT Si TR FR DZ 09 10 17 35 45 48
- 20439. *Mantura chrysanthemi* (Koch,1803)** (Chrysomelidae) Synonym(s): chrysanthemi Koch,1803 Range (in code): DZ TR 48
- 20440. *Mantura cylindrica* Miller,1880** (Chrysomelidae) Synonym(s): cylindrica Miller,1880 Range (in code): IT TR 05
- 20441. *Mantura rustica* (Linnaeus,1767)** (Chrysomelidae) Synonym(s): rustica Linnaeus,1767 Range (in code): TR Cc AF KG RU Sb MN CN 06 25 34 39 42 58 66
- 20442. *Mniophila caucasica* Nadein,2009** (Chrysomelidae) Synonym(s): caucasica Nadein,2009 Range (in code): Cc Abk GG AZ RU
- 20443. *Mniophila transcaucasica* Nadein,2009** (Chrysomelidae) Synonym(s): transcaucasica Nadein,2009 Range (in code): AM GG Cc
- 20444. *Mniophila turcica* Medvedev,1970** (Chrysomelidae) Synonym(s): turcica Medvedev,1970 Range (in code): TR 08 53
- 20445. *Neocrepidodera crassicornis* (Faldermann,1837)** (Chrysomelidae) Synonym(s): crassicornis Faldermann,1837 Range (in code): TR Cc KG 25 55
- 20446. *Neocrepidodera ferruginea* (Scopoli,1763)** (Chrysomelidae) Synonym(s): ferruginea Scopoli,1763 Range (in code): TR Cc IR 06 25 34 38 42
- 20447. *Neocrepidodera impressa* (Fabricius,1801)** (Chrysomelidae) Synonym(s): impressa Fabricius,1801 Range (in code): TR GB
- 20448. *Neocrepidodera motschulskyi* Konstantinov,1991** (Chrysomelidae) Synonym(s): motschulskyi Konstantinov,1991 Range (in code): TR Cc 25 60
- 20449. *Neocrepidodera nigrigula* (Gyllenhal,1813)** (Chrysomelidae) Synonym(s): nigrigula Gyllenhal,1813 Range (in code): TR 34
- 20450. *Neocrepidodera transversa* (Marsham,1802)** (Chrysomelidae) Synonym(s): transversa Marsham,1802 Range (in code): TR Cc CY IR 06 25 55 58 60
- 20451. *Nymphius ensifer* (Guillebeau,1891)** (Chrysomelidae) Synonym(s): ensifer Guillebeau,1891 Range (in code): TR 07
- 20452. *Nymphius forcipifer* Weise,1900** (Chrysomelidae) Synonym(s): forcipifer Weise,1900 Range (in code): TR 03 06 26 32 42
- 20453. *Nymphius lydius* (Weise,1886)** (Chrysomelidae) Synonym(s): lydius Weise,1886 Range (in code): TR 02 03 05 06 07 17 25 26 32 33 35 36 37 42 45 55 74 78
- 20454. *Nymphius styliifer* (Weise,1899)** (Chrysomelidae) Synonym(s): styliifer Weise,1899 Range (in code): Cc TR 25 30 36 49 65
- 20455. *Ochrosis ventralis* (Illiger,1807)** (Chrysomelidae) Synonym(s): ventralis Illiger,1807 Range (in code): TR Cc IR DZ 06 24 25 31 34 36 38 39 58 76
- 20456. *Orestia loebli* Biondi,1992** (Chrysomelidae) Synonym(s): loebli Biondi,1992 Range (in code): TR 67
- 20457. *Orestia olympica* Frivaldsky,1884** (Chrysomelidae) Synonym(s): olympica Frivaldsky,1884 Range (in code): TR 16
- 20458. *Orestia oselliana* Leonardi,1977** (Chrysomelidae) Synonym(s): oselliana Leonardi,1977 Range (in code): TR 37
- 20459. *Pachybrachis* (s.str.) *adaliensis* Weise,1886** (Chrysomelidae) Synonym(s): adaliensis Weise,1886 Range (in code): TR 07
- 20460. *Pachybrachis* (s.str.) *afghanensis* Lopatin,1966** (Chrysomelidae) Synonym(s): afghanensis Lopatin,1966 Range (in code): AF
- 20461. *Pachybrachis* (s.str.) *akbesianus* Pic,1907** (Chrysomelidae) Synonym(s): akbesianus Pic,1907 Range (in code): TR 31
- 20462. *Pachybrachis* (s.str.) *albicans* Weise,1882** (Chrysomelidae) Synonym(s): albicans Weise,1882 Range (in code): RU Cc TR 08 25 60
- 20463. *Pachybrachis* (s.str.) *anatolicus* Lopatin,1985** (Chrysomelidae) Synonym(s): anatolicus Lopatin,1985 Range (in code): TR 65
- 20464. *Pachybrachis* (s.str.) *bodemeyeri* Weise,1906** (Chrysomelidae) Synonym(s): bodemeyeri Weise,1906; #humeralis Burlini,1968; #anteconnexus Burlini,1968 Range (in code): TR 11 16 25
- 20465. *Pachybrachis* (s.str.) *boreopersicus* Lopatin,1991** (Chrysomelidae) Synonym(s): boreopersicus Lopatin,1991 Range (in code): IR Kh

- 20466. *Pachybrachis* (s.str.) *cordatus* Sassi & Schöller,2003** (Chrysomelidae) Synonym(s): *cordatus* Sassi & Schöller,2003 Range (in code): TR SY JO 05 33
- 20467. *Pachybrachis* (s.str.) *curtipennis* Breit,1921** (Chrysomelidae) Synonym(s): *curtipennis* Breit,1921 Range (in code): TM
- 20468. *Pachybrachis* (s.str.) *dimorphus* Medvedev,1978** (Chrysomelidae) Synonym(s): *dimorphus* Medvedev,1978 Range (in code): AF Ca
- 20469. *Pachybrachis* (s.str.) *excisus* Weise,1897** (Chrysomelidae) Synonym(s): *excisus* Weise,1897 Range (in code): TR 06 07 32 51 68 80
- 20470. *Pachybrachis* (s.str.) *fimbriolatus* (Suffrian,1848)** (Chrysomelidae) Synonym(s): *tristis* Olivier,1808 nec Laich.,1781; *fimbriolatus* Suffrian,1848; *multisanti* Perris,1852 Range (in code): ES FR AT CZ HU IT AL YU GR B-H BG UA Cm Cc TR RU Ur Sb 01 06 18 19 20 24 25 29 32 36 38 40 42 50 51 58 65 69 76
- 20471. *Pachybrachis* (s.str.) *freidbergi* Lopatin,1994** (Chrysomelidae) Synonym(s): *freidbergi* Lopatin,1994 Range (in code): EG Sn IL Pa
- 20472. *Pachybrachis* (s.str.) *glycirrhizae* (Olivier,1808)** (Chrysomelidae) Synonym(s): *glycirrhizae* Olivier,1808; *transcaspicus* Breit,1921 Range (in code): IQ Bgd TM IR Cc TR 27 33 36 63 76
- 20473. *Pachybrachis* (s.str.) *hieroglyphicus* (Laicharting,1781)** (Chrysomelidae) Synonym(s): *hieroglyphicus* Laicharting,1781; *tristis* Laicharting,1781; *histrio* Fabricius,1781; *apicalis* Rey,1883; *pseudoscriptus* Wagner,1927; *ictericus* Weise,1882; *italicus* Weise,1882... Range (in code): AT IT ES RU Sb TR 11 33 42
- 20474. *Pachybrachis* (s.str.) *instabilis* Weise,1887** (Chrysomelidae) Synonym(s): *instabilis* Weise,1887 Range (in code): KG TR 10 16 39 54
- 20475. *Pachybrachis* (s.str.) *jordanicus* Lopatin,1984** (Chrysomelidae) Synonym(s): *jordanicus* Lopatin,1984 Range (in code): JO
- 20476. *Pachybrachis* (s.str.) *kaplini* Lopatin,1986** (Chrysomelidae) Synonym(s): *kaplini* Lopatin,1986 Range (in code): TM
- 20477. *Pachybrachis* (s.str.) *laticollis* Suffrian,1860** (Chrysomelidae) Synonym(s): *laticollis* Suffrian,1860; *callosus* Sahlberg,1860; *misellus* Weise,1900 Range (in code): TR IR 19 21 45 47 58 65
- 20478. *Pachybrachis* (s.str.) *leonardii* Sassi & Schöller,2003** (Chrysomelidae) Synonym(s): *leonardii* Sassi & Schöller,2003 Range (in code): GR Rd TR 07 16 33 35 42 48
- 20479. *Pachybrachis* (s.str.) *libanicola* Rey,1883** (Chrysomelidae) Synonym(s): *libanicola* Rey,1883 Range (in code): LB
- 20480. *Pachybrachis* (s.str.) *limbatus* (Ménétriés,1836)** (Chrysomelidae) Synonym(s): *limbatus* Ménétriés,1836; *maculatus* Suffrian,1848; *ater* Weise,1882 Range (in code): GR AL B-H HV IT BG TR YU IL Pa CY SY JO Rd 01 02 06 07 10 11 14 16 18 19 26 32 33 34 35 38 43 47 51 55 58 77
- 20481. *Pachybrachis* (s.str.) *mardinensis* Weise,1900** (Chrysomelidae) Synonym(s): *mardinensis* Weise,1900; *seidenstueckeri* Kippenberg,1974 Range (in code): TR 01 02 05 13 20 23 27 30 31 33 46 47 49 65 80
- 20482. *Pachybrachis* (s.str.) *mendax* Suffrian,1860** (Chrysomelidae) Synonym(s): *mendax* Suffrian,1860; *probus* Weise,1882; *dissecticeps* Roubal,1916; *sibiricus* Lopatin,1962 Range (in code): Cc RU Sb TR UA 06 18 20 24 25 29 33 36 42 51 58 65 69
- 20483. *Pachybrachis* (s.str.) *nigropunctatus* Suffrian,1854** (Chrysomelidae) Synonym(s): *nigropunctatus* Suffrian,1854; *paulonotatus* Pic,1908 Range (in code): IR Fa Shr TR 01
- 20484. *Pachybrachis* (s.str.) *nitidicollis* Weise,1894** (Chrysomelidae) Synonym(s): *nitidicollis* Weise,1894 Range (in code): TM TR 25
- 20485. *Pachybrachis* (s.str.) *pentheri* (Ganglbauer,1905)** (Chrysomelidae) Synonym(s): *pentheri* Ganglbauer,1905 Range (in code): TR 32 38
- 20486. *Pachybrachis* (s.str.) *peyroni* Pic,1914** (Chrysomelidae) Synonym(s): *peyroni* Pic,1914 Range (in code): SY
- 20487. *Pachybrachis* (s.str.) *picus* Weise,1882** (Chrysomelidae) Synonym(s): *picus* Weise,1882 Range (in code): TR DE AT ES FR BE HU IT 25
- 20488. *Pachybrachis* (s.str.) *pistor* Breit,1921** (Chrysomelidae) Synonym(s): *pistor* Breit,1921 Range (in code): TM
- 20489. *Pachybrachis* (s.str.) *pubipennis* Lopatin,1977** (Chrysomelidae) Synonym(s): *pubipennis* Lopatin,1977 Range (in code): Cc
- 20490. *Pachybrachis* (s.str.) *pudicus* Lopatin,1984** (Chrysomelidae) Synonym(s): *pudicus* Lopatin,1984 Range (in code): IR
- 20491. *Pachybrachis* (s.str.) *rapillyi* Lopatin,1984** (Chrysomelidae) Synonym(s): *rapillyi* Lopatin,1984 Range (in code): IR
- 20492. *Pachybrachis* (s.str.) *saudicus* Lopatin,1979** (Chrysomelidae) Synonym(s): *saudicus* Lopatin,1979 Range (in code): SA
- 20493. *Pachybrachis* (s.str.) *scripticollis* Faldermann,1837** (Chrysomelidae) Synonym(s): *scripticollis* Faldermann,1837; *israelita* Tappes,1871; *arisi* Pic,1908; *letourneuxi* Pic,1900; *pentheri* Ganglbauer,1905 Range (in code): Cc TR IL Pa 21 27 30 47 63



- 20494. *Pachybrachis (s.str.) scriptidorsum* Marseul,1875** (Chrysomelidae) Synonym(s): piceus Suffrian,1848; scriptidorsum Marseul,1875; lugubris Weise,1882; thoracicus Weise,1889; beckeri Pic,1910; chinensis Weise,1913 Range (in code): BG TR RO UA CN RU Ur Cc Sb KP KR 08 14 21 25 29
- 20495. *Pachybrachis (s.str.) sidonius* Pic,1914** (Chrysomelidae) Synonym(s): sidonius Pic,1914 Range (in code): LB Say
- 20496. *Pachybrachis (s.str.) sinuatus* Mulsant & Rey,1859** (Chrysomelidae) Synonym(s): sinuatus Mulsant & Rey,1859; haliciensis Miller,1868; rufimanus Weise,1882 Range (in code): FR DE HU AT B-H MK IT GR PL AL BG Cc MD YU TR RU Sb 06 07 14 25 32 42
- 20497. *Pachybrachis (s.str.) tekensis* Lopatin,1983** (Chrysomelidae) Synonym(s): tekensis Lopatin,1983 Range (in code): TM
- 20498. *Pachybrachis (s.str.) tessellatus* (Olivier,1791)** (Chrysomelidae) Synonym(s): tessellatus Olivier,1791; tauricus Suffrian,1848; bisignatus Redtenbacher,1849; aethiops Weise,1882; picturatus Rey,1883; orientalis Weise,1894; syriacus Weise,1900; melanopygus Müller,1953 Range (in code): TR Cc IL Pa LB SY TM 01 03 04 05 06 07 14 16 19 23 24 25 27 29 32 33 35 36 38 42 46 47 50 58 60 65 66 69
- 20499. *Pachybrachis (s.str.) velarum* Warchalowski,1998** (Chrysomelidae) Synonym(s): velarum Warchalowski,1998 Range (in code): TR 06 14 24 25 29 36 58
- 20500. *Pachybrachis (s.str.) vermicularis* Suffrian,1854** (Chrysomelidae) Synonym(s): vermicularis Suffrian,1854; astragali Stierlin,1863; pallidiventris Jacobson,1894 Range (in code): RU Sb Ur Cc TR IR 25
- 20501. *Pachybrachis (s.str.) warchalowskii* Lopatin & Nesterova,2010** (Chrysomelidae) Synonym(s): warchalowskii Lopatin & Nesterova,2010 Range (in code): TR 47
- 20502. *Phaedon armoraciae* (Linnaeus,1758)** (Chrysomelidae) Synonym(s): armoraciae Linnaeus,1758 Range (in code): FR BE NL DE DK GB IE NO SE FI EE LT LV BY PL CH AT IT HU CZ SK MD RO YU B-H HV SS BG GR Cc TR KG UA RU Sb 25 50 53
- 20503. *Phaedon cochleariae* (Fabricius,1792)** (Chrysomelidae) Synonym(s): cochleariae Fabricius,1792 Range (in code): FR BE NL DE DK GB IE NO SE FI EE LT LV BY PL CH AT IT HU CZ SK MD RO YU B-H SS BG GR Cc TR KG UA RU Sb 06 21 25 38 39 40 50 51 60 61
- 20504. *Phaedon pyritosus* (Rossi,1792)** (Chrysomelidae) Synonym(s): pyritosus Rossi,1792 Range (in code): TR AF Cc KG DZ 05 06 25 26 34 40 42 45 47 55 58 61 63 66
- 20505. *Phratora horioni* (Mohr,1968)** (Chrysomelidae) Synonym(s): horioni Mohr,1968 Range (in code): TR Cc 61
- 20506. *Phratora laticollis* (Suffrian,1851)** (Chrysomelidae) Synonym(s): laticollis Suffrian,1851 Range (in code): FR BE NL DE DK NO SE FI RU EE PL HU B-H YU GR IT Si TR 06 18
- 20507. *Phratora tibialis* (Suffrian,1851)** (Chrysomelidae) Synonym(s): tibialis Suffrian,1851 Range (in code): BE DE DK EE PL HU IT B-H YU AL TR 06 25
- 20508. *Phratora vitellinae* (Linnaeus,1758)** (Chrysomelidae) Synonym(s): vitellinae Linnaeus,1758 Range (in code): FR BE NL DE DK NO SE FI IS EE PL HU B-H YU BG IT CN KG Cc KP KR RU Sb CA TR 06 08 11 14 16 19 22 25 28 34 37 41 47 49 54 57 67
- 20509. *Phratora vulgatissima* (Linnaeus,1758)** (Chrysomelidae) Synonym(s): vulgatissima Linnaeus,1758 Range (in code): FR NL DK DE NO SE FI EE PL HU B-H BG IT TR Cc KG RU Sb Us MN CA
- 20510. *Phyllobrotica adusta* (Creutzer,1799)** (Chrysomelidae) Synonym(s): adusta Creutzer,1799 Range (in code): TR 08 22 25 39 59
- 20511. *Phyllobrotica binotata* Ogloblin,1936** (Chrysomelidae) Synonym(s): binotata Ogloblin,1936 Range (in code): TR Cc AM
- 20512. *Phyllobrotica binotata* Ogloblin,1936** (Chrysomelidae) Synonym(s): binotata Ogloblin,1936; aslani Warchalowski,1998 Range (in code): TR 08 25 65 76
- 20513. *Phyllobrotica elegans* Kraatz,1866** (Chrysomelidae) Synonym(s): elegans Kraatz,1866 Range (in code): TR AM Cc AZ Bak BG IL Pa MD LB RU GG Tbl Bjo Bku Smt Kr St 06 08 14 16 25 26 32 34 38 42 80
- 20514. *Phyllobrotica frontalis* Weise,1886** (Chrysomelidae) Synonym(s): frontalis Weise,1886 Range (in code): TR AZ AM Cc Nv IR Fa Lo SY 01 02 05 14 19 26 31 32 33 38 42 58
- 20515. *Phyllobrotica malinka* Bezdek,2010** (Chrysomelidae) Synonym(s): malinka Bezdek,2010 Range (in code): TR IR Fa 30 46 47
- 20516. *Phyllotreta acutecarinata* Heikertinger,1941** (Chrysomelidae) Synonym(s): acutecarinata Heikertinger,1941 Range (in code): TR AF 42
- 20517. *Phyllotreta astrachanica* Lopatin,1977** (Chrysomelidae) Synonym(s): astrachanica Lopatin,1977 Range (in code): TR Cc CY KG 06
- 20518. *Phyllotreta atra* (Fabricius,1775)** (Chrysomelidae) Synonym(s): atra Fabricius,1775 Range (in code): TR MA 06 14 22 25 38 41 58 60 68 69
- 20519. *Phyllotreta balcanica* Heikertinger,1909** (Chrysomelidae) Synonym(s): balcanica Heikertinger,1909 Range (in code): TR Cc AF KG RU 16 25 41 52
- 20520. *Phyllotreta bolognai* Biondi,1992** (Chrysomelidae) Synonym(s): bolognai Biondi,1992 Range (in code): TR 25 69
- 20521. *Phyllotreta caucasicola* Heikertinger,1941** (Chrysomelidae) Synonym(s): caucasicola Heikertinger,1941 Range (in code): TR Cc IQ 06

- 20522. *Phyllotreta corrugata* Reiche,1858** (Chrysomelidae) **Synonym(s):** corrugata Reiche,1858 **Range (in code):** **Cc TR IR AF DZ KG 01 06 31 35 38 42 60 58 66**
- 20523. *Phyllotreta cruciferae* (Goeze,1777)** (Chrysomelidae) **Synonym(s):** cruciferae Goeze,1777 **Range (in code):** **TR Cc IR AF KG MN DZ SD IN 01 05 06 11 16 19 25 26 35 42 45 51 61**
- 20524. *Phyllotreta dacica* Heikertinger,1941** (Chrysomelidae) **Synonym(s):** dacica Heikertinger,1941 **Range (in code):** **TR Cc AZ 42**
- 20525. *Phyllotreta diademata* Foudras,1860** (Chrysomelidae) **Synonym(s):** diademata Foudras,1860 **Range (in code):** **TR Cc IR IQ AF IN RU 01 06 24 25 26 41 68**
- 20526. *Phyllotreta egridirensis* Gruev & Kasap,1985** (Chrysomelidae) **Synonym(s):** egridirensis Gruev & Kasap,1985 **Range (in code):** **TR IR 01 32 42**
- 20527. *Phyllotreta erysimi* Weise,1900** (Chrysomelidae) **Synonym(s):** erysimi Weise,1900 **Range (in code):** **TR Cc IR IL Pa KG RU MN 06 07 25 32 42 45 55 61 69**
- 20528. *Phyllotreta fallaciosa* Heikertinger,1941** (Chrysomelidae) **Synonym(s):** fallaciosa Heikertinger,1941 **Range (in code):** **TR 51**
- 20529. *Phyllotreta judaea* Pic,1901** (Chrysomelidae) **Synonym(s):** judaea Pic,1901 **Range (in code):** **BG TR AM IL Pa IR JO Cc 35**
- 20530. *Phyllotreta latevittata* Kutschera,1860** (Chrysomelidae) **Synonym(s):** latevittata Kutschera,1860 **Range (in code):** **TR Cc GR IT MT IR AF KG RU CN 25 36**
- 20531. *Phyllotreta maculicornis* Pic,1906** (Chrysomelidae) **Synonym(s):** maculicornis Pic,1906 **Range (in code):** **TR SY**
- 20532. *Phyllotreta nemorum* (Linnaeus,1758)** (Chrysomelidae) **Synonym(s):** nemorum Linnaeus,1758 **Range (in code):** **TR 06 11 19 22 25 26 34 58 60 69**
- 20533. *Phyllotreta nigripes* (Fabricius,1775)** (Chrysomelidae) **Synonym(s):** nigripes Fabricius,1775 **Range (in code):** **TR Cc IR AF DZ KG 01 06 07 11 22 24 25 31 36 38 45 58 60 66 69**
- 20534. *Phyllotreta nodicornis* (Marsham,1802)** (Chrysomelidae) **Synonym(s):** nodicornis Marsham,1802 **Range (in code):** **Cc TR IN 06 25 26 45 58**
- 20535. *Phyllotreta ochripes* (Curtis,1837)** (Chrysomelidae) **Synonym(s):** ochripes Curtis,1837 **Range (in code):** **Cc TR IR RU Sb 28 34**
- 20536. *Phyllotreta oltuensis* Gruev & Aslan,1998** (Chrysomelidae) **Synonym(s):** oltuensis Gruev & Aslan,1998 **Range (in code):** **TR 25**
- 20537. *Phyllotreta ozbeki* Gruev & Aslan,1998** (Chrysomelidae) **Synonym(s):** ozbeki Gruev & Aslan,1998 **Range (in code):** **TR 69**
- 20538. *Phyllotreta pallidipennis* Reitter,1891** (Chrysomelidae) **Synonym(s):** pallidipennis Reitter,1891 **Range (in code):** **TR Cc IR KG RU Sb MN CN Ti 38**
- 20539. *Phyllotreta pontoaegica* Gruev,1982** (Chrysomelidae) **Synonym(s):** pontoaegica Gruev,1982 **Range (in code):** **TR GR BG 07 33**
- 20540. *Phyllotreta praticola* Weise,1887** (Chrysomelidae) **Synonym(s):** praticola Weise,1887 **Range (in code):** **Cc TR IR AF KG RU Sb MN CN IN 25 34 38**
- 20541. *Phyllotreta procera* (Redtenbacher,1849)** (Chrysomelidae) **Synonym(s):** procera Redtenbacher,1849 **Range (in code):** **TR Cc IR 01 06 25 26 42**
- 20542. *Phyllotreta punctulata* (Marsham,1802)** (Chrysomelidae) **Synonym(s):** punctulata Marsham,1802 **Range (in code):** **Cc TR IL Pa MA 16 26 28 34 39**
- 20543. *Phyllotreta sisymbrii* Weise,1888** (Chrysomelidae) **Synonym(s):** sisymbrii Weise,1888 **Range (in code):** **RU Cc TR IR 06 25**
- 20544. *Phyllotreta striolata* (Fabricius,1803)** (Chrysomelidae) **Synonym(s):** striolata Fabricius,1803 **Range (in code):** **TR ID Sum 25**
- 20545. *Phyllotreta tetrastigma* (Comolli,1837)** (Chrysomelidae) **Synonym(s):** tetrastigma Comolli,1837 **Range (in code):** **TR Cc RU Sb 08 25**
- 20546. *Phyllotreta toelgi* Heikertinger,1941** (Chrysomelidae) **Synonym(s):** toelgi Heikertinger,1941 **Range (in code):** **TR 26**
- 20547. *Phyllotreta undulata* Kutschera,1860** (Chrysomelidae) **Synonym(s):** undulata Kutschera,1860 **Range (in code):** **TR Cc RU Sb KG 11 25 26 34**
- 20548. *Phyllotreta variipennis* (Boieldieu,1859)** (Chrysomelidae) **Synonym(s):** variipennis Boieldieu,1859 **Range (in code):** **TR IR DZ 06 26 32 34 35**
- 20549. *Phyllotreta vilis* Weise,1888** (Chrysomelidae) **Synonym(s):** vilis Weise,1888 **Range (in code):** **IT TR 34 35**
- 20550. *Phyllotreta vittula* (Redtenbacher,1849)** (Chrysomelidae) **Synonym(s):** vittula Redtenbacher,1849 **Range (in code):** **Cc TR AF KG MN KP KR JP RU Sb 06 25**
- 20551. *Phyllotreta wiseana* Jacobson,1901** (Chrysomelidae) **Synonym(s):** wiseana Jacobson,1901 **Range (in code):** **TR Cc RU IR KG 06 25 69**
- 20552. *Plagioderma versicolora* (Laicharting,1781)** (Chrysomelidae) **Synonym(s):** versicolora Laicharting,1781 **Range (in code):** **TR DZ RU Sb IN JP IN TW CA 05 06 08 14 16 21 22 24 25 34 35 37 38 39 41 42 47 54 55 61 67 77**

- 20553. *Plagiosterna aenea* (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *aenea* Linnaeus,1758 Range (in code): IE NO SE FI EE RU DK DE BE NL PL CZ CH AT IT HU YU B-H BG TR JP 10 17 34 71 74
- 20554. *Podagrica fuscicornis* (Linnaeus,1767)** (Chrysomelidae) Synonym(s): *fuscicornis* Linnaeus,1767 Range (in code): TR Cc 10 34 35
- 20555. *Podagrica malvae* (Illiger,1807)** (Chrysomelidae) Synonym(s): *malvae* Illiger,1807 Range (in code): Cc TR IR 06 08 16 25 26 28 33 34 38 39 42 45 58 60 76
- 20556. *Podagrica menetriesi* (Faldermann,1837)** (Chrysomelidae) Synonym(s): *menetriesi* Faldermann,1837 Range (in code): Cc TR IQ KG RU CN 03 04 07 10 16 25 35 38 40 42 68 76
- 20557. *Prasocuris distincta* Lucas,1849** (Chrysomelidae) Synonym(s): *distincta* Lucas,1849 Range (in code): Si DZ LB IL Pa SY
- 20558. *Prasocuris junci* (Brahm,1790)** (Chrysomelidae) Synonym(s): *junci* Brahm,1790; *beccabungae* Küster,1846; *minutus* Markovic,1909 Range (in code): DZ GB SE NL DE DK PL EE BY UA CZ CH AT HU IT SS HV B-H YU MK BG GR RU Sb Cc AZ TR 03 06 21 25 26 27 29 38 40 42 48 50 51 55 58 60 65 66 80
- 20559. *Prasocuris phellandrii* (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *phellandrii* Linnaeus,1758 Range (in code): ES FR GB IE NO SE FI RU EE BY UA CA PL DK DE CZ SK HU CH AT IT B-H YU SS BG GR TR JP 34 39 55
- 20560. *Psylliodes affinis* (Paykull,1799)** (Chrysomelidae) Synonym(s): *affinis* Paykull,1799 Range (in code): Cc TR KG MA RU Sb 31
- 20561. *Psylliodes aristus* Jablokoff-Khnzorian,1962** (Chrysomelidae) Synonym(s): *aristus* Jablokoff-Khnzorian,1962 Range (in code): TR Cc AM GG IR 08 25 36
- 20562. *Psylliodes attenuatus* (Koch,1803)** (Chrysomelidae) Synonym(s): *attenuatus* Koch,1803 Range (in code): TR Cc 08 25 26
- 20563. *Psylliodes chalcomerus* (Illiger,1807)** (Chrysomelidae) Synonym(s): *chalcomerus* Illiger,1807 Range (in code): TR Cc IR KG RU Sb CN 01 06 22 25 26 34 35 40 42 50 58 66
- 20564. *Psylliodes chrysocephalus* (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *chrysocephalus* Linnaeus,1758 Range (in code): TR Cc DZ IR 01 06 07 10 11 25 31 33 34 35 41
- 20565. *Psylliodes circumdatus* (Redtenbacher,1842)** (Chrysomelidae) Synonym(s): *circumdatus* Redtenbacher,1842 Range (in code): TR Cc IR 05 07 24 25 26 35 42
- 20566. *Psylliodes cupreus* (Koch,1803)** (Chrysomelidae) Synonym(s): *cupreus* Koch,1803 Range (in code): Cc TR IR KG RU Sb MN DZ 01 07 08 16 25 33 34 35 36 61
- 20567. *Psylliodes dogueti* Warchalowski,1993** (Chrysomelidae) Synonym(s): *dogueti* Warchalowski,1993 Range (in code): TR 29
- 20568. *Psylliodes dulcamarae* (Koch,1803)** (Chrysomelidae) Synonym(s): *dulcamarae* Koch,1803 Range (in code): Cc TR KG MN RU Sb 06 40
- 20569. *Psylliodes ellipticus* Allard,1861** (Chrysomelidae) Synonym(s): *ellipticus* Allard,1861 Range (in code): TR IL Pa SY JO 15 33 42 43
- 20570. *Psylliodes hyoseyami* (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *hyoseyami* Linnaeus,1758 Range (in code): TR JP SE 25 42 58 69
- 20571. *Psylliodes illyricus* Leonardi & Gruev,1993** (Chrysomelidae) Synonym(s): *illyricus* Leonardi & Gruev,1993 Range (in code): TR 33
- 20572. *Psylliodes inflatus* Reiche,1856** (Chrysomelidae) Synonym(s): *inflatus* Reiche,1856 Range (in code): TR IR 01 07 21 24 33 63
- 20573. *Psylliodes instabilis* Foudras,1860** (Chrysomelidae) Synonym(s): *instabilis* Foudras,1860 Range (in code): DZ Cc TR 05 06 07 21 25
- 20574. *Psylliodes isatidis* Heikertinger,1912** (Chrysomelidae) Synonym(s): *isatidis* Heikertinger,1912 Range (in code): TR Cc IR KG RU Sb MN 05 24 25 60
- 20575. *Psylliodes kiesenwetteri* Kutschera,1867** (Chrysomelidae) Synonym(s): *kiesenwetteri* Kutschera,1867 Range (in code): AT IT TR 47
- 20576. *Psylliodes luteolus* (O.F.Müller,1776)** (Chrysomelidae) Synonym(s): *luteolus* O.F.Müller,1776 Range (in code): TR IR Cc 06 07 11 25 38 60
- 20577. *Psylliodes marcidus* (Illiger,1807)** (Chrysomelidae) Synonym(s): *marcidus* Illiger,1807 Range (in code): Az TR 20
- 20578. *Psylliodes milleri* Kutschera,1864** (Chrysomelidae) Synonym(s): *milleri* Kutschera,1864 Range (in code): ES IT GR CY TR
- 20579. *Psylliodes napi* (Fabricius,1792)** (Chrysomelidae) Synonym(s): *napi* Fabricius,1792 Range (in code): TR Cc RU Sb KG DZ 06 07 25
- 20580. *Psylliodes ozisiki* Leonardi & Arnold,1995** (Chrysomelidae) Synonym(s): *ozisiki* Leonardi & Arnold,1995 Range (in code): TR Cc AM 25
- 20581. *Psylliodes pallidicolor* Pic,1903** (Chrysomelidae) Synonym(s): *pallidicolor* Pic,1903 Range (in code): ES BG GR TR SY IL Pa LB IQ 05 07 33
- 20582. *Psylliodes saulcyi* Allard,1867** (Chrysomelidae) Synonym(s): *saulcyi* Allard,1867 Range (in code): TR Cc KG MN 24



- 20583. *Psylliodes sophiae* Heikertinger, 1914** (Chrysomelidae) Synonym(s): *sophiae* Heikertinger, 1914 Range (in code): TR MA JP 06 07 08 24 25 38 40 42 50 55
- 20584. *Psylliodes tauricus* Leonardi, 1971** (Chrysomelidae) Synonym(s): *tauricus* Leonardi, 1971 Range (in code): TR 33
- 20585. *Psylliodes testaceoconcolor* Heikertinger, 1926** (Chrysomelidae) Synonym(s): *testaceoconcolor* Heikertinger, 1926 Range (in code): AZ Cc TR LB CY IL Pa 24
- 20586. *Psylliodes validus* Weise, 1889** (Chrysomelidae) Synonym(s): *validus* Weise, 1889 Range (in code): RU Cc Da GG TR 25 60
- 20587. *Psylliodes vindobonensis* Heikertinger, 1914** (Chrysomelidae) Synonym(s): *vindobonensis* Heikertinger, 1914 Range (in code): TR 42
- 20588. *Smaragdina amasina* (Pic, 1897)** (Chrysomelidae) Synonym(s): *amasina* Pic, 1897 Range (in code): TR 05
- 20589. *Smaragdina chloris* (Lacordaire, 1848)** (Chrysomelidae) Synonym(s): *chloris* Lacordaire, 1848; *biornata* Lefebvre, 1872; *schelkownikowi* Jacobson, 1894 Range (in code): BG TR IQ IR Cc 05 06 14 18 19 24 25 35 38 40 50 58 66
- 20590. *Smaragdina clypealis* (Medvedev, 1992)** (Chrysomelidae) Synonym(s): *clypealis* Medvedev, 1992 Range (in code): IL Pa
- 20591. *Smaragdina concolor* (Fabricius, 1792)** (Chrysomelidae) Synonym(s): *concolor* Fabricius, 1792; *hypocrita* Lacordaire, 1848; *amabilis* Lacordaire, 1848 Range (in code): ES FR IT BG RO UA Cm TR 25
- 20592. *Smaragdina djebellina* (Lefebvre, 1872)** (Chrysomelidae) Synonym(s): *djebellina* Lefebvre, 1872 Range (in code): SY
- 20593. *Smaragdina flavicollis* (Charpentier, 1825)** (Chrysomelidae) Synonym(s): *flavicollis* Charpentier, 1825 Range (in code): TR Cc
- 20594. *Smaragdina furthi* Erber & Medvedev, 1999** (Chrysomelidae) Synonym(s): *furthi* Erber & Medvedev, 1999 Range (in code): IL Pa
- 20595. *Smaragdina graeca* (Lefebvre, 1872)** (Chrysomelidae) Synonym(s): *graeca* Lefebvre, 1872 Range (in code): GR YU BG TR 25
- 20596. *Smaragdina judaica* (Lefebvre, 1872)** (Chrysomelidae) Synonym(s): *judaica* Lefebvre, 1872 Range (in code): TR IL Pa SY
- 20597. *Smaragdina limbata* (Steven, 1806)** (Chrysomelidae) Synonym(s): *limbata* Steven, 1806; *dorsalis* Olivier, 1808 Range (in code): BG GR TR Cc IR SY RU 03 09 10 14 16 17 20 21 24 25 26 31 34 35 45 48 55 65
- 20598. *Smaragdina salicina* (Scopoli, 1763)** (Chrysomelidae) Synonym(s): *salicina* Scopoli, 1763; *cyaneus* Fabricius, 1775 Range (in code): HV DE Cc
- 20599. *Smaragdina scutellaris* (Lefebvre, 1872)** (Chrysomelidae) Synonym(s): *scutellaris* Lefebvre, 1872 Range (in code): BG TR SY LB
- 20600. *Smaragdina tibialis* (Brullé, 1832)** (Chrysomelidae) Synonym(s): *tibialis* Brullé, 1832 Range (in code): BG GR TR SY IL Pa
- 20601. *Smaragdina unipunctata* (Olivier, 1808)** (Chrysomelidae) Synonym(s): *unipunctata* Olivier, 1808 Range (in code): TR Cc SY IQ EG
- 20602. *Smaragdina vaulogerii* (Pic, 1894)** (Chrysomelidae) Synonym(s): *vaulogerii* Pic, 1894; *uyguni* Warchlowski, 1993 Range (in code): TR SY
- 20603. *Smaragdina viridana* (Lacordaire, 1848)** (Chrysomelidae) Synonym(s): *viridana* Lacordaire, 1848 Range (in code): TR SY IQ IL Pa JO
- 20604. *Smaragdina xanthaspis* (Germar, 1824)** (Chrysomelidae) Synonym(s): *xanthaspis* Germar, 1824 Range (in code): IT RO UA TR BG SY 08 25
- 20605. *Sphaeroderma rubidum* (Graells, 1858)** (Chrysomelidae) Synonym(s): *rubidum* Graells, 1858 Range (in code): TR Cc DZ Md 34 35
- 20606. *Stylosomus erythrocephalus* Suffrian, 1853** (Chrysomelidae) Synonym(s): *erythrocephalus* Suffrian, 1853 Range (in code): IQ
- 20607. *Stylosomus flavus* Marseul, 1875** (Chrysomelidae) Synonym(s): *flavus* Marseul, 1875 Range (in code): TR YU UA RU 25 37 65
- 20608. *Stylosomus* Lacordaire, 1845** (Chrysomelidae) Synonym(s): *Stylosomus* Lacordaire, 1845 Range (in code): TR
- 20609. *Timarcha* (s.str.) *rugulosa* Herrich-Schäffer, 1838** (Chrysomelidae) Synonym(s): *rugulosa* Herrich-Schäffer, 1838 Range (in code): PL UA SK MD RO TR HU DE
- 20610. *Timarcha* (s.str.) *tenebricosa* (Fabricius, 1775)** (Chrysomelidae) Synonym(s): *tenebricosa* Fabricius, 1775 Range (in code): BG FR BE NL DE CZ SK CH AT SS HV B-H YU AL MK IT BG RU TR Cc 61
- 20611. *Timarcha* (*Timarchostoma*) *olivieri* Fairmaire, 1868** (Chrysomelidae) Synonym(s): *olivieri* Fairmaire, 1868 Range (in code): HV AL MK GR TR Cc AM 26 34 35 42 45
- 20612. *Timarcha* (*Timarchostoma*) *pratensis* Duftschmid, 1825** (Chrysomelidae) Synonym(s): *coriaria* Olivier, 1807 nec Laichart., 1781; *pratensis* Duftschmid, 1825; *goidanichi* Depoli, 1926 Range (in code): IT SS HV TR? 05 26 34 42 45

- 20613. Timarcha hummeli Faldermann,1837** (Chrysomelidae) Synonym(s): hummeli Faldermann,1837 Range (in code): TR Cc IR AM GG o8
- 20614. Tituboea arabica (Olivier,1808)** (Chrysomelidae) Synonym(s): arabica Olivier,1808 Range (in code): EG SA
- 20615. Tituboea chikatunovi (Lopatin,1995)** (Chrysomelidae) Synonym(s): chikatunovi Lopatin,1995 Range (in code): IL Pa
- 20616. Tituboea decemguttata (Walker,1871)** (Chrysomelidae) Synonym(s): decemguttata Walker,1871 Range (in code): JO SY
- 20617. Tituboea israelita (Medvedev,1992)** (Chrysomelidae) Synonym(s): israelita Medvedev,1992 Range (in code): IL Pa
- 20618. Tituboea macropus (Illiger,1800)** (Chrysomelidae) Synonym(s): macropus Illiger,1800 Range (in code): TN ES AT AL TR Cc SY IR RU 17 35 42 48 65
- 20619. Tituboea rugulosa (Weise,1898)** (Chrysomelidae) Synonym(s): rugulosa Weise,1898 Range (in code): Cc
- 20620. Tituboea sexmaculata (Fabricius,1781)** (Chrysomelidae) Synonym(s): sexmaculata Fabricius,1781 Range (in code): DZ ES FR TR SY IR
- 20621. Tituboea testaceiventris (Pic,1913)** (Chrysomelidae) Synonym(s): testaceiventris Pic,1913 Range (in code): SY
- 20622. Zygogramma suturalis (Fabricius,1775)** (Chrysomelidae) Synonym(s): suturalis Fabricius,1775 Range (in code): CA US NMx Tx Fl Ny RU UA Cc Kr St Ro TR o2
- 20623. Alonyx quadrimaculatus (Schaller,1783)** (Cleridae) Synonym(s): quadrimaculatus Schaller,1783; maculatus Geoffroy,1785 PT ES FR DE PL CH IT TR CY
- 20624. Clerus mutillaeformis Reitter,1895** (Cleridae) Synonym(s): mutillaeformis Reitter,1895 Range (in code): TR SY 31
- 20625. Clerus mutillarius (Fabricius,1775)** (Cleridae) Synonym(s): mutillarius Fabricius,1775; formicaroides Schrank,1776; fasciatus Geoffroy,1785 PT ES FR DE CH AT IT Si CZ SK HU PL RO YU AL GR BG UA TR?
- 20626. Clerus mutillaroides Reitter,1893** (Cleridae) Synonym(s): mutillaroides Reitter,1893; mendax Kuwert,1894 Range (in code): TR Cc o1 33
- 20627. Denops albofasciatus (Charpentier,1825)** (Cleridae) Synonym(s): albofasciatus Charpentier,1825 Range (in code): PT ES FR BE DE CZ SK CH AT IT YU BG GR RO UA LY TR LB IL Pa
- 20628. Emmepus bonnairii Fairmaire,1883** (Cleridae) Synonym(s): bonnairii Fairmaire,1883 Range (in code): DZ EG IL Pa
- 20629. Emmepus pallidipennis Pic,1898** (Cleridae) Synonym(s): pallidipennis Pic,1898 Range (in code): DZ IL Pa
- 20630. Flabellotilloidea palaestina (Pic,1900)** (Cleridae) Synonym(s): palaestina Pic,1900 Range (in code): IL Pa TR
- 20631. Opilo cilicicus Hintz,1902** (Cleridae) Synonym(s): cilicicus Hintz,1902 TR
- 20632. Opilo longipilis Fairmaire,1892** (Cleridae) Synonym(s): longipilis Fairmaire,1892 Range (in code): SO EG IL Pa
- 20633. Opilo taeniatus (Klug,1842)** (Cleridae) Synonym(s): taeniatus Klug,1842 Range (in code): AT CZ YU AT Cc Cr GR Rd LY Cy SY TR IL Pa o1 o7 27 31 33 35 38 41 42 45 50 51 70 80
- 20634. Opilo tilloides Chevrolat,1876** (Cleridae) Synonym(s): tilloides Chevrolat,1876 Range (in code): IL Pa SY
- 20635. Phloiocopus andresi Schenkling,1912** (Cleridae) Synonym(s): andresi Schenkling,1912 Range (in code): EG SY IL Pa
- 20636. Phloiocopus basalis (Klug,1842)** (Cleridae) Synonym(s): basalis Klug,1842 Range (in code): EG Sn IL Pa CY TR
- 20637. Syriopelta funebris (Fairmaire,1892)** (Cleridae) Synonym(s): funebris Fairmaire,1892 TR 31
- 20638. Tarsostenus univittatus (Rossi,1792)** (Cleridae) Synonym(s): univittatus Rossi,1792 Range (in code): ES IT LY RU KP KR Cc AM Sb MN...
- 20639. Thanasimus formicarius (Linnaeus,1758)** (Cleridae) Synonym(s): formicarius Linnaeus,1758 Range (in code): RU UA Cm Cc TR 33
- 20640. Tillodenops plagiatus (Fairmaire,1892)** (Cleridae) Synonym(s): plagiatus Fairmaire,1892 MR SN SD SO KE TZ SA OM IR
- 20641. Tilloidea iranica Gerstmeier & Kuff,1992** (Cleridae) Synonym(s): iranica Gerstmeier & Kuff,1992 Range (in code): IR
- 20642. Tilloidea transversalis (Charpentier,1825)** (Cleridae) Synonym(s): unifasciatus Rossi,1790; transversalis Charpentier,1825; myrmecodes Spinola,1844 Range (in code): IT Sa Si LY Cy GR SK TR BG HU CZ FR MK PT ES EG DZ MA TN
- 20643. Tilloidea unifasciata (Fabricius,1787)** (Cleridae) Synonym(s): unifasciata Fabricius,1787; serraticornis Villers,1789; tricolor Spinola,1844; cingulata Corporaal,1939; laterufa Corporaal,1949; elbursiaca Winkler,1982 Range (in code): TR AZ Cc AM AT BE B-H BG HV CZ FR DE GG GR HU IT MK PT RO SK SS ES CH UA YU EG IR Elb 65

- 20644. Tillus elongatus (Linnaeus,1758)** (Cleridae) Synonym(s): elongatus Linnaeus,1758 Cc ES FR GB NO SE FI RU BY UA PL BE NL DE CH IT AT HU YU BG RO
- 20645. Tillus pallidipennis Bielz,1850** (Cleridae) Synonym(s): pallidipennis Bielz,1850 Range (in code): FR AT IT HU HV YU RO BG GR TR
- 20646. Tillus pectinicornis Abeille de Perrin,1892** (Cleridae) Synonym(s): pectinicornis Abeille de Perrin,1892; holtzi Hintz,1902 Range (in code): IR Cr TR 01 06 07 08 31 33 38 41 45 51 58 64 65 66
- 20647. Trichodes affinis Chevrolat,1843** (Cleridae) Synonym(s): affinis Chevrolat,1843; apicalis Champenois,1900 Range (in code): GR Cr TR JO EG SY IL Pa Js 01 06 07 15 27 25 31 33 38 42 45 49 56 62 65 70 72
- 20648. Trichodes albei Escherich,1893** (Cleridae) Synonym(s): albei Escherich,1893; korbianus Ganglbauer,1905 Range (in code): TR AM Cc IQ 06 38 40 42 76
- 20649. Trichodes apiarius (Linnaeus,1758)** (Cleridae) Synonym(s): apiarius Linnaeus,1758 Range (in code): DE BG RU TR Cc AM GG 06 08 24 34 36 65 66
- 20650. Trichodes crabroniformis Fabricius,1787** (Cleridae) Synonym(s): crabroniformis Fabricius,1787 Range (in code): ES IT Si YU AL Cr GR BG HV TR SY 01 06 07 09 11 16 20 26 32 33 34 35 41 42 45 46 48 59 60
- 20651. Trichodes cruciatus Fursov,1939** (Cleridae) Synonym(s): cruciatus Fursov,1939 AM Cc
- 20652. Trichodes cyprius Reitter,1893** (Cleridae) Synonym(s): cyprius Reitter,1893 Range (in code): IL Pa CY
- 20653. Trichodes dilatipennis Reitter,1893** (Cleridae) Synonym(s): dilatipennis Reitter,1893 Range (in code): TR SY JO IL Pa 01 27 30 33 46 65 80
- 20654. Trichodes ephippiger Chevrolat,1874** (Cleridae) Synonym(s): ephippiger Chevrolat,1874 Range (in code): TR SY IQ IR 01 12 13 21 23 25 27 30 44 46 47 49 56 62 63 65 73
- 20655. Trichodes flavotarsis Gerstmeier,1985** (Cleridae) Synonym(s): flavotarsis Gerstmeier,1985 Range (in code): IQ
- 20656. Trichodes ganglbaueri Escherich,1893** (Cleridae) Synonym(s): ganglbaueri Escherich,1893; israelicus Winkler,1963 Range (in code): GR CY TR IL Pa IR 07 31 33 42 51 62 63 70
- 20657. Trichodes heydeni Escherich,1892** (Cleridae) Synonym(s): heydeni Escherich,1892; anatolicus Reitter,1893 Range (in code): Cc AZ Nv Ord TR SY IR Ab Ak IQ Mos 25 38 44 65
- 20658. Trichodes holtzi Hintz,1902** (Cleridae) Synonym(s): holtzi Hintz,1902; tauricus Zimmermann,1971 Range (in code): TR 01 07 33 42 51
- 20659. Trichodes inermis Reitter,1893** (Cleridae) Synonym(s): inermis Reitter,1893; imitator Reitter,1899; akbesianus Reitter,1915 Range (in code): TR Cc RU IL Pa IR Ak Ab 01 06 31 33 34 35 38 42 44 46 51 65 68 70
- 20660. Trichodes insignis Fischer v. Waldheim,1829** (Cleridae) Synonym(s): insignis Fischer v. Waldheim,1829; armeniacus Baudi,1873 Range (in code): TR Cc GG AM 76
- 20661. Trichodes laminatus Chevrolat,1843** (Cleridae) Synonym(s): laminatus Chevrolat,1843; angustus Chevrolat,1843; smyrnensis Spinola,1844; flavocinctus Chevrolat,1876 Range (in code): GR TR Cc AZ Kir IQ Mos UA Cm IR IL Pa SY JO 01 06 07 09 27 31 33 34 35 38 42 44 45 48 51 64 65 68 70 71 80
- 20662. Trichodes longicollis Gerstmeier,1985** (Cleridae) Synonym(s): longicollis Gerstmeier,1985 Range (in code): IR
- 20663. Trichodes longissimus (Abeille de Perrin,1881)** (Cleridae) Synonym(s): longissimus Abeille de Perrin,1881; angustifrons Abeille de Perrin,1881 Range (in code): TR Cc AM SY LB CY EG 01 05 07 08 13 16 21 23 24 31 32 33 42 44 46 47 48 50 51 58 62 63 68 70 80
- 20664. Trichodes nobilis Klug,1842** (Cleridae) Synonym(s): nobilis Klug,1842; carceli Chevrolat,1843; sanguineosignatus Spinola,1844; reitteri Champenois,1900 Range (in code): AL GR TR SY IL Pa Js IR Elb Th Cc AM TJ Pm KG 07 09 13 17 20 26 34 35 42 45 47 50 65 71
- 20665. Trichodes oberthueri Champenois,1900** (Cleridae) Synonym(s): oberthueri Champenois,1900 Range (in code): TR 01 21 27 44 46 47 56 63 65 80
- 20666. Trichodes olivieri (Chevrolat,1843)** (Cleridae) Synonym(s): olivieri Chevrolat,1843; doriae Baudi di Selve,1873; bipunctatus Reitter,1894 Range (in code): IQ Mos IR CY TR 01 46
- 20667. Trichodes persicus Kraatz,1894** (Cleridae) Synonym(s): persicus Kraatz,1894 Range (in code): IR AZ Cc
- 20668. Trichodes pulcherrimus Escherich,1892** (Cleridae) Synonym(s): pulcherrimus Escherich,1892 Range (in code): TR IR Cc AM 13 24 30 38 42 47 58 62 65 72
- 20669. Trichodes punctatus Fischer v. Waldheim,1829** (Cleridae) Synonym(s): punctatus Fischer v. Waldheim,1829; illustris Klug,1842; viridifasciatus Chevrolat,1843 Range (in code): TR BG GR Rd Cr UA Cm Cc IL Pa Hf CY IR 01 05 06 07 09 10 14 15 16 17 20 25 26 31 32 33 34 35 37 41 42 45 48 51 54 64 66 70 76 80
- 20670. Trichodes quadriguttatus Adams,1817** (Cleridae) Synonym(s): quadriguttatus Adams,1817; quadripustulatus Brullé,1832; quadripunctatus Spinola,1844 Range (in code): GR BG TR IL Pa SY JO Cc GG Tbl IR Ak Ab TM KG 01 05 06 07 08 09 16 17 19 20 23 24 26 30 31 32 34 35 38 39 42 44 45 46 50 51 58 60 65 66 69 70 71 73 80
- 20671. Trichodes reichei Mulsant & Rey,1863** (Cleridae) Synonym(s): reichei Mulsant & Rey,1863; klugi Kraatz,1873; conjunctus Escherich,1892 Range (in code): TR SY Hal Ltk IL Pa IR Cc AM 01 21 27 30 31 38 44 46 47 58 62 63 65 68



- 20672. *Trichodes rubrolimbatus* Chevrolat,1876** (Cleridae) Synonym(s): rubrolimbatus Chevrolat,1876; difficilis Escherich,1893 Range (in code): TR SY IL Pa 63
- 20673. *Trichodes sbordonii* Audisio,1975** (Cleridae) Synonym(s): sbordonii Audisio,1975 Range (in code): TR 44
- 20674. *Trichodes sexpustulatus* Chevrolat,1874** (Cleridae) Synonym(s): sexpustulatus Chevrolat,1874; erratus Champenois,1898 Range (in code): TR AM Cc Eri SY IR 01 06 07 08 25 29 33 38 44 50 51 58 61 62 65
- 20675. *Trichodes sipylus* (Linnaeus,1758)** (Cleridae) Synonym(s): sipylus Linnaeus,1758; subfasciatus Kraatz,1873; frater Kraatz,1893; fraterculus Zaitzev,1915 Range (in code): TR GR EG IL Pa SY Cc AM Eri IR 06 07 09 11 12 13 17 20 23 24 27 30 32 33 35 38 42 45 46 47 48 51 58 62 65 68 76
- 20676. *Trichodes suspectus* Escherich,1892** (Cleridae) Synonym(s): suspectus Escherich,1892 Range (in code): SY TR 01 06 07 08 14 27 31 33 42 46 51 53 65 70 80
- 20677. *Trichodes syriacus* Spinola,1844** (Cleridae) Synonym(s): syriacus Spinola,1844; olivieri Spinola,1844; reductus Mader,1927 Range (in code): TR SY IL Pa JO 35
- 20678. *Trichodes talyshensis* Zaitzev,1915** (Cleridae) Synonym(s): talyshensis Zaitzev,1915 IR
- 20679. *Trichodes turkestanicus* Kraatz,1882** (Cleridae) Synonym(s): turkestanicus Kraatz,1882; hauseri Kraatz,1894; immarginatus Kraatz,1894; latefasciatus Kraatz,1894 Cc IR CN Ui TM KK KG
- 20680. *Trichodes viridiaureus* (Abeille,1881)** (Cleridae) Synonym(s): viridiaureus Abeille,1881 Range (in code): IL Pa
- 20681. *Trichodes zebra* Faldermann,1835** (Cleridae) Synonym(s): zebra Faldermann,1835; rufitarsis Chevrolat,1874 RU Cc AM IR
- 20682. *Adalia* (s.str.) *bipunctata* (Linnaeus,1758)** (Coccinellidae) Synonym(s): bipunctata Linnaeus,1758 Range (in code): PK IN CN AU TR IT Sa 03 06 08 10 11 15 16 20 22 24 25 30 31 32 33 35 36 41 44 45 46 53 54 65 75
- 20683. *Adalia* (s.str.) *decempunctata* (Linnaeus,1758)** (Coccinellidae) Synonym(s): decempunctata Linnaeus,1758 Range (in code): IT Sa Si TR JP 01 06 10 21 22 23 25 32 33 35 38 45 46 47 51 53
- 20684. *Adalia* (s.str.) *fasciatopunctata* Mulsant,1866** (Coccinellidae) Synonym(s): fasciatopunctata Mulsant,1866 Range (in code): TR
- 20685. *Brumus octosignatus* (Gebler,1830)** (Coccinellidae) Synonym(s): octosignatus Gebler,1830 Range (in code): IT TR 01 06 22 25 32 38 65
- 20686. *Bulaea lichatschovi* (Hummel,1827)** (Coccinellidae) Synonym(s): lichatschovi Hummel,1827 Range (in code): ES SS IT HU RO BG GR MK UA TR RU Ao 06 25 26 35 56 65 76
- 20687. *Calvia quatuordecimguttata* (Linnaeus,1758)** (Coccinellidae) Synonym(s): quatuordecimguttata Linnaeus,1758 Range (in code): TR IT Sa 22
- 20688. *Chilocorus bipustulatus* (Linnaeus,1758)** (Coccinellidae) Synonym(s): bipustulatus Linnaeus,1758; fasciatus Müller,1776; transversoguttatus Börner,1776; frontalis Thunberg,1792; testudo Florencourt,1796; strigatus Fabricius,1798; olivetorum Costa,1839; bipustulatus Mulsant,1846 Range (in code): TR IT Si Sa 01 03 06 07 08 09 10 11 16 17 20 21 23 28 30 31 32 33 34 35 41 45 46 47 48 52 53 55 56 65
- 20689. *Chilocorus renipustulatus* (Scriba,1790)** (Coccinellidae) Synonym(s): renipustulatus Scriba,1790 Range (in code): IT TR
- 20690. *Clitostethus arcuatus* (Rossi,1794)** (Coccinellidae) Synonym(s): arcuatus Rossi,1794; hausmanni Weise,1885; arcuatus Müller,1901 Range (in code): TR Cc 01 07 31 32 33 35 53 56
- 20691. *Coccinella* (s.str.) *distincta* Falderman** (Coccinellidae) Synonym(s): distincta Falderman; #distinctu Özbe & Çetin,1991 Range (in code): TR 25 65
- 20692. *Coccinella* (s.str.) *hodeki* Kovar,2005** (Coccinellidae) Synonym(s): hodeki Kovar,2005 Range (in code): TR 13 25
- 20693. *Coccinella* (s.str.) *iranica* Dobrzahanski,1926** (Coccinellidae) Synonym(s): iranica Dobrzahanski,1926 Range (in code): IR Elb Kdv Dam TR PK Hu 13
- 20694. *Coccinella* (s.str.) *marussii* Kapur,1973** (Coccinellidae) Synonym(s): marussii Kapur,1973 Range (in code): Ch PK Bt
- 20695. *Coccinella* (s.str.) *saucerottii* Mulsant,1850** (Coccinellidae) Synonym(s): saucerottii Mulsant,1850 Range (in code): CZ SK RU TR Ya 25
- 20696. *Coccinella* (s.str.) *septempunctata* Linnaeus,1758** (Coccinellidae) Synonym(s): septempunctata Linnaeus,1758; brucki Mulsant,1866 Range (in code): Az Md BE NL PT ES Co Sa Si GB IE IC NO SE FI SS HU HV B-H YU AL MK GR BG RO CH AT CZ SK DE PL DK EE LT LV BY RU UA MD MT Cr Rd CY IT TR IR 01 06 07 08 10 13 14 15 16 17 18 20 21 22 23 24 25 27 30 31 32 33 34 35 36 38 42 44 45 46 47 48 51 53 56 58 59 65 73 76
- 20697. *Coccinella* (Spilota) *alpigrada* (Iablokoff-Khnzorian,1957)** (Coccinellidae) Synonym(s): alpigrada Iablokoff-Khnzorian,1957 Range (in code): AM Cc TR 25
- 20698. *Coccinella* (Spilota) *undecimpunctata* (Linnaeus,1758)** (Coccinellidae) Synonym(s): undecimpunctata Linnaeus,1758 Range (in code): IT Si Sa TR 16 25 27 35
- 20699. *Coccinula quatuordecimpustulata* (Linnaeus,1758)** (Coccinellidae) Synonym(s): quatuordecimpustulata Linnaeus,1758 Range (in code): IT Si Sa TR 01 06 07 10 16 20 22 24 25 32 35 38 40 42 46 51 59 65

- 20700. Coccinula sinuatomarginata (Faldermann,1837)** (Coccinellidae) Synonym(s): sinuatomarginata Faldermann,1837 Range (in code): IT Si Sa TR 06 25 30
- 20701. Cryptolaemus montrouzieri Mulsant,1853** (Coccinellidae) Synonym(s): montrouzieri Mulsant,1853 Range (in code): IT Sa Si TR
- 20702. Cynegetis impunctata (Linnaeus,1758)** (Coccinellidae) Synonym(s): impunctata Linnaeus,1758 Range (in code): TR IT 25
- 20703. Cynegetis syriaca (Mader,1958)** (Coccinellidae) Synonym(s): syriaca Mader,1958; rapillyi Duverger,1983 Range (in code): IR Th Elb TR 31
- 20704. Epilachna chrysomelina (Fabricius,1775)** (Coccinellidae) Synonym(s): chrysomelina Fabricius,1775 Range (in code): TR IR
- 20705. Exochomus nigromaculatus (Goeze,1777)** (Coccinellidae) Synonym(s): nigromaculatus Goeze,1777; auritus Scriba,1790 Range (in code): TR IT Cc RU Sb 01 02 06 16 17 23 24 33 35 44 45 46 65 76
- 20706. Exochomus quadripustulatus (Linnaeus,1758)** (Coccinellidae) Synonym(s): quadripustulatus Linnaeus,1758; quadriverracatus Fabricius,1792; cassidoides Donovan,1798; varius Schrank,1798; haematideus Costa,1849 Range (in code): IT TR 02 06 07 08 10 13 15 16 17 20 21 22 23 25 32 33 35 36 38 42 45 46 47 48 51 53 55 56 61 63 65
- 20707. Harmonia axyridis (Pallas,1773)** (Coccinellidae) Synonym(s): axyridis Pallas,1773 Range (in code): GB FR BE NL DK DE PL CZ ES PT SE IT GR EG TR RU Sb KG UZ JP KP KR MN CN TW US FI Cf Ny Oh CA On AR BR ZA 65
- 20708. Harmonia quadripunctata (Pontoppidan,1763)** (Coccinellidae) Synonym(s): quadripunctata Pontoppidan,1763; marginella Müller,1776; marginepunctata Schaller,1783; albida Gmelin,1790; notata Olivier,1791; septemdecimpunctata Panzer,1798; multipunctata Voet,1796 Range (in code): IT Sa TR 01 03 06 16 20 25 32 35 45 46
- 20709. Harmonia quattuordecimpunctata (Linnaeus,1758)** (Coccinellidae) Synonym(s): quattuordecimpunctata Linnaeus,1758 Range (in code): TR
- 20710. Henosepilachna argus (Geoffroy,1762)** (Coccinellidae) Synonym(s): argus Geoffroy,1762 Range (in code): IT Sa Si TR 25
- 20711. Hippodamia (Adonia) variegata (Goeze,1777)** (Coccinellidae) Synonym(s): novempunctata Scopoli,1763; variegata Goeze,1777; cabrini Fourcroy,1785; tredecimpunctata Fourcroy,1785; mutabilis Scriba,1790; septemnotata Fabricius,1793; fennica Thunberg,1795; laeta Fabricius,1798; corsica Weise,1879... Range (in code): FR Co IT Sa Si TR SA IN CN Ui Nra 05 06 07 09 10 15 20 21 22 23 24 25 31 32 33 36 38 42 44 45 46 47 51 56 59 63 65 73
- 20712. Hippodamia (s.str.) tredecimpunctata (Linnaeus,1758)** (Coccinellidae) Synonym(s): tredecimpunctata Linnaeus,1758 Range (in code): IT Si Cc RU TR 24 36 76
- 20713. Hippodamia (Semiadalia) undecimnotata (Schneider,1792)** (Coccinellidae) Synonym(s): undecimnotata Schneider,1792 Range (in code): IT Sa Si TR 06 25 30 35 65 76
- 20714. Hyperaspis campestris (Herbst,1783)** (Coccinellidae) Synonym(s): campestris Herbst,1783 Range (in code): IT TR
- 20715. Hyperaspis collaris Fleischer,1900** (Coccinellidae) Synonym(s): collaris Fleischer,1900 Range (in code): TR
- 20716. Hyperaspis femorata (Motschoulsky,1837)** (Coccinellidae) Synonym(s): femorata Motschoulsky,1837 Range (in code): TR 31 33 47 49 65
- 20717. Hyperaspis kansui Uygun & Fürsch,1981** (Coccinellidae) Synonym(s): kansui Uygun & Fürsch,1981 Range (in code): TR 01 23 65
- 20718. Hyperaspis polita Weise,1885** (Coccinellidae) Synonym(s): polita Weise,1885 Range (in code): TR 01
- 20719. Hyperaspis pseudopustulata Mulsant,1853** (Coccinellidae) Synonym(s): pseudopustulata Mulsant,1853 Range (in code): TR 07
- 20720. Hyperaspis quadrimaculata Redtenbacher,1843** (Coccinellidae) Synonym(s): quadrimaculata Redtenbacher,1843 Range (in code): TR 01 06 07 09 10 20 21 23 25 27 32 35 36 46 47 48 56 58 63 65 76
- 20721. Hyperaspis reppensis (Herbst,1783)** (Coccinellidae) Synonym(s): reppensis Herbst,1783 Range (in code): IT TR 03 15 17 27 48
- 20722. Hyperaspis syriaca (Weise,1885)** (Coccinellidae) Synonym(s): syriaca Weise,1885 Range (in code): SY TR
- 20723. Hyperaspis weisei Jablonkoff & Khnorian,1971** (Coccinellidae) Synonym(s): weisei Jablonkoff & Khnorian,1971 Range (in code): TR 26 42 70
- 20724. Hyperaspis wellschmiedi Fürsch,1987** (Coccinellidae) Synonym(s): wellschmiedi Fürsch,1987 Range (in code): TR 07
- 20725. Myrrha octodecimguttata (Linnaeus,1758)** (Coccinellidae) Synonym(s): octodecimguttata Linnaeus,1758 Range (in code): TR RU Sb 01 03 06 16 20 32 35 53
- 20726. Nephus caneparii Fürsch & Uygun,1980** (Coccinellidae) Synonym(s): caneparii Fürsch & Uygun,1980 Range (in code): TR IR 01 07 21 32 33
- 20727. Nephus hiekei (Fürsch,1965)** (Coccinellidae) Synonym(s): hiekei Fürsch,1965 Range (in code): TR IT

- 20728. *Nephus includens* (Kirsch,1870)** (Coccinellidae) Synonym(s): includens Kirsch,1870 Range (in code): TR IT
- 20729. *Nephus kreissli* Fürsch & Uygun,1980** (Coccinellidae) Synonym(s): kreissli Fürsch & Uygun,1980 Range (in code): TR 31 80
- 20730. *Nephus ludyi* Weise,1879** (Coccinellidae) Synonym(s): ludyi Weise,1879 Range (in code): TR FR Co GR 01 21 32 33 35
- 20731. *Nephus nigricans* Weise,1879** (Coccinellidae) Synonym(s): nigricans Weise,1879 Range (in code): IT Sa Si TR 01 07 10 21 31 32 33 35 44 45 46 47 56 59
- 20732. *Nephus pallidus* (Fürsch,1980)** (Coccinellidae) Synonym(s): pallidus Fürsch,1980 Range (in code): TR 22
- 20733. *Nephus pandicus* Khnzorian,1970** (Coccinellidae) Synonym(s): pandicus Khnzorian,1970 Range (in code): TR
- 20734. *Nephus ponticus* Khnzorian,1970** (Coccinellidae) Synonym(s): ponticus Khnzorian,1970 Range (in code): TR 25
- 20735. *Nephus quadrimaculatus* (Herbst,1783)** (Coccinellidae) Synonym(s): quadrimaculatus Herbst,1783 Range (in code): IT TR SY LB IL Pa 06 35
- 20736. *Novius cruentatus* (Mulsant,1846)** (Coccinellidae) Synonym(s): cruentatus Mulsant,1846 Range (in code): PT ES FR PL AT Co Si HV GR DE SY TR RU
- 20737. *Oenopia conglobata* (Linnaeus,1758)** (Coccinellidae) Synonym(s): conglobata Linnaeus,1758; octodecimpunctata Scopoli,1763; sedecimpunctata Scopoli,1763; gemella Herbst,1783; octodecimmaculata Thunberg,1795; contaminata Ménétériés,1849 Range (in code): TR IT 01 06 07 08 10 15 16 17 21 22 23 25 27 31 32 33 35 38 42 44 45 46 47 51 56 65 75
- 20738. *Oenopia oncina* (Olivier,1808)** (Coccinellidae) Synonym(s): oncina Olivier,1808 Range (in code): TR 06 15 20 24 25 32 35 65
- 20739. *Pharoscymnus beritensis* Weise,1884** (Coccinellidae) Synonym(s): beritensis Weise,1884 Range (in code): TR
- 20740. *Pharoscymnus ovoideus* Sicard,1929** (Coccinellidae) Synonym(s): ovoideus Sicard,1929 Range (in code): TR
- 20741. *Pharoscymnus pharoides* Marseul,1868** (Coccinellidae) Synonym(s): pharoides Marseul,1868 Range (in code): TR
- 20742. *Platynaspis luteorubra* (Goeze,1777)** (Coccinellidae) Synonym(s): luteorubra Goeze,1777; villosa Fourcroy,1785; quadrimaculata Rossi,1790; quadriguttata Brahm,1790; bipustulata Fabricius,1792; bisbiverrucata Paykull,1798; rufimana Eschscholtz,1818; quadrinotata Dufour,1843 Range (in code): IT Si Sa TR Cc 01 06 07 08 09 16 20 23 25 32 35 45 48 53 65
- 20743. *Propylea quatuordecimpunctata* (Linnaeus,1758)** (Coccinellidae) Synonym(s): quatuordecimpunctata Linnaeus,1758; tessulata Scopoli,1763; fimbriata Sulzer,1776; conglobata Laicharting,1781; quatuordecimmaculata Fabricius,1787; decempustulata Fabricius,1792; bisexpustulata Fabricius,1798; cinglobata Weise,1879; bifasciata Walter,1882 Range (in code): CH IT Sa Si TR Cc RU Sb 06 07 08 10 16 20 21 22 24 25 31 32 33 35 36 42 44 45 48 65
- 20744. *Psyllobora vigintiduopunctata* (Linnaeus,1758)** (Coccinellidae) Synonym(s): vigintiduopunctata Linnaeus,1758; vulgaris Haworth,1812 Range (in code): IT Si Sa TR SY AM Cc RU Sb 01 06 07 13 16 17 21 22 23 24 25 32 33 35 38 40 42 44 45 46 47 65 76
- 20745. *Rhyzobius litura* (Fabricius,1787)** (Coccinellidae) Synonym(s): litura Fabricius,1787 Range (in code): DE TR
- 20746. *Rhyzobius lophantae* Blaisdell,1892** (Coccinellidae) Synonym(s): lophantae Blaisdell,1892 Range (in code): TR AU US Cf 01 07 32
- 20747. *Rodolia cardinalis* Mulsant,1850** (Coccinellidae) Synonym(s): cardinalis Mulsant,1850 Range (in code): TR IT Sa Si
- 20748. *Scymnus apetzi* Mulsant,1846** (Coccinellidae) Synonym(s): apetzi Mulsant,1846 Range (in code): IT Sa Si TR RU Sb 01 07 08 09 10 11 15 21 22 24 25 30 31 32 33 35 38 46 47 48 56 63 65
- 20749. *Scymnus araraticus* Jablakov & Khnzorian,1969** (Coccinellidae) Synonym(s): araraticus Jablakov & Khnzorian,1969 Range (in code): TR IT Sa Si AM Cc Arr IR IL Pa GR 01 06 21 32 44 46 47 56 65 76
- 20750. *Scymnus auritus* (Thunberg,1795)** (Coccinellidae) Synonym(s): auritus Thunberg,1795 Range (in code): IT TR 22
- 20751. *Scymnus bivulnerus* Capra & Fürsch,1967** (Coccinellidae) Synonym(s): bivulnerus Capra & Fürsch,1967 Range (in code): ES IT TR 06 21 23 32 38 42
- 20752. *Scymnus flagellisiphonatus* (Fürsch,1969)** (Coccinellidae) Synonym(s): flagellisiphonatus Fürsch,1969 Range (in code): FR IT TN EG SY LB TR 01 07 31 32 33 35 45
- 20753. *Scymnus interruptus* (Goeze,1777)** (Coccinellidae) Synonym(s): interruptus Goeze,1777 Range (in code): TR RU Sb 01 07 08 20 21 27 31 32 33 35 37 42 44 50
- 20754. *Scymnus levaillanti* Mulsant,1850** (Coccinellidae) Synonym(s): levaillanti Mulsant,1850 Range (in code): TR IT Si Sa ES EG SY Cn TN 01 06 10 15 21 31 32 33 35 38 46 47 63



- 20755. Scymnus pallipediformis** Günther,1958 (Coccinellidae) Synonym(s): pallipediformis Günther,1958 Range (in code): **TR IT Si GR 01 07 08 16 21 25 30 31 32 33 34 35 39 44 46 47 48 56 59 63 65**
- 20756. Scymnus quadriguttatus** Capra,1924 (Coccinellidae) Synonym(s): quadriguttatus Capra,1924 Range (in code): **IT TR 06 07 16 20 26 35 37 45 65 75**
- 20757. Scymnus rubromaculatus** (Goeze,1778) (Coccinellidae) Synonym(s): rubromaculatus Goeze,1778; pygmaeus Fourcroy,1785; parvulus Fabricius,1792; flavipes Panzer,1793; collaris Herbst,1797; pubescens Herbst,1797; flavilabris Olivier,1808 Range (in code): **IT Si Sa BG GR RO TR 01 03 06 07 08 10 16 21 25 27 30 31 32 33 35 37 38 42 45 46 65**
- 20758. Scymnus subvillosus** (Goeze,1777) (Coccinellidae) Synonym(s): subvillosus Goeze,1777; fasciatus Fourcroy,1785; minutissimus Villiers,1789; aurantiacus Panzer,1819; pygmaea Brullé,1832; quadrillum Redtenbacher,1844; transversepustulatus Mulsant,1850; fulvicollis Sahlberg,1913 Range (in code): **TR IT Si Sa GR AF MK YU Cc RU Sb 01 06 07 08 09 10 15 21 23 31 32 33 35 38 42 45 46 47 56 59 65**
- 20759. Scymnus suturalis** (Thunberg,1795) (Coccinellidae) Synonym(s): suturalis Thunberg,1795 Range (in code): **TR IT Sa Si**
- 20760. Stethorus gilvifrons** (Mulsant,1850) (Coccinellidae) Synonym(s): gilvifrons Mulsant,1850 Range (in code): **TR IT Si Sa Cc PK AF 01 07 17 23 31 32 33 35 44 45 47**
- 20761. Stethorus punctillum** Weise,1891 (Coccinellidae) Synonym(s): punctillum Weise,1891 Range (in code): **TR IT Si Sa RU Sb JP 01 06 07 08 10 11 15 16 17 22 24 25 31 32 33 34 38 46 47 51 54 63 65**
- 20762. Subcoccinella vigintiquatuorpunctata** (Linnaeus,1758) (Coccinellidae) Synonym(s): vigintiquatuorpunctata Linnaeus,1758; impunctata Fabricius,1775; colon Herbst,1783; livida Herbst,1783; globosa Schneider,1792; immaculata Rossi,1794; hemisphaerica Schrank,179; saponariae Huber,1841; bifasciata Della Beffa,1912; nigra Haenel,1913 Range (in code): **IT Sa Si TR RU Sb 06 12 13 15 16 20 22 25 26 32 33 35 38 42 44**
- 20763. Tythaspis sedecimpunctata** (Linnaeus,1758) (Coccinellidae) Synonym(s): sedecimpunctata Linnaeus,1758; suturata Goeze,1777; octodecimpunctata Fuessly,1787; undecimpunctata Gmelin,1790; sedecimpunctata Jacobs,1904; lineola Kolbe,1924 Range (in code): **IT TR Cc RU Sb 06 10 22 32 33 44 59**
- 20764. Vibidia duodecimguttata** (Poda,1761) (Coccinellidae) Synonym(s): duodecimguttata Poda,1761 Range (in code): **IT Sa Si TR 01 06 25 33 35 53 76**
- 20765. Acentrus histrio** (Schoenherr,1837) (Curculionidae) Synonym(s): histrio Schoenherr,1837 Range (in code): **TM TR IR Ar Ha Kh 36**
- 20766. Anthrostenus fullo** Steven,1829 (Curculionidae) Synonym(s): fullo Steven,1829 Range (in code): **IR Gl**
- 20767. Aomus afyonensis** Bialooki,2005 (Curculionidae) Synonym(s): afyonensis Bialooki,2005 Range (in code): **TR 03**
- 20768. Aomus aleppensis** (Reitter,1913) (Curculionidae) Synonym(s): aleppensis Reitter,1913 Range (in code): **SY Hal**
- 20769. Aomus bashi** Fremuth & Lodos,1987 (Curculionidae) Synonym(s): bashi Fremuth & Lodos,1987 Range (in code): **TR 07 33**
- 20770. Aomus elongatus** Pic,1901 (Curculionidae) Synonym(s): elongatus Pic,1901 Range (in code): **SA**
- 20771. Aomus ilerii** Fremuth & Lodos,1987 (Curculionidae) Synonym(s): ilerii Fremuth & Lodos,1987 Range (in code): **TR 42 68**
- 20772. Aomus otiorhynchoides** (Reitter,1913) (Curculionidae) Synonym(s): otiorhynchoides Reitter,1913 Range (in code): **SY Hal**
- 20773. Aomus politus** Pic,1901 (Curculionidae) Synonym(s): politus Pic,1901 Range (in code): **SA**
- 20774. Aomus pubescens** Boheman,1834 (Curculionidae) Synonym(s): pubescens Boheman,1834; phyllobiiformis Reitter,1895 Range (in code): **AZ Nv Ord Cc IR**
- 20775. Aomus similis** Pic,1901 (Curculionidae) Synonym(s): similis Pic,1901 Range (in code): **SA**
- 20776. Araxia cristofaroi** Gültekin & Borovec,2008 (Curculionidae) Synonym(s): cristofaroi Gültekin & Borovec,2008 Range (in code): **TR AZ Nv Cc 12**
- 20777. Araxia mucronata** Khnzorian,1957 (Curculionidae) Synonym(s): mucronata Khnzorian,1957 Range (in code): **AM Cc AZ Nv TR 12**
- 20778. Bangasternus fausti** (Reitter,1890) (Curculionidae) Synonym(s): fausti Reitter,1890 Range (in code): **TR 73**
- 20779. Bangasternus orientalis** (Capiomont,1873) (Curculionidae) Synonym(s): orientalis Capiomont,1873 Range (in code): **TR 09 11 13 21 23 27 33 35 38 47 61 72**
- 20780. Bangasternus planifrons** (Brullé,1832) (Curculionidae) Synonym(s): planifrons Brullé,1832 Range (in code): **TR 06 07 13 21 32 35 45 62**
- 20781. Bothynoderes carinatus** (Zoubkoff,1829) (Curculionidae) Synonym(s): carinatus Zoubkoff,1829 Range (in code): **TR 06 15 31**
- 20782. Bothynoderes carinicornis** Gyllenhal,1834 (Curculionidae) Synonym(s): carinicornis Gyllenhal,1834 Range (in code): **TR 15**
- 20783. Bothynoderes punctiventris** (Germar,1794) (Curculionidae) Synonym(s): punctiventris Germar,1794 Range (in code): **TR 15 16 76 35 64**

- 20784. *Brachysomus (Hippomias) armatus* Yunakov,2006** (Curculionidae) Synonym(s): *armatus* Yunakov,2006 Range (in code): TR 37
- 20785. *Brachysomus (Hippomias) assingi* Yunakov,2006** (Curculionidae) Synonym(s): *assingi* Yunakov,2006 Range (in code): TR 31
- 20786. *Brachysomus (Hippomias) curvimanus* Yunakov,2006** (Curculionidae) Synonym(s): *curvimanus* Yunakov,2006 Range (in code): TR 35
- 20787. *Ceutorhynchus aenescens* Schultze,1895** (Curculionidae) Synonym(s): *aenescens* Schultze,1895 Range (in code): TR AF AZ Cc GG IR KG SY TJ TM UZ o6
- 20788. *Ceutorhynchus anatolicus* Schultze,1900** (Curculionidae) Synonym(s): *anatolicus* Schultze,1900 Range (in code): TR LB SY 40
- 20789. *Ceutorhynchus assimilis* (Paykull,1792)** (Curculionidae) Synonym(s): *assimilis* Paykull,1792 Range (in code): AF DZ AM GG AZ Cc DE AT BG CZ RU Da Sb DK EE MA FR FI NL GB IQ IR ES SE CH IT KG HU MD NO PL PT RO SY TN UA GR TR o6
- 20790. *Ceutorhynchus coarctatus* Gyllenhal,1837** (Curculionidae) Synonym(s): *coarctatus* Gyllenhal,1837 Range (in code): AT BG CZ RU Da AM Cc GG FR ES CH KG HU MD PL RO YU TM UA GR TR o6 07 15
- 20791. *Ceutorhynchus difficilis* Schultze,1898** (Curculionidae) Synonym(s): *difficilis* Schultze,1898 Range (in code): AZ RU Da IR TR TM UZ UA o6 26
- 20792. *Ceutorhynchus erysimi* (Fabricius,1787)** (Curculionidae) Synonym(s): *erysimi* Fabricius,1787 Range (in code): AF DE AL AZ Cc GG AM BE B-H BG DZ CZ CN MN MA DK EE FI FR HV NL GB IR ES SE CH IT KG CY TR KK HU MK NO PL PT RO RU Sb YU SS SK SY UA GR o1 o6 58
- 20793. *Ceutorhynchus fabrilis* Faust,1887** (Curculionidae) Synonym(s): *fabrilis* Faust,1887 Range (in code): AF AZ CN GG Cc IR TR KG KK MN UZ RU Sb TJ TN TM 50
- 20794. *Ceutorhynchus fallax* Boheman,1845** (Curculionidae) Synonym(s): *fallax* Boheman,1845 Range (in code): AZ BG Cc DZ Da RU MA FR ES IT MD RO RU SY TN TR GR o6 15 38 40
- 20795. *Ceutorhynchus languidus* Schultze,1902** (Curculionidae) Synonym(s): *languidus* Schultze,1902 Range (in code): DZ AM Cc GG KG UZ UA TR TM o6
- 20796. *Ceutorhynchus nanus* Gyllenhal,1837** (Curculionidae) Synonym(s): *nanus* Gyllenhal,1837 Range (in code): DE AT BG CZ RU Da AM Cc GG GB FR IT KG CY LB HU MD PL RO SK SS TM TR UA 18 32
- 20797. *Ceutorhynchus niyazii* Hoffmann,1957** (Curculionidae) Synonym(s): *niyazii* Hoffmann,1957 Range (in code): DE AT BG CZ KG HU MK PL RO RU YU SK UA GR TR 38
- 20798. *Ceutorhynchus pallidactylus* (Marsham,1802)** (Curculionidae) Synonym(s): *pallidactylus* Marsham,1802 Range (in code): DE US AT BY BE BG DZ CZ Cc Da DK EE MA FI FR ZA GG NL GB ES IL Pa SE CH IT Cn KG CY LB HU MT MD NO PL PT RO RU YU SS SY TH TN TR UA JO GR o7 33
- 20799. *Ceutorhynchus picitarsis* Gyllenhal,1837** (Curculionidae) Synonym(s): *picitarsis* Gyllenhal,1837 Range (in code): DE AZ BY BE BG DZ CZ Da Cc RU AM MA FR GG NL ES IL Pa CH IT HU MD PL PT RO SK SS TN TM TR UA GR o1 o7 15 33
- 20800. *Ceutorhynchus pulvinatus* Gyllenhal,1837** (Curculionidae) Synonym(s): *pulvinatus* Gyllenhal,1837 Range (in code): AF DE AT BY BE BG Da Cc RU AM EE FI FR GG NL GB ES SE IT KG HU MN MD NO UZ PL RO Sb SK TN TM TR UA 40
- 20801. *Ceutorhynchus rapae* Gyllenhal,1837** (Curculionidae) Synonym(s): *rapae* Gyllenhal,1837 Range (in code): DE US BY BE B-H BG CZ CN Da Cc DK AM EE FI FR GG NL GB ES SE CH IT CA KG KK HU MX MN MD NO UZ PL PT RU Sb YU TN TR UA 58
- 20802. *Ceutorhynchus sophiae* Gyllenhal,1837** (Curculionidae) Synonym(s): *sophiae* Gyllenhal,1837 Range (in code): DE AZ Cc AT CZ Da AM EE FR GG HV SE CH IT KG KK HU MD PL RO RU YU Sb SK TJ TN TM TR UA GR o6 38 42 50 58
- 20803. *Ceutorhynchus subpilosus* Brisoth,1869** (Curculionidae) Synonym(s): *subpilosus* Brisoth,1869 Range (in code): AT BG CZ AM Cc EE MA FR GG IT MD RO SK TR UA YU o6 42
- 20804. *Ceutorhynchus sulcatus* Brisoth,1869** (Curculionidae) Synonym(s): *sulcatus* Brisoth,1869 Range (in code): AT BY BG CZ EE GG HU MD PL RO RU SK SY UA TR o6 40
- 20805. *Ceutorhynchus sulcicollis* (Paykull,1800)** (Curculionidae) Synonym(s): *sulcicollis* Paykull,1800 Range (in code): DE AL AZ Cc AT BY BE BG DZ CZ Da DK AM EE MA FI FR GG HV NL GB IQ IR ES IL Pa SE CH IT KG HU MD NO PL PT RO RU YU Sb SK SS SY TN TR TM UA GR 15
- 20806. *Ceutorhynchus turbatus* Schultze,1903** (Curculionidae) Synonym(s): *turbatus* Schultze,1903 Range (in code): AF DE AZ Cc AT BG CZ Da RU AM FR GG GB IR IL Pa IT KG HU MD UZ PL RO YU Sb SY TJ TM UA TR o6 40
- 20807. *Chromoderus fasciatus* (O.F.Müller,1776)** (Curculionidae) Synonym(s): *fasciatus* O.F.Müller,1776 Range (in code): TR 34 35 55 64
- 20808. *Cionus caucasicus* Reitter,1888** (Curculionidae) Synonym(s): *caucasicus* Reitter,1888 Range (in code): Cc AM GG TR 14 25 28 29 37 53 61 75
- 20809. *Cionus distinctus* Desbrochers,1869** (Curculionidae) Synonym(s): *distinctus* Desbrochers,1869 Range (in code): TR

- 20810. Cionus donckieri Pic,1898** (Curculionidae) Synonym(s): donckieri Pic,1898 Range (in code): TR 24 32 33 35 37 42 51 60
- 20811. Cionus hortulanus (Geoffroy,1785)** (Curculionidae) Synonym(s): hortulanus Geoffroy,1785 Range (in code): TR
- 20812. Cionus merkli Stierlich,1867** (Curculionidae) Synonym(s): merkli Stierlich,1867 Range (in code): TR
- 20813. Cionus olens (Fabricius,1792)** (Curculionidae) Synonym(s): olens Fabricius,1792 Range (in code): TR
- 20814. Cionus olivieri Rosenschöld,1838** (Curculionidae) Synonym(s): olivieri Rosenschöld,1838 Range (in code): TR RU 65
- 20815. Cionus ponticus Bialooki,2006** (Curculionidae) Synonym(s): ponticus Bialooki,2006 Range (in code): TR 14
- 20816. Cionus pulverosus Gyllenhal,1838** (Curculionidae) Synonym(s): pulverosus Gyllenhal,1838 Range (in code): TR
- 20817. Cionus schultzei Reitter,1904** (Curculionidae) Synonym(s): schultzei Reitter,1904 Range (in code): TR
- 20818. Cionus thapsus (Fabricius,1792)** (Curculionidae) Synonym(s): thapsus Fabricius,1792 Range (in code): TR
- 20819. Cionus tuberculosus (Scopoli,1763)** (Curculionidae) Synonym(s): tuberculosus Scopoli,1763 Range (in code): TR
- 20820. Cionus unguatus Germar,1821** (Curculionidae) Synonym(s): unguatus Germar,1821 Range (in code): TR
- 20821. Cionus wanati Bialooki,2006** (Curculionidae) Synonym(s): wanati Bialooki,2006 Range (in code): TR 33
- 20822. Cionus wittei Kiesenwetter,1851** (Curculionidae) Synonym(s): wittei Kiesenwetter,1851 Range (in code): TR
- 20823. Cleonis pigra (Scopoli,1763)** (Curculionidae) Synonym(s): pigra Scopoli,1763; centaureae Allioni,1766; sulcirostris Linnaeus,1767; transversofasciata Goeze,1777; nebulosa Geoffroy,1785; fasciata Villers,1789; fuscata Gmelin,1790; scutellata Boheman,1829; indica Fahraeus,1842; impexa Motschulsky,1860; caucasica Chevrolat,1873; iranensis Voss,1971 Range (in code): GB ES IT RU Cc AZ AM AL AT BG B-H BY CZ SK DK DE FI FR GG GR HU IT MK MD NL NO PL PT RO SK SS UA KG YU TR IR DZ LY MA TN AF IQ KK KG MN CN IMn Ui Usu Au PK TJ TM UZ 03 06 08 11 22 25 35 37 42 64 66
- 20824. Coniatus repandus (Fabricius,1792)** (Curculionidae) Synonym(s): repandus Fabricius,1792 Range (in code): TR 06 08 09 23 24 29 30 35 44 49 56
- 20825. Coniatus tamarisci (Fabricius,1787)** (Curculionidae) Synonym(s): tamarisci Fabricius,1787 Range (in code): TR 35
- 20826. Coniacleonus excoriatus (Schoenherr,1834)** (Curculionidae) Synonym(s): excoriatus Schoenherr,1834; melanographus Fahraeus,1840 Range (in code): ES FR TR EG RU Cc UA Cm IT SY DZ 06 70
- 20827. Coniacleonus nebulosus (Linnaeus,1758)** (Curculionidae) Synonym(s): nebulosus Linnaeus,1758; caribatus De Geer,1775 Range (in code): TR 51
- 20828. Coniacleonus nigrosuturatus (Goeze,1777)** (Curculionidae) Synonym(s): nigrosuturatus Goeze,1777; melanographus Fahraeus,1840 Range (in code): TR FR ES IT Cc UA Cm EG SY RU 01 06 07 09 21 27 31 33 35 42 46 50 51 57
- 20829. Conorhynchus candidulus (Faust,1890)** (Curculionidae) Synonym(s): candidulus Faust,1890 Range (in code): CN Ui Um AF IR KG TM UZ
- 20830. Conorhynchus dissimulatus (Ménétriés,1849)** (Curculionidae) Synonym(s): dissimulatus Ménétriés,1849; cretaceus Redtenbacher,1850 Range (in code): IR KG TJ TM UZ
- 20831. Conorhynchus excavatus (Zoubkoff,1833)** (Curculionidae) Synonym(s): excavatus Zoubkoff,1833; complanatus Zoubkoff,1833; parreyssi Fahraeus,1842 Range (in code): KG TM CN Ui Kmy
- 20832. Conorhynchus faldermanni (Fahraeus,1842)** (Curculionidae) Synonym(s): faldermanni Fahraeus,1842; gibbistrostris Chevrolat,1873; heydeni Desbrochers,1875 Range (in code): AM Cc IR KG TM TJ UZ CN Ui Snc
- 20833. Conorhynchus kindermanni Faust,1904** (Curculionidae) Synonym(s): kindermanni Faust,1904 Range (in code): AM TR Cc IR
- 20834. Conorhynchus lacerta Chevrolat,1873** (Curculionidae) Synonym(s): lacerta Chevrolat,1873 Range (in code): AZ Cc AM AF IR KG TM CN Ui Usu
- 20835. Conorhynchus nigrivittis (Pallas,1781)** (Curculionidae) Synonym(s): nigrivittis Pallas,1781; plumbeicollis Chevrolat,1873 Range (in code): IR KG TM CN Ui Usu Snc
- 20836. Conorhynchus nigrivittis (Pallas,1781)** (Curculionidae) Synonym(s): nigrivittis Pallas,1781 Range (in code): TR 05 10 14 35
- 20837. Conorhynchus palumbus (Olivier,1807)** (Curculionidae) Synonym(s): palumbus Olivier,1807; pistior Chevrolat,1873 Range (in code): AM Cc IR IQ IL Pa JO SY



- 20838. *Conorhynchus pulverulentus* Zoubkoff,1829** (Curculionidae) Synonym(s): *pulverulentus* Zoubkoff,1829; *conirostris* Gebler,1830; *bartelsii* Fahraeus,1842 Range (in code): **AF IR KK KG MN TM TR UZ CN**  
**Ui Usu Snc Au Tpn**
- 20839. *Curculio crux* Fabricius,1776** (Curculionidae) Synonym(s): *crux* Fabricius,1776 Range (in code): **TR 11 19**
- 20840. *Curculio elephas* Gyllenhal,1836** (Curculionidae) Synonym(s): *elephas* Gyllenhal,1836 Range (in code): **TR 17 35**
- 20841. *Curculio excellans* Khnzorian,1953** (Curculionidae) Synonym(s): *excellans* Khnzorian,1953 Range (in code): **TR 47**
- 20842. *Curculio glandium* Marsham,1802** (Curculionidae) Synonym(s): *glandium* Marsham,1802 Range (in code): **TR 06 08 10 11 16 19 35 44 45 58 60**
- 20843. *Curculio nucum* Linnaeus,1758** (Curculionidae) Synonym(s): *nucum* Linnaeus,1758 Range (in code): **TR 10 11 35 44 45 52 55 61 69**
- 20844. *Curculio pellitus* Boheman,1843** (Curculionidae) Synonym(s): *pellitus* Boheman,1843 Range (in code): **TR 01 07 10 16 19 35 45**
- 20845. *Curculio pyrrhoceras* Marsham,1802** (Curculionidae) Synonym(s): *pyrrhoceras* Marsham,1802 Range (in code): **TR 07 11 32**
- 20846. *Curculio salicivorus* Paykull,1792** (Curculionidae) Synonym(s): *salicivorus* Paykull,1792 Range (in code): **TR 07 10 11 16 19 25 35 36 60 64 66 68**
- 20847. *Curculio venosus* (Gravenhorst,1807)** (Curculionidae) Synonym(s): *venosus* Gravenhorst,1807 Range (in code): **TR 11 12 28**
- 20848. *Cyphocleonus* (*Neocyphocleonus*) *dealbatus* (Gmelin,1790)** (Curculionidae) Synonym(s): *dealbatus* Gmelin,1790 Range (in code): **AT BE BG HV CZ DK DE HU FR Co IT Si MD PL SK ES SE NL Cc RU KG TR IR CN Ak Mz 65**
- 20849. *Cyphocleonus* (*s.str.*) *cenchrus* (Pallas,1781)** (Curculionidae) Synonym(s): *cenchrus* Pallas,1781 Range (in code): **RU Cc KG TM UZ IR Ak Ab Ar Kh Lo Th**
- 20850. *Cyphocleonus* (*s.str.*) *sparsus* Gyllenhal,1834** (Curculionidae) Synonym(s): *sparsus* Gyllenhal,1834 Range (in code): **IT MK TR IR Gh**
- 20851. *Donus audax* Faust,1887** (Curculionidae) Synonym(s): *audax* Faust,1887 Range (in code): **TR 35**
- 20852. *Donus comatus* (Boheman,1842)** (Curculionidae) Synonym(s): *comatus* Boheman,1842 Range (in code): **TR 16**
- 20853. *Donus zoilus* (Scopoli,1763)** (Curculionidae) Synonym(s): *zoilus* Scopoli,1763 Range (in code): **TR 06 07 09 14 21 29 32 35 52 54 55**
- 20854. *Epexochus voriseki* Meregalli & Talamelli,2009** (Curculionidae) Synonym(s): *voriseki* Meregalli & Talamelli,2009 Range (in code): **TM UZ**
- 20855. *Eustenopus villosus* (Boheman,1843)** (Curculionidae) Synonym(s): *villosus* Boheman,1843 Range (in code): **TR 38**
- 20856. *Gymnetron auliense* Reitter,1907** (Curculionidae) Synonym(s): *auliense* Reitter,1907 Range (in code): **TM Kp KG UZ Smk Br Tas KK Osh TJ**
- 20857. *Gymnetron niloticum* Kirsch,1881** (Curculionidae) Synonym(s): *niloticum* Kirsch,1881; *furcatum* Desbrochers,1893 Range (in code): **EG IT Si AM Cc Eri GG Tbl AZ Len TR IL Pa LB Bei SY Ltk IQ IR Km Kd TM Kp TJ AF Kab DZ 01**
- 20858. *Gymnetron rotundicolle* Gyllenhal,1838** (Curculionidae) Synonym(s): *rotundicolle* Gyllenhal,1838 Range (in code): **CZ UA RU IT BG TR GG AM Cc IR TM UZ KG 42**
- 20859. *Gymnetron tibiellum* Desbrochers,1899** (Curculionidae) Synonym(s): *tibiellum* Desbrochers,1899 Range (in code): **Cm HU SK AT IT Si HV AL MK GR Cr BG AM Eri Cc TR LB IL Pa SY 13 14 16**
- 20860. *Gymnetron veronicae* (Germar,1821)** (Curculionidae) Synonym(s): *veronicae* Germar,1821; *concinnum* Gyllenhal,1838; *nigrum* Hardy & Bold,1852 Range (in code): **GB FR ES RO LT Cc RU Kr PL CZ HU AT IT B-H HV MK GR TR IR Elb Th 06 37 42 51 52 61 66**
- 20861. *Holcolydoprus bimaculatus* Yunakov & Korotyaev,2008** (Curculionidae) Synonym(s): *bimaculatus* Yunakov & Korotyaev,2008 Range (in code): **TM Kp**
- 20862. *Holcolydoprus griseus* Yunakov & Korotyaev,2008** (Curculionidae) Synonym(s): *griseus* Yunakov & Korotyaev,2008 Range (in code): **AM AZ Cc Nv TR 23**
- 20863. *Hypera constans* (Boheman,1834)** (Curculionidae) Synonym(s): *constans* Boheman,1834 Range (in code): **TR 35**
- 20864. *Hypera contaminata* (Herbst,1795)** (Curculionidae) Synonym(s): *contaminata* Herbst,1795 Range (in code): **TR 55**
- 20865. *Hypera crinata* (Boheman,1834)** (Curculionidae) Synonym(s): *crinata* Boheman,1834 Range (in code): **TR 35**
- 20866. *Hypera cumanus* Petri,1901** (Curculionidae) Synonym(s): *cumanus* Petri,1901 Range (in code): **TR 08 49 62**

- 20867. *Hypera farinosa* Boheman,1842** (Curculionidae) Synonym(s): farinosa Boheman,1842 [Range \(in code\): TR 04 06 20 23 38 65](#)
- 20868. *Hypera fasciculata* (Herbst,1795)** (Curculionidae) Synonym(s): fasciculata Herbst,1795 [Range \(in code\): TR 21 33](#)
- 20869. *Hypera jucundus* Capiomont,1868** (Curculionidae) Synonym(s): jucundus Capiomont,1868 [Range \(in code\): TR 11 21 35 45 55 63 65 69 70](#)
- 20870. *Hypera maculipennis* Fairmaire,1859** (Curculionidae) Synonym(s): maculipennis Fairmaire,1859 [Range \(in code\): TR 11](#)
- 20871. *Hypera meles* (Fabricius,1792)** (Curculionidae) Synonym(s): meles Fabricius,1792 [Range \(in code\): TR 08 13 16 17 24 25 29 30 32 35 36 38 43 45 55 65](#)
- 20872. *Hypera orientalis* Capiomont,1867** (Curculionidae) Synonym(s): orientalis Capiomont,1867 [Range \(in code\): TR 35](#)
- 20873. *Hypera pastinacae* (Rossi,1790)** (Curculionidae) Synonym(s): pastinacae Rossi,1790 [Range \(in code\): TR 06 14 33 35 46 48](#)
- 20874. *Hypera plantaginis* (De Geer,1775)** (Curculionidae) Synonym(s): plantaginis De Geer,1775 [Range \(in code\): TR 35](#)
- 20875. *Hypera punctata* (Fabricius,1775)** (Curculionidae) Synonym(s): punctata Fabricius,1775 [Range \(in code\): TR 29 34](#)
- 20876. *Hypera rumicis* (Linnaeus,1758)** (Curculionidae) Synonym(s): rumicis Linnaeus,1758 [Range \(in code\): TR 55](#)
- 20877. *Hypera striata* (Boheman,1834)** (Curculionidae) Synonym(s): striata Boheman,1834 [Range \(in code\): TR 34 79](#)
- 20878. *Hypera trilineata* (Marsham,1802)** (Curculionidae) Synonym(s): trilineata Marsham,1802 [Range \(in code\): TR 32](#)
- 20879. *Hypera variabilis* (Herbst,1795)** (Curculionidae) Synonym(s): variabilis Herbst,1795 [Range \(in code\): TR 03 04 05 06 08 09 10 11 13 17 19 21 24 25 27 30 32 35 36 38 41 43 44 47 48 49 52 55 56 57 60 61 63 65 66 68 73 76](#)
- 20880. *Hypera viciae* (Gyllenhal,1813)** (Curculionidae) Synonym(s): viciae Gyllenhal,1813 [Range \(in code\): TR 65](#)
- 20881. *Hypolixus nubilosus* (Boheman,1836)** (Curculionidae) Synonym(s): nubilosus Boheman,1836 [Range \(in code\): TR 01 07 47 80](#)
- 20882. *Icaris sparganii* (Gyllenhal,1836)** (Curculionidae) Synonym(s): sparganii Gyllenhal,1836 [Range \(in code\): IR Kz Ss](#)
- 20883. *Larinus adpersus* Hochhuth,1847** (Curculionidae) Synonym(s): adpersus Hochhuth,1847; brenskai Faust,1890; akbesianus Desbrochers des Loges,1897 [Range \(in code\): TR 21 22 31 35 56 57](#)
- 20884. *Larinus brevis* (Herbst,1795)** (Curculionidae) Synonym(s): brevis Herbst,1795 [Range \(in code\): TR 06 19 35 38 42](#)
- 20885. *Larinus carinirostris* Gyllenhal,1836** (Curculionidae) Synonym(s): carinirostris Gyllenhal,1836 [Range \(in code\): TR 35](#)
- 20886. *Larinus centaureae* (Olivier,1807)** (Curculionidae) Synonym(s): centaureae Olivier,1807 [Range \(in code\): TR 27 30 35 44 73](#)
- 20887. *Larinus curtus* Hochhuth,1851** (Curculionidae) Synonym(s): curtus Hochhuth,1851 [Range \(in code\): TR 01 06 07 09 12 27 33 35 38 46 58 79 80](#)
- 20888. *Larinus cynarae* (Fabricius,1787)** (Curculionidae) Synonym(s): cynarae Fabricius,1787 [Range \(in code\): TR 01 35](#)
- 20889. *Larinus filiformis* Petri,1907** (Curculionidae) Synonym(s): filiformis Petri,1907 [Range \(in code\): TR 13](#)
- 20890. *Larinus flavescens* Germar,1824** (Curculionidae) Synonym(s): flavescens Germar,1824 [Range \(in code\): TR 07 27 33 35 37 46 76 80](#)
- 20891. *Larinus grisescens* Gyllenhal,1836** (Curculionidae) Synonym(s): grisescens Gyllenhal,1836 [Range \(in code\): TR 35 40](#)
- 20892. *Larinus jaceae* (Fabricius,1775)** (Curculionidae) Synonym(s): jaceae Fabricius,1775 [Range \(in code\): TR 06 07 25 27 29 32 38 46 51](#)
- 20893. *Larinus latus* (Herbst,1784)** (Curculionidae) Synonym(s): latus Herbst,1784 [Range \(in code\): TR 01 02 05 06 07 13 18 19 21 25 26 31 32 33 35 38 40 46 47 50 51 56 80](#)
- 20894. *Larinus minutus* Gyllenhal,1836** (Curculionidae) Synonym(s): minutus Gyllenhal,1836 [Range \(in code\): TR 01 04 07 02 13 17 19 21 27 30 31 32 35 38 44 46 51 56 63 65 70 79 80](#)
- 20895. *Larinus obtusus* Gyllenhal,1836** (Curculionidae) Synonym(s): obtusus Gyllenhal,1836; australis Capiomont,1874 [Range \(in code\): TR 10 35](#)
- 20896. *Larinus onopordi* (Fabricius,1787)** (Curculionidae) Synonym(s): onopordi Fabricius,1787 [Range \(in code\): TR 01 02 07 12 13 23 27 30 31 33 35 40 45 46 47 50 51 56 63 65 70 76 80](#)
- 20897. *Larinus orientalis* Capiomont,1874** (Curculionidae) Synonym(s): orientalis Capiomont,1874 [Range \(in code\): TR 27 33 35 44 47](#)

- 20898. *Larinus ovaliformis* Capiomont,1874** (Curculionidae) Synonym(s): *ovaliformis* Capiomont,1874 Range (in code): TR 21
- 20899. *Larinus planus* (Fabricius,1792)** (Curculionidae) Synonym(s): *planus* Fabricius,1792 Range (in code): TR 08 37 55 80
- 20900. *Larinus rudicollis* Petri,1907** (Curculionidae) Synonym(s): *rudicollis* Petri,1907 Range (in code): TR 01 27 31 33 46 79 80
- 20901. *Larinus rusticanus* Gyllenhal,1836** (Curculionidae) Synonym(s): *rusticanus* Gyllenhal,1836 Range (in code): TR 21 35
- 20902. *Larinus sibiricus* Gyllenhal,1835** (Curculionidae) Synonym(s): *sibiricus* Gyllenhal,1835; *aeruginosus* Hochhuth,1851; *bulgaricus* Voss,1943 Range (in code): BG TR RU Sb 63
- 20903. *Larinus sturnus* (Schaller,1878)** (Curculionidae) Synonym(s): *sturnus* Schaller,1878 Range (in code): TR 08 32 36 37 42
- 20904. *Larinus syriacus* Gyllenhal,1836** (Curculionidae) Synonym(s): *syriacus* Gyllenhal,1836 Range (in code): TR 07 20 27 31 33 35 45 79 80
- 20905. *Larinus turbinatus* Gyllenhal,1836** (Curculionidae) Synonym(s): *turbinatus* Gyllenhal,1836 Range (in code): TR 06 07 08 10 12 13 18 21 30 37 40 47 65 69 70 76 81
- 20906. *Larinus ursus* (Fabricius,1792)** (Curculionidae) Synonym(s): *ursus* Fabricius,1792 Range (in code): TR 33 46 48
- 20907. *Lepidonotaris petax* (C.Sahlberg,1829)** (Curculionidae) Synonym(s): *petax* C.Sahlberg,1829 Range (in code): IR Ar RU Sb KG
- 20908. *Leucomigus candidatus* (Pallas,1771)** (Curculionidae) Synonym(s): *candidatus* Pallas,1771; *quagga* Herbst,1797; *tessellatus* Lucas,1855; *albotessellatus* Fairmaire,1868; *lucasi* Chevrolat,1873; *abeillei* Chevrolat,1873 Range (in code): MA DZ TN FR ES IT Sa TR RU Or UA AZ AM Cc EG AF IR IL Pa LB KG TJ TM UZ CN Ui 19
- 20909. *Limobius borealis* (Paykull,1792)** (Curculionidae) Synonym(s): *borealis* Paykull,1792 Range (in code): TR 16 19 23
- 20910. *Liocleonus clathratus* (Olivier,1807)** (Curculionidae) Synonym(s): *clathratus* Olivier,1807; *leucomelas* Fahraeus,1842; *leucomelanus* Gemminger & Harold,1871 (praeocc.); *amoenus* Chevrolat,1876 Range (in code): MA DZ TN EG RU TR IL Pa JO TM KG KK UZ MN CN Ui Snc Usu Au Kml Bkr Ti Cc AM GG Lag AF PK IR IQ 07 31 46 56 79
- 20911. *Lixus anguinus* (Linnaeus,1767)** (Curculionidae) Synonym(s): *anguinus* Linnaeus,1767 Range (in code): TR 07 46
- 20912. *Lixus angustatus* (Fabricius,1775)** (Curculionidae) Synonym(s): *angustatus* Fabricius,1775 Range (in code): TR 05 09 10 12 16 17 21 22 30 35 38 48 55 56 73
- 20913. *Lixus ascanii* (Linnaeus,1767)** (Curculionidae) Synonym(s): *ascanii* Linnaeus,1767 Range (in code): TR CN Ui At Khr Usu 21 36 38 41
- 20914. *Lixus bardanae* (Fabricius,1787)** (Curculionidae) Synonym(s): *bardanae* Fabricius,1787 Range (in code): TR CN Ui Usu 35 65
- 20915. *Lixus cardui* Olivier,1807** (Curculionidae) Synonym(s): *cardui* Olivier,1807 Range (in code): TR 05 07 09 10 11 12 13 16 19 21 25 30 32 35 36 37 43 44 47 51 65 68 76
- 20916. *Lixus circumcinctus* Boheman,1836** (Curculionidae) Synonym(s): *circumcinctus* Boheman,1836 Range (in code): TR 47
- 20917. *Lixus cylindrus* (Fabricius,1781)** (Curculionidae) Synonym(s): *cylindrus* Fabricius,1781 Range (in code): TR 01
- 20918. *Lixus elegantulus* Boheman,1843** (Curculionidae) Synonym(s): *elegantulus* Boheman,1843 Range (in code): TR 04 06 07 11 21 23 25 27 30 35 36 38 43 44 47 50 65 76
- 20919. *Lixus furcatus* Olivier,1807** (Curculionidae) Synonym(s): *furcatus* Olivier,1807 Range (in code): TR 21
- 20920. *Lixus incanescens* Boheman,1836** (Curculionidae) Synonym(s): *incanescens* Boheman,1836 Range (in code): TR 04 47 76
- 20921. *Lixus iridis* Olivier,1807** (Curculionidae) Synonym(s): *iridis* Olivier,1807 Range (in code): TR CN Ui 06
- 20922. *Lixus junci* Boheman,1836** (Curculionidae) Synonym(s): *junci* Boheman,1836 Range (in code): TR 09 10 21 35 48 80
- 20923. *Lixus myagri* Olivier,1807** (Curculionidae) Synonym(s): *myagri* Olivier,1807 Range (in code): TR 55 67
- 20924. *Lixus nordmanni* Hochhuht,1847** (Curculionidae) Synonym(s): *nordmanni* Hochhuht,1847 Range (in code): Cc TR 06
- 20925. *Lixus obesus* Petri,1904** (Curculionidae) Synonym(s): *obesus* Petri,1904 Range (in code): TR 13 21 36
- 20926. *Lixus ochraceus* Boheman,1843** (Curculionidae) Synonym(s): *ochraceus* Boheman,1843 Range (in code): IR Zj CN Ui
- 20927. *Lixus punctiventris* Boheman,1836** (Curculionidae) Synonym(s): *punctiventris* Boheman,1836 Range (in code): TR RU 13 20



- 20928. *Lixus rubicundus* Zoubkoff,1833** (Curculionidae) Synonym(s): *rubicundus* Zoubkoff,1833 [Range \(in code\): TR 07 08 09 11 25 35](#)
- 20929. *Lixus scabricollis* Boheman,1843** (Curculionidae) Synonym(s): *scabricollis* Boheman,1843 [Range \(in code\): TR 25 54](#)
- 20930. *Lixus scolapax* Boheman,1836** (Curculionidae) Synonym(s): *scolapax* Boheman,1836 [Range \(in code\): TR 21 27 35 36 47 48 55 56 63 65](#)
- 20931. *Lixus speciosus* Miller,1861** (Curculionidae) Synonym(s): *speciosus* Miller,1861 [Range \(in code\): TR 01 35](#)
- 20932. *Lixus subtilis* Boheman,1836** (Curculionidae) Synonym(s): *subtilis* Boheman,1836 [Range \(in code\): TR CN Ui Irt Usu Kl 04 06 08 10 21 24 35 36 37 38 45 68 72 76](#)
- 20933. *Lixus vilis* (Rossi,1790)** (Curculionidae) Synonym(s): *vilis* Rossi,1790 [Range \(in code\): TR 06 10 16 35 43 47 48 68](#)
- 20934. *Microlarinus lareynii* (Jacquelin du Val,1852)** (Curculionidae) Synonym(s): *lareynii* Jacquelin du Val,1852 [Range \(in code\): TR 09 35 48](#)
- 20935. *Neotournieria szypulai* Bialooki,2006** (Curculionidae) Synonym(s): *szypulai* Bialooki,2006 [Range \(in code\): TR 39](#)
- 20936. *Notodermus sauleyi* Reiche,1857** (Curculionidae) Synonym(s): *sauleyi* Reiche,1857 [Range \(in code\): CY IR Fa](#)
- 20937. *Ocladius salicorniae* (Olivier,1807)** (Curculionidae) Synonym(s): *salicorniae* Olivier,1807 [Range \(in code\): IR Qz Es Ke Se TR](#)
- 20938. *Otiorhynchus* (Amosilnus) *simulans* Stierlin,1877** (Curculionidae) Synonym(s): *simulans* Stierlin,1877 [Range \(in code\): TR 37 67 74 81](#)
- 20939. *Otiorhynchus* (Arammichnus) *brunneus* Krynicki,1834** (Curculionidae) Synonym(s): *brunneus* Krynicki,1834 [Range \(in code\): TR 06 38](#)
- 20940. *Otiorhynchus* (Choilisanus) *balkanicus* Stierlin,1861** (Curculionidae) Synonym(s): *balkanicus* Stierlin,1861 [Range \(in code\): GR TR 14 19 38 40 42 50](#)
- 20941. *Otiorhynchus* (Choilisanus) *terrifer* Stierlin,1884** (Curculionidae) Synonym(s): *terrifer* Stierlin,1884 [Range \(in code\): TR Cc 29](#)
- 20942. *Otiorhynchus* (Duphanastus) *aurosparsus* Germar,1824** (Curculionidae) Synonym(s): *aurosparsus* Germar,1824; *roscidus* Gyllenhal,1835; *livornicus* Seiflitz,1875; *heinzli* Reitter,1888 [Range \(in code\): EE RU MD TR 38](#)
- 20943. *Otiorhynchus* (Eunihus) *khatiparicus* Davidian & Arzanov,2006** (Curculionidae) Synonym(s): *khatiparicus* Davidian & Arzanov,2006 [Range \(in code\): RU Cc](#)
- 20944. *Otiorhynchus* (Eunihus) *meoticus* Davidian & Arzanov,2006** (Curculionidae) Synonym(s): *meoticus* Davidian & Arzanov,2006 [Range \(in code\): RU Cc TR 28](#)
- 20945. *Otiorhynchus* (Eunihus) *uludagicus* Mangano,2002** (Curculionidae) Synonym(s): *uludagicus* Mangano,2002 [Range \(in code\): TR 16](#)
- 20946. *Otiorhynchus* (Hanibotus) *angustifrons* Stierlin,1883** (Curculionidae) Synonym(s): *angustifrons* Stierlin,1883 [Range \(in code\): AM Cc TR 25](#)
- 20947. *Otiorhynchus* (Lacocnesus) *latinasus* Reitter,1888** (Curculionidae) Synonym(s): *latinasus* Reitter,1888 [Range \(in code\): TR 33](#)
- 20948. *Otiorhynchus* (Laconesus) *latinasus* Reitter,1898** (Curculionidae) Synonym(s): *latinasus* Reitter,1898 [Range \(in code\): Cc TR 25](#)
- 20949. *Otiorhynchus* (Lengedeus) *pipitzi* Stierlin,1884** (Curculionidae) Synonym(s): *pipitzi* Stierlin,1884 [Range \(in code\): TR 25](#)
- 20950. *Otiorhynchus* (Melasemnus) *transsylvanicus* (Stierlin,1861)** (Curculionidae) Synonym(s): *transsylvanicus* Stierlin,1861 [Range \(in code\): TR 07 31 33 80](#)
- 20951. *Otiorhynchus* (Namertanus) *pseudomias* Hochhuth,1847** (Curculionidae) Synonym(s): *pseudomias* Hochhuth,1847 [Range \(in code\): TR 14](#)
- 20952. *Otiorhynchus* (Nehrodistus) *scitus* Gyllenhal,1843** (Curculionidae) Synonym(s): *scitus* Gyllenhal,1843 [Range \(in code\): TR 06](#)
- 20953. *Otiorhynchus* (Nehrodistus) *turca* Boheman,1843** (Curculionidae) Synonym(s): *turca* Boheman,1843 [Range \(in code\): TR 57 67 74](#)
- 20954. *Otiorhynchus* (Nubidanus) *diotus* Reitter,1895** (Curculionidae) Synonym(s): *diotus* Reitter,1895 [Range \(in code\): AM Cc TR 69](#)
- 20955. *Otiorhynchus* (Nubidanus) *jarpachlinus* Reitter,1912** (Curculionidae) Synonym(s): *jarpachlinus* Reitter,1912 [Range \(in code\): AM Cc AZ Nv TR 24](#)
- 20956. *Otiorhynchus* (Otiolehus) *sculptirostris* Hochhuth,1847** (Curculionidae) Synonym(s): *sculptirostris* Hochhuth,1847 [Range \(in code\): TR GG Cc Tbl 08 28 36](#)
- 20957. *Otiorhynchus* (Otiomimus) *aurifer* Boheman,1843** (Curculionidae) Synonym(s): *aurifer* Boheman,1843 [Range \(in code\): GR TR 74](#)
- 20958. *Otiorhynchus* (Otismotilus) *kataevi* Davidian & Yunakov,2002** (Curculionidae) Synonym(s): *kataevi* Davidian & Yunakov,2002 [Range \(in code\): TR 08](#)

- 20959. Otiorhynchus (Otismotilus) oezbeki Davidian & Yunakov,2002** (Curculionidae)  
Synonym(s): oezbeki Davidian & Yunakov,2002 Range (in code): TR 08
- 20960. Otiorhynchus (Pocodalemes) crataegi Germar,1824** (Curculionidae) Synonym(s): crataegi Germar,1824 Range (in code): GR TR 14 67 74
- 20961. Otiorhynchus (Podonebistus) korotyaevi Davidian & Gültekin,2006** (Curculionidae)  
Synonym(s): korotyaevi Davidian & Gültekin,2006 Range (in code): TR 08
- 20962. Otiorhynchus (Podonebistus) nefandus Faust,1888** (Curculionidae) Synonym(s): nefandus Faust,1888 Range (in code): TR 01 33 80
- 20963. Otiorhynchus (Podoropelmus) kaltakkirani Voss,1936** (Curculionidae) Synonym(s): kaltakkirani Voss,1936 Range (in code): TR 26 33 37
- 20964. Otiorhynchus (Podoropelmus) scopularis Hochhuth,1847** (Curculionidae) Synonym(s): scopularis Hochhuth,1847 Range (in code): TR 46
- 20965. Otiorhynchus (Prilisvanus) peregrinus Stierlin,1861** (Curculionidae) Synonym(s): peregrinus Stierlin,1861 Range (in code): TR 19
- 20966. Otiorhynchus (Proremus) cataphractus Mazur,1983** (Curculionidae) Synonym(s): cataphractus Mazur,1983 Range (in code): GG Cc TR 08 25 29 53 61
- 20967. Otiorhynchus (Proremus) erivanensis Reitter,1894** (Curculionidae) Synonym(s): erivanensis Reitter,1894 Range (in code): AM Eri Cc GG TR 36
- 20968. Otiorhynchus (Proremus) karsavurani Davidian & Gültekin,2006** (Curculionidae)  
Synonym(s): karsavurani Davidian & Gültekin,2006 Range (in code): TR 08
- 20969. Otiorhynchus (Proremus) kirschi Stierlin,1875** (Curculionidae) Synonym(s): kirschi Stierlin,1875 Range (in code): Cc RU GR TR
- 20970. Otiorhynchus (Proremus) lederi Stierlin,1873** (Curculionidae) Synonym(s): lederi Stierlin,1873  
Range (in code): Cc GG Bjo UA Cm AZ AM TR 08 14 19 25 37
- 20971. Otiorhynchus (Proremus) Reitter,1912** (Curculionidae) Synonym(s): Proremus Reitter,1912  
Range (in code): TR
- 20972. Otiorhynchus (Proremus) temeli Davidian & Gültekin,2006** (Curculionidae) Synonym(s): temeli Davidian & Gültekin,2006 Range (in code): TR GG Cc Im Kta 08
- 20973. Otiorhynchus (Tournieria) lubriculus Faust,1890** (Curculionidae) Synonym(s): lubriculus Faust,1890 Range (in code): TR 33
- 20974. Otiorhynchus (Zustalestus) rugosostriatus (Goeze,1777)** (Curculionidae) Synonym(s): rugosostriatus Goeze,1777 Range (in code): TR 74
- 20975. Otiorhynchus anatolicus Boheman,1843** (Curculionidae) Synonym(s): anatolicus Boheman,1843  
Range (in code): TR 07 19 31 37 40 46 51 70 78 80
- 20976. Otiorhynchus annulipes Apfelbeck,1932** (Curculionidae) Synonym(s): annulipes Apfelbeck,1932  
Range (in code): TR 37 67 74 78
- 20977. Otiorhynchus caesareus Daniel & Schultze,1906** (Curculionidae) Synonym(s): caesareus Daniel & Schultze,1906 Range (in code): TR 38 40
- 20978. Otiorhynchus europaeus Stierlin,1883** (Curculionidae) Synonym(s): europaeus Stierlin,1883  
Range (in code): TR 01 07
- 20979. Otiorhynchus frater Stierlin,1861** (Curculionidae) Synonym(s): frater Stierlin,1861 Range (in code): TR 14 37
- 20980. Otiorhynchus gallopavo Pesarini,1972** (Curculionidae) Synonym(s): gallopavo Pesarini,1972  
Range (in code): TR 07 33
- 20981. Otiorhynchus inflatus Gyllenhal,1834** (Curculionidae) Synonym(s): inflatus Gyllenhal,1834  
Range (in code): TR 67
- 20982. Otiorhynchus phrygius Reitter,1912** (Curculionidae) Synonym(s): phrygius Reitter,1912 Range (in code): TR 70
- 20983. Otiorhynchus spinifer K.Daniel & J.Daniel,1902** (Curculionidae) Synonym(s): spinifer K.Daniel & J.Daniel,1902 Range (in code): TR 33 70
- 20984. Otiorhynchus sulcatus (Fabricius,1775)** (Curculionidae) Synonym(s): sulcatus Fabricius,1775  
Range (in code): TR 37 74
- 20985. Pachycerus cordiger (Germar,1819)** (Curculionidae) Synonym(s): cordiger Germar,1819 Range (in code): TR 10 16 25 35 45
- 20986. Perieges bardus Boheman,1842** (Curculionidae) Synonym(s): bardus Boheman,1842 Range (in code): IR Kh Cc
- 20987. Polydrusus (s.str.) bodemeyeri Reitter,1908** (Curculionidae) Synonym(s): bodemeyeri Reitter,1908 Range (in code): TR 58 78
- 20988. Polydrusus (s.str.) hirsutipennis Pic,1908** (Curculionidae) Synonym(s): hirsutipennis Pic,1908  
Range (in code): TR 31 47
- 20989. Polydrusus (s.str.) kadleci Borovec & Germann,2013** (Curculionidae) Synonym(s): kadleci Borovec & Germann,2013 Range (in code): TR IR Lo Fa 47

- 20990. Polydrusus (s.str.) korbi (Stierlin,1888)** (Curculionidae) Synonym(s): korbi Stierlin,1888  
Range (in code): SY Ltk TR 66
- 20991. Polydrusus (s.str.) ornatus Gyllenhal,1834** (Curculionidae) Synonym(s): ornatus Gyllenhal,1834  
Range (in code): RO TR 24 58
- 20992. Polydrusus (s.str.) tonsus Desbrochers,1897** (Curculionidae) Synonym(s): tonsus Desbrochers,1897  
Range (in code): TR 15 32 33 26 42
- 20993. Pseudocleonus (Asiacleonus) dauricus (Gebler,1830)** (Curculionidae) Synonym(s): dauricus Gebler,1830; obsoletus Gyllenhal,1834; fatalis Chevrolat,1884; superciliosus Chevrolat,1884; sinuatus Faust,1885  
Range (in code): AF KK KG US CN Ui
- 20994. Pseudocleonus (Neopseudocleonus) glabratus (Faust,1883)** (Curculionidae) Synonym(s): glabratus Faust,1883  
Range (in code): IR
- 20995. Pseudocleonus (Neopseudocleonus) marginicollis (Fahraeus,1842)** (Curculionidae) Synonym(s): marginicollis Fahraeus,1842; gotschii Hochhuth,1847  
Range (in code): AZ AM Cc IL Pa KG
- 20996. Pseudocleonus (Neopseudocleonus) pustulosus Chevrolat,1876** (Curculionidae) Synonym(s): pustulosus Chevrolat,1876  
Range (in code): LB SY
- 20997. Pseudocleonus (s.str.) cinereus (Schränk,1781)** (Curculionidae) Synonym(s): cinereus Schränk,1781; costatus Fabricius,1787; bicarinatus Fischer v. Waldheim,1830  
Range (in code): AL AT B-H BG CZ FR DE GR HU IT PL PT RO SK SS ES UA MA KG TM UZ CN Ui RU At
- 20998. Pseudocleonus (s.str.) libanicus Faust,1904** (Curculionidae) Synonym(s): libanicus Faust,1904  
Range (in code): IL Pa LB
- 20999. Rhinocyllus conicus (Frölich,1792)** (Curculionidae) Synonym(s): conicus Frölich,1792  
Range (in code): TR 02 20 21 23 27 31 32 35 37 47 48
- 21000. Stephanocleonus (s.str.) corrugans Faust,1883** (Curculionidae) Synonym(s): corrugans Faust,1883  
Range (in code): IR KG
- 21001. Surchania sijazovi Lebedev,1931** (Curculionidae) Synonym(s): sijazovi Lebedev,1931  
Range (in code): KG TJ TM UZ
- 21002. Tanysphyrus lemnae (Paykull,1792)** (Curculionidae) Synonym(s): lemnae Paykull,1792  
Range (in code): IR Es Kh Mz
- 21003. Temnorhinus (Massimocleonus) arabs (Olivier,1807)** (Curculionidae) Synonym(s): arabs Olivier,1807; dohrni Faust,1883  
Range (in code): IR KK KG TJ TM UZ
- 21004. Temnorhinus (Massimocleonus) betae Perrin,1970** (Curculionidae) Synonym(s): betae Perrin,1970  
Range (in code): IR
- 21005. Temnorhinus (Massimocleonus) discrepans Ter-Minasian,1988** (Curculionidae) Synonym(s): discrepans Ter-Minasian,1988  
Range (in code): AF
- 21006. Temnorhinus (Massimocleonus) elongatus (Gebler,1844)** (Curculionidae) Synonym(s): elongatus Gebler,1844  
Range (in code): AZ Cc AM IR KK KG MN UZ TJ CN Ui
- 21007. Temnorhinus (Massimocleonus) nasutus (Hochhuth,1847)** (Curculionidae) Synonym(s): nasutus Hochhuth,1847  
Range (in code): AM Cc
- 21008. Temnorhinus (Massimocleonus) paludani (Voss,1955)** (Curculionidae) Synonym(s): paludani Voss,1955  
Range (in code): AF PK
- 21009. Temnorhinus (Massimocleonus) perforatus Faust,1904** (Curculionidae) Synonym(s): perforatus Faust,1904  
Range (in code): IQ PK
- 21010. Temnorhinus (s.str.) brevirostris (Gyllenhal,1834)** (Curculionidae) Synonym(s): brevirostris Gyllenhal,1834; aegyptius Chevrolat,1873; rufulus Chevrolat,1873; saucerotiei Chevrolat,1873  
Range (in code): FR IT MT ES DZ Cn EG MA TN CY IQ IR IL Pa JO KG TR
- 21011. Temnorhinus (s.str.) hololeucus (Pallas,1781)** (Curculionidae) Synonym(s): hololeucus Pallas,1781; pacificus Olivier,1807  
Range (in code): AZ AM Cc IR IL Pa KG TM UZ CN Ui
- 21012. Temnorhinus (s.str.) interpositus Voss,1959** (Curculionidae) Synonym(s): interpositus Voss,1959  
Range (in code): IR
- 21013. Temnorhinus (s.str.) inustulatus Voss,1960** (Curculionidae) Synonym(s): inustulatus Voss,1960  
Range (in code): AF
- 21014. Temnorhinus (s.str.) kirguisicus Chevrolat,1873** (Curculionidae) Synonym(s): kirguisicus Chevrolat,1873  
Range (in code): AF KK KG
- 21015. Temnorhinus (s.str.) mixtus (Fabricius,1792)** (Curculionidae) Synonym(s): mixtus Fabricius,1792; conicostriatus Olivier,1807; jekelii Wollaston,1862; serieguttulatus Desbrochers,1875; semilunatus Petri,1904; rungsi Hoffmann,1938  
Range (in code): AM Cc FR IT ES DZ Cn EG MA MR TN CY IR IL Pa SY
- 21016. Temnorhinus (s.str.) seductus Faust,1904** (Curculionidae) Synonym(s): seductus Faust,1904  
Range (in code): SA YE
- 21017. Temnorhinus (s.str.) verecundus (Faust,1883)** (Curculionidae) Synonym(s): verecundus Faust,1883  
Range (in code): AZ Cc AM IR KK KG TM UZ CN Ui
- 21018. Terminasiania granosa (Zoubkoff,1833)** (Curculionidae) Synonym(s): granosa Zoubkoff,1833; caspica Fahraeus,1842; torosa Fahraeus,1842  
Range (in code): IR KG TJ TM UZ CN Ui



- 21019. *Trichotocleonus longipilis* Voss,1959** (Curculionidae) Synonym(s): *longipilis* Voss,1959 Range (in code): AF
- 21020. *Tychius argentatus* Chevrolat,1859** (Curculionidae) Synonym(s): *argentatus* Chevrolat,1859 Range (in code): TR 06 18 32 33 60
- 21021. *Tychius aurarius* Boheman,1843** (Curculionidae) Synonym(s): *aurarius* Boheman,1843 Range (in code): GR TR 06 42
- 21022. *Tychius aureolus* Kiesenwetter,1851** (Curculionidae) Synonym(s): *aureolus* Kiesenwetter,1851 Range (in code): TR 06 15 32 38 42
- 21023. *Tychius balcanicus* (Penecke,1922)** (Curculionidae) Synonym(s): *balcanicus* Penecke,1922 Range (in code): TR 06
- 21024. *Tychius bicolor* Brisout,1862** (Curculionidae) Synonym(s): *bicolor* Brisout,1862 Range (in code): DZ TN TR 01 06 07 33 80
- 21025. *Tychius brevisculus* Desbrochers,1873** (Curculionidae) Synonym(s): *brevisculus* Desbrochers,1873 Range (in code): TR 15 32
- 21026. *Tychius caldarai* Dieckmann,1986** (Curculionidae) Synonym(s): *caldarai* Dieckmann,1986 Range (in code): TR 32
- 21027. *Tychius consputus* Kiesenwetter,1864** (Curculionidae) Synonym(s): *consputus* Kiesenwetter,1864 Range (in code): TR 32
- 21028. *Tychius cuprifer* (Panzer,1799)** (Curculionidae) Synonym(s): *cuprifer* Panzer,1799 Range (in code): TR 06 07 18 26 33 42 58
- 21029. *Tychius eldae* Caldara,1990** (Curculionidae) Synonym(s): *eldae* Caldara,1990 Range (in code): TR 06 15 18 38
- 21030. *Tychius festivus* (Faust,1884)** (Curculionidae) Synonym(s): *festivus* Faust,1884 Range (in code): TR 06 38 66
- 21031. *Tychius flavus* Becker,1864** (Curculionidae) Synonym(s): *flavus* Becker,1864 Range (in code): TR RU Sb 06 15 32
- 21032. *Tychius graecus* Kiesenwetter,1864** (Curculionidae) Synonym(s): *graecus* Kiesenwetter,1864 Range (in code): GR TR 06 32
- 21033. *Tychius grenieri* Brisout,1861** (Curculionidae) Synonym(s): *grenieri* Brisout,1861 Range (in code): TR 06 33
- 21034. *Tychius hirtellus* Tournier,1873** (Curculionidae) Synonym(s): *hirtellus* Tournier,1873 Range (in code): TR GR Cr IL Pa SY 01 06 07 32 33 40
- 21035. *Tychius medicaginis* Brisout,1862** (Curculionidae) Synonym(s): *medicaginis* Brisout,1862 Range (in code): TR ES DZ KG 06 15 32
- 21036. *Tychius meliloti* Stephens,1831** (Curculionidae) Synonym(s): *meliloti* Stephens,1831 Range (in code): TR 07 15 32
- 21037. *Tychius ochraceus* Tournier,1873** (Curculionidae) Synonym(s): *ochraceus* Tournier,1873 Range (in code): TR DZ 01
- 21038. *Tychius picirostris* (Fabricius,1787)** (Curculionidae) Synonym(s): *picirostris* Fabricius,1787 Range (in code): TR 01 06 07 18 42 58 66
- 21039. *Tychius polylineatus* (Germar,1824)** (Curculionidae) Synonym(s): *polylineatus* Germar,1824 Range (in code): TR DZ 07 33
- 21040. *Tychius ruscicus* Desbrochers,1908** (Curculionidae) Synonym(s): *ruscicus* Desbrochers,1908 Range (in code): TR Cc IR 06 18 33 40 58 66
- 21041. *Tychius squamulatus* Gyllenhal,1836** (Curculionidae) Synonym(s): *squamulatus* Gyllenhal,1836 Range (in code): TR DZ GB IR Cc 15 32
- 21042. *Tychius stephensi* Schoenherr,1836** (Curculionidae) Synonym(s): *stephensi* Schoenherr,1836 Range (in code): TR 18
- 21043. *Tychius striatulus* Gyllenhal,1836** (Curculionidae) Synonym(s): *striatulus* Gyllenhal,1836 Range (in code): TR SY IL Pa 31
- 21044. *Tychius thoracicus* Boheman,1843** (Curculionidae) Synonym(s): *thoracicus* Boheman,1843 Range (in code): TR Cc 07 33
- 21045. *Tyrodemus patruelis* Voss,1971** (Curculionidae) Synonym(s): *patruelis* Voss,1971 Range (in code): IR Ss
- 21046. *Xanthochelus blumeae* Marshall,1938** (Curculionidae) Synonym(s): *blumeae* Marshall,1938 Range (in code): AF PK
- 21047. *Xanthochelus cinctiventris* (Fahraeus,1842)** (Curculionidae) Synonym(s): *cinctiventris* Fahraeus,1842 Range (in code): ES DZ EG LY MA TN IL Pa IR
- 21048. *Xanthochelus longus* Chevrolat,1873** (Curculionidae) Synonym(s): *longus* Chevrolat,1873; *postumus* Faust,1883 Range (in code): EG Sn SY TR
- 21049. *Xanthochelus nomas* (Pallas,1771)** (Curculionidae) Synonym(s): *nomas* Pallas,1771; *firmus* Schoenherr,1832; *firmus* Gyllenhal,1834; *montivagus* Chevrolat,1873 Range (in code): AF IR KG UZ CN Ui Usu

- 21050. Xanthochelus permutatus Faust,1904** (Curculionidae) Synonym(s): permutatus Faust,1904  
Range (in code): CN PK
- 21051. Anthrenus (Anthrenodes) ineptus Hava & Tezcan,2004** (Dermestidae) Synonym(s): ineptus Hava & Tezcan,2004 Range (in code): TR IR IQ 25
- 21052. Anthrenus (Anthrenodes) israelicus Hava,2004** (Dermestidae) Synonym(s): israelicus Hava,2004 Range (in code): IL Pa
- 21053. Anthrenus (Anthrenodes) jordanicus Pic,1934** (Dermestidae) Synonym(s): jordanicus Pic,1934  
Range (in code): JO IL Pa IR
- 21054. Anthrenus (Anthrenodes) klapperichi Hava & Kadej,2006** (Dermestidae) Synonym(s): klapperichi Hava & Kadej,2006 Range (in code): AF
- 21055. Anthrenus (Anthrenops) coloratus Reitter,1881** (Dermestidae) Synonym(s): coloratus Reitter,1881 Range (in code): Cn DZ EG ER GN MA NA SU SD TN US AF PK IN IL Pa IR IQ KG KK QA OM SA SY TJ TM AE YE TR 25 76
- 21056. Anthrenus (Anthrenops) eichleri Kadej & Hava,2006** (Dermestidae) Synonym(s): eichleri Kadej & Hava,2006 Range (in code): IL Pa TR 76
- 21057. Anthrenus (Florilinus) caucasicus Reitter,1881** (Dermestidae) Synonym(s): caucasicus Reitter,1881 Range (in code): Cc AM AT GG PL IR TM
- 21058. Anthrenus (Florilinus) flavidus Solsky,1876** (Dermestidae) Synonym(s): flavidus Solsky,1876; rufulus Solsky,1876 Range (in code): PL AF Cc CN IR TR KG KK TJ TM UZ 24 25 60 69 76
- 21059. Anthrenus (Florilinus) museorum (Linnaeus,1761)** (Dermestidae) Synonym(s): museorum Linnaeus,1761; verbasci Fabricius,1775; vagus Gmelin,1790; pello Thunberg,1815; varius Stephens,1830 Range (in code): TR
- 21060. Anthrenus (Nathrenus) bulirschi Hava,2000** (Dermestidae) Synonym(s): bulirschi Hava,2000  
Range (in code): IL Pa SY TR
- 21061. Anthrenus (Nathrenus) molitor Aubé,1850** (Dermestidae) Synonym(s): molitor Aubé,1850  
Range (in code): LB EG DZ IL Pa MA TN TR
- 21062. Anthrenus (Nathrenus) pubifer Reitter,1899** (Dermestidae) Synonym(s): pubifer Reitter,1899  
Range (in code): IR SY TR 21 56
- 21063. Anthrenus (Nathrenus) verbasci (Linnaeus,1767)** (Dermestidae) Synonym(s): verbasci Linnaeus,1767 Range (in code): TR US AU 01 07 09 24 25 27 31 33 34 35 60 63 67 72 73 80
- 21064. Anthrenus (Nathrenus) zahradniki Hava,2003** (Dermestidae) Synonym(s): zahradniki Hava,2003 Range (in code): GR TR 25
- 21065. Anthrenus (Ranthenus) prudeki Hava,2002** (Dermestidae) Synonym(s): prudeki Hava,2002  
Range (in code): TR o8
- 21066. Anthrenus (s.str.) delicatus Kiesenwetter,1851** (Dermestidae) Synonym(s): delicatus Kiesenwetter,1851 Range (in code): AM AZ GG AL BG Cr HV CY FR GR IT MK PT ES RO YU TR EG DZ TN MA IR SY IL Pa JO Cc 01 07 24 25 27 31 33 76 80
- 21067. Anthrenus (s.str.) flavipes LeConte,1854** (Dermestidae) Synonym(s): flavipes LeConte,1854  
Range (in code): TR US AU 35
- 21068. Anthrenus (s.str.) goliath Saulcy,1868** (Dermestidae) Synonym(s): goliath Saulcy,1868 Range (in code): AT B-H BG HV GR HU IT MK YU PT RO ES DZ EG LY MA TN SY TR 25 31 60 69
- 21069. Anthrenus (s.str.) mesopotamicus Hava,2001** (Dermestidae) Synonym(s): mesopotamicus Hava,2001 Range (in code): IR IQ SY
- 21070. Anthrenus (s.str.) munroi Hinton,1943** (Dermestidae) Synonym(s): munroi Hinton,1943  
Range (in code): TR BG FR Co CY ES IT 35 48
- 21071. Anthrenus (s.str.) picturatus Solsky,1876** (Dermestidae) Synonym(s): picturatus Solsky,1876  
Range (in code): ZA AF Cc GG TR IR KK KG TJ TM UZ 04 06 24 60 76
- 21072. Anthrenus (s.str.) pimpinellae (Fabricius,1775)** (Dermestidae) Synonym(s): pimpinellae Fabricius,1775; scrophulariae Fourcroy,1785 nec Linn.,1758 Range (in code): MA TN ES FR IT AL BG GR Cr TR US 25 65 76
- 21073. Anthrenus (s.str.) rotundulus Reitter,1889** (Dermestidae) Synonym(s): rotundulus Reitter,1889  
Range (in code): TR AF Cc IR TM AM EG 27 30 31 60 76
- 21074. Anthrenus (s.str.) scrophulariae (Linnaeus,1758)** (Dermestidae) Synonym(s): scrophulariae Linnaeus,1758; albidus Brullé,1832; signatus Reitter,1881; senex Reitter,1881 Range (in code): TR AU Cc SY UZ US CL CA TA 04 06 07 08 25 33 35 60 68 69 70 76
- 21075. Anthrenus (s.str.) simonis Reitter,1881** (Dermestidae) Synonym(s): simonis Reitter,1881  
Range (in code): TR TN IL Pa SY IR 21 31
- 21076. Anthrenus (Solskinus) bucharicus Zhantiev,1976** (Dermestidae) Synonym(s): bucharicus Zhantiev,1976 Range (in code): UZ TM
- 21077. Anthrenus akbesianus Reitter,1899** (Dermestidae) Synonym(s): akbesianus Reitter,1899 Range (in code): TR 31
- 21078. Anthrenus araraticus Zhantiev,1976** (Dermestidae) Synonym(s): araraticus Zhantiev,1976  
Range (in code): Cc TR 76

- 21079. *Anthrenus araxensis* Zhantiev,1976** (Dermestidae) Synonym(s): *araxensis* Zhantiev,1976 Range (in code): Cc AM
- 21080. *Anthrenus armeniacus* Zaitzev,1919** (Dermestidae) Synonym(s): *armeniacus* Zaitzev,1919 Range (in code): Cc AM
- 21081. *Anthrenus zagrosensis* Hava,2004** (Dermestidae) Synonym(s): *zagrosensis* Hava,2004 Range (in code): IR
- 21082. *Attagenus* (s.str.) *afghanus* Hava,2000** (Dermestidae) Synonym(s): *afghanus* Hava,2000 Range (in code): AF
- 21083. *Attagenus* (s.str.) *bifasciatus* (Olivier,1790)** (Dermestidae) Synonym(s): *bifasciatus* Olivier,1790 Range (in code): TR AF Cc IR IQ IL Pa LB SY TM 35
- 21084. *Attagenus* (s.str.) *brunneus* Faldermann,1835** (Dermestidae) Synonym(s): *brunneus* Faldermann,1835 Range (in code): DZ EG MA TN CA US AF PK KK TM UZ TR 35
- 21085. *Attagenus* (s.str.) *hadesi* Kadej & Hava,2014** (Dermestidae) Synonym(s): *hadesi* Kadej & Hava,2014 Range (in code): TR
- 21086. *Attagenus* (s.str.) *ionius* Zhantiev,2005** (Dermestidae) Synonym(s): *ionius* Zhantiev,2005 Range (in code): TR
- 21087. *Attagenus* (s.str.) *jelineki* Hava,2004** (Dermestidae) Synonym(s): *jelineki* Hava,2004 Range (in code): TR
- 21088. *Attagenus* (s.str.) *orientalis* Reitter,1878** (Dermestidae) Synonym(s): *orientalis* Reitter,1878 Range (in code): TR TN Cc IQ IR SY 47 56 63
- 21089. *Attagenus* (s.str.) *pantherinus* (Ahrens,1814)** (Dermestidae) Synonym(s): *pantherinus* Ahrens,1814 Range (in code): Cc TR 33
- 21090. *Attagenus* (s.str.) *quadrinaculatus* Kraatz,1858** (Dermestidae) Synonym(s): *quadrinaculatus* Kraatz,1858 Range (in code): AL B-H BG HV GR MK SS CH JO FR YU Cc TR LB 07 08 24 25 27 33 36
- 21091. *Attagenus* (s.str.) *unicolor* (Brahm,1791)** (Dermestidae) Synonym(s): *unicolor* Brahm,1791 Range (in code): TR US AU 25 45 60 76
- 21092. *Ctesias syriaca* Ganglbauer,1904** (Dermestidae) Synonym(s): *syriaca* Ganglbauer,1904 Range (in code): TR SY IL Pa 46
- 21093. *Dermestes* (Dermestinus) *coronatus* Steven,1808** (Dermestidae) Synonym(s): *coronatus* Steven,1808 Range (in code): PL AF TR Cc IN PK KK IR MN RU CN Ui 25
- 21094. *Dermestes* (Dermestinus) *frischii* Kugelan,1792** (Dermestidae) Synonym(s): *frischii* Kugelan,1792; *vulpinus* Herbst,1792; *pollinctus* Hope,1834; *heyrovskyi* Obenberger,1917; *rufimembris* Pic,1951; *sterninaculatus* Marcu,1957 Range (in code): TR 25 35
- 21095. *Dermestes* (Dermestinus) *gyllenhalii* Castelnau,1840** (Dermestidae) Synonym(s): *tessellatus* Gyllenhal,1808 nec Fabr.,1775; *gyllenhalii* Castelnau,1840 Range (in code): Cc TR RU Sb IR KG
- 21096. *Dermestes* (Dermestinus) *intermedius* Kalik,1951** (Dermestidae) Synonym(s): *intermedius* Kalik,1951 Range (in code): AT BG CZ Cr CY DE GR HU IT MK RO SK UA TR 49
- 21097. *Dermestes* (Dermestinus) *kaszabi* Kalik,1950** (Dermestidae) Synonym(s): *kaszabi* Kalik,1950 Range (in code): AM AZ Cc B-H BG CZ HV DE GR HU YU RO SK IR TR
- 21098. *Dermestes* (Dermestinus) *lanarius* Illiger,1801** (Dermestidae) Synonym(s): *lanarius* Illiger,1801; *affinis* Gyllenhal,1808; *catta* Dultschmid,1825; *linarius* Stephens,1829 Range (in code): TR
- 21099. *Dermestes* (Dermestinus) *leopardinus* Mulsant & Godart,1855** (Dermestidae) Synonym(s): *leopardinus* Mulsant & Godart,1855 Range (in code): BG HV TR YU Cc UA RU
- 21100. *Dermestes* (Dermestinus) *maculatus* DeGeer,1774** (Dermestidae) Synonym(s): *maculatus* DeGeer,1774; *marginatus* Thunberg,1781; *vulpinus* Fabricius,1781; *senex* Germar,1824; *elongatus* Hope,1834; *lupinus* Mannerheim,1843; *cinereus* Redtenbacher,1867; *sudanicus* Gredler,1878; *cyprius* Pic,1951; *pakistanicus* Havelka,1951 Range (in code): TR SD CY PK
- 21101. *Dermestes* (Dermestinus) *murinus* Linnaeus,1758** (Dermestidae) Synonym(s): *murinus* Linnaeus,1758; *nebulosus* DeGeer,1774; *roseiventris* Laporte,1840 Range (in code): TR
- 21102. *Dermestes* (Dermestinus) *sardous* Küster,1846** (Dermestidae) Synonym(s): *sardous* Küster,1846; *asiatica* Hava,2002 Range (in code): FR Co PT ES IT Sa DZ IR JO SY TR
- 21103. *Dermestes* (Dermestinus) *sibiricus* Erichson,1846** (Dermestidae) Synonym(s): *sibiricus* Erichson,1846 Range (in code): RU Sb TR MN
- 21104. *Dermestes* (Dermestinus) *undulatus* Brahm,1790** (Dermestidae) Synonym(s): *undulatus* Brahm,1790 Range (in code): TR
- 21105. *Dermestes* (Montandonia) *fuliginosus* Rossi,1792** (Dermestidae) Synonym(s): *fuliginosus* Rossi,1792 Range (in code): TR Cc IR 24 25
- 21106. *Dermestes* (Montandonia) *olivieri* Lepesme,1939** (Dermestidae) Synonym(s): *olivieri* Lepesme,1939 Range (in code): Cc IR TR SY TM AM GG CY UA GG IR TN 24 25 69
- 21107. *Dermestes* (s.str.) *ater* DeGeer,1774** (Dermestidae) Synonym(s): *ater* DeGeer,1774; *cadaverinus* Fabricius,1775; *piceus* Thunberg,1781; *felinus* Fabricius,1787; *domesticus* Germar,1824; *hispidulus* Montrouzier,1860; *chinensis* Motschoulsky,1866; *subcostatus* Murray,1867; *noxius* Mulsant & Rey,1868; *favarequi* Godard,1883 Range (in code): TR



- 21108. Dermestes (s.str.) bicolor Fabricius,1781** (Dermestidae) Synonym(s): bicolor Fabricius,1781; striatus Kolenati,1846 Range (in code): TR Cn AF KG IR KK PK RU Sb JP SY TJ TM 25
- 21109. Dermestes (s.str.) lardarius Linnaeus,1758** (Dermestidae) Synonym(s): lardarius Linnaeus,1758 Range (in code): TR 08 25 36 50
- 21110. Dermestes (s.str.) Linnaeus,1758** (Dermestidae) Synonym(s): Dermestes Linnaeus,1758 Range (in code): TR
- 21111. Globicornis picta (Küster,1851)** (Dermestidae) Synonym(s): picta Küster,1851 Range (in code): AL AM Cc BG B-H CZ GR HU SS EG IL Pa JO TR YU CY IT Sa Si SK 25 31 48
- 21112. Hirtomegatoma infasciata Pic,1931** (Dermestidae) Synonym(s): infasciata Pic,1931 Range (in code): LB JO
- 21113. Orphilus beali Zhantiev,2001** (Dermestidae) Synonym(s): beali Zhantiev,2001 Range (in code): CY FR GR ES TR IL Pa JO LB SY 04 35 48
- 21114. Phradonoma alium Hava,2006** (Dermestidae) Synonym(s): alium Hava,2006 Range (in code): TR 25 30 36 69 73
- 21115. Phradonoma draco Hava,2006** (Dermestidae) Synonym(s): draco Hava,2006 Range (in code): IL Pa
- 21116. Phradonoma hirsutulum (Reiche,1868)** (Dermestidae) Synonym(s): hirsutulum Reiche,1868 Range (in code): ER ET IL Pa SA SY TM
- 21117. Phradonoma incognitum Hava,2006** (Dermestidae) Synonym(s): incognitum Hava,2006 Range (in code): IR
- 21118. Phradonoma jelineki Hava,2006** (Dermestidae) Synonym(s): jelineki Hava,2006 Range (in code): IR AF PK Nwf
- 21119. Phradonoma monarchus Hava,2006** (Dermestidae) Synonym(s): monarchus Hava,2006 Range (in code): IR
- 21120. Phradonoma nebulosum Hava,2006** (Dermestidae) Synonym(s): nebulosum Hava,2006 Range (in code): IR
- 21121. Phradonoma nigrum Hava,2006** (Dermestidae) Synonym(s): nigrum Hava,2006 Range (in code): TR 25
- 21122. Phradonoma nobile (Reitter,1881)** (Dermestidae) Synonym(s): nobile Reitter,1881 Range (in code): IR IQ CY GR PT ES DZ EG ER ET LY MA ZA ZW TN AF Cc IN SA SY TJ TM UZ
- 21123. Phradonoma parthicum Zhantiev,1976** (Dermestidae) Synonym(s): parthicum Zhantiev,1976 Range (in code): TM
- 21124. Phradonoma simile Hava,2006** (Dermestidae) Synonym(s): simile Hava,2006 Range (in code): IR Fa
- 21125. Phradonoma spectrum Hava,2006** (Dermestidae) Synonym(s): spectrum Hava,2006 Range (in code): IL Pa
- 21126. Phradonoma tricolor (Arrow,1915)** (Dermestidae) Synonym(s): tricolor Arrow,1915 Range (in code): IN SA OM YE
- 21127. Phradonoma turcomanica Mroczkowski,1960** (Dermestidae) Synonym(s): turcomanica Mroczkowski,1960 Range (in code): TM
- 21128. Phradonoma villosulum (Duftschmid,1825)** (Dermestidae) Synonym(s): villosulum Duftschmid,1825 Range (in code): Cc TR IR KK SY 25 31 36
- 21129. Trogoderma angustum (Solier,1849)** (Dermestidae) Synonym(s): angustum Solier,1849 Range (in code): PK Pj AR CL IN TH PE US
- 21130. Trogoderma bactrianum Zhantiev,1976** (Dermestidae) Synonym(s): bactrianum Zhantiev,1976 Range (in code): TM
- 21131. Trogoderma glabrum (Herbst,1783)** (Dermestidae) Synonym(s): glabrum Herbst,1783 Range (in code): TR CA MX US Cc IR KG MN UZ RU OM Sb CL 25
- 21132. Trogoderma granarium Everts,1898** (Dermestidae) Synonym(s): granarium Everts,1898 Range (in code): TR US AU 27 35
- 21133. Trogoderma inclusum LeConte,1854** (Dermestidae) Synonym(s): inclusum LeConte,1854; tarsale Riley,1894; advena Casey,1900; obsolescens Casey,1900; frosti Casey,1916; nigrescens Casey,1916; brunnescens Casey,1916 Range (in code): TR US RU RG IN
- 21134. Trogoderma variabile Ballion,1878** (Dermestidae) Synonym(s): variabile Ballion,1878 Range (in code): AM Cc CZ GB FI IT LT SE MA AZ PE CA MX US AF CN IR KG MN SA TJ TM UZ VN AU NZ TR 76
- 21135. Trogoderma versicolor (Creutzer,1799)** (Dermestidae) Synonym(s): versicolor Creutzer,1799; grandis Thunberg,1815; elongatulus Duftschmid,1825; costae Mulsant & Rey,1868 Range (in code): TR
- 21136. Turcicornis kopeckyi Hava,2000** (Dermestidae) Synonym(s): kopeckyi Hava,2000 Range (in code): TR
- 21137. Acilius sulcatus (Linnaeus,1758)** (Dytiscidae) Synonym(s): sulcatus Linnaeus,1758 Range (in code): TR 08 25 37 38
- 21138. Agabus (Acatodes) bergi Zaitzev,1913** (Dytiscidae) Synonym(s): bergi Zaitzev,1913 Range (in code): TR AM GG Cc

- 21139. Agabus (Acatodes) congener (Thunberg,1794)** (Dytiscidae) Synonym(s): congener Thunberg,1794; foveolatus Mulsant & Godart,1860; venturii Bertolini,1870; funkii Seidlitz,1887; daisetsuzanus Kamiya,1938 Range (in code): AT BE BG BY HV CZ DK DE EE FI FR GB HU IT MK NL RU PL SK UA TR Cc GG AM KG MN CN JA 07 20 36
- 21140. Agabus (Acatodes) coxalis Sharp,1882** (Dytiscidae) Synonym(s): coxalis Sharp,1882; splichali Reitter,1899 Range (in code): Cc AM GG TR KG MN RU
- 21141. Agabus (Acatodes) lapponicus (Thomson,1867)** (Dytiscidae) Synonym(s): lapponicus Thomson,1867; obovatus Sahlberg,1875; obscuripennis Sahlberg,1875 Range (in code): FI SE FR IT NO RU ES SZ TR MN
- 21142. Agabus (Acatodes) sturmii Gyllenhal,1808** (Dytiscidae) Synonym(s): sturmii Gyllenhal,1808; goedelii A.Villa & G.B.Villa,1833; fallax Munster,1932 Range (in code): AT BE B-H BG BY HV CZ DK DE EE FI FR GB GG Cc IT NL NO PL RU SK SL ES UA KG RU TR
- 21143. Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae) Synonym(s): biguttatus Olivier,1795 Range (in code): Cc AZ AM GG AL AT BE B-H BY BG HV CZ FR GB DE GR HU IT MK NL PL PT RO RU SK SL UA YU Cn DZ EG LY MA TN AF CN Ui CY IN Hp IQ IL Pa JO Ch KK LB PK SA SY TM UZ TR 01 06 08 11 16 18 23 25 27 29 31 32 33 35 37 53 54 61 66 68
- 21144. Agabus (Gaurodytes) bipustulatus (Linnaeus,1767)** (Dytiscidae) Synonym(s): bipustulatus Linnaeus,1767 Range (in code): TR 01 06 07 08 16 32 34 35 36 37 38 41 42 48 53 61 64 65
- 21145. Agabus (Gaurodytes) caraboides Sharp,1882** (Dytiscidae) Synonym(s): caraboides Sharp,1882; merkli Régimbart,1884 Range (in code): TR BG Cc GG MK UA IR LB SY
- 21146. Agabus (Gaurodytes) conspersus (Marsham,1802)** (Dytiscidae) Synonym(s): conspersus Marsham,1802 Range (in code): TR 01 03 07 15 16 20 32 35 42
- 21147. Agabus (Gaurodytes) didymus (Olivier,1795)** (Dytiscidae) Synonym(s): didymus Olivier,1795 Range (in code): TR 03 07 10 32 35 45
- 21148. Agabus (Gaurodytes) dilatatus (Brullé,1832)** (Dytiscidae) Synonym(s): dilatatus Brullé,1832 Range (in code): TR 01 06 16 29 32 35 41 42 53 61 65
- 21149. Agabus (Gaurodytes) faldermanni Zaitzev,1927** (Dytiscidae) Synonym(s): faldermanni Zaitzev,1927; palaestinus Zimmermann,1934; iranicus Guéorguiev,1975 Range (in code): TR IR IL Pa SY LB Cc AZ 21 32 42 48 50
- 21150. Agabus (Gaurodytes) glacialis Hochhuth,1846** (Dytiscidae) Synonym(s): glacialis Hochhuth,1846; armeniacus Sharp,1882; inguttatus Reitter,1908 Range (in code): Cc AZ AM GG TR RU IR
- 21151. Agabus (Gaurodytes) guttatus (Paykull,1798)** (Dytiscidae) Synonym(s): guttatus Paykull,1798 Range (in code): TR 07 14 20 37
- 21152. Agabus (Gaurodytes) nebulosus (Forster,1771)** (Dytiscidae) Synonym(s): nebulosus Forster,1771 Range (in code): TR 01 03 07 09 15 16 20 32 34 35 48 57 61
- 21153. Agabus (s.str.) labiatus (Brahm,1790)** (Dytiscidae) Synonym(s): labiatus Brahm,1790; femoralis Paykull,1798; impressus Zoubkoff,1833; assimilis Sturm,1834; hochhuthi Zaitsev,1908; transcaucasicus Zaitzev,1927 Range (in code): AL AT AM BE B-H BG BY HV CZ DK DE EE FI FR GB GG Cc HU IT MK MD NL NO PL PT ES RU SK SL SZ UA YU KG TR
- 21154. Agabus (s.str.) zimmermanni Scholz,1920** (Dytiscidae) Synonym(s): zimmermanni Scholz,1920 Range (in code): BG GR RO RU UA TR 09
- 21155. Agabus glacialis Hochhuth,1846** (Dytiscidae) Synonym(s): glacialis Hochhuth,1846 Range (in code): TR 08 16 25 53 61 75
- 21156. Agabus paludosus (Fabricius,1801)** (Dytiscidae) Synonym(s): paludosus Fabricius,1801 Range (in code): TR 06 08 25 53
- 21157. Bidessus anatolicus Wewalka,1972** (Dytiscidae) Synonym(s): anatolicus Wewalka,1972 Range (in code): TR 01 07
- 21158. Bidessus calabricus Guignot,1957** (Dytiscidae) Synonym(s): calabricus Guignot,1957 Range (in code): TR IT 06 07 17 34 35 41 48
- 21159. Bidessus delicatulus (Schaum,1844)** (Dytiscidae) Synonym(s): delicatulus Schaum,1844 Range (in code): TR 06 35 48
- 21160. Bidessus nasutus Sharp,1887** (Dytiscidae) Synonym(s): nasutus Sharp,1887 Range (in code): TR 32 42
- 21161. Bidessus unistriatus (Goeze,1777)** (Dytiscidae) Synonym(s): unistriatus Goeze,1777 Range (in code): TR
- 21162. Colymbetes fuscus (Linnaeus,1758)** (Dytiscidae) Synonym(s): fuscus Linnaeus,1758 Range (in code): TR 03 09 15 25 35 42 50 68
- 21163. Cybister (s.str.) tripunctatus (Olivier,1795)** (Dytiscidae) Synonym(s): tripunctatus Olivier,1795; lateralis Fabricius,1798; gotschii Hochhuth,1846; asiaticus Sharp,1882; similis Régimbart,1899; orientalis Gschwendtner,1931 Range (in code): TR UZ 01 09 33 35
- 21164. Cybister (Scaphinectes) lateralimarginalis (De Geer,1774)** (Dytiscidae) Synonym(s): lateralimarginalis De Geer,1774 Range (in code): TR Cc RU 01 15 20 26 33 35 42 65
- 21165. Deronectes afghanicus Wewalka,1971** (Dytiscidae) Synonym(s): afghanicus Wewalka,1971 Range (in code): AF PK

- 21166. *Deronectes doriae* Sharp,1882** (Dytiscidae) Synonym(s): *doriae* Sharp,1882 Range (in code): TR Cc 06 08 11 16 25 29 36 48
- 21167. *Deronectes elburs* Fery, Köksal & Hosseinie,2001** (Dytiscidae) Synonym(s): *elburs* Fery, Köksal & Hosseinie,2001 Range (in code): IR Elb Th
- 21168. *Deronectes elmii* Fery & Hosseinie,1998** (Dytiscidae) Synonym(s): *elmii* Fery & Hosseinie,1998 Range (in code): IR Ke
- 21169. *Deronectes evelynae* Fery & Hosseinie,1998** (Dytiscidae) Synonym(s): *evelynae* Fery & Hosseinie,1998 Range (in code): TR 02 27
- 21170. *Deronectes hakkariensis* Wewalka,1989** (Dytiscidae) Synonym(s): *hakkariensis* Wewalka,1989 Range (in code): TR 25 73
- 21171. *Deronectes hendrichi* Fery & Hosseinie,1998** (Dytiscidae) Synonym(s): *hendrichi* Fery & Hosseinie,1998 Range (in code): IR Ke
- 21172. *Deronectes jaechi* Wewalka,1989** (Dytiscidae) Synonym(s): *jaechi* Wewalka,1989 Range (in code): TR 73
- 21173. *Deronectes kinzelbachi* Fery & Hosseinie,1998** (Dytiscidae) Synonym(s): *kinzelbachi* Fery & Hosseinie,1998 Range (in code): TR 31
- 21174. *Deronectes longipes* Sharp,1882** (Dytiscidae) Synonym(s): *longipes* Sharp,1882 Range (in code): IR Fa Lo TR 21 27 47 73
- 21175. *Deronectes parvicollis* (Schaum,1864)** (Dytiscidae) Synonym(s): *parvicollis* Schaum,1864 Range (in code): TR IR Zj BG GR IL Pa 01 03 11 25 29 30 32 42 50 51 65 66
- 21176. *Deronectes persicus* Peschet,1914** (Dytiscidae) Synonym(s): *persicus* Peschet,1914 Range (in code): IR Fa Lo TJ
- 21177. *Deronectes sahlbergi* Zimmermann,1932** (Dytiscidae) Synonym(s): *sahlbergi* Zimmermann,1932 Range (in code): TR Rd GR 07 11 35 48
- 21178. *Deronectes syriacus* Wewalka,1971** (Dytiscidae) Synonym(s): *syriacus* Wewalka,1971 Range (in code): TR SY 21 27 31 47 63
- 21179. *Deronectes toledo* Fery, Köksal & Hosseinie,2001** (Dytiscidae) Synonym(s): *toledo* Fery, Köksal & Hosseinie,2001 Range (in code): TR 25
- 21180. *Deronectes wittmeri* Wewalka,1971** (Dytiscidae) Synonym(s): *wittmeri* Wewalka,1971 Range (in code): TR 07
- 21181. *Deronectes youngi* Fery & Hosseinie,1998** (Dytiscidae) Synonym(s): *youngi* Fery & Hosseinie,1998 Range (in code): IR Fa Kz
- 21182. *Dytiscus circumflexus* Fabricius,1781** (Dytiscidae) Synonym(s): *circumflexus* Fabricius,1781 Range (in code): TR 01 09 10 32 36 43 76
- 21183. *Dytiscus dimidiatus* Bergsträßer,1778** (Dytiscidae) Synonym(s): *dimidiatus* Bergsträßer,1778 Range (in code): TR 45 55
- 21184. *Dytiscus marginalis* Linnaeus,1758** (Dytiscidae) Synonym(s): *marginalis* Linnaeus,1758 Range (in code): TR 06 07 32 36 38 42 48 50 54 76
- 21185. *Dytiscus semisulcatus* O.F.Müller,1776** (Dytiscidae) Synonym(s): *semisulcatus* O.F.Müller,1776 Range (in code): TR 32 48
- 21186. *Eretes griseus* (Fabricius,1781)** (Dytiscidae) Synonym(s): *griseus* Fabricius,1781; *succintus* Klug,1834; *plicipennis* Motschoulsky,1845; *moroderi* Baguena Corella,1935 Range (in code): ES MA DZ EG TR SD ZR SL SN ZA NG MG JP RU Us PK IN MM CN Sz TH TW VN ID Ja Ja PH PG 07
- 21187. *Eretes sticticus* (Linnaeus,1767)** (Dytiscidae) Synonym(s): *sticticus* Linnaeus,1767; *helvolus* Klug,1834; *punctatus* Zoubkoff,1837; *occidentalis* Zoubkoff,1837; *conicollis* Wollaston,1861; *subcoriaceus* Wollaston,1861; *subdiaphanus* Wollaston,1861 Range (in code): DZ Md TM CV PE Cn US Tx Arz Cf CYBW EC EG IR KE MG MX NA PR ZW SA ZA SD AE VE
- 21188. *Graphoderus cinereus* (Linnaeus,1758)** (Dytiscidae) Synonym(s): *cinereus* Linnaeus,1758 Range (in code): TR 03 76
- 21189. *Graptodytes bilineatus* (Sturm,1835)** (Dytiscidae) Synonym(s): *bilineatus* Sturm,1835; *nigritarsis* Sahlberg,1882; *hopffgarteni* Schilsky,1892; *pervasus* Gozis,1914; *narentinus* Zimmermann,1915 Range (in code): AL AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR Cc HU IE IT MK NL PL RU SK SL ES SE CH UA YU KG TR 25
- 21190. *Graptodytes veterator* (Zimmermann,1918)** (Dytiscidae) Synonym(s): *veterator* Zimmermann,1918 Range (in code): TR 03 06 10 12 16 25 35 42
- 21191. *Hydaticus* (Guignotites) *ponticus* Sharp,1882** (Dytiscidae) Synonym(s): *ponticus* Sharp,1882 Range (in code): TR 09 15
- 21192. *Hydaticus* (s.str.) *transversalis* (Pontopoddian,1763)** (Dytiscidae) Synonym(s): *transversalis* Pontopoddian,1763 Range (in code): TR 01 20 43
- 21193. *Hydroglyphus geminus* (Fabricius,1792)** (Dytiscidae) Synonym(s): *geminus* Fabricius,1792 Range (in code): TR 01 06 07 08 09 10 14 16 22 26 29 35 37 38 42 45 50 53 61 79
- 21194. *Hydroglyphus pubescens* Gyllenhal,1808** (Dytiscidae) Synonym(s): *pubescens* Gyllenhal,1808 Range (in code): TR 01 07 11 16 24 35 45 51 52 54 61



- 21195. *Hydroporus artvinensis* Fery & Erman,2009** (Dytiscidae) Synonym(s): artvinensis Fery & Erman,2009 Range (in code): TR Cc 08
- 21196. *Hydroporus bodemeyeri* Ganglbauer,1900** (Dytiscidae) Synonym(s): bodemeyeri Ganglbauer,1900 Range (in code): TR 01 06 11 14 32 35 48 54
- 21197. *Hydroporus cagrankaya* Fery & Erman,2009** (Dytiscidae) Synonym(s): cagrankaya Fery & Erman,2009 Range (in code): TR 53
- 21198. *Hydroporus discretus* Fairmaire & Brisout,1859** (Dytiscidae) Synonym(s): discretus Fairmaire & Brisout,1859 Range (in code): TR 08 25 53 76
- 21199. *Hydroporus erzurumensis* Erman & Fery,2000** (Dytiscidae) Synonym(s): erzurumensis Erman & Fery,2000 Range (in code): TR 24 25
- 21200. *Hydroporus kozlovskii* Zaitzev,1927** (Dytiscidae) Synonym(s): kozlovskii Zaitzev,1927 Range (in code): TR 07 08 12 24 29 30 36 49 53
- 21201. *Hydroporus lundbergi* Fery & Erman,2009** (Dytiscidae) Synonym(s): lundbergi Fery & Erman,2009 Range (in code): TR 53
- 21202. *Hydroporus marginatus* (Duftschmid,1805)** (Dytiscidae) Synonym(s): marginatus Duftschmid,1805 Range (in code): TR 06 36 42 48 58 61
- 21203. *Hydroporus nigellus* Mannerheim,1853** (Dytiscidae) Synonym(s): nigellus Mannerheim,1853 Range (in code): TR 25 53
- 21204. *Hydroporus palustris* (Linnaeus,1761)** (Dytiscidae) Synonym(s): palustris Linnaeus,1761 Range (in code): TR 08 53
- 21205. *Hydroporus planus* (Fabricius,1781)** (Dytiscidae) Synonym(s): planus Fabricius,1781 Range (in code): TR 01 07 08 10 16 20 24 25 28 29 33 34 36 42 53 61 69
- 21206. *Hydroporus pubescens* (Gyllenhal,1808)** (Dytiscidae) Synonym(s): pubescens Gyllenhal,1808 Range (in code): TR 01 07 08 11 16 24 29 35 45 51 52 53 54 61 68
- 21207. *Hydroporus sivrikaya* Fery & Erman,2009** (Dytiscidae) Synonym(s): sivrikaya Fery & Erman,2009 Range (in code): TR 53
- 21208. *Hydroporus thracicus* Guéorguiev,1966** (Dytiscidae) Synonym(s): thracicus Guéorguiev,1966 Range (in code): TR Cc 06 08 25 36 37 53
- 21209. *Hydroporus toledoi* Fery & Erman,2009** (Dytiscidae) Synonym(s): toledoi Fery & Erman,2009 Range (in code): TR 53
- 21210. *Hydrovatus cuspidatus* (Kunze,1818)** (Dytiscidae) Synonym(s): cuspidatus Kunze,1818 Range (in code): TR 01 03
- 21211. *Hygrotus (Coelambus) ahmeti* Hajek, Fery & Erman,2005** (Dytiscidae) Synonym(s): ahmeti Hajek, Fery & Erman,2005 Range (in code): TR 24 25
- 21212. *Hygrotus (Coelambus) armeniacus* (Zaitzev,1927)** (Dytiscidae) Synonym(s): armeniacus Zaitzev,1927 Range (in code): AM Cc TR GG 08 25 36
- 21213. *Hygrotus (Coelambus) confluens* (Fabricius,1787)** (Dytiscidae) Synonym(s): confluens Fabricius,1787 Range (in code): TR 01 06 14 26 32 33 35 38 42 50
- 21214. *Hygrotus (Coelambus) enneagrammus* (Ahrens,1833)** (Dytiscidae) Synonym(s): enneagrammus Ahrens,1833 Range (in code): TR
- 21215. *Hygrotus (Coelambus) impressopunctatus* (Schaller,1783)** (Dytiscidae) Synonym(s): impressopunctatus Schaller,1783 Range (in code): TR
- 21216. *Hygrotus (Coelambus) lernaeus* (Schaum,1857)** (Dytiscidae) Synonym(s): lernaeus Schaum,1857 Range (in code): TR 01 03 06 07 09 21 23 25 26 38 41 42 48 51 55 58 65 66
- 21217. *Hygrotus (Coelambus) marklini* (Gyllenhal,1813)** (Dytiscidae) Synonym(s): marklini Gyllenhal,1813 Range (in code): TR
- 21218. *Hygrotus (Coelambus) pallidulus* (Aubé,1850)** (Dytiscidae) Synonym(s): pallidulus Aubé,1850 Range (in code): TR
- 21219. *Hygrotus (Coelambus) parallellogrammus* (Ahrens,1812)** (Dytiscidae) Synonym(s): parallellogrammus Ahrens,1812 Range (in code): TR
- 21220. *Hygrotus (Coelambus) saginatus* (Schaum,1857)** (Dytiscidae) Synonym(s): saginatus Schaum,1857 Range (in code): TR
- 21221. *Hygrotus (s.str.) inaequalis* (Fabricius,1777)** (Dytiscidae) Synonym(s): inaequalis Fabricius,1777 Range (in code): TR 08 14 25 32 42 45 50
- 21222. *Ilybius chalconatus* (Panzer,1796)** (Dytiscidae) Synonym(s): chalconatus Panzer,1796 Range (in code): TR
- 21223. *Ilybius fuliginosus* (Fabricius,1792)** (Dytiscidae) Synonym(s): fuliginosus Fabricius,1792 Range (in code): TR 01 08 12 25 32 33 36 42 53
- 21224. *Ilybius hulae* Wewalka,1984** (Dytiscidae) Synonym(s): hulae Wewalka,1984 Range (in code): TR IL Pa SY
- 21225. *Ilybius jaechi* (Fery & Nilsson,1993)** (Dytiscidae) Synonym(s): jaechi Fery & Nilsson,1993 Range (in code): TR 09 59

- 21226. Ilybius quadriguttatus (Lacordaire,1835)** (Dytiscidae) **Synonym(s):** obscurus Marsham,1802; quadriguttatus Lacordaire,1835; sexdentatus Schiodte,1841 **Range (in code):** **TR**
- 21227. Ilybius satunini (Zaitzev,1913)** (Dytiscidae) **Synonym(s):** satunini Zaitzev,1913 **Range (in code):** **Cc RU GG TR 08 25 36**
- 21228. Ilybius wewalkai (Fery & Nilsson,1993)** (Dytiscidae) **Synonym(s):** wewalkai Fery & Nilsson,1993 **Range (in code):** **TR**
- 21229. Laccophilus hyalinus (De Geer,1774)** (Dytiscidae) **Synonym(s):** hyalinus De Geer,1774 **Range (in code):** **TR 01 03 07 08 09 14 15 32 35 40 42 45 54 68 79**
- 21230. Laccophilus minutus (Linnaeus,1758)** (Dytiscidae) **Synonym(s):** minutus Linnaeus,1758; cimicoides O.F.Müller,1776; gilvus O.F.Müller,1776; variolosus Herbst,1784; melanophthalmos Geoffroy,1785; gibbus Gmelin,1790; virescens Brahm,1791; obscurus Panzer,1795; striatus Depoli,1930 **Range (in code):** **TR 01 03 06 07 08 09 10 14 15 16 20 29 32 35 38 42 45 53 57 58 61 68**
- 21231. Laccophilus poecilus Klug,1834** (Dytiscidae) **Synonym(s):** poecilus Klug,1834 **Range (in code):** **TR 01 07 09 14 32 35 42 45 50 53**
- 21232. Nebrioporus airumulus (Kolenati,1845)** (Dytiscidae) **Synonym(s):** airumulus Kolenati,1845 **Range (in code):** **TR 08 25 36 65**
- 21233. Nebrioporus suavis (Sharp,1882)** (Dytiscidae) **Synonym(s):** suavis Sharp,1882 **Range (in code):** **TR 01 05 06 07 10 11 16 26 29 34 35 42 52 54 57 61**
- 21234. Nebrioporus turca (Seidlitz,1887)** (Dytiscidae) **Synonym(s):** turca Seidlitz,1887 **Range (in code):** **TR 01 07 08 23 25 32 35 42 61**
- 21235. Oreodytes davisii (Curtis,1831)** (Dytiscidae) **Synonym(s):** davisii Curtis,1831 **Range (in code):** **TR 07 08 25 53**
- 21236. Oreodytes septentrionalis (Gyllenhal,1826)** (Dytiscidae) **Synonym(s):** septentrionalis Gyllenhal,1826 **Range (in code):** **TR 25**
- 21237. Oreodytes septentrionalis (Gyllenhal,1826)** (Dytiscidae) **Synonym(s):** septentrionalis Gyllenhal,1826 **Range (in code):** **TR**
- 21238. Platambus lunulatus (Fischer von Waldheim,1829)** (Dytiscidae) **Synonym(s):** lunulatus Fischer von Waldheim,1829 **Range (in code):** **CZ DK TR 08 16 25 28 29 53 62 65**
- 21239. Platambus maculatus (Linnaeus,1758)** (Dytiscidae) **Synonym(s):** maculatus Linnaeus,1758 **Range (in code):** **TR 01 11 15 36 48**
- 21240. Rantus suturalis (Macleay,1825)** (Dytiscidae) **Synonym(s):** suturalis Macleay,1825 **Range (in code):** **TR 25 42 45 53 61**
- 21241. Scarodytes halensis (Fabricius,1787)** (Dytiscidae) **Synonym(s):** halensis Fabricius,1787 **Range (in code):** **TR 03 06 07 08 16 26 29 32 33 35 38 65 66**
- 21242. Stictotarsus griseostriatus (De Geer,1774)** (Dytiscidae) **Synonym(s):** griseostriatus De Geer,1774 **Range (in code):** **TR 08 25 53 65**
- 21243. Adelocera pygmaea (Baudi,1871)** (Elateridae) **Synonym(s):** pygmaea Baudi,1871; adanensis Jagemann,1944 **Range (in code):** **TR 01 33**
- 21244. Adelocera schuberti Platia & Gudenzi,2002** (Elateridae) **Synonym(s):** schuberti Platia & Gudenzi,2002 **Range (in code):** **TR 07**
- 21245. Adrastus anatolicus Platia & Schimmel,1991** (Elateridae) **Synonym(s):** anatolicus Platia & Schimmel,1991 **Range (in code):** **TR**
- 21246. Adrastus circassicus Reitter,1896** (Elateridae) **Synonym(s):** circassicus Reitter,1896 **Range (in code):** **TR Cc 08 52**
- 21247. Adrastus dolini Welschmied,1978** (Elateridae) **Synonym(s):** dolini Welschmied,1978 **Range (in code):** **TR**
- 21248. Adrastus limbatus (Fabricius,1776)** (Elateridae) **Synonym(s):** limbatus Fabricius,1776 **Range (in code):** **DZ TR RU Sb GR 08 14 53**
- 21249. Adrastus longicornis Gurjeva,1976** (Elateridae) **Synonym(s):** longicornis Gurjeva,1976 **Range (in code):** **TR**
- 21250. Adrastus montanus (Scopoli,1763)** (Elateridae) **Synonym(s):** montanus Scopoli,1763 **Range (in code):** **TR**
- 21251. Adrastus pallens (Fabricius,1792)** (Elateridae) **Synonym(s):** pallens Fabricius,1792 **Range (in code):** **TR**
- 21252. Adrastus protractus Roubal,1924** (Elateridae) **Synonym(s):** protractus Roubal,1924 **Range (in code):** **Cc TR 08 14**
- 21253. Adrastus rachifer (Fourcroy,1785)** (Elateridae) **Synonym(s):** rachifer Fourcroy,1785 **Range (in code):** **GR Cc TR 05 14 35 37 44 55 81**
- 21254. Adrastus samedovi Dolin & Agajev,1974** (Elateridae) **Synonym(s):** samedovi Dolin & Agajev,1974 **Range (in code):** **TR Cc AZ IR 25 36**
- 21255. Aeoloderma crucifer (Rossi,1790)** (Elateridae) **Synonym(s):** crucifer Rossi,1790 **Range (in code):** **DZ GR TR RU 07 15**

- 21256. *Aeoloderma oblitterata* (Candeze,1859)** (Elateridae) Synonym(s): *oblitterata* Candeze,1859 Range (in code): SY TR
- 21257. *Aeoloides figuratus* (Germar,1844)** (Elateridae) Synonym(s): *figuratus* Germar,1844; *turcomanus* Candeze,1889 Range (in code): DZ TR TM SY IR IQ TM TJ 33 56
- 21258. *Aeoloides grisescens* (Germar,1844)** (Elateridae) Synonym(s): *grisescens* Germar,1844; *bicarinatus* Reitter,1891 Range (in code): TR Cc SY IR TM 35
- 21259. *Aeoloides sarmaticus* (Motschoulsky,1860)** (Elateridae) Synonym(s): *sarmaticus* Motschoulsky,1860 Range (in code): TR AM Cc
- 21260. *Aeolosomus rossi* (Germar,1844)** (Elateridae) Synonym(s): *rossi* Germar,1844 Range (in code): TR IR KG 01 06 25 38 42 43 66 70
- 21261. *Agriotes* (s.str.) *acuminatus* (Stephens,1830)** (Elateridae) Synonym(s): *acuminatus* Stephens,1830 Range (in code): TR Cc 14
- 21262. *Agriotes* (s.str.) *adanensis* Pic,1900** (Elateridae) Synonym(s): *adanensis* Pic,1900 Range (in code): TR 01
- 21263. *Agriotes* (s.str.) *adlbaueri* Platia & Schimmel,1992** (Elateridae) Synonym(s): *adlbaueri* Platia & Schimmel,1992 Range (in code): TR 11
- 21264. *Agriotes* (s.str.) *anatolicus* Platia,2003** (Elateridae) Synonym(s): *anatolicus* Platia,2003 Range (in code): TR 33
- 21265. *Agriotes* (s.str.) *aquilus* Platia,2003** (Elateridae) Synonym(s): *aquilus* Platia,2003 Range (in code): TR 07
- 21266. *Agriotes* (s.str.) *audisioi* Platia & Schimmel,1992** (Elateridae) Synonym(s): *audisioi* Platia & Schimmel,1992 Range (in code): TR
- 21267. *Agriotes* (s.str.) *barriesi* Cate & Platia,1997** (Elateridae) Synonym(s): *barriesi* Cate & Platia,1997 Range (in code): TR
- 21268. *Agriotes* (s.str.) *brevis* Candeze,1863** (Elateridae) Synonym(s): *brevis* Candeze,1863 Range (in code): GR Cc TR IR
- 21269. *Agriotes* (s.str.) *cilicensis* Platia & Gundezi,1998** (Elateridae) Synonym(s): *cilicensis* Platia & Gundezi,1998 Range (in code): TR
- 21270. *Agriotes* (s.str.) *colonnellii* Guglielmi & Platia,1985** (Elateridae) Synonym(s): *colonnellii* Guglielmi & Platia,1985 Range (in code): TR 17
- 21271. *Agriotes* (s.str.) *conspicuus* Schwarz,1891** (Elateridae) Synonym(s): *conspicuus* Schwarz,1891 Range (in code): TR
- 21272. *Agriotes* (s.str.) *constrictus* Reitter,1900** (Elateridae) Synonym(s): *constrictus* Reitter,1900 Range (in code): TR
- 21273. *Agriotes* (s.str.) *crassiusculus* Platia & Gudenzi,1998** (Elateridae) Synonym(s): *crassiusculus* Platia & Gudenzi,1998 Range (in code): TR
- 21274. *Agriotes* (s.str.) *cribrithorax* Pic,1910** (Elateridae) Synonym(s): *cribrithorax* Pic,1910 Range (in code): TR 33
- 21275. *Agriotes* (s.str.) *defreinai* Platia & Gudenzi,1998** (Elateridae) Synonym(s): *defreinai* Platia & Gudenzi,1998 Range (in code): TR
- 21276. *Agriotes* (s.str.) *depressus* Schwarz,1891** (Elateridae) Synonym(s): *depressus* Schwarz,1891 Range (in code): TR 25
- 21277. *Agriotes* (s.str.) *dusaneki* Platia & Gudenzi,1998** (Elateridae) Synonym(s): *dusaneki* Platia & Gudenzi,1998 Range (in code): TR 33
- 21278. *Agriotes* (s.str.) *furlani* Platia,2003** (Elateridae) Synonym(s): *furlani* Platia,2003 Range (in code): TR 35
- 21279. *Agriotes* (s.str.) *ganglbaueri* Schwarz,1891** (Elateridae) Synonym(s): *ganglbaueri* Schwarz,1891 Range (in code): TR? LB SY
- 21280. *Agriotes* (s.str.) *goksunensis* Platia,2004** (Elateridae) Synonym(s): *goksunensis* Platia,2004 Range (in code): TR 46
- 21281. *Agriotes* (s.str.) *graecus* Franz,1967** (Elateridae) Synonym(s): *graecus* Franz,1967 Range (in code): GR TR
- 21282. *Agriotes* (s.str.) *granulosus* Platia & Gudenzi,1992** (Elateridae) Synonym(s): *granulosus* Platia & Gudenzi,1992 Range (in code): TR
- 21283. *Agriotes* (s.str.) *gurgistanus* (Faldermann,1835)** (Elateridae) Synonym(s): *gurgistanus* Faldermann,1835 Range (in code): GR TR 08 17 67
- 21284. *Agriotes* (s.str.) *heydeni* Schwarz,1891** (Elateridae) Synonym(s): *heydeni* Schwarz,1891 Range (in code): TR
- 21285. *Agriotes* (s.str.) *informis* Schwarz,1891** (Elateridae) Synonym(s): *informis* Schwarz,1891 Range (in code): TR
- 21286. *Agriotes* (s.str.) *infuscatus* Desbrochers,1870** (Elateridae) Synonym(s): *infuscatus* Desbrochers,1870 Range (in code): TR Cc 11 58



- 21287. Agriotes (s.str.) integricollis Reitter,1911** (Elateridae) Synonym(s): integricollis Reitter,1911 Range (in code): TR
- 21288. Agriotes (s.str.) izmirensis Cate & Platia,1997** (Elateridae) Synonym(s): izmirensis Cate & Platia,1997 Range (in code): TR 35
- 21289. Agriotes (s.str.) karsantianus Pic,1910** (Elateridae) Synonym(s): karsantianus Pic,1910 Range (in code): TR 32
- 21290. Agriotes (s.str.) kraatzi Schwarz,1891** (Elateridae) Synonym(s): kraatzi Schwarz,1891 Range (in code): TR
- 21291. Agriotes (s.str.) lapicida (Falderann,1835)** (Elateridae) Synonym(s): lapicida Falderann,1835 Range (in code): TR Cc AZ AM GG RU IR 44
- 21292. Agriotes (s.str.) leinfesti Platia & Gudenzi,1998** (Elateridae) Synonym(s): leinfesti Platia & Gudenzi,1998 Range (in code): TR
- 21293. Agriotes (s.str.) lineatus (Linnaeus,1767)** (Elateridae) Synonym(s): lineatus Linnaeus,1767 Range (in code): GR TR US NZ 14 16 25 28 32 37 42
- 21294. Agriotes (s.str.) litigiosus (Rossi,1792)** (Elateridae) Synonym(s): litigiosus Rossi,1792 Range (in code): AT BG FR Co IT GR MK SL CH ES TR?
- 21295. Agriotes (s.str.) lizleri Platia,2003** (Elateridae) Synonym(s): lizleri Platia,2003 Range (in code): TR 32
- 21296. Agriotes (s.str.) lundbergi Platia,1989** (Elateridae) Synonym(s): lundbergi Platia,1989 Range (in code): TR 32
- 21297. Agriotes (s.str.) mertliki Platia,2003** (Elateridae) Synonym(s): mertliki Platia,2003 Range (in code): TR 07
- 21298. Agriotes (s.str.) meticulosus Candeze,1863** (Elateridae) Synonym(s): meticulosus Candeze,1863 Range (in code): TR AZ AM GG Cc RU AF IR IQ KG MN PK SA TJ TM UZ SY 25
- 21299. Agriotes (s.str.) modestus Kiesenwetter,1858** (Elateridae) Synonym(s): modestus Kiesenwetter,1858; incognitus Schwarz,1891; ponticus Stepanov,1935 Range (in code): TR?
- 21300. Agriotes (s.str.) nigropubens Reitter,1904** (Elateridae) Synonym(s): nigropubens Reitter,1904 Range (in code): TR
- 21301. Agriotes (s.str.) nigror Platia,2003** (Elateridae) Synonym(s): nigror Platia,2003 Range (in code): TR 01
- 21302. Agriotes (s.str.) nuceus Fairmaire,1866** (Elateridae) Synonym(s): nuceus Fairmaire,1866 Range (in code): TR 07 45
- 21303. Agriotes (s.str.) obscurus (Linnaeus,1758)** (Elateridae) Synonym(s): obscurus Linnaeus,1758 Range (in code): TR
- 21304. Agriotes (s.str.) paludum Kiesenwetter,1859** (Elateridae) Synonym(s): paludum Kiesenwetter,1859 Range (in code): GR AL HU SY TR 01 03 33 41 42
- 21305. Agriotes (s.str.) petterssoni Platia & Gudenzi,2000** (Elateridae) Synonym(s): petterssoni Platia & Gudenzi,2000 Range (in code): TR
- 21306. Agriotes (s.str.) pilosellus (Schönherr,1817)** (Elateridae) Synonym(s): pilosellus Schönherr,1817 Range (in code): GR TR
- 21307. Agriotes (s.str.) propleuralis Platia & Gudenzi,1998** (Elateridae) Synonym(s): propleuralis Platia & Gudenzi,1998 Range (in code): TR
- 21308. Agriotes (s.str.) proximus Schwarz,1891** (Elateridae) Synonym(s): proximus Schwarz,1891; lineatoides Reitter,1911 Range (in code): MA TR 14 16 25 37
- 21309. Agriotes (s.str.) radula Desbrochers,1875** (Elateridae) Synonym(s): radula Desbrochers,1875; brevicollis Schwarz,1891 Range (in code): TR? LB SY IL Pa
- 21310. Agriotes (s.str.) reitteri Schwarz,1891** (Elateridae) Synonym(s): reitteri Schwarz,1891 Range (in code): TR
- 21311. Agriotes (s.str.) riesei Platia,2004** (Elateridae) Synonym(s): riesei Platia,2004 Range (in code): TR
- 21312. Agriotes (s.str.) rufipalpis (Brullé,1832)** (Elateridae) Synonym(s): rufipalpis Brullé,1832; rubiginosus Candeze,1863 Range (in code): MK YU GR TR
- 21313. Agriotes (s.str.) sameki Platia,2003** (Elateridae) Synonym(s): sameki Platia,2003 Range (in code): TR
- 21314. Agriotes (s.str.) schuberti Platia,2004** (Elateridae) Synonym(s): schuberti Platia,2004 Range (in code): TR
- 21315. Agriotes (s.str.) schurmanni Platia & Gudenzi,1998** (Elateridae) Synonym(s): schurmanni Platia & Gudenzi,1998 Range (in code): TR
- 21316. Agriotes (s.str.) sexualis Platia,2004** (Elateridae) Synonym(s): sexualis Platia,2004 Range (in code): TR
- 21317. Agriotes (s.str.) solai Platia,2004** (Elateridae) Synonym(s): solai Platia,2004 Range (in code): TR

- 21318. Agriotes (s.str.) sputator (Linnaeus,1758)** (Elateridae) Synonym(s): sputator Linnaeus,1758 Range (in code): GR TR DZ MN US 04 13 14 16 18 32 33 37 42 58 60 69 75
- 21319. Agriotes (s.str.) starcki Schwarz,1891** (Elateridae) Synonym(s): starcki Schwarz,1891 Range (in code): TR
- 21320. Agriotes (s.str.) strigosus Kiesenwetter,1859** (Elateridae) Synonym(s): strigosus Kiesenwetter,1859 Range (in code): TR
- 21321. Agriotes (s.str.) subsulcatus Pic,1913** (Elateridae) Synonym(s): subsulcatus Pic,1913 Range (in code): TR
- 21322. Agriotes (s.str.) sylviae Cate & Platia,1997** (Elateridae) Synonym(s): sylviae Cate & Platia,1997 Range (in code): TR
- 21323. Agriotes (s.str.) tauricus Heyden,1882** (Elateridae) Synonym(s): tauricus Heyden,1882 Range (in code): TR Cc UA Cm 14
- 21324. Agriotes (s.str.) tristiculus Reitter,1906** (Elateridae) Synonym(s): tristiculus Reitter,1906 Range (in code): TR 7 09 15 32 33 41 42
- 21325. Agriotes (s.str.) turcicus Candeze,1863** (Elateridae) Synonym(s): turcicus Candeze,1863 Range (in code): TR 32
- 21326. Agriotes (s.str.) ustulatus (Schaller,1783)** (Elateridae) Synonym(s): ustulatus Schaller,1783 Range (in code): SK GR TR DZ Cc BR 14 25
- 21327. Agriotes (s.str.) wernerii Platia,2003** (Elateridae) Synonym(s): wernerii Platia,2003 Range (in code): TR 33
- 21328. Agriotes (s.str.) witzgalli Platia & Schimmel,1993** (Elateridae) Synonym(s): witzgalli Platia & Schimmel,1993 Range (in code): TR
- 21329. Agrypnus crenicollis (Ménétriés,1832)** (Elateridae) Synonym(s): crenicollis Ménétriés,1832 Range (in code): TR IT
- 21330. Agrypnus murinus (Linnaeus,1758)** (Elateridae) Synonym(s): murinus Linnaeus,1758 Range (in code): TR RU Sb Cc 14
- 21331. Agrypnus sarikamisensis Platia, Yıldırım & Kesdek,2007** (Elateridae) Synonym(s): sarikamisensis Platia, Yıldırım & Kesdek,2007 Range (in code): TR 36
- 21332. Ampedus adlbaueri Schimmel,1990** (Elateridae) Synonym(s): adlbaueri Schimmel,1990 Range (in code): TR
- 21333. Ampedus aethiops (Lacordaire,1835)** (Elateridae) Synonym(s): aethiops Lacordaire,1835 Range (in code): TR
- 21334. Ampedus agajewi Dolin,1970** (Elateridae) Synonym(s): agajewi Dolin,1970 Range (in code): TR
- 21335. Ampedus agilis Platia,2001** (Elateridae) Synonym(s): agilis Platia,2001 Range (in code): TR
- 21336. Ampedus anatolicus Platia & Gudenzi,2002** (Elateridae) Synonym(s): anatolicus Platia & Gudenzi,2002 Range (in code): TR
- 21337. Ampedus balteatus (Linnaeus,1758)** (Elateridae) Synonym(s): balteatus Linnaeus,1758 Range (in code): TR Cc RU Sb 14 37
- 21338. Ampedus canaliculatus (Reitter,1918)** (Elateridae) Synonym(s): canaliculatus Reitter,1918 Range (in code): TR
- 21339. Ampedus cinnabarinus (Eschscholtz,1829)** (Elateridae) Synonym(s): cinnabarinus Eschscholtz,1829; atropilosus Reitter,1918 Range (in code): TR GR Cc RU Sb DZ
- 21340. Ampedus circassicus (Reitter,1887)** (Elateridae) Synonym(s): circassicus Reitter,1887 Range (in code): TR
- 21341. Ampedus decumanus Gurjewa,1977** (Elateridae) Synonym(s): decumanus Gurjewa,1977 Range (in code): TR
- 21342. Ampedus demaisonii (Buysson,1898)** (Elateridae) Synonym(s): demaisonii Buysson,1898 Range (in code): TR 05 55
- 21343. Ampedus elegantulus (Schönherr,1817)** (Elateridae) Synonym(s): elegantulus Schönherr,1817 Range (in code): TR
- 21344. Ampedus elongatulus (Fabricius,1787)** (Elateridae) Synonym(s): elongatulus Fabricius,1787; glycereus Herbst,1784; bodemeyeri Winkler,1924 Range (in code): TR
- 21345. Ampedus erythrogonus (P.W.Müller,1821)** (Elateridae) Synonym(s): erythrogonus P.W.Müller,1821 Range (in code): TR
- 21346. Ampedus ganglbaueri (Reitter,1889)** (Elateridae) Synonym(s): ganglbaueri Reitter,1889 Range (in code): TR
- 21347. Ampedus hirticollis (Semenov,1891)** (Elateridae) Synonym(s): hirticollis Semenov,1891 Range (in code): TR
- 21348. Ampedus lubricus (Buysson,1891)** (Elateridae) Synonym(s): lubricus Buysson,1891 Range (in code): TR
- 21349. Ampedus nigerrimus (Lacordaire,1835)** (Elateridae) Synonym(s): nigerrimus Lacordaire,1835 Range (in code): TR GR Cc

- 21350. *Ampedus nigrinus* (Herbst,1784)** (Elateridae) Synonym(s): nigrinus Herbst,1784 [Range \(in code\): TR](#)
- 21351. *Ampedus nigroflavus* (Goeze,1777)** (Elateridae) Synonym(s): nigroflavus Goeze,1777 [Range \(in code\): TR](#)
- 21352. *Ampedus ocellatus* (Buysson,1891)** (Elateridae) Synonym(s): ocellatus Buysson,1891; fragarinus Wurst,1995 [Range \(in code\): TR](#)
- 21353. *Ampedus ochropterus* Germar,1844** (Elateridae) Synonym(s): ochropterus Germar,1844 [Range \(in code\): TR](#)
- 21354. *Ampedus platiai* Schimmel,1990** (Elateridae) Synonym(s): platiai Schimmel,1990 [Range \(in code\): TR](#)
- 21355. *Ampedus pomonae* (Stephens,1830)** (Elateridae) Synonym(s): pomonae Stephens,1830 [Range \(in code\): TR](#)
- 21356. *Ampedus pomorum* (Herbst,1784)** (Elateridae) Synonym(s): pomorum Herbst,1784; robustus Bouwer,1980 [Range \(in code\): DE TR 52](#)
- 21357. *Ampedus praeustus* (Fabricius,1792)** (Elateridae) Synonym(s): praeustus Fabricius,1792 [Range \(in code\): TR](#)
- 21358. *Ampedus pulcher* (Baudi,1871)** (Elateridae) Synonym(s): pulcher Baudi,1871 [Range \(in code\): TR](#)
- 21359. *Ampedus punctatus* Schwarz,1893** (Elateridae) Synonym(s): punctatus Schwarz,1893 [Range \(in code\): TR](#)
- 21360. *Ampedus resslı* Platia & Gudenzi,1999** (Elateridae) Synonym(s): resslı Platia & Gudenzi,1999 [Range \(in code\): TR](#)
- 21361. *Ampedus rufipennis* (Stephens,1830)** (Elateridae) Synonym(s): rufipennis Stephens,1830 [Range \(in code\): TR](#)
- 21362. *Ampedus samedovi* Dolin & Ajajew,1983** (Elateridae) Synonym(s): samedovi Dolin & Ajajew,1983 [Range \(in code\): TR](#)
- 21363. *Ampedus sanguineus* (Linnaeus,1758)** (Elateridae) Synonym(s): sanguineus Linnaeus,1758 [Range \(in code\): DZ GR TR RU Sb](#)
- 21364. *Ampedus sanguinolentus* (Schränk,1776)** (Elateridae) Synonym(s): sanguinolentus Schränk,1776 [Range \(in code\): TR](#)
- 21365. *Ampedus schoettlei* Zeising & Brunne,2003** (Elateridae) Synonym(s): schoettlei Zeising & Brunne,2003 [Range \(in code\): TR](#)
- 21366. *Ampedus sinuatus* Germar,1844** (Elateridae) Synonym(s): sinuatus Germar,1844 [Range \(in code\): GR Cc TR](#)
- 21367. *Ampedus turcicus* Platia & Kabalak, Sert,2007** (Elateridae) Synonym(s): turcicus Platia & Kabalak, Sert,2007 [Range \(in code\): TR](#)
- 21368. *Ampedus wachtangi* Dolin,1970** (Elateridae) Synonym(s): wachtangi Dolin,1970 [Range \(in code\): TR](#)
- 21369. *Anostirus alexandri* Wurst,1995** (Elateridae) Synonym(s): alexandri Wurst,1995 [Range \(in code\): TR](#)
- 21370. *Anostirus ataturki* Platia & Gudenzi,2000** (Elateridae) Synonym(s): ataturki Platia & Gudenzi,2000 [Range \(in code\): TR](#)
- 21371. *Anostirus eschscholtzi* (Faldermann,1835)** (Elateridae) Synonym(s): eschscholtzi Faldermann,1835 [Range \(in code\): TR](#)
- 21372. *Anostirus gracilicollis* (Stierlin,1896)** (Elateridae) Synonym(s): gracilicollis Stierlin,1896 [Range \(in code\): TR](#)
- 21373. *Anostirus holtzi* (Schwarz,1902)** (Elateridae) Synonym(s): holtzi Schwarz,1902 [Range \(in code\): TR](#)
- 21374. *Anostirus incostatus* (Pic,1905)** (Elateridae) Synonym(s): incostatus Pic,1905 [Range \(in code\): TR](#)
- 21375. *Anostirus lederi* (Heyden,1878)** (Elateridae) Synonym(s): lederi Heyden,1878 [Range \(in code\): TR](#)
- 21376. *Anostirus nubilosus* Wurst & Schimmel,1995** (Elateridae) Synonym(s): nubilosus Wurst & Schimmel,1995 [Range \(in code\): TR](#)
- 21377. *Anostirus purpureus* (Poda,1761)** (Elateridae) Synonym(s): purpureus Poda,1761 [Range \(in code\): TR](#)
- 21378. *Anostirus saltinii* Cate, Platia & Schimmel,2002** (Elateridae) Synonym(s): saltinii Cate, Platia & Schimmel,2002 [Range \(in code\): TR](#)
- 21379. *Anostirus trivialis* Gurjeva,1988** (Elateridae) Synonym(s): trivialis Gurjeva,1988 [Range \(in code\): TR](#)
- 21380. *Anostirus turcicus* Platia & Mertlik,1996** (Elateridae) Synonym(s): turcicus Platia & Mertlik,1996 [Range \(in code\): TR](#)



- 21381. *Aplotarsus angustulus* (Kiesenwetter,1858)** (Elateridae) **Synonym(s):** angustulus Kiesenwetter,1858 **Range (in code):** [TR Cc AZ AT BE BG CZ FR GB DE PL RO SK RU UA CH 36](#)
- 21382. *Athous (Euplathous) proximus* (Hampe,1864)** (Elateridae) **Synonym(s):** proximus Hampe,1864 **Range (in code):** [BG GR RO TR?](#)
- 21383. *Athous (Haplathous) carpathicus* Reitter,1889** (Elateridae) **Synonym(s):** carpathicus Reitter,1889 **Range (in code):** [RO TR?](#)
- 21384. *Athous (Haplathous) marginicollis* Reitter,1890** (Elateridae) **Synonym(s):** marginicollis Reitter,1890 **Range (in code):** [GR TR Cc 14 37 57](#)
- 21385. *Athous (Haplathous) subfuscus* (O.F.Müller,1764)** (Elateridae) **Synonym(s):** subfuscus O.F.Müller,1764 **Range (in code):** [TR](#)
- 21386. *Athous (Haplathous) turcicus* Reitter,1905** (Elateridae) **Synonym(s):** turcicus Reitter,1905 **Range (in code):** [BG TR 34](#)
- 21387. *Athous (Orthathous) acutangulus* Fairmaire,1866** (Elateridae) **Synonym(s):** acutangulus Fairmaire,1866; thessalonicus Reiche,1869 **Range (in code):** [GR TR MK](#)
- 21388. *Athous (Orthathous) anatolicus* Platia,1989** (Elateridae) **Synonym(s):** anatolicus Platia,1989 **Range (in code):** [TR](#)
- 21389. *Athous (Orthathous) apfelbecki* Reitter,1905** (Elateridae) **Synonym(s):** apfelbecki Reitter,1905 **Range (in code):** [TR](#)
- 21390. *Athous (Orthathous) artvinensis* Platia, Yıldırım & Kesdek,2007** (Elateridae) **Synonym(s):** artvinensis Platia, Yıldırım & Kesdek,2007 **Range (in code):** [TR 08](#)
- 21391. *Athous (Orthathous) audisioi* Guglielmi & Platia,1985** (Elateridae) **Synonym(s):** audisioi Guglielmi & Platia,1985 **Range (in code):** [TR 57](#)
- 21392. *Athous (Orthathous) barriesi* Platia & Gudenzi,1996** (Elateridae) **Synonym(s):** barriesi Platia & Gudenzi,1996 **Range (in code):** [BG TR](#)
- 21393. *Athous (Orthathous) benedikti* Platia,2003** (Elateridae) **Synonym(s):** benedikti Platia,2003 **Range (in code):** [TR 28](#)
- 21394. *Athous (Orthathous) cavazzutii* Platia,2003** (Elateridae) **Synonym(s):** cavazzutii Platia,2003 **Range (in code):** [TR](#)
- 21395. *Athous (Orthathous) daccordii* Guglielmi & Platia,1985** (Elateridae) **Synonym(s):** daccordii Guglielmi & Platia,1985 **Range (in code):** [TR 61](#)
- 21396. *Athous (Orthathous) dasycerus* Buysson,1890** (Elateridae) **Synonym(s):** dasycerus Buysson,1890 **Range (in code):** [BG TR 08 28 76](#)
- 21397. *Athous (Orthathous) demirsoyi* Platia, Kabalak & Sert,2007** (Elateridae) **Synonym(s):** demirsoyi Platia, Kabalak & Sert,2007 **Range (in code):** [TR](#)
- 21398. *Athous (Orthathous) dusaneki* Platia,2003** (Elateridae) **Synonym(s):** dusaneki Platia,2003 **Range (in code):** [TR 55](#)
- 21399. *Athous (Orthathous) edirnensis* Platia & Gudenzi,2000** (Elateridae) **Synonym(s):** edirnensis Platia & Gudenzi,2000 **Range (in code):** [TR 22](#)
- 21400. *Athous (Orthathous) epirus* Stierlin,1875** (Elateridae) **Synonym(s):** epirus Stierlin,1875 **Range (in code):** [AL GR TR](#)
- 21401. *Athous (Orthathous) fragariae* Platia & Kovanci,2005** (Elateridae) **Synonym(s):** fragariae Platia & Kovanci,2005 **Range (in code):** [TR 43](#)
- 21402. *Athous (Orthathous) freudei* Platia,1989** (Elateridae) **Synonym(s):** freudei Platia,1989 **Range (in code):** [TR](#)
- 21403. *Athous (Orthathous) frontalis* Platia & Schimmel,1991** (Elateridae) **Synonym(s):** frontalis Platia & Schimmel,1991 **Range (in code):** [TR](#)
- 21404. *Athous (Orthathous) gianassoi* Platia & Gudenzi,1996** (Elateridae) **Synonym(s):** gianassoi Platia & Gudenzi,1996 **Range (in code):** [TR](#)
- 21405. *Athous (Orthathous) graecus* Platia,1989** (Elateridae) **Synonym(s):** graecus Platia,1989 **Range (in code):** [GR TR](#)
- 21406. *Athous (Orthathous) gudenzi* Guglielmi & Platia,1985** (Elateridae) **Synonym(s):** gudenzi Guglielmi & Platia,1985 **Range (in code):** [TR 35](#)
- 21407. *Athous (Orthathous) hajeki* Platia & Gudenzi,2005** (Elateridae) **Synonym(s):** hajeki Platia & Gudenzi,2005 **Range (in code):** [TR](#)
- 21408. *Athous (Orthathous) hetzeli* Platia,2004** (Elateridae) **Synonym(s):** hetzeli Platia,2004 **Range (in code):** [TR](#)
- 21409. *Athous (Orthathous) kovancii* Platia,2003** (Elateridae) **Synonym(s):** kovancii Platia,2003 **Range (in code):** [TR 16](#)
- 21410. *Athous (Orthathous) lassallei* Platia & Gudenzi,1996** (Elateridae) **Synonym(s):** lassallei Platia & Gudenzi,1996 **Range (in code):** [TR](#)
- 21411. *Athous (Orthathous) malmusii* Platia & Gudenzi,2000** (Elateridae) **Synonym(s):** malmusii Platia & Gudenzi,2000 **Range (in code):** [TR](#)

- 21412. Athous (Orthathous) margheritae** Guglielmi & Platia,1985 (Elateridae) Synonym(s): margheritae Guglielmi & Platia,1985 Range (in code): [TR 37 57](#)
- 21413. Athous (Orthathous) mertliki** Platia & Gudenzi,2002 (Elateridae) Synonym(s): mertliki Platia & Gudenzi,2002 Range (in code): [TR 67](#)
- 21414. Athous (Orthathous) paflagonensis** Platia & Gudenzi,1998 (Elateridae) Synonym(s): paflagonensis Platia & Gudenzi,1998 Range (in code): [TR](#)
- 21415. Athous (Orthathous) ponticus** Platia & Gudenzi,2007 (Elateridae) Synonym(s): ponticus Platia & Gudenzi,2007 Range (in code): [TR](#)
- 21416. Athous (Orthathous) propinquus** Buysson,1889 (Elateridae) Synonym(s): propinquus Buysson,1889 Range (in code): [TR BG](#)
- 21417. Athous (Orthathous) ruffoi** Guglielmi & Platia,1985 (Elateridae) Synonym(s): ruffoi Guglielmi & Platia,1985 Range (in code): [TR 61](#)
- 21418. Athous (Orthathous) sabatinellii** Guglielmi & Platia,1985 (Elateridae) Synonym(s): sabatinellii Guglielmi & Platia,1985 Range (in code): [TR 14](#)
- 21419. Athous (Orthathous) sameki** Platia,2003 (Elateridae) Synonym(s): sameki Platia,2003 Range (in code): [TR 37](#)
- 21420. Athous (Orthathous) senaci** Buysson,1889 (Elateridae) Synonym(s): senaci Buysson,1889; ottomanus Reitter,1905 Range (in code): [TR](#)
- 21421. Athous (Orthathous) snizeki** Platia,2004 (Elateridae) Synonym(s): snizeki Platia,2004 Range (in code): [TR](#)
- 21422. Athous (Orthathous) svihlai** Platia & Gudenzi,1998 (Elateridae) Synonym(s): svihlai Platia & Gudenzi,1998 Range (in code): [TR 67](#)
- 21423. Athous (Orthathous) tekkirazicus** Platia,2003 (Elateridae) Synonym(s): tekkirazicus Platia,2003 Range (in code): [TR 52](#)
- 21424. Athous (Orthathous) tribertii** Guglielmi & Platia,1985 (Elateridae) Synonym(s): tribertii Guglielmi & Platia,1985 Range (in code): [TR 14](#)
- 21425. Athous (Orthathous) warchalowskii** Platia & Tarnawski,1998 (Elateridae) Synonym(s): warchalowskii Platia & Tarnawski,1998 Range (in code): [TR 54](#)
- 21426. Athous (Orthathous) wewalkai** Platia,1989 (Elateridae) Synonym(s): wewalkai Platia,1989 Range (in code): [TR](#)
- 21427. Athous (Orthathous) zanettii** Guglielmi & Platia,1985 (Elateridae) Synonym(s): zanettii Guglielmi & Platia,1985 Range (in code): [TR 37](#)
- 21428. Athous (Orthathous) zbuzeki** Platia & Gudenzi,2007 (Elateridae) Synonym(s): zbuzeki Platia & Gudenzi,2007 Range (in code): [TR 37](#)
- 21429. Athous (s.str.) haemorrhoidalis** (Fabricius,1801) (Elateridae) Synonym(s): haemorrhoidalis Fabricius,1801 Range (in code): [TR](#)
- 21430. Athous (s.str.) nadoraz** Mertlik & Dusanek,2006 (Elateridae) Synonym(s): nadoraz Mertlik & Dusanek,2006 Range (in code): [TR 52](#)
- 21431. Athous (s.str.) vittatus** (Fabricius,1792) (Elateridae) Synonym(s): vittatus Gmelin,1790; vittatus Fabricius,1792 Range (in code): [GR TR Cc 37 52 60 61](#)
- 21432. Betarmon bisbimaculatus** (Fabricius,1803) (Elateridae) Synonym(s): bisbimaculatus Fabricius,1803 Range (in code): [GR TR](#)
- 21433. Brachygonus frater** Wurst,1995 (Elateridae) Synonym(s): frater Wurst,1995 Range (in code): [TR](#)
- 21434. Brachygonus graciosus** Platia & Schimmel,1991 (Elateridae) Synonym(s): graciosus Platia & Schimmel,1991 Range (in code): [TR](#)
- 21435. Brachygonus hadullanus** Wurst,1995 (Elateridae) Synonym(s): hadullanus Wurst,1995 Range (in code): [TR](#)
- 21436. Brachygonus megerlei** (Lacordaire,1835) (Elateridae) Synonym(s): megerlei Lacordaire,1835 Range (in code): [TR](#)
- 21437. Brachygonus ruficepsoides** Platia & Gudenzi,2002 (Elateridae) Synonym(s): ruficepsoides Platia & Gudenzi,2002 Range (in code): [TR](#)
- 21438. Calais parreysi** (Steven,1830) (Elateridae) Synonym(s): parreysi Steven,1830 Range (in code): [GR TR IR RU 07 10 33](#)
- 21439. Cardiophorus (s.str.) acuminatus** Platia & Gundezi,2002 (Elateridae) Synonym(s): acuminatus Platia & Gundezi,2002 Range (in code): [TR](#)
- 21440. Cardiophorus (s.str.) aemulus** Platia & Gundezi,2002 (Elateridae) Synonym(s): aemulus Platia & Gundezi,2002 Range (in code): [TR 01](#)
- 21441. Cardiophorus (s.str.) agilis** Platia & Gundezi,2002 (Elateridae) Synonym(s): agilis Platia & Gundezi,2002 Range (in code): [TR 35](#)
- 21442. Cardiophorus (s.str.) akbesianus** (Pic,1899) (Elateridae) Synonym(s): akbesianus Pic,1899 Range (in code): [TR 31](#)
- 21443. Cardiophorus (s.str.) alepensis** Pic,1914 (Elateridae) Synonym(s): alepensis Pic,1914 Range (in code): [SY Hal TR?](#)

- 21444. Cardiophorus (s.str.) alienus (Szombathy,1910)** (Elateridae) Synonym(s): alienus Szombathy,1910 Range (in code): ID Ja IQ Cc AZ Nv
- 21445. Cardiophorus (s.str.) analis Schwarz,1892** (Elateridae) Synonym(s): analis Schwarz,1892 Range (in code): TR 33
- 21446. Cardiophorus (s.str.) anticus Erichson,1840** (Elateridae) Synonym(s): anticus Erichson,1840 Range (in code): FR TR 33
- 21447. Cardiophorus (s.str.) apterus Platia & Gundezi,2002** (Elateridae) Synonym(s): apterus Platia & Gundezi,2002 Range (in code): TR 07
- 21448. Cardiophorus (s.str.) araxicola Jablokoff & Khnzorian,1970** (Elateridae) Synonym(s): araxicola Jablokoff & Khnzorian,1970 Range (in code): TR Cc 04
- 21449. Cardiophorus (s.str.) arcanus Dolin & Mardzhanian,1985** (Elateridae) Synonym(s): arcanus Dolin & Mardzhanian,1985 Range (in code): Cc AM
- 21450. Cardiophorus (s.str.) bellus Platia & Gundezi,2000** (Elateridae) Synonym(s): bellus Platia & Gundezi,2000 Range (in code): TR 47
- 21451. Cardiophorus (s.str.) carnosus Platia & Gundezi,2002** (Elateridae) Synonym(s): carnosus Platia & Gundezi,2002 Range (in code): TR IR Fa
- 21452. Cardiophorus (s.str.) cyanipennis Mulsant & Wachanru,1852** (Elateridae) Synonym(s): cyanipennis Mulsant & Wachanru,1852 Range (in code): TR 01 31 35
- 21453. Cardiophorus (s.str.) discicollis (Herbst,1806)** (Elateridae) Synonym(s): discicollis Herbst,1806 Range (in code): GR Cc TR SK MN RU Sb
- 21454. Cardiophorus (s.str.) dolini Mardjanian,1985** (Elateridae) Synonym(s): dolini Mardjanian,1985 Range (in code): TR GR MK UA Cm
- 21455. Cardiophorus (s.str.) ebeninus (Germar,1824)** (Elateridae) Synonym(s): ebeninus Germar,1824 Range (in code): TR Cc TM
- 21456. Cardiophorus (s.str.) eliasi Pic,1904** (Elateridae) Synonym(s): eliasi Pic,1904 Range (in code): SY TR
- 21457. Cardiophorus (s.str.) fossulatus Platia & Gundenzi,2002** (Elateridae) Synonym(s): fossulatus Platia & Gundenzi,2002 Range (in code): TR
- 21458. Cardiophorus (s.str.) frequens Platia & Gundenzi,2002** (Elateridae) Synonym(s): frequens Platia & Gundenzi,2002 Range (in code): TR 11
- 21459. Cardiophorus (s.str.) gramineus (Scopoli,1763)** (Elateridae) Synonym(s): gramineus Scopoli,1763 Range (in code): TR
- 21460. Cardiophorus (s.str.) hayekae Platia & Gundenzi,2002** (Elateridae) Synonym(s): hayekae Platia & Gundenzi,2002 Range (in code): TR 48
- 21461. Cardiophorus (s.str.) hinkei Frivaldsky,1837** (Elateridae) Synonym(s): hinkei Frivaldsky,1837 Range (in code): TR GR BG Cc AM
- 21462. Cardiophorus (s.str.) imitator Platia & Gundenzi,2002** (Elateridae) Synonym(s): imitator Platia & Gundenzi,2002 Range (in code): TR 45
- 21463. Cardiophorus (s.str.) impressiventris Schwarz,1900** (Elateridae) Synonym(s): impressiventris Schwarz,1900; boyadjani Pic,1908 Range (in code): TR 33 48
- 21464. Cardiophorus (s.str.) insignis Descrochers,1875** (Elateridae) Synonym(s): insignis Descrochers,1875 Range (in code): IL Pa SY TR 01
- 21465. Cardiophorus (s.str.) kindermanni Candeze,1860** (Elateridae) Synonym(s): kindermanni Candeze,1860 Range (in code): TR 33
- 21466. Cardiophorus (s.str.) kinzelbachi Chassain,1979** (Elateridae) Synonym(s): kinzelbachi Chassain,1979 Range (in code): SY TR
- 21467. Cardiophorus (s.str.) laevis Platia & Gundenzi,2002** (Elateridae) Synonym(s): laevis Platia & Gundenzi,2002 Range (in code): TR 02
- 21468. Cardiophorus (s.str.) lundbergi Platia & Gundenzi,2000** (Elateridae) Synonym(s): lundbergi Platia & Gundenzi,2000 Range (in code): TR 07
- 21469. Cardiophorus (s.str.) maculicollis Reiche & Saulcy,1856** (Elateridae) Synonym(s): maculicollis Reiche & Saulcy,1856 Range (in code): TR 31
- 21470. Cardiophorus (s.str.) megathorax (Faldermann,1835)** (Elateridae) Synonym(s): megathorax Faldermann,1835; antennalis Descrochers,1875 Range (in code): TR GR IL Pa AM Cc 11 19
- 21471. Cardiophorus (s.str.) mertliki (Platia & Gundezi,1999)** (Elateridae) Synonym(s): mertliki Platia & Gundezi,1999 Range (in code): TR
- 21472. Cardiophorus (s.str.) miniaticollis Candeze,1860** (Elateridae) Synonym(s): miniaticollis Candeze,1860 Range (in code): TR GR SY LB IR
- 21473. Cardiophorus (s.str.) neuberti Platia & Gundenzi,2002** (Elateridae) Synonym(s): neuberti Platia & Gundenzi,2002 Range (in code): TR 07
- 21474. Cardiophorus (s.str.) nigerrimus Erichson,1840** (Elateridae) Synonym(s): nigerrimus Erichson,1840 Range (in code): CZ TR Cc RU Sb



- 21475. Cardiophorus (s.str.) nigratissimus Buysson,1891** (Elateridae) Synonym(s): nigratissimus Buysson,1891 Range (in code): SY TR Cc AM TM 01 05 06 07 09 19 26 33 45 69
- 21476. Cardiophorus (s.str.) nijazi (Dolin & Agajev,1983)** (Elateridae) Synonym(s): nijazi Dolin & Agajev,1983 Range (in code): Cc AZ
- 21477. Cardiophorus (s.str.) nubilosus (Schwarz,1895)** (Elateridae) Synonym(s): nubilosus Schwarz,1895 Range (in code): Cc
- 21478. Cardiophorus (s.str.) ordubadensis (Agaev,1985)** (Elateridae) Synonym(s): ordubadensis Agaev,1985 Range (in code): Cc AZ Nv Ord
- 21479. Cardiophorus (s.str.) ovipennis (Desbrochers,1875)** (Elateridae) Synonym(s): ovipennis Desbrochers,1875 Range (in code): CY
- 21480. Cardiophorus (s.str.) parvulus Platia & Gudenzi,2000** (Elateridae) Synonym(s): parvulus Platia & Gudenzi,2000 Range (in code): TR GR Rd
- 21481. Cardiophorus (s.str.) pavesii Platia & Gudenzi,2000** (Elateridae) Synonym(s): pavesii Platia & Gudenzi,2000 Range (in code): TR 51
- 21482. Cardiophorus (s.str.) picinus Platia & Gudenzi,2002** (Elateridae) Synonym(s): picinus Platia & Gudenzi,2002 Range (in code): TR 33
- 21483. Cardiophorus (s.str.) picticollis (Kraatz,1882)** (Elateridae) Synonym(s): picticollis Kraatz,1882 Range (in code): TR TJ UZ
- 21484. Cardiophorus (s.str.) plurimus Platia & Gudenzi,2002** (Elateridae) Synonym(s): plurimus Platia & Gudenzi,2002 Range (in code): TR 47
- 21485. Cardiophorus (s.str.) procerus Platia & Gudenzi,2002** (Elateridae) Synonym(s): procerus Platia & Gudenzi,2002 Range (in code): TR 63
- 21486. Cardiophorus (s.str.) proprius Platia & Gudenzi,2002** (Elateridae) Synonym(s): proprius Platia & Gudenzi,2002 Range (in code): TR
- 21487. Cardiophorus (s.str.) pseudogramineus (Mardjanian,1977)** (Elateridae) Synonym(s): pseudogramineus Mardjanian,1977 Range (in code): AM Cc
- 21488. Cardiophorus (s.str.) quadrinaevus (Reitter,1891)** (Elateridae) Synonym(s): quadrinaevus Reitter,1891 Range (in code): Cc AZ Nv Ord
- 21489. Cardiophorus (s.str.) reitteri (Schwarz,1891)** (Elateridae) Synonym(s): reitteri Schwarz,1891 Range (in code): SY
- 21490. Cardiophorus (s.str.) resslı Platia & Gudenzi,2002** (Elateridae) Synonym(s): resslı Platia & Gudenzi,2002 Range (in code): TR
- 21491. Cardiophorus (s.str.) rotundicollis Frivaldsky,1845** (Elateridae) Synonym(s): rotundicollis Frivaldsky,1845; turgescens Buysson,1891 Range (in code): TR SY Cr GR
- 21492. Cardiophorus (s.str.) ruficollis (Linnaeus,1758)** (Elateridae) Synonym(s): ruficollis Linnaeus,1758 Range (in code): CZ TR?
- 21493. Cardiophorus (s.str.) ruficurris (Linnaeus,1758)** (Elateridae) Synonym(s): ruficurris Linnaeus,1758; tibialis Erichson,1840 Range (in code): IT GR TR Cc AM
- 21494. Cardiophorus (s.str.) sacratus Erichson,1840** (Elateridae) Synonym(s): sacratus Erichson,1840; tokatensis Pic,1913 Range (in code): SY CY TR Cc AZ AM IQ IR 01 09 50 60
- 21495. Cardiophorus (s.str.) samai Platia & Gudenzi,2000** (Elateridae) Synonym(s): samai Platia & Gudenzi,2000 Range (in code): TR 33
- 21496. Cardiophorus (s.str.) schuberti Platia & Gudenzi,2002** (Elateridae) Synonym(s): schuberti Platia & Gudenzi,2002 Range (in code): TR
- 21497. Cardiophorus (s.str.) schurmanni Platia & Gudenzi,2002** (Elateridae) Synonym(s): schurmanni Platia & Gudenzi,2002 Range (in code): TR
- 21498. Cardiophorus (s.str.) somcheticus Schwarz,1896** (Elateridae) Synonym(s): somcheticus Schwarz,1896 Range (in code): Cc TR
- 21499. Cardiophorus (s.str.) strussineri Buysson,1913** (Elateridae) Synonym(s): strussineri Buysson,1913 Range (in code): TR GR Rd MK Cc AZ Bak
- 21500. Cardiophorus (s.str.) syriacoides (Platia & Cate,2001)** (Elateridae) Synonym(s): syriacoides Platia & Cate,2001 Range (in code): IR Cc AZ AM GG TM Kp TJ
- 21501. Cardiophorus (s.str.) syriacus (Linnaeus,1758)** (Elateridae) Synonym(s): syriacus Linnaeus,1758 Range (in code): TR Cc SY IR 33
- 21502. Cardiophorus (s.str.) tenellus Reiche,1856** (Elateridae) Synonym(s): tenellus Reiche,1856 Range (in code): EG IL Pa LB SY TR CY GR Rd
- 21503. Cardiophorus (s.str.) turgidus Erichson,1840** (Elateridae) Synonym(s): turgidus Erichson,1840 Range (in code): TR IQ SY
- 21504. Cardiophorus (s.str.) uncinatus Platia & Gudenzi,2002** (Elateridae) Synonym(s): uncinatus Platia & Gudenzi,2002 Range (in code): TR
- 21505. Cardiophorus (s.str.) varius Cate, Platia & Schimmel,2002** (Elateridae) Synonym(s): varius Cate, Platia & Schimmel,2002 Range (in code): TR AF IR

- 21506. Cardiophorus (s.str.) vestigialis Erichson,1840** (Elateridae) Synonym(s): vestigialis Erichson,1840; atramentarius Erichson,1840; erichsoni Buysson,1901; maritimus Dolin,1971; nijazi Dolin & Agajew,1983 Range (in code): GR TR 06 33 36
- 21507. Cardiophorus (s.str.) winkleri Platia & Gudenzi,2002** (Elateridae) Synonym(s): winkleri Platia & Gudenzi,2002 Range (in code): TR
- 21508. Cardiophorus (s.str.) witzgalli Platia & Gudenzi,2002** (Elateridae) Synonym(s): witzgalli Platia & Gudenzi,2002 Range (in code): TR
- 21509. Cardiophorus (s.str.) zeisingi Platia,2004** (Elateridae) Synonym(s): zeisingi Platia,2004 Range (in code): TR
- 21510. Cidnopus crassipes (Schwarz,1900)** (Elateridae) Synonym(s): crassipes Schwarz,1900 Range (in code): TR 10
- 21511. Cidnopus pilosus (Leske,1785)** (Elateridae) Synonym(s): pilosus Leske,1785 Range (in code): GR TR Cc 14
- 21512. Cidnopus schurmanni Platia & Gudenzi,1998** (Elateridae) Synonym(s): schurmanni Platia & Gudenzi,1998 Range (in code): TR GR
- 21513. Cidnopus turcicus Platia,2004** (Elateridae) Synonym(s): turcicus Platia,2004 Range (in code): TR
- 21514. Ctenicera pectinicornis (Linnaeus,1758)** (Elateridae) Synonym(s): pectinicornis Linnaeus,1758 Range (in code): TR RU Sb 28
- 21515. Dalopius marginatus (Linnaeus,1758)** (Elateridae) Synonym(s): marginatus Linnaeus,1758 Range (in code): TR GR RU Sb
- 21516. Dalopius radiculosus Gurjeva,1964** (Elateridae) Synonym(s): radiculosus Gurjeva,1964 Range (in code): TR
- 21517. Danasoma fasciata (Linnaeus,1758)** (Elateridae) Synonym(s): fasciata Linnaeus,1758 Range (in code): TR SK RU Sb Tv Us JP
- 21518. Denticollis linearis (Linnaeus,1758)** (Elateridae) Synonym(s): linearis Linnaeus,1758 Range (in code): TR
- 21519. Denticollis parallelcollis Aubé,1850** (Elateridae) Synonym(s): parallelcollis Aubé,1850 Range (in code): TR Cc GG RO 21 41 61
- 21520. Denticollis rubens Piller & Mitterpacher,1783** (Elateridae) Synonym(s): rubens Piller & Mitterpacher,1783 Range (in code): AT BE B-H BG BY HV RU CZ DK EE FR DE Cc GG HU IT LT MD NO PL RO YU SK SL SE CH UA ES TR 08
- 21521. Dicronychus adanensis (Pic,1908)** (Elateridae) Synonym(s): adanensis Pic,1908 Range (in code): TR 01
- 21522. Dicronychus apteriformis Platia & Gudenzi,2004** (Elateridae) Synonym(s): apteriformis Platia & Gudenzi,2004 Range (in code): TR 35
- 21523. Dicronychus bicolor Platia & Gudenzi,2004** (Elateridae) Synonym(s): bicolor Platia & Gudenzi,2004 Range (in code): TR 02 33
- 21524. Dicronychus bozdaghensis Platia & Gudenzi,2004** (Elateridae) Synonym(s): bozdaghensis Platia & Gudenzi,2004 Range (in code): TR 35
- 21525. Dicronychus cinereus (Herbst,1784)** (Elateridae) Synonym(s): cinereus Herbst,1784 Range (in code): GR TR Cc RU At 33
- 21526. Dicronychus decorus (Faldermann,1835)** (Elateridae) Synonym(s): decorus Faldermann,1835 Range (in code): TR Cc AM AZ GG 25 36 58
- 21527. Dicronychus deminutus Platia & Gudenzi,2004** (Elateridae) Synonym(s): deminutus Platia & Gudenzi,2004 Range (in code): TR 46
- 21528. Dicronychus desbrochersi Platia & Gudenzi,2004** (Elateridae) Synonym(s): desbrochersi Platia & Gudenzi,2004 Range (in code): TR 13
- 21529. Dicronychus drureri (Pic,1908)** (Elateridae) Synonym(s): drureri Pic,1908 Range (in code): IQ Bgd TR?
- 21530. Dicronychus equiseti (Herbst,1784)** (Elateridae) Synonym(s): equiseti Herbst,1784 Range (in code): GR TR Cc
- 21531. Dicronychus euxinus** (Elateridae) Synonym(s): Range (in code): TR 07 33
- 21532. Dicronychus exstinctus (Erichson,1840)** (Elateridae) Synonym(s): exstinctus Erichson,1840 Range (in code): EG IQ TR?
- 21533. Dicronychus freudei Platia & Gudenzi,2007** (Elateridae) Synonym(s): freudei Platia & Gudenzi,2007 Range (in code): TR
- 21534. Dicronychus gillerforsi Platia & Gudenzi,2004** (Elateridae) Synonym(s): gillerforsi Platia & Gudenzi,2004 Range (in code): TR 07 35
- 21535. Dicronychus iconiensis (Pic,1908)** (Elateridae) Synonym(s): iconiensis Pic,1908 Range (in code): TR 42
- 21536. Dicronychus incanus (Erichson,1840)** (Elateridae) Synonym(s): incanus Erichson,1840 Range (in code): PT ES FR IT BG TR 13 21

- 21537. *Dicronychus merkli* (Pic,1910)** (Elateridae) **Synonym(s):** merkli Pic,1910 **Range (in code):** **TR 01 45 62**
- 21538. *Dicronychus mutilus* Platia & Gudenzi,2004** (Elateridae) **Synonym(s):** mutilus Platia & Gudenzi,2004 **Range (in code):** **TR 33**
- 21539. *Dicronychus obscuripennis* (Pic,1899)** (Elateridae) **Synonym(s):** obscuripennis Pic,1899 **Range (in code):** **TR 54**
- 21540. *Dicronychus pici* Platia & Gudenzi,2004** (Elateridae) **Synonym(s):** pici Platia & Gudenzi,2004 **Range (in code):** **TR 32 80**
- 21541. *Dicronychus rubripes* (Germar,1824)** (Elateridae) **Synonym(s):** rubripes Germar,1824 **Range (in code):** **SK GR TR**
- 21542. *Dicronychus senaci* Desbrochers,1870** (Elateridae) **Synonym(s):** senaci Desbrochers,1870 **Range (in code):** **TR 11 17**
- 21543. *Dicronychus turcicus* Platia & Gudenzi,2004** (Elateridae) **Synonym(s):** turcicus Platia & Gudenzi,2004 **Range (in code):** **TR 35**
- 21544. *Dicronychus variatus* Desbrochers,1875** (Elateridae) **Synonym(s):** variatus Desbrochers,1875 **Range (in code):** **SY TR 70**
- 21545. *Dicronychus versicolor* (Mulsant & Guillebeau,1856)** (Elateridae) **Synonym(s):** versicolor Mulsant & Guillebeau,1856 **Range (in code):** **FR IT SL GR TR?**
- 21546. *Drasterius atricapillus* (Germar,1824)** (Elateridae) **Synonym(s):** atricapillus Germar,1824; cruciatus Candeze,1859; sarmaticus Motschoulsky,1860; ballioni Heyden,1885; humeralis Reitter,1891; nigripennis Reitter,1891; mosquensis Ivanov,1902 **Range (in code):** **SY AZ Cc AM RU GG TR IR KK KG TJ TM UZ CN Ui**
- 21547. *Drasterius bimaculatus* (Rossi,1790)** (Elateridae) **Synonym(s):** bimaculatus Rossi,1790; binotatus Rossi,1792; pallipes Küster,1848; quadrisignatus Küster,1849; fenestratus Küster,1851; variegatus Küster,1851; propinquus Desbrochers,1869; breviusculus Desbrochers,1869; anticus Reitter,1890; apicalis Reitter,1890; basalis Reitter,1890; diluticollis Reitter,1890; dorsalis Reitter,1890; lateralis Reitter,1890; montandoni Buysson,1895; sexsignatus Buysson,1895; trisignatus Chobaut,1897; angulosepictus Buysson,1900; cantheriatus Buysson,1900; latepictus Buysson,1900; lineatobasalis Fuente,1903; wachsmanni Reitter,1905; anticenotatus Buysson,1912; bisbisignatus Buysson,1913; #levantinus Roubal,1924; bengasinus Binaghi,1941 **Range (in code):** **Cn LY TN DZ IT TR RO AZ Nv Cc AL AM AT BE B-H BG HV RU CZ FR DE GG GR HU IT MA MK MD PL PT RO SK SS ES CH UA YU EG CY AF IR IQ IL Pa JO KK KG SY TM UZ 01 05 06 08 14 16 25 26 27 31 32 33 35 37 42 48 55 65 66 72 76**
- 21548. *Drasterius csorbai* Platia & Gudenzi,1997** (Elateridae) **Synonym(s):** csorbai Platia & Gudenzi,1997 **Range (in code):** **PK**
- 21549. *Drasterius makrisi* Preiss & Platia,2003** (Elateridae) **Synonym(s):** makrisi Preiss & Platia,2003 **Range (in code):** **CY**
- 21550. *Ectamenogonus montandoni* (Buysson,1888)** (Elateridae) **Synonym(s):** montandoni Buysson,1888 **Range (in code):** **TR**
- 21551. *Ectinus aterrimus* (Linnaeus,1761)** (Elateridae) **Synonym(s):** aterrimus Linnaeus,1761 **Range (in code):** **TR**
- 21552. *Elater ferrugineus* Linnaeus,1758** (Elateridae) **Synonym(s):** ferrugineus Linnaeus,1758 **Range (in code):** **TR Cc AM AL AT BE B-H BG RU CZ DK DE FR GB GG GR HU IT MD NL RO SK ES SE CH UA 33**
- 21553. *Elater tauricus* (Schwarz,1897)** (Elateridae) **Synonym(s):** tauricus Schwarz,1897 **Range (in code):** **TR**
- 21554. *Elathous buyssoni* Reitter,1890** (Elateridae) **Synonym(s):** buyssoni Reitter,1890 **Range (in code):** **TR Az Len Cc**
- 21555. *Elathous depressus* Platia & Schimmel,1991** (Elateridae) **Synonym(s):** depressus Platia & Schimmel,1991 **Range (in code):** **TR**
- 21556. *Elathous lizlerwernereri* Mertlik & Dusanek,2006** (Elateridae) **Synonym(s):** lizlerwernereri Mertlik & Dusanek,2006 **Range (in code):** **TR**
- 21557. *Elathous mertliki* Platia & Schimmel,1992** (Elateridae) **Synonym(s):** mertliki Platia & Schimmel,1992 **Range (in code):** **TR 07**
- 21558. *Elathous nigricans* Platia & Schimmel,1991** (Elateridae) **Synonym(s):** nigricans Platia & Schimmel,1991 **Range (in code):** **TR 01**
- 21559. *Elathous pavesii* Platia & Schimmel,1992** (Elateridae) **Synonym(s):** pavesii Platia & Schimmel,1992 **Range (in code):** **TR**
- 21560. *Elathous rufobasalis* Wurst,1994** (Elateridae) **Synonym(s):** rufobasalis Wurst,1994 **Range (in code):** **TR 32**
- 21561. *Elathous schwarzi* Reitter,1905** (Elateridae) **Synonym(s):** schwarzi Reitter,1905 **Range (in code):** **TR 01**
- 21562. *Elathous smyrnensis* Reitter,1905** (Elateridae) **Synonym(s):** smyrnensis Reitter,1905 **Range (in code):** **TR 35**
- 21563. *Elathous syriacus* (Schwarz,1903)** (Elateridae) **Synonym(s):** syriacus Schwarz,1903 **Range (in code):** **LB Bei SY Ltk**



- 21564. Elathous turcicus Platia & Gudenzi,2005** (Elateridae) Synonym(s): turcicus Platia & Gudenzi,2005 Range (in code): TR
- 21565. Haterumelater fulvago (Marseul,1868)** (Elateridae) Synonym(s): fulvago Marseul,1868; picinus Buysson,1891; julianum Penev,1987; preissi Schimmel,1995 Range (in code): TR
- 21566. Haterumelater languidus (Buysson,1891)** (Elateridae) Synonym(s): languidus Buysson,1891 Range (in code): TR
- 21567. Hemicrepidius corvinus (Reitter,1905)** (Elateridae) Synonym(s): corvinus Reitter,1905 Range (in code): SY TR 08
- 21568. Hemicrepidius hirtus (Herbst,1784)** (Elateridae) Synonym(s): hirtus Herbst,1784 Range (in code): SK TR Cc 45
- 21569. Hemicrepidius koenigi Schwarz,1897** (Elateridae) Synonym(s): koenigi Schwarz,1897 Range (in code): AM TR?
- 21570. Hemicrepidius niger (Linnaeus,1758)** (Elateridae) Synonym(s): niger Linnaeus,1758 Range (in code): TR AL AZ Cc BE BG BY HV RU CZ DK EE FI FR DE GG HU IT LT LV NL NO PL RO SL SK 59
- 21571. Hemicrepidius nigrutilus (Reitter,1890)** (Elateridae) Synonym(s): nigrutilus Reitter,1890 Range (in code): TR Cc AZ 08
- 21572. Hemicrepidius schneideri (Kiesenwetter,1877)** (Elateridae) Synonym(s): schneideri Kiesenwetter,1877 Range (in code): TR Cc AM 08 75
- 21573. Hemicrepidius vulpeculus (Reitter,1890)** (Elateridae) Synonym(s): vulpeculus Reitter,1890 Range (in code): TR Cc GG AM 75
- 21574. Hypnoidus anatolicus Platia & Gudenzi,2000** (Elateridae) Synonym(s): anatolicus Platia & Gudenzi,2000 Range (in code): TR
- 21575. Hypoganus inunctus (Panzer,1795)** (Elateridae) Synonym(s): inunctus Panzer,1795; cinctus Paykull,1800 Range (in code): TR Cc SY GR
- 21576. Hypoganus stepanovi Denisova,1948** (Elateridae) Synonym(s): stepanovi Denisova,1948 Range (in code): TR
- 21577. Idolus adrastoides (Reitter,1888)** (Elateridae) Synonym(s): adrastoides Reitter,1888 Range (in code): Cc TR 61
- 21578. Idotarmonides anatolicus (Candeze,1881)** (Elateridae) Synonym(s): anatolicus Candeze,1881 Range (in code): TR
- 21579. Idotarmonides rydhi Platia & Schimmel,1992** (Elateridae) Synonym(s): rydhi Platia & Schimmel,1992 Range (in code): TR
- 21580. Ischnodes kadleci Mertlik,2005** (Elateridae) Synonym(s): kadleci Mertlik,2005 Range (in code): TR
- 21581. Ischnodes sanguinicollis (Panzer,1793)** (Elateridae) Synonym(s): sanguinicollis Panzer,1793 Range (in code): TR AZ Cc AT BE B-H HV CZ DK FR GB DE GR HU IT MD PL RO SK SL ES SE CH UA JP IR SY 10 32 33 45 49 80
- 21582. Isidus letourneuxi Pic,1902** (Elateridae) Synonym(s): letourneuxi Pic,1902 Range (in code): TR
- 21583. Isidus moreli Mulsant & Rey,1874** (Elateridae) Synonym(s): moreli Mulsant & Rey,1874 Range (in code): TR
- 21584. Lacon candezei Desbrochers,1875** (Elateridae) Synonym(s): candezei Desbrochers des Loges,1875 Range (in code): TR
- 21585. Lacon delagrangae Buysson,1891** (Elateridae) Synonym(s): delagrangae Buysson,1891 Range (in code): TR 31 33
- 21586. Lacon gillerforsi Platia & Schimmel,1994** (Elateridae) Synonym(s): gillerforsi Platia & Schimmel,1994 Range (in code): TR 07
- 21587. Lacon graecus Candeze,1857** (Elateridae) Synonym(s): graecus Candeze,1857 Range (in code): GR TR
- 21588. Lacon ladae Mertlik & Dusanek,2006** (Elateridae) Synonym(s): ladae Mertlik & Dusanek,2006 Range (in code): TR
- 21589. Lacon lepidopterus (Panzer,1801)** (Elateridae) Synonym(s): lepidopterus Panzer,1801; aurosquamosus Jagemann,1939 Range (in code): RU Sb ES FR CZ Cc TR
- 21590. Lacon punctatus (Herbst,1779)** (Elateridae) Synonym(s): punctatus Herbst,1779 Range (in code): DZ GR TR 33 34 70
- 21591. Lacon solai Platia & Gudenzi,2000** (Elateridae) Synonym(s): solai Platia & Gudenzi,2000 Range (in code): TR 27
- 21592. Lacon unicolor (Candeze,1874)** (Elateridae) Synonym(s): unicolor Candeze,1874 Range (in code): IR Fa TR 47
- 21593. Lanelater judaicus (Reiche & Saulcy,1856)** (Elateridae) Synonym(s): judaicus Reiche & Saulcy,1856 Range (in code): IL Pa TR LB SY 63
- 21594. Lanelater persicus (Candeze,1874)** (Elateridae) Synonym(s): persicus Candeze,1874 Range (in code): IR TR 02

- 21595. *Limonicus elegans* (Buysson,1891)** (Elateridae) Synonym(s): *elegans* Buysson,1891 Range (in code): TR 58
- 21596. *Limonicus violaceus* (P.Müller,1843)** (Elateridae) Synonym(s): *violaceus* P.Müller,1843 Range (in code): SK DE FR IT TR
- 21597. *Limoni* *araratensis* (Faldermann,1835)** (Elateridae) Synonym(s): *araratensis* Faldermann,1835 Range (in code): TR Cc Arr 76
- 21598. *Limoni* *minutus* (Linnaeus,1758)** (Elateridae) Synonym(s): *minutus* Linnaeus,1758 Range (in code): IT Si GR TR Cc AM RU Sb Am 06 58
- 21599. *Limoni* *poneli* Leseigneur & Mertlik,2007** (Elateridae) Synonym(s): *poneli* Leseigneur & Mertlik,2007 Range (in code): TR
- 21600. *Megapenthes lugens* (Redtenbacher,1842)** (Elateridae) Synonym(s): *lugens* Redtenbacher,1842 Range (in code): TR
- 21601. *Megapenthes rutilipennis* Candeze,1859** (Elateridae) Synonym(s): *rutilipennis* Candeze,1859 Range (in code): TR
- 21602. *Melanotus* (s.str.) *aemulus* (Erichson,1841)** (Elateridae) Synonym(s): *aemulus* Erichson,1841 Range (in code): GR SY TR 17
- 21603. *Melanotus* (s.str.) *armeniacus* Schwarz,1891** (Elateridae) Synonym(s): *armeniacus* Schwarz,1891 Range (in code): TR
- 21604. *Melanotus* (s.str.) *atricapillus* Reitter,1891** (Elateridae) Synonym(s): *atricapillus* Reitter,1891 Range (in code): TR
- 21605. *Melanotus* (s.str.) *bajulus* (Erichson,1841)** (Elateridae) Synonym(s): *bajulus* Erichson,1841 Range (in code): TR
- 21606. *Melanotus* (s.str.) *brignolii* Guglielmi & Platia,1985** (Elateridae) Synonym(s): *brignolii* Guglielmi & Platia,1985 Range (in code): TR GR 07
- 21607. *Melanotus* (s.str.) *brunnipes* (Germar,1824)** (Elateridae) Synonym(s): *brunnipes* Germar,1824 Range (in code): GR Cc TR 04
- 21608. *Melanotus* (s.str.) *castanipes* (Paykull,1800)** (Elateridae) Synonym(s): *castanipes* Paykull,1800 Range (in code): TR GR RU Sb US
- 21609. *Melanotus* (s.str.) *crassicollis* (Erichson,1841)** (Elateridae) Synonym(s): *crassicollis* Erichson,1841 Range (in code): TR GR
- 21610. *Melanotus* (s.str.) *dichrous* (Erichson,1841)** (Elateridae) Synonym(s): *dichrous* Erichson,1841 Range (in code): TR GR 17 41
- 21611. *Melanotus* (s.str.) *fraseri* Platia & Schimmel,1993** (Elateridae) Synonym(s): *fraseri* Platia & Schimmel,1993 Range (in code): TR
- 21612. *Melanotus* (s.str.) *fulvus* Reitter,1891** (Elateridae) Synonym(s): *fulvus* Reitter,1891 Range (in code): TR TM IR IQ 36
- 21613. *Melanotus* (s.str.) *fusciceps* (Gyllenhal,1817)** (Elateridae) Synonym(s): *fusciceps* Gyllenhal,1817; *robustus* Erichson,1841 Range (in code): HV GR TR 09 17 21 35 41 63
- 21614. *Melanotus* (s.str.) *monticola* (Ménétriés,1832)** (Elateridae) Synonym(s): *monticola* Ménétriés,1832 Range (in code): TR BG Cc AM IR 75
- 21615. *Melanotus* (s.str.) *mutatus* Harold,1869** (Elateridae) Synonym(s): *mutatus* Harold,1869 Range (in code): IR SY TR?
- 21616. *Melanotus* (s.str.) *osellai* Guglielmi & Platia,1985** (Elateridae) Synonym(s): *osellai* Guglielmi & Platia,1985 Range (in code): TR 51
- 21617. *Melanotus* (s.str.) *punctolineatus* (Pélerin,1829)** (Elateridae) Synonym(s): *punctolineatus* Pélerin,1829 Range (in code): GR SY TR RU Sb 33
- 21618. *Melanotus* (s.str.) *sobrinus* (Ménétriés,1832)** (Elateridae) Synonym(s): *sobrinus* Ménétriés,1832 Range (in code): Cc TR? IR TM
- 21619. *Melanotus* (s.str.) *tenebrosus* (Erichson,1841)** (Elateridae) Synonym(s): *tenebrosus* Erichson,1841 Range (in code): TR AM Cc AT B-H HV CZ FR GG GR HU IT PT RO SK SLES RU CH 08
- 21620. *Melanotus* (s.str.) *turcicus* Platia & Gudenzi,2002** (Elateridae) Synonym(s): *turcicus* Platia & Gudenzi,2002 Range (in code): TR
- 21621. *Melanotus* (s.str.) *villosus* (Fourcroy,1785)** (Elateridae) Synonym(s): *rufipes* Herbst,1784; *villosus* Fourcroy,1785 Range (in code): GR DZ TR 08 14 52 57
- 21622. *Melanotus* (*Spheniscosomus*) *cuneiformis* (Baudi,1871)** (Elateridae) Synonym(s): *cuneiformis* Baudi,1871 Range (in code): TR
- 21623. *Mulsanteus guillebeui* (Mulsant & Godart,1853)** (Elateridae) Synonym(s): *guillebeui* Mulsant & Godart,1853; *guillebelli* Mulsant & Godart,1853 Range (in code): IT SY IR TR 17
- 21624. *Mulsanteus manulae* Platia & Gudenzi,1998** (Elateridae) Synonym(s): *manulae* Platia & Gudenzi,1998 Range (in code): TR
- 21625. *Mulsanteus schaumii* (Candeze,1881)** (Elateridae) Synonym(s): *schaumi* Candeze,1881 Range (in code): GR SY TR

- 21626. Negastris sabulicola (Boheman,1851)** (Elateridae) Synonym(s): sabulicola Boheman,1851 Range (in code): TR
- 21627. Neopristilophus insitivus (Germar,1824)** (Elateridae) Synonym(s): depressus Germar,1822; insitivus Germar,1824 Range (in code): TR?
- 21628. Nothodes parvulus (Panzer,1799)** (Elateridae) Synonym(s): parvulus Panzer,1799 Range (in code): GR TR RU 16 33 62
- 21629. Paracardiophorus musculus (Erichson,1840)** (Elateridae) Synonym(s): musculus Erichson,1840 Range (in code): AT BG RU Sb CZ FR DE Cc GG TR GR HU IT LT RO PL SK ES CH UA DZ TN 08 58
- 21630. Peripontius concolor (Desbrochers,1875)** (Elateridae) Synonym(s): concolor Desbrochers,1875 Range (in code): LB IL Pa SY TR 07
- 21631. Peripontius crassus (Buysson,1906)** (Elateridae) Synonym(s): crassus Buysson,1906; schimmeli Zeising & Brunne,2003 Range (in code): TR 01 07
- 21632. Peripontius dentatus Platia & Schimmel,1991** (Elateridae) Synonym(s): dentatus Platia & Schimmel,1991 Range (in code): TR 07 33
- 21633. Peripontius elegantulus Platia,2003** (Elateridae) Synonym(s): elegantulus Platia,2003 Range (in code): TR 47
- 21634. Peripontius jagemanni Platia & Gudenzi,2000** (Elateridae) Synonym(s): jagemanni Platia & Gudenzi,2000 Range (in code): SY TR
- 21635. Peripontius omissus (Buysson,1889)** (Elateridae) Synonym(s): omissus Buysson,1889 Range (in code): TR
- 21636. Peripontius saroveci Platia,2003** (Elateridae) Synonym(s): saroveci Platia,2003 Range (in code): TR 47
- 21637. Peripontius terminatus (Erichson,1842)** (Elateridae) Synonym(s): terminatus Erichson,1842 Range (in code): GR RO TR 33
- 21638. Peripontius turcicus Platia & Tarnawski,1998** (Elateridae) Synonym(s): turcicus Platia & Tarnawski,1998 Range (in code): TR 01
- 21639. Pittonotus simoni (Stierlin,1879)** (Elateridae) Synonym(s): simoni Stierlin,1879 Range (in code): TR? SY
- 21640. Pittonotus theseus (Germar,1817)** (Elateridae) Synonym(s): theseus Germar,1817 Range (in code): GR LB EG TR 01 33 55
- 21641. Plastocerus angulosus (Germar,1845)** (Elateridae) Synonym(s): angulosus Germar,1845 Range (in code): TR 01 07 16 17 26 32 33 35 67 80
- 21642. Podeonius acuticornis (Germar,1824)** (Elateridae) Synonym(s): acuticornis Germar,1824 Range (in code): TR
- 21643. Porthmidius austriacus (Schränk,1781)** (Elateridae) Synonym(s): austriacus Schränk,1781 Range (in code): TR
- 21644. Procaerus bicolor Platia & Gudenzi,2002** (Elateridae) Synonym(s): bicolor Platia & Gudenzi,2002 Range (in code): TR
- 21645. Procaerus carinifrons (Desbrochers,1875)** (Elateridae) Synonym(s): carinifrons Desbrochers,1875 Range (in code): TR
- 21646. Procaerus levantinus Platia & Gudenzi,2007** (Elateridae) Synonym(s): levantinus Platia & Gudenzi,2007 Range (in code): TR
- 21647. Procaerus tibialis (Lacordaire,1835)** (Elateridae) Synonym(s): tibialis Lacordaire,1835 Range (in code): TR AT BE B-H BG HV RU CZ DK FI FR GB DE GB GR HU IT LT MD NO PL RO SK SL ES SE CH UA YU 22
- 21648. Prosternon syriacum (Buysson,1891)** (Elateridae) Synonym(s): syriacum Buysson,1891; anatolicum Reitter,1901 Range (in code): SY TR 06 33 49
- 21649. Prosternon tessellatum (Linnaeus,1758)** (Elateridae) Synonym(s): tessellatum Linnaeus,1758 Range (in code): GR TR Cc RU Sb US 08 13 16 28 61
- 21650. Pseudagriotes holtzi Schwarz,1896** (Elateridae) Synonym(s): holtzi Schwarz,1896 Range (in code): TR
- 21651. Pseudanostirus jasoni Dolin & Chantladze,1987** (Elateridae) Synonym(s): jasoni Dolin & Chantladze,1987 Range (in code): TR
- 21652. Pseudocrepidophorus concavifrons Wurst,1994** (Elateridae) Synonym(s): concavifrons Wurst,1994 Range (in code): TR 32
- 21653. Pseudocrepidophorus flavescens (Eschscholtz,1818)** (Elateridae) Synonym(s): flavescens Eschscholtz,1818 Range (in code): TR Cc 08 54
- 21654. Quasimus minutissimus (Germar,1817)** (Elateridae) Synonym(s): minutissimus Germar,1817 Range (in code): AT TR IR 14 19 57 61
- 21655. Reitterelater dubius Platia & Cate,1990** (Elateridae) Synonym(s): dubius Platia & Cate,1990 Range (in code): TR



- 21656. Ryukyucardiophorus mertliki** Platia & Gudenzi,1999 (Elateridae) Synonym(s): mertliki Platia & Gudenzi,1999 Range (in code): TR
- 21657. Selatosomus (Pristilophus) melancholicus** (Elateridae) Synonym(s): Range (in code): TR
- 21658. Selatosomus (s.str.) aeneus** (Linnaeus,1758) (Elateridae) Synonym(s): aeneus Linnaeus,1758 Range (in code): TR Cc RU Sb 28
- 21659. Selatosomus (s.str.) amplicollis** (Germar,1843) (Elateridae) Synonym(s): amplicollis Germar,1843 Range (in code): GR TR Cc SY 08 52 75
- 21660. Selatosomus (s.str.) armeniacus** Dolin,1982 (Elateridae) Synonym(s): armeniacus Dolin,1982 Range (in code): AM TR
- 21661. Selatosomus (s.str.) atratus** (Ballion,1878) (Elateridae) Synonym(s): atratus Ballion,1878 Range (in code): KK KG TR?
- 21662. Selatosomus (s.str.) beysehiricus** Mertlik,2000 (Elateridae) Synonym(s): beysehiricus Mertlik,2000 Range (in code): TR
- 21663. Selatosomus (s.str.) caucasicus** (Ménétriés,1879) (Elateridae) Synonym(s): caucasicus Ménétriés,1879 Range (in code): Cc TR
- 21664. Selatosomus (s.str.) latissimus** Reitter,1910 (Elateridae) Synonym(s): latissimus Reitter,1910 Range (in code): TR 02 05 42 70
- 21665. Selatosomus (s.str.) latus** (Fabricius,1801) (Elateridae) Synonym(s): latus Fabricius,1801; saginatus Ménétriés,1832; gravidus Germar,1843 Range (in code): TR Cc RU Sb 16 18 60 75
- 21666. Selatosomus (s.str.) pecirkanus** Reitter,1910 (Elateridae) Synonym(s): pecirkanus Reitter,1910 Range (in code): TR
- 21667. Selatosomus (s.str.) punctipennis** Reitter,1910 (Elateridae) Synonym(s): punctipennis Reitter,1910 Range (in code): TR
- 21668. Selatosomus (s.str.) sameki** Mertlik,2000 (Elateridae) Synonym(s): sameki Mertlik,2000 Range (in code): TR
- 21669. Selatosomus (Warchalowskianus) ampliformis** Reitter,1910 (Elateridae) Synonym(s): ampliformis Reitter,1910 Range (in code): TR
- 21670. Selatosomus (Warchalowskianus) barlaensis** Mertlik,2000 (Elateridae) Synonym(s): barlaensis Mertlik,2000 Range (in code): TR
- 21671. Solskyana villiger** (Solsky,1881) (Elateridae) Synonym(s): villiger Solsky,1881 Range (in code): Cc AM KK KG UZ TR?
- 21672. Stenagostus rhombeus** (Olivier,1790) (Elateridae) Synonym(s): rhombeus Olivier,1790 Range (in code): IT Si CZ TR
- 21673. Stenagostus rosti** (Schwarz,1897) (Elateridae) Synonym(s): rosti Schwarz,1897 Range (in code): TR Cc GG AZ RU 08
- 21674. Stenagostus zuercheri** Reitter,1909 (Elateridae) Synonym(s): zuercheri Reitter,1909 Range (in code): GR SY TR
- 21675. Synaptus filiformis** (Fabricius,1781) (Elateridae) Synonym(s): filiformis Fabricius,1781 Range (in code): TR Cc GR RU Sb 37 44 55 67
- 21676. Tetrigus cyprius** Baudi,1871 (Elateridae) Synonym(s): cyprius Baudi,1871; akbesianus Fairmaire,1893 Range (in code): TR CY SY GR 31
- 21677. Tolphorea kurdistanicus** Platia & Gudenzi,1996 (Elateridae) Synonym(s): kurdistanicus Platia & Gudenzi,1996 Range (in code): TR
- 21678. Tolphorea pallida** Platia,2004 (Elateridae) Synonym(s): pallida Platia,2004 Range (in code): TR
- 21679. Tolphorea turcica** Platia & Gudenzi,2000 (Elateridae) Synonym(s): turcica Platia & Gudenzi,2000 Range (in code): TR
- 21680. Zorochros alysidotus** (Kiesenwetter,1858) (Elateridae) Synonym(s): alysidotus Kiesenwetter,1858 Range (in code): GR Cr TR CY BG MK HV IT Si Co FR 44 65
- 21681. Zorochros anatolicus** Dolin & Mertlik,2002 (Elateridae) Synonym(s): anatolicus Dolin & Mertlik,2002 Range (in code): TR 01
- 21682. Zorochros araxicola** (Reitter,1895) (Elateridae) Synonym(s): araxicola Reitter,1895 Range (in code): TR
- 21683. Zorochros caucasicus** Jagemann,1939 (Elateridae) Synonym(s): caucasicus Jagemann,1939 Range (in code): Cc TR
- 21684. Zorochros georgicus** Dolin & Tschatlandze,1980 (Elateridae) Synonym(s): georgicus Dolin & Tschatlandze,1980 Range (in code): Cc GG TR
- 21685. Zorochros heyrovskyi** Roubal,1940 (Elateridae) Synonym(s): heyrovskyi Roubal,1940 Range (in code): TR 01
- 21686. Zorochros kopeckyi** Platia & Gudenzi,1998 (Elateridae) Synonym(s): kopeckyi Platia & Gudenzi,1998 Range (in code): TR 01
- 21687. Zorochros kurdicus** Dolin & Mertlik,2002 (Elateridae) Synonym(s): kurdicus Dolin & Mertlik,2002 Range (in code): TR 73

- 21688. Zorochros meridionalis (Laporte,1840)** (Elateridae) Synonym(s): meridionalis Laporte,1840  
Range (in code): Cc RU UA RO PL NL DE CZ SK HU BG MK GR HV B-H SS CH AT IT Co FR ES PT TR 41 42 53
- 21689. Zorochros minimus (Lacordaire,1835)** (Elateridae) Synonym(s): dermestoides Herbst,1806 nec Linn.,1767; minimus Lacordaire,1835 Range (in code): LV TR
- 21690. Zorochros murinus (Reitter,1895)** (Elateridae) Synonym(s): murinus Reitter,1895 Range (in code): TR
- 21691. Zorochros nanus (Gurjeva,1963)** (Elateridae) Synonym(s): nanus Gurjeva,1963 Range (in code): TR AF
- 21692. Zorochros pallicrus (Desbrochers,1875)** (Elateridae) Synonym(s): pallicrus Desbrochers,1875; delicatulus Schwarz,1897 Range (in code): TR
- 21693. Zorochros pilosellus (Reitter,1895)** (Elateridae) Synonym(s): pilosellus Reitter,1895 Range (in code): TR
- 21694. Zorochros quadriguttatus (Laporte,1840)** (Elateridae) Synonym(s): quadriguttatus Laporte,1840; tetragraphus Germar,1844 Range (in code): PT ES FR IT CZ SK PL HU RO BG MK GR AT TR
- 21695. Zorochros recellentus Dolin,1995** (Elateridae) Synonym(s): recellentus Dolin,1995 Range (in code): TR
- 21696. Zorochros stibicki (Leseigneur,1970)** (Elateridae) Synonym(s): stibicki Leseigneur,1970 Range (in code): TR SL
- 21697. Georissus (Neogeorissus) chameleo Fikacek & Travnicek,2009** (Georissidae) Synonym(s): chameleo Fikacek & Travnicek,2009 Range (in code): AE
- 21698. Georissus (Neogeorissus) persicus Fikacek & Falamarzi,2010** (Georissidae) Synonym(s): persicus Fikacek & Falamarzi,2010 Range (in code): IR Fa
- 21699. Georissus (Neogeorissus) trifossulatus Motschoulsky,1843** (Georissidae) Synonym(s): trifossulatus Motschoulsky,1843 Range (in code): EG GG Cc AT B-H TR 61
- 21700. Odonteus gandhara Carpaneto & Mignani,2005** (Geotrupidae) Synonym(s): gandhara Carpaneto & Mignani,2005 Range (in code): PK
- 21701. Anoplotrupes stercorosus (Scriba,1791)** (Geotrupidae) Synonym(s): stercorosus Scriba,1791; sylvaticus Panzer,1798; monticola Heer,1841; amoethysticus Mulsant,1842; juvenilis Mulsant,1842; nigrinus Mulsant,1842; prusicus Czwalińska,1884 Range (in code): PT ES FR GB IE BE NL CH AT SS B-H HV YU BG GR Co Sa Si MT AL MK RO IT MD UA Cm RU MY EE LT LV FI SE NO DE DK CZ SK HU TR 07
- 21702. Geotrupes spiniger (Marsham,1802)** (Geotrupidae) Synonym(s): spiniger Marsham,1802 Range (in code): AL AT BE B-H BG BY HV RU CZ DK EE FR GB DE GR HU IT NL NO RO RU SK SS ES SE CH UA YU IR TR TM 07 43 46
- 21703. Geotrupes stercorarius (Linnaeus,1758)** (Geotrupidae) Synonym(s): stercorarius Linnaeus,1758 Range (in code): AD AT BE CZ DK EE FI FR DE GB HU IT LT MD NL NO PL PT RO TR RU SK SS ES SE CH UA CA 43 48
- 21704. Amphicoma (Eulasia) arctos (Pallas,1781)** (Glaphyridae) Synonym(s): arctos Pallas,1781; martes Frivaldsky,1845; armeniaca Reitter,1890; subfasciata Reitter,1903; anatolica Reitter,1903 Range (in code): YU BG TR GG AM Cc 05 06 13 16 19 25 27 33 37 40 42 44 46 56 60 65 75 78
- 21705. Amphicoma (Eulasia) aurantiaca Reitter,1890** (Glaphyridae) Synonym(s): aurantiaca Reitter,1890 Range (in code): TR IR Kd 30
- 21706. Amphicoma (Eulasia) azarbaijanica Petrovitz,1980** (Glaphyridae) Synonym(s): azarbaijanica Petrovitz,1980 Range (in code): IR Ab Ak Tbz
- 21707. Amphicoma (Eulasia) bicolor Waltl,1838** (Glaphyridae) Synonym(s): bicolor Waltl,1838; limbipennis Reitter,1899; dichroa Reitter,1890 Range (in code): YU GR TR 01 30 31 33 46
- 21708. Amphicoma (Eulasia) bodemeyeri Petrovitz,1965** (Glaphyridae) Synonym(s): bodemeyeri Petrovitz,1965 Range (in code): IR Lo Es Th
- 21709. Amphicoma (Eulasia) bombylifformis (Pallas,1781)** (Glaphyridae) Synonym(s): bombylifformis Pallas,1781; rufipennis Reitter,1890; pygidialis Petrovitz,1963; erevanica Petrovitz,1972; athenae Petrovitz,1980 Range (in code): GR TR Cc AM Eri TM KG Cm AZ Bak IR Gor 06 76
- 21710. Amphicoma (Eulasia) chrysopyga Faldermann,1835** (Glaphyridae) Synonym(s): chrysopyga Faldermann,1835; pallidopilosa Motschoulsky,1859 Range (in code): Cc TR AZ AM GG RU Da 36
- 21711. Amphicoma (Eulasia) corniculata Reitter,1903** (Glaphyridae) Synonym(s): corniculata Reitter,1903 Range (in code): TR 38 42
- 21712. Amphicoma (Eulasia) cornifrons Reitter,1903** (Glaphyridae) Synonym(s): cornifrons Reitter,1903 Range (in code): TR 33
- 21713. Amphicoma (Eulasia) diadema Reitter,1890** (Glaphyridae) Synonym(s): diadema Reitter,1890; diademata Reitter,1903; cuprea Petrovitz,1962; coerulea Petrovitz,1967; nigripilis Petrovitz,1967 Range (in code): TR IR Fa Shr 07 19 32 33 37 78
- 21714. Amphicoma (Eulasia) ernae Petrovitz,1962** (Glaphyridae) Synonym(s): ernae Petrovitz,1962 Range (in code): TR 06

- 21715. *Amphicoma (Eulasia) hyrax* Truqui, 1848** (Glaphyridae) Synonym(s): *hyrax* Truqui, 1848; *truqui* Reitter, 1890; *atripilis* Petrovitz, 1971; *splendula* Petrovitz, 1971 Range (in code): SY LB IL Pa TR 12
- 21716. *Amphicoma (Eulasia) jordanica* Mitter, 1992** (Glaphyridae) Synonym(s): *jordanica* Mitter, 1992 Range (in code): JO
- 21717. *Amphicoma (Eulasia) korbi* Petrovitz, 1972** (Glaphyridae) Synonym(s): *korbi* Petrovitz, 1972 Range (in code): Cc AM Eri
- 21718. *Amphicoma (Eulasia) kordestana* (Mitter, 2004)** (Glaphyridae) Synonym(s): *kordestana* Mitter, 2004 Range (in code): IR Kd Ab Ak
- 21719. *Amphicoma (Eulasia) kuschakewitschi* Ballion, 1870** (Glaphyridae) Synonym(s): *kuschakewitschi* Ballion, 1870; *clypeata* Solsky, 1876; *dubia* Solsky, 1876; *auricollis* Reitter, 1890; *viridicollis* Reitter, 1890; *belia* Reitter, 1900 Range (in code): AF UZ Smk Br Tas KG TJ KK TM CN Ui Ku
- 21720. *Amphicoma (Eulasia) montana* Reitter, 1890** (Glaphyridae) Synonym(s): *montana* Reitter, 1890 Range (in code): TR 21 32
- 21721. *Amphicoma (Eulasia) naviauxi* (Baraud, 1971)** (Glaphyridae) Synonym(s): *naviauxi* Baraud, 1971 Range (in code): IR Fa Shr
- 21722. *Amphicoma (Eulasia) nitidicollis* (Reiche, 1962)** (Glaphyridae) Synonym(s): *sublineata* Reitter, 1890; *nitidicollis* Reiche, 1962; *simplicipennis* Petrovitz, 1964 Range (in code): SY IL Pa JO TR 12 21 33 46 47 49
- 21723. *Amphicoma (Eulasia) nitidinatis* (Baraud, 1990)** (Glaphyridae) Synonym(s): *nitidinatis* Baraud, 1990 Range (in code): IR Ak Ab Fa Th Zj
- 21724. *Amphicoma (Eulasia) persidis* (Baraud, 1990)** (Glaphyridae) Synonym(s): *persidis* Baraud, 1990 Range (in code): IR Fa Shr
- 21725. *Amphicoma (Eulasia) praeusta* (Champenois, 1896)** (Glaphyridae) Synonym(s): *praeusta* Champenois, 1896; *clypealis* Petrovitz, 1972 Range (in code): TR IR AZ Cc 30 31 46 49
- 21726. *Amphicoma (Eulasia) zaitzevi* (Bogatchev, 1947)** (Glaphyridae) Synonym(s): *zaitzevi* Bogatchev, 1947 Range (in code): IR
- 21727. *Amphicoma (Pygopleurus) akbesianus* Petrovitz, 1957** (Glaphyridae) Synonym(s): *akbesianus* Petrovitz, 1957; *cuprea* Petrovitz, 1957; *coerulea* Petrovitz, 1962 Range (in code): SY TR IL Pa 31
- 21728. *Amphicoma (Pygopleurus) aleppensis* Petrovitz, 1957** (Glaphyridae) Synonym(s): *aleppensis* Petrovitz, 1957; *violacea* Petrovitz, 1957; *palaestinensis* Petrovitz, 1963 Range (in code): SY Hal TR IL Pa
- 21729. *Amphicoma (Pygopleurus) anahitae* Mitter, 2001** (Glaphyridae) Synonym(s): *anahitae* Mitter, 2001 Range (in code): IR Ab Ak
- 21730. *Amphicoma (Pygopleurus) anemoninus* (Brullé, 1832)** (Glaphyridae) Synonym(s): *anemoninus* Brullé, 1832; *purpuricollis* Waltl, 1838; *chrysonota* Brullé, 1832; *albopilosa* Petrovitz, 1957; *pseudopsilotrichia* Petrovitz, 1957 Range (in code): TR GR LB 35
- 21731. *Amphicoma (Pygopleurus) angulatus* Fairmaire, 1884** (Glaphyridae) Synonym(s): *angulatus* Fairmaire, 1884 Range (in code): SY TR 07
- 21732. *Amphicoma (Pygopleurus) banghaasi* Reitter, 1895** (Glaphyridae) Synonym(s): *banghaasi* Reitter, 1895; *mita* Brancsik, 1899; *coeruleipennis* Petrovitz, 1957 Range (in code): IR Kh TM TJ
- 21733. *Amphicoma (Pygopleurus) basalis* Reitter, 1890** (Glaphyridae) Synonym(s): *basalis* Reitter, 1890; *purpurea* Petrovitz, 1957 Range (in code): TR IQ IR
- 21734. *Amphicoma (Pygopleurus) besucheti* Baraud, 1989** (Glaphyridae) Synonym(s): *besucheti* Baraud, 1989 Range (in code): IL Pa JO
- 21735. *Amphicoma (Pygopleurus) bimaculatus* Redtenbacher, 1850** (Glaphyridae) Synonym(s): *bimaculatus* Redtenbacher, 1850 Range (in code): SY
- 21736. *Amphicoma (Pygopleurus) caesareae* Baraud, 1989** (Glaphyridae) Synonym(s): *caesareae* Baraud, 1989 Range (in code): IL Pa
- 21737. *Amphicoma (Pygopleurus) cirrius* Petrovitz, 1957** (Glaphyridae) Synonym(s): *cirrius* Petrovitz, 1957 Range (in code): IQ SA
- 21738. *Amphicoma (Pygopleurus) costatus* Petrovitz, 1957** (Glaphyridae) Synonym(s): *costatus* Petrovitz, 1957 Range (in code): TR SY
- 21739. *Amphicoma (Pygopleurus) cyaneoviolaceus* Motschoulsky, 1859** (Glaphyridae) Synonym(s): *psilotrichia* Waltl, 1838 nec Fald., 1835; *cyaneoviolaceus* Motschoulsky, 1859; *versicolor* Baraud, 1989 Range (in code): AZ AM Cc TR
- 21740. *Amphicoma (Pygopleurus) cyanescens* (Reitter, 1890)** (Glaphyridae) Synonym(s): *cyanescens* Reitter, 1890; *bicolor* Petrovitz, 1968 nec Wlthl., 1838; *brunneipennis* Petrovitz, 1968 Range (in code): SY TR Cc
- 21741. *Amphicoma (Pygopleurus) demelti* Petrovitz, 1967** (Glaphyridae) Synonym(s): *demelti* Petrovitz, 1967 Range (in code): TR 06
- 21742. *Amphicoma (Pygopleurus) despectus* Petrovitz, 1957** (Glaphyridae) Synonym(s): *despectus* Petrovitz, 1957; *orichalcia* Petrovitz, 1962 Range (in code): SY TR
- 21743. *Amphicoma (Pygopleurus) devei* (Montrueil & Serri, 2007)** (Glaphyridae) Synonym(s): *devei* Montrueil & Serri, 2007 Range (in code): IR



- 21744. *Amphicoma (Pygopleurus) diffusus* Petrovitz,1958** (Glaphyridae) Synonym(s): *diffusus* Petrovitz,1958; *cupreus* Petrovitz,1958; *viridis* Petrovitz,1958 Range (in code): AL GR MK BG TR
- 21745. *Amphicoma (Pygopleurus) distinctus* Faldermann,1835** (Glaphyridae) Synonym(s): *distinctus* Faldermann,1835; *persica* Ganglbauer,1905 Range (in code): TR IR AM IQ Cc 21 47
- 21746. *Amphicoma (Pygopleurus) distinguendus* (Muche,1963)** (Glaphyridae) Synonym(s): *distinguenda* Muche,1963 Range (in code): AM GG Cc
- 21747. *Amphicoma (Pygopleurus) foinea* (Reitter,1890)** (Glaphyridae) Synonym(s): *foinea* Reitter,1890; *albopilosa* Petrovitz,1957; *atriplicis* Petrovitz,1957; *chalybeipennis* Petrovitz,1962 Range (in code): GR Rd Cr TR 07 17 31 33 79 80
- 21748. *Amphicoma (Pygopleurus) gordyenensis* Petrovitz,1971** (Glaphyridae) Synonym(s): *gordyenensis* Petrovitz,1971 Range (in code): AM AZ Cc IR TR 30
- 21749. *Amphicoma (Pygopleurus) hirsutus* (Brullé,1832)** (Glaphyridae) Synonym(s): *hirsutus* Brullé,1832; *suturangula* Reitter,1890 Range (in code): BG MK GR TR
- 21750. *Amphicoma (Pygopleurus) humeralis* (Brullé,1832)** (Glaphyridae) Synonym(s): *humeralis* Brullé,1832; *apicale* Waltl,1838; *viridisuturata* Reitter,1903; *elegans* Balthasar,1931; *bogoevskii* Miksic,1955; *nigroapicalis* Petrovitz,1957; *obscurithotax* Miksic,1959; *petrovitzi* Miksic,1959; *isikdagensis* Petrovitz,1962; *rufa* Petrovitz,1972; *uniformis* Petrovitz,1972 Range (in code): BG GR MK GR TR 06
- 21751. *Amphicoma (Pygopleurus) immundus* (Reitter,1903)** (Glaphyridae) Synonym(s): *immundus* Reitter,1903; *distinguenda* Mucha,1963 Range (in code): TR IR
- 21752. *Amphicoma (Pygopleurus) israelitus* Muche,1963** (Glaphyridae) Synonym(s): *israelitus* Muche,1963 Range (in code): LB SY IL Pa
- 21753. *Amphicoma (Pygopleurus) kareli* Petrovitz,1962** (Glaphyridae) Synonym(s): *kareli* Petrovitz,1962 Range (in code): TR 07 15 32 33
- 21754. *Amphicoma (Pygopleurus) katbehi* Sabatinelli,2008** (Glaphyridae) Synonym(s): *katbehi* Sabatinelli,2008 Range (in code): JO IL Pa
- 21755. *Amphicoma (Pygopleurus) keithi* Sabatinelli & Uliana,2009** (Glaphyridae) Synonym(s): *keithi* Sabatinelli & Uliana,2009 Range (in code): SY Hal
- 21756. *Amphicoma (Pygopleurus) koniae* Petrovitz,1957** (Glaphyridae) Synonym(s): *koniae* Petrovitz,1957; *vulpoides* Petrovitz,1968 Range (in code): IR TR 42 65
- 21757. *Amphicoma (Pygopleurus) labaumei* Petrovitz,1971** (Glaphyridae) Synonym(s): *labaumei* Petrovitz,1971 Range (in code): TR 35
- 21758. *Amphicoma (Pygopleurus) libanonensis* Petrovitz,1957** (Glaphyridae) Synonym(s): *libanonensis* Petrovitz,1957 Range (in code): LB SY TR IL Pa
- 21759. *Amphicoma (Pygopleurus) lyciensis* Petrovitz,1971** (Glaphyridae) Synonym(s): *lyciensis* Petrovitz,1971 Range (in code): TR 01 07 31 46
- 21760. *Amphicoma (Pygopleurus) madenensis* Petrovitz,1968** (Glaphyridae) Synonym(s): *madenensis* Petrovitz,1968 Range (in code): CC Cc TR 51
- 21761. *Amphicoma (Pygopleurus) mardiensis* Baraud,1989** (Glaphyridae) Synonym(s): *mardiensis* Baraud,1989 Range (in code): IR
- 21762. *Amphicoma (Pygopleurus) medius* Petrovitz,1957** (Glaphyridae) Synonym(s): *medius* Petrovitz,1957; *nigroapicalis* Petrovitz,1962 Range (in code): TR
- 21763. *Amphicoma (Pygopleurus) mithridates* Petrovitz,1962** (Glaphyridae) Synonym(s): *mithridates* Petrovitz,1962 Range (in code): TR 01 15 31 32 33 42 46 80
- 21764. *Amphicoma (Pygopleurus) monticola* Petrovitz,1964** (Glaphyridae) Synonym(s): *monticola* Petrovitz,1964; *immaculata* Petrovitz,1964; *flavopubescens* Petrovitz,1964; *virgata* Petrovitz,1964 Range (in code): SY TR
- 21765. *Amphicoma (Pygopleurus) orientalis* Petrovitz,1957** (Glaphyridae) Synonym(s): *orientalis* Petrovitz,1957 Range (in code): IL Pa LB JO SY
- 21766. *Amphicoma (Pygopleurus) ottomanus* Baraud,1989** (Glaphyridae) Synonym(s): *ottomanus* Baraud,1989 Range (in code): TR
- 21767. *Amphicoma (Pygopleurus) ponticus* Petrovitz,1957** (Glaphyridae) Synonym(s): *ponticus* Petrovitz,1957 Range (in code): TR SY IL Pa JO 01 80
- 21768. *Amphicoma (Pygopleurus) pseudomedius* (Miksic,1964)** (Glaphyridae) Synonym(s): *pseudomedius* Miksic,1964 Range (in code): TR
- 21769. *Amphicoma (Pygopleurus) psilotrichius* Faldermann,1835** (Glaphyridae) Synonym(s): *psilotrichius* Faldermann,1835; *aurigaster* Reitter,1895; *nigripennis* Champenois,1896; *maculipennis* Petrovitz,1957; *albopilosa* Petrovitz,1968; *annamariae* Mitter,1992 Range (in code): TR Cc GG AZ AM IR TM JO SY 05 60
- 21770. *Amphicoma (Pygopleurus) rapuzzii* (Keith & Uliana,2008)** (Glaphyridae) Synonym(s): *rapuzzii* Keith & Uliana,2008 Range (in code): IR
- 21771. *Amphicoma (Pygopleurus) resslie* Petrovitz,1963** (Glaphyridae) Synonym(s): *resslie* Petrovitz,1963 Range (in code): SY TR
- 21772. *Amphicoma (Pygopleurus) rufovillosus* Reitter,1907** (Glaphyridae) Synonym(s): *rufovillosus* Reitter,1907; *nigropubescens* Petrovitz,1963; *pompa* Petrovitz,1963 Range (in code): TR SY IQ 27 31 33

- 21773. *Amphicoma (Pygopleurus) samai* Keith,2001** (Glaphyridae) **Synonym(s):** samai Keith,2001  
**Range (in code):** **LB**
- 21774. *Amphicoma (Pygopleurus) sexualis* Petrovitz,1968** (Glaphyridae) **Synonym(s):** sexualis Petrovitz,1968; muliebris Petrovitz,1968 **Range (in code):** **TR 65**
- 21775. *Amphicoma (Pygopleurus) simplex* Petrovitz,1963** (Glaphyridae) **Synonym(s):** simplex Petrovitz,1963 **Range (in code):** **BG TR**
- 21776. *Amphicoma (Pygopleurus) sinaicus* Petrovitz,1957** (Glaphyridae) **Synonym(s):** sinaicus Petrovitz,1957 **Range (in code):** **EG Sn**
- 21777. *Amphicoma (Pygopleurus) syriacus* (Linnaeus,1758)** (Glaphyridae) **Synonym(s):** syriaca Linnaeus,1758; piesbergeni Trappen,1906; carinata Muche,1963; nabataensis Mitter,1996 **Range (in code):** **SY JO IL Pa LB**
- 21778. *Amphicoma (Pygopleurus) transcausicus* Petrovitz,1962** (Glaphyridae) **Synonym(s):** transcausicus Petrovitz,1962; rufoviolacea Petrovitz,1972 **Range (in code):** **Cc AZ AM GG TR**
- 21779. *Amphicoma (Pygopleurus) tristis* Petrovitz,1968** (Glaphyridae) **Synonym(s):** tristis Petrovitz,1968 **Range (in code):** **TR IR 30**
- 21780. *Amphicoma (Pygopleurus) vulpes* (Fabricius,1781)** (Glaphyridae) **Synonym(s):** alopecias Pallas,1781; vulpes Fabricius,1781; hirta Fabricius,1781; vulpecula Truqui,1848; pyrrhothrix Dohrn,1885; griseovillosa Reitter,1903; obscurithorax Miksic,1955; bogoevskii Miksic,1955 **Range (in code):** **BG MK MD RO GR TR UA Cm Cc RU Ro VI KG 06 33 49 65**
- 21781. *Amphicoma (Pygopleurus) weilli* (Keith,2008)** (Glaphyridae) **Synonym(s):** weilli Keith,2008  
**Range (in code):** **SY**
- 21782. *Amphicoma (Pygopleurus) zagrosensis* (Nikodym & Kral,1998)** (Glaphyridae) **Synonym(s):** zagrosensis Nikodym & Kral,1998 **Range (in code):** **IR Fa**
- 21783. *Amphicoma (Rudeulasia) anemurensis* Petrovitz,1964** (Glaphyridae) **Synonym(s):** anemurensis Petrovitz,1964 **Range (in code):** **TR 33**
- 21784. *Amphicoma (Rudeulasia) baumanni* (Mitter,1996)** (Glaphyridae) **Synonym(s):** baumanni Mitter,1996 **Range (in code):** **IL Pa**
- 21785. *Amphicoma (Rudeulasia) carinata* (Baraud,1990)** (Glaphyridae) **Synonym(s):** carinata Baraud,1990 **Range (in code):** **IR SY**
- 21786. *Amphicoma (Rudeulasia) chalybaea* Faldermann,1835** (Glaphyridae) **Synonym(s):** chalybaea Faldermann,1835; adusta Ganglbauer,1905; brenskei Reitter,1890; apicipennis Petrovitz,1968; brunneipennis Petrovitz,1968; coeruleipennis Petrovitz,1968 **Range (in code):** **AM Cc IR TR 23 44 47 49 63**
- 21787. *Amphicoma (Rudeulasia) dilutipennis* (Reitter,1890)** (Glaphyridae) **Synonym(s):** dilutipennis Reitter,1890 **Range (in code):** **SY**
- 21788. *Amphicoma (Rudeulasia) eiselti* Petrovitz,1967** (Glaphyridae) **Synonym(s):** eiselti Petrovitz,1967 **Range (in code):** **TR 07 37 31 48 80**
- 21789. *Amphicoma (Rudeulasia) fastuosa* Reitter,1890** (Glaphyridae) **Synonym(s):** fastuosa Reitter,1890; heydeni Reitter,1890; pretiosa Reitter,1890; semicyanea Reitter,1890; reitteri Ganglbauer,1905; cyanea Petrovitz,1962 **Range (in code):** **TR SY LB IL Pa 01 31 33 46**
- 21790. *Amphicoma (Rudeulasia) genei* Truqui,1848** (Glaphyridae) **Synonym(s):** genei Truqui,1848; pretiosa Truqui,1848; chaifensis Reitter,1890; nobilissima Balthasar,1929 **Range (in code):** **TR SY JO IR Fa 01 07 27 31 46 80**
- 21791. *Amphicoma (Rudeulasia) harmonia* (Petrovitz,1968)** (Glaphyridae) **Synonym(s):** #harmonia Petrovitz,1962; #maculata Petrovitz,1962; harmonia Petrovitz,1968; purpurea Petrovitz,1968 **Range (in code):** **TR JO 31**
- 21792. *Amphicoma (Rudeulasia) hybrida* (Reitter,1890)** (Glaphyridae) **Synonym(s):** hybrida Reitter,1890; agricola Reitter,1890; ithae Reitter,1903 **Range (in code):** **AM Cc TR SY 06 12 21 23 24 27 30 32 38 44 46 47 49 56 62 63 65**
- 21793. *Amphicoma (Rudeulasia) japhoensis* (Petrovitz,1972)** (Glaphyridae) **Synonym(s):** japhoensis Petrovitz,1972 **Range (in code):** **IL Pa**
- 21794. *Amphicoma (Rudeulasia) papaveris* (Sturm,1843)** (Glaphyridae) **Synonym(s):** papaveris Sturm,1843; cupripennis Kollar & Redtenbacher,1843; dominula Reitter,1890; testaceipennis Champenois,1896 **Range (in code):** **JO TR SY IL Pa 01 31 33 37 40 46 70**
- 21795. *Amphicoma (Rudeulasia) pietschmanni* (Breit,1919)** (Glaphyridae) **Synonym(s):** pietschmanni Breit,1919 **Range (in code):** **IQ Bgd JO**
- 21796. *Amphicoma (Rudeulasia) pulchra* (Reitter,1890)** (Glaphyridae) **Synonym(s):** pulchra Reitter,1890; kurdistanica Petrovitz,1968 **Range (in code):** **AM Cc TR IR 21 23 30 44 47 56 65**
- 21797. *Amphicoma (Rudeulasia) rapillyi* (Baraud,1988)** (Glaphyridae) **Synonym(s):** rapillyi Baraud,1988 **Range (in code):** **IL Pa SY**
- 21798. *Amphicoma (Rudeulasia) regeli* (Ballion,1878)** (Glaphyridae) **Synonym(s):** regeli Ballion,1878; iris Reitter,1897; bucharia Reitter,1903; theana Reitter,1903 **Range (in code):** **TM UZ**
- 21799. *Amphicoma (Rudeulasia) saccai* (Petrovitz,1972)** (Glaphyridae) **Synonym(s):** saccai Petrovitz,1972 **Range (in code):** **JO IL Pa Js**

- 21800. *Amphicoma (Rudeulasia) speciosa* Champenois,1900** (Glaphyridae) Synonym(s): *speciosa* Champenois,1900 Range (in code): TR IR SY
- 21801. *Amphicoma (Rudeulasia) straussi* Ganglbauer,1905** (Glaphyridae) Synonym(s): *straussi* Ganglbauer,1905; *#viridis* Petrovitz,1968 Range (in code): IR IQ TR 47 65
- 21802. *Amphicoma (s.str.) persica* Ganglbauer,1905** (Glaphyridae) Synonym(s): *persica* Ganglbauer,1905 Range (in code): IR
- 21803. *Amphicoma (s.str.) purpureus* (Pic,1947)** (Glaphyridae) Synonym(s): *purpureus* Pic,1947 Range (in code): IR
- 21804. *Amphicoma (Solskiola) analis* Solsky,1876** (Glaphyridae) Synonym(s): *analis* Solsky,1876 Range (in code): TM UZ TJ
- 21805. *Amphicoma (Vittateulasia) palmyrensis* (Mitter,1996)** (Glaphyridae) Synonym(s): *palmyrensis* Mitter,1996 Range (in code): SY Pmy JO
- 21806. *Amphicoma (Vittateulasia) pareyssei* (Brullé,1832)** (Glaphyridae) Synonym(s): *pareyssei* Brullé,1832; *lasserei* Germar,1834 Range (in code): GR MK TR 27 35 46
- 21807. *Amphicoma (Vittateulasia) vittata* (Fabricius,1775)** (Glaphyridae) Synonym(s): *vittata* Fabricius,1775; *lineata* Faldermann,1835; *strigata* Waltl,1838; *smyrnensis* Castelnau,1840; *syriaca* Kollar & Redtenbacher,1843; *africana* Reitter,1890; *chrysura* Reitter,1890; *decorata* Reitter,1890; *semifulva* Reitter,1890; *lateritia* Reitter,1903; *pseudochrysura* Miksic,1960; *persica* Petrovitz,1963 Range (in code): SY Cc LB BG GR Rd TR IR SD EG 01 05 07 13 19 31 33 35 38 46 49 50 60 65 80
- 21808. *Anthypna ciliata* (Ménétriés,1836)** (Glaphyridae) Synonym(s): *ciliata* Ménétriés,1836; *mustela* Waltl,1838 Range (in code): TR 07 19 60
- 21809. *Glaphyrus (Eoglaphyrus) turkestanicus* Semenov,1889** (Glaphyridae) Synonym(s): *turkestanicus* Semenov,1889; *sogdinus* Semenov,1892 Range (in code): AF TM TJ
- 21810. *Glaphyrus (Hemiglaphyrus) caucasicus* Kraatz,1882** (Glaphyridae) Synonym(s): *caucasicus* Kraatz,1882; *persicus* Pic,1947 Range (in code): AM IR TR Cc
- 21811. *Glaphyrus (s.str.) aulicus* Chevrolat,1854** (Glaphyridae) Synonym(s): *aulicus* Chevrolat,1854; *syriacus* Harold,1869 Range (in code): IL Pa JO LB SY
- 21812. *Glaphyrus (s.str.) calvaster* Zaitzev,1923** (Glaphyridae) Synonym(s): *calvaster* Zaitzev,1923 Range (in code): Cc AM
- 21813. *Glaphyrus (s.str.) comosus* Harold,1869** (Glaphyridae) Synonym(s): *comosus* Harold,1869 Range (in code): IL Pa JO LB SY
- 21814. *Glaphyrus (s.str.) festivus* Ménétriés,1836** (Glaphyridae) Synonym(s): *festivus* Ménétriés,1836; *rufipennis* Gory,1884; *equestris* Champenois,1898 Range (in code): AZ AM Cc TR IR 33 36 38 50 65
- 21815. *Glaphyrus (s.str.) laufferi* Reitter,1903** (Glaphyridae) Synonym(s): *laufferi* Reitter,1903; *purpureus* Pic,1947 Range (in code): IR
- 21816. *Glaphyrus (s.str.) luristanus* Reitter,1903** (Glaphyridae) Synonym(s): *luristanus* Reitter,1903 Range (in code): IR Lo
- 21817. *Glaphyrus (s.str.) micans* Faldermann,1835** (Glaphyridae) Synonym(s): *micans* Faldermann,1835; *persicus* Pic,1947; *purpureus* Pic,1947; *euphraticus* Mitter,1990 Range (in code): Cc AZ AM Eri SY IQ TR IR
- 21818. *Glaphyrus (s.str.) muticus* Reitter,1903** (Glaphyridae) Synonym(s): *muticus* Reitter,1903 Range (in code): IR
- 21819. *Glaphyrus (s.str.) onopordi* Reitter,1903** (Glaphyridae) Synonym(s): *onopordi* Reitter,1903 Range (in code): IQ IR
- 21820. *Glaphyrus (s.str.) oxypterus* (Pallas,1771)** (Glaphyridae) Synonym(s): *oxypterus* Pallas,1771; *acuminatus* Lepechin,1774; *uralensis* Gmelin,1788; *vittatus* Herbst,1790; *incertus* Pic,1947 Range (in code): RU Sb TM KG
- 21821. *Glaphyrus (s.str.) rothi* Harold,1869** (Glaphyridae) Synonym(s): *rothi* Harold,1869 Range (in code): LB SY IL Pa
- 21822. *Glaphyrus (s.str.) superbus* Champenois,1898** (Glaphyridae) Synonym(s): *superbus* Champenois,1898; *straussi* Reitter,1903 Range (in code): AZ AM Cc IR TM IR
- 21823. *Glaphyrus (s.str.) varians* Ménétriés,1836** (Glaphyridae) Synonym(s): *variens* Ménétriés,1836; *globulicollis* Ménétriés,1836; *sequensi* Reitter,1903; *variabilis* Reitter,1903; *turcicus* Mitter,1990 Range (in code): SY IR TR 01 07 38 50
- 21824. *Aulonogyrus concinnus* (Klug,1834)** (Gyrinidae) Synonym(s): *concinnus* Klug,1834 Range (in code): TR 01 09 20 26 30 68
- 21825. *Aulonogyrus striatus* (Fabricius,1792)** (Gyrinidae) Synonym(s): *striatus* Fabricius,1792 Range (in code): TR 01 07 48
- 21826. *Gyrinus caspius* Ménétriés,1832** (Gyrinidae) Synonym(s): *caspius* Ménétriés,1832 Range (in code): DK NO FI GB DE FR NL ES GR TR 01 03 07 15 22 31 68
- 21827. *Gyrinus dejeani* Brullé,1832** (Gyrinidae) Synonym(s): *dejeani* Brullé,1832 Range (in code): TR 01 07 31 35 48



- 21828. *Gyrinus distinctus* Aubé,1836** (Gyrinidae) Synonym(s): *distinctus* Aubé,1836 Range (in code): TR 01 07 16 20 32 35 68
- 21829. *Gyrinus suffriani* Scriba,1855** (Gyrinidae) Synonym(s): *suffriani* Scriba,1855 Range (in code): TR 48
- 21830. *Orectochilus villosus* (Müller,1776)** (Gyrinidae) Synonym(s): *villosus* Müller,1776 Range (in code): TR 07 44
- 21831. *Haliplus variegatus* Sturm,1834** (Haliplidae) Synonym(s): *variegatus* Sturm,1834 Range (in code): TR 01 11 14 32 54
- 21832. *Peltodytes caesus* (Duftschmid,1805)** (Haliplidae) Synonym(s): *caesus* Duftschmid,1805 Range (in code): TR 01 03 09 10 14 32 35 42
- 21833. *Helophorus* (*Orphelophorus*) *turca* İncekara,2008** (Helophoridae) Synonym(s): *turca* İncekara,2008 Range (in code): TR 25
- 21834. *Helophorus abeillei* Guillebeau,1896** (Helophoridae) Synonym(s): *abeillei* Guillebeau,1896 Range (in code): SY LB AM Cc IR TR 25 30 65
- 21835. *Helophorus alternans* Gené,1836** (Helophoridae) Synonym(s): *alternans* Gené,1836 Range (in code): GB ES IT FR TN GR TR
- 21836. *Helophorus aquaticus* (Linnaeus,1758)** (Helophoridae) Synonym(s): *aquaticus* Linnaeus,1758 Range (in code): TR Cc GG ES DE DK GB SE FI RU IR 06 12 13 14 16 21 25 26 30 32 34 35 36 37 39 47 49 57 65 73
- 21837. *Helophorus armeniacus* Ganglbauer,1901** (Helophoridae) Synonym(s): *armeniacus* Ganglbauer,1901 Range (in code): AM Cc TR 08
- 21838. *Helophorus arvernensis* Mulsant,1846** (Helophoridae) Synonym(s): *arvernensis* Mulsant,1846 Range (in code): DK FI SE NO RU ES IT AT FR GB TR 24
- 21839. *Helophorus brevialipis* Bedel,1881** (Helophoridae) Synonym(s): *brevialipis* Bedel,1881 Range (in code): TR Cc US DZ DK SE RU Ur FI LB SY IL Pa IR 06 07 08 16 21 34 35 39 46 48 51 55 57 65
- 21840. *Helophorus croaticus* Kuwert,1886** (Helophoridae) Synonym(s): *croaticus* Kuwert,1886 Range (in code): BE SE FI DE RU TR
- 21841. *Helophorus daedalus* Orchymont,1932** (Helophoridae) Synonym(s): *daedalus* Orchymont,1932 Range (in code): TR IR 21 25 35
- 21842. *Helophorus difficilis* Angus,1988** (Helophoridae) Synonym(s): *difficilis* Angus,1988 Range (in code): IL Pa LB TR 31 80
- 21843. *Helophorus discrepans* Rey,1885** (Helophoridae) Synonym(s): *discrepans* Rey,1885 Range (in code): Cc RU FI IR TR DE PL GR 08 14 30 65 75
- 21844. *Helophorus dorsalis* (Marsham,1802)** (Helophoridae) Synonym(s): *dorsalis* Marsham,1802 Range (in code): GB FR DE AT UA Cc SE GB TR 34
- 21845. *Helophorus erzurumicus* İncekara, Mart & Erman,2005** (Helophoridae) Synonym(s): *erzurumicus* İncekara, Mart & Erman,2005 Range (in code): TR 25
- 21846. *Helophorus faustianus* Sharp,1916** (Helophoridae) Synonym(s): *faustianus* Sharp,1916 Range (in code): TR Cc 60
- 21847. *Helophorus flavipes* Fabricius,1792** (Helophoridae) Synonym(s): *flavipes* Fabricius,1792 Range (in code): SE GB RU TR 24 29
- 21848. *Helophorus frater* Orchymont,1926** (Helophoridae) Synonym(s): *frater* Orchymont,1926 Range (in code): IN CN IR TR 65
- 21849. *Helophorus fulgidicollis* Motschoulsky,1860** (Helophoridae) Synonym(s): *fulgidicollis* Motschoulsky,1860 Range (in code): TR DZ GB DK FR DE IT MA PT ES SE TN 25
- 21850. *Helophorus glacialis* Villa,1883** (Helophoridae) Synonym(s): *glacialis* Villa,1883 Range (in code): Cc SE FI DK ES TR 16
- 21851. *Helophorus griseus* Herbst,1793** (Helophoridae) Synonym(s): *griseus* Herbst,1793 Range (in code): GB FR ES SE FI DK Cc TR 16 22 24 29 34 38
- 21852. *Helophorus guttulus* Motschoulsky,1860** (Helophoridae) Synonym(s): *guttulus* Motschoulsky,1860 Range (in code): Cc TR 53
- 21853. *Helophorus hilaris* Sharp,1916** (Helophoridae) Synonym(s): *hilaris* Sharp,1916 Range (in code): Cc IR AZ TR LB 12 21 30 38 47 49 73
- 21854. *Helophorus hirsutiventris* Angus,1984** (Helophoridae) Synonym(s): *hirsutiventris* Angus,1984 Range (in code): YU AL GR TR 34 54 77
- 21855. *Helophorus illustris* Sharp,1916** (Helophoridae) Synonym(s): *illustris* Sharp,1916 Range (in code): FR IL Pa TR 33 35
- 21856. *Helophorus kirgisicus* Knisch,1914** (Helophoridae) Synonym(s): *kirgisicus* Knisch,1914 Range (in code): RU KG Sb IR TR 25
- 21857. *Helophorus lapponicus* Thomson,1854** (Helophoridae) Synonym(s): *lapponicus* Thomson,1854 Range (in code): DK SE FI RU ES Cc LB IL Pa IR TR 25 36 75
- 21858. *Helophorus lewisi* Angus,1985** (Helophoridae) Synonym(s): *lewisi* Angus,1985 Range (in code): RU IL Pa TR 21 24 29 31 35 73

- 21859. *Helophorus liguricus* Angus,1970** (Helophoridae) Synonym(s): *liguricus* Angus,1970 Range (in code): PL AT FR RU IT YU GR TR 06 60
- 21860. *Helophorus longitarsis* Wollaston,1864** (Helophoridae) Synonym(s): *longitarsis* Wollaston,1864 Range (in code): DZ GB FR ES RU SE DE GR TR KG 06 15 24
- 21861. *Helophorus maculatus* Motschoulsky,1860** (Helophoridae) Synonym(s): *maculatus* Motschoulsky,1860 Range (in code): AM AZ Cc IR TR 65
- 21862. *Helophorus mervensis* Semenov,1900** (Helophoridae) Synonym(s): *mervensis* Semenov,1900 Range (in code): TM IR SA TR AF
- 21863. *Helophorus micans* Falderman,1835** (Helophoridae) Synonym(s): *micans* Falderman,1835 Range (in code): TR Cc GG IL Pa PK 06 10 15 21 25 31 35 65
- 21864. *Helophorus minutus* Fabricius,1775** (Helophoridae) Synonym(s): *minutus* Fabricius,1775 Range (in code): SE DK FI RU DZ TR 07 34
- 21865. *Helophorus montenegrinus* Kuwert,1885** (Helophoridae) Synonym(s): *montenegrinus* Kuwert,1885 Range (in code): YU Cc AT IT TR 06 14 16 34 37 39 57 61
- 21866. *Helophorus nanus* Sturm,1836** (Helophoridae) Synonym(s): *nanus* Sturm,1836 Range (in code): RU Sb Cc TR 14 24 29 30
- 21867. *Helophorus nubilus* Fabricius,1776** (Helophoridae) Synonym(s): *nubilus* Fabricius,1776 Range (in code): RU SE FI IT ES DK IR TR 06 12 13 31 32 33 34 39 48 54 77
- 21868. *Helophorus obscurus* Mulsant,1844** (Helophoridae) Synonym(s): *obscurus* Mulsant,1844 Range (in code): DK GB SE RU IT TR GR 14 16 34 39 57
- 21869. *Helophorus pallidipennis* Mulsant & Wachanru,1852** (Helophoridae) Synonym(s): *pallidipennis* Mulsant & Wachanru,1852 Range (in code): TR CY GR 06 17 21 70 73
- 21870. *Helophorus paraminutus* Angus,1986** (Helophoridae) Synonym(s): *paraminutus* Angus,1986 Range (in code): RU Sb YU AT DE TR 07
- 21871. *Helophorus ponticus* Angus,1988** (Helophoridae) Synonym(s): *ponticus* Angus,1988 Range (in code): TR 08 16 24 25 36
- 21872. *Helophorus porculus* Bedel,1881** (Helophoridae) Synonym(s): *porculus* Bedel,1881 Range (in code): DZ NL ES FR DE TR
- 21873. *Helophorus similis* Kuwert,1887** (Helophoridae) Synonym(s): *similis* Kuwert,1887 Range (in code): DZ GB DK FR DE IT MA NL PT RU ES SE TN TR 25
- 21874. *Helophorus subarcuatus* Rey,1885** (Helophoridae) Synonym(s): *subarcuatus* Rey,1885 Range (in code): FR IT TR 25
- 21875. *Helophorus subcarinatus* Angus,1985** (Helophoridae) Synonym(s): *subcarinatus* Angus,1985 Range (in code): LB IL Pa TR 42
- 21876. *Helophorus syriacus* Kuwert,1885** (Helophoridae) Synonym(s): *syriacus* Kuwert,1885 Range (in code): TR SY SA IR Cc TM KG 01 21 31 47
- 21877. *Helophorus terminassianae* Angus,1984** (Helophoridae) Synonym(s): *terminassianae* Angus,1984 Range (in code): RU AM Cc TR 25 35 42
- 21878. *Helophorus zagrosicus* Angus,1988** (Helophoridae) Synonym(s): *zagrosicus* Angus,1988 Range (in code): IR Fa TR 30
- 21879. *Abraeus granulum* Erichson,1839** (Histeridae) Synonym(s): *granulum* Erichson,1839 Range (in code): BG DK DE B-H GB FR GR IT YU NL AT PL RO MK RU SE CH SK SS ES CZ TR UA HU
- 21880. *Abraeus perpusillus* (Marsham,1802)** (Histeridae) Synonym(s): *perpusillus* Marsham,1802 Range (in code): AL BE B-H BG DK DE GB EE FI GR IT YU HV LT MD NO NL AT PL RO RU SE CH SK ES CZ TR UA HU
- 21881. *Abraeus roubali* Olexa,1958** (Histeridae) Synonym(s): *roubali* Olexa,1958 Range (in code): FR SK CZ HU TR
- 21882. *Acritus minutus* (Herbst,1792)** (Histeridae) Synonym(s): *minutus* Herbst,1792 Range (in code): AL BE B-H BG DK DE GB FR GR IT YU HV LT MD NO AT PL RO RU SE CH SK SS ES CZ TR UA HU
- 21883. *Acritus nigricornis* (Hoffmann,1803)** (Histeridae) Synonym(s): *nigricornis* Hoffmann,1803 Range (in code): AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU 26 33
- 21884. *Aeletes atomarius* (Aubé,1843)** (Histeridae) Synonym(s): *atomarius* Aubé,1843 Range (in code): BG DK DE GB FR IT YU AT PL SE SK CZ TR UA HU
- 21885. *Aeletes hopffgarteni* (Reitter,1876)** (Histeridae) Synonym(s): *hopffgarteni* Reitter,1876 Range (in code): BG GR IT YU AT PL RO SK CZ TR UA HU
- 21886. *Atholus bimaculatus* (Linnaeus,1758)** (Histeridae) Synonym(s): *bimaculatus* Linnaeus,1758 Range (in code): AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU
- 21887. *Atholus corvinus* (Germar,1817)** (Histeridae) Synonym(s): *corvinus* Germar,1817 Range (in code): AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU

- 21888. Atholus duodecimstriatus (Schrank,1781)** (Histeridae) Synonym(s): duodecimstriatus Schrank,1781 Range (in code): **AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU**
- 21889. Epierus comptus Erichson,1834** (Histeridae) Synonym(s): comptus Erichson,1834 Range (in code): **TR IT Sa**
- 21890. Hister quadrimaculatus Linnaeus,1758** (Histeridae) Synonym(s): quadrimaculatus Linnaeus,1758; gagates Illiger,1807; aethiops Heer,1841 Range (in code): **GB IT GR TR 35 49 65**
- 21891. Hypocaccus (s.str.) brasiliensis (Paykull,1811)** (Histeridae) Synonym(s): brasiliensis Paykull,1811 Range (in code): **IT Sa Si GR TR 33**
- 21892. Margarinotus (Paralister) purpurascens (Herbst,1792)** (Histeridae) Synonym(s): purpurascens Herbst,1792 Range (in code): **GB TR 35**
- 21893. Notodoma lewisi Reitter,1910** (Histeridae) Synonym(s): lewisi Reitter,1910 Range (in code): **TR LB 31 33**
- 21894. Onthophilus affinis Redtenbacher,1849** (Histeridae) Synonym(s): affinis Redtenbacher,1849 Range (in code): **TR**
- 21895. Onthophilus punctatus (Müller,1776)** (Histeridae) Synonym(s): punctatus Müller,1776 Range (in code): **TR**
- 21896. Onthophilus striatus (Forster,1771)** (Histeridae) Synonym(s): striatus Forster,1771 Range (in code): **TR**
- 21897. Pleuroleptus rothi (Rosenhauer,1856)** (Histeridae) Synonym(s): rothi Rosenhauer,1856 Range (in code): **TR 07 33**
- 21898. Pseudepierus italicus (Paykull,1811)** (Histeridae) Synonym(s): italicus Paykull,1811 Range (in code): **IT TR AL B-H BG FR GR Si HV RO SK ES HU CZ UA Cm**
- 21899. Saprinus acuminatus (Fabricius,1798)** (Histeridae) Synonym(s): acuminatus Fabricius,1798 Range (in code): **TR AL AU BG DE FR GR IT YE YU KG HV MA PT ES Cn SY TN**
- 21900. Saprinus aegialius Reitter,1884** (Histeridae) Synonym(s): aegialius Reitter,1884 Range (in code): **AL AM B-H BG DE GB FR GR IR IT HV MA AT PL PT RO SK SS ES CZ HU TR Arr CN**
- 21901. Saprinus aeneolus Marseul,1870** (Histeridae) Synonym(s): aeneolus Marseul,1870 Range (in code): **TR Arr CN KP KR IN IQ IR KG RU PK 50 76**
- 21902. Saprinus aeneus (Fabricius,1775)** (Histeridae) Synonym(s): aeneus Fabricius,1775 Range (in code): **AL BE B-H BG DK DE GB EE FR GR IE IT YU HV LT LV MK MD NL NO AT PL PT RO RU SE CH SK SS ES CZ TR UA HU UZ BY**
- 21903. Saprinus algericus (Paykull,1811)** (Histeridae) Synonym(s): algericus Paykull,1811 Range (in code): **AL DZ AZ Cc TR BG FR GR IR IT JO YU HV PT RO ES TM UA Cm**
- 21904. Saprinus brenskiei Reitter,1884** (Histeridae) Synonym(s): brenskiei Reitter,1884 Range (in code): **GR TR**
- 21905. Saprinus calatravensis Fuente,1899** (Histeridae) Synonym(s): calatravensis Fuente,1899 Range (in code): **AL AF BG DJ FR GG Cc GR IT YE YU HV MT MA PT RU SA ES CZ HU TR 35**
- 21906. Saprinus chalcites (Illiger,1807)** (Histeridae) Synonym(s): chalcites Illiger,1807 Range (in code): **EG AL DZ Az AU BG MM DJ FR GM GR IN IT YE YU KG HV ML MT MA MK NA PT RO RU SS ES SD SY TN TM UA HU CY TR 59 65**
- 21907. Saprinus concinnus (Gebler,1830)** (Histeridae) Synonym(s): concinnus Gebler,1830 Range (in code): **Cc TR GR CN KG HV RU At Sb TM MN 65**
- 21908. Saprinus cribellatus Marseul,1855** (Histeridae) Synonym(s): cribellatus Marseul,1855 Range (in code): **RU SK CZ TR TM Cm HU**
- 21909. Saprinus externus (Fischer von Waldheim,1823)** (Histeridae) Synonym(s): externus Fischer von Waldheim,1823 Range (in code): **TR KK Cm UZ RU 65**
- 21910. Saprinus flexuosofasciatus Motschulsky,1845** (Histeridae) Synonym(s): flexuosofasciatus Motschulsky,1845 Range (in code): **TR**
- 21911. Saprinus furvus Erichson,1834** (Histeridae) Synonym(s): furvus Erichson,1834 Range (in code): **TR 50**
- 21912. Saprinus georgicus Marseul,1862** (Histeridae) Synonym(s): georgicus Marseul,1862 Range (in code): **Cc TR UA Cm 07 50 65**
- 21913. Saprinus godet (Brullé,1832)** (Histeridae) Synonym(s): godet Brullé,1832 Range (in code): **FR GR IT MN PT ES ZA HU SY TR**
- 21914. Saprinus lateralis Motschulsky,1849** (Histeridae) Synonym(s): lateralis Motschulsky,1849 Range (in code): **AF IN Ld IR KK TM TR**
- 21915. Saprinus maculatus (Rossi,1792)** (Histeridae) Synonym(s): maculatus Rossi,1792 Range (in code): **IT TR 35 65**
- 21916. Saprinus magnoguttatus Reichardt,1926** (Histeridae) Synonym(s): magnoguttatus Reichardt,1926 Range (in code): **AZ Cc IQ IR LB SY TR**
- 21917. Saprinus moyses Marseul,1862** (Histeridae) Synonym(s): moyses Marseul,1862 Range (in code): **EG DZ GR IR MA SA ES Cn SY TR**



- 21918. *Saprinus niger* Motschulsky,1849** (Histeridae) Synonym(s): *niger* Motschulsky,1849 Range (in code): TR GG Cc AF IN KG IQ MA PK PT ES SY TN TM 65
- 21919. *Saprinus pharao* Marseul,1855** (Histeridae) Synonym(s): *pharao* Marseul,1855 Range (in code): EG CN FR GR IR IQ KG MN PT SK ES Cn SY CZ HU CY TR
- 21920. *Saprinus planiusculus* Motschulsky,1849** (Histeridae) Synonym(s): *planiusculus* Motschulsky,1849 Range (in code): TR 25 50
- 21921. *Saprinus prasinus* Erichson,1834** (Histeridae) Synonym(s): *prasinus* Erichson,1834 Range (in code): TR Arr Cc AM BG FR GR Cr IT Sa JO SY CY 20 50 76
- 21922. *Saprinus semipunctatus* (Fabricius,1792)** (Histeridae) Synonym(s): *semipunctatus* Fabricius,1792; *caerulescens* Hoffmann,1803 Range (in code): TR 07 50 65
- 21923. *Saprinus semistriatus* (Scriba,1790)** (Histeridae) Synonym(s): *semistriatus* Scriba,1790 Range (in code): TR RU Sb 59
- 21924. *Saprinus steppensis* Marseul,1862** (Histeridae) Synonym(s): *steppensis* Marseul,1862 Range (in code): TR GG Cc IR KK 65
- 21925. *Saprinus strigil* Marsel,1855** (Histeridae) Synonym(s): *strigil* Marsel,1855 Range (in code): ET DJ IL Pa IT MT SA ES SY CY TR
- 21926. *Saprinus stussineri* Reitter,1909** (Histeridae) Synonym(s): *stussineri* Reitter,1909 Range (in code): TR IR AL BG GR YU HV RO 65
- 21927. *Saprinus submarginatus* Sahlberg,1913** (Histeridae) Synonym(s): *submarginatus* Sahlberg,1913 Range (in code): TR DZ AF AM AZ Cc IR IL Pa SY 29 65
- 21928. *Saprinus subnitescens* Bickhardt,1909** (Histeridae) Synonym(s): *subnitescens* Bickhardt,1909 Range (in code): GB TR 07 10 20 35 65
- 21929. *Saprinus subvirescens* (Ménétriés,1832)** (Histeridae) Synonym(s): *subvirescens* Ménétriés,1832 Range (in code): TR EG AF MM CN IN IQ IR IL Pa KG RU PK SY UZ TM 50
- 21930. *Saprinus tenuistrius* Marseul,1855** (Histeridae) Synonym(s): *tenuistrius* Marseul,1855 Range (in code): TR EG SA ET 50 59
- 21931. *Saprinus virescens* (Paykull,1798)** (Histeridae) Synonym(s): *virescens* Paykull,1798 Range (in code): TR Arr 76
- 21932. *Tribalus anatolicus* Olexa,1980** (Histeridae) Synonym(s): *anatolicus* Olexa,1980 Range (in code): TN CY TR GR
- 21933. *Tribalus minimus* (Rossi,1790)** (Histeridae) Synonym(s): *minimus* Rossi,1790 Range (in code): AF BG FR IT GR TR MA HV AT PT SK RO SS ES CZ
- 21934. *Tribalus olexai* Lackner,2004** (Histeridae) Synonym(s): *olexai* Lackner,2004 Range (in code): TR 07
- 21935. *Tribalus scaphidiformis* (Illiger,1807)** (Histeridae) Synonym(s): *scaphidiformis* Illiger,1807 Range (in code): DZ IL Pa TR YU LB MA PT TN ES FR IT
- 21936. *Ochthebius* (Asiabates) *akbuluti* Jäch, Kasapoğlu & Erman,2003** (Hydraenidae) Synonym(s): *akbuluti* Jäch, Kasapoğlu & Erman,2003 Range (in code): TR 25
- 21937. *Ochthebius* (Asiabates) *oezkani* Jäch, Kasapoğlu & Erman,2003** (Hydraenidae) Synonym(s): *oezkani* Jäch, Kasapoğlu & Erman,2003 Range (in code): TR 25
- 21938. *Ochthebius* (Asiabates) *limbicollis* Reitter,1885** (Hydraenidae) Synonym(s): *limbicollis* Reitter,1885 Range (in code): AZ Cc IR
- 21939. *Ochthebius* (s.str.) *minabensis* Ferro,1983** (Hydraenidae) Synonym(s): *minabensis* Ferro,1983 Range (in code): TR IR AF IN PK 25
- 21940. *Ochthebius* (s.str.) *erzerumi* Kuwert,1887** (Hydraenidae) Synonym(s): *erzerumi* Kuwert,1887 Range (in code): TR 25
- 21941. *Ochthebius* (s.str.) *lividipennis* Peyron,1885** (Hydraenidae) Synonym(s): *lividipennis* Peyron,1885 Range (in code): TR
- 21942. *Ochthebius* (s.str.) *meridionalis* Rey,1885** (Hydraenidae) Synonym(s): *meridionalis* Rey,1885 Range (in code): TR
- 21943. *Ochthebius* (s.str.) *peisonis* Ganglbauer,1901** (Hydraenidae) Synonym(s): *peisonis* Ganglbauer,1901 Range (in code): TR
- 21944. *Ochthebius* (s.str.) *pusillus* Stephens,1835** (Hydraenidae) Synonym(s): *pusillus* Stephens,1835 Range (in code): TR
- 21945. *Ochthebius* (s.str.) *virens* Jäch,1992** (Hydraenidae) Synonym(s): *virens* Jäch,1992 Range (in code): TR
- 21946. *Ochthebius* (s.str.) *viridis* Peyron,1885** (Hydraenidae) Synonym(s): *viridis* Peyron,1885 Range (in code): TR
- 21947. *Hydrochus ibericus* Valladares,1999** (Hydrochidae) Synonym(s): *ibericus* Valladares,1999 Range (in code): ES TR 12
- 21948. *Hydrochus nodulifer* Reitter,1897** (Hydrochidae) Synonym(s): *nodulifer* Reitter,1897 Range (in code): TR Cc AZ 29 52 69

- 21949. *Hydrochus flavipennis* Küster,1852** (Hydrochidae) **Synonym(s):** *flavipennis* Küster,1852; *foveostriatus* Fairmaire,1859; *obtusicollis* Fairmaire,1877; *filiformis* Kuwert,1887; *fuscipennis* Kuwert,1887; *testaceipennis* Kuwert,1887 **Range (in code):** **TR HV UA Cc AZ IL Pa 03 12 25 43**
- 21950. *Hydrochus brevis* (Herbst,1793)** (Hydrochidae) **Synonym(s):** *brevis* Herbst,1793 **Range (in code):** **TR AT BE GB CZ DK EE FI FR DE HU? IT LT NL NO PL RU SE CH 08 25**
- 21951. *Hydrochus ignicollis* (Motschoulsky,1860)** (Hydrochidae) **Synonym(s):** *ignicollis* Motschoulsky,1860 **Range (in code):** **AT BE GB CZ DK EE FI DE HU LT NO PL RU SE TR Cc 08**
- 21952. *Hydrochus megaphallus* Berge Henegouwen,1988** (Hydrochidae) **Synonym(s):** *megaphallus* Berge Henegouwen,1988 **Range (in code):** **TR NL GB AT BE BY CZ DK EE FI DE NO PL RO SE 34**
- 21953. *Hydrochus elongatus* (Schaller,1783)** (Hydrochidae) **Synonym(s):** *elongatus* Schaller,1783; *cicindeloides* Marsham,1802; *crenulatus* Motschoulsky,1860; *sibiricus* Motschoulsky,1860 **Range (in code):** **TR AT BE BY CZ DK FR GB DE HU IT LT PL RU Sb Us SK SE CH 03**
- 21954. *Anacaena limbata* (Fabricius,1792)** (Hydrophilidae) **Synonym(s):** *limbata* Fabricius,1792 **Range (in code):** **TR**
- 21955. *Anacaena rufipes* (Guillebeau,1896)** (Hydrophilidae) **Synonym(s):** *rufipes* Guillebeau,1896 **Range (in code):** **TR**
- 21956. *Berosus (Enoplurus) bispinus* Reiche & Saulcy,1856** (Hydrophilidae) **Synonym(s):** *bispinus* Reiche & Saulcy,1856 **Range (in code):** **TR 01 03 31 38**
- 21957. *Berosus (Enoplurus) frontifoveatus* Kuwert,1888** (Hydrophilidae) **Synonym(s):** *frontifoveatus* Kuwert,1888 **Range (in code):** **TR 10 16 23 32 33**
- 21958. *Berosus (Enoplurus) fulvus* Kuwert,1888** (Hydrophilidae) **Synonym(s):** *fulvus* Kuwert,1888 **Range (in code):** **TR 15**
- 21959. *Berosus (Enoplurus) jaechi* Schödl,1991** (Hydrophilidae) **Synonym(s):** *jaechi* Schödl,1991 **Range (in code):** **TR 01 35**
- 21960. *Berosus (Enoplurus) spinosus* (Steven,1808)** (Hydrophilidae) **Synonym(s):** *spinosus* Steven,1808 **Range (in code):** **TR 01 03 06 09 22 23 31 33 36 44 65**
- 21961. *Berosus (s.str.) affinis* Brullé,1835** (Hydrophilidae) **Synonym(s):** *affinis* Brullé,1835; *hispanicus* Kuster,1847 **Range (in code):** **ES TR 01 07 15 16 17 31 33 34 35 37 39 41 42 45 48 52 54 55**
- 21962. *Berosus (s.str.) byzantinus* Ganglbauer,1904** (Hydrophilidae) **Synonym(s):** *byzantinus* Ganglbauer,1904 **Range (in code):** **TR 09 35**
- 21963. *Berosus (s.str.) dispar* Reiche & Saulcy,1856** (Hydrophilidae) **Synonym(s):** *dispar* Reiche & Saulcy,1856 **Range (in code):** **TR 01**
- 21964. *Berosus (s.str.) luridus* (Linnaeus,1761)** (Hydrophilidae) **Synonym(s):** *luridus* Linnaeus,1761 **Range (in code):** **TR 30 36 37 52**
- 21965. *Berosus (s.str.) signaticollis* (Charpentier,1825)** (Hydrophilidae) **Synonym(s):** *signaticollis* Charpentier,1825 **Range (in code):** **TR 05 07 09 35 36 37 52**
- 21966. *Cercyon haemorrhoidalis* (Fabricius,1775)** (Hydrophilidae) **Synonym(s):** *haemorrhoidalis* Fabricius,1775 **Range (in code):** **TR**
- 21967. *Cercyon marinus* Thomson,1853** (Hydrophilidae) **Synonym(s):** *marinus* Thomson,1853 **Range (in code):** **TR**
- 21968. *Cercyon putricola* Wollaston,1867** (Hydrophilidae) **Synonym(s):** *putricola* Wollaston,1867 **Range (in code):** **TR**
- 21969. *Chaetarthria seminulum* (Herbst,1797)** (Hydrophilidae) **Synonym(s):** *seminulum* Herbst,1797 **Range (in code):** **AT TR 10 17 24 25**
- 21970. *Coelostoma orbiculare* (Fabricius,1775)** (Hydrophilidae) **Synonym(s):** *orbiculare* Fabricius,1775 **Range (in code):** **RU TR 25**
- 21971. *Coelostoma transcaspicum* Reitter,1906** (Hydrophilidae) **Synonym(s):** *transcaspicum* Reitter,1906 **Range (in code):** **TR OM SA TJ 12**
- 21972. *Enochrus (Lumetus) ater* (Kuwert,1888)** (Hydrophilidae) **Synonym(s):** *ater* Kuwert,1888 **Range (in code):** **TR**
- 21973. *Enochrus (Lumetus) bicolor* (Fabricius,1792)** (Hydrophilidae) **Synonym(s):** *bicolor* Fabricius,1792 **Range (in code):** **TR 06 07 24 36 65**
- 21974. *Enochrus (Lumetus) fuscipennis* (Thomson,1884)** (Hydrophilidae) **Synonym(s):** *fuscipennis* Thomson,1884 **Range (in code):** **AT AZ Cc B-H GB BG DK FI DE HU IR IE IT LT NO RU SS ES SE TR 08 24 25**
- 21975. *Enochrus (Lumetus) salmonis* (Sahlberg,1900)** (Hydrophilidae) **Synonym(s):** *salmonis* Sahlberg,1900 **Range (in code):** **TR**
- 21976. *Enochrus (Lumetus) segmentinotatus* (Kuwert,1888)** (Hydrophilidae) **Synonym(s):** *segmentinotatus* Kuwert,1888 **Range (in code):** **TR 01 09 17 30 33 35 42 48**
- 21977. *Enochrus (Methyrus) nigratus* (Sharp,1872)** (Hydrophilidae) **Synonym(s):** *nigratus* Sharp,1872 **Range (in code):** **TR**

- 21978. Enochrus (s.str.) melanocephalus (Olivier,1792)** (Hydrophilidae) Synonym(s): melanocephalus Olivier,1792 Range (in code): **DZ AT B-H GB HV DK EE FI FR DE HU IE IL Pa IT LT NL NO PL PT RU ES SE CH YU TR 24**
- 21979. Hydrobius arcticus Kuwert,1890** (Hydrophilidae) Synonym(s): arcticus Kuwert,1890 Range (in code): **FI NO RU SE TR 12**
- 21980. Hydrobius rufipes (Linnaeus,1758)** (Hydrophilidae) Synonym(s): rufipes Linnaeus,1758 Range (in code): **TR?**
- 21981. Hydrochara caraboides (Linnaeus,1758)** (Hydrophilidae) Synonym(s): caraboides Linnaeus,1758 Range (in code): **AL AT BE B-H BG TR HV CZ DK EE FI FR GB DE GR HU IT LT NL NO PL RO RU SK SS SE CH UA YU 32 35 69**
- 21982. Hydrochara dichorama (Fairmaire,1829)** (Hydrophilidae) Synonym(s): dichorama Fairmaire,1829 Range (in code): **BG TR CY CN GR HU IR IL Pa RU SY TJ TM UA UZ 01 05 06 12 19 24 25 28 29 49 52 53 55 60 61 69**
- 21983. Hydrochara flavipes (Steven,1808)** (Hydrophilidae) Synonym(s): flavipes Steven,1808 Range (in code): **AF AT AZ Cc BG TR CN HV EG FR GG DE GR HU IQ IR IT KG LT MK MA PL RO RU SK SS ES TM UA UZ YU 01 06 55 68**
- 21984. Hydrochara major İncekara, Mart, Polat & Karaca,2009** (Hydrophilidae) Synonym(s): major İncekara, Mart, Polat & Karaca,2009 Range (in code): **TR 55**
- 21985. Hydrophilus aculeatus (Solier)** (Hydrophilidae) Synonym(s): Range (in code): **CM ET OM SA SN SO TZ YE ZR ZM EG IR IL Pa SY BJ TR**
- 21986. Hydrophilus atterimus Eschscholtz,1822** (Hydrophilidae) Synonym(s): atterimus Eschscholtz,1822 Range (in code): **TR 25**
- 21987. Hydrophilus piceus (Linnaeus,1758)** (Hydrophilidae) Synonym(s): piceus Linnaeus,1758 Range (in code): **TR 25**
- 21988. Laccobius (Compsolaccobius) decorus (Gyllenhal,1827)** (Hydrophilidae) Synonym(s): decorus Gyllenhal,1827 Range (in code): **TR**
- 21989. Laccobius (Dimorpholaccobius) bipunctatus (Fabricius,1775)** (Hydrophilidae) Synonym(s): bipunctatus Fabricius,1775 Range (in code): **TR 03 14 37**
- 21990. Laccobius (Dimorpholaccobius) chiesai Gentili,1982** (Hydrophilidae) Synonym(s): chiesai Gentili,1982 Range (in code): **TR 06**
- 21991. Laccobius (Dimorpholaccobius) halophilus Gentili,1982** (Hydrophilidae) Synonym(s): halophilus Gentili,1982 Range (in code): **TR 07 21 25 33 48**
- 21992. Laccobius (Dimorpholaccobius) hauserianus Knisch,1914** (Hydrophilidae) Synonym(s): hauserianus Knisch,1914 Range (in code): **TR 33**
- 21993. Laccobius (Dimorpholaccobius) hindukuschi Chiesa,1966** (Hydrophilidae) Synonym(s): hindukuschi Chiesa,1966 Range (in code): **TR 02 06 07 12 20 25 29 31 37 47 51 62 79**
- 21994. Laccobius (Dimorpholaccobius) hoherlandti Gentili,1982** (Hydrophilidae) Synonym(s): hoherlandti Gentili,1982 Range (in code): **IR AZ Cc TR 25**
- 21995. Laccobius (Dimorpholaccobius) hopaensis Mart, İncekara & Erman,2003** (Hydrophilidae) Synonym(s): hopaensis Mart, İncekara & Erman,2003 Range (in code): **TR 08**
- 21996. Laccobius (Dimorpholaccobius) lycius Gentili & Whitehead,2000** (Hydrophilidae) Synonym(s): lycius Gentili & Whitehead,2000 Range (in code): **TR 48**
- 21997. Laccobius (Dimorpholaccobius) obscuratus Rottenberg,1874** (Hydrophilidae) Synonym(s): obscuratus Rottenberg,1874 Range (in code): **TR 01 02 06 07 08 09 13 14 15 16 17 19 20 24 25 27 29 30 33 34 35 37 39 41 42 45 48 52 53 57 65 80**
- 21998. Laccobius (Dimorpholaccobius) sculptus Orchymont,1936** (Hydrophilidae) Synonym(s): sculptus Orchymont,1936 Range (in code): **TR 21 63**
- 21999. Laccobius (Dimorpholaccobius) scutellaris Motschoulsky,1855** (Hydrophilidae) Synonym(s): scutellaris Motschoulsky,1855 Range (in code): **TR 01 07 13 33 42 46 56 73**
- 22000. Laccobius (Dimorpholaccobius) simulatrix Orchymont,1932** (Hydrophilidae) Synonym(s): simulatrix Orchymont,1932 Range (in code): **TR 04 06 07 09 13 14 16 17 19 20 22 24 25 30 32 34 35 36 38 39 45 46 48 51 55 58 61 65 69 80**
- 22001. Laccobius (Dimorpholaccobius) sipylus Orchymont,1939** (Hydrophilidae) Synonym(s): sipylus Orchymont,1939 Range (in code): **TR 07 08 10 17 19 20 21 31 33 38 60**
- 22002. Laccobius (Dimorpholaccobius) striatulus (Fabricius,1801)** (Hydrophilidae) Synonym(s): striatulus Fabricius,1801 Range (in code): **TR 06 07 08 13 14 16 17 25 26 29 31 32 34 35 41 42 43 44 45 48 54 58 65 69**
- 22003. Laccobius (Dimorpholaccobius) sulcatulus Reitter,1909** (Hydrophilidae) Synonym(s): sulcatulus Reitter,1909 Range (in code): **TR 05 06 07 13 15 21 24 25 29 39 42 45 65 69 75**
- 22004. Laccobius (Dimorpholaccobius) syriacus Guillebeau,1896** (Hydrophilidae) Synonym(s): syriacus Guillebeau,1896 Range (in code): **TR 01 06 07 08 09 13 15 19 20 21 22 24 25 27 30 31 32 33 35 36 37 38 42 46 47 48 52 53 55 57 61 63 65 69 80**
- 22005. Laccobius (Microlaccobius) alternus Motschoulsky,1855** (Hydrophilidae) Synonym(s): alternus Motschoulsky,1855 Range (in code): **TR**



- 22006. Laccobius (Microlaccobius) exilis Gentili,1974** (Hydrophilidae) Synonym(s): *exilis* Gentili,1974  
Range (in code): TR 07 20 33 47 51
- 22007. Laccobius (Microlaccobius) gracilis Motschoulsky,1855** (Hydrophilidae) Synonym(s): *gracilis* Motschoulsky,1855 Range (in code): TR 01 02 07 09 10 12 13 14 15 16 17 19 20 22 24 25 27 28 30 31 32 33 34 35 36 37 38 45 47 48 49 51 52 53 57 58 61 65
- 22008. Laccobius (Microlaccobius) orientalis Knisch,1924** (Hydrophilidae) Synonym(s): *orientalis* Knisch,1924 Range (in code): TR
- 22009. Laccobius (Microlaccobius) quaesitus Gentili,1988** (Hydrophilidae) Synonym(s): *quaesitus* Gentili,1988 Range (in code): TR 01
- 22010. Laccobius (s.str.) albipes Kuwert,1890** (Hydrophilidae) Synonym(s): *albipes* Kuwert,1890  
Range (in code): TR 06 10 25
- 22011. Laccobius (s.str.) minutus (Linnaeus,1758)** (Hydrophilidae) Synonym(s): *minutus* Linnaeus,1758 Range (in code): TR 25 36
- 22012. Limnoxenus niger (Gmelin,1790)** (Hydrophilidae) Synonym(s): *niger* Gmelin,1790 Range (in code): TR
- 22013. Paracymus aeneus (Germar,1824)** (Hydrophilidae) Synonym(s): *aeneus* Germar,1824 Range (in code): TR
- 22014. Sphaeridium substriatum Faldermann,1838** (Hydrophilidae) Synonym(s): *substriatum* Faldermann,1838 Range (in code): TR RU
- 22015. Hygrobia hermanni (Fabricius,1775)** (Hygrobiidae) Synonym(s): *hermanni* Fabricius,1775  
Range (in code): DZ MA TN TR UA 35
- 22016. Korynetes coxalis Reitter,1894** (Korynetidae) Synonym(s): *coxalis* Reitter,1894 Range (in code): SY GR Cr IL Pa
- 22017. Korynetes pusillus Klug,1842** (Korynetidae) Synonym(s): *pusillus* Klug,1842 Range (in code): FR Co IT Sa Si IL Pa
- 22018. Necrobia ruficollis (Fabricius,1775)** (Korynetidae) Synonym(s): *ruficollis* Fabricius,1775 Range (in code): IL Pa
- 22019. Necrobia rufipes (DeGeer,1775)** (Korynetidae) Synonym(s): *rufipes* DeGeer,1775 Range (in code): IL pa
- 22020. Necrobinus defunctorum (Waltl,1835)** (Korynetidae) Synonym(s): *defunctorum* Waltl,1835  
Range (in code): ES PT MA DZ TN SY IL Pa
- 22021. Luciola italica (Linnaeus,1758)** (Lampyridae) Synonym(s): *italica* Linnaeus,1758 Range (in code): HV GR MK IT SL RO SZ YU TR
- 22022. Luciola kervillei E.Olivier,1909** (Lampyridae) Synonym(s): *kervillei* E.Olivier,1909 Range (in code): LB SY
- 22023. Luciola judaica E.Olivier,1884** (Lampyridae) Synonym(s): *judaica* E.Olivier,1884 Range (in code): SY
- 22024. Luciola lusitanica (Charpentier,1825)** (Lampyridae) Synonym(s): *italica* Olivier,1790 nec Linn.,1767; *lusitanica* Charpentier,1825; *caucasica* Motschoulsky,1854; *collaris* Motschoulsky,1854; *mehadiensis* Motschoulsky,1854; *mingrellica* Motschoulsky,1854; *pontica* Motschoulsky,1854; *mentonensis* Peragallo,1863; *minor* Baudi di Selve,1873; *erythrocephalus* E.Olivier,1885; *papii* Miksic,1969 Range (in code): AT B-H BG MK HV FR HU IT PT ES SS UA YU TR Cc SY EG
- 22025. Lampyroidea antennalis Gesithardt,1988** (Lampyridae) Synonym(s): *antennalis* Gesithardt,1988  
Range (in code): IR
- 22026. Lampyroidea dispar (Fairmaire,1857)** (Lampyridae) Synonym(s): *dispar* Fairmaire,1857 Range (in code): TR 34
- 22027. Lampyroidea graeca (Laporte de Castelnau,1833)** (Lampyridae) Synonym(s): *graeca* Laporte de Castelnau,1833; *euboica* Pic,1914 Range (in code): GR TR 34
- 22028. Lampyroidea lucifer (Reiche & Saulcy,1857)** (Lampyridae) Synonym(s): *lucifer* Reiche & Saulcy,1857; *lucifera* E.Olivier,1884 Range (in code): CY SY
- 22029. Lampyroidea maculata Geisthardt,2004** (Lampyridae) Synonym(s): *maculata* Geisthardt,2004  
Range (in code): IR
- 22030. Lampyroidea maculicollis (Mulsant & Wachanru,1852)** (Lampyridae) Synonym(s): *maculicollis* Mulsant & Wachanru,1852; *maculithorax* Gemminger,1870 Range (in code): CY SY TR
- 22031. Lampyroidea persica E.Olivier,1907** (Lampyridae) Synonym(s): *persica* E.Olivier,1907 Range (in code): IR
- 22032. Lampyroidea schneideri Geisthardt,1999** (Lampyridae) Synonym(s): *schneideri* Geisthardt,1999  
Range (in code): IQ
- 22033. Lampyroidea syriaca A.Costa,1875** (Lampyridae) Synonym(s): *syriaca* A.Costa,1875; *innotaticollis* Pic,1914 Range (in code): IL Pa SY TR
- 22034. Lampyroidea nigrescens E.Olivier,1884** (Lampyridae) Synonym(s): *Lampyroidea nigrescens* E.Olivier,1884, Ab. 22: 45, pl.2 fig.13. Range (in code): SY

- 22035. *Lampyroidea tenenbaumi* Pic,1928** (Lampyridae) Synonym(s): *tenenbaumi* Pic,1928 Range (in code): IL Pa
- 22036. *Lampyris nervosa* Olivier,1883** (Lampyridae) Synonym(s): *nervosa* Olivier,1883; *barbara* Olivier,1884 Range (in code): DZ IL Pa Js Hf JO Amm TR SY 31
- 22037. *Lampyris setosa* Geisthardt,1983** (Lampyridae) Synonym(s): *setosa* Geisthardt,1983 Range (in code): JO Amm IL Pa
- 22038. *Lampyris berytensis* Fairmaire,1866** (Lampyridae) Synonym(s): *berytensis* Fairmaire,1866 Range (in code): LB Bei SY IL Pa
- 22039. *Lampyris angustula* Fairmaire,1895** (Lampyridae) Synonym(s): *angustula* Fairmaire,1895; *iraqi* Geisthardt,1999 Range (in code): TR IQ 21 30 31 62 63
- 22040. *Lampyris caspica* (Motschoulsky,1854)** (Lampyridae) Synonym(s): *caspica* Motschoulsky,1854 Range (in code): GG Cc KG TM IR TR
- 22041. *Lampyris costalis* (Motschoulsky,1854)** (Lampyridae) Synonym(s): *costalis* Motschoulsky,1854 Range (in code): AM Cc
- 22042. *Lampyris depressiuncula* (Motschoulsky,1854)** (Lampyridae) Synonym(s): *depressiuncula* Motschoulsky,1854 Range (in code): GG Cc
- 22043. *Lampyris angustata* (Motschoulsky,1854)** (Lampyridae) Synonym(s): *angustata* Motschoulsky,1854 Range (in code): GG Cc
- 22044. *Lampyris limbata* (Motschoulsky,1854)** (Lampyridae) Synonym(s): *limbata* Motschoulsky,1854 Range (in code): GG Cc
- 22045. *Lampyris membranacea* (Motschoulsky,1854)** (Lampyridae) Synonym(s): *membranacea* Motschoulsky,1854 Range (in code): GG Cc
- 22046. *Lampyris noctiluca* (Linnaeus,1758)** (Lampyridae) Synonym(s): *noctiluca* Linnaeus,1758; *sibirica* Gebler,1847; *longipennis* Motschoulsky,1854; *obscura* Motschoulsky,1854; *thoracica* Motschoulsky,1854; *bellieri* Reiche,1858; *carreti* E.Olivier,1895; *minor* E.Olivier,1901; *parvicollis* E.Olivier,1901 Range (in code): AT AL AM Cc GG GB GR HV BE B-H CZ DE FR FI HU IT MD NL NO PL PT ES RU SK UA YU
- 22047. *Lampyris olivieriana* Heyden,1890** (Lampyridae) Synonym(s): *olivieriana* Heyden,1890; *afghana* Nakane,1966 Range (in code): KG AF CN Ui
- 22048. *Lampyris orientalis* Faldermann,1835** (Lampyridae) Synonym(s): *orientalis* Faldermann,1835 Range (in code): AM GG Cc
- 22049. *Lampyris pseudozenkeri* Geisthardt,1999** (Lampyridae) Synonym(s): *pseudozenkeri* Geisthardt,1999 Range (in code): TR
- 22050. *Lampyris turkestanica* Heyden,1881** (Lampyridae) Synonym(s): *turkestanica* Heyden,1881 Range (in code): KG TJ TM UZ
- 22051. *Lamprohiza splendidula* (Linnaeus,1767)** (Lampyridae) Synonym(s): *splendidula* Linnaeus,1767; *antiqua* Brullé,1832; *Villaret*,1833 Range (in code): NL BE DE CH CZ AT FR IT HU RO B-H HV YU MK GR PL UA RU GG Cc US
- 22052. *Nyctophila anatolica* Geisthardt,1982** (Lampyridae) Synonym(s): *anatolica* Geisthardt,1982 Range (in code): TR
- 22053. *Nyctophila caucasica* (Motschoulsky,1854)** (Lampyridae) Synonym(s): *caucasica* Motschoulsky,1854 Range (in code): Cc IR AZ Len
- 22054. *Nyctophila incognita* Geisthardt,1982** (Lampyridae) Synonym(s): *incognita* Geisthardt,1982 Range (in code): SY
- 22055. *Nyctophila invenusta* Geisthardt,1983** (Lampyridae) Synonym(s): *invenusta* Geisthardt,1983 Range (in code): SY
- 22056. *Nyctophila libani* (Laporte de Castelnau,1833)** (Lampyridae) Synonym(s): *libani* Laporte de Castelnau,1833; *insignis* Ancey,1870 Range (in code): CY LB SY TR
- 22057. *Nyctophila maculicollis* (Fairmaire,1866)** (Lampyridae) Synonym(s): *maculicollis* Fairmaire,1866 Range (in code): MK TR SY IR
- 22058. *Nyctophila pseudocaucaasica* Geisthardt,1982** (Lampyridae) Synonym(s): *pseudocaucaasica* Geisthardt,1982 Range (in code): Cc IR
- 22059. *Nyctophila reichii* (Jacquelin du Val,1860)** (Lampyridae) Synonym(s): *reichii* Jacquelin du Val,1860 Range (in code): ES FR PT YU TR
- 22060. *Nyctophila scabripennis* E.Olivier,1907** (Lampyridae) Synonym(s): *scabripennis* E.Olivier,1907 Range (in code): TR
- 22061. *Nyctophila syriaca* (Baudi di Selve,1871)** (Lampyridae) Synonym(s): *syriaca* Baudi di Selve,1871 Range (in code): SY IL Pa TR
- 22062. *Agathidium* (s.str.) *namrunense* Angelini,1998** (Leiodidae) Synonym(s): *namrunense* Angelini,1998 Range (in code): TR 33
- 22063. *Attaephilus rydhi* Ruzicka,1997** (Leiodidae) Synonym(s): *rydhi* Ruzicka,1997 Range (in code): TR 07
- 22064. *Catopomorphus* (s.str.) *cappadocianus* Ruzicka,1994** (Leiodidae) Synonym(s): *cappadocianus* Ruzicka,1994 Range (in code): TR 50

- 22065. Catopomorphus magnicollis Reitter,1894** (Leiodidae) Synonym(s): magnicollis Reitter,1894 Range (in code): Cc
- 22066. Catops hanusi Ruzicka,1995** (Leiodidae) Synonym(s): hanusi Ruzicka,1995 Range (in code): BG TR 33
- 22067. Chovela (s.str.) elongata Paykull,1798** (Leiodidae) Synonym(s): elongata Paykull,1798 Range (in code): RU Cc
- 22068. Chovela (s.str.) fencli Ruzicka,1993** (Leiodidae) Synonym(s): fencli Ruzicka,1993 Range (in code): Cc GG TR o8
- 22069. Chovela (s.str.) obscuripes Reitter,1888** (Leiodidae) Synonym(s): obscuripes Reitter,1888 Range (in code): Cc RU
- 22070. Chovela (s.str.) rousi Ruzicka,1993** (Leiodidae) Synonym(s): rousi Ruzicka,1993 Range (in code): RU Cc Kc
- 22071. Chovela (s.str.) sagittaria Ruzicka,1993** (Leiodidae) Synonym(s): sagittaria Ruzicka,1993 Range (in code): RU Cc Kb
- 22072. Chovela (s.str.) zolotarevi Reitter,1909** (Leiodidae) Synonym(s): zolotarevi Reitter,1909 Range (in code): Cc RU Kb
- 22073. Dorcus parallelipedus (Linnaeus,1758)** (Lucanidae) Synonym(s): parallelipedus Linnaeus,1758 Range (in code): TR Cc IR Gh Mz Elb Kh KG o8 14 28 32 55
- 22074. Dorcus vavrai Nonfried,1905** (Lucanidae) Synonym(s): vavrai Nonfried,1905; ? peyroni Petrovitz,1980 Range (in code): IR By Fa Lo Kd Kz TR
- 22075. Lucanus (s.str.) cervus (Linnaeus,1758)** (Lucanidae) Synonym(s): cervus Linnaeus,1758; capreolus Fuessly,1775 nec Linn.,1758; dorcas Müller,1776; capra Olivier,1789; hircus Herbst,1790; inermis Marsham,1802; grandis Haworth,1807; microcephalus Mulsant,1842; lusitanicus Hope & Westwood,1845 Range (in code): GB PT ES FR IT AT DE CZ YU B-H RO BG GR LB TR Cc GG RU UA Cm o1 o7 16 27 31 34 35 46 80
- 22076. Lucanus (Pseudolucanus) groulti (Planet,1897)** (Lucanidae) Synonym(s): groulti Planet,1897 Range (in code): PK Nwf IN Up NP
- 22077. Lucanus (Pseudolucanus) wittmeri (Lacroix,1983)** (Lucanidae) Synonym(s): wittmeri Lacroix,1983 Range (in code): PK
- 22078. Lucanus (Pseudolucanus) xerxes Kral,2004** (Lucanidae) Synonym(s): xerxes Kral,2004 Range (in code): IR Fa By
- 22079. Lucanus (s.str.) ibericus Motschoulsky,1845** (Lucanidae) Synonym(s): ibericus Motschoulsky,1845; curtulus Motschoulsky,1845; barbarossa Burmeister,1847 nec Fabr.,1801; minor Burmeister,1847; orientalis Kraatz,1860; piger Motschoulsky,1870; syriacus Motschoulsky,1870; tenebrosus Motschoulsky,1870; intermedius Motschoulsky,1870; caspica Semenov,1901; ravasinii Schatzmayr,1923; #ibericus Sabatinelli,1977 Range (in code): AL GR Cc GG Tbl Akh Smt AZ Len TR IR Elb Mz Gh 37 42 65 70 76
- 22080. Platycerus caraboides (Linnaeus,1758)** (Lucanidae) Synonym(s): caraboides Linnaeus,1758; azurea Dalla Torre,1789; viridis Dalla Torre,1789; rufipes Herbst,1790; virescens Mulsant,1842; viridiaeneus Mulsant,1842; aeneus Weise,1883; viridicollis Depoli,1917; carniolicus Roubal,1919 Range (in code): SE FI DK GB NL BE FR ES DE PL CZ SK CH AT HU RO SS B-H YU BG TR SY RU IR MA TN CN Hun 14 52
- 22081. Platycerus caucasicus Parry,1864** (Lucanidae) Synonym(s): caucasicus Parry,1864 Range (in code): TR Cc AZ AM 76
- 22082. Platycerus delangrangei Fairmaire,1892** (Lucanidae) Synonym(s): delangrangei Fairmaire,1892 Range (in code): TR 31
- 22083. Platycerus primigenius Weise,1960** (Lucanidae) Synonym(s): primigenius Weise,1960 Range (in code): TR Cc AZ IR Elb TM Kp
- 22084. Platycerus senguni Schweiger,1966** (Lucanidae) Synonym(s): senguni Schweiger,1966 Range (in code): TR 11
- 22085. Sinodendron cylindricum (Linnaeus,1758)** (Lucanidae) Synonym(s): cylindricum Linnaeus,1758; tenebroides Scopoli,1777; americanum Beauvois,1805; aspromontanum Müller,1938 Range (in code): NO SE FI DK IE GB NL BE FR ES DE PL SK CH AT HU IT SL AL BG TR RU Cc Sb UA Cm KG MN CN Ui 52
- 22086. Sinodendron persicum Reitter,1902** (Lucanidae) Synonym(s): persicum Reitter,1902 Range (in code): IR Elb Gh Mz TM Kp Cc AZ
- 22087. Actenodia confluens (Reiche,1866)** (Meloidae) Synonym(s): confluens Reiche,1866; picta Baudi di Selve,1878; caudanigra Abeille de Perrin,1880; ottomana Escherich,1899; mediopartita Mader,1929; mediadisjuncta Pic,1930 Range (in code): TR BG SY EG Sn o6 o7 11 16 26 34 35 42
- 22088. Actenodia perfuga (Dvorak,1993)** (Meloidae) Synonym(s): perfuga Dvorak,1993 Range (in code): SY
- 22089. Actenodia peyroni (Reiche,1866)** (Meloidae) Synonym(s): peyroni Reiche,1866; #peyronis Reiche,1866 Range (in code): TR SY JO IL Pa Hf LB EG Sn LY Cy 33
- 22090. Alosimus abeillei (Escherich,1896)** (Meloidae) Synonym(s): abeillei Escherich,1896 Range (in code): TR Cc o5 18 25 60
- 22091. Alosimus armeniacus (Faldermann,1837)** (Meloidae) Synonym(s): armeniacus Faldermann,1837 Range (in code): TR SY Cc GR o4 o6 14 21 25 29 36 51 55 56 57 60 66 69 75



- 22092. Alosimus castaneus (Escherich,1896)** (Meloidae) Synonym(s): castaneus Escherich,1896 Range (in code): SY TR Cc 21 25 47 56
- 22093. Alosimus chalybaeus (Tauscher,1812)** (Meloidae) Synonym(s): chalybaeus Tauscher,1812 Range (in code): RU Ur Cc TR RO BG 01 03 07 22 25 35 42 45 51 63 64
- 22094. Alosimus decolor (Abeille de Perrin,1880)** (Meloidae) Synonym(s): decolor Abeille de Perrin,1880 Range (in code): TR Cc GR AM 06 12 21 22 34 35 45 47 62 66
- 22095. Alosimus gracilis (Abeille de Perrin,1880)** (Meloidae) Synonym(s): gracilis Abeille de Perrin,1880 Range (in code): TR SY Cc AM IR IL Pa 07 25 33
- 22096. Alosimus luteus (Waltl,1838)** (Meloidae) Synonym(s): luteus Waltl,1838 Range (in code): TR SY IL Pa IR 02 21 56 62 63
- 22097. Alosimus marginicollis Haag-Rutenberg,1880** (Meloidae) Synonym(s): marginicollis Haag-Rutenberg,1880 Range (in code): TR 43 50 60
- 22098. Alosimus pallidicollis (Gyllenhal,1806)** (Meloidae) Synonym(s): pallidicollis Gyllenhal,1806 Range (in code): SY TR AM 12 23 33 62
- 22099. Alosimus reittedianus (Semenov,1990)** (Meloidae) Synonym(s): reittedianus Semenov,1990 Range (in code): Cc TR IR Ak Mrd AZ AM 25
- 22100. Alosimus smyrnensis (Maran,1942)** (Meloidae) Synonym(s): smyrnensis Maran,1942 Range (in code): GR TR Rd IR 20 35 43 64
- 22101. Alosimus syriacus (Linnaeus,1758)** (Meloidae) Synonym(s): syriacus Linnaeus,1758; austriacus Schrank,1781 Range (in code): LY EG Sn IL Pa TR Cc SY RU RO BG AT 42 63
- 22102. Apalus apicalis Latreille,1804** (Meloidae) Synonym(s): apicalis Latreille,1804 Range (in code): TR
- 22103. Apalus bimaculatus (Linnaeus,1761)** (Meloidae) Synonym(s): bimaculatus Linnaeus,1761 Range (in code): TR SY TM UA IT HU RO
- 22104. Apalus bipunctatus Germar,1817** (Meloidae) Synonym(s): bipunctatus Germar,1817; #bipunctatus Özbek & Szaloki,1998 Range (in code): TR RU Cc KG IL Pa UA TJ 08
- 22105. Apalus montanus Escherich,1897** (Meloidae) Synonym(s): montanus Escherich,1897 Range (in code): TR 51
- 22106. Apalus mulsanti (Reiche,1878)** (Meloidae) Synonym(s): mulsanti Reiche,1878 Range (in code): TR
- 22107. Apalus necydalaesus (Pallas,1782)** (Meloidae) Synonym(s): necydalaesus Pallas,1782 Range (in code): TR Cc RU Sb GR HU TM 21 25
- 22108. Apalus spectabilis Schaum,1859** (Meloidae) Synonym(s): spectabilis Schaum,1859 Range (in code): HU GR MK TR 17
- 22109. Calydus escherichi Reitter,1898** (Meloidae) Synonym(s): escherichi Reitter,1898 Range (in code): TR
- 22110. Cerocoma (Meloides) gloriosa Mulsant,1857** (Meloidae) Synonym(s): gloriosa Mulsant,1857; vasarii Kaszab,1941; jodina Kaszab,1951; pseudogloriosa Muche,1963 Range (in code): AM AZ Cc SY TR 33 48 80
- 22111. Cerocoma (Meloides) kunzei Frivaldsky,1835** (Meloidae) Synonym(s): kunzei Frivaldsky,1835; patelligera Baudi,1878; patkai Kaszab,1941; kaszabi Maran,1944; #violacea Kaszab,1951; iranica Muche,1963; palaestinensis Muche,1963 Range (in code): SY TR Cc IL Pa IR BG HV YU AL MK GR GG AM SY JO 07 23 24 25 35 44
- 22112. Cerocoma (Meloides) macedonica Maran,1944** (Meloidae) Synonym(s): macedonica Maran,1944 Range (in code): MK TR YU B-H BG GR 17 35
- 22113. Cerocoma (Meloides) marginiventris Reitter,1889** (Meloidae) Synonym(s): marginiventris Reitter,1889; pictiventris Reitter,1899; gloriosa Reitter nec Muls.,1857 Range (in code): TR AZ AM Cc IR 76
- 22114. Cerocoma (Meloides) rapillyi Alcaide,1977** (Meloidae) Synonym(s): rapillyi Alcaide,1977 Range (in code): IR IQ
- 22115. Cerocoma (Mesocerosoma) latreillei Baudi,1878** (Meloidae) Synonym(s): latreillei Baudi,1878; sterbai Maran,1944; schah Kaszab,1968 Range (in code): IQ Bgd IR Th
- 22116. Cerocoma (Mesocerosoma) scovitzi Faldermann,1837** (Meloidae) Synonym(s): scovitzi Faldermann,1837 Range (in code): AM TR Cc IR 12 23 24 27 42 44 62
- 22117. Cerocoma (Metacerocoma) ephesica Reitter,1885** (Meloidae) Synonym(s): ephesica Reitter,1885 Range (in code): TR BG MK GR AM AZ Cc IR 03 07 14 24 25 35 42
- 22118. Cerocoma (Metacerocoma) festiva Faldermann,1837** (Meloidae) Synonym(s): festiva Faldermann,1837 Range (in code): Cc TR IR AM AZ IQ TM KG UZ 25 49 62 65
- 22119. Cerocoma (Metacerocoma) marthae Turco & Bologna,2011** (Meloidae) Synonym(s): marthae Turco & Bologna,2011 Range (in code): MK BG TR 09 20
- 22120. Cerocoma (Metacerocoma) schreberi Fabricius,1781** (Meloidae) Synonym(s): schreberi Fabricius,1781 Range (in code): PT ES FR IT DE CZ SK AT HU SS HV B-H YU AL BG MK GR RO UA SY IL Pa GG AZ Cc RU Sb TR KG TM UZ KK TJ AF CN Ui MN 07 16 39 46 54 59
- 22121. Cerocoma adamovichiana (Piller & Mitterpacher,1783)** (Meloidae) Synonym(s): adamovichiana Piller & Mitterpacher,1783 Range (in code): SK HU YU HV BG TR 10 22 25 42

- 22122. *Cerocoma albopilosa* Dvorak,1993** (Meloidae) Synonym(s): albopilosa Dvorak,1993 Range (in code): TR 42
- 22123. *Cerocoma bodemeyeri* Reitter,1913** (Meloidae) Synonym(s): bodemeyeri Reitter,1913 Range (in code): TR 26
- 22124. *Cerocoma dahli* Kraatz,1863** (Meloidae) Synonym(s): dahli Kraatz,1863 Range (in code): TR SY Cc RO 01 02 19 21 23 24 25 29 33 36 38 51 60 63 69 80
- 22125. *Cerocoma malatyensis* Kaszab,1941** (Meloidae) Synonym(s): malatyensis Kaszab,1941 Range (in code): TR 44 56 62
- 22126. *Cerocoma muehlfeldi* Gyllenhal,1817** (Meloidae) Synonym(s): muehlfeldi Gyllenhal,1817 Range (in code): HU BG TR IQ IR Cc CY RU 05 06 12 23 25 29 39 45 46 60 62
- 22127. *Cerocoma schaefferi* (Linnaeus,1758)** (Meloidae) Synonym(s): schaefferi Linnaeus,1758 Range (in code): FR BG TR RU 06 25
- 22128. *Cerocoma syriaca* Abeille de Perrin,1880** (Meloidae) Synonym(s): syriaca Abeille de Perrin,1880 Range (in code): TR IL Pa SY IR Cc AZ Bak BG 21 24 41 56 77
- 22129. *Cerocoma turcica* Pardo Alcaide,1977** (Meloidae) Synonym(s): turcica Pardo Alcaide,1977 Range (in code): TR IR Ar 76
- 22130. *Ctenopus* sp.** (Meloidae) Synonym(s): Range (in code): TR
- 22131. *Epicauta erythrocephala* (Pallas,1771)** (Meloidae) Synonym(s): erythrocephala Pallas,1771 Range (in code): BG TR Cc RU UZ KG CN Ui 22 24
- 22132. *Euzonitis bifasciata* Swarts,1808** (Meloidae) Synonym(s): bifasciata Swarts,1808 Range (in code): TR
- 22133. *Euzonitis fluvipennis* (Fabricius,1792)** (Meloidae) Synonym(s): fluvipennis Fabricius,1792 Range (in code): IT GG Cc TR RU HU 75
- 22134. *Euzonitis quadrimaculata* (Pallas,1782)** (Meloidae) Synonym(s): quadrimaculata Pallas,1782; quadripunctata Fabricius,1801; bifasciata Schwarz,1808 Range (in code): ES IT Sa Si TR RU MN CY IR 05 06 25 32 33 36 53
- 22135. *Euzonitis rubida* (Ménétriés,1832)** (Meloidae) Synonym(s): rubida Ménétriés,1832 Range (in code): TR Cc AZ AM AF GR TM IR Fa Zj 07 25 33 51
- 22136. *Euzonitis sexmaculata* (Olivier,1790)** (Meloidae) Synonym(s): sexmaculata Olivier,1790 Range (in code): DZ ES IT Si CY TR TJ SY 05 06 21 55 66
- 22137. *Euzonitis terminata* (Abeille de Perrin,1880)** (Meloidae) Synonym(s): terminata Abeille de Perrin,1880; auricoma Escherich,1891; bombycna Escherich,1896; armeniaca Pic,1901 Range (in code): IT Si TR Cc AM RO IL Pa JO SY EG AF TM IR GR HU 05 06
- 22138. *Hycleus aegyptiacus* (Marseul,1870)** (Meloidae) Synonym(s): aegyptiacus Marseul,1870; conjugata Baudi di Selve,1878; chakouri Pic,1907 Range (in code): EG LB
- 22139. *Hycleus afrotropicus* (Kaszab,1983)** (Meloidae) Synonym(s): afrotropicus Kaszab,1983 Range (in code): YE
- 22140. *Hycleus apicipennis* (Reiche,1866)** (Meloidae) Synonym(s): apicipennis Reiche,1866; innesi Pic,1912; fourtani Pic,1921 Range (in code): EG LB IL Pa JO
- 22141. *Hycleus argentifer* (Pic,1895)** (Meloidae) Synonym(s): argentifer Pic,1895; henoni Fairmaire,1897; auberti Chobaut,1898 Range (in code): MA DZ TN LB
- 22142. *Hycleus atratus* (Pallas,1773)** (Meloidae) Synonym(s): atratus Pallas,1773; minuta Fabricius,1798; karelini Fischer von Waldheim,1842; metatarsalis Marseul,1870; alpha Sumakov,1915; beta Sumakov,1915; mediomaculatus Sumakov,1929 Range (in code): AZ AM Cc GG UA AF IR KK KG MN UZ TM CN Ui
- 22143. *Hycleus belli* (Borchmann,1940)** (Meloidae) Synonym(s): belli Borchmann,1940 Range (in code): PK
- 22144. *Hycleus biguttatus* (Gebler,1841)** (Meloidae) Synonym(s): biguttatus Gebler,1841; pullata Heyden,1883; sexmaculata Dokhtouroff,1889; fasciculata Dokhtouroff,1889; similis Voigts,1902; karateginensis Sumakov,1915 Range (in code): AF IR KK KG TJ TM UZ CN Ui
- 22145. *Hycleus bipunctatus* (A.G.Olivier,1811)** (Meloidae) Synonym(s): bipunctatus A.G.Olivier,1811 Range (in code): IR IQ SA
- 22146. *Hycleus birecurvus* (Marseul,1876)** (Meloidae) Synonym(s): birecurvus Marseul,1876; caudaluteus Pic,1930 Range (in code): IL Pa JO SY TR
- 22147. *Hycleus borchmannianus* (Kaszab,1983)** (Meloidae) Synonym(s): borchmannianus Kaszab,1983 Range (in code): YE
- 22148. *Hycleus brunnipes* (Klug,1845)** (Meloidae) Synonym(s): brunnipes Klug,1845; interrupta Pic,1898; letourneuxi Pic,1896; subrupta Wellman,1910; humeronotata Pic,1939; postmultinotata Pic,1939; adrarensis Pic,1942 Range (in code): DZ MA TU EG LB AE IL Pa OM SA YE
- 22149. *Hycleus chodschenticus* (Ballion,1878)** (Meloidae) Synonym(s): chodschenticus Ballion,1878; diabolica Escherich,1899; mediojuncta Pic,1901; mediopunctata Pic,1901; ataensis Pic,1901 Range (in code): KK KG TJ TM UZ CN Ui
- 22150. *Hycleus chodschenticus* (Ballion,1878)** (Meloidae) Synonym(s): chodschenticus Ballion,1878 Range (in code): AZ Cc KK KG TJ TM UZ CN Ui

- 22151. Hycleus ciirticornis (Pic,1919)** (Meloidae) Synonym(s): ciirticornis Pic,1919 Range (in code): AM Cc
- 22152. Hycleus colligatus Redtenbacher,1850** (Meloidae) Synonym(s): colligatus Redtenbacher,1850; succinctus Baudi di Selve,1878 Range (in code): IR Fa
- 22153. Hycleus concinnus (Marseul,1870)** (Meloidae) Synonym(s): concinnus Marseul,1870; contaminata Abeille de Perrin,1880; impressithorax Pic,1930 Range (in code): IL Pa JO SY
- 22154. Hycleus diversipilis (Sumakov,1915)** (Meloidae) Synonym(s): diversipilis Sumakov,1915 Range (in code): IL Pa SY
- 22155. Hycleus dolens (Marseul,1872)** (Meloidae) Synonym(s): dolens Marseul,1872 Range (in code): IL Pa SY
- 22156. Hycleus dunalis Bologna & Turco,2007** (Meloidae) Synonym(s): dunalis Bologna & Turco,2007 Range (in code): AE
- 22157. Hycleus duplicatus (Klug,1845)** (Meloidae) Synonym(s): duplicatus Klug,1845; zonatus Klug,1845 Range (in code): SA YE
- 22158. Hycleus esfandiarii (Kaszab,1969)** (Meloidae) Synonym(s): esfandiarii Kaszab,1969 Range (in code): IL Pa
- 22159. Hycleus euphraticus (Marseul,1870)** (Meloidae) Synonym(s): euphraticus Marseul,1870 Range (in code): IQ
- 22160. Hycleus flavohirtus (Kaszab,1958)** (Meloidae) Synonym(s): flavohirtus Kaszab,1958 Range (in code): AF
- 22161. Hycleus fraudulentus Bologna & Turco,2007** (Meloidae) Synonym(s): fraudulentus Bologna & Turco,2007 Range (in code): SA
- 22162. Hycleus fuscus (Olivier,1811)** (Meloidae) Synonym(s): fuscus Olivier,1811; deleta Marseul,1870; galatiensis Escherich,1899; alpha Sumakov,1913; beta Sumakov,1913; circascutellaris Pic,1914; iota Sumakov,1930; zeta Sumakov,1930 Range (in code): AZ AM Cc RU TR IQ IR IL Pa JO KG SY TM 02 09 12 21 25 26 30 31 33 35 42 44 45 48 49 56 62
- 22163. Hycleus graciosus (Marseul,1870)** (Meloidae) Synonym(s): graciosus Marseul,1870 Range (in code): EG OM SA
- 22164. Hycleus humerosus (Escherich,1899)** (Meloidae) Synonym(s): humerosus Escherich,1899 Range (in code): AZ AM Cc TR GR GG IR IQ JO KG SY TM UZ 07 12 23 25 30 35 47 49 62
- 22165. Hycleus javeti (Marseul,1870)** (Meloidae) Synonym(s): javeti Marseul,1870; umbilicatus Kaszab,1958 [ssp.] Range (in code): IR IQ TM AF
- 22166. Hycleus lindbergi (Kaszab,1973)** (Meloidae) Synonym(s): lindbergi Kaszab,1973 Range (in code): AF
- 22167. Hycleus mediobipunctatus (Pic,1919)** (Meloidae) Synonym(s): mediobipunctatus Pic,1919 Range (in code): IR
- 22168. Hycleus mediozigzagus (Pic,1924)** (Meloidae) Synonym(s): mediozigzagus Pic,1924 Range (in code): IR
- 22169. Hycleus novemdecimpunctatus (Olivier,1811)** (Meloidae) Synonym(s): novemdecimpunctatus Olivier,1811 Range (in code): SY TR 22
- 22170. Hycleus ornatus (Reiche,1866)** (Meloidae) Synonym(s): ornatus Reiche,1866; berytensis Pic,1912; latebijunctus Pic,1912; diversesignatus Pic,1939 Range (in code): IL Pa JO LB Bei Sn SY
- 22171. Hycleus phaleratus (Pallas,1781)** (Meloidae) Synonym(s): phaleratus Pallas,1781; sidae Fabricius,1798; patruelis Sturm,1843; moquinianus Ferrer,1859; irigator Kaszab,1960 Range (in code): PK NP IN RU CN Yu
- 22172. Hycleus pierrei Kaszab,1968** (Meloidae) Synonym(s): pierrei Kaszab,1968 Range (in code): IR
- 22173. Hycleus pintoii Bologna & Turco,2007** (Meloidae) Synonym(s): pintoii Bologna & Turco,2007 Range (in code): SA
- 22174. Hycleus pirata Bologna & Turco,2007** (Meloidae) Synonym(s): pirata Bologna & Turco,2007 Range (in code): AE OM
- 22175. Hycleus polymorphus (Pallas,1771)** (Meloidae) Synonym(s): polymorphus Pallas,1771; floralis Pallas,1773 Range (in code): DZ IT GR TR Cc RU KG Sb TM SY 07 22 62 73
- 22176. Hycleus postbilunatus (Vic,1919)** (Meloidae) Synonym(s): postbilunatus Vic,1919; kurdistanicus Pic,1919 Range (in code): IQ
- 22177. Hycleus posticatus (Fairmaire,1892)** (Meloidae) Synonym(s): posticatus Fairmaire,1892 Range (in code): SY TR
- 22178. Hycleus posticatus (Fairmaire,1892)** (Meloidae) Synonym(s): posticatus Fairmaire,1892 Range (in code): SY TR
- 22179. Hycleus quatuordecimpunctatus (Pallas,1781)** (Meloidae) Synonym(s): quatuordecimpunctatus Pallas,1781; meliloti Olivier,1811; conbusta Tauscher,1812; confusa Fischer von Waldheim,1827 Range (in code): AM Cc TR UA KG IR UZ 46
- 22180. Hycleus raphael (Marseul,1876)** (Meloidae) Synonym(s): raphael Marseul,1876 Range (in code): EG Sn IL Pa IR



- 22181. Hycleus scabiosae (Olivier,1811)** (Meloidae) Synonym(s): scabiosae Olivier,1811; euphratica Marseul,1870; marseuli Ballion,1878; alienigera Heyden,1883; maracadensis Dokhtourov,1889; auliensis Pic,1901; sicheri Fleischer,1921; eichleri Mader,1927; transcaspensis Pic,1928; delta Sumakov,1930; epsilon Sumakov,1930 Range (in code): **RO GR AZ AM GG RU Cc TR SY LB IQ IR JO IR KG MN AF TM TJ UZ CN Ui 04 06 11 13 17 24 25 26 36 42 44 45 47 49 58 65 76**
- 22182. Hycleus schah (Reiche,1866)** (Meloidae) Synonym(s): schah Reiche,1866 Range (in code): **IR AF**
- 22183. Hycleus sexmaculatus (Olivier,1811)** (Meloidae) Synonym(s): sexmaculatus Olivier,1811; bimaculatus Klug,1845 nec Oliv.,1811; ledereri Marseul,1870 Range (in code): **TR SY IR Cc RU AE 01 07 23 33 44 80**
- 22184. Hycleus subparallelus (Pic,1919)** (Meloidae) Synonym(s): subparallelus Pic,1919 Range (in code): **IR**
- 22185. Hycleus tekkensis (Heyden,1883)** (Meloidae) Synonym(s): tekkensis Heyden,1883 Range (in code): **AF IR KG TJ UZ TM Kp**
- 22186. Hycleus tenuipictus (Fairmaire,1892)** (Meloidae) Synonym(s): tenuipictus Fairmaire,1892; marsabensis Pic,1898 Range (in code): **IL Pa JO TR SY**
- 22187. Hycleus tigrinus (Klug,1845)** (Meloidae) Synonym(s): tigrinus Klug,1845 Range (in code): **EG IL Pa SA SY YE**
- 22188. Hycleus tigripennis (Marseul,1870)** (Meloidae) Synonym(s): tigripennis Marseul,1870 Range (in code): **EG IL Pa LB**
- 22189. Hycleus trianguliferus (Heyden,1883)** (Meloidae) Synonym(s): trianguliferus Heyden,1883 Range (in code): **AF IR KG TJ TM UZ**
- 22190. Hycleus yemenicus (Kaszab,1983)** (Meloidae) Synonym(s): yemenicus Kaszab,1983 Range (in code): **YE**
- 22191. Hycleus zebraeus (Marseul,1870)** (Meloidae) Synonym(s): zebraea Marseul,1870; tenenbaumi Pic,1928; kervillei Pic,1932 Range (in code): **AM B-H BG GG GR MK IL Pa IQ TR Cc IR JO SY TM UZ 02 03 06 07 08 12 17 19 20 24 26 27 31 35 42 47 48 51 62 66 69**
- 22192. Lampromeloe cavensis (Petagna,1819)** (Meloidae) Synonym(s): cavensis Petagna,1819; purpurascens Germar,1834; sardous Gené,1836; aeneus Laporte,1840; latreillei Marseul,1867 Range (in code): **ES FR GR TR IT Sa Si EG LY TN LB CY IQ IL Pa JO SY 07**
- 22193. Lydus algiricus (Linnaeus,1758)** (Meloidae) Synonym(s): algiricus Linnaeus,1758; immaculata Fabricius,1775; indica Herbst,1784; algerica Laporte,1840 Range (in code): **MA TN DZ LY IL Pa**
- 22194. Lydus anatolicus Muche,1962** (Meloidae) Synonym(s): anatolicus Muche,1962 Range (in code): **TR 66**
- 22195. Lydus europaeus Escherich,1897** (Meloidae) Synonym(s): europaeus Escherich,1897 Range (in code): **AL B-H BG GR HU MK MD RO UA YU HV TR 47**
- 22196. Lydus gibbifer Escherich,1896** (Meloidae) Synonym(s): gibbifer Escherich,1896 Range (in code): **SY TR 02 73**
- 22197. Lydus humeralis Gyllenhal,1817** (Meloidae) Synonym(s): humeralis Gyllenhal,1817; suturalis Abeille de Perrin,1880 Range (in code): **IL Pa SY JO TR**
- 22198. Lydus pilicollis Fairmaire,1892** (Meloidae) Synonym(s): pilicollis Fairmaire,1892 Range (in code): **TR SY 01 07 33 46 48 49**
- 22199. Lydus tarsalis Abeille de Perrin,1880** (Meloidae) Synonym(s): tarsalis Abeille de Perrin,1880; cerastes Abeille de Perrin,1880 Range (in code): **TR CY IR IL Pa JO LB SY 12 47 56 73**
- 22200. Lydus tenuicollis Reitter,1905** (Meloidae) Synonym(s): tenuicollis Reitter,1905 Range (in code): **IR**
- 22201. Lydus tenuitarsis Abeille de Perrin,1880** (Meloidae) Synonym(s): tenuitarsis Abeille de Perrin,1880; impressicollis Fairmaire,1892 Range (in code): **TR Cc IR IL Pa JO LB Sn SY 12**
- 22202. Lydus trimaculatus (Fabricius,1775)** (Meloidae) Synonym(s): trimaculatus Fabricius,1775 Range (in code): **TR HU RO IT AL B-H BG HV YU KG UA 01 06 09 10 16 17 22 59**
- 22203. Lydus turcicus Kaszab,1952** (Meloidae) Synonym(s): turcicus Kaszab,1952; rufus Kaszab,1952; vasarii Kaszab,1952 Range (in code): **TR SY IR 01 06 10 13 14 23 24 25 26 29 32 41 42 44 45 51 77**
- 22204. Lydus unicolor Reitter,1887** (Meloidae) Synonym(s): unicolor Reitter,1887; glabricollis Escherich,1896; halbhuberi Escherich,1896; bitlisiensis Pic,1901; signatithorax Pic,1902 Range (in code): **TR Cc AM IR Ha AZ IL Pa LB JO SY TM 01 08 13 24 25 49 65 69 80**
- 22205. Lytta (Asiolytta) badakschanica Kaszab,1958** (Meloidae) Synonym(s): badakschanica Kaszab,1958 Range (in code): **AF Bd UZ**
- 22206. Lytta (Asiolytta) limbata (Redtenbacher,1844)** (Meloidae) Synonym(s): limbata Redtenbacher,1844; afghanica Kaszab,1981 [ssp.] Range (in code): **AF KG NP**
- 22207. Lytta (s.str.) armeniaca Faldermann,1837** (Meloidae) Synonym(s): armeniaca Faldermann,1837 Range (in code): **AM Cc**
- 22208. Lytta (s.str.) malltiensis Heydon,1886** (Meloidae) Synonym(s): malltiensis Heydon,1886 Range (in code): **TR**
- 22209. Lytta (s.str.) menetriesi Faldermann,1832** (Meloidae) Synonym(s): menetriesi Faldermann,1832 Range (in code): **AZ AM Cc IR TJ TM UZ**

- 22210. *Lytta* (s.str.) *regiszahiri* Kaszab,1958** (Meloidae) Synonym(s): *regiszahiri* Kaszab,1958 Range (in code): AF
- 22211. *Lytta* (s.str.) *vesicatoria* (Linnaeus,1758)** (Meloidae) Synonym(s): *vesicatoria* Linnaeus,1758; *armeniaca* Reitter,1886 nec Fald.,1837 ... Range (in code): AL AM AT BE B-H BG Cr CZ FR DE GB GG HU IR LT LV MK NL PL PT RO SS SZ UA YU GR Cc ES IT Sa Si TR CN Ui AF KK KG TJ 25 60
- 22212. *Meloe* (Anchomeloe) *autumnalis* (Olivier,1797)** (Meloidae) Synonym(s): *autumnalis* Olivier,1797 Range (in code): ES IT Si Sa TR DZ Cc AM AZ GG IR Ar CY 75
- 22213. *Meloe* (Coelomeloe) *tuccius* Rossi,1792** (Meloidae) Synonym(s): *tuccius* Rossi,1792; *ruficornis* Balbi,1897 Range (in code): Cn ES IT Sa Si AT HU TR Cc RU TM KG AF 25 26 35 38 42 71
- 22214. *Meloe* (Eurymeloe) *brevicollis* Panzer,1793** (Meloidae) Synonym(s): *brevicollis* Panzer,1793 Range (in code): DZ ES IT Sa Si TR RU KG TJ MN TM 75
- 22215. *Meloe* (Eurymeloe) *escherichi* Reitter,1889** (Meloidae) Synonym(s): *escherichi* Reitter,1889 Range (in code): TR 25 61
- 22216. *Meloe* (Eurymeloe) *ganglbaueri* Apfelbeck,1905** (Meloidae) Synonym(s): *ganglbaueri* Apfelbeck,1905 Range (in code): ES IT Sa Si TR HV GR Co 07
- 22217. *Meloe* (Eurymeloe) *glasunovi* Pliginski,1910** (Meloidae) Synonym(s): *glasunovi* Pliginski,1910; *rufotarsalis* Pliginski,1911 Range (in code): TR Cc RU AF TM IR UA Cm 75
- 22218. *Meloe* (Eurymeloe) *mediterraneus* J.Müller,1925** (Meloidae) Synonym(s): *mediterraneus* J.Müller,1925 Range (in code): ES FR GB TR HU HV IT Si LY YU LB IL Pa JO 04 07 13 21 24 25 29 65
- 22219. *Meloe* (Eurymeloe) *rugosus* Marsham,1802** (Meloidae) Synonym(s): *rugosus* Marsham,1802; *autumnalis* Leach,1815 nec Oliv.,1797; *abdominalis* Escherich,1890 Range (in code): ES IT RU DZ Cc TR TM 06 11 14
- 22220. *Meloe* (Eurymeloe) *scabriusculus* Brandt & Erichson,1832** (Meloidae) Synonym(s): *scabriusculus* Brandt & Erichson,1832; *pygmaeus* Baudi di Selve,1878; *nigra* Pliginski,1911; *pliginskyi* Kaszab,1958 Range (in code): RU Cc IT Si TR TM 25
- 22221. *Meloe* (Lampromeloe) *variegatus* Donovan,1793** (Meloidae) Synonym(s): *variegatus* Donovan,1793; *#variegatus* Özbek & Szaloki,1998 Range (in code): ES IT TR IR RU KK CN Ui 13 25 26 35 46
- 22222. *Meloe* (Lasiomeloe) *olivieri* (Chevrolat,1833)** (Meloidae) Synonym(s): *olivieri* Chevrolat,1833 Range (in code): TR Cc AM AZ EG JO SY IR IQ Mos 05 06 24 26 71
- 22223. *Meloe* (Listromeloe) *hungarus* Schrank,1776** (Meloidae) Synonym(s): *hungarus* Schrank,1776; *limbatus* Fabricius,1801; *marginatus* Tauscher,1812 Range (in code): HU TR IL Pa Cc RU 26 64
- 22224. *Meloe* (Meloegonius) *cicatricosus* (Leach,1815)** (Meloidae) Synonym(s): *cicatricosus* Leach,1815; *variolosus* Fischer von Waldheim,1844 Range (in code): ES TR Cc IR AF RU GB 08 11 21 38
- 22225. *Meloe* (Meloegonius) *rufiventris* (Germar,1817)** (Meloidae) Synonym(s): *rufiventris* Germar,1817; *coriarius* Brandt & Erichson,1832; *reticulatus* Brandt & Ratzeburg,1833; *cyanicornis* Escherich,1889 Range (in code): FR DE IT RU Cc TR GR HU PL RO UA LB LY JO IQ AF 24
- 22226. *Meloe* (Mesomeloe) *bytinskii* Kaszab,1969** (Meloidae) Synonym(s): *bytinskii* Kaszab,1969 Range (in code): IR
- 22227. *Meloe* (Mesomeloe) *coelatus* Reiche,1857** (Meloidae) Synonym(s): *coelatus* Reiche,1857; *nudus* Wollaston,1864; *aegyptius* Reitter,1895 Range (in code): DZ Cn MA TN IL Pa JO SA Sn IR QA
- 22228. *Meloe* (Mesomeloe) *xanthomelas* Solsky,1881** (Meloidae) Synonym(s): *xanthomelas* Solsky,1881; *sulcicollis* Kraatz,1882; *xanthomelaena* Semenov,1903 Range (in code): UZ Smk TM TJ
- 22229. *Meloe* (Micromeloe) *kabuliensis* Kaszab,1981** (Meloidae) Synonym(s): *kabuliensis* Kaszab,1981 Range (in code): AF Kab
- 22230. *Meloe* (Micromeloe) *simulans* Reitter,1895** (Meloidae) Synonym(s): *simulans* Reitter,1895 Range (in code): TM
- 22231. *Meloe* (s.str.) *bodemeyeri* Ganglbauer,1900** (Meloidae) Synonym(s): *bodemeyeri* Ganglbauer,1900 Range (in code): TR
- 22232. *Meloe* (s.str.) *proscarabaeus* Linnaeus,1758** (Meloidae) Synonym(s): *proscarabaeus* Linnaeus,1758 Range (in code): ES DZ IT Sa Si RU Sb Cc SY TR AF TJ KG 04 06 13 14 18 21 24 25 42 49 50 71
- 22233. *Meloe* (s.str.) *violaceus* Marsham,1802** (Meloidae) Synonym(s): *violaceus* Marsham,1802 Range (in code): ES TR FI RU 04 08 25 53 72
- 22234. *Meloe* (Taphromeloe) *erythrocnemus* Pallas,1782** (Meloidae) Synonym(s): *erythrocnemus* Pallas,1782; *corallipes* Gebler,1847 Range (in code): DZ MA TN IT Si GR BG KG RO UA YU B-H Cc AZ AM TR MA TN AF IR Se Cm TJ TM KK UZ CN Ui RU Sb 06 42 58 65
- 22235. *Micromeloe decorus* (Brandt & Erichson,1832)** (Meloidae) Synonym(s): *decorus* Brandt & Erichson,1832; *pygmaeus* Redtenbacher,1849 Range (in code): YU KG TR UA PL RO DE IT
- 22236. *Muzimes bitlisiensis* (Kaszab,1958)** (Meloidae) Synonym(s): *bitlisiensis* Kaszab,1958 Range (in code): TR 13 21
- 22237. *Muzimes brodskyi* (Dvorak,1983)** (Meloidae) Synonym(s): *brodskyi* Dvorak,1983 Range (in code): AM Cc

- 22238. Muzimes caucasicus (Maran,1940)** (Meloidae) Synonym(s): caucasicus Maran,1940; unicoloriceps Kaszab,1958 Range (in code): AZ Cc TR
- 22239. Muzimes collaris (Fabricius,1787)** (Meloidae) Synonym(s): collaris Fabricius,1787 Range (in code): TR MK GR BG RU Cc 15 16 18 32 45 71
- 22240. Muzimes dersimensis (Kaszab,1968)** (Meloidae) Synonym(s): dersimensis Kaszab,1968; #dersinensis Özbek & Szaloki,1998 Range (in code): TR 12 21 23 60 62
- 22241. Muzimes erivanicus (Kaszab,1958)** (Meloidae) Synonym(s): erivanicus Kaszab,1958; luteiceps Kaszab,1958; nigriceps Kaszab,1958; nigrilabris Kaszab,1958; seminigriceps Kaszab,1958 Range (in code): AM TR Cc Eri 24 25 36 69
- 22242. Muzimes iranicus (Maran,1942)** (Meloidae) Synonym(s): iranicus Maran,1942 Range (in code): IR Ha
- 22243. Muzimes luristanicus (Maran,1940)** (Meloidae) Synonym(s): luristanicus Maran,1940 Range (in code): IR
- 22244. Muzimes maceki (Dvorak,1983)** (Meloidae) Synonym(s): maceki Dvorak,1983 Range (in code): IQ Su Pjw
- 22245. Muzimes obenbergeri (Kaszab,1958)** (Meloidae) Synonym(s): obenbergeri Kaszab,1958 Range (in code): TR 38 42
- 22246. Muzimes resslis (Dvorak,1993)** (Meloidae) Synonym(s): resslis Dvorak,1993 Range (in code): TR
- 22247. Muzimes semiobscurus (Pic,1898)** (Meloidae) Synonym(s): semiobscurus Pic,1898 Range (in code): TR 35 58 60
- 22248. Muzimes strebai (Maran,1940)** (Meloidae) Synonym(s): strebai Maran,1940 Range (in code): SY TR 01 31 33
- 22249. Muzimes tauricus (Maran,1940)** (Meloidae) Synonym(s): tauricus Maran,1940 Range (in code): TR 07
- 22250. Mylabris (Argabris) audouini Marseul,1870** (Meloidae) Synonym(s): audouini Marseul,1870; bangi Heyden,1886 Range (in code): RU IR KK KG TJ UZ CN Ui
- 22251. Mylabris (Argabris) impedita (Heyden,1883)** (Meloidae) Synonym(s): impedita Heyden,1883 Range (in code): UZ AF KG TJ
- 22252. Mylabris (Argabris) klugi Redtenbacher,1850** (Meloidae) Synonym(s): klugi Redtenbacher,1850; graffi Pic,1947 Range (in code): EG TR IR Fa KG TJ TM Ui CN AF Kab 30
- 22253. Mylabris (Argabris) sedecimpunctata Gebler,1825** (Meloidae) Synonym(s): sedecimpunctata Gebler,1825; wilkinsi Dokhtouroff,1889; teuepunctata Dokhtouroff,1889; quindecimpunctata Sumakov,1909; alpha Sumakov,1913; beta Semenov,1913; gilana Pic,1924 Range (in code): RU Sb KG IR AF KK KG MN TJ UZ CN Ui
- 22254. Mylabris (Argabris) talhouki Kaszab,1983** (Meloidae) Synonym(s): talhouki Kaszab,1983 Range (in code): SA
- 22255. Mylabris (Chalcabris) festiva (Pallas,1773)** (Meloidae) Synonym(s): festiva Pallas,1773; sericea Pallas,1782 Range (in code): TR MK GR RO UA BG RU At Sb MN 12 24
- 22256. Mylabris (Chalcabris) formosa Welman,1910** (Meloidae) Synonym(s): decora Frivaldsky,1835; formosa Welman,1910 Range (in code): TR MK GR BG
- 22257. Mylabris (Chrysabris) doriai Marseul,1870** (Meloidae) Synonym(s): doriai Marseul,1870; boetcheri Pic,1909; persicola Pic,1909; magnificia Bodemeyer,1916; unifasciata Bodemeyer,1916; luristanica Pic,1920; viridibifasciata Pic,1920; viridifasciata Pic,1920; daligrandi Pic,1947; centropunctatella Kaszab,1958 Range (in code): IR Lo IQ
- 22258. Mylabris (Chrysabris) gemmula Dohrn,1873** (Meloidae) Synonym(s): gemmula Dohrn,1873 Range (in code): IR TM
- 22259. Mylabris (Chrysabris) ghazniana Kaszab,1973** (Meloidae) Synonym(s): ghazniana Kaszab,1973 Range (in code): AF
- 22260. Mylabris (Chrysabris) hemprichi Klug,1845** (Meloidae) Synonym(s): hemprichi Klug,1845; kocheri Pardo Alcaide,1945 Range (in code): EG LB MA DZ TN IQ IR IL Pa JO SY
- 22261. Mylabris (Chrysabris) kraatzii (Heyden,1881)** (Meloidae) Synonym(s): kraatzii Heyden,1881 Range (in code): IR
- 22262. Mylabris (Chrysabris) terraturcica Koçak & Kemal,2010** (Meloidae) Synonym(s): marginata Fischer von Waldheim,1844 nec Fabr.,1792; terraturcica Koçak & Kemal,2010 Range (in code): KG AM Cc TR 76
- 22263. Mylabris (Chrysabris) trifascis (Pallas,1773)** (Meloidae) Synonym(s): trifascis Pallas,1773 Range (in code): IR AF TM KG
- 22264. Mylabris (Eumylabris) breveapicalis (Pic,1919)** (Meloidae) Synonym(s): breveapicalis Pic,1919 Range (in code): TR
- 22265. Mylabris (Eumylabris) calida (Pallas,1782)** (Meloidae) Synonym(s): calida Pallas,1782; maculata Olivier,1795; bimaculata Olivier,1811; decora Olivier,1811; maura Chevrolat,1837; niligena Reiche,1865; maroccana Escherich,1899; bimaculaticeps Pic,1920; tlemceni Pic,1930 Range (in code): MA DZ MK BG GR UA TR Cc RU KG AF IR SY 01 08 11 14 17 22 26 32 34 35 41 42 45 56 76
- 22266. Mylabris (Eumylabris) cincta Olivier,1811** (Meloidae) Synonym(s): cincta Olivier,1811; tiflensis Billberg,1813; matthesi Faldermann,1837; bicolor Walzl,1838; taeniata Walzl,1838; tricingulata Redtenbacher,1850;



- jugatoria Reiche,1865; soubironi Pic,1921; #cincat Kaszab,1968 Range (in code): MK GR UA RU TR AF Cc GR SY JO IR DZ 01 07 08 12 14 23 24 25 32 35 38 45 47 48 62 65
- 22267. Mylabris (Eumylabris) crocata (Pallas,1782)** (Meloidae) Synonym(s): crocata Pallas,1782; duodecimpunctata Tauscher,1812 Range (in code): TR RO GR UA RU KG MN IR SY BG DE ES HU DE 01 03 20 23 26 35 45 50 51
- 22268. Mylabris (Eumylabris) fabricii Sumakov,1924** (Meloidae) Synonym(s): decimpunctata Petagna,1787 nec Fabr.,1781; forti Mulsant,1857; fabricii Sumakov,1924 Range (in code): AL GR MK BG MD UA TR Cc IL Pa RU KG UZ IR IT Si 01 06 08 12 23 24 26 30 32 35 36 42 46 47 49 51 58 62 65 69 76
- 22269. Mylabris (Eumylabris) groschkei Kaszab,1957** (Meloidae) Synonym(s): groschkei Kaszab,1957 Range (in code): IR AF
- 22270. Mylabris (Eumylabris) klapperichi Kaszab,1958** (Meloidae) Synonym(s): klapperichi Kaszab,1958 Range (in code): AF PK
- 22271. Mylabris (Eumylabris) magnoguttata (Heyden,1881)** (Meloidae) Synonym(s): magnoguttata Heyden,1881 Range (in code): IR AF KK KG TJ TM UZ CN Ui
- 22272. Mylabris (Eumylabris) posticalis (Dokhtoureff,1889)** (Meloidae) Synonym(s): posticalis Dokhtoureff,1889 Range (in code): IR AF KK PK UZ Ui CN
- 22273. Mylabris (Eumylabris) pulchra Kaszab,1973** (Meloidae) Synonym(s): pulchra Kaszab,1973 Range (in code): AF
- 22274. Mylabris (Eumylabris) quinqueplagiata Kaszab,1958** (Meloidae) Synonym(s): quinqueplagiata Kaszab,1958 Range (in code): AF PK
- 22275. Mylabris (Eumylabris) schrenki Gebler,1841** (Meloidae) Synonym(s): schrenki Gebler,1841; reitteri Dokhtoureff,1889 Range (in code): TR IR AF KG TJ TM UZ CN Ui 13
- 22276. Mylabris (Eumylabris) sculptilis Kaszab,1958** (Meloidae) Synonym(s): sculptilis Kaszab,1958 Range (in code): AF
- 22277. Mylabris (Eumylabris) subbrevicornis Kaszab,1958** (Meloidae) Synonym(s): subbrevicornis Kaszab,1958 Range (in code): AF
- 22278. Mylabris (Micrabris) afghanica Kaszab,1953** (Meloidae) Synonym(s): afghanica Kaszab,1953 Range (in code): AF PK
- 22279. Mylabris (Micrabris) alpina Ménétrés,1832** (Meloidae) Synonym(s): alpina Ménétrés,1832 Range (in code): AM Cc
- 22280. Mylabris (Micrabris) dokhtoureffii Escherich,1899** (Meloidae) Synonym(s): dokhtoureffii Escherich,1899; afghana Kaszab,1958 Range (in code): IR AF TJ UZ
- 22281. Mylabris (Micrabris) excisofasciata (Heyden,1883)** (Meloidae) Synonym(s): excisofasciata Heyden,1883 Range (in code): IR AF KK TM UZ
- 22282. Mylabris (Micrabris) frolovi Fischer von Waldheim,1823** (Meloidae) Synonym(s): frolovi Fischer von Waldheim,1823 Range (in code): AF IR KK KG TJ TM UZ CN Ui
- 22283. Mylabris (Micrabris) furcimakula Shumakov,1915** (Meloidae) Synonym(s): furcimakula Shumakov,1915 Range (in code): TR IR
- 22284. Mylabris (Micrabris) geminata Fabricius,1798** (Meloidae) Synonym(s): geminata Fabricius,1798 Range (in code): UA TR RU Cc IR 06 08 25 36 51 53
- 22285. Mylabris (Micrabris) inculta (Escherich,1899)** (Meloidae) Synonym(s): inculta Escherich,1899; humeromaculata Mader,1929 Range (in code): SY Cc TR
- 22286. Mylabris (Micrabris) laevicollis Marseul,1870** (Meloidae) Synonym(s): laevicollis Marseul,1870 Range (in code): B-H AL MK GR TR Cc TM KG KK IR 16 25 36 76
- 22287. Mylabris (Micrabris) lucens Escherich,1904** (Meloidae) Synonym(s): lucens Escherich,1904 Range (in code): AF KK KG TJ TM UZ CN Ui
- 22288. Mylabris (Micrabris) modesta (Escherich,1899)** (Meloidae) Synonym(s): modesta Escherich,1899 Range (in code): TR IR Elb
- 22289. Mylabris (Micrabris) nuristanica Kaszab,1958** (Meloidae) Synonym(s): nuristanica Kaszab,1958 Range (in code): AF PK
- 22290. Mylabris (Micrabris) pentheri Ganglbauer,1905** (Meloidae) Synonym(s): pentheri Ganglbauer,1905 Range (in code): TR
- 22291. Mylabris (Micrabris) pusilla Olivier,1811** (Meloidae) Synonym(s): pusilla Olivier,1811 Range (in code): IT HV B-H YU AL GR BG MD UA RU TR Cc SY Sb KG KK UZ IR 25 36 75 76
- 22292. Mylabris (Micrabris) serena (Escherich,1899)** (Meloidae) Synonym(s): serena Escherich,1899 Range (in code): AZ AM Cc TR 24 25 76
- 22293. Mylabris (Micrabris) sexnotata Redtenbacher,1843** (Meloidae) Synonym(s): sexnotata Redtenbacher,1843 Range (in code): SY TR
- 22294. Mylabris (Micrabris) sinuata Klug,1845** (Meloidae) Synonym(s): sinuata Klug,1845 Range (in code): LY CY SY TR 46 60
- 22295. Mylabris (Micrabris) tomentosa (Escherich,1899)** (Meloidae) Synonym(s): tomentosa Escherich,1899; externeundulata Pic,1919; kulpensis Pic,1919 Range (in code): TR IR AM Cc 76

- 22296. Mylabris (Micrabris) waziristanica (Kaszab,1958)** (Meloidae) Synonym(s): waziristanica Kaszab,1958 Range (in code): AF PK
- 22297. Mylabris (Monabris) undecimpunctata Fischer von Waldheim,1842** (Meloidae) Synonym(s): undecimpunctata Fischer von Waldheim,1842; septempunctata Pic,1901 Range (in code): AF IN KG TJ TM UZ CN Ui
- 22298. Mylabris (s.str.) atrofasciata (Pic,1921)** (Meloidae) Synonym(s): atrofasciata Pic,1921 Range (in code): IR
- 22299. Mylabris (s.str.) delagrangei (Pic,1899)** (Meloidae) Synonym(s): delagrangei Pic,1899 Range (in code): SY TR
- 22300. Mylabris (s.str.) desertica Bologna & Turco,2007** (Meloidae) Synonym(s): desertica Bologna & Turco,2007 Range (in code): SA
- 22301. Mylabris (s.str.) filicornis Marseul,1870** (Meloidae) Synonym(s): filicornis Marseul,1870 Range (in code): EG IL Pa JO
- 22302. Mylabris (s.str.) interrupta Olivier,1801** (Meloidae) Synonym(s): interrupta Olivier,1801; excellens Redtenbacher,1850; mediounifasciata Pic,1920; subunifasciata Pic,1920 Range (in code): EG IR
- 22303. Mylabris (s.str.) maceki (Dvorak,1985)** (Meloidae) Synonym(s): maceki Dvorak,1985 Range (in code): IQ
- 22304. Mylabris (s.str.) olivieri Billberg,1813** (Meloidae) Synonym(s): olivieri Billberg,1813; caspia Ménétris,1832; griseus Reiche,1865; impar Baudi,1878; impexa Escherich,1899; kopetensis Pic,1930 Range (in code): MK GR RO UA RU Cc TR TM Kp IR KG TJ 06 07 08 11 23 24 25 26 33 36 37 42 44 69
- 22305. Mylabris (s.str.) parumpicta (Heyden,1883)** (Meloidae) Synonym(s): parumpicta Heyden,1883 Range (in code): IR IQ IL Pa JO SY
- 22306. Mylabris (s.str.) quadripunctata (Linnaeus,1767)** (Meloidae) Synonym(s): quadripunctata Linnaeus,1767; melanura Pallas,1781; decimpunctata Fabricius,1781; octopunctata Olivier,1811; adamsi Fischer von Waldheim,1824; armeniaca Faldermann,1837; restricta Motschoulsky,1849; maldinesi Chevrolat,1865 Range (in code): PT ES FR IT B-H AL MK GR BG RO UA TR Cc AM RU IR AF MN KK KG TM TJ UZ CN Ui 01 06 07 08 11 17 19 22 24 26 31 32 33 34 35 38 42 43 44 45 46 47 48 51 52 54 57 59 62 63 65 66 70 73
- 22307. Mylabris (s.str.) sanguinosa Marseul,1872** (Meloidae) Synonym(s): sanguinosa Marseul,1872 Range (in code): IQ IR
- 22308. Mylabris (s.str.) suturalis (Pic,1898)** (Meloidae) Synonym(s): suturalis Pic,1898; morgani Pic,1920 Range (in code): SY TR IR 12
- 22309. Mylabris (s.str.) tauricola Marseul,1870** (Meloidae) Synonym(s): tauricola Marseul,1870 Range (in code): TR
- 22310. Mylabris (s.str.) variabilis (Pallas,1781)** (Meloidae) Synonym(s): cichorii Linnaeus,1767; variabilis Pallas,1781; lacera Fischer von Waldheim,1827; mutans Guérin de Ménerville,1834; hypocrita Mulsant,1857; similis Mulsant,1857; disrupta Baudi,1878; erivanica Pic,1901 Range (in code): PT ES FR Co Sa Si IT SS HV YU CH AT CZ SK HU MD RO AL MK GR BG UA TR Cc AM Eri RU DZ KG TM 01 06 07 08 09 10 16 17 18 22 25 34 36 41 42 59 62 65 80
- 22311. Mylabris (Zitunabris) syriaca Klug,1845** (Meloidae) Synonym(s): gebleri Faldermann,1837; syriaca Klug,1845; intersecta Reiche,1857; smyrnensis Escherich,1899 Range (in code): TR IR SY IL Pa EG GR SD AF 01 07 15 31 32 33 35 48 49 56 80
- 22312. Mylabris apicenigra Sumakov,1915** (Meloidae) Synonym(s): apicenigra Sumakov,1915 Range (in code): TR IR Lo 02 12 25 50 62
- 22313. Mylabris ciliciensis (Escherich,1899)** (Meloidae) Synonym(s): ciliciensis Escherich,1899; alpha Sumakov,1913 Range (in code): TR 21 33 51 76
- 22314. Mylabris cingulata Faldermann,1837** (Meloidae) Synonym(s): cingulata Faldermann,1837 Range (in code): SA SY IR TR 06
- 22315. Mylabris concolor Marseul,1870** (Meloidae) Synonym(s): concolor Marseul,1870 Range (in code): TR Cc IR AZ AM 23 42
- 22316. Mylabris decempunctata Fabricius,1781** (Meloidae) Synonym(s): decempunctata Fabricius,1781 Range (in code): TR
- 22317. Mylabris decore Frivaldsky,1835** (Meloidae) Synonym(s): decore Frivaldsky,1835 Range (in code): TR
- 22318. Mylabris emiliae (Escherich,1899)** (Meloidae) Synonym(s): emiliae Escherich,1899 Range (in code): TR SY Cc AM Eri 06 25
- 22319. Mylabris externepunctata Faldermann,1832** (Meloidae) Synonym(s): externepunctata Faldermann,1832 Range (in code): TR Cc AZ IR 25
- 22320. Mylabris flavipennis Motschulsky,1872** (Meloidae) Synonym(s): flavipennis Motschulsky,1872 Range (in code): TR
- 22321. Mylabris furcimacula Sumakov,1915** (Meloidae) Synonym(s): furcimacula Sumakov,1915 Range (in code): Cc TR 08 25
- 22322. Mylabris guerini Chevrolat,1840** (Meloidae) Synonym(s): guerini Chevrolat,1840; rubripennis Chevrolat,1840; normandi Pic,1953; lambaesis Pic,1953 Range (in code): DZ MA TN IR

- 22323. Mylabris inculta Escherich,1899** (Meloidae) Synonym(s): inculta Escherich,1899 Range (in code): AZ AM Cc TR SY
- 22324. Mylabris ledereri Marseul,1870** (Meloidae) Synonym(s): ledereri Marseul,1870 Range (in code): TR
- 22325. Mylabris modesta (Escherich,1899)** (Meloidae) Synonym(s): modesta Escherich,1899; elbursiensis Aksentjev,1985 Range (in code): TR IR Elb 76
- 22326. Mylabris munda Escherich,1897** (Meloidae) Synonym(s): munda Escherich,1897 Range (in code): TR
- 22327. Mylabris sericea Pallas,1782** (Meloidae) Synonym(s): sericea Pallas,1782 Range (in code): TR
- 22328. Mylabris steppensis (Dokhtouroff,1890)** (Meloidae) Synonym(s): steppensis Dokhtouroff,1890 Range (in code): TR GG KG KK TJ UZ
- 22329. Nemognatha (s.str.) chrysomelina (Fabricius,1775)** (Meloidae) Synonym(s): chrysomelina Fabricius,1775; flavipes Ménétériés,1849; nigripes Suffrian,1853; asiatica Motschulsky,1872; maculicollis Fairmaire,1875; unipunctata Beauregard,1890; akbesiana Pic,1897; atripennis Chobaut,1898; #chrysomelira Özbek & Szaloki,1998 Range (in code): FR PT MA TN ES IT Si Sa TR GR CY SY TM TJ IQ AF IR JO UZ 01 06 07 08 09 11 19 24 31 32 43 65
- 22330. Oenas afer (Linnaeus,1767)** (Meloidae) Synonym(s): afer Linnaeus,1767; atrata Fabricius,1775 Range (in code): DZ TR
- 22331. Oenas armeniacus Kaszab,1951** (Meloidae) Synonym(s): armeniacus Kaszab,1951 Range (in code): TR 25 49
- 22332. Oenas crassicornis (Illiger,1800)** (Meloidae) Synonym(s): crassicornis Illiger,1800 Range (in code): TR RO BG HV YU 01 06 10 11 15 16 22 24 25 32 35 41 45 49 55 66 71
- 22333. Oenas tarsensis Abeille de Perrin,1880** (Meloidae) Synonym(s): tarsensis Abeille de Perrin,1880 Range (in code): TR 01 33 60
- 22334. Oenas tenuicornis Abeille de Perrin,1880** (Meloidae) Synonym(s): tenuicornis Abeille de Perrin,1880; #tenuitarsis Kaszab,1968 Range (in code): TR Cc AM Eri SY 01 21 25 56 44 73
- 22335. Oenas wilhelmsi Faldermann,1832** (Meloidae) Synonym(s): wilhelmsi Faldermann,1832; armeniacus Kaszab,1951 Range (in code): AZ AM Cc TR IR
- 22336. Semenovia fischeri (Gebler,1847)** (Meloidae) Synonym(s): tauscheri Fischer von Waldheim,1844 (praeocc.); fischeri Gebler,1847; Range (in code): AF IR KG TM UZ CN Ui
- 22337. Sitaris minutus Pic,1932** (Meloidae) Synonym(s): minutus Pic,1932 Range (in code): TR
- 22338. Sitaris rufiventris Kraatz,1884** (Meloidae) Synonym(s): rufiventris Kraatz,1884 Range (in code): GR TR
- 22339. Sitaris solieri Pecchioli,1839** (Meloidae) Synonym(s): solieri Pecchioli,1839; longicornis Kraatz,1858; lativentris Schaufuss,1861; apicalis Escherich,1897; tibialis Ragusa,1898; corzoi Pardo Alcaide,1950 Range (in code): FR GR PT IT ES MD TR
- 22340. Stenodera (s.str.) caucasica (Pallas,1781)** (Meloidae) Synonym(s): caucasica Pallas,1781; sexmaculata Fabricius,1794; sexpunctata Eschscholtz,1818 Range (in code): HU UA Cm HV MK GR BG RO RU Ur AM GG Tbl AZ Nv Kir TR Cc SY LB IL Pa IR Gor GlS TM Kp Lo RU Sb 06 08 11 18 21 25 26 30 43 51 55 57 58 65 71 76 80
- 22341. Stenodera (s.str.) oculifera (Abeille de Perrin,1880)** (Meloidae) Synonym(s): oculifera Abeille de Perrin,1880; chevrolati Ragusa,1882; impressicollis Escherich,1891 Range (in code): LB Bei IL Pa SY Dms
- 22342. Stenodera (Stenoderina) anatolica (Frivaldsky,1884)** (Meloidae) Synonym(s): anatolica Frivaldsky,1884 Range (in code): TR SY 01 06 07 16 24 31 33 46 60
- 22343. Stenodera (Stenoderina) coeruleiceps (Fairmaire,1892)** (Meloidae) Synonym(s): coeruleiceps Fairmaire,1892 Range (in code): TR 01 07 31 32 33 75
- 22344. Stenodera (Stenoderina) palaestina Maran,1942** (Meloidae) Synonym(s): palaestina Maran,1942 Range (in code): IL Pa Hf
- 22345. Stenodera (Stenoderina) puncticollis (Chevrolat,1829)** (Meloidae) Synonym(s): puncticollis Chevrolat,1829; abdominalis Laporte de Castelnau,1840 Range (in code): TR SY IL Pa Hf LB 01 02 21 31 33 42 80
- 22346. Stenoria analis Schaum,1859** (Meloidae) Synonym(s): analis Schaum,1859; adusta Schaum,1859; colletis Mayet,1874 Range (in code): IR TR 08
- 22347. Stenoria apicalis (Latreille,1804)** (Meloidae) Synonym(s): apicalis Latreille,1804 Range (in code): PT PL RO UA YU Cc MD TM IR TR
- 22348. Syriolytta vulneratus (Fairmaire,1892)** (Meloidae) Synonym(s): vulneratus Fairmaire,1892; suturifera Pic,1899; fairmairei Borchmann,1917 Range (in code): TR SY IQ
- 22349. Teratolytta carlae Bologna,2006** (Meloidae) Synonym(s): carlae Bologna,2006 Range (in code): TR 02 44
- 22350. Teratolytta dives (Brullé,1832)** (Meloidae) Synonym(s): dives Brullé,1832; phalerata Frivaldsky,1837; vittata Kiesenwetter,1861; excellens Escherich,1894 Range (in code): TR HV YU MK AL GR BG RO UA AZ AM Cc IR SY Hal 01 10 17 22 25 31 33 34 35 45 61
- 22351. Teratolytta dvoraki Bologna,2006** (Meloidae) Synonym(s): dvoraki Bologna,2006 Range (in code): TR 12



- 22352. Teratolytta eylandti Semenow,1894** (Meloidae) Synonym(s): eylandti Semenow,1894 Range (in code): **TM**
- 22353. Teratolytta flavipes (Mulsant & Rey,1858)** (Meloidae) Synonym(s): flavipes Mulsant & Rey,1858; semivida Abeille de Perrin,1895; saphirina Abeille de Perrin,1895 Range (in code): **TR SY LB 01 07 31 33**
- 22354. Teratolytta gentilis (Frivaldsky,1877)** (Meloidae) Synonym(s): gentilis Frivaldsky,1877; violaceipennis Beauregard,1890; #coeruleipennis Escherich,1894; coonensis G.Müller,1936 Range (in code): **GR TR 07 35 42**
- 22355. Teratolytta kulzeri Kaszab,1958** (Meloidae) Synonym(s): kulzeri Kaszab,1958 Range (in code): **TR 30 65**
- 22356. Teratolytta monticola Bologna,2006** (Meloidae) Synonym(s): monticola Bologna,2006 Range (in code): **TR 25**
- 22357. Teratolytta optabilis (Faldermann,1832)** (Meloidae) Synonym(s): optabilis Faldermann,1832 Range (in code): **AZ Cc Len Nv AM RU Da Bak IR**
- 22358. Teratolytta senilis (Abeille de Perrin,1895)** (Meloidae) Synonym(s): senilis Abeille de Perrin,1895; bytinskii Kaszab,1957 Range (in code): **TR IL Pa 31**
- 22359. Teratolytta taurica Bologna,2006** (Meloidae) Synonym(s): taurica Bologna,2006 Range (in code): **TR 33 70**
- 22360. Teratolytta tricolor (Haag-Rutenberg,1880)** (Meloidae) Synonym(s): tricolor Haag-Rutenberg,1880 Range (in code): **IR Mz Gor Kh Ke UZ**
- 22361. Teratolytta vanensis Kaszab,1968** (Meloidae) Synonym(s): vanensis Kaszab,1968 Range (in code): **TR 01 65**
- 22362. Trichomeloe chrysocomus (Miller,1861)** (Meloidae) Synonym(s): chrysocomus Miller,1861 Range (in code): **CY IL Pa JO TR**
- 22363. Trichomeloe conicicollis (Reitter,1907)** (Meloidae) Synonym(s): conicicollis Reitter,1907 Range (in code): **TR GR 48**
- 22364. Trichomeloe deflexus (Reitter,1889)** (Meloidae) Synonym(s): deflexus Reitter,1889 Range (in code): **IL Pa JO SY TR 02 31**
- 22365. Trichomeloe ottomanus (Pliginskji,1914)** (Meloidae) Synonym(s): ottomanus Pliginskji,1914 Range (in code): **SY TR**
- 22366. Trichomeloe sericellus (Reiche & Saulcy,1857)** (Meloidae) Synonym(s): sericellus Reiche & Saulcy,1857 Range (in code): **IT Si JO SY TR**
- 22367. Xanthabris baluchistana Kaszab,1956** (Meloidae) Synonym(s): baluchistana Kaszab,1956 Range (in code): **PK BI**
- 22368. Zonitis bellieri Reiche,1860** (Meloidae) Synonym(s): bellieri Reiche,1860; turcica Frivaldsky,1877 Range (in code): **IT LY MA TN TR**
- 22369. Zonitis escherichi Semenov,1893** (Meloidae) Synonym(s): escherichi Semenov,1893 Range (in code): **TJ TM TR**
- 22370. Zonitis flava Fabricius,1775** (Meloidae) Synonym(s): flava Fabricius,1775; praeusta Fabricius,1792; thoracica Laporte,1840 Range (in code): **DZ ES IT Si Sa TR SY IR TM 07 14 24 26 25 55**
- 22371. Zonitis gibbicollis Abeille de Perrin,1880** (Meloidae) Synonym(s): gibbicollis Abeille de Perrin,1880 Range (in code): **TR GR 33**
- 22372. Zonitis immaculata (Olivier,1790)** (Meloidae) Synonym(s): immaculata Olivier,1790; mutica Scriba,1790; gibbicollis Abeille de Perrin,1880 Range (in code): **TR ES IT Sa Si GR 05 06 19 33 42**
- 22373. Zonitis microcephala Escherich,1897** (Meloidae) Synonym(s): microcephala Escherich,1897 Range (in code): **TR**
- 22374. Zonitis nana Ragusa,1882** (Meloidae) Synonym(s): nana Ragusa,1882; laevicollis Escherich,1891 Range (in code): **FR HU AT CZ IT Si GR TR IL Pa SY 18 25 42**
- 22375. Zonitis nigriventris Motschulsky,1845** (Meloidae) Synonym(s): nigriventris Motschulsky,1845 Range (in code): **TR Cc AM GG GR 25 76**
- 22376. Zonitis ruficollis Frivaldsky,1877** (Meloidae) Synonym(s): ruficollis Frivaldsky,1877; rubricollis Abeille de Perrin,1880; abeillei Bedel,1892; thoracica Escherich,1892 Range (in code): **DZ MA LY Cy SY IL Pa Cr TR 06 07 47**
- 22377. Achaetomalachius bengalensis (Pic,1907)** (Melyridae) Synonym(s): bengalensis Pic,1907 Range (in code): **PK**
- 22378. Achaetomalachius clarus Majer** (Melyridae) Synonym(s): Range (in code): **AF**
- 22379. Achaetomalachius confusus Majer** (Melyridae) Synonym(s): Range (in code): **AF**
- 22380. Achaetomalachius cupreatus Majer** (Melyridae) Synonym(s): Range (in code): **AF**
- 22381. Achaetomalachius pretincus Majer** (Melyridae) Synonym(s): Range (in code): **AF**
- 22382. Achaetomalachius tibialis (Jablonkoff-Khnzorian,1966)** (Melyridae) Synonym(s): tibialis Jablonkoff-Khnzorian,1966 Range (in code): **AF**
- 22383. Achaetomalachius vagus Majer** (Melyridae) Synonym(s): Range (in code): **PK**
- 22384. Acromalachius clavicornis (Peyron,1877)** (Melyridae) Synonym(s): clavicornis Peyron,1877 Range (in code): **TR SY IL Pa 01 18**

- 22385. Acromalachus flexicornis (Baudi di Selve,1873)** (Melyridae) Synonym(s): flexicornis Baudi di Selve,1873 Range (in code): TR IL Pa
- 22386. Anthocomus coccineus (Schaller,1783)** (Melyridae) Synonym(s): coccineus Schaller,1783; rufus Herbst,1784; sanguinolentus Fabricius,1787 Range (in code): PT PL ES GB AT CZ SK SE CH NL EE TR RU SE DK FR HU IT DE RO 31
- 22387. Anthocomus equestris (Fabricius,1781)** (Melyridae) Synonym(s): equestris Fabricius,1781 Range (in code): HU RO TR
- 22388. Anthocomus fasciatus (Linnaeus,1758)** (Melyridae) Synonym(s): fasciatus Linnaeus,1758 Range (in code): SE AT EE GE GR IT RO YU TR
- 22389. Anthocomus humeralis Morawitz,1861** (Melyridae) Synonym(s): humeralis Morawitz,1861 Range (in code): TR AT SK RU BG GR 18 68
- 22390. Anthocomus infasciatus Pic,1901** (Melyridae) Synonym(s): infasciatus Pic,1901 Range (in code): TR
- 22391. Anthocomus miniatus (Kolenati,1846)** (Melyridae) Synonym(s): miniatus Kolenati,1846 Range (in code): TR
- 22392. Anthocomus pupillatus Abeille de Perrin,1890** (Melyridae) Synonym(s): pupillatus Abeille de Perrin,1890 Range (in code): TR
- 22393. Anthocomus smyrnensis Wittmer,1971** (Melyridae) Synonym(s): smyrnensis Wittmer,1971 Range (in code): TR 35
- 22394. Anthocomus thalassinus (Abeille de Perrin,1883)** (Melyridae) Synonym(s): thalassinus Abeille de Perrin,1883 Range (in code): TR
- 22395. Anthocomus tricoloripennis Evers,1949** (Melyridae) Synonym(s): tricoloripennis Evers,1949 Range (in code): TR
- 22396. Anthomalachus pseudospinosus (Medvedev,1964)** (Melyridae) Synonym(s): pseudospinosus Medvedev,1964 Range (in code): TR KG 25
- 22397. Anthomalachus spinosus (Erichson,1840)** (Melyridae) Synonym(s): spinosus Erichson,1840 Range (in code): DZ ES FR DE AT IT HV YU GR UA RU AZ Cc
- 22398. Anthomalachus strangulatus (Abeille de Perrin,1885)** (Melyridae) Synonym(s): strangulatus Abeille de Perrin,1885; vulneratus Abeille de Perrin,1891 Range (in code): FR GB AT DE IT RO HU UA Cm RU Aa Kr Cc TR IR KK KG UZ
- 22399. Aplocnemus pertusus (Kiesenwetter,1859)** (Melyridae) Synonym(s): pertusus Kiesenwetter,1859 Range (in code): GR TR
- 22400. Aplocnemus reitteri (Schilsky,1894)** (Melyridae) Synonym(s): reitteri Schilsky,1894 Range (in code): TR
- 22401. Aplocnemus syriacus (Schilsky,1894)** (Melyridae) Synonym(s): syriacus Schilsky,1894 Range (in code): CY TR
- 22402. Asiothrix minuta (Wittmer,1954)** (Melyridae) Synonym(s): minuta Wittmer,1954 Range (in code): SA
- 22403. Attalus analis (Panzer,1796)** (Melyridae) Synonym(s): analis Panzer,1796 Range (in code): TR
- 22404. Attalus mitlaensis Wittmer,1971** (Melyridae) Synonym(s): mitlaensis Wittmer,1971 Range (in code): IL Pa
- 22405. Attalus sicanus Erichson,1840** (Melyridae) Synonym(s): sicanus Erichson,1840; testaceipes Pic,1903 Range (in code): MT TN DZ Sa Si IT AT HV GR TR
- 22406. Axinotarsus anatolicus Evers,1961** (Melyridae) Synonym(s): anatolicus Evers,1961 Range (in code): TR
- 22407. Axinotarsus pulicarius (Fabricius,1775)** (Melyridae) Synonym(s): pulicarius Fabricius,1775 Range (in code): MT DK SE PT RU Cc MA DZ IT Sa Si
- 22408. Brachemys brevipennis (Laporte de Castelnau,1836)** (Melyridae) Synonym(s): brevipennis Laporte de Castelnau,1836 Range (in code): TR ES FR IT Sa Co BG GR 07
- 22409. Brachemys heydeni Flach,1895** (Melyridae) Synonym(s): heydeni Flach,1895 Range (in code): TR
- 22410. Brodskyana furcilla Majer,1996** (Melyridae) Synonym(s): furcilla Majer,1996 Range (in code): JO
- 22411. Brodskyana juncta Majer,1996** (Melyridae) Synonym(s): juncta Majer,1996 Range (in code): IR
- 22412. Brodskyana lubrica Majer,1996** (Melyridae) Synonym(s): lubrica Majer,1996 Range (in code): IR
- 22413. Brodskyana semipallida (Reitter,1899)** (Melyridae) Synonym(s): semipallida Reitter,1899 Range (in code): AM Cc
- 22414. Cephaloncus albozonatus (Abeille de Perrin,1883)** (Melyridae) Synonym(s): albozonatus Abeille de Perrin,1883; tauricus Wittmer,1988 Range (in code): TR
- 22415. Cephaloncus karsensis Wittmer,1995** (Melyridae) Synonym(s): karsensis Wittmer,1995 Range (in code): TR 36

- 22416. *Cephaloncus rhinocerus* (Marseul,1868)** (Melyridae) Synonym(s): rhinocerus Marseul,1868 Range (in code): TR
- 22417. *Cerapheles terminatus* (Ménétriés,1832)** (Melyridae) Synonym(s): terminatus Ménétriés,1832 Range (in code): TR
- 22418. *Cerapheles zoelleri* Flach,1895** (Melyridae) Synonym(s): zoelleri Flach,1895 Range (in code): TR
- 22419. *Ceratistes dilaticornis* (Germar,1824)** (Melyridae) Synonym(s): dilaticornis Germar,1824 Range (in code): TR
- 22420. *Chaetomalachius aeneolus* Majer,1989** (Melyridae) Synonym(s): aeneolus Majer,1989 Range (in code): AF IR TJ TM
- 22421. *Chaetomalachius aeneus* Schilksy,1900** (Melyridae) Synonym(s): aeneus Schilksy,1900 Range (in code): KK TJ TM
- 22422. *Chaetomalachius australis* Majer,1988** (Melyridae) Synonym(s): australis Majer,1988 Range (in code): AF
- 22423. *Chaetomalachius cyanellus* (Kiesenwetter,1863)** (Melyridae) Synonym(s): cyanellus Kiesenwetter,1863 Range (in code): TR SY LB
- 22424. *Chaetomalachius dasytoides* Kraatz,1882** (Melyridae) Synonym(s): dasytoides Kraatz,1882 Range (in code): KK KG TJ TM UZ
- 22425. *Chaetomalachius dispar* Schilsky,1896** (Melyridae) Synonym(s): dispar Schilsky,1896; bodemeyeri Majer,1988 Range (in code): IR SY
- 22426. *Chaetomalachius insidiosus* Jablokoff-Khnzorian,1966** (Melyridae) Synonym(s): insidiosus Jablokoff-Khnzorian,1966 Range (in code): AF
- 22427. *Chaetomalachius jelineki* Majer,1989** (Melyridae) Synonym(s): jelineki Majer,1989 Range (in code): IR
- 22428. *Chaetomalachius klapperichi* Jablokoff-Khnzorian,1966** (Melyridae) Synonym(s): klapperichi Jablokoff-Khnzorian,1966 Range (in code): AF
- 22429. *Chaetomalachius kotschyi* Schilsky,1896** (Melyridae) Synonym(s): kotschyi Schilsky,1896 Range (in code): IR
- 22430. *Chaetomalachius largus* Majer,1988** (Melyridae) Synonym(s): largus Majer,1988 Range (in code): AF
- 22431. *Chaetomalachius longipilis* (Reitter,1889)** (Melyridae) Synonym(s): longipilis Reitter,1889 Range (in code): TM
- 22432. *Chaetomalachius marginicollis* (Reitter,1891)** (Melyridae) Synonym(s): marginicollis Reitter,1891 Range (in code): AZ Cc TM Kp
- 22433. *Chaetomalachius pulcher* Majer,1988** (Melyridae) Synonym(s): pulcher Majer,1988 Range (in code): AF
- 22434. *Chaetomalachius reitteri* Majer,1988** (Melyridae) Synonym(s): reitteri Majer,1988 Range (in code): Cc
- 22435. *Chaetomalachius wittmeri* Majer,1989** (Melyridae) Synonym(s): wittmeri Majer,1989 Range (in code): IR KK TM
- 22436. *Charopus crassicornis* Wittmer,1975** (Melyridae) Synonym(s): crassicornis Wittmer,1975 Range (in code): TR
- 22437. *Charopus diversipennis* Pic,1906** (Melyridae) Synonym(s): diversipennis Pic,1906 Range (in code): TR
- 22438. *Charopus madidus* Kiesenwetter,1863** (Melyridae) Synonym(s): madidus Kiesenwetter,1863 Range (in code): TR
- 22439. *Charopus philoctetes* Abeille de Perrin,1885** (Melyridae) Synonym(s): philoctetes Abeille de Perrin,1885 Range (in code): TR IT HU Cc MK GG IR 37
- 22440. *Chionotopus bimaculatus* Pic,1911** (Melyridae) Synonym(s): bimaculatus Pic,1911; inhumeralis Pic,1911 Range (in code): IR
- 22441. *Chionotopus damascaenus* (Abeille de Perrin,1881)** (Melyridae) Synonym(s): damascaenus Abeille de Perrin,1881 Range (in code): SY Dms
- 22442. *Chionotopus humeralis* (Reiche & Saulcy,1857)** (Melyridae) Synonym(s): humeralis Reiche & Saulcy,1857 Range (in code): TR SY IL Pa 07 32 65
- 22443. *Chionotopus mossulensis* (Abeille de Perrin,1881)** (Melyridae) Synonym(s): mossulensis Abeille de Perrin,1881 Range (in code): IQ Mos
- 22444. *Clanoptilus (Hypoptilus) assimilis* (Baudi di Selve,1873)** (Melyridae) Synonym(s): assimilis Baudi di Selve,1873 Range (in code): IL Pa BG CY TR
- 22445. *Clanoptilus (Hypoptilus) erythroptilus* (Erichson,1840)** (Melyridae) Synonym(s): erythroptilus Erichson,1840 Range (in code): TR IR Kz IQ Bgd 02 63
- 22446. *Clanoptilus (Hypoptilus) flavipalpis* (Abeille de Perrin,1891)** (Melyridae) Synonym(s): flavipalpis Abeille de Perrin,1891 Range (in code): AZ Cc
- 22447. *Clanoptilus (s.str.) affinis* (Ménétriés,1832)** (Melyridae) Synonym(s): affinis Ménétriés,1832 Range (in code): RU IT UZ KK GR TR



- 22448. *Clanoptilus* (s.str.) *amanicola* (Abeille de Perrin,1900)** (Melyridae) Synonym(s): *amanicola* Abeille de Perrin,1900 Range (in code): TR
- 22449. *Clanoptilus* (s.str.) *ambiguus* (Peyron,1877)** (Melyridae) Synonym(s): *ambiguus* Peyron,1877 Range (in code): HU RU GR TR
- 22450. *Clanoptilus* (s.str.) *anatolicus* (Wittmer,1986)** (Melyridae) Synonym(s): *anatolicus* Wittmer,1986 Range (in code): TR
- 22451. *Clanoptilus* (s.str.) *colasi* (Wittmer,1967)** (Melyridae) Synonym(s): *colasi* Wittmer,1967 Range (in code): TR
- 22452. *Clanoptilus* (s.str.) *danieli* (Abeille de Perrin,1893)** (Melyridae) Synonym(s): *danieli* Abeille de Perrin,1893 Range (in code): TR
- 22453. *Clanoptilus* (s.str.) *dubatulovi* Tshernyshev,1998** (Melyridae) Synonym(s): *dubatulovi* Tshernyshev,1998 Range (in code): TM
- 22454. *Clanoptilus* (s.str.) *durandi* (Pardo,1970)** (Melyridae) Synonym(s): *durandi* Pardo,1970 Range (in code): TR RO BG GR
- 22455. *Clanoptilus* (s.str.) *elegans* (Olivier,1790)** (Melyridae) Synonym(s): *elegans* Olivier,1790 Range (in code): FR RU UA TM AT BG DE ES CH GR TR
- 22456. *Clanoptilus* (s.str.) *flabellicornis* (Solsky,1880)** (Melyridae) Synonym(s): *flabellicornis* Solsky,1880 Range (in code): SY UZ TJ
- 22457. *Clanoptilus* (s.str.) *geniculatus* (Germar,1824)** (Melyridae) Synonym(s): *geniculatus* Germar,1824 Range (in code): RU SK AM AZ Cc TM KK KG TR YU RO ES IT GR BG AT AD
- 22458. *Clanoptilus* (s.str.) *heliophilus* (Peyron,1877)** (Melyridae) Synonym(s): *heliophilus* Peyron,1877 Range (in code): TR
- 22459. *Clanoptilus* (s.str.) *imperialis* (Morawitz,1861)** (Melyridae) Synonym(s): *imperialis* Morawitz,1861 Range (in code): TM UZ
- 22460. *Clanoptilus* (s.str.) *malatyensis* Wittmer,1988** (Melyridae) Synonym(s): *malatyensis* Wittmer,1988 Range (in code): TR 44
- 22461. *Clanoptilus* (s.str.) *marginellus* (Olivier,1790)** (Melyridae) Synonym(s): *marginellus* Olivier,1790 Range (in code): TR
- 22462. *Clanoptilus* (s.str.) *pherecles* (Reitter,1898)** (Melyridae) Synonym(s): *pherecles* Reitter,1898 Range (in code): TR
- 22463. *Clanoptilus* (s.str.) *piceoterminalis* (Pic,1911)** (Melyridae) Synonym(s): *piceoterminalis* Pic,1911 Range (in code): TR
- 22464. *Clanoptilus* (s.str.) *politus* Wittmer,1988** (Melyridae) Synonym(s): *politus* Wittmer,1988 Range (in code): TR
- 22465. *Clanoptilus* (s.str.) *pseudoturanicus* (Wittmer,1979)** (Melyridae) Synonym(s): *pseudoturanicus* Wittmer,1979 Range (in code): TM
- 22466. *Clanoptilus* (s.str.) *spinipennis* (Erichson,1840)** (Melyridae) Synonym(s): *spinipennis* Erichson,1840 Range (in code): BG HV GR IT YU TR
- 22467. *Clanoptilus* (s.str.) *strangulatus* (Abeille de Perrin,1885)** (Melyridae) Synonym(s): *strangulatus* Abeille de Perrin,1885 Range (in code): TR UA Cm KK KG
- 22468. *Clanoptilus* (s.str.) *turanicus* (Reitter,1888)** (Melyridae) Synonym(s): *turanicus* Reitter,1888 Range (in code): TM
- 22469. *Clanoptilus* (s.str.) *viridanus* (Mulsant,1852)** (Melyridae) Synonym(s): *viridanus* Mulsant,1852 Range (in code): TR
- 22470. *Clanoptilus* *maculiventris* (Chevrolat,1864)** (Melyridae) Synonym(s): *maculiventris* Chevrolat,1864 Range (in code): IL Pa TR CY SY 63
- 22471. *Colotes* *afghanisticus* Wittmer,1981** (Melyridae) Synonym(s): *afghanisticus* Wittmer,1981 Range (in code): AF
- 22472. *Colotes* *cinctus* Motschoulsky,1853** (Melyridae) Synonym(s): *cinctus* Motschoulsky,1853 Range (in code): IL Pa
- 22473. *Colotes* *flavicinctus* Marseul,1868** (Melyridae) Synonym(s): *flavicinctus* Marseul,1868 Range (in code): TR IL Pa BG
- 22474. *Colotes* *iranicus* Wittmer,1981** (Melyridae) Synonym(s): *iranicus* Wittmer,1981 Range (in code): IR
- 22475. *Colotes* *maculatus* (Castelnau du Laporte,1836)** (Melyridae) Synonym(s): *maculatus* Castelnau du Laporte,1836 Range (in code): LY TN DZ MA PT ES FR Co Sa IT Si AT HV GR Cr TR SY MK YU BG Cc GG MT
- 22476. *Colotes* *obsoletus* Erichson,1840** (Melyridae) Synonym(s): *obsoletus* Erichson,1840 Range (in code): HV GR CY SY LB BG TR 01
- 22477. *Colotes* *punctatus* (Erichson,1840)** (Melyridae) Synonym(s): *punctatus* Erichson,1840 Range (in code): MT TN DZ MA PT ES FR Co Sa IT Si HV GR TR
- 22478. *Colotes* *scutellaris* Pic,1919** (Melyridae) Synonym(s): *scutellaris* Pic,1919 Range (in code): IL Pa

- 22479. *Cordylepherus koenigi* (Abeille de Perrin,1900)** (Melyridae) Synonym(s): koenigi Abeille de Perrin,1900 Range (in code): TR AM Cc 24
- 22480. *Cyrtosus anceyi* Abeille de Perrin,1869** (Melyridae) Synonym(s): anceyi Abeille de Perrin,1869 Range (in code): AM Cc TR
- 22481. *Cyrtosus cerealis* Peyron,1877** (Melyridae) Synonym(s): cerealis Peyron,1877 Range (in code): IL Pa
- 22482. *Cyrtosus corniculatus* (Kraatz & Kiesenwetter,1864)** (Melyridae) Synonym(s): corniculatus Kraatz & Kiesenwetter,1864 Range (in code): TR
- 22483. *Cyrtosus nitidicollis* (Chevrolat,1873)** (Melyridae) Synonym(s): nitidicollis Chevrolat,1873 Range (in code): TR
- 22484. *Danacaea cypria* Schilsky,1897** (Melyridae) Synonym(s): cypria Schilsky,1897 Range (in code): CY
- 22485. *Danacaea marginata* (Küster,1851)** (Melyridae) Synonym(s): marginata Küster,1851 Range (in code): RO GR CY TR
- 22486. *Danacaea taurica* Baudi di Selve,1873** (Melyridae) Synonym(s): taurica Baudi di Selve,1873 Range (in code): TR
- 22487. *Danaceothrix murina* Majer,1989** (Melyridae) Synonym(s): murina Majer,1989 Range (in code): AF
- 22488. *Dasytes akbesianus* Pic,1894** (Melyridae) Synonym(s): akbesianus Pic,1894 Range (in code): TR 31
- 22489. *Dasytes laevicollis* Schilsky,1897** (Melyridae) Synonym(s): laevicollis Schilsky,1897 Range (in code): TR
- 22490. *Dasytes moniliatus* Kiesenwetter,1863** (Melyridae) Synonym(s): moniliatus Kiesenwetter,1863 Range (in code): GR BG TR
- 22491. *Dasytes murinus* Schilsky,1894** (Melyridae) Synonym(s): murinus Schilsky,1894 Range (in code): GR TR
- 22492. *Dasytes orientalis* Schilsky,1894** (Melyridae) Synonym(s): orientalis Schilsky,1894 Range (in code): TR BG GR
- 22493. *Dasytes plumbeus* (O.F.Müller,1776)** (Melyridae) Synonym(s): plumbeus O.F.Müller,1776 Range (in code): SE DK AT BG CZ FR DE GR IT RO ES CH TR YU
- 22494. *Dasytes tardus* Schaufuss,1876** (Melyridae) Synonym(s): tardus Schaufuss,1876 Range (in code): B-H GR YU TR
- 22495. *Dasytes torretassoi* Pic,1934** (Melyridae) Synonym(s): torretassoi Pic,1934 Range (in code): TR
- 22496. *Dasytes virens* (Marsham,1802)** (Melyridae) Synonym(s): virens Marsham,1802 Range (in code): AT FR DE GR TR
- 22497. *Dasytes vulpinus* Redtenbacher,1843** (Melyridae) Synonym(s): vulpinus Redtenbacher,1843 Range (in code): SY
- 22498. *Dasytidius addillaensis* (Wittmer,1979)** (Melyridae) Synonym(s): addillaensis Wittmer,1979 Range (in code): SA
- 22499. *Dasytidius alfieri* (Wittmer,1935)** (Melyridae) Synonym(s): alfieri Wittmer,1935 Range (in code): EG Sn IQ IL Pa JO SY
- 22500. *Dasytidius aurescens* Majer,1991** (Melyridae) Synonym(s): aurescens Majer,1991 Range (in code): SY
- 22501. *Dasytidius brevicornis* Majer,1996** (Melyridae) Synonym(s): brevicornis Majer,1996 Range (in code): TR 35
- 22502. *Dasytidius candidus* Majer,1991** (Melyridae) Synonym(s): candidus Majer,1991 Range (in code): AF
- 22503. *Dasytidius congruens* Majer,1989** (Melyridae) Synonym(s): congruens Majer,1989 Range (in code): TR GR Rd 42
- 22504. *Dasytidius crassicornis* Majer,1996** (Melyridae) Synonym(s): crassicornis Majer,1996 Range (in code): SY
- 22505. *Dasytidius fulvipes* (Reitter,1885)** (Melyridae) Synonym(s): fulvipes Reitter,1885 Range (in code): SY TR RU Da Cc LB Bei IL Pa Js 20 31 35 43
- 22506. *Dasytidius funebris* Majer,1989** (Melyridae) Synonym(s): funebris Majer,1989 Range (in code): TR 01 06 11 33 34 50
- 22507. *Dasytidius impar* Majer,1996** (Melyridae) Synonym(s): impar Majer,1996 Range (in code): TR 07
- 22508. *Dasytidius inchoatus* Majer,1991** (Melyridae) Synonym(s): inchoatus Majer,1991 Range (in code): CY
- 22509. *Dasytidius indutus* Kiesenwetter,1859** (Melyridae) Synonym(s): indutus Kiesenwetter,1859 Range (in code): HV GR Cr TR CY 07 43
- 22510. *Dasytidius infinitus* Majer,1991** (Melyridae) Synonym(s): infinitus Majer,1991 Range (in code): TR SY

- 22511. *Dasytidius kalalovae* Majer,1991** (Melyridae) Synonym(s): kalalovae Majer,1991 Range (in code): IR IQ TR
- 22512. *Dasytidius kubani* Majer,1991** (Melyridae) Synonym(s): kubani Majer,1991 Range (in code): AM Cc
- 22513. *Dasytidius laticollis* (Bourgeois,1885)** (Melyridae) Synonym(s): laticollis Bourgeois,1885 Range (in code): IQ
- 22514. *Dasytidius latissimus* Majer,1989** (Melyridae) Synonym(s): latissimus Majer,1989; avius Majer,1989 Range (in code): TR 01 33 42
- 22515. *Dasytidius longiventris* Majer,1991** (Melyridae) Synonym(s): longiventris Majer,1991 Range (in code): IR
- 22516. *Dasytidius maceki* Majer,1991** (Melyridae) Synonym(s): maceki Majer,1991 Range (in code): IQ
- 22517. *Dasytidius malkini* Majer,1996** (Melyridae) Synonym(s): malkini Majer,1996 Range (in code): TR 07
- 22518. *Dasytidius muehlei* Majer,1996** (Melyridae) Synonym(s): muehlei Majer,1996 Range (in code): YE Sna
- 22519. *Dasytidius nigripes* (Pic,1894)** (Melyridae) Synonym(s): nigripes Pic,1894; obscuripes Pic,1896; attenuatus Majer,1991; svihlai Majer,1991 Range (in code): GR Rd SY TR IR AZ Cc IQ
- 22520. *Dasytidius opertus* Majer,1991** (Melyridae) Synonym(s): opertus Majer,1991 Range (in code): IR
- 22521. *Dasytidius optivus* Majer,1989** (Melyridae) Synonym(s): optivus Majer,1989 Range (in code): TR 01 33 35 50
- 22522. *Dasytidius persicus* (Pic,1926)** (Melyridae) Synonym(s): persicus Pic,1926 Range (in code): IR
- 22523. *Dasytidius princeps* Majer,1991** (Melyridae) Synonym(s): princeps Majer,1991 Range (in code): IQ IR
- 22524. *Dasytidius prosperus* Majer,1989** (Melyridae) Synonym(s): prosperus Majer,1989 Range (in code): TR 06 48
- 22525. *Dasytidius quadricollis* (Schilsky,1896)** (Melyridae) Synonym(s): quadricollis Schilsky,1896 Range (in code): IR
- 22526. *Dasytidius quaesitus* Majer,1991** (Melyridae) Synonym(s): quaesitus Majer,1991 Range (in code): IR
- 22527. *Dasytidius recticollis* Majer,1996** (Melyridae) Synonym(s): recticollis Majer,1996 Range (in code): SY
- 22528. *Dasytidius robustus* Majer,1991** (Melyridae) Synonym(s): robustus Majer,1991 Range (in code): IR
- 22529. *Dasytidius sequensi* (Reitter,1902)** (Melyridae) Synonym(s): sequensi Reitter,1902 Range (in code): AM Cc KG
- 22530. *Dasytidius subnudus* Majer,1991** (Melyridae) Synonym(s): subnudus Majer,1991 Range (in code): IQ IL Pa JO SY
- 22531. *Dasytidius subsyriacus* Majer,1991** (Melyridae) Synonym(s): subsyriacus Majer,1991 Range (in code): JO SY
- 22532. *Dasytidius syriacus* (Reitter,1885)** (Melyridae) Synonym(s): syriacus Reitter,1885 Range (in code): CY IL Pa JO LB SY TR
- 22533. *Dasytidius transversus* Majer,1991** (Melyridae) Synonym(s): transversus Majer,1991 Range (in code): I
- 22534. *Dasytidius virescens* (Baudi,1873)** (Melyridae) Synonym(s): virescens Baudi,1873 Range (in code): CY
- 22535. *Dasytidius wittmeri* Majer,1991** (Melyridae) Synonym(s): wittmeri Majer,1991 Range (in code): SA
- 22536. *Dasytiscus abeillei* (Bourgeois,1885)** (Melyridae) Synonym(s): abeillei Bourgeois,1885 Range (in code): IL Pa JO
- 22537. *Dasytiscus affinis* Morawitz,1861** (Melyridae) Synonym(s): affinis Morawitz,1861 Range (in code): AF AL BG HV GR MK RU UA YU
- 22538. *Dasytiscus amasyanus* Majer,1996** (Melyridae) Synonym(s): amasyanus Majer,1996 Range (in code): TR JO 05 16
- 22539. *Dasytiscus fallax* Majer,1988** (Melyridae) Synonym(s): fallax Majer,1988 Range (in code): IL Pa JO
- 22540. *Dasytiscus flaveolus* Reitter,1889** (Melyridae) Synonym(s): flaveolus Reitter,1889 Range (in code): GR Rd TR
- 22541. *Dasytiscus hebraicus* Bourgeois,1883** (Melyridae) Synonym(s): hebraicus Bourgeois,1883 Range (in code): IL Pa
- 22542. *Dasytiscus hladili* Majer,1988** (Melyridae) Synonym(s): hladili Majer,1988 Range (in code): TR
- 22543. *Dasytiscus jordanicus* Majer,1988** (Melyridae) Synonym(s): jordanicus Majer,1988 Range (in code): JO
- 22544. *Dasytiscus klapperichi* Majer,1988** (Melyridae) Synonym(s): klapperichi Majer,1988 Range (in code): AF



- 22545. *Dasytiscus minimus* (J.Sahlberg,1903)** (Melyridae) **Synonym(s):** minimus J.Sahlberg,1903; bicoloripes Pic,1926 **Range (in code):** [IR Elb Th](#)
- 22546. *Dasytiscus pallens* Majer,1988** (Melyridae) **Synonym(s):** pallens Majer,1988 **Range (in code):** [IR](#)
- 22547. *Dasytiscus praecox* (Küster,1851)** (Melyridae) **Synonym(s):** praecox Küster,1851 **Range (in code):** [GR TR](#)
- 22548. *Dasytiscus rufipennis* Majer,1996** (Melyridae) **Synonym(s):** rufipennis Majer,1996 **Range (in code):** [TR 50](#)
- 22549. *Dasytiscus schereri* Majer,1988** (Melyridae) **Synonym(s):** schereri Majer,1988 **Range (in code):** [IL Pa JO](#)
- 22550. *Dasytiscus simulator* Majer,1988** (Melyridae) **Synonym(s):** simulator Majer,1988 **Range (in code):** [IL Pa](#)
- 22551. *Dasytiscus strejcekorum* Mayer,1996** (Melyridae) **Synonym(s):** strejcekorum Mayer,1996 **Range (in code):** [Cc AM Eri](#)
- 22552. *Ebaeus anatolicus* Wittmer,1986** (Melyridae) **Synonym(s):** anatolicus Wittmer,1986 **Range (in code):** [TR](#)
- 22553. *Ebaeus appendiculatus* Erichson,1840** (Melyridae) **Synonym(s):** appendiculatus Erichson,1840 **Range (in code):** [TR IT Si AT CZ RO BG UA Cm 34](#)
- 22554. *Ebaeus baudueri* Peyron,1877** (Melyridae) **Synonym(s):** baudueri Peyron,1877 **Range (in code):** [TR](#)
- 22555. *Ebaeus bleusei* Abeille de Perrin,1900** (Melyridae) **Synonym(s):** bleusei Abeille de Perrin,1900 **Range (in code):** [TR](#)
- 22556. *Ebaeus caspius* Peyron,1877** (Melyridae) **Synonym(s):** caspius Peyron,1877 **Range (in code):** [TR](#)
- 22557. *Ebaeus coerulescens* Erichson,1840** (Melyridae) **Synonym(s):** coerulescens Erichson,1840 **Range (in code):** [TR](#)
- 22558. *Ebaeus flavicornis* Erichson,1840** (Melyridae) **Synonym(s):** flavicornis Erichson,1840 **Range (in code):** [TR](#)
- 22559. *Ebaeus flavobullatus* Marseul,1868** (Melyridae) **Synonym(s):** flavobullatus Marseul,1868; orientalis Wittmer,1979 **Range (in code):** [TR CY SY IL Pa LB 02 27 31](#)
- 22560. *Ebaeus medvedevi* Wittmer,1970** (Melyridae) **Synonym(s):** medvedevi Wittmer,1970 **Range (in code):** [TR IR 24 63](#)
- 22561. *Ebaeus rosinae* Pic,1902** (Melyridae) **Synonym(s):** rosinae Pic,1902 **Range (in code):** [TR](#)
- 22562. *Ebaeus rubetorum* Peyron,1877** (Melyridae) **Synonym(s):** rubetorum Peyron,1877 **Range (in code):** [TR](#)
- 22563. *Ebaeus turcicus* Wittmer,1968** (Melyridae) **Synonym(s):** turcicus Wittmer,1968 **Range (in code):** [TR](#)
- 22564. *Ebaeus vesiculiger* (Marseul,1868)** (Melyridae) **Synonym(s):** vesiculiger Marseul,1868 **Range (in code):** [TR](#)
- 22565. *Embrocus turcicus* (Wittmer,1964)** (Melyridae) **Synonym(s):** turcicus Wittmer,1964 **Range (in code):** [TR](#)
- 22566. *Enicopus hirtus* (Linnaeus,1767)** (Melyridae) **Synonym(s):** pilosus auct. nec Scop.,1763; hirtus Linnaeus,1767; ater Fabricius,1787 **Range (in code):** [FR IT AT CZ SS HV AL RO MK GR BG UA Cm RU TR 03 26 32 46 58 66 70](#)
- 22567. *Enicopus pilosus* (Scopoli,1763)** (Melyridae) **Synonym(s):** pilosus Scopoli,1763; acutatus Boieldieu,1859; falcifer Fairmaire,1859; subvittatus Fairmaire,1859 **Range (in code):** [ES FR CH IT SS Si TR 46 76](#)
- 22568. *Ergenekonia lata* (Majer,1996)** (Melyridae) **Synonym(s):** lata Majer,1996 **Range (in code):** [AF](#)
- 22569. *Ergenekonia sulcicollis* (Majer,1996)** (Melyridae) **Synonym(s):** sulcicollis Majer,1996 **Range (in code):** [PK](#)
- 22570. *Flabellomalachius flabellatus* (Frivaldsky,1835)** (Melyridae) **Synonym(s):** flabellatus Frivaldsky,1835 **Range (in code):** [IL Pa BG TR](#)
- 22571. *Haplomalachius akbesianus* (Pic,1898)** (Melyridae) **Synonym(s):** akbesianus Pic,1898 **Range (in code):** [TR 31](#)
- 22572. *Haplomalachius flabellatus* (Frivaldsky,1835)** (Melyridae) **Synonym(s):** flabellatus Frivaldsky,1835 **Range (in code):** [TR IL Pa](#)
- 22573. *Haplomalachius karsensis* Wittmer,1988** (Melyridae) **Synonym(s):** karsensis Wittmer,1988 **Range (in code):** [TR 36](#)
- 22574. *Haplothrix armeniaca* (Kiesenwetter,1878)** (Melyridae) **Synonym(s):** armeniaca Kiesenwetter,1878 **Range (in code):** [AM Cc](#)
- 22575. *Haplothrix captiosa* Majer,1989** (Melyridae) **Synonym(s):** captiosa Majer,1989 **Range (in code):** [TR](#)
- 22576. *Haplothrix chalif* Majer,1989** (Melyridae) **Synonym(s):** chalif Majer,1989 **Range (in code):** [IR IQ](#)
- 22577. *Haplothrix effusa* Majer,1989** (Melyridae) **Synonym(s):** effusa Majer,1989 **Range (in code):** [IR](#)

- 22578. Haplothrix leucosa Majer,1989** (Melyridae) Synonym(s): leucosa Majer,1989 Range (in code): AF
- 22579. Haplothrix mera Majer,1989** (Melyridae) Synonym(s): mera Majer,1989 Range (in code): TR
- 22580. Haplothrix prudeki Majer,1996** (Melyridae) Synonym(s): prudeki Majer,1996 Range (in code): TR
- 22581. Haplothrix pusilla (Schilsky,1896)** (Melyridae) Synonym(s): pusilla Schilsky,1896 Range (in code): TR
- 22582. Haplothrix ruficollis (Reitter,1889)** (Melyridae) Synonym(s): ruficollis Reitter,1889 Range (in code): AM GG Cc
- 22583. Haplothrix sanguinicollis Majer,1989** (Melyridae) Synonym(s): sanguinicollis Majer,1989 Range (in code): AF
- 22584. Haplothrix soluta Majer,1989** (Melyridae) Synonym(s): soluta Majer,1989 Range (in code): IR
- 22585. Haplothrix sp.** (Melyridae) Synonym(s): Range (in code): TR
- 22586. Haplothrix subtilis (Reitter,1885)** (Melyridae) Synonym(s): subtilis Reitter,1885 Range (in code): CY GR
- 22587. Hauseria acmaeopsiformis Reitter,1896** (Melyridae) Synonym(s): acmaeopsiformis Reitter,1896 Range (in code): AF
- 22588. Hypebaeus flavicollis (Erichson,1840)** (Melyridae) Synonym(s): flavicollis Erichson,1840 Range (in code): MT DZ ES FR CH Sa Si IT RO HV TR AL GR Rd
- 22589. Malachiomimus laticeps (Pic,1910)** (Melyridae) Synonym(s): laticeps Pic,1910 Range (in code): TR
- 22590. Malachius aeneus (Linnaeus,1758)** (Melyridae) Synonym(s): aeneus Linnaeus,1758 Range (in code): SE AT DE GR IT RO CZ RU UA AM Cc TR KK KG US 56 65 76
- 22591. Malachius alepensis** (Melyridae) Synonym(s): Range (in code): SY Hal
- 22592. Malachius anatolicus Wittmer,1974** (Melyridae) Synonym(s): anatolicus Wittmer,1974 Range (in code): TR 12 49
- 22593. Malachius armeniacus Ménétériés,1832** (Melyridae) Synonym(s): armeniacus Ménétériés,1832 Range (in code): AM Cc TR
- 22594. Malachius artvinensis Wittmer,1974** (Melyridae) Synonym(s): artvinensis Wittmer,1974 Range (in code): TR 08
- 22595. Malachius bingoelensis Wittmer,1999** (Melyridae) Synonym(s): bingoelensis Wittmer,1999 Range (in code): TR 12
- 22596. Malachius bipustulatus (Linnaeus,1758)** (Melyridae) Synonym(s): bipustulatus Linnaeus,1758 Range (in code): AT BG CZ FR DE HU IT PL SE SS HV B-H MK YU RU Sb Us UA TR IR Es KG JP 31 46 65 76
- 22597. Malachius caramanicus (Pic,1912)** (Melyridae) Synonym(s): caramanicus Pic,1912 Range (in code): TR UA
- 22598. Malachius carnifex Erichson,1840** (Melyridae) Synonym(s): carnifex Erichson,1840 Range (in code): GR TR
- 22599. Malachius coccineus Walth,1838** (Melyridae) Synonym(s): coccineus Walth,1838 Range (in code): GR TR
- 22600. Malachius coerulescutatus Fairmaire,1891** (Melyridae) Synonym(s): coerulescutatus Fairmaire,1891 Range (in code): AF
- 22601. Malachius conformis Erichson,1840** (Melyridae) Synonym(s): conformis Erichson,1840 Range (in code): TR
- 22602. Malachius cyprius (Baudi,1871)** (Melyridae) Synonym(s): cyprius Baudi,1871 Range (in code): CY
- 22603. Malachius dama Abeille,1888** (Melyridae) Synonym(s): dama Abeille,1888 Range (in code): TR
- 22604. Malachius demaisonii Abeille de Perrin,1900** (Melyridae) Synonym(s): demaisonii Abeille de Perrin,1900 Range (in code): TR
- 22605. Malachius ephippiger Redtenbacher,1843** (Melyridae) Synonym(s): ephippiger Redtenbacher,1843 Range (in code): TR IR
- 22606. Malachius extensicornis Tshernyshev,1998** (Melyridae) Synonym(s): extensicornis Tshernyshev,1998 Range (in code): TM
- 22607. Malachius faldermanni Faldermann,1836** (Melyridae) Synonym(s): faldermanni Faldermann,1836 Range (in code): TR AZ Cc AM GG IR 36
- 22608. Malachius fucatus Peyron,1877** (Melyridae) Synonym(s): fucatus Peyron,1877 Range (in code): BG TR
- 22609. Malachius heliophilus Peyron,1877** (Melyridae) Synonym(s): heliophilus Peyron,1877 Range (in code): IR
- 22610. Malachius heydeni Abeille de Perrin,1882** (Melyridae) Synonym(s): heydeni Abeille de Perrin,1882 Range (in code): TR

- 22611. Malachius kraussi Reitter,1902** (Melyridae) Synonym(s): kraussi Reitter,1902 Range (in code): TR
- 22612. Malachius labiatus Brullé,1832** (Melyridae) Synonym(s): labiatus Brullé,1832 Range (in code): GR AZ Cc
- 22613. Malachius mariae Abeille de Perrin,1885** (Melyridae) Synonym(s): mariae Abeille de Perrin,1885 Range (in code): TR
- 22614. Malachius oxyacanthae Peyron,1877** (Melyridae) Synonym(s): oxyacanthae Peyron,1877 Range (in code): IL Pa
- 22615. Malachius palaestinus Peyron,1877** (Melyridae) Synonym(s): palaestinus Peyron,1877 Range (in code): IL Pa
- 22616. Malachius pulcherrimus (Pic,1909)** (Melyridae) Synonym(s): pulcherrimus Pic,1909 Range (in code): IR
- 22617. Malachius rubidus Erichson,1840** (Melyridae) Synonym(s): rubidus Erichson,1840; carnifex Erichson,1840; fallax Strübing,1854; sublateralis Pic,1912; valesiacus Pic,1929 Range (in code): AL B-H BG CZ FR HU IT LT MK PL SK SY AT CH DE YU TR 34
- 22618. Malachius scutellaris Erichson,1840** (Melyridae) Synonym(s): scutellaris Erichson,1840 Range (in code): FR BE DE PL CZ SK CH AT HU RO RU B-H BG TR UZ 13
- 22619. Malachius securiclatus Baudi,1873** (Melyridae) Synonym(s): securiclatus Baudi,1873 Range (in code): TR
- 22620. Malachius semiaeneus Abeille de Perrin,1891** (Melyridae) Synonym(s): semiaeneus Abeille de Perrin,1891 Range (in code): TR
- 22621. Malachius stolatus Mulsant & Godart,1855** (Melyridae) Synonym(s): stolatus Mulsant & Godart,1855; suturellus Kiesenwetter,1859; fallaciosus Baudi di Selve,1871; latenotatus Pic,1914; naxosensis Pic,1923; bilyi Svihla,1987 Range (in code): GR Cr CY TR IT LY 16 31 34
- 22622. Malachius suturalis Motschoulsky,1854** (Melyridae) Synonym(s): suturalis Motschoulsky,1854 Range (in code): TR 35
- 22623. Malachius truncaticornis Abeille,1890** (Melyridae) Synonym(s): truncaticornis Abeille,1890 Range (in code): GR TR
- 22624. Malachius vittatus Ménétériés,1832** (Melyridae) Synonym(s): vittatus Ménétériés,1832 Range (in code): AM Cc
- 22625. Mimothrix bella Majer,1995** (Melyridae) Synonym(s): bella Majer,1995 Range (in code): AF
- 22626. Mimothrix cinis Majer,1995** (Melyridae) Synonym(s): cinis Majer,1995 Range (in code): AF Pm
- 22627. Mimothrix cybaea Majer,1995** (Melyridae) Synonym(s): cybaea Majer,1995 Range (in code): AF
- 22628. Mimothrix extranea Majer,1995** (Melyridae) Synonym(s): extranea Majer,1995 Range (in code): AF
- 22629. Mimothrix fraterna Majer,1995** (Melyridae) Synonym(s): fraterna Majer,1995 Range (in code): AF
- 22630. Nepachys amaenus (Peyron,1877)** (Melyridae) Synonym(s): amaenus Peyron,1877 Range (in code): TR
- 22631. Nepachys eximus Peyron,1877** (Melyridae) Synonym(s): eximus Peyron,1877 Range (in code): IL Pa
- 22632. Nevruzia flavoniger (Majer,1991)** (Melyridae) Synonym(s): flavoniger Majer,1991 Range (in code): IR Fa Kaz Yas
- 22633. Parathrix aeneolus (Reitter,1889)** (Melyridae) Synonym(s): aeneolus Reitter,1889 Range (in code): AZ Cc
- 22634. Parathrix anatolicus (Reitter,1902)** (Melyridae) Synonym(s): anatolicus Reitter,1902 Range (in code): TR
- 22635. Parathrix attonita Majer,1990** (Melyridae) Synonym(s): attonita Majer,1990 Range (in code): IR
- 22636. Parathrix bimetallicus (Abeille,1894)** (Melyridae) Synonym(s): bimetallicus Abeille,1894 Range (in code): IQ
- 22637. Parathrix facunda Majer,1990** (Melyridae) Synonym(s): facunda Majer,1990 Range (in code): SY
- 22638. Parathrix gravida Majer,1990** (Melyridae) Synonym(s): gravida Majer,1990 Range (in code): AZ Cc
- 22639. Parathrix plumbeus (Kiesenwetter,1878)** (Melyridae) Synonym(s): plumbeus Kiesenwetter,1878 Range (in code): AZ Cc
- 22640. Parathrix tristis Majer,1996** (Melyridae) Synonym(s): tristis Majer,1996 Range (in code): IR
- 22641. Paratinus femoralis (Erichson,1840)** (Melyridae) Synonym(s): femoralis Erichson,1840 Range (in code): TR
- 22642. Protapalochrus flavolimbatus (Mulsant & Rey,1853)** (Melyridae) Synonym(s): flavolimbatus Mulsant & Rey,1853 Range (in code): TR
- 22643. Psilothrix viridicoerulea (Geoffroy,1785)** (Melyridae) Synonym(s): viridicoerulea Geoffroy,1785 Range (in code): SE DK DE Cn GR IT PT ES NL TR TN
- 22644. Troglops colasi Wittmer,1968** (Melyridae) Synonym(s): colasi Wittmer,1968 Range (in code): TR



- 22645. *Troglops hatayensis* Wittmer,1974** (Melyridae) Synonym(s): *hatayensis* Wittmer,1974 Range (in code): TR 31
- 22646. *Troglops orientalis* Abeille de Perrin,1881** (Melyridae) Synonym(s): *orientalis* Abeille de Perrin,1881 Range (in code): TR
- 22647. *Troglops semiinervis* Wittmer,1970** (Melyridae) Synonym(s): *semiinervis* Wittmer,1970 Range (in code): TR
- 22648. *Iberomorda sulcicauda* (Mulsant,1856)** (Mordellidae) Synonym(s): *sulcicauda* Mulsant,1856 Range (in code): TR
- 22649. *Mordella (Mediimorda) bipunctata* Germain,1827** (Mordellidae) Synonym(s): *bipunctata* Germain,1827 Range (in code): DE By AT MA DZ TR RU Sb SA
- 22650. *Mordella (Mediimorda) maceki* (Horak,1985)** (Mordellidae) Synonym(s): *maceki* Horak,1985 Range (in code): IQ
- 22651. *Mordella (s.str.) armeniaca* Odnosum,2004** (Mordellidae) Synonym(s): *armeniaca* Odnosum,2004 Range (in code): AM Cc
- 22652. *Mordella (s.str.) brachyura* Mulsant,1856** (Mordellidae) Synonym(s): *brachyura* Mulsant,1856 Range (in code): IR MN
- 22653. *Mordella (s.str.) curvipalpis* Stchegoleva-Barowskaja,1930** (Mordellidae) Synonym(s): *curvipalpis* Stchegoleva-Barowskaja,1930 Range (in code): IR
- 22654. *Mordella (s.str.) duplicata* Schilsky,1895** (Mordellidae) Synonym(s): *duplicata* Schilsky,1895; *rufipalpis* Schilsky,1895; *rhodiensis* Ermisch,1963; *korgei* Ermisch,1969 Range (in code): Rd HV TR CY
- 22655. *Mordella (s.str.) hoberlandti* Horak,1985** (Mordellidae) Synonym(s): *hoberlandti* Horak,1985 Range (in code): IR
- 22656. *Mordellistena brevicauda* (Boheman,1849)** (Mordellidae) Synonym(s): *brevicauda* Boheman,1849; *subtruncata* Mulsant,1856; *obtusa* Brisoult,1859; *brevicornis* Schilsky,1895 Range (in code): Cc TR SY
- 22657. *Mordellistena hirtipes* Schilsky,1895** (Mordellidae) Synonym(s): *hirtipes* Schilsky,1895 Range (in code): AT GR TR
- 22658. *Mordellistena hoberlandti* Horak,1983** (Mordellidae) Synonym(s): *hoberlandti* Horak,1983 Range (in code): RU IR IQ TR
- 22659. *Mordellistena latitarsis* Batten,1983** (Mordellidae) Synonym(s): *latitarsis* Batten,1983 Range (in code): TR
- 22660. *Mordellistena lindbergi* Ermisch,1963** (Mordellidae) Synonym(s): *lindbergi* Ermisch,1963 Range (in code): CY TR
- 22661. *Mordellistena longicornoides* Ermisch,1965** (Mordellidae) Synonym(s): *longicornoides* Ermisch,1965 Range (in code): TR
- 22662. *Mordellistena micans* (Germar,1817)** (Mordellidae) Synonym(s): *micans* Germar,1817 Range (in code): SY TR
- 22663. *Mordellistena paraepisternalis* Ermisch,1965** (Mordellidae) Synonym(s): *paraepisternalis* Ermisch,1965 Range (in code): TR
- 22664. *Mordellistena reitteri* Schilsky,1894** (Mordellidae) Synonym(s): *reitteri* Schilsky,1894 Range (in code): SY TR
- 22665. *Mordellistena secreta* Horak,1983** (Mordellidae) Synonym(s): *secreta* Horak,1983 Range (in code): SK CZ BG YU TR AM Cc RU
- 22666. *Mordellistena tenuicornis* Schilsky,1899** (Mordellidae) Synonym(s): *tenuicornis* Schilsky,1899 Range (in code): TR
- 22667. *Mordellistenula longipalpis* Ermisch,1965** (Mordellidae) Synonym(s): *longipalpis* Ermisch,1965 Range (in code): TR
- 22668. *Stenalia araxicola* Khnzorian,1957** (Mordellidae) Synonym(s): *araxicola* Khnzorian,1957 Range (in code): Cr AM Cc Eri RU Ao KG Aa GG TJ UZ TM
- 22669. *Stenalia ascanianovae* Lazorko,1974** (Mordellidae) Synonym(s): *ascanianovae* Lazorko,1974 Range (in code): UA KG Aa AM Cc
- 22670. *Stenalia bisecta* Baudi di Selve,1883** (Mordellidae) Synonym(s): *bisecta* Baudi di Selve,1883 Range (in code): Si TR
- 22671. *Stenalia brunneipennis* Mulsant,1856** (Mordellidae) Synonym(s): *brunneipennis* Mulsant,1856 Range (in code): TN AM Cc HU GR TR SY JO AZ Nv Ord IQ IR RU
- 22672. *Stenalia dzhulfae* Odnosum,2001** (Mordellidae) Synonym(s): *dzhulfae* Odnosum,2001 Range (in code): AZ Nv Cc
- 22673. *Stenalia ermolenkoi* Odnosum,2000** (Mordellidae) Synonym(s): *ermolenkoi* Odnosum,2000 Range (in code): AZ Cc Tlh
- 22674. *Stenalia escherichi* Schilsky,1899** (Mordellidae) Synonym(s): *escherichi* Schilsky,1899; *singularis* Reitter,1911; *uralensis* Csiki,1915 Range (in code): RU Ur KG TJ SK RO TR MA CZ SK HU
- 22675. *Stenalia gracilicornis* Baudi di Selve,1878** (Mordellidae) Synonym(s): *gracilicornis* Baudi di Selve,1878 Range (in code): AM Cc AZ Nv Ord CY

- 22676. *Stenalia iranica* Horak,1981** (Mordellidae) Synonym(s): *iranica* Horak,1981 Range (in code): IR
- 22677. *Stenalia jordanensis* Ermisch,1965** (Mordellidae) Synonym(s): *jordanensis* Ermisch,1965 Range (in code): JO
- 22678. *Stenalia lindbergi* Ermisch,1963** (Mordellidae) Synonym(s): *lindbergi* Ermisch,1963 Range (in code): CY
- 22679. *Stenalia merkli* Schilsky,1895** (Mordellidae) Synonym(s): *merkli* Schilsky,1895 Range (in code): TR
- 22680. *Stenalia vladimiri* Odnosum,2001** (Mordellidae) Synonym(s): *vladimiri* Odnosum,2001 Range (in code): AZ Cc
- 22681. *Variimorda* (s.str.) *briantea* (Comolli,1837)** (Mordellidae) Synonym(s): *briantea* Comolli,1837 Range (in code): Cc IR
- 22682. *Variimorda* (s.str.) *holzschuhi* Horak,1985** (Mordellidae) Synonym(s): *holzschuhi* Horak,1985 Range (in code): TR IR
- 22683. *Variimorda* (s.str.) *persica* Horak,1985** (Mordellidae) Synonym(s): *persica* Horak,1985 Range (in code): IR
- 22684. *Variimorda* (s.str.) *villosa* (Schrank,1781)** (Mordellidae) Synonym(s): *fasciata* Fabricius,1775 (praeocc.); *villosa* Schrank,1781; *iriformis* Fourcroy,1785; *fasciolata* Rossi,1792;; *coronata* Costa,1854; *interrupta* Costa,1854; *seriatoguttata* Mulsant,1856; *subcoeca* Mulsant,1856; *habelmanni* Emery,1876 Range (in code): RU Sb IR
- 22685. *Epuraea fuscicollis* (Stephens,1832)** (Nitidulidae) Synonym(s): *fuscicollis* Stephens,1832 Range (in code): Cc IR DZ
- 22686. *Epuraea guttata* (Olivier,1811)** (Nitidulidae) Synonym(s): *guttata* Olivier,1811 Range (in code): Cc
- 22687. *Epuraea subparallela* Goruvelle,1896** (Nitidulidae) Synonym(s): *subparallela* Goruvelle,1896 Range (in code): IT TR 31 32 33 80
- 22688. *Epuraea sutcuimamun* Avgın, Lason & Audisio,2012** (Nitidulidae) Synonym(s): *sutcuimamun* Avgın, Lason & Audisio,2012 Range (in code): TR 32 33
- 22689. *Meligethes ater* Brisout,1868** (Nitidulidae) Synonym(s): *ater* Brisout,1868 Range (in code): BG TR
- 22690. *Meligethes devillei* Grouvelle,1912** (Nitidulidae) Synonym(s): *devillei* Grouvelle,1912 Range (in code): FR IT TR
- 22691. *Meligethes holzschuhi* Jelinek & Spornraft,1979** (Nitidulidae) Synonym(s): *holzschuhi* Jelinek & Spornraft,1979 Range (in code): TR 33
- 22692. *Meligethes incanus* Sturm,1845** (Nitidulidae) Synonym(s): *incanus* Sturm,1845 Range (in code): DZ FR TR Cc IR UZ KG
- 22693. *Meligethes interjectus* Jelinek & Spornraft,1979** (Nitidulidae) Synonym(s): *interjectus* Jelinek & Spornraft,1979 Range (in code): TR 25
- 22694. *Meligethes jordanis* Jelinek & Spornraft,1979** (Nitidulidae) Synonym(s): *jordanis* Jelinek & Spornraft,1979 Range (in code): JO Amm
- 22695. *Meligethes maurus* Sturm,1845** (Nitidulidae) Synonym(s): *maurus* Sturm,1845 Range (in code): Cc TR
- 22696. *Meligethes ovatus* Sturm,1845** (Nitidulidae) Synonym(s): *ovatus* Sturm,1845 Range (in code): Cc
- 22697. *Meligethes perceptus* Jelinek & Spornraft,1979** (Nitidulidae) Synonym(s): *perceptus* Jelinek & Spornraft,1979 Range (in code): IR Fa
- 22698. *Meligethes pheretra* Easton,1956** (Nitidulidae) Synonym(s): *pheretra* Easton,1956 Range (in code): AF IR UZ
- 22699. *Meligethes tauricus* Jelinek & Spornraft,1979** (Nitidulidae) Synonym(s): *tauricus* Jelinek & Spornraft,1979 Range (in code): TR IR UA Cm 06
- 22700. *Meligethes umbrosus* Sturm,1845** (Nitidulidae) Synonym(s): *umbrosus* Sturm,1845 Range (in code): Cc TR
- 22701. *Meligethes vomer* Kirejtschuk,1978** (Nitidulidae) Synonym(s): *vomer* Kirejtschuk,1978 Range (in code): Cc GG BG UA Cm TR
- 22702. *Canthydrus diophthalmus* (Reiche & Saulcy,1855)** (Noteridae) Synonym(s): *diophthalmus* Reiche & Saulcy,1855; *badenii* Wehncke,1876; *siculus* Ragusa,1882; *numidicus* Bedel,1925 Range (in code): LB Bei CY TR DZ IQ IR IT Si LY MA EG Sn ES SY TN ET AO CM SN ZR
- 22703. *Noterus clavicornis* (De Geer,1774)** (Noteridae) Synonym(s): *clavicornis* De Geer,1774 Range (in code): TR AL AM Cc AT AZ BE B-H BG BY CN Ui Mc HV CZ DK EE FI FR DE GG GB GR HU IR IQ IE IL Pa IT JO Ch KG LT LB LT MK MD MN NL NO PL PT RU Ur Sb SK SL ES SE CH SY TM UA UZ YU 06 07 09 10 11 14 32 35 38 42 45
- 22704. *Noterus crassicornis* (O.F.Müller,1776)** (Noteridae) Synonym(s): *crassicornis* O.F.Müller,1776 Range (in code): TR AT BE B-H BG BY HV CZ DK EE FI FR DE GB HU IR IE IT Ch LT MK MD NL NO PL RU Sb SK SL SE UA YU 01 32
- 22705. *Ananconia mesopotamica* Reitter,1908** (Oedemeridae) Synonym(s): *mesopotamica* Reitter,1908 Range (in code): IQ Mos

- 22706. *Anogcodes difformis* (Marseul,1857)** (Oedemeridae) Synonym(s): *difformis* Marseul,1857  
Range (in code): TR 07 11 33 62
- 22707. *Anogcodes ferrugineus* (Schrank,1776)** (Oedemeridae) Synonym(s): *ferrugineus* Schrank,1776  
Range (in code): TR 39
- 22708. *Anogcodes fulvicollis* (Scopoli,1763)** (Oedemeridae) Synonym(s): *fulvicollis* Scopoli,1763 Range (in code): TR
- 22709. *Anogcodes geniculatus* (W.Schmidt,1846)** (Oedemeridae) Synonym(s): *geniculatus* W.Schmidt,1846 Range (in code): TR
- 22710. *Anogcodes paradoxus* (Faldermann,1837)** (Oedemeridae) Synonym(s): *paradoxus* Faldermann,1837 Range (in code): TR 08
- 22711. *Anogcodes ruficollis* (Fabricius,1781)** (Oedemeridae) Synonym(s): *ruficollis* Fabricius,1781  
Range (in code): TR 02 06 37 38 47 50 62 68 76
- 22712. *Anogcodes rufiventris* (Scopoli,1763)** (Oedemeridae) Synonym(s): *rufiventris* Scopoli,1763  
Range (in code): TR
- 22713. *Anogcodes seladonius* (Fabricius,1792)** (Oedemeridae) Synonym(s): *seladonius* Fabricius,1792  
Range (in code): TR
- 22714. *Anogcodes ustulatus* (Scopoli,1763)** (Oedemeridae) Synonym(s): *ustulatus* Scopoli,1763 Range (in code): AL Cc RU Sb TR IR
- 22715. *Chitona cretica* Fairmaire,1863** (Oedemeridae) Synonym(s): *cretica* Fairmaire,1863; *acuminata* Reitter,1890; *balcanica* Pic,1913 Range (in code): Cr TR
- 22716. *Chitona fucata* (Faldermann,1837)** (Oedemeridae) Synonym(s): *fucata* Faldermann,1837 Range (in code): TR 76
- 22717. *Chitona incana* (W.Schmidt,1846)** (Oedemeridae) Synonym(s): *incana* W.Schmidt,1846 Range (in code): TR 45
- 22718. *Chrysanthia chalcochroa* Fairmaire,1892** (Oedemeridae) Synonym(s): *chalcochroa* Fairmaire,1892 Range (in code): TR 07 33
- 22719. *Chrysanthia distinctithorax* Pic,1904** (Oedemeridae) Synonym(s): *distinctithorax* Pic,1904  
Range (in code): TR
- 22720. *Chrysanthia flavipes* Reitter,1889** (Oedemeridae) Synonym(s): *flavipes* Reitter,1889 Range (in code): TR 01 07 17 31 33 80
- 22721. *Chrysanthia varipes* Kiesenwetter,1861** (Oedemeridae) Synonym(s): *varipes* Kiesenwetter,1861  
Range (in code): TR 17 18 28 33 53
- 22722. *Ischnomera auripennis* (Reitter,1903)** (Oedemeridae) Synonym(s): *auripennis* Reitter,1903  
Range (in code): GR Ae Nx TR 07 11
- 22723. *Ischnomera cinerascens* (Pandellé,1867)** (Oedemeridae) Synonym(s): *cinerascens* Pandellé,1867  
Range (in code): GB DE IT AT SE FR Py RO YU B-H CZ SK AL BG GR Cc AZ RU TR IQ Su Pjw 01 03 06 07 12 13 32 42 49 62
- 22724. *Ischnomera coerulea* (Linnaeus,1758)** (Oedemeridae) Synonym(s): *coerulea* Linnaeus,1758; *coerulescens* Fabricius,1775; *nigripes* Olivier,1811; *unicolor* Melsheimer,1846; *opacocoerulea* Reitter,1911; *obliterata* Pic,1926 Range (in code): SE DE HU RO AL GG AZ AM Cc GR UA CZ SK AT YU BG LB IR TM TR 07 14 18 29 33 34 60
- 22725. *Ischnomera cyanea* (Fabricius,1792)** (Oedemeridae) Synonym(s): *cyanea* Fabricius,1792; *viridescens* Pic,1920; *graeca* Dahlgren,1976 Range (in code): GB SE DK FR DE AT CZ RO IT YU AL BG GR TR 16 39
- 22726. *Ischnomera deyrollei* (Pic,1895)** (Oedemeridae) Synonym(s): *deyrollei* Pic,1895; *milleri* Pic,1898  
Range (in code): SY RU GG Cc Bjo
- 22727. *Ischnomera erdemliensis* Svihla,1998** (Oedemeridae) Synonym(s): *erdemliensis* Svihla,1998  
Range (in code): TR 33
- 22728. *Ischnomera fulvicollis* (Reitter,1897)** (Oedemeridae) Synonym(s): *fulvicollis* Reitter,1897 Range (in code): Cr TR 01 02 07 12 33 42 44 80
- 22729. *Ischnomera fuscipennis* Svihla,1988** (Oedemeridae) Synonym(s): *fuscipennis* Svihla,1988  
Range (in code): TR 12
- 22730. *Ischnomera haemorrhoidalis* (W.Schmidt,1846)** (Oedemeridae) Synonym(s): *haemorrhoidalis* W.Schmidt,1846 Range (in code): TR 03 05 06 07 11 14 16 18 29 42 43 45 50 58 60
- 22731. *Ischnomera holzschuhi* Svihla,1988** (Oedemeridae) Synonym(s): *holzschuhi* Svihla,1988 Range (in code): IR Elb Mz Gh
- 22732. *Ischnomera jezeki* Svihla,1988** (Oedemeridae) Synonym(s): *jezeki* Svihla,1988 Range (in code): IR
- 22733. *Ischnomera lutescens* (Abeille de Perrin,1892)** (Oedemeridae) Synonym(s): *lutescens* Abeille de Perrin,1892 Range (in code): TR 31
- 22734. *Ischnomera maceki* Svihla,1988** (Oedemeridae) Synonym(s): *maceki* Svihla,1988 Range (in code): TR IQ Su Pjw IR Km 02 44



- 22735. *Ischnomera partitipennis* (Fairmaire,1892)** (Oedemeridae) Synonym(s): partitipennis Fairmaire,1892; iranica Zaitzev,1941 Range (in code): TR IQ Su Pjw IR Elb Th 02 12
- 22736. *Ischnomera persica* Svihla,1992** (Oedemeridae) Synonym(s): persica Svihla,1992 Range (in code): IR
- 22737. *Ischnomera sanguinicollis* (Fabricius,1787)** (Oedemeridae) Synonym(s): sanguinicollis Fabricius,1787 Range (in code): FR DE CZ SK HU RO UA IT YU BG GR SE NO RU TR 39
- 22738. *Ischnomera similis* (Svihla,1982)** (Oedemeridae) Synonym(s): similis Svihla,1982 Range (in code): TR IR Km 73
- 22739. *Ischnomera sveci* (Svihla,2004)** (Oedemeridae) Synonym(s): sveci Svihla,2004 Range (in code): TR
- 22740. *Nacerdes* (s.str.) *melanura* (Linnaeus,1758)** (Oedemeridae) Synonym(s): melanura Linnaeus,1758 Range (in code): TR
- 22741. *Nacerdes* (*Xanthochroa*) *carniolica* (Gistel,1832)** (Oedemeridae) Synonym(s): carniolica Gistel,1832 Range (in code): TR 33
- 22742. *Nacerdes* (*Xanthochroa*) *raymondi* (Mulsant & Godart,1860)** (Oedemeridae) Synonym(s): raymondi Mulsant & Godart,1860 Range (in code): TR 31 33
- 22743. *Oedemera* (*Oncomera*) *femoralis* (Fabricius,1792)** (Oedemeridae) Synonym(s): femoralis Fabricius,1792 Range (in code): TR
- 22744. *Oedemera* (*Oncomera*) *flavicans* (Fairmaire,1860)** (Oedemeridae) Synonym(s): flavicans Fairmaire,1860 Range (in code): TR 07 31 33 39 80
- 22745. *Oedemera* (*Oncomera*) *natolica* (Reiche,1862)** (Oedemeridae) Synonym(s): natolica Reiche,1862 Range (in code): TR 07 17 33
- 22746. *Oedemera* (s.str.) *artvinensis* Svihla,1999** (Oedemeridae) Synonym(s): artvinensis Svihla,1999 Range (in code): TR 08
- 22747. *Oedemera* (s.str.) *atrata* W.Schmidt,1846** (Oedemeridae) Synonym(s): atrata W.Schmidt,1846 Range (in code): TR
- 22748. *Oedemera* (s.str.) *barbara* (Fabricius,1792)** (Oedemeridae) Synonym(s): barbara Fabricius,1792 Range (in code): TR
- 22749. *Oedemera* (s.str.) *brevipennis* Ganglbauer,1881** (Oedemeridae) Synonym(s): brevipennis Ganglbauer,1881 Range (in code): TR 07 17 33 80
- 22750. *Oedemera* (s.str.) *crassipes* Ganglbauer,1881** (Oedemeridae) Synonym(s): crassipes Ganglbauer,1881 Range (in code): TR 01 05 06 10 11 14 33 34 39 45 61 80
- 22751. *Oedemera* (s.str.) *femorata* (Scopoli,1763)** (Oedemeridae) Synonym(s): femorata Scopoli,1763 Range (in code): TR 01 05 08 28 33 38 39 53 62 68
- 22752. *Oedemera* (s.str.) *flavipennis* W.Schmidt,1846** (Oedemeridae) Synonym(s): flavipennis W.Schmidt,1846 Range (in code): TR 01 02 07 13 25 33 63 80
- 22753. *Oedemera* (s.str.) *flavipes* (Fabricius,1792)** (Oedemeridae) Synonym(s): flavipes Fabricius,1792 Range (in code): TR 06 07 09 14 17 33 35 39 53 80
- 22754. *Oedemera* (s.str.) *lurida* (Marsham,1802)** (Oedemeridae) Synonym(s): lurida Marsham,1802 Range (in code): TR 05 06 08 14 17 18 19 25 33 39 45 53 60 67 69 80
- 22755. *Oedemera* (s.str.) *merkli* Seidlitz,1899** (Oedemeridae) Synonym(s): merkli Seidlitz,1899 Range (in code): TR
- 22756. *Oedemera* (s.str.) *penicillata* W.Schmidt,1846** (Oedemeridae) Synonym(s): penicillata W.Schmidt,1846 Range (in code): TR 02 05 11 18 37 39 42 53 60 62
- 22757. *Oedemera* (s.str.) *podagrariae* (Linnaeus,1767)** (Oedemeridae) Synonym(s): podagrariae Linnaeus,1767 Range (in code): TR 07 08 11 14 33 37 39 62
- 22758. *Oedemera* (s.str.) *pthysica* (Scopoli,1763)** (Oedemeridae) Synonym(s): pthysica Scopoli,1763 Range (in code): TR 02 06 14 18 39 53 61 80
- 22759. *Oedemera* (s.str.) *rostralis* Reitter,1885** (Oedemeridae) Synonym(s): rostralis Reitter,1885 Range (in code): AM AZ GG Cc RU UA TR 75
- 22760. *Oedemera* (s.str.) *rufofemorata* Germar,1824** (Oedemeridae) Synonym(s): rufofemorata Germar,1824 Range (in code): TR 07 31 33 80
- 22761. *Oedemera* (s.str.) *subrobusta* (Nakane,1954)** (Oedemeridae) Synonym(s): subrobusta Nakane,1954 Range (in code): TR CN IMn Cc TM KG RU Sb Us MN JP
- 22762. *Oedemera* (s.str.) *vilis* Roubal,1917** (Oedemeridae) Synonym(s): vilis Roubal,1917 Range (in code): TR 61
- 22763. *Oedemera* (s.str.) *virescens* (Linnaeus,1767)** (Oedemeridae) Synonym(s): virescens Linnaeus,1767 Range (in code): AD AT BY BE B-H GB HV CZ DK EE FI FR DE GR HU IT LT LV MK NO RU PL RO SK ES SE CH NL UA YU TR 31
- 22764. *Opsimea ventralis* Miller,1880** (Oedemeridae) Synonym(s): ventralis Miller,1880 Range (in code): TR 07 11 33 80
- 22765. *Sparedrus testaceus* (Andersch,1797)** (Oedemeridae) Synonym(s): testaceus Andersch,1797 Range (in code): TR 39

- 22766. Xanthochroina auberti (Abeille de Perrin,1876)** (Oedemeridae) Synonym(s): auberti Abeille de Perrin,1876 Range (in code): **CY FR GR HV HU IT ES LB TR 07 33 46**
- 22767. Cydistus chindaaricus Bolivar y Pieltain,1913** (Phengodidae) Synonym(s): chindaaricus Bolivar y Pieltain,1913 Range (in code): **IR**
- 22768. Cydistus escaleraí Bolivar y Pieltain,1913** (Phengodidae) Synonym(s): escaleraí Bolivar y Pieltain,1913 Range (in code): **TR 31**
- 22769. Cydistus minor Bolivar y Pieltain,1913** (Phengodidae) Synonym(s): minor Bolivar y Pieltain,1913 Range (in code): **IR**
- 22770. Cydistus nigripennis Wittmer,1979** (Phengodidae) Synonym(s): nigripennis Wittmer,1979 Range (in code): **IR**
- 22771. Cydistus persicus Bolivar y Pieltain,1913** (Phengodidae) Synonym(s): persicus Bolivar y Pieltain,1913 Range (in code): **IR**
- 22772. Cydistus reitteri Bourgeois,1885** (Phengodidae) Synonym(s): reitteri Bourgeois,1885 Range (in code): **IL Pa Hf**
- 22773. Cydistus zurcheri Bourgeois,1908** (Phengodidae) Synonym(s): zurcheri Bourgeois,1908; reitteri Reitter,1908 nec 1885 Range (in code): **TR 01 73**
- 22774. Hemidendroides daglariensis (Young,2004)** (Pyrochroidae) Synonym(s): cyanipennis; daglariensis Young,2004 Range (in code): **TR 31 37**
- 22775. Eorhipidius jelineki Batelka & Hajek,2009** (Ripiphoridae) Synonym(s): jelineki Batelka & Hajek,2009 Range (in code): **IR Lo**
- 22776. Eorhipidius ruzickai Batelka & Hajek,2009** (Ripiphoridae) Synonym(s): ruzickai Batelka & Hajek,2009 Range (in code): **PK Nwf Swa**
- 22777. Ptilophorus afghanicus (Kaszab,1957)** (Ripiphoridae) Synonym(s): afghanicus Kaszab,1957 Range (in code): **AF**
- 22778. Ptilophorus dufouri (Latreille,1817)** (Ripiphoridae) Synonym(s): dufouri Latreille,1817; steveni Fischer von Waldheim,1829; frivaldskyi Guérin de Ménerville,1838; boryi Lucas,1849; striolata Nowicki,1873 Range (in code): **MA DZ TN PT ES FR IT Sa HU RO BG HV TR Cm Cc AM IR IL Pa JO RU 65**
- 22779. Ptilophorus fischeri (Ménétriés,1848)** (Ripiphoridae) Synonym(s): fischeri Ménétriés,1848; novemflabellata Sahlberg,1902 Range (in code): **RU Sb KK Ax KG TJ TM Kp UZ Smk**
- 22780. Ptilophorus hauseri (Reitter,1903)** (Ripiphoridae) Synonym(s): hauseri Reitter,1903 Range (in code): **IR Gor Gls**
- 22781. Ptilophorus plumicornis (Reitter,1898)** (Ripiphoridae) Synonym(s): plumicornis Reitter,1898 Range (in code): **TR 47**
- 22782. Ripiphorus quadriceps Abeille de Perrin,1872** (Ripiphoridae) Synonym(s): quadriceps Abeille de Perrin,1872 Range (in code): **HU AM Cc TR**
- 22783. Ripiphorus subdipterus Bosc,1792** (Ripiphoridae) Synonym(s): subdipterus Bosc,1792; ambigua Giorna,1804; dorthesi Latreille,1818; pallescens Solsky,1881; syriacus Pic,1904; antoniae Pic,1905; caucasicus Reitter,1906; clermonti Chobaut,1906; turcicus Pic,1914 Range (in code): **ES FR IT Sa Si GR TR Cc**
- 22784. Acanthobodilus immundus (Creutzer,1799)** (Scarabaeidae) Synonym(s): immundus Creutzer,1799 Range (in code): **IL Pa JO LB SY**
- 22785. Acrossus luridus (Fabricius,1775)** (Scarabaeidae) Synonym(s): luridus Fabricius,1775 Range (in code): **IL Pa SY**
- 22786. Adoretus aegrotus Burmeister,1844** (Scarabaeidae) Synonym(s): aegrotus Burmeister,1844 Range (in code): **DZ EG Sn**
- 22787. Adoretus afghanus Machatschke,1958** (Scarabaeidae) Synonym(s): afghanus Machatschke,1958 Range (in code): **AF**
- 22788. Adoretus discolor (Faldermann,1835)** (Scarabaeidae) Synonym(s): discolor Faldermann,1835 Range (in code): **RU AM Cc**
- 22789. Adoretus granulifrons Fairmaire,1882** (Scarabaeidae) Synonym(s): granulifrons Fairmaire,1882 Range (in code): **DZ EG IL Pa JO**
- 22790. Adoretus irakanus Ohaus,1928** (Scarabaeidae) Synonym(s): irakanus Ohaus,1928 Range (in code): **IQ IL Pa**
- 22791. Adoretus nigrifrons (Steven,1809)** (Scarabaeidae) Synonym(s): nigrifrons Steven,1809 Range (in code): **Cc RU TM UZ KK TJ PK**
- 22792. Adoretus pruinus Ballion,1870** (Scarabaeidae) Synonym(s): pruinus Ballion,1870 Range (in code): **RU KG AF**
- 22793. Adoretus sterbae Reitter,1909** (Scarabaeidae) Synonym(s): sterbae Reitter,1909 Range (in code): **TR IL Pa**
- 22794. Aethiessa inhumata Gory & Percheson,1833** (Scarabaeidae) Synonym(s): inhumata Gory & Percheson,1833; leucospila Burmeister,1842 Range (in code): **SA**
- 22795. Aethiessa mesopotamica Burmeister,1842** (Scarabaeidae) Synonym(s): mesopotamica Burmeister,1842; bagdadensis Burmeister,1842; inhumata Brasavola,1939 Range (in code): **DZ SA TR Cc AM IR RU TM IL Pa LB SY IQ 27 31 46 79**

- 22796. Aethiessa szekessyi Brasavola,1939** (Scarabaeidae) Synonym(s): szekessyi Brasavola,1939; crinita Nilcolajev,1975 Range (in code): TJ TM
- 22797. Aethiessa zarudnyi Kiseritzkij,1939** (Scarabaeidae) Synonym(s): zarudnyi Kiseritzkij,1939; bagdadensis Arrow,1910 Range (in code): IR IQ Bgd
- 22798. Agolius bonvoulori (Harold,1860)** (Scarabaeidae) Synonym(s): bonvoulori Harold,1860 Range (in code): SY
- 22799. Agrilinus constans (Duftschmid,1805)** (Scarabaeidae) Synonym(s): constans Duftschmid,1805 Range (in code): LB SY
- 22800. Alaia sexdentata Petrovitz,1980** (Scarabaeidae) Synonym(s): sexdentata Petrovitz,1980 Range (in code): IR
- 22801. Alocoderus hydrochaeris (Fabricius,1798)** (Scarabaeidae) Synonym(s): hydrochaeris Fabricius,1798 Range (in code): DZ MA TN LY Cy EG Sn RU Sb IL Pa LB SY
- 22802. Alocoderus machatschkei (Balthasar,1960)** (Scarabaeidae) Synonym(s): machatschkei Balthasar,1960 Range (in code): SY
- 22803. Alocoderus turbatus (Baudi,1870)** (Scarabaeidae) Synonym(s): turbatus Baudi,1870 Range (in code): IL Pa LB EG Sn SY
- 22804. Amidorus cribrarius (Brullé,1832)** (Scarabaeidae) Synonym(s): cribrarius Brullé,1832 Range (in code): IL Pa JO LB SY
- 22805. Amidorus obscurus (Fabricius,1792)** (Scarabaeidae) Synonym(s): obscurus Fabricius,1792 Range (in code): IL Pa SY
- 22806. Amidorus tarsensis (Petrovitz,1967)** (Scarabaeidae) Synonym(s): tarsensis Petrovitz,1967 Range (in code): LB
- 22807. Amidorus thermicola (Sturm,1800)** (Scarabaeidae) Synonym(s): thermicola Sturm,1800 Range (in code): SY
- 22808. Ammoecius naviauxi (Baraud,1971)** (Scarabaeidae) Synonym(s): naviauxi Baraud,1971 Range (in code): SY
- 22809. Anisoplia (Autanisoplia) austriaca (Herbst,1783)** (Scarabaeidae) Synonym(s): austriaca Herbst,1783; bulgarica Sachareva-Stoilova,1954; bulgaricola Machatschke,1957; balcanica Miksic,1959 nec Reitt.,1889; miksi Baraud,1991 Range (in code): AT UA RU TR BG GR Rd AZ AM Cc IR CZ DE HU MK MD RO SK SS YU 01 06 07 24 26 27 33 42 46 50 51 65
- 22810. Anisoplia (Autanisoplia) merkli Baraud,1991** (Scarabaeidae) Synonym(s): merkli Baraud,1991 Range (in code): TR
- 22811. Anisoplia (Brancoplia) klapperichi Petrovitz,1971** (Scarabaeidae) Synonym(s): klapperichi Petrovitz,1971 Range (in code): IL Pa JO
- 22812. Anisoplia (Brancoplia) leucaspis Laporte,1840** (Scarabaeidae) Synonym(s): leucaspis Laporte,1840 Range (in code): TM TR IQ IL Pa SY LB AZ AM Cc IR 13 19 37 38 40 50 51 57
- 22813. Anisoplia (Brancoplia) mesopotamica Pilleri,1954** (Scarabaeidae) Synonym(s): mesopotamica Pilleri,1954; babylonica Petrovitz,1973 Range (in code): TR IQ IL Pa LB SY
- 22814. Anisoplia (Brancoplia) pumila Petrovitz,1973** (Scarabaeidae) Synonym(s): pumila Petrovitz,1973 Range (in code): IL Pa JO LB EG
- 22815. Anisoplia (Chaetopteropia) bidens Pilleri,1948** (Scarabaeidae) Synonym(s): bidens Pilleri,1948 Range (in code): SY
- 22816. Anisoplia (Chaetopteropia) cuprina Machatschke,1961** (Scarabaeidae) Synonym(s): cuprina Machatschke,1961 Range (in code): LB
- 22817. Anisoplia (Chaetopteropia) gracilis Machatschke,1961** (Scarabaeidae) Synonym(s): gracilis Machatschke,1961 Range (in code): LB
- 22818. Anisoplia (Chaetopteropia) inculta Erichson,1847** (Scarabaeidae) Synonym(s): inculta Erichson,1847 Range (in code): SY
- 22819. Anisoplia (Chaetopteropia) libanensis Machatschke,1961** (Scarabaeidae) Synonym(s): libanensis Machatschke,1961 Range (in code): LB
- 22820. Anisoplia (Chaetopteropia) muelleri Pilleri,1954** (Scarabaeidae) Synonym(s): muelleri Pilleri,1954 Range (in code): TR SY LB
- 22821. Anisoplia (Chaetopteropia) naviauxi Baraud,1984** (Scarabaeidae) Synonym(s): naviauxi Baraud,1984 Range (in code): IQ
- 22822. Anisoplia (Chaetopteropia) obenbergeri Vsetecka,1941** (Scarabaeidae) Synonym(s): obenbergeri Vsetecka,1941 Range (in code): IL Pa LB SY
- 22823. Anisoplia (Chaetopteropia) petrovitzi Machatschke,1971** (Scarabaeidae) Synonym(s): petrovitzi Machatschke,1971 Range (in code): TR 01 27 46 80
- 22824. Anisoplia (Chaetopteropia) segetum (Herbst,1783)** (Scarabaeidae) Synonym(s): segetum Herbst,1783; campestris Herbst,1783; fruticola Fabricius,1787; volhynica Roubal,1931 Range (in code): AZ AM Cc BE AT BY CZ FR DE HU MD NL PL RO SK SS UA Cm YU TR BG RU TM KG 01 19 33 37 38 44 50 57 65 80



- 22825. *Anisoplia (Chaetopteropia) syriaca* Burmeister,1844** (Scarabaeidae) Synonym(s): *syriaca* Burmeister,1844; *cinctipennis* Reitter,1903; *nigripennis* Reitter,1903 Range (in code): UA Cm RU SY IL Pa TR 26 37 38 78
- 22826. *Anisoplia (Pilleriana) campicola* Ménétériés,1832** (Scarabaeidae) Synonym(s): *campicola* Ménétériés,1832 Range (in code): RU Ur UA TR IR KG
- 22827. *Anisoplia (s.str.) abdita* Baraud,1991** (Scarabaeidae) Synonym(s): *abdita* Baraud,1991 Range (in code): TR
- 22828. *Anisoplia (s.str.) agnata* Reitter,1889** (Scarabaeidae) Synonym(s): *agnata* Reitter,1889; *anagnata* Zaitzev,1917 Range (in code): AZ AM GG Cc IR TR
- 22829. *Anisoplia (s.str.) agricola* (Poda,1761)** (Scarabaeidae) Synonym(s): *agricola* Poda,1761; *cyathigera* Scopoli,1763; *crucifera* Herbst,1790; *conjuncta* Schilsky,1888; *deleta* Schilsky,1888; *aetolica* Apfelbeck,1909 Range (in code): AL AT B-H BG BY HV CZ GR HU MK MD RO SK SS YU RU Cc TR UA KK MN KG 51 65
- 22830. *Anisoplia (s.str.) alazanica* Zaitzev,1917** (Scarabaeidae) Synonym(s): *alazanica* Zaitzev,1917 Range (in code): GG Cc
- 22831. *Anisoplia (s.str.) angorensis* Petrovitz,1971** (Scarabaeidae) Synonym(s): *angorensis* Petrovitz,1971 Range (in code): TR 06
- 22832. *Anisoplia (s.str.) aprica* Erichson,1847** (Scarabaeidae) Synonym(s): *aprica* Erichson,1847 Range (in code): BG TR
- 22833. *Anisoplia (s.str.) armeniaca* Kraatz,1883** (Scarabaeidae) Synonym(s): *armeniaca* Kraatz,1883 Range (in code): AM GG Cc TR
- 22834. *Anisoplia (s.str.) brenskei* Reitter,1889** (Scarabaeidae) Synonym(s): *brenskei* Reitter,1889 Range (in code): RU Cc GG
- 22835. *Anisoplia (s.str.) bureschi* Sachariev-Stoilova,1958** (Scarabaeidae) Synonym(s): *bureschi* Sachariev-Stoilova,1958 Range (in code): B-H BG GR MK YU TR
- 22836. *Anisoplia (s.str.) clypealis* Reitter,1889** (Scarabaeidae) Synonym(s): *clypealis* Reitter,1889 Range (in code): AM Cc
- 22837. *Anisoplia (s.str.) deserticola* Fischer von Waldheim,1824** (Scarabaeidae) Synonym(s): *deserticola* Fischer von Waldheim,1824 Range (in code): RU AZ Cc BG GR MK RO UA YU KG
- 22838. *Anisoplia (s.str.) dispar* Erichson,1847** (Scarabaeidae) Synonym(s): *dispar* Erichson,1847; *morio* Kraatz,1883 Range (in code): BG GR HU RO TR
- 22839. *Anisoplia (s.str.) enucleator* Baraud,1991** (Scarabaeidae) Synonym(s): *enucleator* Baraud,1991 Range (in code): TR
- 22840. *Anisoplia (s.str.) faldermanni* Reitter,1883** (Scarabaeidae) Synonym(s): *villosa* Faldermann,1835; *faldermanni* Reitter,1883 Range (in code): GG Cc TR IR
- 22841. *Anisoplia (s.str.) farraria* Erichson,1847** (Scarabaeidae) Synonym(s): *farraria* Erichson,1847 Range (in code): AZ IR TR Cc AM
- 22842. *Anisoplia (s.str.) flavipennis* Brullé,1832** (Scarabaeidae) Synonym(s): *flavipennis* Brullé,1832; *adiecta* Erichson,1847; *bouaei* C.E.Blanchard,1851 Range (in code): AL AT B-H HV GR MK TR YU
- 22843. *Anisoplia (s.str.) hebes* Reitter,1903** (Scarabaeidae) Synonym(s): *hebes* Reitter,1903 Range (in code): GR TR
- 22844. *Anisoplia (s.str.) hirta* Zaitzev,1917** (Scarabaeidae) Synonym(s): *hirta* Zaitzev,1917 Range (in code): GG Cc
- 22845. *Anisoplia (s.str.) imitatrix* Apfelbeck,1909** (Scarabaeidae) Synonym(s): *imitatrix* Apfelbeck,1909 Range (in code): GR MK TR 32
- 22846. *Anisoplia (s.str.) koenigi* Reitter,1895** (Scarabaeidae) Synonym(s): *koenigi* Reitter,1895 Range (in code): TM RU
- 22847. *Anisoplia (s.str.) lanuginosa* Erichson,1847** (Scarabaeidae) Synonym(s): *lanuginosa* Erichson,1847 Range (in code): GR TR
- 22848. *Anisoplia (s.str.) limbata* Kraatz,1886** (Scarabaeidae) Synonym(s): *limbata* Kraatz,1886 Range (in code): AZ AM Cc GG TR
- 22849. *Anisoplia (s.str.) lodosi* Baraud,1990** (Scarabaeidae) Synonym(s): *lodosi* Baraud,1990 Range (in code): TR
- 22850. *Anisoplia (s.str.) noahi* Petrovitz,1973** (Scarabaeidae) Synonym(s): *noahi* Petrovitz,1973; *#nohai* Sabatinelli,1977 Range (in code): TR 76
- 22851. *Anisoplia (s.str.) parva* Kraatz,1883** (Scarabaeidae) Synonym(s): *parva* Kraatz,1883 Range (in code): AZ AM Cc
- 22852. *Anisoplia (s.str.) persiaca* Biczok,1940** (Scarabaeidae) Synonym(s): *persiaca* Biczok,1940; *egregia* Petrovitz,1968; *paupercula* Petrovitz,1971 Range (in code): TR IR
- 22853. *Anisoplia (s.str.) phoenissa* Zaitzev,1977** (Scarabaeidae) Synonym(s): *phoenissa* Zaitzev,1977 Range (in code): SY
- 22854. *Anisoplia (s.str.) reitteriana* Semenov,1903** (Scarabaeidae) Synonym(s): *reitteriana* Semenov,1903 Range (in code): AZ AM Cc TR

- 22855. Anisoplia (s.str.) seleucidis Baraud,1991** (Scarabaeidae) Synonym(s): seleucidis Baraud,1991 Range (in code): TR
- 22856. Anisoplia (s.str.) signata Faldermann,1835** (Scarabaeidae) Synonym(s): signata Faldermann,1835 Range (in code): Cc GG AM TR SY JO IL Pa 01 07 19 31 33 37 38 50 57 70
- 22857. Anisoplia (s.str.) sila Zaitzev,1917** (Scarabaeidae) Synonym(s): sila Zaitzev,1917 Range (in code): Cc GG
- 22858. Anisoplia (s.str.) taocha Zaitzev,1917** (Scarabaeidae) Synonym(s): taocha Zaitzev,1917 Range (in code): TR
- 22859. Anisoplia (s.str.) tenebralis Burmeister,1844** (Scarabaeidae) Synonym(s): tenebralis Burmeister,1844 Range (in code): TR SY
- 22860. Anisoplia (s.str.) thessalica Reitter,1889** (Scarabaeidae) Synonym(s): thessalica Reitter,1889 Range (in code): GR BG MK RO TR
- 22861. Anisoplia (s.str.) tunneri Petrovitz,1971** (Scarabaeidae) Synonym(s): tunneri Petrovitz,1971 Range (in code): TR
- 22862. Anisoplia (s.str.) turcomana Zaitzev,1917** (Scarabaeidae) Synonym(s): turcomana Zaitzev,1917 Range (in code): IR TM RU
- 22863. Anisoplia (s.str.) unguata Baraud,1991** (Scarabaeidae) Synonym(s): unguata Baraud,1991 Range (in code): Cc GG
- 22864. Anisoplia (s.str.) venusta Baraud,1991** (Scarabaeidae) Synonym(s): venusta Baraud,1991 Range (in code): AM Cc
- 22865. Anomala (s.str.) abchasica Motschulsky,1853** (Scarabaeidae) Synonym(s): abchasica Motschulsky,1853 Range (in code): RU Cc GG
- 22866. Anomala (s.str.) dubia (Scopoli,1763)** (Scarabaeidae) Synonym(s): dubia Scopoli,1763 Range (in code): RU SS HV Cc LT TR 08
- 22867. Anomala barbata Burmeister** (Scarabaeidae) Synonym(s): Range (in code): AF
- 22868. Anomala dimidiata (Hope,1831)** (Scarabaeidae) Synonym(s): dimidiata Hope,1831 Range (in code): AF
- 22869. Anomala osmanlis Blanchard,1851** (Scarabaeidae) Synonym(s): osmanlis Blanchard,1851 Range (in code): TR SY 35
- 22870. Anomala palestina Pic,1905** (Scarabaeidae) Synonym(s): palestina Pic,1905 Range (in code): IL Pa
- 22871. Anoxia (Mesanoxia) cypria Zurcher,1911** (Scarabaeidae) Synonym(s): cypria Zurcher,1911; mavromoustakisi Miksic,1959 Range (in code): CY IL Pa
- 22872. Anoxia (Protanoxia) cingulata Marseul,1868** (Scarabaeidae) Synonym(s): cingulata Marseul,1868 Range (in code): LB Bei IL Pa JO Amm
- 22873. Anoxia (Protanoxia) laevimaculata Petrovitz,1973** (Scarabaeidae) Synonym(s): laevimaculata Petrovitz,1973 Range (in code): IL Pa
- 22874. Anoxia (Protanoxia) orientalis Krynicki,1832** (Scarabaeidae) Synonym(s): orientalis Krynicki,1832; meridionalis Reitter,1890 Range (in code): IL Pa Hf SY LB Bei TR 01 07 16 33 38 42 55 70
- 22875. Anoxia (s.str.) asiatica Desbrochers,1872** (Scarabaeidae) Synonym(s): asiatica Desbrochers,1872; syriaca Brenske,1894 Range (in code): RO TR AM Cc IQ SY 07 31 33 35 38
- 22876. Anoxia (s.str.) maculiventris Reitter,1890** (Scarabaeidae) Synonym(s): maculiventris Reitter,1890; israelitica Petrovitz,1971 Range (in code): IL Pa Hf SY Hal LB
- 22877. Anoxia (s.str.) naviauxi Baraud,1990** (Scarabaeidae) Synonym(s): naviauxi Baraud,1990 Range (in code): LB
- 22878. Anoxia kraatzi Reitter** (Scarabaeidae) Synonym(s): Range (in code): TR 01
- 22879. Anoxioides bytinskisalzi Petrovitz,1971** (Scarabaeidae) Synonym(s): bytinskisalzi Petrovitz,1971 Range (in code): IL Pa
- 22880. Aphodius (Acanthbodilus) immundus Creutzer,1799** (Scarabaeidae) Synonym(s): immundus Creutzer,1799 Range (in code): RU Cc Ur Sb Us KG TM TJ
- 22881. Aphodius (Acrossus) depressus (Kugelann,1798)** (Scarabaeidae) Synonym(s): depressus Kugelann,1798 Range (in code): RU Cc Ur Sb Us IT UA GG
- 22882. Aphodius (Acrossus) luridus (Fabricius,1775)** (Scarabaeidae) Synonym(s): luridus Fabricius,1775 Range (in code): RU Cc Sb Us Ur UA Cm KG KK TM UZ TJ
- 22883. Aphodius (Acrossus) planicollis Reitter,1890** (Scarabaeidae) Synonym(s): planicollis Reitter,1890 Range (in code): Cc GG RU
- 22884. Aphodius (Acrossus) rufipes (Linnaeus,1758)** (Scarabaeidae) Synonym(s): rufipes Linnaeus,1758 Range (in code): RU Sb Us Am IT FI UA Cc GG KG
- 22885. Aphodius (Agolius) abchasikus Reitter,1892** (Scarabaeidae) Synonym(s): abchasikus Reitter,1892 Range (in code): Cc GG
- 22886. Aphodius (Agrilinus) ater (De Geer,1774)** (Scarabaeidae) Synonym(s): ater De Geer,1774 Range (in code): RU Ur Sb Us Sh GG Cc KG

- 22887. Aphodius (Amidorus) obscurus (Fabricius,1792)** (Scarabaeidae) Synonym(s): obscurus Fabricius,1792 Range (in code): RU Cc GG
- 22888. Aphodius (Aphodius) fimetarius (Linnaeus,1758)** (Scarabaeidae) Synonym(s): fimetarius Linnaeus,1758 Range (in code): RU Cc Ur Sb Us UA AM GG KG KK TM UZ
- 22889. Aphodius (Apsteiniella) georgii (W.Koshantschikov,1912)** (Scarabaeidae) Synonym(s): georgii W.Koshantschikov,1912 Range (in code): TM
- 22890. Aphodius (Biralus) menetriesi Ménétriés,1849** (Scarabaeidae) Synonym(s): menetriesi Ménétriés,1849 Range (in code): KG KK TM UZ
- 22891. Aphodius (Bodilus) digitalis D.Koshantschikov,1894** (Scarabaeidae) Synonym(s): digitalis D.Koshantschikov,1894 Range (in code): TM
- 22892. Aphodius (Bodilus) ictericus (Laicharting,1781)** (Scarabaeidae) Synonym(s): ictericus Laicharting,1781 Range (in code): RU Cc Ur Sb HU UA Cm KG
- 22893. Aphodius (Bodilus) lugens Creutzer,1799** (Scarabaeidae) Synonym(s): lugens Creutzer,1799 Range (in code): RU Ur Cc UA Cm KG KK TJ TM
- 22894. Aphodius (Bodilus) punctipennis Erichson,1848** (Scarabaeidae) Synonym(s): punctipennis Erichson,1848 Range (in code): RU Sb KG TM
- 22895. Aphodius (Bodilus) strigimargo Reitter,1892** (Scarabaeidae) Synonym(s): strigimargo Reitter,1892 Range (in code): TM
- 22896. Aphodius (Calamosternus) chobauti (Clouet,1896)** (Scarabaeidae) Synonym(s): chobauti Clouet,1896 Range (in code): DZ TN LY IL Pa SY IQ SA
- 22897. Aphodius (Calamosternus) granarius (Linnaeus,1767)** (Scarabaeidae) Synonym(s): granarius Linnaeus,1767 Range (in code): RU Cc Sb Us GG AZ KG TM UZ TJ LY Cy
- 22898. Aphodius (Calamosternus) lividus (Olivier,1789)** (Scarabaeidae) Synonym(s): lividus Olivier,1789 Range (in code): RU Am Cc GG KG TM TJ
- 22899. Aphodius (Chilo thorax) clathratus Reitter,1892** (Scarabaeidae) Synonym(s): clathratus Reitter,1892 Range (in code): TM
- 22900. Aphodius (Chilo thorax) distinctus (Müller,1776)** (Scarabaeidae) Synonym(s): distinctus Müller,1776 Range (in code): DE RU Cc Ur Sb Us KG TM TJ
- 22901. Aphodius (Chilo thorax) flavimargo Reitter,1901** (Scarabaeidae) Synonym(s): flavimargo Reitter,1901 Range (in code): TM KG
- 22902. Aphodius (Chilo thorax) melanostictus W.Schmidt,1840** (Scarabaeidae) Synonym(s): melanostictus W.Schmidt,1840 Range (in code): RU Sb UA KG KK TM
- 22903. Aphodius (Chilo thorax) sticticus (Panzer,1798)** (Scarabaeidae) Synonym(s): sticticus Panzer,1798 Range (in code): RU BY Cc
- 22904. Aphodius (Colobopterus) erraticus (Linnaeus,1758)** (Scarabaeidae) Synonym(s): erraticus Linnaeus,1758 Range (in code): RU Ur Sb Us UA KG TM UZ
- 22905. Aphodius (Erytus) aequalis A.Schmidt,1907** (Scarabaeidae) Synonym(s): aequalis A.Schmidt,1907 Range (in code): TM
- 22906. Aphodius (Erytus) bucharicus Petrovitz,1961** (Scarabaeidae) Synonym(s): bucharicus Petrovitz,1961 Range (in code): TM
- 22907. Aphodius (Erytus) klugi A.Schmidt,1910** (Scarabaeidae) Synonym(s): klugi A.Schmidt,1910 Range (in code): TM
- 22908. Aphodius (Erytus) persicus Petrovitz,1961** (Scarabaeidae) Synonym(s): persicus Petrovitz,1961 Range (in code): IR AF
- 22909. Aphodius (Erytus) pruinus Reitter,1892** (Scarabaeidae) Synonym(s): pruinus Reitter,1892 Range (in code): TM
- 22910. Aphodius (Esymus) alaiensis Reitter,1892** (Scarabaeidae) Synonym(s): alaiensis Reitter,1892 Range (in code): KG TM TJ
- 22911. Aphodius (Esymus) merdarius (Fabricius,1775)** (Scarabaeidae) Synonym(s): merdarius Fabricius,1775 Range (in code): RU Cc TM
- 22912. Aphodius (Esymus) stereotypus D.Koshantschikov,1894** (Scarabaeidae) Synonym(s): stereotypus D.Koshantschikov,1894 Range (in code): TM
- 22913. Aphodius (Eudolus) quadriguttatus (Herbst,1783)** (Scarabaeidae) Synonym(s): quadriguttatus Herbst,1783 Range (in code): RU Ur UA Cm TM UZ
- 22914. Aphodius (Eupleurus) subterraneus (Linnaeus,1758)** (Scarabaeidae) Synonym(s): subterraneus Linnaeus,1758 Range (in code): RU Cc Ur Sb Us KG TM
- 22915. Aphodius (Loraphodius) suarius Faldermann,1835** (Scarabaeidae) Synonym(s): suarius Faldermann,1835 Range (in code): Cc AZ
- 22916. Aphodius (Lunaphodius) lunifer Solsky,1876** (Scarabaeidae) Synonym(s): lunifer Solsky,1876 Range (in code): TM TJ
- 22917. Aphodius (Mecynodes) kisilkumi Solsky,1876** (Scarabaeidae) Synonym(s): kisilkumi Solsky,1876 Range (in code): RU Sb TM



- 22918. Aphodius (Melinopterus) prodromus (Brahm,1790)** (Scarabaeidae) Synonym(s): prodromus Brahm,1790 Range (in code): UA RU Cc LT Ur Sb Us KG TM
- 22919. Aphodius (Mendidaphodius) brancsiki Reitter,1899** (Scarabaeidae) Synonym(s): brancsiki Reitter,1899 Range (in code): TM
- 22920. Aphodius (Mendidius) bidens Solsky,1876** (Scarabaeidae) Synonym(s): bidens Solsky,1876 Range (in code): KG TM
- 22921. Aphodius (Mendidius) multiplex Reitter,1897** (Scarabaeidae) Synonym(s): multiplex Reitter,1897 Range (in code): RU Sb KG TM MN
- 22922. Aphodius (Mendidius) repetekensis (Nikritin,1971)** (Scarabaeidae) Synonym(s): repetekensis Nikritin,1971 Range (in code): TM
- 22923. Aphodius (Nialus) kraatzi Harold,1868** (Scarabaeidae) Synonym(s): kraatzi Harold,1868 Range (in code): KG KK TM
- 22924. Aphodius (Nialus) sturmi Harold,1870** (Scarabaeidae) Synonym(s): sturmi Harold,1870 Range (in code): RU Sb KG TM
- 22925. Aphodius (Nialus) varians Duftschmid,1805** (Scarabaeidae) Synonym(s): varians Duftschmid,1805 Range (in code): RU Sb UA AZ Cc KG TJ
- 22926. Aphodius (Orodalus) pusillus (Herbst,1789)** (Scarabaeidae) Synonym(s): pusillus Herbst,1789 Range (in code): RU Cc Ur Sb Us Am Krl GG KG KK TM UZ
- 22927. Aphodius (Oromus) asphaltinus Kolenati,1846** (Scarabaeidae) Synonym(s): asphaltinus Kolenati,1846 Range (in code): RU Cc GG
- 22928. Aphodius (Phalacronotus) quadrimaculatus (Linnaeus,1767)** (Scarabaeidae) Synonym(s): quadrimaculatus Linnaeus,1767 Range (in code): TM
- 22929. Aphodius (Plagiogonus) praeustus Ballion,1871** (Scarabaeidae) Synonym(s): praeustus Ballion,1871 Range (in code): KG TM
- 22930. Aphodius (Pseudacrossus) edgardi Solsky,1876** (Scarabaeidae) Synonym(s): edgardi Solsky,1876 Range (in code): TM TJ
- 22931. Aphodius (Pseudacrossus) zuercheri Reitter,1908** (Scarabaeidae) Synonym(s): zuercheri Reitter,1908 Range (in code): TR 01
- 22932. Aphodius (Teuchestes) fossor (Linnaeus,1758)** (Scarabaeidae) Synonym(s): fossor Linnaeus,1758 Range (in code): RU Cc Ur Sb Us UA Cm KG
- 22933. Aphodius fimetarius (Linnaeus,1758)** (Scarabaeidae) Synonym(s): fimetarius Linnaeus,1758 Range (in code): IL Pa JO LB SY
- 22934. Aphodius foetidus (Herbst,1783)** (Scarabaeidae) Synonym(s): foetidus Herbst,1783 Range (in code): IL Pa JO LB SY
- 22935. Aplidia aegyptiaca Kraatz,1882** (Scarabaeidae) Synonym(s): aegyptiaca Kraatz,1882 Range (in code): EG CY
- 22936. Aplidia akbesiana Petrovitz,1971** (Scarabaeidae) Synonym(s): akbesiana Petrovitz,1971 Range (in code): ES SY TR 31
- 22937. Aplidia andreasmuelleri Keith,2000** (Scarabaeidae) Synonym(s): andreasmuelleri Keith,2000 Range (in code): TR
- 22938. Aplidia armeniaca Baraud,1990** (Scarabaeidae) Synonym(s): armeniaca Baraud,1990 Range (in code): AM Cc TR
- 22939. Aplidia attenuata Reich,1862** (Scarabaeidae) Synonym(s): attenuata Reich,1862 Range (in code): Sa CY
- 22940. Aplidia baraudi Sabatinelli,1991** (Scarabaeidae) Synonym(s): baraudi Sabatinelli,1991 Range (in code): JO
- 22941. Aplidia baudii Kraatz,1882** (Scarabaeidae) Synonym(s): baudii Kraatz,1882 Range (in code): Rd CY
- 22942. Aplidia besucheti Baraud,1988** (Scarabaeidae) Synonym(s): besucheti Baraud,1988 Range (in code): TR
- 22943. Aplidia bodemeyeri Reitter,1909** (Scarabaeidae) Synonym(s): bodemeyeri Reitter,1909 Range (in code): TR
- 22944. Aplidia caesarina Reitter,1902** (Scarabaeidae) Synonym(s): caesarina Reitter,1902 Range (in code): TR SY IL Pa
- 22945. Aplidia chaifensis Kraatz,1882** (Scarabaeidae) Synonym(s): chaifensis Kraatz,1882 Range (in code): IL Pa Hf SY LB
- 22946. Aplidia ciliciensis Baraud,1988** (Scarabaeidae) Synonym(s): ciliciensis Baraud,1988 Range (in code): TR 33
- 22947. Aplidia claudii Baraud,1988** (Scarabaeidae) Synonym(s): claudii Baraud,1988 Range (in code): TR
- 22948. Aplidia cypria Kraatz,1882** (Scarabaeidae) Synonym(s): cypria Kraatz,1882 Range (in code): CY
- 22949. Aplidia dilatata Reitter,1902** (Scarabaeidae) Synonym(s): dilatata Reitter,1902 Range (in code): TR SY

- 22950. *Aplidia endroedii* Baraud,1988** (Scarabaeidae) Synonym(s): endroedii Baraud,1988 Range (in code): IL Pa JO Amm
- 22951. *Aplidia fissa* Burmeister,1855** (Scarabaeidae) Synonym(s): fissa Burmeister,1855 Range (in code): TR IL Pa LB SY 01 46
- 22952. *Aplidia heizorum* Baraud,1990** (Scarabaeidae) Synonym(s): heizorum Baraud,1990 Range (in code): TR
- 22953. *Aplidia iranica* Petrovitz,1970** (Scarabaeidae) Synonym(s): iranica Petrovitz,1970 Range (in code): IQ TR IR
- 22954. *Aplidia janczyki* Baraud,1988** (Scarabaeidae) Synonym(s): janczyki Baraud,1988 Range (in code): IL Pa LB SY
- 22955. *Aplidia joannis* Baraud,1988** (Scarabaeidae) Synonym(s): joannis Baraud,1988 Range (in code): IL Pa LB SY
- 22956. *Aplidia lizleri* Keith,2000** (Scarabaeidae) Synonym(s): lizleri Keith,2000 Range (in code): TR SY IL Pa?
- 22957. *Aplidia lodosi* Baraud,1988** (Scarabaeidae) Synonym(s): lodosi Baraud,1988 Range (in code): TR
- 22958. *Aplidia migliaccioi* Baraud,1988** (Scarabaeidae) Synonym(s): migliaccioi Baraud,1988 Range (in code): TR
- 22959. *Aplidia montreuili* Keith,2000** (Scarabaeidae) Synonym(s): montreuili Keith,2000 Range (in code): CY
- 22960. *Aplidia nitidula* Kraatz,1882** (Scarabaeidae) Synonym(s): nitidula Kraatz,1882; taurica Petrovitz,1971 Range (in code): TR SY IL Pa
- 22961. *Aplidia pamphyliensis* Baraud,1988** (Scarabaeidae) Synonym(s): pamphyliensis Baraud,1988 Range (in code): TR
- 22962. *Aplidia petrovitzi* Baraud,1988** (Scarabaeidae) Synonym(s): petrovitzi Baraud,1988 Range (in code): ?IL Pa SY
- 22963. *Aplidia pilicollis* Petrovitz,1967** (Scarabaeidae) Synonym(s): pilicollis Petrovitz,1967 Range (in code): TR LB
- 22964. *Aplidia preissi* Keith,2000** (Scarabaeidae) Synonym(s): preissi Keith,2000 Range (in code): CY
- 22965. *Aplidia pruinosa* Baudi di Selve,1870** (Scarabaeidae) Synonym(s): pruinosa Baudi di Selve,1870 Range (in code): CY
- 22966. *Aplidia rugicollis* Petrovitz,1967** (Scarabaeidae) Synonym(s): rugicollis Petrovitz,1967 Range (in code): TR
- 22967. *Aplidia sparsepunctata* Petrovitz,1967** (Scarabaeidae) Synonym(s): sparsepunctata Petrovitz,1967 Range (in code): TR
- 22968. *Aplidia tarsensis* Kraatz,1882** (Scarabaeidae) Synonym(s): tarsensis Kraatz,1882 Range (in code): TR SY Dms
- 22969. *Aplidia transversa* (Fabricius,1801)** (Scarabaeidae) Synonym(s): transversa Fabricius,1801; quercina Burmeister,1855; lateriventris Reitter,1902 Range (in code): AL AT B-H BG HV GR Cr IT MK RO SS SZ TR YU
- 22970. *Aplidia turcica* Kraatz,1882** (Scarabaeidae) Synonym(s): turcica Kraatz,1882 Range (in code): TR 07 31 33 42
- 22971. *Aplidia vagepunctata* Kraatz,1882** (Scarabaeidae) Synonym(s): vagepunctata Kraatz,1882; heydeni Kraatz,1882 Range (in code): TR 01
- 22972. *Aplidia villosicollis* Kraatz,1882** (Scarabaeidae) Synonym(s): villosicollis Kraatz,1882 Range (in code): ?IL Pa LB SY
- 22973. *Aplidia wernerii* Keith,2000** (Scarabaeidae) Synonym(s): wernerii Keith,2000 Range (in code): TR SY
- 22974. *Aplidia wewalkai* Petrovitz,1971** (Scarabaeidae) Synonym(s): wewalkai Petrovitz,1971 Range (in code): TR 33
- 22975. *Asiactenius afghanus* Nikolajev,2000** (Scarabaeidae) Synonym(s): afghanus Nikolajev,2000 Range (in code): AF
- 22976. *Asiactenius mirabilis* Nikolajev,2000** (Scarabaeidae) Synonym(s): mirabilis Nikolajev,2000 Range (in code): AF
- 22977. *Asiactenius tekkensis* (Reitter,1889)** (Scarabaeidae) Synonym(s): tekkensis Reitter,1889 Range (in code): AF IR TM UZ
- 22978. *Asiactenius tokgajevi* (S.I.Medvedev,1962)** (Scarabaeidae) Synonym(s): tokgajevi S.I.Medvedev,1962 Range (in code): IR TM
- 22979. *Atanyproctus afghanus* Petrovitz,1968** (Scarabaeidae) Synonym(s): afghanus Petrovitz,1968 Range (in code): AF
- 22980. *Atanyproctus alexandri* Petrovitz,1965** (Scarabaeidae) Synonym(s): alexandri Petrovitz,1965 Range (in code): AF
- 22981. *Atanyproctus ernae* Petrovitz,1980** (Scarabaeidae) Synonym(s): ernae Petrovitz,1980 Range (in code): IR

- 22982. Atanyproctus miksici Petrovitz,1965** (Scarabaeidae) Synonym(s): miksici Petrovitz,1965 Range (in code): AF
- 22983. Atanyproctus opacipennis Petrovitz,1968** (Scarabaeidae) Synonym(s): opacipennis Petrovitz,1968 Range (in code): IR
- 22984. Atanyproctus simplicatarsis Petrovitz,1954** (Scarabaeidae) Synonym(s): simplicatarsis Petrovitz,1954 Range (in code): IR
- 22985. Biralus equinus (Faldermann,1835)** (Scarabaeidae) Synonym(s): equinus Faldermann,1835 Range (in code): IL Pa JO LB SY
- 22986. Biralus menetriesi (Ménétriés,1847)** (Scarabaeidae) Synonym(s): menetriesi Ménétriés,1847 Range (in code): IL Pa JO LB SY
- 22987. Biralus satellitius (Herbst,1789)** (Scarabaeidae) Synonym(s): satellitius Herbst,1789 Range (in code): IL Pa JO LB SY
- 22988. Blitopertha (Asiopertha) arenicola Mulsant,1870** (Scarabaeidae) Synonym(s): arenicola Mulsant,1870 Range (in code): Cc TR 53
- 22989. Blitopertha (Asiopertha) fulvicornis (Burmeister,1855)** (Scarabaeidae) Synonym(s): fulvicornis Burmeister,1855 Range (in code): TR?
- 22990. Blitopertha (Asiopertha) ganglbaueri (Reitter,1885)** (Scarabaeidae) Synonym(s): ganglbaueri Reitter,1885 Range (in code): SY TR
- 22991. Blitopertha (Asiopertha) nazarena (Marseul,1878)** (Scarabaeidae) Synonym(s): nazarena Marseul,1878 Range (in code): TR IL Pa
- 22992. Blitopertha (s.str.) lineata Fabricius,1798** (Scarabaeidae) Synonym(s): lineata Fabricius,1798 Range (in code): RU Cc AZ AM TM
- 22993. Blitopertha (s.str.) lineolata (Fischer von Waldheim,1824)** (Scarabaeidae) Synonym(s): lineolata Fischer von Waldheim,1824 Range (in code): UA RO YU AL MK BG GR TR Cr CY 36
- 22994. Blitopertha (s.str.) nigripennis (Burmeister,1855)** (Scarabaeidae) Synonym(s): nigripennis Burmeister,1855; abdita Petrovitz,1959; majuscula Medvedev Range (in code): Cc AM AZ GG RU CY IR TM TR IL Pa JO LB SY 01 07 27 31 33 37 38 43 46 57 80
- 22995. Blitopertha (s.str.) variabilis Ballion,1870** (Scarabaeidae) Synonym(s): variabilis Ballion,1870 Range (in code): KG TM UZ TJ
- 22996. Blitopertha (Trichopertha) hirtella (Brullé,1832)** (Scarabaeidae) Synonym(s): hirtella Brullé,1832 Range (in code): TR BG GR 05
- 22997. Bodilopsis rufa (Moll,1782)** (Scarabaeidae) Synonym(s): rufa Moll,1782 Range (in code): IL Pa
- 22998. Bodilopsis sordida (Fabricius,1775)** (Scarabaeidae) Synonym(s): sordida Fabricius,1775 Range (in code): IL Pa SY
- 22999. Bodilus longispina (Kuster,1854)** (Scarabaeidae) Synonym(s): longispina Kuster,1854 Range (in code): IL Pa EG Sn?
- 23000. Bodilus lugens (Creutzer,1799)** (Scarabaeidae) Synonym(s): lugens Creutzer,1799 Range (in code): IL Pa JO LB SY EG Sn
- 23001. Bodilus nigriventris (Reitter,1892)** (Scarabaeidae) Synonym(s): nigriventris Reitter,1892 Range (in code): SY
- 23002. Bodilus punctipennis (Erichson,1848)** (Scarabaeidae) Synonym(s): punctipennis Erichson,1848 Range (in code): IL Pa LB SY EG Sn
- 23003. Bodilus sabaeus (Peyerimhoff,1907)** (Scarabaeidae) Synonym(s): sabaeus Peyerimhoff,1907 Range (in code): IL Pa JO Sn EG
- 23004. Bodilus vartiani (Petrovitz,1965)** (Scarabaeidae) Synonym(s): vartiani Petrovitz,1965 Range (in code): SY
- 23005. Brenskiella flavomicans (Brenske,1897)** (Scarabaeidae) Synonym(s): flavomicans Brenske,1897 Range (in code): IL Pa
- 23006. Bubas bubaloides Janssens,1938** (Scarabaeidae) Synonym(s): bubaloides Janssens,1938 Range (in code): MA DZ TN LY Cy EG TR CY GR SY LB IL Pa IQ IR
- 23007. Bubas bubalus (Olivier,1811)** (Scarabaeidae) Synonym(s): bubalus Olivier,1811; brunipterus Mulsant,1842; inermifrons Mulsant,1842; integricornis Mulsant,1842; simplicifrons Mulsant,1842 Range (in code): ES IL Pa TR IQ FR ES PT 63
- 23008. Caccobius (s.str.) denticollis Harold,1897** (Scarabaeidae) Synonym(s): denticollis Harold,1897 Range (in code): AF
- 23009. Caccobius (s.str.) histeroides (Ménétriés,1832)** (Scarabaeidae) Synonym(s): histeroides Ménétriés,1832; anthracinus Faldermann,1835; nigellus Kiesenwetter,1858 Range (in code): RU Cc UA Cm TR TM AM SY IL Pa
- 23010. Caccobius (s.str.) himalayanus Jekel,1772** (Scarabaeidae) Synonym(s): himalayanus Jekel,1772 Range (in code): AF
- 23011. Caccobius (s.str.) mundus (Ménétriés,1838)** (Scarabaeidae) Synonym(s): mundus Ménétriés,1838 Range (in code): TR Cc SY IL Pa IQ JO LB



- 23012. Caccobius (s.str.) schreberi (Linnaeus,1767)** (Scarabaeidae) Synonym(s): schreberi Linnaeus,1767 Range (in code): RU Ur Sb Cc UA Cm GG TM IR SY IL Pa EG TR MA DZ TN LY
- 23013. Calamosternus chobauti (Clouet,1896)** (Scarabaeidae) Synonym(s): chobauti Clouet,1896 Range (in code): DZ TN LY Cy IL Pa SY SA IQ
- 23014. Calamosternus granarius (Linnaeus,1767)** (Scarabaeidae) Synonym(s): granarius Linnaeus,1767 Range (in code): IL Pa JO LB Sn EG SY
- 23015. Calamosternus hyxos (Petrovitz,1962)** (Scarabaeidae) Synonym(s): hyxos Petrovitz,1962 Range (in code): IL Pa LB Sn EG SY
- 23016. Calamosternus pseudounicolor (Balthasar,1960)** (Scarabaeidae) Synonym(s): pseudounicolor Balthasar,1960 Range (in code): IL Pa SY
- 23017. Calamosternus trucidatus (Harold,1863)** (Scarabaeidae) Synonym(s): trucidatus Harold,1863 Range (in code): IL Pa JO LB SY
- 23018. Cetonia (s.str.) aeratula Reitter,1891** (Scarabaeidae) Synonym(s): aeratula Reitter,1891 Range (in code): Cc AM IR Mz Elb
- 23019. Cetonia (s.str.) asiatica Gory & Percheron,1833** (Scarabaeidae) Synonym(s): asiatica Gory & Percheron,1833; oertzeni Reitter,1885 Range (in code): TR
- 23020. Cetonia (s.str.) aurata (Linnaeus,1761)** (Scarabaeidae) Synonym(s): aurata Linnaeus,1761; smaragdus De Geer,1774; aenea Fuessly,1778; chlorochrysa Schrank,1776; viridicorusus Voet,1779; maculata Scriba,1790; variabilis Preyss.,1790; piligera Mulsant & Rey,1842; praeclara Mulsant & Rey,1842; clermonti Bourgin,1948 Range (in code): IT LT BY UA Cm SS BG Cc GG AM TR RU Ur Sb KG KK TM IR UZ CN Ui 01 05 12 13 14 27 48 56 57 60 65 67 70 74
- 23021. Cetonia (s.str.) delangrei Boucard,1893** (Scarabaeidae) Synonym(s): delangrei Boucard,1893; syriaca Boucard,1893; chrysosoma Reitter,1896 Range (in code): CY TR SY LB IL Pa EG 31
- 23022. Cetonia (s.str.) kemali Delpont,1995** (Scarabaeidae) Synonym(s): kemali Delpont,1995 Range (in code): TR 07
- 23023. Cetonia (s.str.) sexguttata Olsufiev,1916** (Scarabaeidae) Synonym(s): sexguttata Olsufiev,1916 Range (in code): IR
- 23024. Cetonia (s.str.) viridescens Reitter,1891** (Scarabaeidae) Synonym(s): viridescens Reitter,1891 Range (in code): SY
- 23025. Cheironitis furcifer (Rossi,1792)** (Scarabaeidae) Synonym(s): furcifer Rossi,1792; pugil Costa,1853; syphax Fairmaire,1875; metasternalis Reitter,1894; theryi Tondou,1907 Range (in code): IT Sa Si SS B-H HV YU AL MK GR BG TR IL Pa SY
- 23026. Cheironitis haroldi Ballion,1870** (Scarabaeidae) Synonym(s): haroldi Ballion,1870 Range (in code): KG UZ TM
- 23027. Cheironitis hungaricus (Herbst,1789)** (Scarabaeidae) Synonym(s): hungaricus Herbst,1789; clinias Fabricius,1792; amyntas Steven,1806; alexis Mulsant,1842; tityrus Mulsant,1842 Range (in code): PT ES FR IT SS B-H HV BG AL MK GR HU YU UA Cm TR
- 23028. Cheironitis irroratus (Rossi,1790)** (Scarabaeidae) Synonym(s): irroratus Rossi,1790 Range (in code): IT Co Sa Si EG Sn IL Pa SY
- 23029. Cheironitis klapperichi Ballion,1870** (Scarabaeidae) Synonym(s): klapperichi Ballion,1870 Range (in code): IR
- 23030. Cheironitis moeris (Pallas,1781)** (Scarabaeidae) Synonym(s): moeris Pallas,1781 Range (in code): LB SY
- 23031. Cheironitis pamphilus (Ménétriés,1849)** (Scarabaeidae) Synonym(s): pamphilus Ménétriés,1849; eumenes Motschoulsky,1859; ponticus Lansberge,1875 Range (in code): EG Sn IL Pa LB SY RU GR TM UZ
- 23032. Cheironitis sterculius Ballion,1870** (Scarabaeidae) Synonym(s): sterculius Ballion,1870 Range (in code): UZ TM
- 23033. Chilo thorax discedens (A.Schmidt,1907)** (Scarabaeidae) Synonym(s): discedens A.Schmidt,1907 Range (in code): IL Pa JO
- 23034. Chilo thorax equitis (W.Koshantischikov,1912)** (Scarabaeidae) Synonym(s): equitis W.Koshantischikov,1912 Range (in code): SY
- 23035. Chilo thorax hieroglyphicus (Klug,1845)** (Scarabaeidae) Synonym(s): hieroglyphicus Klug,1845 Range (in code): IL Pa JO LB SY
- 23036. Chilo thorax hucklesbyi (Paulian,1942)** (Scarabaeidae) Synonym(s): hucklesbyi Paulian,1942 Range (in code): IL Pa
- 23037. Chilo thorax lineolatus (Illiger,1803)** (Scarabaeidae) Synonym(s): lineolatus Illiger,1803 Range (in code): IL Pa JO LB SY
- 23038. Chilo thorax melanostictus (W.Schmidt,1840)** (Scarabaeidae) Synonym(s): melanostictus W.Schmidt,1840 Range (in code): IL Pa JO LB EG Sn SY
- 23039. Chilo thorax paykulli (Bedel,1907)** (Scarabaeidae) Synonym(s): paykulli Bedel,1907 Range (in code): LB SY

- 23040. *Chilothorax xanthopterus* (Balthasar,1938)** (Scarabaeidae) Synonym(s): xanthopterus Balthasar,1938 Range (in code): LB SY
- 23041. *Chioneosoma (Aleucolomus) porosum* (Fischer,1824)** (Scarabaeidae) Synonym(s): porosum Fischer,1824 Range (in code): KG TM
- 23042. *Chioneosoma (Aleucolomus) tedschenense* Semenov,1895** (Scarabaeidae) Synonym(s): tedschenense Semenov,1895 Range (in code): TM
- 23043. *Chioneosoma (Chioneosoma) komarovi* (Brenske,1866)** (Scarabaeidae) Synonym(s): komarovi Brenske,1866 Range (in code): TM
- 23044. *Chioneosoma (Chionotrogus) candidum* (Semenov,1902)** (Scarabaeidae) Synonym(s): candidum Semenov,1902 Range (in code): TM
- 23045. *Chioneosoma (Chionotrogus) gorilla* Brenske,1886** (Scarabaeidae) Synonym(s): gorilla Brenske,1886 Range (in code): TM
- 23046. *Chioneosoma (Chionotrogus) kizilkumenze* Semenov,1895** (Scarabaeidae) Synonym(s): kizilkumenze Semenov,1895 Range (in code): KG TM
- 23047. *Chioneosoma (Chionotrogus) peetzi* Semenov,1898** (Scarabaeidae) Synonym(s): peetzi Semenov,1898 Range (in code): TM
- 23048. *Chioneosoma (Chionotrogus) turcomanum* Brenske,1888** (Scarabaeidae) Synonym(s): turcomanum Brenske,1888 Range (in code): TM
- 23049. *Chioneosoma (Leucolasium) baadeni* Brenske,1886** (Scarabaeidae) Synonym(s): baadeni Brenske,1886 Range (in code): TM
- 23050. *Chioneosoma (Leucolasium) rostovtzeni* Semenov,1898** (Scarabaeidae) Synonym(s): rostovtzeni Semenov,1898 Range (in code): TM
- 23051. *Chioneosoma (Leucolasium) tschitscherini* Semenov,1895** (Scarabaeidae) Synonym(s): tschitscherini Semenov,1895 Range (in code): TM
- 23052. *Chromovalgus klapperichi* Endrodi,1955** (Scarabaeidae) Synonym(s): klapperichi Endrodi,1955 Range (in code): AF
- 23053. *Chromovalgus peyroni* (Mulsant & Wachanru,1852)** (Scarabaeidae) Synonym(s): peyroni Mulsant & Wachanru,1852 Range (in code): TR SY AF 07 31 32 33 40 42 46 56 65 70 73 80
- 23054. *Colobopterus erraticus* (Linnaeus,1758)** (Scarabaeidae) Synonym(s): erraticus Linnaeus,1758 Range (in code): IL Pa JO LB SY
- 23055. *Copris felschei* Reitter,1893** (Scarabaeidae) Synonym(s): felschei Reitter,1893 Range (in code): TR Cc AM RU 31
- 23056. *Copris hispanus* (Linnaeus,1764)** (Scarabaeidae) Synonym(s): hispanus Linnaeus,1764; cavolini Petagna,1792; retusus Mulsant,1842; sinuatus Mulsant,1842; tridens Mulsant,1842; persianus Miksic,1958 Range (in code): ES RU UA UZ TM TJ IR TR EG 21
- 23057. *Copris lunaris* (Linnaeus,1758)** (Scarabaeidae) Synonym(s): lunaris Linnaeus,1758; bifidus Poda,1761; emarginatus Olivier,1789; belisama Schrank,1798; lunus Schrank,1798; castaneus Mulsant,1842; corniculatus Mulsant,1842; deletus Mulsant,1842; oblitteratus Mulsant,1842; gistelianus Gistel,1857; jensonianus Gistel,1857 Range (in code): GB DE FR YU LT RU UA Cm Cc KK KG TM
- 23058. *Cryptotrogus niveus* (Hampe,1852)** (Scarabaeidae) Synonym(s): niveus Hampe,1852 Range (in code): IR TR 25?
- 23059. *Cryptotrogus weisei* Kraatz,1888** (Scarabaeidae) Synonym(s): weisei Kraatz,1888 Range (in code): EG JO IL Pa
- 23060. *Cyphonoxia praestabilis* Reitter,1889** (Scarabaeidae) Synonym(s): praestabilis Reitter,1889 Range (in code): IL Pa IQ IR
- 23061. *Cyriopertha (Megapertha) massageta* Kirsch,1881** (Scarabaeidae) Synonym(s): massageta Kirsch,1881 Range (in code): TM TJ
- 23062. *Elaphocera gracilis* (Waltl,1838)** (Scarabaeidae) Synonym(s): gracilis Waltl,1838; bysantica Rambur,1843 Range (in code): BG GR MK TR
- 23063. *Elaphocera nigroflabellata* Burmeister,1855** (Scarabaeidae) Synonym(s): nigroflabellata Burmeister,1855 Range (in code): GR TR
- 23064. *Elaphocera staudingeri* Reitter,1902** (Scarabaeidae) Synonym(s): staudingeri Reitter,1902 Range (in code): SY
- 23065. *Elaphocera suturalis* Schaufuss,1874** (Scarabaeidae) Synonym(s): suturalis Schaufuss,1874; rhodana Marseul,1878; confusa Kraatz,1882; nigrata Fairmaire,1884 Range (in code): SY TR
- 23066. *Elaphocera syriaca* Kraatz,1882** (Scarabaeidae) Synonym(s): syriaca Kraatz,1882 Range (in code): SY
- 23067. *Eremazus cribratus* Semenov,1893** (Scarabaeidae) Synonym(s): cribratus Semenov,1893 Range (in code): RU TM
- 23068. *Eremazus unistriatus* Mulsant,1851** (Scarabaeidae) Synonym(s): unistriatus Mulsant,1851 Range (in code): RU TM
- 23069. *Euheptaulacus carinatus* (Germar,1824)** (Scarabaeidae) Synonym(s): carinatus Germar,1824 Range (in code): BG IL Pa JO

- 23070. Euheptaulacus sus (Herbst,1783)** (Scarabaeidae) Synonym(s): sus Herbst,1783 Range (in code): BG SY
- 23071. Euoniticellus fulvus (Goeze,1777)** (Scarabaeidae) Synonym(s): fulvus Goeze,1777 Range (in code): RU Cc Ur Sb MD UA Cm GG KG KK TM UZ TJ
- 23072. Euoniticellus pallens (Olivier,1789)** (Scarabaeidae) Synonym(s): pallens Olivier,1789 Range (in code): MA DZ TN LY Cy EG Sa Co FR IT ES SN SO SA IR TM AF IN
- 23073. Euoniticellus pallipes (Fabricius,1781)** (Scarabaeidae) Synonym(s): pallipes Fabricius,1781 Range (in code): RU Cc IL Pa TM TJ
- 23074. Eutyctus deserti Semenov,1890** (Scarabaeidae) Synonym(s): deserti Semenov,1890 Range (in code): TM
- 23075. Gnaphalostetha bonvoisini Reiche & Saulcy,1856** (Scarabaeidae) Synonym(s): bonvoisini Reiche & Saulcy,1856 Range (in code): IL Pa JO Amm
- 23076. Gnaphalostetha hiemalis Baraud,1990** (Scarabaeidae) Synonym(s): hiemalis Baraud,1990 Range (in code): JO
- 23077. Gnorimus armeniacus Reitter,1887** (Scarabaeidae) Synonym(s): armeniacus Reitter,1887 Range (in code): TM Cc TR IL Pa 25
- 23078. Gnorimus bartelsi Faldermann,1836** (Scarabaeidae) Synonym(s): bartelsi Faldermann,1836 Range (in code): TM Cc AM
- 23079. Gnorimus subcostatus Ménétriés,1832** (Scarabaeidae) Synonym(s): subcostatus Ménétriés,1832; cupreus Kraatz,1895 Range (in code): Cc AZ IR
- 23080. Gnorimus variabilis (Linnaeus,1758)** (Scarabaeidae) Synonym(s): variabilis Linnaeus,1758; octopunctatus Fabricius,1775 Range (in code): RU TR
- 23081. Gymnopleurus aciculatus Gebler,1845** (Scarabaeidae) Synonym(s): aciculatus Gebler,1845; violaceus Ballion,1871 Range (in code): RU KG UZ TM TJ Cc IR AF KK CN Ui
- 23082. Gymnopleurus bicallosus Felsche,1909** (Scarabaeidae) Synonym(s): bicallosus Felsche,1909 Range (in code): AF PK
- 23083. Gymnopleurus caliginosus Balthasar,1934** (Scarabaeidae) Synonym(s): caliginosus Balthasar,1934 Range (in code): IL Pa
- 23084. Gymnopleurus elegans Klug,1845** (Scarabaeidae) Synonym(s): elegans Klug,1845 Range (in code): SA YE
- 23085. Gymnopleurus flagellatus (Fabricius,1787)** (Scarabaeidae) Synonym(s): flagellatus Fabricius,1787; coriarius Herbst,1789; serratus Fischer von Waldheim,1821; asperatus Mulsant,1842; caliginosus Balthasar,1934 Range (in code): MA DZ TN LY PT ES FR RU Cc AZ AM GG KG SY IT FR MA DZ TN LY EG AM IR AF PK Ch IL Pa SY TR TM TJ UZ CN Ui 01 02 06 10 11 17 27 32 35 39 46 51 65 72
- 23086. Gymnopleurus geoffroyi Fuessly,1785** (Scarabaeidae) Synonym(s): geoffroyi Fuessly,1785; cantharus Illiger,1803 Range (in code): RU TR Cc AM DE AT GR Rd EG Sn IL Pa SY DZ TN IR 01 02 06 07 10 11 13 14 16 19 27 30 31 32 33 37 38 40 41 45 57 67 72 80
- 23087. Gymnopleurus miliaris (Fabricius,1775)** (Scarabaeidae) Synonym(s): miliaris Fabricius,1775 Range (in code): AF PK
- 23088. Gymnopleurus mopsus (Pallas,1781)** (Scarabaeidae) Synonym(s): mopsus Pallas,1781; dorsalis Mulsant,1842; indistinctus Mulsant,1842; laevifrons Mulsant,1842; castanonota Seabra,1907; persianus Reitter,1909; hortobagvensis Papp,1943 Range (in code): RU UA KG CN Fkn Pkn Mc TM TR IR IL Pa Cc YU MK BG IT HU FR SK MA DZ TN LY EG 01 06 07 09 10 11 17 18 31 33 35 37 38 39 40 44 46 47 57 67 80
- 23089. Gymnopleurus plicatulus Fairmaire,1890** (Scarabaeidae) Synonym(s): plicatulus Fairmaire,1890 Range (in code): YE
- 23090. Gymnopleurus sindensis Arrow,1931** (Scarabaeidae) Synonym(s): sindensis Arrow,1931 Range (in code): PK
- 23091. Gymnopleurus sturmi (MacLeay,1821)** (Scarabaeidae) Synonym(s): cantharus Duftschmid,1805; sturmi MacLeay,1821; atronitidus MacLeay,1821; convexiusculus Motschulsky,1849 Range (in code): DZ LY EG MA TN AL AT B-H HV FR GR HU IT MK PT RO ES TR YU BG RU IL Pa JO SY
- 23092. Gymnopleurus tuxeni Petrovitz,1955** (Scarabaeidae) Synonym(s): tuxeni Petrovitz,1955 Range (in code): AF
- 23093. Hemictenius badkhyzicus Nikolaev,2000** (Scarabaeidae) Synonym(s): badkhyzicus Nikolaev,2000 Range (in code): TM
- 23094. Hemictenius latitarsis (Reitter,1891)** (Scarabaeidae) Synonym(s): latitarsis Reitter,1891 Range (in code): KG TM UZ
- 23095. Hemictenius magnitarsis (Reitter,1897)** (Scarabaeidae) Synonym(s): magnitarsis Reitter,1897 Range (in code): AF UZ
- 23096. Hemictenius medvedevi Nikolajev,1976** (Scarabaeidae) Synonym(s): medvedevi Nikolajev,1976 Range (in code): TM
- 23097. Hemictenius nigrociliatus Reitter,1897** (Scarabaeidae) Synonym(s): nigrociliatus Reitter,1897 Range (in code): AF TJ



- 23098. Hemictenius simplicitarsis** Reitter,1897 (Scarabaeidae) Synonym(s): simplicitarsis Reitter,1897 Range (in code): AF UZ TJ
- 23099. Heptaulacus sus** (Herbst,1783) (Scarabaeidae) Synonym(s): sus Herbst,1783 Range (in code): RU HU Sb Cc AM
- 23100. Heptaulacus testudinarius** (Fabricius,1775) (Scarabaeidae) Synonym(s): testudinarius Fabricius,1775 Range (in code): Cc
- 23101. Heterocnemis (Celidotella) matthiesseni** Reitter,1909 (Scarabaeidae) Synonym(s): matthiesseni Reitter,1909 Range (in code): IR
- 23102. Holochelus (Dasytrogus) glabricollis** (Reitter,1888) (Scarabaeidae) Synonym(s): glabricollis Reitter,1888 Range (in code): TM
- 23103. Holochelus (Dasytrogus) kuhitangicus** Nikolajev,1976 (Scarabaeidae) Synonym(s): kuhitangicus Nikolajev,1976 Range (in code): TM
- 23104. Holochelus (Miltotrogus) aequinoctialis** (Herbst,1790) (Scarabaeidae) Synonym(s): aequinoctialis Herbst,1790 Range (in code): RU UA AZ Cc AT B-H BG HV CZ DE GG GR HU IT KG MK MD PL RO SK SS SZ TR UA YU
- 23105. Holochelus (Miltotrogus) angustifrons** (Nonveiller,1965) (Scarabaeidae) Synonym(s): angustifrons Nonveiller,1965 Range (in code): SY
- 23106. Holochelus (Miltotrogus) armeniacus** (Zaitzev,1927) (Scarabaeidae) Synonym(s): armeniacus Zaitzev,1927 Range (in code): Cc TR
- 23107. Holochelus (Miltotrogus) boujelalae** (Baraud,1987) (Scarabaeidae) Synonym(s): boujelalae Baraud,1987 Range (in code): TR
- 23108. Holochelus (Miltotrogus) brussensis** (Nonveiller,1965) (Scarabaeidae) Synonym(s): brussensis Nonveiller,1965 Range (in code): TR 16
- 23109. Holochelus (Miltotrogus) escherichi** Brenske,1897 (Scarabaeidae) Synonym(s): escherichi Brenske,1897 Range (in code): AM Cc GR TR 18 26 29 42
- 23110. Holochelus (Miltotrogus) fraxinicola** (Hagenbach,1825) (Scarabaeidae) Synonym(s): fraxinicola Hagenbach,1825 Range (in code): AL AT B-H HV Co GR IT SS TR
- 23111. Holochelus (Miltotrogus) fuscus** (Nonveiller,1965) (Scarabaeidae) Synonym(s): fuscus Nonveiller,1965 Range (in code): IR
- 23112. Holochelus (Miltotrogus) gradojevici** Nonveiller,1965 (Scarabaeidae) Synonym(s): gradojevici Nonveiller,1965 Range (in code): BG GR TR
- 23113. Holochelus (Miltotrogus) kerimi** (A.Rey,1994) (Scarabaeidae) Synonym(s): kerimi A.Rey,1994 Range (in code): IR
- 23114. Holochelus (Miltotrogus) kurdistanus** (Petrovitz,1968) (Scarabaeidae) Synonym(s): kurdistanus Petrovitz,1968 Range (in code): TR
- 23115. Holochelus (Miltotrogus) mimicus** (Reitter,1902) (Scarabaeidae) Synonym(s): mimicus Reitter,1902 Range (in code): TR SY
- 23116. Holochelus (Miltotrogus) nonveilleri** (Nikolajev & Kabakov,1980) (Scarabaeidae) Synonym(s): nonveilleri Nikolajev & Kabakov,1980 Range (in code): AF
- 23117. Holochelus (Miltotrogus) parvus** (Nonveiller,1965) (Scarabaeidae) Synonym(s): parvus Nonveiller,1965 Range (in code): IR
- 23118. Holochelus (Miltotrogus) phrygicus** (Petrovitz,1971) (Scarabaeidae) Synonym(s): phrygicus Petrovitz,1971 Range (in code): TR
- 23119. Holochelus (Miltotrogus) rapuzzii** Keith,2004 (Scarabaeidae) Synonym(s): rapuzzii Keith,2004 Range (in code): SY
- 23120. Holochelus (Miltotrogus) rusticus** (Faldermann,1835) (Scarabaeidae) Synonym(s): rusticus Faldermann,1835; obenbergeri Nonveiller,1965 Range (in code): AM Cc RO TR
- 23121. Holochelus (Miltotrogus) serrifunus** (Marseul,1879) (Scarabaeidae) Synonym(s): serrifunus Marseul,1879 Range (in code): AZ Cc GG
- 23122. Holochelus (Miltotrogus) syriacus** (Brenske,1886) (Scarabaeidae) Synonym(s): syriacus Brenske,1886 Range (in code): LB SY
- 23123. Holochelus (Miltotrogus) tataricus** (Faldermann,1835) (Scarabaeidae) Synonym(s): tataricus Faldermann,1835 Range (in code): AZ AM Cc GG TR
- 23124. Holochelus (Miltotrogus) tauricus** (Blanchard,1850) (Scarabaeidae) Synonym(s): tauricus Blanchard,1850 Range (in code): GR TR
- 23125. Holochelus (Miltotrogus) vernus** (Germar,1823) (Scarabaeidae) Synonym(s): vernus Germar,1823 Range (in code): AL AT B-H BG HV CZ DE GR HU MK MD RO SK SS TR YU UA
- 23126. Holochelus (Miltotrogus) zimmermanni** Nonveiller,1965 (Scarabaeidae) Synonym(s): zimmermanni Nonveiller,1965 Range (in code): TR
- 23127. Holochelus (s.str.) aschabadensis** Nonveiller,1965 (Scarabaeidae) Synonym(s): aschabadensis Nonveiller,1965 Range (in code): KG TM Kp
- 23128. Holochelus (s.str.) costulatus** Frivaldsky,1835 (Scarabaeidae) Synonym(s): costulatus Frivaldsky,1835 Range (in code): BG GR MK TR

- 23129. *Holochelus* (s.str.) *erivanicus* (Reitter,1902)** (Scarabaeidae) Synonym(s): *erivanicus* Reitter,1902; *gracilis* Nonveiller,1965 Range (in code): AZ AM GG Cc TR Eri
- 23130. *Holochelus* (s.str.) *fallaciosus* Nonveiller,1965** (Scarabaeidae) Synonym(s): *fallaciosus* Nonveiller,1965 Range (in code): IR
- 23131. *Holochelus* (s.str.) *fallax* Marseul,1879** (Scarabaeidae) Synonym(s): *fallax* Marseul,1879; *heydeni* Brenske,1891; *bodemeyeri* Brenske,1900 Range (in code): TM TR SY AZ Cc AL AM GG GR MK YU IR 33 60
- 23132. *Holochelus* (s.str.) *gigas* (Sabatinelli,1977)** (Scarabaeidae) Synonym(s): *gigas* Sabatinelli,1977 Range (in code): LB SY
- 23133. *Holochelus* (s.str.) *lineolatus* Reitter,1902** (Scarabaeidae) Synonym(s): *lineolatus* Reitter,1902 Range (in code): TR
- 23134. *Holochelus* (s.str.) *majusculus* Nonveiller,1965** (Scarabaeidae) Synonym(s): *majusculus* Nonveiller,1965 Range (in code): Cc TR
- 23135. *Holochelus* (s.str.) *nadaai* Keith,2003** (Scarabaeidae) Synonym(s): *nadaai* Keith,2003 Range (in code): IR
- 23136. *Holochelus* (s.str.) *pilicollis* (Gyllenhal,1817)** (Scarabaeidae) Synonym(s): *pilicollis* Gyllenhal,1817; *castaneus* Gyllenhal,1817 Range (in code): TR SY AT B-H BG HV CZ GR HU MD RO SK UA YU
- 23137. *Holochelus* (s.str.) *pseudonadaai* Keith,2003** (Scarabaeidae) Synonym(s): *pseudonadaai* Keith,2003 Range (in code): IR
- 23138. *Holochelus* (s.str.) *setiventris* (Reitter,1902)** (Scarabaeidae) Synonym(s): *setiventris* Reitter,1902 Range (in code): IL Pa SY LB
- 23139. *Holochelus* (s.str.) *uvarovi* Semenov & S.I.Medvedev,1936** (Scarabaeidae) Synonym(s): *uvarovi* Semenov & S.I.Medvedev,1936 Range (in code): TM
- 23140. *Hoplia* (Decamera) *bezdeki* Keith,2002** (Scarabaeidae) Synonym(s): *bezdeki* Keith,2002 Range (in code): SY
- 23141. *Hoplia* (Decamera) *corniculata* Reitter,1890** (Scarabaeidae) Synonym(s): *corniculata* Reitter,1890 Range (in code): BG GR TR CY LB
- 23142. *Hoplia* (s.str.) *brevipes* Medvedev,1951** (Scarabaeidae) Synonym(s): *brevipes* Medvedev,1951 Range (in code): Cc RU
- 23143. *Hoplia* (s.str.) *graminicola* Fabricius,1792** (Scarabaeidae) Synonym(s): *graminicola* Fabricius,1792 Range (in code): Cc GG RU
- 23144. *Hoplia* (s.str.) *pollinosa* Krynicki,1832** (Scarabaeidae) Synonym(s): *pollinosa* Krynicki,1832 Range (in code): GG Cc RU Am TR o8
- 23145. *Hybosorus* *illigeri* Reiche,1853** (Scarabaeidae) Synonym(s): *illigeri* Reiche,1853 Range (in code): RU TM TJ
- 23146. *Jalalabadia* *povolnyi* Balthazar,1967** (Scarabaeidae) Synonym(s): *povolnyi* Balthazar,1967 Range (in code): AF
- 23147. *Kryzhanovskia* *olegi* Nikolajev & Kabakov,1977** (Scarabaeidae) Synonym(s): *olegi* Nikolajev & Kabakov,1977 Range (in code): AF
- 23148. *Lasiopsis* (*Lasiexis*) *dilaticollis* (Ballion,1871)** (Scarabaeidae) Synonym(s): *dilaticollis* Ballion,1871; *duplopunctata* Reitter,1902 Range (in code): KK KG TM AF TJ UZ
- 23149. *Lasiopsis* (*Lasiexis*) *glabrithoracica* Keith,2003** (Scarabaeidae) Synonym(s): *glabrithoracica* Keith,2003 Range (in code): IR
- 23150. *Lasiopsis* (*Lasiexis*) *kabulica* Nikolajev & Kabakov,1980** (Scarabaeidae) Synonym(s): *kabulica* Nikolajev & Kabakov,1980 Range (in code): AF Kab
- 23151. *Lasiopsis* (*Lasiexis*) *kandaharica* Nikolajev & Kabakov,1980** (Scarabaeidae) Synonym(s): *kandaharica* Nikolajev & Kabakov,1980 Range (in code): AF Ca
- 23152. *Lasiopsis* (*Lasiexis*) *nurestanica* Nikolajev & Kabakov,1980** (Scarabaeidae) Synonym(s): *nurestanica* Nikolajev & Kabakov,1980 Range (in code): AF Nu
- 23153. *Lasiopsis* (*Lasiexis*) *persicola* Petrovitz,1980** (Scarabaeidae) Synonym(s): *persicola* Petrovitz,1980 Range (in code): IR
- 23154. *Lasiopsis* (*Lasiexis*) *primaeveris* (Semenov & S.I.Medvedev,1936)** (Scarabaeidae) Synonym(s): *primaeveris* Semenov & S.I.Medvedev,1936 Range (in code): IR TM
- 23155. *Lasiopsis* (*Lasiexis*) *reichenspergeri* Balthasar,1955** (Scarabaeidae) Synonym(s): *reichenspergeri* Balthasar,1955 Range (in code): AF
- 23156. *Lasiopsis* (*Lasiexis*) *vartiani* Petrovitz,1980** (Scarabaeidae) Synonym(s): *vartiani* Petrovitz,1980 Range (in code): IR
- 23157. *Leptochristina* *annamariae* Baraud & Branco,1991** (Scarabaeidae) Synonym(s): *annamariae* Baraud & Branco,1991 Range (in code): IQ
- 23158. *Leptochristina* *pubicavula* (Reitter,1902)** (Scarabaeidae) Synonym(s): *pubicavula* Reitter,1902 Range (in code): IL Pa
- 23159. *Leptochristina* *pubimargo* (Reitter,1902)** (Scarabaeidae) Synonym(s): *pubimargo* Reitter,1902 Range (in code): SY TR

- 23160. *Leptochristina variabilis* (Petrovitz,1962)** (Scarabaeidae) Synonym(s): *variabilis* Petrovitz,1962  
Range (in code): IQ
- 23161. *Madotrogus* (?*Micramphimallon*) *nikolajevi Sabatinelli & Katbeh-Bader,2009*** (Scarabaeidae) Synonym(s): *nikolajevi Sabatinelli & Katbeh-Bader,2009* Range (in code): JO
- 23162. *Madotrogus* (*Micramphimallon*) *sinaicus Baraud,1975*** (Scarabaeidae) Synonym(s): *sinaicus* Baraud,1975 Range (in code): EG Sn
- 23163. *Madotrogus glabripennis* (Ballion,1871)** (Scarabaeidae) Synonym(s): *glabripennis* Ballion,1871  
Range (in code): KK TM TJ UZ
- 23164. *Maladera* (*Aserica*) *castanea Arrow,1913*** (Scarabaeidae) Synonym(s): *castanea* Arrow,1913  
Range (in code): RU Cc GG Am Us
- 23165. *Maladera* (*Aserica*) *euphorbia (Burmeister,1895)*** (Scarabaeidae) Synonym(s): *euphorbia* Burmeister,1895 Range (in code): RU KG TM TJ
- 23166. *Maladera* (*Aserica*) *matrida Argamon,1986*** (Scarabaeidae) Synonym(s): *matrida* Argamon,1986  
Range (in code): IL Pa
- 23167. *Maladera* (*Cephaloserica*) *insanabilis Brenske,1894*** (Scarabaeidae) Synonym(s): *insanabilis* Brenske,1894 Range (in code): IR OM SA IL Pa JO LY
- 23168. *Maladera* (*Cycloserica*) *arenicola (Solsky,1876)*** (Scarabaeidae) Synonym(s): *arenicola* Solsky,1876; *diluta* Reitter,1896 Range (in code): TM KG UZ
- 23169. *Maladera* (*Cycloserica*) *excisipes (Reitter,1896)*** (Scarabaeidae) Synonym(s): *excisipes* Reitter,1896; *deserta* Medvedev,1956 Range (in code): TM UZ
- 23170. *Maladera* (*Eusericula*) *modesta (Fairmaire,1881)*** (Scarabaeidae) Synonym(s): *modesta* Fairmaire,1881 Range (in code): IL Pa Jf EG Sn SY
- 23171. *Maladera* (*Eusericula*) *sinaica Ahrens,2000*** (Scarabaeidae) Synonym(s): *sinaica* Ahrens,2000  
Range (in code): EG Sn
- 23172. *Maladera* (*Macroserica*) *allemandi Keith,1998*** (Scarabaeidae) Synonym(s): *allemandi* Keith,1998 Range (in code): TR
- 23173. *Maladera* (*Macroserica*) *angusta Baraud,1990*** (Scarabaeidae) Synonym(s): *angusta* Baraud,1990 Range (in code): TR
- 23174. *Maladera* (*Macroserica*) *armeniaca Reitter,1896*** (Scarabaeidae) Synonym(s): *armeniaca* Reitter,1896 Range (in code): TR SY 05 06 16 42
- 23175. *Maladera* (*Macroserica*) *attaliensis Petrovitz,1969*** (Scarabaeidae) Synonym(s): *attaliensis* Petrovitz,1969 Range (in code): TR 07
- 23176. *Maladera* (*Macroserica*) *besucheti Baraud,1990*** (Scarabaeidae) Synonym(s): *besucheti* Baraud,1990 Range (in code): TR
- 23177. *Maladera* (*Macroserica*) *bruchii Sabatinelli,1977*** (Scarabaeidae) Synonym(s): *bruchii* Sabatinelli,1977 Range (in code): TR
- 23178. *Maladera* (*Macroserica*) *fusconitens (Fairmaire,1892)*** (Scarabaeidae) Synonym(s): *fusconitens* Fairmaire,1892; *villiersi* Petrovitz,1969 Range (in code): SY TR 31
- 23179. *Maladera* (*Macroserica*) *lodosi Baraud,1975*** (Scarabaeidae) Synonym(s): *lodosi* Baraud,1975  
Range (in code): TR
- 23180. *Maladera* (*Macroserica*) *loebli Baraud,1990*** (Scarabaeidae) Synonym(s): *loebli* Baraud,1990  
Range (in code): TR
- 23181. *Maladera* (*Macroserica*) *lyciensis Petrovitz,1969*** (Scarabaeidae) Synonym(s): *lyciensis* Petrovitz,1969 Range (in code): TR 15 20 48
- 23182. *Maladera* (*Macroserica*) *olivieri Keith,1998*** (Scarabaeidae) Synonym(s): *olivieri* Keith,1998  
Range (in code): TR
- 23183. *Maladera* (*Macroserica*) *phoenicica Petrovitz,1969*** (Scarabaeidae) Synonym(s): *phoenicica* Petrovitz,1969 Range (in code): LB Bei
- 23184. *Maladera* (*Macroserica*) *punctatissima (Faldermann,1835)*** (Scarabaeidae) Synonym(s): *punctatissima* Faldermann,1835 Range (in code): TR AZ AM Cc GG GR Cr IR LB IL Pa RU MD TM 16 31 42
- 23185. *Maladera* (*Macroserica*) *seleuciensis Petrovitz,1969*** (Scarabaeidae) Synonym(s): *seleuciensis* Petrovitz,1969 Range (in code): TR 33
- 23186. *Maladera* (*Macroserica*) *syriaca Petrovitz,1969*** (Scarabaeidae) Synonym(s): *syriaca* Petrovitz,1969; *jerashiensis* Baraud,1990 Range (in code): SY Dms IL Pa JO
- 23187. *Maladera* (*Macroserica*) *taurica Petrovitz,1969*** (Scarabaeidae) Synonym(s): *taurica* Petrovitz,1969 Range (in code): TR 33
- 23188. *Maladera* (*Macroserica*) *vignai Sabatinelli,1977*** (Scarabaeidae) Synonym(s): *vignai* Sabatinelli,1977 Range (in code): TR 07
- 23189. *Maladera* (*Macroserica*) *wewalkai Petrovitz,1969*** (Scarabaeidae) Synonym(s): *wewalkai* Petrovitz,1969 Range (in code): TR 10 35
- 23190. *Maladera* (s.str.) *holosericea (Scopoli,1772)*** (Scarabaeidae) Synonym(s): *holosericea* Scopoli,1772 Range (in code): RU Cc Us KG



- 23191. Megatelus contractus (Klug,1845)** (Scarabaeidae) Synonym(s): contractus Klug,1845 Range (in code): IT GR Rd CY TR IR IQ AF SY LB LY TD CF SD ET
- 23192. Megatelus contractus (Klug,1845)** (Scarabaeidae) Synonym(s): contractus Klug,1845 Range (in code): LY Cy Rd GR TR CY IR IQ AF SY LB TD CF SD ET
- 23193. Melolontha (s.str.) albida Frivaldsky,1835** (Scarabaeidae) Synonym(s): albida Frivaldsky,1835; candidans Burmeister,1855; naxiana Reitter,1887 Range (in code): GR SY TR IL Pa 01 14 27 33 37
- 23194. Melolontha (s.str.) anita Reitter,1902** (Scarabaeidae) Synonym(s): anita Reitter,1902 Range (in code): SY TR
- 23195. Melolontha (s.str.) ciliciensis Petrovitz,1962** (Scarabaeidae) Synonym(s): ciliciensis Petrovitz,1962 Range (in code): TR 33
- 23196. Melolontha (s.str.) excisicauda Balthasar,1936** (Scarabaeidae) Synonym(s): excisicauda Balthasar,1936 Range (in code): LB
- 23197. Melolontha (s.str.) kraatzi Reitter,1906** (Scarabaeidae) Synonym(s): tibialis Kraatz,1882; persica Reitter,1902; brenskii Reitter,1902; kraatzi Reitter,1906 Range (in code): AZ Cc IR
- 23198. Melolontha (s.str.) macrophylla Fischer von Waldheim,1830** (Scarabaeidae) Synonym(s): macrophylla Fischer von Waldheim,1830 Range (in code): IR
- 23199. Melolontha (s.str.) melolontha Linnaeus,1758** (Scarabaeidae) Synonym(s): melolontha Linnaeus,1758; vulgaris Fabricius,1775; maialis Moll,1785; discicollis Mulsant,1842; lugubris Mulsant,1842; ruficollis Mulsant,1842 Range (in code): AL AT BE B-H BG BY HV CZ DK DE FR GR HU IT LV MK MD NL PL RO SK SS ES CH SE UA YU TR LT RU
- 23200. Melolontha (s.str.) pectoralis Germar,1824** (Scarabaeidae) Synonym(s): pectoralis Germar,1824 Range (in code): RU Cc GG TR 07 14 33 78 80
- 23201. Neobodilus ghardimaouensis (Balthasar,1929)** (Scarabaeidae) Synonym(s): ghardimaouensis Balthasar,1929 Range (in code): Cn DZ LY Cy EG IL Pa JO LB SY
- 23202. Omaloplia (s.str.) baraudi (Galante,1985)** (Scarabaeidae) Synonym(s): baraudi Galante,1985 Range (in code): BG GR MK RO TR
- 23203. Omaloplia (s.str.) cerrutii (Sabatinelli,1977)** (Scarabaeidae) Synonym(s): cerrutii Sabatinelli,1977 Range (in code): AL BG GR TR
- 23204. Omaloplia (s.str.) diabolica (Reitter,1887)** (Scarabaeidae) Synonym(s): diabolica Reitter,1887; ursina Fairmaire,1892 Range (in code): SY TR
- 23205. Omaloplia (s.str.) erebea (Baraud,1965)** (Scarabaeidae) Synonym(s): erebea Baraud,1965 Range (in code): TR
- 23206. Omaloplia (s.str.) erythroptera (Frivaldsky,1835)** (Scarabaeidae) Synonym(s): erythroptera Frivaldsky,1835; carbonaria Blanchard,1850; transsylvanica Bielz,1850 Range (in code): AL BG Cr GR HU MK MD RO UA YU TR
- 23207. Omaloplia (s.str.) gibbosa (Baraud,1965)** (Scarabaeidae) Synonym(s): gibbosa Baraud,1965; macedoniae Baraud,1965 Range (in code): AL GR MK YU TR
- 23208. Omaloplia (s.str.) hericus (Chobaut,1907)** (Scarabaeidae) Synonym(s): hericus Chobaut,1907; majuscula Baraud,1965; rozneri Adam,1994 Range (in code): BG FR GR RO TR
- 23209. Omaloplia (s.str.) mutilata (Fairmaire,1892)** (Scarabaeidae) Synonym(s): mutilata Fairmaire,1892; corpulenta Sahlberg,1908 Range (in code): TR
- 23210. Omaloplia (s.str.) ruricola (Fabricius,1775)** (Scarabaeidae) Synonym(s): ruricola Fabricius,1775; humeralis Fabricius,1775; marginatus Fuessly,1775; floricola Laicharting,1781; atrata Geoffroy,1785; pruinosa Küster,1849; populi Gistel,1857; intermedia Abeille,1895; fritschii Reitter,1905; arnoldi Medvedev,1952; tergestina Bauard,1965; svanetica Medvedev & Dzambazishvili,1973 Range (in code): AT BE B-H BG CZ FR GB DE GG GR HU IT RO SK YU Cc
- 23211. Onitis alexis Klug,1835** (Scarabaeidae) Synonym(s): alexis Klug,1835 Range (in code): MA DZ TN LY Cy EG Co FR ES TR IL Pa
- 23212. Onitis damoetas Steven,1806** (Scarabaeidae) Synonym(s): damoetas Steven,1806; laevigatus Olivier,1811; steveni Brullé,1832 Range (in code): Cc GG GR RU TR IR AM SY LB
- 23213. Onitis ezechias Reiche & Saulcy,1856** (Scarabaeidae) Synonym(s): ezechias Reiche & Saulcy,1856 Range (in code): EG SY Dms IL Pa
- 23214. Onitis humerosus (Pallas,1771)** (Scarabaeidae) Synonym(s): humerosus Pallas,1771 Range (in code): KG UZ TM TR
- 23215. Onthophagus (Amphionthophagus) falzonii Goidanich,1926** (Scarabaeidae) Synonym(s): falzonii Goidanich,1926 Range (in code): IL Pa SY LB TR IR
- 23216. Onthophagus (Colobonthophagus) transcaspicus Koenig,1888** (Scarabaeidae) Synonym(s): transcaspicus Koenig,1888 Range (in code): TM
- 23217. Onthophagus (Euonthophagus) amyntas (Olivier,1789)** (Scarabaeidae) Synonym(s): amyntas Olivier,1789 Range (in code): RU KK KG UZ TJ TM AT HU BG HV GR Cr TR SY JO IL Pa EG Sn LB
- 23218. Onthophagus (Euonthophagus) amyntas alces (Fabricius,1792)** (Scarabaeidae) Synonym(s): alces Fabricius,1792; hybneri Fabricius,1792 Range (in code): AT HU BG HV GR Cr TR SY JO IL Pa EG Sn LB

- 23219. Onthophagus (Euonthophagus) atramentarius (Ménétriés,1832)** (Scarabaeidae) Synonym(s): atramentarius Ménétriés,1832 Range (in code): Cc SY CY IR TR BG GR IL Pa EG
- 23220. Onthophagus (Euonthophagus) bedeli (Reitter,1891)** (Scarabaeidae) Synonym(s): bedeli Reitter,1891 Range (in code): DZ LY Cy SY IR AF
- 23221. Onthophagus (Euonthophagus) dorbignyi Olsoufieff,1900** (Scarabaeidae) Synonym(s): dorbignyi Olsoufieff,1900; neutto Olsoufieff,1900 Range (in code): ES FR GR Rd RO HU AT TR SY IL Pa IR AF TM
- 23222. Onthophagus (Euonthophagus) gibbosus (Scriba,1790)** (Scarabaeidae) Synonym(s): gibbosus Scriba,1790 Range (in code): RU Cc AZ KK KG TJ UZ TM HU SY AF CN Ti TR
- 23223. Onthophagus (Euonthophagus) sulcicollis Reitter,1892** (Scarabaeidae) Synonym(s): sulcicollis Reitter,1892 Range (in code): TM TJ AF IR KG UZ KK TR
- 23224. Onthophagus (Euonthophagus) tissoni Reitter,1906** (Scarabaeidae) Synonym(s): tissoni Reitter,1906; hannas Sahlberg,1908 Range (in code): SY Dms IL Pa JO
- 23225. Onthophagus (Furconthophagus) furcatus (Fabricius,1781)** (Scarabaeidae) Synonym(s): furcatus Fabricius,1781 Range (in code): RU Cc AM AZ GG TM SY TR IQ SA MA
- 23226. Onthophagus (Palaeonthophagus) afghanus Petrovitz,1961** (Scarabaeidae) Synonym(s): afghanus Petrovitz,1961 Range (in code): TJ AF
- 23227. Onthophagus (Palaeonthophagus) aleppensis Redtenbacher,1843** (Scarabaeidae) Synonym(s): aleppensis Redtenbacher,1843; hyrcanicus Kabakov,1982 Range (in code): SY Hal LB IL Pa TR JO IQ IR
- 23228. Onthophagus (Palaeonthophagus) anatolicus Petrovitz,1962** (Scarabaeidae) Synonym(s): anatolicus Petrovitz,1962 Range (in code): TR 33
- 23229. Onthophagus (Palaeonthophagus) angorensis Petrovitz,1963** (Scarabaeidae) Synonym(s): angorensis Petrovitz,1963 Range (in code): TR IL Pa SY IR MK GR BG o6
- 23230. Onthophagus (Palaeonthophagus) basipustulatus Heyden,1889** (Scarabaeidae) Synonym(s): basipustulatus Heyden,1889 Range (in code): TM
- 23231. Onthophagus (Palaeonthophagus) carpanetoi Pittino,1982** (Scarabaeidae) Synonym(s): carpanetoi Pittino,1982 Range (in code): TR JO 14
- 23232. Onthophagus (Palaeonthophagus) coenobita (Herbst,1783)** (Scarabaeidae) Synonym(s): coenobita Herbst,1783 Range (in code): MD RU Cc GG TM TR
- 23233. Onthophagus (Palaeonthophagus) conspersus Reitter,1892** (Scarabaeidae) Synonym(s): conspersus Reitter,1892 Range (in code): TZ AF
- 23234. Onthophagus (Palaeonthophagus) cruciatus (Ménétriés,1832)** (Scarabaeidae) Synonym(s): cruciatus Ménétriés,1832 Range (in code): TM Cc AM TR SY IQ IL Pa CY GR Rd
- 23235. Onthophagus (Palaeonthophagus) dacatrai Pittino,2004** (Scarabaeidae) Synonym(s): dacatrai Pittino,2004 Range (in code): TR o7
- 23236. Onthophagus (Palaeonthophagus) dorsosignatus D'Orbigny,1898** (Scarabaeidae) Synonym(s): dorsosignatus D'Orbigny,1898 Range (in code): TR Cc AM IQ IR
- 23237. Onthophagus (Palaeonthophagus) finschi Harold,1877** (Scarabaeidae) Synonym(s): finschi Harold,1877 Range (in code): KG KK TM
- 23238. Onthophagus (Palaeonthophagus) fissicornis Steven,1809** (Scarabaeidae) Synonym(s): fissicornis Steven,1809 Range (in code): RU Cc AM AZ TM SY IQ TR IR UA Cm
- 23239. Onthophagus (Palaeonthophagus) fissinasus Fairmaire,1895** (Scarabaeidae) Synonym(s): fissinasus Fairmaire,1895 Range (in code): IR IQ TR 31
- 23240. Onthophagus (Palaeonthophagus) formaneki Reitter,1897** (Scarabaeidae) Synonym(s): formaneki Reitter,1897 Range (in code): TR Cc AZ Nv
- 23241. Onthophagus (Palaeonthophagus) fracticornis (Preyssler,1790)** (Scarabaeidae) Synonym(s): fracticornis Preyssler,1790 Range (in code): GB HU RU Cc Ur Sb MD UA GG AM KG TM SY TR IR
- 23242. Onthophagus (Palaeonthophagus) gibbulus (Pallas,1781)** (Scarabaeidae) Synonym(s): gibbulus Pallas,1781 Range (in code): RU Sb Am UA Cm KG KK HU YU TR IQ TM MN CN KP KR JP
- 23243. Onthophagus (Palaeonthophagus) grossepunctatus J.Müller,1906** (Scarabaeidae) Synonym(s): grossepunctatus J.Müller,1906 Range (in code): Cc
- 23244. Onthophagus (Palaeonthophagus) haroldi Ballion,1871** (Scarabaeidae) Synonym(s): haroldi Ballion,1871 Range (in code): TM TJ UZ KK KG
- 23245. Onthophagus (Palaeonthophagus) hermonensis Baraud,1892** (Scarabaeidae) Synonym(s): hermonensis Baraud,1892 Range (in code): IL Pa SY
- 23246. Onthophagus (Palaeonthophagus) isikdagensis Pittino,2004** (Scarabaeidae) Synonym(s): isikdagensis Pittino,2004 Range (in code): TR o6
- 23247. Onthophagus (Palaeonthophagus) kindermanni Harold,1877** (Scarabaeidae) Synonym(s): kindermanni Harold,1877 Range (in code): TR BG MK GR RO UA HU 34
- 23248. Onthophagus (Palaeonthophagus) lemur (Fabricius,1781)** (Scarabaeidae) Synonym(s): lemur Fabricius,1781 Range (in code): RU MD Cc TM TR

- 23249. Onthophagus (Palaeonthophagus) lemuroides D'Orbigny,1898** (Scarabaeidae)  
Synonym(s): lemuroides D'Orbigny,1898 Range (in code): IQ IR TR SY Cc MN
- 23250. Onthophagus (Palaeonthophagus) leucostigma Stevens,1811** (Scarabaeidae) Synonym(s):  
leucostigma Stevens,1811 Range (in code): RU Ur KG TM UZ TJ
- 23251. Onthophagus (Palaeonthophagus) lucidus (Sturm,1800)** (Scarabaeidae) Synonym(s):  
lucidus Sturm,1800 Range (in code): HU SK UA Cm TR SY Cc IQ Cc
- 23252. Onthophagus (Palaeonthophagus) marginalis Gebler,1817** (Scarabaeidae) Synonym(s):  
marginalis Gebler,1817 Range (in code): RU Sb KG KK TJ UZ TM MN TR MK GR SY AF CN Ti Mc Ch IN
- 23253. Onthophagus (Palaeonthophagus) nebulosus Reiche,1864** (Scarabaeidae) Synonym(s):  
nebulosus Reiche,1864 Range (in code): IL Pa SA LY Cy
- 23254. Onthophagus (Palaeonthophagus) novaki Boucomont & Gillet,1927** (Scarabaeidae)  
Synonym(s): muelleri Novak,1921; novaki Boucomont & Gillet,1927 Range (in code): SY LB TR IL Pa JO
- 23255. Onthophagus (Palaeonthophagus) nuchicornis (Linnaeus,1758)** (Scarabaeidae)  
Synonym(s): nuchicornis Linnaeus,1758 Range (in code): RU Sb KG TR Cc MN CA US On Qb BCo Ny
- 23256. Onthophagus (Palaeonthophagus) opacicollis Reitter,1893** (Scarabaeidae) Synonym(s):  
opacicollis Reitter,1893 Range (in code): BG GR HV AL TR CY SY IL Pa Hf IQ MA DZ TN ES FR IT Si
- 23257. Onthophagus (Palaeonthophagus) osellai Pittino,1982** (Scarabaeidae) Synonym(s): osellai  
Pittino,1982 Range (in code): TR SY IR 37
- 23258. Onthophagus (Palaeonthophagus) ovatus (Linnaeus,1762)** (Scarabaeidae) Synonym(s):  
ovatus Linnaeus,1762 Range (in code): RU MD UA Cm Cc BG TR Cc TM
- 23259. Onthophagus (Palaeonthophagus) parmatius Reitter,1892** (Scarabaeidae) Synonym(s):  
parmatius Reitter,1892 Range (in code): Cc AZ Nv AM RU IR TR RO SY
- 23260. Onthophagus (Palaeonthophagus) petrovitzianus Pittino,2006** (Scarabaeidae)  
Synonym(s): petrovitzi Pittino,2004; petrovitzianus Pittino,2006 Range (in code): TR 26
- 23261. Onthophagus (Palaeonthophagus) ponticus Harold,1883** (Scarabaeidae) Synonym(s):  
ponticus Harold,1883; furcicornis Reitter,1893; granulifer Reitter,1893; granulosis Kozhantschikov,1894; gorhami  
Shipp,1895; krali Balthasar,1963; citellorum Medvedev,1965 Range (in code): Cc GG TR RU SY LB IR AZ AM RO GR
- 23262. Onthophagus (Palaeonthophagus) pseudocaccobius Reitter,1889** (Scarabaeidae)  
Synonym(s): pseudocaccobius Reitter,1889 Range (in code): TM
- 23263. Onthophagus (Palaeonthophagus) pygargus Motschulsky,1845** (Scarabaeidae)  
Synonym(s): pygargus Motschulsky,1845 Range (in code): TM UZ KK KG TJ
- 23264. Onthophagus (Palaeonthophagus) rakovici Pittino,2004** (Scarabaeidae) Synonym(s):  
rakovici Pittino,2004 Range (in code): TR o6
- 23265. Onthophagus (Palaeonthophagus) ruficapillus Brullé,1832** (Scarabaeidae) Synonym(s):  
ruficapillus Brullé,1832 Range (in code): Cc AZ AM SY HU TR AT SK IL Pa
- 23266. Onthophagus (Palaeonthophagus) sacharovskii Olsoufieff,1918** (Scarabaeidae)  
Synonym(s): sacharovskii Olsoufieff,1918 Range (in code): Cc AM GG RU TR
- 23267. Onthophagus (Palaeonthophagus) semicornis (Panzer,1798)** (Scarabaeidae) Synonym(s):  
semicornis Panzer,1798 Range (in code): RU Ur Sb KG TM Cc TR PT ES FR IT CH DE AT PL YU MK HU CZ RO BG UA GR
- 23268. Onthophagus (Palaeonthophagus) sericatus Reitter,1893** (Scarabaeidae) Synonym(s):  
sericatus Reitter,1893 Range (in code): HV AL TR Cc SY IR
- 23269. Onthophagus (Palaeonthophagus) speculifer Solsky,1876** (Scarabaeidae) Synonym(s):  
speculifer Solsky,1876 Range (in code): KG KK TM Cc TR IR
- 23270. Onthophagus (Palaeonthophagus) strabo Reitter,1893** (Scarabaeidae) Synonym(s): strabo  
Reitter,1893 Range (in code): SY TR o1
- 23271. Onthophagus (Palaeonthophagus) suermelii Petrovitz,1963** (Scarabaeidae) Synonym(s):  
suermelii Petrovitz,1963 Range (in code): TR 33
- 23272. Onthophagus (Palaeonthophagus) suturellus Brullé,1832** (Scarabaeidae) Synonym(s):  
suturellus Brullé,1832; trochiscobius Kolenati,1846 Range (in code): RU Cc AZ GR TR SY IR
- 23273. Onthophagus (Palaeonthophagus) trispinus Reitter,1892** (Scarabaeidae) Synonym(s):  
trispinus Reitter,1892 Range (in code): TM TJ
- 23274. Onthophagus (Palaeonthophagus) truchmenus Kolenati,1846** (Scarabaeidae) Synonym(s):  
truchmenus Kolenati,1846; araxicola Reitter,1893; latiplage Reitter,1897; xerces Petrovitz,1965 Range (in code): Cc AZ Nv TM IR SY LB IL Pa TR
- 23275. Onthophagus (Palaeonthophagus) vacca (Linnaeus,1767)** (Scarabaeidae) Synonym(s): vacca  
Linnaeus,1767 Range (in code): RU MD Ur AZ Cc TM TR SY IR MA Az GR Cr
- 23276. Onthophagus (Palaeonthophagus) verticicornis (Laicharting,1781)** (Scarabaeidae)  
Synonym(s): verticicornis Laicharting,1781 Range (in code): AZ Cc TR SY TM
- 23277. Onthophagus (Palaeonthophagus) viridis Ménétériés,1832** (Scarabaeidae) Synonym(s):  
viridis Ménétériés,1832 Range (in code): Cc AZ



- 23278. Onthophagus (Palaeonthophagus) vlasovi Medvedev,1958** (Scarabaeidae) Synonym(s): vlasovi Medvedev,1958 Range (in code): KG TM
- 23279. Onthophagus (s.str.) circulator Reitter,1891** (Scarabaeidae) Synonym(s): circulator Reitter,1891 Range (in code): SY LB
- 23280. Onthophagus (s.str.) illyricus (Scopoli,1763)** (Scarabaeidae) Synonym(s): illyricus Scopoli,1763 Range (in code): YU UA Cm Cc AZ RU TR IR IQ AF TM
- 23281. Onthophagus (s.str.) pictus Reitter,1893** (Scarabaeidae) Synonym(s): pictus Reitter,1893 Range (in code): EG SY ZR SD
- 23282. Onthophagus (s.str.) sellatus Klug,1845** (Scarabaeidae) Synonym(s): sellatus Klug,1845 Range (in code): EG LR SD ER BJ NG CM ST GN ZR GA AO SY CY LY cY
- 23283. Onthophagus (s.str.) simius Reitter,1893** (Scarabaeidae) Synonym(s): simius Reitter,1893 Range (in code): SY
- 23284. Onthophagus (s.str.) taurus (Schreber,1759)** (Scarabaeidae) Synonym(s): taurus Schreber,1759 Range (in code): RU Cc GG UA Cm IR TM UZ MA DZ TN SY IQ AF TR US Tx
- 23285. Oryctes (Eremoryctes) ata Semenov & Medvedev,1932** (Scarabaeidae) Synonym(s): ata Semenov & Medvedev,1932 Range (in code): TM
- 23286. Oryctes (Oryctes) nasicornis (Linnaeus,1758)** (Scarabaeidae) Synonym(s): nasicornis Linnaeus,1758 Range (in code): PT IT TR RU Cc Ur Sb Us UA Cm AM KG TJ CN Ui 21 65
- 23287. Oryctes (Rykanoryctes) agamemnon Burmeister,1824** (Scarabaeidae) Synonym(s): agamemnon Burmeister,1824 Range (in code): EG Sn IL Pa SD SO SA AF PK
- 23288. Osmanius bathasari (Petrovitz,1963)** (Scarabaeidae) Synonym(s): bathasari Petrovitz,1963 Range (in code): GR TR 31 42 51 66 68
- 23289. Osmanius persicus Branco & Baraud,1988** (Scarabaeidae) Synonym(s): persicus Branco & Baraud,1988 Range (in code): IR
- 23290. Osmoderma brevipennis Pic,1904** (Scarabaeidae) Synonym(s): brevipennis Pic,1904 Range (in code): TR
- 23291. Osmoderma richteri Medvedev,1953** (Scarabaeidae) Synonym(s): richteri Medvedev,1953 Range (in code): Cc GG
- 23292. Otoclinius fragilis Petrovitz,1980** (Scarabaeidae) Synonym(s): fragilis Petrovitz,1980 Range (in code): IR
- 23293. Otoclinius gracilipes Brenske,1897** (Scarabaeidae) Synonym(s): gracilipes Brenske,1897 Range (in code): IR Ss
- 23294. Otoclinius richteri Petrovitz,1958** (Scarabaeidae) Synonym(s): richteri Petrovitz,1958 Range (in code): IR
- 23295. Otoclinius schaeuffelei Petrovitz,1958** (Scarabaeidae) Synonym(s): schaeuffelei Petrovitz,1958 Range (in code): IR
- 23296. Oxyomus silvestris (Scopoli,1763)** (Scarabaeidae) Synonym(s): silvestris Scopoli,1763 Range (in code): RU YU Cc GG
- 23297. Oxythyrea abigail Reiche,1856** (Scarabaeidae) Synonym(s): abigail Reiche,1856 Range (in code): IL Pa SY LB EG CY
- 23298. Oxythyrea albopicta (Motschulsky,1845)** (Scarabaeidae) Synonym(s): albopicta Motschulsky,1845 Range (in code): MK SY TR Cc AM UZ TM
- 23299. Oxythyrea cinctella (Schaum,1841)** (Scarabaeidae) Synonym(s): albella Illiger,1802 (praeocc.); cinctella Schaum,1841; natalia Olsufiev,1917 Range (in code): AL BG GR MK Cc AM GR TR SY LB IL Pa IR JO EG IQ KK KG TM UZ TJ YU MK RU PK AF CN Ui 01 03 06 07 09 10 11 12 13 15 16 17 18 19 20 22 24 26 27 31 32 33 35 37 38 39 40 42 43 44 45 48 50 51 54 56 59 60 64 65 67 73 74 76 80
- 23300. Oxythyrea cinctelloides Reitter,1898** (Scarabaeidae) Synonym(s): cinctelloides Reitter,1898 Range (in code): SY
- 23301. Oxythyrea dulcis Reitter,1898** (Scarabaeidae) Synonym(s): dulcis Reitter,1898 Range (in code): SY
- 23302. Oxythyrea funesta (Poda,1761)** (Scarabaeidae) Synonym(s): funesta Poda,1761 Range (in code): HV YU BG TR RU Cc Ur Sb Us KG 06 07 13 14 16 17 35 41 43 48 59 73
- 23303. Oxythyrea groenbechi Petrovitz,1955** (Scarabaeidae) Synonym(s): groenbechi Petrovitz,1955; muelleri Schein,1955 Range (in code): AF
- 23304. Oxythyrea noemi Reiche & Saulcy,1856** (Scarabaeidae) Synonym(s): noemi Reiche & Saulcy,1856 Range (in code): CY TR SY LB JO Pa IL
- 23305. Pachydema abeillei Fairmaire,1881** (Scarabaeidae) Synonym(s): abeillei Fairmaire,1881 Range (in code): SY
- 23306. Pachydema buettikeri Sabatinelli & Pontuale,1998** (Scarabaeidae) Synonym(s): buettikeri Sabatinelli & Pontuale,1998 Range (in code): OM
- 23307. Pachydema concinna Burmeister,1855** (Scarabaeidae) Synonym(s): concinna Burmeister,1855 Range (in code): TR

- 23308. Pachydema veneriata Normand,1936** (Scarabaeidae) Synonym(s): veneriata Normand,1936 Range (in code): DZ JO
- 23309. Pachydema volaki Roubal,1945** (Scarabaeidae) Synonym(s): volaki Roubal,1945 Range (in code): JO
- 23310. Pachydemocera ludicicollis (Kraatz,1882)** (Scarabaeidae) Synonym(s): ludicicollis Kraatz,1882 Range (in code): Rd SY
- 23311. Panotrogus myschenkovi (Ballion,1871)** (Scarabaeidae) Synonym(s): myschenkovi Ballion,1871 Range (in code): KK TM TJ
- 23312. Parabodilus wollastoni (Harold,1862)** (Scarabaeidae) Synonym(s): wollastoni Harold,1862 Range (in code): Cn MA DZ TN LY Cy EG SA
- 23313. Paroniticellus festivus (Steven,1809)** (Scarabaeidae) Synonym(s): festivus Steven,1809 Range (in code): TR Cc RU TM
- 23314. Pentodon algerinum Herbst,1789** (Scarabaeidae) Synonym(s): algerinum Herbst,1789 Range (in code): DZ MA TN LY EG ES PT FR TR CY SY AM Cc IQ JO SA IL Pa TJ TM IR UZ KG PK IN 33 35 42
- 23315. Pentodon bidens (Pallas,1771)** (Scarabaeidae) Synonym(s): bidens Pallas,1771 Range (in code): IT RU AZ Cc TR CY IQ SY JO EG IL Pa IR KG TM UZ TJ 07 42 70
- 23316. Pentodon caminarium Faldermann,1835** (Scarabaeidae) Synonym(s): caminarium Faldermann,1835 Range (in code): TR IQ IR SY Cc AZ
- 23317. Pentodon idiota (Herbst,1789)** (Scarabaeidae) Synonym(s): idiota Herbst,1789 Range (in code): RU Cc UA Cm IQ TR IR IQ CY LB IL Pa 01 06 16 19 20 35 40 42 43 45
- 23318. Pentodon minutum Reitter,1887** (Scarabaeidae) Synonym(s): minutum Reitter,1887 Range (in code): TM
- 23319. Pentodon quadridens (Gebler,1845)** (Scarabaeidae) Synonym(s): quadridens Gebler,1845 Range (in code): KG MN TR AM Cc IR CY SY LB RU Am CN
- 23320. Pentodon variolopunctatus Fairmaire,1879** (Scarabaeidae) Synonym(s): variolopunctatus Fairmaire,1879 Range (in code): LY EG Sn IL Pa SA
- 23321. Phaeadoretus comptus (Ménétriés,1849)** (Scarabaeidae) Synonym(s): comptus Ménétriés,1849 Range (in code): RU KG TM UZ
- 23322. Phalangonyx bibatillatus Petrovitz,1955** (Scarabaeidae) Synonym(s): bibatillatus Petrovitz,1955 Range (in code): AF
- 23323. Phalangonyx coniceps Reitter,1889** (Scarabaeidae) Synonym(s): coniceps Reitter,1889 Range (in code): IR TM
- 23324. Phalangonyx hormoziaensis Petrovitz,1980** (Scarabaeidae) Synonym(s): hormoziaensis Petrovitz,1980; loebli Baraud,1991 Range (in code): IR Ss
- 23325. Phalangonyx irakanus Arrow,1932** (Scarabaeidae) Synonym(s): irakanus Arrow,1932 Range (in code): IQ
- 23326. Phalangonyx mesopotamicus (S.I.Medvedev,1952)** (Scarabaeidae) Synonym(s): mesopotamicus S.I.Medvedev,1952 Range (in code): IQ
- 23327. Phalangonyx mirzayani (Petrovitz,1968)** (Scarabaeidae) Synonym(s): mirzayani Petrovitz,1968 Range (in code): IR
- 23328. Phalangonyx semenovi (S.I.Medvedev,1952)** (Scarabaeidae) Synonym(s): semenovi S.I.Medvedev,1952 Range (in code): IR IQ
- 23329. Pharaonus lederi Reitter,1888** (Scarabaeidae) Synonym(s): lederi Reitter,1888 Range (in code): TM
- 23330. Pharaonus semenovi Reitter,1887** (Scarabaeidae) Synonym(s): semenovi Reitter,1887 Range (in code): TM
- 23331. Pharaonus varicoloreus (Burmeister,1844)** (Scarabaeidae) Synonym(s): varicoloreus Burmeister,1844 Range (in code): TR IR IQ IL Pa
- 23332. Phyllognathus excavatus (Forster,1771)** (Scarabaeidae) Synonym(s): excavatus Forster,1771; hauseri Reitter,1894 Range (in code): SN MA LY Cy Cn EG IL Pa UA Cm IR TM TJ
- 23333. Phyllopertha horticola (Linnaeus,1758)** (Scarabaeidae) Synonym(s): horticola Linnaeus,1758 Range (in code): IT RU Cc Sb Us Am KG CN
- 23334. Pleurophorus apicipennis Reitter,1892** (Scarabaeidae) Synonym(s): apicipennis Reitter,1892 Range (in code): RU TM KG UZ
- 23335. Pleurophorus caesus (Creutzer,1796)** (Scarabaeidae) Synonym(s): caesus Creutzer,1796 Range (in code): MG DZ LY Cy RU MD UA Cc GG TM TJ MG TR
- 23336. Pleurophorus variolosus (Kolenati,1846)** (Scarabaeidae) Synonym(s): variolosus Kolenati,1846 Range (in code): RU UA KG TM TJ
- 23337. Podalgus cuniculus Burmeister,1847** (Scarabaeidae) Synonym(s): cuniculus Burmeister,1847 Range (in code): TM
- 23338. Polyphylla (s.str.) fullo (Linnaeus,1758)** (Scarabaeidae) Synonym(s): fullo Linnaeus,1758; boryi Brullé,1832; luctuosa Mulsant,1842; marmorata Mulsant,1847; lessinae Reitter,1890; macrocera Reitter,1891 Range

- (in code): **AL AT BY BE B-H BG HV CZ DK DE GG GB GR Cr HU IT MK TR RU Cc UA SS SK SE CH YU 01 10 18 38 39 43 48 59 65 67 74**
- 23339. Polyphylla (s.str.) olivieri (Laporte de Castelnau,1840)** (Scarabaeidae) Synonym(s): olivieri Laporte de Castelnau,1840; abhasica Motschoulsky,1845; caucasica Heyden,1864 Range (in code): RU Cc AM GG AL GR BG TR IR SY IL Pa 07 13 14 16 33 43 46 55 56 65
- 23340. Polyphylla (s.str.) persica Brenske,1902** (Scarabaeidae) Synonym(s): persica Brenske,1902 Range (in code): IQ Mos TR IR 56
- 23341. Polyphylla (s.str.) turkmenoglui Petrovitz,1965** (Scarabaeidae) Synonym(s): turkmenoglui Petrovitz,1965 Range (in code): TR 35
- 23342. Polyphylla (Xerasiobia) adspersa Motschulsky,1853** (Scarabaeidae) Synonym(s): adspersa Motschulsky,1853 Range (in code): TM UZ TJ KG
- 23343. Polyphylla (Xerasiobia) alba (Pallas,1773)** (Scarabaeidae) Synonym(s): alba Pallas,1773 Range (in code): UA RU Ao Cc Sb KG TM
- 23344. Propomacrus bimucronatus (Pallas,1781)** (Scarabaeidae) Synonym(s): bimucronatus Pallas,1781 Range (in code): BG GR TR IR IL Pa SY LB 31 56
- 23345. Propomacrus cypriacus Alexis & Makris,2002** (Scarabaeidae) Synonym(s): cypriacus Alexis & Makris,2002 Range (in code): CY
- 23346. Protaetia (Calopototia) ignisternum Reitter,1891** (Scarabaeidae) Synonym(s): ignisternum Reitter,1891 Range (in code): IR
- 23347. Protaetia (Cetonischema) speciosa (Adams,1817)** (Scarabaeidae) Synonym(s): speciosa Adams,1817; psittacina Ménétriés,1832 Range (in code): TR IT TM SY IR Fa
- 23348. Protaetia (Eupotosia) affinis (Andersch,1797)** (Scarabaeidae) Synonym(s): affinis Andersch,1797 Range (in code): FR IT Sa Co SY TR IR
- 23349. Protaetia (Eupotosia) miriffica (Mulsant & Rey,1840)** (Scarabaeidae) Synonym(s): miriffica Mulsant & Rey,1840 Range (in code): FR ES IT YU SY TR IL Pa
- 23350. Protaetia (Foveopototia) judith (Reiche,1871)** (Scarabaeidae) Synonym(s): judith Reiche,1871; foveicauda Reitter,1898 Range (in code): TR CY SY LB IL Pa EG
- 23351. Protaetia (Liocola) lugubris (Herbst,1786)** (Scarabaeidae) Synonym(s): lugubris Herbst,1786; aenea Scriba,1790; aeruginosa Herbst,1790; marmorata Fabricius,1792; punctatoundulata Petagna,1819; zoufali Roubal,1929; novaci Miksic,1954 Range (in code): DE RU Am HU CZ YU B-H KG UA TR
- 23352. Protaetia (Netocia) afflicta (Gory & Percheron,1833)** (Scarabaeidae) Synonym(s): afflicta Gory & Percheron,1833; libani Gory & Percheron,1833 Cr CY GR TR LB IL Pa 07 27 46 79
- 23353. Protaetia (Netocia) asiatica (Faldermann,1835)** (Scarabaeidae) Synonym(s): asiatica Faldermann,1835 Range (in code): TR Cc AZ RU 80
- 23354. Protaetia (Netocia) excavata (Gory & Percheron,1833)** (Scarabaeidae) Synonym(s): excavata Gory & Percheron,1833 Range (in code): TM
- 23355. Protaetia (Netocia) hungarica (Herbst,1790)** (Scarabaeidae) Synonym(s): hungarica Herbst,1790 Range (in code): HU GR LT Cc AM AZ IR SY TR IR IQ TM KG RU Sb MN 01 03 05 06 07 08 13 15 20 21 24 25 26 29 31 32 36 37 38 40 42 44 49 50 51 58 60 62 65 66 68 70 71 76
- 23356. Protaetia (Netocia) karelini (Zoubkov,1829)** (Scarabaeidae) Synonym(s): karelini Zoubkov,1829 Range (in code): RU Ur KG TM UZ
- 23357. Protaetia (Netocia) kohouseki Rataj,1998** (Scarabaeidae) Synonym(s): kohouseki Rataj,1998 Range (in code): TR
- 23358. Protaetia (Netocia) persica (Kraatz,1886)** (Scarabaeidae) Synonym(s): persica Kraatz,1886 Range (in code): IR TM
- 23359. Protaetia (Netocia) schelkovnikovi Zaitzev,1918** (Scarabaeidae) Synonym(s): schelkovnikovi Zaitzev,1918 Range (in code): IR
- 23360. Protaetia (Netocia) sibirica (Gebler,1829)** (Scarabaeidae) Synonym(s): sibirica Gebler,1829; setulosa Reitter,1891 Range (in code): TR RU Sb MN 09 24 76
- 23361. Protaetia (Netocia) subpilosa Desbrocher,1869** (Scarabaeidae) Synonym(s): subpilosa Desbrocher,1869; athalia Reiche,1871 Range (in code): TR SY 27 46
- 23362. Protaetia (Netocia) trojana (Gory & Percheron,1833)** (Scarabaeidae) Synonym(s): trojana Gory & Percheron,1833; godet Gory & Percheron,1833; godeti Falderman,1835; magica Harold,1880; kurdistan Nonfried,1892 Range (in code): Cc AM GG GR BG TR SY AZ IR LY Cy DZ 25 30 36 62 65 75
- 23363. Protaetia (Netocia) turkestanica (Kraatz,1886)** (Scarabaeidae) Synonym(s): turkestanica Kraatz,1886 Range (in code): CN Ui TM UZ TJ
- 23364. Protaetia (Netocia) zagrosica (Alexis & Delpont,2001)** (Scarabaeidae) Synonym(s): zagrosica Alexis & Delpont,2001 Range (in code): IR Fa
- 23365. Protaetia (Potosia) afghana Petrovitz,1955** (Scarabaeidae) Synonym(s): afghana Petrovitz,1955; #afgana Medvedev,1964 Range (in code): AF
- 23366. Protaetia (Potosia) angustata (Germar,1817)** (Scarabaeidae) Synonym(s): hungarica Latreille,1807 (praeocc.); angustata Germar,1817; muelleri Reitter,1897; angustula Reitter,1898; eibesensis Reitter,1902;



- orientalis Alexis & Delpont,1996 nec Gory & Percheron,1833 Range (in code): **HU HV TR SY IR 01 03 08 10 11 14 27 31 33 42 33 38 58 60 80**
- 23367. Protactia (Potosia) besucheti** Alexis & Delpont,1996 (Scarabaeidae) Synonym(s): besucheti Alexis & Delpont,1996 Range (in code): **TR 07**
- 23368. Protactia (Potosia) caucasica** Kolenati,1845 (Scarabaeidae) Synonym(s): caucasica Kolenati,1845 Range (in code): **Cc TM**
- 23369. Protactia (Potosia) cuprea** (Fabricius,1775) (Scarabaeidae) Synonym(s): cuprea Fabricius,1775 Range (in code): **ES PT FR DZ LY Cy IT RU Sb BG GR TR SY LB IL Pa CY 01 06 07 13 14 22 26 27 31 33 37 38 42 43 46 51 60 65 70 76 80**
- 23370. Protactia (Potosia) cuprina** (Motschulsky,1849) (Scarabaeidae) Synonym(s): rubrocuprea Mulsant & Rey,1842; cuprina Motschulsky,1849 Range (in code): **RU Cc TR UA Cm**
- 23371. Protactia (Potosia) fausti** Kraatz,1891 (Scarabaeidae) Synonym(s): fausti Kraatz,1891 Range (in code): **Cc TR**
- 23372. Protactia (Potosia) funebris** (Gory & Percheron,1833) (Scarabaeidae) Synonym(s): funebris Gory & Percheron,1833; exclamationis Faldermann,1835; funesta Ménétériés,1836; aethiessoides Reitter,1898; lambillionea Alexis & Delphont,2000 Range (in code): **RU TR IR Elb IQ SY IL Pa JO TM Kp AF Cc GG AM AZ Nv 01 04 05 06 07 08 09 11 12 13 16 17 20 23 24 25 27 30 31 32 33 35 36 37 41 42 46 47 49 51 53 56 58 60 61 65 70 73**
- 23373. Protactia (Potosia) hieroglyphica** (Ménétériés,1832) (Scarabaeidae) Synonym(s): hieroglyphica Ménétériés,1832; pulverulenta Motschoulsky,1845; ganglbaueri Reitter,1891; depressiuncula Reitter,1891 Range (in code): **Cc AZ TM IR PK**
- 23374. Protactia (Potosia) ikonovici** Miksic,1958 (Scarabaeidae) Synonym(s): ikonovici Miksic,1958 Range (in code): **CY**
- 23375. Protactia (Potosia) indica** Miksic,1955 (Scarabaeidae) Synonym(s): indica Miksic,1955 Range (in code): **IN Ch AF**
- 23376. Protactia (Potosia) inpavida** Janson,1879 (Scarabaeidae) Synonym(s): inpavida Janson,1879 Range (in code): **IN AF**
- 23377. Protactia (Potosia) jelineki** Petrovitz,1981 (Scarabaeidae) Synonym(s): jelineki Petrovitz,1981 Range (in code): **TR**
- 23378. Protactia (Potosia) marginicollis** (Ballion,1870) (Scarabaeidae) Synonym(s): marginicollis Ballion,1870 Range (in code): **RU KG TM UZ TJ**
- 23379. Protactia (Potosia) neglecta** (Hope,1831) (Scarabaeidae) Synonym(s): neglecta Hope,1831 Range (in code): **IN AF**
- 23380. Protactia (Potosia) splendidula** (Faldermann,1835) (Scarabaeidae) Synonym(s): splendidula Faldermann,1835 Range (in code): **TM TR Cc AM Eri**
- 23381. Protactia (Potosia) vidua** (Gory & Perchenson,1833) (Scarabaeidae) Synonym(s): vidua Gory & Perchenson,1833 Range (in code): **BG GR TR 35 42 45 70 80**
- 23382. Protactia (Pseudonetocia) cyanescens** Kraatz,1883 (Scarabaeidae) Synonym(s): cyanescens Kraatz,1883 Range (in code): **TM**
- 23383. Protactia (Pseudonetocia) kulabensis** Reitter,1893 (Scarabaeidae) Synonym(s): kulabensis Reitter,1893; bucharica Curti,1915 Range (in code): **TM AF UZ**
- 23384. Psammodius (Pararhyssus) coluber** Mayet,1787 (Scarabaeidae) Synonym(s): coluber Mayet,1787 Range (in code): **RU TM AF**
- 23385. Psammodius (Rhyssus) germanus** (Linnaeus,1767) (Scarabaeidae) Synonym(s): germanus Linnaeus,1767 Range (in code): **RU Cc GG TM TJ**
- 23386. Psammodius (Rhyssus) orientalis** (Mulsant & Godart,1875) (Scarabaeidae) Synonym(s): orientalis Mulsant & Godart,1875 Range (in code): **RU TM KG**
- 23387. Pseudoadoretus dilutellus** Semenov,1889 (Scarabaeidae) Synonym(s): dilutellus Semenov,1889 Range (in code): **RU TM**
- 23388. Pseudoadoretus validus** Semenov,1889 (Scarabaeidae) Synonym(s): validus Semenov,1889 Range (in code): **RU TM**
- 23389. Pseudopachydema caucasica** Balthasar,1930 (Scarabaeidae) Synonym(s): caucasica Balthasar,1930; bogatshevi S.I.Medvedev,1952 Range (in code): **Cc AZ**
- 23390. Pseudopachydema medvedevi** Iablokoff-Khnzorian,1971 (Scarabaeidae) Synonym(s): medvedevi Iablokoff-Khnzorian,1971 Range (in code): **AM Cc**
- 23391. Pseudotrematodes frivaldskyi** (Ménétériés,1836) (Scarabaeidae) Synonym(s): frivaldskyi Ménétériés,1836 Range (in code): **TR SY**
- 23392. Rhinyptia suturalis** Kraatz,1895 (Scarabaeidae) Synonym(s): suturalis Kraatz,1895 Range (in code): **AF IR**
- 23393. Rhizotrogus (Amphimallon) adanense** Montreuil,2000 (Scarabaeidae) Synonym(s): adanense Montreuil,2000 Range (in code): **TR 01**

- 23394. Rhizotrogus (Amphimallon) caucasicum (Gyllenhal,1817)** (Scarabaeidae) Synonym(s): caucasicum Gyllenhal,1817; vernale Brullé,1832; torulosum Waltl,1838; schiraziense Reitter,1902; medvedevi Iablokoff & Khnzorian,1955 Range (in code): AZ AL AM BG GR MK RO YU TR Cc IR Fa IQ 05 14 19 30 37 40 42 46 80
- 23395. Rhizotrogus (Amphimallon) helenae (Iablokoff & Khnzorian,1983)** (Scarabaeidae) Synonym(s): helenae Iablokoff & Khnzorian,1983 Range (in code): AM Cc
- 23396. Rhizotrogus (Amphimallon) jedlickai Balthasar,1936** (Scarabaeidae) Synonym(s): jedlickai Balthasar,1936 Range (in code): SY
- 23397. Rhizotrogus (Amphimallon) keithi Montreuil,2002** (Scarabaeidae) Synonym(s): keithi Montreuil,2002 Range (in code): TR
- 23398. Rhizotrogus (Amphimallon) leuthneri Reitter,1902** (Scarabaeidae) Synonym(s): leuthneri Reitter,1902 Range (in code): TR SY LB JO Amm
- 23399. Rhizotrogus (Amphimallon) nigripenne Reitter,1902** (Scarabaeidae) Synonym(s): nigripenne Reitter,1902 Range (in code): TR
- 23400. Rhizotrogus (Amphimallon) ochraceum (Knoch,1801)** (Scarabaeidae) Synonym(s): ochraceum Knoch,1801 Range (in code): AT BE FR GB DE IT NL PL PT SK ES SZ CY
- 23401. Rhizotrogus (Amphimallon) solstitialis (Linnaeus,1758)** (Scarabaeidae) Synonym(s): solstitialis Linnaeus,1758 Range (in code): TR SY RU LT RU Sb Us UA Cm KK KG TJ TM UZ 01 07 14 33 42 61
- 23402. Rhizotrogus (Amphimallon) verticale Burmeister,1855** (Scarabaeidae) Synonym(s): verticale Burmeister,1855 Range (in code): GR TR
- 23403. Rhizotrogus (Amphimallon) volgensis (Fischer,1823)** (Scarabaeidae) Synonym(s): volgensis Fischer,1823; caspicum Ménétériés,1832; jenrichi Reitter,1905 Range (in code): RU KG AZ Cc UA
- 23404. Rhizotrogus (s.str.) aestivus (Olivier,1789)** (Scarabaeidae) Synonym(s): aestivus Olivier,1789; bimaculatus Herbst,1790; inanis Brahm,1790; gracilis Frölich,1792; maculicollis Zubkov,1833; incertus Mulsant,1842; subvittatus Mulsant,1842; faldermanni Reiche,1862; nudicollis Dalla Torre,1879; castaneipennis Pic,1926 Range (in code): RU UA Cm TM Cc TR AZ AL AM AT BE B-H BG HV CZ FR DE GG GR HU IT KG MK MD NL PT RO SK CH YU 29 37 61 74
- 23405. Rhizotrogus (s.str.) schaufussi Brenske,1891** (Scarabaeidae) Synonym(s): schaufussi Brenske,1891 Range (in code): SY
- 23406. Scarabaeus (Ateuchetus) armeniacus Ménétériés,1832** (Scarabaeidae) Synonym(s): armeniacus Ménétériés,1832; nigrociliatus Motschoulsky,1849 Range (in code): RU Cc GG AM AZ GG TR GR MK CY UA IQ IR IL Pa SY EG 01 09 21 51 54
- 23407. Scarabaeus (Ateuchetus) puncticollis (Latreille,1819)** (Scarabaeidae) Synonym(s): puncticollis Latreille,1819; nudifrons Fischer von Waldheim,1824; hypocrita Laporte,1840; parumpunctatus Klug,1845; sericeus Motschulsky,1849 Range (in code): ES PT MA DZ TN LY EG IL Pa CY Rd GR TR MK IQ IR Cc AM LB
- 23408. Scarabaeus (Ateuchetus) semipunctatus Fabricius,1792** (Scarabaeidae) Synonym(s): semipunctatus Fabricius,1792; substriatus Mulsant,1842; subinermis Mulsant,1842 Range (in code): DZ LY MA TN AL HV FR HU IT MT PT YU ES TR IL Pa 06 35 38
- 23409. Scarabaeus (Ateuchetus) variolosus Fabricius,1787** (Scarabaeidae) Synonym(s): variolosus Fabricius,1787 Range (in code): AL B-H HV IT Si Sa MT YU BG GR TR MA DZ TN 10 35 45
- 23410. Scarabaeus (Kheper) devotus (Redtenbacher,1844)** (Scarabaeidae) Synonym(s): devotus Redtenbacher,1844 Range (in code): AF
- 23411. Scarabaeus (Kheper) sanctus (Fabricius,1798)** (Scarabaeidae) Synonym(s): sanctus Fabricius,1798 Range (in code): PK
- 23412. Scarabaeus (Mnemotidium) multidentatum (Klug,1845)** (Scarabaeidae) Synonym(s): multidentatum Klug,1845 Range (in code): EG LY IL Pa SO Sn SY
- 23413. Scarabaeus (Pachysoma) silenus Gray,1832** (Scarabaeidae) Synonym(s): silenus Gray,1832; rotundipenne Holdhaus,1920 Range (in code): IQ SA Sn SY
- 23414. Scarabaeus (s.str.) acuticollis (Motschulsky,1849)** (Scarabaeidae) Synonym(s): acuticollis Motschulsky,1849 Range (in code): AZ Cc SY TM TJ AF IR IQ KK KG UZ
- 23415. Scarabaeus (s.str.) andrewesi (Felsche,1907)** (Scarabaeidae) Synonym(s): andrewesi Felsche,1907 Range (in code): AF IR PK
- 23416. Scarabaeus (s.str.) babori Balthasar,1934** (Scarabaeidae) Synonym(s): babori Balthasar,1934 Range (in code): AF IR KG KK PK TJ TR UZ TM
- 23417. Scarabaeus (s.str.) bannuensis A.Janssens,1940** (Scarabaeidae) Synonym(s): bannuensis A.Janssens,1940; janssensianus Auber,1952 Range (in code): DZ LY MA TN SA IR IQ PK
- 23418. Scarabaeus (s.str.) brahminus (Laporte,1840)** (Scarabaeidae) Synonym(s): brahminus Laporte,1840 Range (in code): IR PK
- 23419. Scarabaeus (s.str.) carinatus Gebler,1841** (Scarabaeidae) Synonym(s): carinatus Gebler,1841 Range (in code): RU UZ TM TJ AF KG
- 23420. Scarabaeus (s.str.) cristatus Fabricius,1775** (Scarabaeidae) Synonym(s): cristatus Fabricius,1775; conrifrons Laporte,1840; compressicornis Klug,1845 Range (in code): EG LY AF IR IL Pa SA PK

- 23421. Scarabaeus (s.str.) gangeticus (Laporte,1840)** (Scarabaeidae) Synonym(s): gangeticus Laporte,1840; indicus Motschulsky,1864 Range (in code): EG AF SA PK
- 23422. Scarabaeus (s.str.) irakensis Stolf,1938** (Scarabaeidae) Synonym(s): irakensis Stolf,1938 Range (in code): JO SY IQ SA TR
- 23423. Scarabaeus (s.str.) pius (Illiger,1803)** (Scarabaeidae) Synonym(s): pius Illiger,1803; infirmus Fischer von Waldheim,1823; punctulatus Mulsant,1842; subsulcatus Mulsant,1842; digitatus Motschulsky,1849 Range (in code): RU Cc AM TM TJ TR HU IT YU AL GR SY IL Pa JO SY LB AF 06 07 11 14 21 26 27 32 35 40 45 48 60 63 65 76
- 23424. Scarabaeus (s.str.) sacer Linnaeus,1758** (Scarabaeidae) Synonym(s): sacer Linnaeus,1758; crenatus De Geer,1778; impius Fabricius,1801; platychilus Fischer von Waldheim,1823; retusus Brullé,1832; europaeus Motschoulsky,1849; confluidens Fleisch.,1925 Range (in code): ES PT FR IT Si Sa Co AL GR HU BG TR RU Cc AZ TM MA DZ TN LY EG Sn MR SD ER SY IL Pa AF IN Sb LB JO IQ IR 21 33 35 45 46 48 64
- 23425. Scarabaeus (s.str.) transcaspicus Stolf,1938** (Scarabaeidae) Synonym(s): transcaspicus Stolf,1938 Range (in code): TM IR AF KG TJ UZ
- 23426. Scarabaeus (s.str.) typhon (Fischer von Waldheim,1823)** (Scarabaeidae) Synonym(s): typhon Fischer von Waldheim,1823; affinis Brullé,1832; peregrinus Kolbe,1886 Range (in code): RU TM KG ES FR Co Sa IT AL HU SK RO MK GR Rd BG AL RO TR Cc AZ AM SY LB IL Pa JO CN Ui Ti MN KP KR
- 23427. Scarabaeus (s.str.) wilsoni C.O.Waterhouse,1890** (Scarabaeidae) Synonym(s): wilsoni C.O.Waterhouse,1890; ganglbaueri Reitter,1892; frankenbergeri Balthasar,1934 Range (in code): IR
- 23428. Scarabaeus (s.str.) winkleri Stolf,1938** (Scarabaeidae) Synonym(s): winkleri Stolf,1938 Range (in code): UZ TM Kp AF IR IQ SY KG PK TJ TR
- 23429. Scarabaeus zagrosensis Montreuil,2006** (Scarabaeidae) Synonym(s): zagrosensis Montreuil,2006 Range (in code): IR Fa SY
- 23430. Sisyphus schaefferi (Linnaeus,1758)** (Scarabaeidae) Synonym(s): schaefferi Linnaeus,1758 Range (in code): TR RU Am BG UA Cm Cc AM GG TM KP KR 01 03 06 07 11 14 22 31 32 33 35 37 38 39 40 46 48 65 67
- 23431. Stalagmopygus albella (Pallas,1781)** (Scarabaeidae) Synonym(s): albella Pallas,1781 Range (in code): TM TJ AF
- 23432. Synapsis tmolus (Fischer,1821)** (Scarabaeidae) Synonym(s): tmolus Fischer,1821 Range (in code): KG KK TJ TM
- 23433. Tanyproctoides freyi Petrovitz,1971** (Scarabaeidae) Synonym(s): freyi Petrovitz,1971 Range (in code): IQ
- 23434. Tanyproctoides silfverbergi Keith,2002** (Scarabaeidae) Synonym(s): silfverbergi Keith,2002 Range (in code): IQ
- 23435. Tanyproctus (Brachydema) adanensis Reitter,1908** (Scarabaeidae) Synonym(s): adanensis Reitter,1908 Range (in code): TR 01
- 23436. Tanyproctus (Brachydema) aphodioides (Fairmaire,1866)** (Scarabaeidae) Synonym(s): aphodioides Fairmaire,1866 Range (in code): TR
- 23437. Tanyproctus (Brachydema) beskindensis Reitter,1902** (Scarabaeidae) Synonym(s): beskindensis Reitter,1902 Range (in code): LB
- 23438. Tanyproctus (Brachydema) carcelli (Fairmaire,1884)** (Scarabaeidae) Synonym(s): carcelli Fairmaire,1884 Range (in code): SY
- 23439. Tanyproctus (Brachydema) demaisoni Reitter,1902** (Scarabaeidae) Synonym(s): demaisoni Reitter,1902 Range (in code): TR
- 23440. Tanyproctus (Brachydema) kraatzi Reitter,1902** (Scarabaeidae) Synonym(s): kraatzi Reitter,1902; dichrous Reitter,1902 Range (in code): SY
- 23441. Tanyproctus (Brachydema) lamberti (Fairmaire,1884)** (Scarabaeidae) Synonym(s): lamberti Fairmaire,1884 Range (in code): LB
- 23442. Tanyproctus (Brachydema) latimanus Reitter,1902** (Scarabaeidae) Synonym(s): latimanus Reitter,1902; malatiensis Reitter,1902 Range (in code): TR SY IQ 44
- 23443. Tanyproctus (Brachydema) longipes (Burmeister,1855)** (Scarabaeidae) Synonym(s): longipes Burmeister,1855 Range (in code): SY
- 23444. Tanyproctus (Brachydema) novicius Reitter,1902** (Scarabaeidae) Synonym(s): novicius Reitter,1902 Range (in code): LB
- 23445. Tanyproctus (Brachydema) pilimargo Reitter,1902** (Scarabaeidae) Synonym(s): pilimargo Reitter,1902 Range (in code): LB TR
- 23446. Tanyproctus (Brachydema) pygidialis Reitter,1902** (Scarabaeidae) Synonym(s): pygidialis Reitter,1902 Range (in code): LB
- 23447. Tanyproctus (Brachydema) riparius Petrovitz,1963** (Scarabaeidae) Synonym(s): riparius Petrovitz,1963 Range (in code): TR
- 23448. Tanyproctus (Brachydema) rugosulus Fairmaire,1892** (Scarabaeidae) Synonym(s): rugosulus Fairmaire,1892 Range (in code): LB



- 23449. Tanyproctus (Brachydema) sinuatifrons (Fairmaire,1881)** (Scarabaeidae) Synonym(s): sinuatifrons Fairmaire,1881 Range (in code): LB
- 23450. Tanyproctus (Brachydema) unicolor Motschulsky,1860** (Scarabaeidae) Synonym(s): unicolor Motschulsky,1860 Range (in code): TR
- 23451. Tanyproctus (Brachydema) verriyi (Fairmaire,1884)** (Scarabaeidae) Synonym(s): verriyi Fairmaire,1884; acrossoides Reitter,1902 Range (in code): LB
- 23452. Tanyproctus (s.str.) araxis Reitter,1902** (Scarabaeidae) Synonym(s): araxis Reitter,1902 Range (in code): AZ AM Cc
- 23453. Tanyproctus (s.str.) armeniacus S.I.Medvedev,1952** (Scarabaeidae) Synonym(s): armeniacus S.I.Medvedev,1952 Range (in code): TR
- 23454. Tanyproctus (s.str.) beludschistanus Petrovitz,1968** (Scarabaeidae) Synonym(s): beludschistanus Petrovitz,1968 Range (in code): IR Ss
- 23455. Tanyproctus (s.str.) brevipennis (Motschulsky,1860)** (Scarabaeidae) Synonym(s): brevipennis Motschulsky,1860 Range (in code): Cc GG
- 23456. Tanyproctus (s.str.) bucharicus (Reitter,1897)** (Scarabaeidae) Synonym(s): bucharicus Reitter,1897; suturiferus Reitter,1897; subciliatus Reitter,1902 Range (in code): AF TJ UZ
- 23457. Tanyproctus (s.str.) carbonarius Faldermann,1835** (Scarabaeidae) Synonym(s): carbonarius Faldermann,1835 Range (in code): AZ AM Cc TR IR 65
- 23458. Tanyproctus (s.str.) cariensis Petrovitz,1971** (Scarabaeidae) Synonym(s): cariensis Petrovitz,1971 Range (in code): TR
- 23459. Tanyproctus (s.str.) confinis Motschulsky,1860** (Scarabaeidae) Synonym(s): confinis Motschulsky,1860; ordubadensis Reitter,1902 Range (in code): AZ Nv Ord Cc AM IR
- 23460. Tanyproctus (s.str.) eghtedari Petrovitz,1980** (Scarabaeidae) Synonym(s): eghtedari Petrovitz,1980 Range (in code): IR
- 23461. Tanyproctus (s.str.) fastus Petrovitz,1968** (Scarabaeidae) Synonym(s): fastus Petrovitz,1968 Range (in code): TR
- 23462. Tanyproctus (s.str.) ganglbaueri (Brenske,1897)** (Scarabaeidae) Synonym(s): ganglbaueri Brenske,1897 Range (in code): IR
- 23463. Tanyproctus (s.str.) holzschuhi Petrovitz,1973** (Scarabaeidae) Synonym(s): holzschuhi Petrovitz,1973 Range (in code): TR
- 23464. Tanyproctus (s.str.) indscriptus Baraud,1979** (Scarabaeidae) Synonym(s): indscriptus Baraud,1979 Range (in code): EG Sn
- 23465. Tanyproctus (s.str.) inflatus Motschulsky,1860** (Scarabaeidae) Synonym(s): inflatus Motschulsky,1860 Range (in code): AZ AM Cc GG IR
- 23466. Tanyproctus (s.str.) iranicus Petrovitz,1968** (Scarabaeidae) Synonym(s): iranicus Petrovitz,1968 Range (in code): IR
- 23467. Tanyproctus (s.str.) jordaniacus Baraud,1990** (Scarabaeidae) Synonym(s): jordaniacus Baraud,1990 Range (in code): JO
- 23468. Tanyproctus (s.str.) kabulensis Petrovitz,1967** (Scarabaeidae) Synonym(s): kabulensis Petrovitz,1967 Range (in code): AF Kab
- 23469. Tanyproctus (s.str.) kermanshahensis Petrovitz,1980** (Scarabaeidae) Synonym(s): kermanshahensis Petrovitz,1980 Range (in code): IR Km
- 23470. Tanyproctus (s.str.) kindermanni (Reiche,1861)** (Scarabaeidae) Synonym(s): kindermanni Reiche,1861 Range (in code): IL Pa TR
- 23471. Tanyproctus (s.str.) kurdistanus Reitter,1902** (Scarabaeidae) Synonym(s): kurdistanus Reitter,1902 Range (in code): TR 24
- 23472. Tanyproctus (s.str.) lydiensis Petrovitz,1971** (Scarabaeidae) Synonym(s): lydiensis Petrovitz,1971 Range (in code): TR
- 23473. Tanyproctus (s.str.) muchei Petrovitz,1962** (Scarabaeidae) Synonym(s): muchei Petrovitz,1962 Range (in code): SY
- 23474. Tanyproctus (s.str.) nitidus Petrovitz,1968** (Scarabaeidae) Synonym(s): nitidus Petrovitz,1968 Range (in code): IR
- 23475. Tanyproctus (s.str.) opacipennis Petrovitz,1968** (Scarabaeidae) Synonym(s): opacipennis Petrovitz,1968 Range (in code): TR
- 23476. Tanyproctus (s.str.) ortospaensis Petrovitz,1965** (Scarabaeidae) Synonym(s): ortospaensis Petrovitz,1965 Range (in code): AF
- 23477. Tanyproctus (s.str.) ovatus Motschulsky,1860** (Scarabaeidae) Synonym(s): ovatus Motschulsky,1860 Range (in code): AZ AM Cc GG TR
- 23478. Tanyproctus (s.str.) pallidus Petrovitz,1962** (Scarabaeidae) Synonym(s): pallidus Petrovitz,1962 Range (in code): IQ
- 23479. Tanyproctus (s.str.) pamphilus Petrovitz,1967** (Scarabaeidae) Synonym(s): pamphilus Petrovitz,1967 Range (in code): TR

- 23480. *Tanyproctus* (s.str.) *parallelus* Petrovitz,1968** (Scarabaeidae) Synonym(s): *parallelus* Petrovitz,1968 Range (in code): IR
- 23481. *Tanyproctus* (s.str.) *paulusi* Petrovitz,1980** (Scarabaeidae) Synonym(s): *paulusi* Petrovitz,1980 Range (in code): LB
- 23482. *Tanyproctus* (s.str.) *persicola* Reitter,1909** (Scarabaeidae) Synonym(s): *persicola* Reitter,1909 Range (in code): IR
- 23483. *Tanyproctus* (s.str.) *persicus* Ménétériés,1832** (Scarabaeidae) Synonym(s): *persicus* Ménétériés,1832; *brevipennis* Motschulsky,1860; *subcylindricu* Motschulsky,1860 Range (in code): AZ AM Cc IR
- 23484. *Tanyproctus* (s.str.) *reichii* (Rambur,1843)** (Scarabaeidae) Synonym(s): *reichii* Rambur,1843; *olivieri* C.E.Blanchard,1851; *graecus* Motschulsky,1860 Range (in code): GR TR
- 23485. *Tanyproctus* (s.str.) *rubicundus* Reitter,1902** (Scarabaeidae) Synonym(s): *rubicundus* Reitter,1902 Range (in code): AM Cc
- 23486. *Tanyproctus* (s.str.) *rufidens* (Marseul,1879)** (Scarabaeidae) Synonym(s): *rufidens* Marseul,1879 Range (in code): AM AZ GG Cc IR
- 23487. *Tanyproctus* (s.str.) *satanas* Reitter,1902** (Scarabaeidae) Synonym(s): *satanas* Reitter,1902 Range (in code): AZ AM Cc IR
- 23488. *Tanyproctus* (s.str.) *similis* Petrovitz,1962** (Scarabaeidae) Synonym(s): *similis* Petrovitz,1962 Range (in code): SY
- 23489. *Tanyproctus* (s.str.) *speculator* Petrovitz,1963** (Scarabaeidae) Synonym(s): *speculator* Petrovitz,1963 Range (in code): TR
- 23490. *Tanyproctus* (s.str.) *turanicus* Reitter,1900** (Scarabaeidae) Synonym(s): *turanicus* Reitter,1900 Range (in code): AF TM
- 23491. *Tanyproctus* (s.str.) *varians* Petrovitz,1980** (Scarabaeidae) Synonym(s): *varians* Petrovitz,1980 Range (in code): IR
- 23492. *Tanyproctus* (s.str.) *vedicus* Kalashian,1999** (Scarabaeidae) Synonym(s): *vedicus* Kalashian,1999 Range (in code): AM Cc
- 23493. *Tanyproctus* (s.str.) *zartoshti* Petrovitz,1980** (Scarabaeidae) Synonym(s): *zartoshti* Petrovitz,1980 Range (in code): IR
- 23494. *Tanyproctus* (Tanyproctocera) *crinitus* Petrovitz,1971** (Scarabaeidae) Synonym(s): *crinitus* Petrovitz,1971 Range (in code): IL Pa
- 23495. *Tanyproctus* (Tanyproctocera) *delesserti* (Reiche & Saulcy,1856)** (Scarabaeidae) Synonym(s): *delesserti* Reiche & Saulcy,1856 Range (in code): SY
- 23496. *Tanyproctus* (Tanyproctocera) *festivus* (Burmeister,1855)** (Scarabaeidae) Synonym(s): *festivus* Burmeister,1855; *coyei* Marseul,1876; *brenskai* Reitter,1902 Range (in code): LB SY
- 23497. *Tanyproctus* (Tanyproctocera) *israeliticus* Petrovitz,1971** (Scarabaeidae) Synonym(s): *israeliticus* Petrovitz,1971 Range (in code): IL Pa
- 23498. *Tanyproctus* (Tanyproctocera) *kriecheldorffi* Reitter,1909** (Scarabaeidae) Synonym(s): *kriecheldorffi* Reitter,1909 Range (in code): TR
- 23499. *Tanyproctus* (Tanyproctocera) *lanatus* (Chevrolat,1873)** (Scarabaeidae) Synonym(s): *lanatus* Chevrolat,1873 Range (in code): SY
- 23500. *Tanyproctus* (Tanyproctocera) *ledereri* (Reiche,1861)** (Scarabaeidae) Synonym(s): *ledereri* Reiche,1861; *rufus* Reitter,1902 Range (in code): IL Pa LB SY
- 23501. *Tanyproctus* (Tanyproctocera) *minutus* Petrovitz,1973** (Scarabaeidae) Synonym(s): *minutus* Petrovitz,1973 Range (in code): IL Pa
- 23502. *Tanyproctus* (Tanyproctocera) *nabataeus* Petrovitz,1973** (Scarabaeidae) Synonym(s): *nabataeus* Petrovitz,1973 Range (in code): IL Pa
- 23503. *Tanyproctus* (Tanyproctocera) *portusus* Reitter,1902** (Scarabaeidae) Synonym(s): *portusus* Reitter,1902 Range (in code): TR
- 23504. *Tanyproctus* (Tanyproctocera) *pumilus* Petrovitz,1973** (Scarabaeidae) Synonym(s): *pumilus* Petrovitz,1973 Range (in code): IL Pa
- 23505. *Tanyproctus* (Tanyproctocera) *saulcyi* (Reiche & Saulcy,1856)** (Scarabaeidae) Synonym(s): *saulcyi* Reiche & Saulcy,1856 Range (in code): IL Pa JO IQ SY
- 23506. *Tanyproctus* (Tanyproctocera) *sinaiticus* (Heyden,1900)** (Scarabaeidae) Synonym(s): *sinaiticus* Heyden,1900 Range (in code): IL Pa EG Sn
- 23507. *Tanyproctus* (Tanyproctocera) *syriacus* S.I.Medvedev,1952** (Scarabaeidae) Synonym(s): *syriacus* S.I.Medvedev,1952 Range (in code): SY
- 23508. *Tanyproctus* (Tetraproctus) *antennatus* Iablokoff-Khnzorian,1953** (Scarabaeidae) Synonym(s): *antennatus* Iablokoff-Khnzorian,1953 Range (in code): AM Cc
- 23509. *Thinorycter* *chlamydatus* Semenov & Reichardt,1925** (Scarabaeidae) Synonym(s): *chlamydatus* Semenov & Reichardt,1925 Range (in code): TM
- 23510. *Trichius* *abdominalis* Ménétériés,1832** (Scarabaeidae) Synonym(s): *abdominalis* Ménétériés,1832 Range (in code): IR

- 23511. *Trichius fasciatus* (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *fasciatus* Linnaeus,1758 Range (in code): RU Cc Ur Sb Us Am Sh Krl FI LT UA KG TR 14 37 57
- 23512. *Trichius orientalis* Reitter,1894** (Scarabaeidae) Synonym(s): *orientalis* Reitter,1894 Range (in code): TR UA Cm SY GR 14 31
- 23513. *Trichius sexualis* Bedel,1906** (Scarabaeidae) Synonym(s): *sexualis* Bedel,1906 Range (in code): BG RO TR
- 23514. *Triodontella asiatica* (Brenske,1890)** (Scarabaeidae) Synonym(s): *asiatica* Brenske,1890 Range (in code): TR 33
- 23515. *Triodontella brunneipennis* (Sahlberg,1908)** (Scarabaeidae) Synonym(s): *brunneipennis* Sahlberg,1908 Range (in code): TR IT FR YU B-H HV GR BG 20
- 23516. *Triodontella dalmatica* (Baraud,1962)** (Scarabaeidae) Synonym(s): *dalmatica* Baraud,1962; *bulgarica* Bunalski,2001 Range (in code): HV YU AL BG GR MK RO TR 39
- 23517. *Triodontella demelti* Petrovitz,1962** (Scarabaeidae) Synonym(s): *demelti* Petrovitz,1962 Range (in code): TR 07
- 23518. *Triodontella difformipes* (Fairmaire,1892)** (Scarabaeidae) Synonym(s): *difformipes* Fairmaire,1892; *brignolii* Sabatinelli,1977 Range (in code): SY TR 80
- 23519. *Triodontella dispar* (Fairmaire,1892)** (Scarabaeidae) Synonym(s): *dispar* Fairmaire,1892; *delagrangei* Pic,1898 Range (in code): TR 33
- 23520. *Triodontella eggeri* (Rey,1999)** (Scarabaeidae) Synonym(s): *eggeri* Rey,1999 Range (in code): TR
- 23521. *Triodontella flavimana* (Burmeister,1855)** (Scarabaeidae) Synonym(s): *flavimana* Burmeister,1855; *sieversii* Reitter,1889 Range (in code): Cc GG Smt Bjo TR SY
- 23522. *Triodontella lateristria* (Reitter,1889)** (Scarabaeidae) Synonym(s): *lateristria* Reitter,1889 Range (in code): TR 01
- 23523. *Triodontella preissi* Keith,2001** (Scarabaeidae) Synonym(s): *preissi* Keith,2001 Range (in code): TR 42
- 23524. *Tropinota (Epicometis) hirta* (Poda,1761)** (Scarabaeidae) Synonym(s): *hirta* Poda,1761; *hirtellus* Linnaeus,1767; *vestita* Say,1825; *nigrina* Mulsant,1842; *subfasciata* Mulsant,1842; *tonsa* Burmeister,1842; *crispa* Petrovitz,1971 Range (in code): MA PT ES AL AT BE B-H BY HV CZ FR DE GR GG RO TR IR Kh Bjn Msh SY LB IL Pa Cc YU RU UA Cm KG 01 03 05 06 07 08 09 10 11 14 15 16 17 18 19 20 22 27 31 32 33 35 37 38 39 40 41 42 43 45 46 48 51 54 56 59 64 65 70 71 76 80
- 23525. *Tropinota (Epicometis) ilariae* Dutto,2007** (Scarabaeidae) Synonym(s): *ilariae* Dutto,2007 Range (in code): IL Pa JO Amm
- 23526. *Tropinota (Epicometis) jakesi* Balthazar,1967** (Scarabaeidae) Synonym(s): *jakesi* Balthazar,1967 Range (in code): AF
- 23527. *Tropinota (Epicometis) senicula* (Ménétriés,1832)** (Scarabaeidae) Synonym(s): *senicula* Ménétriés,1832 Range (in code): Cc AM
- 23528. *Tropinota (Epicometis) senicula* (Ménétriés,1832)** (Scarabaeidae) Synonym(s): *senicula* Ménétriés,1832 Range (in code): AM AZ Cc GG TR IR Kh Msh
- 23529. *Tropinota (Epicometis) spinifrons* (Reitter,1889)** (Scarabaeidae) Synonym(s): *spinifrons* Reitter,1889 Range (in code): TM
- 23530. *Tropinota (Epicometis) spinifrons* Reitter,1889** (Scarabaeidae) Synonym(s): *spinifrons* Reitter,1889 Range (in code): TM AF AZ AM Cc IR SY TJ
- 23531. *Tropinota (Epicometis) turanica* (Reitter,1888)** (Scarabaeidae) Synonym(s): *turanica* Reitter,1888 Range (in code): TM
- 23532. *Tropinota (Epicometis) turanica* Reitter,1888** (Scarabaeidae) Synonym(s): *turanica* Reitter,1888 Range (in code): TM AF KK TJ UZ CN Ui
- 23533. *Tropinota (Epicometis) villiersi* Baraud,1984** (Scarabaeidae) Synonym(s): *villiersi* Baraud,1984 Range (in code): IR
- 23534. *Tropinota (s.str.) hirtiformis* Reitter,1913** (Scarabaeidae) Synonym(s): *hirtiformis* Reitter,1913 Range (in code): TR Cc IR SY JO KG KK TM
- 23535. *Tropinota (s.str.) squalida* (Scopoli,1763)** (Scarabaeidae) Synonym(s): *squalida* Scopoli,1763; *pilosa* Brullé,1832 Range (in code): Cn GR SS LY SY LB IL Pa JO EG Sn IQ TR 56
- 23536. *Tropinota (s.str.) vittula* Reiche & Saulcy,1856** (Scarabaeidae) Synonym(s): *vittula* Reiche & Saulcy,1856 Range (in code): LB Bei SY IL Pa
- 23537. *Turanella latevittis* (Reitter,1887)** (Scarabaeidae) Synonym(s): *latevittis* Reitter,1887 Range (in code): TM
- 23538. *Valgus arabicus* Nonfried,1895** (Scarabaeidae) Synonym(s): *arabicus* Nonfried,1895 Range (in code): SA
- 23539. *Valgus hemipterus* (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *hemipterus* Linnaeus,1758; *variegatus* Scopoli,1763 Range (in code): DZ ES RU Cc UA Cm KK DK BG FR DE GR IT RO YU TR Cc 08 15 17 22 32 35 41 42 45 48 54 56 59



- 23540. Xanthotrogus sieversi Reitter,1896** (Scarabaeidae) Synonym(s): sieversi Reitter,1896 Range (in code): TM
- 23541. Elodes akbesianus Pic,1898** (Scirtidae) Synonym(s): akbesianus Pic,1898 Range (in code): TR LB SY 31
- 23542. Elodes eberti Klausnitzer,1970** (Scirtidae) Synonym(s): eberti Klausnitzer,1970 Range (in code): TJ IR Cc TR 08
- 23543. Elodes flavoangularis Klausnitzer,1990** (Scirtidae) Synonym(s): flavoangularis Klausnitzer,1990 Range (in code): TR 12 13 25 65
- 23544. Elodes luteata Klausnitzer,1979** (Scirtidae) Synonym(s): luteata Klausnitzer,1979 Range (in code): TR 34
- 23545. Elodes megalopus Klausnitzer,2002** (Scirtidae) Synonym(s): megalopus Klausnitzer,2002 Range (in code): TR 52 53 55 61
- 23546. Elodes microps Klausnitzer,2002** (Scirtidae) Synonym(s): microps Klausnitzer,2002 Range (in code): TR 52 58
- 23547. Elodes minuta (Linnaeus,1767)** (Scirtidae) Synonym(s): minuta Linnaeus,1767 Range (in code): TR 14 37
- 23548. Elodes persimilis Klausnitzer,2002** (Scirtidae) Synonym(s): persimilis Klausnitzer,2002 Range (in code): TR 28
- 23549. Elodes pseudominuta Klausnitzer,1971** (Scirtidae) Synonym(s): pseudominuta Klausnitzer,1971 Range (in code): TR 06 25
- 23550. Elodes sieberi Klausnitzer,1973** (Scirtidae) Synonym(s): sieberi Klausnitzer,1973 Range (in code): TR GR 07 10 15 16 17 35 45 48
- 23551. Elodes venustula Klausnitzer,2002** (Scirtidae) Synonym(s): venustula Klausnitzer,2002 Range (in code): TR 53
- 23552. Odeles armilabris (Nyholm,1974)** (Scirtidae) Synonym(s): armilabris Nyholm,1974 Range (in code): RU Cc TR 53
- 23553. Cyphon abeillei Bourgeois,1884** (Scirtidae) Synonym(s): abeillei Bourgeois,1884 Range (in code): FR IL Pa TR
- 23554. Cyphon arietizans Nyholm,1970** (Scirtidae) Synonym(s): arietizans Nyholm,1970 Range (in code): TR IR Cc 01 08 12 24 25 36 37 55 58 60 62
- 23555. Cyphon buceros Nyholm,1949** (Scirtidae) Synonym(s): buceros Nyholm,1949 Range (in code): Cc TR 08 61
- 23556. Cyphon dinolabis Nyholm,1970** (Scirtidae) Synonym(s): dinolabis Nyholm,1970 Range (in code): TR 48
- 23557. Cyphon euoplus Nyholm,1970** (Scirtidae) Synonym(s): euoplus Nyholm,1970 Range (in code): TR 08 28 53 61 65
- 23558. Cyphon laevipennis Tournier,1868** (Scirtidae) Synonym(s): laevipennis Tournier,1868 Range (in code): TR 07 33 35 65 67 78
- 23559. Cyphon longispinus Nyholm,1968** (Scirtidae) Synonym(s): longispinus Nyholm,1968 Range (in code): TR 06 14 37 55 57
- 23560. Cyphon longiusculus Nyholm,1970** (Scirtidae) Synonym(s): longiusculus Nyholm,1970 Range (in code): TR GR Rd Cc IR IL Pa 06 14 16 28 34 37 52 53 55 61
- 23561. Cyphon ochraceus Stephens,1830** (Scirtidae) Synonym(s): ochraceus Stephens,1830 Range (in code): TR 07 33 34
- 23562. Cyphon osellai Klausnitzer,1989** (Scirtidae) Synonym(s): osellai Klausnitzer,1989 Range (in code): TR 35 45
- 23563. Cyphon padi (Linnaeus,1758)** (Scirtidae) Synonym(s): padi Linnaeus,1758 Range (in code): TR 14
- 23564. Cyphon palustris Thomson,1855** (Scirtidae) Synonym(s): palustris Thomson,1855 Range (in code): TR 01 07 12 14 17 20 21 24 30 33 34 35 36 48 49 62 65 67
- 23565. Cyphon ponticus Nyholm,1976** (Scirtidae) Synonym(s): ponticus Nyholm,1976 Range (in code): TR 08 53
- 23566. Cyphon pubescens Fabricius,1792** (Scirtidae) Synonym(s): pubescens Fabricius,1792 Range (in code): TR 14
- 23567. Cyphon scurrula Nyholm,1970** (Scirtidae) Synonym(s): scurrula Nyholm,1970 Range (in code): TR 16 34
- 23568. Cyphon wittmeri Nyholm,1970** (Scirtidae) Synonym(s): wittmeri Nyholm,1970 Range (in code): TR Cc 02
- 23569. Hydrocyphon Redtenbacher,[1857]** (Scirtidae) Synonym(s): Hydrocyphon Redtenbacher,[1857] Range (in code): TR
- 23570. Hydrocyphon australis Linder,1864** (Scirtidae) Synonym(s): australis Linder,1864 Range (in code): TR 07
- 23571. Hydrocyphon deflexicollis Müller,1821** (Scirtidae) Synonym(s): deflexicollis Müller,1821 Range (in code): TR 08 16 53

- 23572. Hydrocyphon finitimus Nyholm,1977** (Scirtidae) Synonym(s): finitimus Nyholm,1977 Range (in code): TR Cc RU 30 48 61 63
- 23573. Hydrocyphon rivulorum Nyholm,1977** (Scirtidae) Synonym(s): rivulorum Nyholm,1977 Range (in code): TR 48
- 23574. Hydrocyphon segrex Nyholm,1972** (Scirtidae) Synonym(s): segrex Nyholm,1972 Range (in code): GR TR Cc AZ IR 01 31 35 48 62
- 23575. Hydrocyphon vicinans Nyholm,1972** (Scirtidae) Synonym(s): vicinans Nyholm,1972 Range (in code): TR IL Pa 31
- 23576. Microcara Thomson,1859** (Scirtidae) Synonym(s): Microcara Thomson,1859 Range (in code): TR
- 23577. Microcara caspica Reitter,1889** (Scirtidae) Synonym(s): caspica Reitter,1889 Range (in code): TR Cc AZ 14 34 55 78
- 23578. Prionocyphon Redtenbacher,1858** (Scirtidae) Synonym(s): Prionocyphon Redtenbacher,1858 Range (in code): TR
- 23579. Prionocyphon ornatus Abeille,1881** (Scirtidae) Synonym(s): ornatus Abeille,1881 Range (in code): TR AZ Cc LB SY 01 02 07 09
- 23580. Scirtes Illiger,1807** (Scirtidae) Synonym(s): Scirtes Illiger,1807 Range (in code): TR
- 23581. Scirtes haemisphaericus (Linnaeus,1767)** (Scirtidae) Synonym(s): haemisphaericus Linnaeus,1767 Range (in code): TR 14
- 23582. Scirtes orbicularis (Panzer,1793)** (Scirtidae) Synonym(s): orbicularis Panzer,1793 Range (in code): TR 55 76
- 23583. Ablattaria arenaria (Kraatz,1876)** (Silphidae) Synonym(s): arenaria Kraatz,1876; punctigera Reitter,1885; alleoni Portevin,1926 Range (in code): TR GR Cr CY IL Pa IQ IR Cc JO LB SY 07 14 20 31 50 63 80
- 23584. Ablattaria laevigata (Fabricius,1775)** (Silphidae) Synonym(s): laevigata Fabricius,1775 Range (in code): AZ Cc GG AM RU IR TM TR GR AL AT BE B-H BY HV CZ EE FR GB DE GG HU IT LT MK MD NL PL RO SK UA YU 22 37 61
- 23585. Aclypea opaca (Linnaeus,1758)** (Silphidae) Synonym(s): opaca Linnaeus,1758 Range (in code): CN Ui Muz Ku AM Cc GG
- 23586. Aclypea turkestanica (Ballion,1871)** (Silphidae) Synonym(s): turkestanica Ballion,1871; christophi Kraatz,1876; biseriata Reitter,1893; seratorugosa Reitter,1897; transcaspica Semenov,1903; sculpturata Grouvelle,1903 Range (in code): CN Ui Ku AF PK Ch IR KK KG TJ TM UZ
- 23587. Aclypea undata (O.F.Müller,1776)** (Silphidae) Synonym(s): undata O.F.Müller,1776; reticulata Fabricius,1787; cancellata Gmelin,1790; verrucosa Ménétries,1832; anatolica Kraatz,1876; kindermann Faust,1877; nitidior Portevin,1926; quadricarinata Portevin,1926 Range (in code): AZ Cc AL AM AT BE B-H BG BY HV CZ GB FI FR DE GG GR HU IT LT MK MD NL PL PT RO SK SS ES SE CH UA YU TR IR KG TM 02 13 24 25 33 36 49 61 62 65
- 23588. Dendroxena quadrimaculata (Scopoli,1772)** (Silphidae) Synonym(s): quadrimaculata Scopoli,1772 Range (in code): TR 62
- 23589. Necrodes littoralis (Linnaeus,1758)** (Silphidae) Synonym(s): littoralis Linnaeus,1758 Range (in code): TR CN Pkn Sz Yu Gn Mc Fkn 46
- 23590. Nicrophorus antennatus (Reitter,1885)** (Silphidae) Synonym(s): antennatus Reitter,1885 Range (in code): TR Cc MN CN Ui Tpn Muz Mc RU Sb 02 49 80
- 23591. Nicrophorus confusus Portevin,1924** (Silphidae) Synonym(s): confusus Portevin,1924 Range (in code): TR Cc T-S CN Ui Muz UA Cm KG 08 75
- 23592. Nicrophorus fossor Erichson,1837** (Silphidae) Synonym(s): fossor Erichson,1837 Range (in code): TR 08 60
- 23593. Nicrophorus germanicus (Linnaeus,1758)** (Silphidae) Synonym(s): germanicus Linnaeus,1758 Range (in code): TR Cc SY CN Ui 18 42 70
- 23594. Nicrophorus humator (Gleditsch,1767)** (Silphidae) Synonym(s): humator Gleditsch,1767 Range (in code): DZ TR Cc IR CN Ui Ku RU Sb 02 14 18 80
- 23595. Nicrophorus investigator Zetterstedt,1824** (Silphidae) Synonym(s): investigator Zetterstedt,1824; praedator Reitter,1887 Range (in code): TR CN Mc Sz Ui Muz 61
- 23596. Nicrophorus morio Gebler,1817** (Silphidae) Synonym(s): morio Gebler,1817 Range (in code): CN Ui Ku Muz Gn Pkn IMn RU Sb IR AF TM KG KK MN UZ
- 23597. Nicrophorus nepalensis Hope,1831** (Silphidae) Synonym(s): nepalensis Hope,1831 Range (in code): CN Fkn Gn Kwa Hn Hun IMn Sz Yu PK IN NP LA MM TH VN JP PH MY ID
- 23598. Nicrophorus nigricornis Faldermann,1835** (Silphidae) Synonym(s): nigricornis Faldermann,1835 Range (in code): TR FR AT SS BG Cc CH 36
- 23599. Nicrophorus satanas Reitter,1893** (Silphidae) Synonym(s): satanas Reitter,1893 Range (in code): CN Ui Ku KG KK UZ TM AF IR PK
- 23600. Nicrophorus vespillo (Linnaeus,1758)** (Silphidae) Synonym(s): vespillo Linnaeus,1758 Range (in code): TR CN Ui Ku Muz MN RU Sb 08 60
- 23601. Nicrophorus vespilloides Herbst,1784** (Silphidae) Synonym(s): vespilloides Herbst,1784 Range (in code): TR CN Sz Mc 02

- 23602. *Nicrophorus vestigator* Herschel,1807** (Silphidae) Synonym(s): *vestigator* Herschel,1807 Range (in code): TR 14
- 23603. *Oiceoptoma thoracica* (Linnaeus,1758)** (Silphidae) Synonym(s): *thoracica* Linnaeus,1758 Range (in code): TR 61
- 23604. *Phosphuga atrata* (Linnaeus,1758)** (Silphidae) Synonym(s): *atrata* Linnaeus,1758 Range (in code): TR 08 14 52
- 23605. *Silpha obscura* Linnaeus,1758** (Silphidae) Synonym(s): *obscura* Linnaeus,1758 Range (in code): TR CN Ui Ku Tpn Um RU Sb MN 07 08 14 17 18 22 25 26 30 35 36 43 61 62 65 75
- 23606. *Silpha tristis* Illiger,1798** (Silphidae) Synonym(s): *tristis* Illiger,1798 Range (in code): TR Cc IR 08
- 23607. *Thanatophilus dentigerus* Semenov,1891** (Silphidae) Synonym(s): *dentigerus* Semenov,1891 Range (in code): CN Qz Sz Ti Yu NP IN Up Hp PK
- 23608. *Thanatophilus porrectus* Semenov,1891** (Silphidae) Synonym(s): *porrectus* Semenov,1891 Range (in code): CN Ui Muz Au Qz AM Cc AF PK RU Us
- 23609. *Thanatophilus rugosus* (Linnaeus,1758)** (Silphidae) Synonym(s): *rugosus* Linnaeus,1758 Range (in code): TR CN Pkn Sz Ui Ku Tpn Yu 01 02 32 46
- 23610. *Thanatophilus sinuatus* (Fabricius,1775)** (Silphidae) Synonym(s): *sinuatus* Fabricius,1775 Range (in code): TR UA Cm SY IR TM CN Pkn IMn Ui Sz 02
- 23611. *Thanatophilus terminatus* (Hummel,1825)** (Silphidae) Synonym(s): *terminatus* Hummel,1825 Range (in code): CN Ui Muz RU Sb UA TR
- 23612. *Spercheus cerisyi* Guérin-Ménéville** (Spercheidae) Synonym(s): Range (in code): AO BW TD ZR ET GM GH GN KE MG MW MR MZ NA NG SN SL ZA SD TZ UG CG ZM EG IQ IL Pa BJ
- 23613. *Spercheus senegalensis* Castelnau** (Spercheidae) Synonym(s): Range (in code): BJ BW BI TD CG ET GM GH KE MG MW MZ NA SN SO ZA SD TZ TG ZR TR
- 23614. *Abemus chloropterus* (Panzer,1796)** (Staphylinidae) Synonym(s): *chloropterus* Panzer,1796 Range (in code): TR 33
- 23615. *Achenium anatolicum* Jarrige,1952** (Staphylinidae) Synonym(s): *anatolicum* Jarrige,1952 Range (in code): TR 06
- 23616. *Achenium depressum* (Gravenhorst,1802)** (Staphylinidae) Synonym(s): *depressum* Gravenhorst,1802 Range (in code): TR 42 45
- 23617. *Achenium fumatum* Koch,1937** (Staphylinidae) Synonym(s): *fumatum* Koch,1937 Range (in code): TR 01 21 27 42 63
- 23618. *Achenium humile* (Nicolai,1822)** (Staphylinidae) Synonym(s): *humile* Nicolai,1822 Range (in code): TR 26 32
- 23619. *Achenium levantinum* Reitter,1884** (Staphylinidae) Synonym(s): *levantinum* Reitter,1884 Range (in code): TR
- 23620. *Achenium picinum* Fauvel,1875** (Staphylinidae) Synonym(s): *picinum* Fauvel,1875 Range (in code): TR 27 33 80
- 23621. *Achenium scimbaliodes* Koch,1937** (Staphylinidae) Synonym(s): *scimbaliodes* Koch,1937 Range (in code): TR 01 17 45
- 23622. *Achenium turcicum* Coiffait,1971** (Staphylinidae) Synonym(s): *turcicum* Coiffait,1971 Range (in code): TR 32
- 23623. *Acidota brevis* Assing,2004** (Staphylinidae) Synonym(s): *brevis* Assing,2004 Range (in code): TR 33
- 23624. *Acidota crenata* (Fabricius,1793)** (Staphylinidae) Synonym(s): *crenata* Fabricius,1793 Range (in code): TR 53
- 23625. *Acrolocha amabilis* (Heer,1841)** (Staphylinidae) Synonym(s): *amabilis* Heer,1841 Range (in code): TR
- 23626. *Acrotoma exigua* (Erichson,1837)** (Staphylinidae) Synonym(s): *exigua* Erichson,1837 Range (in code): TR 02
- 23627. *Acrotoma muscorum* (Brisout,1860)** (Staphylinidae) Synonym(s): *muscorum* Brisout,1860 Range (in code): TR 25 35 46
- 23628. *Acrotoma obfuscata* (Gravenhorst,1802)** (Staphylinidae) Synonym(s): *obfuscata* Gravenhorst,1802 Range (in code): TR 46
- 23629. *Acrotoma orbata* (Erichson,1837)** (Staphylinidae) Synonym(s): *orbata* Erichson,1837 Range (in code): TR 34
- 23630. *Acrotoma parvula* (Mannerheim,1830)** (Staphylinidae) Synonym(s): *parvula* Mannerheim,1830 Range (in code): TR
- 23631. *Acrotoma piceorufa* (Mulsant & Rey,1873)** (Staphylinidae) Synonym(s): *piceorufa* Mulsant & Rey,1873 Range (in code): TR 07 32 33 80
- 23632. *Acrotoma pygmaea* (Gravenhorst,1802)** (Staphylinidae) Synonym(s): *pygmaea* Gravenhorst,1802 Range (in code): TR



- 23633. *Acrulia armeniaca* Szekessy,1939** (Staphylinidae) Synonym(s): *armeniaca* Szekessy,1939 Range (in code): AZ Len Cc
- 23634. *Acylophorus asperipennis* Smetana,1967** (Staphylinidae) Synonym(s): *asperipennis* Smetana,1967 Range (in code): TR 27
- 23635. *Acylophorus glaberrimus* (Herbst,1784)** (Staphylinidae) Synonym(s): *glaberrimus* Herbst,1784 Range (in code): TR 01 12 24 33
- 23636. *Acylophorus lindbergi* Scheerpeltz,1958** (Staphylinidae) Synonym(s): *lindbergi* Scheerpeltz,1958 Range (in code): TR 65
- 23637. *Aleochara albopila* (Mulsant & Rey,1852)** (Staphylinidae) Synonym(s): *albopila* Mulsant & Rey,1852 Range (in code): TR 34
- 23638. *Aleochara bellonata* Krasa,1922** (Staphylinidae) Synonym(s): *bellonata* Krasa,1922 Range (in code): TR 46
- 23639. *Aleochara bilineata* Gyllenhal,1810** (Staphylinidae) Synonym(s): *bilineata* Gyllenhal,1810 Range (in code): TR 08 29
- 23640. *Aleochara bipustulata* (Linnaeus,1761)** (Staphylinidae) Synonym(s): *bipustulata* Linnaeus,1761 Range (in code): TR 07 29 31 34 35 41 42 44 46 51 52 53 65
- 23641. *Aleochara bituberculata* Bernhauer,1900** (Staphylinidae) Synonym(s): *bituberculata* Bernhauer,1900 Range (in code): TR 03 14 38
- 23642. *Aleochara bodemeyeri* Bernhauer,1900** (Staphylinidae) Synonym(s): *bodemeyeri* Bernhauer,1900 Range (in code): TR 14 54
- 23643. *Aleochara brevipennis* Gravenhorst,1806** (Staphylinidae) Synonym(s): *brevipennis* Gravenhorst,1806 Range (in code): TR 33
- 23644. *Aleochara caloderoides* Assing,2007** (Staphylinidae) Synonym(s): *caloderoides* Assing,2007 Range (in code): TR 33
- 23645. *Aleochara clavicornis* Redtenbacher,1849** (Staphylinidae) Synonym(s): *clavicornis* Redtenbacher,1849 Range (in code): TR 31 46
- 23646. *Aleochara cuniculorum* Kraatz,1864** (Staphylinidae) Synonym(s): *cuniculorum* Kraatz,1864 Range (in code): TR 42
- 23647. *Aleochara curtula* (Goeze,1777)** (Staphylinidae) Synonym(s): *curtula* Goeze,1777 Range (in code): TR 21 33? 75
- 23648. *Aleochara discipennis* Mulsant & Rey,1853** (Staphylinidae) Synonym(s): *discipennis* Mulsant & Rey,1853 Range (in code): TR 33 34
- 23649. *Aleochara egregia* Apfelbeck,1906** (Staphylinidae) Synonym(s): *egregia* Apfelbeck,1906 Range (in code): TR 34
- 23650. *Aleochara erythroptera* Gravenhorst,1806** (Staphylinidae) Synonym(s): *erythroptera* Gravenhorst,1806 Range (in code): TR 09 48 75
- 23651. *Aleochara fumata* Gravenhorst,1802** (Staphylinidae) Synonym(s): *fumata* Gravenhorst,1802 Range (in code): TR
- 23652. *Aleochara funebris* Wollaston,1864** (Staphylinidae) Synonym(s): *funebris* Wollaston,1864 Range (in code): TR 42
- 23653. *Aleochara haematoptera* Kraatz,1858** (Staphylinidae) Synonym(s): *haematoptera* Kraatz,1858 Range (in code): TR 05 13 31 34 46 51 56 57 61 62 65 80
- 23654. *Aleochara heeri* Likovsky,1982** (Staphylinidae) Synonym(s): *heeri* Likovsky,1982 Range (in code): TR
- 23655. *Aleochara honesta* Likovsky,1973** (Staphylinidae) Synonym(s): *honesta* Likovsky,1973 Range (in code): TR 08 29 53
- 23656. *Aleochara ignipennis* Fauvel,1900** (Staphylinidae) Synonym(s): *ignipennis* Fauvel,1900 Range (in code): TR 01 13
- 23657. *Aleochara inconspicua* Aubé,1850** (Staphylinidae) Synonym(s): *inconspicua* Aubé,1850 Range (in code): TR 06 07 46 47 48 80
- 23658. *Aleochara intricata* Mannerheim,1830** (Staphylinidae) Synonym(s): *intricata* Mannerheim,1830 Range (in code): TR 06 13 31 33 34 42 63 65 80
- 23659. *Aleochara laevigata* Gyllenhal,1810** (Staphylinidae) Synonym(s): *laevigata* Gyllenhal,1810 Range (in code): TR 13 25 29 33? 34 35 63 65
- 23660. *Aleochara lanuginosa* Gravenhorst,1802** (Staphylinidae) Synonym(s): *lanuginosa* Gravenhorst,1802 Range (in code): TR 14 80
- 23661. *Aleochara lata* Gravenhorst,1802** (Staphylinidae) Synonym(s): *lata* Gravenhorst,1802 Range (in code): TR
- 23662. *Aleochara laticornis* Kraatz,1856** (Staphylinidae) Synonym(s): *laticornis* Kraatz,1856 Range (in code): TR 07 27 31 33 35 42 48
- 23663. *Aleochara leptocera* Eppelsheim,1889** (Staphylinidae) Synonym(s): *leptocera* Eppelsheim,1889 Range (in code): TR

- 23664. Aleochara lurida Motschoulsky,1860** (Staphylinidae) Synonym(s): *lurida* Motschoulsky,1860 Range (in code): TR 14
- 23665. Aleochara lygaea Kraatz,1862** (Staphylinidae) Synonym(s): *lygaea* Kraatz,1862 Range (in code): TR 08 13 62
- 23666. Aleochara maculata Brisout,1863** (Staphylinidae) Synonym(s): *maculata* Brisout,1863 Range (in code): TR 25 29
- 23667. Aleochara maculipennis Baudi di Selve,1857** (Staphylinidae) Synonym(s): *maculipennis* Baudi di Selve,1857 Range (in code): TR 30 42 46 63
- 23668. Aleochara membranosa Assing,2007** (Staphylinidae) Synonym(s): *membranosa* Assing,2007 Range (in code): TR 07
- 23669. Aleochara milleri Kraatz,1862** (Staphylinidae) Synonym(s): *milleri* Kraatz,1862 Range (in code): TR
- 23670. Aleochara moerens Gyllenhal,1827** (Staphylinidae) Synonym(s): *moerens* Gyllenhal,1827 Range (in code): TR
- 23671. Aleochara moesta Gravenhorst,1802** (Staphylinidae) Synonym(s): *moesta* Gravenhorst,1802 Range (in code): TR 12 13 42 62 65
- 23672. Aleochara ocaleoides (Bernhauer,1902)** (Staphylinidae) Synonym(s): *ocaleoides* Bernhauer,1902 Range (in code): TR
- 23673. Aleochara plicata Lokay,1907** (Staphylinidae) Synonym(s): *plicata* Lokay,1907 Range (in code): TR 01
- 23674. Aleochara puberula Klug,1832** (Staphylinidae) Synonym(s): *puberula* Klug,1832 Range (in code): TR 80
- 23675. Aleochara spadicea (Erichson,1837)** (Staphylinidae) Synonym(s): *spadicea* Erichson,1837 Range (in code): TR 48
- 23676. Aleochara sparsa Heer,1839** (Staphylinidae) Synonym(s): *sparsa* Heer,1839 Range (in code): TR 34 53
- 23677. Aleochara spissicornis Erichson,1839** (Staphylinidae) Synonym(s): *spissicornis* Erichson,1839 Range (in code): TR 25 33 42
- 23678. Aleochara stichai Likovsky,1965** (Staphylinidae) Synonym(s): *Likovsky*,1965 Range (in code): TR 28
- 23679. Aleochara subtumida (Hochhuth,1849)** (Staphylinidae) Synonym(s): *subtumida* Hochhuth,1849 Range (in code): TR 13 14 29 35 37 57 67
- 23680. Aleochara tristis Gravenhorst,1806** (Staphylinidae) Synonym(s): *tristis* Gravenhorst,1806 Range (in code): TR 08 12? 13 16 25 27 31 33 42 44 45 46 47 80
- 23681. Aleochara verna Say,1833** (Staphylinidae) Synonym(s): *verna* Say,1833 Range (in code): TR 06 24 25 27 42 46 68
- 23682. Alevonota egregia (Rye,1876)** (Staphylinidae) Synonym(s): *egregia* Rye,1876 Range (in code): TR 54
- 23683. Alevonota gracilenta (Erichson,1839)** (Staphylinidae) Synonym(s): *gracilenta* Erichson,1839 Range (in code): TR 33 53
- 23684. Alevonota libanotica (Fagel,1965)** (Staphylinidae) Synonym(s): *libanotica* Fagel,1965 Range (in code): LB TR 01 07 13 27 31 32 33 34 35 42 46 80
- 23685. Alevonota rufotestacea (Kraatz,1856)** (Staphylinidae) Synonym(s): *rufotestacea* Kraatz,1856 Range (in code): TR 07 31 32 33 34 42 46 57 78
- 23686. Allotyphlus montanus Coiffait,1957** (Staphylinidae) Synonym(s): *montanus* Coiffait,1957 Range (in code): TR 07
- 23687. Allotyphlus pisidicus Coiffait,1957** (Staphylinidae) Synonym(s): *pisidicus* Coiffait,1957 Range (in code): TR 03
- 23688. Allotyphlus turcicus Coiffait,1957** (Staphylinidae) Synonym(s): *turcicus* Coiffait,1957 Range (in code): TR 15
- 23689. Aloconota cambrica (Wollaston,1855)** (Staphylinidae) Synonym(s): *cambrica* Wollaston,1855 Range (in code): TR 01
- 23690. Aloconota debilicornis (Erichson,1839)** (Staphylinidae) Synonym(s): *debilicornis* Erichson,1839 Range (in code): TR 08 25 29 53 61
- 23691. Aloconota gregaria (Erichson,1839)** (Staphylinidae) Synonym(s): *gregaria* Erichson,1839 Range (in code): TR 07 27 29 33 46 48
- 23692. Aloconota hydrocephalica Eppelsheim,1878** (Staphylinidae) Synonym(s): *hydrocephalica* Eppelsheim,1878 Range (in code): TR 61
- 23693. Aloconota mediterranea (Benick,1941)** (Staphylinidae) Synonym(s): *mediterranea* Benick,1941 Range (in code): TR 07 46
- 23694. Aloconota subgrandis (Brudin,1954)** (Staphylinidae) Synonym(s): *subgrandis* Brudin,1954 Range (in code): TR 29

- 23695. Aloconota sulcifrons (Stephens,1832)** (Staphylinidae) **Synonym(s):** sulcifrons Stephens,1832 **Range (in code):** [TR 25 53](#)
- 23696. Amarochara bonnairei (Fauvel,1865)** (Staphylinidae) **Synonym(s):** bonnairei Fauvel,1865 **Range (in code):** [TR 34 57](#)
- 23697. Amarochara forticornis (Lacordaire,1835)** (Staphylinidae) **Synonym(s):** forticornis Lacordaire,1835 **Range (in code):** [TR](#)
- 23698. Amarochara siculifera Assing,2002** (Staphylinidae) **Synonym(s):** siculifera Assing,2002 **Range (in code):** [TR 31 33](#)
- 23699. Amarochara wunderlei Assing,2003** (Staphylinidae) **Synonym(s):** wunderlei Assing,2003 **Range (in code):** [TR 07](#)
- 23700. Amischa analis (Gravenhorst,1802)** (Staphylinidae) **Synonym(s):** analis Gravenhorst,1802 **Range (in code):** [TR](#)
- 23701. Amischa bifoveolata (Mannerheim,1830)** (Staphylinidae) **Synonym(s):** bifoveolata Mannerheim,1830 **Range (in code):** [TR 08 52](#)
- 23702. Amischa decipiens (Sharp,1869)** (Staphylinidae) **Synonym(s):** decipiens Sharp,1869 **Range (in code):** [TR 06](#)
- 23703. Amischa filum (Mulsant & Rey,1870)** (Staphylinidae) **Synonym(s):** filum Mulsant & Rey,1870 **Range (in code):** [TR 33 46 48](#)
- 23704. Amischa forcipata Mulsant & Rey,1873** (Staphylinidae) **Synonym(s):** forcipata Mulsant & Rey,1873 **Range (in code):** [TR 35](#)
- 23705. Amischa nigrofusca Stephens,1832** (Staphylinidae) **Synonym(s):** nigrofusca Stephens,1832 **Range (in code):** [TR 45](#)
- 23706. Anaulacaspis anatolica (Fagel,1969)** (Staphylinidae) **Synonym(s):** anatolica Fagel,1969 **Range (in code):** [TR 07](#)
- 23707. Anaulacaspis jonica (Bernhauer,1910)** (Staphylinidae) **Synonym(s):** jonica Bernhauer,1910 **Range (in code):** [TR 34](#)
- 23708. Anaulacaspis nigra (Gravenhorst,1802)** (Staphylinidae) **Synonym(s):** nigra Gravenhorst,1802 **Range (in code):** [TR](#)
- 23709. Anaulacaspis nigrina Assing,2001** (Staphylinidae) **Synonym(s):** nigrina Assing,2001 **Range (in code):** [TR 07](#)
- 23710. Anaulacaspis pamphylica (Fagel,1989)** (Staphylinidae) **Synonym(s):** pamphylica Fagel,1989 **Range (in code):** [TR 07](#)
- 23711. Anomognathus tricuspis (Eppelsheim,1884)** (Staphylinidae) **Synonym(s):** tricuspis Eppelsheim,1884 **Range (in code):** [TR 01](#)
- 23712. Anotylus clypeonitens (Pandellé,1867)** (Staphylinidae) **Synonym(s):** clypeonitens Pandellé,1867 **Range (in code):** [TR 06 10](#)
- 23713. Anotylus complanatus (Erichson,1839)** (Staphylinidae) **Synonym(s):** complanatus Erichson,1839 **Range (in code):** [TR 33 34](#)
- 23714. Anotylus hybridus (Eppelsheim,1878)** (Staphylinidae) **Synonym(s):** hybridus Eppelsheim,1878 **Range (in code):** [TR 34](#)
- 23715. Anotylus intricatus (Erichson,1840)** (Staphylinidae) **Synonym(s):** intricatus Erichson,1840 **Range (in code):** [TR 01 10 35](#)
- 23716. Anotylus inustus (Gravenhorst,1806)** (Staphylinidae) **Synonym(s):** inustus Gravenhorst,1806 **Range (in code):** [TR 08 16 25 33 34 42 79](#)
- 23717. Anotylus mutator (Lohse,1963)** (Staphylinidae) **Synonym(s):** mutator Lohse,1963 **Range (in code):** [TR 53](#)
- 23718. Anotylus nitidulus (Gravenhorst,1802)** (Staphylinidae) **Synonym(s):** nitidulus Gravenhorst,1802 **Range (in code):** [TR 01 06 42 51](#)
- 23719. Anotylus politus (Erichson,1840)** (Staphylinidae) **Synonym(s):** politus Erichson,1840 **Range (in code):** [TR 45](#)
- 23720. Anotylus pumilus (Erichson,1839)** (Staphylinidae) **Synonym(s):** pumilus Erichson,1839 **Range (in code):** [TR 06](#)
- 23721. Anotylus rugosus (Fabricius,1775)** (Staphylinidae) **Synonym(s):** rugosus Fabricius,1775 **Range (in code):** [TR 01 06 33](#)
- 23722. Anotylus sculpturatus (Gravenhorst,1806)** (Staphylinidae) **Synonym(s):** sculpturatus Gravenhorst,1806 **Range (in code):** [TR 33 34](#)
- 23723. Anotylus speculifrons (Kraatz,1857)** (Staphylinidae) **Synonym(s):** speculifrons Kraatz,1857 **Range (in code):** [TR 06 10 25](#)
- 23724. Anotylus tetracarınatus (Block,1799)** (Staphylinidae) **Synonym(s):** tetracarınatus Block,1799 **Range (in code):** [TR 06 27 31](#)
- 23725. Anthobium abantense (Fagel,1968)** (Staphylinidae) **Synonym(s):** abantense Fagel,1968 **Range (in code):** [TR 14](#)



- 23726. *Anthobium anatolicum* (Fagel,1968)** (Staphylinidae) Synonym(s): *anatolicum* Fagel,1968 Range (in code): TR 01 14 27 33 35 46
- 23727. *Anthobium atrocephalum* (Gyllenhal,1827)** (Staphylinidae) Synonym(s): *atrocephalum* Gyllenhal,1827 Range (in code): TR 01 02 14
- 23728. *Anthobium fuscum* (Erichson,1839)** (Staphylinidae) Synonym(s): *fuscum* Erichson,1839 Range (in code): TR 01 02 09 25 33
- 23729. *Anthobium melanocephalum* (Illiger,1794)** (Staphylinidae) Synonym(s): *melanocephalum* Illiger,1794 Range (in code): TR 01 02 07
- 23730. *Anthophagus ilgazicus* Coiffait,1981** (Staphylinidae) Synonym(s): *ilgazicus* Coiffait,1981 Range (in code): TR 37
- 23731. *Anthophagus schatzmayri* Koch,1933** (Staphylinidae) Synonym(s): *schatzmayri* Koch,1933 Range (in code): TR 16
- 23732. *Aploderus caelatus* (Gravenhorst,1802)** (Staphylinidae) Synonym(s): *caelatus* Gravenhorst,1802 Range (in code): TR 45
- 23733. *Aploderus capitulatus* Assing,2007** (Staphylinidae) Synonym(s): *capitulatus* Assing,2007 Range (in code): TR 61
- 23734. *Aploderus endogaeus* Assing,2003** (Staphylinidae) Synonym(s): *endogaeus* Assing,2003 Range (in code): TR 07 48
- 23735. *Aploderus lydicus* Assing,2007** (Staphylinidae) Synonym(s): *lydicus* Assing,2007 Range (in code): TR 09 35
- 23736. *Aploderus magniceps* Assing,2007** (Staphylinidae) Synonym(s): *magniceps* Assing,2007 Range (in code): TR 57
- 23737. *Aploderus schweigeri* (Smetana,1967)** (Staphylinidae) Synonym(s): *schweigeri* Smetana,1967 Range (in code): TR 14 37 57 67 81
- 23738. *Arrhenopeplus turcicus* (Coiffait,1958)** (Staphylinidae) Synonym(s): *turcicus* Coiffait,1958 Range (in code): TR 16
- 23739. *Astenus assingi* Bordoni,1994** (Staphylinidae) Synonym(s): *assingi* Bordoni,1994 Range (in code): TR 07
- 23740. *Astenus baali* Coiffait,1960** (Staphylinidae) Synonym(s): *baali* Coiffait,1960 Range (in code): TR 32
- 23741. *Astenus bicoloratus* (Erichson,1840)** (Staphylinidae) Synonym(s): *bicoloratus* Erichson,1840 Range (in code): TR 34
- 23742. *Astenus bucharensis* Bernhauer,1902** (Staphylinidae) Synonym(s): *bucharensis* Bernhauer,1902 Range (in code): TR
- 23743. *Astenus circumflexus* Jarrige,1952** (Staphylinidae) Synonym(s): *circumflexus* Jarrige,1952 Range (in code): TR 33
- 23744. *Astenus cribrellus* Baudi di Selve,1870** (Staphylinidae) Synonym(s): *cribrellus* Baudi di Selve,1870 Range (in code): TR
- 23745. *Astenus gracilis* (Paykull,1789)** (Staphylinidae) Synonym(s): *gracilis* Paykull,1789 Range (in code): TR 34
- 23746. *Astenus immaculatus* Stephens,1833** (Staphylinidae) Synonym(s): *immaculatus* Stephens,1833 Range (in code): TR
- 23747. *Astenus lyonessius* (Joy,1908)** (Staphylinidae) Synonym(s): *lyonessius* Joy,1908 Range (in code): TR 27 31 35 45
- 23748. *Astenus melanurus* (Küster,1853)** (Staphylinidae) Synonym(s): *melanurus* Küster,1853 Range (in code): TR 09 27 45
- 23749. *Astenus obliquus* Jarrige,1952** (Staphylinidae) Synonym(s): *obliquus* Jarrige,1952 Range (in code): TR 01 34
- 23750. *Astenus occiduus* Assing,2007** (Staphylinidae) Synonym(s): *occiduus* Assing,2007 Range (in code): TR 09 20 35
- 23751. *Astenus paphlagonicus* Assing,2002** (Staphylinidae) Synonym(s): *paphlagonicus* Assing,2002 Range (in code): TR 37
- 23752. *Astenus procerus* (Gravenhorst,1806)** (Staphylinidae) Synonym(s): *procerus* Gravenhorst,1806; *filiformis* Latreille,1806 Range (in code): TR 20 27 35 38 45 46
- 23753. *Astenus sextosus* Assing,2002** (Staphylinidae) Synonym(s): *sextosus* Assing,2002 Range (in code): TR 38
- 23754. *Astenus thaboris* (Saulcy,1865)** (Staphylinidae) Synonym(s): *thaboris* Saulcy,1865 Range (in code): TR 33
- 23755. *Astenus thoracicus* (Baudi di Selve,1857)** (Staphylinidae) Synonym(s): *thoracicus* Baudi di Selve,1857; *subnitidus* Kraatz,1858 Range (in code): TR 06 27 35 45 46
- 23756. *Astrapaeus ulmi* (Rossi,1790)** (Staphylinidae) Synonym(s): *ulmi* Rossi,1790 Range (in code): TR 35
- 23757. *Atheta aegra* (Heer,1841)** (Staphylinidae) Synonym(s): *aegra* Heer,1841 Range (in code): TR

- 23758. Atheta aeneicollis (Sharp,1869)** (Staphylinidae) Synonym(s): aeneicollis Sharp,1869 [Range \(in code\): TR](#)
- 23759. Atheta aeneipennis (Thomson,1856)** (Staphylinidae) Synonym(s): aeneipennis Thomson,1856 [Range \(in code\): TR 53 61](#)
- 23760. Atheta akiensis Assing,2006** (Staphylinidae) Synonym(s): akiensis Assing,2006 [Range \(in code\): TR 48](#)
- 23761. Atheta atramentaria (Gyllenhal,1810)** (Staphylinidae) Synonym(s): atramentaria Gyllenhal,1810 [Range \(in code\): TR](#)
- 23762. Atheta atricolor (Sharp,1869)** (Staphylinidae) Synonym(s): atricolor Sharp,1869 [Range \(in code\): TR](#)
- 23763. Atheta attaleensis Page,2004** (Staphylinidae) Synonym(s): attaleensis Page,2004 [Range \(in code\): TR 07](#)
- 23764. Atheta balcanicola Scheerpeltz,1968** (Staphylinidae) Synonym(s): balcanicola Scheerpeltz,1968 [Range \(in code\): TR 42](#)
- 23765. Atheta benickiella Brundin,1948** (Staphylinidae) Synonym(s): benickiella Brundin,1948 [Range \(in code\): TR](#)
- 23766. Atheta bifoveata Benick,1981** (Staphylinidae) Synonym(s): bifoveata Benick,1981 [Range \(in code\): TR](#)
- 23767. Atheta britanniae Bernhauer & Scheerpeltz,1926** (Staphylinidae) Synonym(s): britanniae Bernhauer & Scheerpeltz,1926 [Range \(in code\): TR 29 61](#)
- 23768. Atheta brunnicolor Benick,1981** (Staphylinidae) Synonym(s): brunnicolor Benick,1981 [Range \(in code\): TR 02](#)
- 23769. Atheta cambrica (Wollaston,1855)** (Staphylinidae) Synonym(s): cambrica Wollaston,1855 [Range \(in code\): TR 01](#)
- 23770. Atheta castanoptera (Mannerheim,1840)** (Staphylinidae) Synonym(s): castanoptera Mannerheim,1840 [Range \(in code\): TR 08 28 29 34 52 53 61](#)
- 23771. Atheta celata (Erichson,1837)** (Staphylinidae) Synonym(s): celata Erichson,1837 [Range \(in code\): TR](#)
- 23772. Atheta chefsurica (Eppelsheim,1880)** (Staphylinidae) Synonym(s): chefsurica Eppelsheim,1880 [Range \(in code\): TR 25](#)
- 23773. Atheta cinnamoptera (Thomson,1856)** (Staphylinidae) Synonym(s): cinnamoptera Thomson,1856 [Range \(in code\): TR 08 53](#)
- 23774. Atheta circassica Bernhauer,1900** (Staphylinidae) Synonym(s): circassica Bernhauer,1900 [Range \(in code\): TR 53](#)
- 23775. Atheta crassicornis (Fabricius,1793)** (Staphylinidae) Synonym(s): crassicornis Fabricius,1793 [Range \(in code\): TR](#)
- 23776. Atheta dadopora Thomson,1867** (Staphylinidae) Synonym(s): dadopora Thomson,1867 [Range \(in code\): TR 28 29 53 61](#)
- 23777. Atheta dissimulans Assing,2007** (Staphylinidae) Synonym(s): dissimulans Assing,2007 [Range \(in code\): TR 29](#)
- 23778. Atheta epirotica Benick,1981** (Staphylinidae) Synonym(s): epirotica Benick,1981 [Range \(in code\): TR 06](#)
- 23779. Atheta episcopalis Bernhauer,1910** (Staphylinidae) Synonym(s): episcopalis Bernhauer,1910 [Range \(in code\): TR 25](#)
- 23780. Atheta fimorum (Brisout,1860)** (Staphylinidae) Synonym(s): fimorum Brisout,1860 [Range \(in code\): TR 46](#)
- 23781. Atheta flagellicornis Bencik,1967** (Staphylinidae) Synonym(s): flagellicornis Bencik,1967 [Range \(in code\): TR 27](#)
- 23782. Atheta foveicollis (Kraatz,1856)** (Staphylinidae) Synonym(s): foveicollis Kraatz,1856 [Range \(in code\): TR 46](#)
- 23783. Atheta fungi (Gravenhorst,1806)** (Staphylinidae) Synonym(s): fungi Gravenhorst,1806 [Range \(in code\): TR](#)
- 23784. Atheta fungicola (Thomson,1852)** (Staphylinidae) Synonym(s): fungicola Thomson,1852 [Range \(in code\): TR 53](#)
- 23785. Atheta fuscicolor Benick,1943** (Staphylinidae) Synonym(s): fuscicolor Benick,1943 [Range \(in code\): TR 02 48](#)
- 23786. Atheta gagatina (Baudi di Selve,1848)** (Staphylinidae) Synonym(s): gagatina Baudi di Selve,1848 [Range \(in code\): TR 25](#)
- 23787. Atheta harwoodi Williams,1930** (Staphylinidae) Synonym(s): harwoodi Williams,1930 [Range \(in code\): TR 80](#)
- 23788. Atheta hypnorum (Kiesenwetter,1850)** (Staphylinidae) Synonym(s): hypnorum Kiesenwetter,1850 [Range \(in code\): TR 29](#)

- 23789. *Atheta incisicollis* Benick,1981** (Staphylinidae) Synonym(s): incisicollis Benick,1981 Range (in code): TR
- 23790. *Atheta judith* (Sauley,1865)** (Staphylinidae) Synonym(s): judith Sauley,1865 Range (in code): TR
- 23791. *Atheta laevana* (Mulsant & Rey,1852)** (Staphylinidae) Synonym(s): laevana Mulsant & Rey,1852 Range (in code): TR 61
- 23792. *Atheta laevigata* (Hochhuth,1849)** (Staphylinidae) Synonym(s): laevigata Hochhuth,1849 Range (in code): TR 25 29 48
- 23793. *Atheta laterotundata* Benick,1943** (Staphylinidae) Synonym(s): laterotundata Benick,1943 Range (in code): TR 06
- 23794. *Atheta lindbergiana* Scheerpeltz,1958** (Staphylinidae) Synonym(s): lindbergiana Scheerpeltz,1958 Range (in code): TR 23
- 23795. *Atheta longicornis* (Gravenhorst,1802)** (Staphylinidae) Synonym(s): longicornis Gravenhorst,1802 Range (in code): TR
- 23796. *Atheta luctuosa* (Mulsant & Rey,1853)** (Staphylinidae) Synonym(s): luctuosa Mulsant & Rey,1853 Range (in code): TR 31 46
- 23797. *Atheta luridipennis* Mannerheim,1830** (Staphylinidae) Synonym(s): luridipennis Mannerheim,1830 Range (in code): TR 53
- 23798. *Atheta lyciana* Assing,2003** (Staphylinidae) Synonym(s): lyciana Assing,2003 Range (in code): TR 08 48
- 23799. *Atheta mucronata* (Kraatz,1859)** (Staphylinidae) Synonym(s): mucronata Kraatz,1859 Range (in code): TR 07
- 23800. *Atheta nigrifula* (Gravenhorst,1802)** (Staphylinidae) Synonym(s): nigrifula Gravenhorst,1802 Range (in code): TR 25 29 61
- 23801. *Atheta oblita* (Erichson,1839)** (Staphylinidae) Synonym(s): oblita Erichson,1839 Range (in code): TR
- 23802. *Atheta occulta* (Erichson,1837)** (Staphylinidae) Synonym(s): occulta Erichson,1837 Range (in code): TR
- 23803. *Atheta oraria* (Kraatz,1856)** (Staphylinidae) Synonym(s): oraria Kraatz,1856 Range (in code): TR
- 23804. *Atheta ornata* Benick,1943** (Staphylinidae) Synonym(s): ornata Benick,1943 Range (in code): TR
- 23805. *Atheta pannicula* Benick,1981** (Staphylinidae) Synonym(s): pannicula Benick,1981 Range (in code): TR 01
- 23806. *Atheta pittionii* Scheerpeltz,1950** (Staphylinidae) Synonym(s): pittionii Scheerpeltz,1950 Range (in code): TR
- 23807. *Atheta schneideri* (Eppelsheim,1889)** (Staphylinidae) Synonym(s): schneideri Eppelsheim,1889 Range (in code): TR
- 23808. *Atheta scrobicollis* (Kraatz,1859)** (Staphylinidae) Synonym(s): scrobicollis Kraatz,1859 Range (in code): TR 34
- 23809. *Atheta sequanica* (Brisout,1860)** (Staphylinidae) Synonym(s): sequanica Brisout,1860 Range (in code): TR
- 23810. *Atheta singularis* Bernhauer,1912** (Staphylinidae) Synonym(s): singularis Bernhauer,1912 Range (in code): TR 03 32
- 23811. *Atheta sodalis* (Erichson,1837)** (Staphylinidae) Synonym(s): sodalis Erichson,1837 Range (in code): TR 28 29 61
- 23812. *Atheta sordidula* (Erichson,1837)** (Staphylinidae) Synonym(s): sordidula Erichson,1837 Range (in code): TR
- 23813. *Atheta speculum* (Kraatz,1856)** (Staphylinidae) Synonym(s): speculum Kraatz,1856 Range (in code): TR 35
- 23814. *Atheta subtilis* (Scriba,1866)** (Staphylinidae) Synonym(s): subtilis Scriba,1866 Range (in code): TR 53 61
- 23815. *Atheta surda* Likovsky,1984** (Staphylinidae) Synonym(s): surda Likovsky,1984 Range (in code): TR 13
- 23816. *Atheta testaceipes* (Heer,1839)** (Staphylinidae) Synonym(s): testaceipes Heer,1839 Range (in code): TR 45 46
- 23817. *Atheta tmolosensis* Bernhauer,1940** (Staphylinidae) Synonym(s): tmolosensis Bernhauer,1940 Range (in code): TR 09 35 45
- 23818. *Atheta triangulum* (Kraatz,1856)** (Staphylinidae) Synonym(s): triangulum Kraatz,1856 Range (in code): TR 35
- 23819. *Atheta turcica* Benick,1981** (Staphylinidae) Synonym(s): turcica Benick,1981 Range (in code): TR 15 34
- 23820. *Atheta volans* (Scriba,1859)** (Staphylinidae) Synonym(s): volans Scriba,1859 Range (in code): TR 33
- 23821. *Atrecus affinis* (Paykull,1789)** (Staphylinidae) Synonym(s): affinis Paykull,1789 Range (in code): TR 14 16 37



- 23822. *Atrecus parvioculatus* Assing,1998** (Staphylinidae) **Synonym(s):** parvioculatus Assing,1998 **Range (in code):** [TR 53](#)
- 23823. *Autalia impressa* (Olivier,1795)** (Staphylinidae) **Synonym(s):** impressa Olivier,1795 **Range (in code):** [TR](#)
- 23824. *Autalia inopinata* Assing,2003** (Staphylinidae) **Synonym(s):** inopinata Assing,2003 **Range (in code):** [TR 08](#)
- 23825. *Autalia longicornis* Scheerpeltz,1947** (Staphylinidae) **Synonym(s):** longicornis Scheerpeltz,1947 **Range (in code):** [TR 07 57](#)
- 23826. *Autalia puncticollis* Sharp,1864** (Staphylinidae) **Synonym(s):** puncticollis Sharp,1864 **Range (in code):** [TR 53](#)
- 23827. *Autalia rivularis* (Gravenhorst,1802)** (Staphylinidae) **Synonym(s):** rivularis Gravenhorst,1802 **Range (in code):** [TR 34 57](#)
- 23828. *Baeocera nobilis* Reitter,1884** (Staphylinidae) **Synonym(s):** nobilis Reitter,1884 **Range (in code):** [TR](#)
- 23829. *Batrisodes buqueti* (Aubé,1833)** (Staphylinidae) **Synonym(s):** buqueti Aubé,1833 **Range (in code):** [TR 35](#)
- 23830. *Batrisodes clypeatus* Besuchet,1981** (Staphylinidae) **Synonym(s):** clypeatus Besuchet,1981 **Range (in code):** [TR 14 35 48](#)
- 23831. *Batrisodes insularis* (Baudi di Selve,1870)** (Staphylinidae) **Synonym(s):** insularis Baudi di Selve,1870 **Range (in code):** [TR 32](#)
- 23832. *Batrisodes oculatus* (Aubé,1833)** (Staphylinidae) **Synonym(s):** oculatus Aubé,1833 **Range (in code):** [TR](#)
- 23833. *Batrisus taurus* Besuchet,1979** (Staphylinidae) **Synonym(s):** tauricus Besuchet,1979 (praeocc.); taurus Besuchet,1979 **Range (in code):** [TR 01](#)
- 23834. *Bergrothia saulcyi* (Reitter,1877)** (Staphylinidae) **Synonym(s):** saulcyi Reitter,1877; tibialis Hlavac,1999 **Range (in code):** [TR 08](#)
- 23835. *Bergrothia solodovnikovi* Hlavac,2004** (Staphylinidae) **Synonym(s):** solodovnikovi Hlavac,2004 **Range (in code):** [TR 16](#)
- 23836. *Biblopectus boveyi* Besuchet,1975** (Staphylinidae) **Synonym(s):** boveyi Besuchet,1975 **Range (in code):** [TR 14 34](#)
- 23837. *Biblopectus delhermi* Guillebeau,1888** (Staphylinidae) **Synonym(s):** delhermi Guillebeau,1888 **Range (in code):** [TR](#)
- 23838. *Biblopectus hellenicus* Besuchet,1955** (Staphylinidae) **Synonym(s):** hellenicus Besuchet,1955 **Range (in code):** [GR TR](#)
- 23839. *Biblopectus hungaricus* Besuchet,1955** (Staphylinidae) **Synonym(s):** hungaricus Besuchet,1955 **Range (in code):** [HU TR](#)
- 23840. *Biblopectus jeanneli* Besuchet,1955** (Staphylinidae) **Synonym(s):** jeanneli Besuchet,1955 **Range (in code):** [TR](#)
- 23841. *Biblopectus limatus* Normand,1939** (Staphylinidae) **Synonym(s):** limatus Normand,1939 **Range (in code):** [TR](#)
- 23842. *Biblopectus parvulus* Besuchet,1975** (Staphylinidae) **Synonym(s):** parvulus Besuchet,1975 **Range (in code):** [TR 34 55](#)
- 23843. *Biblopectus pauxillus* Besuchet,1975** (Staphylinidae) **Synonym(s):** pauxillus Besuchet,1975 **Range (in code):** [TR 02 25](#)
- 23844. *Biblopectus pusillus* (Denny,1825)** (Staphylinidae) **Synonym(s):** pusillus Denny,1825 **Range (in code):** [TR](#)
- 23845. *Biblopectus spinosus* Raffray,1914** (Staphylinidae) **Synonym(s):** spinosus Raffray,1914 **Range (in code):** [TR](#)
- 23846. *Biblopectus subtilis* Besuchet,1975** (Staphylinidae) **Synonym(s):** subtilis Besuchet,1975 **Range (in code):** [TR 02](#)
- 23847. *Biblopectus tantulus* Besuchet,1975** (Staphylinidae) **Synonym(s):** tantulus Besuchet,1975 **Range (in code):** [TR](#)
- 23848. *Biblopectus tener* Besuchet,1975** (Staphylinidae) **Synonym(s):** tener Besuchet,1975 **Range (in code):** [TR 02](#)
- 23849. *Bibloporus variicolor* Reitter,1882** (Staphylinidae) **Synonym(s):** variicolor Reitter,1882 **Range (in code):** [TR](#)
- 23850. *Bisnius cephalotes* (Gravenhorst,1802)** (Staphylinidae) **Synonym(s):** cephalotes Gravenhorst,1802 **Range (in code):** [TR](#)
- 23851. *Bisnius fimetarius* (Gravenhorst,1802)** (Staphylinidae) **Synonym(s):** fimetarius Gravenhorst,1802 **Range (in code):** [TR](#)
- 23852. *Bisnius pantheri* (Ganglbauer,1905)** (Staphylinidae) **Synonym(s):** pantheri Ganglbauer,1905 **Range (in code):** [TR 38](#)

- 23853. *Bisnius piochardi* (Fauvel,1875)** (Staphylinidae) Synonym(s): *piochardi* Fauvel,1875 [Range \(in code\): TR 40](#)
- 23854. *Bisnius puella* (Nordmann,1837)** (Staphylinidae) Synonym(s): *puella* Nordmann,1837; *parumpunctatus* Erichson,1840 [Range \(in code\): TR 33](#)
- 23855. *Bisnius reitteri* (Eppelsheim,1889)** (Staphylinidae) Synonym(s): *reitteri* Eppelsheim,1889 [Range \(in code\): TR 14 28](#)
- 23856. *Bisnius sordidus* (Gravenhorst,1802)** (Staphylinidae) Synonym(s): *sordidus* Gravenhorst,1802 [Range \(in code\): TR](#)
- 23857. *Bledius atricapillus* (Germar,1825)** (Staphylinidae) Synonym(s): *atricapillus* Germar,1825 [Range \(in code\): TR](#)
- 23858. *Bledius bedeli* Fauvel,1878** (Staphylinidae) Synonym(s): *bedeli* Fauvel,1878 [Range \(in code\): TR](#)
- 23859. *Bledius bicornis* (Germar,1823)** (Staphylinidae) Synonym(s): *bicornis* Germar,1823 [Range \(in code\): TR 01](#)
- 23860. *Bledius bosnicus* Bernhauer,1902** (Staphylinidae) Synonym(s): *bosnicus* Bernhauer,1902 [Range \(in code\): TR 14](#)
- 23861. *Bledius capra* Fauvel,1875** (Staphylinidae) Synonym(s): *capra* Fauvel,1875 [Range \(in code\): TR 01](#)
- 23862. *Bledius cribricollis* Heer,1839** (Staphylinidae) Synonym(s): *cribricollis* Heer,1839 [Range \(in code\): TR 10](#)
- 23863. *Bledius denticollis* Fauvel,1872** (Staphylinidae) Synonym(s): *denticollis* Fauvel,1872 [Range \(in code\): TR 53](#)
- 23864. *Bledius dissimilis* Erichson,1840** (Staphylinidae) Synonym(s): *dissimilis* Erichson,1840 [Range \(in code\): TR](#)
- 23865. *Bledius fossor* Heer,1839** (Staphylinidae) Synonym(s): *fossor* Heer,1839 [Range \(in code\): TR 09 22 44 69](#)
- 23866. *Bledius furcatus* (Olivier,1811)** (Staphylinidae) Synonym(s): *furcatus* Olivier,1811 [Range \(in code\): TR 06 35 45](#)
- 23867. *Bledius graellsii* Fauvel,1865** (Staphylinidae) Synonym(s): *graellsii* Fauvel,1865 [Range \(in code\): TR 33](#)
- 23868. *Bledius haedus* Baudi Di Selve,1857** (Staphylinidae) Synonym(s): *haedus* Baudi Di Selve,1857 [Range \(in code\): TR](#)
- 23869. *Bledius limicola* Tottenham,1940** (Staphylinidae) Synonym(s): *limicola* Tottenham,1940 [Range \(in code\): TR Cc Arr 04 06 42 76](#)
- 23870. *Bledius spectabilis* Kraatz,1858** (Staphylinidae) Synonym(s): *spectabilis* Kraatz,1858 [Range \(in code\): TR 01 34](#)
- 23871. *Bledius subterraneus* Erichson,1839** (Staphylinidae) Synonym(s): *subterraneus* Erichson,1839 [Range \(in code\): TR 61](#)
- 23872. *Bledius tibialis* Heer,1839** (Staphylinidae) Synonym(s): *tibialis* Heer,1839 [Range \(in code\): TR](#)
- 23873. *Bledius tricornis* (Herbst,1784)** (Staphylinidae) Synonym(s): *tricornis* Herbst,1784 [Range \(in code\): TR](#)
- 23874. *Bledius unicornis* (Germar,1825)** (Staphylinidae) Synonym(s): *unicornis* Germar,1825 [Range \(in code\): TR 01](#)
- 23875. *Bledius verres* Erichson,1840** (Staphylinidae) Synonym(s): *verres* Erichson,1840 [Range \(in code\): TR 01](#)
- 23876. *Bledius vitulus* Erichson,1840** (Staphylinidae) Synonym(s): *vitulus* Erichson,1840 [Range \(in code\): TR 33](#)
- 23877. *Bolitobius castaneus* (Stephens,1832)** (Staphylinidae) Synonym(s): *castaneus* Stephens,1832 [Range \(in code\): TR 14](#)
- 23878. *Bolitobius insignis* Hochhuth,1849** (Staphylinidae) Synonym(s): *insignis* Hochhuth,1849 [Range \(in code\): TR 08](#)
- 23879. *Bolitochara bella* Maerker,1844** (Staphylinidae) Synonym(s): *bella* Maerker,1844 [Range \(in code\): TR](#)
- 23880. *Bolitochara laufferi* Bernhauer,1908** (Staphylinidae) Synonym(s): *laufferi* Bernhauer,1908 [Range \(in code\): TR 01 35 46 80](#)
- 23881. *Bolitochara obliqua* Erichson,1837** (Staphylinidae) Synonym(s): *obliqua* Erichson,1837 [Range \(in code\): TR 13 33 57 62](#)
- 23882. *Boreaphilus velox* (Heer,1839)** (Staphylinidae) Synonym(s): *velox* Heer,1839 [Range \(in code\): TR 45](#)
- 23883. *Brachygluta abrupta* Doderö,1919** (Staphylinidae) Synonym(s): *abrupta* Doderö,1919 [Range \(in code\): TR 22 48](#)
- 23884. *Brachygluta antalyana* Brachet,2004** (Staphylinidae) Synonym(s): *antalyana* Brachet,2004 [Range \(in code\): TR 07](#)

- 23885. *Brachygluta balcanica* (Saulcy,1878)** (Staphylinidae) Synonym(s): *balcanica* Saulcy,1878 Range (in code): TR 24 42
- 23886. *Brachygluta cavernosa* (Saulcy,1876)** (Staphylinidae) Synonym(s): *cavernosa* Saulcy,1876 Range (in code): TR 20 46 48
- 23887. *Brachygluta fossulata* (Reichenbach,1816)** (Staphylinidae) Synonym(s): *fossulata* Reichenbach,1816 Range (in code): TR 22
- 23888. *Brachygluta foveola* (Motschoulsky,1840)** (Staphylinidae) Synonym(s): *foveola* Motschoulsky,1840; *symmetrica* Bückle & Brachat,2007 Range (in code): TR 31 33
- 23889. *Brachygluta furcata* (Motschoulsky,1835)** (Staphylinidae) Synonym(s): *furcata* Motschoulsky,1835 Range (in code): TR 06
- 23890. *Brachygluta helferi* (Schmidt-Göbl,1836)** (Staphylinidae) Synonym(s): *helferi* Schmidt-Göbl,1836; *longispina* Reitter,1884 Range (in code): ES PT GB FR BE NL DE DK SE NO FI PL SK SS IT Sa Si AT YU CZ HU RO BG GR AL MD UA RU Cr CY TR
- 23891. *Brachygluta jessica* Brachat,2004** (Staphylinidae) Synonym(s): *jessica* Brachat,2004 Range (in code): TR 07 33
- 23892. *Brachygluta kurdica* Besuchet,2004** (Staphylinidae) Synonym(s): *kurdica* Besuchet,2004 Range (in code): TR 47
- 23893. *Brachygluta nodosa* (Motschoulsky,1835)** (Staphylinidae) Synonym(s): *nodosa* Motschoulsky,1835 Range (in code): TR 25 42
- 23894. *Brachygluta paludosa* (Peyron,1858)** (Staphylinidae) Synonym(s): *paludosa* Peyron,1858 Range (in code): TR 33?
- 23895. *Brachygluta pamphylica* Brachat,2004** (Staphylinidae) Synonym(s): *pamphylica* Brachat,2004 Range (in code): TR 07
- 23896. *Brachygluta presli* (Schmidt-Göbl,1838)** (Staphylinidae) Synonym(s): *presli* Schmidt-Göbl,1838 Range (in code): TR 61
- 23897. *Brachygluta retowskii* (Simon,1883)** (Staphylinidae) Synonym(s): *retowskii* Simon,1883 Range (in code): TR 06 38 48
- 23898. *Brachygluta spinicoxis* (Motschoulsky,1835)** (Staphylinidae) Synonym(s): *spinicoxis* Motschoulsky,1835; *fuchsi* Paganetti-Hummler,1899 Range (in code): TR
- 23899. *Brachygluta sursicauda* (Ganglbauer,1900)** (Staphylinidae) Synonym(s): *sursicauda* Ganglbauer,1900 Range (in code): TR 33 36
- 23900. *Brachygluta transversalis* (Schaum,1859)** (Staphylinidae) Synonym(s): *transversalis* Schaum,1859 Range (in code): TR 01
- 23901. *Brachygluta xanthoptera* (Reichenbach,1816)** (Staphylinidae) Synonym(s): *xanthoptera* Reichenbach,1816 Range (in code): TR
- 23902. *Brachygnathellus loebli* Zerche,1991** (Staphylinidae) Synonym(s): *loebli* Zerche,1991 Range (in code): TR 08
- 23903. *Bryaxis abastumanus* (Reitter,1890)** (Staphylinidae) Synonym(s): *abastumanus* Reitter,1890 Range (in code): GG Cc TR 08 29 53 61
- 23904. *Bryaxis amasiae* (Reitter,1890)** (Staphylinidae) Synonym(s): *amasiae* Reitter,1890 Range (in code): TR 05
- 23905. *Bryaxis anatolicus* (Saulcy,1878)** (Staphylinidae) Synonym(s): *anatolicus* Saulcy,1878 Range (in code): TR 16
- 23906. *Bryaxis artvinensis* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *artvinensis* Besuchet & Kurbatov,2007 Range (in code): TR 08
- 23907. *Bryaxis assingi* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *assingi* Besuchet & Kurbatov,2007 Range (in code): TR 53
- 23908. *Bryaxis balabanus* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *balabanus* Besuchet & Kurbatov,2007 Range (in code): TR 52
- 23909. *Bryaxis bodemeyeri* (Reitter,1903)** (Staphylinidae) Synonym(s): *bodemeyeri* Reitter,1903 Range (in code): TR 16
- 23910. *Bryaxis borckensis* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *borckensis* Besuchet & Kurbatov,2007 Range (in code): TR 08
- 23911. *Bryaxis bulbifer* (Reichenbach,1816)** (Staphylinidae) Synonym(s): *bulbifer* Reichenbach,1816 Range (in code): TR 08 22 24 25 52 75
- 23912. *Bryaxis curtisii* (Leach,1817)** (Staphylinidae) Synonym(s): *curtisii* Leach,1817; *orientalis* Karaman,1952 Range (in code): NO SE DK DE GB FR BE NL CG IT SK CZ PL BY HU MD RO UA YU SS B-H MK BG TR
- 23913. *Bryaxis emendatus* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *emendatus* Besuchet & Kurbatov,2007 Range (in code): TR 08
- 23914. *Bryaxis euryscapus* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *euryscapus* Besuchet & Kurbatov,2007 Range (in code): TR 52



- 23915. *Bryaxis immodicus* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *immodicus* Besuchet & Kurbatov,2007 Range (in code): TR 08
- 23916. *Bryaxis khnzoriani* Besuchet,1964** (Staphylinidae) Synonym(s): *khznzoriani* Besuchet,1964 Range (in code): TR 05 08 28 29 52 53 61
- 23917. *Bryaxis lazistanicus* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *lazistanicus* Besuchet & Kurbatov,2007 Range (in code): TR 53
- 23918. *Bryaxis longipalpis* (Motschoulsky,1835)** (Staphylinidae) Synonym(s): *longipalpis* Motschoulsky,1835 Range (in code): TR 08 25 53 75
- 23919. *Bryaxis meskischesianus* Meggiolaro,1966** (Staphylinidae) Synonym(s): *meskischesianus* Meggiolaro,1966 Range (in code): TR 08
- 23920. *Bryaxis mohamedis* (Reitter,1903)** (Staphylinidae) Synonym(s): *mohamedis* Reitter,1903 Range (in code): TR 34
- 23921. *Bryaxis multiplex* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *multiplex* Besuchet & Kurbatov,2007 Range (in code): TR 53
- 23922. *Bryaxis nivarius* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *nivarius* Besuchet & Kurbatov,2007 Range (in code): TR 75
- 23923. *Bryaxis orcinus* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *orcinus* Besuchet & Kurbatov,2007 Range (in code): TR 75
- 23924. *Bryaxis osellai* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *osellai* Besuchet & Kurbatov,2007 Range (in code): TR 28 29 52 61
- 23925. *Bryaxis pachyscelis* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *pachyscelis* Besuchet & Kurbatov,2007 Range (in code): TR 52
- 23926. *Bryaxis polemon* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *polemon* Besuchet & Kurbatov,2007 Range (in code): TR 53 55 61
- 23927. *Bryaxis ponticus* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *ponticus* Besuchet & Kurbatov,2007 Range (in code): TR 05 52 57
- 23928. *Bryaxis pulchrotibialis* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *pulchrotibialis* Besuchet & Kurbatov,2007 Range (in code): TR 08
- 23929. *Bryaxis schuelkei* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *schuelkei* Besuchet & Kurbatov,2007 Range (in code): TR 28
- 23930. *Bryaxis schusteri* Neuhäuser-Happe,1999** (Staphylinidae) Synonym(s): *schusteri* Neuhäuser-Happe,1999 Range (in code): TR 14
- 23931. *Bryaxis silvicola* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *silvicola* Besuchet & Kurbatov,2007 Range (in code): TR 08
- 23932. *Bryaxis steindachneri* (Reitter,1881)** (Staphylinidae) Synonym(s): *steindachneri* Reitter,1881 Range (in code): TR 08
- 23933. *Bryaxis temporalis* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *temporalis* Besuchet & Kurbatov,2007 Range (in code): TR 25 75
- 23934. *Bryaxis tenuicornis* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *tenuicornis* Besuchet & Kurbatov,2007 Range (in code): TR 08
- 23935. *Bryaxis theanus* (Reitter,1894)** (Staphylinidae) Synonym(s): *theanus* Reitter,1894 Range (in code): TR 34
- 23936. *Bryaxis transitorius* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *transitorius* Besuchet & Kurbatov,2007 Range (in code): TR 08
- 23937. *Bryaxis viti* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *viti* Besuchet & Kurbatov,2007 Range (in code): TR 08 53
- 23938. *Bryaxis ypsilon* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *ypsilon* Besuchet & Kurbatov,2007 Range (in code): TR 29 53 61
- 23939. *Bryophacis rugipennis* (Pandellé,1869)** (Staphylinidae) Synonym(s): *rugipennis* Pandellé,1869 Range (in code): TR 75
- 23940. *Bryoporus Kraatz,1858*** (Staphylinidae) Synonym(s): *Bryoporus* Kraatz,1858 Range (in code): TR
- 23941. *Bryoporus multipunctus* Hampe,1867** (Staphylinidae) Synonym(s): *multipunctus* Hampe,1867 Range (in code): TR 07 08 13 21 31 33 37 46 52
- 23942. *Bythinus balkanicus* Reitter,1885** (Staphylinidae) Synonym(s): *balkanicus* Reitter,1885 Range (in code): TR 34
- 23943. *Bythinus gracilis* Motschoulsky,1851** (Staphylinidae) Synonym(s): *gracilis* Motschoulsky,1851 Range (in code): TR
- 23944. *Bythinus parvipenis* Meggiolaro,1966** (Staphylinidae) Synonym(s): *parvipenis* Meggiolaro,1966 Range (in code): TR
- 23945. *Bythinus securiger* (Reichenbach,1816)** (Staphylinidae) Synonym(s): *securiger* Reichenbach,1816 Range (in code): TR 33
- 23946. *Bythinus vicinus* Besuchet,1960** (Staphylinidae) Synonym(s): *vicinus* Besuchet,1960 Range (in code): TR 33

- 23947. Cafius xantholoma (Gravenhorst,1806)** (Staphylinidae) **Synonym(s):** xantholoma Gravenhorst,1806 **Range (in code):** [TR 33 34](#)
- 23948. Callicerus ridigicornis (Erichson,1839)** (Staphylinidae) **Synonym(s):** ridigicornis Erichson,1839 **Range (in code):** [TR 14 16 34 67 77](#)
- 23949. Calodera ligula Assing,1996** (Staphylinidae) **Synonym(s):** ligula Assing,1996 **Range (in code):** [TR 33](#)
- 23950. Calodera meyböhmi Assing,2004** (Staphylinidae) **Synonym(s):** meyböhmi Assing,2004 **Range (in code):** [TR 33](#)
- 23951. Caloderina hierosolymitana (Saulcy,1865)** (Staphylinidae) **Synonym(s):** hierosolymitana Saulcy,1865 **Range (in code):** [TR](#)
- 23952. Carpelimus anthracinus (Mulsant & Rey,1861)** (Staphylinidae) **Synonym(s):** anthracinus Mulsant & Rey,1861 **Range (in code):** [TR 06](#)
- 23953. Carpelimus bilineatus Stephens,1834** (Staphylinidae) **Synonym(s):** bilineatus Stephens,1834 **Range (in code):** [TR 01 06 33 45 51](#)
- 23954. Carpelimus coiffaiti Gildenkova,2001** (Staphylinidae) **Synonym(s):** coiffaiti Gildenkova,2001 **Range (in code):** [TR 25](#)
- 23955. Carpelimus corticinus (Gravenhorst,1806)** (Staphylinidae) **Synonym(s):** corticinus Gravenhorst,1806 **Range (in code):** [TR 01 06 33 45 79](#)
- 23956. Carpelimus despectus (Baudi Di Selve,1870)** (Staphylinidae) **Synonym(s):** despectus Baudi Di Selve,1870 **Range (in code):** [TR 01](#)
- 23957. Carpelimus exiguus (Erichson,1839)** (Staphylinidae) **Synonym(s):** exiguus Erichson,1839 **Range (in code):** [TR 01 03 06 27 33 79](#)
- 23958. Carpelimus foveolatus (Sahlberg,1832)** (Staphylinidae) **Synonym(s):** foveolatus Sahlberg,1832 **Range (in code):** [TR 06](#)
- 23959. Carpelimus fuliginosus (Gravenhorst,1802)** (Staphylinidae) **Synonym(s):** fuliginosus Gravenhorst,1802 **Range (in code):** [TR 01 06 34](#)
- 23960. Carpelimus gracilis (Mannerheim,1830)** (Staphylinidae) **Synonym(s):** gracilis Mannerheim,1830 **Range (in code):** [TR 01 06](#)
- 23961. Carpelimus halophilus (Kiesenwetter,1844)** (Staphylinidae) **Synonym(s):** halophilus Kiesenwetter,1844 **Range (in code):** [TR 01 06](#)
- 23962. Carpelimus insularis (Kraatz,1858)** (Staphylinidae) **Synonym(s):** insularis Kraatz,1858 **Range (in code):** [TR 01 06 07 09 33 45 79](#)
- 23963. Carpelimus klimai (Bernhauer,1903)** (Staphylinidae) **Synonym(s):** klimai Bernhauer,1903 **Range (in code):** [TR 54](#)
- 23964. Carpelimus manchuricus (Bernhauer,1938)** (Staphylinidae) **Synonym(s):** manchuricus Bernhauer,1938; subtilicornis Roubal,1946 [ssp.]; nigrinus Smetana,1967 **Range (in code):** [TR CN Mc 06](#)
- 23965. Carpelimus mendax (Smetana,1967)** (Staphylinidae) **Synonym(s):** mendax Smetana,1967 **Range (in code):** [TR 01](#)
- 23966. Carpelimus nitidus (Baudi Di Selve,1848)** (Staphylinidae) **Synonym(s):** nitidus Baudi Di Selve,1848 **Range (in code):** [TR 33 79](#)
- 23967. Carpelimus obesus (Kiesenwetter,1844)** (Staphylinidae) **Synonym(s):** obesus Kiesenwetter,1844 **Range (in code):** [TR 01 06](#)
- 23968. Carpelimus politus (Kiesenwetter,1850)** (Staphylinidae) **Synonym(s):** politus Kiesenwetter,1850 **Range (in code):** [TR 79](#)
- 23969. Carpelimus pusillus (Gravenhorst,1802)** (Staphylinidae) **Synonym(s):** pusillus Gravenhorst,1802 **Range (in code):** [TR 06](#)
- 23970. Carpelimus rivularis (Motschoulsky,1860)** (Staphylinidae) **Synonym(s):** rivularis Motschoulsky,1860 **Range (in code):** [TR 06 34](#)
- 23971. Carpelimus similis (Smetana,1967)** (Staphylinidae) **Synonym(s):** similis Smetana,1967 **Range (in code):** [TR 06 45 51](#)
- 23972. Carpelimus subtilis (Erichson,1839)** (Staphylinidae) **Synonym(s):** subtilis Erichson,1839 **Range (in code):** [TR 06](#)
- 23973. Carpelimus transversicollis (Scheerpeltz,1947)** (Staphylinidae) **Synonym(s):** transversicollis Scheerpeltz,1947 **Range (in code):** [TR](#)
- 23974. Chaetosogonocephus adventicius Assing,2004** (Staphylinidae) **Synonym(s):** adventicius Assing,2004 **Range (in code):** [TR 07 13 20 33](#)
- 23975. Chennium prometheus Saulcy,1875** (Staphylinidae) **Synonym(s):** prometheus Saulcy,1875 **Range (in code):** [TR 16](#)
- 23976. Cilea silphoides (Linnaeus,1767)** (Staphylinidae) **Synonym(s):** silphoides Linnaeus,1767 **Range (in code):** [TR](#)
- 23977. Claviger caspicus Reitter,1882** (Staphylinidae) **Synonym(s):** caspicus Reitter,1882 **Range (in code):** [TM TR](#)

- 23978. *Claviger ciscaucasicus* Reitter,1910** (Staphylinidae) Synonym(s): *ciscaucasicus* Reitter,1910 Range (in code): Cc TR
- 23979. *Claviger colchicus* Motschoulsky,1837** (Staphylinidae) Synonym(s): *colchicus* Motschoulsky,1837 Range (in code): TR 11
- 23980. *Claviger katharinae* Escherich,1897** (Staphylinidae) Synonym(s): *katharinae* Escherich,1897 Range (in code): TR 16
- 23981. *Claviger lederi* Reitter,1877** (Staphylinidae) Synonym(s): *lederi* Reitter,1877 Range (in code): TR
- 23982. *Claviger merkli* Reitter,1885** (Staphylinidae) Synonym(s): *merkli* Reitter,1885 Range (in code): TR
- 23983. *Claviger olympicus* Escherich,1897** (Staphylinidae) Synonym(s): *olympicus* Escherich,1897 Range (in code): TR 16 42
- 23984. *Claviger ottomanus* Escherich,1897** (Staphylinidae) Synonym(s): *ottomanus* Escherich,1897 Range (in code): TR 16
- 23985. *Claviger testaceus* Preyssler,1790** (Staphylinidae) Synonym(s): *testaceus* Preyssler,1790 Range (in code): TR
- 23986. *Coprophilus pennifer* (Motschulsky,1845)** (Staphylinidae) Synonym(s): *pennifer* Motschulsky,1845 Range (in code): TR 38 42
- 23987. *Coproporus colchicus* Kraatz,1858** (Staphylinidae) Synonym(s): *colchicus* Kraatz,1858 Range (in code): TR 07 33 34 35
- 23988. *Cordalia anatolica* Assing,2001** (Staphylinidae) Synonym(s): *anatolica* Assing,2001 Range (in code): TR 07 32
- 23989. *Cordalia fortepunctata* Assing,2006** (Staphylinidae) Synonym(s): *fortepunctata* Assing,2006 Range (in code): TR 02 06 33 38 44 46
- 23990. *Cordalia obscura* (Gravenhorst,1802)** (Staphylinidae) Synonym(s): *obscura* Gravenhorst,1802 Range (in code): TR 67
- 23991. *Cordalia rosei* Assing,2006** (Staphylinidae) Synonym(s): *rosei* Assing,2006 Range (in code): TR 07
- 23992. *Coryphiodes anaticum* (Fagel,1971)** (Staphylinidae) Synonym(s): *anaticum* Fagel,1971 Range (in code): TR 16
- 23993. *Coryphium turcicum* Zerche,1993** (Staphylinidae) Synonym(s): *turcicum* Zerche,1993 Range (in code): TR 08
- 23994. *Coryphium uludaghense* Fagel,1971** (Staphylinidae) Synonym(s): *uludaghense* Fagel,1971 Range (in code): TR 16
- 23995. *Cousya bicolor* (Bernhauer,1900)** (Staphylinidae) Synonym(s): *bicolor* Bernhauer,1900 Range (in code): TR 45
- 23996. *Cousya crocea* Assing,2004** (Staphylinidae) Synonym(s): *crocea* Assing,2004 Range (in code): TR 27 33 46 48 80
- 23997. *Cousya nigrata* (Fairmaire & Laboulbene,1856)** (Staphylinidae) Synonym(s): *nigrata* Fairmaire & Laboulbene,1856 Range (in code): TR 02 09 27 31 33 46 48
- 23998. *Cousya schuelkei* Assing,2007** (Staphylinidae) Synonym(s): *schuelkei* Assing,2007 Range (in code): TR 53
- 23999. *Creophilus maxillosus* (Linnaeus,1758)** (Staphylinidae) Synonym(s): *maxillosus* Linnaeus,1758 Range (in code): TR 01 27 31 33 35 38 45
- 24000. *Cryptobium chaudoiri* Hochhuth,1851** (Staphylinidae) Synonym(s): *chaudoiri* Hochhuth,1851; *adanense* Rambousek,1906 Range (in code): GR TR Cc AM 01
- 24001. *Cryptobium fracticorne* (Paykull,1800)** (Staphylinidae) Synonym(s): *fracticorne* Paykull,1800; *jaquelinei* Boildieu,1859; *brevipenne* Mulsant & Rey,1861; *collare* Reitter,1884 Range (in code): DE AT Cc TR
- 24002. *Cryptobium iranoturkestanicum* Scheerpeltz,1956** (Staphylinidae) Synonym(s): *iranoturkestanicum* Scheerpeltz,1956 Range (in code): IR TM UZ
- 24003. *Ctenisomorphus major* (Raffray,1877)** (Staphylinidae) Synonym(s): *major* Raffray,1877 Range (in code): TR 01
- 24004. *Ctenistes palpalis* Reichenbach,1816** (Staphylinidae) Synonym(s): *palpalis* Reichenbach,1816 Range (in code): TR 61
- 24005. *Cypha laeviuscula* (Mannerheim,1830)** (Staphylinidae) Synonym(s): *laeviuscula* Mannerheim,1830 Range (in code): TR 27 31
- 24006. *Cypha spathula* Assing,2007** (Staphylinidae) Synonym(s): *spathula* Assing,2007 Range (in code): TR 31 33 45 46 80
- 24007. *Cypha squamipennis* (Fauvel,1902)** (Staphylinidae) Synonym(s): *squamipennis* Fauvel,1902 Range (in code): TR 31 33 46
- 24008. *Cypha tenebricosa* Assing,2004** (Staphylinidae) Synonym(s): *tenebricosa* Assing,2004 Range (in code): TR 01 20 33 46
- 24009. *Dasycerus crenatus* Motschoulsky,1839** (Staphylinidae) Synonym(s): *crenatus* Motschoulsky,1839 Range (in code): TR 35



- 24010. *Deinopsis pulawskii* Klimaszewski,1979** (Staphylinidae) Synonym(s): pulawskii Klimaszewski,1979 Range (in code): TR 34
- 24011. *Deleaster dichrous* (Gravenhorst,1802)** (Staphylinidae) Synonym(s): dichrous Gravenhorst,1802 Range (in code): TR 01 25
- 24012. *Delenda carthago* Croissandeau,1891** (Staphylinidae) Synonym(s): carthago Croissandeau,1891 Range (in code): TR 34
- 24013. *Deliphrosoma freudeorum* Zerche,1996** (Staphylinidae) Synonym(s): freudeorum Zerche,1996 Range (in code): TR 44
- 24014. *Deliphrosoma kopdagense* Bordoni,1999** (Staphylinidae) Synonym(s): kopdagense Bordoni,1999 Range (in code): TR 25
- 24015. *Deliphrosoma lindbergi* (Scheerpeltz,1958)** (Staphylinidae) Synonym(s): lindbergi Scheerpeltz,1958 Range (in code): TR 13
- 24016. *Deliphrosoma lothari* Bordoni,2000** (Staphylinidae) Synonym(s): lothari Bordoni,2000 Range (in code): TR 25
- 24017. *Deliphrosoma mandli* (Scheerpeltz,1937)** (Staphylinidae) Synonym(s): mandli Scheerpeltz,1937 Range (in code): TR 16 37
- 24018. *Deliphrosoma turcicum* Zerche,1997** (Staphylinidae) Synonym(s): turcicum Zerche,1997 Range (in code): TR 29
- 24019. *Deliphrosoma weiratheri* (Scheerpeltz,1938)** (Staphylinidae) Synonym(s): weiratheri Scheerpeltz,1938 Range (in code): TR 07 35 45 48
- 24020. *Deliphrosoma wunderlei* Zerche,1998** (Staphylinidae) Synonym(s): wunderlei Zerche,1998 Range (in code): TR 58
- 24021. *Derocala brachati* Assing,2004** (Staphylinidae) Synonym(s): brachati Assing,2004 Range (in code): TR 07 27
- 24022. *Derocala uludaghensis* (Fagel,1971)** (Staphylinidae) Synonym(s): uludaghensis Fagel,1971 Range (in code): TR 16
- 24023. *Dialycera bimaculata* Luze,1906** (Staphylinidae) Synonym(s): bimaculata Luze,1906 Range (in code): TR 33
- 24024. *Dianous coerulescens* (Gyllenhal,1810)** (Staphylinidae) Synonym(s): coerulescens Gyllenhal,1810; elegans Iablokoff-Khnzorian,1957 [ssp.]; anatolicus Korge,1971 [ssp.] Range (in code): TR 03 32 53 61
- 24025. *Dianous ponticus* Fagel,1963** (Staphylinidae) Synonym(s): ponticus Fagel,1963 Range (in code): TR 01 61
- 24026. *Dinothenarus arrosus* (Eppelsheim,1890)** (Staphylinidae) Synonym(s): arrosus Eppelsheim,1890 Range (in code): TR
- 24027. *Dinothenarus flavocephalus* (Goeze,1777)** (Staphylinidae) Synonym(s): flavocephalus Goeze,1777; chrysocephalus Geoffroy,1785 Range (in code): TR 33
- 24028. *Dinothenarus pubescens* (De Geer,1774)** (Staphylinidae) Synonym(s): pubescens De Geer,1774 Range (in code): TR 06
- 24029. *Dinusa smyrnensis* Assing,2007** (Staphylinidae) Synonym(s): smyrnensis Assing,2007 Range (in code): TR 35
- 24030. *Dinusa taurica* Assing,2001** (Staphylinidae) Synonym(s): taurica Assing,2001 Range (in code): TR 33 80
- 24031. *Diochus hatayus* Assing,2003** (Staphylinidae) Synonym(s): hatayus Assing,2003 Range (in code): TR 31
- 24032. *Diochus sulcatus* Assing,2003** (Staphylinidae) Synonym(s): sulcatus Assing,2003 Range (in code): TR 37
- 24033. *Domene stilicina* (Erichson,1840)** (Staphylinidae) Synonym(s): stilicina Erichson,1840; arabica Saulcy,1864; galilaea Saulcy,1864; punctatissima Scriba,1870 Range (in code): TR IT AL GR CY 02 06 31 33 45 46 73 79
- 24034. *Drusilla anceps* Assing,2005** (Staphylinidae) Synonym(s): anceps Assing,2005 Range (in code): TR 33 70
- 24035. *Drusilla canaliculata* (Fabricius,1787)** (Staphylinidae) Synonym(s): canaliculata Fabricius,1787 Range (in code): TR 13 14 16 25 29 34 36 37 38 42 57 75 80
- 24036. *Drusilla cernens* Assing,2005** (Staphylinidae) Synonym(s): cernens Assing,2005 Range (in code): TR 31
- 24037. *Drusilla denigrata* Assing,2005** (Staphylinidae) Synonym(s): denigrata Assing,2005 Range (in code): TR 31
- 24038. *Drusilla limata* Assing,2005** (Staphylinidae) Synonym(s): limata Assing,2005 Range (in code): TR 07
- 24039. *Drusilla lydica* Assing,2007** (Staphylinidae) Synonym(s): lydica Assing,2007 Range (in code): TR 09 35

- 24040. *Drusilla pallidicornis* Assing,2005** (Staphylinidae) **Synonym(s):** *pallidicornis* Assing,2005 **Range (in code):** **TR 31**
- 24041. *Drusilla recta* Assing,2005** (Staphylinidae) **Synonym(s):** *recta* Assing,2005 **Range (in code):** **TR 07 33 70**
- 24042. *Drusilla sinuosa* Assing,2005** (Staphylinidae) **Synonym(s):** *sinuosa* Assing,2005 **Range (in code):** **TR 27 46 47 80**
- 24043. *Edaphus beszedesi* Reitter,1914** (Staphylinidae) **Synonym(s):** *beszedesi* Reitter,1914 **Range (in code):** **TR 53**
- 24044. *Emus hirtus* (Lnaeus,1758)** (Staphylinidae) **Synonym(s):** *hirtus* Lnaeus,1758 **Range (in code):** **TR 06 45**
- 24045. *Enoptostomus globulicornis* (Motschulsky,1851)** (Staphylinidae) **Synonym(s):** *globulicornis* Motschulsky,1851 **Range (in code):** **TR**
- 24046. *Erichsonius cinerascens* (Gravenhorst,1802)** (Staphylinidae) **Synonym(s):** *cinerascens* Gravenhorst,1802 **Range (in code):** **TR**
- 24047. *Erichsonius dux* Smetana,1967** (Staphylinidae) **Synonym(s):** *dux* Smetana,1967 **Range (in code):** **TR 01**
- 24048. *Erichsonius rivularis* (Kiesenwetter,1858)** (Staphylinidae) **Synonym(s):** *rivularis* Kiesenwetter,1858 **Range (in code):** **TR**
- 24049. *Erichsonius subopacus* (Hochhuth,1851)** (Staphylinidae) **Synonym(s):** *subopacus* Hochhuth,1851 **Range (in code):** **TR 06 33**
- 24050. *Euplectus corcyreus* Meggiolaro,1966** (Staphylinidae) **Synonym(s):** *corcyreus* Meggiolaro,1966; *jonicus* Meggiolaro,1966 **Range (in code):** **TR GR**
- 24051. *Euplectus frater* Besuchet,1964** (Staphylinidae) **Synonym(s):** *frater* Besuchet,1964 **Range (in code):** **TR**
- 24052. *Euplectus karstenii* (Reichenbach,1816)** (Staphylinidae) **Synonym(s):** *karstenii* Reichenbach,1816 **Range (in code):** **TR**
- 24053. *Euplectus kirbii* Denny,1825** (Staphylinidae) **Synonym(s):** *kirbii* Denny,1825; *revelierei* Reitter,1884 **Range (in code):** **TR**
- 24054. *Euplectus piceus* Motschoulsky,1835** (Staphylinidae) **Synonym(s):** *piceus* Motschoulsky,1835 **Range (in code):** **TR**
- 24055. *Euplectus sanguineus* Denny,1825** (Staphylinidae) **Synonym(s):** *sanguineus* Denny,1825 **Range (in code):** **TR**
- 24056. *Euplectus verticalis* Reitter,1884** (Staphylinidae) **Synonym(s):** *verticalis* Reitter,1884; *tenenbaumi* Roubal,1926; *balcanicus* Karaman,1962 **Range (in code):** **TR IT YU**
- 24057. *Euryalea jordanica* (Coiffait,1981)** (Staphylinidae) **Synonym(s):** *jordanica* Coiffait,1981 **Range (in code):** **JO TR 07 56**
- 24058. *Euryusa anatolica* Assing,2002** (Staphylinidae) **Synonym(s):** *anatolica* Assing,2002 **Range (in code):** **TR 08 13**
- 24059. *Eusphalerum amplipenne* Coiffait,1976** (Staphylinidae) **Synonym(s):** *amplipenne* Coiffait,1976 **Range (in code):** **TR 53 61**
- 24060. *Eusphalerum anatolicum* Coiffait,1976** (Staphylinidae) **Synonym(s):** *anatolicum* Coiffait,1976 **Range (in code):** **TR 06**
- 24061. *Eusphalerum caucasicum* (Bernhauer,1908)** (Staphylinidae) **Synonym(s):** *caucasicum* Bernhauer,1908; *loebli* Zanetti,1993 **Range (in code):** **TR 08 14 33 37 53 54 57 78**
- 24062. *Eusphalerum celsum* (Luzé,1910)** (Staphylinidae) **Synonym(s):** *celsum* Luzé,1910 **Range (in code):** **TR 06 08 14 16 29 37 55 62 78**
- 24063. *Eusphalerum densicolle* (Bernhauer,1915)** (Staphylinidae) **Synonym(s):** *densicolle* Bernhauer,1915 **Range (in code):** **TR 01 08**
- 24064. *Eusphalerum densipenne* (Fauvel,1900)** (Staphylinidae) **Synonym(s):** *densipenne* Fauvel,1900 **Range (in code):** **TR 05 25 60**
- 24065. *Eusphalerum foveolatum* (Luzé,1910)** (Staphylinidae) **Synonym(s):** *foveolatum* Luzé,1910; *paramerum* Coiffait,1976 **Range (in code):** **TR 29 55 61**
- 24066. *Eusphalerum korbi* (Bernhauer,1903)** (Staphylinidae) **Synonym(s):** *korbi* Bernhauer,1903; *anatolicum* Coiffait,1978 **Range (in code):** **TR 32 33 42**
- 24067. *Eusphalerum osellai* Zanetti,1993** (Staphylinidae) **Synonym(s):** *osellai* Zanetti,1993 **Range (in code):** **TR 14 37 55**
- 24068. *Eusphalerum primulae* (Stephens,1834)** (Staphylinidae) **Synonym(s):** *primulae* Stephens,1834 **Range (in code):** **TR 14**
- 24069. *Eusphalerum rectanguloides* (Smetana,1967)** (Staphylinidae) **Synonym(s):** *rectanguloides* Smetana,1967 **Range (in code):** **TR 38**
- 24070. *Eusphalerum rufotestaceum* (Motschoulsky,1860)** (Staphylinidae) **Synonym(s):** *rufotestaceum* Motschoulsky,1860 **Range (in code):** **TR 53**

- 24071. Eusphalerum sareptanum (Eppelsheim,1878)** (Staphylinidae) Synonym(s): sareptanum Eppelsheim,1878 Range (in code): TR 37
- 24072. Eusphalerum sorbi (Gyllenhal,1810)** (Staphylinidae) Synonym(s): sorbi Gyllenhal,1810 Range (in code): TR 14 37 55 57 78
- 24073. Eusphalerum transcausicum (Bernhauer,1902)** (Staphylinidae) Synonym(s): transcausicum Bernhauer,1902 Range (in code): TR 08 37
- 24074. Falagria caesa Erichson,1837** (Staphylinidae) Synonym(s): caesa Erichson,1837 Range (in code): TR
- 24075. Falagria splendens Kraatz,1858** (Staphylinidae) Synonym(s): splendens Kraatz,1858 Range (in code): TR
- 24076. Falagria sulcatula (Gravenhorst,1806)** (Staphylinidae) Synonym(s): sulcatula Gravenhorst,1806 Range (in code): TR 34
- 24077. Falagrioma thoracica (Stephens,1832)** (Staphylinidae) Synonym(s): thoracica Stephens,1832 Range (in code): TR 52
- 24078. Faronus depressus Besuchet,1960** (Staphylinidae) Synonym(s): depressus Besuchet,1960 Range (in code): TR 33
- 24079. Faronus distinctus Besuchet,1999** (Staphylinidae) Synonym(s): distinctus Besuchet,1999 Range (in code): TR 07 35 48
- 24080. Faronus parallelus Besuchet,1958** (Staphylinidae) Synonym(s): parallelus Besuchet,1958 Range (in code): TR 07
- 24081. Gabrius amanensis Schillhammer,1990** (Staphylinidae) Synonym(s): amanensis Schillhammer,1990 Range (in code): TR 01 46 80
- 24082. Gabrius anatolicus Smetana,1953** (Staphylinidae) Synonym(s): anatolicus Smetana,1953 Range (in code): TR 33 35
- 24083. Gabrius arnoldi Smetana,1961** (Staphylinidae) Synonym(s): arnoldi Smetana,1961 Range (in code): TR
- 24084. Gabrius astutoides A.Strand,1946** (Staphylinidae) Synonym(s): astutoides A.Strand,1946 Range (in code): TR 48
- 24085. Gabrius astutus (Erichson,1840)** (Staphylinidae) Synonym(s): astutus Erichson,1840 Range (in code): TR 01 42
- 24086. Gabrius badius (Kiesenwetter,1858)** (Staphylinidae) Synonym(s): badius Kiesenwetter,1858 Range (in code): TR
- 24087. Gabrius bishopi Sharp,1910** (Staphylinidae) Synonym(s): bishopi Sharp,1910 Range (in code): TR
- 24088. Gabrius exiguus (Nordmann,1837)** (Staphylinidae) Synonym(s): exiguus Nordmann,1837 Range (in code): TR 38
- 24089. Gabrius exsculptus Assing,2004** (Staphylinidae) Synonym(s): exsculptus Assing,2004 Range (in code): TR 31
- 24090. Gabrius expectatus Smetana,1952** (Staphylinidae) Synonym(s): expectatus Smetana,1952 Range (in code): TR 14 52
- 24091. Gabrius fageli Drugmand,1990** (Staphylinidae) Synonym(s): fageli Drugmand,1990 Range (in code): TR 14
- 24092. Gabrius femoralis (Hochhuth,1851)** (Staphylinidae) Synonym(s): femoralis Hochhuth,1851 Range (in code): TR 14 28 81
- 24093. Gabrius hoberlandti Smetana,1953** (Staphylinidae) Synonym(s): hoberlandti Smetana,1953 Range (in code): TR 51
- 24094. Gabrius latro Joy,1913** (Staphylinidae) Synonym(s): latro Joy,1913; latroides Coiffait,1963 Range (in code): TR 02
- 24095. Gabrius lividipes (Baudi di Selve,1848)** (Staphylinidae) Synonym(s): lividipes Baudi di Selve,1848 Range (in code): TR 06
- 24096. Gabrius nigrutilus (Gravenhorst,1802)** (Staphylinidae) Synonym(s): nigrutilus Gravenhorst,1802; aterrimus Gravenhorst,1802 Range (in code): TR 01 06 33 35 42 45
- 24097. Gabrius noei Coiffait,1966** (Staphylinidae) Synonym(s): noei Coiffait,1966 Range (in code): Arr TR 76
- 24098. Gabrius osseticus (Kolenati,1846)** (Staphylinidae) Synonym(s): vernalis Gravenhorst,1806 (preocc.); osseticus Kolenati,1846 Range (in code): TR 33
- 24099. Gabrius piliger Mulsant & Rey,1876** (Staphylinidae) Synonym(s): piliger Mulsant & Rey,1876; stipes Sharp,1910 Range (in code): TR 42
- 24100. Gabrius ravasinii Gridelli,1920** (Staphylinidae) Synonym(s): ravasinii Gridelli,1920; spurius Smetana,1954 Range (in code): TR 01 06 33 38 45 51
- 24101. Gabrius sacerdotalis Joy,1913** (Staphylinidae) Synonym(s): sacerdotalis Joy,1913 Range (in code): TR 53



- 24102. *Gabrius splendidulus* (Gravenhorst,1802)** (Staphylinidae) Synonym(s): *splendidulus* Gravenhorst,1802 Range (in code): TR
- 24103. *Gabrius subnigritulus* Joy,1913** (Staphylinidae) Synonym(s): *subnigritulus* Joy,1913; *subnigrituloides* Scheerpeltz,1933 Range (in code): TR 01 06 33 38 51
- 24104. *Gabrius suffragani* Joy,1913** (Staphylinidae) Synonym(s): *suffragani* Joy,1913 Range (in code): TR 55
- 24105. *Gabrius tokatensis* Smetana,1977** (Staphylinidae) Synonym(s): *tokatensis* Smetana,1977; *amasiensis* Coiffait,1980 Range (in code): TR 01 02 05 46 60
- 24106. *Gabrius trossuliformis* Schillhammer,1999** (Staphylinidae) Synonym(s): *trossuliformis* Schillhammer,1999 Range (in code): TR
- 24107. *Gabronthus maritimus* (Motschulsky,1858)** (Staphylinidae) Synonym(s): *maritimus* Motschulsky,1858 Range (in code): TR 01 09 45 79
- 24108. *Gabronthus thermarum* (Aubé,1850)** (Staphylinidae) Synonym(s): *thermarum* Aubé,1850 Range (in code): TR 62
- 24109. *Gauropterus fulgidus* (Fabricius,1787)** (Staphylinidae) Synonym(s): *fulgidus* Fabricius,1787 Range (in code): TR 07 11 33 48 72
- 24110. *Gauropterus sanguinipennis* (Kolenati,1846)** (Staphylinidae) Synonym(s): *sanguinipennis* Kolenati,1846 Range (in code): TR 01 05 06 07 11 12 13 16 25 26 27 30 31 32 33 35 36 37 42 44 45 48 51 54 56 62 65 67 69 72 73
- 24111. *Gauropterus sanguinipes* (Reitter,1889)** (Staphylinidae) Synonym(s): *sanguinipes* Reitter,1889 Range (in code): TR 06 11 14 21 33 34 37 42 54 79
- 24112. *Geodromicus anatolicus* Fagel,1976** (Staphylinidae) Synonym(s): *anatolicus* Fagel,1976 Range (in code): TR 33
- 24113. *Geodromicus asiaticus* Bernhauer,1902** (Staphylinidae) Synonym(s): *asiaticus* Bernhauer,1902 Range (in code): TR 33
- 24114. *Geodromicus dubiosus* Fagel,1976** (Staphylinidae) Synonym(s): *dubiosus* Fagel,1976 Range (in code): TR 44
- 24115. *Geodromicus jarrigeanus* Fagel,1976** (Staphylinidae) Synonym(s): *jarrigeanus* Fagel,1976 Range (in code): TR 28 29 53 61
- 24116. *Geodromicus laticollis* Fagel,1976** (Staphylinidae) Synonym(s): *laticollis* Fagel,1976 Range (in code): TR 44
- 24117. *Geodromicus major* (Motschoulsky,1860)** (Staphylinidae) Synonym(s): *major* Motschoulsky,1860 Range (in code): TR 61
- 24118. *Geodromicus ponticus* Fagel,1976** (Staphylinidae) Synonym(s): *ponticus* Fagel,1976 Range (in code): TR 08 28 29 53
- 24119. *Geodromicus zwickianus* Fagel,1976** (Staphylinidae) Synonym(s): *zwickianus* Fagel,1976 Range (in code): TR 44
- 24120. *Geomitopsis anatolica* Coiffait,1969** (Staphylinidae) Synonym(s): *anatolica* Coiffait,1969 Range (in code): TR 33
- 24121. *Geostiba adunca* Assing,2004** (Staphylinidae) Synonym(s): *adunca* Assing,2004 Range (in code): TR 46
- 24122. *Geostiba ahirana* Assing,2004** (Staphylinidae) Synonym(s): *ahirana* Assing,2004 Range (in code): TR 46
- 24123. *Geostiba akceliensis* Assing,2001** (Staphylinidae) Synonym(s): *akceliensis* Assing,2001 Range (in code): TR 33
- 24124. *Geostiba anlasi* Assing,2006** (Staphylinidae) Synonym(s): *anlasi* Assing,2006 Range (in code): TR 35
- 24125. *Geostiba arganthonia* Pace,1983** (Staphylinidae) Synonym(s): *arganthonia* Pace,1983 Range (in code): TR 77
- 24126. *Geostiba artvinensis* Assing,2001** (Staphylinidae) Synonym(s): *artvinensis* Assing,2001 Range (in code): TR 08
- 24127. *Geostiba asperipennis* Assing,2007** (Staphylinidae) Synonym(s): *asperipennis* Assing,2007 Range (in code): TR 02
- 24128. *Geostiba atrioculata* Assing,2007** (Staphylinidae) Synonym(s): *atrioculata* Assing,2007 Range (in code): TR 07
- 24129. *Geostiba atromontis* Assing,2006** (Staphylinidae) Synonym(s): *atromontis* Assing,2006 Range (in code): TR 45
- 24130. *Geostiba attaleensis* Pace,1983** (Staphylinidae) Synonym(s): *attaleensis* Pace,1983 Range (in code): TR 07
- 24131. *Geostiba aucta* Assing,2006** (Staphylinidae) Synonym(s): *aucta* Assing,2006 Range (in code): TR 53
- 24132. *Geostiba aydinica* Assing,2006** (Staphylinidae) Synonym(s): *aydinica* Assing,2006 Range (in code): TR 09

- 24133. *Geostiba balkarensis* Assing,2001** (Staphylinidae) Synonym(s): balkarensis Assing,2001 Range (in code): TR 33
- 24134. *Geostiba beydagensis* Assing,2003** (Staphylinidae) Synonym(s): beydagensis Assing,2003 Range (in code): TR 07
- 24135. *Geostiba biformis* Assing,2006** (Staphylinidae) Synonym(s): biformis Assing,2006 Range (in code): TR 20 48
- 24136. *Geostiba bigibbera* Assing,2005** (Staphylinidae) Synonym(s): bigibbera Assing,2005 Range (in code): TR 46
- 24137. *Geostiba bitlisensis* Assing,2001** (Staphylinidae) Synonym(s): bitlisensis Assing,2001 Range (in code): TR 13
- 24138. *Geostiba brachati* Assing,2000** (Staphylinidae) Synonym(s): brachati Assing,2000 Range (in code): TR 07
- 24139. *Geostiba cingarae* Assing,2003** (Staphylinidae) Synonym(s): cingarae Assing,2003 Range (in code): TR 48
- 24140. *Geostiba circellaris* (Gravenhorst,1806)** (Staphylinidae) Synonym(s): circellaris Gravenhorst,1806 Range (in code): TR 14
- 24141. *Geostiba confusa* Assing,2001** (Staphylinidae) Synonym(s): confusa Assing,2001 Range (in code): TR 80
- 24142. *Geostiba dibekiana* Assing,2005** (Staphylinidae) Synonym(s): dibekiana Assing,2005 Range (in code): TR 01
- 24143. *Geostiba elmaica* Assing,2006** (Staphylinidae) Synonym(s): elmaica Assing,2006 Range (in code): TR 06
- 24144. *Geostiba emirdaghensis* Assing,2001** (Staphylinidae) Synonym(s): emirdaghensis Assing,2001 Range (in code): TR 03
- 24145. *Geostiba euboica* (Pace,1990)** (Staphylinidae) Synonym(s): euboica Pace,1990 Range (in code): GR TR 09 35 48
- 24146. *Geostiba euxina* Pace,1983** (Staphylinidae) Synonym(s): euxina Pace,1983 Range (in code): TR 61
- 24147. *Geostiba excepta* Assing,2005** (Staphylinidae) Synonym(s): excepta Assing,2005 Range (in code): TR 80
- 24148. *Geostiba extorta* Assing,2005** (Staphylinidae) Synonym(s): extorta Assing,2005 Range (in code): TR 01 80
- 24149. *Geostiba fabaeformis* Assing,2001** (Staphylinidae) Synonym(s): fabaeformis Assing,2001 Range (in code): TR 08
- 24150. *Geostiba giaurica* Assing,2004** (Staphylinidae) Synonym(s): giaurica Assing,2004 Range (in code): TR 46
- 24151. *Geostiba gibbera* Assing,2005** (Staphylinidae) Synonym(s): gibbera Assing,2005 Range (in code): TR 46
- 24152. *Geostiba granulipennis* Assing,2001** (Staphylinidae) Synonym(s): granulipennis Assing,2001 Range (in code): TR 33
- 24153. *Geostiba hamata* Assing,2003** (Staphylinidae) Synonym(s): hamata Assing,2003 Range (in code): TR 31
- 24154. *Geostiba helvetiorum* Pace,1983** (Staphylinidae) Synonym(s): helvetiorum Pace,1983 Range (in code): TR 01 27 31 46 80
- 24155. *Geostiba iconiensis* Pace,1983** (Staphylinidae) Synonym(s): iconiensis Pace,1983 Range (in code): TR 33 70
- 24156. *Geostiba itschiliensis* Assing,2001** (Staphylinidae) Synonym(s): itschiliensis Assing,2001 Range (in code): TR 33
- 24157. *Geostiba janbellini* Assing,2007** (Staphylinidae) Synonym(s): janbellini Assing,2007 Range (in code): TR 07
- 24158. *Geostiba kartalana* Assing,2004** (Staphylinidae) Synonym(s): kartalana Assing,2004 Range (in code): TR 27
- 24159. *Geostiba kastamonuensis* Pace,1983** (Staphylinidae) Synonym(s): kastamonuensis Pace,1983 Range (in code): TR 37
- 24160. *Geostiba lucens* (Benick,1970)** (Staphylinidae) Synonym(s): lucens Benick,1970 Range (in code): TR 01 06 07 09 20 31 32 33 35 46 48 70
- 24161. *Geostiba lunata* Assing,2001** (Staphylinidae) Synonym(s): lunata Assing,2001 Range (in code): TR 33 80
- 24162. *Geostiba lycaonica* Pace,2002** (Staphylinidae) Synonym(s): lycaonica Pace,2002 Range (in code): TR 42
- 24163. *Geostiba macronorum* Pace,2002** (Staphylinidae) Synonym(s): macronorum Pace,2002 Range (in code): TR 61

- 24164. *Geostiba marasica* Assing,2004** (Staphylinidae) Synonym(s): *marasica* Assing,2004 Range (in code): TR 46 80
- 24165. *Geostiba medea* Pace,1996** (Staphylinidae) Synonym(s): *medea* Pace,1996 Range (in code): TR 01 80
- 24166. *Geostiba nemrutica* Assing,2005** (Staphylinidae) Synonym(s): *nemrutica* Assing,2005 Range (in code): TR 02
- 24167. *Geostiba nifica* Assing,2006** (Staphylinidae) Synonym(s): *nifica* Assing,2006 Range (in code): TR 35
- 24168. *Geostiba occaecata* Assing,2004** (Staphylinidae) Synonym(s): *occaeata* Assing,2004 Range (in code): TR 07 80
- 24169. *Geostiba oertzeni* (Eppelsheim,1888)** (Staphylinidae) Synonym(s): *oertzeni* Eppelsheim,1888 Range (in code): TR 01 07 09 14 29 35 36 45 46 48 52 70 75 77 78 80
- 24170. *Geostiba orduica* Assing,2006** (Staphylinidae) Synonym(s): *orduica* Assing,2006 Range (in code): TR 52
- 24171. *Geostiba pontica* Pace,1996** (Staphylinidae) Synonym(s): *pontica* Pace,1996 Range (in code): TR 53
- 24172. *Geostiba priva* Assing,2006** (Staphylinidae) Synonym(s): *priva* Assing,2006 Range (in code): TR 29
- 24173. *Geostiba renneri* Assing,2006** (Staphylinidae) Synonym(s): *renneri* Assing,2006 Range (in code): TR 48
- 24174. *Geostiba rhodiensis* Pace,1983** (Staphylinidae) Synonym(s): *rhodiensis* Pace,1983 Range (in code): TR 01 07 33 46 48 70 80
- 24175. *Geostiba rizensis* Pace,1983** (Staphylinidae) Synonym(s): *rizensis* Pace,1983 Range (in code): TR 53 61
- 24176. *Geostiba seleucica* Pace,1983** (Staphylinidae) Synonym(s): *seleucica* Pace,1983 Range (in code): TR 31
- 24177. *Geostiba simulans* Pace,1983** (Staphylinidae) Synonym(s): *simulans* Pace,1983 Range (in code): TR 31
- 24178. *Geostiba sinuosa* Assing,2004** (Staphylinidae) Synonym(s): *sinuosa* Assing,2004 Range (in code): TR 27 31 80
- 24179. *Geostiba smyrnensis* Pace,1983** (Staphylinidae) Synonym(s): *smyrnensis* Pace,1983 Range (in code): TR 35
- 24180. *Geostiba soganlica* Assing,2006** (Staphylinidae) Synonym(s): *soganlica* Assing,2006 Range (in code): TR 61
- 24181. *Geostiba solodovnikovi* Assing,2006** (Staphylinidae) Synonym(s): *solodovnikovi* Assing,2006 Range (in code): TR 25
- 24182. *Geostiba sororcula* Assing,2001** (Staphylinidae) Synonym(s): *sororcula* Assing,2001 Range (in code): TR 29 75
- 24183. *Geostiba spinosula* Assing,2007** (Staphylinidae) Synonym(s): *spinosula* Assing,2007 Range (in code): TR 80
- 24184. *Geostiba sultanica* Assing,2008** (Staphylinidae) Synonym(s): *sultanica* Assing,2008 Range (in code): TR 42
- 24185. *Geostiba taseliensis* Assing,2000** (Staphylinidae) Synonym(s): *taseliensis* Assing,2000 Range (in code): TR 33
- 24186. *Geostiba tuberosa* Assing,2004** (Staphylinidae) Synonym(s): *tuberosa* Assing,2004 Range (in code): TR 46 80
- 24187. *Geostiba turcica* (Bernhauer,1900)** (Staphylinidae) Synonym(s): *turcica* Bernhauer,1900 Range (in code): TR 34
- 24188. *Geostiba uhligi* Pace,1983** (Staphylinidae) Synonym(s): *uhligi* Pace,1983 Range (in code): TR 16 26 54
- 24189. *Gnypeta carbonaria* (Mannerheim,1830)** (Staphylinidae) Synonym(s): *carbonaria* Mannerheim,1830 Range (in code): TR
- 24190. *Gymnusa anatolica* Korge,1971** (Staphylinidae) Synonym(s): *anatolica* Korge,1971 Range (in code): TR 29 53
- 24191. *Gynotyphlus perpusillus* (Doderö,1900)** (Staphylinidae) Synonym(s): *perpusillus* Doderö,1900 Range (in code): TR 41
- 24192. *Gyrophypnus angustatus* (O.Müller,1776)** (Staphylinidae) Synonym(s): *angustatus* O.Müller,1776 Range (in code): TR 05 06 08 09 13 14 16 25 28 32 33 34 35 37 42 43 45 52 53 57 67 69 80
- 24193. *Gyrophypnus fracticornis* (O.Müller,1766)** (Staphylinidae) Synonym(s): *fracticornis* O.Müller,1766 Range (in code): TR 06 28 35 45 48 52
- 24194. *Gyrophypnus punctulatus* (Paykull,1789)** (Staphylinidae) Synonym(s): *punctulatus* Paykull,1789 Range (in code): TR



- 24195. Gyrohypnus yilderimi Bordoni,2003** (Staphylinidae) Synonym(s): yilderimi Bordoni,2003 Range (in code): TR 25
- 24196. Gyrophaena affinis Mannerheim,1830** (Staphylinidae) Synonym(s): affinis Mannerheim,1830 Range (in code): TR
- 24197. Gyrophaena anatolica Assing,2004** (Staphylinidae) Synonym(s): anatolica Assing,2004 Range (in code): TR 27
- 24198. Gyrophaena bihamata Thomson,1867** (Staphylinidae) Synonym(s): bihamata Thomson,1867 Range (in code): TR
- 24199. Gyrophaena boleti (Lnnaeus,1758)** (Staphylinidae) Synonym(s): boleti Lnnaeus,1758 Range (in code): TR 14 37
- 24200. Gyrophaena fasciata (Marsham,1802)** (Staphylinidae) Synonym(s): fasciata Marsham,1802 Range (in code): TR 34
- 24201. Gyrophaena gentilis Erichson,1839** (Staphylinidae) Synonym(s): gentilis Erichson,1839 Range (in code): TR 28 52 53 61
- 24202. Gyrophaena joyi Wendeler,1924** (Staphylinidae) Synonym(s): joyi Wendeler,1924 Range (in code): TR 81
- 24203. Gyrophaena joyioides Wüsthoff,1937** (Staphylinidae) Synonym(s): joyioides Wüsthoff,1937 Range (in code): TR 46 48
- 24204. Gyrophaena nana (Paykull,1800)** (Staphylinidae) Synonym(s): nana Paykull,1800 Range (in code): TR 53
- 24205. Gyrophaena nitidula (Gyllenhal,1810)** (Staphylinidae) Synonym(s): nitidula Gyllenhal,1810 Range (in code): TR
- 24206. Habrocerus capillaricornis (Gravenhorst,1806)** (Staphylinidae) Synonym(s): capillaricornis Gravenhorst,1806 Range (in code): TR 07 33
- 24207. Habrocerus cyprensis Assing & Wunderle,1995** (Staphylinidae) Synonym(s): cyprensis Assing & Wunderle,1995 Range (in code): TR 07
- 24208. Habrocerus pisidicus Korge,1971** (Staphylinidae) Synonym(s): pisidicus Korge,1971 Range (in code): TR 07 09 20 35 48
- 24209. Habrocerus simulans Assing & Wunderle,1995** (Staphylinidae) Synonym(s): simulans Assing & Wunderle,1995 Range (in code): TR 01 31 33 52 80
- 24210. Halobrecta punctipes (Thomson,1852)** (Staphylinidae) Synonym(s): punctipes Thomson,1852 Range (in code): TR 34
- 24211. Haploglossa villosula (Stephens,1832)** (Staphylinidae) Synonym(s): villosula Stephens,1832 Range (in code): TR 06 07 46
- 24212. Heterota pamphylica Fagel,1969** (Staphylinidae) Synonym(s): pamphylica Fagel,1969 Range (in code): TR 07
- 24213. Heterothops besucheti Stourac,2002** (Staphylinidae) Synonym(s): besucheti Stourac,2002 Range (in code): TR 35
- 24214. Heterothops binotatus (Gravenhorst,1802)** (Staphylinidae) Synonym(s): binotatus Gravenhorst,1802 Range (in code): TR 33
- 24215. Heterothops brunnipennis Kiesenwetter,1858** (Staphylinidae) Synonym(s): brunnipennis Kiesenwetter,1858 Range (in code): TR
- 24216. Heterothops burdurensis Stourac,2000** (Staphylinidae) Synonym(s): burdurensis Stourac,2000 Range (in code): TR 15
- 24217. Heterothops dissimilis (Gravenhorst,1802)** (Staphylinidae) Synonym(s): dissimilis Gravenhorst,1802 Range (in code): TR 06
- 24218. Heterothops orientalis Stourac,2002** (Staphylinidae) Synonym(s): orientalis Stourac,2002 Range (in code): TR 36
- 24219. Homaeotarsus chaudiirii Hochhuth,1851** (Staphylinidae) Synonym(s): chaudiirii Hochhuth,1851 Range (in code): TR 01 45
- 24220. Homoeusa acuminata (Maerkel,1842)** (Staphylinidae) Synonym(s): acuminata Maerkel,1842 Range (in code): TR
- 24221. Hypnogyra angularis (Ganglbauer,1895)** (Staphylinidae) Synonym(s): angularis Ganglbauer,1895 Range (in code): TR 34
- 24222. Ilyobates benneti Donisthorpe,1914** (Staphylinidae) Synonym(s): benneti Donisthorpe,1914 Range (in code): TR 39
- 24223. Ischnoglossa obscura Wunderle,1990** (Staphylinidae) Synonym(s): obscura Wunderle,1990 Range (in code): TR 09
- 24224. Ischnoglossa proluxa (Gravenhorst,1802)** (Staphylinidae) Synonym(s): proluxa Gravenhorst,1802 Range (in code): TR
- 24225. Ischnoglossa turcica Wunderle,1992** (Staphylinidae) Synonym(s): turcica Wunderle,1992 Range (in code): TR 07

- 24226. Ischnopoda ulbrichi Lohse,1994** (Staphylinidae) Synonym(s): ulbrichi Lohse,1994 Range (in code): TR 61
- 24227. Ischnopoda umbratica (Erichson,1837)** (Staphylinidae) Synonym(s): umbratica Erichson,1837 Range (in code): TR 45
- 24228. Ischnosoma fastigatum Schülke,2007** (Staphylinidae) Synonym(s): fastigatum Schülke,2007 Range (in code): TR 28 52
- 24229. Ischnosoma loebli Kocian,1997** (Staphylinidae) Synonym(s): loebli Kocian,1997 Range (in code): TR 02 27 31 33 80
- 24230. Ischnosoma longicorne (Maeklin,1847)** (Staphylinidae) Synonym(s): longicorne Maeklin,1847 Range (in code): TR 09 25 28 35 53 57 61 75
- 24231. Ischnosoma meybohmi Schülke,2003** (Staphylinidae) Synonym(s): meybohmi Schülke,2003 Range (in code): TR 01 80
- 24232. Ischnosoma myops (Eppelsheim,1880)** (Staphylinidae) Synonym(s): myops Eppelsheim,1880 Range (in code): TR 08 53
- 24233. Ischnosoma solodovnikovi Schülke,2001** (Staphylinidae) Synonym(s): solodovnikovi Schülke,2001 Range (in code): TR 53 61
- 24234. Ischnosoma splendidum (Gravenhorst,1806)** (Staphylinidae) Synonym(s): splendidum Gravenhorst,1806 Range (in code): TR 07 08 09 25 48 52
- 24235. Ischnosoma Stephens,1829** (Staphylinidae) Synonym(s): Ischnosoma Stephens,1829; Ischnosomata Strand,1935 Range (in code): TR
- 24236. Ischnosoma turcicum Kocian,1997** (Staphylinidae) Synonym(s): turcicum Kocian,1997 Range (in code): TR 37 52 55
- 24237. Kenotyphlus pamphylicus Coiffait,1957** (Staphylinidae) Synonym(s): pamphylicus Coiffait,1957 Range (in code): TR 07
- 24238. Kenotyphlus pisidicus Coiffait,1957** (Staphylinidae) Synonym(s): pisidicus Coiffait,1957 Range (in code): TR 03
- 24239. Kenotyphlus turcicus Coiffait,1957** (Staphylinidae) Synonym(s): turcicus Coiffait,1957 Range (in code): TR 07
- 24240. Korgella variabilis (Korge,1971)** (Staphylinidae) Synonym(s): variabilis Korge,1971 Range (in code): TR 25 53 61
- 24241. Lamprinodes fairmairei (Leprieur,1853)** (Staphylinidae) Synonym(s): fairmairei Leprieur,1853 Range (in code): TR 79
- 24242. Lathrobium bernhaueri Koch,1937** (Staphylinidae) Synonym(s): bernhaueri Koch,1937 Range (in code): TR 53
- 24243. Lathrobium bodemeyeri Bernhauer,1903** (Staphylinidae) Synonym(s): bodemeyeri Bernhauer,1903; besucheti Bordoni,1980 Range (in code): TR 14 26 37 54 67 80
- 24244. Lathrobium brignolii Bordoni,1980** (Staphylinidae) Synonym(s): brignolii Bordoni,1980 Range (in code): TR 52
- 24245. Lathrobium castaneipenne Kolenati,1846** (Staphylinidae) Synonym(s): castaneipenne Kolenati,1846 Range (in code): TR
- 24246. Lathrobium deforme Assing,2007** (Staphylinidae) Synonym(s): Lathrobium deforme Assing,2007 Range (in code): TR 28
- 24247. Lathrobium dimidiatipenne Bernhauer,1910** (Staphylinidae) Synonym(s): dimidiatipenne Bernhauer,1910 Range (in code): TR 25
- 24248. Lathrobium distortum Assing,2007** (Staphylinidae) Synonym(s): distortum Assing,2007 Range (in code): TR 29
- 24249. Lathrobium elongatum (Linnaeus,1767)** (Staphylinidae) Synonym(s): elongatum Linnaeus,1767 Range (in code): TR
- 24250. Lathrobium fulvipenne (Gravenhorst,1806)** (Staphylinidae) Synonym(s): fulvipenne Gravenhorst,1806 Range (in code): TR 26 28 36
- 24251. Lathrobium furcatum Czwalina,1888** (Staphylinidae) Synonym(s): furcatum Czwalina,1888 Range (in code): TR
- 24252. Lathrobium laevipenne Heer,1839** (Staphylinidae) Synonym(s): laevipenne Heer,1839 Range (in code): TR 28
- 24253. Lathrobium longulum Koch,1937** (Staphylinidae) Synonym(s): longulum Koch,1937 Range (in code): TR 26
- 24254. Lathrobium pallidipenne Hochhuth,1851** (Staphylinidae) Synonym(s): pallidipenne Hochhuth,1851; ripicola Czwalina,1888 Range (in code): TR 26
- 24255. Lathrobium paphlagonicum Assing,2001** (Staphylinidae) Synonym(s): paphlagonicum Assing,2001 Range (in code): TR 57
- 24256. Lathrobium taxi Bernhauer,1902** (Staphylinidae) Synonym(s): taxi Bernhauer,1902 Range (in code): TR 28

- 24257. *Lathrobium uncinatum* Assing,2001** (Staphylinidae) **Synonym(s):** *uncinatum* Assing,2001 **Range (in code):** [TR 37](#)
- 24258. *Leptacinus batychrus* (Gyllenhal,1827)** (Staphylinidae) **Synonym(s):** *batychrus* Gyllenhal,1827 **Range (in code):** [TR 08 14 16 30 65](#)
- 24259. *Leptacinus formicetorum* Markel,1841** (Staphylinidae) **Synonym(s):** *formicetorum* Markel,1841 **Range (in code):** [TR](#)
- 24260. *Leptacinus intermedius* Donisthorpe,1936** (Staphylinidae) **Synonym(s):** *intermedius* Donisthorpe,1936 **Range (in code):** [TR 01 34 42 80](#)
- 24261. *Leptacinus nigerrimus* Coiffait,1971** (Staphylinidae) **Synonym(s):** *nigerrimus* Coiffait,1971 **Range (in code):** [TR 04 48 53](#)
- 24262. *Leptacinus othioides* Baudi di Selve,1870** (Staphylinidae) **Synonym(s):** *othioides* Baudi di Selve,1870 **Range (in code):** [TR 35 45 48](#)
- 24263. *Leptacinus pusillus* (Stephens,1833)** (Staphylinidae) **Synonym(s):** *pusillus* Stephens,1833 **Range (in code):** [TR](#)
- 24264. *Leptobium assingi* Bordoni,1994** (Staphylinidae) **Synonym(s):** *assingi* Bordoni,1994 **Range (in code):** [TR 07 27 31 45 46](#)
- 24265. *Leptobium barinatum* Assing,2005** (Staphylinidae) **Synonym(s):** *barinatum* Assing,2005 **Range (in code):** [TR 07 48](#)
- 24266. *Leptobium bicarinatum* Assing,2005** (Staphylinidae) **Synonym(s):** *bicarinatum* Assing,2005 **Range (in code):** [TR 31](#)
- 24267. *Leptobium bozdagense* Assing,2006** (Staphylinidae) **Synonym(s):** *bozdagense* Assing,2006 **Range (in code):** [TR 35 45](#)
- 24268. *Leptobium geminum* Assing,2005** (Staphylinidae) **Synonym(s):** *geminum* Assing,2005 **Range (in code):** [TR 27 79](#)
- 24269. *Leptobium gracile* (Gravenhorst,1802)** (Staphylinidae) **Synonym(s):** *gracile* Gravenhorst,1802; *truquii* Saulcy,1865; *anale* Reitter,1902; *wickleri* Koch,1937 **Range (in code):** [TR 01 02 06 07 10 11 15 16 18 21 25 26 30 32 34 35 38 42 44 45 48 55 58 62 65](#)
- 24270. *Leptobium illyricum* (Erichson,1840)** (Staphylinidae) **Synonym(s):** *illyricum* Erichson,1840 **Range (in code):** [TR 07 33 42](#)
- 24271. *Leptobium mutabile* Assing,2005** (Staphylinidae) **Synonym(s):** *mutabile* Assing,2005 **Range (in code):** [TR 07](#)
- 24272. *Leptobium ponticum* Assing,2005** (Staphylinidae) **Synonym(s):** *ponticum* Assing,2005 **Range (in code):** [TR 57](#)
- 24273. *Leptobium schuelkei* Assing,2005** (Staphylinidae) **Synonym(s):** *schuelkei* Assing,2005 **Range (in code):** [TR 31](#)
- 24274. *Leptobium syriacum* (Saulcy,1865)** (Staphylinidae) **Synonym(s):** *syriacum* Saulcy,1865; *fageli* Jarrige,1952; *gridellianum* Jarrige,1952; *anatolicum* Coiffait,1972 **Range (in code):** [TR 01 21 27 31 33 46 80](#)
- 24275. *Leptobium tauricum* Gusarov,1988** (Staphylinidae) **Synonym(s):** *tauricum* Gusarov,1988 **Range (in code):** [TR 16 35](#)
- 24276. *Leptobium wunderlei* Bordoni,1994** (Staphylinidae) **Synonym(s):** *wunderlei* Bordoni,1994 **Range (in code):** [TR 07](#)
- 24277. *Leptotyphlopsis besucheti* Coiffait,1969** (Staphylinidae) **Synonym(s):** *besucheti* Coiffait,1969 **Range (in code):** [TR 80](#)
- 24278. *Leptotyphlopsis bidentata* Coiffait,1969** (Staphylinidae) **Synonym(s):** *bidentata* Coiffait,1969 **Range (in code):** [TR 31](#)
- 24279. *Leptusa artvinensis* Pace,1982** (Staphylinidae) **Synonym(s):** *artvinensis* Pace,1982 **Range (in code):** [TR 08 53 61](#)
- 24280. *Leptusa asiatica* Bernhauer,1909** (Staphylinidae) **Synonym(s):** *asiatica* Bernhauer,1909 **Range (in code):** [TR 13 14 27 37 54 67 80](#)
- 24281. *Leptusa cimmeria* Pace,1996** (Staphylinidae) **Synonym(s):** *cimmeria* Pace,1996 **Range (in code):** [TR 53](#)
- 24282. *Leptusa confinis* Pace,1982** (Staphylinidae) **Synonym(s):** *confinis* Pace,1982 **Range (in code):** [TR 55 57](#)
- 24283. *Leptusa crinita* Assing,2007** (Staphylinidae) **Synonym(s):** *crinita* Assing,2007 **Range (in code):** [TR 53](#)
- 24284. *Leptusa diecki* Pace,1983** (Staphylinidae) **Synonym(s):** *diecki* Pace,1983 **Range (in code):** [TR 28 29 52 61](#)
- 24285. *Leptusa fibula* Assing,2003** (Staphylinidae) **Synonym(s):** *fibula* Assing,2003 **Range (in code):** [TR 28 29 52 61](#)
- 24286. *Leptusa fuliginosa* (Aubé,1850)** (Staphylinidae) **Synonym(s):** *fuliginosa* Aubé,1850 **Range (in code):** [TR 08 14 37 53 57](#)
- 24287. *Leptusa ionopolitana* Pace,1982** (Staphylinidae) **Synonym(s):** *ionopolitana* Pace,1982 **Range (in code):** [TR 37 55](#)



- 24288. *Leptusa janczyki* Pace,1983** (Staphylinidae) Synonym(s): janczyki Pace,1983 Range (in code): TR 08 53
- 24289. *Leptusa korgei* Scheerpeltz,1970** (Staphylinidae) Synonym(s): korgei Scheerpeltz,1970 Range (in code): TR 53
- 24290. *Leptusa longilobata* Assing,2007** (Staphylinidae) Synonym(s): longilobata Assing,2007 Range (in code): TR 29 61
- 24291. *Leptusa marasica* Assing,2006** (Staphylinidae) Synonym(s): marasica Assing,2006 Range (in code): TR 46
- 24292. *Leptusa merkli* Bernhauer,1900** (Staphylinidae) Synonym(s): merkli Bernhauer,1900 Range (in code): TR 16 34 41 54 77
- 24293. *Leptusa nurdaghensis* Assing,2003** (Staphylinidae) Synonym(s): nurdaghensis Assing,2003 Range (in code): TR 31
- 24294. *Leptusa pulchella* Mannerheim,1830** (Staphylinidae) Synonym(s): pulchella Mannerheim,1830 Range (in code): TR 08 53 61
- 24295. *Leptusa rizensis* Pace,1996** (Staphylinidae) Synonym(s): rizensis Pace,1996 Range (in code): TR 53
- 24296. *Leptusa samia* Assing,2004** (Staphylinidae) Synonym(s): samia Assing,2004 Range (in code): TR 54
- 24297. *Leptusa sica* Assing,2003** (Staphylinidae) Synonym(s): sica Assing,2003 Range (in code): TR 53
- 24298. *Leptusa soganlica* Assing,2007** (Staphylinidae) Synonym(s): soganlica Assing,2007 Range (in code): TR 61
- 24299. *Leptusa spoliata* Assing,2002** (Staphylinidae) Synonym(s): spoliata Assing,2002 Range (in code): TR 28 52
- 24300. *Leptusa taurica* Assing,2004** (Staphylinidae) Synonym(s): taurica Assing,2004 Range (in code): TR 46
- 24301. *Leptusa trapezuntis* Pace,1989** (Staphylinidae) Synonym(s): trapezuntis Pace,1989 Range (in code): TR 28 29 52
- 24302. *Leptusa venusta* (Hochhuth,1849)** (Staphylinidae) Synonym(s): venusta Hochhuth,1849 Range (in code): TR 08 29 53 61
- 24303. *Lesteva binotata* Reitter,1901** (Staphylinidae) Synonym(s): binotata Reitter,1901 Range (in code): TR 01
- 24304. *Lesteva juno* Smetana,1967** (Staphylinidae) Synonym(s): juno Smetana,1967 Range (in code): TR 03 16
- 24305. *Lesteva longoelytrata* (Goeze,1777)** (Staphylinidae) Synonym(s): longoelytrata Goeze,1777 Range (in code): TR 35
- 24306. *Lesteva maculipennis* Luze,1903** (Staphylinidae) Synonym(s): maculipennis Luze,1903 Range (in code): TR 16 33
- 24307. *Lesteva monticola* Kiesenwetter,1847** (Staphylinidae) Synonym(s): monticola Kiesenwetter,1847; nivicola Fauvel,1872 Range (in code): TR 03 14 33 45
- 24308. *Lesteva punctata* Erichson,1839** (Staphylinidae) Synonym(s): punctata Erichson,1839 Range (in code): TR 33 34
- 24309. *Lesteva soror* Smetana,1967** (Staphylinidae) Synonym(s): soror Smetana,1967 Range (in code): TR 33
- 24310. *Lesteva turcica* Smetana,1967** (Staphylinidae) Synonym(s): turcica Smetana,1967 Range (in code): TR 33
- 24311. *Liogluta akiana* Assing,2004** (Staphylinidae) Synonym(s): akiana Assing,2004 Range (in code): TR 46 48
- 24312. *Liogluta alpestris* (Gravenhorst,1802)** (Staphylinidae) Synonym(s): alpestris Gravenhorst,1802 Range (in code): TR 29 53
- 24313. *Liogluta longiuscula* (Gravenhorst,1802)** (Staphylinidae) Synonym(s): longiuscula Gravenhorst,1802 Range (in code): TR 34 45
- 24314. *Liogluta microptera* Thomson,1867** (Staphylinidae) Synonym(s): microptera Thomson,1867 Range (in code): TR 08 53
- 24315. *Liogluta wankai* (Bernhauer,1908)** (Staphylinidae) Synonym(s): wankai Bernhauer,1908 Range (in code): TR
- 24316. *Lithocharis nigriceps* Kraatz,1859** (Staphylinidae) Synonym(s): nigriceps Kraatz,1859 Range (in code): TR 53
- 24317. *Lithocharis ochracea* (Gravenhorst,1802)** (Staphylinidae) Synonym(s): ochracea Gravenhorst,1802 Range (in code): TR
- 24318. *Lobrathium ciliciae* Bordoni,1980** (Staphylinidae) Synonym(s): ciliciae Bordoni,1980 Range (in code): TR 01 80
- 24319. *Lobrathium frater* (Korge,1971)** (Staphylinidae) Synonym(s): frater Korge,1971 Range (in code): TR 28

- 24320. *Lobrathium heinzi* (Korge,1971)** (Staphylinidae) Synonym(s): heinzi Korge,1971 Range (in code): TR 29 53
- 24321. *Lobrathium pravum* Assing & Schülke,2002** (Staphylinidae) Synonym(s): pravum Assing & Schülke,2002 Range (in code): TR 12 21 72 73
- 24322. *Lobrathium rugipenne* (Huchhuth,1851)** (Staphylinidae) Synonym(s): rugipenne Huchhuth,1851; meridionale Korge,1971 Range (in code): TR 01 03 07 08 14 15 20 25 28 29 31 32 33 34 35 38 45 48 52 53 54 67
- 24323. *Lobrathium schillhammeri* Assing & Schülke,2002** (Staphylinidae) Synonym(s): schillhammeri Assing & Schülke,2002 Range (in code): TR 63
- 24324. *Lobrathium trapezuntis* (Bordoni,1973)** (Staphylinidae) Synonym(s): trapezuntis Bordoni,1973 Range (in code): TR 61
- 24325. *Lobrathium wunderlei* Assing,2006** (Staphylinidae) Synonym(s): wunderlei Assing,2006 Range (in code): TR 02 46 80
- 24326. *Lobrathium yagmuri* Assing,2006** (Staphylinidae) Synonym(s): yagmuri Assing,2006 Range (in code): TR 44
- 24327. *Lordithon bimaculatus* (Schränk,1798)** (Staphylinidae) Synonym(s): bimaculatus Schränk,1798 Range (in code): TR 29 61
- 24328. *Lordithon exoletus* (Erichson,1839)** (Staphylinidae) Synonym(s): exoletus Erichson,1839 Range (in code): TR 33 48
- 24329. *Lordithon rostratus* (Motschulsky,1860)** (Staphylinidae) Synonym(s): rostratus Motschulsky,1860 Range (in code): TR 52 53
- 24330. *Lordithon trimaculatus* (Fabricius,1775)** (Staphylinidae) Synonym(s): trimaculatus Fabricius,1775 Range (in code): TR 53
- 24331. *Lordithon trinotatus* (Erichson,1839)** (Staphylinidae) Synonym(s): trinotatus Erichson,1839 Range (in code): TR 06 09 35
- 24332. *Lordithon variegatus* (Bernhauer,1902)** (Staphylinidae) Synonym(s): variegatus Bernhauer,1902 Range (in code): TR 35 54 58
- 24333. *Luzea nigriflora* (Erichson,1840)** (Staphylinidae) Synonym(s): nigriflora Erichson,1840; graeca Kraatz,1857 Range (in code): GR TR 01 07 27 30 33 38 46
- 24334. *Mannerheimia brevipennis* (Motschoulsky,1860)** (Staphylinidae) Synonym(s): brevipennis Motschoulsky,1860 Range (in code): TR 02 06 29 38 46
- 24335. *Medon abantensis* Bordoni,1980** (Staphylinidae) Synonym(s): abantensis Bordoni,1980 Range (in code): TR 08 14 35 53
- 24336. *Medon beydaghsensis* Fagel,1969** (Staphylinidae) Synonym(s): beydaghsensis Fagel,1969 Range (in code): TR 07 32
- 24337. *Medon brunneus* (Erichson,1839)** (Staphylinidae) Synonym(s): brunneus Erichson,1839 Range (in code): TR 34 39
- 24338. *Medon caricus* Fagel,1970** (Staphylinidae) Synonym(s): caricus Fagel,1970; marmaridis Franz,1987 Range (in code): TR 35 48
- 24339. *Medon dilutus* (Erichson,1839)** (Staphylinidae) Synonym(s): dilutus Erichson,1839 Range (in code): TR
- 24340. *Medon ferrugineus* (Erichson,1840)** (Staphylinidae) Synonym(s): ferrugineus Erichson,1840; orduanus Bordoni,1980 Range (in code): TR 06 12 29 37 42 49 52 54 55 57 61 62
- 24341. *Medon fuscoides* Coiffait,1969** (Staphylinidae) Synonym(s): fuscoides Coiffait,1969; amidanum Bordoni,1978 Range (in code): TR 21 30 62
- 24342. *Medon fuscus* (Mannerheim,1830)** (Staphylinidae) Synonym(s): fuscus Mannerheim,1830; gajaci Coiffait,1973 Range (in code): TR 01 02 05 06 07 09 12 13 14 20 27 31 32 33 34 35 37 41 42 44 45 46 47 48 52 57 60 67 77 80
- 24343. *Medon lamellatus* Assing,2004** (Staphylinidae) Synonym(s): lamellatus Assing,2004 Range (in code): TR 27 31 46 62 80
- 24344. *Medon lanugo* Assing,2004** (Staphylinidae) Synonym(s): lanugo Assing,2004 Range (in code): TR 01 05 07 31 32 33 48 55 62 80
- 24345. *Medon lindbergi* Scheerpeltz,1958** (Staphylinidae) Synonym(s): lindbergi Scheerpeltz,1958 Range (in code): TR 02 27 31 46 80
- 24346. *Medon lydicus* Bordoni,1980** (Staphylinidae) Synonym(s): mimulus Fagel,1970 (preocc.); lydicus Bordoni,1980; umblicatum Coiffait,1970 Range (in code): TR
- 24347. *Medon maronitus* (Saulcy,1865)** (Staphylinidae) Synonym(s): maronitus Saulcy,1865; marmarisensis Fagel,1970; alexandrinum Bordoni,1980 Range (in code): TR 07 08 09 25 31 32 33 34 35 48 55 80
- 24348. *Medon meyhohmi* Assing,2007** (Staphylinidae) Synonym(s): meyhohmi Assing,2007 Range (in code): TR 01
- 24349. *Medon reliquus* Assing,2007** (Staphylinidae) Synonym(s): reliquus Assing,2007 Range (in code): TR 09 35

- 24350. Medon rufiventris (Nordmann,1837)** (Staphylinidae) Synonym(s): rufiventris Nordmann,1837; anatolicus Coiffait,1969 Range (in code): TR 01 07 32 33
- 24351. Medon seleucus Bordoni,1975** (Staphylinidae) Synonym(s): seleucus Bordoni,1975 Range (in code): TR 31 80
- 24352. Medon semiobscurus (Fauvel,1875)** (Staphylinidae) Synonym(s): semiobscurus Fauvel,1875; clambus Fagel,1969 Range (in code): TR 01 07 09 13 16 20 21 31 32 33 35 45 46 48 80
- 24353. Medon subfuscus Fagel,1969** (Staphylinidae) Synonym(s): subfuscus Fagel,1969; karatense Bordoni,1975 Range (in code): TR 01 07 33
- 24354. Medon subquadratus Assing,2004** (Staphylinidae) Synonym(s): subquadratus Assing,2004 Range (in code): TR 01 33
- 24355. Megalinus flavocinctus (Hochhuth,1849)** (Staphylinidae) Synonym(s): flavocinctus Hochhuth,1849 Range (in code): TR 01 07 16 17 27 29 31 33 34 35 37 55
- 24356. Megalinus glabratus (Gravenhorst,1802)** (Staphylinidae) Synonym(s): glabratus Gravenhorst,1802; relucens Gravenhorst,1806 Range (in code): TR 33 35
- 24357. Megalinus scutellaris (Fauvel,1900)** (Staphylinidae) Synonym(s): scutellaris Fauvel,1900; denticulatus Bordoni,2004 Range (in code): TR 01 06 07 17 20 33 35 45
- 24358. Megalogastrina alata Assing,2007** (Staphylinidae) Synonym(s): alata Assing,2007 Range (in code): TR 13 25
- 24359. Megalogastrina cingulata (Eppelsheim,1889)** (Staphylinidae) Synonym(s): cingulata Eppelsheim,1889 Range (in code): TR 34 35 48
- 24360. Megaloscapa punctipennis (Kraatz,1856)** (Staphylinidae) Synonym(s): punctipennis Kraatz,1856 Range (in code): TR 33 34
- 24361. Megarthrus bellevoeyi Saulcy,1862** (Staphylinidae) Synonym(s): affinis Miller,1853 (praeocc.); bellevoeyi Saulcy,1862 Range (in code): TR 33
- 24362. Megarthrus denticollis (Beck,1817)** (Staphylinidae) Synonym(s): denticollis Beck,1817 Range (in code): TR 33?
- 24363. Meotica decolor Assing,2004** (Staphylinidae) Synonym(s): decolor Assing,2004 Range (in code): TR 01 31 46
- 24364. Meotica subnigra Assing,2006** (Staphylinidae) Synonym(s): subnigra Assing,2006 Range (in code): TR 46
- 24365. Meotica truncata Assing,2004** (Staphylinidae) Synonym(s): truncata Assing,2004 Range (in code): TR 07 33 46
- 24366. Metopsia assingi Zerche,1998** (Staphylinidae) Synonym(s): assingi Zerche,1998 Range (in code): TR 07 35
- 24367. Metopsia similis Zerche,1998** (Staphylinidae) Synonym(s): similis Zerche,1998 Range (in code): TR 08
- 24368. Micranops pilicornis (Baudi di Selve,1869)** (Staphylinidae) Synonym(s): pilicornis Baudi di Selve,1869 Range (in code): TR 02 07 33 34 46 70
- 24369. Micrillus testaceus (Erichson,1840)** (Staphylinidae) Synonym(s): testaceus Erichson,1840; pubipenne Fairmaire,1860; zuercheri Wanka,1914; libanicus Coiffait,1980; turcicus Coiffait,1980; zacanthicus Coiffait,1980 Range (in code): TR 01 02 07 13 17 27 31 33 34 35 42 46 48 61 80
- 24370. Micropeplus fulvus Erichson,1840** (Staphylinidae) Synonym(s): fulvus Erichson,1840 Range (in code): TR 07 09 27 31 33 35 45 46 48 80
- 24371. Micropeplus tesserula Curtis,1828** (Staphylinidae) Synonym(s): tesserula Curtis,1828 Range (in code): TR 33
- 24372. Mimopinophilus zarudnyi (Semenov,1909)** (Staphylinidae) Synonym(s): zarudnyi Semenov,1909 Range (in code): TR 07
- 24373. Mycetoporus brucki (Pandellé,1869)** (Staphylinidae) Synonym(s): brucki Pandellé,1869 Range (in code): TR 14 20
- 24374. Mycetoporus chevrolati (Pandellé,1869)** (Staphylinidae) Synonym(s): chevrolati Pandellé,1869 Range (in code): TR 33
- 24375. Mycetoporus corpulentus (Luze,1901)** (Staphylinidae) Synonym(s): corpulentus Luze,1901 Range (in code): TR 07 33 34 62 75
- 24376. Mycetoporus dispersus Schülke & Kocian,2000** (Staphylinidae) Synonym(s): dispersus Schülke & Kocian,2000 Range (in code): TR 32 33 42
- 24377. Mycetoporus eppelsheimianus Fagel,1968** (Staphylinidae) Synonym(s): eppelsheimianus Fagel,1968 Range (in code): TR 08 14 33 37 52 57 61
- 24378. Mycetoporus forticornis Fauvel,1875** (Staphylinidae) Synonym(s): forticornis Fauvel,1875 Range (in code): TR
- 24379. Mycetoporus glaber (Sperk,1835)** (Staphylinidae) Synonym(s): glaber Sperk,1835 Range (in code): TR 07 27 33 48 52
- 24380. Mycetoporus lepidus (Gravenhorst,1806)** (Staphylinidae) Synonym(s): lepidus Gravenhorst,1806 Range (in code): TR



- 24381. *Mycetoporus liliputanus* Luze,1901** (Staphylinidae) **Synonym(s):** liliputanus Luze,1901 **Range (in code):** **TR 02 21 27 35 46**
- 24382. *Mycetoporus longulus* Mannerheim,1830** (Staphylinidae) **Synonym(s):** longulus Mannerheim,1830 **Range (in code):** **TR 28**
- 24383. *Mycetoporus macrocephalus* (Bernhauer,1917)** (Staphylinidae) **Synonym(s):** macrocephalus Bernhauer,1917 **Range (in code):** **TR 46**
- 24384. *Mycetoporus nigricollis* Stephens,1835** (Staphylinidae) **Synonym(s):** nigricollis Stephens,1835 **Range (in code):** **TR 33**
- 24385. *Mycetoporus picipennis* Eppelsheim,1881** (Staphylinidae) **Synonym(s):** picipennis Eppelsheim,1881 **Range (in code):** **TR**
- 24386. *Mycetoporus punctipennis* Scriba,1868** (Staphylinidae) **Synonym(s):** punctipennis Scriba,1868 **Range (in code):** **TR**
- 24387. *Mycetoporus punctus* (Gravenhorst,1806)** (Staphylinidae) **Synonym(s):** punctus Gravenhorst,1806 **Range (in code):** **TR 01 05 08 13 14 29 78**
- 24388. *Mycetoporus reichei* (Pandellé,1869)** (Staphylinidae) **Synonym(s):** reichei Pandellé,1869 **Range (in code):** **TR**
- 24389. *Mycetoporus subpronus* Reitter,1909** (Staphylinidae) **Synonym(s):** subpronus Reitter,1909 **Range (in code):** **TR**
- 24390. *Myllaena caucasica* Eppelsheim,1880** (Staphylinidae) **Synonym(s):** caucasica Eppelsheim,1880 **Range (in code):** **TR Cc**
- 24391. *Myllaena infuscata* Kraatz,1853** (Staphylinidae) **Synonym(s):** infuscata Kraatz,1853 **Range (in code):** **TR 02 48 80**
- 24392. *Myllaena intermedia* Erichson,1837** (Staphylinidae) **Synonym(s):** intermedia Erichson,1837 **Range (in code):** **TR 34 45**
- 24393. *Myllaena masoni* Matthews,1883** (Staphylinidae) **Synonym(s):** masoni Matthews,1883 **Range (in code):** **TR 48**
- 24394. *Myllaena nemorivaga* Assing,2007** (Staphylinidae) **Synonym(s):** nemorivaga Assing,2007 **Range (in code):** **TR 53**
- 24395. *Myrmecopora anatolica* (Fagel,1969)** (Staphylinidae) **Synonym(s):** anatolica Fagel,1969 **Range (in code):** **TR 07**
- 24396. *Myrmecopora ciliciana* Assing,2001** (Staphylinidae) **Synonym(s):** ciliciana Assing,2001 **Range (in code):** **TR 33 51**
- 24397. *Myrmecopora convexula* Assing,1997** (Staphylinidae) **Synonym(s):** convexula Assing,1997 **Range (in code):** **TR 35 45**
- 24398. *Myrmecopora effeminata* Assing,2004** (Staphylinidae) **Synonym(s):** effeminata Assing,2004 **Range (in code):** **TR 01 02 31 33 46**
- 24399. *Myrmecopora fugax* (Erichson,1839)** (Staphylinidae) **Synonym(s):** fugax Erichson,1839; uludaghensis Fagel,1969 **Range (in code):** **TR 07 16**
- 24400. *Myrmecopora hilfi* Scheerpeltz,1972** (Staphylinidae) **Synonym(s):** hilfi Scheerpeltz,1972 **Range (in code):** **TR 07 48**
- 24401. *Myrmecopora minima* Bernhauer,1900** (Staphylinidae) **Synonym(s):** minima Bernhauer,1900; pamphylica Fagel,1969 **Range (in code):** **TR 07**
- 24402. *Myrmecopora publicana* Saulcy,1865** (Staphylinidae) **Synonym(s):** publicana Saulcy,1865 **Range (in code):** **TR 31**
- 24403. *Myrmecopora sulcata* (Kiesenwetter,1850)** (Staphylinidae) **Synonym(s):** sulcata Kiesenwetter,1850; carica Fagel,1970 **Range (in code):** **TR 34 48**
- 24404. *Myrmecopora uvida* (Erichson,1840)** (Staphylinidae) **Synonym(s):** uvida Erichson,1840 **Range (in code):** **TR 34**
- 24405. *Myrmecopora virilis* Assing,2004** (Staphylinidae) **Synonym(s):** virilis Assing,2004 **Range (in code):** **TR 02 46 80**
- 24406. *Myrmecopora wunderlei* Assing,1997** (Staphylinidae) **Synonym(s):** wunderlei Assing,1997 **Range (in code):** **TR 07 33**
- 24407. *Myrmoecia libanensis* (Pic,1901)** (Staphylinidae) **Synonym(s):** libanensis Pic,1901 **Range (in code):** **LB TR 46**
- 24408. *Myrmoecia plicata* (Erichson,1837)** (Staphylinidae) **Synonym(s):** plicata Erichson,1837 **Range (in code):** **TR 37 45 48**
- 24409. *Myrmoecia rigida* (Erichson,1839)** (Staphylinidae) **Synonym(s):** rigida Erichson,1839 **Range (in code):** **TR 47**
- 24410. *Myrmoecia triangulum* (Pérez-Arcas,1874)** (Staphylinidae) **Synonym(s):** triangulum Pérez-Arcas,1874 **Range (in code):** **TR 81**
- 24411. *Namunia lapidicola* Besuchet,1978** (Staphylinidae) **Synonym(s):** lapidicola Besuchet,1978 **Range (in code):** **TR 15**

- 24412. *Namunia myrmecophila* Reitter,1884** (Staphylinidae) Synonym(s): myrmecophila Reitter,1884  
Range (in code): TR 32 35 48
- 24413. *Nazeris ammonita* (Saulcy,1865)** (Staphylinidae) Synonym(s): ammonita Saulcy,1865 Range (in code): TR 01 31
- 24414. *Nazeris turcicus* Assing,2001** (Staphylinidae) Synonym(s): turcicus Assing,2001 Range (in code): TR 07 31 33
- 24415. *Nehemitropia lividipennis* (Mannerheim,1830)** (Staphylinidae) Synonym(s): sordidus Marsham,1802; lividipennis Mannerheim,1830 Range (in code): TR 25 34 45 62
- 24416. *Neobisnius lathrobioides* (Baudi di Selve,1848)** (Staphylinidae) Synonym(s): lathrobioides Baudi di Selve,1848; cerrutii Gridelli,1943 Range (in code): TR 01
- 24417. *Neobisnius orbus* (Kiesenwetter,1850)** (Staphylinidae) Synonym(s): orbus Kiesenwetter,1850  
Range (in code): TR 10 33 79
- 24418. *Neobisnius procerulus* (Gravenhorst,1806)** (Staphylinidae) Synonym(s): procerulus Gravenhorst,1806 Range (in code): TR 01
- 24419. *Neobisnius proluxus* (Erichson,1840)** (Staphylinidae) Synonym(s): proluxus Erichson,1840  
Range (in code): TR 01 09 35 44 45 61 62 69
- 24420. *Notothecta pisidica* Assing,2004** (Staphylinidae) Synonym(s): pisidica Assing,2004 Range (in code): TR 07 09 42
- 24421. *Nudobius lentus* (Gravenhorst,1806)** (Staphylinidae) Synonym(s): lentus Gravenhorst,1806  
Range (in code): TR 06 14 33 45 53 57
- 24422. *Nudobius turcicus* Coiffait,1978** (Staphylinidae) Synonym(s): turcicus Coiffait,1978 Range (in code): TR 14
- 24423. *Ocalea alutacea* Eppelsheim,1878** (Staphylinidae) Synonym(s): alutacea Eppelsheim,1878 Range (in code): TR 28 53
- 24424. *Ocalea badia* Erichson,1837** (Staphylinidae) Synonym(s): badia Erichson,1837 Range (in code): TR
- 24425. *Ocalea brachyptera* Fagel,1971** (Staphylinidae) Synonym(s): brachyptera Fagel,1971 Range (in code): TR 16
- 24426. *Ocalea devei* Coiffait,1978** (Staphylinidae) Synonym(s): devei Coiffait,1978 Range (in code): TR 52
- 24427. *Ocalea globulicollis* Bernhauer,1936** (Staphylinidae) Synonym(s): globulicollis Bernhauer,1936  
Range (in code): TR 54
- 24428. *Ocalea pontica* Coiffait,1978** (Staphylinidae) Synonym(s): pontica Coiffait,1978 Range (in code): TR 57
- 24429. *Ocalea rivularis* Miller,1852** (Staphylinidae) Synonym(s): rivularis Miller,1852 Range (in code): TR 34
- 24430. *Ocalea ruficollis* Eppelsheim,1888** (Staphylinidae) Synonym(s): ruficollis Eppelsheim,1888  
Range (in code): TR 34 45
- 24431. *Ochtheophilum besucheti* (Bordoni,1980)** (Staphylinidae) Synonym(s): besucheti Bordoni,1980  
Range (in code): TR 25 34 55
- 24432. *Ochtheophilum fracticorne* (Paykull,1800)** (Staphylinidae) Synonym(s): fracticorne Paykull,1800  
Range (in code): TR 14 20 35 45 62
- 24433. *Ochtheophilum turkestanicum* (Korge,1968)** (Staphylinidae) Synonym(s): turkestanicum Korge,1968 Range (in code): TR 07 31 33 38 48
- 24434. *Ochtheophilus emarginatus* (Fauvel,1871)** (Staphylinidae) Synonym(s): emarginatus Fauvel,1871  
Range (in code): TR 01 03
- 24435. *Ocypus aeneocephalus* (De Geer,1774)** (Staphylinidae) Synonym(s): aeneocephalus De Geer,1774  
Range (in code): TR 35
- 24436. *Ocypus ambiguus* Coiffait,1964** (Staphylinidae) Synonym(s): ambiguus Coiffait,1964 Range (in code): TR 54
- 24437. *Ocypus brunnipes* (Fabricius,1781)** (Staphylinidae) Synonym(s): brunnipes Fabricius,1781  
Range (in code): TR
- 24438. *Ocypus bureschi* Coiffait,1971** (Staphylinidae) Synonym(s): bureschi Coiffait,1971 Range (in code): TR 22
- 24439. *Ocypus curtippennis* Motschoulsky,1849** (Staphylinidae) Synonym(s): curtippennis Motschoulsky,1849; integer Abeille de Perrin,1900; grisellii G.Müller,1924 Range (in code): TR 16 34 35
- 24440. *Ocypus cyclopus* Peyron,1858** (Staphylinidae) Synonym(s): cyclopus Peyron,1858 Range (in code): TR 33
- 24441. *Ocypus devei* Coiffait,1978** (Staphylinidae) Synonym(s): devei Coiffait,1978 Range (in code): TR 08
- 24442. *Ocypus excisus* (G.Müller,1950)** (Staphylinidae) Synonym(s): excisus G.Müller,1950 Range (in code): TR

- 24443. *Ocypus forficarius* Motschoulsky,1860** (Staphylinidae) **Synonym(s):** forficarius Motschoulsky,1860; korgei Smetana,1965 **Range (in code):** **TR 08 69**
- 24444. *Ocypus frater* Smetana,1965** (Staphylinidae) **Synonym(s):** frater Smetana,1965 **Range (in code):** **TR 14**
- 24445. *Ocypus fulvipennis* Erichson,1840** (Staphylinidae) **Synonym(s):** fulvipennis Erichson,1840 **Range (in code):** **TR 14 28 35 45**
- 24446. *Ocypus helleni* G.Müller,1926** (Staphylinidae) **Synonym(s):** helleni G.Müller,1926 **Range (in code):** **TR 38**
- 24447. *Ocypus hochhuthi* Eppelsheim,1878** (Staphylinidae) **Synonym(s):** hochhuthi Eppelsheim,1878 **Range (in code):** **TR**
- 24448. *Ocypus longimanus* Smetana,1965** (Staphylinidae) **Synonym(s):** longimanus Smetana,1965 **Range (in code):** **TR 28 52**
- 24449. *Ocypus manceps* Smetana,1965** (Staphylinidae) **Synonym(s):** manceps Smetana,1965 **Range (in code):** **TR 14 26 37 52**
- 24450. *Ocypus milleri* Quedenfeldt,1882** (Staphylinidae) **Synonym(s):** milleri Quedenfeldt,1882 **Range (in code):** **TR 08**
- 24451. *Ocypus mus* (Brullé,1832)** (Staphylinidae) **Synonym(s):** mus Brullé,1832; tauricus G.Müller,1932 **Range (in code):** **TR 06 33 35 45 48 61 63**
- 24452. *Ocypus nitens* (Schrank,1781)** (Staphylinidae) **Synonym(s):** nitens Schrank,1781; semialatus G.Müller,1904 **Range (in code):** **TR**
- 24453. *Ocypus nubigena* Smetana,1965** (Staphylinidae) **Synonym(s):** nubigena Smetana,1965 **Range (in code):** **TR 69**
- 24454. *Ocypus olens* (O.Müller,1764)** (Staphylinidae) **Synonym(s):** olens O.Müller,1764 **Range (in code):** **TR 33 35 45**
- 24455. *Ocypus ophthalmicus* (Scopoli,1763)** (Staphylinidae) **Synonym(s):** ophthalmicus Scopoli,1763; cyanochloris Hochhuth,1849 **Range (in code):** **TR**
- 24456. *Ocypus orientis* Smetana & Davies,2000** (Staphylinidae) **Synonym(s):** orientalis Bernhauer & Schubert,1914; orientis Smetana & Davies,2000 **Range (in code):** **TR 45**
- 24457. *Ocypus ottomanus* Fauvel,1900** (Staphylinidae) **Synonym(s):** ottomanus Fauvel,1900 **Range (in code):** **TR 34**
- 24458. *Ocypus picipennis* (Fabricius,1793)** (Staphylinidae) **Synonym(s):** picipennis Fabricius,1793; anatolicus Coiffait,1964 **Range (in code):** **TR 03 06 14 32 35 38 45 62**
- 24459. *Ocypus ponticus* Smetana,1968** (Staphylinidae) **Synonym(s):** ponticus Smetana,1968 **Range (in code):** **TR 53**
- 24460. *Ocypus pullus* Hochhuth,1849** (Staphylinidae) **Synonym(s):** pullus Hochhuth,1849 **Range (in code):** **TR**
- 24461. *Ocypus sericeicollis* (Ménétriés,1832)** (Staphylinidae) **Synonym(s):** cupreus Rossi,1790; sericeicollis Ménétriés,1832 **Range (in code):** **TR 06 35 45 63**
- 24462. *Ocypus simulator* Eppelsheim,1878** (Staphylinidae) **Synonym(s):** simulator Eppelsheim,1878 **Range (in code):** **TR**
- 24463. *Ocypus syriacus* Baudi di Selve,1848** (Staphylinidae) **Synonym(s):** syriacus Baudi di Selve,1848; baudi Peyron,1858 **Range (in code):** **TR 33**
- 24464. *Ocypus torvus* Smetana,1965** (Staphylinidae) **Synonym(s):** torvus Smetana,1965 **Range (in code):** **TR 08 53**
- 24465. *Ocypus trapezensis* Coiffait,1964** (Staphylinidae) **Synonym(s):** trapezensis Coiffait,1964 **Range (in code):** **TR 61**
- 24466. *Ocypus turcicus* (Bernhauer,1923)** (Staphylinidae) **Synonym(s):** turcicus Bernhauer,1923 **Range (in code):** **TR 61**
- 24467. *Oedichirus reitteri* Bernhauer,1908** (Staphylinidae) **Synonym(s):** reitteri Bernhauer,1908 **Range (in code):** **TR 01**
- 24468. *Oedichirus simoni* Eppelsheim,1889** (Staphylinidae) **Synonym(s):** simoni Eppelsheim,1889 **Range (in code):** **TR 01 31 33 46**
- 24469. *Oligota anatolica* Assing,2003** (Staphylinidae) **Synonym(s):** anatolica Assing,2003 **Range (in code):** **TR 02 07 20 33 35 46**
- 24470. *Oligota brachati* Assing,2006** (Staphylinidae) **Synonym(s):** brachati Assing,2006 **Range (in code):** **TR 46**
- 24471. *Oligota inversa* Assing,2002** (Staphylinidae) **Synonym(s):** inversa Assing,2002 **Range (in code):** **TR 06 35**
- 24472. *Oligota marasica* Assing,2006** (Staphylinidae) **Synonym(s):** marasica Assing,2006 **Range (in code):** **TR 46**
- 24473. *Oligota meybohmi* Assing,2003** (Staphylinidae) **Synonym(s):** meybohmi Assing,2003 **Range (in code):** **TR 27 31**



- 24474. *Oligota pumilio* (Kiesenwetter,1858)** (Staphylinidae) Synonym(s): *pumilio* Kiesenwetter,1858  
Range (in code): TR 06 07 46
- 24475. *Oligota pusillima* (Gravenhorst,1806)** (Staphylinidae) Synonym(s): *pusillima* Gravenhorst,1806  
Range (in code): TR 33
- 24476. *Olophrum paphlagonicum* Coiffait,1978** (Staphylinidae) Synonym(s): *paphlagonicum* Coiffait,1978 Range (in code): TR 37
- 24477. *Olophrum puncticolle* Eppelsheim,1880** (Staphylinidae) Synonym(s): *puncticolle* Eppelsheim,1880 Range (in code): TR 27
- 24478. *Omalium allardii* Fairmaire & Bristout de Barneville,1859** (Staphylinidae) Synonym(s): *allardii* Fairmaire & Bristout de Barneville,1859; *antennarium* Reitter,1911 Range (in code): TR 34
- 24479. *Omalium assingi* Zanetti,2002** (Staphylinidae) Synonym(s): *assingi* Zanetti,2002 Range (in code): TR 02 07 12 33 42 45 46 48 62 80
- 24480. *Omalium caesum* Gravenhorst,1806** (Staphylinidae) Synonym(s): *caesum* Gravenhorst,1806  
Range (in code): TR 33? 53
- 24481. *Omalium cinnamomeum* Kraatz,1857** (Staphylinidae) Synonym(s): *cinnamomeum* Kraatz,1857  
Range (in code): TR 06 07 32 33 35 45
- 24482. *Omalium cribriceps* Fauvel,1900** (Staphylinidae) Synonym(s): *cribriceps* Fauvel,1900 Range (in code): TR 06 07 13 35 48
- 24483. *Omalium falsum* Eppelsheim,1889** (Staphylinidae) Synonym(s): *falsum* Eppelsheim,1889 Range (in code): TR 08
- 24484. *Omalium henroti* Coiffait,1976** (Staphylinidae) Synonym(s): *henroti* Coiffait,1976 Range (in code): TR 33
- 24485. *Omalium littorale* Kraatz,1857** (Staphylinidae) Synonym(s): *littorale* Kraatz,1857 Range (in code): TR 03 13 25 33 38 42 46
- 24486. *Omalium oxyacanthae* Gravenhorst,1806** (Staphylinidae) Synonym(s): *oxyacanthae* Gravenhorst,1806 Range (in code): TR 15 33
- 24487. *Omalium rivulare* (Paykull,1789)** (Staphylinidae) Synonym(s): *rivulare* Paykull,1789 Range (in code): TR 29 34 35
- 24488. *Omalium rugatum* Mulsant & Rey,1880** (Staphylinidae) Synonym(s): *rugatum* Mulsant & Rey,1880 Range (in code): TR 05 07 08 33 37 45 58 80
- 24489. *Omalium saulcyi* Fauvel,1875** (Staphylinidae) Synonym(s): *saulcyi* Fauvel,1875 Range (in code): TR 34
- 24490. *Omalium schuberti* Zanetti,2002** (Staphylinidae) Synonym(s): *schuberti* Zanetti,2002 Range (in code): TR 01 07 27 33 57
- 24491. *Omalium turcicum* Smetana,1967** (Staphylinidae) Synonym(s): *turcicum* Smetana,1967 Range (in code): TR 05 08 13 33 36 61 65 80
- 24492. *Omalium wunderlei* Zanetti,2002** (Staphylinidae) Synonym(s): *wunderlei* Zanetti,2002 Range (in code): TR
- 24493. *Ontholestes murinus* (Linnaeus,1758)** (Staphylinidae) Synonym(s): *murinus* Linnaeus,1758  
Range (in code): TR 35 43
- 24494. *Othius angustus* Stephens,1833** (Staphylinidae) Synonym(s): *angustus* Stephens,1833 Range (in code): TR 08 36 61
- 24495. *Othius grandis* Hochhuth,1849** (Staphylinidae) Synonym(s): *grandis* Hochhuth,1849 Range (in code): TR 25 53 61
- 24496. *Othius korgei* Coiffait,1965** (Staphylinidae) Synonym(s): *korgei* Coiffait,1965 Range (in code): TR 52
- 24497. *Othius laeviusculus* Stephens,1833** (Staphylinidae) Synonym(s): *laeviusculus* Stephens,1833  
Range (in code): TR 02 06 07 09 16 33 34 35 45 48 53 55 62 75
- 24498. *Othius lapidicola* Markel & Kiesenwetter,1848** (Staphylinidae) Synonym(s): *lapidicola* Markel & Kiesenwetter,1848; *elongatus* Coiffait,1956 Range (in code): TR 01 03 07 08 09 13 16 20 25 28 29 33 35 36 45 53 62 65
- 24499. *Othius ponticus* Coiffait,1978** (Staphylinidae) Synonym(s): *ponticus* Coiffait,1978 Range (in code): TR 03 53
- 24500. *Othius punctulatus* (Goeze,1777)** (Staphylinidae) Synonym(s): *punctulatus* Goeze,1777 Range (in code): TR 08 13 14 29 35 45
- 24501. *Othius ziganensis* Solodovnikov,2000** (Staphylinidae) Synonym(s): *ziganensis* Solodovnikov,2000 Range (in code): TR 61
- 24502. *Ousipalia caesula* (Erichson,1839)** (Staphylinidae) Synonym(s): *caesula* Erichson,1839 Range (in code): TR
- 24503. *Oxypoda abdominalis* (Mannerheim,1830)** (Staphylinidae) Synonym(s): *abdominalis* Mannerheim,1830 Range (in code): TR 05 06 09 13 18 33 35 42 48 51
- 24504. *Oxypoda acuminata* (Stephens,1832)** (Staphylinidae) Synonym(s): *acuminata* Stephens,1832  
Range (in code): TR 37 52 53

- 24505. *Oxypoda acutissima* Assing,2006** (Staphylinidae) **Synonym(s):** *acutissima* Assing,2006 **Range (in code):** **TR 07 09 13**
- 24506. *Oxypoda ahirica* Assing,2006** (Staphylinidae) **Synonym(s):** *ahirica* Assing,2006 **Range (in code):** **TR 46**
- 24507. *Oxypoda alternans* (Gravenhorst,1802)** (Staphylinidae) **Synonym(s):** *alternans* Gravenhorst,1802 **Range (in code):** **TR 08 28 29 35 45 53 57 61**
- 24508. *Oxypoda antennata* Bernhauer,1902** (Staphylinidae) **Synonym(s):** *antennata* Bernhauer,1902; *lindbergi* Scheerpeltz,1958; *mystica* Fagel,1971 **Range (in code):** **TR 01 07 09 13 14 16 25 33 35 37 45 46 65**
- 24509. *Oxypoda aydinica* Assing,2007** (Staphylinidae) **Synonym(s):** *aydinica* Assing,2007 **Range (in code):** **TR 09**
- 24510. *Oxypoda biformis* Assing,2006** (Staphylinidae) **Synonym(s):** *biformis* Assing,2006 **Range (in code):** **TR 33 46**
- 24511. *Oxypoda bimaculata* Baudi di Selve,1870** (Staphylinidae) **Synonym(s):** *bimaculata* Baudi di Selve,1870 **Range (in code):** **TR 01 46**
- 24512. *Oxypoda brachati* Assing,2004** (Staphylinidae) **Synonym(s):** *brachati* Assing,2004 **Range (in code):** **TR 33**
- 24513. *Oxypoda brevicornis* (Stephens,1832)** (Staphylinidae) **Synonym(s):** *brevicornis* Stephens,1832 **Range (in code):** **TR 05 08 34 57**
- 24514. *Oxypoda carbonaria* (Heer,1841)** (Staphylinidae) **Synonym(s):** *carbonaria* Heer,1841 **Range (in code):** **TR 35 46**
- 24515. *Oxypoda collaris* Saulcy,1865** (Staphylinidae) **Synonym(s):** *collaris* Saulcy,1865 **Range (in code):** **TR 27 31 46 80**
- 24516. *Oxypoda cristata* Assing,2006** (Staphylinidae) **Synonym(s):** *cristata* Assing,2006 **Range (in code):** **TR 01 05 07 09 29 32 33 35 37 46 48 80**
- 24517. *Oxypoda disjuncta* Assing,2006** (Staphylinidae) **Synonym(s):** *disjuncta* Assing,2006 **Range (in code):** **TR 27 31 46**
- 24518. *Oxypoda doderoi* Bernhauer,1902** (Staphylinidae) **Synonym(s):** *doderoi* Bernhauer,1902 **Range (in code):** **TR**
- 24519. *Oxypoda ferruginea* Erichson,1839** (Staphylinidae) **Synonym(s):** *ferruginea* Erichson,1839 **Range (in code):** **TR 06**
- 24520. *Oxypoda filiformis* Redtenbacher,1849** (Staphylinidae) **Synonym(s):** *filiformis* Redtenbacher,1849 **Range (in code):** **TR**
- 24521. *Oxypoda fissa* Assing,2006** (Staphylinidae) **Synonym(s):** *fissa* Assing,2006 **Range (in code):** **TR 29 33 42 48**
- 24522. *Oxypoda flavicaudata* Assing,2006** (Staphylinidae) **Synonym(s):** *flavicaudata* Assing,2006 **Range (in code):** **TR 07 33 48**
- 24523. *Oxypoda flavicornis* Kraatz,1856** (Staphylinidae) **Synonym(s):** *flavicornis* Kraatz,1856 **Range (in code):** **TR 34 35 52 57**
- 24524. *Oxypoda formosa* Kraatz,1856** (Staphylinidae) **Synonym(s):** *formosa* Kraatz,1856 **Range (in code):** **TR 34**
- 24525. *Oxypoda fusina* Mulsant & Rey,1875** (Staphylinidae) **Synonym(s):** *fusina* Mulsant & Rey,1875 **Range (in code):** **TR**
- 24526. *Oxypoda gladiatoria* Assing,2006** (Staphylinidae) **Synonym(s):** *gladiatoria* Assing,2006 **Range (in code):** **TR 07 48**
- 24527. *Oxypoda graciliformis* Zerche,1999** (Staphylinidae) **Synonym(s):** *graciliformis* Zerche,1999 **Range (in code):** **TR 33**
- 24528. *Oxypoda haemorrhoea* (Mannerheim,1830)** (Staphylinidae) **Synonym(s):** *haemorrhoea* Mannerheim,1830 **Range (in code):** **TR 07 31 33 35 37 45 46 63**
- 24529. *Oxypoda hatayana* Assing,2004** (Staphylinidae) **Synonym(s):** *hatayana* Assing,2004 **Range (in code):** **TR 31 46**
- 24530. *Oxypoda ignorata* Zerche,1996** (Staphylinidae) **Synonym(s):** *ignorata* Zerche,1996 **Range (in code):** **TR 06 31 42 80**
- 24531. *Oxypoda inermis* Assing,2006** (Staphylinidae) **Synonym(s):** *inermis* Assing,2006 **Range (in code):** **TR 27 31 33 46**
- 24532. *Oxypoda judaea* Saulcy,1865** (Staphylinidae) **Synonym(s):** *judaea* Saulcy,1865 **Range (in code):** **TR 27**
- 24533. *Oxypoda kartabensis* Fagel,1965** (Staphylinidae) **Synonym(s):** *kartabensis* Fagel,1965 **Range (in code):** **TR 27 46**
- 24534. *Oxypoda lesbica* Assing,2005** (Staphylinidae) **Synonym(s):** *lesbica* Assing,2005 **Range (in code):** **TR 09 20 35**
- 24535. *Oxypoda libanotica* Fagel,1965** (Staphylinidae) **Synonym(s):** *libanotica* Fagel,1965 **Range (in code):** **TR LB 07 31 33 35 46 48**

- 24536. *Oxypoda longipes* Mulsant & Rey,1861** (Staphylinidae) **Synonym(s):** longipes Mulsant & Rey,1861  
**Range (in code):** [TR 31 33 42 46](#)
- 24537. *Oxypoda lurida* Wollaston,1857** (Staphylinidae) **Synonym(s):** lurida Wollaston,1857 **Range (in code):** [TR 01 06 07 09 27 31 32 33 35 46 48 51](#)
- 24538. *Oxypoda micans* Kraatz,1855** (Staphylinidae) **Synonym(s):** micans Kraatz,1855 **Range (in code):** [TR 09](#)
- 24539. *Oxypoda mutata* Sharp,1871** (Staphylinidae) **Synonym(s):** mutata Sharp,1871 **Range (in code):** [TR 01 09 46 48 57](#)
- 24540. *Oxypoda nemrutica* Assing,2006** (Staphylinidae) **Synonym(s):** nemrutica Assing,2006 **Range (in code):** [TR 02](#)
- 24541. *Oxypoda nova* Bernhauer,1902** (Staphylinidae) **Synonym(s):** nova Bernhauer,1902 **Range (in code):** [TR](#)
- 24542. *Oxypoda obscuricollis* Assing,2007** (Staphylinidae) **Synonym(s):** obscuricollis Assing,2007  
**Range (in code):** [TR 33](#)
- 24543. *Oxypoda opaca* (Gravenhorst,1802)** (Staphylinidae) **Synonym(s):** opaca Gravenhorst,1802  
**Range (in code):** [TR 16 34](#)
- 24544. *Oxypoda ormana* Fagel,1971** (Staphylinidae) **Synonym(s):** ormana Fagel,1971 **Range (in code):** [TR 16](#)
- 24545. *Oxypoda pontica* Assing,2007** (Staphylinidae) **Synonym(s):** pontica Assing,2007 **Range (in code):** [TR 53](#)
- 24546. *Oxypoda recondita* Kraatz,1856** (Staphylinidae) **Synonym(s):** recondita Kraatz,1856 **Range (in code):** [TR 77](#)
- 24547. *Oxypoda recta* Assing,2006** (Staphylinidae) **Synonym(s):** recta Assing,2006 **Range (in code):** [TR 07 09 33 48 80](#)
- 24548. *Oxypoda scheerpeltziana* (Fagel,1968)** (Staphylinidae) **Synonym(s):** scheerpeltziana Fagel,1968  
**Range (in code):** [TR 02 31 33 46](#)
- 24549. *Oxypoda schminkei* Assing,2004** (Staphylinidae) **Synonym(s):** schminkei Assing,2004 **Range (in code):** [TR 48](#)
- 24550. *Oxypoda schuelkei* Assing,2004** (Staphylinidae) **Synonym(s):** schuelkei Assing,2004 **Range (in code):** [TR 31](#)
- 24551. *Oxypoda speculoclara* Assing,2004** (Staphylinidae) **Synonym(s):** speculoclara Assing,2004  
**Range (in code):** [TR 33](#)
- 24552. *Oxypoda subspectabilis* Assing,2007** (Staphylinidae) **Synonym(s):** subspectabilis Assing,2007  
**Range (in code):** [TR 52](#)
- 24553. *Oxypoda tenuilaminata* Assling,2006** (Staphylinidae) **Synonym(s):** tenuilaminata Assling,2006  
**Range (in code):** [TR 01](#)
- 24554. *Oxypoda turcica* Zerche,1999** (Staphylinidae) **Synonym(s):** turcica Zerche,1999 **Range (in code):** [TR 01 07 09 27 33 46 48](#)
- 24555. *Oxypoda vicina* Kraatz,1858** (Staphylinidae) **Synonym(s):** vicina Kraatz,1858; nivalis Fagel,1965  
**Range (in code):** [TR 01 09 13 20 25 27 33 35 37 42 45 46 48](#)
- 24556. *Oxypoda vittata* Maerker,1842** (Staphylinidae) **Synonym(s):** vittata Maerker,1842 **Range (in code):** [TR 42 46 52 80](#)
- 24557. *Oxypoda wankai* Bernhauer,1936** (Staphylinidae) **Synonym(s):** wankai Bernhauer,1936 **Range (in code):** [TR 27 31 63](#)
- 24558. *Oxypoda ziyaretica* Assing,2006** (Staphylinidae) **Synonym(s):** ziyaretica Assing,2006 **Range (in code):** [TR 31](#)
- 24559. *Oxyporus maxillosus* Fabricius,1793** (Staphylinidae) **Synonym(s):** maxillosus Fabricius,1793  
**Range (in code):** [TR](#)
- 24560. *Oxyporus rufus* (Linnaeus,1758)** (Staphylinidae) **Synonym(s):** rufus Linnaeus,1758 **Range (in code):** [TR 25](#)
- 24561. *Oxytelus laqueatus* (Marsham,1802)** (Staphylinidae) **Synonym(s):** laqueatus Marsham,1802  
**Range (in code):** [TR 53](#)
- 24562. *Oxytelus piceus* (Linnaeus,1767)** (Staphylinidae) **Synonym(s):** piceus Linnaeus,1767 **Range (in code):** [TR 01 25 33](#)
- 24563. *Oxytelus sculptus* (Gravenhorst,1806)** (Staphylinidae) **Synonym(s):** sculptus Gravenhorst,1806  
**Range (in code):** [TR 01 06 33 54](#)
- 24564. *Paederidus rubrothoracicus* (Goeze,1777)** (Staphylinidae) **Synonym(s):** rubrothoracicus Goeze,1777 **Range (in code):** [TR 06 09 26 42 45 61 62](#)
- 24565. *Paederidus ruficollis* (Fabricius,1777)** (Staphylinidae) **Synonym(s):** ruficollis Fabricius,1777  
**Range (in code):** [TR 35 58](#)
- 24566. *Paederus balachowskyi* (Jarrige,1771)** (Staphylinidae) **Synonym(s):** balachowskyi Jarrige,1771  
**Range (in code):** [TR 62](#)



- 24567. *Paederus balcanicus* Koch,1938** (Staphylinidae) Synonym(s): balcanicus Koch,1938; trapeziceps Scheerpeltz,1957 Range (in code): TR
- 24568. *Paederus fuscipes* Curtis,1826** (Staphylinidae) Synonym(s): fuscipes Curtis,1826 Range (in code): TR 06 21 27 34 35 45 47 61
- 24569. *Paederus littoralis* Gravenhorst,1802** (Staphylinidae) Synonym(s): littoralis Gravenhorst,1802; moses Saulcy,1865 Range (in code): TR 11 33 47 54 63 70
- 24570. *Paederus pelikani* Reitter,1884** (Staphylinidae) Synonym(s): pelikani Reitter,1884 Range (in code): TR
- 24571. *Paederus riparius* (Linnaeus,1758)** (Staphylinidae) Synonym(s): riparius Linnaeus,1758 Range (in code): TR
- 24572. *Panaphantus atomus* Kiesenwetter,1858** (Staphylinidae) Synonym(s): atomus Kiesenwetter,1858 Range (in code): TR 15 31 55 57 80
- 24573. *Parabolitobius inclinans* (Gravenhorst,1806)** (Staphylinidae) Synonym(s): inclinans Gravenhorst,1806 Range (in code): TR 20
- 24574. *Parabolitobius ponticus* (Fagel,1968)** (Staphylinidae) Synonym(s): ponticus Fagel,1968 Range (in code): TR 14
- 24575. *Paratychus mendax* (Kiesenwetter,1858)** (Staphylinidae) Synonym(s): mendax Kiesenwetter,1858 Range (in code): TR
- 24576. *Parocyusa longitarsis* (Erichson,1839)** (Staphylinidae) Synonym(s): longitarsis Erichson,1839 Range (in code): TR 35 45
- 24577. *Pella cinctipennis* (Eppelsheim,1884)** (Staphylinidae) Synonym(s): cinctipennis Eppelsheim,1884 Range (in code): TR 48
- 24578. *Pella gibbera* Assing,2007** (Staphylinidae) Synonym(s): gibbera Assing,2007 Range (in code): TR 35
- 24579. *Pella hampei* (Kraatz,1862)** (Staphylinidae) Synonym(s): hampei Kraatz,1862 Range (in code): TR 35
- 24580. *Pella humeralis* (Gravenhorst,1802)** (Staphylinidae) Synonym(s): humeralis Gravenhorst,1802 Range (in code): TR 08 14 54 57
- 24581. *Pella laeviceps* (Eppelsheim,1880)** (Staphylinidae) Synonym(s): laeviceps Eppelsheim,1880 Range (in code): TR 29 61
- 24582. *Pella laticollis* (Maerkel,1845)** (Staphylinidae) Synonym(s): laticollis Maerkel,1845 Range (in code): TR 57
- 24583. *Pella lugens* (Gravenhorst,1802)** (Staphylinidae) Synonym(s): lugens Gravenhorst,1802 Range (in code): TR 35
- 24584. *Pella ruficollis* (Grimm,1845)** (Staphylinidae) Synonym(s): ruficollis Grimm,1845 Range (in code): TR 35
- 24585. *Pella similis* (Maerkel,1844)** (Staphylinidae) Synonym(s): similis Maerkel,1844 Range (in code): TR 46 57
- 24586. *Pella sultanica* Assing,2008** (Staphylinidae) Synonym(s): sultanica Assing,2008 Range (in code): TR 42
- 24587. *Pellochromonia ruficollis* (Grimm,1845)** (Staphylinidae) Synonym(s): ruficollis Grimm,1845 Range (in code): TR
- 24588. *Peltodonia bodemeyeri* Bernhauer,1936** (Staphylinidae) Synonym(s): bodemeyeri Bernhauer,1936 Range (in code): TR 34
- 24589. *Phacophallus parumpunctatus* (Gyllenhal,1827)** (Staphylinidae) Synonym(s): parumpunctatus Gyllenhal,1827 Range (in code): TR 07 34 42
- 24590. *Philonthus alberti* Schillhammer,2000** (Staphylinidae) Synonym(s): picipes Fauvel,1875 (preocc.); alberti Schillhammer,2000 Range (in code): TR
- 24591. *Philonthus albipes* (Gravenhorst,1802)** (Staphylinidae) Synonym(s): albipes Gravenhorst,1802 Range (in code): TR
- 24592. *Philonthus alpinus* Eppelsheim,1875** (Staphylinidae) Synonym(s): alpinus Eppelsheim,1875 Range (in code): TR 08 53
- 24593. *Philonthus asperulus* Fauvel,1875** (Staphylinidae) Synonym(s): asperulus Fauvel,1875 Range (in code): TR
- 24594. *Philonthus atratus* (Gravenhorst,1802)** (Staphylinidae) Synonym(s): atratus Gravenhorst,1802 Range (in code): TR 06 33 42 51
- 24595. *Philonthus besucheti* Smetana,1977** (Staphylinidae) Synonym(s): besucheti Smetana,1977 Range (in code): TR 02
- 24596. *Philonthus carbonarius* (Gravenhorst,1802)** (Staphylinidae) Synonym(s): carbonarius Gravenhorst,1802; varius Gyllenhal,1810 Range (in code): TR
- 24597. *Philonthus caucasicus* Nordmann,1837** (Staphylinidae) Synonym(s): caucasicus Nordmann,1837; dimidiatus C.R.Sahlberg,1830 Range (in code): TR Cc 33 40

- 24598. *Philonthus chehircensis* Bernhauer,1935** (Staphylinidae) Synonym(s): chehircensis Bernhauer,1935 Range (in code): TR 42
- 24599. *Philonthus cochleatus* Scheerpeltz,1937** (Staphylinidae) Synonym(s): cochleatus Scheerpeltz,1937 Range (in code): TR 01
- 24600. *Philonthus cognatus* Stephens,1832** (Staphylinidae) Synonym(s): fuscipennis Mannerheim,1830 (preocc.); cognatus Stephens,1832 Range (in code): TR 33 61
- 24601. *Philonthus concinnus* (Gravenhorst,1802)** (Staphylinidae) Synonym(s): concinnus Gravenhorst,1802; ohripennis Gerhardt,1910 Range (in code): TR 01 06 33 38 42 45 62 81
- 24602. *Philonthus coprophilus* Jarrige,1949** (Staphylinidae) Synonym(s): coprophilus Jarrige,1949 Range (in code): TR 25
- 24603. *Philonthus corruscus* (Gravenhorst,1802)** (Staphylinidae) Synonym(s): corruscus Gravenhorst,1802 Range (in code): TR 01 06 33 35
- 24604. *Philonthus cruentatus* (Gmelin,1790)** (Staphylinidae) Synonym(s): cruentatus Gmelin,1790 Range (in code): TR 20 34
- 24605. *Philonthus debilis* (Gravenhorst,1802)** (Staphylinidae) Synonym(s): debilis Gravenhorst,1802 Range (in code): TR 01 06 20 33
- 24606. *Philonthus dimidiatipennis* Erichson,1840** (Staphylinidae) Synonym(s): dimidiatipennis Erichson,1840 Range (in code): TR 01 06 32
- 24607. *Philonthus discoideus* (Gravenhorst,1802)** (Staphylinidae) Synonym(s): discoideus Gravenhorst,1802 Range (in code): TR 33
- 24608. *Philonthus diversiceps* Bernhauer,1901** (Staphylinidae) Synonym(s): diversiceps Bernhauer,1901; armeniacus Bernhauer,1901 Range (in code): TR Cc AM
- 24609. *Philonthus ebeninus* (Gravenhorst,1802)** (Staphylinidae) Synonym(s): ebeninus Gravenhorst,1802 Range (in code): TR 01 16 33 35
- 24610. *Philonthus fenestratus* Fauvel,1872** (Staphylinidae) Synonym(s): fenestratus Fauvel,1872 Range (in code): TR 01
- 24611. *Philonthus frigidoides* Coiffait,1963** (Staphylinidae) Synonym(s): frigidoides Coiffait,1963; elytratus Coiffait,1963 Range (in code): TR 32
- 24612. *Philonthus frigidus* Markel & Kiesenwetter,1848** (Staphylinidae) Synonym(s): frigidus Markel & Kiesenwetter,1848 Range (in code): TR
- 24613. *Philonthus fumarius* (Gravenhorst,1806)** (Staphylinidae) Synonym(s): fumarius Gravenhorst,1806 Range (in code): TR 34
- 24614. *Philonthus intermedius* (Lacordaire,1835)** (Staphylinidae) Synonym(s): intermedius Lacordaire,1835 Range (in code): TR 06 20 33 35 46
- 24615. *Philonthus juvenilis* Peyron,1858** (Staphylinidae) Synonym(s): juvenilis Peyron,1858 Range (in code): TR 33 51
- 24616. *Philonthus kisirensis* (Coiffait,1966)** (Staphylinidae) Synonym(s): kisirensis Coiffait,1966 Range (in code): TR 75
- 24617. *Philonthus laminatus* (Creutzer,1799)** (Staphylinidae) Synonym(s): laminatus Creutzer,1799 Range (in code): TR 08 53
- 24618. *Philonthus laxatus* Fauvel,1875** (Staphylinidae) Synonym(s): laxatus Fauvel,1875 Range (in code): TR 08 53
- 24619. *Philonthus lindbergi* Scheerpeltz,1958** (Staphylinidae) Synonym(s): lindbergi Scheerpeltz,1958 Range (in code): TR 65
- 24620. *Philonthus longicornis* Stephens,1832** (Staphylinidae) Synonym(s): longicornis Stephens,1832 Range (in code): TR 01 06
- 24621. *Philonthus micans* (Gravenhorst,1802)** (Staphylinidae) Synonym(s): micans Gravenhorst,1802 Range (in code): TR 33
- 24622. *Philonthus mimus* Smetana,1959** (Staphylinidae) Synonym(s): mimus Smetana,1959 Range (in code): TR 03 10 32
- 24623. *Philonthus minutus* Boheman,1848** (Staphylinidae) Synonym(s): minutus Boheman,1848 Range (in code): TR 45
- 24624. *Philonthus nigratus* (Gravenhorst,1806)** (Staphylinidae) Synonym(s): nigratus Gravenhorst,1806 Range (in code): TR 14
- 24625. *Philonthus nitidicollis* (Lacordaire,1835)** (Staphylinidae) Synonym(s): bimaculatus Gravenhorst,1802 (preocc.); nitidicollis Lacordaire,1835 Range (in code): TR 01 06 27 35 42
- 24626. *Philonthus parvicornis* (Gravenhorst,1802)** (Staphylinidae) Synonym(s): parvicornis Gravenhorst,1802 Range (in code): TR 48
- 24627. *Philonthus picimanus* (Ménétriés,1832)** (Staphylinidae) Synonym(s): picimanus Ménétriés,1832 Range (in code): TR
- 24628. *Philonthus piochardi* Fauvel,1875** (Staphylinidae) Synonym(s): piochardi Fauvel,1875 Range (in code): TR

- 24629. *Philonthus politus* (Linnaeus,1758)** (Staphylinidae) Synonym(s): *politus* Linnaeus,1758 Range (in code): TR 33
- 24630. *Philonthus punctus* (Gravenhorst,1802)** (Staphylinidae) Synonym(s): *punctus* Gravenhorst,1802 Range (in code): TR BG 33
- 24631. *Philonthus quisquiliariformis* Scheerpeltz,1958** (Staphylinidae) Synonym(s): *quisquiliariformis* Scheerpeltz,1958 Range (in code): TR 06 09 45 65
- 24632. *Philonthus quisquiliarius* (Gyllenhal,1810)** (Staphylinidae) Synonym(s): *quisquiliarius* Gyllenhal,1810; *inquinatus* Stephens,1832; *rubidus* Erichson,1840 Range (in code): TR 01 06 33 35
- 24633. *Philonthus rectangulus* Sharp,1874** (Staphylinidae) Synonym(s): *rectangulus* Sharp,1874 Range (in code): TR 06 62 63
- 24634. *Philonthus rubripennis* Stephens,1832** (Staphylinidae) Synonym(s): *fulvipes* Fabricius,1793 (preocc.); *rubripennis* Stephens,1832 Range (in code): TR 33 62
- 24635. *Philonthus rufimanus* Heer,1839** (Staphylinidae) Synonym(s): *rufimanus* Heer,1839; *rufimanus* Erichson,1840 Range (in code): TR BG 09 33 35 45 79
- 24636. *Philonthus rufipes* (Stephens,1832)** (Staphylinidae) Synonym(s): *rufipes* Stephens,1832 Range (in code): TR 33
- 24637. *Philonthus salinus* Kiesenwetter,1844** (Staphylinidae) Synonym(s): *salinus* Kiesenwetter,1844 Range (in code): TR 10
- 24638. *Philonthus speciosus* Cameron,1926** (Staphylinidae) Synonym(s): *speciosus* Cameron,1926 Range (in code): TR
- 24639. *Philonthus spinipes* Sharp,1874** (Staphylinidae) Synonym(s): *spinipes* Sharp,1874 Range (in code): TR 07 33
- 24640. *Philonthus splendens* (Fabricius,1793)** (Staphylinidae) Synonym(s): *splendens* Fabricius,1793 Range (in code): TR
- 24641. *Philonthus stragulatus* Erichson,1840** (Staphylinidae) Synonym(s): *stragulatus* Erichson,1840 Range (in code): TR 33
- 24642. *Philonthus succicola* Thomson,1860** (Staphylinidae) Synonym(s): *succicola* Thomson,1860 Range (in code): TR 34
- 24643. *Philonthus svanetiensis* Coiffait,1974** (Staphylinidae) Synonym(s): *svanetiensis* Coiffait,1974 Range (in code): GG Cc TR 08 25 53
- 24644. *Philonthus tenuicornis* Mulsant & Rey,1853** (Staphylinidae) Synonym(s): *tenuicornis* Mulsant & Rey,1853 Range (in code): TR
- 24645. *Philonthus truquii* Peyron,1858** (Staphylinidae) Synonym(s): *truquii* Peyron,1858 Range (in code): TR 01 33 51
- 24646. *Philonthus umbratilis* (Gravenhorst,1802)** (Staphylinidae) Synonym(s): *umbratilis* Gravenhorst,1802 Range (in code): TR
- 24647. *Philonthus varians* (Paykull,1789)** (Staphylinidae) Synonym(s): *variens* Paykull,1789 Range (in code): TR 33
- 24648. *Philonthus velatipennis* Solsky,1869** (Staphylinidae) Synonym(s): *velatipennis* Solsky,1869 Range (in code): TR 76
- 24649. *Philonthus ventralis* (Gravenhorst,1802)** (Staphylinidae) Synonym(s): *ventralis* Gravenhorst,1802; *immundus* Gravenhorst,1802 Range (in code): TR 33
- 24650. *Philorirum sordidum* (Stephens,1834)** (Staphylinidae) Synonym(s): *sordidum* Stephens,1834 Range (in code): TR 45
- 24651. *Phloeocharis longipennis* Fauvel,1875** (Staphylinidae) Synonym(s): *longipennis* Fauvel,1875 Range (in code): TR 01 07 33 42 46 48
- 24652. *Phloeocharis parvispinosa* Assing,2006** (Staphylinidae) Synonym(s): *parvispinosa* Assing,2006 Range (in code): TR 33
- 24653. *Phloeocharis spinosa* Assing,2004** (Staphylinidae) Synonym(s): *spinosa* Assing,2004 Range (in code): TR 31
- 24654. *Phloeonomus pusillus* (Gravenhorst,1806)** (Staphylinidae) Synonym(s): *pusillus* Gravenhorst,1806 Range (in code): TR 25 36
- 24655. *Phloeopora corticalis* (Gravenhorst,1802)** (Staphylinidae) Synonym(s): *corticalis* Gravenhorst,1802 Range (in code): TR
- 24656. *Phloeopora teres* (Gravenhorst,1802)** (Staphylinidae) Synonym(s): *teres* Gravenhorst,1802 Range (in code): TR
- 24657. *Phloeostiba lapponica* (Zetterstedt,1838)** (Staphylinidae) Synonym(s): *lapponica* Zetterstedt,1838 Range (in code): TR
- 24658. *Phyllodrepa caucasica* (Kolenati,1846)** (Staphylinidae) Synonym(s): *caucasica* Kolenati,1846 Range (in code): Cc TR
- 24659. *Phyllodrepa floralis* (Paykull,1789)** (Staphylinidae) Synonym(s): *floralis* Paykull,1789 Range (in code): TR



- 24660. Phyllodrepa vilis (Erichson,1840)** (Staphylinidae) Synonym(s): vilis Erichson,1840 Range (in code): TR 34
- 24661. Phytosus spinifer Curtis,1838** (Staphylinidae) Synonym(s): spinifer Curtis,1838 Range (in code): TR 34 61
- 24662. Piochardia reitteri (Wasmann,1894)** (Staphylinidae) Synonym(s): reitteri Wasmann,1894 Range (in code): TR 31 35
- 24663. Planeustomus cephalotes (Erichson,1840)** (Staphylinidae) Synonym(s): cephalotes Erichson,1840 Range (in code): TR
- 24664. Planeustomus grandis Reitter,1907** (Staphylinidae) Synonym(s): grandis Reitter,1907 Range (in code): TR 01
- 24665. Planeustomus heydeni (Eppelsheim,1884)** (Staphylinidae) Synonym(s): heydeni Eppelsheim,1884; seriatipennis Koch,1937 [ssp.] Range (in code): TR 01
- 24666. Planeustomus pallidus Assing,2004** (Staphylinidae) Synonym(s): pallidus Assing,2004 Range (in code): TR 46
- 24667. Plataraea dux (Peyron,1858)** (Staphylinidae) Synonym(s): dux Peyron,1858 Range (in code): TR 33 70
- 24668. Platydomea lanugo Assing,2003** (Staphylinidae) Synonym(s): lanugo Assing,2003 Range (in code): TR 57
- 24669. Platylabus chalcoccephalus (Fabricius,1801)** (Staphylinidae) Synonym(s): chalcoccephalus Fabricius,1801 Range (in code): TR 28
- 24670. Platylabus flavopunctatus (Latreille,1804)** (Staphylinidae) Synonym(s): flavopunctatus Latreille,1804; lutarius Gravenhorst,1806 Range (in code): TR 01 03 33
- 24671. Platylabus fulvipes (Scopoli,1763)** (Staphylinidae) Synonym(s): fulvipes Scopoli,1763 Range (in code): TR 53 81
- 24672. Platylabus hypocrita (G.Müller,1925)** (Staphylinidae) Synonym(s): hypocrita G.Müller,1925 Range (in code): TR 35
- 24673. Platylabus stercorarius (Olivier,1795)** (Staphylinidae) Synonym(s): stercorarius Olivier,1795 Range (in code): TR 53 61
- 24674. Platylabus caeca Assing,2006** (Staphylinidae) Synonym(s): caeca Assing,2006 Range (in code): TR 46
- 24675. Platylabus hierichonticus Reiche & Saulcy,1856** (Staphylinidae) Synonym(s): hierichonticus Reiche & Saulcy,1856 Range (in code): TR 21 27 31 33? 45
- 24676. Platylabus arenarius (Geoffroy,1785)** (Staphylinidae) Synonym(s): arenarius Geoffroy,1785 Range (in code): TR
- 24677. Platylabus brevipennis Baudi di Selve,1857** (Staphylinidae) Synonym(s): brevipennis Baudi di Selve,1857 Range (in code): TR
- 24678. Platylabus capito Heer,1839** (Staphylinidae) Synonym(s): capito Heer,1839 Range (in code): TR 06 33 34
- 24679. Platylabus cornutus (Gravenhorst,1802)** (Staphylinidae) Synonym(s): cornutus Gravenhorst,1802 Range (in code): TR 06 09 22 26 33 45
- 24680. Platylabus degener Mulsant & Rey,1878** (Staphylinidae) Synonym(s): degener Mulsant & Rey,1878 Range (in code): TR
- 24681. Platylabus nitens (Sahlberg,1832)** (Staphylinidae) Synonym(s): nitens Sahlberg,1832 Range (in code): TR 06 79
- 24682. Platylabus nodifrons Mannerheim,1830** (Staphylinidae) Synonym(s): nodifrons Mannerheim,1830 Range (in code): TR 62
- 24683. Platylabus rufospinus Hochhuth,1851** (Staphylinidae) Synonym(s): rufospinus Hochhuth,1851 Range (in code): TR
- 24684. Platylabus rugifrons Bernhauer,1900** (Staphylinidae) Synonym(s): rugifrons Bernhauer,1900 Range (in code): TR 33
- 24685. Platylabus similis Smetana,1967** (Staphylinidae) Synonym(s): similis Smetana,1967 Range (in code): TR 06
- 24686. Platylabus spinosus Erichson,1840** (Staphylinidae) Synonym(s): spinosus Erichson,1840 Range (in code): TR
- 24687. Plectophloeus erichsoni Machulka,1929** (Staphylinidae) Synonym(s): erichsoni Machulka,1929; orientalis Besuchet,1969 Range (in code): CZ TR 08 28
- 24688. Plectophloeus nitidus (Fairmaire,1858)** (Staphylinidae) Synonym(s): nitidus Fairmaire,1858 Range (in code): TR
- 24689. Plectophloeus nubigenus (Reitter,1877)** (Staphylinidae) Synonym(s): nubigenus Reitter,1877; bosnicus Besuchet,1964 Range (in code): B-H TR
- 24690. Poromniusa crassa Eppelsheim,1883** (Staphylinidae) Synonym(s): crassa Eppelsheim,1883 Range (in code): TR 35

- 24691. Poromniusa procidia (Erichson,1837)** (Staphylinidae) **Synonym(s):** procidia Erichson,1837 **Range (in code):** [TR 46 48](#)
- 24692. Potamaurops dentatithorax (Pic,1900)** (Staphylinidae) **Synonym(s):** dentatithorax Pic,1900; uludagensis Löbl,1967 **Range (in code):** [TR 16](#)
- 24693. Procirrus saulcyi Fauvel,1873** (Staphylinidae) **Synonym(s):** saulcyi Fauvel,1873 **Range (in code):** [TR 31 33](#)
- 24694. Pronomaea anatolica Fagel,1969** (Staphylinidae) **Synonym(s):** anatolica Fagel,1969 **Range (in code):** [TR 07 31 32 46 48](#)
- 24695. Pronomaea araxicola Reitter,1898** (Staphylinidae) **Synonym(s):** araxicola Reitter,1898; orientalis Fagel,1969 **Range (in code):** [TR IR Ak Ab Cc GG CY 07 31 46](#)
- 24696. Pronomaea khnzoriani Semenov,2003** (Staphylinidae) **Synonym(s):** khnzoriani Semenov,2003 **Range (in code):** [TR 05](#)
- 24697. Proteinus atomarius Erichson,1840** (Staphylinidae) **Synonym(s):** atomarius Erichson,1840 **Range (in code):** [TR 81](#)
- 24698. Proteinus brachypterus (Fabricius,1792)** (Staphylinidae) **Synonym(s):** brachypterus Fabricius,1792 **Range (in code):** [TR](#)
- 24699. Proteinus creticus Assing,2004** (Staphylinidae) **Synonym(s):** creticus Assing,2004 **Range (in code):** [TR GR Cr 35](#)
- 24700. Proteinus meuseli Dauphin,1999** (Staphylinidae) **Synonym(s):** meuseli Dauphin,1999 **Range (in code):** [TR 35](#)
- 24701. Proteinus ovalis Stephens,1834** (Staphylinidae) **Synonym(s):** ovalis Stephens,1834 **Range (in code):** [TR 35 45](#)
- 24702. Proteinus utrarius Assing,2004** (Staphylinidae) **Synonym(s):** utrarius Assing,2004 **Range (in code):** [TR 01 07 27 31 33 35 46 48](#)
- 24703. Proteinus zanettii Dauphin,1999** (Staphylinidae) **Synonym(s):** zanettii Dauphin,1999 **Range (in code):** [TR 35](#)
- 24704. Pselaphogenius mehadiensis (J.Frivaldksy,1877)** (Staphylinidae) **Synonym(s):** mehadiensis J.Frivaldksy,1877 **Range (in code):** [TR](#)
- 24705. Pselaphus acuminatus Motschulsky,1835** (Staphylinidae) **Synonym(s):** acuminatus Motschulsky,1835 **Range (in code):** [TR](#)
- 24706. Pselaphus caucasicus Motschulsky,1845** (Staphylinidae) **Synonym(s):** caucasicus Motschulsky,1845 **Range (in code):** [TR Cc](#)
- 24707. Pselaphus mysius Besuchet,1960** (Staphylinidae) **Synonym(s):** mysius Besuchet,1960 **Range (in code):** [TR 17](#)
- 24708. Pseudobium alanyaense Fagel,1969** (Staphylinidae) **Synonym(s):** alanyaense Fagel,1969 **Range (in code):** [TR 07](#)
- 24709. Pseudobium anaticum Assing,2006** (Staphylinidae) **Synonym(s):** anaticum Assing,2006 **Range (in code):** [TR 07 45 48](#)
- 24710. Pseudobium cypriacum Jarrige,1949** (Staphylinidae) **Synonym(s):** cypriacum Jarrige,1949 **Range (in code):** [TR CY 07 31 48 80](#)
- 24711. Pseudobium hellenicum Assing,2006** (Staphylinidae) **Synonym(s):** hellenicum Assing,2006 **Range (in code):** [TR 35](#)
- 24712. Pseudocalea angulata (Eppelsheim,1880)** (Staphylinidae) **Synonym(s):** angulata Eppelsheim,1880 **Range (in code):** [TR 33 34](#)
- 24713. Pseudocalea korbi (Bernhauer,1902)** (Staphylinidae) **Synonym(s):** korbi Bernhauer,1902 **Range (in code):** [TR](#)
- 24714. Pseudocalea messorphila Assing,2007** (Staphylinidae) **Synonym(s):** messorphila Assing,2007 **Range (in code):** [TR 35](#)
- 24715. Pseudolathra boyadjiani (Rambousek,1907)** (Staphylinidae) **Synonym(s):** boyadjiani Rambousek,1907 **Range (in code):** [TR 27 46 63](#)
- 24716. Pseudolathra quadricollis (Fauvel,1875)** (Staphylinidae) **Synonym(s):** quadricollis Fauvel,1875 **Range (in code):** [TR 33](#)
- 24717. Pseudolathra sisara (Saulcy,1865)** (Staphylinidae) **Synonym(s):** sisara Saulcy,1865 **Range (in code):** [TR 33](#)
- 24718. Pseudolathra tenenbaumi (Bernhauer,1932)** (Staphylinidae) **Synonym(s):** tenenbaumi Bernhauer,1932 **Range (in code):** [TR 45](#)
- 24719. Pseudomedon dido (Saulcy,1865)** (Staphylinidae) **Synonym(s):** dido Saulcy,1865 **Range (in code):** [TR 07 15 33](#)
- 24720. Pseudomedon obscurellus (Erichson,1840)** (Staphylinidae) **Synonym(s):** obscurellus Erichson,1840 **Range (in code):** [TR 07 25 62](#)
- 24721. Pseudomedon obsoletus (Nordmann,1837)** (Staphylinidae) **Synonym(s):** obsoletus Nordmann,1837 **Range (in code):** [TR 17 25 34 38 45 48 61](#)

- 24722. *Pseudoplectus perplexus* (Jacquelin du Val,1854)** (Staphylinidae) Synonym(s): perplexus Jacquelin du Val,1854 Range (in code): TR
- 24723. *Pseudopsis sulcata* Newman,1834** (Staphylinidae) Synonym(s): sulcata Newman,1834 Range (in code): TR 08 37 53 61
- 24724. *Pseudosemiris atavia* Assing,2001** (Staphylinidae) Synonym(s): atavia Assing,2001 Range (in code): TR 33 80
- 24725. *Pseudosemiris fulgida* Assing,2001** (Staphylinidae) Synonym(s): fulgida Assing,2001 Range (in code): TR 54
- 24726. *Pseudosemiris kaufmanni* (Eppelsheim,1887)** (Staphylinidae) Synonym(s): kaufmanni Eppelsheim,1887 Range (in code): TR 07 48
- 24727. *Pycnota paradoxa* (Mulsant & Rey,1874)** (Staphylinidae) Synonym(s): paradoxa Mulsant & Rey,1874 Range (in code): TR 46
- 24728. *Pyroglossa pontica* Assing,2007** (Staphylinidae) Synonym(s): pontica Assing,2007 Range (in code): TR 53
- 24729. *Quedius abietum* Kiesenwetter,1858** (Staphylinidae) Synonym(s): abietum Kiesenwetter,1858 Range (in code): TR 07 33 35
- 24730. *Quedius acuminatus* Hochhuth,1849** (Staphylinidae) Synonym(s): acuminatus Hochhuth,1849 Range (in code): TR Arr 28 76
- 24731. *Quedius adanensis* Coiffait,1967** (Staphylinidae) Synonym(s): adanensis Coiffait,1967 Range (in code): TR 01
- 24732. *Quedius aetolicus* Kraatz,1858** (Staphylinidae) Synonym(s): aetolicus Kraatz,1858 Range (in code): TR 07
- 24733. *Quedius atricapillus* Reitter,1900** (Staphylinidae) Synonym(s): atricapillus Reitter,1900 Range (in code): TR 07 31
- 24734. *Quedius boluensis* Korge,1971** (Staphylinidae) Synonym(s): boluensis Korge,1971 Range (in code): TR 08 14 29 37 52 57 67 81
- 24735. *Quedius boops* (Gravenhorst,1802)** (Staphylinidae) Synonym(s): boops Gravenhorst,1802 Range (in code): TR 69
- 24736. *Quedius brevis* Erichson,1840** (Staphylinidae) Synonym(s): brevis Erichson,1840 Range (in code): TR 37
- 24737. *Quedius cinctus* (Paykull,1790)** (Staphylinidae) Synonym(s): cinctus Paykull,1790; impressus Panzer,1796 Range (in code): TR 14 33 34 35 53
- 24738. *Quedius cohaesus* Eppelsheim,1888** (Staphylinidae) Synonym(s): cohaesus Eppelsheim,1888 Range (in code): TR 33
- 24739. *Quedius coloratus* Fauvel,1875** (Staphylinidae) Synonym(s): coloratus Fauvel,1875 Range (in code): TR 01
- 24740. *Quedius coxalis* Kraatz,1858** (Staphylinidae) Synonym(s): coxalis Kraatz,1858 Range (in code): TR 20
- 24741. *Quedius cruentus* (Olivier,1795)** (Staphylinidae) Synonym(s): cruentus Olivier,1795 Range (in code): TR 45
- 24742. *Quedius curticens* Smetana,1967** (Staphylinidae) Synonym(s): curticens Smetana,1967 Range (in code): TR 01
- 24743. *Quedius curtipennis* Bernhauer,1908** (Staphylinidae) Synonym(s): curtipennis Bernhauer,1908 Range (in code): TR 14 28 35 45
- 24744. *Quedius fagelianus* Coiffait,1967** (Staphylinidae) Synonym(s): fagelianus Coiffait,1967 Range (in code): TR
- 24745. *Quedius fissus* Gridelli,1938** (Staphylinidae) Synonym(s): fissus Gridelli,1938 Range (in code): TR 35
- 24746. *Quedius fulgidus* (Fabricius,1793)** (Staphylinidae) Synonym(s): fulgidus Fabricius,1793 Range (in code): TR 33 50
- 24747. *Quedius fuliginosus* (Gravenhorst,1802)** (Staphylinidae) Synonym(s): fuliginosus Gravenhorst,1802 Range (in code): TR 33 35
- 24748. *Quedius gridellii* Scheerpeltz,1933** (Staphylinidae) Synonym(s): gridellii Scheerpeltz,1933; luteomaculatus Scheerpeltz,1958 Range (in code): TR 13
- 24749. *Quedius harpago* Assing,2007** (Staphylinidae) Synonym(s): harpago Assing,2007 Range (in code): TR 35
- 24750. *Quedius heinzi* Korge,1964** (Staphylinidae) Synonym(s): heinzi Korge,1964 Range (in code): TR 37
- 24751. *Quedius humeralis* Stephens,1832** (Staphylinidae) Synonym(s): humeralis Stephens,1832 Range (in code): TR 33 34
- 24752. *Quedius incensus* Smetana,1959** (Staphylinidae) Synonym(s): incensus Smetana,1959 Range (in code): TR 06



- 24753. Quedius inflatus Fauvel,1875** (Staphylinidae) Synonym(s): inflatus Fauvel,1875 Range (in code): TR 31
- 24754. Quedius infuscatus Erichson,1840** (Staphylinidae) Synonym(s): infuscatus Erichson,1840 Range (in code): TR 33
- 24755. Quedius job Coiffait,1963** (Staphylinidae) Synonym(s): job Coiffait,1963 Range (in code): TR 07 62
- 24756. Quedius josue Saulcy,1864** (Staphylinidae) Synonym(s): josue Saulcy,1864 Range (in code): TR 07
- 24757. Quedius kirkclarensis Korge,1971** (Staphylinidae) Synonym(s): kirkclarensis Korge,1971; drannazensis Coiffait,1978 Range (in code): TR 28 53 54 57
- 24758. Quedius korgeanus Fagel,1968** (Staphylinidae) Synonym(s): korgeanus Fagel,1968 Range (in code): TR 14 29 69
- 24759. Quedius lateralis (Gravenhorst,1802)** (Staphylinidae) Synonym(s): lateralis Gravenhorst,1802 Range (in code): TR 35
- 24760. Quedius levicollis (Brullé,1832)** (Staphylinidae) Synonym(s): levicollis Brullé,1832 Range (in code): TR 01 06 45
- 24761. Quedius limbatus (Heer,1839)** (Staphylinidae) Synonym(s): limbatus Heer,1839; ponticus Korge,1964; potockajae Coiffait,1967; erdciyasicus Korge,1971; ledouxi Coiffait,1977 Range (in code): TR RU Kr Cc GG Da Tbl AM AZ 08 14 28 29 35 37 38 62 75
- 24762. Quedius lucidulus Erichson,1839** (Staphylinidae) Synonym(s): lucidulus Erichson,1839 Range (in code): TR
- 24763. Quedius luteomaculatus Scheerpeltz,1958** (Staphylinidae) Synonym(s): luteomaculatus Scheerpeltz,1958 Range (in code): TR 13
- 24764. Quedius lydus Fagel,1968** (Staphylinidae) Synonym(s): lydus Fagel,1968 Range (in code): TR 45 60
- 24765. Quedius macchabaeus Saulcy,1865** (Staphylinidae) Synonym(s): macchabaeus Saulcy,1865 Range (in code): TR 01 33 35
- 24766. Quedius magarasiensis Bordoni,1978** (Staphylinidae) Synonym(s): magarasiensis Bordoni,1978 Range (in code): TR 32
- 24767. Quedius maurus (C.R.Sahlberg,1830)** (Staphylinidae) Synonym(s): maurus C.R.Sahlberg,1830 Range (in code): TR 28 66
- 24768. Quedius meridiocarpaticus Smetana,1958** (Staphylinidae) Synonym(s): meridiocarpaticus Smetana,1958 Range (in code): TR 34 35
- 24769. Quedius mesomelinus (Marsham,1802)** (Staphylinidae) Synonym(s): mesomelinus Marsham,1802 Range (in code): TR
- 24770. Quedius microcapillatus Korge,1971** (Staphylinidae) Synonym(s): microcapillatus Korge,1971 Range (in code): TR
- 24771. Quedius microphthalmus Bernhauer,1900** (Staphylinidae) Synonym(s): microphthalmus Bernhauer,1900 Range (in code): TR 33
- 24772. Quedius minor Hochhuth,1849** (Staphylinidae) Synonym(s): minor Hochhuth,1849; rufipennis Roubal,1911 (preocc.); roubali Bernhauer & Schubert,1916; distincticolor Gridelli,1924 Range (in code): TR Cc GG Tbl RU Kr Teh AZ Kir 08 14 16 29 52 53 57 61
- 24773. Quedius molochinus (Gravenhorst,1806)** (Staphylinidae) Synonym(s): molochinus Gravenhorst,1806 Range (in code): TR 20 34
- 24774. Quedius nemoralis Baudi di Selve,1848** (Staphylinidae) Synonym(s): nemoralis Baudi di Selve,1848 Range (in code): TR 07
- 24775. Quedius nitipennis (Stephens,1833)** (Staphylinidae) Synonym(s): nitipennis Stephens,1833 Range (in code): TR 01 33 38 51
- 24776. Quedius nivicola Kiesenwetter,1858** (Staphylinidae) Synonym(s): nivicola Kiesenwetter,1858 Range (in code): TR 35
- 24777. Quedius obliqueseriatus Eppelsheim,1889** (Staphylinidae) Synonym(s): obliqueseriatus Eppelsheim,1889 Range (in code): TR
- 24778. Quedius ochripennis (Ménétriés,1832)** (Staphylinidae) Synonym(s): ochripennis Ménétriés,1832 Range (in code): TR 31 34 38
- 24779. Quedius ochropterus Erichson,1840** (Staphylinidae) Synonym(s): ochropterus Erichson,1840 Range (in code): TR 33 34
- 24780. Quedius ortrudae Korge,1971** (Staphylinidae) Synonym(s): ortrudae Korge,1971 Range (in code): TR 58
- 24781. Quedius paradisianus (Heer,1839)** (Staphylinidae) Synonym(s): paradisianus Heer,1839; korgeanus Fagel,1968 Range (in code): TR 14 28
- 24782. Quedius plancus Erichson,1840** (Staphylinidae) Synonym(s): plancus Erichson,1840 Range (in code): TR

- 24783. Quedius pseudonigriceps Reitter,1909** (Staphylinidae) Synonym(s): pseudonigriceps Reitter,1909; bithynicus Fagel,1968; osellai Bordoni,1973 Range (in code): TR 01 14 16 31 34 37 39 42 46 52 61 62
- 24784. Quedius quadriceps Fauvel,1900** (Staphylinidae) Synonym(s): quadriceps Fauvel,1900 Range (in code): TR 31
- 24785. Quedius reitteri Gridelli,1925** (Staphylinidae) Synonym(s): reitteri Gridelli,1925 Range (in code): TR 29 52 53
- 24786. Quedius riparius Kellner,1843** (Staphylinidae) Synonym(s): riparius Kellner,1843 Range (in code): TR 28 53
- 24787. Quedius rugosipennis Fagel,1969** (Staphylinidae) Synonym(s): rugosipennis Fagel,1969 Range (in code): TR 07
- 24788. Quedius safaensis Fagel,1968** (Staphylinidae) Synonym(s): safaensis Fagel,1968; ormanus Fagel,1971 [ssp.] Range (in code): TR 16 31
- 24789. Quedius scheerpeltzianus Fagel,1968** (Staphylinidae) Synonym(s): scheerpeltzianus Fagel,1968 Range (in code): TR 05
- 24790. Quedius scintillans (Gravenhorst,1806)** (Staphylinidae) Synonym(s): scintillans Gravenhorst,1806 Range (in code): TR 20 35
- 24791. Quedius semiaeneus Stephens,1833** (Staphylinidae) Synonym(s): semiaeneus Stephens,1833 Range (in code): TR 34 35
- 24792. Quedius semiobscurus (Marsham,1802)** (Staphylinidae) Synonym(s): semiobscurus Marsham,1802; rufipes Gravenhorst,1802 Range (in code): TR 16
- 24793. Quedius smetanai Korge,1971** (Staphylinidae) Synonym(s): smetanai Korge,1971; horsti Coiffait,1978 Range (in code): TR 36 53
- 24794. Quedius suramensis Eppelsheim,1880** (Staphylinidae) Synonym(s): suramensis Eppelsheim,1880; transcaucasicus Gemminger & Harold,1868; #grouziacus Coiffait,1969; #borjoniensis Coiffait,1969; #rizensis Coiffait,1977 Range (in code): TR Cc GG Bjo Lag RU Kr AM 08 14 16 29 37 52 53 54 57 61 75
- 24795. Quedius suturalis Kiesenwetter,1845** (Staphylinidae) Synonym(s): suturalis Kiesenwetter,1845; anatolicus Korge,1964 Range (in code): TR 08 14
- 24796. Quedius ulrichi Korge,1971** (Staphylinidae) Synonym(s): ulrichi Korge,1971 Range (in code): TR 25
- 24797. Quedius uludaghensis Drugmand,1988** (Staphylinidae) Synonym(s): uludaghensis Drugmand,1988 Range (in code): TR 16
- 24798. Quedius umbrinus Erichson,1839** (Staphylinidae) Synonym(s): umbrinus Erichson,1839; umbripennis Gridelli,1924 Range (in code): TR 08 14 16 25 31 33 34 37 42 62 81
- 24799. Quedius vicinus (Ménétriés,1832)** (Staphylinidae) Synonym(s): vicinus Ménétriés,1832 Range (in code): TR 14 28 52 53
- 24800. Quedius vulneratus Gemminger & Harold,1868** (Staphylinidae) Synonym(s): vulneratus Gemminger & Harold,1868 Range (in code): TR 08 28 36 53 57 61 69
- 24801. Quedius walteri Korge,1971** (Staphylinidae) Synonym(s): walteri Korge,1971 Range (in code): TR 08 53
- 24802. Quedius weiratheri Gridelli,1938** (Staphylinidae) Synonym(s): weiratheri Gridelli,1938 Range (in code): TR 32 42
- 24803. Rabigus abauriae (Gridelli,1924)** (Staphylinidae) Synonym(s): abauriae Gridelli,1924 Range (in code): TR
- 24804. Rabigus Mulsant & Rey,1876** (Staphylinidae) Synonym(s): Rabigus Mulsant & Rey,1876 Range (in code): TR
- 24805. Rabigus ocaleoides (J.Sahlberg,1908)** (Staphylinidae) Synonym(s): ocaleoides J.Sahlberg,1908 Range (in code): TR 07 33 45 46
- 24806. Rabigus princeps (Bernhauer,1902)** (Staphylinidae) Synonym(s): princeps Bernhauer,1902; auropilosus Luze,1912 Range (in code): TR
- 24807. Rabigus pullus (Nordmann,1837)** (Staphylinidae) Synonym(s): pullus Nordmann,1837 Range (in code): TR
- 24808. Rabigus tenuis (Fabricius,1793)** (Staphylinidae) Synonym(s): tenuis Fabricius,1793 Range (in code): TR 25 69
- 24809. Reichenbachia chevrieri (Aubé,1844)** (Staphylinidae) Synonym(s): chevrieri Aubé,1844 Range (in code): TR
- 24810. Remus Holme,1838** (Staphylinidae) Synonym(s): Remus Holme,1838 Range (in code): TR
- 24811. Remus pruinosis (Erichson,1840)** (Staphylinidae) Synonym(s): pruinosis Erichson,1840 Range (in code): TR 33
- 24812. Remus sericeus Holme,1837** (Staphylinidae) Synonym(s): sericeus Holme,1837; obscuricornis Koch,1936 Range (in code): TR 34
- 24813. Rhopalocerina clavigera (Scriba,1859)** (Staphylinidae) Synonym(s): clavigera Scriba,1859 Range (in code): TR 53

- 24814. *Rugilus angustatus* (Geoffroy,1785)** (Staphylinidae) **Synonym(s):** angustatus Geoffroy,1785 **Range (in code):** [TR 35 45 55](#)
- 24815. *Rugilus arabs* (Saulcy,1865)** (Staphylinidae) **Synonym(s):** arabs Saulcy,1865 **Range (in code):** [TR 27 33 35 60 80](#)
- 24816. *Rugilus lesbius* Assing,2005** (Staphylinidae) **Synonym(s):** lesbius Assing,2005 **Range (in code):** [TR 09](#)
- 24817. *Rugilus maltzevi* Gusarov,1991** (Staphylinidae) **Synonym(s):** maltzevi Gusarov,1991 **Range (in code):** [TR 07 42](#)
- 24818. *Rugilus orbiculatus* (Paykull,1789)** (Staphylinidae) **Synonym(s):** orbiculatus Paykull,1789 **Range (in code):** [TR 34 35 45](#)
- 24819. *Rugilus rufipes* Germar,1836** (Staphylinidae) **Synonym(s):** rufipes Germar,1836 **Range (in code):** [TR 14 34 39](#)
- 24820. *Rugilus similis* (Erichson,1839)** (Staphylinidae) **Synonym(s):** similis Erichson,1839 **Range (in code):** [TR 33 48 70 80](#)
- 24821. *Rugilus subtilis* (Erichson,1840)** (Staphylinidae) **Synonym(s):** subtilis Erichson,1840 **Range (in code):** [TR 06](#)
- 24822. *Rugilus tauricus* Rougemont,1988** (Staphylinidae) **Synonym(s):** tauricus Rougemont,1988 **Range (in code):** [TR](#)
- 24823. *Rybaxis diabolica* Reitter,1884** (Staphylinidae) **Synonym(s):** diabolica Reitter,1884 **Range (in code):** [TR](#)
- 24824. *Rybaxis gigas* (Baudi di Delve,1870)** (Staphylinidae) **Synonym(s):** gigas Baudi di Delve,1870 **Range (in code):** [TR](#)
- 24825. *Rybaxis longicornis* (Leach,1817)** (Staphylinidae) **Synonym(s):** longicornis Leach,1817 **Range (in code):** [TR](#)
- 24826. *Scaphidium quadrimaculatum* Olivier,1790** (Staphylinidae) **Synonym(s):** quadrimaculatum Olivier,1790 **Range (in code):** [TR](#)
- 24827. *Scaphisoma assimile* Erichson,1845** (Staphylinidae) **Synonym(s):** assimile Erichson,1845 **Range (in code):** [TR](#)
- 24828. *Scaphisoma balcanicum* Tamanini,1954** (Staphylinidae) **Synonym(s):** balcanicum Tamanini,1954 **Range (in code):** [TR](#)
- 24829. *Scaphisoma boleti* (Panzer,1793)** (Staphylinidae) **Synonym(s):** boleti Panzer,1793 **Range (in code):** [TR](#)
- 24830. *Scaphisoma corcyricum* Löbl,1964** (Staphylinidae) **Synonym(s):** corcyricum Löbl,1964 **Range (in code):** [TR](#)
- 24831. *Scaphisoma loebli* Tamanini,1969** (Staphylinidae) **Synonym(s):** loebli Tamanini,1969 **Range (in code):** [TR](#)
- 24832. *Scaphisoma simillimum* Löbl,1970** (Staphylinidae) **Synonym(s):** simillimum Löbl,1970 **Range (in code):** [TR](#)
- 24833. *Scaphisoma soror* Löbl,1970** (Staphylinidae) **Synonym(s):** soror Löbl,1970 **Range (in code):** [TR](#)
- 24834. *Scaphium immaculatum* (Olivier,1790)** (Staphylinidae) **Synonym(s):** immaculatum Olivier,1790 **Range (in code):** [TR](#)
- 24835. *Scopaeus alaniensis* Coiffait,1969** (Staphylinidae) **Synonym(s):** alaniensis Coiffait,1969 **Range (in code):** [TR 07 45](#)
- 24836. *Scopaeus bicolor* Baudi di Selve,1848** (Staphylinidae) **Synonym(s):** bicolor Baudi di Selve,1848 **Range (in code):** [TR 45 61](#)
- 24837. *Scopaeus bilaminatus* Scheerpeltz,1957** (Staphylinidae) **Synonym(s):** bilaminatus Scheerpeltz,1957; heinzi Korge,1971 **Range (in code):** [TR 01 13 25 30](#)
- 24838. *Scopaeus bituberculatus* Frisch,2002** (Staphylinidae) **Synonym(s):** bituberculatus Frisch,2002 **Range (in code):** [TR 01 07 70](#)
- 24839. *Scopaeus cameroni* Coiffait,1968** (Staphylinidae) **Synonym(s):** cameroni Coiffait,1968; lemnicus Coiffait,1968; turcicus Coiffait,1968; ectypus Coiffait,1971 **Range (in code):** [TR 03 06 07 09 14 15 16 18 19 20 25 29 34 35 37 42 43 45 48 57 67](#)
- 24840. *Scopaeus cariensis* Frisch,2002** (Staphylinidae) **Synonym(s):** cariensis Frisch,2002 **Range (in code):** [TR 35 45 48](#)
- 24841. *Scopaeus chalcodactylus* Kolenati,1846** (Staphylinidae) **Synonym(s):** chalcodactylus Kolenati,1846 **Range (in code):** [TR 08 25 65](#)
- 24842. *Scopaeus debilis* Hochhuth,1851** (Staphylinidae) **Synonym(s):** debilis Hochhuth,1851 **Range (in code):** [TR 01 06 07 09 30 33 34 35 41 45 48 66](#)
- 24843. *Scopaeus ebneri* Scheerpeltz,1929** (Staphylinidae) **Synonym(s):** ebneri Scheerpeltz,1929 **Range (in code):** [TR 01 07 30 311 33 46 56 63 70](#)
- 24844. *Scopaeus efesi* Frisch,2002** (Staphylinidae) **Synonym(s):** efesi Frisch,2002 **Range (in code):** [TR 01 44 46](#)



- 24845. *Scopaeus elegans* Luze,1910** (Staphylinidae) Synonym(s): *elegans* Luze,1910 Range (in code): TR 01 06 07 08 09 12 13 15 19 20 21 29 31 32 33 37 38 42 43 44 46 51 57 58 60 70
- 24846. *Scopaeus fagelianus* Coiffait,1969** (Staphylinidae) Synonym(s): *fagelianus* Coiffait,1969 Range (in code): TR 01 03 07 33 42 70
- 24847. *Scopaeus gladifer* Binaghi,1935** (Staphylinidae) Synonym(s): *gladifer* Binaghi,1935 Range (in code): TR 58?
- 24848. *Scopaeus gracilis* (Sperk,1835)** (Staphylinidae) Synonym(s): *gracilis* Sperk,1835 Range (in code): TR 01 02 04 07 08 12 14 15 20 28 31 32 33 35 37 38 42 43 44 45 46 48 49 58 61 65 67 70
- 24849. *Scopaeus haemusensis* Frisch,1997** (Staphylinidae) Synonym(s): *haemusensis* Frisch,1997 Range (in code): TR 14 18 35 37 57
- 24850. *Scopaeus korelli* Frisch,1999** (Staphylinidae) Synonym(s): *korelli* Frisch,1999 Range (in code): TR 18 25 36 60
- 24851. *Scopaeus korgei* Frisch,2006** (Staphylinidae) Synonym(s): *korgei* Frisch,2006 Range (in code): TR 32
- 24852. *Scopaeus kurdistanicoides* Frisch,2002** (Staphylinidae) Synonym(s): *kurdistanicoides* Frisch,2002 Range (in code): TR 08 25
- 24853. *Scopaeus kurdistanus* Korge,1971** (Staphylinidae) Synonym(s): *kurdistanus* Korge,1971 Range (in code): TR 12 30 49
- 24854. *Scopaeus laevigatus* (Gyllenhal,1827)** (Staphylinidae) Synonym(s): *laevigatus* Gyllenhal,1827 Range (in code): TR 01 03 04 05 06 07 08 09 10 12 13 15 16 21 22 24 25 28 29 32 34 36 37 38 41 42 43 45 48 49 51 53 57 60 61 65 66
- 24855. *Scopaeus loebi* Frisch,1997** (Staphylinidae) Synonym(s): *loebi* Frisch,1997 Range (in code): TR 01 06 07 15 28 29 36 38 51 58 61
- 24856. *Scopaeus mariae* Frisch,2002** (Staphylinidae) Synonym(s): *mariae* Frisch,2002 Range (in code): TR 49
- 24857. *Scopaeus minimus* (Erichson,1839)** (Staphylinidae) Synonym(s): *minimus* Erichson,1839; *pamphylicus* Coiffait,1969 Range (in code): TR 02 07 31 32 34 38 55
- 24858. *Scopaeus minutoides* Coiffait,1969** (Staphylinidae) Synonym(s): *minutoides* Coiffait,1969 Range (in code): TR 07 15 33 34 35 45 48
- 24859. *Scopaeus mutatus* Gemmiger & Harold,1868** (Staphylinidae) Synonym(s): *mutatus* Gemmiger & Harold,1868 Range (in code): TR
- 24860. *Scopaeus ponticus* Frisch,1999** (Staphylinidae) Synonym(s): *ponticus* Frisch,1999 Range (in code): TR 34 61
- 24861. *Scopaeus pusillus* Kiesenwetter,1834** (Staphylinidae) Synonym(s): *pusillus* Kiesenwetter,1834 Range (in code): TR 03 06 14 19 28 35 37 42 57
- 24862. *Scopaeus schillhammeri* Frisch,1994** (Staphylinidae) Synonym(s): *schillhammeri* Frisch,1994 Range (in code): TR 13
- 24863. *Scopaeus signifer* Fauvel,1899** (Staphylinidae) Synonym(s): *signifer* Fauvel,1899 Range (in code): TR 01 07
- 24864. *Scopaeus tauricus* Frisch,1997** (Staphylinidae) Synonym(s): *tauricus* Frisch,1997 Range (in code): TR 51 65
- 24865. *Scopaeus trifurcatus* Frisch,2002** (Staphylinidae) Synonym(s): *trifurcatus* Frisch,2002 Range (in code): TR 32 42 70
- 24866. *Scotoplectus ponticus* Besuchet,1975** (Staphylinidae) Synonym(s): *ponticus* Besuchet,1975 Range (in code): TR 28
- 24867. *Scymbalium anale* (Nordmann,1837)** (Staphylinidae) Synonym(s): *anale* Nordmann,1837 Range (in code): TR 35 45
- 24868. *Sepedophilus binotatus* (Gravenhorst,1802)** (Staphylinidae) Synonym(s): *binotatus* Gravenhorst,1802 Range (in code): TR 06 34
- 24869. *Sepedophilus bipunctatus* (Gravenhorst,1802)** (Staphylinidae) Synonym(s): *bipunctatus* Gravenhorst,1802 Range (in code): TR
- 24870. *Sepedophilus bipustulatus* (Gravenhorst,1802)** (Staphylinidae) Synonym(s): *bipustulatus* Gravenhorst,1802 Range (in code): TR 14 33
- 24871. *Sepedophilus erythrinus* (Hochhuth,1872)** (Staphylinidae) Synonym(s): *erythrinus* Hochhuth,1872 Range (in code): TR 52
- 24872. *Sepedophilus immaculatus* (Stephens,1832)** (Staphylinidae) Synonym(s): *immaculatus* Stephens,1832 Range (in code): TR 35
- 24873. *Sepedophilus littoreus* (Linnaeus,1758)** (Staphylinidae) Synonym(s): *littoreus* Linnaeus,1758 Range (in code): TR 20 35 36
- 24874. *Sepedophilus marshami* (Stephens,1832)** (Staphylinidae) Synonym(s): *marshami* Stephens,1832 Range (in code): TR 36 38 62 75
- 24875. *Sepedophilus obtusus* (Luze,1902)** (Staphylinidae) Synonym(s): *obtusum* Luze,1902 Range (in code): TR 01 06 07 33 35 38

- 24876. *Sepedophilus pedicularius* (Gravenhorst,1802)** (Staphylinidae) Synonym(s): *pedicularius* Gravenhorst,1802 [Range \(in code\): TR](#)
- 24877. *Sepedophilus subparallelus* (Bernhauer,1935)** (Staphylinidae) Synonym(s): *subparallelus* Bernhauer,1935 [Range \(in code\): TR 54](#)
- 24878. *Sepedophilus testaceus* (Fabricius,1793)** (Staphylinidae) Synonym(s): *testaceus* Fabricius,1793 [Range \(in code\): TR](#)
- 24879. *Siagonium humerale* Germar,1836** (Staphylinidae) Synonym(s): *humerale* Germar,1836 [Range \(in code\): TR](#)
- 24880. *Silusa areolata* Reitter,1888** (Staphylinidae) Synonym(s): *areolata* Reitter,1888 [Range \(in code\): TR 08 52 61](#)
- 24881. *Sognorus calcaratus* (Baudi di Selve,1870)** (Staphylinidae) Synonym(s): *calcaratus* Baudi di Selve,1870 [Range \(in code\): TR](#)
- 24882. *Staphylinus caesareus* Cederhjelm,1798** (Staphylinidae) Synonym(s): *caesareus* Cederhjelm,1798 [Range \(in code\): TR RU 02 06 25 28 33 38 44 51 61 62](#)
- 24883. *Staphylinus erythropterus* Linnaeus,1758** (Staphylinidae) Synonym(s): *erythropterus* Linnaeus,1758 [Range \(in code\): TR](#)
- 24884. *Staphylinus rubricornis* (Adam,1987)** (Staphylinidae) Synonym(s): *rubricornis* Adam,1987 [Range \(in code\): TR 54](#)
- 24885. *Stenistoderus cephalotes* (Kraatz,1858)** (Staphylinidae) Synonym(s): *cephalotes* Kraatz,1858 [Range \(in code\): TR 01 07 16 17 24 33 34 37 46](#)
- 24886. *Stenistoderus turcicus* (Coiffait,1956)** (Staphylinidae) Synonym(s): *turcicus* Coiffait,1956 [Range \(in code\): TR 10 16 17 37](#)
- 24887. *Stenus aceris* Stephens,1833** (Staphylinidae) Synonym(s): *aceris* Stephens,1833 [Range \(in code\): TR](#)
- 24888. *Stenus aereus* Solsky,1871** (Staphylinidae) Synonym(s): *aereus* Solsky,1871 [Range \(in code\): TR](#)
- 24889. *Stenus affaber* Baudi di Selve,1848** (Staphylinidae) Synonym(s): *affaber* Baudi di Selve,1848 [Range \(in code\): TR](#)
- 24890. *Stenus alcibiades* Puthz,1985** (Staphylinidae) Synonym(s): *alcibiades* Puthz,1985 [Range \(in code\): TR 03](#)
- 24891. *Stenus alpicola* Fauvel,1873** (Staphylinidae) Synonym(s): *alpicola* Fauvel,1873 [Range \(in code\): TR 14 58](#)
- 24892. *Stenus anatolicus* Puthz,1970** (Staphylinidae) Synonym(s): *anatolicus* Puthz,1970 [Range \(in code\): TR 01 03 07 32 33 46 48](#)
- 24893. *Stenus arabicus* Saulcy,1864** (Staphylinidae) Synonym(s): *arabicus* Saulcy,1864 [Range \(in code\): TR 17](#)
- 24894. *Stenus argutus* Puthz,1972** (Staphylinidae) Synonym(s): *argutus* Puthz,1972 [Range \(in code\): TR 32](#)
- 24895. *Stenus argyraspides* Puthz,1988** (Staphylinidae) Synonym(s): *argyraspides* Puthz,1988 [Range \(in code\): TR 33](#)
- 24896. *Stenus asiaticus* Bernhauer,1940** (Staphylinidae) Synonym(s): *asiaticus* Bernhauer,1940 [Range \(in code\): TR 01 06 09 34 45 54 79](#)
- 24897. *Stenus assequens* Rey,1884** (Staphylinidae) Synonym(s): *assequens* Rey,1884 [Range \(in code\): TR 01 33 34 42 51](#)
- 24898. *Stenus ater* Mannerheim,1830** (Staphylinidae) Synonym(s): *ater* Mannerheim,1830 [Range \(in code\): TR](#)
- 24899. *Stenus atratulus* Erichson,1839** (Staphylinidae) Synonym(s): *atratulus* Erichson,1839 [Range \(in code\): TR](#)
- 24900. *Stenus bey* Puthz,2008** (Staphylinidae) Synonym(s): *bey* Puthz,2008 [Range \(in code\): TR 53](#)
- 24901. *Stenus bicornis* Puthz,1972** (Staphylinidae) Synonym(s): *bicornis* Puthz,1972 [Range \(in code\): TR 07 26 32 62](#)
- 24902. *Stenus biguttatus* (Linnaeus,1758)** (Staphylinidae) Synonym(s): *biguttatus* Linnaeus,1758 [Range \(in code\): TR 33](#)
- 24903. *Stenus binotatus* Ljungh,1804** (Staphylinidae) Synonym(s): *binotatus* Ljungh,1804 [Range \(in code\): TR 10](#)
- 24904. *Stenus boops* Ljungh,1810** (Staphylinidae) Synonym(s): *boops* Ljungh,1810 [Range \(in code\): TR](#)
- 24905. *Stenus bosnicus* Bernhauer,1909** (Staphylinidae) Synonym(s): *bosnicus* Bernhauer,1909 [Range \(in code\): B-H TR 35](#)
- 24906. *Stenus brunnipes* Stephens,1833** (Staphylinidae) Synonym(s): *brunnipes* Stephens,1833 [Range \(in code\): PT ES FR IE GB NO SE FI DK EE LT LV PL NL DE BE CH IT AT CZ SK SS HV RU RO YU AL MK GR Si Cr BG TR 35](#)
- 24907. *Stenus butrintensis* Smetana,1959** (Staphylinidae) Synonym(s): *butrintensis* Smetana,1959 [Range \(in code\): ES FR GB IT Co HV B-H YU AL GR TR 65](#)

- 24908. Stenus calidus Baudi di Selve,1848** (Staphylinidae) Synonym(s): calidus Baudi di Selve,1848  
Range (in code): TR 02 05 06 07 08 13 14 15 16 17 18 27 31 32 34 35 36 41 46 47 48 58 62 63 75
- 24909. Stenus canaliculatus Gyllenhal,1827** (Staphylinidae) Synonym(s): canaliculatus Gyllenhal,1827  
Range (in code): TR 36
- 24910. Stenus canescens Rosenhauer,1856** (Staphylinidae) Synonym(s): canescens Rosenhauer,1856  
Range (in code): TR 35
- 24911. Stenus capitulatus Assing,1995** (Staphylinidae) Synonym(s): capitulatus Assing,1995 Range (in code): TR 07
- 24912. Stenus carbonarius Gyllenhal,1827** (Staphylinidae) Synonym(s): carbonarius Gyllenhal,1827  
Range (in code): TR
- 24913. Stenus caricus Puthz,2008** (Staphylinidae) Synonym(s): caricus Puthz,2008 Range (in code): TR 20 48
- 24914. Stenus cautus Erichson,1839** (Staphylinidae) Synonym(s): cautus Erichson,1839 Range (in code): TR 25
- 24915. Stenus cephalenicus Bernhauer,1913** (Staphylinidae) Synonym(s): cephalenicus Bernhauer,1913  
Range (in code): TR 50 80
- 24916. Stenus cicindeloides (Schaller,1783)** (Staphylinidae) Synonym(s): cicindeloides Schaller,1783  
Range (in code): TR
- 24917. Stenus cilicianus Assing,2003** (Staphylinidae) Synonym(s): cilicianus Assing,2003 Range (in code): TR 07
- 24918. Stenus circularis Gravenhorst,1802** (Staphylinidae) Synonym(s): circularis Gravenhorst,1802  
Range (in code): TR 53
- 24919. Stenus claritarsis Puthz,1971** (Staphylinidae) Synonym(s): claritarsis Puthz,1971 Range (in code): TR
- 24920. Stenus clavicornis (Scopoli,1763)** (Staphylinidae) Synonym(s): clavicornis Scopoli,1763 Range (in code): TR
- 24921. Stenus coarcticollis Eppelsheim,1890** (Staphylinidae) Synonym(s): coarcticollis Eppelsheim,1890  
Range (in code): TR 05
- 24922. Stenus comma Leconte,1863** (Staphylinidae) Synonym(s): comma Leconte,1863 Range (in code): TR
- 24923. Stenus cordatoides Puthz,1972** (Staphylinidae) Synonym(s): cordatoides Puthz,1972 Range (in code): TR 16
- 24924. Stenus crassus Stephens,1833** (Staphylinidae) Synonym(s): crassus Stephens,1833 Range (in code): TR
- 24925. Stenus cyaneus Baudi di Selve,1848** (Staphylinidae) Synonym(s): cyaneus Baudi di Selve,1848  
Range (in code): TR 31
- 24926. Stenus denticulatus Eppelsheim,1890** (Staphylinidae) Synonym(s): denticulatus Eppelsheim,1890 Range (in code): TR 08
- 24927. Stenus distortus Assing,2006** (Staphylinidae) Synonym(s): distortus Assing,2006 Range (in code): TR 02 12 29 44 46 51 61
- 24928. Stenus doderoi Bondroit,1912** (Staphylinidae) Synonym(s): doderoi Bondroit,1912 Range (in code): TR 33
- 24929. Stenus erythrocnemus Eppelsheim,1884** (Staphylinidae) Synonym(s): erythrocnemus Eppelsheim,1884 Range (in code): TR 08 53
- 24930. Stenus fageliellus Puthz,1971** (Staphylinidae) Synonym(s): fageliellus Puthz,1971 Range (in code): TR 14
- 24931. Stenus formicetorum Mannerheim,1843** (Staphylinidae) Synonym(s): formicetorum Mannerheim,1843 Range (in code): TR
- 24932. Stenus fornicatus Stephens,1833** (Staphylinidae) Synonym(s): fornicatus Stephens,1833 Range (in code): TR
- 24933. Stenus fuscicornis Erichson,1840** (Staphylinidae) Synonym(s): fuscicornis Erichson,1840 Range (in code): TR 53 54
- 24934. Stenus ganglbaueri Bernhauer,1905** (Staphylinidae) Synonym(s): ganglbaueri Bernhauer,1905  
Range (in code): TR 53
- 24935. Stenus glacialis Bernhauer,1929** (Staphylinidae) Synonym(s): glacialis Bernhauer,1929; sublaeviventris Bernhauer,1929 Range (in code): TR 02 05 06 07 11 13 14 16 21 31 32 33 35 42 46 47 48 62 80
- 24936. Stenus horioni Puthz,1971** (Staphylinidae) Synonym(s): horioni Puthz,1971 Range (in code): AT SK HU RO HV B-H YU AL MK GR BG TR 13
- 24937. Stenus hospes Erichson,1840** (Staphylinidae) Synonym(s): hospes Erichson,1840 Range (in code): TR 01 33
- 24938. Stenus humilis Erichson,1839** (Staphylinidae) Synonym(s): humilis Erichson,1839; longicornis Saulcy,1865 Range (in code): TR 08 29



- 24939. *Stenus hypoproditor* Puthz,1965** (Staphylinidae) Synonym(s): hypoproditor Puthz,1965 [Range \(in code\): TR](#)
- 24940. *Stenus ignotus* Eppelsheim,1890** (Staphylinidae) Synonym(s): ignotus Eppelsheim,1890 [Range \(in code\): TR](#)
- 24941. *Stenus impolitus* Puthz,1981** (Staphylinidae) Synonym(s): impolitus Puthz,1981 [Range \(in code\): TR 61](#)
- 24942. *Stenus impressus* Germar,1824** (Staphylinidae) Synonym(s): impressus Germar,1824 [Range \(in code\): TR](#)
- 24943. *Stenus incrassatus* Erichson,1839** (Staphylinidae) Synonym(s): incrassatus Erichson,1839 [Range \(in code\): TR 15](#)
- 24944. *Stenus incibratus* Puthz,1981** (Staphylinidae) Synonym(s): incibratus Puthz,1981 [Range \(in code\): TR 33 70](#)
- 24945. *Stenus indifferens* Puthz,1967** (Staphylinidae) Synonym(s): indifferens Puthz,1967 [Range \(in code\): TR 34](#)
- 24946. *Stenus iniquicollis* Puthz,2001** (Staphylinidae) Synonym(s): iniquicollis Puthz,2001 [Range \(in code\): TR 53](#)
- 24947. *Stenus intermedius* Rey,1884** (Staphylinidae) Synonym(s): intermedius Rey,1884 [Range \(in code\): TR](#)
- 24948. *Stenus intricatus* Erichson,1840** (Staphylinidae) Synonym(s): intricatus Erichson,1840 [Range \(in code\): TR FR IT Si AT SK HU SS HV B-H YU AL RU PT ES Sa Co GR](#)
- 24949. *Stenus invidiosus* Puthz,1977** (Staphylinidae) Synonym(s): invidiosus Puthz,1977 [Range \(in code\): TR 06](#)
- 24950. *Stenus junco* (Paykull,1789)** (Staphylinidae) Synonym(s): junco Paykull,1789 [Range \(in code\): TR](#)
- 24951. *Stenus korgei* Puthz,1979** (Staphylinidae) Synonym(s): korgei Puthz,1979 [Range \(in code\): TR 33 61 69 75](#)
- 24952. *Stenus latifrons* Erichson,1839** (Staphylinidae) Synonym(s): latifrons Erichson,1839 [Range \(in code\): TR](#)
- 24953. *Stenus libanicus* Puthz,1970** (Staphylinidae) Synonym(s): libanicus Puthz,1970 [Range \(in code\): LB TR 01 31](#)
- 24954. *Stenus limicola* Korge,1967** (Staphylinidae) Synonym(s): limicola Korge,1967 [Range \(in code\): TR 62](#)
- 24955. *Stenus longitarsis* Thomson,1851** (Staphylinidae) Synonym(s): longitarsis Thomson,1851 [Range \(in code\): TR 61](#)
- 24956. *Stenus machulkai* Hromadka,1977** (Staphylinidae) Synonym(s): machulkai Hromadka,1977 [Range \(in code\): TR 51](#)
- 24957. *Stenus maculiger* Weise,1875** (Staphylinidae) Synonym(s): maculiger Weise,1875 [Range \(in code\): TR 01 02 06 07 10 13 14 15 21 29 30 32 33 34 35 45 48 61](#)
- 24958. *Stenus medus* Puthz,1981** (Staphylinidae) Synonym(s): medus Puthz,1981 [Range \(in code\): TR 36](#)
- 24959. *Stenus melanarius* Stephens,1833** (Staphylinidae) Synonym(s): melanarius Stephens,1833 [Range \(in code\): TR 08](#)
- 24960. *Stenus melanopus* Marsham,1802** (Staphylinidae) Synonym(s): melanopus Marsham,1802 [Range \(in code\): TR 33](#)
- 24961. *Stenus messorphilus* Assing,2004** (Staphylinidae) Synonym(s): messorphilus Assing,2004 [Range \(in code\): TR 27](#)
- 24962. *Stenus mongolicus* Eppelsheim,1889** (Staphylinidae) Synonym(s): mongolicus Eppelsheim,1889 [Range \(in code\): MN TR](#)
- 24963. *Stenus morio* Gravenhorst,1806** (Staphylinidae) Synonym(s): morio Gravenhorst,1806 [Range \(in code\): TR 01](#)
- 24964. *Stenus mufti* Puthz,2008** (Staphylinidae) Synonym(s): mufti Puthz,2008 [Range \(in code\): TR 02](#)
- 24965. *Stenus nanus* Stephens,1833** (Staphylinidae) Synonym(s): nanus Stephens,1833 [Range \(in code\): TR 34 36](#)
- 24966. *Stenus nigrutilus* Gyllenhal,1827** (Staphylinidae) Synonym(s): nigrutilus Gyllenhal,1827 [Range \(in code\): TR](#)
- 24967. *Stenus nitidiventris* Fagel,1967** (Staphylinidae) Synonym(s): nitidiventris Fagel,1967 [Range \(in code\): TR 08](#)
- 24968. *Stenus nodipes* Puthz,1972** (Staphylinidae) Synonym(s): nodipes Puthz,1972 [Range \(in code\): TR 06](#)
- 24969. *Stenus nurdaghensis* Assing,2003** (Staphylinidae) Synonym(s): nurdaghensis Assing,2003 [Range \(in code\): TR 31](#)
- 24970. *Stenus ochropus* Kiesenwetter,1858** (Staphylinidae) Synonym(s): ochropus Kiesenwetter,1858 [Range \(in code\): TR](#)
- 24971. *Stenus osellai* Puthz,1981** (Staphylinidae) Synonym(s): osellai Puthz,1981 [Range \(in code\): TR 52](#)

- 24972. Stenus osman Puthz,2001** (Staphylinidae) Synonym(s): osman Puthz,2001 Range (in code): TR 07
- 24973. Stenus ossium Stephens,1833** (Staphylinidae) Synonym(s): ossium Stephens,1833 Range (in code): TR 34
- 24974. Stenus pallitarsis Stephens,1833** (Staphylinidae) Synonym(s): pallitarsis Stephens,1833 Range (in code): TR 14 25 33 34 61
- 24975. Stenus paludicola Kiesenwetter,1858** (Staphylinidae) Synonym(s): paludicola Kiesenwetter,1858 Range (in code): TR 32
- 24976. Stenus paphlagonicus Puthz,1971** (Staphylinidae) Synonym(s): paphlagonicus Puthz,1971 Range (in code): TR 57
- 24977. Stenus paracnescens Puthz,1972** (Staphylinidae) Synonym(s): paracnescens Puthz,1972 Range (in code): TR 14
- 24978. Stenus parciior Bernhauer,1929** (Staphylinidae) Synonym(s): parciior Bernhauer,1929 Range (in code): TR 08 09 13 14 25 32 35 46 53 57 61
- 24979. Stenus peripherus Korge,1971** (Staphylinidae) Synonym(s): peripherus Korge,1971 Range (in code): TR 05 08 58 65
- 24980. Stenus picipes Stephens,1833** (Staphylinidae) Synonym(s): picipes Stephens,1833 Range (in code): TR
- 24981. Stenus piscator Sauley,1865** (Staphylinidae) Synonym(s): piscator Sauley,1865 Range (in code): TR 46
- 24982. Stenus planifrons Rey,1884** (Staphylinidae) Synonym(s): planifrons Rey,1884 Range (in code): TR 06 54
- 24983. Stenus ponticus Fagel,1967** (Staphylinidae) Synonym(s): ponticus Fagel,1967 Range (in code): TR 08 53
- 24984. Stenus prometheus Puthz,1967** (Staphylinidae) Synonym(s): prometheus Puthz,1967 Range (in code): TR 08
- 24985. Stenus providus Erichson,1839** (Staphylinidae) Synonym(s): providus Erichson,1839 Range (in code): TR 14 33 54
- 24986. Stenus pubescens Stephens,1833** (Staphylinidae) Synonym(s): pubescens Stephens,1833 Range (in code): TR 33
- 24987. Stenus pusillus Stephens,1833** (Staphylinidae) Synonym(s): pusillus Stephens,1833 Range (in code): TR 33
- 24988. Stenus rousi Hromadka,1978** (Staphylinidae) Synonym(s): rousi Hromadka,1978 Range (in code): TR 08
- 24989. Stenus similis (Herbst,1784)** (Staphylinidae) Synonym(s): similis Herbst,1784 Range (in code): TR 33 36
- 24990. Stenus skoraszewskyi Korge,1971** (Staphylinidae) Synonym(s): skoraszewskyi Korge,1971 Range (in code): TR 36
- 24991. Stenus solutus Erichson,1840** (Staphylinidae) Synonym(s): solutus Erichson,1840 Range (in code): TR
- 24992. Stenus stigmula Erichson,1840** (Staphylinidae) Synonym(s): stigmula Erichson,1840 Range (in code): TR 53
- 24993. Stenus subaeneus Erichson,1840** (Staphylinidae) Synonym(s): subaeneus Erichson,1840 Range (in code): TR 16 34
- 24994. Stenus subditus L.Benick,1920** (Staphylinidae) Synonym(s): subditus L.Benick,1920 Range (in code): TR
- 24995. Stenus suramensis Eppelsheim,1880** (Staphylinidae) Synonym(s): suramensis Eppelsheim,1880 Range (in code): TR
- 24996. Stenus trapezipennis Puthz,1981** (Staphylinidae) Synonym(s): trapezipennis Puthz,1981 Range (in code): TR 53
- 24997. Stenus turbulentus Bondroit,1912** (Staphylinidae) Synonym(s): turbulentus Bondroit,1912 Range (in code): TR 01 16
- 24998. Stenus turcicus Bernhauer,1912** (Staphylinidae) Synonym(s): turcicus Bernhauer,1912 Range (in code): TR 01 07 34 46
- 24999. Stenus turk Puthz,1972** (Staphylinidae) Synonym(s): turk Puthz,1972 Range (in code): TR 36
- 25000. Sunius aculeatus Assing,2005** (Staphylinidae) Synonym(s): aculeatus Assing,2005 Range (in code): TR 48
- 25001. Sunius adanensis (Lokay,1919)** (Staphylinidae) Synonym(s): adanensis Lokay,1919; phasianus Bordoni,1980 Range (in code): TR 01 06 12 25 27 36 38 46 62
- 25002. Sunius akianus Assing,2005** (Staphylinidae) Synonym(s): akianus Assing,2005 Range (in code): TR 48
- 25003. Sunius amanensis Assing,2005** (Staphylinidae) Synonym(s): amanensis Assing,2005 Range (in code): TR 31

- 25004. *Sunius balkarensis* Assing,2001** (Staphylinidae) **Synonym(s):** balkarensis Assing,2001 **Range (in code):** **TR 33**
- 25005. *Sunius bozdaghensis* Assing,2006** (Staphylinidae) **Synonym(s):** bozdaghensis Assing,2006 **Range (in code):** **TR 35**
- 25006. *Sunius brachati* Assing,2003** (Staphylinidae) **Synonym(s):** brachati Assing,2003 **Range (in code):** **TR 07**
- 25007. *Sunius brevispinosus* Assing,2005** (Staphylinidae) **Synonym(s):** brevispinosus Assing,2005 **Range (in code):** **TR 46**
- 25008. *Sunius dumanlianus* Assing,2005** (Staphylinidae) **Synonym(s):** dumanlianus Assing,2005 **Range (in code):** **TR 07**
- 25009. *Sunius fallax* (Lokay,1919)** (Staphylinidae) **Synonym(s):** fallax Lokay,1919 **Range (in code):** **TR 34**
- 25010. *Sunius fortispinosus* Assing,2006** (Staphylinidae) **Synonym(s):** fortispinosus Assing,2006 **Range (in code):** **TR 09 35**
- 25011. *Sunius goektepenensis* Assing,2005** (Staphylinidae) **Synonym(s):** goektepenensis Assing,2005 **Range (in code):** **TR 33**
- 25012. *Sunius hatayanus* Assing,2005** (Staphylinidae) **Synonym(s):** hatayanus Assing,2005 **Range (in code):** **TR 31**
- 25013. *Sunius khnzoriani* (Coiffait,1970)** (Staphylinidae) **Synonym(s):** khnzoriani Coiffait,1970; dolabrifer Assing,2001 **Range (in code):** **TR 02 07 13 33 36 70**
- 25014. *Sunius longispinosus* Assing,2005** (Staphylinidae) **Synonym(s):** longispinosus Assing,2005 **Range (in code):** **TR 46**
- 25015. *Sunius melanocephalus* (Fabricius,1793)** (Staphylinidae) **Synonym(s):** melanocephalus Fabricius,1793; anatolicus Assing,1995 **Range (in code):** **TR 02 06 07 10 14 15 24 32 34 36 37 43 45 48 53 55 57 67 77**
- 25016. *Sunius nurdaghensis* Assing,2001** (Staphylinidae) **Synonym(s):** nurdaghensis Assing,2001 **Range (in code):** **TR 31 80**
- 25017. *Sunius pauli* Assing,2005** (Staphylinidae) **Synonym(s):** pauli Assing,2005 **Range (in code):** **TR 44**
- 25018. *Sunius pinniger* Assing,2006** (Staphylinidae) **Synonym(s):** pinniger Assing,2006 **Range (in code):** **TR 35**
- 25019. *Sunius plasoni* (Eppelsheim,1875)** (Staphylinidae) **Synonym(s):** plasoni Eppelsheim,1875; pinnatus Assing,2006 **Range (in code):** **TR 45**
- 25020. *Sunius rastrifer* Assing,2001** (Staphylinidae) **Synonym(s):** rastrifer Assing,2001 **Range (in code):** **TR 07 33 70**
- 25021. *Sunius sexspinosus* Assing,2006** (Staphylinidae) **Synonym(s):** sexspinosus Assing,2006 **Range (in code):** **TR 48**
- 25022. *Sunius tuberiventris* Assing,2001** (Staphylinidae) **Synonym(s):** tuberiventris Assing,2001 **Range (in code):** **TR 33**
- 25023. *Sunius wunderlei* Assing,2001** (Staphylinidae) **Synonym(s):** wunderlei Assing,2001 **Range (in code):** **TR 33**
- 25024. *Tachinus bonvouloiri* Pandellé,1869** (Staphylinidae) **Synonym(s):** bonvouloiri Pandellé,1869 **Range (in code):** **TR 27 42**
- 25025. *Tachinus caucasicus* Kolenati,1846** (Staphylinidae) **Synonym(s):** caucasicus Kolenati,1846 **Range (in code):** **Cc TR 08 35 52 57 61**
- 25026. *Tachinus corticinus* Gravenhorst,1802** (Staphylinidae) **Synonym(s):** corticinus Gravenhorst,1802 **Range (in code):** **TR 35**
- 25027. *Tachinus discoideus* Erichson,1839** (Staphylinidae) **Synonym(s):** discoideus Erichson,1839 **Range (in code):** **TR**
- 25028. *Tachinus elongatus* Gyllenhal,1810** (Staphylinidae) **Synonym(s):** elongatus Gyllenhal,1810 **Range (in code):** **TR 02 08 46 57 61 75**
- 25029. *Tachinus fauveli* Pandellé,1869** (Staphylinidae) **Synonym(s):** fauveli Pandellé,1869 **Range (in code):** **TR**
- 25030. *Tachinus fimetarius* Gravenhorst,1802** (Staphylinidae) **Synonym(s):** fimetarius Gravenhorst,1802 **Range (in code):** **TR 25 42**
- 25031. *Tachinus humeralis* Gravenhorst,1802** (Staphylinidae) **Synonym(s):** humeralis Gravenhorst,1802 **Range (in code):** **TR 53 57**
- 25032. *Tachinus laticollis* Gravenhorst,1802** (Staphylinidae) **Synonym(s):** laticollis Gravenhorst,1802 **Range (in code):** **TR 08 16 52 53 57 61**
- 25033. *Tachinus nigerrimus* Solsky,1864** (Staphylinidae) **Synonym(s):** nigerrimus Solsky,1864 **Range (in code):** **TR 36 75**
- 25034. *Tachinus rufitarsis* Hochhuth,1849** (Staphylinidae) **Synonym(s):** rufitarsis Hochhuth,1849 **Range (in code):** **TR 33**



- 25035. *Tachinus scapularis* Stephens,1832** (Staphylinidae) Synonym(s): *scapularis* Stephens,1832 Range (in code): TR 32
- 25036. *Tachinus signatus* Gravenhorst,1802** (Staphylinidae) Synonym(s): *signatus* Gravenhorst,1802 Range (in code): TR 29
- 25037. *Tachinus subterraneus* (Linnaeus,1758)** (Staphylinidae) Synonym(s): *subterraneus* Linnaeus,1758 Range (in code): TR 08 36
- 25038. *Tachyporus abner* Saulcy,1865** (Staphylinidae) Synonym(s): *abner* Saulcy,1865 Range (in code): TR 34 33 35 70
- 25039. *Tachyporus atriceps* Stephens,1832** (Staphylinidae) Synonym(s): *atriceps* Stephens,1832 Range (in code): TR 20 53
- 25040. *Tachyporus caucasicus* Kolenati,1846** (Staphylinidae) Synonym(s): *caucasicus* Kolenati,1846 Range (in code): TR 34
- 25041. *Tachyporus chrysomelinus* (Linnaeus,1758)** (Staphylinidae) Synonym(s): *chrysomelinus* Linnaeus,1758 Range (in code): TR 25 36 69 75
- 25042. *Tachyporus hypnorum* (Fabricius,1775)** (Staphylinidae) Synonym(s): *hypnorum* Fabricius,1775 Range (in code): TR 02 06 09 11 24 25 33? 35 36 44 45 46 48 62 69
- 25043. *Tachyporus nitidulus* (Fabricius,1781)** (Staphylinidae) Synonym(s): *nitidulus* Fabricius,1781 Range (in code): TR 06 09 16 25 33? 34 35 36 38 45 69 70 75
- 25044. *Tachyporus pusillus* Gravenhorst,1806** (Staphylinidae) Synonym(s): *pusillus* Gravenhorst,1806 Range (in code): TR 25 35
- 25045. *Tachyporus scitulus* Erichson,1839** (Staphylinidae) Synonym(s): *scitulus* Erichson,1839 Range (in code): TR 25 33? 36
- 25046. *Tachyporus solutus* Erichson,1839** (Staphylinidae) Synonym(s): *solutus* Erichson,1839 Range (in code): TR 11 26
- 25047. *Tachyporus vafer* Schülke,1996** (Staphylinidae) Synonym(s): *vafer* Schülke,1996 Range (in code): TR 37
- 25048. *Tachyusa balteata* Erichson,1839** (Staphylinidae) Synonym(s): *balteata* Erichson,1839 Range (in code): TR 07 27 62 67
- 25049. *Tachyusa coarctata* Erichson,1837** (Staphylinidae) Synonym(s): *coarctata* Erichson,1837 Range (in code): TR 07 35 62
- 25050. *Tachyusa constricta* Erichson,1837** (Staphylinidae) Synonym(s): *constricta* Erichson,1837; *linearis* Heer,1841 Range (in code): TR 05 14 34 39
- 25051. *Tachyusa loebli* Pasnik,2006** (Staphylinidae) Synonym(s): *loebli* Pasnik,2006 Range (in code): TR 37 67 80
- 25052. *Tachyusa nitella* Fauvel,1895** (Staphylinidae) Synonym(s): *nitella* Fauvel,1895 Range (in code): TR 07 48 58 67
- 25053. *Tachyusa objecta* Mulsant & Rey,1870** (Staphylinidae) Synonym(s): *objecta* Mulsant & Rey,1870 Range (in code): TR 05 07 10 22 42
- 25054. *Tachyusa turcica* Pasnik,2006** (Staphylinidae) Synonym(s): *turcica* Pasnik,2006 Range (in code): TR 07
- 25055. *Tasgius arrowi* (G.Müller,1932)** (Staphylinidae) Synonym(s): *arrowi* G.Müller,1932 Range (in code): TR 34
- 25056. *Tasgius depressus* Hochhuth,1849** (Staphylinidae) Synonym(s): *depressus* Hochhuth,1849 Range (in code): TR
- 25057. *Tasgius eppelsheimianus* (Jakobson,1909)** (Staphylinidae) Synonym(s): *obscuripes* Bernhauer,1900; *eppelsheimianus* Jakobson,1909 Range (in code): TR 34 54
- 25058. *Tasgius falcifer* (Nordmann,1837)** (Staphylinidae) Synonym(s): *falcifer* Nordmann,1837 Range (in code): TR 05 14 34 61
- 25059. *Tasgius globifer* (Geoffroy,1785)** (Staphylinidae) Synonym(s): *globifer* Geoffroy,1785; *siculus* Stierlin,1864 Range (in code): TR
- 25060. *Tasgius gracilicornis* (Hochhuth,1849)** (Staphylinidae) Synonym(s): *gracilicornis* Hochhuth,1849; *ensifer* G.Müller,1932 Range (in code): TR 08
- 25061. *Tasgius limbifrons* (Hochhuth,1849)** (Staphylinidae) Synonym(s): *limbifrons* Hochhuth,1849 Range (in code): TR
- 25062. *Tasgius melanarius* (Heer,1839)** (Staphylinidae) Synonym(s): *melanarius* Heer,1839 Range (in code): TR
- 25063. *Tasgius morsitans* (Rossi,1790)** (Staphylinidae) Synonym(s): *morsitans* Rossi,1790; *compressus* Marsham,1802 Range (in code): TR 54
- 25064. *Tasgius pedator* (Gravenhorst,1802)** (Staphylinidae) Synonym(s): *pedator* Gravenhorst,1802 Range (in code): TR 33 34
- 25065. *Tasgius pliginskii* (Bernhauer,1915)** (Staphylinidae) Synonym(s): *pliginskii* Bernhauer,1915 Range (in code): TR

- 25066. *Tasgius rubripennis* (Reiche & Saulcy,1856)** (Staphylinidae) Synonym(s): *rubripennis* Reiche & Saulcy,1856 Range (in code): TR
- 25067. *Tasgius solskyi* (Fauvel,1875)** (Staphylinidae) Synonym(s): *solskyi* Fauvel,1875; *bosphoranus* G.Müller,1926 [ssp.] Range (in code): TR 34
- 25068. *Tasgius winkleri* (Bernhauer,1906)** (Staphylinidae) Synonym(s): *edentulus* Block,1799; *winkleri* Bernhauer,1906 Range (in code): TR
- 25069. *Taxicera deplanata* (Gravenhorst,1802)** (Staphylinidae) Synonym(s): *deplanata* Gravenhorst,1802 Range (in code): TR 61
- 25070. *Tectusa taurica* Assing,2004** (Staphylinidae) Synonym(s): *taurica* Assing,2004 Range (in code): TR 46
- 25071. *Tetartopeus adanensis* Assing,2004** (Staphylinidae) Synonym(s): *adanensis* Assing,2004 Range (in code): TR 01 80
- 25072. *Tetartopeus adanensis* Assing,2004** (Staphylinidae) Synonym(s): *adanensis* Assing,2004 Range (in code): TR 01 80
- 25073. *Tetartopeus czwalinai* (Jakobson,1909)** (Staphylinidae) Synonym(s): *decipiens* Czwalina,1888 (preocc.); *czwalinai* Jakobson,1909; *czwalinai* Bernhauer & Schubert,1912 Range (in code): TR 35
- 25074. *Tetartopeus czwalinai* (Jakobson,1909)** (Staphylinidae) Synonym(s): *czwalinai* Jakobson,1909 Range (in code): TR 35
- 25075. *Tetartopeus persicus* Coiffait** (Staphylinidae) Synonym(s): Range (in code): TR IR
- 25076. *Tetartopeus rufonitidus* (Reitter,1909)** (Staphylinidae) Synonym(s): *rufonitidus* Reitter,1909 Range (in code): TR
- 25077. *Tetartopeus styliifer* (Reitter,1909)** (Staphylinidae) Synonym(s): *styliifer* Reitter,1909 Range (in code): TR 25
- 25078. *Tetartopeus styliifer* (Reitter,1909)** (Staphylinidae) Synonym(s): *styliifer* Reitter,1909 Range (in code): TR 25
- 25079. *Tetartopeus tezceni* Anlaş,2009** (Staphylinidae) Synonym(s): *tezceni* Anlaş,2009 Range (in code): TR
- 25080. *Thiasophila canaliculata* Mulsant & Rey,1874** (Staphylinidae) Synonym(s): *canaliculata* Mulsant & Rey,1874 Range (in code): TR 37
- 25081. *Thiasophila angulata* (Erichson,1837)** (Staphylinidae) Synonym(s): *angulata* Erichson,1837 Range (in code): TR 57
- 25082. *Thinobius anatolicus* Smetana,1967** (Staphylinidae) Synonym(s): *anatolicus* Smetana,1967 Range (in code): TR 06
- 25083. *Thinobius brevipennis* Kiesenwetter,1850** (Staphylinidae) Synonym(s): *brevipennis* Kiesenwetter,1850 Range (in code): TR
- 25084. *Thinobius mundicornis* Comellini,1970** (Staphylinidae) Synonym(s): *miricornis* Comellini,1969 (praeocc.); *mundicornis* Comellini,1970 Range (in code): TR 25
- 25085. *Thinobius rambouseki* Smetana,1959** (Staphylinidae) Synonym(s): *rambouseki* Smetana,1959 Range (in code): TR
- 25086. *Thinobius smetanai* Schülke,2008** (Staphylinidae) Synonym(s): *smetanai* Schülke,2008 Range (in code): TR 25
- 25087. *Thinodromus arcuatus* (Stephens,1834)** (Staphylinidae) Synonym(s): *arcuatus* Stephens,1834 Range (in code): TR
- 25088. *Thinodromus bodemeyeri* (Bernhauer,1902)** (Staphylinidae) Synonym(s): *bodemeyeri* Bernhauer,1902 Range (in code): TR 06 45 54
- 25089. *Thinodromus filius* (Smetana,1965)** (Staphylinidae) Synonym(s): *filius* Smetana,1965 Range (in code): TR 61
- 25090. *Thinodromus hirticollis* (Mulsant & Rey,1878)** (Staphylinidae) Synonym(s): *hirticollis* Mulsant & Rey,1878 Range (in code): TR 35
- 25091. *Thinodromus mannerheimii* (Kolenati,1846)** (Staphylinidae) Synonym(s): *mannerheimii* Kolenati,1846 Range (in code): TR 03
- 25092. *Thinodromus renominatus* Herman,1970** (Staphylinidae) Synonym(s): *renominatus* Herman,1970; *glabricollis* Bernhauer,1914 Range (in code): TR 11
- 25093. *Thinodromus transversalis* (Wollaston,1857)** (Staphylinidae) Synonym(s): *transversalis* Wollaston,1857 Range (in code): TR 06
- 25094. *Throbalium adanense* Koch,1939** (Staphylinidae) Synonym(s): *adanense* Koch,1939 Range (in code): TR 01
- 25095. *Throbalium cycladicum* (Koch,1937)** (Staphylinidae) Synonym(s): *cycladicum* Koch,1937 Range (in code): TR 01
- 25096. *Tinotus morion* (Gravenhorst,1802)** (Staphylinidae) Synonym(s): *morion* Gravenhorst,1802 Range (in code): TR 33
- 25097. *Tomoglossa laeta* Eppelsheim,1884** (Staphylinidae) Synonym(s): *laeta* Eppelsheim,1884 Range (in code): TR

- 25098. Tremissus Besuchet,1981** (Staphylinidae) Synonym(s): Tremissus Besuchet,1981 Range (in code): TR
- 25099. Tribatus creticus Reitter,1884** (Staphylinidae) Synonym(s): creticus Reitter,1884 Range (in code): TR GR Cr
- 25100. Trichophya pilicornis (Gyllenhal,1810)** (Staphylinidae) Synonym(s): pilicornis Gyllenhal,1810 Range (in code): TR 14 27 33 46
- 25101. Trichophya turcica Assing,2006** (Staphylinidae) Synonym(s): turcica Assing,2006 Range (in code): TR 46
- 25102. Trigonurus asiaticus Reiche,1866** (Staphylinidae) Synonym(s): asiaticus Reiche,1866 Range (in code): TR 14 37 53
- 25103. Trimum caucasicum Kolenati,1846** (Staphylinidae) Synonym(s): caucasicum Kolenati,1846; merkli Reitter,1894; diana Sahlberg,1908 Range (in code): Cc TR 34 35
- 25104. Trimum libani Sahlberg,1908** (Staphylinidae) Synonym(s): libani Sahlberg,1908 Range (in code): LB TR
- 25105. Trissemus antennatus (Aubé,1833)** (Staphylinidae) Synonym(s): antennatus Aubé,1833; serricornis Schmidt-Göbl,1838 Range (in code): TR 61
- 25106. Trissemus dentipes (Baudi di Selve,1870)** (Staphylinidae) Synonym(s): dentipes Baudi di Selve,1870 Range (in code): TR
- 25107. Trissemus montanus (Saulcy,1876)** (Staphylinidae) Synonym(s): montanus Saulcy,1876 Range (in code): TR
- 25108. Trissemus mundicornis (Pic,1904)** (Staphylinidae) Synonym(s): mundicornis Pic,1904 Range (in code): TR
- 25109. Trissemus munganasti (Reitter,1905)** (Staphylinidae) Synonym(s): munganasti Reitter,1905 Range (in code): TR 33
- 25110. Tropimenelytron tuberiventris (Eppelsheim,1880)** (Staphylinidae) Synonym(s): tuberiventris Eppelsheim,1880 Range (in code): TR 08
- 25111. Turcizyras assingi Muramaya,2006** (Staphylinidae) Synonym(s): assingi Muramaya,2006 Range (in code): TR 02
- 25112. Tychothythinus vignai Besuchet,1978** (Staphylinidae) Synonym(s): vignai Besuchet,1978 Range (in code): TR 07
- 25113. Tychus anatolicus Besuchet,1964** (Staphylinidae) Synonym(s): anatolicus Besuchet,1964 Range (in code): TR 16 54
- 25114. Tychus anser Sabella & Kurbaov,2002** (Staphylinidae) Synonym(s): anser Sabella & Kurbaov,2002 Range (in code): TR 33
- 25115. Tychus antalyanus Besuchet & Sabella,1999** (Staphylinidae) Synonym(s): antalyanus Besuchet & Sabella,1999 Range (in code): TR 07
- 25116. Tychus apfelbeki Karaman,1955** (Staphylinidae) Synonym(s): apfelbeki Karaman,1955 Range (in code): TR 32 61
- 25117. Tychus balcanicus Reitter,1902** (Staphylinidae) Synonym(s): balcanicus Reitter,1902 Range (in code): TR 32
- 25118. Tychus brevipennis J.Sahlberg,1908** (Staphylinidae) Synonym(s): brevipennis J.Sahlberg,1908 Range (in code): TR 01 25 31 33 44
- 25119. Tychus bysantinicus Karaman,1955** (Staphylinidae) Synonym(s): bysantinicus Karaman,1955 Range (in code): TR 34
- 25120. Tychus cilicicus Sabella, Brachat & Bückle,1998** (Staphylinidae) Synonym(s): cilicicus Sabella, Brachat & Bückle,1998 Range (in code): TR 33
- 25121. Tychus cordiger Besuchet,1969** (Staphylinidae) Synonym(s): cordiger Besuchet,1969 Range (in code): TR
- 25122. Tychus dalmatinus Reitter,1880** (Staphylinidae) Synonym(s): dalmatinus Reitter,1880 Range (in code): TR 10 16 34
- 25123. Tychus dubius Sabella & Kurbatov,2002** (Staphylinidae) Synonym(s): dubius Sabella & Kurbatov,2002 Range (in code): TR 36
- 25124. Tychus erythropterus Schmidt-Göbel,1838** (Staphylinidae) Synonym(s): erythropterus Schmidt-Göbel,1838 Range (in code): TR 61
- 25125. Tychus guillebeui Raffray,1904** (Staphylinidae) Synonym(s): guillebeui Raffray,1904 Range (in code): TR 36
- 25126. Tychus ibericus (Motschulsky,1835)** (Staphylinidae) Synonym(s): ibericus Motschulsky,1835 Range (in code): TR 24 25 34 36
- 25127. Tychus laminiger Besuchet,1969** (Staphylinidae) Synonym(s): laminiger Besuchet,1969 Range (in code): TR 01 07 17
- 25128. Tychus lederi Saulcy,1878** (Staphylinidae) Synonym(s): lederi Saulcy,1878 Range (in code): TR
- 25129. Tychus meleagris Sabella & Kurbatov,2002** (Staphylinidae) Synonym(s): meleagris Sabella & Kurbatov,2002 Range (in code): TR 46



- 25130. *Tychus mundulus* Besuchet,1958** (Staphylinidae) Synonym(s): mundulus Besuchet,1958 Range (in code): TR 01
- 25131. *Tychus niger* (Paykull,1800)** (Staphylinidae) Synonym(s): niger Paykull,1800 Range (in code): TR 34 37
- 25132. *Tychus olor* Sabella & Kurbatov,2002** (Staphylinidae) Synonym(s): olor Sabella & Kurbatov,2002 Range (in code): TR 80
- 25133. *Tychus pamphylicus* Sabella, Brachat & Bückle,1998** (Staphylinidae) Synonym(s): pamphylicus Sabella, Brachat & Bückle,1998 Range (in code): TR 07
- 25134. *Tychus ponticus* Besuchet & Sabella,1999** (Staphylinidae) Synonym(s): ponticus Besuchet & Sabella,1999 Range (in code): TR 04 13 25 36 75
- 25135. *Tychus pullus* Kiesenwetter,1858** (Staphylinidae) Synonym(s): pullus Kiesenwetter,1858 Range (in code): TR
- 25136. *Tychus remaudierei* Besuchet,1969** (Staphylinidae) Synonym(s): remaudierei Besuchet,1969 Range (in code): TR 54
- 25137. *Tychus rhodensis* Sabella, Brachat & Bückle,1998** (Staphylinidae) Synonym(s): rhodensis Sabella, Brachat & Bückle,1998 Range (in code): TR 48
- 25138. *Tychus rufus* Motschulky,1851** (Staphylinidae) Synonym(s): rufus Motschulky,1851 Range (in code): TR 34
- 25139. *Tyrus peyroni* Sauley,1874** (Staphylinidae) Synonym(s): peyroni Sauley,1874 Range (in code): TR
- 25140. *Uncopederus signiventris* (Smetana,1962)** (Staphylinidae) Synonym(s): signiventris Smetana,1962 Range (in code): TR 37
- 25141. *Velleiopsis marginiventris* Fairmaire,1882** (Staphylinidae) Synonym(s): marginiventris Fairmaire,1882 Range (in code): TR
- 25142. *Velleius dilatatus* (Fabricius,1787)** (Staphylinidae) Synonym(s): dilatatus Fabricius,1787 Range (in code): TR 55 62
- 25143. *Vulda brignolii* Bordoni,1973** (Staphylinidae) Synonym(s): brignolii Bordoni,1973 Range (in code): TR 05
- 25144. *Vulda cangalica* Assing,2007** (Staphylinidae) Synonym(s): cangalica Assing,2007 Range (in code): TR 57
- 25145. *Vulda ottomana* (Cameron,1912)** (Staphylinidae) Synonym(s): ottomana Cameron,1912; anatolicus Coiffait,1965 Range (in code): TR 14 34
- 25146. *Vulda vignai* Bordoni,1973** (Staphylinidae) Synonym(s): vignai Bordoni,1973 Range (in code): TR 14
- 25147. *Xantholinus audrasi* Coiffait,1956** (Staphylinidae) Synonym(s): audrasi Coiffait,1956; infimus Coiffait,1962 Range (in code): TR 06 07 08 14 15 18 24 25 28 33 35 45 48 75
- 25148. *Xantholinus bitlisicus* Assing,2007** (Staphylinidae) Synonym(s): bitlisicus Assing,2007 Range (in code): TR 13
- 25149. *Xantholinus brevispinosus* Assing,2007** (Staphylinidae) Synonym(s): brevispinosus Assing,2007 Range (in code): TR 07
- 25150. *Xantholinus caucasicus* Bordoni,1975** (Staphylinidae) Synonym(s): caucasicus Bordoni,1975 Range (in code): TR Cc 08
- 25151. *Xantholinus chersonesicus* Assing,2007** (Staphylinidae) Synonym(s): chersonesicus Assing,2007 Range (in code): TR 17
- 25152. *Xantholinus ciliciae* Bordoni,1971** (Staphylinidae) Synonym(s): ciliciae Bordoni,1971 Range (in code): TR 01 07 31 33 46 80
- 25153. *Xantholinus coiffaiti* Franz,1966** (Staphylinidae) Synonym(s): coiffaiti Franz,1966; sublinearis Coiffait,1970 Range (in code): TR 34
- 25154. *Xantholinus crassicornis* Hochhuth,1851** (Staphylinidae) Synonym(s): crassicornis Hochhuth,1851; lederi Coiffait,1966; martensi Bordoni,1983 Range (in code): TR 08
- 25155. *Xantholinus dvoraki* Coiffait,1956** (Staphylinidae) Synonym(s): dvoraki Coiffait,1956; roubali Coiffait,1956; schweigeri Coiffait,1966 Range (in code): TR 14
- 25156. *Xantholinus fortepunctatus* Motschoulsky,1860** (Staphylinidae) Synonym(s): fortepunctatus Motschoulsky,1860 Range (in code): TR 13 62
- 25157. *Xantholinus graecus* Kraatz,1858** (Staphylinidae) Synonym(s): graecus Kraatz,1858; judaeus Coiffait,1956; pamphylicus Coiffait,1972 Range (in code): TR GR 01 07 16 27 33 35 39 46 48
- 25158. *Xantholinus grandespinosus* Assing,2006** (Staphylinidae) Synonym(s): grandespinosus Assing,2006 Range (in code): TR 05 52 55
- 25159. *Xantholinus gridelli* Coiffait,1966** (Staphylinidae) Synonym(s): gridelli Coiffait,1966 Range (in code): TR 27
- 25160. *Xantholinus heinzi* Coiffait,1970** (Staphylinidae) Synonym(s): heinzi Coiffait,1970 Range (in code): TR 53
- 25161. *Xantholinus ibex* Assing,2007** (Staphylinidae) Synonym(s): ibex Assing,2007 Range (in code): TR 07 48

- 25162. Xantholinus ilgazensis Coiffait,1966** (Staphylinidae) Synonym(s): ilgazensis Coiffait,1966 Range (in code): TR 37
- 25163. Xantholinus korgei Coiffait,1965** (Staphylinidae) Synonym(s): korgei Coiffait,1965 Range (in code): TR 29 45 53 57 61
- 25164. Xantholinus laevigatus Jacobsen,1849** (Staphylinidae) Synonym(s): laevigatus Jacobsen,1849; bythinicus Coiffait,1972 Range (in code): TR 14 16 33 35 37 45
- 25165. Xantholinus lividipennis Coiffait,1972** (Staphylinidae) Synonym(s): lividipennis Coiffait,1972 Range (in code): TR 07
- 25166. Xantholinus longiventris Heer,1839** (Staphylinidae) Synonym(s): longiventris Heer,1839 Range (in code): TR
- 25167. Xantholinus luteipennis Coiffait,1970** (Staphylinidae) Synonym(s): luteipennis Coiffait,1970 Range (in code): TR 02 27 38 42
- 25168. Xantholinus marasicus Assing,2007** (Staphylinidae) Synonym(s): marasicus Assing,2007 Range (in code): TR 46
- 25169. Xantholinus meybohmi Assing,2006** (Staphylinidae) Synonym(s): meybohmi Assing,2006 Range (in code): TR 46 80
- 25170. Xantholinus multispinosus Assing,2007** (Staphylinidae) Synonym(s): multispinosus Assing,2007 Range (in code): TR 33
- 25171. Xantholinus osselai Bordoni,1976** (Staphylinidae) Synonym(s): osselai Bordoni,1976 Range (in code): TR 14 57
- 25172. Xantholinus penicillatus Assing,2007** (Staphylinidae) Synonym(s): penicillatus Assing,2007 Range (in code): TR 42 48
- 25173. Xantholinus procerus Erichson,1839** (Staphylinidae) Synonym(s): procerus Erichson,1839 Range (in code): TR 06 14
- 25174. Xantholinus puthzi Bordoni,1979** (Staphylinidae) Synonym(s): puthzi Bordoni,1979 Range (in code): TR 07 33 46 70
- 25175. Xantholinus rufipennis Erichson,1839** (Staphylinidae) Synonym(s): rufipennis Erichson,1839; phenicus Coiffait,1971 Range (in code): TR 07 11 16 17 21 27 31 33 34 35 45 46 48 67 79
- 25176. Xantholinus tauricus Bordoni,1972** (Staphylinidae) Synonym(s): tauricus Bordoni,1972 Range (in code): TR 32 42
- 25177. Xantholinus varnensis Coiffait,1972** (Staphylinidae) Synonym(s): varnensis Coiffait,1972; calcidicus Bordoni,1973 Range (in code): TR 45 48
- 25178. Xantholinus wunderlei Bordoni,1994** (Staphylinidae) Synonym(s): wunderlei Bordoni,1994 Range (in code): TR 07
- 25179. Xylodromus testaceus (Erichson,1840)** (Staphylinidae) Synonym(s): testaceus Erichson,1840 Range (in code): TR 58
- 25180. Zeteotomus brevicornis (Erichson,1839)** (Staphylinidae) Synonym(s): brevicornis Erichson,1839 Range (in code): TR 29? 33 61
- 25181. Zibus leicocephalus (Aubé,1833)** (Staphylinidae) Synonym(s): leicocephalus Aubé,1833 Range (in code): TR 07
- 25182. Zoosetha mersina Assing,2004** (Staphylinidae) Synonym(s): mersina Assing,2004 Range (in code): TR 33
- 25183. Accanthopus velikensis (Piller & Mitterpacher,1783)** (Tenebrionidae) Synonym(s): velikensis Piller & Mitterpacher,1783; dentipes Rossi,1790 Range (in code): IT GR TR YU AL BG RO CH FR HU 39
- 25184. Adelina turcica (Reitter,1877)** (Tenebrionidae) Synonym(s): turcica Reitter,1877 Range (in code): TR 07
- 25185. Adelostoma (s.str.) hauseri Reitter,1895** (Tenebrionidae) Synonym(s): hauseri Reitter,1895 Range (in code): LB
- 25186. Adelostoma (s.str.) ovalipenne Chevrolat,1877** (Tenebrionidae) Synonym(s): ovalipenne Chevrolat,1877 Range (in code): TR
- 25187. Adelostoma (s.str.) subtilis Reitter,1900** (Tenebrionidae) Synonym(s): subtilis Reitter,1900 Range (in code): TR SY 51
- 25188. Adelostoma (s.str.) sulcatum Duponchel,1827** (Tenebrionidae) Synonym(s): sulcatum Duponchel,1827 Range (in code): TR ES MA DZ CY SY EG
- 25189. Adelostoma (Zarudnyomus) batesi Haag-Rutenberg,1875** (Tenebrionidae) Synonym(s): batesi Haag-Rutenberg,1875 Range (in code): SA YE OM
- 25190. Adelostoma (Zarudnyomus) grande Haag-Rutenberg,1879** (Tenebrionidae) Synonym(s): grande Haag-Rutenberg,1879; persis Semenov & Bogatshev,1947; perissinottoi Canzoneri,1965 Range (in code): IQ IR Fa IL Pa
- 25191. Adesmia (Macradesmia) servillei Solier,1835** (Tenebrionidae) Synonym(s): servillei Solier,1835 Range (in code): TR
- 25192. Adesmia (Oteroscelis) audouini Solier,1835** (Tenebrionidae) Synonym(s): audouini Solier,1835 Range (in code): TR

- 25193. Adesmia (Oteroscelis) bicarinata Klug,1830** (Tenebrionidae) Synonym(s): bicarinata Klug,1830; villae Osculati,1844 Range (in code): **EG IR**
- 25194. Adesmia (Oteroscelis) carinata Miller,1861** (Tenebrionidae) Synonym(s): carinata Miller,1861 Range (in code): **TR IR**
- 25195. Adesmia (Oteroscelis) elevata Solier,1835** (Tenebrionidae) Synonym(s): elevata Solier,1835 Range (in code): **SY EG**
- 25196. Adesmia (Oteroscelis) lacunosa Klug,1830** (Tenebrionidae) Synonym(s): lacunosa Klug,1830 Range (in code): **SY IR SA EG**
- 25197. Adesmia (Oteroscelis) sodalis Waterhouse,1889** (Tenebrionidae) Synonym(s): sodalis Waterhouse,1889 Range (in code): **PK BI**
- 25198. Adesmia (s.str.) abbreviata Klug,1830** (Tenebrionidae) Synonym(s): abbreviata Klug,1830; arca Reiche & Saulcy,1857 Range (in code): **SY IL Pa**
- 25199. Adesmia (s.str.) anatolica Ganglbauer,1906** (Tenebrionidae) Synonym(s): anatolica Ganglbauer,1906 Range (in code): **TR 79**
- 25200. Adesmia (s.str.) anthracina Klug,1830** (Tenebrionidae) Synonym(s): anthracina Klug,1830; olivieri Reiche & Saulcy,1857 Range (in code): **TR SY IL Pa 02 21 27 31 46 72 80**
- 25201. Adesmia (s.str.) clathrata Solier,1835** (Tenebrionidae) Synonym(s): clathrata Solier,1835 Range (in code): **IR**
- 25202. Adesmia (s.str.) devechii Osculati,1844** (Tenebrionidae) Synonym(s): devechii Osculati,1844 Range (in code): **SY IR**
- 25203. Adesmia (s.str.) fagergreeni Baudi,1874** (Tenebrionidae) Synonym(s): fagergreeni Baudi,1874 Range (in code): **IR**
- 25204. Adesmia (s.str.) fischeri Faldermann,1837** (Tenebrionidae) Synonym(s): fischeri Faldermann,1837 Range (in code): **TR TM 23 65**
- 25205. Adesmia (s.str.) gibbula Reitter,1916** (Tenebrionidae) Synonym(s): gibbula Reitter,1916 Range (in code): **TR**
- 25206. Adesmia (s.str.) maillei Solier,1835** (Tenebrionidae) Synonym(s): maillei Solier,1835 Range (in code): **RU Cc TM IR**
- 25207. Adesmia (s.str.) mesopotamica Chevrolat,1877** (Tenebrionidae) Synonym(s): mesopotamica Chevrolat,1877 Range (in code): **IQ**
- 25208. Adesmia (s.str.) metallica Klug,1830** (Tenebrionidae) Synonym(s): metallica Klug,1830; syriaca Baudi,1874 Range (in code): **EG SY IR**
- 25209. Adesmia (s.str.) monilis Klug,1830** (Tenebrionidae) Synonym(s): monilis Klug,1830 Range (in code): **SY EG**
- 25210. Adesmia (s.str.) montana Klug,1830** (Tenebrionidae) Synonym(s): montana Klug,1830; parallela Miller,1861 Range (in code): **SA EG Sn IR**
- 25211. Adesmia (s.str.) nodulosa Faldermann,1837** (Tenebrionidae) Synonym(s): nodulosa Faldermann,1837 Range (in code): **Cc RU**
- 25212. Adesmia (s.str.) procera Miller,1861** (Tenebrionidae) Synonym(s): procera Miller,1861 Range (in code): **TR SY 63**
- 25213. Adesmia (s.str.) ramburi Solier,1835** (Tenebrionidae) Synonym(s): ramburi Solier,1835 Range (in code): **IQ**
- 25214. Adesmia (s.str.) reticulata Klug,1830** (Tenebrionidae) Synonym(s): reticulata Klug,1830 Range (in code): **SA ET**
- 25215. Adesmia (s.str.) tenebrosa Solier,1835** (Tenebrionidae) Synonym(s): tenebrosa Solier,1835 Range (in code): **IR**
- 25216. Adesmia (s.str.) ulcerosa Klug,1830** (Tenebrionidae) Synonym(s): ulcerosa Klug,1830; reticulata Solier,1835; perplexa Schaum,1863 Range (in code): **SY**
- 25217. Akis elongata Brullé,1832** (Tenebrionidae) Synonym(s): elongata Brullé,1832; deplanata Waltl,1838 Range (in code): **TR GR**
- 25218. Akis latreillei Solier,1836** (Tenebrionidae) Synonym(s): latreillei Solier,1836 Range (in code): **TR SY CY EG**
- 25219. Akis opaca Heyden,1897** (Tenebrionidae) Synonym(s): opaca Heyden,1897; anatolica Reitter,1904 Range (in code): **TR GR 33**
- 25220. Akis otoes Fischer von Waldheim,1837** (Tenebrionidae) Synonym(s): otoes Fischer von Waldheim,1837 Range (in code): **TR**
- 25221. Akis spinosa (Linnaeus,1764)** (Tenebrionidae) Synonym(s): spinosa Linnaeus,1764 Range (in code): **IT Sa Si DZ TR 34**
- 25222. Akis subtricotata Redtenbacher,1850** (Tenebrionidae) Synonym(s): subtricotata Redtenbacher,1850 Range (in code): **IR**
- 25223. Allecula (s.str.) rhenana Bach,1856** (Tenebrionidae) Synonym(s): rhenana Bach,1856; loevendali Reitter,1886 Range (in code): **IT CZ SK AT B-H HV DK FI FR DE GG Cc PL RO RU SS SE CH UA YU**



- 25224. *Allecula divisa* Reitter,1883** (Tenebrionidae) **Synonym(s):** *divisa* Reitter,1883 Range (in code):  
**AM Cc TM UZ**
- 25225. *Allecula estriata* Seidlitz,1896** (Tenebrionidae) **Synonym(s):** *estriata* Seidlitz,1896 Range (in code): **TR**
- 25226. *Allecula janssoni* Novak,2011** (Tenebrionidae) **Synonym(s):** *janssoni* Novak,2011 Range (in code): **TR 07**
- 25227. *Allecula oronthea* Baudi di Selve,1881** (Tenebrionidae) **Synonym(s):** *oronthea* Baudi di Selve,1881 Range (in code): **LB TR**
- 25228. *Allecula turcica* Novak,2011** (Tenebrionidae) **Synonym(s):** *turcica* Novak,2011 Range (in code):  
**TR 32 33**
- 25229. *Alphitobius diaperinus* (Panzer,1797)** (Tenebrionidae) **Synonym(s):** *diaperinus* Panzer,1797 Range (in code): **TR 35**
- 25230. *Alphitobius laevigatus* (Fabricius,1781)** (Tenebrionidae) **Synonym(s):** *laevigatus* Fabricius,1781 Range (in code): **TR 35**
- 25231. *Alphitophagus bifasciatus* (Say,1823)** (Tenebrionidae) **Synonym(s):** *bifasciatus* Say,1823 Range (in code): **TR 07 48**
- 25232. *Alphitophagus convexicollis* Reitter,1911** (Tenebrionidae) **Synonym(s):** *convexicollis* Reitter,1911 Range (in code): **TR**
- 25233. *Ammobius cyprius* Grimm,1991** (Tenebrionidae) **Synonym(s):** *cyprius* Grimm,1991 Range (in code): **CY TR 01**
- 25234. *Ammobius rufus* Lucas,1849** (Tenebrionidae) **Synonym(s):** *rufus* Lucas,1849 Range (in code):  
**TR 07**
- 25235. *Annodeis asiaticus* Miller,1858** (Tenebrionidae) **Synonym(s):** *asiaticus* Miller,1858; *wagneri* Chevrolat,1877 Range (in code): **TR**
- 25236. *Annodeis confluens* Miller,1858** (Tenebrionidae) **Synonym(s):** *confluens* Miller,1858 Range (in code): **IQ EG**
- 25237. *Annodeis giganteus* Reiche & Saulcy,1857** (Tenebrionidae) **Synonym(s):** *giganteus* Reiche & Saulcy,1857 Range (in code): **SY**
- 25238. *Annodeis grandis* Miller,1858** (Tenebrionidae) **Synonym(s):** *grandis* Miller,1858 Range (in code): **TR 21 63**
- 25239. *Annodeis intermedius* Reitter,1914** (Tenebrionidae) **Synonym(s):** *intermedius* Reitter,1914 Range (in code): **TR**
- 25240. *Annodeis milleri* Reitter,1914** (Tenebrionidae) **Synonym(s):** *milleri* Reitter,1914 Range (in code): **TR 21 27 47**
- 25241. *Belopus (Centorus) procerus* Mulsant,1854** (Tenebrionidae) **Synonym(s):** *procerus* Mulsant,1854 Range (in code): **TR MD UA Cm KG**
- 25242. *Belopus (Centorus) turcicus* (Kaszab,1959)** (Tenebrionidae) **Synonym(s):** *turcicus* Kaszab,1959 Range (in code): **TR 19**
- 25243. *Blaps abbreviata* Ménétriés,1836** (Tenebrionidae) **Synonym(s):** *abbreviata* Ménétriés,1836 Range (in code): **TR HU AT BG 35**
- 25244. *Blaps adalae* F.Soldati & L.Soldati,1999** (Tenebrionidae) **Synonym(s):** *adalae* F.Soldati & L.Soldati,1999 Range (in code): **TR**
- 25245. *Blaps ecaudata* Seidlitz,1893** (Tenebrionidae) **Synonym(s):** *ecaudata* Seidlitz,1893 Range (in code): **TR**
- 25246. *Blaps femoralis* Fischer,1844** (Tenebrionidae) **Synonym(s):** *femoralis* Fischer,1844 Range (in code): **TR**
- 25247. *Blaps gigas* (Linnaeus,1767)** (Tenebrionidae) **Synonym(s):** *gigas* Linnaeus,1767 Range (in code):  
**TR 35**
- 25248. *Blaps graeca* Solier,1848** (Tenebrionidae) **Synonym(s):** *graeca* Solier,1848 Range (in code): **TR GR**
- 25249. *Blaps jeanneli* Ferrer & Soldati,1999** (Tenebrionidae) **Synonym(s):** *jeanneli* Ferrer & Soldati,1999 Range (in code): **TR 32 35 42**
- 25250. *Blaps judaeorum* Miller,1861** (Tenebrionidae) **Synonym(s):** *judaeorum* Miller,1861; *judaica* Seidlitz,1893 Range (in code): **IL Pa LB SY**
- 25251. *Blaps juliae* Allard,1880** (Tenebrionidae) **Synonym(s):** *juliae* Allard,1880 Range (in code): **IL Pa Js**
- 25252. *Blaps kaifensis* Seidlitz,1893** (Tenebrionidae) **Synonym(s):** *rotundata* Allard,1880 (praeocc.); *kaifensis* Seidlitz,1893 Range (in code): **IL Pa Hf**
- 25253. *Blaps koenigi* Seidlitz,1893** (Tenebrionidae) **Synonym(s):** *koenigi* Seidlitz,1893 Range (in code):  
**TR Cc**
- 25254. *Blaps lata* Seidlitz,1893** (Tenebrionidae) **Synonym(s):** *miliaria* Allard,1882 nec Fisch.; *lata* Seidlitz,1893; *miliaria* Allard,1882 Range (in code): **TR Cc AM 07**
- 25255. *Blaps lethifera* Marsham,1802** (Tenebrionidae) **Synonym(s):** *lethifera* Marsham,1802 Range (in code): **TR Cc 07 09 20 35 42 45**

- 25256. Blaps lindbergi Kaszab,1959** (Tenebrionidae) Synonym(s): lindbergi Kaszab,1959 Range (in code): TR
- 25257. Blaps longula Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): longula Reiche & Saulcy,1857 Range (in code): SY
- 25258. Blaps luctuosa Ménétériés,1832** (Tenebrionidae) Synonym(s): luctuosa Ménétériés,1832 Range (in code): Cc
- 25259. Blaps montana Motschoulsky,1839** (Tenebrionidae) Synonym(s): montana Motschoulsky,1839 Range (in code): Cc
- 25260. Blaps mortisaga (Linnaeus,1758)** (Tenebrionidae) Synonym(s): mortisaga Linnaeus,1758 Range (in code): TR
- 25261. Blaps mortisaga (Linnaeus,1758)** (Tenebrionidae) Synonym(s): mortisaga Linnaeus,1758 Range (in code): RU Sb Cc
- 25262. Blaps mucronata Latreille,1804** (Tenebrionidae) Synonym(s): mucronata Latreille,1804 Range (in code): TR
- 25263. Blaps ocreata Allard,1880** (Tenebrionidae) Synonym(s): ocreata Allard,1880 Range (in code): TR 01 07 09 17 35 42 50 51
- 25264. Blaps ominosa Ménétériés,1832** (Tenebrionidae) Synonym(s): ominosa Ménétériés,1832; armeniaca Faldermann,1837 Range (in code): Cc AZ Bak AM
- 25265. Blaps orbicollis Motschoulsky,1845** (Tenebrionidae) Synonym(s): orbicollis Motschoulsky,1845 Range (in code): RU Cc AZ Bak
- 25266. Blaps pallasi Seidlitz,1893** (Tenebrionidae) Synonym(s): pallasi Seidlitz,1893 Range (in code): Cc AM
- 25267. Blaps platythorax Gemminger,1870** (Tenebrionidae) Synonym(s): laticollis Redtenbacher,1850; platythorax Gemminger,1870 Range (in code): IR
- 25268. Blaps pterostapha Ménétériés,1832** (Tenebrionidae) Synonym(s): pterostapha Ménétériés,1832 Range (in code): TR 36 50
- 25269. Blaps pterotapha Fischer von Waldheim,1832** (Tenebrionidae) Synonym(s): pterotapha Fischer von Waldheim,1832 Range (in code): Cc
- 25270. Blaps pudica Ballion,1888** (Tenebrionidae) Synonym(s): pudica Ballion,1888 Range (in code): Cc
- 25271. Blaps puella Allard,1880** (Tenebrionidae) Synonym(s): puella Allard,1880 Range (in code): Cc AZ Nv
- 25272. Blaps pulvinata Ménétériés,1849** (Tenebrionidae) Synonym(s): pulvinata Ménétériés,1849 Range (in code): Cc
- 25273. Blaps punctostriata Solier,1848** (Tenebrionidae) Synonym(s): punctostriata Solier,1848 Range (in code): IR
- 25274. Blaps putrida Motschoulsky,1845** (Tenebrionidae) Synonym(s): putrida Motschoulsky,1845 Range (in code): RU Cc AZ
- 25275. Blaps rotundata Solier,1848** (Tenebrionidae) Synonym(s): rotundata Solier,1848; sodalis Reiche & Saulcy,1857; laticollis Allard,1880 (praeocc.) Range (in code): TR SY IL Pa 51
- 25276. Blaps scabiosa Baudi,1874** (Tenebrionidae) Synonym(s): scabiosa Baudi,1874; coriacea Allard,1880 Range (in code): IR Gor UZ
- 25277. Blaps seriata Fischer von Waldheim,1822** (Tenebrionidae) Synonym(s): seriata Fischer von Waldheim,1822 Range (in code): UZ IR
- 25278. Blaps spinosa Allard,1880** (Tenebrionidae) Synonym(s): spinosa Allard,1880 Range (in code): IQ
- 25279. Blaps splichali Gebien,1913** (Tenebrionidae) Synonym(s): splichali Gebien,1913 Range (in code): TR 31 33
- 25280. Blaps taeniolata Ménétériés,1832** (Tenebrionidae) Synonym(s): taeniolata Ménétériés,1832 Range (in code): TR
- 25281. Blaps tenuicollis Solier,1848** (Tenebrionidae) Synonym(s): tenuicollis Solier,1848 Range (in code): TR
- 25282. Blaps tibialis Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): tibialis Reiche & Saulcy,1857 Range (in code): TR 04 06 07 09 15 21 22 26 33 34 35 38 39 42 45 46 50 51 58 65 80
- 25283. Blaps tibiella Seidlitz,1893** (Tenebrionidae) Synonym(s): tibiella Seidlitz,1893 Range (in code): TR
- 25284. Blaps titanus Ménétériés,1849** (Tenebrionidae) Synonym(s): titanus Ménétériés,1849 Range (in code): TM UZ AZ Cc Bak
- 25285. Blaps tridentata Waterhouse,1889** (Tenebrionidae) Synonym(s): tridentata Waterhouse,1889 Range (in code): AF
- 25286. Blaps turcomanorum Seidlitz,1893** (Tenebrionidae) Synonym(s): turcomanorum Seidlitz,1893 Range (in code): TM
- 25287. Blaps vicina Ménétériés,1845** (Tenebrionidae) Synonym(s): vicina Ménétériés,1845 Range (in code): Cc AZ Bak

- 25288. *Bolitophagus reticulatus* (Linnaeus,1767)** (Tenebrionidae) **Synonym(s):** *reticulatus* Linnaeus,1767 **Range (in code):** [TR 14 74](#)
- 25289. *Brachyesthes chrysomelina* Costa,1875** (Tenebrionidae) **Synonym(s):** *chrysomelina* Costa,1875 **Range (in code):** [TR](#)
- 25290. *Cabirutus cavimanus* (Sahlberg,1907)** (Tenebrionidae) **Synonym(s):** *cavimanus* Sahlberg,1907 **Range (in code):** [TR](#)
- 25291. *Cabirutus cilicicus* (Sahlberg,1907)** (Tenebrionidae) **Synonym(s):** *cilicicus* Sahlberg,1907 **Range (in code):** [TR](#)
- 25292. *Cabirutus cribricollis* (Baudi,1875)** (Tenebrionidae) **Synonym(s):** *cribricollis* Baudi,1875 **Range (in code):** [TR CY 33 48](#)
- 25293. *Cabirutus gracilis* (Reitter,1904)** (Tenebrionidae) **Synonym(s):** *gracilis* Reitter,1904 **Range (in code):** [TR 13 31 35](#)
- 25294. *Caenoblaps difformis* König,1906** (Tenebrionidae) **Synonym(s):** *difformis* König,1906 **Range (in code):** [Cc](#)
- 25295. *Caenoblaps kulzeri* Schuster,1928** (Tenebrionidae) **Synonym(s):** *kulzeri* Schuster,1928 **Range (in code):** [TR 13](#)
- 25296. *Caenoblaps nitida* Schuster,1920** (Tenebrionidae) **Synonym(s):** *nitida* Schuster,1920 **Range (in code):** [TR 08](#)
- 25297. *Calyptopsis amaroides* Baudi,1874** (Tenebrionidae) **Synonym(s):** *amaroides* Baudi,1874 **Range (in code):** [IR](#)
- 25298. *Calyptopsis capnisiformis* Reitter,1903** (Tenebrionidae) **Synonym(s):** *capnisiformis* Reitter,1903 **Range (in code):** [TR 33 50](#)
- 25299. *Calyptopsis capnisiformis* Reitter,1903** (Tenebrionidae) **Synonym(s):** *capnisiformis* Reitter,1903 **Range (in code):** [TR 06 26 38 50](#)
- 25300. *Calyptopsis capnisioides* Reitter,1896** (Tenebrionidae) **Synonym(s):** *capnisioides* Reitter,1896 **Range (in code):** [GR TR](#)
- 25301. *Calyptopsis caucasica* Kraatz,1865** (Tenebrionidae) **Synonym(s):** *caucasica* Kraatz,1865; *antoniae* Reitter,1889 **Range (in code):** [Cc](#)
- 25302. *Calyptopsis clypeata* Faust,1875** (Tenebrionidae) **Synonym(s):** *clypeata* Faust,1875 **Range (in code):** [IR TM](#)
- 25303. *Calyptopsis convexicollis* Desbrochiers,1881** (Tenebrionidae) **Synonym(s):** *convexicollis* Desbrochiers,1881 **Range (in code):** [Cc AZ Nv](#)
- 25304. *Calyptopsis deplanata* Faust,1875** (Tenebrionidae) **Synonym(s):** *deplanata* Faust,1875 **Range (in code):** [TR](#)
- 25305. *Calyptopsis emarginata* Reitter,1889** (Tenebrionidae) **Synonym(s):** *emarginata* Reitter,1889 **Range (in code):** [Cc AZ Nv TR 30](#)
- 25306. *Calyptopsis escherichi* Reitter,1896** (Tenebrionidae) **Synonym(s):** *escherichi* Reitter,1896 **Range (in code):** [TR](#)
- 25307. *Calyptopsis harpaloides* Baudi,1874** (Tenebrionidae) **Synonym(s):** *harpaloides* Baudi,1874; *armeniaca* Baudi,1874 **Range (in code):** [IR Cc AZ Nv](#)
- 25308. *Calyptopsis incerta* Faust,1875** (Tenebrionidae) **Synonym(s):** *incerta* Faust,1875 **Range (in code):** [TM](#)
- 25309. *Calyptopsis jeremias* Reiche & Saulcy,1857** (Tenebrionidae) **Synonym(s):** *jeremias* Reiche & Saulcy,1857 **Range (in code):** [IL Pa](#)
- 25310. *Calyptopsis lineimargo* Reitter,1896** (Tenebrionidae) **Synonym(s):** *lineimargo* Reitter,1896 **Range (in code):** [SY](#)
- 25311. *Calyptopsis morawitzi* Faust,1877** (Tenebrionidae) **Synonym(s):** *morawitzi* Faust,1877 **Range (in code):** [Cc AM](#)
- 25312. *Calyptopsis nitescens* Reitter,1896** (Tenebrionidae) **Synonym(s):** *nitescens* Reitter,1896 **Range (in code):** [Cc AM TM](#)
- 25313. *Calyptopsis pandaroides* Reitter,1896** (Tenebrionidae) **Synonym(s):** *pandaroides* Reitter,1896 **Range (in code):** [TR GR SY Hal Cc](#)
- 25314. *Calyptopsis pulchella* Faldermann,1837** (Tenebrionidae) **Synonym(s):** *pulchella* Faldermann,1837; *rugipennis* Faldermann,1837 **Range (in code):** [Cc TM](#)
- 25315. *Calyptopsis punctiventris* Baudi,1874** (Tenebrionidae) **Synonym(s):** *punctiventris* Baudi,1874 **Range (in code):** [TM IR](#)
- 25316. *Calyptopsis rosti* Reitter,1896** (Tenebrionidae) **Synonym(s):** *rosti* Reitter,1896 **Range (in code):** [IR Cc AZ](#)
- 25317. *Calyptopsis solieri* Reiche & Saulcy,1857** (Tenebrionidae) **Synonym(s):** *solieri* Reiche & Saulcy,1857 **Range (in code):** [TR SY](#)
- 25318. *Calyptopsis suleimargo* Reitter,1896** (Tenebrionidae) **Synonym(s):** *suleimargo* Reitter,1896 **Range (in code):** [IR](#)



- 25319. Cataphronetis reitteri Seidlitz,1893** (Tenebrionidae) Synonym(s): reitteri Seidlitz,1893 Range (in code): TR 07
- 25320. Catomus (s.str.) consentaneus (Küster,1851)** (Tenebrionidae) Synonym(s): consentaneus Küster,1851 Range (in code): TR 33
- 25321. Catomus (s.str.) frivaldszkyi (Seidlitz,1893)** (Tenebrionidae) Synonym(s): frivaldszkyi Seidlitz,1893 Range (in code): TR
- 25322. Catomus (Stenomacridus) anatolicus Kaszab,1961** (Tenebrionidae) Synonym(s): anatolicus Kaszab,1961 Range (in code): TR
- 25323. Cephalostenus demaisoni Reitter,1903** (Tenebrionidae) Synonym(s): demaisoni Reitter,1903 Range (in code): TR 07 13
- 25324. Cephalostenus elegans Brullé,1832** (Tenebrionidae) Synonym(s): elegans Brullé,1832; dejeani Solier,1838 Range (in code): TR GR 07 35 45 48 60
- 25325. Cephalostenus orbicollis Ménétériés,1836** (Tenebrionidae) Synonym(s): orbicollis Ménétériés,1836; elegans Solier,1838; dejeani Reiche & Saulcy,1857 nec Sol.,1838 Range (in code): TR SY GR 07 09 17 35
- 25326. Ceratanisus funebris (Reitter,1898)** (Tenebrionidae) Synonym(s): funebris Reitter,1898 Range (in code): TR
- 25327. Ceratanisus tristis (Faldermann,1837)** (Tenebrionidae) Synonym(s): tristis Faldermann,1837 Range (in code): TR Cc 06 60
- 25328. Cheirodes (Anemia) sardous Génè,1839** (Tenebrionidae) Synonym(s): sardous Génè,1839 Range (in code): TR 07
- 25329. Cheirosis acuminata (Ménétériés,1832)** (Tenebrionidae) Synonym(s): acuminata Ménétériés,1832; ovata Faldermann,1837 Range (in code): SY Cc
- 25330. Clitobius oblingiusculus (Fairmaire,1875)** (Tenebrionidae) Synonym(s): oblingiusculus Fairmaire,1875; lineicollis Fairmaire,1879 MA SA TR TJ SD EG 01
- 25331. Clitobius ovatus (Erichson,1843)** (Tenebrionidae) Synonym(s): ovatus Erichson,1843 Range (in code): TR
- 25332. Cnemeplatia atropos Costa,1847** (Tenebrionidae) Synonym(s): atropos Costa,1847 Range (in code): TR 07
- 25333. Colpotus byzantinicus (Waltl,1838)** (Tenebrionidae) Synonym(s): byzantinicus Waltl,1838 Range (in code): TR 33 49
- 25334. Colpotus dentatus Grimm & Schawaller,2000** (Tenebrionidae) Synonym(s): dentatus Grimm & Schawaller,2000 Range (in code): TR 09
- 25335. Colpotus lassallei Ferrer & Soldati,1999** (Tenebrionidae) Synonym(s): lassallei Ferrer & Soldati,1999 Range (in code): TR 07 27
- 25336. Colpotus punctipleuris Reitter,1904** (Tenebrionidae) Synonym(s): punctipleuris Reitter,1904 Range (in code): TR 42
- 25337. Colpotus reitteri Zürcher,1911** (Tenebrionidae) Synonym(s): reitteri Zürcher,1911 Range (in code): TR 07
- 25338. Colpotus reitteri Zürcher,1911** (Tenebrionidae) Synonym(s): reitteri Zürcher,1911 Range (in code): CY
- 25339. Colpotus sulcatus Ménétériés,1838** (Tenebrionidae) Synonym(s): sulcatus Ménétériés,1838 Range (in code): TR 48
- 25340. Colpotus vogti Koch,1944** (Tenebrionidae) Synonym(s): vogti Koch,1944 Range (in code): TR 32 35
- 25341. Cossyphus tauricus Steven,1882** (Tenebrionidae) Synonym(s): tauricus Steven,1882 Range (in code): TR 35 45
- 25342. Cryphaeus cornutus Fischer von Waldheim,1823** (Tenebrionidae) Synonym(s): cornutus Fischer von Waldheim,1823 Range (in code): TR 33
- 25343. Crypticus (Platycrypticus) castaneus Baudi,1876** (Tenebrionidae) Synonym(s): castaneus Baudi,1876 Range (in code): TR 35
- 25344. Crypticus (s.str.) gibbulus (Quensel,1806)** (Tenebrionidae) Synonym(s): gibbulus Quensel,1806 Range (in code): TR
- 25345. Crypticus (s.str.) pentheri Reitter,1906** (Tenebrionidae) Synonym(s): pentheri Reitter,1906 Range (in code): TR
- 25346. Crypticus (s.str.) pettersoni Ferrer & Soldati,1999** (Tenebrionidae) Synonym(s): pettersoni Ferrer & Soldati,1999 Range (in code): TR 09 20
- 25347. Crypticus (s.str.) quisquilius (Linnaeus,1761)** (Tenebrionidae) Synonym(s): quisquilius Linnaeus,1761 Range (in code): TR 16
- 25348. Crypticus (s.str.) tauri Pic,1907** (Tenebrionidae) Synonym(s): tauri Pic,1907 Range (in code): TR
- 25349. Cteniopus (Ctenioposomus) bodemeyeri Reitter,1903** (Tenebrionidae) Synonym(s): bodemeyeri Reitter,1903 Range (in code): TR 42

- 25350. Cteniopos (Ctenioposomus) frater Reitter,1903** (Tenebrionidae) Synonym(s): frater Reitter,1903 Range (in code): TR 01 25
- 25351. Cteniopos (Ctenioposomus) gibbosus Baudi di Selve,1877** (Tenebrionidae) Synonym(s): gibbosus Baudi di Selve,1877 Range (in code): IL Pa SY EG
- 25352. Cteniopos (Ctenioposomus) intermedius Fairmaire,1895** (Tenebrionidae) Synonym(s): intermedius Fairmaire,1895 Range (in code): TR 31
- 25353. Cteniopos (Ctenioposomus) persicus Oglobin,1950** (Tenebrionidae) Synonym(s): persicus Oglobin,1950 Range (in code): TR SY IQ IR AF
- 25354. Cteniopos (Ctenioposomus) priesneri Wittmer,1936** (Tenebrionidae) Synonym(s): priesneri Wittmer,1936 Range (in code): EG Sn
- 25355. Cteniopos (Ctenioposomus) turcicus Pic,1913** (Tenebrionidae) Synonym(s): turcicus Pic,1913 Range (in code): TR
- 25356. Cteniopos (Rhinobarus) elegans (Faldermann,1837)** (Tenebrionidae) Synonym(s): elegans Faldermann,1837 Range (in code): AM Cc GG
- 25357. Cteniopos (Rhinobarus) sulphuripes (Germar,1824)** (Tenebrionidae) Synonym(s): sulphuripes Germar,1824; sulfuripes Redtenbacher,1842; collaris Küster,1850; notatus Yic,1925 Range (in code): AZ AT BG HV CZ FR GR HU IT MK MD PL RO RU SK UA YU TR
- 25358. Cteniopos (s.str.) anatolicus Pic,1903** (Tenebrionidae) Synonym(s): anatolicus Pic,1903 Range (in code): TR 24 35
- 25359. Cteniopos (s.str.) angustatus Pic,1905** (Tenebrionidae) Synonym(s): angustatus Pic,1905 Range (in code): IQ
- 25360. Cteniopos (s.str.) expulsus Roubal,1917** (Tenebrionidae) Synonym(s): expulsus Roubal,1917 Range (in code): GG Cc
- 25361. Cteniopos (s.str.) impressicornis Fairmaire,1892** (Tenebrionidae) Synonym(s): impressicornis Fairmaire,1892 Range (in code): TR
- 25362. Cteniopos (s.str.) nigrifrons Fairmaire,1895** (Tenebrionidae) Synonym(s): nigrifrons Fairmaire,1895 Range (in code): TR 31
- 25363. Cteniopos (s.str.) pallidus (Küster,1850)** (Tenebrionidae) Synonym(s): pallidus Küster,1850; intrusus Seidlitz,1896 Range (in code): CY IQ SY TR
- 25364. Cteniopos (s.str.) persimilis Reitter,1890** (Tenebrionidae) Synonym(s): persimilis Reitter,1890 Range (in code): AZ Nv Ord AM Cc IR TR
- 25365. Cteniopos (s.str.) sulphureus (Linnaeus,1758)** (Tenebrionidae) Synonym(s): sulphureus Linnaeus,1758; flavus Scopoli,1763; murinus Herbst,1783; luteus Geoffroy,1785; varians Fabricius,1787; sulphuratus Gmelin,1790; bicolor Fabricius,1794; analis Seidlitz,1896; gilvus Seidlitz,1896; palpalis Seidlitz,1896; altaicus Reitter,1906 Range (in code): AT HV CZ DK FI FR GB DE GR HU IT KG RU At LT LV NL NO PL RO ES CH SE UA YU Us MN TR 51 56 65
- 25366. Cteniopos (s.str.) tokatensis Pic,1904** (Tenebrionidae) Synonym(s): tokatensis Pic,1904 Range (in code): TR 60
- 25367. Cyldronotus (Helopelius) aeneipennis (Allard,1876)** (Tenebrionidae) Synonym(s): aeneipennis Allard,1876 Range (in code): TR 07 32
- 25368. Cyldronotus (Odocnemis) anatolicus Pic,1899** (Tenebrionidae) Synonym(s): anatolicus Pic,1899 Range (in code): TR
- 25369. Cyldronotus (Odocnemis) caudatus Allard,1876** (Tenebrionidae) Synonym(s): caudatus Allard,1876 Range (in code): TR
- 25370. Cyldronotus (Odocnemis) dasypus Seidlitz,1893** (Tenebrionidae) Synonym(s): dasypus Seidlitz,1893 Range (in code): TR 05 11 16 18 43
- 25371. Cyldronotus (Odocnemis) exararatus (Germar,1817)** (Tenebrionidae) Synonym(s): exararatus Germar,1817 Range (in code): TR 22
- 25372. Cyldronotus (Odocnemis) incultus Allard,1877** (Tenebrionidae) Synonym(s): incultus Allard,1877 Range (in code): TR
- 25373. Cyldronotus (Odocnemis) korbi Reitter,1901** (Tenebrionidae) Synonym(s): korbi Reitter,1901 Range (in code): TR 07 14 43 70
- 25374. Cyldronotus (Odocnemis) nitidus Seidlitz,1893** (Tenebrionidae) Synonym(s): nitidus Seidlitz,1893 Range (in code): TR 70
- 25375. Cyldronotus (Odocnemis) opertus Reitter,1922** (Tenebrionidae) Synonym(s): opertus Reitter,1922 Range (in code): TR
- 25376. Cyldronotus (Odocnemis) protinus Reitter,1900** (Tenebrionidae) Synonym(s): protinus Reitter,1900 Range (in code): TR
- 25377. Cyldronotus (Odocnemis) seriegranatus Seidlitz,1893** (Tenebrionidae) Synonym(s): seriegranatus Seidlitz,1893 Range (in code): TR 07
- 25378. Cyldronotus (Odocnemis) tuberculiger Reiche & Sauley,1857** (Tenebrionidae) Synonym(s): tuberculiger Reiche & Sauley,1857 Range (in code): TR 14 43

- 25379. *Cylindronotus (Omaleis) amasiae* Seidlitz,1896** (Tenebrionidae) Synonym(s): *amasiae* Seidlitz,1896 Range (in code): TR 05
- 25380. *Cylindronotus (Omaleis) crenatostratus* Allard,1877** (Tenebrionidae) Synonym(s): *crenatostratus* Allard,1877 Range (in code): TR
- 25381. *Cylindronotus (Omaleis) fundator* Reitter,1908** (Tenebrionidae) Synonym(s): *fundator* Reitter,1908 Range (in code): TR
- 25382. *Cylindronotus (Omaleis) kurdistanus* Reitter,1901** (Tenebrionidae) Synonym(s): *kurdistanus* Reitter,1901 Range (in code): TR 25
- 25383. *Cylindronotus (Omaleis) scutellatus* Reitter,1901** (Tenebrionidae) Synonym(s): *scutellatus* Reitter,1901 Range (in code): TR
- 25384. *Cylindronotus (s.str.) funestoides* Reitter,1900** (Tenebrionidae) Synonym(s): *funestoides* Reitter,1900 Range (in code): TR 11 51
- 25385. *Cylindronotus (s.str.) hoberlandti* Kaszab,1960** (Tenebrionidae) Synonym(s): *hoberlandti* Kaszab,1960 Range (in code): TR
- 25386. *Cylindronotus (Stenomax) aeneus (Scopoli,1763)*** (Tenebrionidae) Synonym(s): *aeneus* Scopoli,1763 Range (in code): TR
- 25387. *Cylindronotus tchorokhicus* Nabozhenko,2011** (Tenebrionidae) Synonym(s): *tchorokhicus* Nabozhenko,2011 Range (in code): TR 08
- 25388. *Cyphogenia (Lechriomus) lucifuga* (Adams,1817)** (Tenebrionidae) Synonym(s): *lucifuga* Adams,1817 Range (in code): TR
- 25389. *Dailognatha caraboides* Solier,1835** (Tenebrionidae) Synonym(s): *caraboides* Solier,1835; *audouini* Solier,1835; *caucasica* Desbrochers,1881 Range (in code): TR Cc BG SY IR 04 07 35 45 50 55 70
- 25390. *Dailognatha carceli* Solier,1835** (Tenebrionidae) Synonym(s): *carceli* Solier,1835 Range (in code): TR GR Cc Cr 35
- 25391. *Dailognatha crenata* Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): *crenata* Reiche & Saulcy,1857 Range (in code): TR SY Cc
- 25392. *Dailognatha impressicollis* Solier,1835** (Tenebrionidae) Synonym(s): *impressicollis* Solier,1835 Range (in code): TR 01 16 51
- 25393. *Dailognatha minuscula* Desbrochers,1881** (Tenebrionidae) Synonym(s): *minuscula* Desbrochers,1881 Range (in code): TR
- 25394. *Dailognatha planata* Miller,1861** (Tenebrionidae) Synonym(s): *planata* Miller,1861 Range (in code): SY TR
- 25395. *Dailognatha pumila* Baudi,1874** (Tenebrionidae) Synonym(s): *pumila* Baudi,1874; *humeralis* Desbrochers,1881 Range (in code): TR Cc AM 07 38 70
- 25396. *Dailognatha quadricollis* Brullé,1832** (Tenebrionidae) Synonym(s): *quadricollis* Brullé,1832 Range (in code): TR GR SY 07 20 26 35 38
- 25397. *Dailognatha rugipleuris* Reitter,1896** (Tenebrionidae) Synonym(s): *rugipleuris* Reitter,1896 Range (in code): TR 07 15 32
- 25398. *Dailognatha crenata* Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): *crenata* Reiche & Saulcy,1857 Range (in code): TR 33
- 25399. *Dailognatha pumila* Baudi,1874** (Tenebrionidae) Synonym(s): *pumila* Baudi,1874 Range (in code): TR 28 38
- 25400. *Dailognatha quadricollis* Brullé,1832** (Tenebrionidae) Synonym(s): *quadricollis* Brullé,1832 Range (in code): TR 01 02 04 07 09 13 17 26 27 29 30 31 33 35 42 45 46 48 50 51 62 70 71
- 25401. *Dailognatha rugipleuris* Reitter,1896** (Tenebrionidae) Synonym(s): *rugipleuris* Reitter,1896 Range (in code): TR 07 35 48
- 25402. *Dendarus (Pandarinus) alleonis* Seidlitz,1893** (Tenebrionidae) Synonym(s): *alleonis* Seidlitz,1893 Range (in code): TR 34
- 25403. *Dendarus (Pandarinus) armeniacus* Baudi,1876** (Tenebrionidae) Synonym(s): *armeniacus* Baudi,1876 Range (in code): TR IR TM Cc 07 08 33 73
- 25404. *Dendarus (Pandarinus) caelatus* Brullé,1832** (Tenebrionidae) Synonym(s): *caelatus* Brullé,1832 Range (in code): TR 51
- 25405. *Dendarus (Pandarinus) crenulatus (Ménétriés,1832)*** (Tenebrionidae) Synonym(s): *crenulatus* Ménétriés,1832; *dardanus* Faldermann,1837; *cribratus* Waltl,1838 Range (in code): TR Cc AM 01 06 19 21 34 42 46 51 57 60
- 25406. *Dendarus (Pandarinus) dalmatinus* Germar,1824** (Tenebrionidae) Synonym(s): *dalmatinus* Germar,1824 Range (in code): TR 07
- 25407. *Dendarus (Pandarinus) foveolatus* Seidlitz,1893** (Tenebrionidae) Synonym(s): *foveolatus* Seidlitz,1893 Range (in code): TR 07 19 21 33 43 46
- 25408. *Dendarus (Pandarinus) impressus* Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): *impressus* Reiche & Saulcy,1857 Range (in code): SY



- 25409. Dendarus (Pandarinus) messenius Brullé,1832** (Tenebrionidae) Synonym(s): messenius Brullé,1832; gravidus Brullé,1832; tentyrioides Brullé,1832; ottomanus Mulsant,1854 Range (in code): TR GR 07 17 35 45 48 64
- 25410. Dendarus (Pandarinus) moesiacus Mulsant & Rey,1854** (Tenebrionidae) Synonym(s): moesiacus Mulsant & Rey,1854 Range (in code): TR GR 07 33 35 42 45
- 25411. Dendarus (Pandarinus) oertzeni Seidlitz,1893** (Tenebrionidae) Synonym(s): oertzeni Seidlitz,1893 Range (in code): IL Pa
- 25412. Dendarus (Pandarinus) orientalis Seidlitz,1893** (Tenebrionidae) Synonym(s): orientalis Seidlitz,1893 Range (in code): SY
- 25413. Dendarus (Pandarinus) pauper Mulsant,1854** (Tenebrionidae) Synonym(s): pauper Mulsant,1854; libanicus Baudi,1875 Range (in code): SY LB
- 25414. Dendarus (Pandarinus) piceus (Olivier,1811)** (Tenebrionidae) Synonym(s): piceus Olivier,1811 Range (in code): SY EG
- 25415. Dendarus (Pandarinus) punctatus Audinet-Serville,1825** (Tenebrionidae) Synonym(s): punctatus Audinet-Serville,1825 Range (in code): TR Cc AM RU 25 31 38 40 42 46
- 25416. Dendarus (Pandarinus) reitteri Seidlitz,1893** (Tenebrionidae) Synonym(s): reitteri Seidlitz,1893 Range (in code): SY
- 25417. Dendarus (Pandarinus) scrobiculatus Seidlitz,1893** (Tenebrionidae) Synonym(s): scrobiculatus Seidlitz,1893 Range (in code): TR 50
- 25418. Dendarus (Pandarinus) simplex Seidlitz,1893** (Tenebrionidae) Synonym(s): simplex Seidlitz,1893 Range (in code): Cc AM SY
- 25419. Dendarus (Pandarinus) subopacus Baudi,1881** (Tenebrionidae) Synonym(s): subopacus Baudi,1881 Range (in code): LB
- 25420. Dendarus (Pandarinus) syriacus Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): syriacus Reiche & Saulcy,1857; nitidulus Seidlitz,1893 Range (in code): SY
- 25421. Dendarus (Pandarinus) tenellus Mulsant & Rey,1854** (Tenebrionidae) Synonym(s): tenellus Mulsant & Rey,1854 Range (in code): TR GR IQ 02 07 21 32 33 42 46 51 68 73
- 25422. Dendarus (Pandarinus) tibialis Seidlitz,1893** (Tenebrionidae) Synonym(s): tibialis Seidlitz,1893 Range (in code): GR TR
- 25423. Dendarus (Pandarinus) torpidus Mulsant,1854** (Tenebrionidae) Synonym(s): torpidus Mulsant,1854 Range (in code): TR
- 25424. Dendarus (Pandarinus) transcaspicus Brancsik,1899** (Tenebrionidae) Synonym(s): transcaspicus Brancsik,1899 Range (in code): TM Kp
- 25425. Dendarus (Pandarinus) vagabundus Reitter,1904** (Tenebrionidae) Synonym(s): vagabundus Reitter,1904 Range (in code): TM
- 25426. Dendarus (Pandarinus) vagans Seidlitz,1893** (Tenebrionidae) Synonym(s): vagans Seidlitz,1893 Range (in code): SY
- 25427. Dendarus (Pandarinus) sinuatus Mulsant,1854** (Tenebrionidae) Synonym(s): sinuatus Mulsant,1854 Range (in code): TR
- 25428. Dendarus (Pandarinus) stygius Waltl,1838** (Tenebrionidae) Synonym(s): stygius Waltl,1838 Range (in code): GR TR 35
- 25429. Diaclina fagi (Panzer,1799)** (Tenebrionidae) Synonym(s): fagi Panzer,1799 Range (in code): TR 07
- 25430. Diaperis boleti (Linnaeus,1758)** (Tenebrionidae) Synonym(s): boleti Linnaeus,1758 Range (in code): TR 07 35
- 25431. Dichillus (Dichillinus) afghanicus Kaszab,1960** (Tenebrionidae) Synonym(s): afghanicus Kaszab,1960 AF Bd
- 25432. Dichillus (Dichillinus) buettikeri Kaszab,1982** (Tenebrionidae) Synonym(s): buettikeri Kaszab,1982 SA
- 25433. Dichillus (Dichillinus) cylindricus Baudi di Selve,1875** (Tenebrionidae) Synonym(s): cylindricus Baudi di Selve,1875; unistriatus Desbrochers,1881 Range (in code): IL Pa LB TR
- 25434. Dichillus (Dichillinus) dolosus Reitter,1886** (Tenebrionidae) Synonym(s): dolosus Reitter,1886 IL Pa LB
- 25435. Dichillus (Dichillinus) epipleuralis Reitter,1916** (Tenebrionidae) Synonym(s): epipleuralis Reitter,1916 AF TJ UZ
- 25436. Dichillus (Dichillinus) explanatus Reitter,1900** (Tenebrionidae) Synonym(s): explanatus Reitter,1900 KG TJ UZ AF
- 25437. Dichillus (Dichillinus) farsistanus G.S.Medvedev,1976** (Tenebrionidae) Synonym(s): farsistanus G.S.Medvedev,1976 IR Fa
- 25438. Dichillus (Dichillinus) fusicornis Reitter,1916** (Tenebrionidae) Synonym(s): fusicornis Reitter,1916; karatavicus Skopin,1966 KG TM UZ
- 25439. Dichillus (Dichillinus) heydeni Reitter,1886** (Tenebrionidae) Synonym(s): heydeni Reitter,1886 SY

- 25440. *Dichillus (Dichillinus) iranicus* Kaszab,1963** (Tenebrionidae) Synonym(s): *iranicus* Kaszab,1963 Range (in code): IR TR
- 25441. *Dichillus (Dichillinus) kryzhanovskii* G.S.Medvedev,1975** (Tenebrionidae) Synonym(s): *kryzhanovskii* G.S.Medvedev,1975 TM Kp
- 25442. *Dichillus (Dichillinus) lisae* Carl,1990** (Tenebrionidae) Synonym(s): *lisae* Carl,1990 IQ
- 25443. *Dichillus (Dichillinus) nitidulus* Reitter,1886** (Tenebrionidae) Synonym(s): *nitidulus* Reitter,1886 IL Pa JO
- 25444. *Dichillus (Dichillinus) nitidus* Kraatz,1862** (Tenebrionidae) Synonym(s): *nitidus* Kraatz,1862 IQ SY
- 25445. *Dichillus (Dichillinus) ocellaris* Kaszab,1970** (Tenebrionidae) Synonym(s): *ocellaris* Kaszab,1970 AF TM
- 25446. *Dichillus (Dichillinus) pauxillus* Reitter,1900** (Tenebrionidae) Synonym(s): *pauxillus* Reitter,1900 AF TM TJ UZ
- 25447. *Dichillus (Dichillinus) pusillus* (Ménétriés,1849)** (Tenebrionidae) Synonym(s): *pusillus* Ménétriés,1849; *brunneus* Kraatz,1882; *fulvescens* Reitter,1916; *nigritulus* Reitter,1916 AF KK KG TJ UZ
- 25448. *Dichillus (Dichillinus) reitteri* Semenov,1891** (Tenebrionidae) Synonym(s): *reitteri* Semenov,1891 KG TM UZ
- 25449. *Dichillus (Dichillinus) schmidi* Kaszab,1961** (Tenebrionidae) Synonym(s): *schmidi* Kaszab,1961 AF
- 25450. *Dichillus (Dichillinus) semipolitus* Reitter,1916** (Tenebrionidae) Synonym(s): *semipolitus* Reitter,1916 JO
- 25451. *Dichillus (Dichillinus) simeki* Kaszab,1970** (Tenebrionidae) Synonym(s): *simeki* Kaszab,1970 AF TJ UZ
- 25452. *Dichillus (Dichillinus) tenebrosus* Reitter,1886** (Tenebrionidae) Synonym(s): *tenebrosus* Reitter,1886 KG TM
- 25453. *Dichillus (Dichilocerus) araxidis* Reitter,1916** (Tenebrionidae) Synonym(s): *araxidis* Reitter,1916 Range (in code): AM AZ TR Cc
- 25454. *Dichillus (Dichilocerus) crassicornis* Allard,1869** (Tenebrionidae) Synonym(s): *crassicornis* Allard,1869 Range (in code): GR TR LB IQ IL Pa Hf
- 25455. *Dichillus (Dichilocerus) damascenus* Reitter,1916** (Tenebrionidae) Synonym(s): *damascenus* Reitter,1916 Range (in code): SY Dms
- 25456. *Dichillus (Dichilocerus) pertusus* Kiesenwetter,1861** (Tenebrionidae) Synonym(s): *pertusus* Kiesenwetter,1861; *biseriatus* Reiche,1862 Range (in code): TR IT MT Si GR
- 25457. *Dichillus (Myrmecodichillus) reichenspergeri* Kaszab,1960** (Tenebrionidae) Synonym(s): *reichenspergeri* Kaszab,1960 AF
- 25458. *Dichillus (Pushtunillus) skopini* G.S.Medvedev,1994** (Tenebrionidae) Synonym(s): *skopini* G.S.Medvedev,1994 AF
- 25459. *Dichillus* (s.str.) *alfierii* Koch,1935** (Tenebrionidae) Synonym(s): *alfierii* Koch,1935 Sn EG
- 25460. *Dichillus* (s.str.) *angelicae* Reitter,1897** (Tenebrionidae) Synonym(s): *angelicae* Reitter,1897 AZ AM Cc TR IR
- 25461. *Dichillus* (s.str.) *angusticollis* Kaszab,1959** (Tenebrionidae) Synonym(s): *angusticollis* Kaszab,1959 AF
- 25462. *Dichillus* (s.str.) *carinatus* (Küster,1848)** (Tenebrionidae) Synonym(s): *carinatus* Küster,1848 B-H BG HV GR MK TR RO 07
- 25463. *Dichillus* (s.str.) *libanicus* Koch,1936** (Tenebrionidae) Synonym(s): *libanicus* Koch,1936 LB
- 25464. *Dichillus* (s.str.) *lindbergi* Kaszab,1970** (Tenebrionidae) Synonym(s): *lindbergi* Kaszab,1970 AF
- 25465. *Dichillus* (s.str.) *palestinus* Baudi di Selve,1875** (Tenebrionidae) Synonym(s): *palestinus* Baudi di Selve,1875 IL Pa
- 25466. *Dichillus* (s.str.) *rugatus* Baudi di Selve,1874** (Tenebrionidae) Synonym(s): *rugatus* Baudi di Selve,1874 AM Cc
- 25467. *Dichillus* (s.str.) *scheibei* Kaszab,1960** (Tenebrionidae) Synonym(s): *scheibei* Kaszab,1960 AF
- 25468. *Dichillus* (s.str.) *schusteri* Reitter,1916** (Tenebrionidae) Synonym(s): *schusteri* Reitter,1916 IR TM
- 25469. *Dichillus* (s.str.) *seminitidus* Solsky,1881** (Tenebrionidae) Synonym(s): *seminitidus* Solsky,1881 AF KG TJ TM UZ
- 25470. *Dichillus* (s.str.) *stoeckleini* Kaszab,1960** (Tenebrionidae) Synonym(s): *stoeckleini* Kaszab,1960 AF
- 25471. *Dichillus* (s.str.) *strigiceps* Reitter,1886** (Tenebrionidae) Synonym(s): *strigiceps* Reitter,1886 SY
- 25472. *Dichillus* (s.str.) *subsetulosus* Reitter,1886** (Tenebrionidae) Synonym(s): *subsetulosus* Reitter,1886 GR Rd CY TR 07 35
- 25473. *Dichillus duricornis* Reitter,1886** (Tenebrionidae) Synonym(s): *duricornis* Reitter,1886 Range (in code): TR 33

- 25474. Dichomma dardanum (Steven,1829)** (Tenebrionidae) Synonym(s): dardanum Steven,1829 Range (in code): Cr GR TR 10 17 35
- 25475. Dissonomus politus Koch,1968** (Tenebrionidae) Synonym(s): politus Koch,1968 Range (in code): TR
- 25476. Dissonomus substriatus Reitter,1898** (Tenebrionidae) Synonym(s): substriatus Reitter,1898 Range (in code): TR 65
- 25477. Eledona agaricola (Herbst,1784)** (Tenebrionidae) Synonym(s): agaricola Herbst,1784 Range (in code): TR 34
- 25478. Entomogonus (Delonurops) duchoni Reitter,1903** (Tenebrionidae) Synonym(s): duchoni Reitter,1903 Range (in code): TR 13
- 25479. Entomogonus (Delonurops) egregius Seidlitz,1893** (Tenebrionidae) Synonym(s): egregius Seidlitz,1893 Range (in code): TR 27 46
- 25480. Entomogonus (Delonurops) obtusus Seidlitz,1893** (Tenebrionidae) Synonym(s): obtusus Seidlitz,1893 Range (in code): TR 31
- 25481. Entomogonus (Delonurops) peyroni (Reiche,1861)** (Tenebrionidae) Synonym(s): peyroni Reiche,1861 Range (in code): TR 12 33
- 25482. Entomogonus (Delonurops) saphyrinus Allard,1876** (Tenebrionidae) Synonym(s): saphyrinus Allard,1876 Range (in code): TR 06 38 42 68
- 25483. Entomogonus (Eutelogonus) davidis (Fairmaire,1884)** (Tenebrionidae) Synonym(s): davidis Fairmaire,1884 Range (in code): TR SY 09 33
- 25484. Entomogonus (Eutelogonus) nylanderi Ferrer & Soldati,1999** (Tenebrionidae) Synonym(s): nylanderi Ferrer & Soldati,1999 Range (in code): TR 07
- 25485. Entomogonus (s.str.) angulicollis Mulsant & Wacherau,1852** (Tenebrionidae) Synonym(s): angulicollis Mulsant & Wacherau,1852 Range (in code): SY Hal TR 05 06 33 80
- 25486. Erodus (Dirosis) klugi Allard,1864** (Tenebrionidae) Synonym(s): klugi Allard,1864 Range (in code): LB Be
- 25487. Erodus fabricii Solier,1834** (Tenebrionidae) Synonym(s): fabricii Solier,1834 Range (in code): TR
- 25488. Erodus orientalis Brullé,1832** (Tenebrionidae) Synonym(s): orientalis Brullé,1832 Range (in code): TR 01 07 33 48
- 25489. Euboeus mimonti (Boieldieu,1865)** (Tenebrionidae) Synonym(s): mimonti Boieldieu,1865 Range (in code): TR 03 07 32 35 43 45 48
- 25490. Euryostola minor Baudi,1875** (Tenebrionidae) Synonym(s): minor Baudi,1875 Range (in code): IR
- 25491. Eutagenia smyrnensis Solier,1838** (Tenebrionidae) Synonym(s): smyrnensis Solier,1838 Range (in code): GR TR 07 35 38 45
- 25492. Gnaptor prolixus Fairmaire,1866** (Tenebrionidae) Synonym(s): prolixus Fairmaire,1866 Range (in code): TR 09 35 42 59
- 25493. Gnaptor spinimanus (Pallas,1781)** (Tenebrionidae) Synonym(s): spinimanus Pallas,1781; glabratus Fabricius,1792; laevigatus Fabricius,1792; graecus Küster,1848 Range (in code): TR GR
- 25494. Gnathocerus cornutus (Fabricius,1798)** (Tenebrionidae) Synonym(s): cornutus Fabricius,1798 Range (in code): TR
- 25495. Gonocephalum costatum Brullé,1832** (Tenebrionidae) Synonym(s): costatum Brullé,1832 Range (in code): TR 01 04 06 07 10 17 21 30 32 34 35 38 42 46 48 50 68
- 25496. Gonocephalum granulatum (Fabricius,1791)** (Tenebrionidae) Synonym(s): granulatum Fabricius,1791 Range (in code): TR AF 03 04 07 19 20 26 30 35 36 38 40 42 43 45 51 62 65 68 69
- 25497. Gonocephalum rusticum (Olivier,1811)** (Tenebrionidae) Synonym(s): rusticum Olivier,1811 Range (in code): TR 01 04 07 09 10 13 20 31 33 35 40 42 43 45 48 51
- 25498. Gonocephalum setulosum (Faldermann,1837)** (Tenebrionidae) Synonym(s): setulosum Faldermann,1837 Range (in code): TR 04 15 19 50
- 25499. Graecopachys quadricollis (Brullé,1832)** (Tenebrionidae) Synonym(s): quadricollis Brullé,1832 Range (in code): TR 07 20 21 35 45
- 25500. Gunarus lapidicola Küster,1850** (Tenebrionidae) Synonym(s): lapidicola Küster,1850 Range (in code): TR
- 25501. Gunarus nodicornis Reitter,1922** (Tenebrionidae) Synonym(s): nodicornis Reitter,1922 Range (in code): TR
- 25502. Hedyphanes elongatus Allard,1876** (Tenebrionidae) Synonym(s): elongatus Allard,1876 Range (in code): TR
- 25503. Hedyphanes upioides (Faldermann,1837)** (Tenebrionidae) Synonym(s): upioides Faldermann,1837 Range (in code): TR 17
- 25504. Helops (Mesohelops) cyanipes Allard,1877** (Tenebrionidae) Synonym(s): cyanipes Allard,1877 Range (in code): TR 27



- 25505. Helops (s.str.) coeruleus (Linnaeus,1758)** (Tenebrionidae) Synonym(s): coeruleus Linnaeus,1758 Range (in code): TR
- 25506. Helops (s.str.) glabriventris Reitter,1885** (Tenebrionidae) Synonym(s): glabriventris Reitter,1885 Range (in code): TR 07 35
- 25507. Helops (s.str.) rossii Germar,1817** (Tenebrionidae) Synonym(s): rossii Germar,1817 Range (in code): TR 07
- 25508. Hymenalia alenae Novak,2007** (Tenebrionidae) Synonym(s): alenae Novak,2007 Range (in code): YE
- 25509. Hymenalia brignolii (Muche,1974)** (Tenebrionidae) Synonym(s): brignolii Muche,1974 Range (in code): TR 17
- 25510. Hymenalia denticulata (Muche,1982)** (Tenebrionidae) Synonym(s): denticulata Muche,1982 Range (in code): AE OM SA
- 25511. Hymenalia genuensis Novak,2007** (Tenebrionidae) Synonym(s): genuensis Novak,2007 Range (in code): IR
- 25512. Hymenalia iranica Novak,2007** (Tenebrionidae) Synonym(s): iranica Novak,2007 Range (in code): IR Ke
- 25513. Hymenalia jakli Novak,2007** (Tenebrionidae) Synonym(s): jakli Novak,2007 Range (in code): OM YE
- 25514. Hymenalia lalai Novak,2007** (Tenebrionidae) Synonym(s): lalai Novak,2007 Range (in code): IR
- 25515. Idastrandiella mucoreus (Waltl,1838)** (Tenebrionidae) Synonym(s): mucoreus Waltl,1838 Range (in code): TR 35
- 25516. Iphthimulus truquii (Marseul,1869)** (Tenebrionidae) Synonym(s): truquii Marseul,1869 Range (in code): TR 07
- 25517. Laena angorensis Reitter,1899** (Tenebrionidae) Synonym(s): angorensis Reitter,1899 Range (in code): TR 06
- 25518. Laena appfelbecki Schuster,1915** (Tenebrionidae) Synonym(s): appfelbecki Schuster,1915 Range (in code): TR 15 16
- 25519. Laena byzantina Apfelbeck,1901** (Tenebrionidae) Synonym(s): byzantina Apfelbeck,1901 Range (in code): TR 14
- 25520. Laena deplanata Weise,1878** (Tenebrionidae) Synonym(s): deplanata Weise,1878 Range (in code): TR
- 25521. Laena ferruginea Küster,1846** (Tenebrionidae) Synonym(s): ferruginea Küster,1846 Range (in code): TR
- 25522. Laena ganglbaueri Reitter,1906** (Tenebrionidae) Synonym(s): ganglbaueri Reitter,1906 Range (in code): TR 34
- 25523. Laena graeca Weise,1878** (Tenebrionidae) Synonym(s): graeca Weise,1878 Range (in code): GR TR
- 25524. Laena hopffgarteni Weise,1878** (Tenebrionidae) Synonym(s): hopffgarteni Weise,1878 Range (in code): TR 45
- 25525. Laena kaufmanni Reitter,1881** (Tenebrionidae) Synonym(s): kaufmanni Reitter,1881 Range (in code): TR
- 25526. Laena korbi Heyden,1890** (Tenebrionidae) Synonym(s): korbi Heyden,1890 Range (in code): TR
- 25527. Laena kraatzi Weise,1878** (Tenebrionidae) Synonym(s): kraatzi Weise,1878 Range (in code): TR 16
- 25528. Laena liliputana Kaszab,1968** (Tenebrionidae) Synonym(s): liliputana Kaszab,1968 Range (in code): TR
- 25529. Laena lindbergi Kaszab,1959** (Tenebrionidae) Synonym(s): lindbergi Kaszab,1959 Range (in code): TR
- 25530. Laena merkli Weise,1883** (Tenebrionidae) Synonym(s): merkli Weise,1883 Range (in code): TR
- 25531. Laena obscuricornis Reitter,1899** (Tenebrionidae) Synonym(s): obscuricornis Reitter,1899 Range (in code): TR
- 25532. Laena osmanlis Reitter,1906** (Tenebrionidae) Synonym(s): osmanlis Reitter,1906 Range (in code): TR 07
- 25533. Laena parvidens Reitter,1899** (Tenebrionidae) Synonym(s): parvidens Reitter,1899 Range (in code): TR
- 25534. Laena pulchella (Fischer,1824)** (Tenebrionidae) Synonym(s): pulchella Fischer,1824 Range (in code): TR 35
- 25535. Laena striolata Reitter,1899** (Tenebrionidae) Synonym(s): striolata Reitter,1899 Range (in code): TR
- 25536. Laena syriaca Baudi,1876** (Tenebrionidae) Synonym(s): syriaca Baudi,1876 Range (in code): TR 07
- 25537. Laena theana Reitter,1906** (Tenebrionidae) Synonym(s): theana Reitter,1906 Range (in code): TR 42

- 25538. *Laena weisei* Reitter, 1878** (Tenebrionidae) Synonym(s): *weisei* Reitter, 1878 Range (in code): TR
- 25539. *Latheticus oryzae* Waterhouse, 1880** (Tenebrionidae) Synonym(s): *oryzae* Waterhouse, 1880 Range (in code): TR 20
- 25540. *Leichenium mucronatum* Küster, 1849** (Tenebrionidae) Synonym(s): *mucronatum* Küster, 1849 Range (in code): TR 07
- 25541. *Leptodes* (s.str.) *boisduvali* Zubkoff** (Tenebrionidae) Synonym(s): Range (in code): TM
- 25542. *Leptodes* (s.str.) *heydeni* Reitter** (Tenebrionidae) Synonym(s): Range (in code): TM
- 25543. *Leptodes* (s.str.) *lederi* Reitter** (Tenebrionidae) Synonym(s): Range (in code): Cc AM TR?
- 25544. *Leptodes* (s.str.) *semenowi* Reitter** (Tenebrionidae) Synonym(s): Range (in code): Cc AM TR?
- 25545. *Leptodes* (s.str.) *tschitscherini* Semenov** (Tenebrionidae) Synonym(s): Range (in code): IR
- 25546. *Leptodes* (s.str.) *zubkovi* Semenov** (Tenebrionidae) Synonym(s): Range (in code): TM
- 25547. *Lobodera* (*Penthomagus*) *iners* Ménétériés, 1832** (Tenebrionidae) Synonym(s): *iners* Ménétériés, 1832 Range (in code): TR 65
- 25548. *Lyphia tetraphylla* Fairmaire, 1856** (Tenebrionidae) Synonym(s): *tetraphylla* Fairmaire, 1856 Range (in code): TR 07
- 25549. *Megischia galbanata* (Kiesenwetter, 1861)** (Tenebrionidae) Synonym(s): *galbanata* Kiesenwetter, 1861 TR 33
- 25550. *Megischina adeliae* (Reitter, 1890)** (Tenebrionidae) Synonym(s): *adeliae* Reitter, 1890 Range (in code): TR 07
- 25551. *Megischina armillata* (Brullé, 1832)** (Tenebrionidae) Synonym(s): *armillata* Brullé, 1832; *epipleuralis* Seidlitz, 1896; *interstitialis* Reitter, 1906; *glamocensis* Obenberger, 1917 Range (in code): B-H HV GR IT RO YU BG TR
- 25552. *Megischina bozdaglariensis* Novak, 2006** (Tenebrionidae) Synonym(s): *bozdaglariensis* Novak, 2006 Range (in code): TR 01 35
- 25553. *Megischina cypria* Maran, 1936** (Tenebrionidae) Synonym(s): *cypria* Maran, 1936 Range (in code): CY
- 25554. *Melanimon kiritshenkoi* Reichart, 1936** (Tenebrionidae) Synonym(s): *kiritshenkoi* Reichart, 1936 Range (in code): TR 31 50
- 25555. *Menephilus cylindricus* (Herbst, 1784)** (Tenebrionidae) Synonym(s): *cylindricus* Herbst, 1784 Range (in code): TR 07 48
- 25556. *Mesomorphus longulus* (Reiche, 1847)** (Tenebrionidae) Synonym(s): *longulus* Reiche, 1847 Range (in code): TR 07 21
- 25557. *Mesostena* (*Micipsa*) *persica* (Baudi di Selve, 1875)** (Tenebrionidae) Synonym(s): *persica* Baudi di Selve, 1874; *pubescens* Haag-Rutenberg, 1875 Range (in code): IR B-A
- 25558. *Mesostena puncticollis* Solier, 1835** (Tenebrionidae) Synonym(s): *puncticollis* Solier, 1835 Range (in code): TR JO SA SY IR IQ EG 47 63
- 25559. *Metaclisa azurea* (Waltl, 1838)** (Tenebrionidae) Synonym(s): *azurea* Waltl, 1838 Range (in code): TR 33
- 25560. *Microdocnemis xerophilicus* Nabozhenko & Keskin, 2010** (Tenebrionidae) Synonym(s): *xerophilicus* Nabozhenko & Keskin, 2010 Range (in code): TR 07
- 25561. *Micrositus opacus* Reitter, 1904** (Tenebrionidae) Synonym(s): *opacus* Reitter, 1904 Range (in code): TR 33
- 25562. *Microtelus careniceps* Reiche & Saulcy, 1857** (Tenebrionidae) Synonym(s): *careniceps* Reiche & Saulcy, 1857 Range (in code): LB Bei SY Hal EG IL Pa
- 25563. *Microtelus limitis* Reitter** (Tenebrionidae) Synonym(s): Range (in code): IL Pa
- 25564. *Microtelus persis* Baudi** (Tenebrionidae) Synonym(s): Range (in code): IR
- 25565. *Mycetochara* (*Ernocharis*) *abchasica* Pic, 1925** (Tenebrionidae) Synonym(s): *abchasica* Pic, 1925 Range (in code): GG Cc
- 25566. *Mycetochara* (*Ernocharis*) *excelsa* Reitter, 1884** (Tenebrionidae) Synonym(s): *excelsa* Reitter, 1884 Range (in code): IR
- 25567. *Mycetochara* (*Ernocharis*) *gracilicornis* Roubal, 1935** (Tenebrionidae) Synonym(s): *gracilicornis* Roubal, 1935 Range (in code): Cc
- 25568. *Mycetochara* (*Ernocharis*) *gracilis* (Faldermann, 1837)** (Tenebrionidae) Synonym(s): *gracilis* Faldermann, 1837; *croceipes* Weise, 1880 Range (in code): AM GG Cc
- 25569. *Mycetochara* (*Ernocharis*) *hirta* J.R.Sahlberg, 1908** (Tenebrionidae) Synonym(s): *hirta* J.R.Sahlberg, 1908 Range (in code): TR
- 25570. *Mycetochara* (*Ernocharis*) *laticornis* Reitter, 1884** (Tenebrionidae) Synonym(s): *laticornis* Reitter, 1884 Range (in code): IL Pa LB
- 25571. *Mycetochara* (*Ernocharis*) *longior* Fairmaire, 1892** (Tenebrionidae) Synonym(s): *longior* Fairmaire, 1892 Range (in code): IL Pa TR
- 25572. *Mycetochara* (*Ernocharis*) *maculipes* Reitter, 1899** (Tenebrionidae) Synonym(s): *maculipes* Reitter, 1899 Range (in code): TR

- 25573. Mycetochara (Ernocharis) maura (Fabricius,1792)** (Tenebrionidae) Synonym(s): maura Fabricius,1792; brevis Illiger,1794; linearis Illiger,1794; barbatus Latreille,1804; hirsuta Pic,1925; rufipennis Pic,1925 Range (in code):AZ AM GG Cc AT BE HV CZ SK DE FR DK GR HU IT LT NL NO PL PT ES SE CH GB MA TR
- 25574. Mycetochara (Ernocharis) mersinica Novak,2013** (Tenebrionidae) Synonym(s): mersinica Novak,2013 Range (in code):TR 33 33K
- 25575. Mycetochara (Ernocharis) obtusicollis Reitter,1899** (Tenebrionidae) Synonym(s): obtusicollis Reitter,1899 Range (in code):AM Cc
- 25576. Mycetochara (Ernocharis) pygmaea Redtenbacher,1874** (Tenebrionidae) Synonym(s): pygmaea Redtenbacher,1874 Range (in code):AT B-H HV CZ HU IT PL RO RU SK SS YU Cc
- 25577. Mycetochara (Ernocharis) quadrimaculata (Latreille,1804)** (Tenebrionidae) Synonym(s): quadrimaculata Latreille,1804; schwarzi Reitter,1888 Range (in code):AT B-H HV CZ FR GR HU IT RO RU SK GB YU TR 07 32
- 25578. Mycetochara (Ernocharis) rudis (Küster,1850)** (Tenebrionidae) Synonym(s): rudis Küster,1850 Range (in code):GR CY TR
- 25579. Mycetochara (Ernocharis) ruficollis Baudi di Selve,1877** (Tenebrionidae) Synonym(s): ruficollis Baudi di Selve,1877 Range (in code):CY SY LB
- 25580. Mycetochara (Ernocharis) ruficornis Pic,1925** (Tenebrionidae) Synonym(s): ruficornis Pic,1925 Range (in code):TR
- 25581. Mycetochara (Ernocharis) striatipennis Pic,1904** (Tenebrionidae) Synonym(s): striatipennis Pic,1904 Range (in code):TR
- 25582. Mycetochara (Ernocharis) zolotareffii Reitter,1896** (Tenebrionidae) Synonym(s): zolotareffii Reitter,1896 Range (in code):GG Cc RU TR
- 25583. Mycetocharina (Alleculopsis) bahukalatensis Novak,2008** (Tenebrionidae) Synonym(s): bahukalatensis Novak,2008 Range (in code):IR Ss
- 25584. Mycetocharina (Alleculopsis) deserticola Semenov,1893** (Tenebrionidae) Synonym(s): deserticola Semenov,1893 Range (in code):KG TM UZ
- 25585. Mycetocharina (Alleculopsis) macrophthalma (Gebler,1859)** (Tenebrionidae) Synonym(s): macrophthalma Gebler,1859 Range (in code):KK KG MN TM
- 25586. Mycetocharina (Alleculopsis) ruficeps Pic,1923** (Tenebrionidae) Synonym(s): ruficeps Pic,1923 Range (in code):YE
- 25587. Mycetocharina (s.str.) adusta Reitter,1898** (Tenebrionidae) Synonym(s): adusta Reitter,1898 Range (in code):TR
- 25588. Mycetocharina (s.str.) afghanica Muche,1986** (Tenebrionidae) Synonym(s): afghanica Muche,1986 Range (in code):AF IR
- 25589. Mycetocharina (s.str.) arabica Muche,1982** (Tenebrionidae) Synonym(s): arabica Muche,1982 Range (in code):SA
- 25590. Mycetocharina (s.str.) braaschi Muche,1982** (Tenebrionidae) Synonym(s): braaschi Muche,1982 Range (in code):SA
- 25591. Mycetocharina (s.str.) castanea (Faust,1877)** (Tenebrionidae) Synonym(s): castanea (Faust,1877 Range (in code):Cc AM RU
- 25592. Mycetocharina (s.str.) jelineki Novak,2006** (Tenebrionidae) Synonym(s): jelineki Novak,2006 Range (in code):IR
- 25593. Mycetocharina (s.str.) kabateki Novak,2006** (Tenebrionidae) Synonym(s): kabateki Novak,2006 Range (in code):IR
- 25594. Mycetocharina (s.str.) konardanica Novak,2006** (Tenebrionidae) Synonym(s): konardanica Novak,2006 Range (in code):IR
- 25595. Mycetocharina (s.str.) megalops (Fairmaire,1894)** (Tenebrionidae) Synonym(s): megalops Fairmaire,1894 Range (in code):MA DZ EG TN IL Pa Sn
- 25596. Mycetocharina (s.str.) orientalis (Faust,1877)** (Tenebrionidae) Synonym(s): orientalis Faust,1877; beckeri Kiesenwetter,1878 Range (in code):Cc AZ AM TR JO IL Pa TM
- 25597. Mycetocharina (s.str.) rjabovi Iablokoff-Khnzorian,1959** (Tenebrionidae) Synonym(s): rjabovi Iablokoff-Khnzorian,1959 Range (in code):AZ AM Cc
- 25598. Mycetocharina (s.str.) rufofusca Muche,1982** (Tenebrionidae) Synonym(s): rufofusca Muche,1982 Range (in code):SA
- 25599. Mycetocharina (s.str.) rufotestacea Reitter,1898** (Tenebrionidae) Synonym(s): rufotestacea Reitter,1898 Range (in code):TR
- 25600. Mycetocharina (s.str.) syriaca Baudi di Selve,1881** (Tenebrionidae) Synonym(s): syriaca Baudi di Selve,1881 Range (in code):IL Pa SY
- 25601. Mycetocharina (s.str.) wittmeri Muche,1982** (Tenebrionidae) Synonym(s): wittmeri Muche,1982 Range (in code):SA
- 25602. Nalassus (Caucasonotus) svaneticus Nabozhenko & Dzhambazishvili,2001** (Tenebrionidae) Synonym(s): svaneticus Nabozhenko & Dzhambazishvili,2001 Range (in code):Cc GG



- 25603. *Nalassus (Helopocerodes) faldermanni* (Faldermann,1837) (Tenebrionidae)** Synonym(s): faldermanni Faldermann,1837 Range (in code): **TR 13 36 65**
- 25604. *Nalassus (Helopocerodes) kaszabi* Nabozhenko,2001 (Tenebrionidae)** Synonym(s): kaszabi Nabozhenko,2001 Range (in code): **TR 65**
- 25605. *Nalassus (Helopondrus) adzhariensis* Nabozhenko & Dzhabazishvili,2001 (Tenebrionidae)** Synonym(s): adzhariensis Nabozhenko & Dzhabazishvili,2001 Range (in code): **Cc GG TR**
- 25606. *Nalassus (Helopondrus) bozdagus* Keskin & Nabozhenko,2010 (Tenebrionidae)** Synonym(s): bozdagus Keskin & Nabozhenko,2010 Range (in code): **TR 35**
- 25607. *Nalassus (Helopondrus) clavicornis* Allard,1876 (Tenebrionidae)** Synonym(s): clavicornis Allard,1876 Range (in code): **TR**
- 25608. *Nalassus (Helopondrus) gloriosus* (Faldermann,1837) (Tenebrionidae)** Synonym(s): gloriosus Faldermann,1837 Range (in code): **TR Cc 08**
- 25609. *Nalassus (Helopondrus) planivittis* (Allard,1876) (Tenebrionidae)** Synonym(s): planivittis Allard,1876 Range (in code): **TR**
- 25610. *Nalassus (Helopondrus) schmalfussi* Nabozhenko,2011 (Tenebrionidae)** Synonym(s): schmalfussi Nabozhenko,2011 Range (in code): **TR 65**
- 25611. *Nalassus (Helopondrus) szalokii* Nabozhenko,2011 (Tenebrionidae)** Synonym(s): szalokii Nabozhenko,2011 Range (in code): **TR 13 49 65**
- 25612. *Nalassus (s.str.) dryadophilus* (Mustant,1854) (Tenebrionidae)** Synonym(s): dryadophilus Mustant,1854 Range (in code): **TR 16 22 35 39 45 57**
- 25613. *Nalassus (s.str.) plebejus* (Küster,1850) (Tenebrionidae)** Synonym(s): plebejus Küster,1850 Range (in code): **TR 10 16 34 39 45**
- 25614. *Neatus subaequalis* Reitter,1920 (Tenebrionidae)** Synonym(s): subaequalis Reitter,1920 Range (in code): **TR 07**
- 25615. *Ocnera imbricata* (Fischer von Waldheim,1820) (Tenebrionidae)** Synonym(s): imbricata Fischer von Waldheim,1820 AF IR TM UZ
- 25616. *Ocnera lepidacantha* Fischer von Waldheim,1830 (Tenebrionidae)** Synonym(s): lepidacantha Fischer von Waldheim,1830; raddeana Reitter,1889 AF KG TJ TM
- 25617. *Ocnera longicollis* Solsky,1881 (Tenebrionidae)** Synonym(s): longicollis Solsky,1881 IR
- 25618. *Ocnera pilicollis* (Faldermann,1836) (Tenebrionidae)** Synonym(s): pilicollis Faldermann,1836 AF IR KG KK SY TM UZ
- 25619. *Ocnera sublaevigata* Bates,1879 (Tenebrionidae)** Synonym(s): sublaevigata Bates,1879 CN UI KG AF KK
- 25620. *Omophlus (Euomophlus) caucasicus* Kirsch,1869 (Tenebrionidae)** Synonym(s): caucasicus Kirsch,1869; talschensis Reitter,1906 Range (in code): **AZ AM GG IR TR Cc 01 07 08 12 13 18 24 25 33 36 60 63 66 69 79**
- 25621. *Omophlus (Euomophlus) dilatatus* Faldermann,1837 (Tenebrionidae)** Synonym(s): dilatatus Faldermann,1837; pallitarsis Reitter,1890 Range (in code): **AZ AM Cc GG IR TR 05 06**
- 25622. *Omophlus (Euomophlus) dubitatus* Reitter,1906 (Tenebrionidae)** Synonym(s): dubitatus Reitter,1906 Range (in code): **AZ Nv Ord AM Cc**
- 25623. *Omophlus (Euomophlus) laevigatus* Seidlitz,1896 (Tenebrionidae)** Synonym(s): laevigatus Seidlitz,1896; politipennis Reitter,1906 Range (in code): **AM Cc SY TR IR**
- 25624. *Omophlus (Euomophlus) nitidicollis* Seidlitz,1896 (Tenebrionidae)** Synonym(s): nitidicollis Seidlitz,1896 Range (in code): **AM Cc IR IQ TR 25 63**
- 25625. *Omophlus (Euomophlus) oblongus* Znojko,1950 (Tenebrionidae)** Synonym(s): oblongus Znojko,1950 Range (in code): **AM GG Cc TM**
- 25626. *Omophlus (Euomophlus) pilicollis* Faldermann,1832 (Tenebrionidae)** Synonym(s): pilicollis Faldermann,1832; filitarsis Reitter,1890 Range (in code): **TR UZ Cc AZ AM GG KG UA RU KK IR TM 25**
- 25627. *Omophlus (Euomophlus) pruinosis* Reitter,1890 (Tenebrionidae)** Synonym(s): pruinosis Reitter,1890 Range (in code): **Cc AM GG**
- 25628. *Omophlus (Euomophlus) rugosicollis* (Brullé,1832) (Tenebrionidae)** Synonym(s): rugosicollis Brullé,1832; brevicollis Mulsant,1856 Range (in code): **AT B-H BG HV FR GR HU IT RO SK YU TR**
- 25629. *Omophlus (Micromophlus) subtilis* (Solsky,1881) (Tenebrionidae)** Synonym(s): subtilis Solsky,1881 Range (in code): **IR TM UZ**
- 25630. *Omophlus (Odontomophlus) afghanus* Muehe,1965 (Tenebrionidae)** Synonym(s): afghanus Muehe,1965 Range (in code): **AF PK**
- 25631. *Omophlus (Odontomophlus) anatolicus* Reitter,1906 (Tenebrionidae)** Synonym(s): anatolicus Reitter,1906 Range (in code): **TR**
- 25632. *Omophlus (Odontomophlus) baudueri* Baudi di Selve,1877 (Tenebrionidae)** Synonym(s): baudueri Baudi di Selve,1877 Range (in code): **SY TR 05 06**
- 25633. *Omophlus (Odontomophlus) blumenthali* Muehe,1979 (Tenebrionidae)** Synonym(s): blumenthali Muehe,1979 Range (in code): **IR**

- 25634. Omophlus (Odontomophlus) bodemeyeri Reitter,1906** (Tenebrionidae) Synonym(s): bodemeyeri Reitter,1906 Range (in code): **TR 01 51**
- 25635. Omophlus (Odontomophlus) crinifer Seidlitz,1896** (Tenebrionidae) Synonym(s): crinifer Seidlitz,1896 Range (in code): **TM**
- 25636. Omophlus (Odontomophlus) falsarius Kirsch,1869** (Tenebrionidae) Synonym(s): falsarius Kirsch,1869 Range (in code): **AM Cc BG RO TR IR IQ SY 07**
- 25637. Omophlus (Odontomophlus) flavipennis Küster,1850** (Tenebrionidae) Synonym(s): flavipennis Küster,1850; atripes Küster,1850; dalmatinus Kirsch,1869; basicornis Reitter,1890 Range (in code): **IT GR Rd AZ AM Cc BG HV GG MD RO TR UA IQ SY 25**
- 25638. Omophlus (Odontomophlus) forficula Seidlitz,1896** (Tenebrionidae) Synonym(s): forficula Seidlitz,1896 Range (in code): **IL Pa JO SY TR 05**
- 25639. Omophlus (Odontomophlus) foveicollis Fairmaire,1892** (Tenebrionidae) Synonym(s): foveicollis Fairmaire,1892 Range (in code): **LB SY TR 31**
- 25640. Omophlus (Odontomophlus) furca Seidlitz,1896** (Tenebrionidae) Synonym(s): furca Seidlitz,1896 Range (in code): **IL Pa SY LB**
- 25641. Omophlus (Odontomophlus) furculus Seidlitz,1896** (Tenebrionidae) Synonym(s): furcula Seidlitz,1896 Range (in code): **TR 05**
- 25642. Omophlus (Odontomophlus) hirsutus Seidlitz,1896** (Tenebrionidae) Synonym(s): hirsutus Seidlitz,1896 Range (in code): **IL Pa SY TM TR UZ 27**
- 25643. Omophlus (Odontomophlus) kalalae Maran,1935** (Tenebrionidae) Synonym(s): kalalae Maran,1935 Range (in code): **IQ**
- 25644. Omophlus (Odontomophlus) kurdus Znojko,1950** (Tenebrionidae) Synonym(s): kurda Znojko,1950 Range (in code): **IQ**
- 25645. Omophlus (Odontomophlus) laciniatus Seidlitz,1896** (Tenebrionidae) Synonym(s): laciniatus Seidlitz,1896 Range (in code): **AZ Nv Ord AM GG Cc TR IR SY KK 47**
- 25646. Omophlus (Odontomophlus) latipleuris Reitter,1890** (Tenebrionidae) Synonym(s): latipleuris Reitter,1890 Range (in code): **AM Cc TR TM 25**
- 25647. Omophlus (Odontomophlus) lepturoides (Fabricius,1787)** (Tenebrionidae) Synonym(s): lepturoides Fabricius,1787; betulae Küster,1850; elongatus Küster,1850; alpinus Miller,1851 Range (in code): **IT GR TR AT B-H BG HV FR DE RO ES CH UA IR**
- 25648. Omophlus (Odontomophlus) libanonensis Muche,1964** (Tenebrionidae) Synonym(s): libanonensis Muche,1964 Range (in code): **LB**
- 25649. Omophlus (Odontomophlus) longipleuris Znojko,1950** (Tenebrionidae) Synonym(s): longipleuris Znojko,1950 Range (in code): **AM Cc TR**
- 25650. Omophlus (Odontomophlus) lucidus Kirsch,1869** (Tenebrionidae) Synonym(s): lucidus Kirsch,1869 Range (in code): **IL Pa JO SY**
- 25651. Omophlus (Odontomophlus) luciulus Seidlitz,1896** (Tenebrionidae) Synonym(s): luciulus Seidlitz,1896 Range (in code): **Cc TR**
- 25652. Omophlus (Odontomophlus) medius Muche,1964** (Tenebrionidae) Synonym(s): medius Muche,1964 Range (in code): **TR IR 25 42 63 69**
- 25653. Omophlus (Odontomophlus) nadayi Muche,1965** (Tenebrionidae) Synonym(s): nadayi Muche,1965 Range (in code): **TR**
- 25654. Omophlus (Odontomophlus) obscurus Reitter,1890** (Tenebrionidae) Synonym(s): obscurus Reitter,1890 Range (in code): **TR AZ Nv Ord AM Cc 69**
- 25655. Omophlus (Odontomophlus) ochraceipennis Faldermann,1837** (Tenebrionidae) Synonym(s): ochraceipennis Faldermann,1837; tarsalis Kirsch,1869; latitarsis Reitter,1890 Range (in code): **AZ AM GG Cc TR IR 25**
- 25656. Omophlus (Odontomophlus) pilifer Seidlitz,1896** (Tenebrionidae) Synonym(s): pilifer Seidlitz,1896 Range (in code): **TR 05**
- 25657. Omophlus (Odontomophlus) pilosellus Kirsch,1869** (Tenebrionidae) Synonym(s): pilosellus Kirsch,1869 Range (in code): **HV GR IT Si IQ TR 05 60**
- 25658. Omophlus (Odontomophlus) pseudolucidus Muche,1965** (Tenebrionidae) Synonym(s): pseudolucidus Muche,1965 Range (in code): **AF**
- 25659. Omophlus (Odontomophlus) sandneri Reitter,1906** (Tenebrionidae) Synonym(s): sandneri Reitter,1906 Range (in code): **IR IQ SY TR 27 31 47 51**
- 25660. Omophlus (Odontomophlus) schmidi Muche,1965** (Tenebrionidae) Synonym(s): schmidi Muche,1965 Range (in code): **PK**
- 25661. Omophlus (Odontomophlus) silifkeensis Muche,1965** (Tenebrionidae) Synonym(s): silifkeensis Muche,1965 Range (in code): **TR 33**
- 25662. Omophlus (Odontomophlus) syriacus Mulsant,1856** (Tenebrionidae) Synonym(s): syriacus Mulsant,1856; varicolor Kirsch,1869 Range (in code): **IL Pa SY TR 12 13 23 33 63 79**
- 25663. Omophlus (Odontomophlus) terminatus Fairmaire,1884** (Tenebrionidae) Synonym(s): terminatus Fairmaire,1884 Range (in code): **TR 31**

- 25664. Omophlus (Odontomophlus) tibialis** Reitter,1890 (Tenebrionidae) Synonym(s): tibialis Reitter,1890 Range (in code): IL Pa JO SY
- 25665. Omophlus (Odontomophlus) tumidipes** Kirsch,1878 (Tenebrionidae) Synonym(s): tumidipes Kirsch,1878 Range (in code): AM AZ Cc TR TM 05 25 51
- 25666. Omophlus (Odontomophlus) turcicus** Kirsch,1869 (Tenebrionidae) Synonym(s): turcicus Kirsch,1869; foveola Seidlitz,1896 Range (in code): GR TR
- 25667. Omophlus (Paromophlus) agrapha** Reitter,1890 (Tenebrionidae) Synonym(s): agrapha Reitter,1890 Range (in code): AM Nv Ord AZ Cc GR
- 25668. Omophlus (Paromophlus) armeniacus** Znojko,1950 (Tenebrionidae) Synonym(s): armeniacus Znojko,1950 Range (in code): AM Cc
- 25669. Omophlus (Paromophlus) curtellus** Seidlitz,1896 (Tenebrionidae) Synonym(s): curtellus Seidlitz,1896 Range (in code): SY
- 25670. Omophlus (Paromophlus) curtulus** Kirsch,1878 (Tenebrionidae) Synonym(s): curtulus Kirsch,1878 Range (in code): AZ AM GG RU Cc TR 06
- 25671. Omophlus (Paromophlus) curtus** Küster,1850 (Tenebrionidae) Synonym(s): curtus Küster,1850 Range (in code): GR GG Cc TR 25 36 63 69
- 25672. Omophlus (Paromophlus) densepunctatus** Fairmaire,1892 (Tenebrionidae) Synonym(s): densepunctatus Fairmaire,1892 Range (in code): TR
- 25673. Omophlus (Paromophlus) emwae** Iablokoff-Khnzorian,1959 (Tenebrionidae) Synonym(s): emwae Iablokoff-Khnzorian,1959 Range (in code): AM Cc
- 25674. Omophlus (Paromophlus) excavatus** Seidlitz,1896 (Tenebrionidae) Synonym(s): excavatus Seidlitz,1896 Range (in code): IR
- 25675. Omophlus (Paromophlus) gracilis** Znojko,1950 (Tenebrionidae) Synonym(s): gracilis Znojko,1950 Range (in code): TR
- 25676. Omophlus (Paromophlus) irrasus** Seidlitz,1896 (Tenebrionidae) Synonym(s): irrasus Seidlitz,1896 Range (in code): TR 27 31 47
- 25677. Omophlus (Paromophlus) irregularis** Reitter,1906 (Tenebrionidae) Synonym(s): irregularis Reitter,1906 Range (in code): TR 31
- 25678. Omophlus (Paromophlus) nigricolor** Reitter,1913 (Tenebrionidae) Synonym(s): nigricolor Reitter,1913 Range (in code): IR
- 25679. Omophlus (Paromophlus) nigripes** Küster,1850 (Tenebrionidae) Synonym(s): nigripes Küster,1850 Range (in code): GR IQ SY TR 25 63
- 25680. Omophlus (Paurodontomophlus) wittmeri** Muche,1979 (Tenebrionidae) Synonym(s): wittmeri Muche,1979 Range (in code): TR
- 25681. Omophlus (s.str.) caspius** Znojko,1950 (Tenebrionidae) Synonym(s): caspius Znojko,1950 Range (in code): AZ Cc IR TM 25
- 25682. Omophlus (s.str.) coriaceus** Seidlitz,1896 (Tenebrionidae) Synonym(s): coriaceus Seidlitz,1896 Range (in code): AZ GG Cc
- 25683. Omophlus (s.str.) cribricollis** Fairmaire,1892 (Tenebrionidae) Synonym(s): cribricollis Fairmaire,1892 Range (in code): TR
- 25684. Omophlus (s.str.) eckerleini** Muche,1964 (Tenebrionidae) Synonym(s): eckerleini Muche,1964 Range (in code): TR LB 25 79
- 25685. Omophlus (s.str.) ganglbaueri** Reitter,1890 (Tenebrionidae) Synonym(s): ganglbaueri Reitter,1890 Range (in code): IR
- 25686. Omophlus (s.str.) gracilipes** Kirsch,1869 (Tenebrionidae) Synonym(s): gracilipes Kirsch,1869 Range (in code): EG IL Pa JO SY TR
- 25687. Omophlus (s.str.) hirtipennis** Seidlitz,1896 (Tenebrionidae) Synonym(s): hirtipennis Seidlitz,1896; politipennis Reitter,1906 Range (in code): TR 31
- 25688. Omophlus (s.str.) iranicus** Muche,1964 (Tenebrionidae) Synonym(s): iranicus Muche,1964 Range (in code): IR
- 25689. Omophlus (s.str.) kaszabi** Muche,1965 (Tenebrionidae) Synonym(s): kaszabi Muche,1965 Range (in code): IR
- 25690. Omophlus (s.str.) klapperichi** Muche,1965 (Tenebrionidae) Synonym(s): klapperichi Muche,1965 Range (in code): JO
- 25691. Omophlus (s.str.) kuznetzovi** Znojko,1950 (Tenebrionidae) Synonym(s): kuznetzovi Znojko,1950 Range (in code): IR
- 25692. Omophlus (s.str.) lepidus** Reitter,1906 (Tenebrionidae) Synonym(s): lepidus Reitter,1906 Range (in code): TR 05
- 25693. Omophlus (s.str.) longicornis** Bertolini,1868 (Tenebrionidae) Synonym(s): longicornis Bertolini,1868 Range (in code): AT HV B-H RO SK SS Cc IT TR
- 25694. Omophlus (s.str.) luristanus** Muche,1965 (Tenebrionidae) Synonym(s): luristanus Muche,1965 Range (in code): IR Lo



- 25695. Omophlus (s.str.) nasreddini Reitter,1890** (Tenebrionidae) Synonym(s): nasreddini Reitter,1890; conicicollis Reitter,1906; #nasrettini Yıldırım & Kılıç,2008 Range (in code): IR IQ SY TR 27 47 79
- 25696. Omophlus (s.str.) nigropilosellus Muche,1964** (Tenebrionidae) Synonym(s): nigropilosellus Muche,1964 Range (in code): TR 65
- 25697. Omophlus (s.str.) ocularis Kirsch,1869** (Tenebrionidae) Synonym(s): ocularis Kirsch,1869 Range (in code): JO IL Pa
- 25698. Omophlus (s.str.) orestias Muche,1964** (Tenebrionidae) Synonym(s): orestias Muche,1964 Range (in code): TR 80
- 25699. Omophlus (s.str.) orientalis Mulsant,1856** (Tenebrionidae) Synonym(s): orientalis Mulsant,1856 Range (in code): GR AZ AM Cc TR UA
- 25700. Omophlus (s.str.) pollinosus Znojko,1950** (Tenebrionidae) Synonym(s): pollinosus Znojko,1950 Range (in code): AZ Cc IR
- 25701. Omophlus (s.str.) propagatus Kirsch,1869** (Tenebrionidae) Synonym(s): propagatus Kirsch,1869 Range (in code): CY
- 25702. Omophlus (s.str.) proteus Kirsch,1869** (Tenebrionidae) Synonym(s): proteus Kirsch,1869 Range (in code): AT CZ BG GR HU IT RO SK TR UA YU Cc IR SY TM 33
- 25703. Omophlus (s.str.) reitteri König,1906** (Tenebrionidae) Synonym(s): reitteri König,1906 Range (in code): AM Cc TR 25
- 25704. Omophlus (s.str.) rugipennis Seidlitz,1896** (Tenebrionidae) Synonym(s): rugipennis Seidlitz,1896 Range (in code): AZ AM Cc
- 25705. Omophlus (s.str.) salbachii Reitter,1906** (Tenebrionidae) Synonym(s): salbachii Reitter,1906 Range (in code): TR 31
- 25706. Omophlus (s.str.) subcostatus Reitter,1908** (Tenebrionidae) Synonym(s): subcostatus Reitter,1908 Range (in code): TR 60
- 25707. Omophlus (s.str.) tenellus Kirsch,1869** (Tenebrionidae) Synonym(s): tenellus Kirsch,1869 Range (in code): LY EG IL Pa
- 25708. Omophlus (s.str.) transitus Muche,1965** (Tenebrionidae) Synonym(s): transitus Muche,1965 Range (in code): AF IR
- 25709. Omophlus (s.str.) turanicus Reitter,1906** (Tenebrionidae) Synonym(s): turanicus Reitter,1906 Range (in code): AM Cc TM UZ
- 25710. Omophlus (s.str.) turcomanicus Znojko,1950** (Tenebrionidae) Synonym(s): turcomanicus Znojko,1950 Range (in code): TM
- 25711. Oochrotus glaber Demaison,1904** (Tenebrionidae) Synonym(s): glaber Demaison,1904 Range (in code): TR 07
- 25712. Opatroides angulatus Baudi,1875** (Tenebrionidae) Synonym(s): angulatus Baudi,1875 Range (in code): IR SY
- 25713. Opatroides curtulus Fairmaire,1892** (Tenebrionidae) Synonym(s): curtulus Fairmaire,1892; ?asiaticus Desbrochers,1881 Range (in code): TR SY 07 35
- 25714. Opatroides judaicus Baudi,1881** (Tenebrionidae) Synonym(s): judaicus Baudi,1881 Range (in code): SY
- 25715. Opatroides punctulatus Brullé,1832** (Tenebrionidae) Synonym(s): punctulatus Brullé,1832; parvulus Faldermann,1837 Range (in code): TR Cc RU Sb ET SO 06 07 09 13 17 20 21 32 35 38 42 45 46 47 63 79
- 25716. Opatrum alternatum Küster,1849** (Tenebrionidae) Synonym(s): alternatum Küster,1849 Range (in code): TR 10 19 35 45
- 25717. Opatrum geminatum Brullé,1832** (Tenebrionidae) Synonym(s): geminatum Brullé,1832 Range (in code): TR 03 04 07 10 18 19 26 33 35 36 38 42 43 45 50 59 60 62 70
- 25718. Opatrum obesum Olivier,1811** (Tenebrionidae) Synonym(s): obesum Olivier,1811 Range (in code): TR 35 37 48
- 25719. Opatrum sabulosum (Linnaeus,1761)** (Tenebrionidae) Synonym(s): sabulosum Linnaeus,1761 Range (in code): TR 18 33 35
- 25720. Opatrum verrucosum Germar,1817** (Tenebrionidae) Synonym(s): verrucosum Germar,1817 Range (in code): TR 35 36
- 25721. Oxycara ardoini Kaszab,1979** (Tenebrionidae) Synonym(s): ardoini Kaszab,1979 Range (in code): IL Pa JO EG Sn
- 25722. Oxycara buettigeri Kaszab,1979** (Tenebrionidae) Synonym(s): buettigeri Kaszab,1979 Range (in code): SA SA32 SA63 AE BH OM
- 25723. Oxycara dhofarense Lillig,2009** (Tenebrionidae) Synonym(s): dhofarense Lillig,2009 Range (in code): OM Dh
- 25724. Oxycara hegetericum Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): hegetericum Reiche & Saulcy,1857 Range (in code): EG IL Pa
- 25725. Oxycara laevigatum (Reiche & Saulcy,1857)** (Tenebrionidae) Synonym(s): laevigatum Reiche & Saulcy,1857 Range (in code): SY LB IL Pa JO

- 25726. *Oxycara laevigatum* Reiche & Saulcy, 1857** (Tenebrionidae) Synonym(s): *laevigatum* Reiche & Saulcy, 1857 Range (in code): LB Bei
- 25727. *Oxycara liebeggotti* Lillig, 2009** (Tenebrionidae) Synonym(s): *liebeggotti* Lillig, 2009 Range (in code): OM
- 25728. *Oxycara mandli* Kaszab, 1963** (Tenebrionidae) Synonym(s): *mandli* Kaszab, 1963 Range (in code): IR
- 25729. *Oxycara mellyi* (Fairmaire, 1898)** (Tenebrionidae) Synonym(s): *mellyi* Fairmaire, 1898 Range (in code): AF CN PK IN
- 25730. *Oxycara pierrei* Girard, 1966** (Tenebrionidae) Synonym(s): *pierrei* Girard, 1966 Range (in code): IQ SY
- 25731. *Oxycara productum* Peyerimhoff, 1907** (Tenebrionidae) Synonym(s): *productum* Peyerimhoff, 1907 Range (in code): EG Sn
- 25732. *Oxycara productum* Peyerimhoff, 1907** (Tenebrionidae) Synonym(s): *productum* Peyerimhoff, 1907 Range (in code): EG Sn
- 25733. *Oxycara pygmaeum* (Reiche & Saulcy, 1857)** (Tenebrionidae) Synonym(s): *pygmaeum* Reiche & Saulcy, 1857 Range (in code): LY EG Sn
- 25734. *Oxycara pygmaeum* Reiche & Saulcy, 1857** (Tenebrionidae) Synonym(s): *pygmaeum* Reiche & Saulcy, 1857 Range (in code): IL Pa EG
- 25735. *Oxycara rihanei* Lillig, 2009** (Tenebrionidae) Synonym(s): *rihanei* Lillig, 2009 Range (in code): OM Dh
- 25736. *Oxycara sanaaense* Gridelli, 1953** (Tenebrionidae) Synonym(s): *sanaaense* Gridelli, 1953 Range (in code): YE Sna SA As SA50
- 25737. *Oxycara saudarabicum* Kaszab, 1979** (Tenebrionidae) Synonym(s): *saudarabicum* Kaszab, 1979 Range (in code): SA
- 25738. *Oxycara subcostatum* Guérin-Ménéville, 1861** (Tenebrionidae) Synonym(s): *subcostatum* Guérin-Ménéville, 1861 Range (in code): SA
- 25739. *Pachyscelina micros* (Kaszab, 1970)** (Tenebrionidae) Synonym(s): *micros* Kaszab, 1970 AF
- 25740. *Pachyscelis banghaasi* Reitter, 1893** (Tenebrionidae) Synonym(s): *banghaasi* Reitter, 1893 Range (in code): AF TJ TM UZ CN Ui
- 25741. *Pachyscelis chrysomeloides* (Olivier, 1795)** (Tenebrionidae) Synonym(s): *chrysomeloides* Olivier, 1795; *coriacea* Klug, 1830; *kraatzii* Baudi, 1875; *piochardi* Desbrochers, 1881 Range (in code): SY LB Bei
- 25742. *Pachyscelis euphratica* Kraatz, 1865** (Tenebrionidae) Synonym(s): *euphratica* Kraatz, 1865 Range (in code): IR IQ TR
- 25743. *Pachyscelis klapperichi* Kaszab, 1960** (Tenebrionidae) Synonym(s): *klapperichi* Kaszab, 1960 AF
- 25744. *Pachyscelis metopotapha* (Fischer von Waldheim, 1832)** (Tenebrionidae) Synonym(s): *metopotapha* Fischer von Waldheim, 1832; *gemmans* Baudi, 1876 Range (in code): Cc IR TM
- 25745. *Pachyscelis musiva* (Ménétriés, 1832)** (Tenebrionidae) Synonym(s): *musiva* Ménétriés, 1832; *depressa* Solier, 1836; *ordinata* Solier, 1836; *gastridula* Faldermann, 1837; *mammillata* Faldermann, 1837; *euphratica* Kraatz, 1865; *divisa* Reitter, 1893 Range (in code): IQ TR Cc AM SY TM RU IR 21 38 76
- 25746. *Pachyscelis pauxilla* Hampe, 1852** (Tenebrionidae) Synonym(s): *pauxilla* Hampe, 1852 Range (in code): IR
- 25747. *Pachyscelis persica* Redtenbacher, 1850** (Tenebrionidae) Synonym(s): *persica* Redtenbacher, 1850 Range (in code): IR
- 25748. *Pachyscelis pygmaea* Ménétriés, 1849** (Tenebrionidae) Synonym(s): *pygmaea* Ménétriés, 1849 Range (in code): TM
- 25749. *Pachyscelis quadricollis* Brullé, 1832** (Tenebrionidae) Synonym(s): *quadricollis* Brullé, 1832 Range (in code): GR Cr TR 07 17 35
- 25750. *Pachyscelis rotundata* Kraatz, 1865** (Tenebrionidae) Synonym(s): *rotundata* Kraatz, 1865 Range (in code): SY IL Pa JO LB
- 25751. *Pachyscelis villosa* (Drapiez, 1820)** (Tenebrionidae) Synonym(s): *villosa* Drapiez, 1820; *granulosa* Solier, 1836; *hirtella* Solier, 1836; *tenebrosa* Solier, 1836; *crinita* Solier, 1836; *wettsteini* Schuster, 1936 Range (in code): TR GR SY Cc IQ IL Pa EG 06 07 09 17 21 26 32 35 45 48
- 25752. *Pachyscelis zophosioides* Baudi, 1875** (Tenebrionidae) Synonym(s): *zophosioides* Baudi, 1875 Range (in code): IR
- 25753. *Palorus* (Circomus) *subdepressus* Wollaston, 1864** (Tenebrionidae) Synonym(s): *subdepressus* Wollaston, 1864 Range (in code): TR NG Bor Swk MY ZA ZR 33
- 25754. *Palorus* (s.str.) *depressus* (Fabricius, 1790)** (Tenebrionidae) Synonym(s): *depressus* Fabricius, 1790 Range (in code): TR
- 25755. *Palorus orientalis* Fleischer, 1900** (Tenebrionidae) Synonym(s): *orientalis* Fleischer, 1900 Range (in code): Cc AZ IR
- 25756. *Pedinus* (s.str.) *anatolicus* Mulsant & Rey, 1853** (Tenebrionidae) Synonym(s): *anatolicus* Mulsant & Rey, 1853 Range (in code): TR

- 25757. *Pedinus* (s.str.) *bodemeyeri* Reitter,1904** (Tenebrionidae) Synonym(s): *bodemeyeri* Reitter,1904 Range (in code): TR 07 32 33
- 25758. *Pedinus* (s.str.) *curvipes* Mulsant & Rey,1853** (Tenebrionidae) Synonym(s): *curvipes* Mulsant & Rey,1853 Range (in code): TR 07 16 32 61
- 25759. *Pedinus* (s.str.) *fallax* Mulsant & Rey,1853** (Tenebrionidae) Synonym(s): *fallax* Mulsant & Rey,1853 Range (in code): TR
- 25760. *Pedinus* (s.str.) *femoralis* (Linnaeus,1767)** (Tenebrionidae) Synonym(s): *femoralis* Linnaeus,1767 Range (in code): TR
- 25761. *Pedinus* (s.str.) *helopoides* Ahrens,1814** (Tenebrionidae) Synonym(s): *helopoides* Ahrens,1814 Range (in code): TR
- 25762. *Pedinus* (s.str.) *kiesenwetteri* Seidlitz,1893** (Tenebrionidae) Synonym(s): *kiesenwetteri* Seidlitz,1893 Range (in code): TR 06 19 42
- 25763. *Pedinus* (s.str.) *marani* Kaszab,1960** (Tenebrionidae) Synonym(s): *marani* Kaszab,1960 Range (in code): TR 38 50
- 25764. *Pedinus* (s.str.) *podager* Seidlitz,1893** (Tenebrionidae) Synonym(s): *podager* Seidlitz,1893 Range (in code): TR
- 25765. *Pedinus* (s.str.) *quadratus* Brullé,1832** (Tenebrionidae) Synonym(s): *quadratus* Brullé,1832 Range (in code): TR 35
- 25766. *Pedinus* (s.str.) *reitteri* Seidlitz,1893** (Tenebrionidae) Synonym(s): *reitteri* Seidlitz,1893 Range (in code): TR 43
- 25767. *Pedinus* (s.str.) *schaumi* Mulsant & Rey,1853** (Tenebrionidae) Synonym(s): *schaumi* Mulsant & Rey,1853 Range (in code): TR
- 25768. *Pedinus* (s.str.) *strabonis* Seidlitz,1893** (Tenebrionidae) Synonym(s): *strabonis* Seidlitz,1893 Range (in code): TR 01 04 05 06 16 19 21 26 32 33 34 37 38 42 48 50 51 70 71
- 25769. *Pedinus* (s.str.) *subdepressus* Brullé,1832** (Tenebrionidae) Synonym(s): *subdepressus* Brullé,1832 Range (in code): TR
- 25770. *Pedinus* (s.str.) *tauricus* Mulsant & Rey,1853** (Tenebrionidae) Synonym(s): *tauricus* Mulsant & Rey,1853 Range (in code): TR
- 25771. *Pedinus* (Vadulus) *punctulatus* Mulsant & Rey,1853** (Tenebrionidae) Synonym(s): *punctulatus* Mulsant & Rey,1853 Range (in code): TR 36
- 25772. *Pentaphyllus* *chrysomeloides* (Rossi,1792)** (Tenebrionidae) Synonym(s): *chrysomeloides* Rossi,1792 Range (in code): TR 07 48
- 25773. *Petria* *antennata* Semenov,1893** (Tenebrionidae) Synonym(s): *antennata* Semenov,1893 Range (in code): TM
- 25774. *Petria* *nitidicollis* Semenov,1896** (Tenebrionidae) Synonym(s): *nitidicollis* Semenov,1896 Range (in code): TM
- 25775. *Petria* *tachyptera* Semenov,1893** (Tenebrionidae) Synonym(s): *tachyptera* Semenov,1893 Range (in code): TM
- 25776. *Phaleria* *acuminata* Küster,1852** (Tenebrionidae) Synonym(s): *acuminata* Küster,1852; *tunisia* Reitter,1916 Range (in code): TN LY TR
- 25777. *Phaleria* *bimaculata* (Linnaeus,1767)** (Tenebrionidae) Synonym(s): *bimaculata* Linnaeus,1767 Range (in code): TR 35
- 25778. *Phthora* *reitteri* (Seidlitz,1894)** (Tenebrionidae) Synonym(s): *reitteri* Seidlitz,1894 Range (in code): TR
- 25779. *Pimelia* (Camphonota) *capito* Krynický,1832** (Tenebrionidae) Synonym(s): *capito* Krynický,1832 Range (in code): Cc AZ RU GG KK
- 25780. *Pimelia* (Camphonota) *repleta* Reitter,1915** (Tenebrionidae) Synonym(s): *repleta* Reitter,1915 Range (in code): TR 12
- 25781. *Pimelia* (Eurypimelia) *akbesiana* Fairmaire,1884** (Tenebrionidae) Synonym(s): *akbesiana* Fairmaire,1884 Range (in code): TR SY Hal 01 06 07 09 10 11 15 16 17 19 20 23 26 27 31 32 33 35 38 42 45 46 51 64 68 70 80
- 25782. *Pimelia* (Eurypimelia) *anatolica* Reitter,1915** (Tenebrionidae) Synonym(s): *anatolica* Reitter,1915 Range (in code): TR 42
- 25783. *Pimelia* (Eurypimelia) *lendli* Kaszab,1938** (Tenebrionidae) Synonym(s): *lendli* Kaszab,1938 Range (in code): TR 38
- 25784. *Pimelia* (Eurypimelia) *subglobosa* (Pallas,1781)** (Tenebrionidae) Synonym(s): *subglobosa* Pallas,1781 Range (in code): GR TR UA RU 06 07 09 17 34 35 38 42 43 50
- 25785. *Pimelia* (Eurypimelia) *subglobosa polita* Solier,1836** (Tenebrionidae) Synonym(s): *polita* Solier,1836; *euboica* Boield.,1865 Range (in code): TR GR 07 17 43
- 25786. *Pimelia* (Eurypimelia) *subglobosa salaria* Reitter,1915** (Tenebrionidae) Synonym(s): *salaria* Reitter,1915 Range (in code): TR 38 42
- 25787. *Pimelia* (Eurypimelia) *subglobosa verruculifera* Solier,1836** (Tenebrionidae) Synonym(s): *verruculifera* Solier,1836 Range (in code): TR GR 07 09 34 35 50



- 25788. *Pimelia (Eurypimelia) testudo* Kraatz,1865** (Tenebrionidae) Synonym(s): *testudo* Kraatz,1865  
Range (in code): **TR 05 11**
- 25789. *Pimelia (Eurypimelia) timarchoides* Ménétériés,1836** (Tenebrionidae) Synonym(s): *timarchoides* Ménétériés,1836; *interstincta* Fischer von Waldheim,1837; *testudo* Kraatz,1865 Range (in code): **TR 05 06 22 35 38 50 68**
- 25790. *Pimelia (Gedeon) weneri* Ganglbauer,1905** (Tenebrionidae) Synonym(s): *weneri* Ganglbauer,1905 Range (in code): **TR 06 35 38 42 50**
- 25791. *Pimelia (s.str.) abnormis* Reitter,1915** (Tenebrionidae) Synonym(s): *abnormis* Reitter,1915  
Range (in code): **AF TM**
- 25792. *Pimelia (s.str.) adramantina* Koch,1965** (Tenebrionidae) Synonym(s): *adramantina* Koch,1965  
Range (in code): **YE**
- 25793. *Pimelia (s.str.) adriani* Reitter,1915** (Tenebrionidae) Synonym(s): *adriani* Reitter,1915 Range (in code): **JO**
- 25794. *Pimelia (s.str.) afghanistanica* Gridelli,1954** (Tenebrionidae) Synonym(s): *afghanistanica* Gridelli,1954 Range (in code): **AF**
- 25795. *Pimelia (s.str.) alboepisternalis* Bogatchev,1953** (Tenebrionidae) Synonym(s): *alboepisternalis* Bogatchev,1953 Range (in code): **IR**
- 25796. *Pimelia (s.str.) amseli* Kaszab,1961** (Tenebrionidae) Synonym(s): *amseli* Kaszab,1961 Range (in code): **AF**
- 25797. *Pimelia (s.str.) arabica* Klug,1830** (Tenebrionidae) Synonym(s): *arabica* Klug,1830 Range (in code): **AE BH IQ JO OM SA YE**
- 25798. *Pimelia (s.str.) bajula* Klug,1830** (Tenebrionidae) Synonym(s): *bajula* Klug,1830 Range (in code): **EG IQ IL Pa JO LB SY TR CY IR 13 38 80**
- 25799. *Pimelia (s.str.) balachowskyi* Fiene,1968** (Tenebrionidae) Synonym(s): *balachowskyi* Fiene,1968  
**IR**
- 25800. *Pimelia (s.str.) cephalotes* (Pallas,1781)** (Tenebrionidae) Synonym(s): *cephalotes* Pallas,1781; *oxysterna* Solier,1836; *kirgisica* Motschoulsky,1859; *menetriesi* Sénac,1884 **IR KG TJ TM**
- 25801. *Pimelia (s.str.) ciliaticornis* Koch,1941** (Tenebrionidae) Synonym(s): *ciliaticornis* Koch,1941  
Range (in code): **YE**
- 25802. *Pimelia (s.str.) conjuncta* Kwieton,1976** (Tenebrionidae) Synonym(s): *conjuncta* Kwieton,1976  
Range (in code): **IQ**
- 25803. *Pimelia (s.str.) derasa* Klug,1830** (Tenebrionidae) Synonym(s): *derasa* Klug,1830 Range (in code): **EG LY IL Pa JO SY**
- 25804. *Pimelia (s.str.) discoides* Kwieton,1978** (Tenebrionidae) Synonym(s): *discoides* Kwieton,1978  
Range (in code): **IR**
- 25805. *Pimelia (s.str.) dubia* Faldermann,1837** (Tenebrionidae) Synonym(s): *dubia* Faldermann,1837; *persica* Faldermann,1837; *furcicosta* Reitter,1915; *indistincta* Reitter,1915 Range (in code): **IR Th Elb TR AZ AM Cc**
- 25806. *Pimelia (s.str.) edura* Reitter,1915** (Tenebrionidae) Synonym(s): *edura* Reitter,1915 Range (in code): **JO**
- 25807. *Pimelia (s.str.) errans* Miller,1861** (Tenebrionidae) Synonym(s): *errans* Miller,1861 Range (in code): **SY IR IQ SA**
- 25808. *Pimelia (s.str.) freyi* Schuster,1937** (Tenebrionidae) Synonym(s): *freyi* Schuster,1937 Range (in code): **IQ**
- 25809. *Pimelia (s.str.) gracilipes* Sénac,1886** (Tenebrionidae) Synonym(s): *gracilipes* Sénac,1886  
Range (in code): **AF IR**
- 25810. *Pimelia (s.str.) haarlovi* Gridelli,1954** (Tenebrionidae) Synonym(s): *haarlovi* Gridelli,1954  
Range (in code): **AF**
- 25811. *Pimelia (s.str.) hayekae* Kaszab,1957** (Tenebrionidae) Synonym(s): *hayekae* Kaszab,1957 Range (in code): **PK**
- 25812. *Pimelia (s.str.) horni* Schuster,1936** (Tenebrionidae) Synonym(s): *horni* Schuster,1936 Range (in code): **AF**
- 25813. *Pimelia (s.str.) inexpectata* Sénac,1882** (Tenebrionidae) Synonym(s): *inexpectata* Sénac,1882  
Range (in code): **PK**
- 25814. *Pimelia (s.str.) intervallaris* Kwieton,1981** (Tenebrionidae) Synonym(s): *intervallaris* Kwieton,1981 Range (in code): **OM**
- 25815. *Pimelia (s.str.) iscariota* Reitter,1915** (Tenebrionidae) Synonym(s): *iscariota* Reitter,1915 Range (in code): **IQ**
- 25816. *Pimelia (s.str.) jansseni* Reitter,1915** (Tenebrionidae) Synonym(s): *jansseni* Reitter,1915 Range (in code): **JO**
- 25817. *Pimelia (s.str.) laevidorsis* Reitter,1915** (Tenebrionidae) Synonym(s): *laevidorsis* Reitter,1915  
Range (in code): **JO**
- 25818. *Pimelia (s.str.) matthiesseni* Reitter,1915** (Tenebrionidae) Synonym(s): *matthiesseni* Reitter,1915 Range (in code): **IR**

- 25819. *Pimelia* (s.str.) *mittrei* Solier,1836** (Tenebrionidae) Synonym(s): *mittrei* Solier,1836 Range (in code): IL Pa Sn LB
- 25820. *Pimelia* (s.str.) *nazarena* Miller,1861** (Tenebrionidae) Synonym(s): *nazarena* Miller,1861 Range (in code): IL Pa JO SY
- 25821. *Pimelia* (s.str.) *nazarenoides* Kaszab,1982** (Tenebrionidae) Synonym(s): *nazarenoides* Kaszab,1982 Range (in code): SA YE
- 25822. *Pimelia* (s.str.) *nesterovi* Bogatchev,1953** (Tenebrionidae) Synonym(s): *nesterovi* Bogatchev,1953 Range (in code): IR
- 25823. *Pimelia* (s.str.) *orientalis* S  nac,1886** (Tenebrionidae) Synonym(s): *orientalis* S  nac,1886; *nabathaea* Peyerimhoff,1921 Range (in code): IL Pa SY JO
- 25824. *Pimelia* (s.str.) *pakistan* Kaszab,1961** (Tenebrionidae) Synonym(s): *pakistan* Kaszab,1961 Range (in code): PK
- 25825. *Pimelia* (s.str.) *remaudieri* Vienne,1964** (Tenebrionidae) Synonym(s): *remaudieri* Vienne,1964 Range (in code): SY
- 25826. *Pimelia* (s.str.) *robusta* Kraatz,1865** (Tenebrionidae) Synonym(s): *robusta* Kraatz,1865 Range (in code): TR Cc AM 02 04 05
- 25827. *Pimelia* (s.str.) *roseni* Koch,1940** (Tenebrionidae) Synonym(s): *roseni* Koch,1940 Range (in code): JO
- 25828. *Pimelia* (s.str.) *schoenherri* Faldermann,1837** (Tenebrionidae) Synonym(s): *schoenherri* Faldermann,1837 AM Cc IR
- 25829. *Pimelia* (s.str.) *schusteri* Reitter,1915** (Tenebrionidae) Synonym(s): *schusteri* Reitter,1915 Range (in code): JO SA
- 25830. *Pimelia* (s.str.) *semenovi* Bogatchev,1953** (Tenebrionidae) Synonym(s): *semenovi* Bogatchev,1953 Range (in code): AF PK
- 25831. *Pimelia* (s.str.) *similis* Kwieton,1978** (Tenebrionidae) Synonym(s): *similis* Kwieton,1978 Range (in code): IR
- 25832. *Pimelia* (s.str.) *thomasi* Blair,1931** (Tenebrionidae) Synonym(s): *thomasi* Blair,1931 Range (in code): SA
- 25833. *Pimelia* (s.str.) *titan* Bogatchev,1953** (Tenebrionidae) Synonym(s): *titan* Bogatchev,1953 Range (in code): IR
- 25834. *Pimelia* (s.str.) *torquata* Baudi di Selve,1875** (Tenebrionidae) Synonym(s): *torquata* Baudi di Selve,1875; *atarnites* Baudi di Selve,1875; *areolata* Reitter,1915 Range (in code): IR
- 25835. *Pimelia* (s.str.) *tricostata* Gebien,1913** (Tenebrionidae) Synonym(s): *tricostata* Gebien,1913 Range (in code): AF Ca PK BI
- 25836. *Pimelia* (s.str.) *tuberculata* Fischer von Waldheim,1832** (Tenebrionidae) Synonym(s): *tuberculata* Fischer von Waldheim,1832 Range (in code): AZ Cc RU Sb IR
- 25837. *Pimelia* (s.str.) *verrucosa* Fischer von Waldheim,1820** (Tenebrionidae) Synonym(s): *verrucosa* Fischer von Waldheim,1820 Range (in code): AF TM UZ KK
- 25838. *Pimelia* (s.str.) *zarudnyi* Bogatchev,1953** (Tenebrionidae) Synonym(s): *zarudnyi* Bogatchev,1953 Range (in code): IR
- 25839. *Pimelia* (s.str.) *zhenzhuristi* Bogatchev,1953** (Tenebrionidae) Synonym(s): *zhenzhuristi* Bogatchev,1953 Range (in code): SA YE
- 25840. *Pimelia* *angulata* Fabricius,1775** (Tenebrionidae) Synonym(s): *angulata* Fabricius,1775; *spinosa* Forskall,1775; *asperrima* Pallas,1781 Range (in code): EG SY
- 25841. *Pimelia* *cursor* M  n  tri  s,1832** (Tenebrionidae) Synonym(s): *cursor* M  n  tri  s,1832 Range (in code): Cc AM IR
- 25842. *Pimelia* *damasei* S  n.,1880** (Tenebrionidae) Synonym(s): *damasei* S  n.,1880 Range (in code): SY
- 25843. *Pimelia* *derasa* Klug,1830** (Tenebrionidae) Synonym(s): *derasa* Klug,1830 Range (in code): EG SY
- 25844. *Pimelia* *dubia* Faldermann,1837** (Tenebrionidae) Synonym(s): *dubia* Faldermann,1837 Range (in code): Cc IR
- 25845. *Pimelia* *gestroi* S  nac,1884** (Tenebrionidae) Synonym(s): *gestroi* S  nac,1884 Range (in code): IR
- 25846. *Pimelia* *gracilipes* S  nac,1886** (Tenebrionidae) Synonym(s): *gracilipes* S  nac,1886 Range (in code): IR
- 25847. *Pimelia* *hierichontica* Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): *hierichontica* Reiche & Saulcy,1857; *arabica* Solier,1836 Range (in code): SA SY EG TR
- 25848. *Pimelia* *kraatzi* S  nac,1886** (Tenebrionidae) Synonym(s): *kraatzi* S  nac,1886 Range (in code): IQ
- 25849. *Pimelia* *parallela* Solier,1836** (Tenebrionidae) Synonym(s): *parallela* Solier,1836; *borrei* Haag,1878 Range (in code): SY IQ
- 25850. *Pimelia* *plinthota* Fischer von Waldheim,1837** (Tenebrionidae) Synonym(s): *plinthota* Fischer von Waldheim,1837 Range (in code): TM
- 25851. *Pimelia* *prolongata* Miller,1861** (Tenebrionidae) Synonym(s): *prolongata* Miller,1861 Range (in code): SY IL Pa

- 25852. *Pimelia puberula* Chevrolat,1873** (Tenebrionidae) **Synonym(s):** *puberula* Chevrolat,1873 **Range (in code): SY**
- 25853. *Pimelia sericata* Zoubkoff,1833** (Tenebrionidae) **Synonym(s):** *sericata* Zoubkoff,1833 **Range (in code): TM**
- 25854. *Pimelia sericella* Solier,1836** (Tenebrionidae) **Synonym(s):** *sericella* Solier,1836 **Range (in code): GR TR Cr**
- 25855. *Platydemus europaeum* Laporte & Brullé,1831** (Tenebrionidae) **Synonym(s):** *europaeum* Laporte & Brullé,1831 **Range (in code): TR 07 35**
- 25856. *Podonta ambigua* Kiesenwetter,1873** (Tenebrionidae) **Synonym(s):** *ambigua* Kiesenwetter,1873 **Range (in code): SY TR 45**
- 25857. *Podonta anatolica* Muche,1965** (Tenebrionidae) **Synonym(s):** *anatolica* Muche,1965 **Range (in code): TR**
- 25858. *Podonta atrata* Kiesenwetter,1873** (Tenebrionidae) **Synonym(s):** *atrata* Kiesenwetter,1873 **Range (in code): CY IL Pa SY TR 01 33**
- 25859. *Podonta biformis* Reitter,1889** (Tenebrionidae) **Synonym(s):** *biformis* Reitter,1889; *ruficollis* Seidlitz,1896 **Range (in code): AM Cc IQ SY TR**
- 25860. *Podonta bodemeyeri* Reitter,1906** (Tenebrionidae) **Synonym(s):** *bodemeyeri* Reitter,1906 **Range (in code): TR 11**
- 25861. *Podonta brevicornis* Seidlitz,1896** (Tenebrionidae) **Synonym(s):** *brevicornis* Seidlitz,1896 **Range (in code): BG TR 17**
- 25862. *Podonta carbonaria* Kiesenwetter,1873** (Tenebrionidae) **Synonym(s):** *carbonaria* Kiesenwetter,1873 **Range (in code): IR IQ IL Pa SY**
- 25863. *Podonta convexicollis* (Küster,1850)** (Tenebrionidae) **Synonym(s):** *convexicollis* Küster,1850 **Range (in code): TR**
- 25864. *Podonta corvina* Kiesenwetter,1873** (Tenebrionidae) **Synonym(s):** *corvina* Kiesenwetter,1873 **Range (in code): GR RO TR**
- 25865. *Podonta daghestanica* Reitter,1885** (Tenebrionidae) **Synonym(s):** *daghestanica* Reitter,1885 **Range (in code): RU Da Cc MK BG UA Ode YU IR**
- 25866. *Podonta dalmatina* Baudi di Selve,1877** (Tenebrionidae) **Synonym(s):** *dalmatina* Baudi di Selve,1877 **Range (in code): B-H HV RO RU UA YU TR**
- 25867. *Podonta dentella* Muche,1962** (Tenebrionidae) **Synonym(s):** *dentella* Muche,1962 **Range (in code): TR**
- 25868. *Podonta eckerleini* Muche,1963** (Tenebrionidae) **Synonym(s):** *eckerleini* Muche,1963 **Range (in code): TR**
- 25869. *Podonta elongata* Ménétériés,1832** (Tenebrionidae) **Synonym(s):** *elongata* Ménétériés,1832 **Range (in code): AZ AM Cc GG SY TR 31**
- 25870. *Podonta frater* Seidlitz,1896** (Tenebrionidae) **Synonym(s):** *frater* Seidlitz,1896 **Range (in code): TR 35**
- 25871. *Podonta heydeni* Kiesenwetter,1873** (Tenebrionidae) **Synonym(s):** *heydeni* Kiesenwetter,1873 **Range (in code): BG GR RO TR**
- 25872. *Podonta kasanensis* Muche,1965** (Tenebrionidae) **Synonym(s):** *kasanensis* Muche,1965 **Range (in code): TR 22**
- 25873. *Podonta lugubris* (Küster,1850)** (Tenebrionidae) **Synonym(s):** *lugubris* Küster,1850 **Range (in code): BG HV RO TR**
- 25874. *Podonta marmarensis* Bouyon,2014** (Tenebrionidae) **Synonym(s):** *marmarensis* Bouyon,2014 **TR**
- 25875. *Podonta montreuili* Bouyon,2014** (Tenebrionidae) **Synonym(s):** *montreuili* Bouyon,2014 **IR**
- 25876. *Podonta morio* Kiesenwetter,1873** (Tenebrionidae) **Synonym(s):** *morio* Kiesenwetter,1873 **Range (in code): AZ Cc GR GG TR**
- 25877. *Podonta nigrita* (Fabricius,1794)** (Tenebrionidae) **Synonym(s):** *nigrita* Fabricius,1794; *paradoxa* Schilsky,1889 **Range (in code): PL AT IT TR B-H BG HV CZ GR HU RO RU SK CH UA YU Cc 13**
- 25878. *Podonta ottomanica* Bouyon,2014** (Tenebrionidae) **Synonym(s):** *ottomanica* Bouyon,2014 **TR**
- 25879. *Podonta patagiata* Seidlitz,1896** (Tenebrionidae) **Synonym(s):** *patagiata* Seidlitz,1896 **Range (in code): TR 05**
- 25880. *Podonta rotundangula* Reitter,1906** (Tenebrionidae) **Synonym(s):** *rotundangula* Reitter,1906 **Range (in code): TR**
- 25881. *Podonta soror* Seidlitz,1896** (Tenebrionidae) **Synonym(s):** *soror* Seidlitz,1896 **Range (in code): SY TR 25 36 42 80**
- 25882. *Podonta turcica* Kiesenwetter,1873** (Tenebrionidae) **Synonym(s):** *turcica* Kiesenwetter,1873; *korpii* Seidlitz,1896 **Range (in code): RO TR 06 07 33**
- 25883. *Podontinus punctatissimus* (Kiesenwetter,1873)** (Tenebrionidae) **Synonym(s):** *punctatissimus* Kiesenwetter,1873 **Range (in code): SY**



- 25884. Polycoelogastridion sexcostatum (Motschoulsky,1858)** (Tenebrionidae) Synonym(s): sexcostatum Motschoulsky,1858 Range (in code): TR
- 25885. Probaticus (Pelorinus) adimonius (Allard,1876)** (Tenebrionidae) Synonym(s): adimonius Allard,1876 Range (in code): TR 14 29 35 42 54
- 25886. Probaticus (Pelorinus) bodemeyeri Reitter,1900** (Tenebrionidae) Synonym(s): bodemeyeri Reitter,1900 Range (in code): TR 51
- 25887. Probaticus (Pelorinus) corrugatus Seidlitz,1893** (Tenebrionidae) Synonym(s): corrugatus Seidlitz,1893 Range (in code): TR 07 12 33 48 74
- 25888. Probaticus (Pelorinus) corrugosus Seidlitz,1896** (Tenebrionidae) Synonym(s): corrugosus Seidlitz,1896 Range (in code): TR
- 25889. Probaticus (Pelorinus) dorsalis (Allard,1877)** (Tenebrionidae) Synonym(s): dorsalis Allard,1877 Range (in code): TR 07 13 26 43
- 25890. Probaticus (Pelorinus) granicollis Seidlitz,1896** (Tenebrionidae) Synonym(s): granicollis Seidlitz,1896 Range (in code): TR
- 25891. Probaticus (Pelorinus) granipennis (Allard,1876)** (Tenebrionidae) Synonym(s): granipennis Allard,1876 Range (in code): TR 16 18 35 52 74
- 25892. Probaticus (Pelorinus) granosus Seidlitz,1896** (Tenebrionidae) Synonym(s): granosus Seidlitz,1896 Range (in code): TR
- 25893. Probaticus (Pelorinus) maurus (Waltl,1838)** (Tenebrionidae) Synonym(s): maurus Waltl,1838 Range (in code): TR 42 51
- 25894. Probaticus (Pelorinus) pentheri Reitter,1905** (Tenebrionidae) Synonym(s): pentheri Reitter,1905 Range (in code): TR 07 38
- 25895. Probaticus (Pelorinus) peropacus Reitter,1901** (Tenebrionidae) Synonym(s): peropacus Reitter,1901 Range (in code): TR
- 25896. Probaticus (Pelorinus) picianus Reitter,1907** (Tenebrionidae) Synonym(s): picianus Reitter,1907 Range (in code): TR
- 25897. Probaticus (Pelorinus) priapus Seidlitz,1896** (Tenebrionidae) Synonym(s): priapus Seidlitz,1896 Range (in code): TR
- 25898. Probaticus (Pelorinus) tarsatus (Küster,1850)** (Tenebrionidae) Synonym(s): tarsatus Küster,1850 Range (in code): TR 35
- 25899. Probaticus (Pelorinus) tenebricosus (Brullé,1832)** (Tenebrionidae) Synonym(s): tenebricosus Brullé,1832 Range (in code): TR 01 04 07 16 17 32 33 34 35 42 43
- 25900. Probaticus (Pelorinus) theanus Reitter,1901** (Tenebrionidae) Synonym(s): theanus Reitter,1901 Range (in code): TR
- 25901. Probaticus (s.str.) tentyrioides (Küster,1851)** (Tenebrionidae) Synonym(s): tentyrioides Küster,1851 Range (in code): TR 35
- 25902. Probaticus banaszkieviczae Nobozhenko,2011** (Tenebrionidae) Synonym(s): banaszkieviczae Nobozhenko,2011 Range (in code): TR 08
- 25903. Procoma audouini Solier,1835** (Tenebrionidae) Synonym(s): audouini Solier,1835 Range (in code): IR IQ IL Pa JO Sn SY
- 25904. Procoma blairi Koch,1940** (Tenebrionidae) Synonym(s): blairi Koch,1940 Range (in code): PK
- 25905. Procoma bucculenta Koch,1940** (Tenebrionidae) Synonym(s): bucculenta Koch,1940 Range (in code): AE IR OM SA
- 25906. Procoma clypealis Blair,1923** (Tenebrionidae) Synonym(s): clypealis Blair,1923 Range (in code): BH IQ OM SA
- 25907. Procoma margolateralis Carl,1994** (Tenebrionidae) Synonym(s): margolateralis Carl,1994 Range (in code): OM
- 25908. Procoma membranea Carl,1994** (Tenebrionidae) Synonym(s): membranea Carl,1994 Range (in code): IR
- 25909. Procoma pierre Girard,1966** (Tenebrionidae) Synonym(s): pierre Girard,1966 Range (in code): IR IQ
- 25910. Procoma pilosa Carl,1994** (Tenebrionidae) Synonym(s): pilosa Carl,1994 Range (in code): IR
- 25911. Prosodes (Dilopersina) chorassanica G.Medvedev,1996** (Tenebrionidae) Synonym(s): chorassanica G.Medvedev,1996 Range (in code): IR Kh
- 25912. Prosodes (Dilopersina) cribrella (Baudi,1874)** (Tenebrionidae) Synonym(s): cribrella Baudi,1874 Range (in code): IR Kh
- 25913. Prosodes (Dilopersina) exilis G.Medvedev,1996** (Tenebrionidae) Synonym(s): exilis G.Medvedev,1996 Range (in code): IR Kh
- 25914. Prosodes (Dilopersina) jakowlewi Semenov,1894** (Tenebrionidae) Synonym(s): jakowlewi Semenov,1894 Range (in code): IR Kh
- 25915. Prosodes (Dilopersina) mithras Reitter,1904** (Tenebrionidae) Synonym(s): mithras Reitter,1904 Range (in code): IR Kh

- 25916. Prosodes (Dilopersina) parthenica G.Medvedev,1996** (Tenebrionidae) Synonym(s): parthenica G.Medvedev,1996 Range (in code): IR Kh
- 25917. Prosodes (Meropersina) amica G.Medvedev,2001** (Tenebrionidae) Synonym(s): amica G.Medvedev,2001 Range (in code): TR
- 25918. Prosodes (Meropersina) fabiani G.Medvedev & Merkl,2005** (Tenebrionidae) Synonym(s): fabiani G.Medvedev & Merkl,2005 Range (in code): IR Kd
- 25919. Prosodes (Meropersina) laevigata (Baudi,1874)** (Tenebrionidae) Synonym(s): laevigata Baudi,1874 Range (in code): IR Elb
- 25920. Prosodes (Meropersina) vermiculosa Reitter,1909** (Tenebrionidae) Synonym(s): vermiculosa Reitter,1909 Range (in code): IR
- 25921. Prosodes (Meropersina) vigi G.Medvedev & Merkl,2005** (Tenebrionidae) Synonym(s): vigi G.Medvedev & Merkl,2005 Range (in code): IR Fa
- 25922. Prosodes (Prosodoscelis) solskyi Faust,1875** (Tenebrionidae) Synonym(s): solskyi Faust,1875 Range (in code): IR Kh
- 25923. Psammocryptus bayeri Koch,1943** (Tenebrionidae) Synonym(s): bayeri Koch,1943 Range (in code): TM
- 25924. Psammocryptus minutus (Tauscher,1812)** (Tenebrionidae) Synonym(s): minutus Tauscher,1812 Range (in code): AZ Cc KG TM
- 25925. Psammocryptus prosternalis Koch,1943** (Tenebrionidae) Synonym(s): prosternalis Koch,1943; semenovi Bogatchev,1946 Range (in code): AF PK
- 25926. Raiboscelis azureus (Brullé,1832)** (Tenebrionidae) Synonym(s): azureus Brullé,1832 Range (in code): TR
- 25927. Raiboscelis coelestinus (Waltl,1838)** (Tenebrionidae) Synonym(s): coelestinus Waltl,1838 Range (in code): TR 07 09 31 35 42
- 25928. Raiboscelis eleodinus (Reiche,1861)** (Tenebrionidae) Synonym(s): eleodinus Reiche,1861 Range (in code): TR
- 25929. Raiboscelis latimargo Seidlitz,1896** (Tenebrionidae) Synonym(s): latimargo Seidlitz,1896 Range (in code): TR
- 25930. Raiboscelis syriacus (Reiche,1861)** (Tenebrionidae) Synonym(s): syriacus Reiche,1861 Range (in code): TR 06 07 09 15 26 35 38 45 48
- 25931. Scaurus atratus Fabricius,1775** (Tenebrionidae) Synonym(s): atratus Fabricius,1775 Range (in code): IT Sa Si FR SY EG DZ GR
- 25932. Scaurus barbarus Solier,1836** (Tenebrionidae) Synonym(s): barbarus Solier,1836; rugicollis Reiche & Saulcy,1857; interruptus Baudi,1875 Range (in code): LY TN SY
- 25933. Scaurus macricollis Allard,1882** (Tenebrionidae) Synonym(s): macricollis Allard,1882 Range (in code): IQ EG
- 25934. Scaurus puncticollis Solier,1838** (Tenebrionidae) Synonym(s): puncticollis Solier,1838 Range (in code): MA DZ TN LY SD SA ES FR Co IT Sa Si MT CY EG IQ SY TR IR Ak Ab Fa Kz Es Cc AM IL Pa
- 25935. Scleron carinatum Baudi,1875** (Tenebrionidae) Synonym(s): carinatum Baudi,1875 Range (in code): TR
- 25936. Scleron fossulatum Mulsant & Wachenrau,1852** (Tenebrionidae) Synonym(s): fossulatum Mulsant & Wachenrau,1852 Range (in code): TR
- 25937. Scleron multistriatum (Forskall,1775)** (Tenebrionidae) Synonym(s): multistriatum Forskall,1775 Range (in code): TR
- 25938. Sitophagus hololeptoides Laporte,1840** (Tenebrionidae) Synonym(s): hololeptoides Laporte,1840 Range (in code): TR 07 33
- 25939. Stalagmoptera confusa Solsky,1876** (Tenebrionidae) Synonym(s): confusa Solsky,1876 Range (in code): IR TJ UZ Smk
- 25940. Stalagmoptera ruginota Reitter,1896** (Tenebrionidae) Synonym(s): ruginota Reitter,1896; peculiaris Semenov & Bogatchev,1940 Range (in code): IR TM Kp
- 25941. Stalagmoptera staudingeri Reitter,1893** (Tenebrionidae) Synonym(s): staudingeri Reitter,1893 Range (in code): AF Bd TJ
- 25942. Stegastopsis arabica Allard,1883** (Tenebrionidae) Synonym(s): arabica Allard,1883 Range (in code): OM
- 25943. Stegastopsis babylonica Kraatz,1865** (Tenebrionidae) Synonym(s): babylonica Kraatz,1865 Range (in code): IQ Bgd LB
- 25944. Stegastopsis crassicornis Baudi,1874** (Tenebrionidae) Synonym(s): crassicornis Baudi,1874 Range (in code): IR
- 25945. Stegastopsis microderoides Reitter,1898** (Tenebrionidae) Synonym(s): microderoides Reitter,1898 Range (in code): TR
- 25946. Stegastopsis persica Baudi,1874** (Tenebrionidae) Synonym(s): persica Baudi,1874 Range (in code): IR

- 25947. Stenerophlina hauseri (Reitter,1894)** (Tenebrionidae) Synonym(s): hauseri Reitter,1894 Range (in code): TM UZ
- 25948. Steneryx dejeanii (Faldermann,1836)** (Tenebrionidae) Synonym(s): dejeanii Faldermann,1836 Range (in code): KG MN TM UZ
- 25949. Steneryx hauseri Seidlitz,1896** (Tenebrionidae) Synonym(s): hauseri Seidlitz,1896 Range (in code): KG TM UZ
- 25950. Steneryx semenovi Znojko,1936** (Tenebrionidae) Synonym(s): semenovi Znojko,1936 Range (in code): TM
- 25951. Stenosis comata Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): comata Reiche & Saulcy,1857 Range (in code): TR SY Cc AM
- 25952. Stenosis diana Sahlberg,1908** (Tenebrionidae) Synonym(s): diana Sahlberg,1908 Range (in code): TR 35
- 25953. Stenosis dilutipes Reitter,1887** (Tenebrionidae) Synonym(s): dilutipes Reitter,1887; reitteri Mars,1887 Range (in code): TR SY EG Cc AM 31
- 25954. Stenosis esau Sahlberg,1908** (Tenebrionidae) Synonym(s): esau Sahlberg,1908 Range (in code): TR
- 25955. Stenosis fulvipes Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): fulvipes Reiche & Saulcy,1857 Range (in code): IL Pa
- 25956. Stenosis intermedia (Solier,1838)** (Tenebrionidae) Synonym(s): intermedia Solier,1838 Range (in code): IT Si TR 07
- 25957. Stenosis orientalis Brullé,1832** (Tenebrionidae) Synonym(s): orientalis Brullé,1832; graeca Solier,1838 Range (in code): GR TR SY
- 25958. Stenosis pilosa Motschoulsky,1839** (Tenebrionidae) Synonym(s): pilosa Motschoulsky,1839 Range (in code): Cc
- 25959. Stenosis punctiventris Eschscholtz,1831** (Tenebrionidae) Synonym(s): punctiventris Eschscholtz,1831 Range (in code): TR UA Cm ES DZ MA
- 25960. Stenosis quadraticollis Desbrochers,1881** (Tenebrionidae) Synonym(s): quadraticollis Desbrochers,1881 Range (in code): TR UA Cm 06
- 25961. Stenosis sardoa (Küster,1848)** (Tenebrionidae) Synonym(s): sardoa Küster,1848 Range (in code): TR IT Si Sa 07
- 25962. Stenosis silvestrii Koch,1935** (Tenebrionidae) Synonym(s): silvestrii Koch,1935 Range (in code): TR
- 25963. Stenosis sulcata Miller,1861** (Tenebrionidae) Synonym(s): sulcata Miller,1861 Range (in code): TR 33
- 25964. Sternodes caspicus (Pallas,1781)** (Tenebrionidae) Synonym(s): caspicus Pallas,1781; pallasi Semenov & Bogatchev,1940; eous Semenov & Bogatchev,1940 [ssp.] Range (in code): IR TM UZ AF
- 25965. Sternoplax (Mesosternoplax) belutschistanica Skopin,1973** (Tenebrionidae) Synonym(s): belutschistanica Skopin,1973 Range (in code): PK BI
- 25966. Sternoplax (Mesosternoplax) matthiesseni Reitter,1907** (Tenebrionidae) Synonym(s): matthiesseni Reitter,1907 Range (in code): IR
- 25967. Sternoplax (Mesosternoplax) persica (Schuster,1935)** (Tenebrionidae) Synonym(s): persica Schuster,1935 Range (in code): IR
- 25968. Sternoplax (Mesosternoplax) planiuscula (Kraatz,1882)** (Tenebrionidae) Synonym(s): planiuscula Kraatz,1882 Range (in code): AF TM UZ
- 25969. Sternoplax (Mesosternoplax) sexseriata Reitter,1913** (Tenebrionidae) Synonym(s): sexseriata Reitter,1913 Range (in code): IR
- 25970. Sternoplax (Mesosternoplax) souvorowiana Reitter,1907** (Tenebrionidae) Synonym(s): souvorowiana Reitter,1907 Range (in code): AF KG UZ CN Ui
- 25971. Sternoplax (Pachysternoplax) armeniaca (Faldermann,1837)** (Tenebrionidae) Synonym(s): armeniaca Faldermann,1837 Range (in code): AM AZ Cc
- 25972. Sternoplax (Pachysternoplax) nicomedia (Reitter,1832)** (Tenebrionidae) Synonym(s): nicomedia Reitter,1832 Range (in code): TR
- 25973. Sternoplax (Pachysternoplax) nicomedia (Reitter,1908)** (Tenebrionidae) Synonym(s): nicomedia Reitter,1908 Range (in code): TR
- 25974. Sternoplax (Parasternoplax) affinis (Zubkov,1833)** (Tenebrionidae) Synonym(s): affinis Zubkov,1833; abbreviata Motschoulsky,1860 KG AF IR TM UZ
- 25975. Sternoplax (Parasternoplax) deplanata (Krynicky,1832)** (Tenebrionidae) Synonym(s): deplanata Krynicky,1832; kuldzhana Skpin,1973 [ssp.] Range (in code): KG TM CN Ui Ku
- 25976. Syachis afghanicus Schuster,1936** (Tenebrionidae) Synonym(s): afghanicus Schuster,1936 Range (in code): AF
- 25977. Syachis badatechanicus Kaszab,1959** (Tenebrionidae) Synonym(s): badatechanicus Kaszab,1959 Range (in code): AF



- 25978. Syachis capnisiceps (Reitter,1897)** (Tenebrionidae) Synonym(s): capnisiceps Reitter,1897; marginatus Reinig,1931 [\\_AF IR TJ Pm](#)
- 25979. Syachis gnathosoides Kaszab,1959** (Tenebrionidae) Synonym(s): gnathosoides Kaszab,1959 [Range \(in code\): AF](#)
- 25980. Syachis haafi Kaszab,1959** (Tenebrionidae) Synonym(s): haafi Kaszab,1959 [Range \(in code\): AF TJ](#)
- 25981. Syachis klapperichi Kaszab,1959** (Tenebrionidae) Synonym(s): klapperichi Kaszab,1959 [Range \(in code\): AF](#)
- 25982. Syachis paludani Kaszab,1959** (Tenebrionidae) Synonym(s): paludani Kaszab,1959 [Range \(in code\): AF](#)
- 25983. Syachis proximus Kaszab,1959** (Tenebrionidae) Synonym(s): proximus Kaszab,1959 [Range \(in code\): AF](#)
- 25984. Tadzhiistania stoljarovi G.S.Medvedev,1970** (Tenebrionidae) Synonym(s): stoljarovi G.S.Medvedev,1970 [Range \(in code\): AF](#)
- 25985. Teles eutymi Mulsant & Godart,1876** (Tenebrionidae) Synonym(s): eutymi Mulsant & Godart,1876 [Range \(in code\): TR](#)
- 25986. Tenebrio molitor Linnaeus,1758** (Tenebrionidae) Synonym(s): molitor Linnaeus,1758 [Range \(in code\): TR](#)
- 25987. Tenebrio obscurus Fabricius,1792** (Tenebrionidae) Synonym(s): obscurus Fabricius,1792 [Range \(in code\): TR 07 10](#)
- 25988. Tenebrio syriacus Zoufal,1892** (Tenebrionidae) Synonym(s): syriacus Zoufal,1892 [Range \(in code\): EG SY TR](#)
- 25989. Tentyria collatina Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): collatina Reiche & Saulcy,1857; latiuscula Kraatz,1865 [Range \(in code\): SY IL Pa](#)
- 25990. Tentyria cylindrica Solier,1835** (Tenebrionidae) Synonym(s): cylindrica Solier,1835; acuminata Reiche & Saulcy,1857; lata Baudi,1874 [Range \(in code\): CY TR SY 01 33](#)
- 25991. Tentyria cypria Kraatz,1865** (Tenebrionidae) Synonym(s): cypria Kraatz,1865 [Range \(in code\): CY TR 48](#)
- 25992. Tentyria discicollis Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): discicollis Reiche & Saulcy,1857 [Range \(in code\): SY IL Pa](#)
- 25993. Tentyria giraffa Allard,1883** (Tenebrionidae) Synonym(s): giraffa Allard,1883 [Range \(in code\): SA](#)
- 25994. Tentyria herculeana Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): herculeana Reiche & Saulcy,1857; solieri Reiche & Saulcy,1857; saulcyi Reiche,1861 [Range \(in code\): SY](#)
- 25995. Tentyria laticollis Kraatz,1865** (Tenebrionidae) Synonym(s): laticollis Kraatz,1865 [Range \(in code\): SY](#)
- 25996. Tentyria nomas (Pallas,1781)** (Tenebrionidae) Synonym(s): nomas Pallas,1781; saisanensis Motschoulsky,1845 [Range \(in code\): RU Sb Cc KG](#)
- 25997. Tentyria palmeri Crotch,1872** (Tenebrionidae) Synonym(s): palmeri Crotch,1872 [Range \(in code\): EG Sn SA](#)
- 25998. Tentyria parallela Baudi,1874** (Tenebrionidae) Synonym(s): parallela Baudi,1874 [Range \(in code\): IR](#)
- 25999. Tentyria puncticeps Miller,1861** (Tenebrionidae) Synonym(s): puncticeps Miller,1861; persica Baudi,1874 [Range \(in code\): SY CY IR](#)
- 26000. Tentyria punctipleuris Reitter,1900** (Tenebrionidae) Synonym(s): punctipleuris Reitter,1900 [Range \(in code\): Cc](#)
- 26001. Tentyria robustoides Reitter,1900** (Tenebrionidae) Synonym(s): robustoides Reitter,1900 [Range \(in code\): TM](#)
- 26002. Tentyria rotundata Brullé,1832** (Tenebrionidae) Synonym(s): rotundata Brullé,1832; angulata Brullé,1832; mittrei Solier,1835; winkleri Koch,1936; jonica Koch,1944; dahestris Koch,1944 [Range \(in code\): GR TR 01 02 06 07 09 10 11 12 17 20 21 23 35 38 40 42 45 46 50 60 70 71 80](#)
- 26003. Tentyria sinaitica Peyerimhoff,1907** (Tenebrionidae) Synonym(s): sinaitica Peyerimhoff,1907 [Range \(in code\): EG Sn](#)
- 26004. Tentyria taurica Tauscher,1812** (Tenebrionidae) Synonym(s): taurica Tauscher,1812; fischeri Solier,1835 [Range \(in code\): UA Cm TR RU](#)
- 26005. Tentyria tessulata Tauscher,1812** (Tenebrionidae) Synonym(s): tessulata Tauscher,1812 [Range \(in code\): TR Cc IR 02 65](#)
- 26006. Tentyria wiedemanni Ménétériés,1838** (Tenebrionidae) Synonym(s): wiedemanni Ménétériés,1838; #wiedemanni Ferrer & Soldati,1999 [Range \(in code\): TR 11 38 46 50 70](#)
- 26007. Thraustocolus afghanicus Kaszab,1979** (Tenebrionidae) Synonym(s): afghanicus Kaszab,1979 [AF](#)
- 26008. Thraustocolus arabicus Kaszab,1979** (Tenebrionidae) Synonym(s): arabicus Kaszab,1979 [\\_SA](#)

- 26009. Thraustocolus belutschistanicus (Kaszab,1957)** (Tenebrionidae) Synonym(s): belutschistanicus Kaszab,1957 [IR Ss](#)
- 26010. Thraustocolus catomoides Kaszab,1981** (Tenebrionidae) Synonym(s): catomoides Kaszab,1981 [SA](#)
- 26011. Thraustocolus klapperichi Kaszab,1959** (Tenebrionidae) Synonym(s): klapperichi Kaszab,1959 [AF](#)
- 26012. Thraustocolus leptoderus (Kraatz,1865)** (Tenebrionidae) Synonym(s): leptoderus Kraatz,1865 [EG IL Pa Sn](#)
- 26013. Thraustocolus pitcheri Johnson,1989** (Tenebrionidae) Synonym(s): pitcheri Johnson,1989 [Range \(in code\): SA](#)
- 26014. Thraustocolus propheta Koch,1941** (Tenebrionidae) Synonym(s): propheta Koch,1941 [Range \(in code\): SA](#)
- 26015. Thraustocolus rugosus Kaszab,1979** (Tenebrionidae) Synonym(s): rugosus Kaszab,1979 [Range \(in code\): AE OM SA](#)
- 26016. Thriptera afghanica Kaszab,1970** (Tenebrionidae) Synonym(s): afghanica Kaszab,1970 [Range \(in code\): AF](#)
- 26017. Thriptera ballionis Kraatz,1882** (Tenebrionidae) Synonym(s): ballionis Kraatz,1882 [Range \(in code\): TM UZ](#)
- 26018. Thriptera crinita (Klug,1830)** (Tenebrionidae) Synonym(s): crinita Klug,1830; maillei Solier,1836; pygmaea Miller,1861 [Range \(in code\): EG IR JO SA Sn YE](#)
- 26019. Thriptera dubia Kaszab,1973** (Tenebrionidae) Synonym(s): dubia Kaszab,1973 [Range \(in code\): AF](#)
- 26020. Thriptera freyi Grideli,1954** (Tenebrionidae) Synonym(s): freyi Grideli,1954 [Range \(in code\): AF](#)
- 26021. Thriptera jaffana (Miller,1861)** (Tenebrionidae) Synonym(s): jaffana Miller,1861; asphaltidis Reiche & Saulcy,1875 [Range \(in code\): IL Pa SY](#)
- 26022. Thriptera klapperichi (Kaszab,1960)** (Tenebrionidae) Synonym(s): klapperichi Kaszab,1960 [Range \(in code\): AF](#)
- 26023. Thriptera kraatzi Haag-Rutenberg,1876** (Tenebrionidae) Synonym(s): kraatzi Haag-Rutenberg,1876; sorocula Reitter,1894; yemenensis Gridelli,1940; groschkei Kaszab,1957 [Range \(in code\): IR JO OM PK SA Sn YE](#)
- 26024. Thriptera longipilis Reitter,1895** (Tenebrionidae) Synonym(s): longipilis Reitter,1895; sparsicollis Reitter,1909 [Range \(in code\): AF TJ TM](#)
- 26025. Thriptera murina Baudi di Selve,1881** (Tenebrionidae) Synonym(s): murina Baudi di Selve,1881 [Range \(in code\): IR SA YE](#)
- 26026. Thriptera olegi G.S.Medvedev,2004** (Tenebrionidae) Synonym(s): olegi G.S.Medvedev,2004 [Range \(in code\): AF](#)
- 26027. Thriptera varvasipilipes Kraatz,1865** (Tenebrionidae) Synonym(s): varvasipilipes Kraatz,1865 [Range \(in code\): EG Sn](#)
- 26028. Thriptera zarudnyi G.S.Medvedev,2004** (Tenebrionidae) Synonym(s): zarudnyi G.S.Medvedev,2004 [Range \(in code\): IR](#)
- 26029. Trachyderma (Atrachyderma) afghanica Kaszab,1960** (Tenebrionidae) Synonym(s): afghanica Kaszab,1960 [Range \(in code\): AF Ca](#)
- 26030. Trachyderma (Atrachyderma) grandis (Schuster,1930)** (Tenebrionidae) Synonym(s): grandis Schuster,1930 [Range \(in code\): IR PK BI AF](#)
- 26031. Trachyderma (Atrachyderma) hispida (Forskal,1775)** (Tenebrionidae) Synonym(s): hispida Forskal,1775; latreillei Solier,1836; major Baudi di Selve,1875; leprieuri Allard,1886 [Range \(in code\): IT Si SY SA IR SN EG LY MA TN IL Pa Sn YE](#)
- 26032. Trachyderma (Atrachyderma) menetriesi Kraatz,1865** (Tenebrionidae) Synonym(s): muricata Fischer von Waldheim,1837; asperula Ménétériés,1849; menetriesi Kraatz,1865 [Range \(in code\): TM PK BI TJ AF KZ IR](#)
- 26033. Trachyderma (Atrachyderma) setosa (Fischer von Waldheim,1832)** (Tenebrionidae) Synonym(s): setosa Fischer von Waldheim,1832; granulata Fischer von Waldheim,1844; beckeri Desbrochers,1881 [Range \(in code\): TR Cc AZ AM AF IR TM](#)
- 26034. Trachyderma (Atrachyderma) triangularis (Faust,1875)** (Tenebrionidae) Synonym(s): triangularis Faust,1875 [Range \(in code\): AF KG TM UZ](#)
- 26035. Trachyderma (s.str.) christophi (Faust,1875)** (Tenebrionidae) Synonym(s): christophi Faust,1875; longicollis Baudi di Selve,1875 [Range \(in code\): AM Cc AF IR TM](#)
- 26036. Trachyderma (s.str.) genei Solier,1836** (Tenebrionidae) Synonym(s): genei Solier,1836; habelmanni Kraatz,1865 [Range \(in code\): EG Sn](#)
- 26037. Trachyderma (s.str.) lima (Petagna,1819)** (Tenebrionidae) Synonym(s): lima Petagna,1819; angustata Solier,1836 [Range \(in code\): TR EG GR IT Si MT DZ LY TN CY IL Pa LB SY 35](#)
- 26038. Trachyderma (s.str.) persea (Baudi di Selve,1875)** (Tenebrionidae) Synonym(s): persea Baudi di Selve,1875 [Range \(in code\): IR PK AF](#)

- 26039. Trachyderma (s.str.) philistina Reich & Saulcy,1857** (Tenebrionidae) Synonym(s): philistina Reich & Saulcy,1857; gomorrhana Reiche & Saulcy,1857; ovalipennis Baudi di Selve,1875 Range (in code): **EG TR GR IL Pa IR BH CY IQ JO OM SA Sn SY YE**
- 26040. Trachyderma (s.str.) striatogranosa (Fairmaire,1882)** (Tenebrionidae) Synonym(s): striatogranosa Fairmaire,1882 Range (in code): **PK SA YE**
- 26041. Trachyderma darwini Faust,1875** (Tenebrionidae) Synonym(s): darwini Faust,1875 Range (in code): **IR**
- 26042. Trachyderma gracilis Waterhouse,1889** (Tenebrionidae) Synonym(s): gracilis Waterhouse,1889 Range (in code): **AF**
- 26043. Trachyderma parvicollis Baudi,1875** (Tenebrionidae) Synonym(s): parvicollis Baudi,1875 Range (in code): **IR Fa**
- 26044. Trachyscelis aphodioides Latreille,1809** (Tenebrionidae) Synonym(s): aphodioides Latreille,1809 Range (in code): **TR 07**
- 26045. Tribolium castaneum (Herbst,1797)** (Tenebrionidae) Synonym(s): castaneum Herbst,1797 Range (in code): **TR 31 35**
- 26046. Tribolium confusum Jacquelin du Val,1868** (Tenebrionidae) Synonym(s): confusum Jacquelin du Val,1868 Range (in code): **TR 35 80**
- 26047. Tribolium destructor Uyttenboogaart,1933** (Tenebrionidae) Synonym(s): destructor Uyttenboogaart,1933 Range (in code): **TR**
- 26048. Tribolium madens Charpentier,1825** (Tenebrionidae) Synonym(s): madens Charpentier,1825 Range (in code): **TR**
- 26049. Trichosphaena compactilis Merkl,1991** (Tenebrionidae) Synonym(s): compactilis Merkl,1991 Range (in code): **IR**
- 26050. Trichosphaena iranica (Bogatchev,1967)** (Tenebrionidae) Synonym(s): iranica Bogatchev,1967 Range (in code): **IR SA**
- 26051. Trichosphaena olgae (Semenov,1889)** (Tenebrionidae) Synonym(s): olgae Semenov,1889 Range (in code): **AF TM UZ**
- 26052. Trichosphaena perraudieri (Marseul,1867)** (Tenebrionidae) Synonym(s): perraudieri Marseul,1867 Range (in code): **DZ EG MA TN IL Pa OM SA Sn YE**
- 26053. Trichosphaena persica Schuster,1935** (Tenebrionidae) Synonym(s): persica Schuster,1935 Range (in code): **IR**
- 26054. Trichosphaena sahlbergi Reitter,1916** (Tenebrionidae) Synonym(s): sahlbergi Reitter,1916 Range (in code): **TM**
- 26055. Trichosphaena suturalis (Semenov,1889)** (Tenebrionidae) Synonym(s): suturalis Semenov,1889 Range (in code): **TM UZ**
- 26056. Trichosphaena zarudnyana Schuster,1938** (Tenebrionidae) Synonym(s): zarudnyana Schuster,1938; zarudnyi Bogatshev,1949 IR
- 26057. Trigonoscelis (s.str.) apicalis Reitter,1907** (Tenebrionidae) Synonym(s): apicalis Reitter,1907 **TM**
- 26058. Trigonoscelis (s.str.) borosi Kaszab,1957** (Tenebrionidae) Synonym(s): borosi Kaszab,1957 Range (in code): **TM**
- 26059. Trigonoscelis (s.str.) gemmulata Ménéttriés,1849** (Tenebrionidae) Synonym(s): gemmulata Ménéttriés,1849 Range (in code): **KG UZ AF Kab TM**
- 26060. Trigonoscelis (s.str.) hayekae Skopin,1973** (Tenebrionidae) Synonym(s): hayekae Skopin,1973 Range (in code): **PK**
- 26061. Trigonoscelis (s.str.) nodosa (Fischer von Waldheim,1820)** (Tenebrionidae) Synonym(s): nodosa Fischer von Waldheim,1820 Range (in code): **TM AF KG**
- 26062. Trigonoscelis (s.str.) zoufali Reitter,1893** (Tenebrionidae) Synonym(s): zoufali Reitter,1893 Range (in code): **TM CN Ui UZ Smk**
- 26063. Trigonoscelis armeniaca Faldermann,1837** (Tenebrionidae) Synonym(s): armeniaca Faldermann,1837 Range (in code): **Cc AZ Nv Ord**
- 26064. Trigonoscelis cordata Allard,1886** (Tenebrionidae) Synonym(s): cordata Allard,1886 Range (in code): **Cc AZ Len**
- 26065. Trigonoscelis grandis Geblen,1859** (Tenebrionidae) Synonym(s): grandis Geblen,1859 Range (in code): **TM**
- 26066. Trigonoscelis hauseri Semenov,1903** (Tenebrionidae) Synonym(s): hauseri Semenov,1903 Range (in code): **TM**
- 26067. Trigonoscelis longipes Waterhouse,1889** (Tenebrionidae) Synonym(s): longipes Waterhouse,1889 Range (in code): **PK BI**
- 26068. Trigonoscelis occidentalis Motschoulsky,1860** (Tenebrionidae) Synonym(s): occidentalis Motschoulsky,1860 LB Bei
- 26069. Uloma cypreaea Kraatz,1873** (Tenebrionidae) Synonym(s): cypreaea Kraatz,1873 Range (in code): **TR 01 07 35**



- 26070. Urielina nitida (Baudi di Selve,1876)** (Tenebrionidae) Synonym(s): nitida Baudi di Selve,1876  
**AF IR TM UZ**
- 26071. Waterhousia longipes (Waterhouse,1889)** (Tenebrionidae) Synonym(s): longipes Waterhouse,1889 **AF PK BI**
- 26072. Waterhousia lopatini G.S.Medvedev,2005** (Tenebrionidae) Synonym(s): lopatini G.S.Medvedev,2005 Range (in code): AF
- 26073. Waterhousia schaeferi (Carl,2000)** (Tenebrionidae) Synonym(s): schaeferi Carl,2000 Range (in code): IR Ss
- 26074. Waterhousia warei Skopin,1973** (Tenebrionidae) Synonym(s): warei Skopin,1973 Range (in code): PK
- 26075. Zophohelops montanatolicus Nabozhenko & Keskin,2014** (Tenebrionidae) Synonym(s): montanatolicus Nabozhenko & Keskin,2014 Range (in code): TR 30
- 26076. Zophosis (Oculosis) dilatata Deyrolle,1867** (Tenebrionidae) Synonym(s): dilatata Deyrolle,1867 Range (in code): TR SY EG GR Rd 07 42 51 60
- 26077. Zophosis (Oculosis) punctata Brullé,1832** (Tenebrionidae) Synonym(s): punctata Brullé,1832; ovata Brullé,1832; algeriana Solier,1834; barbara Solier,1834; curta Solier,1834; gibbicollis Solier,1834; maillei Solier,1834; osmanlis Deyrolle,1867; faldermanni Deyrolle,1867; kollari Deyrolle,1867; mediocris Deyrolle,1867; orientalis Deyrolle,1867; truquii Deyrolle,1867; variepunctata Deyrolle,1867; vescoi Deyrolle,1867 Range (in code): AL IT GR DZ LY MA TN AF TR IL Pa SY Cc CY IQ JO LB PK SA Sn TJ AM EG IR TM CN Ui 05 06 07 13 20 35 38 42 51 65
- 26078. Zophosis (Septentriophosis) aegresinuata Penrith,1986** (Tenebrionidae) Synonym(s): aegresinuata Penrith,1986 Range (in code): IR
- 26079. Zophosis (Septentriophosis) afghanica Kaszab,1959** (Tenebrionidae) Synonym(s): afghanica Kaszab,1959 Range (in code): AF
- 26080. Zophosis (Septentriophosis) asiatica Miller,1861** (Tenebrionidae) Synonym(s): asiatica Miller,1861 Range (in code): TR SY IL Pa IR
- 26081. Zophosis (Septentriophosis) bicarinata Solier,1834** (Tenebrionidae) Synonym(s): bicarinata Solier,1834; minuta Brullé,1838 Range (in code): Cn IL Pa
- 26082. Zophosis (Septentriophosis) clypeosuturata Carl,1990** (Tenebrionidae) Synonym(s): clypeosuturata Carl,1990 Range (in code): JO
- 26083. Zophosis (Septentriophosis) complanata Solier,1834** (Tenebrionidae) Synonym(s): complanata Solier,1834 Range (in code): EG Sn IR IQ IL Pa JO SA
- 26084. Zophosis (Septentriophosis) deserticola Kulzer,1956** (Tenebrionidae) Synonym(s): deserticola Kulzer,1956 Range (in code): AF PK
- 26085. Zophosis (Septentriophosis) dimorpha Carl,1990** (Tenebrionidae) Synonym(s): dimorpha Carl,1990 Range (in code): IQ
- 26086. Zophosis (Septentriophosis) farinosa Blair,1914** (Tenebrionidae) Synonym(s): testudinaria Solier,1834; farinosa Blair,1914; latissima Bogatchev,1957 Range (in code): Sn IL Pa IR IQ JO SA
- 26087. Zophosis (Septentriophosis) finzii Koch,1937** (Tenebrionidae) Synonym(s): finzii Koch,1937 Range (in code): LB
- 26088. Zophosis (Septentriophosis) hydrobiiformis Reitter,1916** (Tenebrionidae) Synonym(s): hydrobiiformis Reitter,1916 Range (in code): IR Kz SY
- 26089. Zophosis (Septentriophosis) inlustris Penrith,1984** (Tenebrionidae) Synonym(s): inlustris Penrith,1984 Range (in code): IR IQ
- 26090. Zophosis (Septentriophosis) kaszabi Vewrith,1984** (Tenebrionidae) Synonym(s): kaszabi Vewrith,1984 Range (in code): PK
- 26091. Zophosis (Septentriophosis) klapperichi Kaszab,1959** (Tenebrionidae) Synonym(s): klapperichi Kaszab,1959 Range (in code): AF PK
- 26092. Zophosis (Septentriophosis) leonardii Kaszab,1972** (Tenebrionidae) Synonym(s): leonardii Kaszab,1972 Range (in code): SA YE
- 26093. Zophosis (Septentriophosis) lethierryi Deyrolle,1867** (Tenebrionidae) Synonym(s): lethierryi Deyrolle,1867 Range (in code): DZ LY TN Sn
- 26094. Zophosis (Septentriophosis) oblonga Solier,1834** (Tenebrionidae) Synonym(s): oblonga Solier,1834; cursor Deyrolle,1867 Range (in code): TR LB IQ SA SY YE
- 26095. Zophosis (Septentriophosis) persica Kraatz,1882** (Tenebrionidae) Synonym(s): persica Kraatz,1882; ardistana Reitter,1916 Range (in code): AF TM IR Lo
- 26096. Zophosis (Septentriophosis) personata Erichson,1841** (Tenebrionidae) Synonym(s): personata Erichson,1841; depressipennis Lucas,1858; curta Deyrolle,1867; wollastoni Deyrolle,1867; zuberi Deyrolle,1867; tunisea Reitter,1916 Range (in code): DZ IL Pa EG TN Sn LY
- 26097. Zophosis (Septentriophosis) plana (Fabricius,1775)** (Tenebrionidae) Synonym(s): plana Fabricius,1775 Range (in code): DZ LY EG SA Sn
- 26098. Zophosis (Septentriophosis) rotundata Ménétériés,1849** (Tenebrionidae) Synonym(s): rotundata Ménétériés,1849 Range (in code): IR KG TM

- 26099. Zophosis (Septentriophosis) rugosa Faldermann, 1837** (Tenebrionidae) Synonym(s): rugosa Faldermann, 1837; armeniaca Deyrolle, 1867 Range (in code): TR Cc AM IR
- 26100. Zophosis (Septentriophosis) sabaea Baudi di Selve, 1881** (Tenebrionidae) Synonym(s): sabaea Baudi di Selve, 1881 Range (in code): YE
- 26101. Zophosis (Septentriophosis) scabriuscula Ménétériés, 1849** (Tenebrionidae) Synonym(s): scabriuscula Ménétériés, 1849; nivosa Dohrn, 1884; blattoides Reitter, 1916 Range (in code): AF KG UZ TM
- 26102. Zophosis (Septentriophosis) stilla Penrith, 1986** (Tenebrionidae) Synonym(s): stilla Penrith, 1986 Range (in code): IR
- 26103. Zophosis aelanitica Peyerimhoff, 1907** (Tenebrionidae) Synonym(s): aelanitica Peyerimhoff, 1907 Range (in code): EG Sn IL Pa
- 26104. Zophosis carinata Solier, 1834** (Tenebrionidae) Synonym(s): carinata Solier, 1834 Range (in code): EG IL Pa
- 26105. Zophosis cognata Miller, 1861** (Tenebrionidae) Synonym(s): cognata Miller, 1861 Range (in code): LB Bei IL Pa SY
- 26106. Zophosis hydrobiiformis Reitter, 1916** (Tenebrionidae) Synonym(s): hydrobiiformis Reitter, 1916 Range (in code): TR 31
- 26107. Zophosis punctulata Olivier, 1795** (Tenebrionidae) Synonym(s): punctulata Olivier, 1795; angusta Wiedemann, 1823 Range (in code): ZA IL Pa
- 26108. Zophosis pygmaea Solier, 1834** (Tenebrionidae) Synonym(s): pygmaea Solier, 1834 Range (in code): LY TN EG SY Dms
- 26109. Thaneroclerus buqueti Lefebvre, 1835** (Thanerocleridae) Synonym(s): buqueti Lefebvre, 1835; sanguinolentus Spinola, 1844; girodi Chevrolat, 1880; tabacci Matsumura, 1935 Range (in code): DE PL IL Pa Hf IN ID Sum Ja Clb PH Hw AU QAU Syd
- 26110. Trox hispidus (Pontopoddian, 1763)** (Trogidae) Synonym(s): hispidus Pontopoddian, 1763; luridus Rossi, 1790 Range (in code): PT ES FR GB IE NO SE FI DK BE NL EE LT LV BY RU UA MD RO CZ SK HU CH AT IT Co Si SS B-H YU HV AL MK GR BG TR 58
- 26111. Trox scaber (Linnaeus, 1767)** (Trogidae) Synonym(s): scaber Linnaeus, 1767; barbatus Laicharting, 1781; arenarius Fabricius, 1787; arenosus Gmelin, 1790; trisulcatus Curtis, 1845; niponensis Lewis, 1895 Range (in code): PT ES FR GB IE NO SE FI DK BE NL EE LT LV BY RU UA MD RO CZ SK HU CH AT IT Co SS B-H YU HV AL MK GR BG TR JP 25

## References

Selected 2641 publications are given below as author index. Most of them are still under evaluation in our database program.

- 1. Abbas, H.,** 1990, Türkiye'deki Eurygaster Lap. (Heteroptera, Scutelleridae) türleri üzerinde sistematik araştırmalar. 100s. İzmir [MSc thesis, unpublished].
- 2. Abbasian-Lintzen, R.,** 1968, Bombyliidae (Diptera) of Iran IV. Species of the subfamily Cythereinae. J. nat. Hist. 2: 231-238.
- 3. Abe, M. & D.R. Smith,** 1991, The genus-group names of Symphyta (Hymenoptera) and their type-species. Esakia 31 (1): 1-115.
- 4. Abeille de Perrin, E.,** 1890, Malachides d'Europe et pays voisins. Annls Soc. ent. Fr. 59: 181-260, 311-420, 567-680, pl. 4.
- 5. Abeille de Perrin, E.,** 1891, Malachides d'Europe et pays voisins. Annls Soc. ent. Fr. 60: 115-230, 405-446, pls. 6 & 7.
- 6. Abeille de Perrin, E.,** 1892, Decrit deux nouvelles especes de Clerides méditerranéens. Bull. Soc. ent. Fr. 1892: ccxxxvi-ccxxxvii.
- 7. Abraham, L.,** 2012, "On the other hand, what is this Eastern aeschnoides?" (Morton, 1926) - an undescribed Palpaes species from the Eastern Mediterranean (Neuroptera, Myrmeleontidae). Natura Somogyiensis 22: 65-102, figs.
- 8. Abu Dannoun, O. & A. Katbeh-Bader,** 2007, Mantodea of Jordan. Zootaxa 1617: 43-56.
- 9. Achterberg, C. van & B. v. Aartsen,** 1986, The European Pamphiliidae (Hymenoptera, Symphyta) with special reference to the Netherlands. Zool. Verh. 234: 1-98, 366 figs. 2 tab.
- 10. Achterberg, C. van,** 1976, A revision of the tribus Blacini (Hymenoptera, Braconidae, Helconinae). Tijdschr. Ent. 118 (7) (1975): 159-322, 476 figs.
- 11. Achterberg, C. van,** 1979, A revision of the subfamily Zelinae auct. (Hymenoptera, Braconidae). Tijdschr. Ent. 122: 241-479, 900 figs.
- 12. Achterberg, C. van,** 1988, Revision of the subfamily Blacinae Foerster (Hymenoptera, Braconidae). Zool. Verh. 249: 1-324, 1250 figs.

13. **Achterberg, C. van**, 1990, Revision of the western Palaearctic Phanerotomini (Hymenoptera, Braconidae). Zool. Verh. 255: 1-106, 360 figs.
14. **Achterberg, C. van**, 1990, Revision of the genera Foersteria Szepligeti and Polydegmon Foester (Hymenoptera, Braconidae). Zool. Verh. 257: 1-32, figs.
15. **Ackland, D. M.**, 1968, Notes on some Anthomyiidae (Diptera) from Israel, including the description of a new species of Leucophora Robineau-Desvoidy. Israel J. Ent. 3: 69-73.
16. **Ackland, D. M.**, 1993, Revisionary notes on the genus Phorbia (Diptera, Anthomyiidae) with descriptions of three new species from the Czech Republic and Georgia (Palaearctic Region). Eur. J. Ent. 90: 209-226, figs.
17. **Adlbauer, K.**, 1982, Eine neue Dorcadion-Art aus Kleinasien (Coleoptera, Cerambycidae). NachrBl. Bayer. Ent. 31 (6): 104-107, 2 Abb.
18. **Adler, P. H. & R. W. Crosskey**, 2012, World Blackflies (Diptera, Simuliidae): A comprehensive revision of the taxonomic and geographical inventory [2012], 119 pp. <http://www.clemson.edu/cafls/departments/esps/biomia/pdfs/blackflyinventory.pdf> [accessed on 11 June, 2012].
19. **Agnoli, G. L.**, 2005, The genus Methocha in Europe: a discussion on taxonomy, distribution and likely origin of its known species and subspecies (Hymenoptera, Tiphidae Methochinae). Bull. Insectology 58 (1): 35-47, figs.
20. **Ahmad, I. & F. Önder**, 1990, Revision of the genus Arma Hahn (Hemiptera, Pentatomidae, Pentatominae, Asopini) with description of two new species from Turkey. Türk. ent. derg. 14 (1): 3-12, figs.
21. **Ahmad, I. & F. Önder**, 1990, A revision of the genus Picromerus Amyot and Serville (Hemiptera, Pentatomidae, Pentatominae, Asopini) from the western palaearctic with description of two new species from Turkey. Türk. ent. derg. 14 (2): 75-84, figs.
22. **Ahmad, I., Zaidi, R. H. & S. Kamaluddin**, 1988, A revision of the genus Mormidella Horvath (Hemiptera, Pentatomidae, Pentatominae, Carpocorini) with description of two new species from Indo-Pakistan subcontinent. Türk. ent. derg. 12 (3): 131-140, figs.
23. **Ahmed, M., Qadeer, A. & K. F. Malik**, 1991, Some new cicadellids from grasslands of Karachi Pakistan (Homoptera, Cicadellidae). Great Basin nat. Mem. 12: 10-17, figs.
24. **Ahmed, Z. & A. F. Sanborn**, 2010, The cicada fauna of Pakistan including the description of four new species. Zootaxa 2516: 27-48, figs.
25. **Ahrens, D.**, 2008, Catalogue Palaearctic Sericini (updated March 2008). <http://www.serica.gmxhome.de/layout05/thema1b.htm>
26. **Aktaş, N. & A. Radchenko**, 2002, Türkiye karıncalarının (Hymenoptera, Formicidae) altfamilya ve cins tanı anahtarları. Türk. ent. derg. 26: 51-61, şekil.
27. **Aktaş, N.**, 1976, Studies on the myrmecofauna of Turkey I. Ants of Siirt, Bodrum and Trabzon. Ist. Univ. Fen Fak. Mec. (B): 41: 115-135.
28. **Aktaş, N., Radchenko, A. G. & K. Kıran**, 2004, On the taxonomy of the west palaearctic Aenictinae ants (Hymenoptera, Formicidae). Ann. zool. 54 (2): 361-364, figs.
29. **Aktaş, M. & A. Hasbenli**, 1994, Bat Flies of Eastern Turkey (Diptera, Nycteribiidae). J. Inst. Sci. Techn. Gazi Univ. 7: 48-51.
30. **Aktaş, M. & S. Kıyak**, 1990, A new record of Cacodmus vicinus Horvath to the fauna of Turkey (Hemiptera, Cimicidae). Cent. ent. Stud., Misc. Pap. 7: 1-2.
31. **Aktaş, M. & S. Sarıbiyık**, 1996, Türkiye Syrphidae faunasına katkılar (Diptera, Syrphidae) 2. Milesiinae. Gazi Univ. Fen Bil. Derg. 9 (1): 15-27, figs.
32. **Akyürek, B., Zeybekoğlu, Ü. & G. Görür**, 2011, Further contributions to the Turkey Aphid (Hemiptera, Aphidoidea) fauna. J. ent. Res. Soc. 13 (3): 101-106.
33. **Albarda, H.**, 1891, Révision des Raphidides. Tijdschr. Ent. 34: 65-184, 11 pls.
34. **Alexandrov-Martynova, M.**, 1926, Die Ascalaphiden von Turkestan, Persien und West-Himalaya. Ent. Obozr. 20: 197-203, fig.
35. **Alexandrov-Martynova, M.**, 1930, Zur Kenntnis der Nemopteren Persiens und einiger Mittelmeerländer. Zool. Anz. 90: 235-250.
36. **Alfken, J. D.**, 1923, Eine neue Prosopis-Art aus Palaestina. Konowia 2: 247-248.
37. **Alfken, J. D.**, 1930, Apidae [in] Ebner, R., Hymenopteren aus Palaestina und Syrien (Zoologische Studienreise von R. Ebner 1928 mit Unterstützung der Akademie der Wissenschaften in Wien). Sitz. Akad. Wiss. Wien 139: 25-26.
38. **Alfken, J. D.**, 1935, Beitrag zur Kenntnis der Bienenfauna von Kleinasien. Ent. Rdsch. 52: 110-111, 129-132, 148-152, 153-162
39. **Alfken, J. D.**, 1936, Neue Prosopis-Arten vom Libanon. Konowia 15: 51-53.
40. **Ali, W. K.**, 2010, Contribution to the knowledge of the genus Chalcophorella Kerr. 1903 (Coleoptera, Buprestidae) in the North of Iraq (Kurdistan Region). Bull. Iraq nat. Hist. Mus. 11 (2): 17-26, figs.
41. **Aliev, H. A.**, 1985, A brief note on the capture of Anthidium superbum in the Khosrov Reserve (Armenia). Vestn. zool. (Kiev) 1985 (3): 88.



42. **Aliev, H.A.**, 1986, On the fauna of the bee genus *Anthidium* Fabr. of Azerbaidjan SSR, Caucasus (Hymenoptera, Apoidea, Megachilidae). *Spixiana* 9 (3): 271-274.
43. **Aliyev, A.A.**, 1999, Fauna of the subfamily Ichneumoninae (Hymenoptera, Ichneumonidae) of Azerbaijan with new records. *Turk. J. Zool.* 23: 1-12 [most of the pages stained unprincipledly on purpose, in order to prevent reading. The same case is also recorded on pages of several articles of Tubitak - a so-called most prominent scientific foundation of Turkey].
44. **Allegrucci, G., Massa, B., Trasatti, A. & V.Sbordoni**, 2013, A taxonomic revision of western Eupholidoptera bush crickets (Orthoptera, Tettigoniidae): testing the discrimination power of DNA barcode. *Syst. Ent.* 39: 7-23, figs. [omitted Koçak's paper on generic nomenclature: 1981, *Priamus* 1 (3): 124-128].
45. **Alpay, N., Aktaş, M. & A.Hasbenli**, 2007, Contributions to the Leptogastrinae fauna of Turkey (Diptera, Asilidae). *Int. J. Dipt. Res.* 18 (1): 7-13.
46. **Alqarni, A.S., Hannan, M.A., Gonzalez, V.H. & M.S.Engel**, 2012, A new species of *Chalicodoma* from Saudi Arabia with modified facial setae (Hymenoptera, Megachilidae). *ZooKeys* 204: 71-83, figs.
47. **Alqarni, A.S. & Hannan, M.A., Gonzalez, V.H. & M.S.Engel**, 2012, A new species of *Chalicodoma* from Saudi Arabia with modified facial setae (Hymenoptera, Megachilidae). *Zookeys* 204: 71-83, figs.
48. **Al-Talafha, H., Amr, Z.S., Abu Baker, M. & A.Katbeh Bader**, 2004, Horseflies of Jordan. *Med. Vet. Ent.* 18 (2): 208-211.
49. **Al-Talafha, H., Amr, Z.S., Abu Baker, M. & A.Katbeh Bader**, 2005, Systematic and distribution of horse flies (Diptera, Tabanidae) of Jordan. *J. Vect. Ecol.* 30 (1): 49-61, 4 Pls.
50. **Altınayar, G.**, 1981, Orta Anadolu Bölgesi tahıl tarlalarındaki böcek faunasının saptanması üzerine çalışmalar. *Bitki kor. bült.* 21 (2): 53-88.
51. **Altunsoy, F. & A.Y.Kılıç**, 2010, New faunistic record of Horse Flies (Diptera, Tabanidae) in Turkey. *J. Ent. Res. Soc.* 12 (2): 109-112.
52. **Altunsoy, F. & A.Y.Kılıç**, 2011, Orta Karadeniz Bölgesi Tabanidae (Diptera, Insecta) faunasına katkılar. *Gümüşhane Üniv. Fen Bil. Enst. Derg.* 1 (1): 15-23 [serious copy/paste errors exist; see also other continuing publication of the same authors].
53. **Altunsoy, F. & A.Y.Kılıç**, 2011, Doğu Karadeniz Bölgesi Tabanidae (Diptera, Insecta) faunası. *Gümüşhane Üniv. Fen Bil. Enst. Derg.* 1 (1): 24-36 [serious copy/paste errors exist; see also previous publication of the same authors].
54. **Aminfarzaneh, H.**, 2006, Urumiye gölü (İran) civarının asilidleri (Diptera, Asilidae). *Gazi Üniv., Fen Bilimleri Enst., Yüksek lisans tezi* 136s. Ankara.
55. **Amini, A., Lelej, A.S., Sadeghi, H. & J.Karimi**, 2014, First record of the velvet ants (Hymenoptera, Mutillidae) reared from puparia of the ber fruit fly *Carpomya vesuviana* (Diptera, Tephritidae) in Iran. *Zootaxa* 3861 (6): 585-590, figs.
56. **Andersson, H.**, 1984, Anthomyzidae [in] Soos, A. & L.Papp (eds.), *Catalogue of Palaearctic Diptera* 10: 50-53, Akademiai Kiado, Budapest.
57. **Andrade, G.S.**, 1997, *Stictocephala alta* (Walker, 1851) sp. rev., comb. nov., the correct name for the "buffalo treehopper", with *S. bisonia* Kopp & Yonke, 1977 as a new synonym, and notes on *Hadrophallus bubalus* (Fabricius, 1794) comb. nov. (Homoptera, Membracidae). *Trans. am. ent. Soc.* 123 (4): 289-295.
58. **Andreeva, V.R., Kılıç, A.Y. & F.Altunsoy**, 2009, New contribution to information about Tabanidae (Diptera) adult and larvae from West Anatolia. *J. Ent. Res. Soc.* 11 (3): 19-30, figs.
59. **Andrews, H.W.**, 1917, Some entomological notes from Egypt and Palestine. *Entomologist's Rec. J. Var.* 29: 221-226.
60. **Anlaş, S. & P.Kocarek**, 2012, Current status of Dermaptera (Insecta) fauna of Turkey and Cyprus. *Türk. ent. Derg.* 36 (1): 43-58.
61. **Anlaş, S.**, 2009, Distributional checklist of the Staphylinidae (Coleoptera) of Turkey with new and additional records. *Linzer biol. Beitr.* 41 (1): 215-342.
62. **Anlaş, S., Tezcan, S. & E.Yıldırım**, 2009, Bozdağlarda (Batı Anadolu) çukur tuzaklarda yakalanan Hymenoptera (Insecta) türleri üzerinde bir değerlendirme. *YYÜ Tarım Bil. Derg.* 19 (1): 23-32.
63. **Anlaş, S., Wahis, R. & S.Tezcan**, 2005, Some additional notes on Pompilidae (Hymenoptera) fauna of Turkey. *Turk. ent. derg.* 29 (4): 255-258.
64. **Anonymous**, 2006-2008, HymIS Hymenoptera Information System. <http://www.hymis.info/topical/topical.php?nav1=topical>
65. **Anonymous**, 2007-2009, Universal Chalcidoidea Database. Natural History Museum. <http://www.nhm.ac.uk/jdsml/research-curation/research/projects/chalcidoids/>
66. **Anonymous**, 2009, Family Glaphyridae, [in] Synopsis of the described Coleoptera of the World. <http://insects.tamu.edu/research/collection/hallan/test/> ...
67. **Anonymous**, 2012, The Linnean Collections. The Linnean Society of London. <http://www.linnean-online.org/view/insects/insects.html> [access: 26 12 2012].

68. **Anton, K.-W. & A. Delobel**, 2004, Description of five new species in the genus *Caryedon* Schoenherr with a taxonomical note on *C. angeri* (Semenov) (Coleoptera, Bruchidae, Pachymerinae). Genus 15 (1): 65-90, figs.
69. **Anton, K.-W.**, 1999, Two new species of the *Bruchus brachialis* group from the Mediterranean region (Coleoptera, Bruchidae, Bruchinae). Linzer biol. Beitr. 31 (2): 655-660, figs.
70. **Anton, K.-W., Halperin, J. & M. Calderon**, 1997, An annotated list of the Bruchidae (Coleoptera) of Israel and adjacent areas. Israel J. Ent. 31: 59-96.
71. **Antropov, A. V.**, 2007, Guichardus, a new Palearctic genus of digger wasps of the tribe Oxybelini (Hymenoptera, Crabronidae). Ent. rev. 87 (1): 106-115, 5 figs. [Zool. Zh. 86 (2): 211-220]
72. **Arabyat, S., Katbeh-Bader, A. & D. Greathead**, 2004, The bee flies (Diptera, Bombyliidae) of Jordan. Zootaxa 654: 1-48 [This paper was also published in 2004 with illustrations (Denisia 14 (n.s.2): 353-384)].
73. **Ari, İ. & S. Kiyak**, 2000, New and additional distributional and faunistic data of Turkish Planipennia. J. ent. Res. Soc. 2 (1): 9-15 [with serious editorial errors]
74. **Ariana, A., Scheuchl, E., Tadauchi, O. & F. Gusenleitner**, 2009, A taxonomic revision of the subgenus *Andrena* (*Brachyandrena*) (Hymenoptera, Andrenidae). Zootaxa 2281: 21-39, figs.
75. **Ariana, A., Tadauchi, O. & Shebl, M. A.**, 2009, A revision of the subgenus *Osychnyukandrena* of the genus *Andrena* (Hymenoptera, Andrenidae). Esakia 49: 63-70, figs.
76. **Asahina, S.**, 1973, The Odonata of Iraq. Jap. J. Zool. 17: 17-36, figs.
77. **Asahina, S.**, 1974, An additional note to the Odonata of Iraq. Kontyu Tokyo 42 (2). 107-109.
78. **Asanova, R. B.**, 1964, Genus *Canthophorus* Mus. & Rey (Heteroptera, Cydnidae) in the fauna of the USSR. Ent. Obozr. 43: 138-144, figs.
79. **Ascher, J. S. & J. Pickering**, 2010, Discover Life bee species guide and world checklist (Hymenoptera, Apoidea). [http://www.discoverlife.org/mp/20q?guide=Apoidea\\_species](http://www.discoverlife.org/mp/20q?guide=Apoidea_species) (draft 23 Dec., 2010) [access 19 1 2011].
80. **Ashfaq, M., Ullah, F. & M. A. Rafi**, 2013, Genus *Coccinella* (Coccinellidae, Coleoptera) from Gilgit-Baltistan with two new records from Pakistan. Sarhad J. Agric. 29 (2): 239-247, figs.
81. **Askew, R. R., Gomez, J. F. & J. L. Nieves-Aldrey**, 2004, Species of Microdontomerini (Hymenoptera, Chalcidoidea, Torymidae) associated with galls of Cynipidae (Hymenoptera) in Europe. J. Hym. Res. 13 (2): 214-222.
82. **Aslan, E. G. & A. Gök**, 2006, Host-plant relationships of 65 Flea Beetles species from Turkey with new associations (Coleoptera, Chrysomelidae, Alticinae). Ent. News 117 (3): 297-308.
83. **Aslan, I. & A. Warchalowski**, 2005, *Longitarsus ozbeki* sp.n., a new species from Asia Minor (Coleoptera, Chrysomelidae, Alticinae). Ent. fenn. 16: 221-224.
84. **Aslan, I. & A. Warchalowski**, 2005, New records of leaf beetles from Turkey (Coleoptera, Chrysomelidae). Ent. Z., Stuttg. 115 (5): 217-218.
85. **Aslan, I. & H. Özbek**, 1997, The checklist of the subfamily Cryptocephalinae (Coleoptera, Chrysomelidae) in Turkey. Atatürk Univ. Zir. Fak. Der. 28 (2): 235-255.
86. **Aslan, I. & H. Özbek**, 1999, Erzurum Erzincan ve Artvin illeri Chrysomelinae (Coleoptera, Chrysomelidae) altfamilyası üzerinde faunistik ve sistematik bir araştırma. Tr. J. Zool. 23 (3): 751-767, 33 şekil.
87. **Aslan, I., Gruev, B. & H. Özbek**, 1996, Eumolpinae (Coleoptera, Chrysomelidae) of Turkey along with two new records. Turk. ent. Derg. 20 (1): 19-26.
88. **Aslan, I., Gruev, B. & H. Özbek**, 1999, A preliminary review of the subfamily Alticinae (Coleoptera, Chrysomelidae) in Turkey. Turk. J. Zool. 23: 373-414.
89. **Aslan, I., Gruev, B. & H. Özbek**, 2003, A preliminary review of the subfamily [sic!] Chrysomelinae (Coleoptera, Chrysomelidae) of Turkey. Linzer biol. Beitr. 35 (1): 581-605 [publication on Chrysolina by Bienkowski (2001) was omitted!].
90. **Aslan, I., Özbek, H. & A. Warchalowski**, 2004, Five new records for the Turkish flea beetles fauna (Coleoptera, Chrysomelidae, Alticinae). Ent. fenn. 15: 138-141.
91. **Aslan, M. & N. Uygun**, 2005, Aphids (Homoptera, Aphididae) of Kahramanmaraş Province, Turkey. Turk. J. Zool. 29: 201-209.
92. **Aslan, M. & N. Uygun**, 2007, Kahramanmaraş ili afidophag syrphidleri (Diptera, Syrphidae). KSU J. Sci. Eng. 10 (2): 76-81.
93. **Aspöck, H. & U. Aspöck**, 1964, Neue Arten des Genus *Raphidia* L. aus Südosteuropa und Kleinasien (Vorläufigen Beschreibung). Ent. Nachrbl. 11: 37-40.
94. **Aspöck, H. & U. Aspöck**, 1966, Studien an europäischen und kleinasiatischen Arten des Genus *Raphidia* L. (Insecta, Raphidiodea). Mitt. schweiz. ent. Ges. 39: 33-48, figs.
95. **Aspöck, H. & U. Aspöck**, 1967, *Raphidia friederikae* nov. spec. und *Raphidia walteri* nov. spec. aus Anatolien (Ins., Neuropt., Raphid.). Ent. Nachrbl. 14: 87-94, figs.
96. **Aspöck, H.**, 1965, Zur Kenntnis der Raphidiiden von Südosteuropa und Kleinasien. Annln. naturh. Mus. Wien 68: 309-364, figs.

97. **Aspöck, H., Aspöck, U. & Ç.Şengonca**, 1976, *Raphidia* (*Phidiara*) *remane* n.sp. - eine neue Kamelhalsfliege aus Vorderasien (Neur., Raphidioptera, Raphidiidae). Z. ArbGem. Öst. Ent. 28 (1/3): 14-16, figs.
98. **Aspöck, H., Aspöck, U. & H.Rausch**, 1984, *Turcoraphidia hethitica* n.sp. - eine neue Raphidiiden-Spezies aus Anatolien. NachrBl. bayer. Ent. 33 (4): 97-106, figs.
99. **Aspöck, H., Aspöck, U. & O.M.Martynova**, 1969, Untersuchungen ueber die Raphidiiden-fauna der Sowjet-Union (Insecta, Raphidioptera). Tijdschr. Ent. 112: 123-164, 99 figs.
100. **Aspöck, U. & H.Aspöck**, 1969, Das Subgenus *Phidiara* Aspöck et Aspöck 1968 (Raphidioptera, Raphidiidae, *Raphidia*). Z. ArbGem. Öst. Ent. 21: 109-120, 6 Abb.
101. **Aspöck, U. & H.Aspöck**, 1979, *Nyrma kervillea* Navas - Wiederentdeckung einer systematisch isolierten Hemerobiiden-Soezies in Kleinasien (Neuropteroidea, Planipennia). Z. ArbGem. Öst. Ent. 31: 92-96, figs.
102. **Assing, V.**, 2000, A revision of the species of *Geostiba* Thomson, 1858 and *Paraleptusa* Peyerimhoff 1901 of Greece: Supplement I, including some species from Albania, Macedonia, Bulgaria and Turkey (Coleoptera, Staphylinidae, Aleocharinae). Linzer biol. Beitr. 32 (2): 1007-1031.
103. **Assing, V.**, 2000, The Turkish species of *Geostiba* s.str. Thomson 1858 (Coleoptera, Staphylinidae, Aleocharinae). Linzer biol. Beitr. 32 (2): 1033-1042.
104. **Assing, V.**, 2001, A new species of *Nazeris* Fauvel, 1873 from Turkey (Coleoptera, Staphylinidae, Paederinae). Reichenbachia 34: 123-126.
105. **Assing, V.**, 2001, Two new species and a new name of *Cordalia* Jacobs, 1925 from Turkey and China (Coleoptera, Staphylinidae, Aleocharinae). Reichenbachia 34: 113-118.
106. **Assing, V.**, 2001, A revision of *Pseudosemiris* Machulka, 1935 II: New species from Turkey (Coleoptera, Staphylinidae, Aleocharinae). Ent. Blaetter 97: 79-82.
107. **Assing, V.**, 2001, A revision of the Turkish species of *Geostiba* Thomson, 1858 and *Tropimenelytron* Pace, 1983 (Coleoptera, Staphylinidae, Aleocharinae). Linzer biol. Beitr. 33 (1): 137-185.
108. **Assing, V.**, 2001, The first record of *Dinusa* Saulcy, 1864 from Turkey (Coleoptera, Staphylinidae, Aleocharinae). Linzer biol. Beitr. 33 (1): 187-190.
109. **Assing, V.**, 2001, On the Turkish species of *Sunius* Curtis, 1829 (Coleoptera, Staphylinidae, Paederinae). Linzer biol. Beitr. 33 (1): 195-210.
110. **Assing, V.**, 2001, A revision of the species of *Geostiba* Thomson of the Balkans and Turkey V. New species, a new synonym, new combinations, and additional records (Coleoptera, Staphylinidae, Aleocharinae). Linzer biol. Beitr. 33 (2): 686-707.
111. **Assing, V.**, 2001, A revision of the microphthalmous *Lathrobium* Gravenhorst of Turkey, with descriptions of two new *Lathrobium* species from Italy and Albania (Insecta, Coleoptera, Staphylinidae, Paederinae). Annln naturh. Mus. Wien 103B: 375-389.
112. **Assing, V.**, 2001, A revision of the Palaearctic species of *Myrmecopora* Saulcy, 1864. IV. A new species from Turkey and additional records (Coleoptera, Staphylinidae, Falagriini). Beitr. Ent., Berlin 51: 335-340.
113. **Assing, V.**, 2002, A new species of *Euryusa* Erichson from Turkey, with notes on *Silusa areolata* Reitter (Coleoptera, Staphylinidae, Aleocharinae). Reichenbachia 34: 271-276.
114. **Assing, V.**, 2002, On the Turkish and Caucasian species of *Eurysunius*, subgenus of *Astenus* Dejean with an appendix on *A.breuili* Jarrige (Coleoptera, Staphylinidae, Paederinae). Linzer biol. Beitr. 34 (1): 265-274.
115. **Assing, V.**, 2003, New species and records of Staphylinidae from Turkey (Insecta, Coleoptera, Staphylinidae). Ent. Blaetter 98 (2002): 153-177.
116. **Assing, V.**, 2003, A revision of the species of *Geostiba* Thomson of the Eastern Mediterranean VI. (Coleoptera, Staphylinidae, Aleocharinae). Linzer biol. Beitr. 35 (1): 103-129.
117. **Assing, V.**, 2004, New species and records of Staphylinidae from Turkey II (Insecta, Coleoptera, Staphylinidae). Beitr. Ent., Keltern 54: 53-73.
118. **Assing, V.**, 2004, A revision of the Turkish species of *Geostiba* Thomson, V. New species and additional records (Coleoptera, Staphylinidae, Aleocharinae). Linzer biol. Beitr. 36 (2): 615-638.
119. **Assing, V.**, 2004, New species and records of Staphylinidae from Turkey III (Coleoptera, Staphylinidae). Linzer biol. Beitr. 36 (2): 669-733.
120. **Assing, V.**, 2004, A revision of the medon species of the Eastern Mediterranean and adjacent regions (Insecta, Coleoptera, Staphylinidae, Paederinae). Bonner zool. Beitr. 52 (1/2): 33-82, figs.
121. **Assing, V.**, 2005, A revision of the species of *Geostiba* Thomson and *Tropimenelytron* Pace of the Eastern Mediterranean, the Caucasus, and adjacent regions (Coleoptera, Staphylinidae, Aleocharinae). Linzer biol. Beitr. 37 (2): 903-1006.
122. **Assing, V.**, 2005, On the Turkish species of *Sunius*, VI. New micropterous species from central southern Anatolia and additional records (Coleoptera, Staphylinidae, Paederinae). Beitr. Ent., Keltern 55: 289-298.
123. **Assing, V.**, 2006, On some species of *Oxypoda* Mannerheim from Turkey and adjacent regions (Insecta, Coleoptera, Staphylinidae, Aleocharinae). Linzer biol. Beitr. 38 (1): 277-331.



- 124. Atlihan,R., Yardım,E.N., Özgökçe,M.S. & M.B.Kaydan,** 2003, Van ili ve çevresinde papates ekiliş alanlarındaki zararlı böcek türleri ve doğal düşmanları. Tarım bilimleri dergisi 9 (3): 291-295.
- 125. Audinet-Serville,J.G.,** 1839, Histoire naturelle des insectes. Orthopteres. 776pp. Paris.
- 126. Audioso,P.,** 1975, Note su alcune specie di Cleridae del Libano e della Turchia, comprendenti la descrizione di *Trichodes sbordonii* n.sp. (Coleoptera). *Fragm. Ent.* 11 (3): 235-240, figs.
- 127. Aukema,B. & C.Rieger (eds.),** 1995-2006, Catalogue of the Heteroptera of the Palaearctic Region 5 vols. The Netherlands Entomological Society, Wageningen, The Netherlands.
- 128. Austen,E.E.,** 1909, New genera and species of blood-sucking Muscidae from the Erhiopian and Oriental Regions in the British Museum (Natural History). *Ann. Mag. nat. Hist.* (8) 3: 285-299, figs.
- 129. Austen,E.E.,** 1921, A contribution to knowledge of the blood sucking Diptera of Palestine other than Tabanidae. *Bull. ent. Res.* 12: 107-124.
- 130. Austen,E.E.,** 1921, A contribution to knowledge of the blood-sucking Diptera of Palestine, other than Tabanidae. *Bull. ent. Res.* 12: 107-124, pl.4.
- 131. Austen,E.E.,** 1925, A contribution to knowledge of the blood-sucking Diptera of the Dardanelles. *Bull. ent. Res.* 16: 1-23.
- 132. Avcı,Ü. & H.Özbek,** 1989, Erzurum'da Lahana Sineği *Delia radicum* (L.) (Diptera, Anthomyiidae)'un morfolojisi ve biyolojisi üzerinde çalışmalar. *Türk. ent. derg.* 13 (3): 153-162, figs.
- 133. Avgın,S.S. & E.Colonnelli,** 2011, Curculionioidea (Coleoptera) from southern Turkey. *Afr. J. Biotech.* 10 (62): 13555-13597.
- 134. Avgın,S.S. & I.Emri,** 2009, Contribution to the taxonomy of the Harpalinae (Coleoptera, Carabidae) from Kahramanmaraş and the surrounding towns, in Turkey. *Trans. am. ent. Soc.* 133 (3/4): 413-432.
- 135. Avgın,S.S.,** 2006, General information and tiger beetles *Cicindela herbacea*, *Calomera fischeri* *fischeri* and *Homodonta ismenia kilikiensis* collected from Southeast of Turkey (Coleoptera, Cicindelidae). *BAÜ Fen Bil. Enst. Derg.* 8 (2): 23-28, figs.
- 136. Avgın,S.S., Magri,D., Antonini,G., Mancini,E.,Jansson,N., Lason,A., Cline,A.R. & P.Audisio,** 2012, Review of the cedar and oak forest-associated *Epuraea latipes* species group (Coleoptera, Nitidulidae, Epuraeinae), with description of a new species from southern Turkey. *Ent. fenn.* 23: 49-62, figs.
- 137. Awad,T.I. & E.Pehlivan,** 2001, Systematic and faunistic study of the species of the tribe Carpocorini (Heteroptera, Pentatomidae, Pentatominae) in Turkey Part 1. *Holcogaster* Fb., *Staria* D. & *Cnephosa* Jak. *Türk. ent. Derg.* 25 (3): 163-174, figs.
- 138. Awad,T.I. & F.Önder,** 1997, Contribution to the study of Turkish Pyrrhocoridae (Heteroptera). *Türk. ent. Derg.* 21 (3): 163-171.
- 139. Ayal,Y., Broza,M. & M.P.Pener,** 1974, A new species of the genus *Phaneroptera* Serville (Orthoptera, Tettigoniidae) from southern Israel and Sinai with some data on its biology. *Israel J. Zool.* 22: 83-96.
- 140. Aydın,E. & Ş.Kısmalı,** 1990, Ege Bölgesi Clytrinae (Coleoptera, Chrysomelidae) altfamilyası türleri üzerinde faunistik çalışmalar. *Türk. ent. Derg.* 14 (1): 23-35.
- 141. Aydoğdu,M. & A.Beyarslan,** 2002, *Chelonus* Jurine (Hymenoptera, Braconidae, Cheloninae) species of the Marmara Region. *Turk. J. Zool.* 26: 1-13.
- 142. Aydoğdu,M. & A.Beyarslan,** 2009, A review of the tribe Phanerotomini (Hymenoptera, Braconidae, Cheloninae) in Turkey, with a new host record of *Phanerotoma* (Bracotritoma) permixtella. *Biologia* 64 (4): 748-756, figs.
- 143. Aydoğdu,M.,** 2008, A new species of the genus *Chelonus* Panzer, 1806 (Hymenoptera, Braconidae, Cheloninae) from western Anatolia (Turkey). *Biologia* 63 (2): 245-248, figs.; *ibid.* 63 (3): 455.
- 144. Aytekin,A.M. & N.Çağatay,** 1999, Systematic studies on the family Apidae (Hymenoptera) in Ankara Province Part I. Bombinae. *Turk J. Zool.* 23: 231-241, figs.
- 145. Aytekin,A.M. & N.Çağatay,** 2003, Systematic studies on *Megabombus* (Apidae, Hymenoptera) species in Central Anatolia. *Turk J. Zool.* 27: 195-204, figs.
- 146. Ayten,Y. & M.S.Özgökçe,** 2009, Van ve çevresinde bulunan Odonata türleri yayılışları ve habitatları. *YYÜ Tarım Bil. Derg.* 19 (1): 1-9.
- 147. Bächli,G. & M.T.Rocha Pité,** 1984, Drosophilidae [in] Soos,A. & L.Papp (eds.), Catalogue of Palaearctic Diptera 10: 186-220, Akademiai Kiado, Budapest.
- 148. Bachmaier,F. & E.Diller,** 1985, Zur Taxonomie der Gattung *Magwengiella* Heinrich, 1938 (Hymenoptera, Ichneumonidae, Ctenocalini). *Entomofauna* 6 (27): 489-498, Abb.
- 149. Badrawy,H.B.M. & S.K.Mohammad,** 2011, Review of *Ruppellia* Wiedemann, 1830 (Diptera, Therevidae) in the Middle East. *Zootaxa* 3097: 35-44, figs.
- 150. Badrawy,H.B.M. & S.K.Mohammad,** 2013, A revision of the Egyptian species of the genus *Actorthia* Kröber (Diptera, Therevidae, Phycinae). *Zootaxa* 3613 (2): 181-189, figs.
- 151. Badrawy,H.B.M.,** 2013, A review of the genera *Acathrito* Lyneborg, *Phycus* Walker and *Salentia* Costa (Diptera, Therevidae, Phycinae) from Egypt. *Zootaxa* 3635 (4): 491-497, figs.
- 152. Baer,J.v.,** 1848, De Mutillis nonnullis Rossicis. *Bull. Soc. imp. Nat. Moscou* 21 (1): 228-232, Tab. II.

- 153. Bağrıaçık,N. & A.Tüzün,** 2005, A faunistic study and some ecological observations on Eumenidae (Insecta, Hymenoptera) species of Ankara. C.Ü. Fen Bil. Derg. 25 (1) (2004): 21-31.
- 154. Baiocchi,D. & G.Magnani,** 2013, Description of a new species of *Anthaxia* Eschscholtz,1829 from Jordan, with notes on the *Anthaxia winkleri* species-group (Coleoptera, Buprestidae). Zootaxa 3637 (3): 374-384, figs.
- 155. Bakan,B.,** 2013, Van ili Pentatomoidea üstfamilyasının ekofaunası üzerine araştırmalar (Hemiptera). Yüziüncü Yıl Üniv. Fen Bilim. Enst. Yüksek lisans tezi 170s. Van.
- 156. Baker,D.B.,** 2002, A provisional annotated list of the nominal taxa assigned to the genus *Dasypoda* Latreille,1802 with the description of an additional species (Hymenoptera, Apoidea, Melittidae). Dt. ent. Z. 49 (1): 89-103, figs.
- 157. Bakır,R., Akyıldız,G.K. & M.Duran,** 2012, A new chironomid genus from Gerede (Bolu, Turkey); *Phaenopsectra* Kieffer,1921 (Diptera, Chironomidae). J. ent. Res. Soc. 14 (1): 53-57, figs.
- 158. Ball,G.E. & D.Shpeley,** 2005, Taxonomic review of the tribe Melaenini (Coleoptera, Carabidae) with observations on morphological, ecological and chorological evolution. Zootaxa 1099: 1-120, figs. [with some incorrect distributional information and maps!]
- 159. Balthasar,V.,** 1952, Wissenschaftliche Ergebnisse der zoologischen Expedition des national-Museum in Prag nach der Türkei. 11. Hymenoptera III.Chrysididae. Acta ent. Mus. nat. Pragae 28: 71-76.
- 160. Baraud,J.,** 1990, Contribution a la connaissance du genre *Eulasia* Truqui (Coleoptera, Scarabaeoidea, Glaphyridae). Revue suisse Zool. 97 (1): 107-138, figs.
- 161. Barış,A.,** 2011, Ankara ilinde kavunlarda zararlı kavun sineği [*Myiopardalis pardalina* (Bigor,1891) (Diptera, Tephritidae)]'nin biyolojisi ve mücadelesi üzerine araştırmalar. [Thesis of PH.D. nr.300785] (unpublished).
- 162. Barkalov,A.V. & T.R.Nielsen,** 2007, A new *Platycheirus* species of the *manicatus* subgroup (Diptera, Syrphidae) from Caucasus. Norw. J. Ent. 54: 129-134, figs.
- 163. Barkalov,A.V.,** 2002, Subgeneric classification of the genus *Cheilosia* Meigen,1822 (Diptera, Syrphidae). Ent. Obozr. 81 (1): 218-234 [Ent. rev. 82 (5): 518-531, figs.]
- 164. Bartak,M. & K.Stepan,** 2009, *Rhamphomyia* (Diptera, Empididae) from Israel. Annls ent. Soc. Am. 102 (3): 396-405, figs.
- 165. Bartak,M. & S.Kubik,** 2008, Four new West Palaearctic species of *Rhamphomyia* (s.str.) Meigen (Diptera, Empididae). Revue Suisse zool. 115 (1): 25-36, figs.
- 166. Bartak,M.,** 2006, Three new West Palaearctic species of *Rhamphomyia* subgenus *Lundstroemiella* (Diptera, Empididae). Biologia 61 (5): 503-508, figs.
- 167. Bartak,M.,** 2007, Catalogue of the Palaearctic species of the *Rhamphomyia* Subgenus *Lundstroemiella* (Diptera, Empididae) with new distribution records. Acta Zool. Univ. Comenianae 47 (2): 101-104.
- 168. Bartak,M., Çiftçi,M.C. & A.Hasbenli,** 2007, A new species of *Rhamphomyia* (sensu stricto) Meigen (Diptera, Empididae) from Southern Anatolia, Turkey. Ent. News 118 (2): 143-147, figs.
- 169. Bartak,M., Gregor,F. & R.Rozkosny,** 2004, New records of interesting palaearctic Muscidae (Diptera). Folia Fac. Sci. nat. Univ. Masaryk. Brun., Biologia 109: 7-16.
- 170. Bartak,M., Kubik,S., Civelek,H.S. & O.Dursun,** 2014, New species of *Rhamphomyia* (Diptera, Empididae) from Turkey with a key to species of the Middle East and adjacent territories. Zootaxa 3815 (1): 68-78, figs.
- 171. Bartalucci,M.B.,** 2004, Tribe-groups of the Myzininae with special regard to the palaearctic taxa of the tribe Meriini (Hymenoptera, Tiphidae). Linzer biol. Beitr. 36 (2): 1205-1308, 290 figs.
- 172. Bartalucci,M.B.,** 2004, 3rd contribution to the knowledge of the world Myzininae (Hymenoptera, Tiphidae). Ann. Mus. civ. Stor. Nat. Genova 96: 363-428.
- 173. Başar,K.,** 2009, Orta Torosların Tabanidae (Diptera) faunasının araştırılması. PhD Thesis, 325 s., Gazi Üniversitesi, Ankara.
- 174. Baselga,A. & F.Novoa,** 2005, The western Palaearctic *Neocrepidodera* (Coleoptera, Chrysomelidae) of the *N.impressa* and *N.ferruginea* species groups. Ann. ent. Soc. Am. 98 (6): 896-907, figs.
- 175. Bates,H.W.,** 1874, Notes on Cicindelidae and Carabidae and descriptions of new species (no.17). Entomologist's mon. Mag. 11: 22-28.
- 176. Bates,H.W.,** 1874, Notes on Cicindelidae and Carabidae and descriptions of new species (no.18). Entomologist's mon. Mag. 11: 95-101.
- 177. Battin,T.J.,** 1993, Revision of the puella group of the genus *Coenagrion* Kirby,1890 (Odonata, Zygoptera), with emphasis on morphologies contributing to reproductive isolation. Hydrobiol. 262: 13-29, figs.
- 178. Battiston,R. & P.Fontana,** 2005, A contribution to the knowledge of the genus *Ameles* Burmeister,1838 with the description of a new species from Jordan (Insecta Mantodea). Atti Acc. Rov. Agiati a.255 Ser. viii (V,B): 173-197, figs.
- 179. Baumann,R.W.,** 1975, Revision of the stonefly family Nemouridae (Plecoptera): A study of the world fauna at generic level. Smithsonian Contr. Zool. 211: 1-74, 186 figs. 1 tab.

- 180. Bayhan,S.Ö., Ulusoy,M.R. & S.Toros,** 2003, Determination of Aphididae (Homoptera) fauna of Diyarbakır Province of Turkey. *Türk. ent. derg.* 27 (4): 253-268.
- 181. Bayrak,N. & R.Hayat,** 2008, Kayseri ili Syrphidae (Diptera) türleri üzerinde faunistik çalışmalar. *Bitki Koruma Bült.* 48 (4): 35-49 [repeated publication of the [Karabıyık] Bayrak's MSc. in 2005].
- 182. Bayrak,N. & R.Hayat,** 2012, Türkiye'nin Tephritidae (Diptera) türleri. *Türk Bilim. Derl. Derg.* 5 (2): 49-55.
- 183. Bayrakdar,F. & A.Hasbenli,** 2009, Contribution to the geographic distribution of *Dioctria* Meigen,1803 Genus [sic!] (Diptera, Asilidae). *Turk. J. Zool.* 33: 23-26.
- 184. Bayram,Ş. & K.Kara,** 1998, Türkiye Tachinidae (Diptera) faunası için yeni bir kayıt *Erycia fasciata* Villeneuve 1924. *Türk. ent. derg.* 22 (3): 217-224, figs.
- 185. Bayram,Ş. & M.Skuhrava,** 2004, New records of Cecidomyiidae (Diptera) from Turkey. *J. Ent. Res. Soc.* 6 (3): 9-13.
- 186. Bayram,Ş.,** 2001, Ankara ilinde orman alanlarındaki mantarlar üzerinde bulunan Diptera türleri. *Türk. ent. Derg.* 25 (2): 115-126.
- 187. Beaumont,J.de,** 1961, Ergebnisse der Deutschen Afghanistan Expedition 1956 der Landessammlungen für Naturkunde in Karlsruhe. Sphecidae (Hymenoptera). *Beitr. naturk. Forsch. SWDtl.* 19 (3): 271-276.
- 188. Beaumont,J.de,** 1967, Hymenoptera of Turkey Sphecidae I. *Bull. Br. Mus. (Nat. Hist.) Ent.* 19: 253-382, figs.
- 189. Beaumont,J.de,** 1970, Sphecidae de l'Iran (Hym.). *Stuttg. Beitr. Naturk.* 220: 1-18, 18 figs.
- 190. Beccaloni,G.W.,** 2014, Cockroach species file online. Version 5.0/5.0. <http://Cockroach.SpeciesFile.org> [access 22 March 2015]
- 191. Bechev,D. & H.Koç,** 2006, Two new species of *Sciaphila* Meigen (Diptera, Mycetophilidae) from Turkey with a key to the western palaearctic species of the *S. lutea* Macquart group. *Zootaxa* 1253: 61-68, figs.
- 192. Bechev,D. & H.Koç,** 2006, The Fungus Gnats (Diptera, Bolitophilidae, Keroplatidae and Mycetophilidae) of Turkey: published data and new records. *Animalia* 41: 85-89.
- 193. Bechev,D. & H.Koç,** 2008, *Urytalpa chandleri* sp.n. (Diptera, keroplatidae) from Turkey with a key to the western palaearctic species of the genus. *Zootaxa* 1676: 29-36, figs.
- 194. Bechev,D.,** 1995, The Palaearctic species of the genus *Sceptonia* Winnertz (Diptera, Mycetophilidae). *Trav. Sci. Univ. Plovdiv, Animalia* 31 (6): 7-.
- 195. Bechev,D.,** 1995, The palaearctic species of the genus *Sceptonia* Winnertz (Diptera, Mycetophilidae). *Trav. Sci. Univ. Plovdiv, Animalia* 31 (6): 7-20, figs.
- 196. Bechyné,J.,** 1961, Ergebnisse der Deutschen Afghanistan Expedition 1956 der Landessammlungen für Naturkunde in Karlsruhe. Chrysomelidae, Galerucidae und Alticidae (Coleoptera). *Beitr. naturk. Forsch. SWDtl.* 19 (3): 255-257.
- 197. Becker,T. & P.Stein,** 1913, Persische Dipteren von den Expeditionen des Herrn N.Zarudny 1898 und 1901. *Ezheg. Zool. Muz.* 17: 503-654, Pls.
- 198. Becker,T.,** 1894, Dipterologische Studien I. Scatomyzidae. *Berl. ent. Z.* 39: 77-196, Taf. iv-ix.
- 199. Becker,T.,** 1894, Revision der Gattung *Chilosia* Meigen. *Nova Acta Leop.-Carol. Dt. Akad. Naturf.* 62 (3): 194-521, 13 Taf.
- 200. Becker,T.,** 1895, Dipterologische Studien II. Sapromyzidae *Berl. ent. Z.* 40: 171-264, Taf.i,ii.
- 201. Becker,T.,** 1895, Dipterologische Studien III. Lonchaeidae *Berl. ent. Z.* 40: 313-344, 3 Taf.
- 202. Becker,T.,** 1896, Dipterologische Studien IV. Ephydridae. *Berl. ent. Z.* 41 (2): 91-276, Taf.
- 203. Becker,T.,** 1897, Dipterologische Studien V. Pipunculidae. *Berl. ent. Z.* 42: 25-100, Taf.ii.
- 204. Becker,T.,** 1900, Dipterologische Studien V. Pipunculidae. *Berl. ent. Z.* 45: 215-252.
- 205. Becker,T.,** 1903, Die paläarktischen Formen der Gattung *Mulia* Latreille (Dipt.). *Z. Syst. Hymen. Dipt.* 3: 17-32, 89-96, 193-198.
- 206. Becker,T.,** 1904, Die palaarktischen Formen der Dipterengattung *Lispa* Latr. *Z. ent. (n.F.)* 29: 1-70.
- 207. Becker,T.,** 1905, *Usia* Latr. *Berl. ent. Z.* 50: 193-228, Taf.vii.
- 208. Becker,T.,** 1907, Die Ergebnisse meiner dipterologischen Frühjahrsreise nach Algier und Tunis,1906. *Z. Syst. Hymenopt. Dipt.* 7: 369-407.
- 209. Becker,T.,** 1909, *Diptera syriaca et aegyptia* a cl. P.Beraud S.J. collecta. *Broteria (Zool.)* 8: 37-65, pl.9.
- 210. Becker,T.,** 1910, Chloropidae Eine monographische Studie. I.Teil Palaearktische Region. *Arch. Zool.* 1 (10): 34-199, Tab.ii,iii.
- 211. Becker,T.,** 1910, Drei neue Ortaliden des Mittelmeergebietes. *Wien. ent. Ztg.* 29: 321-326.
- 212. Bei-Bienko,G.,** 1933, Records and descriptions of some Orthoptera from U.S.S.R. *Bol. Soc. Esp. Hist.-Nat.* 33: 317-341, figs.
- 213. Beier,M.,** 1961, Ergebnisse der Deutschen Afghanistan Expedition 1956 der Landessammlungen für Naturkunde in Karlsruhe. Mantidae. *Beitr. naturk. Forsch. SWDtl.* 19 (3): 267.
- 214. Belfiore,C., Tanatmış,M. & N.Kazancı,** 2000, Taxonomy of *Electrogena antalyensis* (Kazancı & Braasch,1986) (Ephemeroptera, Heptageniidae). *Aquatic Insects* 22 (4): 261-270, 14 figs.



- 215. Bellido,D., Ros-Farré,P., Melika,G. & J.Pujade-Villar, 2003, Review of the asexual forms of Andricus kollari species-group (Hymenoptera, Cynipidae, Cynipinae, Cynipini). Folia ent. Hung. 64: 171-222, figs.**
- 216. Benson,R.B., 1936, A new species of Mocsarya Konow in Syria (Hymenoptera, Symphyta). Proc. R. ent. Soc. London B5 (1): 2-3.**
- 217. Benson,R.B., 1962, Holarctic Sawflies (Hymenoptera, Symphyta). Bull. Br. Mus. (Nat. Hist.) Ent. 12 (1): 379-409, figs.**
- 218. Benson,R.B., 1962, A revision of the Athaliini (Hymenoptera, Tenthredinidae). Bull. Br. Mus. nat. Hist. (Ent.) 11 (7): 333-382, 58 figs.**
- 219. Benson,R.B., 1965, The classification of Rhogogaster Konow (Hymenoptera, Tenthredinidae). Proc. R. ent. Soc. London (B) 34 (9-10): 105-112, figs.**
- 220. Benson,R.B., 1966, A new genus of the Lycaotini (Blennocampinae) in Turkey (Hymenoptera, Tenthredinidae). Proc. R. ent. Soc. Lond. (B) 35: 75-77.**
- 221. Benson,R.B., 1968, Hymenoptera from Turkey Symphyta. Bull. Br. Mus. Nat. Hist. (Ent.) 22 (4): 109-207, 42 figs.**
- 222. Bequaert,J., 1918, A revision of the Vespidae of the Belgian Congo based on the collection of the American Museum Congo expedition, with a list of Ethiopian Diplopterous Wasps. Bull. Amer. Mus. Nat. Hist. 39: 1-384, pls.**
- 223. Bequaert,J., 1938, Sur quelques némestrinides paléarctiques, particulièrement de l'Iran. Bull. Ann. Soc. ent. Belg. 78: 292-310, figs.**
- 224. Berland,L., 1947, Faune de France, Hymenopteres, Tenthredoides. vol. 47. 496pp. Paris.**
- 225. Bernardi,N., 1973, The genera of the family Nemestrinidae (Diptera, Brachycera). Agr. Zool. S.Paulo 24 (4): 211-318, figs.**
- 226. Besuchet,C. & S.Kurbatov, 2007, Les Bryaxis du Caucase et du secteur oriental des chaines Pontiques (Coleoptera, Staphylinidae, Pselaphinae). Russ. ent. J. 16 (2): 155-206, figs.**
- 227. Betrem,J.G. & C.J.Bradley, 1964, Annotations on the genera Triscolia, Megascolia and Scolia (Hymenoptera, Scoliidae). Zool. Meded. 39 (43): 433-444.**
- 228. Betrem,J.G., 1935, Beiträge zur Kenntnis der palaearktischen Arten des Genus Scolia. Tijdschr. Ent. 78: 1-78, figs.**
- 229. Beuk,P., 2004-2011, Diptera.info <http://www.diptera.info//news.php> - images in Diptera Gallery and Forum of their respective owners.**
- 230. Beyarslan,A. & E.Çoban, 2014, Checklist of Turkish Helconinae with a new species (Hymenoptera, Braconidae). Turk J. Zool. 38: 89-95, figs.**
- 231. Beyarslan,A. & F.İnanç, 2001, Eine neuer Beitrag zur Kenntnis der türkischen Dacnusiini Foerster 1862 (Hymenoptera, Braconidae, Alysiinae). Linzer biol. Beitr. 33 (1): 263-268.**
- 232. Beyarslan,A. & M.Fischer, 2011, Contributions to the Opiinae fauna of Turkey (Hymenoptera, Braconidae). Turk. J. Zool. 35: 293-305.**
- 233. Beyarslan,A. & M.Fischer, 2013, Checklist of Turkish Opiinae (Hymenoptera, Braconidae). Zootaxa 3721 (5): 401-454.**
- 234. Beyarslan,A. & Ö.Ç.Erdoğan, 2012, The Braconinae (Hymenoptera, Braconidae) of Turkey, with new locality records and descriptions of two new species of Bracon Fabricius,1804. Zootaxa 3343: 45-56, figs.**
- 235. Beyarslan,A. & Ö.Çetin Erdoğan, 2011, A study of Orgilinae and Microtypinae (Hymenoptera, Braconidae) from Turkey with the description of a new species. Biologia 66 (1): 121-129.**
- 236. Beyarslan,A. & V.I.Tobias, 2008, Bracon (Lucobracon) iskilius sp.n. (Hymenoptera, Braconidae, Braconinae) from the Central Black Sea Region of Turkey. Biologia 63 (4): 550-552, 6 figs.**
- 237. Beyarslan,A., 1988, Zwei neue Arten der Familie Braconidae (Hymenoptera) aus der Türkei. Z. ArbGem. Öst. Ent. 39 (3/4): 71-76, figs.**
- 238. Beyarslan,A., 1991, Die Arten der Tribus Vipionini Telenga aus der Türkei (Hym., Braconidae, Braconinae). Linzer Biol. Beitr. 23 (2): 495-519.**
- 239. Beyarslan,A., 1992, Isomecus lalapasaensis sp. nov. und Vipiomorpha fischeri sp. nov., zwei neue Arten der Tribus Vipionini (Hymenoptera, Braconidae, Braconinae). Entomofauna 13 (15): 253-259, figs.**
- 240. Beyarslan,A., 1995, Für die Fauna der Türkei neu festgestellte Arten der Gattung Microchelonus Szepliget 1908 (Hymenoptera, Braconidae, Cheloninae). Entomofauna 16 (6) 121-136, figs.**
- 241. Beyarslan,A., 1996, Die Orgilus-Arten der Türkei (Hymenoptera, Braconidae, Orgilinae). Entomofauna 17 (22): 353-358, figs.**
- 242. Beyarslan,A., 1996, Vier neue Arten der Tribus Braconini aus der Türkei (Hymenoptera, Braconidae, Braconinae). Entomofauna 17 (21): 345-352, 12 Abb.**
- 243. Beyarslan,A., 2009, A survey of the Turkish Miracinae, with the description of a new species, Mirax striacus (Hymenoptera, Braconidae). Ent. News 120 (3): 291-296, figs.**
- 244. Beyarslan,A., 2009, A new species Bracon (Orthobracon) malatyensis sp.n. from eastern Anatolia (Hymenoptera, Braconidae, Braconinae). J. ent. Res. Soc. 11 (3): 31-36.**
- 245. Beyarslan,A., 2014, Checklist of Braconinae species of Turkey (Hymenoptera, Braconidae). Zootaxa 3790 (2): 201-242 [with numerous typographical and informative errors].**

- 246. Beyarslan,A.,** 2014, A faunal study of the subfamily Doryctinae in Turkey (Hymenoptera, Braconidae). Turk. J.Zool. 38:
- 247. Beyarslan,A., Aydoğdu,M. & F.İnanç,** 2004, A survey of Meteorus Haliday,1835 of Turkey (Hymenoptera, Braconidae, Euphorinae). Entomofauna 25 (1): 1-20, figs. [with remnant Turkish text].
- 248. Beyarslan,A., Aydoğdu,M. & Ö.Ç.Erdoğan,** 2006, A survey of Turkish fauna with redescription of *G. baetica* from a new host. Biologia 61 (2): 139-143, figs.
- 249. Beyarslan,A., Çetin Erdoğan,Ö. & M.Aydoğdu,** 2008, Phytogeographical distribution of *Vipio* Latreille,1804 (Hymenoptera, Braconidae, Braconinae) in Turkey, with a key to the species in Turkey and adjacent regions. Biologia 63 (6): 1161-1168, figs.
- 250. Beyarslan,A., Çetin Erdoğan,Ö. & M.Aydoğdu,** 2008, *Diospilus belokobylskiji* Beyarslan sp.nov., with new records of *Diospilini* (Hymenoptera, Braconidae, Helconinae) from Turkey. Ent. News 119 (4): 403-410, 8 figs.
- 251. Beyarslan,A., Gözüaçık,C. & İ.Özgen,** 2013, A contribution on the subfamilies Helconinae, Homolobinae, Macrocentrinae, Meteorinae, and Orgilinae (Hymenoptera, Braconidae) of southeastern Anatolia with new records from other parts of Turkey. Turk. J. Zool. 37: 501-505.
- 252. Bezdek,J.,** 2002, *Phyllobrotica aslani* Warchalowski,1998, a new synonym of *P. binotata* Ogloblin,1936 (Coleoptera, Chrysomelidae, Galerucinae). Genus 13 (3): 351-352.
- 253. Bezdek,J.,** 2010, *Phyllobrotica malinka* sp.nov. from Turkey and Iran and a review of allied species (Coleoptera, Chrysomelidae, Galerucinae). Acta ent. Mus. Nat. Pragae 50 (2): 563-575, figs.
- 254. Bezzi,M.,** 1905, Ditteri Eritrei raccolti dal Dott. Andreini e dal Prof.Tellini. Parte Prima Diptera orthorrhapha. Boll. Soc. ent. ital. 37: 195-304.
- 255. Bezzi,M.,** 1908, Ditteri Eritrei raccolti dal Dott. Andreini e dal Prof.Tellini. Parte Seconda Diptera Cyclorrhapha. Boll. Soc. ent. ital. 39: 3-199.
- 256. Bezzi,M.,** 1909, Einige neue paläarktische Empis-Arten. Dt. ent. Z. 1909 (Beiheft): 85-103.
- 257. Bezzi,M.,** 1915, The Syrphidae of the Ethiopian Region based on material in the collection of the British Museum (Natural History) with descriptions of new genera and species. 146 pp., 28 figs. London.
- 258. Bialooki,P.,** 2005, New genus and species and a new species of *Aomus* Schoenherr,1834 (Coleoptera, Curculionidae, Entiminae) from Turkey. Annls. Upp. Sil. Mus. (Ent.) 13: 135-144, figs.
- 259. Bialooki,P.,** 2006, A new species of *Neotournieria* Apfelbeck,1932 from Turkey (Coleoptera, Curculionidae, Entiminae). Genus 17 (2): 263-267, figs.
- 260. Bialooki,P.,** 2006, Two new species of *Cionus* Clairville,1798 (Coleoptera, Curculionidae, Cioniini) from Turkey. Polskie pismo ent. 75: 55-64, figs.
- 261. Bielawski,R.,** 1961, Ergebnisse der Deutschen Afghanistan Expedition 1956 der Landessammlungen für Naturkunde in Karlsruhe. Coccinellidae (Coleoptera). Beitr. naturk. Forsch. SWDtl. 19 (3): 227-230, 11 figs.
- 262. Bienkowski,A.O.,** 2001, A study on the genus *Chrysolina* Motschulsky,1860, with a checklist of all the described subgenera, species, subspecies, and synonyms (Coleoptera, Chrysomelidae, Chrysomelinae). Genus 12 (2): 105-235, figs.
- 263. Bigot,J.M.F.,** 1879, Dipteres nouveaux ou peu connus 11.partie - xvi. Curiae Xylophagidarum et Stratiomydarum (Bigot). Annls Soc. ent. Fr. (5) 9: 183-234.
- 264. Bigot,J.M.F.,** 1880, Dipteres nouveaux ou peu connus 13. partie. Quelques Dipteres de Perse et du Caucase. Annls Soc. ent. Fr. (5) 10: 139-154.
- 265. Bily,S.,** 1997, *Polycyctesis johanidesi* sp.n. from Turkey and notes on the genus *Polycyctesis* (Coleoptera, Buprestidae). Folia Heyrovskyana 5 (1): 15-18.
- 266. Bily,S.,** 2006, Two new species in the *Anthaxia* (Anthaxia) *candens* (Panzer,1793) species-group from Iran and Turkey with taxonomic notes on the group (Coleoptera, Buprestidae). Zootaxa 1309: 25-25, figs.
- 267. Biondi,M.,** 1992, Note sui Crisomelidi Alticini della fauna di Turchia, con descrizione di tre nuove specie (Coleoptera, Chrysomelidae, Alticinae). Fragm. Ent. Roma 23 (2): 341-354.
- 268. Biondi,M.,** 1997, *Longitarsus aubozaorum* and *Psylliodes littoralis*, two new flea beetle species from Turkey (Coleoptera, Chrysomelidae). Fragm. Ent. Roma 29 (2): 383-390.
- 269. Bischof,J.,** 1905, Neuropteren [Trichopteren, Odonaten] und Dipteren, [in] Zedebauer,E. & A.Penther, Ergebnisse einer naturwissenschaftlichen Reise zum Erdschias-Dagh (Kleinasien). Annln naturh. Mus. Wien 20: 170-179.
- 270. Bischoff,M.J.,** 1928, Blepharoceriden aus Bulgarien nebst einigen Bemerkungn zu der armenischen Blepharocera. Zool. Jb., Syst. 54: 449-466.
- 271. Blank,S.M.,** 1991, *Tenthredo marginella hakkariensis* ssp.nov. aus der Türkei (Hymenoptera, Symphyta,Tenthredinidae). Entomofauna 12 (19): 321-327, figs.
- 272. Blank,S.M.,** 1993, A contribution to the sawfly fauna of northern Greece (Hymenoptera, Symphyta). Beitr. Ent. 43 (2): 431-439.
- 273. Blöte,H.C.,** 1938, Catalogue of the Coreidae in the Rijksmuseum van Natuurlijke Historie, Part iv. Coreinae, Third Part. Zool. Meded. 20: 275-308, figs.

- 274. Blüthgen, P. & J. Gusenleitner**, 1970, Über Faltenvespen aus dem Iran (Hym., Diploptera). Stuttg Beitr. Naturk. 223: 1-13, 4 Abb.
- 275. Blüthgen, P.**, 1923-1924, Beiträge zur Systematik der Bienengattung Sphecodes Latr. I, II. Dt. ent. Z. 1923 (5): 441-; 1924 (6): 457-516.
- 276. Blüthgen, P.**, 1923, Beiträge zur Kenntnis der Bienengattung Halictus Latr. Arch. Naturg. 87(A): 232-332, 38 Abb.
- 277. Blüthgen, P.A.V.**, 1923-1924, Beiträge zur Systematik der Bienengattung Halictus Latr. (Hym.). Konowia 2: 65-81, 123-142; 3: 53-64, 76-95, 253-284.
- 278. Blüthgen, P.A.V.**, 1929, Neue turkestanische Halictus-Arten (Hym., Apidae). Konowia 8: 51-86, figs.
- 279. Blüthgen, P.A.V.**, 1930, Gattung Halictus Latr. [in] Ebner, R., Hymenopteren aus Palaestina und Syrien (Zoologische Studienreise von R. Ebner 1928 mit Unterstützung der Akademie der Wissenschaften in Wien). Sitz. Akad. Wiss. Wien 139: 26.
- 280. Blüthgen, P.A.V.**, 1934, Neue turkestanische Halictus-Arten (Hym., Apidae) II. Konowia 13: 145-159, figs.
- 281. Blüthgen, P.A.V.**, 1961, Ergebnisse der Deutschen Afghanistan Expedition 1956 der Landessammlungen für Naturkunde in Karlsruhe. Diploptera und Apoidea (partim) (Hymenoptera). Beitr. naturk. Forsch. SWDtl. 19 (3): 277-287, 1 fig.
- 282. Bodemeyer, E. von**, 1906, Beiträge zur Käferfauna von Klein-Asien. Dt. ent. Z. 1906: 417-434.
- 283. Bohn, H.**, 2008, Order Blattoptera, [in] Harten, A.v., Arthropod fauna of the UAE 1: 84-103, figs.
- 284. Bolivar y Peltain**, 1913, Especies nuevas del género "Cydistus" Bourg. (Drilidae). Bol. Soc. espan. Hist. nat. 13: 316-318.
- 285. Bolivar, I.**, 1893, Liste des Orthopteres recueillis en Syrie par le Dr Théod. Barrois. Revue Biol. N. Fr. 1893 (12): 476-489.
- 286. Bolivar, I.**, 1899, Orthopteres du voyage de M. Martinez Escalera dans l'Asie Mineure. Annls Soc. ent. belg. 43: 583-607.
- 287. Bologna, M.A. & A. Di Giulio**, 2008, Revision of the genus Trichomeloe Reitter, with the description of new species and first instar larvae (Coleoptera, Meloidae). Contr. Zool. 77 (4): 227-248, figs.
- 288. Bologna, M.A. & J.D. Pinto**, 2002, The Old World genera of Meloidae (Coleoptera): a key and synopsis. J. nat. Hist. 36 (17): 2013-2102.
- 289. Bologna, M.A.**, 1979, Meloidae di Turchia I. Contributo (Coleoptera). Fragm. ent. 15: 143-199.
- 290. Bologna, M.A.**, 1994, Meloidae della Grecia (Coleoptera). Fragm. ent. 25 (Suppl.): 1-119, figs.
- 291. Bologna, M.A.**, 2009, The Meloidae (Coleoptera) of Libya: an annotated catalogue and description of three new species. Annls Soc. ent. Fr. (n.s.) 45 (3): 345-364, figs.
- 292. Bologna, M.A., Di Giulio, A. & M. Pitzalis**, 2008, Systematics and biogeography of the genus Actenodia (Coleoptera, Meloidae, Mylabrini). Syst. Ent. 33: 319-360, figs.
- 293. Bologna, M.A., Giulio, A. di & J.D. Pinto**, 2002, Review of the genus Stenodera with a description of the first instar larva of S. puncticollis (Coleoptera, Meloidae). Eur. J. Ent. 99: 299-313, figs.
- 294. Bolu, H. & A.A. Legalov**, 2008, On the Curculionioidea (Coleoptera) fauna of Almond (Amygdalus communis L.) Orchards in South-eastern and Eastern Anatolia in Turkey. Baltic J. Coleopt. 8 (1): 75-86.
- 295. Bolu, H. & I. Özgen**, 2007, Badem içkurdunun (Eurytoma amygdali Enderlein) (Hymenoptera, Eurytomidae) yayılış alanları, bulaşma oranları ve parazitoidleri. Harran Univ. Ziraat Fak. Derg. 11 (3/4): 59-65, figs.
- 296. Bolu, H., Özgen, I. & M. Fent**, 2006, Diyarbakır, Elazığ ve Mardin illeri Badem ağaçlarında bulunan Pentatomidae (Heteroptera) türleri. Tarım Bilim. Derg. 16 (1): 25-28.
- 297. Boorman, J.**, 1989, Culicoides (Diptera, Ceratopogonidae) of the Arabian Peninsula with notes on their medical and veterinary importance. Fauna of Saudi Arabia 10: 160-224.
- 298. Borchmann, F.**, 1940-1942, Neue Meloiden-Arten (Col.) I, II. Mitt. münch. ent. Ges. 30: 592-621, 36 figs.; ibid. 32: 682-712.
- 299. Bordoni, A.**, 1999, Una nuova specie di Deliphrosoma della Turchia (Coleoptera, Staphylinidae). Fragm. ent. 31 (2): 195-202, figs.
- 300. Borkent, A.**, 2009, World species of Biting Midges (Diptera, Ceratopogonidae), 236pp. <http://www.inhs.uiuc.edu/cee/FLYTREE/CeratopogonidaeCatalog.pdf> [last updated July 9, 2009] (access 9 August, 2009).
- 301. Borovec, R. & C. Germann**, 2013, Two new species of Polydrusus (Polydrusus) from Turkey, Iran and Greece (Coleoptera, Curculionidae, Entiminae, Polydrusini). Zootaxa 3693 (1): 75-84, figs.
- 302. Borovec, R.**, 2009, Revision of the palaearctic supraspecific taxa of the tribe Trachyploeini (Coleoptera, Curculionidae, Entiminae). Klapalekiana 45: 1-97, figs.
- 303. Borowiec, L.**, 1984, The seed-beetles from Turkey (Coleoptera, Bruchidae). Polski pismo Ent. 54: 295-301.
- 304. Borowiec, L.**, 1987, The seed-beetles (Coleoptera, Bruchidae) from the Middle East. Polski pismo Ent. 57: 601-616.



- 305. Borowiec, L.,** 2005, *Macrocoma doboszi*, a new species from Turkey (Coleoptera, Chrysomelidae, Eumolpinae). Genus 16 (3): 373-377, figs.
- 306. Borowiec, L.,** 2007, Cassidinae (Coleoptera, Chrysomelidae) collected in Turkey during expeditions of Upper Silesian Museum Bytom, Poland. Annls Upper Sil. Mus. (Ent.) 14-15: 7-12.
- 307. Borowiec, L.,** 2014, Catalogue of ants of Europe, the Mediterranean basin and adjacent regions. Genus- Monograph 25 (1/2): 1-340.
- 308. Börzsöny, L.,** 1996, Erstnachweis von *Amorphogomphus kiritshenkoi* für die Türkei (Anisoptera, Gomphidae). Libellula 15: 185-190.
- 309. Bosak, J. & M. Hradsky,** 2001, Some remarks on distribution of robber flies (Diptera, Asilidae) in Turkey. J. ent. Res. Soc. 3 (3): 1-28.
- 310. Boucek, Z.,** 1956, A contribution to the knowledge of the Chalcididae, Leucospidae and Eucharitidae (Hymenoptera, Chalcidoidea) of the Near East. Bull. Res. Coun. Israel 5B: 227-259.
- 311. Boucek, Z.,** 1974, A revision of the Leucospidae (Hymenoptera, Chalcidoidea) of the World. Bull. Br. Mus. (Nat. Hist.) Ent. Suppl. 23: 1-241, figs.
- 312. Boucek, Z.,** 1982, Four new mediterranean Torymidae (Hymenoptera). Entomologist's Gaz. 33: 183-191, figs.
- 313. Boucek, Z.,** 2001, Palaearctic species of *Ammoplanus* (Hymenoptera, Sphecidae). J. Nat. Hist. 35: 849-929.
- 314. Boulard, M.,** 1988, Les Lyristes d'Asie mineure (Hom., Cicadidae). I. Sur deux formes éthospécifiques syntopiques et description de deux especes nouvelles. l'Entomologiques 44 (4): 153-167.
- 315. Boulard, M.,** 1992, *Pagiphora yanni*, Cigale anatolienne inédite. Description et premieres informations biologiques (cartes d'identité et éthologie sonores) (Homoptera, Cicadoidea, Tibicenidae). Nouv. Revue d'Ent. (N.S.) 9 (4): 365-374.
- 316. Boulard, M.,** 1993, *Pagiphora yanni*, Cigale anatolienne inédite. Description et premieres informations biologiques (cartes d'identité et éthologie sonores) (Homoptera, Cicadoidea, Tibicenidae). Turk. Ent. Derg. 17 (1): 1-9, figs. [second unnecessary publication!]
- 317. Bourgeois, J.,** 1908, Une espece nouvelle du genre *Cydistus* (Col.). Bull. Soc. ent. Fr. 1908: 210-211.
- 318. Bowden, J.,** 1964, The Bombyliidae of Ghana. Mem. ent. Soc. sth. Afr. 8: 1-159, figs.
- 319. Bowden, J.,** 1967, Species of the genus *Conophorus* Meigen (Dipt., Bombyliidae) from Turkey. Entomologist's mon. Mag. 102: 131-134.
- 320. Bowden, J.,** 1967, Two new species of *Heterotropus* Loew (Diptera, Bombyliidae) from Turkey. Entomologist's mon. Mag. 103: 36-39, 8 figs.
- 321. Bowden, J.,** 1974, Studies in African Bombyliidae VIII. On the Geroninae. J. ent. Soc. sth. Afr. 37 (1): 87-108, figs.
- 322. Bowden, J.,** 1975, Studies in African Bombyliidae IX. On *Hyperusia Bezzi* and the tribe Corsomyzini. J. ent. Soc. sth. Afr. 38 (1): 99-107, figs.
- 323. Bowden, J.,** 1983, Two new species of *Leptomydas* Gerst. (Dipt., Mydidae) from Turkey and Saudi Arabia. Entomologist's mon. Mag. 119: 141-145, figs.
- 324. Bowden, J.,** 1985, A new species of *Nemestrinus* Latr. (Diptera, Nemestrinidae) from Turkey. Entomologist's mon. Mag. 121: 185-188, 5 figs.
- 325. Bradley, J.C. & F. Maidl,** 1930, Mutillidae [in] Ebner, R., Hymenopteren aus Palaestina und Syrien (Zoologische Studienreise von R. Ebner 1928 mit Unterstützung der Akademie der Wissenschaften in Wien). Sitz. Akad. Wiss. Wien 139: 22.
- 326. Brake, I.,** 2009, Revision of *Milichiella* Giglio-Tos (Diptera, Milichiidae). Zootaxa 2188: 1-166, figs.
- 327. Brake, I.,** 2010, Milichiidae online <http://milichiidae.info/> [access 19.12.2010].
- 328. Brandl, P.,** 1987, *Anthaxia niehuisi* sp.n., eine neue Anthaxia aus der Türkei (Coleoptera, Buprestidae). NachrBl. bayer. Ent. 36 (1): 14-16, 2 Abb.
- 329. Brauer, F. & J.E. von Bergenstamm,** 1889, Die Zweiflügler des kaiserlichen Museums zu Wien IV. Vorarbeiten zu einer Monographie der Muscaria schizemetopa (exklusive Anthomyidae) Pars I. Denkschr. Akad. Wiss. Wien 56 (1): 69-180, 11 Taf.
- 330. Brauer, F.,** 1883, Ergänzende Bemerkungen zu A. Handlirsch's Mittheilungen über *Hirmoneura obscura* Mg. Wien. ent. Ztg. 2: 25-26.
- 331. Braun, W.,** 1979, Beitrag zur Kenntnis der Gattung *Dorcadion* (Col., Cerambycidae). NachrBl. bayer. Ent. 28 (5): 81-86, 3 Abb.
- 332. Bravermann, Y., Boorman, J. & M. Kremer,** 1976, Faunistic list of *Culicoides* (Diptera, Ceratopogonidae) from Israel. Ent. méd. et Parasitol. 14 (3): 179-185.
- 333. Bravermann, Y., Boorman, J., Kremer, M. & J.-C. Delecolle,** 1976, Faunistic list of *Culicoides* (Diptera, Ceratopogonidae) from Israel. Cah. O.R.S.T.O.M., sér. Ent. méd. et Parasitol. 14 (3): 179-185.
- 334. Brenske,** 1902, Eine neue Polyphylla aus Persien. Stettin ent. Ztg. 63: 375-376.
- 335. Brock, J.P.,** 1982, A systematic study of the genus *Ophion* in Britain (Hymenoptera, Ichneumonidae). Tijdschr. Ent. 125 (4): 57-97, figs.
- 336. Brooks, S.E.,** 2005, Systematics and phylogeny of the Dolichopodinae (Diptera, Dolichopodidae). Zootaxa 857: 1-158.

337. **Broomfield, P.S.**, 1971, A catalogue of the Membracid types (Homoptera, Membracidae) in the British Museum (Natural History). Bull. Br. Mus. Nat. Hist. (Ent.) 25 (8): 325-386.
338. **Brunetti, E.**, 1907, Revision of the Oriental Stratiomyidae, with Xylomyia and its allies. Rec. Indian Mus. 1: 85-132.
339. **Brunetti, E.**, 1907, Annotated catalogue of Oriental Culicidae. Rec. Indian Mus. 1: 297-377.
340. **Brunetti, E.**, 1920, The fauna of British India, including Ceylon and Burma. Diptera Brachycera. vol.1. ix+401 pp. Taylor & Francis, London.
341. **Brunetti, E.**, 1923, Second revision of the Oriental Stratiomyidae. Rec. Indian Mus. 25: 45-180.
342. **Brunner von Wattenwyl, C.**, 1878, Monographie der Phaneropteriden. 401pp. 8 Tab., Wien.
343. **Brunner von Wattenwyl, C.**, 1882, Prodrömus der europäischen Orthopteren. 466 pp. 11 Taf. Engelmann, Leipzig.
344. **Brunner von Wattenwyl, C.**, 1891, Additamenta zur Monographie der Phaneropteriden. Verh. zool. bot. Ges. Wien 41: 1-196 2 Tab.
345. **Buffington, M.L.**, 2010, Order Hymenoptera, family Figitidae [in] Arthropod fauna of the UAE 3: 356-380, figs.
346. **Bulak, Y., Yildirim, E., Kadej, M. & J.Hava**, 2013, Contribution to the knowledge of the Dermestidae (Coleoptera) fauna of Turkey. Turk. J. Zool. 37: 621-626.
347. **Bulut, H. & N.Kılıçer**, 1989, Ankara İlinde meyve ağaçlarında zarar yapan önemli lepidopterlerin yumurta parazitlerinden Trichogramma türleri (Hym., Trichogrammatidae) ve bunların yayılışı üzerine araştırmalar. Bitki koruma Bült. 29 (1/2): 19-46, şekil.
348. **Burckhardt, D. & A.Önuçar**, 1993, A review of Turkish jumping plant-lice (Homoptera, Psylloidea). Revue suisse Zool. 100: 547-575.
349. **Burckhardt, D. & D.Ouvrard**, 2012, A revised classification of the jumping plant-lice (Hemiptera, Psylloidea). Zootaxa 3509: 1-39.
350. **Burckhardt, D.**, 1988, Angaben zur Psyllidenfauna der Nordosttürkei (Homoptera, Psylloidea). Mitt. ent. Ges. Basel 38: 31-44.
351. **Burger, J.F. & L.L.Pechuman**, 1989, The identity of *Corizoneura caucasica* Kröber and consequent change of name for some Palearctic species of *Silvius* (Diptera, Tabanidae). Entomofauna 10 (28): 445-452, figs.
352. **Bystrowski, C. & T.Zeegers**, 2008, Some interesting Tachinidae from Israel. Tachinid Times 21: 16-17.
353. **Bystrowski, C.**, 2011, New record of *Loewia crassipes* (Mesnil) from Turkey. Tachinid Times 24: 1-3, 6 figs.
354. **Bytinski-Salz, H. & J.Gusenleitner**, 1971, The Vespoidea of Israel (Hymenoptera). Israel J. Ent. 6: 239-299.
355. **Çağatay, N.**, 1985, Türkiye Oxycareninae (Heteroptera, Lygaeidae) altfamilyasının taksonomisi ve erkek genital organının önemi üzerine çalışmalar. Bitki kor. Bült. 25 (1/2): 18-29, şekil.
356. **Çağatay, N.**, 1988, Some Artheneinae from Turkey (Hemiptera, Lygaeidae). Türk. ent. derg. 12 (4): 201-208, figs.
357. **Çağatay, N.**, 1989, Systematical studies on the Heterogasterinae of Turkey (Hemiptera, Lygaeidae). Türk. ent. derg. 13 (1): 5-14, figs.
358. **Çağatay, N.**, 1989, Geocorinae of Turkey (Insecta, Heteroptera, Lygaeidae). Ent. Abh. 53 (2): 27-36, figs.
359. **Caldara, R.**, 2008, Revisione delle specie paleartiche del genere *Gymnetron* (Insecta, Coleoptera, Curculionidae). Aldrovandia 4: 27-103, figs.
360. **Çalışkan, A.F., Ulusoy, M.R. & I.Özdemir**, 2012, Türkiye'de meşede yeni yayılcı yaprakbiti türü: *Myzocallis walshii* (Monell, 1879) (Hemiptera, Aphidoidea). Türk. ent. bült. 2 (2): 277-283.
361. **Çalışkan, H.**, 2010, A new record for Turkish Asilidae (Insecta, Diptera) fauna: *Pamponerus germanicus* (Linnaeus, 1758). J. Eng. Arch. Fac. Eskişehir Osmangazi Univ. 23 (1): 83-90, figs.
362. **Çalmaşur, Ö. & H.Özbek**, 2004, A contribution to the knowledge of Tenthredinidae (Symphita, Hymenoptera) fauna of Turkey Part II. Subfamilies Blennocampinae, Dolerinae, Nematinae and Selandrinae. Turk J. Zool. 28: 55-71.
363. **Çalmaşur, Ö. & H.Özbek**, 2004, A contribution to the knowledge of Tenthredinidae (Symphita, Hymenoptera) fauna of Turkey Part I. Subfamily Tenthredininae. Turk J. Zool. 28: 37-54.
364. **Çalmaşur, Ö. & H.Özbek**, 2004, *Heterarthrus ochropoda* (Klug) (Hymenoptera, Tenthredinidae), a new record and a new pest of *Populus* spp. (Salicaceae) in Turkey. Proc. ent. Soc. Wash. 106 (3): 717-721.
365. **Çalmaşur, Ö. & H.Özbek**, 2006, A willow sawfly *Nematus salicis* (Linnaeus) (Hymenoptera, Tenthredinidae), a new record and a new pest of *Salix* spp. in Turkey. Proc. ent. Soc. Wash. 108 (1): 139-144.
366. **Çalmaşur, Ö. & H.Özbek**, 2006, Check-list of the Argidae fauna (Hymenoptera, Symphyta) of Turkey. Zool. Middle East 39: 89-96 [the author couldnot be accessed; this unfair attitude is consider as non-ethical].
367. **Çalmaşur, Ö.**, 2006, Four new records for the Turkish Tenthredinidae (Hymenoptera) fauna. Türk. ent. derg. 30 (3): 201-207.

- 368. Çam,H. & T.Atay,** 2008, The faunistic studies on the subfamily Alticinae (Coleoptera, Chrysomelidae) species in Tokat Province. *Int. J. nat. eng. Sci.* 2 (3): 21-26.
- 369. Canbulat,S. & Ö.Özsaraç,** 2004, Neuropterida (Insecta, Rhaphidioptera, Neuroptera) fauna of Çiçekdağı (Kırşehir Prov.). *GU J. Sci.* 17 (1): 1-9.
- 370. Canbulat,S. & S.Kiyak,** 2002, *Nineta pallida* (Schneider,1846) new to Turkey (Neuroptera, Chrysopidae). *J. Ent. Res. Soc.* 4 (1): 11-14, 1 map.
- 371. Canbulat,S. & S.Kiyak,** 2003, A new record of antlions for the Turkish fauna (Insecta, Neuroptera, Myrmeleontidae). *J. Ent. Res. Soc.* 5 (1): 17-20, fig. [with some editorial errors]
- 372. Canbulat,S. & S.Kiyak,** 2005, A new species of the genus *Dichochrysa* from Turkey (Neuroptera, Chrysopidae). *Dt. ent. Z. (N.F.)* 52 (2): 225-228, figs.
- 373. Canbulat,S. & S.Kiyak,** 2005, Contribution to the fauna of Neuroptera (Insecta) of South-Western Anatolia. *Ann. Upp. Sil. Mus. (Ent.)* 13: 9-60.
- 374. Canbulat,S.,** 2007, Contributions to the knowledge of the Lacewing fauna of Turkey (Neuroptera, Coniopterygidae, Myrmeleontidae), with some ecological remarks. *Ent. News* 118 (3): 303-310, figs.
- 375. Canbulat,S.,** 2007, A checklist of Turkish Neuroptera with annotating on provincial distributions. *Zootaxa* 1552: 35-52 [with serious editorial errors]
- 376. Canbulat,S.,** 2013, Two new records of the *Coniopteryx* (Neuroptera, Coniopterygidae) species for the Turkish fauna. *Turk. J. Zool.* 37: 242-245, figs.
- 377. Canbulat,S.,** 2013, Redescription of *Osmylus multiguttatus* McLachlan,1870 (Neuroptera, Osmylidae) with distributional remarks. *Zootaxa* 3741 (3): 385-390, figs.
- 378. Canpolat,D., Lillig,M. & A.Hasbenli,** 2007, *Accanthopus velikensis* (Piller & Mitterpacher,1783) - new to the Turkish fauna (Coleoptera, Tenebrionidae). *Zool. Middle East* 42: 104-105, fig.
- 379. Carapezza,A. & Z.Jindra,** 2008, *Graphosoma* (*Graphosomella* subgen.nov.) *inexpectatum* sp.nov. from Syria (Hemiptera Heteroptera Pentatomidae). *Natural. sicil.* 32 (3/4): 471-478, figs.
- 380. Carapezza,A.,** 2002, Heteroptera of Jordan: new taxa and new records. *Natur. sicil.* (4) 26: 35-76, figs.
- 381. Carles-Tolra,M.,** 1993, New and interesting records of Diptera Acalyptrata from Spain, Part.iii. Lauxaniidae, Chamaemyiidae, Coelopidae, Dryomyzidae, Sciomyzidae and Sepsidae. *Fragm. ent.* 25 (1): 21-41.
- 382. Carles-Tolra,M.,** 2001, A new species of *Milichiella* Giglio-Tos from Spain (Diptera, Milichiidae). *Stud. dipterol.* 8: 521-523.
- 383. Carpenter,J.M. & J.Kojima,** 1997, Checklist of the species in the subfamily Vespinae (Insecta, Hymenoptera, Vespidae). *Nat. Hist. Bull. Ibaraki Univ.* 1: 51-92.
- 384. Carpenter,J.M.,** 1982, The phylogenetic relationships and natural classification of the Vespoidea (Hymenoptera). *Syst. Ent.* 7: 11-38.
- 385. Carpenter,J.M.,** 1986, A synonymic generic checklist of the Eumeninae (Hymenoptera, Vespidae). *Psyche* 93: 61-90.
- 386. Carpenter,J.M.,** 1996, Distributional checklist of species of the genus *Polistes* (Hymenoptera, Vespidae, Polistinae, Polistini). *Amer. Mus. Novit.* 3188: 1-39.
- 387. Carpenter,J.M.,** 2001, Checklist of species of the subfamily Masarinae (Hymenoptera, Vespidae). *Amer. Mus. Novit.* 3325: 1-40.
- 388. Carvalho,C.J.B.de & A.C.Pont,** 1997, A revision of New World *Brontaea* Kowarz (Diptera, Muscidae). *Revta bras. Zool.* 14 (3): 723-749, figs.
- 389. Casale,A. & A.V.Taglianti,** 1999, Caraboid beetles (excl. Cicindelidae) of Anatolia, and their biogeographical significance (Coleoptera, Carabidae). *Biogeographia* (n.s.) 20: 277-400.
- 390. Caspers,N. & F.Reiss,** 1989, Die Chironomidae der Türkei Teil I. Podonominae, Diamesinae, Prodiamesinae, Orthoclaadiinae (Diptera, Nematocera, Chironomidae). *Entomofauna* 10 (8/1): 105-160, 27 figs.
- 391. Caspers,N.,** 1991, New and remarkable species of Mycetophiloidea (Diptera, Nematocera) from Mediterranean Region. *Spixiana* 14 (3): 143-155, figs.
- 392. Cassola,F.,** 1999, Studies on Tiger Beetles. CVII. The cicindelid fauna of Anatolia: faunistics and biogeography (Coleoptera, Cicindelidae). *Biogeographia* 20: 229-276, figs.
- 393. Çelikkaya,D.,** 2009, 19 yıl sonra 19 Temmuz... *Cesa News* 48: 1-60, 111 figs.
- 394. Cerny,M. & B.Merz,** 2006, New records of Agromyzidae (Diptera) from the Palaearctic Region. *Mitt. schweiz. ent. Ges.* 79: 77-106.
- 395. Cerny,M. & B.Merz,** 2007, New records of Agromyzidae (Diptera) from the West Palaearctic Region with an updated checklist of Switzerland. *Mitt. schweiz. ent. Ges.* 80: 107-121.
- 396. Cerretti,P. & A.Freidberg,** 2009, Updated checklist of the Tachinidae of Israel. *Tachinid Times* 22: 9-22.
- 397. Cerretti,P. & H.-P.Tschorsnig,** 2012 Three new species of *Estheria* Robineau-Desvoidy (Diptera, Tachinidae) from the Mediterranean, with a key to the European and Mediterranean species of the genus. *Stuttg. Beitr. Naturk. (A)* (n.s.) 5: 271-286, figs.



398. **Cerretti,P. & T.Pape**, 2009, Phylogeny and re-definition of the genus *Melanophora* (Diptera, Rhinophoridae), with description of a new species from Sardinia. *Zootaxa* 2318: 552-565, figs.
399. **Cerretti,P., Biase,A. de & A.Freidberg**, 2009, Systematic study of the genus *Rossimylops* Mesnil (Diptera, Tachinidae). *Zootaxa* 1984: 31-56, figs.
400. **Cerretti,P., Giudice, G.L. & M.Mei**, 2010, A new *Besseria* Robineau-Desvoidy (Diptera, Tachinidae) from Israel. *Israel J. Ent.* 40: 187-194, figs.
401. **Cerretti,P., Giudice,G.L. & J.E.O'hara**, 2014, A new *Loewia* Egger (Diptera, Tachinidae) from Turkey, with taxonomic and nomenclatural remarks on congeners. *Zootaxa* 3754 (4): 450-460, figs.
402. **Çetin Erdoğan,Ö. & A.Beyarslan**, 2006, New records of endoparasitoid *Bassus* Fabricius, 1804 (Hymenoptera, Braconidae, Agathidinae) species from Turkey. *Phytoparasitica* 34 (4): 353-356.
403. **Çetin Erdoğan,Ö. & A.Beyarslan**, 2009, Doğu Karadeniz Bölgesi Agathidinae Haliday, 1833 (Braconidae, Hymenoptera) türleri üzerine bir araştırma. *Türk. ent. derg.* 33 (1): 73-80.
404. **Çetin Erdoğan,Ö.**, 2005, *Bassus beyarslani* sp.n. (Hymenoptera, Braconidae, Agathidinae) from Turkey. *Biologia* 60: 129-132, 7 figs.
405. **Çetin Erdoğan,Ö.**, 2010, Further addition to the Blacinae (Hymenoptera, Braconidae) of Turkey and Coleoptera species as host. *Egyptian J. Biol. Pest Control* 20 (2): 105-109.
406. **Çetin Erdoğan,Ö.**, 2013, Contributions to the knowledge of Agathinae fauna of the Eastern Anatolia of Turkey. *Türk. J. Zool.* 37: 195-199.
407. **Çetin Erdoğan,Ö.**, 2013, Contributions to the knowledge of Agathidinae fauna of the eastern Anatolia Region of Turkey. *Türk. J. Zool.* 37: 195-199.
408. **Çetin Erdoğan,Ö.**, 2014, A contribution on the subfamily Agathidinae (Hymenoptera, Braconidae) in Diyarbakır, Mardin, and Şanlıurfa provinces in Turkey. *Türk. J. Zool.* 38: 102-103.
409. **Çetin Erdoğan,Ö., Tomanovic,Z. & A.Beyarslan**, 2010, New distributional records on the subfamily Aphidinae [sic!] (Hymenoptera, Braconidae) in Black Sea Region, Turkey. *Linzer biol. Beitr.* 41 (2): 613-616.
410. **Çetin,H. & A.Yanıkoglu**, 2004, Antalya kentinde bulunan sivrisinek (Diptera, Culicidae) türleri, üreme alanları ve baskın tür *Culex pipiens* L.'in bazı özellikleri. *Türk ent. derg.* 28 (4): 283-294.
411. **Çetin,Ö. & A.Beyarslan**, 2001, The Agathidinae (Hymenoptera, Braconidae) fauna of the Marmara Region. *Doğa Tr J. Zool.* 25: 257-268.
412. **Çetin,Ö. & A.Beyarslan**, 2005, Contributions to the Blacinae fauna of Turkey (Hymenoptera, Braconidae). *Entomofauna* 26 (1): 1-8.
413. **Champion,G.C.**, 1921, Some Indian Coleoptera. *Entomologist's mon. Mag.* 57: 70-78, 104-110, 145-146.
414. **Chandler,P.**, 1994, The fungus gnats of Israel (Diptera, Sciaroidea, excluding Sciaridae). *Israel J. Ent.* 28: 1-100, figs.
415. **Chen,H.-W. & M.J.Toda**, 2001, A revision of the Asian and European species in the subgenus *Amiota* Loew (Diptera, Drosophilidae) and the establishment of species-groups based on phylogenetic analysis. *J. nat. Hist.* 35: 1517-1563, figs.
416. **Cheng,X-Y. & F.C.Thompson**, 2008, A generic conspectus of the Microdontinae (Diptera, Syrphidae) with the description of two new genera from Africa and China. *Zootaxa* 1879: 21-48, figs.
417. **China,W.E.**, 1938, Hemiptera from Iraq, Iran and Arabia. *Field Mus. Nat. Hist. (Zool.)* 20 (32): 427-437.
418. **Chopard,L.**, 1929, Orthoptera Palearctica critica vii. Les Polypgais de la Fauna Palearctique. *Eos* v (3): 223-358.
419. **Chopard,L.**, 1951, Orthopteroides, [in] *Faune de France* 56: 1-356, 531 figs.
420. **Chopra,N.P.**, 1967, The higher classification of the family Rhopalidae (Hemiptera). *Trans. R. ent. Soc. London* 119 (12): 363-399, 75 figs.
421. **Chorein,A.**, 2007, Systématique et chorologie des Anthophorini (Hymenoptera, Apidae) de Belgique et de Nord de la France, avec une première analyse de leurs sécrétions volatiles. *Mémoire de fin d'études*, Université de Mons-Hainaut, Mons. 80 pp.
422. **Chvala,M. & R.Wagner**, 1989, Family Empididae [in] Soos,A. & L.Papp (eds.), *Catalogue of palaearctic Diptera* 6: 228-336. Akademiai Kiado, Budapest.
423. **Chvala,M. & V.G.Kovalev**, 1989, Family Hybotidae [in] Soos,A. & L.Papp (eds.), *Catalogue of palaearctic Diptera* 6: 174-227. Akademiai Kiado, Budapest.
424. **Chvala,M.**, 1988, Family Tabanidae [in] Soos,A. & L.Papp (eds.), *Catalogue of palaearctic Diptera* 5: 97-171. Akademiai Kiado, Budapest.
425. **Chvala,M.**, 2008, Monograph of the genus *Hilara* Meigen (Diptera, Empididae) of the Mediterranean region. *Studia dipterol. (suppl.)* 15: 1-138, figs.
426. **Chvala,M., Lyneborg,L. & J.Moucha**, 1972, The Horse Flies of Europe (Diptera, Tabanidae). 499pp. Copenhagen.
427. **Çiftçi,M.C. & A.Hasbenli**, 2007, Contribution to Empis (subgenera *Euempis*, *Pachymeria*, *Polyblepharis*) (Empididae, Diptera) fauna of Turkey. *J. ent. Res. Soc.* 9 (3): 7-14.

428. Çiftçi, M.C. & A.Hasbenli, 2007, Contribution to Empis (subgenera Leptempis, Xanthempis and Lissempis) (Empididae, Diptera) fauna of Turkey. *Int. J. dipterol. Res.* 18 (3): 155-157.
429. Çiftçi, M.C. & A.Hasbenli, 2008, Contribution to the Empis (subgenus Empis) (Empididae, Diptera) fauna of Turkey. *Türk. J. Zool.* 32: 433-435.
430. Çiftçi, M.C. & A.Hasbenli, 2011, Two new species of Hilara (Diptera, Empididae) from northwestern Turkey. *Zootaxa* 2928: 49-56, figs.
431. Çiftçi, M.C., 2011, Marmara Bölgesi Empididleri (Diptera, Empididae). 288 s. <http://tez2.yok.gov.tr/312764> [access 16 12 2012].
432. Çiftçi, M.C., Hasbenli, A. & D.Canbolat, 2012, Two new species of Empis (Diptera, Empididae) from Turkey. *Zootaxa* 3408: 47-53, figs.
433. Çiftçi, M.C., Parvu, C. & A.Hasbenli, 2008, A new Hilara Meigen (Diptera, Empididae) species from the Eastern Mediterranean Region of Turkey. *Ent. News* 119 (1): 96-101, figs.
434. Çiftçi, M.K., Hasbenli, A. & H.Koç, 2012, Three new species of Hilara Meigen (Diptera, Empididae) from Turkey. *Türk. J. Zool.* 36: 729-738.
435. Çıkman, E., 2006, Parasitoids of the leafminers (Diptera, Agromyzidae) from Adıyaman Province. *Türk. ent. derg.* 30 (2): 99-111.
436. Cilbircioğlu, C. & S.Ünal, 2008, Gall Midges (Diptera, Cecidomyiidae) in forest trees of Turkey. *J. Agric. Urban ent.* 25 (1): 13-23 [published later than 20 Dec. 2008].
437. Cıplak, B. & A.Demirsoy, 1991, Arguvan (Malatya) ve çevresinde Orthoptera (Insecta) faunasının incelenmesi. *Türk. J. Zool.* 15: 98-114 [inaccessible online, date: 9 10 2014].
438. Cıplak, B. & A.Demirsoy, 1997, Mantodea (Insecta) fauna of Malatya vicinity (Turkey) and some remarks on the Mantises of Anatolia. *J. Orth. Res.* 6: 105-111, figs.
439. Cıplak, B., 1988, Arguvan (Malatya) ve çevresi Orthoptera (Insecta) faunasının sistematik yönden incelenmesi. Thesis Master Degree, İnönü Univ. Fen Bilim. Enst. Malatya [officially not registered by Council of Higher Education (Turkey) [Official response, on 9 10 2014].
440. Cıplak, B., 1992, Malatya ve civarı Orthoptera (Insecta) faunasının incelenmesi. Thesis of PhD. İnönü Univ. Fen Bilim. Enst. Malatya. [Officially not registered by Council of Higher Education (Turkey) [Official response, on 9 10 2014].
441. Cıplak, B., 1994, A new species and a new subspecies of Stenobothrus Fischer, 1853 (Orthoptera, Acrididae) from Turkey. *Türk. ent. Derg.* 18 (1): 7-14, figs.
442. Cıplak, B., 2000, Systematics and phylogeny of Parapholidoptera (Orthoptera, Tettigoniidae, Tettigoniinae). *Syst. Ent.* 25 (4): 411-436, figs.
443. Cıplak, B., 2000, Genus Festella (Orthoptera, Tettigoniidae) with description of F. rammei sp.n. *Ent. News* 111 (4): 299-306, figs.
444. Cıplak, B., Demirsoy, A. & A.N.Bozcuk, 1996, Caelifera fauna of (Orthoptera, Insecta) Malatya district [sic!]. *Türk. J. Zool.* 20 (1): 17-31 [inaccessible online, date: 9 10 2014].
445. Cıplak, B., Demirsoy, A. & A.N.Bozcuk, 1996, The Ensifera (Orthoptera, Insecta) fauna of Malatya (Turkey) district [sic!]. *Türk. J. Zool.* 20 (3): 247-254 [inaccessible online, date: 9 10 2014].
446. Cıplak, B., Heller, K.-G. & A.Demirsoy, 2002, Review and key to species of Platycleis from Turkey (Orthoptera, Tettigoniidae) with descriptions of Yalvaciana subgen.n. and two new species. *J. Nat. Hist.* 36: 197-236, figs.
447. Civelek, H.S. & S.Tezcan, 2005, Some new records for Diptera fauna of Turkey and additional notes on the dipterous fauna of cherry orchards. *Türk. ent. derg.* 29 (1): 11-16.
448. Civelek, H.S., 2002, Two new records for the Turkish Diptera fauna from Izmir Province, Western Turkey. *Türk. ent. derg.* 26 (4): 295-299, figs.
449. Civelek, H.S., Çıkman, E. & O.Dursun, 2009, Revised checklist of Turkish Agromyzidae (Diptera) fauna of Turkey. *Türk. J. Zool.* 33 (3): 349-358.
450. Claussen, C. & R.Hayat, 1997, A new species of the genus Neoascia Williston, 1886 (Diptera, Syrphidae) from North-East Turkey. *Stud. dipterol.* 4: 215-218.
451. Clavareau, H., 1913, Chrysomelidae, [in] Schenkling, S., *Coleopterorum Catalogus Pars.* 53: 1-278. W.Junk, Berlin.
452. Coe, R.L., 1966, A new Sericomyia from Turkey (Diptera, Syrphidae). *Ent. Tidskr.* 87: 118-120.
453. Cogan, B.H., 1984, Canacidae [in] Soos, A. & L.Papp (eds.), *Catalogue of Palaearctic Diptera* 10: 124-126, Akademiai Kiado, Budapest.
454. Cogan, B.H., 1984, Ephydriidae [in] Soos, A. & L.Papp (eds.), *Catalogue of Palaearctic Diptera* 10: 126-176, Akademiai Kiado, Budapest.
455. Coher, E., 1988, Further studies of Asian Macrocerinae (Diptera, Mycetophilidae) with the description of a new Chiasmoneurine genus Laneocera. *J. New York ent. Soc.* 96 (1): 82-90, figs.
456. Colless, D.H. & Z.Liepa, 1973, Mycetophilidae, pp. 444-463, [in] Delfinado, M.D. & D.E.Hardy, *A Catalog of the Diptera of the Oriental Region.* University Press of Hawaii, Honolulu.
457. Collin, J.E., 1937, Some Empididae (Diptera) from Syria and Asia Minor Parts 1,2. *Proc. R. Ent. Soc. London (B)* 6 (7): 135-144; (8): 145-148, figs.
458. Collin, J.E., 1960, Some Empididae from Palestine. *Ann. Mag. nat. Hist.* (13) 2 (1959): 385-420.

459. **Collingwood, C.A.**, 1961, Ergebnisse der Deutschen Afghanistan Expedition 1956 der Landessammlungen für Naturkunde in Karlsruhe. Formicidae (Hymenoptera). Beitr. naturk. Forsch. SWDtl. 19 (3): 289-290.
460. **Colonnelli, E.**, 2005, A revised checklist of Italian Curculionoidea (Coleoptera). Zootaxa 337: 1-142.
461. **Coquillett, D.W.**, 1901, Types of anthomyid genera. J. New York Ent. Soc. 9: 134-146.
462. **Çoruh, I. & S.Çoruh**, 2008, Ichneumonidae (Hymenoptera) species associated with some Umbelliferae plants occurring in Palandöken Mountains of Erzurum Turkey. Turk. J. zool. 32: 121-124.
463. **Çoruh, S. & A.I.Khalaim**, 2012, New and little known species of Tersilochinae (Hymenoptera, Ichneumonidae) from Turkey. Türk. ent. bült. 2 (2): 61-65.
464. **Çoruh, S. & H.Özbek**, 2005, New records of Cryptinae (Hymenoptera, Ichneumonidae) from Turkey with some hosts. Türk. ent. derg. 29 (3): 183-186.
465. **Çoruh, S. & H.Özbek**, 2011, New and little known some Ichneumonidae (Hymenoptera) species from Turkey with some ecological notes. Türk. ent. derg. 35 (1): 119-131.
466. **Çoruh, S. & J.Kolarov**, 2010, A review of the Turkish Orthopelmatinae (Insecta, Hymenoptera, Ichneumonidae). Sci. Res. Ess. 5 (22): 3518-3521, 5 figs. <http://www.academicjournals.org/SRE>
467. **Çoruh, S. & K.Kara**, 2011, Medina separata (Meigen, 1824) a new record for Turkish Tachinidae (Diptera). Turk J Zool. 35 (3): 445-446, fig.
468. **Çoruh, S. & Kolarov, J.**, 2013, New data on Turkish Acaenitinae (Hymenoptera, Ichneumonidae) with description of a new species. Zool. Middle East 59 (3): 261-265.
469. **Çoruh, S., Özbek, H. & J.Kolarov**, 2002, New and rare taxa of Ichneumonidae (Hymenoptera) from Turkey. J. Ent. Res. Soc. 4 (1): 1-4.
470. **Çoruh, S., Özbek, H. & J.Kolarov**, 2004, New and little known Anomaloninae (Hymenoptera, Ichneumonidae) from Turkey. Linzer biol. Beitr. 36 (2): 1199-1204.
471. **Çoruh, S., Özbek, H. & M.Riedel**, 2011, An additional contribution to the Ichneumoninae (Hymenoptera, Ichneumonidae) fauna of Turkey. Türk. ent. derg. 35 (4): 603-613.
472. **Couri, M.S. & A.C.Pont**, 2000, Cladistic analysis of Coenosiini (Diptera, Muscidae, Coenosiinae). Syst. Ent. 25: 373-392, figs.
473. **Crosskey, R.W. & H.Zwick**, 2007, New faunal records, with taxonomic annotations for the blackflies of Turkey (Diptera, Simuliidae). Aquatic Insects 29 (1): 21-48, figs.
474. **Crosskey, R.W.**, 1967, A preliminary revision of the black-flies (Diptera, Simuliidae) of the Middle East. Trans. R. ent. Soc. Lond. 119 (1): 1-45, 47 figs., 1 map.
475. **Crosskey, R.W.**, 2002, A taxonomic account of the blackfly fauna of Iraq and Iran, including keys for species identification (Diptera, Simuliidae). J. Nat. Hist. 36: 1841-1886, figs.
476. **Çubuk, F.T. & Y.Gülmez**, 2013, New records of Crabronidae (Insecta, Hymenoptera) from Turkey. J. ent. Res. Soc. 15 (1): 33-36.
477. **Czerny, L.**, 1924, Monographie der Helomyziden (Dipteren). Abh. zool.- bot. Ges. Wien 15 (1): 1-166, 1 Taf.
478. **Dahlbom, A.G.**, 1845, Dispositio methodica speciarum Hymenopterorum, secundum familias Insectorum naturales. Particula secunda. 20pp. Lund.
479. **Dahlbom, A.G.**, 1854, Hymenoptera europaea praecipue borealia, formis typicis nonnullis specierum generumve exoticorum propter nexum systematicum associatis, per familias, genera, species et varietates disposita atque descripta. Tomus Secundus. 412pp., Pls. Berolini.
480. **Dalla Torre, C.G.v.**, 1894, Catalogus Hymenopterorum hucusque descriptorum systematicus et synonymicus. Volumen IX Vespidae (Diploptera). 181 pp. Lipsiae.
481. **Dalla Torre, K.W.von & J.J.Kieffer**, 1910, Cynipidae [in] Schulze, F.E., Das Tierreich 24. Lieferung, Hymenoptera. xxxv + 891pp., 422pp. Berlin.
482. **Danforth, B.N., Eardley, C., Packer, L., Walker, K., Pauly, A. & F.N.Randrianambinitsoa**, 2008, Phylogeny of Halictidae with an emphasis on endemic African Halictinae. Apidologie 39: 86-101, figs.
483. **Danilevsky, M.L.**, 2010, Four new Phytoecia (Coleoptera, Cerambycidae) from Turkey. Stud. Rep. Tax. Ser. 6 (1-2): 19-30, figs.
484. **Darilmaz, M. & S.Kiyak**, 2006, A contribution to the knowledge of the Turkish water beetles fauna (Coleoptera). Mun. Ent. Zool. 1(1): 129-144.
485. **Darilmaz, M.C. & S.Kiyak**, 2008, An annotated checklist and key to the Turkish Elongated Water Scavenger Beetles (Coleoptera, Hydrochidae). Baltic J. Coleopt. 8 (2): 149-154, 3 figs.
486. **Darilmaz, M.C. & S.Kiyak**, 2009, Checklist of Gyrinidae, Haliplidae, Noteridae and Dytiscidae of Turkey (Coleoptera, Adephaga). J. nat. Hist. 43 (25-26): 1585-1636.
487. **Dathe, H.H.**, 2000, Studien zur Systematik und Taxonomie der Gattung Hylaeus F. (3) Revision der Hylaeus -nivalis- Gruppe in Europa und Klärung weiterer Westpalaarktischer Arten (Apidae, Colletinae). Beitr. Ent. 50 (1): 151-174, figs.
488. **Davidian, G.E. & L.Gültekin**, 2006, Contribution to the knowledge of the Weevil genus Otiorhynchus (Coleoptera, Curculionidae) from northeastern Turkey and Transcaucasia. Ent. rev. 86: 310-323, figs. [Zool. Zh. 85 (4): 479-492, figs.]



- 489. Davidian,G.E. & N.N.Yunakov,** 2002, Contribution to the knowledge of the Weevil subgenera *Nilepolemis* Rtt., *Udonedus* Rtt., *Otismotilus* Rtt. and *Motilacanus* Rtt., genus *Otiorhynchus* Germ. (Coleoptera, Curculionidae) from the Caucasus and Turkey. Ent. Obozr. 81 (1): 128-173, figs. [Ent. rev. 82 (1): 21-58, figs.]
- 490. Davidian,G.E. & Y.G.Arzanov,** 2006, New species of the Weevil subgenus *Eunihus* Rtt., genus *Otiorhynchus* Germ. (Coleoptera, Curculionidae) from the Caucasus and Turkey. Ent. rev. 89 (7): 805-814, figs. [Ent. Obozr. 85 (2): 389-394]
- 491. Dawah,H.A. & M.A.Abdullah,** 2006, New records of Chloropidae (Diptera) from Southwest Saudi Arabia with some biological information, world-wide geographical distribution and taxonomic features. Saudi Arabia Biol. Sci. 13 (1): 24-34.
- 492. Day,M.C.,** 1981, A revision of *Pompilus* Fabricius (Hymenoptera, Pompilidae), with further nomenclatural and biological considerations. Bull. Br. Mus. (Nat. Hist.) Ent. 42 (1): 1-42, 38 figs., 2 maps.
- 493. Decelle,J. & N.Lodos,** 1989, Contribution to the study of Legume Weevils of Turkey (Coleoptera, Bruchidae). Bull. Annls. Soc. R. Belge Ent. 125: 163-212.
- 494. Deckert,J.,** 1995, Die Arten der Lygaeinae-Gattung *Apterola* Mulsant & Rey (Heteroptera, Lygaeidae). Dt. ent. Z. 42 (1): 1-16, figs.
- 495. Deeming,J.C.,** 2006, A new species of *Scoliophthalmus* Becker (Diptera, Chloropidae) from Turkey. Türk. ent. derg. 30 (2): 83-88, figs.
- 496. Değer,S. & M.Yaman,** 2005, Van yöresi Phlebotominae (Diptera, Psychodidae) türleri. YYÜ Vet. Fak. Derg. 16 (1): 55-59.
- 497. Dely-Draskovitz,A.,** 1981, Revision der palaearktischen Arten der Gattung *Aphanotrigonum* Duda,1932 und *Aphanotrigonella* Nartshuk,1964 (Diptera, Chloropidae). Acta zool. hung. 28 (1): 115-138, figs.
- 498. Dely-Draskovitz,A.,** 1983, Revision der Typen der palaearktischen Arten der Gattung *Tricimba* Lioy,1864 (Diptera, Chloropidae). Acta zool. hung. 29: 327-355, figs.
- 499. Demir,E.,** 1998, Türkiye Homoptera faunası için yeni kayıtlar (Homoptera, Auchenorrhyncha, Tropiduchidae). Cent. ent. Stud., Misc. Pap. 55/56: 1-3, 1 fig.
- 500. Demir,E.,** 2006, *Bobacella* (Homoptera, Auchenorrhyncha, Cicadellidae): A new genus record for Turkey. Ent. News 117: 455-456.
- 501. Demir,E.,** 2006, Contributions to the knowledge of Turkish Auchenorrhyncha (Homoptera) with a new record, *Pentastrius nanus* (Ivanoff,1885). Mun. Ent. Zool. 1 (1): 97-122, figs.
- 502. Demir,E.,** 2006, Contributions to the knowledge of Turkish Auchenorrhyncha with twelve new records (Homoptera, Cicadellidae). Mun. Ent. Zool. 1 (2): 215-236.
- 503. Demir,E.,** 2006, A new species of *Thamnotettix* Zetterstedt,1840 (Homoptera, Auchenorrhyncha, Cicadellidae) from Turkey. J. Kansas ent. Soc. 79 (3): 383-387, figs.
- 504. Demir,E.,** 2006, Preliminary report on the Auchenorrhyncha (Hemiptera) fauna of Kazdağı National Park with two new records for Turkey. Acta ent. slov. 14 (1): 89-102.
- 505. Demir,E.,** 2007, Auchenorrhyncha (Homoptera) data from Ankara with two new records to Turkey. Mun. Ent. Zool. 2 (2): 481-492.
- 506. Demir,E.,** 2007, Contributions to the knowledge of Turkish Auchenorrhyncha (Homoptera, Fulgoromorpha and Cicadomorpha, excl. Cicadellidae) with a new record *Setapius klapperichianus* Dlabola,1988 Mun. Ent. Zool. 2 (1): 39-58.
- 507. Demir,E.,** 2007, Known species of Turkish *Tachycixius* Wagner,1939 (Homoptera, Auchenorrhyncha, Cixiidae, Cixiinae). Mun. Ent. Zool. 2 (1): 171-172.
- 508. Demir,E.,** 2008, The Fulgoromorpha and Cicadomorpha of Turkey Part I Mediterranean Region (Hemiptera) Mun. Ent. Zool. 3 (1): 447-522.
- 509. Demir,E.,** 2009, *Ricania* Germar,1818 species of western Palaearctic Region (Hemiptera, Fulgoromorpha, Ricaniidae). Munis Ent. Zool. 4 (1): 271-275, figs.
- 510. Demir,M.,** 2008, Gazi Üniversitesi Zooloji Müzesinde bulunan Cantharidae (Coleoptera) örneklerinin sistematik ve faunistik değerlendirilmesi. Yüksek lisans tezi. 91s. Publisher: Yükseköğretim Kurulu Ulusal Tez Merkezi [tez no: 216668] <http://tez2.yok.gov.tr/>
- 511. Demirsoy,A.,** 1977, Türkiye Faunası Mantodea. 53 s., 68 şek. Atatürk Üniversitesi yay. 499. Erzurum.
- 512. Demirsoy,A.,** 1979, Die Fangheuschreckenfauna Anatoliens. Ent. Mitt. Zool. Mus. Hamburg 6 (106): 253-265, 32 Abb.
- 513. Demirsoy,A.,** 1982, Türkiye Faunası Odonata 155s. Tübitak Yayınları, Ankara.
- 514. Demirsoy,A., Salman,S. & H.Sevgili,** 2002, *Novadrymadusa*, a new genus of bushcricket with a new species and notes on related genera (Orthoptera, Tettigoniidae). J. Orth. Res. 11 (2): 175-183, figs.
- 515. Denizhan,E. & B.Yaşar,** 2005, Van ilinde beş farklı şeftali çeşidi üzerindeki *Hyalopterus pruni* (Geoffroy) (Homoptera, Aphididae)'nin populasyon yoğunluğunun saptanması. YYÜ J. Agric. Sci. 15 (2): 159-166.
- 516. Deonier,D.L.,** 1993, A critical taxonomic analysis of the *Hydrellia pakistanae* species group (Diptera, Ephydriidae). Insecta Mundi 7 (3): 132-158, 52 figs.

517. **Derzhansky,V.V. & D.Pluot-Sigwalt**, 2006, Some new synonymies in the genus *Aelia* (Heteroptera, Pentatomidae). *Zoosyst. ross.* 14 (2): 206.
518. **Dietrich,C.H.**, 2005, Keys to the families of Cicadomorpha and subfamilies and tribes of Cicadellidae (Hemiptera, Auchenorrhyncha). *Florida Ent.* 88 (4): 502-517, figs.
519. **Dik,B., Karatepe,M., Karatepe,B. & Ş.Yağcı**, 2006, Nigde yöresi *Culicoides* Latr.,1809 (Diptera, Ceratopogonidae) türleri. *Türk. Parazit. Derg.* 30 (2): 121-124.
520. **Dik,B., Yağcı,Ş. & Y-M.Linton**, 2006, A review of species diversity and distribution of *Culicoides* Latreille,1809 (Diptera, Ceratopogonidae) in Turkey. *J. nat. Hist.* 40 (32-34): 1947-1967.
521. **Dik,B., Yaman,M. & U.Uslu**, 2010, Hatay yöresinde bulunan *Culicoides* (Latreille,1809) (Diptera, Ceratopogonidae) türleri. *Kafkas Univ. Vet. Fak. Derg.* 16 (Suppl.B): 255-258.
522. **Dikmen,F. & A.M.Aytekın**, 2011, Notes on the *Halictus* Latreille (Hymenoptera, Halictidae) fauna of Turkey. *Turk J.Zool.* 35 (4): 537-550, 7 figs.
523. **Dikmen,F., Radchenko,V.G. & M.Aytekın**, 2011, Taxonomic studies on the genus *Halictus* Latreille,1804 in Turkey. *Zool. Middle East* 54: 79-100, figs.
524. **Dikow,T.**, 2003, Revision of the genus *Euscelidia* Westwood,1850 (Diptera, Asilidae, Leptogastrinae). *African Inverteb.* 44 (2): 1-131, figs.
525. **Dikow,T.**, 2010, Order Diptera, family Mydidae. *Arthropod fauna of the UAE* 3: 608-615, figs.
526. **Dils,J. & H.Özbek**, 2006, A new species of the genus *Conophorus* (Diptera, Bombyliidae) from Turkey. *Phegea* 34 (3): 107-110, figs.
527. **Dils,J. & H.Özbek**, 2006, A new species of the genus *Callostoma* (Diptera, Bombyliidae) from Turkey. *Phegea* 34 (4): 157-159, figs.
528. **Dils,J. & H.Özbek**, 2006, Contribution to the knowledge of the Bombyliidae of Turkey (Diptera). *Linzer biol. Beitr.* 38 (1): 455-504 [with some spelling errors].
529. **Dils,J. & H.Özbek**, 2007, A new species of the genus *Exoprosopa* (Diptera, Bombyliidae) from Turkey. *Phegea* 35 (3): 81-84, 5 figs.
530. **Dils,J. & H.Özbek**, 2009, Notes on *Cytherea pallidipennis* (Diptera, Bombyliidae). *Phegea* 37 (3): 103-106, figs.
531. **Dils,J.**, 2009, A new species of the genus *Thevenetimyia* (Diptera, Bombyliidae, Ecliminae) from Iran with notes about the male of *Thevenetimyia hirta*. *Phegea* 37 (4): 121-125, figs. [some bibliographical information incorrect!].
532. **Dirickx,H.G.**, 1994, Atlas des Diptères syrphides de la région méditerranéenne. Documents de travail de l'Institut royal des Science naturelles de Belgique. 75: 1-317, 489 maps.
533. **Dirsh,V.M.**, 1961, Ergebnisse der Deutschen Afghanistan Expedition 1956 der Landessammlungen für Naturkunde in Karlsruhe. Acridoidea (Orthoptera). *Beitr. naturk. Forsch. SWDtl.* 19 (3): 263-266.
534. **Disney,R.H.L. & P.L.Beuk**, 1997, European Phalacrotophora (Diptera, Phoridae). *Entomologist's Gaz.* 48: 185-192, figs.
535. **Disney,R.H.L. & Ş.Bayram**, 1999, Recognition biology and first Turkish record of megaselia coaetanea Schmitz (Dipt. Phoridae). *Entomologist's mon. Mag.* 135: 245-248.
536. **Disney,R.H.L.**, 2003, Revisionary notes on European Phoridae (Diptera). *Bonn. zool. Beitr.* 50 (4): 293-304.
537. **Dispons,P.**, 1964, Notes sur des *Rhinocoris palaeartiques orientaux* (Hemiptera, Heteroptera, Reduviidae). *Israel J. Zool.* 13: 98-101.
538. **Distant,W.L.**, 1899, Rhynchotal Notes III. Heteroptera: Discocephalinae and Pentatominae (part.). *Ann. Mag. nat. Hist.* (7) 4: 421-445.
539. **Distant,W.L.**, 1905, Rhynchotal notes xxxiii. *Ann. Mag. nat. Hist.* (7) 16: 22-35.
540. **Dlabola,J.**, 1957, Die Zikaden Afghanistans. *Mitt. münch. ent. Ges.* 47: 265-303, Pls. vii-xvii.
541. **Dlabola,J.**, 1985, Zwei neue Fieberiella-Arten aus der Türkei und Spanien (Hom., Cicadellidae). *Türk. bitki kor. derg.* 9: 75-78, figs.
542. **Dobosz,R. & L.Abraham**, 2007, New data to the Turkish ascalaphid fauna (Neuroptera, Ascalaphidae). *Annls Upper Sil. Mus. (Ent.)* 14-15: 13-27, figs.
543. **Dobosz,R. & L.Abraham**, 2009, Contribution to the knowledge of the Turkish tail-wings (Neuroptera, Nemopteridae). *Natura Somog.* 15: 113-126, figs.
544. **Dobosz,R.**, 2007, New faunistics data on Mantispidae (Neuroptera) from Turkey. *Annls Upper Sil. Mus. (Ent.)* 14-15: 29-34, figs.
545. **Dobosz,R.**, 2007, New faunistics data on Osmylidae (Neuroptera) from Turkey. *Annls Upper Sil. Mus. (Ent.)* 14-15: 35-37.
546. **Dodonov,B.**, 1925, Eine neue Pachyrina-Art (Dipt.) aus Persien. *Konowia* 4: 108-109.
547. **Doğanlar,M. & H.Bolu**, 2004, A new species of *Gugolzia* Delucchi & Stephan (Hym. Pteromalidae) from Turkey, a parasitoid of *Eurytoma amygdali* Enderlein (Hym. Eurytomidae). *Zool. Middle East.* 32: 75-78.
548. **Doğanlar,M. & H.Çam**, 2005, Morphology and systematics of Turkish species of *Exeuytoma* Burks,1971 (Hymenoptera, Chalcidoidea, Eurytomidae) with description of a new species from eastern Anatolia. *Turk. J. Zool.* 29: 243-248, 3 figs.

549. **Doğanlar, M. & O. Doğanlar**, 2010, Review of the species of *Gugolzia* Delucchi and Steffan (Hymenoptera, Pteromalidae) in Europe and Turkey with descriptions of new species. *Türk. J. Zool.* 34: 23-34, figs.
550. **Doğanlar, M. & O. Doğanlar**, 2013, Systematics of *Urfacus* Doğanlar, 2003 (Hymenoptera, Eulophidae, Ceranisinae), with descriptions of new species in Turkey. *EJBS* 7 (1): 76-90, figs.
551. **Doğanlar, M. & S.V. Triapitsyn**, 2007, Review of *Ceranisus* (Hymenoptera, Eulophidae) of Turkey, with description of a new species. *Eur. J. Ent.* 104: 105-110, figs.
552. **Doğanlar, M.**, 1982, Doğu Anadolu'da saptanan bazı parazit sinekler II. Echinomyiinae, Dexiinae, Phasiinae (Diptera, Tachinidae). *Türk. bitki kor. derg.* 6: 209-220.
553. **Doğanlar, M.**, 1982, Doğu Anadolu'da saptanan bazı parazit sinekler I. Exoristinae (Diptera, Tachinidae). *Türk. bitki kor. derg.* 6: 161-173.
554. **Doğanlar, M.**, 1982, A new species *Diglyphus* Walker (Hymenoptera, Eulophidae) from Eastern Anatolia. *Türk. bitki kor. derg.* 6: 75-79, figs.
555. **Doğanlar, M.**, 1984, Notes on Chalcidoidea of Turkey I. Chalcididae, Eurytomidae, Torymidae, Ormyridae, Perilampidae, Eucharitidae. *Türk. Bitki kor. derg.* 8: 151-158.
556. **Doğanlar, M.**, 1985, Notes on Chalcidoidea of Turkey II. Pteromalidae. *Türk. bitki kor. dern.* 1985: 27-43.
557. **Doğanlar, M.**, 1991, Systematic studies on the species of *Cyrtosoma* Perris from Turkey and descriptions of some new species (Hymenoptera, Ormyridae). *Türk. ent. derg.* 15 (2): 71-87.
558. **Doğanlar, M.**, 2003, A new genus and a new species of Entodontinae (Hymenoptera, Eulophidae) from Southeastern Anatolia, Turkey. *Türk. J. Zool.* 27: 181-185, figs.
559. **Doğanlar, M., Gumovsky, A. & O. Doğanlar**, 2011, A review of *Ceranisus* (Hymenoptera, Eulophidae) of Ukraine, with description of two new species. *Türk. ent. derg.* 35 (2): 215-229, figs.
560. **Doğanlar, M., Karsavuran, Y. & N. Demirel**, 2007, Taxonomic studies on *Coptosoma* (Laporte, 1932) species (Heteroptera, Plataspidae) from Turkey. *J. Ent.* 4 (6): 404-424, figs.
561. **Doğanlar, M., Lasalle, J., Sertkaya, E. & O. Doğanlar**, 2009, A new species of *Quadrastichus* Girault, 1913 (Hymenoptera, Eulophidae, Tetrastichinae) from Hatay, Turkey. *Türk. J. Zool.* 33: 309-314, figs.
562. **Doğanlar, O. & M. Doğanlar**, 2008, A new species of *Idarnotorymus* Masi, 1916 (Hymenoptera, Torymidae) from Turkey. *Türk. J. Zool.* 32: 85-90, figs. [new species and new records to Turkey].
563. **Doğanlar, O. & M. Doğanlar**, 2008, First record of *Eucalyptus* Seed Gall Wasp, *Quadrastichodella* nova Girault, 1922 (Eulophidae, Tetrastichinae) from Turkey. *Türk. J. Zool.* 32: 457-459, figs. [new record to Turkey].
564. **Doğanlar, O., Yıldırım, A.E. & M. Doğanlar**, 2006, Natural enemy complex of *Eurytoma amgdali* Enderlein, 1907 (Hymenoptera, Eurytomidae) in eastern Mediterranean Region of Turkey; notes on their interaction and effectiveness. *Res. J. Agr. Biol. Sci.* 2 (6): 282-286.
565. **Dohrn, A.**, 1860, Hemipterologische Miscellaneen. *Stettin ent. Ztg.* 21: 99-109, 158-162, 1 Taf.
566. **Dohrn, F.A.**, 1860, Hemipterologische Miscellaneen. *Stettin ent. Ztg.* 21: 99-109, 158-162, tab.1.
567. **Dokhtouroff, W.**, 1890, Faune coléopterologique Aralo-Caspienne. xiii. partie. Meloides et Cantharides (Mylabrides). *Horae Soc. ent. ross.* 24: 121-192, tab.ii.
568. **Doland, Q.**, 1987, The old world genera of braconine wasps (Hymenoptera, Braconidae). *J. Nat. Hist.* 21 (1): 43-157.
569. **Dollfuss, H.**, 1991, Bestimmungsschlüssel der Grabwespen Nord- und Zentraleuropas (Hymenoptera, Sphecidae). *Stapfia* 24: 1-247, 814 figs.
570. **Dollfuss, H.**, 1995, A worldwide revision of *Pemphredon* Latreille, 1796 (Hymenoptera, Sphecidae). *Linzer biol. Beitr.* 27 (2): 905-1019, 322 Abb.
571. **Dollfuss, H.**, 2004, The Crabroninae Wasps of "Biologiezentrum Linz" - Collection in Linz, Austria (Hymenoptera, Apoidea, Crabronidae), Part I. *Linzer biol. Beitr.* 36 (2): 761-784.
572. **Dollfuss, H.**, 2004, The Pemphredoninae Wasps of "Biologiezentrum Linz" - Collection in Linz, Austria (Hymenoptera, Apoidea, Crabronidae) *Linzer biol. Beitr.* 36 (1): 105-129.
573. **Dollfuss, H.**, 2006, The Crabronidae Wasps of "Biologiezentrum Linz" - Collection in Linz, Austria (Hymenoptera, Apoidea, Crabronidae), Part 2. *Linzer biol. Beitr.* 38 (1): 505-532.
574. **Dollfuss, H.**, 2010, The Ammophilini Wasps of the genera *Eremnophila* Menke, *Eremochares* Gribodo, *Hoplammophila* de Beaumont, *Parapsammophila* Taschenberg and *Podalonia* Fernald of the "Biozentrum Linz" - Collection in Linz, Austria (Hymenoptera, Apoidea, Sphecidae). *Linzer biol. Beitr.* 42 (1): 535-560.
575. **Dolling, W.R.**, 1986, The tribe Pseudophloeini (Hemiptera, Coreidae) in the Old World tropics with a discussion on the distribution of the Pseudophloeinae. *Bull. Br. Mus. (Nat. Hist.) Ent.* 53 (3): 151-212, figs.
576. **Dominiak, P., Braverman, Y. & R. Szadziewski**, 2007, New records of biting midges of the genus *Dasyhelea* from Israel, with notes on synonymy in the genera *Culicoides* and *Forcipomyia* (Diptera, Ceratopogonidae). *Pol. pismo Ent.* 76: 257-265, figs.
577. **Dorchin, N. & A. Freidberg**, 2011, The gall midges (Diptera, Cecidomyiidae) of Apiaceae in Israel. *Zootaxa* 3044: 28-48, figs.



- 578. Drake, C.J. & F.A. Ruhoff**, 1960, Lace-bug genera of the World (Hemiptera, Tingidae). Proc. U. S. nat. Mus. 112 (3431): 1-105, 9 Pls.
- 579. Drake, C.J. & F.A. Ruhoff**, 1965, Lacebugs of the World. A Catalog (Hemiptera, Tingidae). Bull. U.S. nat. Mus. 243: 1-634, 56 Pls.
- 580. Drohojowska, J. & D. Burckhardt**, 2014, The jumping plant-lice (Hemiptera, Psyllodea) of Turkey: a checklist and new records. Turk. J. Zool. 38: 559-568, figs.
- 581. Dubitzky, A.**, 2007, Phylogeny of the World Anthophorini (Hymenoptera, Apoidea, Apidae). Syst. Ent. 32: 585-600, figs.
- 582. Duda, O.**, 1918, Revision der europäischen Arten der Gattung *Limosina* Macquart (Dipteren). Abhandl. zool.-bot. Ges. Wien 10 (1): 1-240, viii Taf.
- 583. Duda, O.**, 1920, Revision der altweltlichen Arten der Gattung *Sphaerocera* Latreille (Dipteren). Tijdschr. Ent. 63: 1-39.
- 584. Duda, O.**, 1925, Monographie der Sepsiden (Dipt.). I. Annln naturh. Mus. Wien 39: 1-153, figs.
- 585. Duda, O.**, 1926, Monographie der Sepsiden (Dipt.). II. Annln naturh. Mus. Wien 40: 1-110, figs.
- 586. Dumont, H.J.**, 1972, The taxonomic status of *Calopteryx xanthosoma* (Charpentier, 1825) (Zygoptera, Calopterygidae). Odonatologica 1 (1): 21-29, figs.
- 587. Dumont, H.J.**, 1977, A review of the Dragonfly fauna of Turkey and adjacent Mediterranean Islands (Insecta, Odonata). Bull. Ann. Soc. r. belge Ent. 113: 119-171.
- 588. Durmaz, M.D.**, 2008, Eskişehir ili Geocorisae (Insecta, Heteroptera) faunası üzerinde ön çalışmalar. MSc thesis, 124s. Eskişehir [The thesis was published by the Council of Higher Education in 2005; access 10 12 2012].
- 589. Dursun, A. & A. Salur**, 2013, Presence of *Sphedanolestes sanguineus* (Fabricius, 1794) in Turkey, followed by an annotated checklist of Reduviidae (Hemiptera, Heteroptera). Turk. J. Zool. 37: 610-620, figs. [occurrence needs confirmation]
- 590. Dursun, A. & M. Fent**, 2009, A study on the Coreidae (Insecta, Heteroptera) of the Kelkit Valley, Turkey. Acta ent. serb. 14 (1): 13-25.
- 591. Dursun, A. & M. Fent**, 2011, Additional records on the Halyini, Carpocorini, Aeliini and Eysarcorini (Hemiptera, Pentatomidae, Pentatominae) of the Kelkit Valley, Turkey. Bihar. Biol. 5 (2): 151-156.
- 592. Dursun, A. & M. Fent**, 2013, Overview of the subgenus *Ventocoris* s.str. (Hemiptera, Heteroptera, Pentatomidae) with new records and a revised key to the *Ventocoris* species of Turkey. Zootaxa 3681 (1): 151-177, figs.
- 593. Dursun, A. & V. Kartal**, 2008, Orta Karadeniz Bölgesi Strachiini Mulsant & Rey, 1866, Pentatomini Leach, 1815 ve Piezodorini Atkinson, 1888 (Heteroptera, Pentatomidae, Pentatominae) türleri üzerine faunistik bir araştırma. Türk. ent. Derg. 32 (3): 225-239.
- 594. Dursun, A. & V. Kartal**, 2008, Orta Karadeniz Bölgesi Halyini Amyot & Serville, 1843, Sciocorini Amyot & Serville, 1843, Aeliini Douglas & Scott, 1865 ve Eysarcorini Mulsant & Rey, 1866 (Heteroptera, Pentatomidae, Pentatominae) türleri üzerine faunistik bir araştırma. Türk. ent. Derg. 32 (3): 303-315.
- 595. Dursun, A. & V. Kartal**, 2008, Orta Karadeniz Bölgesi Carpocorini Stål, 1876 (Heteroptera, Pentatomidae, Pentatominae) türleri üzerine faunistik bir araştırma. Türk. ent. Derg. 32 (1): 43-59.
- 596. Dursun, A.**, 2011, A study on the Nabidae and Reduviidae (Hemiptera, Heteroptera) of the Kelkit valley and Amasya, Turkey. Acta ent. serb. 16 (1/2): 35-43.
- 597. Dvorak, L. & L. Castro**, 2007, New and noteworthy records of vespid wasps (Hymenoptera, Vespidae) from the Palearctic Region. Acta ent. Mus. nat. Pragae 47: 229-236, figs.
- 598. Dvorak, M.**, 1983, Drei neue Arten und einige Bemerkungen zur Familie Meloidae (Coleoptera). Acta ent. bohemosl. 80: 441-450.
- 599. Dworakowska, I.**, 1993, Remarks on Alebra Fieb. and eastern hemisphere Alebrini (Auchenorrhyncha, Cicadellidae, Typhlocybinae). Entomotaxonomia 15 (2): 91-121, 196 figs.
- 600. Eades, D.C. et al.**, 2014, Orthoptera Species File. Version 5.0/5.0. <http://Orthoptera.SpeciesFile.org> [last access 22 March 2015]
- 601. Ebejer, M.J.**, 2009, A revision of Afrotropical Chyromyidae (excluding *Gymnochiromyia* Hendel) (Diptera, Schizophora), with the recognition of two subfamilies and the description of new genera. African Invertebr. 50 (2): 321-434, figs.
- 602. Ebejer, M.J.**, 2010, The identification of females of the West Palearctic species of *Gymnochiromyia* Hendel (Diptera, Chyromyidae) and descriptions of five new species from Israel and the United Arab Emirates. Israel J. Ent. 40: 145-168, figs.
- 603. Ebmer, A.W.**, 1999, Die westpaläarktischen Arten der Gattung *Dufourea* Lapeletier, 1841 (Insecta, Hymenoptera, Apoidea, Halictidae, Rophitinae). Linzer biol. Beitr. 31 (1): 183-228, 64 Abb.
- 604. Ebmer, P.A.W.**, 1971, Die Bienen des Genus *Halictus* Latr. s.l. im Grossraum von Linz (Hymenoptera, Apidae). Teil III. Naturk. Jb. Linz 1971: 63-156, 19 Taf.
- 605. Ebmer, P.A.W.**, 1973, Die Bienen des Genus *Halictus* Latr. s.l. im Grossraum von Linz (Hymenoptera, Apoidea). Nachtrag und zweiter Anhang. Nat. Jb. Linz 19: 123-158, 10 taf.
- 606. Ebmer, P.A.W.**, 1975, Neue westpaläarktische Halictidae (Halictinae, Apoidea) Teil III. Linzer biol. Beitr. 7 (1): 41-118, 56 Abb.

- 607. Ebmer,P.A.W.,** 1987, Die westpaläarktischen Arten der Gattung *Dufourea* Lepeletier 1841 mit illustrierten Bestimmungstabellen (Insecta, Hymenoptera, Apoidea, Halictidae, Dufoureaeinae). Linzer biol. Beitr. 19 (1): 43-56, figs.
- 608. Ebmer,P.A.W.,** 1989, Die westpaläarktischen Arten der Gattung *Dufourea* Lepeletier 1841 mit illustrierten Bestimmungstabellen (Insecta, Hymenoptera, Apoidea, Halictidae, Dufoureaeinae) Zweiter Nachtrag. Linzer biol. Beitr. 21 (1): 193-210, figs.
- 609. Ebmer,P.A.W.,** 1993, Die Bienengattung *Rophites* Spinola 1808 (Insecta, Hymenoptera, Apoidea, Halictidae, Rophitinae). Erster Nachtrag. Linzer biol. Beitr. 25 (1): 3-14.
- 610. Ebmer,P.A.W.,** 1993, Die westpaläarktischen Arten der Gattung *Dufourea* Lepeletier 1841 mit illustrierten Bestimmungstabellen (Insecta, Hymenoptera, Apoidea, Halictidae, Dufoureaeinae) Dritter Nachtrag. Linzer biol. Beitr. 25 (1): 15-42, 38 Abb. 2 Karten.
- 611. Ebmer,P.A.W.,** 1995, Asiatische Halictidae, 3. Die Artengruppe der *Lasioglossum carinate-Evylaeus* (Insecta, Hymenoptera, Apoidea, Halictidae, Halictinae). Linzer biol. Beitr. 27 (2): 525-652, 139 Abb.
- 612. Ebmer,P.A.W.,** 1997, Asiatische Halictidae, 6. *Lasioglossum carinaless-Evylaeus*: Ergänzungen zu den Artengruppen von *L.nitidiusculum* und *L.punctatissimum* s.l., sowie die Artengruppe des *L.marginellum* (Insecta, Hymenoptera, Apoidea, Halictidae Halictinae). Linzer biol. Beitr. 29 (2): 921-982, figs.
- 613. Ebmer,P.A.W.,** 2000, Asiatische Halictidae, 9. Die Artengruppe der *Lasioglossum pauperatum* (Insecta, Hymenoptera, Apoidea, Halictidae, Halictinae). Linzer biol. Beitr. 32 (1): 399-453, 100 Abb.
- 614. Ebmer,P.A.W.,** 2010, Östliche Verbreitungsgrenzen mitteleuropäischer Megachilidae in China entsprechend Fauna Sinica 44, Hymenoptera, Megachilidae, von Wu Yanru. Linzer biol. Beitr. 42 (1): 599-611.
- 615. Ebner,R.,** 1946, Einige seltenere palaearktische Tettigoniidae und Gryllidae (Orthoptera). Eos 22: 17-30, figs.
- 616. Ebrahimi,E. & J.M.Carpenter,** 2008, Catalog of the vespid wasps of Iran (Hymenoptera, Vespidae). Zootaxa 1785: 1-42, figs.
- 617. Egger,J.,** 1862, Dipterologische Beiträge. Verh. zool.-bot. Ges. Wien 12: 777-784.
- 618. Ehrmann,R.,** 2002, Mantodea Gottesanbeterinnen der Welt. Natur & Tier Verlag GmbH
- 619. Ehrmann,R.,** 2011, Mantodea from Turkey and Cyprus (Dictyoptera, Mantodea). Articulata 26 (1): 1-42.
- 620. Eid,E., Katbeh-Bader,A., Al-Otoom,M. & Y.Othman,** 2009, Contribution to the Entomofauna of Dibein Forest Reserve in Jordan. Cesa News 49: 19-41, 6 figs.
- 621. Ekiz,A.N., Gök,A., Borowiec,L. & S.Bilginturan,** 2009, Redescription of *Donacia kraatzii* Weise,1881, a poorly known aquatic leaf beetle (Coleoptera, Chrysomelidae, Donaciinae) with notes on its taxonomic status and geographical distribution. Dt. ent. Z. 56 (2): 299-302, figs.
- 622. Ekrem,T. & E.Stur,** 2009, A review of the genus *Zavrelia* (Diptera, Chironomidae). Eur. J. Ent. 106: 119-144, figs.
- 623. Elçin,G.B., Bağrıaçık,N. & M.B.Bartalucci,** 2013, New Myzinin wasps from Turkey (Hymenoptera, Tiphidae). Linzer biol. Beitr. 45 (2): 2155-2163, figs.
- 624. Emden,F.I.v.,** 1965, Diptera vol.7, Muscidae Part 1, [in] Sewell & Roonwal, The Fauna of India and the adjacent countries. xiv+ 647pp. 156 figs. Calcutta.
- 625. Emeljanov,A.F.,** 2004, The subgeneric division of the genus *Dictyophara* Germar,1833 (Homoptera, Dictyopharidae). Russian ent. J. 12 (4): 357-358.
- 626. Engel,E.O.,** 1925-1930, 24. Asilidae [in] E.Lindner, Die Fliegen der palaearktischen Region, IV(2), 491 pp., 284 figs. E.Schweizerbart. Stuttgart.
- 627. Engel,M.S.,** 2005, Three replacement names in the bee genus *Andrena* (Hymenoptera, Andrenidae). J. Kansas Ent. Soc. 78 (2): 179-180.
- 628. Engel,M.S.,** 2005, Family-group names for Bees (Hymenoptera, Apoidea). Amer. Mus. Novit. 3476: 1-33.
- 629. Enslein,E.,** 1914, Über einige Tenthrediniden aus Kleinasien und Kaukasien. Arch. Naturg. 79 (A) (8): 55-59.
- 630. Erdoğan,S.Z.,** 2006, Tabanidae species (Diptera), in the Elazığ Province of Turkey. Fırat Univ. Sağlık Bilim. Derg. 20 (1): 65-68.
- 631. Eren,H., Yağcı,Ş. & Ş.Dinçer,** 1995, Ankara'da bulunan Culicoides (Diptera, Ceratopogonidae) türleri. Ankara Univ. Vet. Fak. Derg. 42: 179-182.
- 632. Erichson,W.F.,** 1840, IV. Die Henopier. Entomographien 1: 135-174, 1 Taf.
- 633. Eroğlu,F., Kırac,A. & O.Birol,** 2011, A faunistic study on Ichneumonidae (Hymenoptera) in Türkmen Mountain, Turkey. Linzer biol. Beitr. 43 (2): 1219-1228.
- 634. Erol,T.,** 1994, Türkiye Attelabidae (Coleoptera) familyası türleri üzerinde faunistik ve sistematik çalışmalar I (Rhynchitinae, Deporaini, Auletini, Byctiscini). Türk. ent. derg. 18 (1): 41-50, figs.
- 635. Erol,T.,** 1994, Türkiye Attelabidae (Coleoptera) familyası türleri üzerinde faunistik ve sistematik çalışmalar II (Rhynchitinae, Rhynchitini). Türk. ent. derg. 18 (2): 89-102, figs.

- 636. Erol,T.,** 1994, Türkiye Attelabidae (Coleoptera) familyası türleri üzerinde faunistik ve sistematik çalışmalar III (Rhynchitinae, Attelabrinae, Apoderinae). Türk. ent. derg. 18 (3): 175-192, figs.
- 637. Ertorun,N., Jaech,M.A., Kasapoğlu,A. & M.C.Darılmaz,** 2011, Checklist of the Hydraenidae (Coleoptera) o Turkey, with notes on distribution. Zootaxa 3055: 22-42.
- 638. Esben-Petersen,P.,** 1932, Notizen zur Neuropteren- und Mecopterefauna Kleinasien. Konowia 11: 163-167, 1 fig.
- 639. Esben-Petersen,P.,** 1935, Two new species of Neuroptera. Konowia 14: 151-153, 2 figs.
- 640. Escherich,K.,** 1891, Die paläarktische Vertreter der Coleopteren-Gattung "Zonitis" Fab. Versuch einer Monographie I. Dt. ent. Z. 1891 (2): 225-250, Taf.iv.
- 641. Escherich,K.,** 1892, Studien über die Cleriden-Gattung Trichodes Hbst. Wien. ent. Ztg. 11: 226-230.
- 642. Escherich,K.,** 1893, Zur Kenntnis der Coleopterengattung Trichodes Herbst. Verh. zool. bot. Ges. Wien 43: 149-203, 2 Taf.
- 643. Escherich,K.,** 1896, Meloiden-Studien. Wien. ent. Ztg. 15: 27-30.
- 644. Escherich,K.,** 1897, Meloidae [in] Zoologische Ergebnisse einer von Dr.K.Escherich und Dr. L.Kathariner nach Central-Kleinasien unternommenen Reise IV.Theil Coleopteren. Stettin Ent. Ztg. 58: 34-48.
- 645. Escherich,K.,** 1899, Zur Kenntnis der Coleopteren-Gattung Zonabris Harold. Wien. ent. Ztg. 18: 84-92, 97-110, Taf.ii.
- 646. Evenhuis,N.L.** 2002, Catalog of the Mythicomyiidae of the World (Insecta, Diptera). Bull. Bishop Mus. Ent. 10: 1-85.
- 647. Evenhuis,N.L. & D.J.Greathead,** 1999, World catalog of bee flies (Diptera, Bombyliidae). xlviii+756pp. Backhuys Publishers, Leiden [last updated online version as pdf in 2008].
- 648. Fabricius,J.C.,** 1775, Systema entomologiae sistens Insectorum classes ordines genera species adjectis synonymis locis descriptionibus observacionibus. 832 pp. Flensburgi et Lipsiae, Korte.
- 649. Fabricius,J.C.,** 1781, Species Insectorum exhibentes eorum differentias specificas, synonyma auctorum, loca natalia, metamorphosin adjectis observationibus, descriptionibus. Tome I, viii+552 pp. Hamburgi & Kilonii, Bohn.
- 650. Fabricius,J.C.,** 1787, Mantissa Insectorum... Tom I, xvi+348 pp. Hafniae.
- 651. Fabricius,J.C.,** 1787, Mantissa Insectorum... Tom II, 382 pp. Hafniae.
- 652. Fabricius,J.C.,** 1793, Entomologia systematica emendata et aucta...Tomus 2. xx+ 519pp., Hafniae.
- 653. Fabricius,J.C.,** 1803, Systema Rhyngotorum secundum ordines genera species adjectis synonymis locis observationibus descriptionibus. 314 pp. Brunsvigae, Reichard.
- 654. Fabricius,J.C.,** 1804, Systema Piezatorum... 439+30 pp. Hafniae.
- 655. Fabricius,J.C.,** 1805, Systema antliatorum...xiv+15-373,1-30 pp. Carolum Reichard, Brunsvigae.
- 656. Fahringer,J.,** 1922, Eine Rhynchotenausbeute aus der Türkei, Kleinasien und benachbarten Gebieten. Konowia 1: 137-144, 296-307.
- 657. Fahringer,J.,** 1922, Hymenopterologische Ergebnisse einer wissenschaftlichen Studienreise nach der Türkei und Kleinasien (mit Ausschuss des Amanusgebirges). Arch. Naturg. A 88 (9): 149-222, 9 Textfigs.
- 658. Fahringer,J.,** 1930, Ichneumonidae, Braconidae, Evaniidae, Cynipidae, Chalcididae, Serphidae, Psammocharidae in Ebner,R., Hymenopteren aus Palaestina und Syrien (Zoologische Studienreise von R.Ebner 1928 mit Unterstützung der Akademie der Wissenschaften in Wien). Sitz. Akad. Wiss. Wien 139: 19-22.
- 659. Fairmaire,L.,** 1892, Descriptions de Coléoptères des environs d'Akbes (Syrie). Annls Soc. ent. belg. 36: 144-159.
- 660. Fairmaire,L.,** 1895, Coleoptères nouveaux d'Akbes, des derniers chasses de M.Charles Delangrange (Ipelates, Onthophagus, Capnodis, Malacogaster, Lampyris et Ctenopus). Annls Soc. ent. Fr. (Bull.) 64: 109-111.
- 661. Falamarzi,S., Asadi,G. & R.Hosseini,** 2009, Species inventory, preys and host plants of Anthocoridae sensu lato (Hemiptera, Heteroptera) in Shiraz and its environs (Iran, Fars Province). Acta ent. Mus. nat. Pragae 49 (1): 33-42, figs.
- 662. Faldermann,F.,** 1835, Fauna Entomologica Trans-Caucasica I. Nouv. Mém. Soc. imp. Moscou 4: 1-310, 10 pls.
- 663. Faldermann,F.,** 1837, Fauna Entomologica Trans-Caucasica II. Nouv. Mém. Soc. imp. Moscou 5: 1-433, 15 pls.
- 664. Fallahzadeh,M. & Z.Saghaei,** 2010, A brief study on the Scoliidae in Iran (Insecta, Hymenoptera). Munis ent. Zool. 5 (2): 792-795.
- 665. Fallahzadeh,M., Narendran,T.C. & N.Saghaei,** 2009, Insecta, Hymenoptera, Chalcidoidea, Eurytomidae and Torymidae in Iran. Checklist 5 (4): 830-839.
- 666. Fallahzadeh,M., Shojaei,M., Ostovan,H. & K.Kamali,** 2009, Notes on some Encyrtidae (Hymenoptera, Chalcidoidea) from Iran. J. ent. Soc. Iran 28 (2): 81-84.
- 667. Fauna Europaea,** 2012, Fauna Europaea version 2.5. Web Service available online at <http://www.faunaeur.org> [access 20.12.2012]



- 668. Fazel,M.A., Fallahzadeh,M. & M.Gheibi,** 2012, A contribution to the picture winged flies (Diptera, Ulidiidae) from Fars Province, Iran. *Munis Ent. Zool.* 7 (1): 446-448.
- 669. Fent,M. & N.Aktaş,** 1999, Edirne yöresi Pentatomidae (Heteroptera) faunası üzerine taksonomik ve faunistik araştırmalar. *Türk. J. Zool.* 23 (ek 2): 377-395, 15 şekil.
- 670. Fent,M.,** 2010, Contributions to Pentatomoidea (Heteroptera) fauna of western Black Sea Region with a new record for Anatolian fauna: *Neottiglossa lineolata* (Mulsant & Rey,1852). *J. ent. Res. Soc.* 12 (1): 53-65.
- 671. Fent,M., Dursun,A. & S.Tezcan,** 2013, First record of *Graphosoma inexpectatum* (Hemiptera, Pentatomidae, Podopinae) from Turkey with description of the female. *Zookeys* 319 [2013 30 July]: 51-57, figs. [For a previous article on this subject, see: Kemal,M., Bakan,B. & M.Yalçın,2013, *Cesa News* 85: 1-4, 7 figs. [date of publ.: 3 March, 2013].
- 672. Fent,M., Dursun,A., Karsavuran,Y., Tezcan,S. & O.Demirözer,** 2010, A review of the tribe Halyini in Turkey (Hemiptera, Heteroptera, Pentatomidae) with two new records *Apodiphus integriceps* and *Mustha vicina*. *J. ent. Res. Soc.* 12 (2): 1-13, figs.
- 673. Fent,M., Gözüaçık,C. & A.Yiğit,** 2010, Türkiye Bagrada Stal,1862 (Pentatomidae, Strachiini) cinsi türlerinin gözden geçirilmesi ve yeni bir kayıt: *Bagrada amoenula* (Walker,1870). *Türk. ent. derg.* 34 (1): 75-87, şekil.
- 674. Fent,M., Kment,P., Çamur-Elipek,B. & T.Kırgız,** 2011, Annotated catalogue of Enicocephalomorpha, Dipsocoromorpha, Nepomorpha, Gerromorpha, and Leptopodomorpha (Hemiptera, Heteroptera) of Turkey, with new records. *Zootaxa* 2856: 1-84, figs.
- 675. Ferrer,J. & L.Soldati,** 1999, Contribution a l'étude des Tenebrionidae de Turquie (Insecta, Coleoptera). *Entomofauna* 20 (4): 53-92, figs.
- 676. Fery,H., Erman,Ö.K.,** 2009, Five new species of the longulus-group of *Hydroporus* Clairville,1806 from north-eastern Turkey (Coleoptera, Dytiscidae). *Zootaxa* 2033: 1-12, figs.
- 677. Fieber,F.X.,** 1875-1879, Les Cicadines d'Europe d'après les originaux et les publications les plus récentes. *Revue Mag. Zool.* 3 (3) (1875): 288-416; 3 (4) (1876): 11-268; 3 (5) (1877):1-45; 3 (6) (1878): 270-308; 3 (7) (1879): 65-160, 13 Pls.
- 678. Fieber,F.X.,** [1860]-1861, Die europäischen Hemiptera. Halbflügler (Rhynchota, Heteroptera). Nach der analytischen Methode bearbeitet. pp. i-vi, 1-112 [1860], 113-444 [1861], 2 Taf. Wien.
- 679. Fieber,F.X.,** 1868, Die europäischen Aelia-Arten. *Verh. zool.- bot. Ges. Wien* 18: 465-478, 2 Pls.
- 680. Fikacek,M. & S.Falamarzi,** 2010, *Georissus persicus* sp.nov. from Iran, with notes on the West-Palaearctic species of *G. laesicollis* group (Coleoptera, Georissidae). *Acta ent. Mus. nat. Pragae* 50 (1): 107-116, figs.
- 681. Finzi,B.,** 1930, Formicidae in Ebner,R., Hymenopteren aus Palaestina und Syrien (Zoologische Studienreise von R.Ebner 1928 mit Unterstützung der Akademie der Wissenschaften in Wien). *Sitz. Akad. Wiss. Wien* 139: 22-24.
- 682. Fischer von Waldheim,G.,** 1829, Denops nouveau genre de Coléoptères de la famille des Clériens ou Térédiles; description de trois espèces nouvelles de *Trichodes*. *Bull. Soc. imp. Nat. Moscou* 1: 65-68, pl.2.
- 683. Fischer von Waldheim,G.,** 1844, *Spicilegium Entomographiae Rossicae*. *Bull. Soc. imp. Nat. Moscou* 17: 3-144, 3 Pls.
- 684. Fischer,M. & A.Beyarslan,** 2005, New maggot wasps from the Turkish fauna (Hymenoptera, Braconidae, Opiinae). *Polskie pismo ent.* 74 (4): 379-421, figs.
- 685. Fischer,M.,** 1957, Neue palaearktische Meteorus-Arten (Hym., Braconidae). *Annln. naturh. Mus. Wien* 61: 104-109, 2 Abb. [all here described taxa were synonymized]
- 686. Fischer,M.,** 1968, Eine neue *Phanerotoma*-Art aus Syrien (Hymenoptera, Braconidae). *Entomophaga* 13 (4): 331-334, 3 Abb.
- 687. Fischer,M.,** 1972, Eine neue *Habrobracon*-Art aus dem Iran (Hymenoptera, Braconidae). *Entomophaga* 17 (1): 89-91, 4 Abb.
- 688. Fischer,M.,** 1992, Neue Opius-Arten aus der Türkei (Hymenoptera, Braconidae, Opiinae). *Z. ArbGem. Öst. Ent.* 44: 84-86.
- 689. Foote,R.H.,** 1984, Tephritidae [in] Soos,A. & L.Papp (eds.), Catalogue of Palaearctic Diptera 9: 66-149, Akademiai Kiado, Budapest [with numerous incorrect taxonomical and nomenclatural interpretations].
- 690. Förster,A.,** 1841, Beitrage zur Monographie der Pteromaliden. *Nees* (1): 47 pp. Aachen.
- 691. Förster,A.,** 1868, Synopsis der Familien und Gattungen der Ichneumoniden. *Verh. naturh. Ver. preuss. Rheinl.* 25: 135-221 [see Perkins,J.F.,1961].
- 692. Franzen,M. & J.Gebert,** 2003, Distribution of the tiger beetle *Lophyridia caucasica* (Adam,1817) in Iran (Coleoptera, Cicindelidae). *Zool. Middle East* 23: 79-82, figs.
- 693. Freidberg,A. & A.I.Shatalkin,** 2008, The Psilidae (Diptera) of Israel, with emphasis on the *Chamaespila hebraica*-group. *Israel J. Ent.* 38: 35-60, figs.
- 694. Freidberg,A. & M.Kütük,** 2002, A new species of Tephritis from Turkey with a key to the species of *Tephritis pulchra* group. *Israel J. Zool.* 48 (4): 295-311.
- 695. Freidberg,A.,** 1979, The Afrotropical species assigned to *Terellia* R.D. (Diptera, Tephritidae). *J. Wash. Acad. Sci.* 69 (4): 164-174, figs.

- 696. Freidberg, A.,** 1984, Acalyptratae of Israel: The family Micropezidae (Diptera). Israel J. Ent. 18: 11-20, figs.
- 697. Fremuth, J. & N. Lodos,** 1987, Taxonomic position of the genera *Aomus* Schoenherr and *Chilodrosus* Reitter (Col., Curculionidae). with the description of the two new species from Turkey. Turk. ent. derg. 11 (2): 73-84, figs.
- 698. Friese, H.,** 1895, Species aliquot novae vel minus cognitae generum *Eucera* Scop. et *Meliturga* Latr. Termes Füzetek 18: 202-209.
- 699. Friese, H.,** 1899, Neue Schmarotzerbienen (Palaearktisches Gebiet). Ent. Nachr. 25: 283-286.
- 700. Friese, H.,** 1917, Neue Arten der Bienengattung *Anthidium* (Paläarktische Region und von Formosa). Dt. ent. Z. 1917: 49-60.
- 701. Friese, H.,** 1922, Neue Arten der Anthophorinae (Hym.). Konowia 1: 59-66.
- 702. Frieser, R.,** 1980, Neue Scymnini aus der Türkei (Coleoptera, Anthribidae). NachrBl. bayer. Ent. 29 (4): 75-79.
- 703. Frieser, R.,** 1981, Die Anthribiden der Westpalaearktis einschließlich der Arten der UdSSR (Coleoptera, Anthribidae). Mitt. münch. ent. Ges. 71: 33-107, figs.
- 704. Frisch, J.,** 2006, *Scopaeus korgei* sp.n. from Southwest Anatolia (Coleoptera, Staphylinidae, Paederinae). Dt. ent. Z. (N.F.) 53 (2): 271-274, figs.
- 705. Frisch, J.,** 2009, A revision of the *Scopaeus mutatus* species group (Staphylinidae, Paederinae) with description of new species from Anatolia and the Caucasus. Dt. ent. Z. (N.F.) 56 (2): 271-287, figs.
- 706. Fritzlar, F.,** 2001, *Aphthona warchalowskii* n.sp., *Aphthona bergeali* n.sp., *Longitarsus angelikae* n.sp. und *Longitarsus meridionalis* Weise, 1888 n.stat. 4 Blattkäfer (Coleoptera, Chrysomelidae, Alticinae) aus der südwestlichen Türkei. Ent. Bl. 97: 199-224.
- 707. Fritzlar, F.,** 2004, *Aphthona alanyensis* n.sp., *Aphthona bergealoides* n.sp. und *Longitarsus manfredi* n.sp. - drei Blattkäfer (Coleoptera, Chrysomelidae, Alticinae) aus der südwestlichen Türkei. Ent. Bl. 100: 105-126, figs.
- 708. Fuchs, E.,** 1961, Ergebnisse der Deutschen Afghanistan Expedition 1956 der Landessammlungen für Naturkunde in Karlsruhe. Cerambycidae (Coleoptera). Beitr. naturk. Forsch. SWDtl. 19 (3): 259.
- 709. Fürsch, H. & N. Uygün,** 1980, Neue Scymnini aus der Türkei (Coleoptera, Coccinellidae). NachrBl. bayer. Ent. 29 (6): 109-118, 30 figs.
- 710. Fürsch, H.,** 1987, *Cynegetis syriaca* (Mader) neu für die Türkei (Coleoptera, Coccinellidae). NachrBl. bayer. Ent. 36 (2): 47.
- 711. Fürsch, H.,** 1987, Eine neue *Hyperaspis*-Art für die Türkei (Coleoptera, Coccinellidae). NachrBl. bayer. Ent. 36 (2): 53-54, 4 Abb.
- 712. Fürsch, H.,** 1987, *Cynegetis syriaca* (Mader) neu für die Türkei (Coleoptera, Coccinellidae). NachrBl. bayer. Ent. 36 (2): 47.
- 713. Fürsch, H.,** 1987, Eine neue *Hyperaspis*-Art für die Türkei (Coleoptera, Coccinellidae). NachrBl. bayer. Ent. 36 (2): 53-54, 4 Abb.
- 714. Gagné, R. J. & M. Jaschhof,** 2014, A catalogue of the Cecidomyiidae (Diptera) of the World. 3rd Edition, Digital Version 2. [access on 20 9 2014].
- 715. Galinskaya, T. V.,** 2011, Review of the yellow-bodied species of the genus *Timia* (Diptera, Ulidiidae) with description of two new species. Zootaxa 2888: 1-22, figs.
- 716. Galinskaya, T. V.,** 2014, Two new species of the genus *Timia* (Diptera, Ulidiidae) with a key to species with microtrichose black scutellum. Zootaxa 3753 (6): 573-584, figs.
- 717. Ganglbauer, L.,** 1905, Coleoptera, [in] A. Penther & E. Zederbauer, Ergebnisse einer naturwissenschaftlichen Reise zum Erdschias-Dagh (Kleinasien). Annln naturh. Mus. Wien 20: 99-290.
- 718. Gao, C., Kondorosy, E. & W. Bu,** 2013, A review of the genus *Arocatus* from palaeartic and oriental regions (Hemiptera, Heteroptera, Lygaeidae). Raffles Bull. Zool. 61 (2): 687-704, figs.
- 719. Gapon, D. A.,** 2007, *Graphosoma creticum* Horv. is a synonym of *G. semipunctatum* (F.) (Heteroptera, Pentatomidae). Zoosyst. ross. 16 (1): 78.
- 720. Gapon, D. A.,** 2007, *Ventocoris martini* (Horv.) is a synonym of *V. modestus* (Jak.) (Heteroptera, Pentatomidae). Zoosyst. ross. 16 (1): 66.
- 721. Gatt, P.,** [2007], New records of Sphaeroceridae (Diptera) from the Mediterranean with distributional notes. Stud. dipterol. 13 (2) (2006): 297-308 [date of publication 12 July 2007].
- 722. Gattolliat, J.-L. & M. Sartori,** 2008, Order Ephemeroptera, [in] Harten, A. v., Arthropod fauna of the UAE 1: 47-83, figs.
- 723. Gayubo, S. F. & H. Özbek,** 2005, A contribution to the knowledge of Spheciformes from Turkey Part II. Ampulicidae, Sphecidae and Crabronidae (Bembicinae and Crabroninae) (Hymenoptera, Apoidea). J. ent. Res. Soc. 7: 1-39.
- 724. Gayubo, S. F., Özbek, H. & E. Yıldırım,** 2003, A contribution to the knowledge of Spheciformes from Turkey: tribes Astatini, Dinetini, Larrini, Palarini and Trypoxylini (Hymenoptera, Apoidea, Crabronidae). Zool. Middle East 29: 83-92.

- 725. Geisthardt, M.,** 1983, Beitrag zur Revision der Gattung *Lampyris* Müller, 1764 I. Zur Kenntnis einiger nordafrikanischer und mediterraner Arten (Coleoptera, Lampyridae). Mitt. münch. ent. Ges. 73: 23-44, figs.
- 726. Geller-Grimm, F. & M. Hradsky,** 2003, The genus *Oligopogon* Loew, 1847 (Diptera, Asilidae) in the Palearctic Region including the description of new species and comments on the placement of this genus. Studia Dipterol. 10 (1): 165-179, figs.
- 727. Gençer, L. & S. Seven,** 2005, Chalcidoid parasitoids of *Micrurapteryx sophorivora* (Lepidoptera, Gracillariidae) in Kuluncak, Turkey Phytoprotection 86: 133-134.
- 728. Gençer, L.,** 2004, A study on the Chalcidoid (Hymenoptera, Chalcidoidea) parasitoids of leafminers (Diptera, Agromyzidae) in Ankara Province. Turk. J. Zool. 28: 119-122.
- 729. Gençer, L.,** 2004, Contribution to the knowledge of the family Eulophidae (Hymenoptera, Chalcidoidea) from Turkey, with some new records. Phytoparasitica 32 (3): 264-273.
- 730. Gepp, J.,** 1969, Eine neue Coniopterygidenart aus Anatolien: *Aleuropteryx perpusilla* n.sp. (Neuroptera, Planipennia). Z. ArbGem. öst. Ent. 21: 12-15, figs.
- 731. Gepp, J.,** 1974, Beitrag zur Kenntnis der Neuropteren der Türkei. Ent. Ber. 34: 102-104.
- 732. Gerstaecker, A.,** 1869, Beiträge zur näheren Kenntniss einiger Bienen-Gattungen. Stettin ent. Ztg. 30 (4/6): 139-184.
- 733. Gerstaecker, A.,** [1894], Ueber neue und weniger gekannte Neuropteren aus der familie Megaloptera Burm. Mitt. Naturw. Ver. Neu-Pomm. Rugen 25 (1893): 93-173.
- 734. Gerstmeier, R.,** 1985, Zwei neue Trichodes-Arten aus der ammios Artengruppe: *Trichodes longicollis* sp.n. aus dem Iran und *Trichodes flavotarsis* sp.n. aus dem Irak. Mitt. münch. ent. Ges. 75: 127-136, figs.
- 735. Gerstmeier, R., Halperin, J. & V. Chekatunov,** 1999, An annotated list of Cleridae and Thanerocleridae (Coleoptera) of Israel. Phytoparasitica 27 (1): 27-33, 1 fig.
- 736. Ghahari, H. & E. Heiss,** 2012, Annotated Catalog of Iranian Aradidae (Hemiptera, Heteroptera, Pentatomomorpha, Aradoidea). Zootaxa 3571: 81-86.
- 737. Ghahari, H. & P. Moulet,** 2012, An annotated catalog of the Iranian Lygaeoidea (excluding Berytidae abd Piesmatidae) (Hemiptera, Heteroptera, Pentatomomorpha). Zootaxa 3408: 1-33.
- 738. Ghahari, H., Bunalski, M. Tabari, M. & H. Ostovan,** 2010, Contribution to the knowledge of darkling beetles (Coleoptera, Tenebrionidae) from Iranian rice fields and surrounding grasslands. Polski pismo Ent. 79: 81-90.
- 739. Ghahari, H., Carpintero, D.L., Moulet, P., Linnavuori, R.E. & H. Ostovan,** 2010, Annotated catalogue of the Iranian broad-headed bugs (Hemiptera, Heteroptera, Alydidae). Acta ent. Mus. nat. Pragae 50 (2): 425-436.
- 740. Ghahari, H., Lehr, P.A., Lavigne, R.J., Hayat, R. & H. Ostovan,** 2007, New records of Robber Flies (Diptera, Asilidae) for the Iranian fauna with their prey records. Far east. Ent. 179: 1-9.
- 741. Ghahari, H., Linnavuori, R.E., Moulet, P. & H. Ostovan,** 2010, An annotated catalogue of the Iranian Nabidae (Hemiptera, Heteroptera). Acta ent. Mus. nat. Pragae 50 (1): 33-44.
- 742. Ghahari, H., Montemayor, S.I., Moulet, P. & R.E. Linnavuori,** 2012, An annotated catalogue of the Iranian Tingidae (Hemiptera, Heteroptera). Zootaxa 3207: 22-39, 1 fig.
- 743. Ghahari, H., Moulet, P. & D.A. Rider,** 2014, An annotated catalog of the Iranian Pentatomoidea (Hemiptera, Heteroptera, Pentatomomorpha). Zootaxa 3837 (1): 1-95.
- 744. Ghahari, H., Carpintero, D.L. & H. Ostovan,** 2009, An annotated catalogue of the Iranian Anthocoridae (Hemiptera, Heteroptera, Cimicimorpha). Acta ent. Mus. nat. Pragae 49 (1): 43-58.
- 745. Gharaat, M.A., Hassanzadeh, M., Safaralizadeh, M.H. & M. Fallahzadeh,** 2009, Notes on the true bugs (Heteroptera) fauna of Azerbaijan Province, Iran. Turk. J. Zool. 33: 421-431.
- 746. Gharajedaghi, Y., Khaghaninia, S. & R.F.P. Abad,** 2012, An investigation of the fruit flies (Diptera, Tephritidae) fauna in Ajabshir region (East Azerbaidjan Prov.) with the new record from Iran (Part 2). Munis Ent. Zool. 7 (2): 935-945.
- 747. Gharali, B. & J. van Steenis,** 2008, First record of the genus *Spilomyia* Meigen, 1803 (Diptera, Syrphidae) from Iran. Zool. Middle East 43: 116-118, 1 fig.
- 748. Gharali, B. & M. Reemer,** 2008, The first record of the genus *Myolepta* Newman, 1838 (Diptera, Syrphidae) from Iran. NW. J. Zool. 4 (2): 331-334, figs.
- 749. Gharali, B., Evenhuis, N., Kamali, K. & A.A. Talebi,** 2011, A review of the genus *Platypygus* Loew (Mythicomyiidae, Platypyginae) in Iran, with notes on *Cyrtisiopsis maculiventris* (Loew) n.comb. Zootaxa 2979: 25-40, figs.
- 750. Gharali, B., Evenhuis, N.L. & J. Almeida,** 2013, World synopsis of described species of the genus *Platypygus* Loew (Diptera, Mythicomyiidae, Platypyginae). Zootaxa 3745 (2): 199-242, figs.
- 751. Ghauri, M.S.K.,** 1969, Notes on the genus *Schyzops* Spinola, 1837 (Phyllocephalinae, Pentatomoidea, Heteroptera). J. nat. Hist. 3: 597-602, figs.
- 752. Ghauri, M.S.K.,** 1972, Notes on Hemiptera from Pakistan and adjoining areas. J. Nat. Hist. 6 (3): 279-288.



753. **Ghuri,M.S.K.**, 1977, A revision of *Apodiphus* Spinola (Heteroptera, Pentatomidae). Bull. ent. Res. 67: 97-106, figs.
754. **Gheibi,M., Ostovan,H. & K.Kamali**, 2010, A contribution to the tachinid flies of the subfamilies Exoristinae and Tachininae (Diptera, Tachinidae) from Fars province, Iran. Turk J. Zool. 34: 35-43.
755. **Gibbs,D.**, 2011, A world revision of the bee fly tribe Usiini (Diptera, Bonbyliidae) - Part 1: *Usia* subgenus *Micrusia*, *U. versicolor* (Fabricius) (=black haired species) and *Usia martini* François. Zootaxa 2960: 1-77, figs.
756. **Gibert,E.**, 2014, Asia-dragonfly. <http://www.asia-dragonfly.net/index.php> [access on 10 September 2014]
757. **Gilasian,E. & B.Merz**, 2008, The first report of three genera and fifteen species of Tephritidae (Diptera) from Iran. J. ent. Soc. Iran 27 (2) (Suppl.): 11-14.
758. **Gilasian,E.**, 2008, The first report of one genus and two species of Lauxaniidae (Diptera) from Iran. J. ent. Soc. Iran 27 (2) (Suppl.): 15-16.
759. **Giraud,J.**, 1859, Signalements de quelques especes nouvelles de Cynipides et de leurs Galles. Verh. zool.- bot. Ges. Wien 9: 337-374, Pls.
760. **Giray,H.**, 1979, Türkiye Trypetidae (Diptera) faunasına ait ilk liste. Türk. Bitki Kor. Derg. 3 (1): 35-46.
761. **Giray,H.**, 1981, Türkiye Asilidae (Diptera) faunasına ait ilk liste. Türk. bitki kor. derg. 5 (3): 171-183.
762. **Giustina,W. della**, 1989, Homopteres Cicadellidae vol.3 compléments, [in] Faune de France 73: 1-362, 143 pls.
763. **Gnezdilov,V.M. & I. Malenovsky**, 2008, New synonymy and homonymy replacement for *Conosimus caucasicus* Melichar,1914 (Hemiptera, Fulgoroidea, Issidae). Acta ent. Mus. nat. Pragae 48 (1): 23-26.
764. **Gnezdilov,V.M. & S. Drosopoulos**, 2004, Reviews of the subgenus *Semirodus* Dlabola of the genus *Mycterodus* Spinola (Homoptera, Issidae). Annls Soc. ent. Fr. (n.s.) 40 (3/4): 235-241, figs.
765. **Gnezdilov,V.M.**, 2002, New species of the genus *Tshurtshurnella* Kusnezov,1927 (Homoptera, Cicadina, Issidae) from Turkey and Lebanon. Russ. ent. J. 11 (3): 233-240, figs.
766. **Gnezdilov,V.M.**, 2008, New and little known species of Planthopper Genus *Mycterodus* Spinola (Homoptera, Issidae) from the East Mediterranean. Ent. Obozr. 87 (3): 575-580, figs. [Ent. Review 88 (7): 808-814, figs.]
767. **Goeldlin,T.P.**, 1976, Revision du genre *Paragus* (Diptera, Syrphidae) de la region Palearctique occidentale. Mitt. schweiz. ent. Ges. 49: 79-108, figs.
768. **Goetghebuer,M.**, 1932, Dipteres Nematoceres Chironomidae IV, [in] Faune de France 23: 1-196, 315 figs.
769. **Gök,A. & E.G.Çilbıroğlu**, 2004, Some smaller genera of Flea Beetles (Coleoptera, Chrysomelidae) from western Turkey with a new record. Phytoparasitica 32 (5): 444-450.
770. **Gök,A.**, 2002, Faunistic studies on the species *Pachybrachis Chevrolat* and *Cryptocephalus Geoffroy* (Coleoptera, Chrysomelidae, Cryptocephalinae) of Dedegöl Mountains (Isparta). Turk. J. Zool. 26: 31-42, figs. [with some incorrect distributional information]
771. **Gök,A.**, 2003, Faunistic studies on the species of the subfamily Clytrinae (Coleoptera, Chrysomelidae) of Dedegöl Mountains (Isparta). Turk. J. Zool. 27: 187-194.
772. **Golestan,M.N., Safaralizadeh,M.H. & A.M.Sarafrazi**, 2011, Faunistic study on Pentatomid bugs (Hem., Pentatomidae) in West Azarbaijan province, Iran. J. ent. Res. 2 (4): 319-329, figs.
773. **Golub,V.B.**, 2006, Two new species of lace bugs of the genus *Tingis* F. from Transcaucasia and Middle Asia (Heteroptera, Tingidae). Russian Ent. J. 15 (2): 123-126, 3 figs.
774. **Gonzalez,V.H., Engel,M.S. & I.A.Hinojosa-Diaz**, 2010, A new species of *Megachile* from Pakistan, with taxonomic notes on the subgenus *Eutricharaea* (Hymenoptera, Megachilidae). J. Kansas ent. Soc. 83 (1): 58-67, figs.
775. **Gonzalez,V.H., Griswold,T. Praz,C.J. & B.N.Danforth**, 2012, Phylogeny of the bee family Megachilidae (Hymenoptera, Apoidea) based on adult morphology. Syst. Ent. 37: 261-286, figs.
776. **Görmez,V. & M.Kütük**, 2010, Kahramanmaraş ili Terellinae (Diptera, Tephritidae) faunası. Kafkas Üniv. Fen Bil. Enst. Derg. 3 (1): 59-66, 12 figs. [title Turkish, text English].
777. **Görmez,V.**, 2011, Kahramanmaraş ilinde meyve sinekleri (Diptera, Tephritidae) faunası ve sistematığı üzerine araştırmalar. 215s. [Thesis of MSc was published by the Council of Higher Education in 2011; access 10 12 2012] [in this thesis diagnostic characters, measurements, and some images are clearly plagiarized from Kütük,M. (2003), PhD thesis].
778. **Gorodkov,K.B.**, 1984, Heleomyzidae [in] Soos,A. & L.Papp (eds.), Catalogue of Palaearctic Diptera 10: 15-45, Akademiai Kiado, Budapest.
779. **Görür,G., Akyıldırım,H., Olcabey,G. & B.Akyürek**, 2012, The Aphid fauna of Turkey: An updated checklist. Arch. Biol. Sci., Belgrade 64 (2): 675-692.
780. **Goulet,H. & J.T.Huber (Ed.)**, 1993, Hymenoptera of the world: An identification guide to families. Centre for Land and Biological Resources Research, Ottawa, Ontario. 668pp. 231 figs.

- 781. Gözüaçık,C. & M.Fent,** 2012, Güneydoğu Anadolu Bölgesi'nde Scutelleridae (Hemiptera) faunası üzerinde araştırmalar. Bitki kor. bült. 52 (4): 313-323.
- 782. Gözüaçık,C., Fent,M. & İ.Özgen,** 2011, Güneydoğu Anadolu Bölgesi Pentatomidae (Hemiptera, Heteroptera) faunasına katkılar. Türk. ent. bült. 1 (4): 235-252.
- 783. Grace,A.,** 2010, Introductory biogeography to Bees of the Eastern Mediterranean and Near East. 285pp. Bexhill Museum, Sussex, U.K. [ISBN 978-0-9537091-9-9] [online] [access 31 December 2010] [some taxa repeated at specific and subspecific categories].
- 784. Graham,M.W.R.de Vere & M.J.Gijswijt,** 1998, Revision of the European species of *Torymus* Dalman (Hymenoptera, Torymidae). Zool. Verh. 317: 1-202, 266 figs.
- 785. Graham,M.W.R.de Vere,** 1969, The Pteromalidae of North-Western Europe (Hymenoptera, Chalcidoidea). Bull. Br. Mus. (Nat. Hist.) Ent. (Suppl.) 16: 1-908, 686 figs.
- 786. Graham,M.W.R.de Vere,** 1987, A reclassification of the European Tetrastichinae (Hymenoptera, Eulophidae), with a revision of certain genera. Bull. Br. Mus. (Nat. Hist.) Ent. 55: 1-392, figs.
- 787. Gravenhorst,J.L.C.,** 1829, Ichneumonologia Europaea. Pars I-III. xxxxi+830+989+1097 pp. Vratislaviae.
- 788. Greathead,D.J. & P.Grandcolas,** 1995, A new host association for the Bombyliidae (Diptera): an *Exhyalanthrax* sp. reared from cockroach oothecae, *Heterogamisca chopardi* (Diptera, Polyphagidae) in Saudi Arabia. Ent. 114 (2): 91-98, figs.
- 789. Greathead,D.J. & Y.Karimpour,** 2006, A new species of *Villa* Lioy,1864 (Diptera, Bombyliidae) parasitic on Sesiidae (Lepidoptera). Zootaxa 1156: 65-68, figs.
- 790. Greathead,D.J.,** 2001, A study of the *Exoprosopa busiris* (Jaennicke) group of Bezzi (1924) in tropical Africa (Diptera, Bombyliidae). J. nat. Hist. 35: 127-147.
- 791. Greca,M.la & F.Lombardo,** 1982, Le specie Mediterranee e dell'Asia occidentale del Gen. *Rivetina* Berl. e Chop. (Insecta, Mantodea). Animalia 9 (1/3): 345-393, figs.
- 792. Gregor,F.,** 1970, Drei neue Arten der Gattung *Timia* Wiedemann (Diptera, Ulidiidae). Acta ent. bohemoslov. 67: 198-204.
- 793. Grichanov,I. & A.Tonguç,** 2010, New contribution to the Turkish Dolichopodidae fauna (Diptera). Acta zool. bulg. 62 (3): 355-357.
- 794. Grichanov,I. & A.Tonguç,** 2010, New contribution to the Turkish Dolichopodidae (Diptera) fauna dnf taxonomy. Int. J. Dipterol. Res. 21 (3): 225-229, figs.
- 795. Grichanov,I.Y. & F.Kazerani,** 2014, A new species of *Sybstroma* Meigen (Diptera, Dolichopodidae) from the Middle East with a key to West-Palaeartic species of the genus. Zootaxa 3866 (4): 572-582, figs.
- 796. Grichanov,I.Y. & O.P.Negrobov,** 2014, Palaeartic species of the genus *Sciapus* Zeller (Diptera, Dolichopodidae). Plant Protection News, Suppl.13: 1-84, figs.
- 797. Grichanov,I.Y.,** 2004, A preliminary list of Dolichopodidae (Diptera) of Abkhasia. Int. J. dipter. Res. 15 (3): 205-209.
- 798. Grichanov,I.Y.,** 2007, A checklist and keys to Dolichopodidae (Diptera) of the Caucasus and East Mediterranean. Plant Protection News (Suppl.), 160 pp. St. Petersburg.
- 799. Grichanov,I.Y.,** 2007, New records of Dolichopodidae (Diptera) from the Middle East. Int. J. dipterol. Res. 18 (3): 141-153.
- 800. Grichanov,I.Y.,** 2012, New records of Dolichopodidae from the Caucasus (Diptera, Empidoidea). Cesa News 72: 13-22, 5 figs.
- 801. Grichanov,I.Y., Negrobov,O.P. & O.V.Selivanova,** 2011, Keys to Palaeartic subfamilies and genera of the family Dolichopodidae (Diptera). Cesa News 62: 13-46, 195 figs.
- 802. Grichanov,I.Y., Tonguç,A., Civelek,H.S., Vikhrev,N.E., Özgül,O. & O.Dursun,** 2007, Review of the Turkish Dolichopodidae (Diptera) with first description of male *Hercostomus phoebus* Parent,1927, new synonyms and new records. Caucasian ent Bull. 3 (2): 261-268, figs.
- 803. Grootaert,P. & Chvala,M.,** 1992, Monograph of the genus *Platypalpus* (Diptera, Empioidea, Hybotidae) of the Mediterranean Region and the Canary Islands. Acta Univ. Carolinae (Biologia) 36: 226pp. 262 figs.
- 804. Grünwaldt,R.W., Osytshnjuk,A.Z. & E.Scheuchl,** 2005, Neue *Andrena*-Arten aus der Paläarkt (Hymenoptera, Apidae, Andreninae). Entomofauna 26 (19): 349-366.
- 805. Güçlü,C.,** 2011, A contribution to the knowledge of Blacinae (Hymenoptera, Braconidae) from Turkey. Sci. Res. Essays 6 (3): 575-579.
- 806. Güçlü,Ş. & D.Burckhardt,** 1996, New records of jumping plant-lice from Turkey (Hemiptera, Psylloidea). Entomofauna 17 (24): 381-384.
- 807. Güçlü,Ş. & H.Özbek,** 1994, Erzurum yöresinde Cicadellidae (Homoptera, Auchenorrhyncha) türleri üzerinde faunistik ve sistematik çalışmalar VI. Deltocephalinae (Athysanini, Kısım I). Atatürk Univ. Zir. Fak. Der. 25 (3): 367-379, 32 şekil
- 808. Güçlü,Ş. & H.Özbek,** 1994, Erzurum yöresinde Cicadellidae (Homoptera, Auchenorrhyncha) türleri üzerinde faunistik ve sistematik çalışmalar V. Deltocephalinae (Macrostelini). Atatürk Univ. Zir. Fak. Der. 25 (3): 354-366, 24 şekil

- 809. Güçlü,Ş. & H.Özbek**, 1994, Erzurum yöresinde Cicadellidae (Homoptera, Auchenorrhyncha) türleri üzerinde faunistik ve sistematik çalışmalar III. Typhlocybinae. Atatürk Univ. Zir. Fak. Der. 25 (1): 78-93, 37 şekil
- 810. Güçlü,Ş. & H.Özbek**, 1994, Erzurum yöresinde Cicadellidae (Homoptera, Auchenorrhyncha) türleri üzerinde faunistik ve sistematik çalışmalar IV. Deltocephalinae. Atatürk Univ. Zir. Fak. Der. 25 (2): 167-179, 34 şekil
- 811. Güçlü,Ş. & H.Özbek**, 1995, Erzurum yöresinde Cicadellidae (Homoptera, Auchenorrhyncha) türleri üzerinde faunistik ve sistematik çalışmalar VIII. Deltocephalinae (Paralimnini). Atatürk Univ. Zir. Fak. Der. 26 (3): 336-354, 49 şekil
- 812. Güçlü,Ş.**, 1996, Studies on Delphacidae (Homoptera, Auchenorrhyncha) from Turkey. Tr. J. Zool. 20: 407-411.
- 813. Guglielmi,A. & G.Platia**, 1985, Contributo alla conoscenza degli elateridi di Grecia e Turchia (Coleoptera). Fragm. ent., Roma 18 (1): 169-224, figs.
- 814. Guichard,K.M. & D.H.Harvey**, 1967, Collecting in Turkey 1959, 1960 and 1962. Bull. Br. Mus. nat. Hist. (Ent.) 19 (4): 223-250, 1 map.
- 815. Guichard,K.M.**, 1991, Sphecidae (Hymenoptera) from Jordan including a new species of Crabro. Linzer biol. Beitr. 23 (1): 337-343 figs.
- 816. Guignot,F.**, 1961, Ergebnisse der Deutschen Afghanistan Expedition 1956 der Landessammlungen für Naturkunde in Karlsruhe. Dytiscidae (Coleoptera). Beitr. naturk. Forsch. SWDtl. 19 (3): 233.
- 817. Güler,Y. & N.Çağatay**, 2006, Faunistic study on Megachilini, Osmiini and Anthidiini tribes (Hymenoptera, Megachilidae) in Central Anatolia. J. ent. Res. Soc. 8 (2): 15-34.
- 818. Güler,Y. & N.Çağatay**, 2007, A study on the genus Bracon Fabricius, 1804 (Hymenoptera, Braconidae, Braconinae) in Ankara Province in Turkey. Munis Ent. Zool. 2 (2): 517-524.
- 819. Güler,Y., A.M.Aytekin, N.Çağatay**, 2006, Systematical studies on Anthidiini (Hymenoptera, Megachilidae): A geometric morphometric approach. Acta Ent. Sinica 49 (3): 474-483, figs.
- 820. Güler,Y., Aytekin,A.M. & F.Dikmen**, 2011, Bombini and Halictidae (Hymenoptera, Apoidea) fauna of Afyonkarahisar province of Turkey. J. Ent. Res. Soc. 13 (1): 1-22.
- 821. Gülmez,Y. & A.Tüzün**, 2005, Spheciformes (Hymenoptera) from Ankara Province. Subfamilies Sphecinae, Pempredoninae and Astatinae. a J. ent. Res. Soc. 7 (1): 41-57.
- 822. Gültekin,L.**, 2013, A new weevil genus Nefis gen. nov. (Coleoptera, Curculionidae, Lixinae): systematics and taxonomic revision. J. Ins. Biodivers. 1 (3): 1-51, figs.
- 823. Gültekin,L., Borovec,R., Cristofaro,M. & L.Smith**, 2008, Broad-nosed weevils feeding on *Centaurea solstitialis* in Turkey, with a description of the new species *Araxia cristofaroi* sp.n. (Coleoptera, Curculionidae, Entiminae). Ann. ent. Soc. Am. 101 (1): 7-12, figs.
- 824. Gürbüz,M.F. & J.Kolarov**, 2008, A study of the Turkish Cryptini IV (Cryptinae, Ichneumonidae, Hymenoptera). Turk. J. zool. 32: 373-377.
- 825. Gürbüz,M.F. & M.Y.Aksoylar**, 2005, New records of Ichneumonidae (Hymenoptera) species from Turkey. Phytoparasitica 33 (2): 121-122.
- 826. Gürbüz,M.F. & M.Y.Aksoylar**, 2005, New records of Ichneumonidae (Hymenoptera) species from Turkey. Phytoparasitica 32 (3): 121-122.
- 827. Gürbüz,M.F.**, 2005, A survey of the Ichneumonidae (Hymenoptera) of Isparta in Turkey. Linzer biol. Beitr. 37 (2): 1809-1817.
- 828. Gürbüz,M.F., Kolarov,J., Özdan,A. & M.A.Tabur**, 2011, Ichneumonidae (Hymenoptera) fauna of natural protection areas in East Mediterranean Region of Turkey, Part 1. J. Ent. Res. Soc. 13 (1): 23-29.
- 829. Gusenleitner,F. & E.Scheuchl**, 2000, Zwei neue *Andrena*-Arten aus dem nahen Osten sowie Beschreibung des Mannchens von *Andrena isabellina* Warncke (Hymenoptera, Apidae, Andreninae). Entomofauna 21 (11): 117-132.
- 830. Gusenleitner,F. & M.Schwarz**, 2000, Nomenklatorische Aktualisierungen in der Bienengattung *Andrena* sowie Beschreibung einer neuen Art (Hymenoptera, Apidae, Andreninae). Entomofauna 21 (10): 105-116, Abb.
- 831. Gusenleitner,F. & M.Schwarz**, 2001, Zur Morphologie verschiedenen von F.Morawitz beschriebener *Andrena*-Arten (Hymenoptera, Apidae, Andreninae). Entomofauna 22 (7): 93-196, Abb.
- 832. Gusenleitner,F. & M.Schwarz**, 2002, Weltweite Checkliste der Bienengattung *Andrena* mit Anmerkungen und Ergänzungen zu paläarktischen Arten (Hymenoptera, Apidae, Andreninae, *Andrena*). Entomofauna (suppl.) 12: 1-1280.
- 833. Gusenleitner,F.**, 1985, Bemerkenswertes über Faltenwespen VIII (Hymenoptera, Vespoidea). NachrBl. bayer. Ent. 34 (4): 105-110.
- 834. Gusenleitner,F.**, 1998, Neue westpalaarktische *Andrena*-Arten (Hymenoptera, Apidae, Andreninae). Entomofauna 19 (6): 109-144.
- 835. Gusenleitner,J.**, 1967, Vespidae, Eumenidae und Masaridae aus der Türkei II. Polskie pismo Ent. 37: 663-676.



- 836. Gusenleitner, J.,** 1973, Über Masaridae aus dem nahen Osten (Vespoidea, Hymenoptera). Boll. Mus. Civic. Stor. Nat. Venezia 24: 55-69.
- 837. Gusenleitner, J.,** 1973, Beiträge zur Kenntnis der Fauna Afghanistans (Vespoidea, Hymenoptera). Acta Mus. Moraviae 56/57: 315-334.
- 838. Gusenleitner, J.,** 1977, Neue Leptochilus-Arten aus Anatolien und Nordafrika. Linzer biol. Beitr. 9 (1): 163-178, figs.
- 839. Gusenleitner, J.,** 1979, Die Microdynerus- und Pseudomicrodynerus-Arten des Balkans und der Türkei (Eumenidae, Hym.). Linzer biol. Beitr. 11: 75-94, figs.
- 840. Gusenleitner, J.,** 1984, Zwei neue Subspezies der Art Euodynerus (Pareuodynerus) quadrifasciatus (Fabricius, 1793) (Hymenoptera, Eumenidae). Entomofauna 5 (14): 165-169.
- 841. Gusenleitner, J.,** 1985, Neue Leptochilus-Arten aus dem Mittelmeergebiet und dem Iran (Hymenoptera, Eumenidae). Entomofauna 6 (9): 81-101.
- 842. Gusenleitner, J.,** 1986, Zwei neue Antepipona-Arten aus der Türkei (Hym., Eumenidae). Linzer biol. Beitr. 18 (2): 361-371, 2 figs.
- 843. Gusenleitner, J.,** 1986, Beitrag zur Kenntnis der paläarktischen Antepipona-Arten (Hymenoptera, Eumenidae). Annln naturh. Mus. Wien 88/89B: 565-577, 7 Abb.
- 844. Gusenleitner, J.,** 1986, Drei neue Alastor-Arten aus dem Iran (Hymenoptera, Eumenidae). Entomofauna 7: 29-39.
- 845. Gusenleitner, J.,** 1988, Neue und bemerkenswerte Faltenwespen aus der Türkei (Hymenoptera, Vespoidea). Linzer biol. Beitr. 20 (2): 713-737, 5 Abb.
- 846. Gusenleitner, J.,** 1990, Neue Eumeniden aus Nordafrika und dem Nahen Osten (Hymenoptera, Vespoidea, Eumenidae). Linzer biol. Beitr. 22 (1): 193-211, 11 Abb.
- 847. Gusenleitner, J.,** 1991, Neue Eumeniden-Arten aus Saudi-Arabien und Jordanien (Vespoidea, Hymenoptera). Linzer biol. Beitr. 23 (1): 297-305, 5 Abb.
- 848. Gusenleitner, J.,** 1992, Bemerkenswerte Funde von Masaridae in Griechenland und im Nahen Osten (Vespoidea, Hymenoptera). Linzer biol. Beitr. 24 (1): 59-63.
- 849. Gusenleitner, J.,** 1993, Drei neue paläarktische Eumeniden-Arten (Hymenoptera, Vespoidea). Linzer biol. Beitr. 25 (1): 43-50, Abb.
- 850. Gusenleitner, J.,** 1993, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera). Teil 1: Die Gattung Leptochilus Saussure, 1852. Linzer biol. Beitr. 25 (2): 745-769, 14 Abb.
- 851. Gusenleitner, J.,** 1994, Über Eumeniden aus dem Nahen Osten und Arabien sowie Beschreibung einer neuen Subspecies aus Zanzibar (Vespoidea, Hymenoptera). Linzer biol. Beitr. 26 (1): 307-324, 14 Abb.
- 852. Gusenleitner, J.,** 1994, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera). Teil 2: Die Gattung Pterocheilus Klug, 1805, Onychopterocheilus Blüthgen, 1955, Hemipterocheilus Ferton, 1909 und Cephalochilus Blüthgen, 1939. Linzer biol. Beitr. 26 (2): 823-839, 17 Abb.
- 853. Gusenleitner, J.,** 1995, Bemerkungen über die Gattung Leptochilus Saussure, 1852 und Beschreibung neuer Arten dieser Gattung (Hymenoptera, Vespoidea, Eumenidae). Linzer biol. Beitr. 27 (1): 169-181, 7 Abb.
- 854. Gusenleitner, J.,** 1995, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera). Teil 4: Die Gattung Ancistrocerus Wwismael, 1836 mit einem Nachtrag zum Teil 1: Die Gattung Leptochilus Saussure. Linzer biol. Beitr. 27 (2): 753-775.
- 855. Gusenleitner, J.,** 1995, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera). Teil 3: Die Gattung Antepipona Saussure, 1855. Linzer biol. Beitr. 27 (1): 183-189, 7 Abb.
- 856. Gusenleitner, J.,** 1996, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera). Teil 5: Die Gattung Alastor Lepeletier, 1841. Linzer biol. Beitr. 28 (2): 801-808.
- 857. Gusenleitner, J.,** 1996, Beitrag zur Kenntnis paläarktischer Sapyginae (Hymenoptera, Sapygidae). Linzer biol. Beitr. 28 (1): 23-38, figs.
- 858. Gusenleitner, J.,** 1997, Über Funde von Sapygidae aus dem östlichen Mittelmeergebiet (Sapygidae, Hymenoptera). Linzer biol. Beitr. 29 (1): 105-108, figs.
- 859. Gusenleitner, J.,** 1997, Über einige Vespoidea des Nahen Ostens (Hymenoptera, Eumenidae, Masaridae). Linzer biol. Beitr. 29 (1): 137-150.
- 860. Gusenleitner, J.,** 1997, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera). Teil 7: Die Gattungen Microdynerus Thomson, 1874 und Eumicrodynerus Gusenleitner, 1972. Linzer biol. Beitr. 29 (2): 779-797, figs.
- 861. Gusenleitner, J.,** 1997, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera). Teil 6: Die Gattung Euodynerus Dalla Torre, 1904, Syneuodynerus Blüthgen, 1951 und Chlorodynerus Blüthgen, 1951. Linzer biol. Beitr. 29 (1): 117-135, 33 Abb.
- 862. Gusenleitner, J.,** 1997, Die europäische Arten der Gattung Celonites Latreille, 1802 (Hymenoptera, Masaridae). Linzer biol. Beitr. 29 (1): 109-115, 3 Abb.
- 863. Gusenleitner, J.,** 1997, Die Gattungen Syneuodynerus Blüthgen, 1951 und Intereuodynerus gen. nov. im Nahen Osten (Hymenoptera, Eumenidae). Linzer biol. Beitr. 29 (2): 763-769, 4 Abb.
- 864. Gusenleitner, J.,** 1998, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera). Teil 8: Die Gattungen Odynerus Latreille, 1802, Gymnomerus Blüthgen, 1938,

- Paragymnomerus Blüthgen, 1938 und Tropidodynerus Blüthgen, 1939. Linzer biol. Beitr. 30 (1): 163-181, 25 Abb.
- 865. Gusenleitner, J.**, 1998, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera). Teil 9: Die Gattung Pseudepipona Saussure. Linzer biol. Beitr. 30 (2): 487-495, 14 Abb.
- 866. Gusenleitner, J.**, 1998, Über Faltenwespen aus dem asiatischen Raum (Hymenoptera, Eumenidae, Masaridae). Linzer biol. Beitr. 30 (2): 503-513, figs.
- 867. Gusenleitner, J.**, 1999, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera). Teil 10: Die Gattung Allodynerus Blüthgen, 1938 mit Nachträgen zum Teil 1: Die Gattung Leptochilus Saussure und Teil 4: Die Gattung Ancistrocerus Wesmael. Linzer biol. Beitr. 31 (1): 93-101, 13 Abb.
- 868. Gusenleitner, J.**, 1999, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera). Teil 11: Die Gattung Discoelius Latreille, 1809, Eumenes Latreille, 1802, Katamenes Meade-Waldo, 1910, Delta Saussure, 1855, Ischnogasteroides Magretti, 1884 und Pareumen... Linzer biol. Beitr. 31 (2): 561-584, 35 Abb.
- 869. Gusenleitner, J.**, 1999, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera). Teil 12: Die Gattung Symmorphus Wesmael, 1836. Linzer biol. Beitr. 31 (2): 585-592, 8 Abb.
- 870. Gusenleitner, J.**, 2000, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera). Teil 13 Die Gattung Stenodynerus Saussure, 1863. Linzer biol. Beitr. 32 (1): 29-41, 12 Abb.
- 871. Gusenleitner, J.**, 2000, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera). Teil 14 Der Gattungsschlüssel und die bisher in dieser Reihe nicht behandelten Gattungen und Arten. Linzer biol. Beitr. 32 (1): 43-65, 12 Abb.
- 872. Gusenleitner, J.**, 2000, Neue Eumenidae aus Syrien, der Türkei und dem Iran (Hymenoptera, Vespoidea). Linzer biol. Beitr. 32 (2): 927-938, Abb.
- 873. Gusenleitner, J.**, 2001, Über Eumeniden aus dem Mittelmeerraum (Vespoidea, Hymenoptera). Linzer biol. Beitr. 33 (2): 663-669.
- 874. Gusenleitner, J.**, 2001, Über Eumeniden-Arten aus Jordanien (Hymenoptera, Vespoidea, Eumenidae). Linzer biol. Beitr. 33 (1): 233-238.
- 875. Gusenleitner, J.**, 2001, Stellungnahme zur Veröffentlichung "Studies on Eumenidae of Aegean Region" von Ayla Tüzün et al. in Entomofauna Bd. 21, 2000, 197-212 (Insecta, Hymenoptera, Eumenidae). Linzer biol. Beitr. 33 (1): 227-231.
- 876. Gusenleitner, J.**, 2001, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera) 1. Nachtrag. Linzer biol. Beitr. 33 (1): 223-226.
- 877. Gusenleitner, J.**, 2002, Neue oder bemerkenswerte Vespoidea aus dem Nahen Osten (Hymenoptera, Eumenidae, Masaridae). Linzer biol. Beitr. 34 (1): 335-343.
- 878. Gusenleitner, J.**, 2003, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera) 2. Nachtrag. Linzer biol. Beitr. 35 (1): 155-166.
- 879. Gusenleitner, J.**, 2004, Faltenvespen aus dem Oman (Hymenoptera, Vespidae, Eumenidae, Masaridae). Linzer biol. Beitr. 36 (1): 151-158.
- 880. Gusenleitner, J.**, 2004, Ein Beitrag zur Kenntnis und Verbreitung palaearktischer Eumenidae (Hymenoptera, Vespoidea). Linzer biol. Beitr. 36 (2): 1093-1105.
- 881. Gusenleitner, J.**, 2005, Faltenvespen aus dem Oman Teil 2 (Hymenoptera, Vespidae, Eumenidae, Masaridae). Linzer biol. Beitr. 37 (2): 1199-1201.
- 882. Gusenleitner, J.**, 2006, Eine neue Eumenes-Art aus dem Iran (Hymenoptera, Vespidae, Eumenidae). Linzer biol. Beitr. 38 (2): 1361-1363.
- 883. Gusenleitner, J.**, 2006, Über Eumeninae aufgesammelt in Pakistan (Hymenoptera, Vespidae). Linzer biol. Beitr. 38 (2): 1295-1305.
- 884. Gusenleitner, J.**, 2007, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera) 3. Nachtrag. Linzer biol. Beitr. 39 (1): 129-131.
- 885. Gusenleitner, J.**, 2007, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera) 4. Nachtrag. Linzer biol. Beitr. 39 (2): 955-956.
- 886. Gusenleitner, J.**, 2007, Über Vespidae aus Pakistan (Hymenoptera, Vespidae). Linzer biol. Beitr. 39 (2): 969-972.
- 887. Gusenleitner, J.**, 2012, Neue Masarinae aus der palaearktischen Region (Hymenoptera, Vespidae, Masarinae). Linzer biol. Beitr. 44 (1): 319-326, figs.
- 888. Haas, F. & H. Henderckx**, 2002, Dermaptera from Cyprus and Turkey. Beitr. Ent. 52 (1): 235-239.
- 889. Hackman, W., Lastovka, P., Matile, L. & R. Vaisanen**, 1988, Mycetophilidae [in] Soos, A. & L. Papp (eds.), Catalogue of Palaearctic Diptera 3: 220-327, Akademiai Kiado, Budapest.
- 890. Haddad, N. J., Dvorak, L., Adwan, O., Mnadat, H. & A. Bataynah**, 2007, New data on Vespidae wasp fauna of Jordan (Hymenoptera, Vespidae). Linzer biol. Beitr. 39 (1): 137-142.
- 891. Haeselbarth, E.**, 1992, Blacus (Gnychorus) madli sp. n., eine neue Braconide aus der Türkei (Insecta, Hymenoptera, Braconidae). NachrBl. Bayer. Ent. 41 (3): 95-98, 6 Abb.

- 892. Hagen, H.**, 1863, Die Odonaten- und Neuropteren-Fauna Syriens und Klein-Asiens. Wiener ent. Monatschr. 7: 193-199.
- 893. Hahn, C.W.**, 1831-1836, Die Wanzenartigen Insekten. 1-3 vols. Text & Plates. C.H. Zeh'schen Buchhandlung, Nürnberg [date of publications, Sherborn (1914)]. Fortsetzung: Herrich-Schäffer, G.A.W., 1836-1853.
- 894. Hakimian, S., Talebi, A.A. & B.Gharali**, 2013, Two new records of the genus *Conophorus* (Diptera, Bombyliidae, Bombyliinae) from Iran. J. Crop. Prot. 2 (1): 101-107, figs.
- 895. Haliday, A.H.**, 1833-1838, Essay on parasitic Hymenoptera. Ent. Mag. 1 (1833): 259-276, 333-350, 480-491; 2 (1834): 93-106, 225-259; 2 (1835): 458-468; 3 (1835): 20-45, 121-147; 4 (1836): 38-59, 92-106, 203-221; 5 (1838): 209-248.
- 896. Haliday, A.H.**, 1833, Essay on classification of the palaearctic Hymenoptera of Britain which correspond with the *Ichneumon*es minuti of Linnaeus. Ent. Mag. 1: 259-276, 333-350.
- 897. Halstead, D.G.H.**, 1967, A revision of the genus *Palorus* (s.l.) (Coleoptera, Tenebrionidae). Bull. Br. Mus. (Nat. Hist.) Ent. 19: 59-
- 898. Han, H.Y. & M.Kütük**, 2006, A new species of *Myoleja* Rondani (Diptera, Tephritidae) from Turkey with a key to the known species of the genus. Zootaxa 1155: 25-33, figs.
- 899. Handlirsch, A.**, 1887-1893, Monographie der mit *Nysson* und *Bembex* verwandten Grabwespen I-VII. Sb. Akad. Wiss. math- naturw. Classe (Abt.I) 95: 246-421, 96: 219-311, 97: 316-565, 98: 440-517, 99: 77-166, 101: 25-205, 102: 657-942, Taf.
- 900. Handlirsch, A.**, 1882-1883, Die Metamorphose und Lebensweise von *Hirmoneura obscura* Meig., einem Vertreter der Dipteren- Familie Nemestrinidae. I, II. Wien. ent. Ztg. 1 (1882): 224-228; 2 (1883): 11-15, Taf.i.
- 901. Handlirsch, A.**, 1895, Nachträge und Schlusswort zur Monographie der mit *Nysson* und *Bembex* verwandten Grabwespen. Sb. Akad. Wiss. math- naturw. Classe (Abt.I) 104: 801-1079, 2 Taf.
- 902. Hanot, S.**, 2012, *Anthaxia* d'Europe et du pourtour Méditerranéen. <http://www.anthaxia.eu/index.htm> [access 6 5 2012].
- 903. Hardy, D.E.**, 1967, The types of Bibionidae (Diptera) in the Naturhistorisches Museum, Wien. Annln naturh. Mus. Wien 70: 169-181.
- 904. Harten, A.v. (ed.)**, 2008, Arthropod fauna of the UAE 1: 1-754, figs.
- 905. Harten, A.v. (ed.)**, 2009, Arthropod fauna of the UAE 2: 1-786, figs.
- 906. Harten, A.v. (ed.)**, 2010, Arthropod fauna of the UAE 3: 1-700, figs.
- 907. Harten, A.v. (ed.)**, 2011, Arthropod fauna of the UAE 4: 1-816, figs.
- 908. Hartig, T.**, 1840, Ueber die Familie der Gallwespen. [in] Germar, Z. Ent. 2 (1): 176-210.
- 909. Hartig, T.**, 1841, Erster Nachtrag zur Naturgeschichte der Gallwespen. [in] Germar, Z. Ent. 3: 322-358, 1 Tab.
- 910. Hartig, T.**, 1843, Zweiter Nachtrag zur Naturgeschichte der Gallwespen. [in] Germar, Z. Ent. 4: 395-422.
- 911. Harz, K.**, 1970, New and little known Tettigoniidae (Orthoptera) from Israel and Africa. Israel J. Zool. 19: 191-201.
- 912. Hasbenli, A. & F.Geller-Grimm**, 1999, Two new species of *Dysmachus* Loew, 1860 (Asilidae, Diptera) from Turkey. J. ent. Res. Soc. 1 (1): 13-19.
- 913. Hasbenli, A. & M.Aktaş**, 1995, Two new *Platypygus* Loew, 1844 (Diptera, Bombyliidae) species for Turkey. Türk. ent. derg. 19 (2): 147-150, figs.
- 914. Hasbenli, A. & M.Aktaş**, 1995, Türkiye *Conophorus* Meigen, 1803 türlerine katkılar (Diptera, Bombyliidae). Gazi Univ. Fen-Ed. Fak. Fen Biliml. Derg. C5: 1-10, figs.
- 915. Hasbenli, A. & N.L.Evenhuis**, 2000, Checklist of Turkish Bombyliidae (Diptera) with new records [a simple list of the species of Turkey, with an extracted bibliography]. J. ent. Res. Soc. 2 (1): 25-43.
- 916. Hasbenli, A. & Ü.Çağlar**, 2009, A new species of *Mesoleptogaster* Frey, 1937 (Diptera, Asilidae) from Turkey with a key to palaearctic species. Ent. News 120 (2): 201-205, figs.
- 917. Hasbenli, A. & V.F.Zaitzev**, 2000, Two new species of *Bombylius* Linnaeus, 1758 (Diptera, Bombyliidae) from Turkey. Dt. ent. Z. (N.F.) 47 (1): 105-108, figs.
- 918. Hasbenli, A.**, 1997, Türkiye Hemipenthes Loew, 1869 türlerine katkılar (Diptera, Bombyliidae). Gazi Uni. Fen Bil. Derg. 10 (4): 545-552, figs.
- 919. Hasbenli, A.**, 2005, A new species of *Thevenetimyia* Bigot, 1892 (Diptera, Bombyliidae, Ecliminae) from Turkey. Ent. News 116 (1): 11-14, figs.
- 920. Hasbenli, A., Bayrakdar, F. & N.Alpay**, 2006, First record of *Erax nigrosetosus* Theodor, 1980 (Diptera, Asilidae) from Turkey. Acta ent. sloven. 14: 103-106, 2 figs.
- 921. Hasbenli, A., Candan, S. & N.Alpay**, 2006, A new species of *Leptogaster* Meigen (Diptera, Asilidae) from Turkey with egg and spermatheca structure. Zootaxa 1267: 49-57.
- 922. Haupt, H.**, 1917, Neue palaarktische Homoptera nebst Bemerkungen über einige schon bekannte. Wien. ent. Ztg. 36: 229-262, 12 Abb.
- 923. Haupt, H.**, 1921, Eine neue Singicade aus Mesopotamien. Dt. ent. Z. 1920: 409-412.



- 924. Hava,J.,** 2002, A new species of the genus *Anthrenus* subgenus *Ranthrenus* (Coleoptera, Dermestidae) from Turkey. *J. Nat. Mus. (Nat. Hist. Ser.)* 171 (1/4): 45-46, figs.
- 925. Hava,J.,** 2006, Notes on the genus *Phradonoma* from the Middle East with description of nine new species (Coleoptera, Dermestidae, Megatominae). *Genus* 17 (1): 79-94, figs.
- 926. Hava,J., Ruzicka,J. & J.Schneider,** 1998, Faunistic records of Silphidae (Coleoptera) from Turkey. *Klapalekiana* 34: 173-181, figs. [with serious errors in maps]
- 927. Havaskary,M., Abad,R.F.P., Kazemi,M.H. & A.Rafeii,** 2012, A contribution to the stink bugs from Khodafarin, NW Iran (Heteroptera, Pentatomidae, Pentatominae). *Munis Ent. Zool.* 7 (1): 607-616, maps [with numerous mis-spellings].
- 928. Hayashi,T. & L.Papp,** 2004, The genus *Lotobia* Lioy (Diptera, Sphaeroceridae) from the Oriental Region. *Acta zool. hung.* 50 (3): 211-225, figs.
- 929. Hayashi,T.,** 1989, The genus *Opalimosina* (s.str.) Rohacek,1983 from Pakistan (Diptera, Sphaeroceridae). *Jpn. J. Sanit. Zool.* 40 (Suppl.): 61-64, 9 figs.
- 930. Hayashi,T.,** 1991, The genus *Coproica* Rondani from Pakistan (Diptera, Sphaeroceridae). *Jpn. J. Sanit. Zool.* 42 (3): 235-240, figs.
- 931. Hayashi,T.,** 1994, The genus *Paralimosina* from Nepal and Pakistan, excluding *P.eximia* species group (Diptera, Sphaeroceridae). *Jpn. J. Sanit. Zool.* 45 (Suppl.): 31-54, figs.
- 932. Hayat,M.,** 1983, The genera of Aphelinidae (Hymenoptera) of the world. *Syst. Ent.* 8: 63-102.
- 933. Hayat,R. & Alaoglu,Ö.,** 1990, Erzurum yöresi Syrphidae (Diptera) faunası II. Milesiinae. *Türk. ent. derg.* 14 (4): 227-234.
- 934. Hayat,R. & Alaoglu,Ö.,** 1990, Erzurum yöresi Syrphidae (Diptera) faunası I. Syrphinae. *Türk. ent. derg.* 14 (3): 173-182.
- 935. Hayat,R. & C.Claussen,** 1997, A new species and new records of the genus *Paragus* Latreille,1804 from Turkey (Diptera, Syrphidae). *Zool. Middle East* 14: 99-108,figs.
- 936. Hayat,R. & H.Özbek,** 1994, New records of robber flies (Diptera, Asilidae) for Turkish fauna. *Türk. ent. derg.* 18 (4): 241-244.
- 937. Hayat,R. & H.Özbek,** 1999, The genus *Dasypogon* Meigen,1803 (Diptera, Asilidae) in Turkey along with new records. *Acta ent. bulg.* 5 (1): 42-47.
- 938. Hayat,R. & W.Schacht,** 2000, Distributional data of Horse-flies from Turkey with new records (Diptera, Tabanidae). *Entomofauna* 21 (23): 265-284.
- 939. Hayat,R.,** 1997, Prey of some robber flies (Diptera, Asilidae) in Turkey. *Zool. Middle East* 15: 87-94.
- 940. Hayat,R.,** 1997, Sphegina (Sphegina) alaoglu, a new hover-fly from north-eastern Turkey (Diptera, Syrphidae). *Zool. Middle East* 14: 109-113.
- 941. Hayat,R., Ghahari,H., Lavigne R. & H.Ostovan,** 2008, Iranian Asilidae (Insecta, Diptera). *Turk. J. Zool.* 32: 175-195.
- 942. Hayat,R., Richet,R. Bayrak,N. & G.Pekbey,** 2008, Contributions to the knowledge of Flesh Flies (Diptera, Sarcophagidae) from Turkey, with a new record. *Turk. J. Zool.* 32: 385-390.
- 943. Heberdey,R.F.,** 1936, Revision der palaearktischen Arten der Gattung *Notoxus* Geoffr. I. Die Verwandten des *Notoxus monoceros* L. *Koleopt. Rdsch.* 22 (3/4): 125-180, 7 Abb. 3 Verbreitungskarten.
- 944. Hedicke,H.,** 1938, Über einige Apiden von Hindukusch (Hym.). *Dt. ent. Z.* 1938: 186-196, 3 figs.
- 945. Hedwig,K.,** 1961, Ergebnisse der Deutschen Afghanistan Expedition 1956 der Landessammlungen für Naturkunde in Karlsruhe. Ichneumonidae, Braconidae (Hymenoptera). *Beitr. naturk. Forsch. SWDtl.* 19 (3): 291-298 2 figs.
- 946. Heinrich,G.H.,** 1957, Einige Ichneumonidae von Afghanistan. *Ent. Z., Frankf. a. M.* 67: 20-23.
- 947. Heiss,E. & F.Önder,** 1991, On the Aradidae fauna of Turkey (Heteroptera). *Türk. ent. Derg.* 15 (2): 65-70, figs.
- 948. Heiss,E. & J.Péricart,** 1983, Revision of Palaearctic Piesmatidae (Heteroptera). *Mitt. münch. ent. Ges.* 73: 61-171, figs.
- 949. Heiss,E. & R.E.Linnavuori,** 2002, Beitrag zur Kenntnis der Wanzenfauna Irans, II. Carinthia II 112: 615-632.
- 950. Heiss,E.,** 1974, Ein neuer Aradus (Insecta, Heteroptera, Aradidae) aus der Türkei. *Ber. nat.- med. Ver. Innsbruck* 61: 101-105.
- 951. Heiss,E.,** 1978, Über Berytidae von den Kanarischen Inseln (Insecta, Heteroptera). *Ber. nat.-med. Ver. Innsbruck* 65: 85-92, figs.
- 952. Heiss,E.,** 1989, Studien zur Revision der palaearktischen Aradidae (Heteroptera). I. Zur Kenntnis der Gattung *Qulinus* (Stal). *Ber. nat.- med. Ver. Innsbruck* 76: 127-139.
- 953. Heiss,E.,** 1989, Studien zur Revision der palaearktischen Aradidae (Heteroptera). 2. Ein neuer Aradus aus der betulae-Gruppe. *NachrBl. bayer. Ent.* 38 (2): 33-36.
- 954. Heiss,E.,** 1990, Studien zur Revision der paläarktischen Aradidae (Heteroptera). 3. Ein neuer Aradus aus Ostanatolien. *NachrBl. bayer. Ent.* 39 (4): 110-113, figs.
- 955. Heiss,E.,** 2004, Beitrag zur Kenntnis der Wanzenfauna Irans, III. Familie Aradidae Brullé,1836 (Heteroptera). *Carinthia II* 114: 395-412, figs.

- 956. Hejkal, J.,** 2002, *Amara* (*Amara*) *lukasi* sp.n. (Coleoptera, Catabidae) from Turkey. *Klapalekiana* 38: 27-35, figs.
- 957. Heller, K.-G. & O. Korshunovskaya,** 2009, Systematics and bioacoustics of the genus *Lithodusa* (Orthoptera, Tettigoniidae) including the description of a new species from Turkey and comments on the classification of the *Drymadusini*. *J. Orth. Res.* 18 (1): 5-13, figs.
- 958. Heller, K.-G. & H. Sevgili,** 2005, Systematics and bioacoustics of *Poecilimon sanctipauli*-group (Orthoptera, Tettigoniidae, Phaneropteridae). *Eur. J. Ent.* 102: 265-277, figs.
- 959. Heller, K.-G.,** 2004, *Poecilimon martinae* n.sp. and *P. inflatus* Brunner von Wattenwyl, 1891 (Orthoptera, Tettigoniidae, Phaneropteridae), two bush-cricket species endemic to Southwest Anatolia: morphology, bioacoustics and systematics. *Articulata* 19 (1): 1-17, figs.
- 960. Hendel, F.,** 1903, Synopsis der paläarktischen *Tetanocera*-Arten (Dipt.). *Z. Syst. Hym.- Dipt.* 3: 35-37.
- 961. Hendel, F.,** 1908, Synopsis der bisher bekannten *Timia*-Arten (Dipt.). *Z. syst. hymenopt. dipt.* 8 (1): 1-11.
- 962. Hendel, F.,** 1908, Ueber die bisher bekannten *Dorycera*-Arten (Dipt.). *Z. syst. hymenopt. dipt.* 8: 104-108.
- 963. Hendel, F.,** 1910, Über acalyptrate Musciden. *Wien. ent. Ztg.* 29: 101-127, 1 Taf.
- 964. Hendel, F.,** 1913, Die Gattung *Platystoma* Meigen (Dipt.). Eine monographische Übersicht über die Arten. *Zool. Jb. (Syst.)* 35: 55-126, 2 Taf.
- 965. Hendel, F.,** 1927, Trypetidae, [in] Lindner, E., Die Fliegen der Palaearktischen Region. 49: 1-221, Taf. i-xvii. Stuttgart.
- 966. Hendel, F.,** 1934, Revision der Tethiniden (Dipt., Muscid. acal.). *Tijdschr. Ent.* 77: 37-54.
- 967. Hennig, W.,** 1939, Otitidae (46. Ortalidae und 47. Pterocallidae) [in] E. Lindner, Die Fliegen der palaearktischen Region, 5 (126-128). 79+xiii pp., 13 Taf. E. Schweizerbart. Stuttgart.
- 968. Hering, E. M.,** 1958, Zwei neue paläarktische *Rhagoletis* (Dipt., Trypet.). (55. Beitrag zur Kenntnis der Trypetidae). *Stuttg. Beitr. Naturk.* 7: 1-4, Abb.
- 969. Hering, E. M.,** 1961, Ergebnisse der Deutschen Afghanistan-Expedition 1956 der Landessammlungen für Naturkunde Karlsruhe Trypetidae (Diptera) (56. Beitrag zur Kenntnis der Trypetidae). *Beitr. naturk. Forsch. SW-Dtl.* 19 (3): 319-331, 11 Abb.
- 970. Hering, M.,** 1937, Neue altweltliche Bohrfliegen. 17. Beitrag zur Kenntnis der Trypetidae (Dipt.). *Konowia* 16: 243-251, 7 Abb.
- 971. Herman, L. H.,** 2001, Catalog of the Staphylinidae (Insecta, Coleoptera). 1758 to the end of the second millennium. 7 vols. *Bull. amer. Mus. Nat. Hist.* 265: 1-4218.
- 972. Hermann, F.,** 1906, Beitrag zur Kenntnis der Asiliden (Dipt.). I. Neue und wenig bekannte Asiliden der palaearktischen Fauna. *Berl. ent. Z.* 50 (1905): 14-42, 29 Abb.
- 973. Hermann, F.,** 1907, Einige neue Bombyliden der palaearktischen Fauna (Dipt.). *Z. syst. hymenopt. dipt.* 7: 193-202, 3 figs.
- 974. Herrich-Schäffer, G. A. W.,** 1836-1853, Die Wanzenartigen Insekten. 3-9 vols. Text & Plates. C. H. Zeh'schen Buchhandlung, Nürnberg [date of publications, Sherborn (1914)]. See also Hahn, C. W., 1831-1836.
- 975. Herting, B.,** 1967, Beiträge zur Kenntnis der europäischen Raupenfliegen (Dipt. Tachinidae) X. *Stuttg. Beitr. Naturk.* 173: 1-11, 9 Abb.
- 976. Herting, B.,** 1984, Catalogue of Palearctic Tachinidae (Diptera). *Stuttg. Beitr. Naturk. (A)* 369: 1-228.
- 977. Herting, B.,** 1985, Description of a new species of Tachinidae (Diptera) from Israel and remarks on three little known species. *Israel J. Ent.* 19: 85-88.
- 978. Hilali, M., et al.,** 2003, *Culicoides* midges (Ceratopogonidae) in some localities of Saudi Arabia and their veterinary significance. *Veter. Arhiv.* 73 (5): 285-294.
- 979. Hincks, W. D.,** 1961, Ergebnisse der Deutschen Afghanistan Expedition 1956 der Landessammlungen für Naturkunde in Karlsruhe. Dermaptera. *Beitr. naturk. Forsch. SW-Dtl.* 19 (3): 261.
- 980. Hippa, H., Nielsen, T. R. & J. van Steenis,** 2001, The west Palearctic species of the genus *Eristalis* Latreille (Diptera, Syrphidae). *Norw. J. Ent.* 48: 289-327, figs.
- 981. Hippa, H., Vilkamaa, P. & K. Heller,** 2010, Review of the Holarctic Corynoptera Winnertz, 1867, s.str. (Diptera, Sciaridae). *Zootaxa* 2695: 1-197, figs.
- 982. Hoberlandt, L.,** 1953, Hemipteren-Heteropteren von Shaqlawa in Südkurdisten. *Beitr. Ent.* 3 (4): 377-384, 6 figs.
- 983. Hoberlandt, L.,** 1955, Hemiptera - Heteroptera from Iran I. *Acta ent. Mus. nat. Pragae* 29: 121-148, figs.
- 984. Hoberlandt, L.,** 1956, Results of the zoological scientific expedition of the National Museum in Praha to Turkey 18. Hemiptera IV. Terrestrial Hemiptera-Heteroptera of Turkey. *Acta ent. Mus. nat. Pragae (Suppl.)* 3: 1-264.
- 985. Hoberlandt, L.,** 1961, Heteroptera collected in Ankara (Turkey) by light trap. *Acta ent. Mus. nat. Pragae* 34: 393-416, 49 figs.

- 986. Hoberlandt, L.,** 1961, Ergebnisse der Deutschen Afghanistan Expedition 1956 der Landessammlungen für Naturkunde in Karlsruhe. Heteroptera. Beitr. naturk. Forsch. SWDtl. 19 (3): 197-222, 30 figs.
- 987. Hölzel, H.,** 1967, Zwei neue Chrysopa-Arten aus Anatolien (Neuroptera, Chrysopidae). NachrBl. bayer. Ent. 16 (9/10): 92-95, figs.
- 988. Hölzel, H.,** 1967, Die Neuropteren Vorderasiens II. Chrysopidae. Beitr. naturk. Forsch. SW-Dtl. 26 (1): 19-45, figs.
- 989. Hölzel, H.,** 1968, Die Neuropteren Vorderasiens III. Nemopteridae. Beitr. naturk. Forsch. SW-Dtl. 27 (1): 37-47, figs.
- 990. Hölzel, H.,** 1972, Die Neuropteren Vorderasiens IV Myrmeleonidae. Beitr. naturk. Forsch. SWDtl. (Beiheft 1): 3-103, Abb.
- 991. Hölzel, H.,** 1980, Notes on Ant-lions (Neuroptera, Myrmeleonidae) of Israel and adjacent countries, with descriptions of new species. Israel J. Ent. 14: 29-46, figs.
- 992. Holzschuh, C.,** 1974, Neue Bockkäfer aus Pakistan, Iran, Anatolien und Mazedonien (Coleoptera, Cerambycidae). Z. ArbGem. Öst. Ent. 25: 81-100, Abb.
- 993. Holzschuh, C.,** 1975, Neue westpalaearktische Bockkäfer aus den Gattungen Cortodera, Vadonia und Agapanthia (Coleoptera, Cerambycidae). Z. ArbGem. Öst. Ent. 26: 77-90, Abb.
- 994. Holzschuh, C.,** 1989, Beschreibung neuer Bockkäfer aus Europa und Asien (Cerambycidae, Col.). Koleopt. Rdsch. 59: 153-183, 38 Abb.
- 995. Horstmann, K.,** 1971, Revision der europäischen Tersilochinen I ( Hymenoptera, Ichneumonidae). Veröff. zool. Staatssamml. 15: 45-138, figs.
- 996. Horstmann, K.,** 1980, Revision der europäischen Tersilochinen II ( Hymenoptera, Ichneumonidae). Spixiana 4 (suppl.): 1-76, figs. [published on 1.December,1980]
- 997. Horstmann, K.,** 1990, Die westpaläarktischen Arten der Gattung *Pristomerus* Curts, 1836 (Hymenoptera, Ichneumonidae). Entomofauna 11 (2): 9-44, figs.
- 998. Horstmann, K.,** 2007, Revision der westpaläarktischen Arten von *Anisobas* Wesm., 1845 (Hymenoptera, Ichneumonidae, Ichneumoninae). Entomofauna 28 (9): 93-116, figs.
- 999. Horvath, G.v.,** 1875, Monographia Lygaeidarum Hungariae. 109 pp. Budapest.
- 1000. Horvath, G.v.,** 1878, Beitrag zur Hemipteren-Fauna Transkaukasiens. [in] Schneider, Naturwissenschaftliche Beiträge zur Kenntnis der Kaukasusländer auf Grund seiner Sammelbeute Dresden. Jb. naturw. Ges. "Isis" Dresden 1878: 72-76, 85-86.
- 1001. Horvath, G.v.,** 1880, Hemipterologisches aus Transkaukasien. Sber. naturw. Ges. Isis Dresden 1879: 93-97.
- 1002. Horvath, G.v.,** 1881, Hemiptera nova vel minus cognita. Térmes. Füzetek 5: 39-42.
- 1003. Horvath, G.v.,** 1883, Heteroptera anatolica in regione Brussae collecta. Termés. Füzetek 7: 21-30.
- 1004. Horvath, G.v.,** 1889, Beitrag zur Hemipteren-Fauna von Turkmenien. Wien. ent. Ztg. 8: 169-174.
- 1005. Horvath, G.v.,** 1891, Hémiptères recueillis dans l'Arménie Russe avec la description d'espèces et variétés nouvelles. Revue Ent. 10 (3): 68-81.
- 1006. Horvath, G.v.,** 1891, Eine neue Hemipterengattung aus der Familie der Lygaeiden. Wien. ent. Ztg. 10 (4): 129-131.
- 1007. Horvath, G.v.,** 1894, Hémiptères recueillis dans la Russie méridionale et en Transcaucasie. Revue Ent. 13: 169-189.
- 1008. Horvath, G.v.,** 1894, Hémiptères recueillis dans la Russie méridionale et en Transcaucasie. Revue d'Ent. 13: 169-189, 2 figs.
- 1009. Horvath, G.v.,** 1901, Hémiptères du voyage de M. Martinez Escalera dans l'Asie Mineure. Termés. Füzetek 24: 469-485.
- 1010. Horvath, G.v.,** 1903, Conspectus specierum generis *Graphosoma*. Ann. Mus. nat. hung. 1: 345-354.
- 1011. Horvath, G.v.,** 1906, Collections recueillies par M.J. de Morgan en Perse: Insecte: Hémiptères du genre *Mustha*. Bull. Mus. hist. nat. Paris 12 (7): 514-516.
- 1012. Horvath, G.v.,** 1906, Hemipteren, [in] Penther & Zederbauer, Naturwissenschaftliche Reise zum Erdschias-Dagh. Annln naturh. Mus. Wien 20 (2/3): 179-189.
- 1013. Horvath, G.v.,** 1909, Les *Graphosoma* d'Europe. Ann. Mus. nat. hung. 7: 143-150, figs.
- 1014. Horvath, G.v.,** 1910, Hémiptères récoltés par M. le Dr.W. Innes Bey en Egypte. Bull. Soc. ent. Egypte 2 (1910): 99-117, 1 fig.
- 1015. Horvath, G.v.,** 1911, Hemiptera nova vel minus cognita e regione Palaearctica. Ann. Mus. Nat. Hung. 9: 573-610, figs.
- 1016. Horvath, G.v.,** 1917, Heteroptera palaearctica nova vel minus cognita I. Ann. Mus. Nat. Hung. 15: 365-381.
- 1017. Horvath, G.v.,** 1926, Hétéroptères [in] Voyage Zoologique d'Henri Gadeau de Kerville en Syrie I (April-Juin 1908), pp.107-119. Paris.
- 1018. Hoskovec, M. & M.Rejzek,** 2009, Cerambycidae of the West Palaearctic Region. <http://www.cerambyx.uochb.cz/cerambyx.htm>



- 1019. Houard,C.,** 1908, Les Zoocécidies des plantes d'Europe et du Bassin de la Méditerranée,Tom 1 Cryptogames, Gymnospermes, Monocotylédones, Dicotylédones. 570pp., 1365 figs. Librairie Scientifique A Hermann, Paris.
- 1020. Hradsky,M. & F.Geller-Grimm,** 1997, Eine neue Art aus der Gattung Stiphrolamyra (Diptera, Asilidae, Laphriinae). Studia dipterol. 4 (1): 193-196, figs.
- 1021. Huddleston,T.,** 1980, A revision of the Western Palaearctic species of the genus Meteorus (Hymenoptera, Braconidae). Bull. Br. Mus. nat. Hist. (Ent.) 41 (1): 1-58, figs.
- 1022. Hull,F.M.,** 1973, Bee Flies of the World, the genera of the family Bombyliidae. xiv+687 pp. Smithsonian Institution Press, City of Washington.
- 1023. Hurkmans,W. & R.Hayat,** 1997, Ethology and ecology of Merodon (Diptera, Syrphidae) in Turkey II. Descriptions of new species and notes on other syrphid flies. Dipterist Digest 3: 62-79.
- 1024. Hurkmans,W.,** 1987, Merodon telmateia, a new hoverfly from Turkey (Diptera, Syrphidae). Ent. Ber., Amst. 45: 69-70.
- 1025. Hurkmans,W.,** 1988, Ethology and ecology of Merodon in Turkey (Diptera, Syrphidae). Ent. Ber., Amst. 48: 107-114.
- 1026. Hurkmans,W.,** 1993, A monograph of Merodon (Diptera, Syrphidae) Part 1. Tijdschr. Ent. 136: 147-234, 106 figs.
- 1027. Hurkmans,W., Hayat,R. & H.Özbek,** 1997, Insect and plants of a marsh at Küçükgeçit, Aşkale, Erzurum, Turkey: A preview on preservation. Turk Ent. Derg. 21 (2): 95-108.
- 1028. Hüttinger,E.,** 1978, Leopoldius pontifex n.sp., eine neue Conopiden-spezies aus dem Iran (Diptera, Conopidae). Z. ArbGem. Öst. Ent. 29: 105-106, figs.
- 1029. I.Özdemir, Remaudière,G., Toros,S. & N.Kılınçer,** 2005, New Aphid records from Turkey including the description of a new Lachnus species (Hemiptera, Aphididae). Revue fr. Ent. (N.S.) 27 (3): 97-102, figs.
- 1030. İnanç,F. & A.Beyarslan,** 1997, Gaziantep ve Şanlıurfa illerinin bazı yörelerinden toplanan Microgastrinae (Hymenoptera, Braconidae) türleri. Türk. ent. derg. 21 (3): 213-223, 3 şekil.
- 1031. İnanç,F. & A.Beyarslan,** 2001, Die Microgastrinae-Fauna der Ost-Marmara Region der Türkei (Hymenoptera, Braconidae). Entomofauna 22 (11): 221-243.
- 1032. İnanç,F. & Ö.Çetin Erdoğan,** 2004, Contribution to the Microgastrinae (Hymenoptera, Braconidae) fauna of Turkey, with description of a new species of Dolichogenidea. Biologia 59 (5): 547-551.
- 1033. İnanç,F.,** 2002, Cotesia pappi sp.n. (Hymenoptera, Braconidae, Microgastrinae) from Turkey. Acta zool. hung. 48 (2): 157-160, figs.
- 1034. İncekara,Ü., Mart,A. & O.Erman,** 2003, Check list of the Hydrophilidae (Coleoptera) species of Turkey and a new record for the Turkish fauna [with numerous incorrect spellings]. Turk. J. Zool. 27: 47-53.
- 1035. İncekara,Ü., Mart,A. & O.Erman,** 2005, Helophorus erzurumicus sp.n., a new species from Turkey and some notes on H. ponticus Angus,1988 (Coleoptera, Hydrophilidae). Aquatic Insects 27 (1): 43-46, figs.
- 1036. Insom,E. & S.Carfi,** 1988, Taxonomic studies on Palparini (sensu Markl,1954) I. The genus Palpares Rambur,1842 partim (Neuroptera, Myrmeleontidae) with the proposal of its division and description of new genera. Neur. Int. 5 (2): 57-78.
- 1037. Insom,E. & S.Carfi,** 1988, Parapalpares somalicus (Neuroptera, Myrmeleontidae) new genus and new species from Somalia. Neur. Int. 5 (2): 83-88, figs.
- 1038. Iwan,D.,** 2002, Catalogue of the World Platynotini (Coleoptera, Tenebrionidae). Genus 13 (2): 219-323.
- 1039. Jäch,M.A.,** 1989, Revision of the palaearctic species of the genus Ochthebius Leach II. The subgenus Cobalius Rey (Hydraenidae, Coleoptera). Z. ArbGem. öst. Ent. 41 (1/2): 41-50, figs.
- 1040. Jäch,M.A., Kasapoğlu,A. & O.Erman,** 2003, Revision of the Palaearctic species of the genus Ochthebius Leach (Coleoptera, Hydraenidae) XX. Description of two species of the subgenus Asiobates Thomson from Northeastern Turkey. Aquatic Insects 25 (1): 71-74, figs.
- 1041. Jacobs,H.-J.,** 2005, Lindenius anatolicus Beaumont 1967 - erstnachweis in Europa und weitere Angaben zur Grabwespenfauna Bulgariens (Hymenoptera, Sphecidae, Crabronidae). Linzer biol. Beitr. 37 (1): 435-456, 1 Abb.
- 1042. Jaenicke,F.,** 1866, Beiträge zur Kenntniss der europäischen Stratiomyden, Xylophagiden u. Coenomyiden sowie Nachtrag zu den Tabaniden. Berl. ent. Z. 10: 217-236.
- 1043. Jago,N.D.,** 1963, A revision of the genus Calliptamus Serville (Orthoptera, Acrididae). Bull. Br. Mus. (Nat. Hist.) Ent. 13 (9): 287-350, 26 text-figs.
- 1044. Jahromi,B.M., Dousti,A.F., Saghaei,N. & R. var der Weele,** 2013, Iranian Lauxaniidae (Diptera, Brachycera): new records and a preliminary checklist. Linzer biol. Beitr. 45 (2): 2005-2009.
- 1045. Jakovlev,V.E.,** 1876, Bugs Hemiptera Heteroptera of the Russian Fauna. Bull. Soc. imp. Nat. Moscou 49 (4): 248-270, 1 Taf.
- 1046. Janssens,E.,** 1968, Asilidae (Diptera) de Turquie. Bull. Inst. R. Sci. nat. Belg. 44 (2): 1-13; ibid. 44 (33): 1-8.

- 1047. Jansson,A.**, 1983, Three new palaearctic species of *Sigara* (Subsigara) (Heteroptera, Corixidae). Ann. ent. fenn. 49: 65-70, figs.
- 1048. Jansson,A.**, 1986, The Corixidae (Heteroptera) of Europe and some adjacent regions. Acta ent. fenn. 47: 1-94, figs.
- 1049. Japoshvili,G. & T.Ljubomirov**, 2011, New records of Chrysididae, Mutillidae, Crabronidae, and Sphecidae (Insecta, Hymenoptera) from Gölcük Natural Park, Isparta, Turkey. J. ent. Soc. Iran 31 (1): 95-97.
- 1050. Japoshvili,G.O. & I.Karaca**, 2003, New records of encyrtid parasitoids of *Kermes palestiniensis* Balachowsky (Hemiptera, Kermesidae) with the description of a new species of *Blastothrix* Mayr (Hymenoptera, Encyrtidae) from Turkey. Ent. News 114 (4): 187-191, figs.
- 1051. Japoshvili,G.O. & I.Karaca**, 2010, List of Vespidae, Scoliidae and Tiphidae (Hymenoptera) of Gölcük Natural Park in Isparta Province, Turkey. SDU J. Sci. 5 (2): 194-199.
- 1052. Japoshvili,G.O. & J.S.Noyes**, 2006, The Western Palaearctic species of *Psilophrys* Mayr (Hymenoptera, Chalcidoidea, Encyrtidae), parasitoids of kermesids (Hemiptera, Coccoidea, Kermesidae) attacking oaks (*Quercus* spp.). J. Nat. Hist. 40 (29-31): 1793-1800, figs.
- 1053. Jedlicka,A.**, 1963, Neue Carabiden Anatolien und vom Balkan. Koleopt. Rdsch. 40/41: 16-22, figs.
- 1054. Jelinek,J. & K.Spornraft**, 1979, Die westpalaearktischen Arten der umbrosus-Gruppe der Gattung *Meligethes* Steph. (Coleoptera, Nitidulidae). Mitt. münch. ent. Ges. 68: 1-11, figs.
- 1055. Jervis,M.A.**, 1992, A taxonomic revision of the pipunculid fly genus *Chalarus* Walker, with particular reference to the European fauna. Zool. J. linn. Soc. 105 (3): 243-352, figs.
- 1056. Jong,H.de**, 1994, The phylogeny of the *Tipula* (Acutipula) maxima species group, with notes on its distribution (Diptera, Tipulidae). Ent scand. 24: 433-457, figs.
- 1057. Joost,W. & E.Plassmann**, 1978, Zur Pilzmücken-Fauna im West-Kaukasus (Insecta, Diptera, Mycetophilidae). Senckenbergiana biol. 59 (5/6): 369-370.
- 1058. Kaçar,G.,Yıldırım,E. & R.Ulusoy**, 2010, Gaziantep ve Kilis'ten yeni bir zeytin (*Olea europaea* L.) zararlısı, *Omophlus nasreddini* Reitter,1890 (Coleoptera, Alleculidae, Omophlinae). Türk. ent. derg. 34 (3): 383-390, figs.
- 1059. Kadej,M. & J.Hava**, 2014, *Attagenus* Latreille,1802 (Coleoptera, Dermestidae, Attageninae) in Turkey with a description of a new species. Ent. fenn. 25: 1-5.
- 1060. Kakarsulemankhel,J.-K.**, 2004, Taxonomic morphology of *Phlebotomus nuri* Lewis,1967 (Diptera, Psychodidae, Phlebotominae) from Pakistan. Int. J. Agr. Biol. 6 (1): 196-199, figs.
- 1061. Kalkandelen,A.**, 1985, Four new species of genus *Zyginidia* (*Zyginidia*) Haupt (Homoptera, Cicadellidae) and with notes on the taxonomy and distributions of the species of this genus in Turkey. Türk. bitki kor. derg. 9: 13-25, figs.
- 1062. Kalkandelen,A.**, 1987, Türkiye Cixiidae (Homoptera) türleri üzerinde taksonomik çalışmalar I. Familyaların morfolojik özellikleri ve cins teşhis anahtarı. Bitki Kor. Bült. 27 (3/4): 119-146, 10 şekil.
- 1063. Kalkandelen,A.**, 1988, Türkiye Cixiidae (Homoptera) türleri üzerinde taksonomik çalışmalar II. Cixiini; *Cixius* ve *Tachycixius*. Bitki Kor. Bült. 28 (3/4): 113-140, 10 şekil.
- 1064. Kalkandelen,A.**, 1989, Türkiye Cixiidae (Homoptera) türleri üzerinde taksonomik çalışmalar III. Cixiini: *Myndus*, *Hemitropis* ve *Bitropis*. Bitki Kor. Bült. 29 (1/2): 1-17, 4 şekil.
- 1065. Kalkandelen,A.**, 1989, Türkiye Cixiidae (Homoptera) türleri üzerinde taksonomik çalışmalar IV. Pentastrini: *Pseudoliarus* ve *Eumecurus*. Bitki Kor. Bült. 29 (3/4): 117-132, 8 şekil.
- 1066. Kalkandelen,A.**, 1990, Türkiye Cixiidae (Homoptera) türleri üzerinde taksonomik çalışmalar V. Pentastrini: *Pentastridius* ve *Setapius*. Bitki Kor. Bült. 30 (1/4): 1-27, 15 şekil.
- 1067. Kalkandelen,A.**, 1993, Türkiye Cixiidae (Homoptera) türleri üzerinde taksonomik çalışmalar VI. Pentastrini: *Pentastira Kirschbaum*. Bitki Kor. Bült. 33 (3/4): 65-82, 8 şekil.
- 1068. Kalkandelen,A.**, 2000, Türkiye Cixiidae (Homoptera) türleri üzerinde taksonomik çalışmalar VII. Pentastrini: *Hyalesthes Signoret*. Bitki Kor. Bült. 40 (3/4): 91-123, 13 şekil.
- 1069. Kalkman,V.J. & G.J.van Pelt**, 2006, New records of rare or uncommon dragonflies in Turkey (Odonata). Brachytron 10: 154-162.
- 1070. Kalkman,V.J., Wasscher,M. & G.J.van Pelt**, 2003, An annotated checklist of the Odonata of Turkey. Odonatologica 32 (3): 215-236.
- 1071. Kaltenbach,A.**, 1967, Unterlagen für eine Monographie der Saginae I. Superrevision der Gattung *Saga* Charpentier (Saltatoria, Tettigoniidae). Beitr. Ent. 17 (1/2): 3-107, figs.
- 1072. Kaltenbach,A.**, 1969, Saginae und Decticinae aus Israel I. Annln naturh. Mus. Wien 73: 333-338 figs.
- 1073. Kaltenbach,A.**, 1974, Decticinae aus Israel (Saginae und Decticinae aus Israel II). Annln naturh. Mus. Wien 78: 291-302, 29 figs.
- 1074. Kaltenbach,A.**, 1982, Insects of Saudi Arabia Mantodea. Fauna Saudi Arabia 4: 29-72, 118 Abb.
- 1075. Kameneva,E.P. & I.G.Pljushtch**, 2010, The Central Asian Herina (Diptera, Ulidiidae), with the description of a new species from Afghanistan. Zootaxa 2424: 42-50, figs.
- 1076. Kameneva,E.P.**, 1996, Revision of the Palaearctic species of *Meliera* R.-D. (Diptera, Ulidiidae, Otitinae) I. The groups of species assigned to *Hypochra* Loew. Vestn. zool. 1996 (6): 19-46, 13 figs.

- 1077. Kameneva, E.P.**, 2008, New and little-known Ulidiidae (Diptera, Tephritoidea) from Europe. Vestn. zool. 42 (5): 45-72, figs.
- 1078. Kaplan, M. & F.C. Thompson**, 1981, New Syrphidae from Israel (Diptera). Proc. ent. Soc. Wash. 83 (2): 198-212, figs.
- 1079. Kara, K. & H.-P. Tschorsnig**, 2003, Host catalogue for the Turkish Tachinidae (Diptera). J. Appl. Ent. 127: 465-476.
- 1080. Kara, K. & S. Aksu**, 2008, Contributions to the Turkish Tachinidae (Diptera) fauna. Turk. J. Zool. 32: 227-228.
- 1081. Kara, K. & T. Pape**, 2002, Check list of Turkish Sarcophagidae (Insecta, Diptera) with new records. Mitt. Mus. Nat. kd. Berl., Dt. ent. Z. 49 (2): 291-295.
- 1082. Kara, K.**, 2001, Additions to the fauna of Turkish Tachinidae (Insecta, Diptera). Zool. Middle East 23: 85-88.
- 1083. Kara, K.**, 2002, Contributions to the Turkish Tachinidae (Insecta, Diptera). Zool. Middle East 27: 118-119.
- 1084. Kara, K., Gözüaık, C. & C. Mart**, 2007, Tachinid parasitoids (Diptera, Tachinidae) of Mythimna (Acantholeucania) loreyi in Southeast Anatolian Region of Turkey. Phytoparasitica 35: 136-139.
- 1085. Kara, K., Korkmaz, Y. & S. Kırıkoglu**, 2010, New records for Turkish Tachinidae (Diptera) fauna. Turk. J. Zool. 34: 275-277.
- 1086. Karabağ, T.**, 1950, Five new species of Poecilimon Fischer (Orthoptera, Tettigoniidae) from Turkey. Proc. R. ent. Soc. London (B) 19: 157-161, figs.
- 1087. Karabağ, T.**, 1953, Some new Orthoptera from Turkey. Eos 29: 177-200, figs.
- 1088. Karabağ, T.**, 1956, The genus Phonochorion Uvarov (Orthoptera, Tettigoniidae). Proc. R. ent. Soc. London (B) 25 (3/4): 49-52, figs.
- 1089. Karabağ, T.**, 1956, Some new and less known Tettigoniidae (Orthoptera) from Turkey. Commun. Fac. Sci. Univ. Ankara (C) 5: 1-19, figs.
- 1090. Karabağ, T.**, 1957, Some new Orthoptera from Turkey. Commun. Fac. Sci. Univ. Ankara (C) 8: 13-18, figs.
- 1091. Karabağ, T.**, 1958, Türkiye'nin Orthoptera faunası. T.C. Ankara Üniversitesi Fen Fakültesi Yayınları Um.81, Zooloji 4. 198 s., 1 harita. İstanbul.
- 1092. Karabağ, T.**, 1961, Revision of Drymadusa Stein and related genera (Orthoptera, Tettigoniidae). Bull. Br. Mus. (Nat. Hist.) Ent. 11 (1): 1-41, figs.
- 1093. Karabağ, T.**, 1962, Some new and little known Phaneropterinae (Orthoptera, Tettigoniidae) from Turkey. Proc. R. ent. Soc. London (B) 31: 4-10, figs.
- 1094. Karabağ, T.**, 1964, Some new species and new records of Tettigoniidae (Orthoptera) from Turkey. Commun. Fac. Sci. Univ. Ankara (C) 13: 36-55, figs.
- 1095. Karabağ, T.**, 1975, Studies in the Turkish Orthoptera (Insecta) I. New species and less known Tettigoniidae. J. Nat. Hist. 9 (3): 337-350, figs.
- 1096. Karabağ, T., Balamir, S., Gümüşsuyu, I. & E. Tutkun**, 1971, Türkiye Orthoptera faunasının tespiti üzerinde araştırmalar (I). Bitki Kor. Bül. 11: 73-98.
- 1097. Karabağ, T., Balamir, S., Gümüşsuyu, I. & E. Tutkun**, 1974, Türkiye Orthoptera faunasının tespiti üzerinde araştırmalar (II). Bitki Kor. Bül. 14 (1): 3-18.
- 1098. Karabağ, T., Gümüşsuyu, I. & E. Tutkun**, 1980, Türkiye Orthoptera faunasının tespiti üzerinde araştırmalar. Bitki Kor. Bül. 20: 1-25.
- 1099. Karabıyık [Bayrak], N.**, 2005, Kayseri ili Syrphidae (Diptera) türleri üzerinde faunistik çalışmalar. Yüksek lisans tezi, 36 s. Erzurum [The thesis was published by the Council of Higher Education in 2005; access 10 12 2012].
- 1100. Karaman, C., Akta, N. & K. Kıran**, 2011, Ants of the genus Camponotus Mayr, 1861 (Hymenoptera, Formicidae) in the Kaz Mountains, Turkey, with descriptions of sexuals of Camponotus candiotes Emery, 1894 and Camponotus ionius Emery, 1920. Turk. J. Zool. 35 (2): 183-197.
- 1101. Karaman, Ş. & S. Tezcan**, 1998, Contribution to the study of the genus Anthaxia (subgenus Anthaxia s.str.) Eschscholtz, 1829 (Coleoptera, Buprestidae) of Turkey. Türk. ent. derg. 22 (1): 19-35.
- 1102. Karimpour, Y.**, 2011, Fruit flies (Dip.: Tephritidae) reared from capitula of Asteraceae in the Urmia region, Iran. J. Ent. Soc. Iran 30 (2): 53-66.
- 1103. Karimpour, Y.**, 2012, On the bee fly (Diptera, Bombyliidae) fauna from West Azarbaijan Province of Iran. Biharean Biol. 6 (2): 81-86.
- 1104. Karimpour, Y., Tavakoli, M. & G. Melika**, 2008, New species of herb gallwasps from the Middle East (Hymenoptera, Cynipidae, Aylacini). Zootaxa 1854: 16-32, figs.
- 1105. Karsavuran, Y. & Ş. Güçlü**, 2004, Türkiye faunası için yeni bir zararlı tür, Metcalfa pruinosa (Say, 1830) (Homoptera, Flatidae). Türk. ent. derg. 28 (3): 209-212.
- 1106. Karsavuran, Y., Pehlivan, E., Tezcan, S. & A.Y. Kılı**, 2005, Notes on Tabanidae (Diptera) fauna of Turkey. Türk. ent. derg. 29 (3): 187-195.
- 1107. Kartal, V. & Ü. Zeybekoglu**, 1994, A new species Allygidius nihati n.sp. (Hom. Auch., Cicadellidae) from Turkey. Turk. J. Zool. 18: 259-261.



- 1108. Kartal,V. & Ü.Zeybekoğlu,** 1999, *Cicadatra hyalina* (Fabricius,1798) (Homoptera, Cicadidae) türü üzerine taksonomik bir araştırma. Tr. J. Zool. 23 (1): 63-66, şekil.
- 1109. Kartal,V. Zeybekoğlu,Ü. & A.Dursun,** 2001, A faunistic study on Deltocephalinae (Homoptera, Auchenorrhyncha, Cicadellidae) in Yüksekova (Hakkari). Türk. ent. Derg. 25 (2): 83-92.
- 1110. Kartal,V.,** 1980, Neue und wenig bekannte Arten den Gattungen Cicadetta und Cicadatra aus dem Irak und der Türkei (Homoptera, Auchenorrhyncha, Cicadidae). Ent. Z., Frankf. a.M. 90 (17): 185-192, 4 Abb.
- 1111. Kartal,V.,** 1983, Neue Homopteren aus der Türkei II (Homptera, Auchenorrhyncha). Marb. ent. Publ. 1 (8): 235-248, figs.
- 1112. Kartal,V.,** 1987, Eine neue und wenig bekannte Arten der Gattung Ranissus aus der Türkei (Homoptera, Auchenorrhyncha, Dictyopharidae). Türk. ent. derg. 11 (3): 145-150, figs.
- 1113. Karz,K.,** 1988, Eine neue Sichelschrecke (Phaneroptera) aus der Türkei (Saltatoptera, Ensifera, Tettigoniidae [sic!], Phaneropterinae). Articulata 3 (4): 137-138, 5 figs.
- 1114. Kasatkin,D.G.,** 2011, A new species of the genus Phytoecia Dejean,1835 (Coleoptera, Cerambycidae) from Eastern Turkey. Cauc. ent. Bull. 7 (2): 143-144, 2 pls.
- 1115. Kasparyan,D.R. & L.Gültekin,** 2002, First records of two ichneumonid wasps from Northeastern Turkey (Hymenoptera, Ichneumonidae). Zoosyst. ross. 11 (1): 218.
- 1116. Kasparyan,D.R.,** 2011, A review of the Palaearctic species of the genus Hadrodactylus Förster (Hymenoptera, Ichneumonidae, Ctenopelmantinae) with a description of five new species. Ent. Obozr. 90 (2): 388-415, figs. [Ent. rev. 91 (7): 866-888].
- 1117. Kaszab,Z.,** 1958, Die Meloiden Afghanistans (Coleoptera). Acta zool. Acad. Sci. Hung. 3: 245-312.
- 1118. Kaszab,Z.,** 1961, Ergebnisse der Deutschen Afghanistan Expedition 1956 der Landessammlungen für Naturkunde in Karlsruhe. Tenebrionidae (Coleoptera). Beitr. naturk. Forsch. SWDtl. 19 (3): 235-238.
- 1119. Kaszab,Z.,** 1961, Ergebnisse der Deutschen Afghanistan Expedition 1956 der Landessammlungen für Naturkunde in Karlsruhe. Meloidae (Coleoptera) Beitr. naturk. Forsch. SWDtl. 19 (3): 239-240.
- 1120. Kaszab,Z.,** 1968, Ergebnisse zoologische Sammelreisen in der Türkei. Coleoptera: Meloidae. Annln. naturh. Mus. Wien 72: 443-450.
- 1121. Kataev,B.M. & D.W.Wrase,** 1997, New taxa of the genus Harpalus Latr. from China and Turkey (Coleoptera, Carabidae). Linzer biol. Beitr. 29 (2): 991-1014, 74 figs.
- 1122. Katbeh-Bader,A. & B.Massa,** 2001, Tettigoniidae (Orthoptera) from Jordan with description of new species and redescription of less known species. J. Orth. Res. 10 (1): 25-37, figs. [date of publ. June 2001]
- 1123. Katbeh-Bader,A. & B.Massa,** 2001, Errata: Tettigoniidae (Orthoptera) from Jordan with description of new species and redescription of less known species. J. Orth. Res. 10 (2): 376.
- 1124. Katbeh-Bader,A. & S.Arabyat,** 2004, The bee flies (Diptera, Bombyliidae) of Jordan. Denisia 14 (n.s.2): 353-384, figs. [This paper was also published in 2004 without illustrations (Zootaxa 654: 1-48)].
- 1125. Katbeh-Bader,A.,** 1996, Buprestidae of Jordan (Coleoptera). Fragm. Ent. 28 (1): 43-50.
- 1126. Katbeh-Bader,A.,** 2001, Acridoidea (Orthoptera) of Jordan. Zoology Middle East 23: 89-100.
- 1127. Katılmış,Y. & S.Kıyak,** 2008, Checklist of Cynipidae of Turkey with a new genus record. J. Nat. Hist. 42: 2161-2167.
- 1128. Katılmış,Y. & S.Kıyak,** 2009, Aphelonyx persica: a new record from Turkey, with some new host records. Phytoparasitica 37 (1): 95-97.
- 1129. Kaya,M.,** 2009, Isparta ili ve ilçeleri meyve bahçelerindeki Coccinellidae (Coleoptera) familyasına ait türlerin saptanması. Yüksek Lisans Tezi, Isparta. 130 sayfa <http://www.tez.sdu.edu.tr/Tezler/TF01357.pdf> [access on 20 August 2013].
- 1130. Kaydan,M.B. & F.Kozar,** 2011, New and rare mealybugs (Hemiptera, Coccoidea, Pseudococcidae, Putoidae) from Eastern Anatolia (Turkey). Zoosyst. ross. 20 (1): 28-39, figs.
- 1131. Kaydan,M.B. & I.A.Gavrilov,** 2010, Mirococcopsis multicircularia sp.nov. from Turkey (Sternorrhyncha, Pseudococcidae). Zoosyst. ross. 19 (1): 50-53, figs.
- 1132. Kaydan,M.B., Kozar,F., Yaşar,B. & L.Erkiliç,** 2001, Initial studies on Pseudococcidae fauna in Van Province of Turkey. Acta phytopath. Ent. Hung. 36: 377-382.
- 1133. Kaydan,M.B., Ülgentürk,S. & L. Erkiç,** 2007, Türkiye'nin gözden geçirilmiş Coccoidea (Hemiptera) türleri listesi. Tarım Bilimleri Dergisi (YYU) 17 (2): 89-106.
- 1134. Kaydan,M.B., Ülgentürk,S., Kozar,F. & S.Toros,** 2001, Scale insects (Homoptera, Coccoidea) of natural and agriculture areas in Kapadokya, Turkey. Boll. Zool. Agr. Bachicoltura (II) 33: 253-257.
- 1135. Kaydan,M.B., Ülgentürk,S., Zeki,C. Toros,S. & M.Gürkan,** 2004, Studies on Pseudococcidae (Homoptera, Coccoidea) fauna of Afyon, Ankara, Burdur and Isparta province, Turkey. Turk. J. Zool. 28: 219-224.
- 1136. Kaygın,A.T., Görür,G. & F.Cota,** 2010, New records of aphid fauna in Turkey. J. Ins. Sci. 10 (5) 1-4, 1 fig. <online: <http://www.insectscience.org/> 10.5>
- 1137. Kazancı,N. & Ö.Ertunç,** 2008, Checklist of the Simuliidae (Insecta, Diptera) of Turkey. Review Hydrobiol. 2: 129-144.

- 1138. Kazancı,N. & Ö.Ertunç,** 2008, On the Simuliidae (Insecta, Diptera) fauna of Turkey. Rev. Hydrobiol. 1: 27-36.
- 1139. Kazancı,N. & S.Girgin,** 2008, Ankara Çayı'nın Ephemeroptera, Plecoptera ve Odonata (Insecta) faunası. Rev. Hydrobiol. 1: 37-44.
- 1140. Kazancı,N.,** 1983, Plecoptera (Insecta) from Anatolia. Aquatic Insects 5 (3): 141-146, figs.
- 1141. Kazancı,N.,** 1985, Leuctra brachyptera, a new stonefly from Turkey (Plecoptera, Leuctridae). Aquatic Insects 7 (1): 49-52, figs.
- 1142. Kazancı,N.,** 1999, A new apterous Leuctra (Plecoptera) species from Turkey. Aquatic Insects 21 (4): 267-271, 2 figs.
- 1143. Kazancı,N.,** 2000, On the Taeniopterygidae (Plecoptera) fauna of Turkey. Aquatic Insects 22 (3): 171-176, 10 figs.
- 1144. Kazancı,N.,** 2000, Brachyptera berkii, a new Plecoptera (Taeniopterygidae) species from Turkey. Aquatic Insects 23 (4): 283-287, figs.
- 1145. Kazancı,N.,** 2009, Contribution to the knowledge of Plecoptera (Insecta) fauna of Turkey. Rev. Hydrobiol. 1: 11-22.
- 1146. Kazancı,N.,** 2009, Ephemeroptera (Insecta) fauna of Turkey: Records from eastern Anatolia (Turkey). Review Hydrobiol. 2: 187-195.
- 1147. Kazantsev,S.V.,** 2004, A checklist of Cantharidae (Coleoptera) of the ex-USSR. Russ. ent. J. 13: 23-34.
- 1148. Kazenas,V.L.,** 2000, New synonyms in Central and South Asian Sphecidae (Hymenoptera). J. Hym. Res. 9 (1): 48-52.
- 1149. Kehlmaier,C. & T.Assmann,** 2008, The European species of Chalarus Walker,1834 revisited (Diptera, Pipunculidae). Zootaxa 1936: 1-39, figs.
- 1150. Kehlmaier,C.,** 2005, Taxonomic revision of European Eudorylini (Insecta, Diptera, Pipunculidae). Verh. naturw. Ver. Hamburg (N.F.) 41: 45-353, 77 figs., 3 Tabl.
- 1151. Kehlmaier,C.,** 2010, Syrphoidea (Diptera, Pipunculidae and Syrphidae) previously unrecvorded from Sardinia (Italy), with the description of a new species of the genus Pipunculus (Latreille). Studia dipterolog. 16 (2009): 155-167, figs. [date of publication: 29 December 2010].
- 1152. Keith,D.,** 2001, Contribution a la connaissance des Scarabaeoidea du Moyen Orient (3 note) sur le genre Triodontella Reitter,1919 (Coleoptera, Melolonthidae, Sericinae). Lambillionea ci: 153-160, 4 figs.
- 1153. Kejval,Z.,** 2011, Taxonomic revision of the Oriental species of Notoxus (Coleoptera, Anthricidae). Acta ent. Mus. nat. Praegae 51 (2): 627-673, figs.
- 1154. Kemal,M. & A.Ö.Koçak,** 2006, A new genus and a new species of Ascalaphidae for the fauna of Turkey (Planipennia). Cent. ent. Stud., Misc. Pap. 99: 1-3, figs.
- 1155. Kemal,M. & A.Ö.Koçak,** 2008, Conops flavicaudus Bigot in South East Turkey (Conopidae, Diptera). Cesa News 36: 7-9, figs. 9-12.
- 1156. Kemal,M. & A.Ö.Koçak,** 2008, Occurence of Soldier Bug (Spilostethus pandurus) in Van Province (Turkey) (Hemiptera, Lygaeidae). Cesa News 33: 1-3, 3 figs. 1 map.
- 1157. Kemal,M. & A.Ö.Koçak,** 2008, First scientific trip to the South West Van Lake Region (6-8 March,2008). Cesa News 7: 1-14, figs.
- 1158. Kemal,M. & A.Ö.Koçak,** 2009, Cicindela asiatica Audouin & Brullé in South East Turkey (Coleoptera, Cicindelidae). Cesa News 41: 1-4, 5 figs.
- 1159. Kemal,M. & A.Ö.Koçak,** 2010, Cicadidae of Turkey and some ecological notes on Tibicina serhadensis Koçak & Kemal from Van Province (East Turkey) (Homoptera). Cesa News 55: 1-19, 1 map, 26 figs.
- 1160. Kemal,M. & A.Ö.Koçak,** 2010, Winter trips to south Van Lake and the cynipid galls on oaks (Hymenoptera, Cynipidae). Cesa News 56: 1-66, 90 figs. 1 table, 22 maps.
- 1161. Kemal,M. & A.Ö.Koçak,** 2010, Miscellaneous notes on the pterygot insects of Kato Mountains with illustrations their spring aspects (South East Turkey). Cesa News 57: 1-67, 107 figs. 1 map.
- 1162. Kemal,M. & A.Ö.Koçak,** 2010, Observation on a klepto-parasitic species at Posof (NE Turkey) (Diptera, Milichiidae; Hymenoptera, Apidae; Aranea, Thomiscidae). Cesa News 61: 1-2, 1 fig.
- 1163. Kemal,M. & A.Ö.Koçak,** 2010, Two Andricus species new to Bitlis Province (SE Turkey). Cesa News 61: 9-13, 10 figs. 1 map.
- 1164. Kemal,M. & A.Ö.Koçak,** 2011, Teratolytta kulzeri, a little known Blister Beetle from East Turkey (Coleoptera, Meloidae). Cesa News 64: 7-11, 6 figs. 1 map.
- 1165. Kemal,M. & A.Ö.Koçak,** 2012, On the first record of the genus Bittacus and the family Bittacidae in Turkey and its specific identity (Mecoptera). Cesa News 74: 1-3, 2 figs.
- 1166. Kemal,M. & A.Ö.Koçak,** 2012, A new Mylabris species and subgenus for the fauna of Turkey (Coleoptera, Meloidae). Cesa News 84: 12-14, 4 figs.
- 1167. Kemal,M. & A.Ö.Koçak,** 2013, Occurence of Cydiscus zurcheri, a little known Glowworm in Şırnak Province (SE Turkey) (Coleoptera, Phengodidae). Cesa News 92: 41-42, 2 figs.
- 1168. Kemal,M. & A.Ö.Koçak,** 2013, A new family, genus, and species for the fauna of Turkey: Eupyrgota vagae (Bigot) (Diptera, Pyrgotidae). Cesa News 92: 43-44, 2 figs.

- 1169. Kemal,M. & A.Ö.Koçak**, 2013, Results of the late summer entomological trip from Van to Ankara in 2013 (Insecta, Pterygota). Cesa News 93: 1-37, figs.
- 1170. Kemal,M. & A.Ö.Koçak**, 2013, *Pseudocephaleia praeteritorum* (Semenov) a new record for Turkey (Hymenoptera, Pamphiliidae). Cesa News 90: 15-16, 1 fig.
- 1171. Kemal,M. & A.Ö.Koçak**, 2014, Van Gölü havzası Hemiptera faunasına katkılar I. Artos Dağı Hemiptera türleri hakkında. Cesa News 94: 1-30, 39 figs.
- 1172. Kemal,M. & A.Ö.Koçak**, 2014, New Acroceridae for the fauna of Turkey (Diptera). Cesa News 98: 1-2, 2 figs.
- 1173. Kemal,M. & A.Ö.Koçak**, 2014, A planned faunistical survey on the Lepidoptera of Erciş district (Van Province, East Turkey). Cesa News 98: 3-10, 10 figs.
- 1174. Kemal,M. & A.Ö.Koçak**, 2014, A short entomo-faunistical visit to Bey Dağı Natural Park, Malatya Province (East Turkey). Cesa News 100: 1-16, 28 figs.; *ibid.* 101: 82, fig.
- 1175. Kemal,M. & A.Ö.Koçak**, 2014, Illustrated and annotated list on the Entomofauna of Gören Mount (Van Province, East Turkey), with ecological remarks I- Period of April-June 2014. Priamus (Suppl.) 33: 5-206, 273 figs. 1 Table.
- 1176. Kemal,M. & A.Ö.Koçak**, 2015, Notes on *Platycleis* (Squamiana) *irritans* Ramme in Van Province (East Turkey) (Orthoptera, Tettigoniidae). Cesa News 102: 1-4, 8 figs.
- 1177. Kemal,M. & A.Ö.Koçak**, 2015, On the Pterygota fauna of Hatay Province (S.Turkey), based upon the info-system of the Cesa. Cesa News 102: 16-233, 101 figs.
- 1178. Kemal,M. & A.Ö.Koçak**, 2015, Preliminary list of the Pterygota of Vargözü- Yeşiltaş area (Yüksekova, Hakkari Province, SE Turkey). Cesa News 103: 1-26, 6 figs.
- 1179. Kemal,M. & B.Bakan**, 2011, *Oxycarenus pallens* (H.-S.) in Van Province (East Turkey) (Hemiptera, Lygaeidae). Cesa News 71: 1-5, 6 figs. 1 map.
- 1180. Kemal,M. & E.Seven**, 2009, *Stiphrolamyra pleskei* (Becker) an interesting and rare Robber Fly from South East Turkey (Diptera, Asilidae) (Project of the Cesa: Asilidae of East Turkey -1). Cesa News 51: 1-2, 2 figs.
- 1181. Kemal,M. & E.Seven**, 2011, *Iranoidricerus iranensis*, little known ascalaphid species in South East Turkey (Planipennia). Cesa News 70: 1-2, 1 fig. 1 map.
- 1182. Kemal,M. & M.Aydın**, 2009, Second record of *Echthromyrmex sehitlerolmez* Koçak & Kemal from East Turkey (Planipennia, Myrmeleonidae). Cesa News 39: 2-4, 3 figs.
- 1183. Kemal,M. & N.Malati**, 2014, Faunistical notes on *Panorpa vulgaris* and *Panorpa communis* (Mecoptera, Panorpidae). Cesa News 98: 11-13, 4 figs.
- 1184. Kemal,M.**, 2010, Behaviour of the adult wasp *Andricus megalucidus* from Bitlis Province (SE Turkey) (Hymenoptera, Cynipidae). Cent. ent. Stud. Icon. Ins. (Ser.A). Mpeg2 file. duration 4 min.24 sec. <http://www.archive.org/details/IconographiaInsectorumSeriesABByTheCesaAndricusMegalucidus>
- 1185. Kemal,M.**, 2010, Oriental Hornet (*Vespa orientalis*) in South East Turkey and its dangerous flight (Hymenoptera, Vespidae). Cent. ent. Stud. Icon. Ins. (Ser.A). Mpeg2 file. duration 1 min.40 sec. <http://www.archive.org/details/IconographiaInsectorumSeriesABByTheCesaVespaOrientalis>
- 1186. Kemal,M.**, 2010, Gürcistan Gezisinden Doğa Gözlemleri. 45s. 31 Levha. <http://www.archive.org/details/TravelGeorgia>  
[http://avam.yyu.edu.tr/metinler/MuhabbetKemal\\_GuircistanGezisi.pdf](http://avam.yyu.edu.tr/metinler/MuhabbetKemal_GuircistanGezisi.pdf) [access 20.3.2011].
- 1187. Kemal,M., Bakan,B. & M.Yalçın**, 2013, *Graphosoma* (*Graphosomella*) *inexpectatum*, a new record for the fauna of Turkey (Hemiptera, Pentatomidae, Podopinae). Cesa News 85: 1-4, figs. [For a subsequent publication on the same subject, see: Fent,M.,Dursun,A. & S.Tezcan,2013].
- 1188. Kemal,M., Koçak,A.Ö. & E.Seven**, 2010, On the genera *Baizongia* Rond. and *Slavum* Mord. in SE Turkey (Hemiptera, Aphididae). Cesa News 61: 14-16, 4 figs. 1 map.
- 1189. Kemal,M., Koçak,A.Ö. & E.Seven**, 2011, *Caryedon angeri* (Semenov), new to Siirt Province (S.E.Turkey) feeding on Mesquit, *Prosopis farcta* (B.& S.) Macbride (Coleoptera, Bruchidae). Cesa News 63: 20-25, 9 figs.
- 1190. Kemal,M., Koçak,A.Ö., Akın,K., Yalçın,M., Bakan,B. & D.Çelikkaya**, 2010, Spring aspect of the pterygot insect fauna of Mutki (Bitlis Prov., South East Turkey). Cesa News 58: 1-78, 150 figs. 1 graph.
- 1191. Kemal,M., Malati,N., Turdush,M. & A.Ö.Koçak**, 2014, Results of the two entomological trips in summer around Van Lake (East Turkey). Cesa News 97: 4-12, 36 figs.
- 1192. Kemal,M., Seven,E. & A.Ö.Koçak**, 2013, *Polyphylla persica* Brenske,1902, new to the fauna of Turkey (Scarabaeidae, Melolonthinae, Coleoptera). Cesa News 92: 10-11, 2 figs.
- 1193. Kenari,A.N., Iranipour,S., Ebrahimi,E., Barari,H. & R.Wahis**, 2010, Spider wasps (Hymenoptera, Pompilidae) from North of Iran, Mazandaran. Entomofauna 31 (9): 85-96.
- 1194. Kerzhner,I.M. & A.Matocq**, 1997, On some Mediterranean Miridae (Heteroptera). Zoosyst. Ross. 6 (1/2): 191-192.
- 1195. Kerzhner,I.M. & A.Matocq**, 1997, On some mediterranean Miridae (Heteroptera). Zoosyst. ross. 6 (1/2): 191-192.
- 1196. Kerzhner,I.M. & R.T.Schuh**, 2001, Corrections to the Catalog "Plant bugs of the World" by Randall T.Schuh (Heteroptera, Miridae). J. New. York Ent. Soc. 109 (2): 263-299.



- 1197. Kesdek,M. & E.Yıldırım,** 2003, Contribution to the knowledge of the Carabidae fauna of Turkey Part 1. Harpalini (Coleoptera, Carabidae, Harpalinae). Linzer biol. Beitr. 35 (2): 185-?
- 1198. Kesdek,M. & E.Yıldırım,** 2004, Contribution to the knowledge of the Carabidae fauna of Turkey Part 4. Platynini (Coleoptera, Carabidae). Linzer biol. Beitr. 36 (1): 527-533.
- 1199. Kesdek,M. & E.Yıldırım,** 2007, Contribution to the knowledge of the Carabidae fauna of Turkey Part 4. Dryptini, Lebiini and Zuphiini (Coleoptera, Carabidae, Lebiinae). Entomofauna 28 (22): 277-284.
- 1200. Kesdek,M. & E.Yıldırım,** 2007, Contribution to the knowledge of the Carabidae fauna of Turkey Part 3. Bembidiini (Coleoptera, Carabidae, Bembidiinae). Entomofauna 28: 117-124.
- 1201. Kesdek,M., Yıldırım,E., Anlaş,S. & S.Tezcan,** 2009, Contribution to the knowledge of Staphylinidae fauna of Turkey (Coleoptera). Mun. Ent. Zool. 4 (2): 392-401.
- 1202. Keskin,B.,** 2003, Erstnachweis von Tentyria cypria Kraatz,1865 (Coleoptera, Tenebrionidae) für die Türkei. Zool. Middle East 29: 116-117, 1 Abb.
- 1203. Keskin,B.,** 2005, A new record for the Tenebrionidae (Coleoptera) fauna of Turkey: Mesostena puncticollis Solier,1835 (Pimeliinae, Tentyriini). Zool. Middle East 34: 119-120, fig.1.
- 1204. Keskin,B., M.Nabozhenko,** 2010, A new species and new records of the genus Nalassus Mulsant,1854 (Coleoptera, Tenebrionidae, Helopini) from Turkey. Ann. zool. (Warszawa) 60: 23-28, figs.
- 1205. Khaghaninia,S., Gharajedaghi,Y. & S.Mohamadzade Namin,** 2012, Study of the genus Urophora Robineau-Desvoidy (Diptera, Tephritidae) in North Western Provinces of Iran. Ukr. Entomofaun. 3 (2): 39-42, 4 figs.
- 1206. Khaghaninia,S., Güler,Y. & M.Mousavi,** 2010, Megachilids bees (Hymenoptera, Apoidea) of Aynalı Forests with four new records for Iran. Mun. Ent. Zool. 5 (suppl.): 890-895, map.
- 1207. Khaghaninia,S., Jafarlu,K., Khiaban,N.G. & O.Askari,** 2010, Introduction to Hover Flies (Diptera, Syrphidae) of Sunflower and Pumpkin fields in West Azerbaijan Province - Iran. Munis ent. Zool. 5 (1): 270-277 [one species repeated erroneously].
- 1208. Khaghaninia,S., Zarghani,E., Namin,S.M. & V.A.Korneyev,** 2011, A new species of Tephritis Latreille (Diptera, Tephritidae) with an unusual wing pattern from Iran and its taxonomic implications. Zootaxa 3047: 54-62, figs.
- 1209. Khalaf,K.T.,** 1957, Heleids from Iraq with descriptions of new species (Diptera, Heleidae = Ceratopogonidae). Bull. Soc. ent. Egypte 41: 335-350.
- 1210. Khalaim,A.I. & M.Yurtcan,** 2011, A survey on Tersilochinae (Hymenoptera, Ichneumonidae) species of Turkey, with a key to European genera. Turk. J. Zool. 35 (3): 381-394, figs.
- 1211. Khatri,I. & M.A.Rustamani,** 2011, Key to the tribes and genera of Deltocephaline leafhoppers (Auchenorrhyncha, Hemiptera, Cicadellidae) of Pakistan. Zookeys 104: 67-76, figs.
- 1212. Khatri,I. & M.D.Webb,** 2010, The Deltocephalinae leafhoppers of Pakistan (Hemiptera, Cicadellidae). Zootaxa 2365: 1-47, figs.
- 1213. Khatri,I. & M.D.Webb,** 2011, On the identity of Benglebra Mahmood & Ahmad, and other Mukariini (Hemiptera, Cicadellidae, Deltocephalinae) from Bangladesh and Pakistan. Zootaxa 2885: 14-22, figs.
- 1214. Khatri,I. & M.D.Webb,** 2014, Review of the idiocerine leafhoppers of Pakistan (Hemiptera, Cicadellidae) with a description of a new species. Zootaxa 3860 (3): 280-290, figs.
- 1215. Khatri,I., Rustamani,M.A., Wagan,M.S. & S.M.Nizamani,** 2010, The leafhopper tribe Agalliini (Hemiptera, Cicadellidae, Megophthalminae). Zootaxa 2614: 33-45, figs.
- 1216. Kiesenwetter,H.v.,** 1861, Beitrag zur Käferfauna Griechenlands. Siebentes Stück: Tenebrionidae, Cistelidae, Lagriariae, Pedilidae, Anthricidae, Mordellonae, Meloidae, Oedemeridae. Berl. ent. Z. 5: 221-252.
- 1217. Kiesenwetter,H.v.,** 1872, Revision der europäischen Arten der Gattung Malthodes (Erstes Stück). Berl. ent. Z. 16: 369-392, Taf. iv,v.
- 1218. Kiesenwetter,H.v.,** 1874, Revision der europäischen Arten der Gattung Malthodes (Zweites Stück). Berl. ent. Z. 18: 45-70.
- 1219. Kılıç,A.Y. & R.Öztürk,** 2002, Sultandağı çevresinin Tabanidae (Diptera) faunası üzerine çalışmalar. Anadolu Univ. Bilim Tekn. Derg. 3: 307-316.
- 1220. Kılıç,A.Y.,** 1992, Eskişehir ve çevresi Tabanidae (Diptera) faunası. Türk. ent. Derg. 16 (3): 169-180.
- 1221. Kılıç,A.Y.,** 1999, Checklist of Tabanidae (Diptera) from Turkey. Tr. J. Zool. 23: 123-132.
- 1222. Kılıç,A.Y.,** 2001, The Tabanidae (Diptera) fauna of Çanakkale Province. Turk. J. Zool. 25: 403-411.
- 1223. Kılıç,A.Y.,** 2001, The Tabanidae (Diptera) fauna of Kütahya Province. J. Ent. Res. Soc. 3: 29-41.
- 1224. Kılıç,A.Y.,** 2001, The Tabanidae (Diptera) fauna of Balıkesir Province. Turk. J. Zool. 25: 395-402.
- 1225. Kılıç,A.Y.,** 2003, Bursa ve Yalova illeri Tabanidae (Diptera) faunası üzerinde araştırmalar. Türk. ent. derg. 27: 207-221.
- 1226. Kılıç,A.Y.,** 2004, Bolu ili Tabanidae (Insecta, Diptera) faunası. Türk. ent. derg. 28: 57-68.
- 1227. Kılıç,A.Y.,** 2005, Sinop ili Tabanidae (Insecta, Diptera) faunası. Anadolu Univ. Bilim Tekn. Derg. 5: 269-277.
- 1228. Kılıç,A.Y.,** 2005, Bartın, Karabük ve Zonguldak illeri Tabanidae (Diptera) faunası üzerine araştırmalar. Türk. ent. derg. 29 (2): 151-160.

- 1229. Kılıç, A.Y.**, 2006, New additions and errata to the Checklist of Tabanidae (Insecta, Diptera) fauna of Turkey. *Turk. J. Zool.* 30: 335-343.
- 1230. Kimmins, D.E.**, 1933, A new genus and species of the family Myrmeleonidae. *Ann. Mag. nat. Hist.* (10) 11: 244-246, fig.
- 1231. Kıran, K. & C.Karaman**, 2012, First annotated checklist of the ant fauna of Turkey (Hymenoptera, Formicidae). *Zootaxa* 3548: 1-38.
- 1232. Kıran, K. & N.Aktaş**, 2006, The vertical distribution of the ant fauna (Hymenoptera, Formicidae) of the Samanlı Mountains, Turkey. *Linzer biol. Beitr.* 38 (2): 1105-1122.
- 1233. Kıran, K., Aktaş, N. & S.Tezcan**, 2008, Three new species of ants (genus *Aphaenogaster*, Hymenoptera, Formicidae) from Turkey. *Biologia* 63 (5): 689-695, figs.
- 1234. Kiritschenko, A.N.**, 1924, Beitrag zur Hemipterenfauna des südlichen Armenien. *Wien. ent. Ztg.* 41 (1/3): 1-5.
- 1235. Kiritschenko, A.N.**, 1924, Beitrag zur Hemipterenfauna des südlichen Armenien. *Wien. ent. Ztg.* 41: 1-5.
- 1236. Kiritschenko, A.N.**, 1924, Beitrag zur Hemipterenfauna des südlichen Armenien. *Wien. ent. Ztg.* 41: 1-5.
- 1237. Kiritschenko, A.N.**, 1929, Beiträge zur Kenntnis palaearktischer Hemipteren. II. Neue Aelia-Arten (Hemiptera, Pentatomidae). *Konowia* 8 (4): 451-456, 6 figs.
- 1238. Kirkaldy, G.W.**, 1909, Hemiptera, old and new, nr.2. *Canad. ent.* 41: 388-392.
- 1239. Kismali, Ş. & D.Sassi**, 1994, Preliminary list of Chrysomelidae with notes on distribution and importance of species in Turkey II. Subfamily Cassidinae Spaeth. *Turk. ent. Derg.* 18 (3): 141-156.
- 1240. Kıyak, S. & A.Salur**, 2000, *Rhynocoris rubrogularis* (Horvath, 1880) (Heteroptera, Reduviidae) new faunistic record for Turkey. *J. ent. Res. Soc.* 2 (1): 45-47, fig.
- 1241. Kıyak, S. & H.Özdikmen**, 1993, Über einige Neuropterenarten von Soğuksu Nationalpark (Kızılcahamam, Ankara). *Priamus* 6 (3/4): 156-160, 1 Abb.
- 1242. Kıyak, S. & Y.Katılmış**, 2010, Oak Gallwasp *Dryocosmus mayri* (Hymenoptera, Cynipidae) - new record from Turkey. *J. ent. Res. Soc.* 12 (1): 67-70.
- 1243. Kıyak, S.**, 1990, *Cranocapsus turcicus* (sp.nov.), yeni bir heteropter türünün tanımı (Insecta, Heteroptera, Miridae). *Cent. ent. Stud., Misc. Pap.* 5: 1-3, 1 şekil.
- 1244. Kıyak, S.**, 1990, Binboğa Dağları (K.Maraş-Kayseri) kara heteropter'lerinin erginlerinin eko-faunistik ve sistematiki üzerine araştırmalar. PhD thesis. 190s. Gazi Univ Fen Bilim. Enst., Ankara.
- 1245. Kıyak, S.**, 1993, Erstnachweisen für die Fauna Heteroptera der Türkei. *Priamus* 6 (3/4): 160-164, 3 Abb.
- 1246. Kıyak, S.**, 1993, Über terrestrische Wanzenarten von Soğuksu Nationalpark. *Priamus* 6 (3/4): 131-156, Abb.
- 1247. Kıyak, S.**, 1995, List of the genera of Turkish Heteroptera 1. Miridae. *Gazi Univ. Fen-Ed. Fak. Fen Biliml. Derg.* C5: 11-41.
- 1248. Kıyak, S., Kılıç, T. & Y.Katılmış**, 2008, A contribution to the knowledge of the Cynipini fauna of Turkey (Hymenoptera, Cynipidae). *Mun. Ent. Zool.* 3 (1): 523-535, figs.
- 1249. Kıyak, S., Salur, A. & Canbulat**, 2008, Gerromorpha and Leptopodomorpha (Insecta, Heteroptera) fauna of Southwest Anatolia. *Turk. J. Zool.* 32: 309-326.
- 1250. Kıyak, S., Salur, A., Canbulat, S. & M.Darılmaz**, 2006, Additional notes on Gyrinidae fauna of Turkey (Coleoptera). *Mun. Ent. Zool.* 1(1): 57-62.
- 1251. Kızıltürk, S.P.**, 2007, Gazi Üniversitesi Zooloji Müzesindeki Therevidae (Diptera) örneklerinin sistematik ve faunistik değerlendirilmesi. MSc Thesis. xiii+120s. Ankara.
- 1252. Klapalek, F.**, 1921, Plécoptères nouveaux I. Sous famille des Perlinae et Neoperlinae. *Annls Soc. ent. belg.* 61: 57-67.
- 1253. Klass, K.-D.**, 1997, The external male genitalia and the phylogeny of Blattaria and Mantodea. *Bonner zool. Monogr.* 42: 1-341, figs.
- 1254. Klimaszewski, S.M. & N.Lodos**, 1980, Three new species of jumping plant-lice (Homoptera, Psylloidea) from Turkey. *Türk. Bitki Kor. Derg.* 4: 219-227.
- 1255. Klopstein, S.**, 2014, Revision of the Western Palaearctic Diplazontinae (Hymenoptera, Ichneumonidae). *Zootaxa* 3801 (1): 1-143, figs.
- 1256. Klug, J.**, 1830, *Symbolae physicae seu icones & descriptiones insectorum* 2: Taf.9. Berlin.
- 1257. Kment, P. & D.Redei**, 2013, *Paranotocoris Ahmad & Shadab*, 1973, a new synonym of *Phyllomorpha* Laporte, 1833 (Hemiptera, Heteroptera, Coreidae). *Zootaxa* 3652 (3): 397-400.
- 1258. Kment, P. & J.Bryja**, 2007, Description of *Nasocoris lautereri* sp.nov. from the Balkan Peninsula, with a review of the genus *Nasocoris* (Hemiptera, Heteroptera, Miridae, Phyllinae). *Zootaxa* 1633: 39-61, figs.
- 1259. Kment, P. & Z.Jindra**, 2005, New and interesting records of true bugs (Heteroptera) from Turkey, southeastern Europe, Near and Middle East. *Acta ent. Mus. nat. Pragae* 45: 3-16, figs.
- 1260. Kment, P.**, 2005, A new synonym of *Phyllomorpha laciniata* (Villers, 1789) (Heteroptera, Coreidae). *Acta ent. Mus. nat. Pragae* 45: 19-20.

- 1261. Kment,P., Fent,M. & G.Japoshvili**, 2013, Redescription of *Urartucoris ermolenkoi* (Hemiptera, Heteroptera, Coreidae) and a revised key to the genera of Pseudophloeini of the Western Palaearctic Region. *Zookeys* 319: 191-209, figs.
- 1262. Kment,P., Jindra,Z. & D.A.Rider**, 2014, New synonymies and new records of Afrotropical and Madagascan Pentatominae (Hemiptera, Heteroptera, Pentatomidae). *Zootaxa* 3866 (3): 371-397, figs.
- 1263. Knutson,L. & Orth,R.E.**, 1984, The Sepedon sphegea complex in the Palaearctic and Oriental Regions: identity, variation, and distribution (Diptera, Sciomyzidae). *Ann. ent. Soc. Amer.* 77 (6): 687-701.
- 1264. Koç,H. & P.Zwick**, 2006, New species and records of Net-winged Midges (Diptera, Blephariceridae) from Asia Minor. *Stud. dipterol.* 13 (1): 61-66, 6 figs.
- 1265. Koç,H.**, 2004, Muğla ili Tipulidae ve Limoniidae familyalarının faunistik ve ekolojik yönden incelenmesi. 154s. Muğla Univ. Yayınları.
- 1266. Koç,H.**, 2008, Additions to the Limoniidae species in Turkey (Insecta, Diptera) III. *Int. J. dipterol. Res.* 19 (1): 3-5.
- 1267. Koç,H., Hasbenli,A. & P.Vogtenhuber**, 2007, Eine neue türkische Tipula (Lunatipula) Art aus der T. mellea Gruppe (Diptera, Tipulidae). *Linzer biol. Beitr.* 39 (2): 983-986, 7 Abb.
- 1268. Koç,H., Oosterbroek,P. & O.Özgül**, 2005, A new Turkish Tipula (Lunatipula) species in the acuminata group (Diptera, Tipulidae). *Ent. fenn.* 16: 251-253, figs.
- 1269. Koç,H.,Akta[ş],M. & H.S.Civelek, [sic!]** 2008, New records of Tipula (Savtshenkia) (Diptera, Tipulidae) from Turkey. *Int. J. Dipt. Res.* 19 (1): 7-10, figs. [text with numerous font errors!]
- 1270. Koçak,A.Ö. & M.Kemal**, 2002, Van'da üç nadir sinirakanatlı türü hakkında (Planipennia, Ascalaphidae, Nemopteridae). *Cent. ent. Stud., Misc. Pap.* 87: 5-8, 6 figs.
- 1271. Koçak,A.Ö. & M.Kemal**, 2008, Notes on some rare Planipennia species in East Turkey (Neuroptera, Planipennia, Myrmeleonidae, Ascalaphidae, Nemopteridae). *Cesa News* 18: 1-5, 5 figs. 2 maps.
- 1272. Koçak,A.Ö. & M.Kemal**, 2008, Replacement names among the genus and family group taxa in Orthoptera. *Cent. ent. Stud., Misc. Pap.* 141: 1-5.
- 1273. Koçak,A.Ö. & M.Kemal**, 2008, Two replacement names in the genus group taxa of Dictyoptera from Colombia and Arabian Peninsula. *Cent. ent. Stud., Misc. Pap.* 141: 6.
- 1274. Koçak,A.Ö. & M.Kemal**, 2008, Nomenclatural notes on some species group names in the family Asilidae (Diptera). *Cent. ent. Stud., Misc. Pap.* 145: 9-12.
- 1275. Koçak,A.Ö. & M.Kemal**, 2009, Replacement names in the family Ichneumonidae (Hymenoptera). *Cent. ent. Stud., Misc. Pap.* 147-148: 3-4.
- 1276. Koçak,A.Ö. & M.Kemal**, 2009, Yemenia (nom. nov.), a replacement name in the family Therevidae (Diptera). *Cent. ent. Stud., Misc. Pap.* 147-148: 9.
- 1277. Koçak,A.Ö. & M.Kemal**, 2009, Two replacement names in the family Tephritidae (Diptera, Tephritoidea). *Cent. ent. Stud., Misc. Pap.* 147-148: 10-11.
- 1278. Koçak,A.Ö. & M.Kemal**, 2009, List of the dipteran genera and species recorded in Turkey based upon the Infosystem of the Cesa. *Cesa News* 51: 3-106, 40 figs.
- 1279. Koçak,A.Ö. & M.Kemal**, 2009, List of the hymenopteran genera and species recorded in Turkey based upon the Infosystem of the Cesa. *Cesa News* 52: 1-63, 14 figs.
- 1280. Koçak,A.Ö. & M.Kemal**, 2009, List of the coleopteran genera and species recorded in Turkey based upon the Infosystem of the Cesa. *Cesa News* 53: 1-212, 145 figs.
- 1281. Koçak,A.Ö. & M.Kemal**, 2009, Nomenclatural notes on the genus group names in Orthoptera. *Cent. ent. Stud., Misc. Pap.* 149: 2-4.
- 1282. Koçak,A.Ö. & M.Kemal**, 2009, Description of taxa in the family Tettigoniidae from South East Turkey (Orthoptera). *Cent. ent. Stud., Misc. Pap.* 149: 5-6, 2 figs.
- 1283. Koçak,A.Ö. & M.Kemal**, 2009, Eurasicesa nom. n., a replacement name in the family Limoniidae in Eurasia (Diptera). *Cent. ent. Stud., Misc. Pap.* 150: 4-5.
- 1284. Koçak,A.Ö. & M.Kemal**, 2009, Notes on the nomenclature of some generic names of the order Diptera. *Cent. ent. Stud., Misc. Pap.* 150: 7-8.
- 1285. Koçak,A.Ö. & M.Kemal**, 2009, Report on the "Entomofauna of Turkey" 4- Revised and expanded index of the species of the Pterygot Insects of Turkey. *Cesa News* 41: 4-46, 2 figs.
- 1286. Koçak,A.Ö. & M.Kemal**, 2009, Description of a new subgenus in the family Tettigoniidae from South East Turkey (Orthoptera). *Cent. ent. Stud., Misc. Pap.* 149: 7-8.
- 1287. Koçak,A.Ö. & M.Kemal**, 2009, List of the dipteran genera and species recorded in Turkey based upon the Info-system of the Cesa (Report of the temporary results of the Entomofauna of Turkey-7). *Cesa News* 51: 3-106, 40 figs.
- 1288. Koçak,A.Ö. & M.Kemal**, 2010, Generic replacement names in the family Megachilidae (Hymenoptera). *Priamus* 12 (5): 127-128.
- 1289. Koçak,A.Ö. & M.Kemal**, 2010, List of the species of some pterygot orders recorded in the province Van (East Turkey) and a description of a new species in the family Cicadidae (Insecta). *Priamus* 12 (5): 130-149.
- 1290. Koçak,A.Ö. & M.Kemal**, 2010, Nomenclatural notes on the genus group names of Melyridae (Coleoptera). *Priamus* 12 (6): 160-161.



- 1291. Koçak,A.Ö. & M.Kemal**, 2010, A list of the species of the family Meloidae recorded in Turkey with a nomenclatural note (Coleoptera). Cent. ent. Stud., Misc. Pap. 152: 1-7.
- 1292. Koçak,A.Ö. & M.Kemal**, 2010, Nomenclatural notes on some families of the order Diptera. Cent. ent. Stud., Misc. Pap. 152: 8-9.
- 1293. Koçak,A.Ö. & M.Kemal**, 2010, Palaeocesa nom.nov., A replacement name for a subgenus of Ramburiella Bolivar (Acrididae, Orthoptera). Cent. ent. Stud., Misc. Pap. 153: 3-4.
- 1294. Koçak,A.Ö. & M.Kemal**, 2010, Validity of the subgenus name Lativertex Werner,1939 (Pamphagidae, Orthoptera). Cent. ent. Stud., Misc. Pap. 153: 4-5.
- 1295. Koçak,A.Ö. & M.Kemal**, 2010, Pterygot insects of Afghanistan. A tentative synonymic list of the species known in Afghanistan (Results of the entomofauna of the world based upon infosystem of the Cesa). Priamus (suppl.) 19: 1-98.
- 1296. Koçak,A.Ö. & M.Kemal**, 2010, Descriptions of three new species of the genus Anadrymadusa Karabağ from Middle East (Tettigoniidae, Orthoptera). Cent. ent. Stud., Misc. Pap. 154: 1-6, 4 figs.
- 1297. Koçak,A.Ö. & M.Kemal**, 2010, Description of Pezodrymadusa striolata ssp. ziyaretensis ssp.n. from East Turkey (Tettigoniidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 154: 6.
- 1298. Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Middle East (Results of the Entomofauna of the World based upon info-system of the Cesa) - 88. Cent. ent. Stud., Priamus (Suppl.) 18: 2888-3186.
- 1299. Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Turkey (Results of the Entomofauna of the World based upon info-system of the Cesa) - 26. Cent. ent. Stud., Priamus (Suppl.) 18: 1004-1724.
- 1300. Koçak,A.Ö. & M.Kemal**, 2010, List of the genera of the pterygot insects used in the project Entomofauna of the World by the Cesa. Cent. ent. Stud., Priamus (Suppl.) 18: 8-129.
- 1301. Koçak,A.Ö. & M.Kemal**, 2010, An attempt on the bibliographical evaluation of the project Entomofauna of World. Cent. ent. Stud., Priamus (Suppl.) 18: 130-239.
- 1302. Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Afghanistan (Results of the Entomofauna of the World based upon info-system of the Cesa) - 1. Cent. ent. Stud., Priamus (Suppl.) 18: 240-260.
- 1303. Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Caucasus (Results of the Entomofauna of the World based upon info-system of the Cesa) - 2. Cent. ent. Stud., Priamus (Suppl.) 18: 261-361.
- 1304. Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Cyprus (Results of the Entomofauna of the World based upon info-system of the Cesa) - 4 (Part 1) Cent. ent. Stud., Priamus (Suppl.) 18: 395-420.
- 1305. Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Israel (Results of the Entomofauna of the World based upon info-system of the Cesa) - 6. Cent. ent. Stud., Priamus (Suppl.) 18: 488-542.
- 1306. Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Iraq (Results of the Entomofauna of the World based upon info-system of the Cesa) - 8. Cent. ent. Stud., Priamus (Suppl.) 18: 561-577.
- 1307. Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Iran (Results of the Entomofauna of the World based upon info-system of the Cesa) - 9. Cent. ent. Stud., Priamus (Suppl.) 18: 578-649.
- 1308. Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Jordan (Results of the Entomofauna of the World based upon info-system of the Cesa) - 10. Cent. ent. Stud., Priamus (Suppl.) 18: 650-667.
- 1309. Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Lebanon (Results of the Entomofauna of the World based upon info-system of the Cesa) - 14. Cent. ent. Stud., Priamus (Suppl.) 18: 749-765.
- 1310. Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Pakistan (Results of the Entomofauna of the World based upon info-system of the Cesa) - 19. Cent. ent. Stud., Priamus (Suppl.) 18: 788-795.
- 1311. Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Saudi Arabia (Results of the Entomofauna of the World based upon info-system of the Cesa) - 21. Cent. ent. Stud., Priamus (Suppl.) 18: 893-901.
- 1312. Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Syria (Results of the Entomofauna of the World based upon info-system of the Cesa) - 22. Cent. ent. Stud., Priamus (Suppl.) 18: 902-941.
- 1313. Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Turkmenistan (Results of the Entomofauna of the World based upon info-system of the Cesa) - 25. Cent. ent. Stud., Priamus (Suppl.) 18: 973-1003.

- 1314. Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Yemen (Results of the Entomofauna of the World based upon info-system of the Cesa) - 31. Cent. ent. Stud., Priamus (Suppl.) 18: 1770-1775.
- 1315. Koçak,A.Ö. & M.Kemal**, 2012, Two replacement names in the superfamily Pentatomoidea Leach (Hemiptera). Cent. ent. Stud., Misc. Pap. 157: 2-3.
- 1316. Koçak,A.Ö. & M.Kemal**, 2012, List of the two thousand species of pterygot insects in Van Province (East Turkey) (Results of the entomofauna project of Turkey-7). Cesa News 81: 2-86, 37 figs.
- 1317. Koçak,A.Ö. & M.Kemal**, 2012, List of the hitherto recorded pterygot taxa of Turkey (Insecta) (Temporary report of the Entomofauna project of Turkey-10). Cent. ent. Stud., Memoirs 6: i-iv+1-1649, 1 fig. [Tephritidae of Turkey: pp. 676-678].
- 1318. Koçak,A.Ö. & M.Kemal**, 2012, Description of *Hirmoneura kunchuy* sp.n. from East Turkey (Nemestrinidae, Diptera). Cent. ent. Stud., Misc. Pap. 158: 1-3, 6 figs.
- 1319. Koçak,A.Ö. & M.Kemal**, 2013, Diptera of Turkey. Priamus (Suppl.) 28: 1-411, 186 figs., 166 maps, 3 tables.
- 1320. Koçak,A.Ö. & M.Kemal**, 2013, Tephritidae in Turkey. An evaluation of its status from various standpoints (Diptera). Cesa News 86: 1-49, 42 figs., 25 maps, 2 tables.
- 1321. Koçak,A.Ö. & M.Kemal**, 2013, Nomenclatural notes on the Asiatic Ichneumonoidea (Hymenoptera). Cent. ent. Stud., Misc. Pap. 160: 7-8.
- 1322. Koçak,A.Ö. & M.Kemal**, 2013, Preliminary list of the Ephydriidae species recorded in Turkey (Diptera). Cesa News 92: 45-48.
- 1323. Koçak,A.Ö. & M.Kemal**, 2014, Revised and advanced list of the dipteran species of Turkey. Cesa News 98: 14-105, 9 figs.
- 1324. Koçak,A.Ö. & M.Kemal**, 2014, Faunal list of the Lepidoptera of Kahramanmaraş province in Turkey, together with the recorded pterygots, based upon the info-system of the Cesa. Cesa News 99: 1-178, 54 figs.
- 1325. Koçak,A.Ö. & M.Yalçın**, 2012, *Bembix oleracea* (F.) in Van Province of East Turkey (Crabronidae, Hymenoptera). Cesa News 83: 1-3, 4 figs.
- 1326. Koçak,A.Ö.**, 1981-1983, List of the genera of Turkish Auchenorrhyncha (Homoptera) with some replacement names for the genera existing in other countries. Priamus 1(1): 30-40; 1(3): 128-138; 1(4): 141-154; 3(2): 43-85.
- 1327. Koçak,A.Ö.**, 1981, On the nomenclature of some genera of Orthoptera. Priamus 1 (3): 126-128.
- 1328. Koçak,A.Ö.**, 1984, On the nomenclatural status of two species group names in Orthoptera. Priamus 3 (4): 169-170.
- 1329. Koçak,A.Ö.**, 2010, On the synonymy of newly proposed two replacement names in the family Limoniidae (Diptera). Cesa News 54: 36.
- 1330. Koçak,A.Ö.**, 2014, List of the 23773 pterygot species in Turkey based upon the info-system of the Cesa. Priamus (Suppl.) 32: 1-876.
- 1331. Koçak,A.Ö., Kemal,M. & A.Güngen**, 2011, Report of an interesting *Caenolyda* species from South-East Turkey (Hymenoptera, Pamphiliidae). Cesa News 63: 1-6, 1 map, 7 figs.
- 1332. Koçak,A.Ö., Kemal,M. & E.Seven**, 2010, Description of *Trigonocorypha sirvani* n.sp. from Turkey with new faunistic records of the genus and the tribe (Orthoptera, Tettigoniidae, Phaneropterinae, Trigonocoryphini). Cent. ent. Stud., Misc. Pap. 153: 1-3, 4 figs.
- 1333. Koçak,A.Ö., Kemal,M. & E.Seven**, 2011, *Amorphoscelis pantherina* Roy (Amorphoscelidae, Mantodea): New family, genus and species to the fauna of Turkey. Cesa News 63: 8-9, 2 figs.
- 1334. Koçak,A.Ö., Kemal,M. & Yalçın,M. & B.Bakan**, 2012, *Cerocoma festiva* in Van Province of East Turkey (Meloidae, Coleoptera). Cesa News 83: 4-7, 7 figs.
- 1335. Koçak,A.Ö., Kemal,M., Özdemir,M. & I.Özdemir**, 2008, Report on the "Entomofauna of Turkey" 2- Index of the recorded species of the Pterygot Insects of Turkey. Cesa News 37: 2-41, 1 fig.
- 1336. Koçak,A.Ö., Kemal,M., Özkol,H. & Kayci,L.**, 2009, Report on the "Entomofauna of Turkey" 3- Revised and expanded index of the recorded genera and species of the Pterygot Insects of Turkey. Cesa News 40: 12-83, 1 fig.
- 1337. Koçak,E. & M.Özdemir**, 2004, A new record for the cereal pests in Turkey: *Phorbia securis* Tiensuu,1935 (Diptera, Anthomyiidae). Turk. J. Zool. 28: 83-85, figs.
- 1338. Koçak,E. & N.Kılınçer**, 2003, Taxonomic studies on *Trissolcus* sp. (Hymenoptera, Scelionidae), egg parasitoids of the Sunn Pest (Hemiptera, Scutelleridae, Eurygaster sp.) in Turkey. Turk. J. zool. 27: 301-307, figs.
- 1339. Koçak,E., Özdemir,M. & V.V.Zlobin**, 2009, Insects associated with the endemic species *Heracleum platytaenium* Boiss. (Apiaceae) with new records for the Turkish fauna. Turk. J. Zool. 33: 245-247.
- 1340. Kocatepe,N. & O.Mergen**, 2004, Ankara ili Carabidae (Coleoptera) faunası türleri üzerinde faunistik araştırmalar. Türk. ent. Derg. 28 (4): 295-309.
- 1341. Kocourek,M.**, 1998, Beiträge zur Kenntnis der Gattung *Ceratina* in der Westpaläarktis und dem turkestanischen Becken (Hymenoptera, Apidae). Entomofauna 19: 533-548, 17 Abb.

- 1342. Kohl,F.F.,** 1883, Ueber neue Grabwespen des Mediterrangebietes. Dt. ent. Z. 27 (1): 161-186.
- 1343. Kohl,F.F.,** 1884, Beitrag zur Kenntniss der Hymenopteren-Gattung Oxybelus Latr. Termés. Füzetek 8: 101-116.
- 1344. Kohl,F.F.,** 1888, Neue Hymenopteren in der Sammlungen des k.k. naturhistorischen Hofmuseums III. Verh. zool.- bot. Ges. Wien 38: 133-156, Taf.iii,iv.
- 1345. Kohl,F.F.,** 1898, Zur Kenntniss der europäischen Polistes-Arten. Annln naturh. Mus. Wien 13: 87-90, Taf.iii.
- 1346. Kohl,F.F.,** 1901, Zur Kenntnis der Sandwespen (Gen. Ammophila Kirby). Annln naturh. Mus. Wien 16: 142-164, Taf.vii,viii.
- 1347. Kohl,F.F.,** 1905, Hymenopteren, [in] Penther,A. & Zederbauer,E., Ergebnisse einer naturwissenschaftlichen Reise zum Erdschias-Dagh (Kleinasien). Annln naturh. Mus. Wien 20: 220-246, Taf. ix,x.
- 1348. Kohl,F.F.,** 1906, Die Hymenopterengruppe der Sphecinen III. Monographie der Gattung Ammophila W.Kirby (sens.lat. = Ammophilinae Ashmead). Abteilung A. Die Ammophilinen der paläarktischen Region. Annln naturh. Mus. Wien 21: 228-382, Taf. vii-xi.
- 1349. Kohl,F.F.,** 1915, Die Crabronen (Hymenopt.) der paläarktischen Region. Annln naturh. Mus. Wien 29: 1-453, 14 Taf.
- 1350. Kohl,F.F.,** 1918, Die Hautflüglergruppe "Sphecinae". IV. Teil. Die natürliche Gattung Sceliphron Klug (Pelopeus Latr.). Annln naturh. Mus. Wien 32: 1-171, 81 Abb.
- 1351. Kolarov,J. & A.Beyarslan,** 1999, Beitrag zur Kenntnis der türkischen Ichneumoniden IV. Cremastinae (Hymenoptera, Ichneumonidae). Entomofauna 20 (1): 1-8, 10 Abb.
- 1352. Kolarov,J. & H.Ghahari,** 2005, A Catalogue of Ichneumonidae (Hymenoptera) from Iran. Linzer biol. Beitr. 37 (1): 503-532.
- 1353. Kolarov,J. & H.Ghahari,** 2008, A study of the Iranian Ichneumonidae (Hymenoptera) III. Ichneumoninae. Acta ent. serb. 13 (1/2): 61-76.
- 1354. Kolarov,J. & H.Özbek,** 1998, New and little known Metopiinae (Hymenoptera, Ichneumonidae) from Turkey. Linzer biol. Beitr. 30 (1): 127-130.
- 1355. Kolarov,J. & M.F.Gürbüz,** 2004, A study of the Turkish Ichneumonidae (Hymenoptera) I. Pimplinae. Linzer biol. Beitr. 36 (2): 841-845.
- 1356. Kolarov,J. & M.F.Gürbüz,** 2006, A study of the Turkish Ichneumonidae (Hymenoptera) III. Anomaloninae, Banchinae, Ophioninae and Xoridinae. Acta ent. serb. 11 (1/2): 91-94.
- 1357. Kolarov,J. & M.F.Gürbüz,** 2007, A study of the Turkish Ichneumonidae (Hymenoptera) V. Cryptinae, Phygadeuontini. Linzer biol. Beitr. 39 (2): 987-992.
- 1358. Kolarov,J. & M.F.Gürbüz,** 2009, Aptesia cavigena sp.nov. (Hymenoptera, Ichneumonidae, Cryptinae) from Turkey. Ent. News 120 (1):91-94.
- 1359. Kolarov,J. & M.Yurtcan,** 2008, A study of the Ichneumonidae (Hymenoptera) of the North Anatolia (Turkey) I. Brachycyrtinae, Cryptinae and Xoridinae. Acta ent. serb. 13 (1/2): 89-91.
- 1360. Kolarov,J. & M.Yurtcan,** 2008, A new species of Cymodusa Holmgren,1859 (Hymenoptera, Ichneumonidae, Campopleginae) from Turkey. Biologia 63 (4): 548-549, 4 figs.
- 1361. Kolarov,J. & M.Yurtcan,** 2009, A study of the Cremastinae (Hymenoptera, Ichneumonidae) from Turkey. Turk. J. zool. 33: 371-374.
- 1362. Kolarov,J. & S.Çoruh,** 2008, A new species of Cymodusa (Cymodusa) Holmgren,[1859] (Hymenoptera, Ichneumonidae, Campopleginae) from Turkey. Ent. News 119 (3): 291-294, 6 figs.
- 1363. Kolarov,J. & S.Çoruh,** 2012, Ichneumonidae (Hymenoptera) established from Northeastern Turkey. Acta zool. bulg. 64 (1): 97-100.
- 1364. Kolarov,J.,** 1989, Ichneumonidae (Hymenoptera) from Balkan peninsula and some adjacent regions. III. Ophioninae, Anomaloninae, Metopiinae, Mesochorinae, Acaenitinae, Oxytorinae, Orthopelmantinae, Collyriinae, Orthocentrinae, Diplazontinae and Ichneumoninae. Türk. ent. derg. 13 (3): 131-140.
- 1365. Kolarov,J.,** 1993, Über die Taxonomie einiger Ichneumoniden (Hymenoptera, Ichneumonidae). Linzer biol. Beitr. 25 (2): 1093-1097, 2 Abb.
- 1366. Kolarov,J.,** 1994, Nocturnal Ichneumonidae from Bulgaria and Turkey with description of a new species (Hymenoptera, Ichneumonidae). Entomofauna 15 (9): 93-100, 2 figs.
- 1367. Kolarov,J.,** 1995, A catalogue of the Turkish Ichneumonidae (Hymenoptera) Entomofauna 16 (7): 137-188.
- 1368. Kolarov,J.,** 1997, A review of Cremastinae of the Balkan peninsula, Turkey and Cyprus with zoogeographical notes. Beitr. Ent. 47: 169-199.
- 1369. Kolarov,J.,** 2007, A catalogue of the Ichneumonidae from Greece (Hymenoptera). Entomofauna 28 (30): 405-452.
- 1370. Kolarov,J., Çoruh,S., Yurtcan,M. & M.F.Gürbüz,** 2009, A study of Metopiinae from Turkey with description of a new species (Hymenoptera, Ichneumonidae). Zool. Middle East 46: 75-82.
- 1371. Kolarov,J., Özbek,H. & E.Yıldırım,** 1999, New distributional data of the Turkish Ichneumonidae (Hymenoptera) I. Pimplinae and Tryphoninae. J. Ent. Res. Soc. 1 (2): 9-15.



- 1372. Kolarov,J., Özbek,H. & S.Çoruh,** 2002, New and little known Acaenitinae (Hymenoptera, Ichneumonidae) from Turkey. *Türk. ent. derg.* 26 (4): 277-281.
- 1373. Kolarov,J., Pekel,S., Özbek,H., Yıldırım,E. & Ö.Çalmaşur,** 2000, New distributional data of the Turkish Ichneumonidae (Hymenoptera) III. The subfamily Ophioninae. *Türkiye 4.Entomoloji Kongresi* 12-15 Eylül 2000: 349-356, Aydın.
- 1374. Kolarov,J., Yıldırım,E., Çoruh,S. & M.Yüksel,** 2014, Contribution to the knowledge of the Ichneumonidae (Hymenoptera) fauna of Turkey. *Zool. Middle East* 60 (2): 154-161.
- 1375. Kolenati,F.A.,** 1845, Hemiptera Caucasi Tesseratomidae monographice dispositae. *Meletemata Entomologica*, fasc.ii, 132 pp., 11 Tab. Petropoli.
- 1376. Konow,F.W.,** 1904, Neue paläarktische Chalastogastra. *Z. syst. Hym.- Dipt.* 4: 226-231, 260-270.
- 1377. Konow,W.,** 1894, Neue europäische Blattwespen nebst Bemerkungen über einige bisher verkannte Arten. *Wien. ent. Ztg.* 13: 84-96.
- 1378. Konow,W.,** 1894, Neue Tenthrediniden. *Wien. ent. Ztg.* 13: 129-139.
- 1379. Konow,W.,** 1897, Systematische und kritische Bearbeitung der Blattwespen-Tribus Lydini. *Annln naturh. Mus. Wien* 12: 1-32, 231-255.
- 1380. Konow,W.,** 1899, Chalastogastrorum novae species et varietates, quas D. Escalera ex Asia minor reportavit. *Actas Soc. esp. Hist. nat.* (2) 8: 203-207.
- 1381. Konstantinov,F.V. & A.A.Namyatova,** 2009, New records of Orthotylinae (Hemiptera, Heteroptera, Miridae) from the Palaearctic Region. *Zootaxa* 2295: 55-63.
- 1382. Konstantinov,F.V.,** 1997, A revision of the genus *Psallopsis* (Heteroptera, Miridae). *Zoosyst. ross.* 6 (1/2): 171-190, figs.
- 1383. Konstantinov,F.V.,** 1999, Revision of the genus *Camptotylidea* (Heteroptera, Miridae). *Zoosyst. ross.* 8 (1): 89-119, 123 figs.
- 1384. Konstantinov,F.V.,** 2008, Review of *Solenoxyphus* Reuter,1875 (Heteroptera, Miridae, Phyllinae). *Amer. Mus. Novit.* 3607: 1-42, figs.
- 1385. Korge,H.,** 1971, Beitrage zur Kenntnis der Koleopterenfauna Kleasiens II. *Ann. Zool. Bot.* 67: 1-68, figs.
- 1386. Korkmaz,E.M., Budak,M., Örgen,S.H., Bağda,E., Gencer,L., Ülgentürk,S. & H.H.Başbüyük,** 2010, New records and a checklist of Cephidae (Hymenoptera), Insecta) of Turkey with a short biogeographical consideration. *Turk J. Zool.* 34: 203-211.
- 1387. Korneyev,S.V.,** 2013, Revision of species of the genus *Tephritis* Latreille,1804 (Diptera, Tephritidae) with entire apical spot. *Zootaxa* 3620 (1): 67-88, figs.
- 1388. Korneyev,V. & B.Merz,** 1998, A supplement to revision of fruit-flies of the genus *Urophora* R.-D. (Diptera, Tephritidae) of Eastern Palaearctic. *Ent. Obozr.* 77 (2): 512-522.
- 1389. Korneyev,V.A. & E.P.Kameneva,** 2012, A new species of *Herina* Robineau-Desvoidy,1830 (Diptera, Ulidiidae) from Turkey, with the key to species of oscillans group. *Zootaxa* 3548: 69-74, figs.
- 1390. Korneyev,V.A. & J.Dirlbek,** 2000, The fruit flies (Diptera, Tephritidae) of Syria, Jordan and Iraq. *Stud. dipterol.* 7 (2): 463-482, figs.
- 1391. Korneyev,V.A.,** 1985, Fruit flies of the tribe Terelliini Hendel,1927 (Diptera, Tephritidae) of the fauna of the USSR. *Ent. Obozr.* 64 (3): 626-644, figs.
- 1392. Korneyev,V.A.,** 1990, A new species of the genus *Chetostoma* (Diptera, Tephritidae) from Armenia. *Vestn. zool.* 1990 (1): 20-23.
- 1393. Korneyev,V.A.,** 1996, The status of *Urophora dzieduszyckii* Frauenfeld (Insecta, Diptera, Tephritidae). *Annln naturh. Mus. Wien* 98B: 525-528.
- 1394. Korneyev,V.A.,** 2001, A key to genera of Palaearctic Platystomatidae, with descriptions of a new genus and new species (Diptera). *Ent. Probl.* 32 (1): 1-16, figs.
- 1395. Korneyev,V.A.,** 2006, A revision of the quadratula group of the genus *Terellia* Robineau-Desvoidy (Diptera, Tephritidae). *Israel J. Ent.* 35-36: 341-366, figs.
- 1396. Korneyev,V.A., Evstigneev,D.A., Karimpour,Y. & S.Mohamadzade Namin,** 2013, Revision of the *Terellia virens* group (Diptera, Tephritidae) with description of three new species. *Vestnik zool.* 47 (1): 3-25, figs.
- 1397. Korneyev,V.A., Gharali,B. & H.Rakhshani,** 2011, A review of the genus *Hypenidium* Loew,1862 (Diptera, Tephritidae). *Ukr. Entomofaun.* 2 (4): 39-46, figs.
- 1398. Kothe,T., Blazi,G. & K.Schönitzer,** 2004, Katalog der Wanzen-Typen von Gustav Seidenstücker (1912-1989) in der Zoologischen Staatssammlung München (Heteroptera). *Ber. naturf. Ges. Augsburg* 61: 1-90.
- 1399. Kovancı,B. & S.Canbulat,** 2007, A new species of the genus *Nothochrysa* McLachlan,1868 from northwestern Turkey (Neuroptera, Chrysopidae) with a key to western palaearctic species. *Annls Soc. ent. Fr.* (n.s.) 43 (2): 165-168, figs.
- 1400. Kovancı,O.B. & B.Kovancı,** 2014, Contribution to the knowledge of Mantispodea, Osmyleoidea, and Myrmeleontoidea with records for the Neuroptera fauna of northwestern Turkey. *Turk J.Zool.* 38:
- 1401. Kovar,I. & M.Hradsky,** 1995, A new species of genus *Acrochordomerus* Hermann from Turkey (Insecta, Diptera, Asilidae). *Reichenbachia* 31 (19): 97-102.

- 1402. Kovar, I.,** 2005, Revision of the palaearctic species of the *Coccinella transversoguttata* species group with notes on some other species of the genus (Coleoptera, Coccinellidae). *Acta ent. Mus. Nat. Pragae* 45: 129-164, figs.
- 1403. Kraatz, G.,** 1863, Revision der Cerocomiden-Gruppe. *Berl. ent. Z.* 7: 109-115, 1 Tab.
- 1404. Kraatz, G.,** 1872, Eine neue russische *Clythra*-Art. *Horae Soc. ent. ross.* 8: 29-31.
- 1405. Krauss, H.,** 1890, Erklärung der Orthopteren-Tafeln J.C. Savigny's in der "Description de l'Egypte". *Verh. zool.-bot. Ges. Wien* 40: 227-272.
- 1406. Krejcik, S.,** 2012, Meloidae. <http://www.meloidae.com/en/category/meloidae/> [last access 7 March 2012].
- 1407. Krivokhatsky, V.A.,** 1993, Review of the *Myrmecaelurus* (Nohoveus) *zigan* Group (Neuroptera, Myrmeleontidae), with description of a new species from Armenia. *Ent. Obozr.* 72: 626-630, figs.
- 1408. Krivosheina, M.G. & N.P. Krivosheina,** 1996, New data on the representatives of the genus *Platystoma* Meigen (Diptera, Platystomatidae) with description of *P. soosi*, sp.n. *Dt. ent. Z. (n.f.)* 43 (1): 169-178, figs.
- 1409. Krivosheina, M.G.,** 2003, To the biology of flies of the genus *Ephydra* Fallén, 1810, with the descriptions of larvae of seven Palaearctic species (Diptera, Ephydriidae). *Russ. ent. J.* 12 (1): 79-86, figs.
- 1410. Krivosheina, N.P. & B.M. Mamaev,** 1988, Family Xylophagidae [in] Soos, A. & L. Papp (eds.), *Catalogue of palaearctic Diptera* 5: 35-38. Akademiai Kiado, Budapest.
- 1411. Krivosheina, N.P. & B.M. Mamaev,** 1988, Pachyneuridae [in] Soos, A. & L. Papp (eds.), *Catalogue of Palaearctic Diptera* 3: 192, Akademiai Kiado, Budapest.
- 1412. Krivosheina, N.P. & B.M. Mamaev,** 1988, Keroplatidae [in] Soos, A. & L. Papp (eds.), *Catalogue of Palaearctic Diptera* 3: 199-209, Akademiai Kiado, Budapest.
- 1413. Krivosheina, N.P. & B.M. Mamaev,** 1988, Macroceridae [in] Soos, A. & L. Papp (eds.), *Catalogue of Palaearctic Diptera* 3: 212-217, Akademiai Kiado, Budapest.
- 1414. Krivosheina, N.P. & B.M. Mamaev,** 1988, Manotidae [in] Soos, A. & L. Papp (eds.), *Catalogue of Palaearctic Diptera* 3: 218, Akademiai Kiado, Budapest.
- 1415. Krivosheina, N.P.,** 1984, Pseudopomyzidae [in] Soos, A. & L. Papp (eds.), *Catalogue of Palaearctic Diptera* 10: 49, Akademiai Kiado, Budapest.
- 1416. Krivosheina, N.P.,** 1986, Family Bibionidae [in] Soos, A. & L. Papp (eds.), *Catalogue of palaearctic Diptera* 4: 319-330, Akademiai Kiado, Budapest.
- 1417. Krivosheina, N.P.,** 1988, Diadocidiidae [in] Soos, A. & L. Papp (eds.), *Catalogue of Palaearctic Diptera* 3: 210-211, Akademiai Kiado, Budapest.
- 1418. Krivosheina, N.P.,** 1988, Family Xylomyidae [in] Soos, A. & L. Papp (eds.), *Catalogue of palaearctic Diptera* 5: 38-42, Akademiai Kiado, Budapest.
- 1419. Kröber, O.,** 1914, Die Gattung *Melanosoma* Rob.-Desv. *Arch. Naturg.* 80 (10): 77-87.
- 1420. Kröber, O.,** 1914, Die palaearktischen Arten der Gattung *Physocephala* Schin. *Arch. Naturg.* 80 (10): 43-77.
- 1421. Kröber, O.,** 1914, Die Gattung *Dalmanina* Rob.-Desv. *Arch. Naturg.* 80 (10): 87-94.
- 1422. Kröber, O.,** 1915, Die Gattung *Zodion* Latr. *Arch. Naturg. (A)* 81: 84-117.
- 1423. Kröber, O.,** 1923, Beiträge zur Kenntnis palaearktischer Tabaniden II. Die Untergattung *Theriopectes* Zell. nebst Bemerkungen zu den mir bekannt gewordenen Bigot'schen Tabaniden-Typen der Kollektionen Mr. Collin's in Newmarket. *Arch. Naturg.* 89 A (12): 55-118.
- 1424. Kröber, O.,** 1927, Beiträge zur Kenntnis der Conopidae. *Konowia* 6: 122-143, 12 figs.
- 1425. Krolík, R. & M. Niehuis,** 2003, *Agrilus rhoos*, a new species from Turkey (Coleoptera, Buprestidae). *Genus* 14 (3): 357-362, figs.
- 1426. Krolík, R.,** 2002, *Agrilus kutahyanus* n.sp. from Turkey (Coleoptera, Buprestidae). *Genus* 13 (1): 25-31, figs.
- 1427. Kubik, S. & M. Bartak,** 2008, A new species, *Platycephala isinensis* sp.n. (Diptera, Chloropidae) is described from Iran. *Biologia* 63 (5): 696-698, 10 figs.
- 1428. Kubisz, D., Krolík, R., Dobosz, R. & R.B. Pettersson,** 2007, Oedemeridae (Coleoptera, Tenebrionoidea) in Turkey - preliminary check-list and materials to the distribution. *Annls Upper Sil. Mus. (Ent.)* 14-15: 111-130, figs.
- 1429. Kugler, J.,** 1969, Muscidae of Israel. *Israel J. Ent.* 4: 323-337.
- 1430. Kugler, J.,** 1978, The Rhinophoridae (Diptera) of Israel. *Israel J. Ent.* 12: 65-106, figs.
- 1431. Kühbandner, M.,** 1984, Eine neue *Oxycera* -Art aus der Südosttürkei (Diptera, Stratiomyidae). *Entomofauna* 5 (34): 471-479, figs.
- 1432. Kuhlmann, M. & M.Y. Proshchalykin,** 2013, The genus *Colletes* (Hymenoptera, Apoidea, Colletidae) in Central Asia. *Zootaxa* 3750 (5): 401-449, figs.
- 1433. Kuhlmann, M. H. Özbek,** 2007, Checklist of the Bees of the genus *Colletes* Latrille, 1802 of Turkey (Hymenoptera, Apoidea, Colletidae). *J. ent. Res. Soc.* 9 (1): 7-31.
- 1434. Kuhlmann, M.,** 2000, Katalog der palaearktischen Arten der Bienengattung *Colletes* Latr., mit Lectotypenfestlegungen, neuer Synonymie und der Beschreibung von zwei neuen Arten (Hymenoptera, Apidae, Colletinae). *Linzer biol. Beitr.* 32 (1): 155-193.

- 1435. Kuhlmann,M.,** 2002, Neue palaearktische Arten der Bienengattung *Colletes* Latr. mit Anmerkungen zu weiteren Arten der Alten Welt (Hymenoptera, Apidae, Colletinae). Linzer biol. Beitr. 34 (1): 743-770.
- 1436. Kuhlmann,M.,** 2003, Zur Kenntnis palaearktischer Bienen der Gattung *Colletes* Latr. mit Beschreibung neuer Arten (Hymenoptera, Apidae, Colletinae). Linzer biol. Beitr. 35 (1): 723-746.
- 1437. Kuhlmann,M.,** 2005, *Colletes rozeni* sp.n., a new bee species from Israel (Insecta, Hymenoptera, Colletidae). Linzer biol. Beitr. 37 (2): 1399-1400, figs.
- 1438. Kuhlmann,M.,** 2005, Faunistik und Zoogeographie der Bienengattung *Colletes* Latreille,1802 (Hymenoptera, Apidae, Colletinae) in Mittelasien. Linzer biol. Beitr. 37 (2): 1353-1396, figs.
- 1439. Külekçi,G., Yıldırım,E. & S.Tezcan,** 2009, Contribution to the knowledge of the Pentatomidae (Heteroptera) fauna of Turkey. Linzer biol. Beitr. 41 (1): 697-708.
- 1440. Kurzenko,N.V. & J.Gusenleitner,** 1994, Sapygidae from Turkey, with a key to palaeartic species of Sapyginae (Hymenoptera). Linzer biol. Beitr. 26 (2): 583-632, 176 figs.
- 1441. Kütük,M & M.Özaslan,** 2006, Faunistical and systematical studies on the Trypetinae (Diptera, Tephritidae) in the Turkey along with a new record to Turkish fauna Munis Ent. Zool 1 (2): 173-178, figs.
- 1442. Kütük,M. & A.F.Özgür,** 2003, Türkiye için 8 yeni kayıt ve Güney Batı Anadolu Bölgesinde Terellinae (Tephritidae, Diptera) faunası ve sistematığı üzerine araştırmalar. Çukurova Univ. Ziraat Fak. 18 (3): 105-114.
- 1443. Kütük,M. & A.F.Özgür,** 2003, Faunistical and systematical studies on the genus *Tephritis* Latreille,1804 (Diptera, Tephritidae) in the South West of Turkey along with new records. Türk. ent. derg. 27 (4): 243-252, 11 figs.
- 1444. Kütük,M. & M.I.Varol,** 2006, Records of two species of *Terellia* Robineau-Desvoidy,1830 (Diptera, Tephritidae) new to Turkish fauna. Turk. J. Zool. 30: 99-102, figs.
- 1445. Kütük,M. & M.Yaran,** 2011, The fauna and systematic of the genus *Terellia* R-D.,1830 (Diptera, Tephritidae) with a key to the species of *Terellia* in Turkey. Turk J. Zool. 35 (4): 509-517, figs.
- 1446. Kütük,M.,** 1998, Malatya ili Tephritidae (Trypetidae)'lerinin faunası, ekolojisi ve sistematığı. İnönü Univ. 83 pp. Malatya (MSc Thesis).
- 1447. Kütük,M.,** 2003, Güney Batı Anadolu Bölgesi Meyve Sinekleri (Diptera, Tephritidae) faunası ve sistematığı üzerine araştırmalar. Çukurova Univ. 217 s., Adana (doktora tezi).
- 1448. Kütük,M.,** 2003, Doğu Akdeniz Bölgesi *Urophora* Robineau-Desvoidy,1830 (Diptera, Tephritidae) faunası ve sistematığı üzerine araştırmalar. Türk. ent. derg. 27 (2): 149-160, figs.
- 1449. Kütük,M.,** 2005, Two new records of *Tephritis* Latreille,1804 (Diptera, Tephritidae) from Turkey. Turk. J. Zool. 29: 167-170, figs.
- 1450. Kütük,M.,** 2006, A new species of *Urophora* Robineau-Desvoidy,1830 (Diptera, Tephritidae) from Turkey with a key to the species of the *Urophora* *guadrifasciata* [sic!] group. Türk. J. Zool. 30: 147-153, figs.
- 1451. Kütük,M.,** 2006, The fauna and systematics of the genus *Tephritis* Latreille,1804 (Diptera, Tephritidae) with a key to the species of *Tephritis* in Turkey. Turk. J. Ent. 30: 345-356, 22 figs. [with incorrect citations of the references]
- 1452. Kütük,M.,** 2008, A new species of *Tephritis* Latreille (Diptera, Tephritidae) from Turkey. Belg. J. Zool. 138 (2): 132-134, figs.
- 1453. Kütük,M.,** 2008, The fruit fly (Diptera, Tephritidae) fauna of Kayseri and Sivas provinces with a new record for Turkey. Turk J. Zool. 32: 271-285.
- 1454. Kütük,M.,** 2009, A new species of *Urophora* Robineau-Desvoidy,1830 (Diptera, Tephritidae) from Turkey. Ent. News 120 (1): 101-105, figs.
- 1455. Kütük,M., Bayrak,N. & R.Hayat,** 2011, A new species of *Terellia* (Diptera, Tephritidae) from Turkey with a key to Turkish species of the subgenus *Cerajocera*. Türk. ent. derg. 35 (2): 207-213, figs.
- 1456. Kütük,M., Bayrak,N. & R.Hayat,** 2012, A new species of *Tephritis* Latreille (Diptera, Tephritidae) from Turkey. Turk. J. Zool. 36 (4): 475-480, figs.
- 1457. Kütük,M., Yaran,M., Hayat,R., Koyuncu,M.Ö., Görmez,V. & H.U.Aytekin,** 2013, The determination of fruit fly (Diptera, Tephritidae) fauna in Adıyaman, Kilis, and Şanlıurfa provinces with a new record for Turkish fauna. Turk J. Zool. 37: 38-49, figs.
- 1458. Lackner,T. & P.Hlavac,** 2002, A new record of *Notodoma lewisi* from Turkey (Coleoptera, Histeridae). Ent. Probl. 32 (2): 165-166, figs. [this species was already recorded in Turkey by Reitter (1910) in his original description. See Ent. Bl. 6: 164-165].
- 1459. Lackschewitz,P.,** 1928, Die palaearktischen Limnobiinen (Diptera) des Wiener Naturhistorischen Museums. Annln. naturh. Mus. Wien 42: 195-244, Taf.v-vi.
- 1460. Lackschewitz,P.,** 1940, Die palaearktischen Rhamphidiinen und Eriopterinen (Diptera) des Wiener Naturhistorischen Museums. Annln. naturh. Mus. Wien 50: 1-67, figs.
- 1461. Lackschewitz,P.,** 1940, Die palaearktischen Limnophilinen, Anisomerinen und Pediciinen (Diptera) des Wiener Naturhistorischen Museums. Annln. naturh. Mus. Wien 50: 68-122, figs.
- 1462. Lantsov,V.I.,** 2009, New records for Limoniidae and Pediciidae (Diptera) from the Caucasus, Russia. Zoosymposia 3: 111-114.



- 1463. Lastovka,P. & J.Sevcik**, 2006, A review of the Czech and Slovak species of *Docosia* Winnertz (Diptera, Mycetophilidae), with atlas of the male and female terminalia. *Cas. Slez. Muz. Opava (A)* 55: 1-37, figs.
- 1464. Latreille,P.A.**, 1796, Précis des caractères générique des insectes, disposés dans un ordre naturel. xiv + 201 [+7] pp. Prévot, Paris, Brive, Bourdeaux.
- 1465. Lauterbach,K.E.**, 1972, Zur Kenntnis der Skorpionsfliegen des Balkans (Mecoptera, Panorpidae). *Dt. ent. Z. (N.F.)* 19 (1/3): 109-140, figs.
- 1466. Leclercq,M. & W.Schacht**, 1986, The Sciomyzidae of Turkey (Diptera, Sciomyzidae). *Entomofauna* 7 (4): 57-61.
- 1467. Leclercq,M. & W.Schacht**, 1987, Additions to the Sciomyzidae of Turkey. *Entomofauna* 8 (17): 269-270.
- 1468. Legalov,A.A.**, 2002, Neue Arten der Familie Rhynchitidae (Coleoptera) aus der Türkei. *Russian Ent. J.* 11 (2): 215-219, figs.
- 1469. Legalov,A.A., Ghahari,H. & Y.G.Arzanov**, 2010, Annotated catalogue of curculionid-beetles (Coleoptera, Anthribidae, Rhynchitidae, Attelabidae, Brentidae, Brachyceridae, Dryophthoridae and Curculionidae) of Iran. *Amurian zool. J.* 11 (3): 191-244.
- 1470. Lehr,P.A.**, 1988, Family Asilidae [in] Soos,A. & L.Papp (eds.), Catalogue of palaearctic Diptera 5: 197-326. Akademiai Kiado, Budapest.
- 1471. Lehr,P.A.**, 2001, Robber flies of the subfamily Dioctriinae stat.n. (Diptera, Asilidae) of Asia: 1. Taxonomy, Ecology and Phylogeny. *Ent. Obozr.* 80 (1): 194-208 [Ent. rev. 81 (1): 59-70, figs.]
- 1472. Lehr,P.A.**, 2002, Robber flies of the subfamily Dioctriinae stat.n. (Diptera, Asilidae) of Asia: 2. Taxonomy and Ecology. *Ent. Obozr.* 81 (2): 445-459 [Ent. rev. 82 (7): 797-808, figs.]
- 1473. Lehr,P.A., Ghahari,H. & H.Ostovan**, 2007, A contribution to the Robber Flies of Subfamilies Stenopogoninae and Asilinae (Diptera, Asilidae) from Iran. *Far east. Ent.* 173: 1-14.
- 1474. Lehrer,A.Z.**, 2006, Liste des Sarcophaginae et Paramacronychiinae du Proche Orient, identifiés dans les collections de TAU (Diptera, Sarcophagidae). *Fragm. dipt.* 3: 14-22.
- 1475. Lehrer,A.Z.**, 2006, Sarcophaginae et Paramacronychiinae du Proche Orient (Insecta, Diptera, Sarcophagidae). 264 pp. Pensoft Publishers.
- 1476. Lehrer,A.Z.**, 2007, Stomorhiniinae [sic!] n.sfam. une nouvelle sous-famille de Calliphoridae (Diptera) et révision de ses taxons. *Fragm. dipt.* 12: 4-16, figs.
- 1477. Lehrer,A.Z.**, 2008, *Blaesoxipha ataturkia* n.sp. Une espece nouvelle du genre *Blaesoxipha* Loew. *Fragm. Dipt.* 2008 (14): 25-28, 1 fig.
- 1478. Lelej,A.S. & D.J.Brothers**, 2008, The genus-group names of Mutillidae (Hymenoptera) and their type-species, with a new genus, new name, new synonyms, new combinations and lectotypifications. *Zootaxa* 1889: 1-79, 1 fig.
- 1479. Lelej,A.S. & E.Yıldırım**, 2009, A review of the Mutillidae (Hymenoptera) from Turkey. *Zootaxa* 2160: 1-28, figs.
- 1480. Lelej,A.S. & Harten,A.v.**, 2006, A review of the Mutillidae (Hymenoptera) of Yemen. *Zootaxa* 1226: 1-50, figs.
- 1481. Lelej,A.S. & T.Osten**, 2004, To the knowledge of the mutillid and bradynobaenid wasps of Iran (Hymenoptera, Mutillidae, Bradynobaenidae). *Proc. Russ. Ent. Soc.* 75 (1): 253-262, figs.
- 1482. Lelej,A.S.**, 2002, Catalogue of the Mutillidae (Hymenoptera) of the Palaearctic Region. 171pp. Dalnauka, Vladivostok. [access 10.10.2012]
- 1483. Lelej,A.S.**, 2005, Catalogue of the Mutillidae (Hymenoptera) of the Oriental Region. 252pp. Dalnauka, Vladivostok. [access 10.10.2012]
- 1484. Li,X.-J. & X.-C.Yin**, 2009, A taxonomic study of the subfamily Conophyminae (Orthoptera, Caelifera, Acridoidea) from Eurasia. *Acta ent. sinica* 52 (10): 1139-1145, figs.
- 1485. Lichtwardt,B.**, 1901, *Lasiopa Königi* n.sp. (Dipt.) *Z. syst. Hymenopt. Dipt.* 1: 68-69.
- 1486. Lichtwardt,B.**, 1901, Dipterologische Bemerkungen. *Z. syst. Hymenopt. Dipt.* 1: 272.
- 1487. Lichtwardt,B.**, 1907, Ueber die Dipterengattung *Nemestrina* Latr. *Z. syst. Hymenopt. Dipt.* 7: 433-451.
- 1488. Liefstinck,M.A.**, 1966, Notes on some Anthophorine bees mainly from the Old World (Apoidea). *Tijdschr. Ent.* 109 (6): 125-161, 92 figs.
- 1489. Liefstinck,M.A.**, 1968, A review of Old World species of *Thyreus* Panzer (=Crocisa Jurine) (Hym., Apoidea, Anthophoridae) Part 4. Palearctic species. *Zool. Verh.* 98: 3-139, 38 figs., 4 pls.
- 1490. Liefstinck,M.A.**, 1969, The melectine genus *Eupavlovskia* Popov,1955, with notes on its distribution and host relations (Hymenoptera, Apoidea, Anthophoridae). *Tijdschr. Ent.* 112 (4): 101-122, 8 figs.
- 1491. Liefstinck,M.A.**, 1980, Prodrôme à un monographe de la Palaearctique des espèces du genre *Melecta* Latreille,1802 (Hymenoptera, Anthophoridae). *Tijdschr. Ent.* 123: 129-349, 359 figs. 8 pls.
- 1492. Lillig,M. & G.Aydin**, 2006, Three species of Tenebrionidae new to the Turkish fauna (Insecta, Coleoptera). *Zool. Middle East* 37: 118-120.
- 1493. Lillig,M.**, 2009, Two new species of the genus *Erodium* Fabricius,1775 from Oman and Syria (Coleoptera, Tenebrionidae, Pimeliinae). *Zool. Middle East* 48: 75-80, figs.

- 1494. Lindner, E.**, 1931, Dipterologische Studien IV. Beiträge zur Kenntnis einiger asiatischer Rhagioniden (Dipt.). Konowia 10: 85-88. [this reference wrongly given in the Catalogue Palaearctic Diptera vol.5 (1988: 358) edited by Soos & Papp].
- 1495. Lindner, E.**, 1975, Bombyliiden aus dem Iran (Diptera) die Ausbeute der Reisen Willi Richters aus dem Iran 1954 und 1956. Stuttg. Beitr. Naturk. 275: 1-19.
- 1496. Linnaeus, C.**, 1758, Systema naturae...Ed. 10, vol.1, 824 pp. Holmiae [Stockholm].
- 1497. Linnavuori, R.E. & M.M.Al-Safadi**, 1993, New species of Campylomma and Cyrtopeltis (Hemiptera, Miridae) from Yemen. Ent. fenn. 4: 241-251, figs.
- 1498. Linnavuori, R.E. & M.M.Al-Safadi**, 1993, Acrorrhinium Noualhier and Compsonannus Reuter (Heteroptera, Miridae) in the Middle East. Ent. fenn. 4: 169-177, figs.
- 1499. Linnavuori, R.E. & M.Modarres**, 1999, Studies on the Heteroptera of the Khorassan province in N.E.Iran II. Cimicomorpha: Miridae. Ent. fenn. 10: 215-231, figs.
- 1500. Linnavuori, R.E. & R.Hosseini**, 2000, On the Polymerus subgenus Poeciloscytus Fieber (Heteroptera, Miridae, Mirinae) in Iran. Acta univ. Carol., Biol. 2000: 189-194.
- 1501. Linnavuori, R.E.**, 1952, Contributions to the Hemipterous fauna of Palestine. Ann. ent. fenn. 18: 188-195, figs.
- 1502. Linnavuori, R.E.**, 1961, Hemiptera of Israel II. Ann. Zool. Soc. 22 (7): 1-51, 22 figs.
- 1503. Linnavuori, R.E.**, 1962, Hemiptera of Israel III. Ann. Zool. Soc. 24 (3): 1-108, 45 figs. 2 tab.
- 1504. Linnavuori, R.E.**, 1965, Studies on the South- and Eastmediterranean Hemipterous Fauna. Acta ent. fenn. 21: 1-67, 24 figs.
- 1505. Linnavuori, R.E.**, 1972, Studies on Palaearctic Hemiptera. Ann. Ent. fenn. 38: 40-50, figs
- 1506. Linnavuori, R.E.**, 1974, Studies on Palaearctic and African Heteroptera. Acta ent. fenn. 30: 1-36, figs.
- 1507. Linnavuori, R.E.**, 1975, Hemiptera of the Sudan, with remarks on some species of the adjacent countries, 4. Miridae and Isometopidae. Ann. zool. fenn. 12: 1-118, figs.
- 1508. Linnavuori, R.E.**, 1977, Hemiptera of the Sudan, with remarks on some species of the adjacent countries 5. Tingidae, Piesmididae, Cydnidae, Thaumastellidae and Plataspidae. Acta zool. fenn. 147: 1-81, figs.
- 1509. Linnavuori, R.E.**, 1978, Hemiptera of the Sudan, with remarks on some species of the adjacent countries 6. Aradidae, Meziridae, Aneuridae, Pyrrhocoridae, Stenocephalidae, Coreidae, Alydidae, Rhopalidae, Lygaeidae. Acta zool. fenn. 153: 1-108, figs.
- 1510. Linnavuori, R.E.**, 1984, New species of Hemiptera Heteroptera from Iraq and the adjacent countries. Acta ent. fenn. 44: 1-59, 104 figs.
- 1511. Linnavuori, R.E.**, 1986, Heteroptera of Saudi Arabia. Fauna Saudi Arabia 8: 31-197, figs.
- 1512. Linnavuori, R.E.**, 1988, Studies on the Miridae fauna (Heteroptera) of the Middle East. Ann. ent. fenn. 54: 1-10.
- 1513. Linnavuori, R.E.**, 1989, New species of the Miridae and Lygaeidae (Heteroptera) from the Middle East. Ann. ent. fenn. 55: 49-56, figs.
- 1514. Linnavuori, R.E.**, 1989, New taxa of Heteroptera and Auchenorrhyncha from the Middle East and the Ethiopian Region. Ann. ent. fenn. 55: 1-9, figs.
- 1515. Linnavuori, R.E.**, 1989, Heteroptera of Yemen and South Yemen. Acta ent. fenn. 54: 1-40, figs.
- 1516. Linnavuori, R.E.**, 1992, Hemiptera of Iraq I. Heteroptera, Miridae (Deraecorinae, Dicyphinae, Mirinae, and Orthotylinae). Ent. fenn. 3: 223-231.
- 1517. Linnavuori, R.E.**, 1993, Hemiptera of Iraq III. Heteroptera, Miridae (Phylinae). Ent. fenn. 4: 253-271, figs.
- 1518. Linnavuori, R.E.**, 1994, Heteroptera from Sokotra. Ent. fenn. 5: 151-156, figs.
- 1519. Linnavuori, R.E.**, 1995, On the Miridae fauna of the Middle East (Heteroptera, Miridae). Ent. fenn. 5: 205-212, figs.
- 1520. Linnavuori, R.E.**, 1999, On the genus Nasocoris Reuter (Heteroptera, Miridae, Phylinae, Phylini) in the Middle East. Acta Univ. Carolinae Biol. 43: 51-63, figs.
- 1521. Linnavuori, R.E.**, 2007, Studies on the Piesmatidae, Berytidae, Pyrrhocoridae, Stenocephalidae, Coreidae, Rhopalidae, Alydidae, Cydnidae, and Plataspidae (Heterocera) of Ghilan and the adjacent provinces in northern Iran. Acta ent. Mus. nat. Pragae 47: 77-91, map.
- 1522. Linnavuori, R.E.**, 2007, Studies on the Miridae (Heteroptera) of Ghilan and the adjacent provinces in northern Iran. II. List of species. Acta ent. Mus. nat. Pragae 47: 17-56, map.
- 1523. Linnavuori, R.E.**, 2007, Studies on the Lygaeidae s.lat. (Heteroptera) of Ghilan and the adjacent provinces in northern Iran. Acta ent. Mus. nat. Pragae 47: 57-75.
- 1524. Linnavuori, R.E.**, 2008, A new species of the genus Phytocoris (Hemiptera, Heteroptera, Miridae) from southern Iran. Acta ent. Mus. nat. Pragae 48 (2): 385-388, figs.
- 1525. Linnavuori, R.E.**, 2010, Studies on the Miridae (Phylinae, addenda to Deraecorinae and Orthotylinae) of Khuzestan and adjacent provinces of Iran (Hemiptera, Heteroptera). Acta ent. Mus. Nat. Pragae 50 (2): 369-414, figs.
- 1526. Linsenmaier, W.**, 1951, Die europäischen Chrysididen (Hymenoptera). Mitt. Schweiz. Ent. Ges. 24 (1): 1-110.

- 1527. Linsenmaier, W.**, 1956, [in] Bytinski-Salz, Coleoptera and Hymenoptera from a journey through Asia Minor I. *Revue Fac. Sci. Univ. Istanbul (B)* 21 (4): 211-229.
- 1528. Linsenmaier, W.**, 1959, Revision der Familie Chrysididae. *Mitt. Schweiz. Ent. Ges.* 32: 1-232.
- 1529. Linsenmaier, W.**, 1994, Beiträge zu *Cleptes Latreille, 1802* (Hymenoptera, Chrysididae). *Entomofauna* 15 (45): 513-520.
- 1530. Liran, K., Alpanah, H. & O. Paknia**, 2013, A new species of the ant genus *Aphaenogaster* Mayr (Hymenoptera, Formicidae) from Iran. *Asian Myrmecol.* 5: 45-51, figs.
- 1531. Lis, J. A.**, 1999, Burrower bugs of the Old World (Hemiptera, Heteroptera, Cydnidae). *Genus* 10 (2): 165-249.
- 1532. Ljubomirov, T. & E. Yildirim**, 2008, Annotated catalogue of the Ampulicidae, Sphecidae and Crabronidae (Insecta, Hymenoptera) of Turkey. 316pp. Pensoft, Sofia & Moscow.
- 1533. Löbl, I. & A. Smetana [eds.]**, 2006, Catalogue of Palaearctic Coleoptera. Vol.3, Scarabaeoidea, Scirtoidea, Dascilloidea, Buprestoidea and Byrrhoidea. 690 pp. Spolpo Books, Stenstrup.
- 1534. Löbl, I. & A. Smetana [eds.]**, 2008, Catalogue of Palaearctic Coleoptera. Vol.5, Tenebrionoidea. 670 pp. Spolpo Books, Stenstrup.
- 1535. Lodos, N. & A. Kalkandelen**, 1980, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey I. Family Cixiidae Spinola. *Türk. bitki kor. derg.* 4 (1): 15-27.
- 1536. Lodos, N. & A. Kalkandelen**, 1980, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey II. Family Delphacidae Leach. *Türk. bitki kor. derg.* 4 (2): 103-117.
- 1537. Lodos, N. & A. Kalkandelen**, 1980, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey III. Families Meenoplidae, Derbidae, Achilidae, Dictyopharidae and Tettigoniidae. *Türk. bitki kor. derg.* 4 (3): 161-176.
- 1538. Lodos, N. & A. Kalkandelen**, 1981, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey IV. Family Issidae Spinola. *Türk. bitki kor. derg.* 5 (1): 5-21.
- 1539. Lodos, N. & A. Kalkandelen**, 1981, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey V. Families Flatidae, Ricaniidae and Cicadidae. *Türk. bitki kor. derg.* 5 (2): 67-82.
- 1540. Lodos, N. & A. Kalkandelen**, 1981, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey VI. Families Cercopidae and Membracidae. *Türk. bitki kor. derg.* 5 (3): 133-149.
- 1541. Lodos, N. & A. Kalkandelen**, 1981, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey VII. Family Cicadellidae, Ulopinae, Megophthalminae, Ledrinae, Macropsinae and Agallinae. *Türk. bitki kor. derg.* 5 (4): 215-230.
- 1542. Lodos, N. & A. Kalkandelen**, 1982, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey VIII. Family Cicadellidae, Idiocerinae. *Türk. bitki kor. derg.* 6 (1): 15-28.
- 1543. Lodos, N. & A. Kalkandelen**, 1982, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey IX. Family Cicadellidae, Jassinae, Penthiminae, Dorycephalinae, Hecalinae and Aphrodinae. *Türk. bitki kor. derg.* 6: 147-159.
- 1544. Lodos, N. & A. Kalkandelen**, 1983, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey X. Family Cicadellidae, Xestocephalinae, Stegelytrinae and Cicadellinae. *Türk. bitki kor. derg.* 7 (1): 23-28.
- 1545. Lodos, N. & A. Kalkandelen**, 1983, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XI. Family Cicadellidae, Typhlocybinae: Alebrini and Dikraneurini. *Türk. bitki kor. derg.* 7: 107-115.
- 1546. Lodos, N. & A. Kalkandelen**, 1983, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XII. Family Cicadellidae, Typhlocybinae: Empoascini. *Türk. bitki kor. derg.* 7: 153-165.
- 1547. Lodos, N. & A. Kalkandelen**, 1984, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XIII. Family Cicadellidae, Typhlocybinae: Typhlocybini (Part 1). *Türk. bitki kor. derg.* 8 (1): 33-44.
- 1548. Lodos, N. & A. Kalkandelen**, 1984, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XIV. Family Cicadellidae, Typhlocybinae: Typhlocybini (Part 2). *Türk. bitki kor. derg.* 8: 87-97.
- 1549. Lodos, N. & A. Kalkandelen**, 1984, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XV. Family Cicadellidae, Typhlocybinae: Erythroneurini (Part 1). *Türk. bitki kor. derg.* 8: 159-168.
- 1550. Lodos, N. & A. Kalkandelen**, 1984, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XVI. Family Cicadellidae, Typhlocybinae: Erythroneurini (Part 2). *Türk. bitki kor. derg.* 8: 201-210.
- 1551. Lodos, N. & A. Kalkandelen**, 1985, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XVII. Family Cicadellidae, Deltocephalinae: Grypotini, Goniagnathini and Opsiini (Part 1). *Türk. bitki kor. derg.* 9: 79-90.



- 1552. Lodos,N. & A.Kalkandelen**, 1985, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XVIII. Family Cicadellidae, Deltocephalinae: Macrostelini (Part 2). Türk. bitki kor. derg. 9 (3): 147-161.
- 1553. Lodos,N. & A.Kalkandelen**, 1985, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XIX. Family Cicadellidae, Deltocephalinae: Deltocephalini, Scaphytopiini, Doraturini. Türk. bitki kor. derg. 9: 207-215.
- 1554. Lodos,N. & A.Kalkandelen**, 1986, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XX. Family Cicadellidae, Deltocephalinae: Fieberiellini, Stirellini and Tetartostylini. Türk. bitki kor. derg. 10 (1): 25-32.
- 1555. Lodos,N. & A.Kalkandelen**, 1986, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XXI. Family Cicadellidae, Deltocephalinae: Athysanini (Part 1). Türk. bitki kor. derg. 10 (3): 131-139.
- 1556. Lodos,N. & A.Kalkandelen**, 1986, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XXII. Family Cicadellidae, Deltocephalinae: Athysanini (Part 2). Türk. bitki kor. derg. 10 (4): 203-211.
- 1557. Lodos,N. & A.Kalkandelen**, 1987, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XXIII. Family Cicadellidae, Deltocephalinae: Athysanini (Part 3). Türk. ent. derg. 11 (1): 29-40.
- 1558. Lodos,N. & A.Kalkandelen**, 1987, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XXIV. Family Cicadellidae, Deltocephalinae: Athysanini (Part 4). Türk. ent. derg. 11 (2): 97-109.
- 1559. Lodos,N. & A.Kalkandelen**, 1987, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XXV. Family Cicadellidae, Deltocephalinae: Paralimnini Distans (Part 1). Türk. ent. derg. 11 (3): 151-162.
- 1560. Lodos,N. & A.Kalkandelen**, 1987, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XXVI. Family Cicadellidae, Deltocephalinae: Paralimnini Distant (Part 2). Türk. ent. derg. 11 (4): 195-202.
- 1561. Lodos,N. & A.Kalkandelen**, 1988, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XXVII. (Addenda and Corrigenda). Türk. ent. derg. 12 (1): 11-22.
- 1562. Lodos,N. & F.Önder**, 1978, Contribution to the study of Turkish Pentatomoidea (Heteroptera). Türk. Bitki kor. derg. 2 (1): 15-29, figs.
- 1563. Lodos,N. & F.Önder**, 1978, Türkiye Pentatomoidea (Heteroptera) üst familyası üzerinde araştırmalar II.Familya Plataspidae Dall. Türk. Bitki kor. derg. 2 (4): 195-209, figs.
- 1564. Lodos,N. & F.Önder**, 1979, Contribution to the study on the Turkish Pentatomoidea (Heteroptera) IV. Family Acanthostomatidae Stal 1864. Türk. Bitki kor. derg. 3 (3): 139-160, 9 figs.
- 1565. Lodos,N. & F.Önder**, 1980, Two new species of Pentatomidae from Turkey (Heteroptera). Türk. Bitki kor. derg. 4 (1): 7-13, figs.
- 1566. Lodos,N. & F.Önder**, 1982, Contribution to the study on the Turkish Pentatomoidea (Heteroptera) V.Sciocorini Bergroth (Pentatomidae). Türk. Bitki kor. derg. 6: 133-146, figs.
- 1567. Lodos,N. & F.Önder**, 1983, Contribution to the study on the Turkish Pentatomoidea (Heteroptera) VI. Asopinae (Amyot & Serville) 1843. Türk. Bitki kor. derg. 7: 221-230.
- 1568. Lodos,N.**, 1959, A new species of Graphosoma from Turkey (Heteroptera, Pentatomidae). Ann. Mag. nat. Hist. (13) 1: 711-713 [synonymized with Graphosoma stali Horv. by Carapezza & Jindra (2008)].
- 1569. Lodos,N.**, 1963, A new species of Eurygaster and notes on some little known of Turkish Pentatomidae (Hemiptera, Heteroptera). Psyche 70: 144-150, 2 pls.
- 1570. Lodos,N.**, 1977, Preliminary list of Curculionidae (Coleoptera) with notes on distribution abundance and biology of species in Turkey III. Brachycerus Ol. Türk. bitki kor. Derg. 1 (2): 29-38, figs.
- 1571. Lodos,N., Önder,F., Pehlivan,E., Atalay,R., Erkin,E., Karsavuran,Y., Tezcan,S. & S.Aksoy**, 1999, Faunistic studies on Scarabaeoidea (Coleoptera) of Western Black Sea, Central Anatolia and Mediterranean Regions of Turkey. 64 s. İzmir.
- 1572. Lodos,N., Önder,F., Pehlivan,E., Atalay,R., Erkin,E., Karsavuran,Y., Tezcan,S. & S.Aksoy**, 2003, Faunistic studies on Curculionidae (Coleoptera) of Western Black Sea, Central Anatolia and Mediterranean Regions of Turkey. 92 s. İzmir.
- 1573. Lodos,N., Önder,F., Pehlivan,E., Atalay,R., Erkin,E., Karsavuran,Y., Tezcan,S. & S.Aksoy**, 2003, Faunistic studies on Miridae (Heteroptera) of Western Black Sea, Central Anatolia and Mediterranean Regions of Turkey. 95 s. İzmir.
- 1574. Loew,F.**, 1881, Turkestanische Psylloden. Verh. zool.- bot. Ges. Wien 31: 251-266, Taf.
- 1575. Loew,H.**, 1847-1849, Über die europäischen Raubfliegen (Diptera asilica). Linn. ent. 2: 384-568; 3: 386-495; 4: 1-155.
- 1576. Loew,H.**, 1841, Über die Gattung Chrysotoxum. Stettin ent. Ztg. 2: 136-141, 155-160.
- 1577. Loew,H.**, 1844, Kritische Untersuchung der europäischen Arten des Genus Trypeta Meig. Z. Ent., Leipzig 5: 312-437, Tab.

- 1578. Loew,H.,** 1855, Einige Bemerkungen über die Gattung Sargus. Verh. zool.- bot. Ver. Wien 5: 131-148, figs.
- 1579. Loew,H.,** 1855, Einige Bemerkungen über die Gattung Sargus. Verh. zool.- bot. Ver. Wien 5: 131-148.
- 1580. Loew,H.,** 1862, Ueber griechische Dipteren. Berl. ent. Z. 6: 69-89.
- 1581. Loew,H.,** 1865, Ueber einige bei Kutais in Imeretien gefangene Dipteren. Berl. ent. Z. 9: 234-242.
- 1582. Loew,H.,** 1866, Empylocera, eine neue Ortaliden-Gattung. Berl. ent. Z. 10: 238-240.
- 1583. Loew,H.,** 1868, Cilicische Dipteren und einige mit ihnen concurrirnde Arten. Berl. ent. Z. 12: 368-386.
- 1584. Loew,H.,** 1868, Die europäischen Arten der Gattung Micropeza. Berl. ent. Z. 12: 161-167.
- 1585. Loew,H.,** 1869, Revision der europäischen Trypetina. Z. ges. Naturw. 34 (7/8): 1-24.
- 1586. Londt,J.G.H.,** 2010, A review of Afrotropical Acnephalum Macquart,1838 including the reinstatement of Sporadothrix Hermann,1907 and descriptions of two new genera (Diptera, Asilidae, Stenopogoninae). African Invertebr. 51 (2): 431-482, figs.
- 1587. Lonsdale,O. & S.A.Marshall,** 2006, Redefinition of the Clusiinae and Clusiodinae, description of the new subfamily Sobarocephalinae, revision of the genus Chaetoclusia and a description of Procerosoma gen.n. (Diptera, Clusiidae). Eur. J. Ent. 103: 163-182, figs.
- 1588. Lopatin,I.,** 1985, Neue Coleoptera aus Irak: Fam. Chrysomelidae, Subfam. Clytrinae, Cryptocephalinae, Eumolpinae und Chrysomelinae. Ann. ent. fenn. 51: 109-110.
- 1589. Lotfalizadeh,H. & A.Mohammadi-Khoramabad,** 2009, New distribution and host record of Eurytoma scrophulariae Zerova,1981 (Hym.: Eurytomidae) from south of Iran. Biharean Biol. 3 (2): 157-159.
- 1590. Lotfalizadeh,H. & B.Gharali,** 2008, Pteromalidae (Hymenoptera, Chalcidoidea) of Iran: New records and a preliminary checklist. Entomofauna 29 (6): 93-120.
- 1591. Lotfalizadeh,H.,** 2008, New distribuiton records for Eucharitidae (Hym.: Chalcidoidea) in Iran. North Western J. Zool. 4 (1): 134-138, figs.
- 1592. Maca,J.,** 1987, Amiota (Phortica) goetzi sp.n. (Diptera, Drosophilidae) with faunistic notes to Drosophilidae Odiniidae and Periscelididae from Southeastern Europe and Turkey. Acta ent. Mus. natn. Pragae 42: 311-320, figs.
- 1593. MacGowan,I. & A.Freidberg,** 2008, The Lonchaeidae (Diptera) of Israel, with descriptions of three new species. Israel J. Ent. 38: 61-92, figs.
- 1594. Macquart,J.M.,** 1835, Histoire naturelle des Insectes, Diptères Tome deuxieme, 703 pp. Pls. xiii-xiv.
- 1595. Madl,M.,** 1997, Über Vespiden, Pompiliden, Scoliiden und Tiphiden der Türkei (Hymenoptera). Linzer biol. Beitr. 29 (2): 823-827.
- 1596. Mahmood,K., Ullah,M.,Aziz,A., Hasan,S.A. & M.Inayatullah,** 2012, The the knowledge of Vespidae (Hymenoptera) of Pakistan. Zootaxa 3318: 26-50, 22 figs.
- 1597. Maican,S. & R.Serafim,** 2009, Data about Cerambycidae and Chrysomelidae (Coleoptera, Chrysomeloidea) collected from Mediterranean expeditions [results of the "Taurus" 2005, "Focida" 2006, "Punia" 2006, "Atlas" 2007 and "Euphrates" expeditions]. Trav. Mus. Nat. Hist. Nat. "Grigore Antipa" 52: 415-428.
- 1598. Maican,S.,** 2007, Some mediterranean Chrysomelid species (Coleoptera, Chrysomelidae) newly entered in the collections of "Grigore Antipa" National Museum of Natural History [results of the expeditions from Turkey and Tunisia, 2005-2006]. Trav. Mus. Nat. Hist. Nat. "Grigore Antipa" 50: 421-429.
- 1599. Maidl,F.,** 1930, Sphegidae [sic!] [in] Ebner,R., Hymenopteren aus Palaestina und Syrien (Zoologische Studienreise von R.Ebner 1928 mit Unterstützung der Akademie der Wissenschaften in Wien). Sitz. Akad. Wiss. Wien 139: 25.
- 1600. Majer,J.,** 1988, Family Rhagionidae [in] Soos,A. & L.Papp (eds.), Catalogue of palaearctic Diptera 5: 14-29. Akademiai Kiado, Budapest.
- 1601. Majer,J.,** 1988, Family Vermileonidae [in] Soos,A. & L.Papp (eds.), Catalogue of palaearctic Diptera 5: 34-35. Akademiai Kiado, Budapest.
- 1602. Majer,K.,** 1989, The genus Dasytidius Schilsky,1896: species from Turkey and the Balkans (Coleoptera, Melyridae). Acta ent. bohemoslov. 86 (2): 137-155, figs.
- 1603. Majer,K.,** 1996, Complementary generic revision of the subfamily Chaetomalachiinae (Insecta, Coleoptera, Dasytidae). Annln naturh. Mus. Wien 98 (B): 435-500, figs.
- 1604. Majer,K.,** 1996, Internal classification of the Dasytidius Schilsky with descriptions of new species of the subfamily Chaetomalachiinae (Insecta, Coleoptera, Dasytidae). Spixiana 19 (2): 155-182, figs.
- 1605. Majid,F. & S.Nazila,** 2010, A brief study on the Scoliidae in Iran (Insecta, Hymenoptera). Mun. Ent. Zool. 5 (2): 792-795.
- 1606. Malenovsky,I., Lauterer,P. Labina,E. & D.Burckhardt,** 2012, Jumping plant-lice (Hemiptera, Psylloidea) of Afghanistan. Acta Ent. Mus. Nat. Pragae 52 (1): 1-22, figs.
- 1607. Malloch,J.R.,** 1923, Some new genera and species of Lonchaeidae and Sapromyzidae (Diptera). Proc. ent. Soc. Wash. 25 (2): 45-53.

- 1608. Mamaev,B.M. & N.P.Krivosheina**, 1988, Ditomiyidae [in] Soos,A. & L.Papp (eds.), Catalogue of Palaearctic Diptera 3: 197-198, Akademiai Kiado, Budapest.
- 1609. Mamaev,B.M. & N.P.Krivosheina**, 1988, Mycetobiidae [in] Soos,A. & L.Papp (eds.), Catalogue of Palaearctic Diptera 3: 218-219, Akademiai Kiado, Budapest.
- 1610. Mandl,K.**, 1961, Ergebnisse der Deutschen Afghanistan Expedition 1956 der Landessammlungen für Naturkunde in Karlsruhe. Cicindelidae (Coleoptera). Beitr. naturk. Forsch. SWDtl. 19 (3): 231-232.
- 1611. Mansell,M.W.**, 1990, The Myrmeleontidae (Neuroptera) of Southern Africa: tribe Palparini. Introduction and description of Pamares gen.nov., with four new species (Insecta, Neuroptera). J. ent. Soc. sth. Afr. 53 (2): 165-189, figs.
- 1612. Maran,J.**, 1958, Beitrag zur Kenntnis der geographischen Variabilität von *Acrotylus insubricus* (Scop.) (Orthoptera, Acrididae) Acta ent. Mus. Nat. Pragae 32: 171-179.
- 1613. Maran,J.**, 1958, *Isophya iraca* sp.n., eine neue Art aus Irak (Orthoptera, Tettigoniidae). Acta ent. Mus. natl. Pragae 39: 237-239.
- 1614. Marcos-Garcia,M.A., Vujic,A. & X.Mengual**, 2007, Revision of Iberian species of the genus *Merodon* (Diptera, Syrphidae). Eur. J. Ent. 104: 531-572, figs.
- 1615. Marjanian,M.A.**, 2009, On the Armenian fauna of the hydrophilid genus *Berosus* Leach (Coleoptera, Hydrophilidae). Ent. rev. 89 (7): 805-814 [Ent. Obozr. 88 (3): 542-552]
- 1616. Marseul,S.A.de**, 1872, Monographie des Mylabridés. Mém. Soc. R. Sci. Liege (2) 3: 363-662, 6 Pls.
- 1617. Marshall,S.A., Rohacek,J., Dong,H. & M.Buck**, 2011, The state of Sphaeroceridae (Diptera, Acalyptratae): a world catalog update covering the years 2000-2010, with new generic synonymy, new combinations, and new distributions. Acta ent. Mus. natn. Pragae 51 (1): 217-298.
- 1618. Marshall,T.A.**, 1885, Monograph of British Braconidae I. Trans. ent. Soc. London 1885 (1): 1-280, 6 pls.
- 1619. Marshall,T.A.**, 1887, Monograph of British Braconidae II. Trans. ent. Soc. London 1887 (2): 51-131, pl.v.
- 1620. Mart,A. & O.Erman**, 2001, A study on *Helophorus* Fabricius,1775 (Coleoptera, Hydrophilidae) species. Turk. J. Zool. 25: 35-40 [most of the pages stained unprincipledly on purpose, in order to prevent reading. The same case is also recorded on pages of several articles of Tubitak - a so-called most prominent scientific foundation of Turkey].
- 1621. Martinez-Navarro,E.M., Serrano,J. & J.Galian**, 2004, Chromosome evolution in ground beetles: localization of the rDNA loci in the tribe Harpalini (Coleoptera, Carabidae). J. Zool. Syst. Evol. Res. 42: 38-43, figs.
- 1622. Martynovsky,J. & R.Rozkosny**, 1988, Thaumaleidae [in] Soos,A. & L.Papp (eds.), Catalogue of Palaearctic Diptera 3: 186-191, Akademiai Kiado, Budapest.
- 1623. Masnadi-Yazdinejad,A. & R.Jussila**, 2008, A study to the Iranian Cryptinae (Hymenoptera, Ichneumonidae). J. ent. Soc. Iran 28 (1): 1-11.
- 1624. Mason,F. & R.Rozkosny**, 2003, Interesting records of European Stratiomyidae including description of the female of *Nemotelus danielssoni* (Diptera, Stratiomyidae). Boll. Soc. ent. ital. 134 (3): 253-264.
- 1625. Massa,B. & P.Fontana**, 2009, On some Drymadusini from the Middle East. Zool. Middle East 48: 81-88.
- 1626. Massa,B., Buzzetti,F.M. & P.Fontana**, 2009, New and little known species of the genus *Parapholidoptera* Maran (Insecta, Orthoptera). Dt. ent. Z. (N.F.) 56 (2): 243-249, figs.
- 1627. Mathis,W.N. & L.Munari**, 1996, World Catalog of the family Tethinidae (Diptera). Smiths. Contr. Zool. 584: 1-20.
- 1628. Mathis,W.N. & T.Zatwarnicki**, 2004, A review of the species of Hyadina Haliday occurring in Israel (Diptera, Ephydriidae). Israel J. Ent. 34: 35-57, figs.
- 1629. Mathis,W.N.**, 1985, A new psilopine genus and species from Israel with a recharacterization of the tribe and key to other psilopine genera of the middle east (Diptera, Ephydriidae). Proc. ent. Soc. Wash. 87 (2): 375-380, figs.
- 1630. Mathis,W.N.**, 1997, Shore flies of the Belizean Cays (Diptera, Ephydriidae). Smiths. Contr. Zool. 592: 1-77, figs.
- 1631. Mathis,W.N., Zatwarnicki,T. & M.G.Krivosheina**, 1993, Studies of Gymnomyzinae (Diptera, Ephydriidae), V: A Revision of the Shore-Fly Genus *Mosillus* Latreille. Smiths. Contr. Zool. 548: 48pp., figs., maps.
- 1632. Matile,L.**, 1988, Lygistorrhinidae [in] Soos,A. & L.Papp (eds.), Catalogue of Palaearctic Diptera 3: 220, Akademiai Kiado, Budapest.
- 1633. Matocq,A. & I.Özgen**, 2010, A preliminary list of Heteroptera collected in Mardin and Siirt provinces from South-Eastern Anatolia of Turkey (Hemiptera). Mun. Ent. Zool. 5 (suppl.): 1011-1019.
- 1634. Mauss,V.**, 1996, Morphological characters of *Ceramus palaestinensis* (Giordani Soika,1957) Gusenleitner,1992 (Hymenoptera, Vespidae, Masarinae) and considerations about its phylogenetic position. Linzer biol. Beitr. 28 (2): 953-966, figs.



- 1635. Mauss,V., Müller,A. & E.Yıldırım,** 2005, First contribution to the bionomics of the Pollen Wasp *Ceramius caucasicus* André,1884 (Hymenoptera, Vespidae, Masarinae) in Turkey. J. Kansas ent. Soc. 78 (3): 201-220, figs.
- 1636. Mauss,V., Müller,A. & E.Yıldırım,** 2010, First contribution to the bionomics of the pollen wasp *Ceramius palaestinensis* (Giordani Soika,1957) (Hymenoptera, Vespidae, Masarinae) in Turkey. Ent. Sci. 13: 42-59, figs.
- 1637. Mayer,H.,** 1953, Beitrage zur Kenntnis der Sciomyzidae (Dipt., Musc. acalyptr.). Annln naturh. Mus. Wien 59: 202-219, figs.
- 1638. Mayor,A.J.,** 2003, Nomenclatural corrections for Dasytidae and Malachiidae (Coleoptera). Insecta Mundi 17 (1/2): 85-96.
- 1639. Mayr,G.L.,** 1864, Diagnosen neuer Hemipteren. Verh. zool.- bot. Ges. Wien 14: 903-914.
- 1640. McLachlan,R.,** 1882, A new European Panorpa. Entomologist's mon. Mag. 19: 130-132.
- 1641. Medvedev,L.N.,** 1970, A list of the Chrysomelidae collected by Dr. W. Wittmer in Turkey (Coleoptera). Revue suisse. Zool. 77 (2): 309-319.
- 1642. Medvedev,L.N.,** 1975, Chrysomelidae collected by W.Wittmer in Turkey and Iran. Mitt. ent. Ges. Basel 25 (1): 12-19.
- 1643. Mei,M. & J.-H.Stuke,** 2008, Remarks on *Zodion nigritarsis* (Strobl,1902) and other European species of *Zodion* Latreille,1796, with a revised key (Diptera, Conopidae). Tijdschr. Ent. 151: 3-10, 14 figs.
- 1644. Meigen,J.W.,** 1830, Systematische Beschreibung der bekannten zweiflügeligen Insekten. Sechster Theil, 401 pp., 12 Taf.
- 1645. Meinander,M.,** 1972, A revision of the family Coniopterygidae (Planipennia). Acta zool. fenn. 136: 1-357, figs.
- 1646. Melika,G. & B.Gharaei,** 2006, New species of herb galling cynipids (Hymenoptera, Cynipidae, Aylacini) from Iran. Acta zool. hung. 52: 385-399, figs.
- 1647. Melika,G. & G.N.Stone,** 2001, A new species of cynipid gall wasp from Turkey (Hymenoptera, Cynipidae). Folia ent. hung. 62: 127-131, 6 figs.
- 1648. Melika,G. & S.Klymenko,** 2005, New species of Aylacine gall wasps (Hymenoptera, Cynipidae, Aylacini) from Ukraine. Vestn. zool. 39 (2): 23-30, figs.
- 1649. Melika,G. & Y.Karimpour,** 2008, The first report of *Aulacidea acroptilonica* and *Isocolus cirsii* (Hymenoptera, Cynipidae) from Iran. J. ent. Soc. Iran (suppl.) 27 (2): 19-20.
- 1650. Melika,G.,** 2006, A new species of *Neuroterus* Hartig,1840 from Syria (Hymenoptera, Cynipidae, Cynipini). Folia ent. hung. 67: 199-206, figs.
- 1651. Melika,G., Pujade-Villar,J., Stone,G.N., Fülöp,D. & Z.Penzes,** 2009, New species of cynipid gallwasps of the genus *Plagiotrochus* Mayr,1881 from Nepal and Jordan (Hymenoptera, Cynipidae, Cynipini). Acta zool. hung. 55 (3): 263-274, figs.
- 1652. Melika,G., Stone,G.N., Sadeghi,S.E. & Pujade-Villar,J.,** 2004, New species of cynipid gall wasps from Iran and Turkey (Hymenoptera, Cynipidae, Cynipini). Acta zool. hung. 50 (2): 139-151, figs.
- 1653. Memon,N. & I.Ahmad,** 2008, Description of *Mustha izmirensis*, new species (Heteroptera, Pentatomidae, Halyini) from Bornova, Izmir, Turkey with a key to its world species. Pakistan J. Zool. 40 (6): 435-439, figs.
- 1654. Mendl,H.,** 1976, Neue Limoniiden aus dem Allgäu und von Rhodos (Diptera, Limoniidae). NachrBl. bayer. Ent. 25 (3): 33-40, Abb.
- 1655. Menke,A.S. & W.J.Pulawski,** 2000, A review of the *Sphex flavipennis* species group (Hymenoptera, Apoidea, Sphecidae, Sphecini). J. Hym. Res. 9: 324-346, figs.
- 1656. Mergen,O.,** 1996, Türkiye'nin Akdeniz Bölgesi'nde saptanan *Bruchidius Schilsky cinsi* türleri üzerinde sistematik araştırmalar (Coleoptera, Bruchidae). Türk. ent. derg. 20 (4): 259-267, şekil.
- 1657. Merkl,O.,** 2006, Redescription of *Lagria* (Apteronympha) *tenenbaumi* Pic,1929, with a checklist of the western Palaearctic species of the *Lagria* F. (Coleoptera, Tenebrionidae, Lagriini). Proc. Russ. ent. Soc., St. Petersburg 77: 219-225, figs.
- 1658. Mertlik,J. & G.Platia,** 2008, Catalogue of the family Cebrionidae, Elateridae, Lissomidae, Melasidae, and Throscidae (Coleoptera) from Turkey. Elateridarum 2: 1-40.
- 1659. Merz,B. & A.Freidberg,** 1994, Nomenclatural changes in the Tephritidae (Diptera). Israel J. Ent. 28: 171-172.
- 1660. Merz,B. & H.A.Dawah,** 2005, Fruit flies (Diptera, Tephritidae) from Saudi Arabia, with descriptions of a new genus and six new species. Revue suisse. Zool. 112 (4): 983-1028, figs.
- 1661. Merz,B.,** 1992, Fünf neue Fruchtfliegenarten aus den Schweizer Alpen und systematische Bemerkungen zu einigen europäischen Gattungen und Arten (Diptera, Tephritidae). Mitt. schweiz. Ent. Ges. 65 (3/4): 227-239.
- 1662. Merz,B.,** 2003, The Lauxaniidae (Diptera) described by C.F.Fallen with description of a misidentified species of *Homoneura* van der Wulp. Ins. Syst. Ev ol. 34: 345-360.
- 1663. Merz,B.,** 2004, Revision of the *Minettia fasciata* species-group (Diptera, Lauxaniidae). Revue suisse Zool. 111 (1): 183-211, figs.

1664. **Merz,B.**, 2007, Two new mediterranean species of the *Sapromyza intonsa* group (Diptera, Lauxaniidae). Tijdschr. Ent. 150: 65-76, figs.
1665. **Meszaros,Z. & L.Abraham**, 2005, Ascalaphid studies iv. A new ascalaphid species from Asia (Neuroptera, Ascalaphidae). Acta phytop. ent. Hung. 40 (1/2): 103-110, 10 figs.
1666. **Mete,Ö. & A.Demirsoy**, 2012, A preliminary study on the gallwasp fauna of Kemaliye (Erzincan, Turkey) and a new record for Turkey. Hacettepe J. Biol. Chem. 2012: 351-363, figs.
1667. **Mete,Ö. & A.Demirsoy**, 2010 [26 June], A preliminary study on the gallwasp fauna of Kemaliye (Turkey), with a new record for Turkey (Hymenoptera, Cynipidae). Seventh Int. Congress Hymenopterists 20-26 June 2010: 99-100. Köszeg [not a new record of *A. moreae*! See Cesa News 56: 1-66, figs.].
1668. **Meyer,M.de**, 1989, The West-Palaearctic species of the pipunculid genera *Cephalops* and *Beckerias* (Diptera): classification phylogeny and geographical distribution. J. nat. Hist. 23: 725-765, figs.
1669. **Meyer,M.de**, 1995, The pipunculid flies of Israel and the Sinai (Insecta, Diptera, Pipunculidae). Spixiana 18: 283-319, figs.
1670. **Michelsen,V.**, 2007, Taxonomic review of Eurasian *Paradelia* Ringdahl (Diptera, Anthomyiidae) with descriptions of two new species. Zootaxa 1592: 1-44, figs.
1671. **Michelsen,V.**, 2008, The Palaearctic species of the *Pegomya terminalis* species group (Diptera, Anthomyiidae) with descriptions of two new species. Zootaxa 1781: 31-46, figs.
1672. **Michelsen,V.**, 2009, Revision of the willow catkin flies genus *Egle* Robineau-Desvoidy (Diptera, Anthomyiidae) in Europe and neighbouring areas. Zootaxa 2043: 1-76, figs.
1673. **Michelsen,V.**, 2012, Revision of the European *Delia pruinosa* species group (Diptera, Anthomyiidae) feeding as larvae in seed capsules of *Silene* L. (Caryophyllaceae). Zootaxa 3434: 31-48, figs.
1674. **Michener,C.D.**, 1948, The generic classification of the Anthidiine Bees (Hymenoptera, Megachilidae). Amer. Mus. Novit. 1381: 1-29, figs.
1675. **Michener,C.D.**, 2007, The Bees of the World (second edn.). The Johns Hopkins University Press, Baltimore.
1676. **Michez,D. & C.Eardley**, 2007, Monographic revision of the bee genus *Melitta* Kirby 1802 (Hymenoptera, Apoidea, Melittidae). Annls Soc. ent. Fr. (n.s.) 43 (4): 379-440, figs.
1677. **Michez,D. & S.Patiny**, 2006, Review of the bee genus *Eremaphanta* Popov, 1940 (Hymenoptera, Melittidae) with the description of a new species. Zootaxa 1148: 47-68, figs.
1678. **Michez,D.**, 2002, *Dasypoda patinyi* spec. nov. (Hymenoptera, Apoidea, Melittidae), espece nouvelle récoltée en Syrie. Linzer biol. Beitr. 34 (1): 737-742.
1679. **Michez,D.**, 2008, Monographic revision of the melittid bees (Hymenoptera, Apoidea, Melittidae sensu lato). Proc. neth. Ent. Soc. Meet. 19: 31-39, 4 figs.
1680. **Michez,D., Patiny,S. & B.Danforth**, 2009, Phylogeny of the bee family Melittidae (Hymenoptera, Anthophila) based on combined molecular and morphological data. Syst. Ent. 34: 574-597, figs.
1681. **Michez,D., Terzo,M. & P.Rasmont**, 2004, Révision des espèces ouest-paléarctiques du genre *Dasypoda* Latreille 1802 (Hymenoptera, Apoidea, Melittidae). Linzer biol. Beitr. 36 (2): 847-900, figs.
1682. **Mik,J.**, 1887, Diagnosen neuer Dipteren. Wien. ent. Ztg. 6: 161-164.
1683. **Mik,J.**, 1897, Einige Bemerkungen zur Dipteren-Familie der Syrphiden. Wien. ent. Ztg. 16: 61-66, 113-119.
1684. **Mirmoayedi,A.**, 2002, New records of Neuroptera from Iran. Acta zool. hung. 48 (suppl.2): 197-201.
1685. **Mitter,H.**, 1992, Eine neue *Amphicoma*-Art aus dem Nahen Osten (Coleoptera, Scarabaeidae, Glaphyrinae). Linzer biol. Beitr. 24 (1): 31-34, Abb.1.
1686. **Mitter,H.**, 1992, Faunistische und taxonomische Notizen über südostanatolische Glaphyrinae (Scarabaeidae). Koleopt. Rdsch. 62: 169-171.
1687. **Mitter,H.**, 1996, *Eulasia baumanni* n.sp., eine neue Art aus Palestina (Coleoptera, Scarabaeidae, Glaphyrinae). Linzer biol. Beitr. 28 (1): 363-365.
1688. **Mitter,H.**, 1996, *Eulasia palmyrensis* n.sp., eine weitere neue Art aus dem Nahostgebiet (Coleoptera, Scarabaeidae, Glaphyrinae). Linzer biol. Beitr. 28 (2): 933-936.
1689. **Mitter,H.**, 2001, Notizen über wenig bekannte Arten der Familie Glaphyridae aus dem Nahen und Mittleren Osten und Beschreibung von *Pygopleurus anahitae* n.sp. (Coleoptera, Scarabaeoidea, Glaphyridae). Linzer biol. Beitr. 33 (2): 1041-1045.
1690. **Mitter,H.**, 2004, Eine neue *Eulasia*-Art aus dem Iran (Coleoptera, Scarabaeoidea, Glaphyridae). Linzer biol. Beitr. 36 (1): 305-307, Abb.2.
1691. **Mocsary,A.**, 1884, Species generis *Anthidium* Fabr. regionis palaearcticae. Termes. Füzetek 8: 241-278.
1692. **Mocsary,A.**, 1889, Monographia Chrysididarum orbis terratum universi. 676pp. 2 Tab. Budapest.
1693. **Moczar,L.**, 1997, Revision of the *Cleptes nitidulus* group of the world (Hymenoptera, Chrysididae, Cleptinae). Entomofauna 18 (3): 24-44, figs.
1694. **Moczar,L.**, 1998, Revision of the Cleptinae of the World. Genus *Cleptes* subgenera and species groups (Hymenoptera, Chrysididae). Entomofauna 19 (31): 501-516, figs.

- 1695. Moczar,L.**, 2001, World revision of the *Cleptes semiauratus* group (Hymenoptera, Chrysidae, Cleptinae). Linzer biol. Beitr. 33 (1): 905-931, figs.
- 1696. Mofidi-Neyestanak,M. & D.L.J.Quicke**, 2007, *Eupholidoptera karatolosi* n.sp. and *E. mirzayani* sp.n. (Orthoptera, Tettigoniidae) two new bushcrickets from Greece and Iran. Zootaxa 1562: 43-53, figs.
- 1697. Mohamadzade Namin,S. & G.R.Rasoulia**n, 2009, A review of fruit flies of the genus *Rhagoletis* (Diptera, Tephritidae) of Iran and bordering countries with the key to species. Vestn. zool. 43 (1): 25-30, figs.
- 1698. Mohamadzade Namin,S. & J.Noza**ri, 2011, The fruit flies (Diptera, Tephritidae) in Kurdistan Province, with new records for Iranian fauna. Ukr. Entomofaun. 2 (4): 47-53, 14 figs.
- 1699. Mohamadzade Namin,S.**, 2011, New data on the signal flies of the genus *Platystoma* (Diptera, Platystomatidae) in the fauna of Iran. Vestn. zool. 45 (4): 32-35, 5 figs.
- 1700. Mohamadzade Namin,S., Noza**ri,J. & A.Najarpoor, 2011, A new species of *Terellia* (Diptera, Tephritidae) from Iran with a key to the species of the *tarbinskiorum* group. Zootaxa 2750: 65-68, 5 figs.
- 1701. Mohamadzade Namin,S., Noza**ri,J. & G.Rasoulian, 2010, The fruit flies (Diptera, Tephritidae) in Tehran Province, with new records for Iranian fauna. Vestn. zool. 44 (1): 20-31, figs. [with wrong authorship and date of X.miliaria]
- 1702. Mohammad,S.K. & H.B.M.Badra**wy, 2011, Revision of *Efflatouniella* Kröber,1927 (Diptera, Therevidae). Zootaxa 2926: 55-60, figs.
- 1703. Mohrig,W. & F.Menzel**, 1994, Revision der palaearktischen Arten von *Phytosciara* Frey (Diptera, Sciaridae). Beitr. Ent. 44 (1): 167-210, figs.
- 1704. Mol,A., Şirin,D. & M.S.Tayla**n, 2014, Türkiye'de dağılım gösteren bazı Caelifera (Insecta, Orthoptera) türlerinin yeni lokalite kayıtları, endemizm, yaygınlık ve tarımsal zarar oluşturma açısından değerlendirilmesi. Bitki Koruma Bülteni 54 (2): 133-170, figs. [with serious identification errors; therefore a negligible paper]
- 1705. Mol,A., Zeybekoğlu,Ü & B.Akyürek**, 2013, Morphological and acoustic characters of *Cicadatra* platyptera Fieber,1876. Zookeys 296: 1-23, figs.
- 1706. Montreuil,O. & S.Serri**, 2007, Description of a new *Pygopleurus* species (Col.: Glaphyridae) with a list of recorded species of the genera *Pygopleurus* and *Eulasia* from Iran. J. ent. Soc. Iran 26 (2): 1-6, figs.
- 1707. Morawitz,F.**, 1874, Die Bienen Daghestans. Horae Soc. ent. ross. 10: 129-189.
- 1708. Morawitz,F.**, 1876, Zur Bienenfauna der Caucasusländer. Horae Soc. ent. ross. 12: 3-69.
- 1709. Morawitz,F.**, 1878, Nachtrag zur Bienenfauna Caucasiens. Horae Soc. ent. ross. 14: 3-112.
- 1710. Morawitz,F.**, 1888, Hymenoptera aculeata nova. Horae Soc. ent. ross. 22: 224-302.
- 1711. Morawitz,F.**, 1889, Hymenopterologische Mittheilungen. Horae Soc. ent. ross. 23: 540-554.
- 1712. Morawitz,F.**, 1894, Supplement zur Bienenfauna Turkestans. Horae Soc. ent. ross. 28: 1-87.
- 1713. Morgulis,E. & A.Freidberg**, 2014, The *Ulidiini* (Diptera, Tephritoidea, Ulidiidae) of Israel, with a key to the world species of *Ulidia* and description of five new species. Zootaxa 3780 (2): 201-247, figs.
- 1714. Morgulis,E., Freidberg,A. & E.P.Kameneva**, 2013, Two new species of *Herina* (Diptera, Ulidiidae) from the Mediterranean region, with a key to species groups. Zootaxa 3686 (4): 461-470, figs.
- 1715. Morice,R.F.D.**, 1900, An excursion to Egypt, Palestine, Asia Minor &c., in search of Aculeate Hymenoptera. Entomologist's mon. Mag. 36: 164-172.
- 1716. Morton,K.J.**, 1894, Palaearctic Nemourae. Trans. ent. Soc. London 1894: 557-574, Pls.xiii,xiv.
- 1717. Morton,K.J.**, 1914, Notes on a collection of Odonata from Van, Turkey in Asia. Entomologist's mon. Mag. 50: 56-59, pl.viii.
- 1718. Morton,K.J.**, 1919, Odonata from Mesopotamia. Entomologist's mon. Mag. 3: 143-151, 183-196, figs.
- 1719. Morton,K.J.**, 1921, Neuroptera, Mecoptera and Odonata from Mesopotamia and Persia. Entomologist's mon. Mag. 57: 213-225, Pl.II.
- 1720. Mostovski,M.B. & R.H.L.Disney**, 2002, A new species of *Megaselia* (Dipt., Phoridae) from donkey dung in Turkey. Entomologist's mon. Mag. 138: 135-137, 6 figs.
- 1721. Mousatat,F., Dumont,H.J., Karrom,M. & N.M.Ali**, 2010, Dragonflies from northern Syria (Insecta, Odonata). Zool. Middle East 51: 105-112.
- 1722. Mozaffarian,F. & A.F.Sanborn**, 2010, The cicadas of Iran with the description of two new species (Hemiptera, Cicadidae). Dt. ent. Z. 57 (1): 69-84, figs.
- 1723. Mozaffarian,F., Sanborn,A.F. & P.K.Phillips**, 2010, *Cicadatra lorestanica*, a new species of Cicada from Iran (Hemiptera, Cicadidae). J. ent. Acar. Res. 42: 27-37.
- 1724. Mroczkowski,M.**, 1961, Ergebnisse der Deutschen Afghanistan Expedition 1956 der Landessammlungen für Naturkunde in Karlsruhe. Dermestidae (Coleoptera). Beitr. naturk. Forsch. SWDtl. 19 (3): 223-226, 4 figs.
- 1725. Mueche,W.H.**, 1962, Die Alosimus meiner Anatolienausbeute (Col., Meloidae). Reichenbachia 1: 57-59.
- 1726. Mueche,W.H.**, 1962, *Lydus anatolicus* spec. nov. (Col., Meloidae). Reichenbachia 1: 51-53.
- 1727. Mückstein,P., Tschorsnig,H.-P. & J.Vanhara**, 2004, Some new host record of west palaearctic Tachinidae (Diptera). Dipt. bohemosl. 12: 111-113.



- 1728. Müller,A.,** 2008, A taxonomic catalogue of the Palaearctic bees of the tribe Osmiini (Hymenoptera, Apoidea, Megachilidae). Zootaxa 1865: 1-253.
- 1729. Müller,A.,** 2009, Palaearctic Osmiine Bees. ETH Zürich <http://blogs.ethz.ch/Osmiini>
- 1730. Müller,A.,** 2012, New European bee species of the tribe Osmiini (Hymenoptera, Apoidea, Megachilidae). Zootaxa 3355: 29-50, figs.
- 1731. Müller,G.,** 1931, Neue und wenig bekannte Carabiden von Leo Weirather auf der Balkanhalbinsel und in Kleinasien gesammelt. Koleopt. Rdsch. 17 (6): 209-223.
- 1732. Müller,G.C., et al.,** 2012, An annotated checklist of the horse flies (Diptera, Tabanidae) of Lebanon with remarks on ecology and zoogeography: Pangoniinae and Chrysopinae. J. Vector Ecol. 37 (1): 216-220.
- 1733. Munari,L.,** 2005, Species of Tethina Haliday from the Sahara and inland biotops of the Mediterranean subregion (Diptera, Tethinidae). Stuttgarter Beitr. Naturk. (A) 683: 1-11, 3 figs.
- 1734. Munro,H.K.,** 1947, African Trypetidae (Diptera). Mem Ent. Soc. S. Afr. 1: 1-274, 321 figs.
- 1735. Murai,M.N. & Z.S.Amr,** 2011, Sphecidae and Crabronidae of the Al Thawrah Nature Reserve, northern Syria, with a checklist of the species known from Syria (Insecta, Hymenoptera). Zool. Middle East 53: 107-120.
- 1736. Muştu,M. & N.Kılınçer,** 2005, Türkiye faunası için yeni kayıt Phalacrotophora fasciata (Fallen) (Dip., Phoridae). Bitki kor. bült. 45 (1/4): 1-7, figs.
- 1737. Mutin,V.A.,** 1998, Four new species of the genus Sphegina Meigen, 1822 (Diptera, Syrphidae) from Russia and India. Int. J. Dipt. Res. 9 (3): 237-241.
- 1738. Mutin,V.A.,** 2001, New data on the taxonomy of the palaearctic Hover-Flies (Diptera, Syrphidae). Far East. Ent. 99: 19-20, figs.
- 1739. Mutun,S. & S.Dinç,** 2011, Contributions to the Gallwasp (Hymenoptera, Cynipidae) fauna of Turkey with one new record. J. Appl. Biol. Sci. 5 (3): 83-85, figs.
- 1740. Mutun,S. Ceyhan,Z. & C.Sözen,** 2009, Invasion by the oak lace bug, Corytheucha arcuata (Say) (Heteroptera, Tingidae). Turk J. Zool. 33: 263-268, figs.
- 1741. Mutun,S., Dinç,S. Bozso,M. & G.Melika,** 2014, Four new species of Andricus Hartig oak gallwasp from Turkey (Hymenoptera, Cynipidae, Cynipini). Zootaxa 3760 (2): 241-259, figs.
- 1742. Nabozhenko,M. & B.Keskin,** 2014, New data about 'nalassoid' genera from south-eastern Anatolia with description of a new species of Zophohelops (Coleoptera, Tenebrionidae). Acta ent. Mus. Nat. Pragae 54 (1): 243-249, figs.
- 1743. Nabozhenko,M.V.,** 2011, Two new species of the tribe Helopini (Coleoptera, Tenebrionidae) from Artvin Province, Turkey. Ann. Zool. 61 (2): 335-338, figs.
- 1744. Nadein,K.S.,** 2009, Revision of the genus Mniophila Stephens, 1831 (Coleoptera, Chrysomelidae). Beitr. Ent. 59 (1): 103-131, 7 figs, 3 maps.
- 1745. Nagatomi,A.,** 1984, Male genitalia of the lower Brachycera (Diptera). Beitr. Ent. 34: 99-157, 151 figs.
- 1746. Naglis,S.,** 2009, New records of Sympycninae (Diptera, Dolichopodidae) from Turkey, with the description of a new species of Teuchophorus. Mitt. schweiz. ent. Ges. 82: 173-180, figs.
- 1747. Naglis,S.,** 2010, New records of Diaphorinae (Diptera, Dolichopodidae) from Turkey, with the description of a new species of Diaphorus. Mitt. schweiz. Ent. Ges. 83: 181-186, figs.
- 1748. Naglis,S.,** 2011, New records of Dolichopodinae (Diptera, Dolichopodidae) from Turkey, with the description of new species of Sybistroma Meigen and Tachytrechus Haliday. Mitt. schweiz. Ent. Ges. 84: 23-33, figs.
- 1749. Naglis,S.,** 2012, New records of Hydrophorinae (Diptera, Dolichopodidae) from Turkey, with the description of new species of Scellus Loew. Mitt. schweiz. Ent. Ges. 85: 45-49, figs.
- 1750. Namin,S.M. & E.P.Kameneva,** 2013, A new species of the genus Herina Robineau-Desvoidy, 1830 from Iran and Turkey (Diptera, Ulidiidae). Zool. Middle East 59 (3): 266-272, figs.
- 1751. Namin,S.M. & J.Nozaari,** 2011, A new species of Urophora Robineau-Desvoidy, 1830 (Diptera, Tephritidae) from Iran. Zookeys 152, 63-70, figs.
- 1752. Narchuk,E.P.,** 1984, Chloropidae [in] Soos,A. & L.Papp (eds.), Catalogue of Palaearctic Diptera 10: 222-298, Akademiai Kiado, Budapest.
- 1753. Narchuk,E.P.,** 1988, Family Acroceridae [in] Soos,A. & L.Papp (eds.), Catalogue of palaearctic Diptera 5: 186-196. Akademiai Kiado, Budapest.
- 1754. Narchuk,E.P.,** 1992, Chloropid flies (Diptera, Chloropidae) of Cyprus. Ent. fenn. 1: 227-232.
- 1755. Narendran,T.C., Hamed, A.G. & Z.Ahmad,** 2012, A review of Meruacesa Koçak and Kemal (Hymenoptera, Eulophidae) with description of a new species from Saudi Arabia. J. Env. & Sociobiol. 9 (1): 27-33, figs.
- 1756. Narolsky,N.B.,** 2001, A review of the world of the genus Eucremastus (Hymenoptera, Ichneumonidae, Cremastinae). Vestn. zool. 35 (3): 23-29, figs.
- 1757. Nartshuk,E.P. & V.A.Korneyev,** 2005, Data on the fauna of Pyrgotidae (Diptera, Cyclorrhapha) of the Russian Far East. Far east. Ent. 147: 1-10, figs.
- 1758. Nartshuk,E.P.,** 1973, Two new species of chloropid fly Dicraeus Lw. from Azerbajdzhan (Diptera, Chloropidae). Dokl. Akad. Nauk AzerSSR 29 (3): 70-75, figs.

- 1759. Nartshuk, E.P.**, 1984, Cryptochetidae [in] Soos, A. & L. Papp (eds.), Catalogue of Palaearctic Diptera 10: 67-68, Akademiai Kiado, Budapest.
- 1760. Nartshuk, E.P.**, 1997, A revision of the Chloropidae (Insecta, Diptera) described by J.W. Meigen from the Winthem's Collection. Annls naturh. Mus. Wien 99 (B): 387-406.
- 1761. Nartshuk, E.P.**, 2006, A new species of grassflies of the genus *Lasiosina* Becker from Turkey (Diptera, Chloropidae). Zoosyst. ross. 14 (2) (2005): 289-291.
- 1762. Nartshuk, E.P.**, 2007, Nemestrinid flies (Diptera, Nemestrinidae) in the fauna of Eastern Europe and the Caucasus. Zool. Zh. 86: 1327-1335, figs. [Ent. Rev. 87: 1076-1085, 6 figs.]
- 1763. Nartshuk, E.P.**, 2010, New data on Chloropidae (Diptera, Cyclorrhapha) from Cyprus. Russian Ent. J. 19 (2): 1-2.
- 1764. Nartshuk, E.P.**, 2012, Chloropidae (Diptera) of Turkey with descriptions of new species and new records. Isr. J. Ent. 41/42: 115-144, figs. [with serious mis-spellings on locality names and their elevations in Turkey].
- 1765. Naskrecki, P. & M. Ünal**, 1995, The Orthoptera of Hatay Province, S. Turkey. Beitr. Ent. 45: 393-419, figs.
- 1766. Naskrecki, P.**, 1991, Contribution to the knowledge of Orthoptera of European Turkey with description of *Poecilimon marmaraensis* sp. nov. (Orthoptera, Phaneropterinae). Priamus 5: 157-171, figs.
- 1767. Navai, S. & A. Mesghali**, 1968, Ceratopogonidae (Diptera) of Iran I. More records of *Culicoides* Latreille, 1809. J. nat. Hist. 2: 241-246.
- 1768. Navai, S.**, 1974, Biting midges of the genus *Dasyhelea* from Afghanistan, with descriptions of new species (Diptera, Ceratopogonidae). Dt. ent. Z. 41: 357-399, figs.
- 1769. Navas, L.**, 1912, Crisopidos y Hemerobidos (Ins. Neur.) nuevos o criticos. Broteria (Zool.) 10: 98-113, 8 figs.
- 1770. Navas, L.**, 1914, Quelques Névroptères recueillis par le Dr. Malcolm Burr en Transcaucasie. Russk. ent. Obozr. 14: 211-216, 1 pl.
- 1771. Navas, L.**, 1914, Neuroptera asiatica, III series. Revue Russ. Ent. 14 (1): 6-13, 4 figs.
- 1772. Nazemi, J., Talebi, A.A., Sadeghi, S.E., Melika, G. & A. Lozan**, 2008, Species richness of oak gall wasps (Hymenoptera, Cynipidae) and identification of associated inquiline and parasitoids on two oak species in western Iran. North West J Zool. 4 (2): 189-202, figs.
- 1773. Nazemi-Rafie, J., Talebi, A.A., Sadeghi, S.E. & G. Melika**, 2007, Parasitoids (Hym., Chalcidoidea) reared from oak gall wasps (Hym. Cynipidae) in West of Iran with five new species records. J. ent. Res. Soc. 9 (3): 43-56.
- 1774. Nees ab Esenbeck, C.G.**, 1811-1816, *Ichneumonides adsciti* in genera et familias divisi. Magaz. Gesellsch. naturf. Berlin 5 (1811): 3-37; 6 (1814): 183-221; 7 (1816): 243-277, Tab.
- 1775. Nees ab Esenbeck, C.G.**, 1834, Hymenopterorum *Ichneumonibus* affinium monographiae, genera Europaea et species illustratae. Tom. I, II. Stuttgart & Tübingen.
- 1776. Negrobov, O.P. & I.Y. Grichanov**, 2010, A new species of the genus *Sciapus* Zeller (Diptera, Dolichopodidae) from Caucasus. Far eastern Ent. 204: 6-8, figs.
- 1777. Neimorovets, V.V.**, 2006, On the synonymy and distribution of the Heteropterans, *Trapezonotus dispar* Stal and *T. desertus* Seidenstücker (Heteroptera, Lygaeidae). Ent. Obozr. 85 (1): 162-166, figs.
- 1778. Niehuis, M.**, 1989, Contribution to the knowledge of the Jewel Beetles (Coleoptera, Buprestidae) of the Near East. Zool. Middle East 3: 73-110, figs.
- 1779. Nieser, N. & Z. Moubayed**, 1985, Les Hétéroptères aquatiques du Liban I. Inventaire faunistique. Annls Limnol. 21 (3): 247-252.
- 1780. Nieto Nafria, J.M., Hidalgo, N.P. & M.P.M. Durante**, 2007, New synonyms and several nomenclatural clarifications on family-group names in the Aphididae (Hemiptera, Sternorrhyncha). Zootaxa 1629: 51-55.
- 1781. Nieves-Aldrey, J.L. & G. Melika**, 2005, *Aylax hypocoi* Trotter (Hymenoptera, Cynipidae) in Europe: Redescription with taxonomic and biological notes. J. Nat. Hist. 39 (27): 2525-2535, figs.
- 1782. Nihei, S.S. & C.J.B. de Carvalho**, 2009, The Muscini flies of the world (Diptera, Muscidae): identification key and generic diagnoses. Zootaxa 1976: 1-24, figs.
- 1783. Nihei, S.S. & C.J.B. de Carvalho**, 2009, The Muscini flies of the world (Diptera, Muscidae): identification key and generic diagnoses. Zootaxa 1976: 1-24, 18 figs.
- 1784. Nikolskaya, M.N.**, 1952, The Chalcid fauna of the USSR (Chalcidoidea). 574 pp., 592 figs. Moscou & Leningrad.
- 1785. Nixon, G.E.J.**, 1986, A revision of the European Agathidinae (Hymenoptera, Braconidae). Bull. Br. Mus. (Nat. Hist.) Ent. 52 (3): 183-242, figs.
- 1786. Norrbom, A.L., Carroll, L.E., Thompson, F.C., White, I.M. & A. Freidberg**, 1999, Systematic Database of Names. [http://si-pddr.si.edu/jspui/bitstream/10088/17654/1/ent\\_FCT\\_80.pdf](http://si-pddr.si.edu/jspui/bitstream/10088/17654/1/ent_FCT_80.pdf) [http://si-pddr.si.edu/dspace/bitstream/10088/17088/1/ent\\_FCT\\_81.pdf](http://si-pddr.si.edu/dspace/bitstream/10088/17088/1/ent_FCT_81.pdf) [access 27 2 2013]. Myia 9: 65-502.
- 1787. Novak, V. et al.**, 2011, New Allecula species (Coleoptera, Tenebrionidae, Alleculinae) from Turkey. Stud., Rep. Tax. Ser. 7 (1/2): 337-348, figs.

- 1788. Novak,V. et al.,** 2013, A new Mycetochara species (Coleoptera, Tenebrionidae, Alleculinae) from Turkey. J. ent. Res. Soc. 15 (2): 51-58, figs.
- 1789. Novak,V.,** 2006, Megischina bozdaglariensis sp.n. (Coleoptera, Tenebrionidae, Alleculinae) from Turkey. Stud. rep. Distr. Mus. Prague-East (Tax. Series) 2 (1/2): 99-104, figs.
- 1790. Novak,V.,** 2007, New species of the genus Hymenalia Mulsant, 1856 (Coleoptera, Tenebrionidae, Alleculinae) from Palaearctic Region. Stud. rep. Distr. Mus. Prague-East (Tax. Series) 3 (1/2): 149-170, figs.
- 1791. Novak,V.,** 2008, Mycetocharina (Alleculopsis) bahukalatensis sp. nov. (Coleoptera, Tenebrionidae, Alleculinae) from Iran. Acta ent. Mus. Nat. Pragae 48 (1): 73-78, figs.
- 1792. Noyes,J.S.,** 2010, Universal Chalcidoidea Database.  
<http://www.nhm.ac.uk/entomology/chalcidoids/index.html> [accessed 1.3.2010].
- 1793. Nurse,C.G.,** 1903, New species of Indian Aculeate Hymenoptera. Ann. Mag. nat. Hist. (7) 11: 393-403, 511-526, 528-549.
- 1794. Nurse,C.G.,** 1904, New species of Indian Hymenoptera. Apidae. J. Bombay nat. Hist. Soc. 15: 557-585. [author Major C.G.Nurse, 113th Infantry]
- 1795. Odnosum,V.K.,** 2000, Mordellid beetles of the genus Stenalia (Coleoptera, Mordellidae) of Central and Eastern Palaearctics. Communication 1. Vestn. zool. 34 (6): 37-50, figs.
- 1796. Oehlke,J.,** 1983, Revision der europäischen Aulacidae (Hymenoptera, Evanioidea). Beitr. Ent. 33 (2): 439-447.
- 1797. O'Hara,J., Shima,H. & C.Zhang,** 2009, Annotated catalogue of the Tachinidae (Insecta, Diptera) of China. Zootaxa 2190: 1-236, figs.
- 1798. Ohl,M.,** 1999, A revision of Stizoides Guérin-Méneville, 1844: Taxonomy, phylogenetic relationships, biogeography, and evolution (Hymenoptera, Apoidea, "Sphecidae"). Mitt. Mus. Naturk. Berl., Zool. 75 (1): 63-169, 165 figs.
- 1799. Okutaner,A.Y., Özdikmen,H., Yüksel,E. & Y.Koçak,** 2011, A synopsis of Turkish Certallini Fairmaire, 1864 with a cytogenetic observation (Coleoptera, Cerambycidae, Cerambycinae). Munis Ent. Zool. 6 (2): 937-943, figs.
- 1800. Olsufjev,N.G.,** 1971, Sylvius peculiaris sp.n. aus der Türkei. Angew. Parasit. 12: 55-56.
- 1801. Öncül,T.,** 2006, Edremit (Balıkesir) yöresi zeytin bahçelerindeki Heteroptera faunasının kışlak tuzaklarla belirlenmesi üzerinde araştırmalar. Yüksek lisans Tezi 85s. Balıkesir Univ., Fen Bil. Enst. Balıkesir.
- 1802. Önder,F. & N.Lodos,** 1980, A short note about Galeatus helianthi Önder & Lodos (Heteroptera, Tingidae). Türk. Bitki kor. derg. 4 (4): 231-232 [synonym of Galeatus scrophicus Saunders].
- 1803. Önder,F.,** 1974, A new species of Mecomma Fieber (Heteroptera, Miridae) from Turkey. J. Ent. (B) 43 (1): 115-119.
- 1804. Önder,F.,** 1979, Some Heteroptera collected by light trap in Diyarbakır (Turkey). Türk. Bitki kor. derg. 3 (1): 25-34.
- 1805. Önder,F.,** 1979, Mecomma lodosi n.sp. from Turkey (Heteroptera, Miridae). Türk. Bitki kor. derg. 3 (1): 59-62, figs. [synonymized by Kerzhner & Konstantinov, 1997].
- 1806. Önder,F., Karsavuran,Y., Tezcan,S. & M.Fent,** 2006, Türkiye Heteroptera (Insecta) Kataloğu. 164 s. İzmir [no necessary bibliography!].
- 1807. Önder,F., Pehlivan,E., Karsavuran,Y., Tezcan,S. & Ş.Kısmalı,** 1999, Catalogue of the collection of Pamphagidae, Pyrgomorphidae, Catantopidae and Acrididae (Orthoptera, Acridoidea) preserved in the Prof. Dr. Niyazi Lodos Museum, İzmir, Turkey. Türk. ent. derg. 23 (3): 163-178.
- 1808. Önder,F., Pehlivan,E., Karsavuran,Y., Tezcan,S. & Ş.Kısmalı,** 1999, Catalogue of the collection of Tettigoniidae (Orthoptera) preserved in the Prof. Dr. Niyazi Lodos Museum, İzmir, Turkey. Türk. ent. derg. 23 (4): 243-250.
- 1809. Önder,F., Pehlivan,E., Karsavuran,Y., Tezcan,S. & Ş.Kısmalı,** 1999, Catalogue of the collection of Gryllidae and Gryllotalpidae (Orthoptera) preserved in the Prof. Dr. Niyazi Lodos Museum, İzmir, Turkey. Türk. ent. derg. 23 (2): 83-90.
- 1810. Önder,F., Tezcan,S., Karsavuran,Y. & Ü.Zeybekoğlu,** 2011, Türkiye Cicadomorpha, Fulgoromorpha ve Sternorrhyncha (Insecta, Hemiptera) Kataloğu. 209 s. İzmir [no necessary bibliography!].
- 1811. Önder,F., Ünal,A. & E.Ünal,** 1981, Heteroptera fauna collected by light trap in some districts of northwestern part of Anatolia. Türk. Bitki kor. derg. 5 (3): 151-169.
- 1812. Onsoy,C., Altunsoy,F. & F.H.Akay,** 2014, A new record for the Turkish House Fly fauna: Mesembrina meridiana (L.1758) (Diptera, Muscidae). J. ent. Res. Soc. 16 (2): 23-27, figs.
- 1813. Oosterbroek,P.,** 1978-1979, The western Palaearctic species of Nephrotoma Meigen, 1803 (Diptera, Tipulidae) Parts 1-4. Beaufortia 27: 1-137; ibid. 28: 57-111, 157-203; ibid. 29: 129-197.
- 1814. Oosterbroek,P.,** 1994, Notes on western Palaearctic species of the Tipula (Yamatotipula) lateralis group, with the description of a new species from Turkey (Diptera, Tipulidae). Eur. J. Ent. 91: 429-435, figs.
- 1815. Oosterbroek,P.,** 2009, New distributional records for Palaearctic Limoniidae and Tipulidae (Diptera, Craneflies), mainly from the collection of the Zoological Museum, Amsterdam. Zoosymposia 3: 179-197.
- 1816. Oosterbroek,P.,** 2009, Catalogue of the Craneflies of the World (CCW). Available from <http://ip30.eti.uva.nl/ccw/> [access 3 November, 2010]



- 1817. Osten, T. & H. Özbek**, 1999, Beitrag zur Kenntnis der Scoliiden-Fauna der Türkei (ohne Zypern) mit Anmerkungen zur Systematik und Taxonomie (Hymenoptera, Scoliidae). *Entomofauna* 20 (28): 429-442.
- 1818. Osten, T.**, 1999, Kritische Liste der palaearktischen Scoliiden (Hymenoptera, Scoliidae). *Entomofauna* 20 (27): 422-426.
- 1819. Osten, T.**, 1999, Dritter Beitrag zur Kenntnis der Scoliidenfauna von Zypern (Hymenoptera, Scoliidae). *Entomofauna* 20 (26): 401-421, figs.
- 1820. Osten, T.**, 1999, Beobachtungen an Scoliiden (Hymenoptera) in der Türkei. *Linzer biol. Beitr.* 31 (1): 449-457, figs.
- 1821. Osten, T.**, 2000, Die Scoliiden des Mittelmeer-Gebietes und angrenzender Regionen (Hymenoptera). Ein Bestimmungsschlüssel. *Linzer Biol. Beitr.* 32 (2): 537-593, figs.
- 1822. Osten, T.**, 2004, Zur Taxonomie von *Scolia boeberi* Klug, 1805, *Scolia kasakhstanica* (Steinberg, 1962) und *Scolia anatoliae* spec. nov. *Ent. Z.* 114 (5): 204-208, figs.
- 1823. Osten, T., Ebrahimi, E. & Chahartaghi, A.M.**, 2003, Die Scoliiden des Iran und angrenzender Regionen mit Anmerkungen zu ihrer Lebensweise (Hymenoptera, Scoliidae). *Entomofauna* 24 (26): 353-377.
- 1824. Ouvrard, D. & J.H. Martin**, 2014, The white-flies. <http://www.hemiptera-database.com/whiteflies/?lang=fr> [access 26 9 2014].
- 1825. Öz, B.**, 2010, New records of aquatic Empididae (Insecta, Diptera) from Turkey. *Rev. Hydrobiol.* 3 (1): 65-71.
- 1826. Özbek, H. & D. Szaloki**, 1998, A contribution to the knowledge of the Meloidae (Coleoptera) fauna of Turkey along with new records. *Türk J. Zool.* 22: 23-40.
- 1827. Özbek, H. & G. Çetin**, 1991, Contribution to the fauna of Coccinellidae (Coleoptera) from eastern Anatolia along with some new records from Turkey. *Türk. ent. derg.* 15 (4): 193-202.
- 1828. Özbek, H. & J. Banaszak**, 1985, Bees of Anthophorini (Hymenoptera, Apoidea, Anthophoridae) from Eastern Turkey. *Türk. bitki kor. derg.* 9: 195-198.
- 1829. Özbek, H. & S. Anlaş**, 2011, Distribution of Scoliidae (Hymenoptera, Aculeata) of Turkey with their zoogeographic characterization. *Türk. ent. derg.* 35 (4): 627-639.
- 1830. Özbek, H. & van der G. Zanden**, 1992, A preliminary review of the Megachilidae of Turkey Part II Heriadini (Hymenoptera, Apoidea). *Türk. ent. derg.* 16 (3): 129-134.
- 1831. Özbek, H. & van der G. Zanden**, 1993, A preliminary review of the Megachilidae of Turkey Part III Anthidiini (Hymenoptera, Apoidea). *Türk. ent. derg.* 17 (4): 193-207.
- 1832. Özbek, H. & van der G. Zanden**, 1994, A preliminary review of the Megachilidae of Turkey Part IV Megachilini and Lithurgini (Hymenoptera, Apoidea). *Türk. ent. derg.* 18 (4): 157-174.
- 1833. Özbek, H. & van der G. Zanden**, 1996, A preliminary review of the Megachilidae of Turkey Part V. Supplement to parts 1-IV (Hymenoptera, Apoidea). *Türk. ent. derg.* 20 (1): 3-17.
- 1834. Özbek, H.**, 1976, Doğu Anadolu Bölgesi Andrenidae (Hymenoptera Apoidea) Familyası Arıları, Kısım I. *Bitki Koruma Bül.* 16 (3): 123-145.
- 1835. Özbek, H.**, 1979, Doğu Anadolu Bölgesi Halictidae (Hymenoptera, Apoidea) faunası ve bunların ekolojisi. *Atatürk Univ. Zir. Fak. Derg.* 10 (3/4): 27-41.
- 1836. Özbek, H.**, 1979, *Micromerus erivanicus* Maran (Col. Meloidae) Erzurum yöresi için yeni bir korunga zararlısı. *Türk. Bitki Kor. Derg.* 3 (3): 131-138.
- 1837. Özbek, H.**, 1979, Bees of the genera *Osmia*, *Lithurga* and *Coelioxys* in some parts of eastern Anatolia. *Türk. Bitki Kor. Derg.* 3: 47-58.
- 1838. Özbek, H.**, 1979, Bees of the genera *Anthidium*, *Anthocopa*, *Hoplitis* and *Megachile* in some parts of eastern Anatolia. *Türk. Bitki Kor. Derg.* 3: 95-107.
- 1839. Özbek, H.**, 1983, Doğu Anadolu'nun bazı yörelerindeki *Eucera* Scop. ve *Tetralonia* Spin. (Anthophoridae, Hymenoptera) cinslerine mensup arılar. *Atatürk Univ. Zir. Fak. Derg.* 14 (3-4): 35-40.
- 1840. Özbek, H.**, 1990, A new Bumblebee species of *Pyrobombus* Dalla Torre (Hymenoptera, Apidae, Bombinae) in Eastern Anatolia, Turkey. *Türk. ent. Derg.* 14 (4): 207-214, 4 figs.
- 1841. Özbek, H.**, 2011, *Chelostoma* Latreille (Hymenoptera, Megachilidae) *Osminii* [sic!] species occurring in Turkey with their zoogeographic characterization. *Türk. ent. Bull.* 1 (3): 151-168.
- 1842. Özbek, H.**, 2014, Distribution data on the family Melittidae (Hymenoptera) of Turkey with considerations about their importance as pollinators. *Türk. J. Zool.* 38: 444-459, maps.
- 1843. Özbek, H., Çoruh, S. & J. Kolarov**, 2003, A contribution to the Ichneumonidae fauna of Turkey. Subfamily Ichneumoninae (Hymenoptera). *Entomofauna* 24 (10): 157-164.
- 1844. Özbek, H., Pekel, S. & J. Kolarov**, 2000, New distributional data of the Turkish Ichneumonidae (Hymenoptera) II. Ctenopelmatinae and Campopleginae. *J. ent. Res. Soc.* 2 (1): 17-24.
- 1845. Özbek, H., Yıldırım, E. & T. Osten**, 1999, A contribution to the knowledge of the fauna of the families Myrmosidae and Mutillidae (Hymenoptera, Aculeata) in Türkiye [sic]. *Türk. ent. derg.* 23 (1): 15-26.
- 1846. Özbek, H., Yıldırım, E., Wolf, H. & R. Wahis**, 1999, The Pompilidae (Hymenoptera, Aculeata) fauna of Turkey, Part I Ceropalinae and Pepsinae. *Zool. Middle East* 18: 91-105.
- 1847. Özbek, H., Yıldırım, E., Wolf, H. & R. Wahis**, 2000, The Pompilidae (Hymenoptera, Aculeata) fauna of Turkey, Part II. Pompilinae. *Zool. Middle East* 21: 109-128.

- 1848. Özdemir, I. & S.Toros**, 1997, Ankara parklarında mevsimlik süs bitkilerinde zararlı Aphidoidea (Homoptera) türleri. *Türk. ent. derg.* 21 (4): 283-298.
- 1849. Özdemir, I., Remaudière, G., Toros, S. & A.N.Kılınçer**, 2005, New aphid records from Turkey including the description of a new Lachnus species (Hemiptera, Aphididae). *Revue fr. Ent. (N.S.)*. 27 (3): 97-102.
- 1850. Özdemir, I., Toros, S., Kılınçer, A.N. & M.O.Gürkan**, 2006, A survey of Aphididae (Homoptera) on wild plants in Ankara, Turkey. *Çev. Kor., Ekoloji* 15 (58): 1-6.
- 1851. Özdemir, S. & O.Sert**, 2009, Determination of Coleoptera fauna on carcasses in Ankara Province, Turkey. *Forensic Sci. Int.* 183: 24-32, figs.
- 1852. Özdemir, Y.**, 1991, İç Anadolu Bölgesinde saptanan Diplazontinae ve Tryphoninae (Hymenoptera, Ichneumonidae) altfamilyası türleri. *Türk. ent. derg.* 25 (3): 183-191.
- 1853. Özdikmen, H. & F.Aytar**, 2012, Subgeneric arrangement of Mallosia Mulsant, 1862 with three new subgenera, and a new species from Turkey (Coleoptera, Cerambycidae). *Munis Ent. Zool.* 7 (2): 643-662, fig.
- 1854. Özdikmen, H. & S.Turgut**, 2008, The subfamily Criocerinae of Turkey (Coleoptera, Chrysomelidae) with two new records and zoogeographical remarks. *Mun. ent. Zool.* 3 (1): 239-250, maps.
- 1855. Özdikmen, H. & S.Turgut**, 2008, A new species and a new subspecies of the subgenus Phytoecia (Blepisanis) Pascoe, 1866 from Turkey (Coleoptera, Cerambycidae, Lamiinae). *Mun. ent. Zool.* 3 (2): 568-581, figs.
- 1856. Özdikmen, H. & S.Turgut**, 2008, The genus Tetrops Stephens, 1829 with a new subspecies Tetrops praeustus anatolicus ssp.n. from Turkey (Coleoptera, Cerambycidae, Lamiinae). *Mun. Ent. Zool.* 3 (2): 621-635, figs.
- 1857. Özdikmen, H.**, 2005, Three interesting records of longhorn beetles in Turkish fauna (Coleoptera, Cerambycidae). *Russian Ent. J.* 14 (1): 59-60.
- 1858. Özdikmen, H.**, 2008, Turka nom. nov. for the preoccupied Palearctic Robber Flies genus Turkiella Lehr, 1996 (Diptera, Asilidae). *Mun. Ent. Zool.* 3 (2): 554-555.
- 1859. Özdikmen, H.**, 2010, The turkish Dorcadiini with zoogeographical remarks (Coleoptera, Cerambycidae, Lamiinae). *Munis Ent. Zool.* 5 (2): 380-498, figs.
- 1860. Özdikmen, H.**, 2013, Turkish Agapanthiini Mulsant, 1839 with identification keys (Coleoptera, Lamiinae). *Munis Ent. Zool.* 8 (1): 9-40.
- 1861. Özdikmen, H., Turgut, S. & S.Güzel**, 2009, Longhorned beetles of Ankara Region in Turkey (Coleoptera, Cerambycidae). *Munis Ent. & Zool.* 4: 301-309.
- 1862. Özdikmen, H., Turgut, S., Özbek, H. & S.Çalamak**, 2010, A synopsis on Turkish Clytra Laicharting, 1781 (Coleoptera, Chrysomelidae). *Munis ent. Zool.* 5 (1): 73-84, fig.
- 1863. Özdikmen, H., Mercan, N., Cihan, N., Kaya, G., Topçu, N.N. & M.Kavak**, 2014, The importance of spuerfamily Chrysomeloidea for Turkish biodiversity (Coleoptera). *Munis ent. Zool.* 9 (1): 17-45.
- 1864. Ozerov, A.L.**, 2005, World catalogue of the family Sepsidae (Insecta, Diptera). *Zool. Issledov.* 8: 1-74. Moscow.
- 1865. Ozerov, A.L.**, 2008, Three new species of Carnidae and Piophilidae (Diptera) from Turkey and Russia. *Russian ent. J.* 16: 491-493, figs.
- 1866. Ozerov, A.L.**, 2009, Contributions to the knowledge of European species of the genus Meromyza (Diptera, Chloropidae). *Zool. Zh.* 83 (1): 127-128 [Ent. rev. 88 (1): 125-126, figs.]
- 1867. Ozerov, A.L.**, 2011, Three new species of the genus Meoneura Rondani, 1856 (Diptera, Carnidae) from Asia. *Far east. Ent.* 221: 1-4, 6 figs.
- 1868. Özgen, İ., Gözüaçık, C., Karsavuran, Y. & M.Fent**, 2005, Doğu ve Güneydoğu Anadolu Bölgesi'nde Antepfıstığı, Kayısı, Kiraz ve Zeytin Ağaçlarında bulunan Pentatomidae (Heteroptera) familyasına ait türlerin saptanması üzerine çalışmalar. *Ege Üniv. Ziraat Derg.* 42 (2): 35-43.
- 1869. Özgül, O. & H.Koç**, 2012, Contributions to the Limoniidae (Insecta, Diptera) fauna from inner western Anatolia. *Turk. J. Zool.* 36: 745-751.
- 1870. Özgül, O. & H.Koç**, 2014, Four new species of Limoniidae (Diptera, Nematocera) from the Inner-West Anatolian subregion of Turkey. *Florida Ent.* 97: 620-625, figs.
- 1871. Özgür, A.F. & S.Sarıbıyık**, 2002, New records of Microdontinae (Diptera, Syrphidae) from Turkey. *J. ent. Res. Soc.* 4: 15-17.
- 1872. Özkan, C. & D.Özmen**, 2001, A new record for Turkish fauna Chelonus oculator Panzer (Hymenoptera, Braconidae) and its two new hosts. *Türk. ent. derg.* 25 (4): 263-265.
- 1873. Özkan, M. & H.Çalışkan**, 2010, An investigation on Milesiinae fauna in Eskişehir (Diptera, Syrphidae). *Kastamonu Educ. J.* 18 (3): 975-982, 22 figs. [part of the MSc thesis of the first author].
- 1874. Özkan, M. & H.Çalışkan**, 2011, An investigation on Syrphinae fauna in Eskişehir (Diptera, Syrphidae). *Kastamonu Educ. J.* 19 (2): 601-608, 25 figs. [part of the MSc thesis of the first author].
- 1875. Özkan, M.**, 2005, Eskişehir Syrphidae (Diptera) faunası üzerine çalışmalar. [MSc thesis, published online by the Council of Higher Education in 2005; access 10 12 2012].
- 1876. Özkan, N.**, 2002, Five new Chironomidae (Diptera) species for the Turkish fauna. *Turk. J. Zool.* 26: 183-188, figs.

- 1877. Özşişli, T. & R.H.L. Disney**, 2011, First records for Turkish fauna, *Megaselia brevisissima* (Schmitz, 1924) and *Megaselia scalaris* (Loew, 1866) (Diptera, Phoridae). *Turk. ent. bült.* 1 (1): 31-33.
- 1878. Packer, L., Genaro, J.A. & C.S. Sheffield**, 2007, The bee genera of eastern Canada. *Canad. J. Arthr. Ident.* 3. available online at [http://www.biology.ualberta.ca/bsc/ejournal/pgs03/pgs\\_03.html](http://www.biology.ualberta.ca/bsc/ejournal/pgs03/pgs_03.html) doi: 10.3752/cjai.2007.03.
- 1879. Pakyürek, B.**, 2006, Gazi Üniversitesi Zooloji Müzesindeki Tephritidae (Diptera) familyası örneklerinin değerlendirilmesi. Yüksek lisans tezi. 432s. Publisher: Yükseköğretim Kurulu Ulusal Tez Merkezi [tez no: 184776] <http://tez2.yok.gov.tr/>
- 1880. Pallas, P.S.**, 1781-1798, *Icones Insectorum praesertim Rossiae Sibiriaeque peculiarum quae collegit et descriptionibus illustravit.* 1-56 pp. Pls. A-C (1781); 57-96 pp. Pls. D-F (1782); 97-104 pp. Pls. G-H (1798). Wolfgangi Waltheri, Erlangae.
- 1881. Pape, T. & F.C. Thompson (eds.)**, 2010, *Systema Dipteriorum* (1.0). <http://.diptera.org> [access on 14.9.2012].
- 1882. Papp, J.**, 2003, Braconidae (Hymenoptera) from Greece, 5. Notes faun. Gembloux 53: 21-54.
- 1883. Papp, J.**, 2007, Braconidae (Hymenoptera) from Greece, 6. Notes faun. Gembloux 60 (3): 99-127.
- 1884. Papp, L. & J. Rohacek**, 1987, The Sphaeroceridae (Diptera) of Israel. *Isr. J. Ent.* 21: 77-109.
- 1885. Papp, L.**, 1978, New species and records of Sphaeroceridae (Diptera) from Afghanistan. *Acta zool. hung.* 24: 149-168, figs.
- 1886. Papp, L.**, 1984, Acartophthalmidae [in] Soos, A. & L. Papp (eds.), *Catalogue of Palaearctic Diptera* 10: 14-15, Akademiai Kiado, Budapest.
- 1887. Papp, L.**, 1984, Aulacigastridae [in] Soos, A. & L. Papp (eds.), *Catalogue of Palaearctic Diptera* 10: 60-61, Akademiai Kiado, Budapest.
- 1888. Papp, L.**, 1984, Stenomicrodidae [in] Soos, A. & L. Papp (eds.), *Catalogue of Palaearctic Diptera* 10: 61-62, Akademiai Kiado, Budapest.
- 1889. Papp, L.**, 1984, Asteiidae [in] Soos, A. & L. Papp (eds.), *Catalogue of Palaearctic Diptera* 10: 63-66, Akademiai Kiado, Budapest.
- 1890. Papp, L.**, 1984, Sphaeroceridae [in] Soos, A. & L. Papp (eds.), *Catalogue of Palaearctic Diptera* 10: 68-107, Akademiai Kiado, Budapest.
- 1891. Papp, L.**, 1984, Milichiidae [in] Soos, A. & L. Papp (eds.), *Catalogue of Palaearctic Diptera* 10: 110-118, Akademiai Kiado, Budapest.
- 1892. Papp, L.**, 1984, Carnidae [in] Soos, A. & L. Papp (eds.), *Catalogue of Palaearctic Diptera* 10: 118-124, Akademiai Kiado, Budapest.
- 1893. Papp, L.**, 1984, Xenasteiidae [in] Soos, A. & L. Papp (eds.), *Catalogue of Palaearctic Diptera* 10: 176-177, Akademiai Kiado, Budapest.
- 1894. Papp, L.**, 1984, Risidae [in] Soos, A. & L. Papp (eds.), *Catalogue of Palaearctic Diptera* 10: 177-178, Akademiai Kiado, Budapest.
- 1895. Papp, L.**, 1984, Braulidae [in] Soos, A. & L. Papp (eds.), *Catalogue of Palaearctic Diptera* 10: 178-180, Akademiai Kiado, Budapest.
- 1896. Papp, L.**, 1984, Camillidae [in] Soos, A. & L. Papp (eds.), *Catalogue of Palaearctic Diptera* 10: 180-182, Akademiai Kiado, Budapest.
- 1897. Papp, L.**, 1984, Diastatidae [in] Soos, A. & L. Papp (eds.), *Catalogue of Palaearctic Diptera* 10: 182-185, Akademiai Kiado, Budapest.
- 1898. Papp, L.**, 1984, Curtonotidae [in] Soos, A. & L. Papp (eds.), *Catalogue of Palaearctic Diptera* 10: 221-222, Akademiai Kiado, Budapest.
- 1899. Papp, L.**, 2008, A review of the Old World Coproica Rondani, 1861 (Diptera, Sphaeroceridae), with descriptions of twelve new species. *Acta zool. hung.* 54 (Suppl.2): 1-45, figs.
- 1900. Paramonov, S.J.**, 1924, Eine neue Art der Gattung Fallenia (Nemestrinidae, Diptera) aus Persien. *Konowia* 3: 149-151.
- 1901. Parvu, C. & H. Giray**, 1984, Contribution to knowledge of some tabanids (Diptera) of Turkey. *Trav. Mus. Hist. Nat. "Grigore Antipa"* 25: 217-225.
- 1902. Parvu, C., R. Popescu-Mirceni**, 2006, Faunistic data on some Dipteran families (Insecta, Diptera) from West Turkey. *Trav. Mus. Nat. Hist. Nat. "Grigore Antipa"* 49: 283-295, 5 figs.
- 1903. Pasteels, J.J.**, 1969, New Anthidiinae from Mediterranean area and from the Near East. *Israel J. Ent.* 4: 409-434.
- 1904. Patiny, S. & D. Michez**, 2006, Phylogenetic analysis of the Systropha Illiger, 1806 (Hymenoptera, Apoidea, Halictidae) and description of a new subgenus. *Annls Soc. ent. Fr. (n.s.)* 42 (1): 27-44, figs.
- 1905. Patiny, S.**, 1998, Description d'une nouvelle espece turque de Simandrena Pérez, 1890 (Hymenoptera, Apoidea, Andrenidae, Andreninae). *Bembix* 10: 34-36.
- 1906. Pauly, A.**, 2011, Atlas of the European Bees: genus Ceylalictus. STEP Project, Atlas Hymenoptera, Mons, Gembloux. <http://www.zoologie.umh.ac.be/hymenoptera/page.asp?ID=203>
- 1907. Pauly, A.**, 2011, Atlas of the European Bees: genus Halictus, subgenus Halictus. STEP Project, Atlas Hymenoptera, Mons, Gembloux. <http://www.zoologie.umh.ac.be/hymenoptera/page.asp?ID=199>



- 1908. Pehlivan,E.**, 1988, Türkiye Scarabaeidae (Coleoptera) familyası üzerine taksonomik çalışmalar I. Scarabaeus L., Gymnopleurus Ill., Sisyphus Latr. Türk. ent. Derg. 12 (4): 221-230, 12 figs.
- 1909. Pehlivan,E.**, 1989, Türkiye Scarabaeidae (Coleoptera) familyası üzerine taksonomik çalışmalar II. Onthophagus Latr. Türk. ent. Derg. 13 (1): 25-42, figs.
- 1910. Pehlivan,E., Karsavuran,Y. & S.Tezcan**, 2005, Contributions to the knowledge of the Curculioninae and Phytonominae (Coleoptera, Curculionidae) from Turkey. Türk. ent. derg. 29 (3): 173-182.
- 1911. Pehlivan,E., Karsavuran,Y. & S.Tezcan**, 2005, Contributions to the knowledge of the Lixinae (Coleoptera, Curculionidae) from Turkey. Türk. ent. derg. 29 (4): 259-272.
- 1912. Pekbey,G. & R.Hayat**, 2009, Erzurum ili Sarcophagidae (Diptera) türleri üzerinde faunistik çalışmalar. Türkiye III.Bitki Koruma Kongresi, 15-18 Temmuz 2009, Van [özet] [ulaşım 10.9.2011]
- 1913. Pekbey,G. & R.Hayat**, 2013, New records of Miltogramminae and Paramacronychiinae (Diptera, Sarcophagidae) from Turkey. Turk. J. Zool. 37: 514-518, figs.
- 1914. Pekbey,G., Hayat,R. & R.Richet**, 2011, Sarcophaga (Heteronychia) turana (Rohdendorf,1937), Türkiye et sinekleri (Diptera, Sarcophagidae) faunası için yeni bir kayıt. Türkiye IV.Bitki Koruma Kongresi Bildirimleri. 28-30 Haziran 2011, Kahramanmaraş [özet] [ulaşım 10.9.2011].
- 1915. Pekel,S. & H.Özbek**, 2000, Erzurum ili Cremastinae (Hymenoptera, Ichneumonidae) altfamilyası üzerinde faunistik ve sistematik bir çalışma. Türk. ent. derg. 24 (3): 215-228.
- 1916. Peletier,A.le**, 1823, Monographia Tenthredinetarum synonymia extricata. Parisiis.
- 1917. Pener,M.P.**, 2010, Comment concerning the article by Ciplak et al. (2009) and the collection of Tettigonioida and Acridoidea at The Hebrew University of Jerusalem. Zootaxa 2357: 68.
- 1918. Péricart,J. & J.Halperin**, 1989, The Anthocoridae of Israel (Heteroptera). Phytoparasitica 17 (2): 91-98, figs.
- 1919. Perkins,J.F.**, 1961, On the type species of Foerster's genera (Hymenoptera, Ichneumonidae). Br. Mus. (Nat. Hist.) Ent. 11: 383-483.
- 1920. Perkins,R.C.L.**, 1913, On the classification of British Crabronidae (Hymenoptera). Trans. ent. Soc. London 1913: 383-398, pl.xix.
- 1921. Peschel,R.**, 2012, Checklist Histeridae (Coleoptera) of Turkey. [http://histeridae.de/seiten/entomologie/faunistische\\_notizen/histeridae/fauna\\_tuerkei/fauna\\_tuerkei.htm](http://histeridae.de/seiten/entomologie/faunistische_notizen/histeridae/fauna_tuerkei/fauna_tuerkei.htm) [access 27 Mai,2014].
- 1922. Pesenko,Y.A.** 2005, New data on the taxonomy and distribution of the palaearctic halictids: genus Halictus Latreille (Hymenoptera, Halictidae). Entomofauna 26 (18): 313-348, 23 figs.
- 1923. Pesenko,Y.A. & A.Pauly**, 2005, Monograph of the bees of the subfamily Nomiodinae (Hymenoptera, Halictidae) of Africa (excluding Madagascar). Annls Soc. ent. Fr. (n.s.) 41 (2): 129-236, figs.
- 1924. Pesenko,Y.A. & A.Pauly**, 2009, A contribution to the fauna of the Nomiodine bees of the Arabian Peninsula (Hymenoptera, Halictidae). Fauna Arabia 24: 217-236, figs.
- 1925. Peters,D.S.**, 1974, Über die Untergattung Haetosmia Popov,1952 (Insecta, Hymenoptera, Megachilidae, Osmia). Senckenberg. biol. 55 (4/6): 293-309, figs.
- 1926. Peters,D.S.**, 1978, Systematik und Zoogeographie der west-palaearktischen Arten von Osmia Panzer,1806 s.str., Monosmia Tkalcu,1974 und Orientosmia n.subgen. (Insecta, Hymenoptera, Megachilidae). Senckenberg. biol. 58 (4/6): 287-346, figs.
- 1927. Petersen,B.**, 1988, The Palaearctic Mutillidae of I.C.Fabricius and some related material (Insecta, Hymenoptera, Aculeata). Steenstrupia 14 (6): 129-224.
- 1928. Petrovitz,R.**, 1967, Ergebnisse zoologischer Sammelreisen in der Türkei: Lamellicornia, Coleoptera. Annln naturh. Mus. Wien 70: 325-343, Abb.
- 1929. Petrovitz,R.**, 1968, Ergebnisse zoologischer Sammelreisen in der Türkei: Lamellicornia, Coleoptera (Zweite Folge). Annln naturh. Mus. Wien 72: 465-491, Abb.
- 1930. Petrovitz,R.**, 1969, Ergebnisse zoologischer Sammelreisen in der Türkei: Lamellicornia, Coleoptera (Dritte Folge). Annln naturh. Mus. Wien 73: 383-400, figs.
- 1931. Petrovitz,R.**, 1971, Ergebnisse zoologischer Sammelreisen in der Türkei: Lamellicornia, Coleoptera (Vierte Folge). Annln naturh. Mus. Wien 75: 565-589, Abb.
- 1932. Peyron,E.**, 1858, Catalogue des Coléoptères des environs de Tarsous (Caramanie), avec la description des espèces nouvelles. Annls Soc. ent. Fr. 3 (6): 353-434, pl.
- 1933. Pic,M.**, 1904, Description du male de Malachius akbesianus Oic (Col.). Bull. ent. Soc. Fr. 1904: 216.
- 1934. Pittino,R.**, 2004, New or nothworthy taxa of the genus Onthophagus (Subg. Palaeonthophagus) from South-estern [sic!] Europe and the Near East (Coleoptera, Scarabaeidae). Fragm. ent. Roma 36 (2): 145-214, figs.
- 1935. Plant,J. & A.Dubitzky**, 2008, Relaxing bee specimens: A quick and easy method. Ent. Austr. 15: 41-44, 1 fig.
- 1936. Plassmann,E.**, 1988, Bolitophilidae [in] Soos,A. & L.Papp (eds.), Catalogue of Palaearctic Diptera 3: 193-196, Akademiai Kiado, Budapest.
- 1937. Platia,G. & D.Tarnawski**, 1998, Description of two new species of click-beetles from Turkey (Coleoptera, Elateridae). Genus 9 (3): 269-274, figs.

- 1938. Platia, G., Kabalak, M. & O.Sert,** 2007, Descriptions of two new species of click-beetle (Coleoptera, Elateridae). *Zootaxa* 1415: 43-47, figs.
- 1939. Pont, A.C. & C.Grach,** 2008, A new species of *Coenosia* Meigen from the Mediterranean coasts of Israel and Greece (Diptera, Muscidae). *Isr. J. Ent.* 38: 115-124, figs.
- 1940. Pont, A.C.,** 1986, A revision of the Fanniidae and Muscidae described by J.W.Meigen (Insecta, Diptera). *Annln naturh. Mus. Wien* 87: 197-253.
- 1941. Pont, A.C.,** 1991, A preliminary list of the Fanniidae and Muscidae (Insecta, Diptera) from Turkey. *Zool. Middle East* 5: 63-112.
- 1942. Pont, A.C.,** 2012, Distribution records of *Helina Robineau-Desvoidy, 1830* (Diptera, Muscidae) from the Caucasus Mountains, with the descriptions of three new species. *Zootaxa* 3409: 30-46, figs.
- 1943. Pont, A.C.,** 2012, Muscoidea (Fanniidae, Anthomyiidae, Muscidae) described by P.J.M.Macquart (Insecta, Diptera). *Zoosystema* 34 (1): 39-111.
- 1944. Pont, A.C., Harutyunova, K., Harutyunova, M. & D.Werner,** 2012, The hunter-flies of Armenia. II. The genus *Lispe* Latreille, 1796 (Insecta, Diptera, Muscidae). *Zool. Middle East* 55: 79-84, fig.
- 1945. Pont, A.C., Vikhrev, N. & D.Werner,** 2011, The hunter-flies of Armenia I. Some species of the genus *Limnophora* Robineau-Desvoidy, with the description of a new species (Insecta, Diptera, Muscidae). *Zool. Middle East* 52: 89-103, figs.
- 1946. Pont, A.C., Werner, D. & E.A.Kachvoryan,** 2005, A preliminary list of the Fanniidae and Muscidae (Diptera) of Armenia. *Zool. Middle East* 36: 73-86, figs.
- 1947. Popescu-Mirceni, R. & C.Parvu,** 2009, Distributional data on some East-Mediterranean Brachycera (Diptera) [results of the "Euphrates" Expedition - 2008 in Turkey and Syria]. *Trav. Mus. Nat. Hist. Nat. "Grigore Antipa"* 52: 429-436.
- 1948. Portchinsky, J.,** 1876, Matériaux pour servir a une faune diptérologique de la Russie. *Horae Soc. ent. ross.* 11: 29-36, Pl.ii.
- 1949. Portschinsky, J.,** 1875, Matériaux pour servir a une faune diptérologique de la Russie. *Horae Soc. ent. ross.* 11: 27-36, Pl.ii.
- 1950. Portschinsky, J.,** 1881, Diptera europaea et asiatica nova aut minus cognita Pars I. *Horae Soc. ent. ross.* 16: 136-145.
- 1951. Pourrabbi, R. & Rad, S.P. & M.Hajirostamloo,** 2011, *Merodon* Meigen, 1803 (Dip., Syrphidae) species in Marand (North West of Iran). *World J. Zool.* 6 (1): 22-25, figs.
- 1952. Pratt, H.D.,** 2003, The Winter Crane Flies of North America North of Mexico (Diptera, Trichoceridae). *Proc. ent. Soc. Wash.* 105 (4): 901-914, 34 figs.
- 1953. Priesner, H.,** 1973, Neue Pompiliden aus der Türkei (Hym.). *NachrBl. bayer. Ent.* 22 (6): 106-110.
- 1954. Princis, K.,** 1961, Ergebnisse der Deutschen Afghanistan Expedition 1956 der Landessammlungen für Naturkunde in Karlsruhe. *Beitr. naturk. Forsch. SWDtl.* 19 (3): 269-270.
- 1955. Proshchalykin, M.Y. & A.S.Lelej,** 2014, Review of the genus *Ammobatoides* Radoszkowski, 1867 (Hymenoptera, Apidae, Nomadinae) from Russia and neighbouring countries. *Zootaxa* 3852 (4): 445-460, figs.
- 1956. Puissant, S. & Sueur, J.,** 2002, Description of a new Cicada species from Turkey (Hemiptera, Cicadoidea). *Revue fr. Ent. (N.S.)* 24 (4): 197-200, figs.
- 1957. Pulawski, W.J.,** 1967, Hymenoptera from Turkey Sphecidae II. (Genera *Astata* Latreille and *Tachysphex* Kohl). *Bull. Br. Mus. (Nat. Hist.) Ent.* 19: 383-410, figs.
- 1958. Pulawski, W.J.,** 2012, Catalog of Sphecidae sensu lato (=Apoidea excluding Apidae). [http://research.calacademy.org/ent/catalog\\_sphecidae/1621](http://research.calacademy.org/ent/catalog_sphecidae/1621) [access 2 October, 2012]
- 1959. Puri, I.M.,** 1925, A note on the early stages of a species of *Simulium* from Tunis - *S. equinum* var. *mediterraneum*, nov. (Diptera, Simuliidae). *Ann. Mag. nat. Hist.* (9) 16: 253-255.
- 1960. Puton, A. & M.Noualhier,** 1895, Supplement a la liste des Hémiptères d'Akbès. *Revue d'Ent.* 14: 170-177.
- 1961. Puton, A.,** 1892, Hémiptères nouveaux ou peu connues et notes diverses. *Revue d'Ent.* 11: 34-36.
- 1962. Puton, A.,** 1895, Hémiptères nouveaux. *Revue Ent.* 14: 83-91.
- 1963. Puton, D.A.,** 1899, Catalogue des Hémiptères (Hétéroptères, Cicadines et Psyllides) de la faune Palaearctique (4e Ed.). *Revue d'Ent.* 18 (3/4): 3-121.
- 1964. Putshkov, P.V. & D.Pluot-Sigwalt,** 2008, Les hétéroptères (Insecta, Hemiptera) décrits par Paul Dispons. *Inventaire commenté des spécimens types conservés au Museum national d'Histoire naturelle, Paris.* *Zoosystema* 30 (1): 149-201, figs.
- 1965. Radchenko, A. & G.W.Elmes,** 2003, *Myrmica afghanica* (Hymenoptera, Formicidae), a new ant species from Afghanistan. *Zootaxa* 375: 1-8, figs.
- 1966. Radoszkowsky, O.,** 1874-1876, Matériaux pour servir a une faune hymenoptérologique de la Russie. *Horae Soc. ent. ross.* 10: 190-195; 12: 82-110. [author O.Radoszkowsky, Général d'Artillerie]
- 1967. Radoszkowsky, O.,** 1885, Revision des armures copulatrices des males de la famille de Mutillides. *Horae Soc. ent. ross.* 19: 3-49, 9 pls.
- 1968. Radoszkowsky, O.,** 1890, Hyménoptères recoltés sur le mont Ararat. *Horae Soc. ent. ross.* 24: 502-510, figs. [author O.Radoszkowsky, Général d'Artillerie]

- 1969. Raffone, G.**, 2007, On some specimens of Diptera Hybotidae and Empididae from Turkey and Iran (Insecta, Diptera, Brachycera). Quad. Studi Nat. Romagna 25: 87-91.
- 1970. Ragge, D.R.**,  
**9** 1969, An Index-Catalogue of African Phaneropterinae (Orthoptera, Tettigoniidae). Bull. Br. Mus. (Nat. Hist.) Ent. 22 (3): 75-108.
- 1971. Ragge, D.R.**, 1974, A new species of Tylopsis Fieber from southern Israel (Orthoptera, Tettigoniidae). Israel J. Zool. 22: 63-66.
- 1972. Ragge, D.R.**, 1980, A review of the African Phaneropterinae with open tympana (Orthoptera, Tettigoniidae). Bull. Br. Mus. (Nat. Hist.) Ent. 40 (2): 67-192, figs.
- 1973. Ramme, W.**, 1930, Neue Orthopteren aus Westasien (Acrid. et Tett.). Mitt. zool. Mus. Berl. 16: 394-396.
- 1974. Ramme, W.**, 1931, Beiträage zur palaearktischen Orthopterenfauna (Tettigon. et Acrid.). Mitt. zool. Mus. Berl. 17: 165-200, figs.
- 1975. Ramme, W.**, 1933, Revision der Phaneropterinen Gattung Poecilimon Fisch. Mitt. zool. Mus. Berl. 19: 497-575, figs.
- 1976. Ramme, W.**, 1951, Zur Systematik, Faunistik und Biologie der Orthopteren von Südost Europa und Vorderasien. Mitt. zool. Mus. Berl. 27: 1-421, figs.
- 1977. Raspi, A. & M.J.Ebejer**, 2008, New records of Diptera Chamaemyiidae from the Mediterranean and Oman with a description of a new species: Parochthiphila (Euestelia) argentiseta from Turkey and a redescription of Parochthiphila (Parochthiphila) inconstans (Becker). Ent. fenn. 19: 55-64, figs.
- 1978. Rebmann, O.**, 1967, Beitrag zur Kenntnis der Gattung Megachile Latr. (Hym., Apidae): Subgenus Eutricharaea Thomas und Neoeutricharaea nov. subg. Ent. Z., Frankf. a. M. 77: 33-38.
- 1979. Rebmann, O.**, 1968, 3. Beitrag zur Kenntnis der Gattung Megachile Latr. (Hym., Apidae): Subgenus Eutricharaea und seine bisher bekanntgewordenen Arten. Dt. ent. Z. 15 (1/3): 21-48.
- 1980. Rebmann, O.**, 1970, Neue und wenig bekannte Arten der Untergattungen Eutricharaea Thomson und Neoeutricharaea Rebmann. 5. Beitrag zur Kenntnis der Gattung Megachile Latr. (Hym., Apidae). Stuttg. Beitr. Naturk. 217: 1-10.
- 1981. Rebmann, O.**, 1972, 6. Beitrag zur Kenntnis der Gattung Megachile Latr. (Hym. Apidae). Stuttg. Beitr. Naturk. 248: 1-4, figs.
- 1982. Reemer, M. & J.T.Smit**, 2007, Some hoverfly records from Turkey (Diptera, Syrphidae). Volucella 8: 135-146.
- 1983. Reemer, M., Hauser, M. & M.C.D.Speight**, 2005, The genus Myolepta Newman in the West Palaearctic Region (Diptera, Syrphidae). Stud. dipterol. 11: 553-580, figs.
- 1984. Reiche, L. & F. de Saulcy**, 1855-1858, Espèces nouvelles ou peu connues de Coléoptères, recueillies par M. F. de Saulcy membre de l'Institut, dans son Voyage en Orient. Anns Soc. ent. Fr. 3 (3) (1855): 561-645; 3 (4) (1856): 353-422; 3 (5) (1857): 169-276, 649-695; 3 (6) (1858): 5-60; 4 pls.
- 1985. Reinig, W.F.**, 1973, Faunistische und zoogeographische Studien in Kleinasien 4. Beitrag zur Kenntnis der anatolischen Hummeln (Bombus Latr., 1802) und Schmarotzerhummeln (Psithyrus Lep., 1832) (Hym., Apidae). Mitt. münch. ent. Ges. 63: 112-133.
- 1986. Reinig, W.F.**, 1974, Faunistische und zoogeographische Studien in Kleinasien 5. Auf Hummelfang im Taurus. NachrBl. bayer. Ent. 23 (4): 67-80.
- 1987. Reitter, E.**, 1885, Übersicht der Arten der Gattung Cerocoma Geoffr. Dt. ent. Z. 29: 12-14.
- 1988. Reitter, E.**, 1889, Zwei neue Meloe-Arten aus Syrien und Armenien. Wien. ent. Ztg. 8: 106-107.
- 1989. Reitter, E.**, 1890, Analytische Revision der Coleopteren-Gattung Amphicoma. Dt. ent. Z. 1890: 53-64.
- 1990. Reitter, E.**, 1903, Zwei neue Cteniopos- Arten aus Kleinasien. Wien. ent. Ztg. 22 (10): 257-258.
- 1991. Reitter, E.**, 1906, Bestimmungs-Tabelle der europäischen Coleopteren. Lvi. Heft (57.). Alleculidae, I. Theil Omophlini. Verh. naturf. Ver. Brünn 44: 115-175.
- 1992. Reitter, E.**, 1908, Zwei neue Coleopteren aus Adana in Kleinasien. Wien. ent. Ztg. 27: 133-136, fig.
- 1993. Reitter, E.**, 1910, Eine neuer palaearktischer Vertreter der ostindisch-japanischen Histeridengattung Notodoma Mars. aus Hochsyrien. Ent. Bl. 6: 164-165.
- 1994. Reitter, E.**, 1913, Beschreibung neuer Coleopteren. Ent. Bl. 9 (3-4): 64-67.
- 1995. Reitter, E.**, 1913, Uebersicht der palaearktischen Arten der Coleopterengattung Tropinota Muls. Ent. Bl. 9 (9/10): 224-227.
- 1996. Reitter, E.**, 1914, Bestimmungs-Tabelle für die Unterfamilie Erodini der Tenebrionidae, aus Europa and den angrenzenden Laendern. Dt. ent. Z. 58: 43-85.
- 1997. Remaudière, G., Toros, S. & I.Özdemir**, 2006, New contribution to the Aphid fauna of Turkey (Hemiptera, Aphidoidea). Revue fr. Ent. (N.S.) 28 (2): 75-96.
- 1998. Remm, H.**, 1988, Ceratopogonidae [in] Soos, A. & L.Papp (eds.), Catalogue of Palaearctic Diptera 3: 11-109, Akademiai Kiado, Budapest.
- 1999. Remm, H.**, 1988, Leptoconopidae [in] Soos, A. & L.Papp (eds.), Catalogue of Palaearctic Diptera 3: 110-113, Akademiai Kiado, Budapest.



- 2000. Reshchikov, A.V.**, 2011, *Lathrolestes* (Hymenoptera, Ichneumonidae) from Turkey with description of three new species and new synonymy. *J. Ent. Res. Soc.* 13 (1): 83-89, figs.
- 2001. Reuter, O.M.**, 1875, *Genera Cimicidarum Europae*. Bihang K. VetenskAkad. Handl. 3 (1): 1-66.
- 2002. Reuter, O.M.**, 1879, *Diagnoses Hemipterorum novorum*. Öfv. Finska Vetensk-Soc. Förhandl. 21: 30-41.
- 2003. Reuter, O.M.**, 1880, *Diagnoses Hemipterorum novorum II*. Öfv. Finska Vetensk-Soc. Förhandl. 22: 9-24.
- 2004. Reuter, O.M.**, 1883, *Ad cognitionem Reduviidarum mundi antiqui*. Acta Soc. sci. fenn. 12: 269-339.
- 2005. Reuter, O.M.**, 1884, *Hemiptera Gymnocerata Europae*. Acta Soc. sci. fenn. 8: 1-568, 18 Pls.
- 2006. Reuter, O.M.**, 1890, *Conspectus specierum generis Mustha* (Hemiptera, Pentatomidae). *Revue d'Ent.* 9: 262-264.
- 2007. Reuter, O.M.**, 1890, *Capsidae novae e Rossia meridionali*. *Revue ent. Fr.* 9: 246-248.
- 2008. Reuter, O.M.**, 1891, *Monographia generis Holotrichius* Burm. Acta Soc. sci. fenn. 19 (3): 1-40, 2 Tab.
- 2009. Reuter, O.M.**, 1892, *Monographia generis Reduvius* Fabr., Lam. Acta Soc. sci. fenn. 19 (15): 1-36.
- 2010. Reuter, O.M.**, 1900, *Capsidae novae mediterraneae I, II*. Öfv. Finska Vetensk-Soc. Förhandl. 42: 131-162, 258-267.
- 2011. Reuter, O.M.**, 1900, *Heteroptera palaeartica nova et minus cognita I, II*. Öfv. Finska Vetensk-Soc. Förhandl. 42: 209-239, 268-281.
- 2012. Reuter, O.M.**, 1901, *Capsidae novae mediterraneae III*. Öfv. Finska Vetensk-Soc. Förhandl. 43: 195-213.
- 2013. Reuter, O.M.**, 1901, *Capsidae rossicae*. Öfv. Finska Vetensk-Soc. Förhandl. 43: 161-194.
- 2014. Reuter, O.M.**, 1901, *Monographia generis Tarisa* Am. et Serv. Öfv. Finska Vetensk-Soc. Förhandl. 43: 25-48, 2 Tab.
- 2015. Reuter, O.M.**, 1902, *Capsidae novae mediterraneae IV*. Öfv. Finska Vetensk-Soc. Förhandl. 44: 51-70.
- 2016. Reuter, O.M.**, 1902, *Miscellanea Hemipterologica*. Öfv. Finska Vetensk-Soc. Förhandl. 44: 141-188.
- 2017. Reuter, O.M.**, 1903, *Capsidae ex Abessinia et regionibus confinibus enumeratae novae species descriptae* Öfv. Finska Vetensk-Soc. Förhandl. 45 (6): 1-18, 1 Tab.
- 2018. Reuter, O.M.**, 1904, *Capsidae novae rossicae II*. Öfv. Finska Vetensk-Soc. Förhandl. 46 (4): 1-17.
- 2019. Reuter, O.M.**, 1904, *Capsidae palaearticae novae et minus cognitae descriptae*. Öfv. Finska Vetensk-Soc. Förhandl. 45 (14): 1-18.
- 2020. Reuter, O.M.**, 1904, *Bemerkungen über einige Phimodera-Arten*. Öfv. Finska Vetensk-Soc. Förhandl. 45 (17): 1-15.
- 2021. Reuter, O.M.**, 1904, *Uebersicht der paläarktischen Stenodema-Arten*. Öfv. Finska Vetensk-Soc. Förhandl. 45 (15): 1-21.
- 2022. Reuter, O.M.**, 1905, *Capsidae novae mediterraneae descriptae V. Species a dominis J. et U. Sahlberg in itinere a. 1903-1904 collectae*. Öfv. Finska Vetensk-Soc. Förhandl. 47 (4): 1-26.
- 2023. Rezwani, A.**, 2008, A new species and a new record of a subspecies belonging to the genus *Dysaphis* (Homoptera, Aphididae) from Iran. *J. ent. Soc. Iran* 27 (2): 23-26, figs.
- 2024. Ribes, J. & D.Gapon**, 2006, Taxonomic review of the genus *Holcogaster* Fieber, 1860 (Heteroptera, Pentatomidae) with the description of the male and female genitalia. *Russian Ent. J.* 15 (2): 189-195, figs.
- 2025. Ribes, J., Pagola-Carte, S. & I.Zabalegui**, 2008, On some palaeartctic Carporcorini (Hemiptera, Pentatomidae, Pentatominae). *Heteropterus Rev. Ent.* 8 (2): 155-169, figs.
- 2026. Richards, O.W.**, 1962, A revisional study of the masarid wasps (Hymenoptera, Vespoidea). *Brit. Mus. (Nat. Hist.)*, London.
- 2027. Richards, O.W.**, 1962, Contribution a l'etude de la fauna d'Afghanistan 42. Diptera, Sphaeroceridae. *Entomologist's mon. Mag.* 97 (1961): 177-179.
- 2028. Richards, O.W.**, 1982, A revision of the genus *Belonogaster* de Saussure (Hymenoptera, Vespidae). *Bull. Br. Mus. (Nat. Hist.) Ent.* 44: 31-114.
- 2029. Richter, V.A. & V.F.Zaitzev**, 1988, Mydidae [in] Soos, A. & L.Papp (eds.), *Catalogue of Palaeartctic Diptera* 5: 181-186, Akademiai Kiado, Budapest.
- 2030. Richter, V.A.**, 1988, Nemestrinidae [in] Soos, A. & L.Papp (eds.), *Catalogue of Palaeartctic Diptera* 5: 171-181, Akademiai Kiado, Budapest.
- 2031. Richter, V.A.**, 1988, Family Nemestrinidae [in] Soos, A. & L.Papp (eds.), *Catalogue of palaeartctic Diptera* 5: 171-181. Akademiai Kiado, Budapest.
- 2032. Richter, V.A.**, 2006, On the Tachinid fauna (Diptera, Tachinidae) of Turkmenia, II. *Ent. Obozr.* 85 (3): 686-690 [Ent. rev. 86 (6): 733-736, figs.]
- 2033. Richter, V.A., Gültekin, L. & B.A.Korotyaev**, 2002, *Zeuxia cinerea* Meigen new to the fauna of northeastern Turkey (Diptera, Tachinidae). *Zoosyst. ross.* 11 (1): 234.
- 2034. Rider, D.A.**, 2006, Family Pentatomidae Leach, 1815 [in] Aukema, B. & C.Rieger (ed.), *Catalogue of the Heteroptera of the Palaeartctic Region* 5: 233-402. The Netherlands Entomological Society, Wageningen, The Netherlands.

- 2035. Rider, D.A.**, 2012, Pentatomoidea Home page.  
<http://www.ndsu.edu/ndsu/rider/Pentatomoidea/index.htm> access: 1.8.2012.
- 2036. Riedel, M.**, 2008, Revision der westpalaearktischen Platylabini 1. Die Gattung *Platylabus* Wesm., 1845 (Hymenoptera, Ichneumonidae, Ichneumoninae). *Spixiana* 31 (1): 105-172, figs.
- 2037. Riedel, M.**, 2008, Die Coelichneumon-Arten (Hymenoptera, Ichneumonidae, Ichneumoninae) des Biologiezentrums Linz, Austria. *Linzer biol. Beitr.* 40 (2): 1839-1859.
- 2038. Riedel, M.**, 2012, Revision der westpaläarktischen Arten der Gattung *Coelichneumon* Thomson (Hymenoptera, Ichneumonidae, Ichneumoninae). *Linzer biol. Beitr.* 44 (2): 1477-1611, figs.
- 2039. Riedel, M., Çoruh, S. & H.Özbek**, 2010, Contribution to the Ichneumoninae (Hymenoptera, Ichneumonidae) fauna of Turkey, with description three new species. *Türk. ent. Derg.* 34 (2): 133-156.
- 2040. Rieger, C.**, 1980, *Capsodes* (Horistus) *turcomanus* (Horvath), 1889 eine bisher verkannte Miridenart (Insecta, Heteroptera). *NachrBl. bayer. Ent.* 29 (5): 94-96, figs.
- 2041. Rightmyer, M.G. & M.S. Engel**, 2003, A new palearctic genus of Melectine bees (Hymenoptera, Apidae). *Amer. Mus. Novitates* 3392: 1-22, figs.
- 2042. Risch, S.**, 1997, Die Arten der Gattung *Eucera* Scopoli, 1770 (Hymenoptera, Apidae) Die Untergattung *Ptенеucera* Tkalcu 1984. *Linzer biol. Beitr.* 29 (1): 555-580, 8 Taf. 2 Karte.
- 2043. Risch, S.**, 1999, Neue und wenig bekannte Arten der Gattung *Eucera* Scopoli, 1770 (Hymenoptera, Apidae). *Linzer biol. Beitr.* 31 (1): 115-145, figs.
- 2044. Rittner, O. & G. Sabatinelli**, 2010, The genus *Oxythyrea* Mulsant in Israel (Coleoptera, Scarabaeidae, Cetoniinae, Cetoniini). *Israel J. Ent.* 40: 11-19, figs.
- 2045. Robineau-Desvoidy, J.B.**, 1830, Essai sur les Myodaires. *Mém. Présentés Acad. roy. Sci. Inst. France* (2) 2: 1-813.
- 2046. Röder, V.v.**, 1881, Dipterologische Notizen. *Berl. ent. Z.* 25 (2): 209-216.
- 2047. Röder, V.v.**, 1887, Eine neue *Exoprosopa* aus Syrien. *Berl. ent. Z.* 31: 75-76.
- 2048. Rognes, K.**, 1987, The taxonomy of the *Pollenia rudis* species-group in the Holarctic Region (Diptera, Calliphoridae). *Syst. Ent.* 12 (4): 475-502, figs.
- 2049. Rognes, K.**, 1988, The taxonomy and phylogenetic relationships of the *Pollenia semicinerea* species-group (Diptera, Calliphoridae). *Syst. Ent.* 13: 315-345, figs.
- 2050. Rognes, K.**, 2002, Blowflies (Diptera, Calliphoridae) of Israel and adjacent areas with a new species from Tunisia. *Ent. scand. (suppl.)* 59: 1-148, pls. figs.
- 2051. Rohacek, J. & A. Freidberg**, 1993, The Anthomyzidae (Diptera) of Israel with a revision of *Anagnota* Becker. *Israel J. Ent.* 27: 61-112, figs.
- 2052. Rohacek, J.**, 1982-1985, A monograph and re-classification of the previous genus *Limosina* Macquart (Diptera, Sphaeroceridae) of Europe, Parts I, II, III, IV. *Beitr. Ent.* 32: 195-282; 33: 3-195, 203-255; 35: 101-179, 1098 figs.
- 2053. Rohacek, J.**, 1996, Revision of Palearctic *Stiphrosoma* including the *Anthomyza laeta*-group (Diptera, Anthomyzidae). *Eur. J. Ent.* 93: 89-120, figs.
- 2054. Rohacek, J.**, 1998, Taxonomic limits phylogeny and higher classification of Anthomyzidae (Diptera) with special regard to fossil record. *Eur. J. Ent.* 95: 141-177, figs.
- 2055. Rohacek, J.**, 1999, A revision and re-classification of the genus *Paranthomyza* Czerny with description of a new genus Anthomyzidae (Diptera). *Stud. dipterol.* 6 (2): 373-404, figs.
- 2056. Rohacek, J.**, 2006, A monograph of Palearctic Anthomyzidae (Diptera) Part 1. *Casopis Slezs. zems. Muz. Opava (A)* 55 (Suppl.1): 1-328, 661 figs.
- 2057. Rohacek, J.**, 2009, A monograph of Palearctic Anthomyzidae (Diptera) Part 2. *Casopis Slezs. zems. Muz. Opava (A)* 58 (Suppl.1): 1-180, 232 figs.
- 2058. Rohacek, J., Marshall, S.A., Norrbom, A.L., Buck, M., Quiros, D.I. & I. Smith**, 2001, World catalog of Sphaeroceridae (Diptera). 414pp. Slezske zemske muzeum, Opava. online at <http://www.uoguelph.ca/debu/catalog.htm>
- 2059. Rohdendorf, B.B.**, 1967, Palearctic species of the genus *Sphenometopa* Townsend (Diptera, Sarcophagidae). *Ent. Obozr.* 46 (2): 450-467.
- 2060. Rondani, C.**, 1856-1871, *Dipterologiae Italicae Prodrum* vols. 1-7. Parmae.
- 2061. Rosa, P., Lotfalizadeh, H. & L. Pourrafi**, 2013, First checklist of the chrysidid wasps (Hymenoptera, Chrysididae) of Iran. *Zootaxa* 3700 (1): 1-47.
- 2062. Ros-Farré, P. & J. Pujade-Villar**, 2013, Revision of the genus *Aspicera* Dahlbom, 1842 (Hym., Figitidae, Aspicerinae). *Zootaxa* 3606 (1): 1-110, figs.
- 2063. Rossi, P.**, 1807, *Sistens Insecta quae in provinciis Florentina et Pisana*. Tomus Secundus. Helmstadii.
- 2064. Roy, R.**, 1966, A new species of *Amorphoscelis* from Iraq (Mantodea, Amorphoscelidae). *Ent. News* 77: 267-270, 3 figs.
- 2065. Rozen, J.G., Özbek, H., Asher, J.S., Claudio, S., Praz, C., Alireza, M. & M. Andreas**, 2010, Nests, petal usage, floral preferences, and immatures of *Osmia* (*Ozbekosmia*) *avosetta* (Megachilidae, Megachilinae, Osmiini), including biological comparisons with other osmiine bees. *Am. Mus. Novit.* 3680: 1-22, figs.

- 2066. Rozkosny,R. & E.P.Narshuk**, 1988, Family Stratiomyidae [in] Soos,A. & L.Papp (eds.), Catalogue of palaearctic Diptera 5: 42-96. Akademiai Kiado, Budapest.
- 2067. Rozkosny,R.**, 1991, A key to the Palaearctic species of Pherbellia Robineau-Desvoidy, with descriptions of three new species (Diptera, Sciomyzidae). Acta ent. bohemosl. 88: 391-406, 52 figs., 1 pl.
- 2068. Rozkosny,R.**, 1995, World distribution of Sciomyzidae based on the list of species (Diptera). Stud. dipterol. 2 (2): 221-238.
- 2069. Rozkosny,R., Gregor,F. & A.C.Pont**, 1997, The European Fanniidae (Diptera). Acta Sci. nat. Brno 31 (2): 1-80, 18 figs.
- 2070. Rozner,I. & G.Rozner**, 2009, Additional data to the Lamellicornia fauna of Turkey (Coleoptera, Lamellicornia). Natura Somogy. 15: 69-100.
- 2071. Rozner,I.**, 2010, Additional data to the hister beetle fauna of Turkey (Coleoptera, Histeridae). Natura Somogy. 17: 171-176.
- 2072. Rubtsov,I.A. & A.V.Yankovsky**, 1988, Simuliidae [in] Soos,A. & L.Papp (eds.), Catalogue of Palaearctic Diptera 3: 114-185, Akademiai Kiado, Budapest.
- 2073. Rubtsov,I.A.**, 1940, Fauna of U.S.S.R., no.23, Diptera 6 (6) (Simuliidae), 532pp.
- 2074. Ruggiero,M. (ed.)**, 2008, World Bee Checklist [ <http://www.itis.gov/beechecklist.html> ] [access 4.01.2011] [some species are missing; see Grace (2010)].
- 2075. Rung,A., Halbert, S.E., Ziesk,D.C. & R.J.Gill**, 2009, A leafhopper pest of plants in the mint family Eupteryx decemnotata Rey (Hemiptera, Auchenorrhyncha, Cicadellidae), Ligurian Leafhopper, new to North America. Insecta Mundi 88: 1-4, 8 figs.
- 2076. Ruschka,F.**, 1924, Die europaisch-mediterranen Eucharidinae und Perilampinae (Hym.,Chalc.) Der Chalcididenstudien IV und V.Teil. Dt. ent. Z. 1924: 92-96.
- 2077. Russo,C.di, Rampini,M. & I.Landeck**, 2007, The cave crickets of northeast Turkey and transCaucasian [sic!] regions, with descriptions of two new species of the genera Dolichopoda and Trogiophilus (Orthoptera, Rhaphidophoridae). J. Orth. Res. 16 (1): 67-76, figs.
- 2078. Ruthe,J.F.**, 1862, Deutsche Braconiden. Berl. Ent. Z. 6: 1-58.
- 2079. Ruzicka,J.**, 1993, Three new species of Choleva (Coleoptera, Leioididae, Cholevinae) from the Caucasus and Turkey with a key to species of the cisteloides group. Eur. J. Ent. 90: 337-348, figs.
- 2080. Ruzicka,J.**, 1994, A new species of Catopomorphus from Turkey (Coleoptera, Leioididae, Chovelinae). Fragm. ent. Roma 26 (1): 133-139, figs.
- 2081. Ruzicka,J.**, 1997, A new species of Attaephilus from Turkey (Coleoptera, Leioididae, Chovelinae). Ent. Probl. 28 (1): 57-59, figs.
- 2082. Ruzicka,J., Jansson,N. & M.Coşkun**, 2006, Complementary description of Catops hanusi (Coleoptera, Leioididae, Cholevinae), with notes on its bionomy and occurence in Turkey. Ent. Probl. 36 (2): 43-46, figs.
- 2083. Sabatinelli,G. & Katbeh-Bader,A.**, 2009, Madotrogus nikolajevi new species from Jordan with notes on the genus Madotrogus Reitter,1902 and its sbgenera (Coleoptera, Scarabaeidae, Melolonthinae, Rhizotrogini). Lambillionea 109: 427-431, figs.
- 2084. Sabatinelli,G. & M.Uliana**, 2009, Description of Pygopleurus keithi, n.sp. from North Syria (Insecta, Coleoptera, Scarabaeoidea, Glaphyridae) Boll. Mus. civ. Stor. nat. Venezia 60: 33-39, 12 figs.
- 2085. Sabatinelli,G.**, 1977, Note su alcuni Lucanidae e Scarabaeoidea floricoli di Turchia con descrizione di due nuove specie (Coleoptera). Fragm. ent. 13 (2): 71-96, figs.
- 2086. Sabatinelli,G.**, 2008, The Scarabs of the Levant Syria, Lebanon, Jordan, Palestine, Israel, Sinai. <http://www.glaphyridae.com/index.html>
- 2087. Sabatinelli,G.**, 2008, Pygopleurus katbehi sp.nov. di Giordania e Palestina e nota sinonimica Pygopleurus syriacus (Linnaeus,1758)=P.nabataeensis (Mitter,1996) (Coleoptera, Scarabaeoidea, Glaphyridae). Lambillionea 108: 149-152, figs.
- 2088. Sabbadini,A. & C.Pesarini**, 1992, Note su Purpuricenys budensis (Goeze) e specie affini (Coleoptera, Cerambycidae). Boll. Soc. Ent. Ital. 124 (1): 55-63.
- 2089. Sabrosky,C.W.**, 1941, An annotated list of the genotypes of the Chloropidae of the World (Diptera). Annls ent. Soc. America 34 (4): 735-765.
- 2090. Sabrosky,C.W.**, 1999, Family-group names in Diptera, an annotated catalog. Myia 10: 1-576.
- 2091. Sabrosky,C.W.**, 1961, A report on Chloropidae and Milichiidae from Afghanistan (Diptera). Opusc. ent. 26: 61-66.
- 2092. Sack,P.**, 1909, Die palaearktischen Spongostylinen. Abh. Senckenb. Nat. Ges. 30 (4): 501-548, Taf.19-22.
- 2093. Sack,P.**, 1913, Die Gattung Merodon Meigen (Lampetia Meig.,olim). Abh. Senckenb. Nat. Ges. 31 (4): 425-462, Taf. 24, 25.
- 2094. Sack,P.**, 1936, Cyrtidae (Acroceridae), [in] Lindner,E. (ed.), Die Fliegen der palaarktischen Region, Band iv/1, 36 S. 3 Taf. E.Schweizerbart'sche Verlag. Stuttgart.
- 2095. Sadeghi,H. & T.Zeegers**, 2005, Horse flies (Diptera, Tabanidae) from the province of Khorasan (Iran). Int. J. Dipterol. Res. 16 (2): 85-88.



- 2096. Sadeghi,R., Pourabad,R.F., Kazemi,M.H. & M.Hassanzadeh,** 2009, Introduction of some Heteroptera of Qurigol (Iran). *Munis Ent. Zool.* 4 (2): 498-500 [with numerous mis-spellings].
- 2097. Saether,O.A. & T.Andersen,** 1993, *Lobosmittia*, a new genus of Orthoclads from Tanzania and Turkey (Diptera, Chironomidae). *Tijdschr. Ent.* 136: 283-287, 6 figs.
- 2098. Saghaei,N., Ostovan,H., Shojaei,M. & R.Hayat,** 2009, Introduction to the Asilidae fauna (Insecta, Diptera) of Fars Province, Iran. *Turk. J. Zool.* 33: 187-200, map.
- 2099. Şahin,Y.,** 1984, Doğu ve Güney Doğu Anadolu Bölgeleri Akarsu ve Göllerindeki Chironomidae (Diptera) larvalarının teşhisi ve dağılışı. *Anadolu Üniversitesi Yayınları* no 57. 145s., 359 şek.
- 2100. Sajjad,A. & S.Saeed,** 2010, Floral host plant range of syrphid flies (Syrphidae, Diptera) under natural conditions in southern Punjab, Pakistan. *Pak. J. Bot.* 42 (2): 1187-1200.
- 2101. Salman,S.,** 1978, Ağrı Kars ve Artvin illerinin Orthoptera (Insecta) faunası üzerine taksonomik araştırmalar. 184 sayfa, şekil, Atatürk Üniv. Yay. no.490. Erzurum.
- 2102. Salur,A. & Ö. Özaraç,** 2004, Additional notes on the Odonata fauna of Çiçekdağı (Kırşehir) Turkey *G.Ü. J. Sci.* 17 (1): 11-19.
- 2103. Salur,A. & S.Kıyak,** 2006, Additional records for the Odonata fauna of East Mediterranean Region of Turkey. *Munis Ent. Zool.* 1 (2): 239-252.
- 2104. Salur,A. & S.Kıyak,** 2007, Additional records for the Odonata fauna of South-Western Anatolia, Part 1 Anisoptera *Munis Ent. Zool.* 2 (1): 63-78.
- 2105. Sama,G.,** 1982, Contributo allo studio dei coleotteri Cerambycidae di Grecia e Asia Minore. *Fragm. Ent.* 16 (2): 205-227.
- 2106. Sama,G., Buse,J. Orbach,E., Friedman,A-L-L., Rittner,O. & V.Chikatunov,** 2010, A new catalogue of the Cerambycidae (Coleoptera) of Israel with notes on their distribution and host plants. *Munis Ent. Zool.* 5 (1): 1-51, figs.
- 2107. Sama,G., Rapuzzi,P. & H.Özdikmen,** 2012, Preliminary report of the entomological surveys (2010,2011) of G.Sama and P.Rapuzzi to Turkey (Coleoptera, Cerambycidae). *Munis Ent. Zool.* 7 (1): 22-45.
- 2108. Samin,N., Sakenin,H., Imani,S. & M.Shojai,** 2011, A study on the Braconidae (Hymenoptera) of Khorassan province and vicinity, northeastern Iran. *Phegia* 39 (4): 137-143.
- 2109. Santos,C.M.D.,** 2008, Geographical distribution of Tabanomorpha (Diptera, Brachycera): Athericidae, Austroleptidae, Oreoleptidae, Rhagionidae, and Vermileonidae. *EntomoBrasilis* 1 (3): 43-50. [www.periodice.ebras.bio.br/ojs](http://www.periodice.ebras.bio.br/ojs) [access 15 Sept.,2011].
- 2110. Sarıbiyık,S. & A.Hasbenli,** 1997, Türkiye Syrphidae (Diptera) faunası için yeni kayıtlar. *Türk. ent. derg.* 21 (3): 225-232.
- 2111. Sarıbiyık,S. & A.Hasbenli,** 2006, Fauna of Syrphidae and Milesiinae (Diptera, Syrphidae) in the region of South-West Anatolia. *J. ent. Res. Soc.* 8 (1): 43-52.
- 2112. Sarıbiyık,S. & M.Aktaş,** 1996, Türkiye Syrphidae faunasına katkılar (Diptera, Syrphidae) I. Syrphinae. *Gazi Univ. Fen Bil. Derg.* 9 (1): 1-13, figs.
- 2113. Sarıbiyık,S.,** 2000, Türkiye Milesiinae (Diptera, Syrphidae) faunası için iki yeni kayıt. *Bitki Kor. Bül.* 40 (3/4): 179-181.
- 2114. Sarıbiyık,S.,** 2001, New records of the subfamily Milesiinae (Diptera, Syrphidae) from Turkey. *J. ent. Res. Soc.* 3 (3): 43-51.
- 2115. Sarıbiyık,S.,** 2003, Milesiinae fauna of Kahramanmaraş's [sic] Andırın town (Diptera, Syrphidae). *Kastamonu Eğit. Derg.* 11 (1): 159-164.
- 2116. Sarıbiyık,S.,** 2003, Spiximorpha worelli (Bradescu,1972) (Diptera, Syrphidae). New record for the fauna of Turkey. *J. ent. Res. Soc.* 5 (1): 13-16.
- 2117. Sarıbiyık,S.,** 2008, Contributions to the Syrphidae fauna of Turkey (Diptera, Syrphidae). *Ent. News* 119 (5): 501-508.
- 2118. Sarıbiyık,S.,** 2009, Ballıdağ Syrphidae faunası (Diptera). *Kastamonu Eğit. Derg.* 17 (2): 707-714.
- 2119. Sarıbiyık,S.,** 2009, Several rarely found new records for Turkish Syrphidae fauna (Diptera, Syrphidae). *J. ent. Res. Soc.* 11 (3): 37-490.
- 2120. Sarıbiyık,S.,** 2011, An investigation on Turkish Sphegina Meigen,1822 (Diptera, Syrphidae). *Munis Ent. Zool.* 6 (1): 433-435.
- 2121. Sarıbiyık,S.,** 2011, A new record for flower flies fauna of Turkey, Chrysotoxum lessonae (Giglio-Tos,1890) (Diptera, Syrphidae). *Munis ent. Zool.* 6 (1): 422-424.
- 2122. Sarıbiyık,S.,** 2011, A new record for flower flies fauna of Turkey Myolepta vara (Panzer),1798 (Diptera, Syrphidae). *Munis ent. Zool.* 6 (1): 446-448.
- 2123. Sarıbiyık,S.,** 2014, Checklist of Turkish flower flies (Diptera, Syrphidae). *Munis ent. Zool.* 9 (1): 570-585 [most of records from eastern Turkey are missing].
- 2124. Satar,A. & C.Özbay,** 2002, Bubopsis zarudnyi Alexandrov-Martynova,1926 new to Turkey (Neuroptera, Ascalaphidae). *Bol. Soc. Ent. Arag.* 30: 192, 1 fig.
- 2125. Satar,A. & C.Özbay,** 2004, Remarks on Neuroptera of southeastern Turkey. *Ent. fenn.* 15: 219-224.
- 2126. Satar,A.,** 2005, Dielocroce baudii (Griffini,1895), a new nemopterid for Anatolia (Neuroptera, Nemopteridae). *Ent. slovenica* 13: 65-69.

- 2127. Saussure, H. de**, 1852, Monographie des Guepes Solitaires ou de la tribu des Euméniens. L+286 pp., 22 Pls. Geneve & Paris.
- 2128. Saussure, M. H. de**, 1888, Synopsis de la tribu des Sagiens. Annls Soc. ent. Fr. 1888: 127-155, 5 pls.
- 2129. Savage, J.**, 2003, Revision of the genus *Thricops* Rondani (Diptera, Muscidae). Insect Syst. Evol. Suppl. 61: 1-143, figs.
- 2130. Schacht, W.**, 1983, Eine neue Bremsenart aus der Türkei (Diptera, Tabanidae). Entomofauna 4 (27): 483-492, 10 Abb.
- 2131. Schacht, W.**, 1984, Beitrag zu einigen palaearktischen Bremsenarten vornehmlich aus der Türkei (Diptera, Tabanidae). Entomofauna 5 (35): 483-498.
- 2132. Schacht, W.**, 1985, Kleiner Beitrag zur Bremsenarten der Türkei (Diptera, Tabanidae). Entomofauna 6 (21): 501-506, 8 Abb.
- 2133. Schacht, W.**, 1987, Ein weiterer Beitrag zur Bremsenfauna der Türkei (Diptera, Tabanidae). Entomofauna 8 (33): 485-494, 1 Taf.
- 2134. Schedl, W.**, 1999, Contribution to the singing cicadas of Israel and adjacent countries (Homoptera, Auchenorrhyncha, Cicadidae et Tibicinidae). Linzer biol. Beitr. 31 (2): 823-837, figs.
- 2135. Schedl, W.**, 2001, Eine neue Singzikade aus der Türkei, *Tettigetia turcica* nov. spec. (Cicadoidea, Tibicinidae). Linzer biol. Beitr. 33 (2): 1287-1290, figs.
- 2136. Schedl, W.**, 2003, Zur Morphologie Taxonomie und Verbreitung westpalaearktischer Klapperichiden-Arten (Hemiptera, Cicadoidea, Tibicinidae). Linzer biol. Beitr. 35 (1): 423-432, Abb.
- 2137. Scheerpeltz, O.**, 1961, Ergebnisse der Deutschen Afghanistan Expedition 1956 der Landessammlungen für Naturkunde in Karlsruhe. Staphylinidae (Coleoptera). Beitr. naturk. Forsch. SWDtl. 19 (3): 249-253.
- 2138. Scheerpeltz, O.**, 1979, Studien an den paläarktischen Arten der Gattung *Cryptobium* Mannerheim (Col. Staphylinidae, Subfam. Paederinae), mit einer Bestimmungstabelle dieser Arten und den Beschreibungen zweier neuer Arten. Mitt. münch. ent. Ges. 68: 121-143.
- 2139. Scheuchl, E. & C. Hazır**, 2008, Description of a new *Andrena* species from Turkey, *Andrena* (Notandrena) *selcuki* n.sp. (Hymenoptera, Apoidea, Andrenidae). Zootaxa 1763: 63-66, figs.
- 2140. Schiner, J. R.**, 1855, *Nemotelus signatus*, J.v.Frivaldsky. Eine neues Dipteron aus Ungarn. Verh. zool.- bot. Ver. Wien 5: 81-82, figs. 9-10 [correct author of the article is Schiner not Frivaldsky sensu auct. The latter is the collector and name proposer, only. A.Ö.K].
- 2141. Schletterer, A.**, 1890, Die Bienen Gattung *Dasypoda* Latr. Berl. ent. Z. 35 (1): 11-56, 1 Taf.
- 2142. Schmid-Egger, C.**, 2000, A revision of *Entomosericus* Dahlbom 1845 (Hymenoptera, Apoidea "Sphecidae"), with description of a new species. J. Hym. Res. 9: 352-362, figs.
- 2143. Schmid-Egger, C.**, 2002, About taxonomy of *Psenulus fulvicornis* Schenck (Hymenoptera, "Sphecidae"). *Bembix* 15: 13-18.
- 2144. Schmid-Egger, C.**, 2002, Key and new records for the western palaeartic species of *Gorytes* Latreille 1804 with description of a new species (Hymenoptera, Sphecidae, Bembicinae). Linzer biol. Beitr. 34 (1): 167-190, figs.
- 2145. Schmid-Egger, C.**, 2004, Revision of *Bembecinus* (Hymenoptera, Crabronidae) of the Palaearctic region. Notes faun. Gembloux 54: 3-69, figs.
- 2146. Schmid-Egger, C.**, 2005, *Proxiandrena* subgen. nov. und Revision der west- und zentralpalaarktischen Arten der *Andrena proxima*-Gruppe (Hymenoptera, Apidae). Revue suisse. Zool. 112 (4): 1029-1044.
- 2147. Schmid-Egger, C.**, 2005, *Sceliphron curvatum* (F. Smith, 1870) in Europa mit einem Bestimmungsschlüssel für die europäischen und mediterranen *Sceliphron*-Arten (Hymenoptera, Sphecidae). *Bembix* 19: 7-28, Abb.
- 2148. Schmid-Egger, C.**, 2007, Revision of the genus *Lithium* Fennimore with description of three new species (Insecta, Hymenoptera, Crabronidae, Pemphredoninae). Spixiana 30: 85-92, figs.
- 2149. Schmidt, E.**, 1953, Zwei neue Libellen aus dem Nahen Osten. Mitt. münch. ent. Ges. 43: 1-9, figs.
- 2150. Schmidt, J.**, 1977, Die Chrysididen der Türkei, insbesondere Anatoliens (Hymenoptera, Chrysididae). Linzer biol. Beitr. 9 (1): 91-129.
- 2151. Schmidt, J.**, 1994, Revision der mit *Agonum* (s.str.) *viduum* (Panzer, 1797) verwandten Arten (Coleoptera, Carabidae). Beitr. Ent. 44 (1): 3-51, figs.
- 2152. Schmidt, K.**, 1997, Zur Variabilität und Verbreitung von *Rhopalum beaumonti* Moczar (Hymenoptera, Sphecidae). *Bembix* 8: 43-45, 5 Abb.
- 2153. Schmidt, K.**, 2000, Bestimmungstabelle der Gattung *Cerceris* im Europa, dem Kaukasus, Kleinasien, Palaestina und Nordafrika (Hymenoptera, Sphecidae, Philanthinae). Stapfia 71: 1-325.
- 2154. Schmitschek, E.**, 1938, Beitrage zur Forstentomologie der Türkei I. Z. angew. Ent. 25 (2): 291-310, figs.
- 2155. Schneider, W.**, 1984, Description of *Calopteryx watsoni* spec. nov. from northeastern Turkey (Zygoptera, Calopterygidae). Odonatologica 13: 281-286, fig.
- 2156. Schneider, W.**, 1985, Dragonfly records from South East Turkey (Insecta, Odonata). Senckenberg. biol. 66: 67-78.

- 2157. Schneider, W.**, 1985, Die Gattung *Crocothemis* Brauer, 1868 in Nahen Osten (Insecta, Odonata, Libellulidae). *Senckenberg. biol.* 66: 79-88.
- 2158. Schneider, W.**, 1986, Erstnachweis von *Cordulia aenea* (Linnaeus, 1758) für die Türkei (Odonata, Anisoptera, Libellulidae). *Ent. Z., Frankf. a. M.* 96 (7): 92-93.
- 2159. Schneider, W.**, 1995, Die Verbreitung von *Pseudagrion syriacum* Selys 1887 und Erstnachweis der Art für die Türkei (Odonata, Zygoptera, Coenagrionidae). *Ent. Z., Frankf. a. M.* 105: 161-166.
- 2160. Schneider, W.G.**, 1845, Verzeichnis der von Herrn Prof. Dr. Loew in Sommer 1842 in der Türkei und Kleinasien gesammelten Neuropteren, nebst kurzer Beschreibung der neuen Arten. *Stettin ent. Ztg.* 6: 110-116, 133-135.
- 2161. Schrank, F. vom P.**, 1781, *Enumeratio Insectorum Austriae indigendorum*. 548 pp. Vindabona.
- 2162. Schubert, F.**, 1963, *Apion tauricum* n.sp. *Koleopt. Rdsch.* 40/41: 81-82.
- 2163. Schuh, R.T.**, 2008, Online Systematic Catalog of Plant Bugs (Insecta, Heteroptera, Miridae). <http://research.amnh.org/pbi/catalog/> [access 26 Dec., 2010].
- 2164. Schulthess, A.v.**, 1913, *Parapolybia* Saussure Vespidae sociales. *Mitt. schweiz. ent. Ges.* 12 (4): 152-164, Pls xi, xib.
- 2165. Schulthess, A.v.**, 1930, Vespidae in Ebner, R., *Hymenopteren aus Palaestina und Syrien* (Zoologische Studienreise von R. Ebner 1928 mit Unterstützung der Akademie der Wissenschaften in Wien). *Sitz. Akad. Wiss. Wien* 139: 25.
- 2166. Schumann, H.**, 1986, Family Calliphoridae [in] Soos, A. & L. Papp (eds.), *Catalogue of palaearctic Diptera* 12: 11-58. *Akademiai Kiado, Budapest*.
- 2167. Schwammberger, K.H.**, 1971, Zwei neue Bienen-Arten aus dem Iran (Hymenoptera, Apoidea). *Stuttg. Neitr. Naturk.* 225: 1-4.
- 2168. Schwammberger, K.H.**, 1975, Die bisher bekanntgewordenen Arten der Bienengattung *Rhopitoides* Schenck (Hymenoptera, Apoidea, Halictidae). *Senckenb. biol.* 56 (1/3): 57-63, Abb.
- 2169. Schwarz, M. & F. Gusenleitner**, 2001, Beitrag zur Kenntnis paläarktischer Anthophorini und Habropodini (Hymenoptera, Apidae). *Entomofauna* 22 (6): 53-92, Abb.
- 2170. Schwarz, M.**, 1979, Zur Kenntnis der aus Syrien beschriebenen *Nomada kervilleana* Pér. (Hymenoptera, Apoidea). *NachrBl. bayer. Ent.* 28 (5): 90-94.
- 2171. Schwarz, M.**, 1981, 1. Beitrag zur *Nomada*-Fauna der Türkei (Hymenoptera, Apoidea). *Entomofauna* 2 (28): 357-414, 63 Abb.
- 2172. Schwarz, M.**, 1987, Beitrag zur Klärung einiger von F. Morawitz beschriebener *Nomada*-Arten (Hymenoptera, Apoidea). *Entomofauna* 8 (14): 237-247.
- 2173. Schwarz, M.**, 1999, Anmerkungen zu einigen westpaläarktischen Arten der Gattung *Listrognathus* Tschek (Hymenoptera, Ichneumonidae, Cryptinae). *Linzer biol. Beitr.* 31 (1): 459-463.
- 2174. Schwarz, M.**, 1999, Bemerkungen, Korrekturen und Ergänzungen zu den von Gupta (1993) 1999 in "Taxonomic studies on the Megachilidae of North-Western India" behandelten *Coelioxys*-Arten (Hymenoptera, Apidae). *Entomofauna* 20 (8): 145-162.
- 2175. Schwarz, M.**, 2001, Revision der Gattung *Radoszkowskiana* Popov 1955 und ein Beitrag zur Kenntnis der Gattung *Coelioxys* Latreille 1809 (Hymenoptera, Apidae, Megachilinae). *Linzer biol. Beitr.* 33 (2): 1267-1286, 60 Abb.
- 2176. Scopoli, J.A.**, 1763, *Entomologia Carniolica*...420 pp. Vindobonae.
- 2177. Scott, H.**, 1929, An entomological tour in Kurdistan. *Entomologist's mon. Mag.* 65: 69-82, 3 pls.
- 2178. Secombe, A.K., Ready, P.D. & L.M. Huddleston**, 1993, A Catalogue of Old World Phlebotomine Sandflies (Diptera, Psychodidae, Phlebotominae). *Occ. Pap. syst. Ent.* 8: 1-57.
- 2179. Séguy, E.**, 1927, Dipteres (Brachyceres) (Asilidae). *Faune de France* 17: 193 pp. 384 figs. Paris.
- 2180. Séguy, E.**, 1927, Dipteres (Brachyceres) (Asilidae), [in] *Faune de France* 17: 1-193, 384 figs.
- 2181. Séguy, E.**, 1934, Dipteres (Brachyceres) (Muscidae Acalypterae et Scatophagidae), [in] *Faune de France* 28: 1-832, 27 pls. 903 figs.
- 2182. Seidenstücker, G.**, 1959, Heteroptera aus Anatolien II. *Revue Fac. Sci. Univ. Istanbul (B)* 23 (1/2): 119-129, figs.
- 2183. Seidenstücker, G.**, 1968, *Camptopus eberti* n.sp. eine neue Alydine aus Afghanistan (Heteroptera, Coreidae). *Reichenbachia* 10: 227-232.
- 2184. Seidenstücker, G.**, 1973, Zwei neue Landwanzen aus der Türkei (Hemiptera, Heteroptera, Lygaeidae). *Mitt. münch. ent. Ges.* 63: 185-193, 6 Abb.
- 2185. Seidenstücker, G.**, 1975, Über anatolische Schildwanzen (Heteroptera, Pentatomidae). *Reichenbachia* 15 (30): 259-268.
- 2186. Seidenstücker, G.**, 1980, *Eumecotarsus milidius* n. sp. von Ostanatolien (Heteroptera, Miridae). *Reichenbachia* 18 (19): 117-122.
- 2187. Sekerka, L.**, 2006, A new species of *Cassida undecimnotata* group from Turkey (Coleoptera, Chrysomelidae, Cassidinae). *Genus* 17 (4): 561-566, figs.
- 2188. Selfa, J. & E. Diller**, 1994, Illustrated key to the Western Palaearctic genera of Phaeogenini (Hymenoptera, Ichneumonidae, Ichneumoninae). *Entomofauna* 15 (20): 237-252, figs.
- 2189. Selys-Longchamps, E. de**, 1887, Odonates de l'Asie Mineure etc. *Ann. Soc. ent. Belg.* 31: 1-85.



- 2190. Semenov,A.**, 1891, Diagnoses Coleopterorum novorum ex Asia Centrali et Orientali III. Horae Soc. ent. ross. 25: 262-382.
- 2191. Şengonca,Ç.**, 1981, Die Neuropteren Anatoliens I. Chrysopidae. Mitt. münch. ent. Ges. 71: 121-137.
- 2192. Şengonca,Ç.**, 1981, Türkiye Nemopteridae (Insecta, Neuroptera) faunası üzerinde taksonomik araştırmalar II. Faunistik. Türk. bitki kor. derg. 5 (2): 101-114, figs.
- 2193. Serçe,Ö. & H.Koç**, 2005, Contributions to Tipulidae of Turkey (Insecta, Diptera). Gazi Univ. Fen Bilim. Derg. 18 (1): 39-50.
- 2194. Serri,S.**, 2004, New records of Blister Beetles for the fauna of Iran (Coleoptera, Meloidae). Fragm. ent. 36 (2): 247-251.
- 2195. Sert,O.**, 2004, Türkiye Tychius (Coleoptera, Curculionidae) faunası için yeni kayıtlar Türk. ent. Derg. 28 (4): 311-313.
- 2196. Sert,O.**, 2005, Akdeniz ve İç Anadolu Bölgesi'nde Ceutorhynchus Germar,1824 ve Tychius Germar,1817 (Coleoptera, Curculionidae) cinselerine bağlı türler üzerine faunistik çalışmalar. Türk. ent. derg. 29 (2): 135-149.
- 2197. Sertkaya,E., Üremiş,I. & A.Yiğit**, 2005, Natural efficiency of Caryedon palaestinus Southgate (Coleoptera, Bruchidae, Pachymerinae) feeding on the seeds of Mesquit, Prosopis farcta (Banks and Sol.) Meckride. Pakistan J. Biol. Sci. 8 (1): 85-88.
- 2198. Sevgili,H. & B.Çıplak**, 2000, The Orthoptera of Şanlıurfa province from the Mesopotamian part of Turkey. Ital. J. Zool. 67: 229-240.
- 2199. Sevgili,H. & K.-G.Heller**, 2003, A new species of the genus Isophya Brunner von Wattenwyl from Turkey (Orthoptera, Tettigoniidae, Phaneropterinae). Tijdschr. Ent. 146: 39-44, 12 figs.
- 2200. Sevgili,H.**, 2001, A new bushcricket species and notes on some less known species of the genus Poecilimon Fischer,1853 from Turkey (Orthoptera, Phaneropterinae). J. Orth. Res. 10 (1): 15-24, figs.
- 2201. Sevgili,H.**, 2003, A new species of Bushcricket (Orthoptera, Tettigoniidae) of the palaearctic genus Isophya (Phaneropterinae) from Turkey. Ent. News 114 (3): 129-137, figs.
- 2202. Sevgili,H.**, 2004, Review of the genus Leptophyes of Turkey with the description of a new species (Orthoptera, Phaneropterinae). Trans. am. Ent. Soc. 130 (1): 95-112, figs.
- 2203. Sevgili,H., Demirsoy,A. & B.Çıplak**, 2012, Description and bioacoustics of a new species of the genus Isophya (Orthoptera, Tettigoniidae [sic!], Phaneropterinae) from Turkey. Zootaxa 3361: 33-44.
- 2204. Shahbazvar,N., Sahragard,A., Manzari,S., Hosseini,R. & J.Hajizadeh**, 2010, A faunal study of whiteflies (Hemiptera, Aleyrodidae) and their parasitoids in Guilan province, Iran. Entomofauna 31 (17): 269-282.
- 2205. Shamshev,I. & S.Y.Kustov**, 2008, New and little known species of the dance-fly subgenus Xanthempis Bezzi, genus Empis L. (Diptera, Empididae) from the Caucasus. Ent. Obozr. 87 (4): 776-790, figs.
- 2206. Shamshev,I., Grootaert,P. & S.Kustov**, 2015, New data on the genus Hybos Meigen (Diptera, Hybotidae) from the Palaearctic Region. Zootaxa 3936 (4): 451-484, figs.
- 2207. Shatalkin,A.I.**, 2000, Keys to the palaearctic flies of the family Lauxaniidae (Diptera). Zool. Issledovaniya 5: 1-101, figs.
- 2208. Shinonaga,S.**, 2007, Muscidae from Pakistan (Diptera). Jap. J. Syst. Ent. 13: 267-311.
- 2209. Sichel,J. & O.Radoszkowski**, 1869-1870, Essai d'une monographie des Mutilles de l'ancien continent. Horae Soc. ent. ross. 6 (3) [1869]: 139-172; 6 (4) [1870]: 173-309, pls. 6-11.
- 2210. Sifner,F.**, 2004, Three new species of scatophagid flies from the Palaearctic region with a description of male Hexamitocera martineki (Diptera, Scathophagidae). J. Nat. Mus. (Nat. Hist. Ser.) 73: 105-110.
- 2211. Sifner,F.**, 2008, A catalogue of the Scathophagidae (Diptera) of the Palaearctic region, with notes on their taxonomy and faunistics. Acta ent. Mus. natn. Pragae 48 (1): 111-196.
- 2212. Sikes,D.S., Madge,R.B. & A.F.Newton**, 2002, A catalog of the Nicrophorinae (Coleoptera, Silphidae) of the world. Zootaxa 65: 1-304.
- 2213. Silkin,N.**, 2008, Gazi Üniversitesi Zooloji Müzesinde bulunan Cantharidae (Coleoptera) örneklerinin değerlendirilmesi. Yüksek lisans tezi. 159s. Publisher: Yükseköğretim Kurulu Ulusal Tez Merkezi [tez no: 234041] <http://tez2.yok.gov.tr/>
- 2214. Sinclair,B.J. & I.V.Shamshev**, 2014, Review of Clinocerinae (Diptera, Empididae) from the Caucasus, with description of three new species. Proc. Zool. Inst. RAS 318 (1): 40-47, figs.
- 2215. Sinclair,B.J. & J.M.Cumming**, 2006, The morphology higher level phylogeny and classification of the Empididae (Diptera). Zootaxa 1180: 1-172, figs.
- 2216. Sipahiler,F.**, 2010, Two new species of Trichoptera from northeastern Turkey (Rhyacophilidae, Sericostomatidae). Aquatic Insects 32 (1): 61-66, figs.
- 2217. Skartveit,J. & A.Nel**, 2012, Fossil Bibionidae (Diptera, Bibionomorpha) from the late Oligocene of Bes-Konak, Anatolia, Turkey. Zootaxa 3329: 51-63, 7 pls.
- 2218. Skartveit,J. & F.Kaplan**, 1996, The Bibionidae (Diptera) of Israel. Israel J. Ent. 30: 71-90, figs.
- 2219. Skartveit,J. & H.Koç**, 2007, New records of Bibionidae (Diptera) from Turkey. J. ent. Res. Soc. 9 (1): 49-52, 1 map.

- 2220. Skuhrava,M.,Mayram,Ş., Çam,H., Tezcan,S. & P.Can,** 2005, Gall midges (Cecidomyiidae, Diptera) of Turkey. *Türk. Ent. Derg.* 29 (1): 17-34.
- 2221. Smissen,J.v.d.,** 2003, Revision der europäischen und türkischen Arten der Gattung *Evagetes* Lepeletier,1845 unter Berücksichtigung der Geaderabweichungen (Hymenoptera, Pompilidae). *Verh. Ver. Naturw. Heimatforsch. Hamburg* 42: 1-253, figs.
- 2222. Smit,J.T. & C.G.Gutiérrez-Chacon,** 2008, A new species of the *Paragus serratus*-group from Yemen (Diptera, Syrphidae). *Zool. Meded., Leiden* 82 (20): 211-216, 5 figs.
- 2223. Smith,D.R.,** 1982, List of the Symphyta (Hymenoptera) of Israel with description of four new species. *Israel J. Ent.* 16: 1-25, 8 figs.
- 2224. Smith,F.,** 1874, Monograph of the genus *Xylocopa* Latr. *Trans. ent. Soc. London* 1874: 247-302.
- 2225. Solodovnikov,A.Y.,** 2002, Taxonomy and faunistics of some species of *Quedius* Stephens,1829 from the Caucasus and Asia Minor (Coleoptera, Staphylinidae). *Koleopt. Rdsch.* 72: 137-158, 22 figs.
- 2226. Soltani,A.A.,** 1978, Preliminary synonymy and description of new species in the genus *Dociostaurus* Fieber,1853 (Orthoptera, Acrididae, Gomphocerinae) with a key to the species in the genus. *J. Ent. Soc. Iran, Suppl.* 2: 1-93, 158 figs.
- 2227. Soos,A.,** 1984, Clusiidae [in] Soos,A. & L.Papp (eds.), *Catalogue of Palaearctic Diptera* 10: 11-14, Akademiai Kiado, Budapest.
- 2228. Soos,A.,** 1984, Trixoscelididae [in] Soos,A. & L.Papp (eds.), *Catalogue of Palaearctic Diptera* 10: 45-48, Akademiai Kiado, Budapest.
- 2229. Soos,A.,** 1984, Opomyzidae [in] Soos,A. & L.Papp (eds.), *Catalogue of Palaearctic Diptera* 10: 53-56, Akademiai Kiado, Budapest.
- 2230. Soos,A.,** 1984, Chyromyidae [in] Soos,A. & L.Papp (eds.), *Catalogue of Palaearctic Diptera* 10: 56-60, Akademiai Kiado, Budapest.
- 2231. Soos,A.,** 1984, Tethinidae [in] Soos,A. & L.Papp (eds.), *Catalogue of Palaearctic Diptera* 10: 107-110, Akademiai Kiado, Budapest.
- 2232. Soos,A.,** 1984, Family Platystomidae Soos,A. & L.Papp (eds.), *Catalogue of palaearctic Diptera* vol.9, 490pp. Akademiai Kiado, Budapest.
- 2233. Sorokina,V.S.,** 2009, Hover flies of the genus *Paragus* Latr. (Diptera, Syrphidae) of Russia and adjacent countries. *Ent. Obozr.* 88 (2): 466-487; *Ent. Rev.* 89 (3): 351-366, figs. [in English]
- 2234. Speight,M.C.D.,** 1991, *Callicera aenea*, *C.aurata*, *C.fagesii* and *C.macquartii* redefined, with a key to an notes on the European Callitera species (Diptera, Syrphidae). *Dipterists Digest* 10: 1-25, figs.
- 2235. Speight,M.C.D.,** 2011, Species accounts of European Syrphidae (Diptera), Glasgow 2011. *Syrph the Net*, the database of European Syrphidae, vol.65, 285 pp. *Syrph the Net* publications, Dublin.
- 2236. Springate,N.D., Burckhardt,D. & L.S.Springate,** 2011, New species of Megalodontesidae (Hym., Symphyta, Pamphiloidea) from North Africa and the Middle East. *Entomologist's Rec. J. Var.* 123 (3): 131-144.
- 2237. St.Quentin,D.,** 1964, Odonaten aus Anatolien und dem Irak. *Ent. Mitt. Z. Mus. Hamb.* 3: 49-51.
- 2238. St.Quentin,D.,** 1964, Die Odonaten der Sammelreise R.Petrowitz und F.Ressl aus Kleinasien. *Beitr. Ent.* 14: 421-426.
- 2239. St.Quentin,D.,** 1965, Zur Odonatenfauna Anatoliens und der angrenzenden Gebiete. *Annln naturh. Mus. Wien* 68: 531-552, figs.
- 2240. Stalling,T.,** 2010, A new species of ant-loving cricket, *Myrmecophilus* Berthold,1827 and comments on *M. nigricornis* (Chopard,1963) from the Middle East. *Zool. Middle East* 49: 89-94.
- 2241. Stary,J. & A.Freidberg,** 2007, The Limoniidae of Israel (Diptera). *Israel J. Ent.* 37: 301-357, figs.
- 2242. Stary,J. & P.Oosterbroek,** 2008, New records of West Palaearctic Limoniidae Pediciidae and Cylindrotomidae (Diptera) from the collections of the Zoological Museum, Amsterdam. *Zootaxa* 1922: 1-20.
- 2243. Steenis,J.van & J.A.W.Lucas,** 2011, Revision of the West Palaearctic species of *Pipizella* Rondani,1856 (Diptera, Syrphidae). *Dipterists Digest* 18: 127-180, figs.
- 2244. Steenis,J.van,** 2000, The West Palaearctic species of *Spilomyia* Meigen (Diptera, Syrphidae). *Mitt. schweiz. Ent. Ges.* 73 (1/2): 143-168, figs.
- 2245. Steenis,J.van,** 2010, A new species of the genus *Syritta* Le Peletier & Serville,1828 (Diptera, Syrphidae), with new distributional records of other *Syritta* species. *Norw. J. Ent.* 57: 111-119, figs.
- 2246. Stein,J.P.E.F.,** 1876, Einige neue dalmatinische griechische und kleinasiatische Tenthrediniden. *Stettin ent. Ztg.* 37: 53-61.
- 2247. Stein,P.,** 1916, Die Anthomyiden Europas. Tabellen zur Bestimmung der Gattungen und aller mir bekannten Arten, nebst mehr oder weniger ausführlichen Beschreibungen. *Arch. Naturg.* 81 A (10) [1915]: 1-224.
- 2248. Stierlin,G.,** 1861, Revision der europäischen Otiorhynchus-Arten. *Berl. ent. Z. (Beiheft)* 5: 1-344.
- 2249. Stigenberg,J. & F.Ronquist,** 2011, Revision of the Western Palearctic Meteorini (Hymenoptera, Braconidae, with a molecular characterization of hidden Fennoscandian species diversity. *Zootaxa* 3084: 1-95, figs.
- 2250. Stitz,H.,** 1912, Palpares aus der Sammlung des Berliner Museums. *Mitt. zool. Mus. Berlin* 6: 103-116, 10 figs.

- 2251. Stone, A.**, 1973, Anisopodidae, pp. 431-433, [in] Delfinado, M.D. & D.E. Hardy, A Catalog of the Diptera of the Oriental Region. University Press of Hawaii, Honolulu.
- 2252. Stonehouse, J., Sadeed, S.M., Harvey, A. & G.S. Haiderzada**, 2006, *Myiopardalis pardalina* in Afghanistan. Proc. 7th Int. Symp. Fruit Flies of Econ. Imp. 10-15 Sept., 2006, Salvador, Brazil: 1-12.
- 2253. Straka, J.**, 2005, A review of the genus *Tachysphex* (Hymenoptera, Apoidea) of Turkey, with description of four new species. Acta Soc. zool. Bohemosl. 69: 247-276, figs.
- 2254. Strumia, F.**, 2006, Contribution to the knowledge of Chrysidiidae fauna of Turkey (Hymenoptera, Aculeata). Frust. Ent. 30 (43): 55-92.
- 2255. Stubbs, A.E. & S.J. Falk**, 1983, British Hoverflies. An illustrated identification guide. 253pp. Pls., British Entomological & Natural History Society, London.
- 2256. Stuke, J.-H. & C. Kehlmaier**, 2008, Westpaläarktische Conopidae (Insecta, Diptera) in der Sammlung des Museums für Tierkunde der Staatlichen Naturhistorischen Sammlungen Dresden. Faun. Abh. (Dresden) 26: 137-147.
- 2257. Stuke, J.-H. & D.K. Clements**, 2008, Revision of the *Myopa testacea* species-group in the palaearctic region (Diptera, Conopidae). Zootaxa 1713: 1-26, figs.
- 2258. Stuke, J.-H.**, 2002, A new species of *Sicus* from Central Europe (Diptera, Conopidae). Mitt. Schweiz. ent. Ges. 75: 245-252, 17 figs.
- 2259. Stuke, J.-H.**, 2004, Eine neue *Myopa*-Art aus der östlichen Mediterraneis (Diptera, Conopidae). Stud. dipterolog. 11: 543-548, Abb.
- 2260. Stuke, J.-H.**, 2005, Bestimmung und Taxonomie der paläarktischen Conopiden (Diptera) I. Teil: Die *Physocephala rufipes* - Artengruppe. Stud. dipterolog. 12 (2): 369-384, Abb.
- 2261. Stuke, J.-H.**, 2006, *Thecophora pusilla* auct.- ein Artenkomplex (Diptera, Conopidae). Beitr. Ent. 56 (2): 269-279, figs.
- 2262. Stuke, J.-H.**, 2006, Erste Nachweise von *Lonchoptera nerana* Vaillant, 1989 aus der Türkei (Diptera, Lonchopteridae). Stud. dipterol. 13(2): 331.
- 2263. Stuke, J.-H.**, 2007, Sepsidenfunde aus Ostanatolien (Diptera, Sepsidae). Stud. dipterol. 13(2): 391-395.
- 2264. Stuke, J.-H.**, 2007, Bestimmung und Taxonomie der paläarktischen Conopiden (Diptera). 2. Teil: Die Gattung *Dalmanina* Robineau-Desvoidy, 1830. Beitr. Ent. 57 (1): 1-8, 6 figs.
- 2265. Stuke, J.-H.**, 2010, Psilidae und Micropezidae (Diptera) aus der Osttürkei. Stud. dipterolog. (2009) 16 (1/2): 106-108.
- 2266. Stuke, J.-H.**, 2014, A new genus of Conopidae from Europe (Diptera). Zootaxa 3795 (4): 472-482, figs.
- 2267. Stuke, J.-H., Hayat, R. & H. Özbek**, 2008, Records of notable Conopidae (Diptera) from Turkey. Faun. Abh. (Dresden) 26: 109-117, Abb.
- 2268. Stusak, J.M. & F. Önder**, 1982, A new species of *Dictyonota* Curtis, 1827 from Turkey (Heteroptera, Tingidae). Türk. Bitki kor. derg. 6: 67-74, figs.
- 2269. Sueur, J., Puissant, S. & J.-M. Pillet**, 2003, An eastern Mediterranean Cicada in the West: First record of *Tibicina steveni* (Krynicky, 1837) in Switzerland and France (Hemiptera, Cicadidae, Tibicininae). Revue fr. Ent. (N.S.) 25 (3): 105-111, figs.
- 2270. Sueyoshi, M.**, 2006, Comparative morphology of the male genitalia of Tephritidae and other Cyclorrhapha. Israel J. Ent. 35: 477-496, figs.
- 2271. Sullivan, G.T., Karaca, I., Özman-Sullivan, S.K. & K. Kara**, 2012, Tachinid (Diptera, Tachinidae) parasitoids of overwintered *Hyphantria cunea* (Drury) (Lepidoptera, Arctiidae) pupae in Hazelnut plantations in Samsun province, Turkey. J. ent. Res. Soc. 14 (1): 21-30, figs.
- 2272. Sumakov, G.**, 1915, Les especes paléarctiques du genre *Mylabris* Fabr. Horae Soc. ent. ross. 42: 1-71.
- 2273. Suwa, M.** 1987, The genus *Anthomyia* in Palaearctic Asia (Diptera, Anthomyiidae). Ins. matsum. (n.s.) 36: 1-37, figs.
- 2274. Svihla, V. & J. Hajek**, 2009, Taxonomic changes in Eastern Mediterranean *Malachius* (Coleoptera, Malachiidae). Acta ent. Mus. natn. Pragae 49 (1): 217-224, figs.
- 2275. Svihla, V.**, 1988, Revision of *Ischnomera* species from the western Palaearctic (Coleoptera, Oedemeridae). Acta ent. bohemoslov. 85 (3): 205-222, figs.
- 2276. Svihla, V.**, 1998, New species of the family Malachiidae (Coleoptera) for the fauna of Turkey. Klapalekiana 34: 233-237.
- 2277. Svihla, V.**, 1999, Contribution to the knowledge of the genus *Cantharis* L. and related genera from Turkey and adjacent regions (Coleoptera, Cantharidae). Ent. Basil. 21: 135-170.
- 2278. Svihla, V.**, 1999, Contribution to the knowledge of the genus *Cantharis* L. and related genera from Turkey and adjacent regions (Coleoptera, Cantharidae). Ent. Basiliensia 21: 135-170, figs.
- 2279. Svihla, V.**, 2008, Order Coleoptera, family Oedemeridae. [in] Löbl, I. & A. Smetana (Eds.). Catalogue of Palaearctic Coleoptera Vol. 5. Tenebrionoidea. pp. 353-369. Apollo Books, Stenstrup.
- 2280. Svihla, V.**, 2009, New species of the subfamily Malthininae (Coleoptera, Cantharidae) from the western Palaearctic Region. Acta ent. Mus. natn. Pragae 49 (1): 191-216, figs.



- 2281. Svihla, V.**, 2011, Supplementary notes on the family Oedemeridae (Coleoptera) as published in the Catalogue Coleoptera with the new data of distribution. *Klapalekiana* 47: 83-88.
- 2282. Svinski, J., Marshall, S. & E. Petersson**, 1999, Kleptoparasitism and phoresy in the Diptera. *Florida ent.* 82 (2): 179-197, figs.
- 2283. Syrovatka, O.**, 1995, Revision of *Empis* s.str. species (Diptera, Empididae) described by G. Strobl, Part I. *Eur. J. Ent.* 92: 497-511, figs.
- 2284. Szadziewski, R., Dominiak, P. & A. Tothova**, 2007, European Atrichopogon biting midges of the subgenus *Melochelela* (Diptera, Ceratopogonidae). *Polski pismo Ent.* 76: 267-284.
- 2285. Szadziewski, R., Gwizdalska-Kentzer, M. & E. Sontag**, 2007, Predatory biting midges of the genus *Sphaeromias* (Diptera, Ceratopogonidae) in Europe. *Polski pismo Ent.* 76: 293-302, figs.
- 2286. Szekessy, W.**, 1939, *Acrulia armeniaca* n.sp. (Col. Staph.). *Mitt. münch. ent. Ges.* 29: 374-376.
- 2287. Szépligeti, G. V.**, 1904, Hymenoptera, Fam. Braconidae. *Genera Ins.* 22: 1-253, 3 pls.
- 2288. Szilady, Z.**, 1915, Subgenus *Ochrops*, eine neue Untergattung der Gattung *Tabanus* L. 1761 (Dipt.). *Ent. Mitt.* 4 (4-6): 93-107, Taf.iii, iv.
- 2289. Szilady, Z.**, 1923, New or little known Horseflies (Tabanidae). *Biol. hung.* 1 (1). 1-39.
- 2290. Szilady, Z.**, 1941, Paläarktische Stratiomyiden. *Annls hist. nat. Mus. natn. hung.* 34: 88-101.
- 2291. Taeger, A. & S.M. Blank**, 2008, ECatSym - Electronic World Catalog of Symphyta (Insecta, Hymenoptera) program version 3.9. data version 34 - Digital Entomological Information, Müncheberg [access 27 1 2011].
- 2292. Taeger, A.**, 1998, Kommentare zur Biologie Verbreitung und Gefährdung der Pflanzenwespen Deutschlands (Hymenoptera, Symphyta), [in] Taeger, A. & Blank, S.M. (ed.), *Pflanzenwespen Deutschlands* (Hym. Symphyta). Kommentierte Bestandsaufnahme. 364+3 S., 8 Taf. Goecke & Evers.
- 2293. Taeger, A., Blank, S.M. & A.D. Liston**, 2010, World catalog of Symphyta (Hymenoptera). *Zootaxa* 2580: 1-1064, figs.
- 2294. Tarla, Ş., Doğanlar, M. & C. Gözüaık**, 2010, The species of *Oopristus* Steffan, 1968 (Hymenoptera, Torymidae, Toryminae, Monodontomerini) of Turkey, with descriptions of two new species. *Turk. J. Zool.* 34: 487-495, figs. [new species & new records].
- 2295. Taşar, E. G., Polat, A., Darılmaz, M. C., Türken, H., Aydoğan, Z., İncekara, Ü. & A. Kasapoğlu**, 2012, A good sample to concurrent fauna: Study on aquatic Coleoptera fauna (Adephaga and Polyphaga) of lake Van basin (Turkey), with some zoogeographic remarks. *J. ent. Res. Soc.* 14 (2): 27-37.
- 2296. Taşdemir, A. & Ustaoglu, M. R.**, 2005, Gölle Bölgesi içsularının Chironomidae ve Chaoboridae (Diptera) faunasının taksonomik yönden incelenmesi. *Ege Üniv. Su Ürün. Derg.* 22 (3/4): 377-384.
- 2297. Taşdemir, A.**, 2010, *Clunio* Haliday, 1855: A new chironomid genus for Turkey (Diptera, Chironomidae). *J. ent. Res. Soc.* 12 (3): 39-43, figs.
- 2298. Taşdemir, A., Ustaoglu, M. R. & S. Balık**, 2011, Contribution to the knowledge on the distribution of Chironomidae and Chaoboridae (Diptera, Insecta) species of lakes on Taurus mountain range (Turkey). *J. Ent. Res. Soc.* 13 (2): 15-25.
- 2299. Tatarnic, N. J. & G. Cassis**, 2012, The Halticini of the world (Insecta, Heteroptera, Miridae, Orthotylinae): generic reclassification, phylogeny, and host plant associations. *Zool. J. Linn. Soc.* 164 (3): 558-658, figs.
- 2300. Tavakoli, M. & G. Melika**, 2006, Two new species of *Timaspis* Meyr, 1881 from Iran (Hymenoptera, Cynipidae, Aylacini). *Folia ent. hung.* 67: 207-219, figs.
- 2301. Tavakoli, M., Melika, G. et al.**, 2008, New species of oak gallwaps [sic!] from Iran (Hymenoptera, Cynipidae, Cynipini). *Zootaxa* 1699: 1-64, figs.
- 2302. Taylor, B.**, 2010, The Ants of Egypt. [http://www.nottingham.ac.uk/~plzfg/ants/ants\\_of\\_egypt\\_2007/cover.htm](http://www.nottingham.ac.uk/~plzfg/ants/ants_of_egypt_2007/cover.htm) [access on 27 October 2010].
- 2303. Tereshkin, A. M.**, 2004, Illustrated key to the Western Palaearctic genera of the subtribe Cratichneumonina (sensu Heinrich) and taxonomic notes on European species of *Rugosculpta* Heinrich, 1967 (Hymenoptera, Ichneumonidae, Ichneumoninae, Ichneumonini). *Russ. ent. J.* 13 (4): 277-293, figs.
- 2304. Tereshkin, A. M.**, 2011, Illustrated key to the tribes of subfamilia Ichneumoninae and genera of the subtribe Amblytelina of Palaearctic (Hymenoptera, Ichneumonidae, Ichneumoninae, Ichneumonini). *Linzer biol. Beitr.* 43 (1): 597-711, figs.
- 2305. Tereshkin, A. M.**, 2009 [19.12.], Illustrated key to the tribes of subfamilia Ichneumoninae and genera of the tribe Platylabini of world fauna (Hymenoptera, Ichneumonidae). *Linzer biol. Beitr.* 41 (2): 1317-1608, figs.
- 2306. Terzo, M. & P. Rasmont**, 1997, *Ceratina zwakhalsi* et *Ceratina verhoeffi*, deux nouvelles especes de la région ouest-paléarctique (Hymenoptera, Apoidea, Xylocopinae). *Tijdschr. Ent.* 140: 221-236, 58 figs. 6 Tab.
- 2307. Terzo, M.**, 1998, Annotated list of the species of the genus *Ceratina* (Latreille) occurring in the Near East, with descriptions of new species (Hymenoptera, Apoidea, Xylocopinae). *Linzer biol. Beitr.* 30 (2): 719-743, 46 figs.
- 2308. Terzo, M.**, 1999, Revision du genre *Exoneuridia* Cockerell, 1911. *Belg. J. Ent.* 1: 137-152.

- 2309. Tezcan,S. & S.Bily**, 1998, Contribution to the study of the genus *Anthaxia* Eschscholtz,1829 (subgenus *Cratomerus* Solier,1833 and *Melanthaxia* Richter,1944) (Coleoptera, Buprestidae) of Turkey. *Türk. ent. derg.* 22 (3): 171-186.
- 2310. Tezcan,S.**, 1995, Contribution to the study of the genera *Acmaeodera* Eschscholtz and *Acmaeoderella* Cobos (Coleoptera, Buprestidae, Acmaeoderinae) of Turkey. *Türk. ent. derg.* 19 (1): 69-79.
- 2311. Tezcan,S., Karsavuran,Y. & E.Pehlivan**, 2011, Some additional notes on Apioninae (Coleoptera, Apionidae) fauna of Turkey. *Munis Ent. Zool.* 6 (2): 893-899.
- 2312. Tezcan,S., Karsavuran,Y., Pehlivan,E. & J.Hava**, 2004, Contribution to the Dermestidae (Coleoptera) fauna of Turkey alongwith new records. *Türk ent. derg.* 28 (1): 27-37.
- 2313. Tezcan,S., Karsavuran,Y., Pehlivan,E. & S.Anlaş**, 2004, Contribution to the knowledge of Scolidae (Hymenoptera) fauna of Turkey. *Türk. ent. Derg.* 28 (4): 247-252.
- 2314. Tezcan,S., Karsavuran,Y., Pehlivan,E., Anlaş,S. & E.Yıldırım**, 2005, Contribution to the knowledge of Vespidae (Hymenoptera, Aculeata) fauna of Turkey. *Türk. ent. Derg.* 29 (2): 101-110.
- 2315. Tezcan,S., Karsavuran,Y., Pehlivan,E., Keskin,B. & J.Ferrer**, 2004, Contributions to the knowledge of the Tenebrionidae (Coleoptera) from Turkey Part 1. Lagriinae, Pimeliinae, Bolitophaginae, Diaperinae. *Türk ent. derg.* 28 (2). 99-114.
- 2316. Tezcan,S., Karsavuran,Y., Pehlivan,E., Keskin,B. & J.Ferrer**, 2004, Contributions to the knowledge of the Tenebrionidae (Coleoptera) from Turkey Part 2. Opatrinae, Tenebrioninae, Adeliinae. *Türk ent. derg.* 28 (3). 163-180.
- 2317. Tezcan,S., Uhmman,G. & B.Keskin**, 2002, Notes on the Ant-like flower beetles (Coleoptera, Anthicidae, Anthicinae) of the ecologically managed Cherry orchards of western Turkey. *Baltic J. Coleopt.* 2 (1): 77-82.
- 2318. Theischinger,G.**, Weitere Steinfliegen (Plecoptera) aus Anatolien und Iran. *Z. ArbGem. Öst. Ent.* 28: 49-54, figs.
- 2319. Theischinger,G.**, 1976, *Leuctra holzschuhi* spec.nov., eine neue Steinfliege aus Iran (Plecoptera, Leuctridae). *Linzer biol. Beitr.* 8 (1): 289-292, 4 Abb.
- 2320. Theischinger,G.**, 1976, Steinfliegen (Plecoptera) aus Anatolien und Iran. *Z. ArbGem. Öst. Ent.* 27: 105-114, figs.
- 2321. Thomas,D.B.**, 1994, Taxonomic synopsis of the Old World asopine genera (Heteroptera, Pentatomidae). *Insecta mundi* 8 (3/4): 145-212, figs.
- 2322. Thompson,F.C. & A.C.Pont**, 1993, Systematic database of *Musca* names (Diptera). *Theses Zool.* 20, ii+219 pp. Koeltz Scientific Books, Koenigstein [date of publication 12.15.1993].
- 2323. Thompson,F.C. & E.Torp**, 1986, Synopsis of the European species of *Sphegina* Meigen (Diptera, Syrphidae). *Ent. scand.* 17: 235-269, figs.
- 2324. Thompson,F.C.**, 1975, The genus *Palumbia* Rondani (Diptera, Syrphidae). *Proc. Ent. Soc. Wash.* 77 (2): 194-211, figs.
- 2325. Thompson,F.C.**, 1997, Linnaean species of *Conops* (Diptera, Conopidae, Muscidae, Sciomyzidae, Syrphidae, & Tachinidae), with designations of lectotypes. *Ent. News* 108 (4): 265-272.
- 2326. Thomson,C.G.**, 1885, Notes hyménoptérologiques (Première partie Cryptidae). *Annls Soc. ent. Fr.* (6) 5: 17-32.
- 2327. Timmer,J.**, 1984, Two new horse flies from Turkey (Diptera, Tabanidae). *Ent. Ber.* 44: 74-79, 11 figs.
- 2328. Timon-David,J.**, 1955, *Iranopogon brandti*, n.gen., n.sp., Asilide xérophile d'Iran (Dipt.). *Bull. Soc. ent. Fr.* 60: 102-104.
- 2329. Tishechkin,Y.**, 2012, Two new species of the genus *Philaenus* (Homoptera, Aphrophoridae) from Iran. *Zool. Zh.* 91 (9) 2012: 1058-1061, figs. [Ent. Rev. 93 (1) (2013): 73-76, figs.]
- 2330. Tjeder,B.**, 1970, A new *Lertha* from Israel (Neur., Nemopteridae). *Ent. scand.* 1: 219-222.
- 2331. Tkalcu,B.**, 1977, Taxonomisches zu einigen palaearktischen Bienenarten (Hymenoptera, Apoidea). *Vestn. Cesl. Spol. Zool.* 41 (3): 223-239.
- 2332. Tkalcu,B.**, 1980, Quatre sous-especes nouvelles de Megachilidae de Turquie orientale (Hymenoptera, Apoidea). *Bull. Soc. ent. Mulhouse* 1980: 38-40.
- 2333. Tkalcu,B.**, 1992, Quatre taxa paléarctique nouveaux de la famille des Megachilidae. *Bull. Soc. ent. Mulhouse* 1992: 47-53.
- 2334. Tkalcu,B.**, 1992, New species of palaeartic *Osminiini*. *Acta Soc. zool. bohemosl.* 56: 211-227.
- 2335. Tkalcu,B.**, 1994, Trois nouveaux taxa d'abelles de Turquie (Hymenoptera, Apoidea). *Bull. Soc. ent. Mulhouse* 1994: 87-89.
- 2336. Tkalcu,B.**, 1994, *Anthophora* (*Paramegilla*) *lydia* sp.nov. aus der Türkei (Hymenoptera, Apoidea). *Entomofauna* 15 (44): 509-512, Abb.
- 2337. Toledano,L. & K.Rébl**, 2006, A new species of *Bembidion* Latreille from Nemrut Dağ, Turkey (Coleoptera, Carabidae). *Koleopt. Rdsch.* 76: 7-13, figs.
- 2338. Tomanovic,Z., Beyarslan,A., Çetin Erdoğan,Ö. & V.Zikic**, 2008, New records of Aphid parasitoids (Hymenoptera, Braconidae, Aphidiinae) from Turkey. *Period. Biol.* 110 (4): 335-338.

- 2339. Tomasovic, G.**, 1999, Notes sur les Asilidae paléarctiques (Diptera, Brachycera) (10 et 11). Description et répartition géographique de 2 espèces nouvelles de *Dasypogon* du groupe "diadema" (Fabricius, 1781). Bull. Soc. r. belge Ent. 135: 216-221, figs.
- 2340. Tomasovic, G., Weyer, G. van der & J. Dils**, 2009, A new species of the genus *Holopogon* from Turkey (Diptera, Asilidae). Phegea 37 (1): 22-26, figs.
- 2341. Tomov, V. & B. Gruev**, 1975, Chrysomelidae (Col.) collected by K.M. Guichard in Turkey, Greece and Yugoslavia. Trav. Sci. Univ. Plovdiv Bulgaria 13 (4): 133-151.
- 2342. Tomov, V.**, 1976, Eine neue *Cryptocephalus* Art (Coleoptera, Chrysomelidae) aus der Türkei. Acta zool. Bulgarica 5: 83-85.
- 2343. Tomov, V.**, 1984, *Cryptocephalinae* and *Galerucinae* from Turkey (Coleoptera, Chrysomelidae). Fragm. ent. Roma 17 (2): 373-378.
- 2344. Tonguç, A. & M. Barlas**, 2011, First record of *Xanthochlorinae* and new records of *Dolichopodinae* in the Turkish *Dolichopodidae* (Diptera) fauna. J. ent. Res. Soc. 13 (2): 117-121.
- 2345. Tonguç, A. & P. Grootaert**, 2013, A new palaearctic *Amblypsilopus* species (Insecta, Diptera, *Dolichopodidae*) from Turkey. J. ent. Res. Soc. 15 (1): 91-95, figs.
- 2346. Tonguç, A., Barlas, M. & I. Y. Grichanov**, 2013, New records of *Dolichopodidae* (Diptera, *Empidoidea*) from inner western Anatolia (Turkey). Turk. J. Zool. 37 (6): 713-716.
- 2347. Tonguç, A., Grichanov, I. & M. Kechev**, 2009, New records of the family *Dolichopodidae* (Diptera) from Turkey. Acta zool. bulg. 61 (2): 213-216, figs.
- 2348. Tonguç, A., Grichanov, I., Koç, H., Özgül, O. & M. Barlas**, 2010, Contributions to the *Dolichopodidae* (Diptera) fauna of Turkey. J. ent. Res. Soc. 12 (2): 103-107.
- 2349. Topkara, E. T. & S. Balık**, 2008, First record of the family *Hygrobiiidae* (Coleoptera, *Adephaga*) from Turkey. Annls Soc. ent. Fr. (n.s.) 44 (3): 315-316, figs.
- 2350. Toros, S.**, 1986, Some notes on *Hyadaphis tataricae* (Aizenberg) (Hom., *Aphididae*), new to Turkey. Türk. Bitki Kor. Derg. 10 (3): 141-148.
- 2351. Toros, S., Özdemir, I. & H. Çanakcıoğlu**, 2003, The *Betula* aphids of Turkey. Anz. Schädling. 76: 173-175.
- 2352. Townes, H. & M. Townes**, 1959, *Ichneumon*-Flies of America North of Mexico: I. Subfamily *Metopiinae*. Bull. U. S. natn. Mus. 216: ix+1-318, figs.
- 2353. Tozlu, G. & H. Özbek**, 2000, The tropical fig borer, *Batocera rufomaculata* (Coleoptera, *Cerambycidae*), new for Turkey. Zool. Middle East 20: 121-124.
- 2354. Tozlu, G. & H. Özbek**, 2000, Erzurum, Erzincan, Artvin ve Kars illeri *Buprestidae* (Coleoptera) familyası türleri üzerinde faunistik ve taksonomik çalışmalar I, II. Turk J. Zool. 24 (ek sayı): 51-78, 79-103.
- 2355. Tozlu, G. & K. Kara**, 2007, The first host record for *Zeuxia zejana* Kolomiets, 1971 (Diptera, *Tachinidae*) from Turkey. Turk. J. Zool. 31: 357-358.
- 2356. Tracy, J. L. & T. O. Robbins**, 2009, Taxonomic revision and biogeography of the *Tamarix*-feeding *Diorhabda elongata* (Brullé, 1832) species group (Coleoptera, Chrysomelidae, *Galerucinae*, *Galerucini*) and analysis of their potential in biological control of *Tamarix*. Zootaxa 2101: 1-152, figs.
- 2357. Trautmann, W.**, 1927, Die Goldwespen Europas. 194 pp. Uschman, Weimar.
- 2358. Trautmann, W.**, 1929, Beitrag zur Kenntnis der Goldwespen Cypern. Konowia 8: 154-158 [preoccupied names proposed].
- 2359. Tschorsnig, H.-P. & K. Kara**, 2002, A new species of *Bithia* (Diptera, *Tachinidae*) from Turkey. Stuttg. Beitr. Naturk. (A) 644: 1-4.
- 2360. Tschorsnig, H.-P.**, 2000, Three new species of Palearctic *Tachinidae* (Diptera). Stuttg. Beitr. Naturk. (A) 603: 1-9, figs.
- 2361. Tuatay, N.**, 1988, Türkiye Yaprakbitleri (Homoptera, *Aphididae*) I. *Aphidinae*, *Macropsophini* [sic!] (I. Kısım). Bitki Kor. Bült. 28 (1/2): 1-28.
- 2362. Tuatay, N.**, 1990, Türkiye Yaprakbitleri (Homoptera, *Aphididae*) II. *Aphidinae*, *Macropsophini* [sic!] (II. Kısım). Bitki Kor. Bült. 30 (1/4): 29-44.
- 2363. Tuatay, N.**, 1991, Türkiye Yaprakbitleri (Homoptera, *Aphididae*) III. *Aphidinae*, *Macropsophini* [sic!] (III. Kısım). Bitki Kor. Bült. 31 (1/4): 3-18.
- 2364. Tuatay, N.**, 1993, Türkiye Yaprakbitleri (Homoptera, *Aphididae*) IV. *Aphidinae*, *Aphidini* (I. Kısım). Bitki Kor. Bült. 33 (3/4): 83-106.
- 2365. Tuatay, N.**, 1999, Türkiye Yaprakbitleri (Homoptera, *Aphididae*) V. *Chaitophinae*, *Lachninae* ve *Thelaxinae*. Bitki Kor. Bült. 39 (1/2): 1-21.
- 2366. Tunç, I.**, 1985, On some *Thysanoptera* from the Middle Black Sea Region of Turkey. Türk. bitki kor. derg. 9: 217-224.
- 2367. Tuomikoski, R.**, 1959, *Sciariden* (Dipt.) aus Afghanistan, gesammelt von Dr. K. Lindberg. Annls ent. fenn. 25: 163-180.
- 2368. Tuomikoski, R.**, 1960, *Sciariden* (Dipt.) aus Afghanistan, gesammelt von Dr. K. Lindberg II. Annls ent. fenn. 26: 242-245.
- 2369. Turco, F. & M. A. Bologna**, 2007, Revision of the genus *Diaphorocera* Heyden, 1863 (Coleoptera, *Meloidae*, *Cerocomini*). Contr. Zool. 76 (2): 63-85, figs.



- 2370. Turco, F. & M.A. Bologna**, 2011, Systematic revision of the genus *Cerocoma* Geoffroy, 1762 (Coleoptera, Meloidae, Cerocomini). *Zootaxa* 2853: 1-71, figs.
- 2371. Turner, R.E.**, 1908, Remarks on the hymenopterous genus *Tiphia*. *Ann. Mag. nat. Hist.* (8) 2: 116-131.
- 2372. Turner, R.E.**, 1911, Notes on fossorial Hymenoptera.-III. *Ann. Mag. nat. Hist.* (8) 7: 297-310.
- 2373. Tüzün, A. & S. Yüksel**, 2010, Hymenoptera of Niğde province: Studies on Sphecidae fauna. *Afr. J. Biotechn.* 9 (28): 4466-4477 [with serious errors in text].
- 2374. Tüzün, A.**, 2004, Studies on Scoliidae (Insecta, Hymenoptera) fauna of Ankara Province. *F.Ü. Fen Mühend. Bilim. Derg.* 16 (1): 25-29.
- 2375. Tüzün, A., Bağrıaçık, N., Gülmez, Y. & M.A. Kırpık**, 2000, Studies on Eumenidae of Aegean Region (Insecta, Hymenoptera). *Entomofauna* 21: 197-212 [some new records are incorrect (see Gusenleitner, 2001)].
- 2376. Tüzün, A., Gülmez, Y. & N. Bağrıaçık**, 1999, Studies on Sphecidae of Aegean Region (Insecta, Hymenoptera). *Entomofauna* 20 (23): 381-388.
- 2377. Ulay, S.M. & S. Tezcan**, 1998, Contribution to the study of the genus *Anthaxia* Eschscholtz, 1829 (subgenus *Haplanthaxia* Reitter, 1911) (Coleoptera, Buprestidae) of Turkey. *Türk. ent. derg.* 22 (2): 109-121.
- 2378. Ülgentürk, S. & M.R. Ulusoy**, 1999, Ankara ilinde bulunan beyazsinek türleri (Homoptera, Aleyrodidae). *Türk. ent. Derg.* 23 (4): 259-268.
- 2379. Ülgentürk, S.**, 1999, Türkiye [sic!] faydalı faunası için yeni bir kayıt; *Leucopis silesiaca* Egger (Diptera, Chamaemyiidae). *Türk. ent. derg.* 23 (1): 75-80, figs.
- 2380. Ünal, M.**, 1997, Nevşehir ili Avanos çevresinin Orthopter'lerinin eko-faunası üzerine araştırmalar. *Priamus* 9 (1): 1-64.
- 2381. Ünal, M.**, 1999, Notes on the Orthoptera of western Turkey with description of a new genus and four new species. *J. Orth. Res.* 8: 243-255, figs.
- 2382. Ünal, M.**, 1999, Notes on Orthoptera of western Turkey with description of a new genus and four new species. *J. Orth. Res.* 8: 243-255, figs.
- 2383. Ünal, M.**, 2001, Description of a new species in the genus *Poecilimon* Fischer, 1853 (Orthoptera, Phaneropterinae) from North West Turkey. *Cent. ent. Stud., Misc. Pap.* 74: 1-4, figs.
- 2384. Ünal, M.**, 2002, First data on Orthoptera of Mount Köroğlu, N.W. Anatolia with description of three new taxa. *Ent. News* 113 (4): 275-288, figs.
- 2385. Ünal, M.**, 2003, Checklist of the Turkish Orthoptera. <http://www.members.tripod.com/Cesa88/orthtr.htm> (last accessed on 6th Sept., 2009).
- 2386. Ünal, M.**, 2003, New species of the genus *Poecilimon* Fischer (Orthoptera, Tettigoniidae, Phaneropterinae) from Turkey. *Trans. am. Ent. Soc.* 129 (3/4): 389-398, figs.
- 2387. Ünal, M.**, 2004, Distribution of forty-six species of the genera *Isophya* Brunner von Wattenwyl, *Poecilimon* Fischer and *Poecilimonella* Uvarov (Orthoptera, Tettigoniidae, Phaneropterinae) in Turkey with description of two new species. *Priamus* 11 (1/2): 1-16, figs.
- 2388. Ünal, M.**, 2005, Three short-winged species of *Chorthippus* Fieber from Turkey (Orthoptera, Acrididae, Gomphocerinae). *Ent. News* 116 (5): 283-290, 13 figs.
- 2389. Ünal, M.**, 2005, A new species of *Isophya* Brunner von Wattenwyl (Orthoptera, Tettigoniidae, Phanaeropterinae) from Turkey. *Ent. News* 116 (4): 209-216, figs.
- 2390. Ünal, M.**, 2005, Phanaeropterinae (Orthoptera, Tettigoniidae) from Turkey and the Middle East. *Trans. am. ent. Soc.* 131 (3/4): 425-448, figs.
- 2391. Ünal, M.**, 2006, Kırıkkale Orthopter'lerinin fauna ekolojisi ve taksonomisi üzerine araştırmalar. *Priamus* (suppl.) 3: 1-50.
- 2392. Ünal, M.**, 2006, Tettigoniidae (Orthoptera) from Turkey and the Middle East. *Trans. am. Ent. Soc.* 132 (1/2): 157-203, figs.
- 2393. Ünal, M.**, 2007, Genus *Asiotmethis* Uvarov (Orthoptera, Pamphagidae) from Turkey, with a checklist of known taxa. *J. Orthopt. Res.* 16 (2): 191-197, figs.
- 2394. Ünal, M.**, 2008, The Cyprian genus *Exodrymadusa* Karabağ (Orthoptera, Tettigoniidae). *Zootaxa* 1934: 40-46.
- 2395. Ünal, M.**, 2010, Phaneropterinae (Orthoptera, Tettigoniidae) from Turkey and the Middle East II. *Trans. am. Ent. Soc.* 136 (1/2): 125-183, figs. [citation of some references are incorrect!]
- 2396. Ünal, M.**, 2010, To the knowledge of the genus *Chorthippus* Fieber, 1853 (Orthoptera, Acrididae, Gomphocerinae) from Turkey with description of a new species. *Far east. Ent.* 215: 1-8, figs.
- 2397. Ünal, M.**, 2011, Taxonomic review of the subfamily Bradyporinae (Orthoptera, Tettigoniidae, Bradyporini, Ephippigerini) of Turkey, with description of new species and the relationship of the taxa. *Zootaxa* 2899: 1-42, figs.
- 2398. Ünal, M.**, 2013, Four new species of Tettigoniidae (Orthoptera) from Turkey. *Far east. Ent.* 256: 1-20, figs.
- 2399. Ünal, S. & E. Akkuzu**, 2009, Forest gall midge fauna (Diptera, Cecidomyiidae) of Turkey. *Res. J. Agr. Biol. Sci.* 5 (6): 915-922.

- 2400. Ünal,S. & E.Özcan,** 2005, Kastamonu yöresi Aphididae (Homoptera) türleri. Süleyman Demirel Üniv. Orman Fak. Derg. (A) 1: 76-83, figs.
- 2401. Unwin,D.M.,** 1981, A key to the families of British Diptera. Field stud. 5: 513-533, figs.
- 2402. Usmani,M.K.,** 2008, A new species of the genus *Aiolopus* Fieber (Oedipodinae, Acrididae) from Libya. Insecta Mundi 41: 1-14, figs.
- 2403. Ustaoglu,M.R., Balık,S. & A.Taşdemir,** 2005, Chironomidae fauna (Diptera, Insecta) of Gümlüdü Stream (İzmir). Turk. J. Zool. 29: 269-274, figs.
- 2404. Üstüner,T. & A.Hasbenli,** 2003, First record of the subfamily Beridinae (Diptera, Stratiomyidae) from Turkey. Stud. dipterol. 10 (1): 186-188.
- 2405. Üstüner,T. & A.Hasbenli,** 2004, A new species of *Oxycera* Meigen (Diptera, Stratiomyidae) from Turkey. Ent. News 115 (3): 163-167, figs.
- 2406. Üstüner,T. & A.Hasbenli,** 2007, A new species and some new records of the genus *Oxycera* (Diptera, Stratiomyidae) from Turkey. Ent. News 118 (2): 179-183, figs.
- 2407. Üstüner,T. & A.Hasbenli,** 2011, First record of the genus *Adoxomyia* (Diptera, Stratiomyidae) with four species from Turkey. Florida Ent. 94 (1): 64-70, 29 figs.
- 2408. Üstüner,T. & A.Hasbenli,** 2011, New data about *Xylomya* species from Turkey (Diptera, Xylomyidae). Florida Ent. 94 (4): 859-862, figs.
- 2409. Üstüner,T. & A.Hasbenli,** 2014, Two new species of *Lasiopa* (Diptera, Stratiomyidae) from Turkey. Zootaxa 3815 (1): 119-130, figs.
- 2410. Üstüner,T. & Hasbenli,A. & R.Rozkosny,** 2003, First record of *Hermetia illucens* (Linnaeus,1758) (Diptera, Stratiomyidae) from the Near East. Stud. dipterol. 10 (1): 181-185.
- 2411. Üstüner,T. & L.Kalyoncu,** 2005, A new faunistic record for Turkey: *Solva marginata* (Meigen,1820) (Diptera, Xylomyidae). Selçuk Univ. Sci. Art Fac. J. Sci. 26: 9-10.
- 2412. Üstüner,T.,** 2012, New data on *Pachygastrinae* (Diptera, Stratiomyidae) from Turkey. J. ent. Res. Soc. 14 (1): 115-118, figs.
- 2413. Üstüner,T., Hasbenli,A. & A.Aktümsek,** 2002, Contribution to subfamily Clitellariinae (Diptera, Stratiomyidae) fauna of Turkey. J. ent. Res. Soc. 4 (1): 19-24.
- 2414. Uvarov,B.P.,** 1921, Some new Orthoptera from the Caucasus. Entomologist's mon. Mag. (3) 7: 44-50.
- 2415. Uvarov,B.P.,** 1921, Notes on the Orthoptera in the British Museum I. The group of *Euprepocnemini*. Trans. ent. Soc. London 1921: 106-144.
- 2416. Uvarov,B.P.,** 1926, Orthoptera palaeartica critica II. Genus *Tropidopola* St. (Acrid). Eos 2: 149-177, figs.
- 2417. Uvarov,B.P.,** 1930, Orthoptera collected by M.Sureya Bey in Turkey. Eos 6: 349-373, figs.
- 2418. Uvarov,B.P.,** 1934, Studies in the Orthoptera of Turkey, Iraq and Syria. Eos 10: 21-119, figs.
- 2419. Uvarov,B.P.,** 1936, New Orthoptera from Cyprus. Ann. Mag. nat. Hist. 18: 505-515.
- 2420. Uvarov,B.P.,** 1939, New and less-known Palestinian Orthoptera. Ann. Mag. nat. Hist. (11) 4: 217-227, pl.9.
- 2421. Uvarov,B.P.,** 1939, New and less known Palaeartic Tettigoniidae (Orthoptera). Ann.Mag. nat. Hist. 4 (11): 132-138.
- 2422. Uvarov,B.P.,** 1940, Two new Orthoptera from Turkey. Ann.Mag. nat. Hist. 6: 522-527.
- 2423. Uygün,N. & H.Fürsch,** 1981, Die Hyperaspis-Arten der Türkei. NachrBl. bayer. Ent. 30 (1): 12-15, Abb.
- 2424. Uysal,M., Şahbaz,A. & I.Özdemir,** 2006, The aphid species (Homoptera, Aphididae) on poplars in Konya province of Turkey. Selçuk Univ., J. Fac. Agric. 20 (38): 143-149.
- 2425. Vaisanen,R.,** 1984, A monograph of the genus *Mycomya* Rondani in the Holarctic Region (Diptera, Mycetophilidae). Acta zool. fenn. 177: 1-346, figs.
- 2426. Vecht,J.van der & F.M.A.van Breugel,** 1968, Revision of the nominate subgenus *Sceliphron* Latreille (Hym., Sphecidae) (Studies on the *Sceliphronini*, Part I). Tijdschr. Ent. 111: 185-255, figs.
- 2427. Vereecken,N.J., Schwenninger,H., Gogala,A. & S.P.M.Roberts,** 2009, Mise a jour de la distribution de l'abeille du lierre, *Colletes hederæ* Schmidt & Westrich (Hymenoptera, Colletidae) en Europe. Osmia 3: 2-3, figs.
- 2428. Verves,Y.G. & L.A.Khrokalo,** 2006, Review of *Macronychiinae* (Diptera, Sarcophagidae) of the World. Vestn. zool. 40 (3): 219-239, figs.
- 2429. Verves,Y.G.,** 1986, Family Sarcophagidae [in] Soos,A. & L.Papp (eds.), Catalogue of palaeartic Diptera 12: 58-193. Akademiai Kiado, Budapest.
- 2430. Verves,Y.G.,** 2004, A review of the "Onesia" generic group (Diptera, Calliphoridae) Part 2. The species of genus *Bellardia* Robineau-Desvoidy. Far eastern Ent. 135: 1-23, figs.
- 2431. Vikhrev,N. & V.S.Sorokina,** 2009, Faunistic records of *Thricops Rondani* (Diptera, Muscidae) from Russia with description of two new species. Eur. Ent. J. 8 (3): 341-350, figs.
- 2432. Vikhrev,N.,** 2008, New data on the distribution and biology of the invasive species *Hydrotaea caenescens* (Wiedemann,1830) (Diptera, Muscidae). Zookeys 4: 47-53, figs.

- 2433. Vihrev,N.,** 2010, Revision of the key characters for the *Thricops nigrifrons* species-group (Diptera, Muscidae). ZooKeys 71: 15-22, figs.
- 2434. Vihrev,N.,** 2011, Review of the Palaearctic members of the *Lispe tentaculata* species-group (Diptera, Muscidae): revised key, synonymy and notes on ecology. Zookeys 84: 59-70, figs.
- 2435. Vihrev,N.,** 2011, Taxonomic notes on the *Lispe leucopsila* species-group (Diptera, Muscidae). Russian Ent. J. 20 (2): 215-218, figs.
- 2436. Vihrev,N.,** 2012, Review of the Oriental *Azelia* Robineau-Desvoidy,1830 (Diptera, Muscidae). Russian Ent. J. 21 (1): 97-100, figs.
- 2437. Vihrev,N.,** 2012, Notes on taxonomy of *Lispe* Latreille (Diptera, Muscidae). Russian Ent. J. 21 (1): 107-112, figs.
- 2438. Vihrev,N.E.,** 2012, Revision of the *Lispe longicollis*-group (Diptera, Muscidae). Zookeys 235: 23-39, figs.
- 2439. Vilhelmsen,L.,** 2003, Phylogeny and classification of the Orussidae (Insecta, Hymenoptera), a basal parasitic wasp taxon. Zool. J. Linn. Soc. 139: 337-418, figs.
- 2440. Villeneuve,J.,** 1936, Myodaires supérieurs peu connus ou inédits de la Palestine et de l'Anatolie. Konowia 15: 40-55.
- 2441. Vinokurov,N.N.,** 2010, Species of the genus *Salda* F. (Heteroptera, Saldidae) of the fauna of Russia and adjacent territories. Ent. Obozr. 89 (2): 423-437.
- 2442. Violovitch,N.A.,** 1974, A review of the palaearctic species of the genus *Chrysotoxum* Mg. (Diptera, Syrphidae). Ent. Obozr. 53: 196-217, figs.
- 2443. Viskens,G.,** 1995, Check List of the Heteroptera of Europe. <http://www.earthlife.net/insects/heteropt.html> [accessed on 16 Jan.,2010].
- 2444. Vogtenhuber,P.,** 2004, Neue Taxa von Pterelachisus aus der Türkei (Diptera, Tipulidae). Denisia 13: 347-350, figs.
- 2445. Vondracek,K.,** 1953, Results of the zoological scientific expedition of the National Museum in Praha to Turkey. 14. Hemiptera III. Homoptera-Psyllinea. Acta ent. Mus. natn. Pragae 27: 435-450.
- 2446. Voss,E.,** 1932, Monographie der Rhynchitiden-Tribus Rhynchitini 2. Gattungsgruppe Rhynchitina V.1. Teil der Monographie der Rhynchitinae-Pterocolinae. Koleopt. Rdsch. 18 (3/4): 153-189, figs.
- 2447. Voss,E.,** 1933, Monographie der Rhynchitiden-Tribus Rhynchitini 2. Gattungsgruppe Rhynchitina V.1. Teil der Monographie der Rhynchitinae-Pterocolinae. Koleopt. Rdsch. 19 (1/2): 25-56, figs.
- 2448. Voss,E.,** 1933, Nachtraegliches über palaearktische Arten der Subfamilie Rhynchitinae (Col., Curc.). Koleopt. Rdsch. 19 (3/4): 134-138.
- 2449. Voss,E.,** 1961, Ergebnisse der Deutschen Afghanistan Expedition 1956 der Landessammlungen für Naturkunde in Karlsruhe. Curculionidae (Coleoptera). Beitr. naturk. Forsch. SWDtl. 19 (3): 241-248, 2 figs.
- 2450. Vshivkova,T.S.,** 1985, Sialidae (Megaloptera) of Europe and the Caucasus. Ent. Obozr. 64: 146-157, figs.
- 2451. Vujic,A., Marcos-Garcia,M.A., Sarıbiyık,S. & A.Ricarte,** 2011, New data on the *Merodon* Meigen,1803 fauna (Diptera, Syrphidae) of Turkey including description of a new species and changes in the nomenclatural status of several taxa. Annls Soc. ent. Fr. (n.s.) 47 (1/2): 78-88, figs.
- 2452. Vujic,A., Radenkovic,S., Likov,L., Trifunov,S. & T.Nikolic,** 2013, Three new species of the *Merodon nigratarsis* group (Diptera, Syrphidae) from the Middle East. Zootaxa 3640 (3): 442-464, figs.
- 2453. Vujic,A., Radenkovic,S., Stahls,G., Acanski,J., Stefanovic,A., Veselic,S., Andric,A. & R.Hayat,** 2012, Systematics and taxonomy of the ruficornis group of genus *Merodon* (Diptera, Syrphidae). Syst. Ent. 37: 578-602, figs.
- 2454. Wager,E. & H.H.Weber,** 1964, Faune de France 67. Hétéropteres Miridae. 295 figs., 589 pp. Paris.
- 2455. Wagner,E.,** 1954, Revision der palaearktischen Arten der Gattung *Copium* Thbg. (Hem., Het. Tingidae). Dt. ent. Z. 1 (3/5): 200-209.
- 2456. Wagner,E.,** 1957, Beitrag zur Systematik der Gattung *Anthocoris* Fallén (Hem. Het. Anthocoridae). NachrBl. bayer. Ent. 6 (10): 101-104, (11): 109-112, 32 figs.
- 2457. Wagner,E.,** 1959, Beitrag zur Heteropterenfauna Anatoliens. Z. angew. Ent. 44: 102-113.
- 2458. Wagner,E.,** 1960, Die paläarktischen Arten der Gattung *Aelia* Fabricius 1803 (Hem. Het. Pentatomidae). Z. angew. Ent. 47: 149-195.
- 2459. Wagner,E.,** 1966, Ergebnisse zoologischer Sammelreisen in der Türkei: *Sciocoris resilli* nov. spec. , eine neue Pentatomidenart (Hem. Het.) aus der Türkei. Annln naturh. Mus. Wien 69: 447-449.
- 2460. Wagner,E.,** 1968, Contribution a la faune de l'Iran 7. Hémiptères Hétéroptères (pro parte). Annls Soc. ent. Fr. (N.S.) 4 (2): 437-453.
- 2461. Wagner,H.,** 1907, Beitrag zur Kenntnis der südafrikanischen Apioniden. Mitt. schweiz. ent. Ges. 11: 259-265.
- 2462. Wagner,R. Koç,H., Özgül,O. & A.Tonguç,** 2013, New moth flies (Diptera, Psychodidae, Psychodinae). Zool. Middle East 59 (2): 152-167, figs.
- 2463. Wagner,R.,** 1986, Einige Psychodiden aus der Türkei (Diptera, Psychodidae). Entomofauna 7 (6): 81-92, figs.



- 2464. Wagner, R.**, 1993, Einige neue europäische Psychodiden (Diptera, Nematocera, Psychodidae). Entomofauna 14 (24): 410-415, Abb.
- 2465. Wagner, R.**, 1995, Empididen aus dem Mittelmeerraum (Diptera, Empididae, Hemerodromiinae und Clinocerinae). Acta ent. Slovenica 3 (1): 5-23, figs.
- 2466. Wahis, R. & C. Schmid-Egger**, 2002, The genus *Eoferreola* Arnold, 1935 in the Palaearctis with description of a new species (Hymenoptera, Pompilidae). Notes faun. Gembloux 46: 39-73.
- 2467. Wahis, R.**, 2002, *Ctenagenia ozbeki* sp.n., Pompilide nouveau de Turquie et d'Asie mineure (Hymenoptera, Pompilidae, Pompilinae). Notes faun. Gembloux 49: 115-123, figs.
- 2468. Wahl, D.**, 1999, Classification and systematics of the Ichneumonidae (Hymenoptera). American Entomological Institute. <http://iris.biosci.ohio-state.edu/catalogs/ichneumonids/index.html>
- 2469. Walker, F.**, 1850-1856, Insecta Saundersiana or characters of undescribed insects in the collection of William Wilson Saunders, Esq. Vol. 1 Diptera (5 pts.) 474 pp. 8 Pls. London.
- 2470. Walker, F.**, 1858, List of the specimens of Homopterous Insects in the collection of the British Museum, Supplement. 380pp. London.
- 2471. Walker, F.**, 1873, Catalogue of the specimens of Hemiptera Heteroptera in the collections of the British Museum. Part vii. 213 pp. London.
- 2472. Waloff, N.**, 1953, Notes on the Orthoptera in Cyprus, April 1950. Proc. R. ent. Soc. London (A) 28 (1/3): 24-30.
- 2473. Wanat, M. & T. Mokrzycki**, 2005, A new checklist of the weevils of Poland (Coleoptera, Curculionoidea). Genus 16 (1): 69-117.
- 2474. Warchalowski, A.**, 1985, Revision der Gattung *Labidostomis* Germar, 1824 (Coleoptera, Chrysomelidae, Clytrinae). Polskie pismo Ent. 55: 621-765, figs.
- 2475. Warchalowski, A.**, 1993, *Smaragdina uyguni* n.sp., eine neue Art aus Südanatolien (Coleoptera, Chrysomelidae). Genus 4 (2): 129-132.
- 2476. Warchalowski, A.**, 1993, *Psylliodes dogueti* n.sp., eine neue Erdflöheart aus der Türkei (Coleoptera, Chrysomelidae, Halticinae). Genus 4 (4): 359-361.
- 2477. Warchalowski, A.**, 1998, Beschreibung der neuen Art *Derocrepis* (Aeschrocnemis) *whiteheadi* sp.n. und ihres Standortes in Kleinasien (Coleoptera, Chrysomelidae, Halticinae). Genus 9 (3): 361-365, figs.
- 2478. Warchalowski, A.**, 2004, *Labidostomis kantneri* sp.nov. from Iran (Coleoptera, Chrysomelidae, Clytrinae). Annales Zool. 54 (3): 557-559.
- 2479. Warchalowski, A.**, 2008, A review of the subgenus *Pachybrachys* Chevrolat, 1837 s.str. of Palaearctic Region (Coleoptera, Chrysomelidae, Cryptocephalinae). Genus 19 (2): 213-283, figs.
- 2480. Warncke, K.**, 1965, Beitrag zur Kenntnis der Bienengattung *Andrena* F. in der Türkei (Hymenoptera, Apoidea). Mitt. münch. ent. Ges. 55: 244-273, 6 Abb.
- 2481. Warncke, K.**, 1972, Westpalaäarktische Bienen der Unterfamilie Panurginae (Hym., Apidae). Polskie pismo Ent. 42 (1): 53-108.
- 2482. Warncke, K.**, 1974, Die Sandbienen der Türkei (Hymenoptera, Apoidea, *Andrena*) Teil A. Mitt. münch. ent. Ges. 64: 81-116.
- 2483. Warncke, K.**, 1975, Die Sandbienen der Türkei (Hymenoptera, Apoidea, *Andrena*), Teil B. Mitt. münch. ent. Ges. 65: 29-102, 30 Abb.
- 2484. Warncke, K.**, 1978, Über die westpalaearktischen Arten der Bienengattung *Colletes* Latr. (Hymenoptera, Apoidea). Polskie pismo Ent. 48: 329-370.
- 2485. Warncke, K.**, 1980, Die Bienengattung *Anthidium* Fabricius, 1804 in der Westpalaearktis und im turkestanischen Becken. Entomofauna 1 (10): 119-209, figs.
- 2486. Warncke, K.**, 1980, Die Bienengattungen *Nomia* and *Systropha* im Iran mit Ergänzungen zu den *Nomia*-Arten der Westpalaearktis. Linzer biol. Beitr. 12 (2): 363-384.
- 2487. Warncke, K.**, 1982, Die Holzbienen des Vorderen Orients (Hym., Apidae). Linzer biol. Beitr. 14 (1): 23-37.
- 2488. Warncke, K.**, 1982, Zur Systematik der Bienen- Die Unterfamilie *Nomadinae* (Hymenoptera, Apidae). Entomofauna 3 (8): 97-126, figs.
- 2489. Warncke, K.**, 1983, Über die einzige Allodape-Art in der Westpalaearktis, einem Vertreter einer sonst rein tropischen Bienengattung (Hymenoptera, Apidae). NachrBl. bayer. Ent. 32: 77-80, Abb.
- 2490. Warncke, K.**, 1983, Zur Kenntnis der Bienengattung *Pasites* Jurine, 1807 in der Westpalaearktis (Hymenoptera, Apidae, *Nomadinae*). Entomofauna 4 (21): 26-347, 98 figs.
- 2491. Warncke, K.**, 1984, Ergänzungen zur Verbreitung der Bienengattung *Halictus* Latr. in der Türkei (Hymenoptera, Apidae). Linzer biol. Beitr. 16 (2): 277-318.
- 2492. Warncke, K.**, 1988, Die Bienengattung *Osmia* Panzer, 1806, ihre Systematik in der Westpalaearktis und ihre Verbreitung in der Türkei, 2. und 3. Die Untergattungen *Tergosmia* und *Exosmia*. Entomofauna 9 (20): 389-403, 21 figs.
- 2493. Warncke, K.**, 1988, Die Bienengattung *Osmia* Panzer, 1806, ihre Systematik in der Westpalaearktis und ihre Verbreitung in der Türkei, 1. Untergattung *Helicosmia* Thomson, 1872 (Hymenoptera, Apidae). Entomofauna 9 (1): 1-45, 17 figs.

- 2494. Warncke, K.**, 1990, Die Bienengattung *Osmia* Panzer, 1806, ihre Systematik in der Westpaläarktis und ihre Verbreitung in der Türkei. 4. Die Untergattung *Platosmia* subgen. nov. Entomofauna 11 (28): 481-493, figs.
- 2495. Warncke, K.**, 1991, Die Bienengattung *Osmia* Panzer, 1806, ihre Systematik in der Westpaläarktis und ihre Verbreitung in der Türkei. 5. Die Untergattung *Pentadentostmia* subgen. nov. Entomofauna 12 (2): 13-28, figs.
- 2496. Warncke, K.**, 1991, Die Bienengattung *Osmia* Panzer 1806, ihre Systematik in der Westpaläarktis und ihre Verbreitung in der Türkei 10. Die Untergattung *Alidamea* Cress. Linzer biol. Beitr. 23 (2): 701-751, 46 Abb.
- 2497. Warncke, K.**, 1991, Die Bienengattung *Bytinskia* Mavr. (Hym., Apidae, Megachilinae). Linzer biol. Beitr. 23 (2): 483-489, Abb.
- 2498. Warncke, K.**, 1991, Die Bienengattung *Osmia* Panzer 1806, ihre Systematik in der Westpalaarktis und ihre Verbreitung in der Türkei 8. Die Untergattung *Cephalostmia* Sladen, 1916. Linzer biol. Beitr. 23 (1): 283-287, 4 Abb.
- 2499. Warncke, K.**, 1991, Die Bienengattung *Osmia* Panzer 1806, ihre Systematik in der Westpalaarktis und ihre Verbreitung in der Türkei 7. Die Untergattung *Foveostmia* nov. Linzer biol. Beitr. 23 (1): 267-281, 24 Abb.
- 2500. Warncke, K.**, 1992, Die westpaläarktischen Arten der Bienengattung *Sphecodes* Latr. (Hymenoptera, Apidae, Halictinae). Ber. Naturf. Ges. Augsburg 52: 9-64, figs. maps.
- 2501. Warncke, K.**, 1992, 2. Beitrag zur Systematik und Verbreitung der Bienengattung *Prosopis* F. in der Westpalaarktis (Hym., Apidae). Linzer biol. Beitr. 24 (2): 747-801, figs.
- 2502. Warncke, K.**, 1992, Die westpaläarktischen Arten der Bienengattung *Stelis* Panzer, 1806 (Hymenoptera, Apidae, Megachilinae). Entomofauna 13 (22): 341-376, figs.
- 2503. Warncke, K.**, 1992, Die westpalaarktischen Arten der Bienengattung *Coelioxys* Latr. (Hymenoptera, Apidae, Megachilinae). Ber. Naturf. Ges. Augsburg 53: 31-77, maps, figs.
- 2504. Weber, F.**, 1801, Observationes Entomologicae. xii + 116 pp. Kiliae.
- 2505. Weele, H.W.v.d.**, 1908, Ascalaphiden collections zoologiques du baron Edm. de Selys Longchamps Catalogue systématique et descriptif. Fasc. viii, 326 pp., 254 figs., 2 Pls., Bruxelles.
- 2506. Wei, C., Zubair, A. & S.A. Rizvi**, 2010, Shaoshia, an unusual new cicada genus from Pakistan with the description of a new species (Hemiptera, Cicadidae). Zootaxa 2421: 28-34, figs.
- 2507. Weiffenbach, H.**, 1967, Tenthredinidenstudien III (Hym., Tenthredinidae). Eine neue *Rhogogaster* aus Kleinasien. NachrBl. bayer. Ent. 16 (3/4): 17-20, 3 Abb.
- 2508. Weinberg, M. & R. Hayat**, 1997, Asilidae (Diptera) recorded in Turkey. Trav. Mus. Hist. Nat. "Grigore Antipa" 39: 161-168.
- 2509. Weise, J.**, 1884, Beitrag zur Chrysomeliden-Fauna von Amasia. Dt. ent. Z. 28 (1): 157-160.
- 2510. Weise, J.**, 1897, Neue Chrysomeliden aus Angora. Stettin ent. Ztg. 58 (1): 63-68.
- 2511. Weise, J.**, 1898, Über neue und bekannte Chrysomeliden. Ark. Naturg. 64 (1/2): 177-224.
- 2512. Weise, J.**, 1900, Neue Coleopteren aus Kleinasien. Dt. ent. Z. 1900 (1): 132-140.
- 2513. Wenzel, J.W.**, 1998, A generic key to the nests of hornets, yellowjackets, and paper wasps worldwide (Vespidae, Vespinae, Polistinae). Amer. Mus. Novit. 3224: 26 figs.
- 2514. Werner, F.**, 1901, Die Dermapteren- und Orthopterenfauna Kleasiens. Sitz. Akad. Wiss. Wien 110: 259-306, 2 Taf.
- 2515. Werner, F.**, 1939, Über einige Orthopteren aus Iran. Konowia 17: 125-137, 8 figs.
- 2516. Westwood, J.O.**, 1889, Revisio Insectorum Familie Mantidarum, speciebus novis aut minus cognitis descriptis et delineatis. 72 pp., Pls., Gurney & Jackson, London.
- 2517. Weyer, G. van de**, 2000, A new syrphid fly species of the *Paragus serratus* complex from Turkey (Diptera, Syrphidae). Phegea 28 (4): 149-152, figs.
- 2518. Weyer, G. van de**, 2010, A new species of *Paragus* Latreille, 1804 from Turkey (Diptera, Syrphidae). Phegea 38 (1): 16-20, figs.
- 2519. White, I. & K. Marquardt**, 1989, A revision of the genus *Chaetorellia* Hendel (Diptera, Tephritidae) including a new species associated with spotted knapweed, *Centaurea maculosa* Lam. (Asteraceae). Bull. ent. res. 79 (3): 453-487.
- 2520. White, I.M. & K.F.M. Goodger**, 2009, African *Dacus* (Diptera, Tephritidae); new species and data with particular reference to the Tel Aviv University Collection. Zootaxa 2127: 1-49, figs.
- 2521. White, I.M. & V.A. Korneyev**, 1989, A revision of the western Palaearctic species of *Urophora* Robineau-Desvoidy (Diptera, Tephritidae). Syst. Ent. 14: 327-374, figs.
- 2522. Whitmore, D.**, 2010, Systematics and phylogeny of *Sarcophaga* (Heteronychia) (Diptera, Sarcophagidae). [published online <http://hdl.handle.net/10805/941> [access 10 Sept. 2011] [nomenclatural acts of this thesis published by the author in 2011, but no citation is given!]. [a basic study on the *Sarcophaga*; highly recommended!]
- 2523. Whitmore, D.**, 2011, New taxonomic and nomenclatural data on *Sarcophaga* (Heteronychia) (Diptera, Sarcophagidae), with description of six new species [this is nomenclatural part of author's thesis, accessible online; however, no info or citation is given on this matter]. Zootaxa 2778: 1-57, figs.

- 2524. Wieczorek, K.**, 2009, A revision of the genus *Atheroides* Haliday, 1839 (Hemiptera, Aphididae, Chaitophorinae). Zool. Studies 48 (5): 693-708, figs.
- 2525. Wiedemann, C.R.W.**, 1821, *Diptera exotica. Pars I*, 244 pp. Tab. 2, Kiliae.
- 2526. Wiedemann, C.R.W.**, 1828, *Aussereuropäische zweiflügelige Insecten vol. 1*, xxxii + 608 pp., 7 Taf., Hamm.
- 2527. Wiedemann, C.R.W.**, 1830, *Aussereuropäische zweiflügelige Insecten vol. 2*, xii + 684 pp., Taf., Hamm.
- 2528. Willemse, F.**, 1980, Classification and distribution of the species of Eupholidoptera Ramme of Greece (Orthoptera, Tettigoniodea, Decticinae). Tijdschr. Ent. 123 (2): 39-69, 190 figs 2 pls.
- 2529. Willmann, R.**, 1973, Eine neue *Panorpa*-Art aus Kleinasien: *P. aspoecki* n.sp. (Mecoptera, Panorpidae). Ent. Z., Frankf. a. M. 83: 97-101, figs.
- 2530. Willmann, R.**, 1974, *Panorpa tatvana* n.sp. (Mecoptera). Ent. Mitt. Zool. Mus. Hamburg 4: 465-469, fig.
- 2531. Willmann, R.**, 1975, Die Gattung *Panorpa* (Insecta, Mecoptera) in der Türkei. Annln naturh. Mus. Wien 79: 543-564, figs.
- 2532. Willmann, R.**, 1976, Eine neue europäische *Panorpa* (Mecoptera, Panorpidae). Ent. Z., Frankf. a. M. 86: 60-64, figs.
- 2533. Wilson, S.W.**, 2005, Keys to the families of Fulgoromorpha with emphasis on planthoppers of potential economic importance in the southeastern United States (Hemiptera, Auchenorrhyncha). Florida Ent. 88 (4): 464-481, figs.
- 2534. Wingelmüller, A.**, 1938, Monographie der palaearktischen Arten der Tribus Cionini. Koleopt. Rundsch. 23: 143-221.
- 2535. Winkler, J.R.**, 1963, *Trichodes israelicus*, eine neue Buntkäferart aus Palestina (Coleoptera, Cleridae). Beitr. Ent. 13 (7/8): 890-893.
- 2536. Winkler, J.R.**, 1974, Cleridae (Coleoptera) of Afghanistan, with descriptions of new genera and species. Acta Univ. Carol.-Biol. 1972: 375-408.
- 2537. Winnertz, J.**, 1863, Beitrag zu einer Monographie der Pilzmücken. Verh. zool.-bot. Ges. Wien 13: 637-964, Taf.
- 2538. Winnertz, J.**, 1867, Beitrag zu einer Monographie der Sciarinen. Verh. zool.-bot. Ges. Wien 17: 1-187, 1 Taf.
- 2539. Winterton, S.L. & B.Gharali**, 2011, *Iranotrichia* gen.n., a new genus of Scenopinidae (Diptera) from Iran, with a key to window fly genera of the world. Zookeys 138: 75-92, figs.
- 2540. Winterton, S.L. & P.H.Kerr**, 2006, A new species of *Alloxytropus* Bezzi (Diptera, Scenopinidae, Proratinae). Zootaxa 1155: 41-50, figs.
- 2541. Winterton, S.L., Hauser, M. & H.B.M.Badrawy**, 2012, A remarkable new genus of stiletto flies from Egypt, with a key to Palaearctic genera of Phycinae (Diptera, Therevidae). Zookeys 184: 35-45, figs.
- 2542. Wirth, W.W.**, 1975, A revision of the Brine Flies of the genus *Ephydra* of the Old World (Diptera, Ephydriidae). Ent. scand. 6 (1): 11-44, figs.
- 2543. Wittmer, W.**, 1970, Zur Kenntnis der Gattung *Malthodes* (Coleoptera, Cantharidae). Ent. Arb. Mus. Frey 21: 13-107, figs.
- 2544. Wittmer, W.**, 1974, 57. Beitrag zur Kenntnis der palaearktischen Cantharidae und Malachiidae (Coleoptera). Fragm. ent. 10 (1): 1-20, figs.
- 2545. Wolf, H.**, 1968, Beitrage zur Kenntnis der Fauna Afghanistans: Pompilidae, Hym. Acta Mus. Morav. 53: 233-248.
- 2546. Wolf, H.**, 1970, Beitrag zur Kenntnis iranischer Wegwespen (Hym. Pompilidae). Stuttg Beitr. Naturk. 219: 1-6, figs.
- 2547. Wolf, H.**, 1994, Zur Kenntnis der Gattung *Tachyagetes* Haupt, 1930 (Hymenoptera, Pompilidae). Linzer Biol. Beitr. 26 (2): 907-921.
- 2548. Wolf, H.**, 1997, Wegwespen (Hymenoptera, Pompilidae) des Oberösterreichischen Landesmuseums Linz (Austria) aus Jordanien und Syrien I. Linzer biol. Beitr. 29 (2): 831-843, 29 figs.
- 2549. Wolf, H.**, 2004, Wegwespen (Hymenoptera, Pompilidae) des Oberösterreichischen Landesmuseums Linz (Austria) aus Syrien und Tunesien. Linzer biol. Beitr. 36 (2): 1153-1173, 27 Abb.
- 2550. Woznica, A.J. & A.Ö.Koçak**, 2009, New records of Turkish Heleomyzid flies (Diptera, Heleomyzidae). Dipteron 25: 77-81, 1 fig.
- 2551. Woznica, A.J.**, 2007, New records of the Turkish Sunflies (Diptera, Trixoscelididae) with description of a new *Trixoscelis* species. Ann. Upper Sil. Mus. (Ent.) 14-15: 59-64, figs.
- 2552. Woznica, A.J.**, 2008, *Eccoptomera promethei* Gorodkov, 1966 (Diptera, Heleomyzidae) - first record of the species in Europe. Dipteron 24: 50-52, 2 figs.
- 2553. Woznica, A.J.**, 2009, Order Diptera, family Trixoscelididae. Arthropod fauna of the UAE 2: 752-763, figs.
- 2554. Woznica, A.J.**, 2010, New records of heleomyzid flies (Diptera, Heleomyzidae) from Cyprus. Dipteron 26: 43-45.



- 2555. Xu,Z., Olmi,M. & J.He,** 2013, Dryinidae of the Oriental region (Hymenoptera, Chrysidoidea). Zootaxa 3614 (1): 1-460, figs.
- 2556. Xue,W.-Q. & Y.-F.Tong,** 2003, A taxonomic study on *Coenosia tigrina* species group (Diptera, Muscidae) in China. Ent. sinica 10 (4): 281-290, figs.
- 2557. Yağcı,Ş. & Dinçer,Ş.,** 1996, Türkiye Tabanidae (Diptera) faunası için yeni bir tür *Tabanus caucasius* Kröber,1925. Ankara Univ. Veter. Fak. Derg. 43: 357-359.
- 2558. Yağcı,Ş.,** 1997, Edremit (Balıkesir) yöresi Tabanidae (Diptera) türleri. Türk. Parazit. Derg. 21: 405-408.
- 2559. Yalın,F.B., Şirin,D., Taylan,M.S. & B.Çıplak,** 2004, *Demirsoyus* n.gen. (Orthoptera, Acrididae, Oedipodinae) and *D. salmani* n.sp. from the Mediterranean Anatolia with remarks on biogeography of the related genera. Trans. am. Ent. Soc. 130 (4): 425-437, figs. [with numerous mis-spellings in the literature cited!]
- 2560. Yaman,M. & Ş.Yağcı,** 2004, Hatay yöresindeki Tabanidae (Diptera) türleri üzerine araştırmalar. Türk. parazit. derg. 28 (2): 113-117.
- 2561. Yaran,M.,** 2009, Gaziantep ilinde meyve sinekleri (Diptera, Tephritidae) faunası ve sistematigi üzerine araştırmalar. 104s. [Thesis of MSc was published by the Council of Higher Education in 2011; access 10 12 2012]. [in this thesis diagnostic characters, measurements, and some images are clearly plagiarized from Küçük,M. (2003), PhD thesis].
- 2562. Yefremova,Z., Civelek,H.S., Boyadzhiev,P. Dursun,O. & A.Eskin,** 2011, A review of Turkish *Diglyphus* Walker (Hymenoptera, Eulophidae), with description of a new species. Annls Soc. ent. Fr. (n.s.) 47 (3/4): 273-279, figs.
- 2563. Yıldırım,E. & E.Kılıç,** 2008, Distributional checklist of the species of genus *Omophlus* (Insecta, Coleoptera, Alleculidae, Omophlinae) of Turkey. Linzer biol. Beitr. 40 (1): 961-967.
- 2564. Yıldırım,E. & E.Kılıç,** 2008, Distributional checklist of the species of genus *Omophlus* (Insecta, Coleoptera, Alleculidae, Omophlinae) of Turkey. Linzer biol. Beitr. 40 (1): 961-967.
- 2565. Yıldırım,E. & F.Strumia,** 2000, Contribution to the knowledge of Chrysididae fauna of Turkey. Part 1. Cleptinae (Hymenoptera, Chrysididae). Frust. Ent. 23 (36): 161-166.
- 2566. Yıldırım,E. & F.Strumia,** 2006, Contribution to the knowledge of Chrysididae fauna of Turkey. Part 3. Chrysidinae (Hymenoptera, Chrysididae). Linzer biol. Beitr. 38 (1): 973-984 [date of publication of 2.contribution of this paper was cited erroneously as "2005" by the authors].
- 2567. Yıldırım,E. & F.Strumia,** 2006, Contribution to the knowledge of Chrysididae fauna of Turkey. Part 2. Elampinae (Hymenoptera, Chrysididae). Linzer biol. Beitr. 38 (1): 961-972
- 2568. Yıldırım,E. & H.Özbek,** 1993, Polistinae (Hymenoptera, Vespidae) of Turkey. Türk. ent. derg. 17 (3): 141-156.
- 2569. Yıldırım,E. & H.Özbek,** 1995, New species of Eumenidae (Hymenoptera, Vespoidea). Türk. ent. derg. 19 (4): 241-246, figs.
- 2570. Yıldırım,E. & H.Özbek,** 1996, Erzurum ve çevre ile diğer bazı yörelerdeki Eumenidae (Hymenoptera, Vespoidea) türleri üzerinde faunistik ve sistematik çalışmalar. Türk. J. Zool. 20 (1): 113-147.
- 2571. Yıldırım,E. & H.Özbek,** 1996, Eumenidae of Turkey (Hymenoptera, Vespoidea). Türk. J. Zool. 20 (2): 189-209.
- 2572. Yıldırım,E. & H.Özbek,** 1997, Masaridae (Hymenoptera, Vespoidea) of Turkey. Atatürk Univ. Zir. Fak. Der. 28 (2): 222-226.
- 2573. Yıldırım,E. & H.Özbek,** 1999, Türkiye'nin Vespoidea (Hymenoptera, Aculeata) faunası üzerine bir değerlendirme (yeni kayıtlar ve bazı türler için yeni lokaliteler). Tr. J. Zool. 23 (Ek 2): 591-604.
- 2574. Yıldırım,E. & J.Gusenleitner,** 2001, Sapygidae (Hymenoptera, Aculeata) of Turkey. Linzer biol. Beitr. 33 (2): 671-675.
- 2575. Yıldırım,E. & J.Gusenleitner,** 2001, The present situation of the Vespidae-fauna (Hymenoptera, Aculeata) of Turkey. Linzer biol. Beitr. 33 (1): 217-221.
- 2576. Yıldırım,E. & J.Gusenleitner,** 2012, Contribution to the knowledge of the Vespidae (Hymenoptera, Aculeata) of Turkey, with a checklist of the Turkish species. Turk J Zool. 36 (3): 361-374.
- 2577. Yıldırım,E. & M.B.Bartalucci,** 2009, Tiphidae (Hymenoptera, Aculeata) of Turkey. Linzer Biol. Beitr. 41 (2): 2051-2065.
- 2578. Yıldırım,E. & R.Wahis,** 2011, The distribution and biogeography of Pompilidae in Turkey (Hymenoptera, Aculeata). Ent. faun. 63 (1): 23-34.
- 2579. Yıldırım,E. & T.Ljubomirov,** 2005, Contribution to the knowledge of Sphecidae and Crabronidae (Hymenoptera, Aculeata) fauna of Turkey. Linzer biol. Beitr. 37 (2): 1785-1808.
- 2580. Yıldırım,E. & T.Ljubomirov,** 2007, Faunistic records on Sphecidae and Crabronidae (Insecta, Hymenoptera) from Turkey with some taxonomical notes. Acta zool. Bulg. 59 (2): 115-124.
- 2581. Yıldırım,E.,** 2012, Contribution to the knowledge of the Sphecidae and Crabronidae (Hymenoptera, Aculeata) fauna of Turkey. Ent. faun. 64 (3): 73-82.
- 2582. Yıldırım,E., Çalmaşur,Ö. & M.Madl,** 2002, Leucospidae of Turkey (Hymenoptera, Chalcidoidea). Linzer biol. Beitr. 34 (2): 1185-1189.


- 2583. Yıldırım,E., Kopetz,A. & Y.Bulak,** 2011, Contribution to the knowledge of the Cantharidae (Coleoptera) fauna of Turkey. Linzer biol. Beitr. 43 (2): 1641-1646.
- 2584. Yıldırım,E., Moulet,P., Külekçi,G. & B.Yeşim,** 2010, Contribution to the knowledge of Reduviidae (Hemiptera) fauna of Turkey. Linzer biol. Beitr. 42 (1): 825-831.
- 2585. Yıldırım,E., Polat,A.,Bulak,Y.,Kılıç,E. & V.Novak,** 2013, Contribution to the knowledge of the Alleculinae (Coleoptera, Tenebrionidae) fauna of Turkey. Linzer biol. Beitr. 45 (1): 1011-1016.
- 2586. Yıldırım,E., Yazıcı,G. & N.Karakurt,** 2014, Contribution to the knowledge of the Scutelleridae (Hemiptera, Heteroptera) fauna of Turkey. Turk. J. Zool. 38: 544-551, figs.
- 2587. Yıldırım,E.M., Civelek,H.S., Çıkman,E., Dursun,O. & A.Eskin,** 2010, Contributions to the Turkish Braconidae (Hymenoptera) fauna with seven new records. Türk. ent. Derg. 34 (1): 29-35.
- 2588. Yılmaz,E., Karsavuran,Y. & Ü.Zeybekoğlu,** 2009, Aydın, İzmir ve Manisa illeri mısır alanlarında belirlenen Cixiidae ve Delphacidae (Homoptera) familyalarına bağlı türler üzerine araştırmalar. Türk. ent. Derg. 33 (1): 63-71.
- 2589. Yılmaz,T. & A.Beyarslan,** 2009, A new species of Chelostes Van Achterberg,1990 (Hymenoptera, Braconidae, Brachistinae) from Turkey. Biologia 64 (2): 340-342, 8 figs.
- 2590. Yu Dicky,S. & K.Horstmann,** 1997, A catalogue of world Ichneumonidae. Mem. Amer. Ent. Inst. 58 (1/2): 1-1558.
- 2591. Yücel,A.,** 1994, Türkiye faunası için yeni bir tür: Caryedon palestinicus [sic!] Southgate (Coleoptera, Bruchidae, Pachymerinae). Türk. ent. derg. 18 (1): 35-39, 2 şekil.
- 2592. Yunakov,N.N.,** 2006, Contribution to a revision of the weevil genus Brachysomus Schoenh. (Coleoptera, Curculionidae, Entiminae). Description of new taxa. Proc. Russian Ent. Soc. 77: 294-329, figs.
- 2593. Yurtcan,M. & A.Beyarslan,** 2002, The species of Tryphoninae (Hymenoptera, Ichneumonidae) in Turkish Thrace. Turk. J. Zool. 26: 77-95, 32 figs. [an important work for Turkish Ichneumonidae].
- 2594. Yurtcan,M. & A.Beyarslan,** 2007, Six new Ichneumonidae species from Turkey; with special reference to the rare species Zabrachypus tenuiabdominalis (Uchida,1941) (Hymenoptera, Ichneumonidae). Ent. News 117 (5): 540-544.
- 2595. Yurtcan,M., Beyarslan,A. & J.Kolarov,** 1999, Investigation on the Ichneumonidae (Hymenoptera) fauna of Turkey V. Diplazontinae and Ichneumoninae. Acta ent. bulg. 1: 34-36.
- 2596. Yurtcan,M., Beyarslan,A. & J.Kolarov,** 2002, The species of Tryphoninae (Hymenoptera, Ichneumonidae) in Turkish Thrace. Turk. J. Zool. 26: 77-95.
- 2597. Yurtsever,S.,** 2001, A preliminary study on the Ladybirds (Coleoptera, Coccinellidae) of Edirne in Norh-Western Turkey. Turk. J. Zool. 25: 71-75.
- 2598. Zachvatkin,A.A.,** 1946, Studies on the Homoptera of Turkey. Trans. R. ent. Soc. London 97 (6): 149-176, figs.
- 2599. Zahniser,J.N. & C.H.Dietrich,** 2013, A review of the tribes of Deltocephalinae (Hemiptera, Auchenorrhyncha, Cicadellidae). Eur. J. Tax. 45: 1-211, figs. [very important work but bibliography incomplete].
- 2600. Zaitzev,F.A.,** 1945, New species of fruit flies from Transcaucasia (Diptera, Tephritidae). Soobshchen. Akad. Nauk. Gruz.SSR 6: 377-380.
- 2601. Zaitzev,V.F.,** 1966, Parasitic flies of the family Bombyliidae (Diptera) in the fauna of Transcaucasia. 375 pp. Publ. Nauka, Moscow.
- 2602. Zaitzev,V.F.,** 1984, Ulidiidae [in] Soos,A. & L.Papp (eds.), Catalogue of Palaearctic Diptera 9: 59-66, Akademiai Kiado, Budapest.
- 2603. Zaitzev,V.F.,** 1989, Family Bombyliidae [in] Soos,A. & L.Papp (eds.), Catalogue of palaearctic Diptera 6: 43-168. Akademiai Kiado, Budapest.
- 2604. Zaitzev,V.F.,** 1999, On the fauna of flies of the family Bombyliidae (Diptera) of Israel V. Ent. Obozr. 78: 703-718, figs. [Ent. Rev. 79 (6): 640-653, figs.].
- 2605. Zaitzev,V.F.,** 2000, New species of the genus Petrorossia Bezzi (Diptera, Bombyliidae) from Middle Asia. Ent. rev. 80 (2): 209-212, figs. [Ent. Obozr. 79 (2): 482-486, figs.]
- 2606. Zaitzev,V.F.,** 2000, A revision of the genus Pipunculopsis Bezzi,1925 (Diptera, Bombyliidae). Ent. rev. 80 (5): 578-585, figs. [Ent. Obozr. 79 (4): 936-944, figs.]
- 2607. Zaitzev,V.F.,** 2001, Three new species of the family Bombyliidae (Diptera) from Israel. Ent. rev. 81 (4): 426-429, figs. [Ent. Obozr. 80 (4): 896-900, figs.]
- 2608. Zaitzev,V.F.,** 2002, New species of the family Bombyliidae (Diptera) from the Palaearctic Region. Ent. rev. 82 (7): 792-796, figs. [Ent. Obozr. 81 (2): 439-444, figs.]
- 2609. Zaitzev,V.F.,** 2007, Contributions to the palaearctic fauna of the Dipteran families Bombyliidae and Mythicomyiidae (Diptera) I. Ent. rev. 87 (2): 159-173, figs. [Ent. Obozr. 86 (1): 83-99, figs.]
- 2610. Zakharenko,A.V.,** 1987, Neuroptera of the USSR I.Mantispidae. Ent. Obozr. 1987 (3): 621-626, figs.
- 2611. Zampetti,M.F.,** 1981, Contributo alla conoscenza dei Bruchidi di Turchia I. Fragn. ent. 16 (1): 73-87.
- 2612. Zampetti,M.F.,** 1984, Contributo alla conoscenza dei Bruchidi di Turchia II. Fragn. ent. 17 (2): 395-406.

- 2613. Zanden, G. van der**, 1989, Neue oder wenig bekannte Arten und Unterarten der palaearktischen Megachiliden (Insecta, Hymenoptera, Apoidea, Megachilinae). Ent. Abh. 53 (6): 71-86, 12 figs.
- 2614. Zanden, G. van der**, 1992, Neue Arten der paläarktischen Osmiini (Insecta, Hymenoptera, Apoidea, Megachilidae). Linzer biol. Beitr. 24 (2): 817-827.
- 2615. Zanden, G. van der**, 1996, Neue Arten und Synonymie bei paläarktischen Bauchsammlern (Hymenoptera aculeata, Apoidea, Megachilidae). Linzer biol. Beitr. 28 (2): 883-895, 8 Abb.
- 2616. Zarazaga, M.A.A.**, 1983, A new synonymy in Turkish Apion. Türk. Bitki kor. derg. 7: 105.
- 2617. Zeegers, T.**, 2005, Taxonomy and distribution of the horsefly-genus *Therioplectes* Zeller (Diptera, Tabanidae). Stud. dipterol. 12: 337-355, figs.
- 2618. Zeegers, T.**, 2011, New and little known Rhinophoridae (Diptera) from Turkey. Stuttg. Beitr. Naturk. (A) (n.s.) 4: 313-320, figs.
- 2619. Zerche, L.**, 1996, *Deliphrosoma freudeorum* spec. nov. aus der Osttürkei (Insecta, Coleoptera, Staphylinidae, Omaliinae). Reichenbachia 31: 175-177.
- 2620. Zerova, M.D. & L.Y. Seryogina**, 2009, A review of *Eurytoma pistaciae* species group (Hymenoptera, Eurytomidae) with description of two new species. Vestn. zool. 43 (1): 31-38, figs.
- 2621. Zerova, M.D. & L.Y. Seryogina**, 2009, A review of Palaearctic species of the *Eurytoma cynipsea* Group (Hymenoptera, Eurytomidae) with a description of a new species from Iran. Ent. rev. 89 (6): 721-729 [Zool. Zh. 88 (8): 951-959]
- 2622. Zerova, M.D., Mehrnejad, M.R., Gharaei, B. & I.Y. Seryogina**, 2004, Two new species of the genus *Eurytoma* (Hymenoptera, Eurytomidae) from Iran. Vestn. zool. 38 (1): 81-84, figs.
- 2623. Zerova, M.D., Seryogina, L.Y. & Y. Karimpour**, 2008, New species of the chalcidoid wasps of the families Eurytomidae and Torymidae (Hymenoptera, Chalcidoidea) from Iran. Vestn. zool. 42 (6): 101-108, figs.
- 2624. Zerova, M.D., Seryogina, L.Y., Melika, G. et al.**, 2003, New genus and new species of cynipid gall inducing wasp (Hymenoptera, Cynipidae) and new species of chalcid wasps (Hymenoptera, Chalcidoidea) from Israel. J. ent. Res. Soc. 5 (1): 35-49.
- 2625. Zettel, H. & A. Beyarslan**, 1992, Über Agathidinae aus der Türkei (Hymenoptera, Braconidae). Entomofauna 13 (5): 121-128, figs.
- 2626. Zetterstedt, J.W.**, 1842-1860, *Diptera Scandinaviae Disposita et descripta*. 14 vols. (6609pp.) Lund.
- 2627. Zeuner, F.E.**, 1941, The classification of the Decticinae hitherto included in *Platycleis* Fieb. or *Metrioptera* Wesm. (Orthoptera, Saltatoria). Trans. R. ent. Soc. London 91: 1-50, figs.
- 2628. Ziegler, J.**, 1995, *Alsomyia keili* spec. nov. (Dipt., Tachinidae) - eine Parasitoid von *Zygaena manlia* Led. (Lep., Zygaenidae). Studia dipterolog. 2: 271-278.
- 2629. Ziegler, J.**, 2010, Revision of the genus *Germaria* Robineau-Desvoidy (Diptera, Tachinidae) from Greece, with description of two new species. Dt. ent. Z. 57 (1): 43-57, figs.
- 2630. Ziegler, J.**, 2011, First records and other interesting finds of Tachinidae from Israel and adjacent areas. Tachinid Times 24: 7-11, figs.
- 2631. Zimina, L.V.**, 1975, The Conopid flies (Diptera, Conopidae) of the USSR. The genus *Sicus* Scop., 1763. Ent. Rev. 54 (1): 129-132 [in Russian]
- 2632. Zimina, L.V.**, 1979, A new Conopidae species from Turkmenistan (Diptera). Trudy Vses. Ent. Obshch. 61: 196-197.
- 2633. Zimmermann, V.S.**, 1971, Ergebnisse zoologischer Sammelreisen in der Türkei Gattung *Trichodes* Herbst (Cleridae, Coleoptera). Annln naturhn. Mus. Wien 75: 591-625.
- 2634. Zimmermann, V.S.**, 1973, Ergebnisse zoologischer Sammelreisen in der Türkei Gattung *Trichodes* Herbst (Cleridae, Coleoptera). Annln naturhn. Mus. Wien 77: 409-419.
- 2635. Zlobin, V.V.**, 2005, A new species of *Melanagromyza* feeding on giant hogweed in the Caucasus (Diptera, Agromyzidae). Zoosyst. ross. 14 (1): 173-177, figs.
- 2636. Zonneveld, C.**, 2012, Natural History Photographs. <http://www.corzenneveld.nl/index.php> [last access 31 12 2012] [highly recommended pictorial site for insect fauna of Turkey].
- 2637. Zonstein, I.**, 2007, A review of the species of *Microphadnus* Cameron in Israel with a description of a new species (Hymenoptera, Pompilidae). Israel J. Ent. 37: 245-259, figs.
- 2638. Zwick, P.**, 1971, Plecoptera aus Anatolien und benachbarten Gebieten. Mitt. schweiz. ent. Ges. 44 (3/4): 233-264, 11 Abb.
- 2639. Zwick, P.**, 1972, Blephariceridae (Dipt.) aus der asiatischen Türkei. Nouv. Revue Ent. 2: 21-42, figs.
- 2640. Zwick, P.**, 1978, Beitrag zur Kenntnis europäischer Blepharoceridae (Diptera). Bonn. zool. Beitr. 29 (1/3): 242-266, 17 Abb.
- 2641. Zwick, P.**, 1988, Contribution to the Turkish Blephariceridae and Ptychopteridae (Diptera). Mitt. schweiz. ent. Ges. 61: 123-129, figs.




## Maps


The distributional codes of 185 species used in the list have changed into visual in the following distributional maps. Thus, 185 maps are prepared specially for this report (Cesa ©).



**Map 1 - *Aiolopus simulatrix* (Walker, 1870) (Acrididae)**




**Map 2 - *Aiolopus thalassinus* (Fabricius, 1781) (Acrididae)**




**Map 3 - Calliptamus barbarus (Costa,1836) (Acrididae)**






**Map 4 - *Calliptamus italicus* (Linnaeus, 1758) (Acrididae)**




**Map 5 - *Chorthippus (Glyptobothrus) brunneus* (Thunberg,1815) (Acrididae)**




**Map 6 - *Dociostaurus (Kazakia) brevicollis* (Eversmann,1848) (Acrididae)**






**Map 7 - *Dociostaurus (Notostaurus) anatolicus* Krauss, 1896 (Acrididae)**




**Map 8 - *Dociostaurus (s.str.) maroccanus* (Thunberg, 1815) (Acrididae)**




**Map 9 - *Dociostaurus (Stauronotulus) hauensteini* (Bolivar,1893) (Acrididae)**






**Map 10 - *Eyprepocnemis plorans* (Charpentier, 1825) (Acrididae)**




**Map 11 - *Heteracris pterosticha* (Fischer von Waldheim, 1833) (Acrididae)**




**Map 12 - *Oedaleus decorus* (Germar, 1825) (Acrididae)**






**Map 13 - *Oedipoda caerulescens* (Linnaeus, 1758) (Acrididae), see also Fig.1.**




**Map 14 - Ramburiella (Palaeocesa) turcomana (Fischer von Waldheim, 1833) (Acrididae)**




**Map 15 - *Camptopus lateralis* (Germar, 1817) (Alydidae)**






**Map 16 - *Anthocoris minki* (Dohrn,1860) (Anthocoridae)**




**Map 17 - *Anthocoris nemorum* (Linnaeus,1761) (Anthocoridae)**




**Map 18 - *Epallage fatime* (Charpentier, 1840) (Calopterygidae)**






**Map 19 - *Philaenus (s.str.) spumarius* (Linnaeus,1758) (Cercopidae)**




**Map 20 - *Aconurella prolixa* (Lethierry,1885) (Cicadellidae)**




**Map 21 - *Alebra albostriella* (Fallén, 1826) (Cicadellidae)**






**Map 22 - *Aphrodes bicinctus* (Schränk, 1776) (Cicadellidae)**




**Map 23 - *Austroagallia sinuata* (Mulsant & Rey, 1855) (Cicadellidae)**




**Map 24 - *Circulifer haematocephus* (Mulsant & Rey, 1855) (Cicadellidae)**






**Map 25 - *Euscelis incisus* (Kirschbaum, 1858) (Cicadellidae)**




**Map 26 - *Macrosteles sexnotatus* (Fallén, 1806) (Cicadellidae)**




**Map 27 - *Enoplops scapha* (Fabricius, 1794) (Coreidae)**






**Map 28 - *Syromastus rhombeus* (Linnaeus, 1767) (Coreidae)**




**Map 29 - *Cydnus aterrimus* (Forster, 1771) (Cydnidae)**




**Map 30 - *Macroscytus brunneus* (Fabricius, 1803) (Cydnidae)**






**Map 31 - *Asiraca clavicornis* (Fabricius, 1794) (Delphacidae)**




**Map 32 - *Javesella pellucida* (Fabricius, 1794) (Delphacidae)**




**Map 33 - *Laodelphax striatellus* (Fallén, 1826) (Delphacidae)**






**Map 34 - *Toya propinqua* (Fieber, 1866) (Delphacidae)**




**Map 35 - *Dictyophara (s.str.) europaea* (Linnaeus,1767) (Dictyopharidae)**




**Map 36 - *Pteronemobius (s.str.) heydenii* (Fischer, 1853) (Gryllidae)**






**Map 37 - *Shaerqia turkestanica* (F.Loew,1881) (Liviidae)**




**Map 38 - *Spilostethus pandurus* (Scopoli, 1763) (Lygaeidae)**




**Map 39 - *Spilostethus saxatilis* (Scopoli, 1763) (Lygaeidae)**






**Map 40 - *Bolivaria brachyptera* (Pallas, 1773) (Mantidae)**




**Map 41 - *Orthotylus flavosparsus* (Sahlberg, 1841) (Miridae)**




**Map 42 - *Prostemma sanguineum* (Rossi, 1790) (Nabidae)**






**Map 43 - *Nemoura cinerea* (Retzius, 1783) (Nemouridae)**




**Map 44 - *Aelia acuminata* (Linnaeus,1758) (Pentatomidae)**




**Map 45 - *Ancyrosoma leucogrammes* (Gmelin, 1790) (Pentatomidae)**






**Map 46 - *Apodiphus amygdali* (Germar, 1817) (Pentatomidae)**




**Map 47 - *Arma custos* (Fabricius, 1794) (Pentatomidae)**




**Map 48 - *Bagrada stolida* (Herrich-Schäffer, 1839) (Pentatomidae)**






**Map 49 - *Brachynema germarii* (Kolenati, 1846) (Pentatomidae)**




**Map 50 - *Carpocoris (s.str.) coreanus* Distant, 1899 (Pentatomidae)**




**Map 51 - *Carpocoris* (s.str.) *fuscispinus* (Boheman, 1851) (Pentatomidae)**






**Map 52 - *Carpocoris (s.str.) mediterraneus* Tamanini, 1958 (Pentatomidae)**




**Map 53 - *Carpocoris (s.str.) pudicus* (Poda, 1761) (Pentatomidae)**




**Map 54 - *Carpocoris* (s.str.) *purpureipennis* (De Geer, 1773) (Pentatomidae)**






**Map 55 - *Cnephosa flavomarginata* Jakovlev, 1880 (Pentatomidae)**




**Map 56 - *Codophila (s.str.) varia* (Fabricius, 1787) (Pentatomidae)**




**Map 57 - Dolycoris baccarum (Linnaeus,1758) (Pentatomidae)**






**Map 58 - *Eurydema (Horvatheurydema) fieberi* Fieber, 1837 (Pentatomidae)**




**Map 59 - *Eurydema (s.str.) oleraceum* (Linnaeus, 1758) (Pentatomidae)**




**Map 60 - *Graphosoma (Graphosomella) inexpectatum* Carapezza & Jindra, 2008 (Pentatomidae)**






**Map 61 - *Nezara viridula* (Linnaeus,1758) (Pentatomidae)**




**Map 62 - *Pausias leprieuri* (Signoret, 1880) (Pentatomidae)**




**Map 63 - *Picromerus griseus* (Dallas, 1851) (Pentatomidae)**






**Map 64 - *Putonia asiatica* Jakovlev, 1885 (Pentatomidae)**




**Map 65 - *Rhacognathus punctatus* (Linnaeus, 1758) (Pentatomidae)**




**Map 66 - *Rhombocoris regularis* (Herrich-Schaeffer,1851) (Pentatomidae)**






**Map 67 - *Sciocoris (s.str.) cursitans* (Fabricius, 1794) (Pentatomidae)**




**Map 68 - *Staria lunata* (Hahn, 1835) (Pentatomidae)**




**Map 69 - *Tholagmus flavolineatus* (Fabricius, 1798) (Pentatomidae)**






**Map 70 - *Zicrona caerulea* (Linnaeus,1758) (Pentatomidae)**




**Map 71 - *Piesma (Parapiesma) quadratum* (Fieber,1844) (Piesmatidae)**




**Map 72 - *Piesma (s.str.) maculatum* (Laporte, 1833) (Piesmatidae)**






**Map 73 - *Coptosoma scutellatum* (Geoffroy, 1785) (Plataspidae)**




**Map 74 - *Rhynocoris iracundus* (Poda, 1761) (Reduviidae)**




**Map 75 - *Brachycarenum tigrinus* (Schilling, 1829) (Rhopalidae)**






**Map 76 - *Corizus hyoscyami* (Linnaeus,1758) (Rhopalidae)**




**Map 77 - *Rhopalus (s.str.) parumpunctatus* Schilling, 1829 (Rhopalidae)**




**Map 78 - *Rhopalus (s.str.) subrufus* (Gmelin, 1790) (Rhopalidae)**






**Map 79 - *Saldula opacula* (Zetterstedt, 1838) (Saldidae)**




**Map 80 - *Psacasta (s.str.) exanthematica* (Scopoli, 1763) (Scutelleridae)**




**Map 81 - *Phaneroptera (Erdemia) erdemi* Koçak & Kemal, 2009 (Tettigoniidae)**






**Map 82 - *Platycleis (Squamiana) irritans* Ramme,1951 (Tettigoniidae)**




**Map 83 - *Platycleis (Tessellana) veyseli* Koçak, 1984 (Tettigoniidae)**




**Map 84 - *Saga ephippigera* Fischer von Waldheim, 1846 (Tettigoniidae)**






**Map 85 - *Trigonocorypha sirvani* Koçak, Kemal & Seven, 2010 (Tettigoniidae)**




**Map 86 - *Laphria dizonias* Loew, 1847 (Asilidae)**




**Map 87 - *Bibio hortulanus* (Linnaeus, 1758) (Bibionidae)**






**Map 88 - *Dilophus tridentatus* Walker, 1848 (Bibionidae)**




**Map 89 - *Anthrax aethiops* (Fabricius, 1781) (Bombyliidae)**




**Map 90 - *Bombomyia discoidea* (Fabricius, 1794) (Bombyliidae)**






**Map 91 - *Bombylius (s.str.) minor* Linnaeus, 1758 (Bombyliidae)**




**Map 92 - *Caecanthrax arabicus* (Macquart, 1840) (Bombyliidae)**




**Map 93 - *Chalcochiton pallasii* (Loew,1856) (Bombyliidae)**






**Map 94 - *Exoprosopa rivularis* (Meigen, 1820) (Bombyliidae)**




**Map 95 - *Hemipenthes morio* (Linnaeus, 1758) (Bombyliidae)**




**Map 96 - *Hemipenthes velutina* (Meigen, 1820) (Bombyliidae)**






Map 97 - *Heteralonia (Homolonia) megerlei* (Meigen, 1820) (Bombyliidae)




**Map 98 - *Satyramoeba hetrusca* (Fabricius,1794) (Bombyliidae)**




**Map 99 - *Thyridanthrax perspicillaris* (Loew,1869) (Bombyliidae)**






**Map 100 - *Aphanotrigonum cinctellum* (Zetterstedt,1848) (Chloropidae)**




**Map 101 - *Chlorops pumilionis* (Bjerkander,1778) (Chloropidae)**




**Map 102 - *Thaumatomyia notata* (Meigen, 1830) (Chloropidae)**






**Map 103 - *Myopa dorsalis* Fabricius, 1794 (Conopidae)**




**Map 104 - *Thecophora pusilla* (Meigen, 1824) (Conopidae)**




**Map 105 - *Aedes (Stegomyia) aegypti* (Linnaeus,1762) (Culicidae)**






**Map 106 - *Mosillus subsultans* (Fabricius, 1794) (Ephydridae)**




**Map 107 - *Hydrotaea aenescens* (Wiedemann,1830) (Muscidae)**




**Map 108 - *Hydrotaea ignava* (Harris,1780) (Muscidae)**






**Map 109 - *Lispe pygmaea* Fallén, 1825 (Muscidae)**




**Map 110 - *Lispe sericipalpis* Stein,1904 (Muscidae)**




**Map 111 - *Lipe tentaculata* (De Geer, 1776) (Muscidae)**






**Map 112 - *Musca tempestiva* Fallén, 1817 (Muscidae)**




**Map 113 - *Hirmonneura kunchuy* Koçak & Kemal, 2012 (Nemestrinidae)**




**Map 114 - *Nemestrinus caucasicus* (Fischer, 1806) (Nemestrinidae)**






**Map 115 - *Neorhynchocephalus tauscheri* (Fischer, 1812) (Nemestrinidae)**




**Map 116 - *Platystoma seminationis* (Fabricius, 1775) (Platystomidae)**




**Map 117 - *Eupyrgota vagae* (Bigot, 1880) (Pyrgotidae)**






**Map 118 - *Scathophaga stercoraria* (Linnaeus, 1758) (Scathophagidae)**




**Map 119 - *Zophomyia temula* (Scopoli, 1763) (Tachinidae)**




**Map 120 - *Acanthiophilus helianthi* (Rossi, 1790) (Tephritidae)**






**Map 121 - *Campiglossa producta* (Loew,1844) (Tephritidae)**




**Map 122 - *Ceratitis (s.str.) capitata* (Wiedemann,1824) (Tephritidae)**




**Map 123 - *Chaetorellia succinea* (O.Costa,1844) (Tephritidae)**






**Map 124 - *Dioxyna bidentis* (R-D.,1830) (Tephritidae)**




**Map 125 - *Ensina sonchi* (Linnaeus,1767) (Tephritidae)**




**Map 126 - *Goniurellia longicauda* Freidberg, 1980 (Tephritidae)**






**Map 127 - *Heringina guttata* (Fallén, 1814) (Tephritidae)**




**Map 128 - *Hypenidium roborowskii* (Becker, 1908) (Tephritidae)**




**Map 129 - *Orellia falcata* (Scopoli, 1763) (Tephritidae)**






**Map 130 - *Rhagoletis cerasi* (Linnaeus,1758) (Tephritidae)**




**Map 131 - *Sphenella marginata* (Fallén, 1814) (Tephritidae)**




**Map 132 - *Tephritis postica* (Loew,1844) (Tephritidae)**






**Map 133 - *Terellia* (s.str.) *serratulae* (Linnaeus, 1758) (Tephritidae)**




**Map 134 - *Trupanea amoena* (Frauenfeld, 1857) (Tephritidae)**




**Map 135 - *Trupanea stellata* (Fuesslin,1775) (Tephritidae)**






**Map 136 - *Urophora affinis* (Frauenfeld,1857) (Tephritidae)**




**Map 137 - *Urophora pauperata* (Zaitzev,1945) (Tephritidae)**




**Map 138 - *Urophora quadrifasciata* (Meigen, 1826) (Tephritidae)**






**Map 139 - *Urophora solstitialis* (Linnaeus,1758) (Tephritidae)**




**Map 140 - *Xyphosia miliaria* (Schränk,1781) (Tephritidae)**




**Map 141 - *Thereva valida* (Loew,1847) (Therevidae)**






**Map 142 - *Dictenidia bimaculata* (Linnaeus, 1760) (Tipulidae)**




**Map 143 - *Nephrotoma cornicina* (Linnaeus,1758) (Tipulidae)**




**Map 144 - *Nephrotoma nox* (Riedel,1910) (Tipulidae)**






**Map 145 - *Tipula (s.str.) orientalis* Lackschewitz, 1930 (Tipulidae)**




**Map 146 - *Tipula (Yamatotipula) lateralis* Meigen, 1804 (Tipulidae)**




**Map 147 - *Myennis octopunctata* (Coquebert, 1798) (Ulidiidae)**






**Map 148 - *Andrena (Brachyandrena) colletiformis* Morawitz, 1874 (Andrenidae)**




**Map 149 - *Andrena (Holandrena) variabilis* Smith, 1853 (Andrenidae)**




**Map 150 - *Andrena (Melandrena) thoracica* (Fabricius,1775) (Andrenidae)**






**Map 151 - *Melitturga clavicornis* (Latreille, 1806) (Andrenidae)**




**Map 152 - *Coccophagus ceroplastae* (Howard,1895) (Aphelinidae)**




**Map 153 - *Coccophagus lycimnia* (Walker, 1839) (Aphelinidae)**






**Map 154 - *Ammobatoides (s.str.) abdominalis* (Eversmann, 1852) (Apidae)**




**Map 155 - *Melecta albifrons* (Förster, 1771) (Apidae)**




**Map 156 - *Thyreus histrionicus* (Illiger, 1806) (Apidae)**






**Map 157 - *Xylocopa (Proxylocopa) olivieri* Lepeletier, 1841 (Apidae)**




**Map 158 - *Arge cyanocrocea* (Forster, 1771) (Argidae)**




**Map 159 - *Agathis anglica* Marshall, 1885 (Braconidae)**






**Map 160 - *Agathis malvacearum* Latreille, 1805 (Braconidae)**




**Map 161 - *Orgilus pimpinellae* Niezabitowski, 1910 (Braconidae)**




**Map 162 - *Pseudovipio castrator* (Fabricius,1798) (Braconidae)**






**Map 163 - *Vipio cuniculator* (Rossi,1792) (Braconidae)**




**Map 164 - *Bembecinus tridens* (Fabricius, 1781) (Crabronidae)**




**Map 165 - *Bembix olivacea* Fabricius, 1787 (Crabronidae)**






**Map 166 - *Oxybelus quatuordecimnotatus* Jurine, 1807 (Crabronidae)**




**Map 167 - *Stizoides tridentatus* (Fabricius, 1775) (Crabronidae)**




**Map 168 - *Andricus kollari* (Hartig,1843) (Cynipidae)**






**Map 169 - *Closterocerus formosus* Westwood, 1833 (Eulophidae)**




**Map 170 - *Diglyphus isaea* (Walker, 1838) (Eulophidae)**




**Map 171 - *Lasioglossum (Evylaeus) mesosclerum* (Pérez, 1903) (Halictidae)**






**Map 172 - *Lasioglossum (Evylaeus) setulellum* (Strand,1909) (Halictidae)**




**Map 173 - *Lasioglossum (Evylaeus) subaenescens* (Pérez, 1896) (Halictidae)**




**Map 174 - *Coelichneumon comitator* (Linnaeus, 1758) (Ichneumonidae)**






**Map 175 - *Anthidium (Rhodanthidium) superbum* Radoszkowski, 1876 (Megachilidae)**




**Map 176 - *Tropidotilla litoralis* (Petagna, 1787) (Mutillidae)**




**Map 177 - *Sceliphron (s.str.) destillatorium* (Illiger, 1807) (Sphecidae)**






**Map 178 - *Cantharis (Cyrtomoptila) lateralis* Linnaeus, 1758 (Cantharidae)**




**Map 179 - *Cantharis (s.str.) annularis* Ménéttriés, 1836 (Cantharidae)**




**Map 180 - *Cantharis (s.str.) livida* Linnaeus,1758 (Cantharidae)**






**Map 181 - *Cantharis rufa* Linnaeus,1758 (Cantharidae)**




**Map 182 - *Rhagonycha fulva* (Scopoli, 1763) (Cantharidae)**




**Map 183 - *Purpuricenus wachanrui* Levrat, 1858 (Cerambycidae)**





**Map 184 - *Tilloidea unifasciata* (Fabricius, 1787) (Cleridae)**



**Map 185 - *Mycetochara (Ernocharis) quadrimaculata* (Latreille, 1804) (Tenebrionidae)**

**Priamus Supplement** is the first international, online publication of the Centre for Entomological Studies Ankara (CESA), established in 2006 in accordance with the Publications Rules of the ICZN. It appears at irregular intervals online, as PDF format, archived in the “Internet Archive” regularly.

It includes larger original articles and theses of the research workers of the Centre, regarding morphology, bibliography, check-list, catalogue of Insects, especially Lepidoptera, as well as papers on faunistic, ecological and distributional researches. The publication languages are Turkish, English, German and Uighurian.

## Centre for Entomological Studies Ankara



(A scientific Consortium)

(co-operation of research workers for pure-scientific, not commercial purpose)

Web Page of the Cesa: <http://www.cesa-tr.org/>

**Scientific Serials:** Priamus & Supplement (ISSN 1015-8243)<sup>1</sup>, Miscellaneous Papers (ISSN 1015-8235)<sup>2</sup>, Memoirs (ISSN-8227)<sup>3</sup>, DVD Films<sup>4</sup>, Iconographia Insectorum<sup>5</sup> Cesa Publications on African Lepidoptera (series)<sup>6</sup>, Cesa News [online]<sup>7</sup>, Cesa Books<sup>8</sup>

**Owners / Sahipleri - Editors / Yayıncılar:** Prof. Dr. Ahmet Ömer Koçak (c/o Yüzüncü Yıl University, Turkey) - Editor Assistant: Asst. Prof. Dr. Muhabbet Kemal Koçak (c/o Yüzüncü Yıl University, Turkey).

**Editorial Board of all Scientific Serials / Bütün Bilimsel Yayınların Yayın Kurulu:** Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. Dr. Ahmet Ömer Koçak (Yüzüncü Yıl Üniversitesi, Turkey), Asst. Prof. Dr. Muhabbet Kemal Koçak (Yüzüncü Yıl University, Turkey), Assoc. Prof. Dr. Selma Seven (Gazi University, Turkey); Homoptera: Dr. Emine Demir (Turkey). Orthoptera: Assoc. Prof. Dr. Mustafa Ünal (Abant İzzet Baysal University, Turkey), Plant taxonomy, flora and vegetation: Dr. Mesut Pınar (Yüzüncü Yıl University, Van, Turkey).

**ALL RIGHTS RESERVED**

Correspondences should be addressed to: Prof. Dr. Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Fen Fakültesi, Biyoloji Bölümü, Kampus, Van / Turkey. - e-mail: [cesa\\_tr@yahoo.com.tr](mailto:cesa_tr@yahoo.com.tr)

All serials are recorded regularly by the Zoological Record,  
Thomson Reuters, Enterprise House, Innovation Way, Heslington, York, YO10 5NQ, United Kingdom  
[ts-emea-york.dcsadmins@thomson.com](mailto:ts-emea-york.dcsadmins@thomson.com)

Priamus Supplement is regularly archived online in the Internet Archive: <https://archive.org/>



Cesa © 1966-2015

<sup>1</sup> <http://www.cesa-tr.org/Pri.htm> - earlier issues of Priamus as pdf available after corresponding ; Priamus Supplement (online) pdf available

<sup>2</sup> <http://www.cesa-tr.org/Miscell.htm> - earlier issues as pdf available after corresponding

<sup>3</sup> <http://www.cesa-tr.org/Memoirs.htm> - pdf available

<sup>4</sup> <http://www.cesa-tr.org/CDF.htm>

<sup>5</sup> <http://www.cesa-tr.org/Icon.htm>

<sup>6</sup> [http://www.metafro.be/Members/Cesa/internet\\_sayfas305/base\\_view](http://www.metafro.be/Members/Cesa/internet_sayfas305/base_view) - pdf available

<sup>7</sup> <http://www.cesa-tr.org/Cesanews.htm> pdf available

<sup>8</sup> <http://www.cesa-tr.org/Cesabooks.htm> CD format